



# Open Source Used In AppDynamics Smart Dashboard 23.4-195

## **Cisco Systems, Inc.**

[www.cisco.com](http://www.cisco.com)

Cisco has more than 200 offices worldwide.  
Addresses, phone numbers, and fax numbers  
are listed on the Cisco website at  
[www.cisco.com/go/offices](http://www.cisco.com/go/offices).

Text Part Number: 78EE117C99-1652129048

**This document contains licenses and notices for open source software used in this product. With respect to the free/open source software listed in this document, if you have any questions or wish to receive a copy of any source code to which you may be entitled under the applicable free/open source license(s) (such as the GNU Lesser/General Public License), please submit this [form](#).**

**In your requests please include the following reference number 78EE117C99-1652129048**

## Contents

### **1.1 apache-log4j 2.17.1**

1.1.1 Available under license

### **1.2 musl 1.2.3-r4**

1.2.1 Available under license

### **1.3 readline 8.2.0-r0**

1.3.1 Available under license

### **1.4 netty-resolver 4.1.86.Final**

1.4.1 Available under license

### **1.5 jcip-annotation 1.0-1**

1.5.1 Available under license

### **1.6 error\_prone\_annotations 2.3.4**

1.6.1 Available under license

### **1.7 jackson-annotations 2.13.2**

1.7.1 Available under license

### **1.8 zlib 1.2.13-r0**

1.8.1 Available under license

### **1.9 profiles 2.18.2**

1.9.1 Available under license

### **1.10 openjdk 17.0.4**

1.10.1 Available under license

### **1.11 xerces-j 2.12.2**

1.11.1 Available under license

### **1.12 lang-tag 1.7**

1.12.1 Available under license

### **1.13 error\_prone\_annotations 2.3.3**

1.13.1 Available under license

## **1.14 jackson-dataformat-yaml 2.13.2**

1.14.1 Available under license

## **1.15 error\_prone\_annotations 2.9.0**

1.15.1 Available under license

## **1.16 okta-commons-lang 1.3.3**

1.16.1 Available under license

## **1.17 secretsmanager 2.18.2**

1.17.1 Available under license

## **1.18 apk-tools 2.12.10-r1**

1.18.1 Available under license

## **1.19 jboss-logging 3.4.1.Final**

1.19.1 Available under license

## **1.20 spring-security-config 6.0.2**

1.20.1 Available under license

## **1.21 servlet-api 3.0.1**

1.21.1 Available under license

## **1.22 j2objc-annotations 1.3**

1.22.1 Available under license

## **1.23 commons-lang3 3.12.0**

1.23.1 Available under license

## **1.24 ncurses 6.3\_p20221119-r0**

1.24.1 Available under license

## **1.25 snake-yaml 2.0**

1.25.1 Available under license

## **1.26 okio 1.17.5**

1.26.1 Available under license

## **1.27 busybox 1.35.0-r29**

1.27.1 Available under license

## **1.28 slf4j 2.0.0**

1.28.1 Available under license

## **1.29 jackson-annotations 2.13.3**

1.29.1 Available under license

## **1.30 okta-spring-sdk 3.0.3**

1.30.1 Available under license

## **1.31 commons-compress 1.21**

1.31.1 Available under license

## **1.32 lcms 2.12**

1.32.1 Available under license

## **1.33 protobuf-java 3.19.4**

- 1.33.1 Available under license
- 1.34 kotlin-logging 1.7.9**
  - 1.34.1 Available under license
- 1.35 xodus-openapi 2.0.1**
  - 1.35.1 Available under license
- 1.36 listenablefuture 9999.0-empty-to-avoid-conflict-with-guava**
  - 1.36.1 Available under license
- 1.37 opentelemetry-sdk-extension-autoconfigure-spi 1.13.0**
  - 1.37.1 Available under license
- 1.38 spring-context 6.0.7**
  - 1.38.1 Available under license
- 1.39 jakarta-validation-api 3.0.2**
  - 1.39.1 Available under license
- 1.40 ssl-client 1.35.0-r29**
  - 1.40.1 Available under license
- 1.41 jeromq 0.3.5**
  - 1.41.1 Available under license
- 1.42 httpcomponents-client 4.5.13**
  - 1.42.1 Available under license
- 1.43 gson 2.9.1**
  - 1.43.1 Available under license
- 1.44 netty-codec 4.1.86.Final**
  - 1.44.1 Available under license
- 1.45 httpclient-cache 4.5.13**
  - 1.45.1 Available under license
- 1.46 kotlin 1.6.10**
  - 1.46.1 Available under license
- 1.47 jackson 2.13.3**
  - 1.47.1 Available under license
- 1.48 kms 2.17.239**
  - 1.48.1 Available under license
- 1.49 xodus-environment 2.0.1**
  - 1.49.1 Available under license
- 1.50 annotations 13.0**
- 1.51 slf4j 1.6.6**
  - 1.51.1 Available under license
- 1.52 oauth2-oidc-sdk 9.43.1**
  - 1.52.1 Available under license
- 1.53 json-smart 2.4.10**

- 1.53.1 Available under license
- 1.54 libpng 1.6.37**
  - 1.54.1 Available under license
- 1.55 accessors-smart 2.4.9**
  - 1.55.1 Available under license
- 1.56 okhttp 2.7.4**
  - 1.56.1 Available under license
- 1.57 jackson-module-parameter-names 2.14.2**
  - 1.57.1 Available under license
- 1.58 libssl3 3.0.8-r4**
  - 1.58.1 Available under license
- 1.59 netty-nio-client 2.18.2**
  - 1.59.1 Available under license
- 1.60 nimbus-jose-jwt 9.24.4**
  - 1.60.1 Available under license
- 1.61 bash 5.2.15-r0**
  - 1.61.1 Available under license
- 1.62 animal-sniffer-annotation 1.19**
  - 1.62.1 Available under license
- 1.63 annotations 19.0.0**
  - 1.63.1 Available under license
- 1.64 log4j-jcl 2.17.1**
  - 1.64.1 Available under license
- 1.65 libcrypto3 3.0.8-r4**
  - 1.65.1 Available under license
- 1.66 spring-framework 6.0.7**
  - 1.66.1 Available under license
- 1.67 paranamer 2.5.1**
  - 1.67.1 Available under license
- 1.68 commons-io 2.8.0**
  - 1.68.1 Available under license
- 1.69 cglib 3.2.0**
  - 1.69.1 Available under license
- 1.70 netty-handler 4.1.86.Final**
  - 1.70.1 Available under license
- 1.71 ca-certificates 20220614-r4**
  - 1.71.1 Available under license
- 1.72 spring-security-core 6.0.2**
  - 1.72.1 Available under license

- 1.73 failureaccess 1.0.1**
- 1.74 log4j-api 2.19.0**
  - 1.74.1 Available under license
- 1.75 third-party-jackson-core 2.18.2**
  - 1.75.1 Available under license
- 1.76 snake-yaml 1.30**
  - 1.76.1 Available under license
- 1.77 objenesis 3.2**
  - 1.77.1 Available under license
- 1.78 client-spi 2.18.2**
  - 1.78.1 Available under license
- 1.79 tomcat 10.1.7**
  - 1.79.1 Available under license
- 1.80 jackson-databind 2.13.3**
  - 1.80.1 Available under license
- 1.81 spring-beans 6.0.7**
  - 1.81.1 Available under license
- 1.82 okta-config-check 1.3.3**
  - 1.82.1 Available under license
- 1.83 namespace 1.4.01**
  - 1.83.1 Available under license
- 1.84 jre 17.0.4.1+1-LTS**
  - 1.84.1 Available under license
- 1.85 javax-inject 1**
  - 1.85.1 Available under license
- 1.86 alpine-baselayout-data 3.4.0-r0**
  - 1.86.1 Available under license
- 1.87 commons-codec 1.15**
  - 1.87.1 Available under license
- 1.88 netty-codec-http 4.1.86.Final**
  - 1.88.1 Available under license
- 1.89 apache-client 2.18.2**
  - 1.89.1 Available under license
- 1.90 xodus-utils 2.0.1**
  - 1.90.1 Available under license
- 1.91 picocontainer 2.15**
  - 1.91.1 Available under license
- 1.92 event-stream 1.0.1**
  - 1.92.1 Available under license

- 1.93 commons-fileupload 1.5**
  - 1.93.1 Available under license
- 1.94 jsr305 3.0.2**
  - 1.94.1 Available under license
- 1.95 netty-transport-native-unix-common 4.1.86.Final**
  - 1.95.1 Available under license
- 1.96 reload4j 2.19.0**
  - 1.96.1 Available under license
- 1.97 kotlin 1.6.10-release-923**
  - 1.97.1 Available under license
- 1.98 metrics-spi 2.18.2**
  - 1.98.1 Available under license
- 1.99 json-utils 2.18.2**
  - 1.99.1 Available under license
- 1.100 free-type 2.12.1**
  - 1.100.1 Available under license
- 1.101 disruptor 2.11.2.3**
  - 1.101.1 Available under license
- 1.102 alpine-baselayout 3.4.0-r0**
  - 1.102.1 Available under license
- 1.103 opentelemetry-sdk 1.13.0**
  - 1.103.1 Available under license
- 1.104 zt 1.14**
  - 1.104.1 Available under license
- 1.105 log4j-jul 2.19.0**
  - 1.105.1 Available under license
- 1.106 auth 2.18.2**
  - 1.106.1 Available under license
- 1.107 guice-multibindings 4.1.0**
  - 1.107.1 Available under license
- 1.108 snake-yaml 1.29**
  - 1.108.1 Available under license
- 1.109 spring-security-web 6.0.2**
  - 1.109.1 Available under license
- 1.110 jackson-datatype-jdk8 2.14.2**
  - 1.110.1 Available under license
- 1.111 error\_prone\_annotations 2.11.0**
  - 1.111.1 Available under license
- 1.112 apache-log4j 2.19.0**

- 1.112.1 Available under license
- 1.113 log4j-slf4j2-impl 2.19.0**
- 1.113.1 Available under license
- 1.114 jackson-databind 2.14.2**
- 1.114.1 Available under license
- 1.115 xodus-entity-store 2.0.1**
- 1.115.1 Available under license
- 1.116 commons-codec 1.14**
- 1.116.1 Available under license
- 1.117 micrometer-observation 1.10.4**
- 1.117.1 Available under license
- 1.118 dom 1.0**
- 1.118.1 Available under license
- 1.119 xodus-compress 2.0.1**
- 1.119.1 Available under license
- 1.120 dagger 2.4**
- 1.120.1 Available under license
- 1.121 spring-expression 6.0.7**
- 1.121.1 Available under license
- 1.122 commons-math 2.1**
- 1.122.1 Available under license
- 1.123 pax-utils 1.3.5-r1**
- 1.123.1 Available under license
- 1.124 jackson 2.13.2**
- 1.124.1 Available under license
- 1.125 netty-transport-classes-epoll 4.1.86.Final**
- 1.125.1 Available under license
- 1.126 guice 4.1.0**
- 1.126.1 Available under license
- 1.127 alpine-keys 2.4-r1**
- 1.127.1 Available under license
- 1.128 spring-web 6.0.7**
- 1.128.1 Available under license
- 1.129 jackson-dataformat-yaml 2.13.3**
- 1.129.1 Available under license
- 1.130 xml-apis 1.4.01**
- 1.130.1 Available under license
- 1.131 libc-utils 0.7.2-r3**
- 1.131.1 Available under license



### **1.132 reactive-streams 1.0.3**

1.132.1 Available under license

### **1.133 okhttp 4.9.3**

1.133.1 Available under license

### **1.134 opentelemetry-api-metrics 1.10.0-rc.1**

1.134.1 Available under license

### **1.135 libjpeg 6b**

1.135.1 Notifications

1.135.2 Available under license

### **1.136 vault-java-driver 5.1.0**

1.136.1 Available under license

### **1.137 endpoints-spi 2.18.2**

1.137.1 Available under license

### **1.138 aws-json-protocol 2.18.2**

1.138.1 Available under license

### **1.139 xodus-vfs 2.0.1**

1.139.1 Available under license

### **1.140 guava 31.1-jre**

1.140.1 Available under license

### **1.141 asm 9.3**

1.141.1 Available under license

### **1.142 openssl 3.0.8-r4**

1.142.1 Available under license

### **1.143 content-type 2.2**

1.143.1 Available under license

### **1.144 log4j-api 2.17.1**

1.144.1 Available under license

### **1.145 aop-alliance 1.0**

1.145.1 Available under license

### **1.146 spring-web-mvc 6.0.7**

1.146.1 Available under license

### **1.147 javassist 3.27.0-GA**

1.147.1 Available under license

### **1.148 opentelemetry-proto 0.11.0**

1.148.1 Available under license

### **1.149 perfmark-api 0.17.0**

1.149.1 Available under license

### **1.150 hibernate-validator 8.0.0.Final**

1.150.1 Available under license

**1.151 utils 2.18.2**

1.151.1 Available under license

**1.152 classmate 1.5.1**

1.152.1 Available under license

**1.153 gson 2.8.9**

1.153.1 Available under license

**1.154 netty 4.1.86.Final**

1.154.1 Available under license

**1.155 aws-core 2.18.2**

1.155.1 Available under license

**1.156 httpcomponents-core 4.4.13**

1.156.1 Available under license

**1.157 netty-transport 4.1.86.Final**

1.157.1 Available under license

**1.158 httpcore-nio 4.4.13**

1.158.1 Available under license

**1.159 jackson-datatype-jsr310 2.14.2**

1.159.1 Available under license

**1.160 jackson-annotations 2.14.2**

1.160.1 Available under license

**1.161 jctools-core 3.3.0**

1.161.1 Available under license

**1.162 busybox-binsh 1.35.0-r29**

1.162.1 Available under license

**1.163 okta-spring-security-oauth2 3.0.3**

1.163.1 Available under license

**1.164 listenablefuture 9999.0-empty-to-avoid-conflict-with-guava**

**1.165 busybox 1.35.0**

1.165.1 Available under license

**1.166 commons-logging 1.2**

1.166.1 Available under license

**1.167 annotations 4.1.1.4**

1.167.1 Available under license

**1.168 protocol-core 2.18.2**

1.168.1 Available under license

**1.169 servlet-api 6.0**

1.169.1 Available under license

**1.170 commons-fileupload 1.4**

1.170.1 Available under license

### **1.171 jackson-databind 2.13.2.2**

1.171.1 Available under license

### **1.172 spring-aop 6.0.7**

1.172.1 Available under license

### **1.173 httpcomponents-mime 4.5.12**

1.173.1 Available under license

### **1.174 netty-transport-native-epoll 4.1.86.Final**

1.174.1 Available under license

### **1.175 openjdk-jre 17.0.4u1**

1.175.1 Available under license

### **1.176 regions 2.18.2**

1.176.1 Available under license

### **1.177 giflib 5.2.1**

1.177.1 Available under license

### **1.178 jackson 2.14.2**

1.178.1 Available under license

### **1.179 opentelemetry-semconv 1.13.0-alpha**

1.179.1 Available under license

### **1.180 guava 30.1-jre**

1.180.1 Available under license

### **1.181 guava 30.1.1-android**

1.181.1 Available under license

### **1.182 sdk-core 2.18.2**

1.182.1 Available under license

### **1.183 annotations 2.18.2**

1.183.1 Available under license

### **1.184 jctools-core 3.1.0**

1.184.1 Available under license

## **1.1 apache-log4j 2.17.1**

### **1.1.1 Available under license :**

Apache Log4j Core

Copyright 1999-2012 Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<http://www.apache.org/>).

ResolverUtil.java

Copyright 2005-2006 Tim Fennell

Apache License

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions

to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices

stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

- 5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
- 6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
- 7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 1999-2005 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

/\*

\* Licensed to the Apache Software Foundation (ASF) under one or more  
\* contributor license agreements. See the NOTICE file distributed with  
\* this work for additional information regarding copyright ownership.  
\* The ASF licenses this file to You under the Apache license, Version 2.0  
\* (the "License"); you may not use this file except in compliance with  
\* the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the license for the specific language governing permissions and  
\* limitations under the license.

\*/

## 1.2 musl 1.2.3-r4

### 1.2.1 Available under license :

musl as a whole is licensed under the following standard MIT license:

-----  
Copyright 2005-2020 Rich Felker, et al.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.



IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

-----

Authors/contributors include:

A. Wilcox  
Ada Worcester  
Alex Dowad  
Alex Suykov  
Alexander Monakov  
Andre McCurdy  
Andrew Kelley  
Anthony G. Basile  
Aric Belsito  
Arvid Picciani  
Bartosz Brachaczek  
Benjamin Peterson  
Bobby Bingham  
Boris Brezillon  
Brent Cook  
Chris Spiegel  
Clment Vasseur  
Daniel Micay  
Daniel Sabogal  
Daurnimator  
David Carlier  
David Edelsohn  
Denys Vlasenko  
Dmitry Ivanov  
Dmitry V. Levin  
Drew DeVault  
Emil Renner Berthing  
Fangrui Song  
Felix Fietkau  
Felix Janda  
Gianluca Anzolin  
Hauke Mehtens  
He X  
Hiltjo Posthuma  
Isaac Dunham  
Jaydeep Patil  
Jens Gustedt  
Jeremy Huntwork  
Jo-Philipp Wich  
Joakim Sindholt

John Spencer  
Julien Ramseier  
Justin Cormack  
Kaarle Ritvanen  
Khem Raj  
Kylie McClain  
Leah Neukirchen  
Luca Barbato  
Luka Perkov  
M Farkas-Dyck (Strake)  
Mahesh Bodapati  
Markus Wichmann  
Masanori Oginō  
Michael Clark  
Michael Forney  
Mikhail Kremnyov  
Natanael Copa  
Nicholas J. Kain  
orc  
Pascal Cuoq  
Patrick Oppenlander  
Petr Hosek  
Petr Skocik  
Pierre Carrier  
Reini Urban  
Rich Felker  
Richard Pennington  
Ryan Fairfax  
Samuel Holland  
Segev Finer  
Shiz  
sin  
Solar Designer  
Stefan Kristiansson  
Stefan O'Rear  
Szabolcs Nagy  
Timo Ters  
Trutz Behn  
Valentin Ochs  
Will Dietz  
William Haddon  
William Pitcock

Portions of this software are derived from third-party works licensed under terms compatible with the above MIT license:

The TRE regular expression implementation (src/regex/reg\* and src/regex/tre\*) is Copyright 2001-2008 Ville Laurikari and licensed

under a 2-clause BSD license (license text in the source files). The included version has been heavily modified by Rich Felker in 2012, in the interests of size, simplicity, and namespace cleanliness.

Much of the math library code (`src/math/*` and `src/complex/*`) is Copyright 1993,2004 Sun Microsystems or Copyright 2003-2011 David Schultz or Copyright 2003-2009 Steven G. Kargl or Copyright 2003-2009 Bruce D. Evans or Copyright 2008 Stephen L. Moshier or Copyright 2017-2018 Arm Limited and labelled as such in comments in the individual source files. All have been licensed under extremely permissive terms.

The ARM memcpy code (`src/string/arm/memcpy.S`) is Copyright 2008 The Android Open Source Project and is licensed under a two-clause BSD license. It was taken from Bionic libc, used on Android.

The AArch64 memcpy and memset code (`src/string/aarch64/*`) are Copyright 1999-2019, Arm Limited.

The implementation of DES for crypt (`src/crypt/crypt_des.c`) is Copyright 1994 David Burren. It is licensed under a BSD license.

The implementation of blowfish crypt (`src/crypt/crypt_blowfish.c`) was originally written by Solar Designer and placed into the public domain. The code also comes with a fallback permissive license for use in jurisdictions that may not recognize the public domain.

The smoothsort implementation (`src/stdlib/qsort.c`) is Copyright 2011 Valentin Ochs and is licensed under an MIT-style license.

The x86\_64 port was written by Nicholas J. Kain and is licensed under the standard MIT terms.

The mips and microblaze ports were originally written by Richard Pennington for use in the ellcc project. The original code was adapted by Rich Felker for build system and code conventions during upstream integration. It is licensed under the standard MIT terms.

The mips64 port was contributed by Imagination Technologies and is licensed under the standard MIT terms.

The powerpc port was also originally written by Richard Pennington, and later supplemented and integrated by John Spencer. It is licensed under the standard MIT terms.

All other files which have no copyright comments are original works

produced specifically for use as part of this library, written either by Rich Felker, the main author of the library, or by one or more contributors listed above. Details on authorship of individual files can be found in the git version control history of the project. The omission of copyright and license comments in each file is in the interest of source tree size.

In addition, permission is hereby granted for all public header files (include/\* and arch/\*/bits/\*) and crt files intended to be linked into applications (crt/\*, ldso/dlstart.c, and arch/\*/crt\_arch.h) to omit the copyright notice and permission notice otherwise required by the license, and to use these files without any requirement of attribution. These files include substantial contributions from:

Bobby Bingham  
John Spencer  
Nicholas J. Kain  
Rich Felker  
Richard Pennington  
Stefan Kristiansson  
Szabolcs Nagy

all of whom have explicitly granted such permission.

This file previously contained text expressing a belief that most of the files covered by the above exception were sufficiently trivial not to be subject to copyright, resulting in confusion over whether it negated the permissions granted in the license. In the spirit of permissive licensing, and of not having licensing issues being an obstacle to adoption, that text has been removed.

## 1.3 headline 8.2.0-r0

### 1.3.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free

software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE  
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this

License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any

associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by



all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes

make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

## NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful,

but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

GNU GENERAL PUBLIC LICENSE  
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>  
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we

stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS

### 0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2)

tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

#### 1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

## 2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

## 3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

## 4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code;

keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

#### 5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

#### 6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License,



in one of these ways:

- a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.
  
- b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.
  
- c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.
  
- d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.
  
- e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any

tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

## 7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this

License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this

License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

#### 8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

#### 9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or

modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

#### 10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

#### 11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and

propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may

otherwise be available to you under applicable patent law.

#### 12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

#### 13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

#### 14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any

author or copyright holder as a result of your choosing to follow a later version.

#### 15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

#### 16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### 17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.



<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <<http://www.gnu.org/licenses/>>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>
```

```
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
```

```
This is free software, and you are welcome to redistribute it
```

```
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary.

For more information on this, and how to apply and follow the GNU GPL, see <<http://www.gnu.org/licenses/>>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <<http://www.gnu.org/philosophy/why-not-lgpl.html>>.

@c The GNU Free Documentation License.

@center Version 1.3, 3 November 2008

@c This file is intended to be included within another document,

@c hence no sectioning command or @node.

@display

Copyright © 2000, 2001, 2002, 2007, 2008 Free Software Foundation, Inc.  
<http://fsf.org/>

Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

0  
1  
PREAMBLE

The purpose of this License is to make a manual, textbook, or other  
functional and useful document *free* in the sense of freedom: to  
assure everyone the effective freedom to copy and redistribute it,  
with or without modifying it, either commercially or noncommercially.  
Secondarily, this License preserves for the author and publisher a way  
to get credit for their work, while not being considered responsible  
for modifications made by others.

This License is a kind of "copyleft", which means that derivative  
works of the document must themselves be free in the same sense. It  
complements the GNU General Public License, which is a copyleft  
license designed for free software.

We have designed this License in order to use it for manuals for free  
software, because free software needs free documentation: a free  
program should come with manuals providing the same freedoms that the  
software does. But this License is not limited to software manuals;  
it can be used for any textual work, regardless of subject matter or  
whether it is published as a printed book. We recommend this License  
principally for works whose purpose is instruction or reference.

1  
2  
APPLICABILITY AND DEFINITIONS

This License applies to any manual or other work, in any medium, that  
contains a notice placed by the copyright holder saying it can be  
distributed under the terms of this License. Such a notice grants a  
world-wide, royalty-free license, unlimited in duration, to use that  
work under the conditions stated herein. The "Document", below,  
refers to any such manual or work. Any member of the public is a  
licensee, and is addressed as "you". You accept the license if you  
copy, modify or distribute the work in a way requiring permission  
under copyright law.

A "Modified Version" of the Document means any work containing the  
Document or a portion of it, either copied verbatim, or with  
modifications and/or translated into another language.

A "Secondary Section" is a named appendix or a front-matter section of the Document that deals exclusively with the relationship of the publishers or authors of the Document to the Document's overall subject (or to related matters) and contains nothing that could fall directly within that overall subject. (Thus, if the Document is in part a textbook of mathematics, a Secondary Section may not explain any mathematics.) The relationship could be a matter of historical connection with the subject or with related matters, or of legal, commercial, philosophical, ethical or political position regarding them.

The "Invariant Sections" are certain Secondary Sections whose titles are designated, as being those of Invariant Sections, in the notice that says that the Document is released under this License. If a section does not fit the above definition of Secondary then it is not allowed to be designated as Invariant. The Document may contain zero Invariant Sections. If the Document does not identify any Invariant Sections then there are none.

The "Cover Texts" are certain short passages of text that are listed, as Front-Cover Texts or Back-Cover Texts, in the notice that says that the Document is released under this License. A Front-Cover Text may be at most 5 words, and a Back-Cover Text may be at most 25 words.

A "Transparent" copy of the Document means a machine-readable copy, represented in a format whose specification is available to the general public, that is suitable for revising the document straightforwardly with generic text editors or (for images composed of pixels) generic paint programs or (for drawings) some widely available drawing editor, and that is suitable for input to text formatters or for automatic translation to a variety of formats suitable for input to text formatters. A copy made in an otherwise Transparent file format whose markup, or absence of markup, has been arranged to thwart or discourage subsequent modification by readers is not Transparent. An image format is not Transparent if used for any substantial amount of text. A copy that is not "Transparent" is called "Opaque".

Examples of suitable formats for Transparent copies include plain `@sc{ascii}` without markup, Texinfo input format, `La@TeX{}` input format, `@acronym{SGML}` or `@acronym{XML}` using a publicly available `@acronym{DTD}`, and standard-conforming simple `@acronym{HTML}`, PostScript or `@acronym{PDF}` designed for human modification. Examples of transparent image formats include `@acronym{PNG}`, `@acronym{XCF}` and `@acronym{JPG}`. Opaque formats include proprietary formats that can be read and edited only by proprietary word processors, `@acronym{SGML}` or `@acronym{XML}` for which the `@acronym{DTD}` and/or processing tools are not generally available, and the machine-generated `@acronym{HTML}`,

PostScript or @acronym{PDF} produced by some word processors for output purposes only.

The ``Title Page" means, for a printed book, the title page itself, plus such following pages as are needed to hold, legibly, the material this License requires to appear in the title page. For works in formats which do not have any title page as such, ``Title Page" means the text near the most prominent appearance of the work's title, preceding the beginning of the body of the text.

The ``publisher" means any person or entity that distributes copies of the Document to the public.

A section ``Entitled XYZ" means a named subunit of the Document whose title either is precisely XYZ or contains XYZ in parentheses following text that translates XYZ in another language. (Here XYZ stands for a specific section name mentioned below, such as ``Acknowledgements", ``Dedications", ``Endorsements", or ``History".) To ``Preserve the Title" of such a section when you modify the Document means that it remains a section ``Entitled XYZ" according to this definition.

The Document may include Warranty Disclaimers next to the notice which states that this License applies to the Document. These Warranty Disclaimers are considered to be included by reference in this License, but only as regards disclaiming warranties: any other implication that these Warranty Disclaimers may have is void and has no effect on the meaning of this License.

@item

#### VERBATIM COPYING

You may copy and distribute the Document in any medium, either commercially or noncommercially, provided that this License, the copyright notices, and the license notice saying this License applies to the Document are reproduced in all copies, and that you add no other conditions whatsoever to those of this License. You may not use technical measures to obstruct or control the reading or further copying of the copies you make or distribute. However, you may accept compensation in exchange for copies. If you distribute a large enough number of copies you must also follow the conditions in section 3.

You may also lend copies, under the same conditions stated above, and you may publicly display copies.

@item

#### COPYING IN QUANTITY

If you publish printed copies (or copies in media that commonly have

printed covers) of the Document, numbering more than 100, and the Document's license notice requires Cover Texts, you must enclose the copies in covers that carry, clearly and legibly, all these Cover Texts: Front-Cover Texts on the front cover, and Back-Cover Texts on the back cover. Both covers must also clearly and legibly identify you as the publisher of these copies. The front cover must present the full title with all words of the title equally prominent and visible. You may add other material on the covers in addition. Copying with changes limited to the covers, as long as they preserve the title of the Document and satisfy these conditions, can be treated as verbatim copying in other respects.

If the required texts for either cover are too voluminous to fit legibly, you should put the first ones listed (as many as fit reasonably) on the actual cover, and continue the rest onto adjacent pages.

If you publish or distribute Opaque copies of the Document numbering more than 100, you must either include a machine-readable Transparent copy along with each Opaque copy, or state in or with each Opaque copy a computer-network location from which the general network-using public has access to download using public-standard network protocols a complete Transparent copy of the Document, free of added material. If you use the latter option, you must take reasonably prudent steps, when you begin distribution of Opaque copies in quantity, to ensure that this Transparent copy will remain thus accessible at the stated location until at least one year after the last time you distribute an Opaque copy (directly or through your agents or retailers) of that edition to the public.

It is requested, but not required, that you contact the authors of the Document well before redistributing any large number of copies, to give them a chance to provide you with an updated version of the Document.

@item

## MODIFICATIONS

You may copy and distribute a Modified Version of the Document under the conditions of sections 2 and 3 above, provided that you release the Modified Version under precisely this License, with the Modified Version filling the role of the Document, thus licensing distribution and modification of the Modified Version to whoever possesses a copy of it. In addition, you must do these things in the Modified Version:

@enumerate A

@item

Use in the Title Page (and on the covers, if any) a title distinct from that of the Document, and from those of previous versions

(which should, if there were any, be listed in the History section of the Document). You may use the same title as a previous version if the original publisher of that version gives permission.

@item

List on the Title Page, as authors, one or more persons or entities responsible for authorship of the modifications in the Modified Version, together with at least five of the principal authors of the Document (all of its principal authors, if it has fewer than five), unless they release you from this requirement.

@item

State on the Title page the name of the publisher of the Modified Version, as the publisher.

@item

Preserve all the copyright notices of the Document.

@item

Add an appropriate copyright notice for your modifications adjacent to the other copyright notices.

@item

Include, immediately after the copyright notices, a license notice giving the public permission to use the Modified Version under the terms of this License, in the form shown in the Addendum below.

@item

Preserve in that license notice the full lists of Invariant Sections and required Cover Texts given in the Document's license notice.

@item

Include an unaltered copy of this License.

@item

Preserve the section Entitled ``History'', Preserve its Title, and add to it an item stating at least the title, year, new authors, and publisher of the Modified Version as given on the Title Page. If there is no section Entitled ``History'' in the Document, create one stating the title, year, authors, and publisher of the Document as given on its Title Page, then add an item describing the Modified Version as stated in the previous sentence.

@item

Preserve the network location, if any, given in the Document for public access to a Transparent copy of the Document, and likewise the network locations given in the Document for previous versions it was based on. These may be placed in the ``History'' section.

You may omit a network location for a work that was published at least four years before the Document itself, or if the original publisher of the version it refers to gives permission.

@item

For any section Entitled ``Acknowledgements" or ``Dedications", Preserve the Title of the section, and preserve in the section all the substance and tone of each of the contributor acknowledgements and/or dedications given therein.

@item

Preserve all the Invariant Sections of the Document, unaltered in their text and in their titles. Section numbers or the equivalent are not considered part of the section titles.

@item

Delete any section Entitled ``Endorsements". Such a section may not be included in the Modified Version.

@item

Do not retitle any existing section to be Entitled ``Endorsements" or to conflict in title with any Invariant Section.

@item

Preserve any Warranty Disclaimers.

@end enumerate

If the Modified Version includes new front-matter sections or appendices that qualify as Secondary Sections and contain no material copied from the Document, you may at your option designate some or all of these sections as invariant. To do this, add their titles to the list of Invariant Sections in the Modified Version's license notice. These titles must be distinct from any other section titles.

You may add a section Entitled ``Endorsements", provided it contains nothing but endorsements of your Modified Version by various parties---for example, statements of peer review or that the text has been approved by an organization as the authoritative definition of a standard.

You may add a passage of up to five words as a Front-Cover Text, and a passage of up to 25 words as a Back-Cover Text, to the end of the list of Cover Texts in the Modified Version. Only one passage of Front-Cover Text and one of Back-Cover Text may be added by (or through arrangements made by) any one entity. If the Document already includes a cover text for the same cover, previously added by you or by arrangement made by the same entity you are acting on behalf of, you may not add another; but you may replace the old one, on explicit

permission from the previous publisher that added the old one.

The author(s) and publisher(s) of the Document do not by this License give permission to use their names for publicity for or to assert or imply endorsement of any Modified Version.

@item

#### COMBINING DOCUMENTS

You may combine the Document with other documents released under this License, under the terms defined in section 4 above for modified versions, provided that you include in the combination all of the Invariant Sections of all of the original documents, unmodified, and list them all as Invariant Sections of your combined work in its license notice, and that you preserve all their Warranty Disclaimers.

The combined work need only contain one copy of this License, and multiple identical Invariant Sections may be replaced with a single copy. If there are multiple Invariant Sections with the same name but different contents, make the title of each such section unique by adding at the end of it, in parentheses, the name of the original author or publisher of that section if known, or else a unique number. Make the same adjustment to the section titles in the list of Invariant Sections in the license notice of the combined work.

In the combination, you must combine any sections Entitled ``History" in the various original documents, forming one section Entitled ``History"; likewise combine any sections Entitled ``Acknowledgements", and any sections Entitled ``Dedications". You must delete all sections Entitled ``Endorsements."

@item

#### COLLECTIONS OF DOCUMENTS

You may make a collection consisting of the Document and other documents released under this License, and replace the individual copies of this License in the various documents with a single copy that is included in the collection, provided that you follow the rules of this License for verbatim copying of each of the documents in all other respects.

You may extract a single document from such a collection, and distribute it individually under this License, provided you insert a copy of this License into the extracted document, and follow this License in all other respects regarding verbatim copying of that document.

@item

#### AGGREGATION WITH INDEPENDENT WORKS



A compilation of the Document or its derivatives with other separate and independent documents or works, in or on a volume of a storage or distribution medium, is called an "aggregate" if the copyright resulting from the compilation is not used to limit the legal rights of the compilation's users beyond what the individual works permit. When the Document is included in an aggregate, this License does not apply to the other works in the aggregate which are not themselves derivative works of the Document.

If the Cover Text requirement of section 3 is applicable to these copies of the Document, then if the Document is less than one half of the entire aggregate, the Document's Cover Texts may be placed on covers that bracket the Document within the aggregate, or the electronic equivalent of covers if the Document is in electronic form. Otherwise they must appear on printed covers that bracket the whole aggregate.

@item

#### TRANSLATION

Translation is considered a kind of modification, so you may distribute translations of the Document under the terms of section 4. Replacing Invariant Sections with translations requires special permission from their copyright holders, but you may include translations of some or all Invariant Sections in addition to the original versions of these Invariant Sections. You may include a translation of this License, and all the license notices in the Document, and any Warranty Disclaimers, provided that you also include the original English version of this License and the original versions of those notices and disclaimers. In case of a disagreement between the translation and the original version of this License or a notice or disclaimer, the original version will prevail.

If a section in the Document is Entitled "Acknowledgements", "Dedications", or "History", the requirement (section 4) to Preserve its Title (section 1) will typically require changing the actual title.

@item

#### TERMINATION

You may not copy, modify, sublicense, or distribute the Document except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, or distribute it is void, and will automatically terminate your rights under this License.

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally,

unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, receipt of a copy of some or all of the same material does not give you any rights to use it.

@item

#### FUTURE REVISIONS OF THIS LICENSE

The Free Software Foundation may publish new, revised versions of the GNU Free Documentation License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns. See <http://www.gnu.org/copyleft/>.

Each version of the License is given a distinguishing version number. If the Document specifies that a particular numbered version of this License "or any later version" applies to it, you have the option of following the terms and conditions either of that specified version or of any later version that has been published (not as a draft) by the Free Software Foundation. If the Document does not specify a version number of this License, you may choose any version ever published (not as a draft) by the Free Software Foundation. If the Document specifies that a proxy can decide which future versions of this License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Document.

@item

#### RELICENSING

"Massive Multiauthor Collaboration Site" (or "MMC Site") means any World Wide Web server that publishes copyrightable works and also provides prominent facilities for anybody to edit those works. A public wiki that anybody can edit is an example of such a server. A "Massive Multiauthor Collaboration" (or "MMC") contained in the

site means any set of copyrightable works thus published on the MMC site.

``CC-BY-SA" means the Creative Commons Attribution-Share Alike 3.0 license published by Creative Commons Corporation, a not-for-profit corporation with a principal place of business in San Francisco, California, as well as future copyleft versions of that license published by that same organization.

``Incorporate" means to publish or republish a Document, in whole or in part, as part of another Document.

An MMC is ``eligible for relicensing" if it is licensed under this License, and if all works that were first published under this License somewhere other than this MMC, and subsequently incorporated in whole or in part into the MMC, (1) had no cover texts or invariant sections, and (2) were thus incorporated prior to November 1, 2008.

The operator of an MMC Site may republish an MMC contained in the site under CC-BY-SA on the same site at any time before August 1, 2009, provided the MMC is eligible for relicensing.

@end enumerate

@page

@heading ADDENDUM: How to use this License for your documents

To use this License in a document you have written, include a copy of the License in the document and put the following copyright and license notices just after the title page:

@smallexample

@group

Copyright (C) @var{year} @var{your name}.

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.3 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled ``GNU Free Documentation License".

@end group

@end smallexample

If you have Invariant Sections, Front-Cover Texts and Back-Cover Texts, replace the ``with@dots{ }Texts." line with this:

@smallexample

@group

with the Invariant Sections being @var{list their titles}, with the Front-Cover Texts being @var{list}, and with the Back-Cover Texts being @var{list}.

@end group

@end smallexample

If you have Invariant Sections without Cover Texts, or some other combination of the three, merge those two alternatives to suit the situation.

If your document contains nontrivial examples of program code, we recommend releasing these examples in parallel under your choice of free software license, such as the GNU General Public License, to permit their use in free software.

@c Local Variables:  
@c ispell-local-pdict: "ispell-dict"  
@c End:

# 1.4 netty-resolver 4.1.86.Final

## 1.4.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<!--  
~ Copyright 2014 The Netty Project  
~  
~ The Netty Project licenses this file to you under the Apache License,  
~ version 2.0 (the "License"); you may not use this file except in compliance  
~ with the License. You may obtain a copy of the License at:  
~  
~ https://www.apache.org/licenses/LICENSE-2.0  
~  
~ Unless required by applicable law or agreed to in writing, software  
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
~ License for the specific language governing permissions and limitations  
~ under the License.  
-->
```

Found in path(s):

\* /opt/cola/permits/1509095582\_1671044586.3678293/0/netty-resolver-4-1-86-final-sources-jar/META-INF/maven/io.netty/netty-resolver/pom.xml

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2021 The Netty Project
```

\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1509095582\_1671044586.3678293/0/netty-resolver-4-1-86-final-sources-jar/io/netty/resolver/HostsFileEntriesProvider.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1509095582\_1671044586.3678293/0/netty-resolver-4-1-86-final-sources-jar/io/netty/resolver/HostsFileEntries.java

\* /opt/cola/permits/1509095582\_1671044586.3678293/0/netty-resolver-4-1-86-final-sources-jar/io/netty/resolver/ResolvedAddressTypes.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1509095582\_1671044586.3678293/0/netty-resolver-4-1-86-final-sources-jar/io/netty/resolver/SimpleNameResolver.java  
\* /opt/cola/permits/1509095582\_1671044586.3678293/0/netty-resolver-4-1-86-final-sources-jar/io/netty/resolver/NoopAddressResolverGroup.java  
\* /opt/cola/permits/1509095582\_1671044586.3678293/0/netty-resolver-4-1-86-final-sources-jar/io/netty/resolver/package-info.java  
\* /opt/cola/permits/1509095582\_1671044586.3678293/0/netty-resolver-4-1-86-final-sources-jar/io/netty/resolver/AddressResolverGroup.java  
\* /opt/cola/permits/1509095582\_1671044586.3678293/0/netty-resolver-4-1-86-final-sources-jar/io/netty/resolver/NoopAddressResolver.java  
\* /opt/cola/permits/1509095582\_1671044586.3678293/0/netty-resolver-4-1-86-final-sources-jar/io/netty/resolver/NameResolver.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2016 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1509095582\_1671044586.3678293/0/netty-resolver-4-1-86-final-sources-jar/io/netty/resolver/RoundRobinInetAddressResolver.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2015 The Netty Project

```
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1509095582_1671044586.3678293/0/netty-resolver-4-1-86-final-sources-
jar/io/netty/resolver/DefaultHostsFileEntriesResolver.java
* /opt/cola/permits/1509095582_1671044586.3678293/0/netty-resolver-4-1-86-final-sources-
jar/io/netty/resolver/AbstractAddressResolver.java
* /opt/cola/permits/1509095582_1671044586.3678293/0/netty-resolver-4-1-86-final-sources-
jar/io/netty/resolver/DefaultAddressResolverGroup.java
* /opt/cola/permits/1509095582_1671044586.3678293/0/netty-resolver-4-1-86-final-sources-
jar/io/netty/resolver/InetSocketAddressResolver.java
* /opt/cola/permits/1509095582_1671044586.3678293/0/netty-resolver-4-1-86-final-sources-
jar/io/netty/resolver/DefaultNameResolver.java
* /opt/cola/permits/1509095582_1671044586.3678293/0/netty-resolver-4-1-86-final-sources-
jar/io/netty/resolver/InetAddressResolver.java
* /opt/cola/permits/1509095582_1671044586.3678293/0/netty-resolver-4-1-86-final-sources-
jar/io/netty/resolver/AddressResolver.java
* /opt/cola/permits/1509095582_1671044586.3678293/0/netty-resolver-4-1-86-final-sources-
jar/io/netty/resolver/CompositeNameResolver.java
* /opt/cola/permits/1509095582_1671044586.3678293/0/netty-resolver-4-1-86-final-sources-
jar/io/netty/resolver/HostsFileParser.java
* /opt/cola/permits/1509095582_1671044586.3678293/0/netty-resolver-4-1-86-final-sources-
jar/io/netty/resolver/HostsFileEntriesResolver.java
```

## 1.5 jcip-annotation 1.0-1

### 1.5.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2013 Stephen Connolly.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
```

```
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1257847088_1643019261.83/0/jcip-annotations-1-0-1-sources-
jar/net/jcip/annotations/Immutable.java
* /opt/cola/permits/1257847088_1643019261.83/0/jcip-annotations-1-0-1-sources-
jar/net/jcip/annotations/NotThreadSafe.java
* /opt/cola/permits/1257847088_1643019261.83/0/jcip-annotations-1-0-1-sources-
jar/net/jcip/annotations/ThreadSafe.java
* /opt/cola/permits/1257847088_1643019261.83/0/jcip-annotations-1-0-1-sources-
jar/net/jcip/annotations/GuardedBy.java
```

## 1.6 error\_prone\_annotations 2.3.4

### 1.6.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2016 The Error Prone Authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-
jar/com/google/errorprone/annotations/FormatString.java
* /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-
jar/com/google/errorprone/annotations/DoNotMock.java
* /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-
```



jar/com/google/errorprone/annotations/CompatibleWith.java  
\* /opt/ws\_local/PERMITS\_SQL/1059106420\_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-  
jar/com/google/errorprone/annotations/RestrictedApi.java  
\* /opt/ws\_local/PERMITS\_SQL/1059106420\_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-  
jar/com/google/errorprone/annotations/MustBeClosed.java  
\* /opt/ws\_local/PERMITS\_SQL/1059106420\_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-  
jar/com/google/errorprone/annotations/FormatMethod.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2017 The Error Prone Authors.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1059106420\_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-  
jar/com/google/errorprone/annotations/DoNotCall.java  
\* /opt/ws\_local/PERMITS\_SQL/1059106420\_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-  
jar/com/google/errorprone/annotations/concurrent/GuardedBy.java  
\* /opt/ws\_local/PERMITS\_SQL/1059106420\_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-  
jar/com/google/errorprone/annotations/OverridingMethodsMustInvokeSuper.java  
\* /opt/ws\_local/PERMITS\_SQL/1059106420\_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-  
jar/com/google/errorprone/annotations/CheckReturnValue.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2015 The Error Prone Authors.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/ws\_local/PERMITS\_SQL/1059106420\_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-jar/com/google/errorprone/annotations/Immutable.java
  - \* /opt/ws\_local/PERMITS\_SQL/1059106420\_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-jar/com/google/errorprone/annotations/ForOverride.java
  - \* /opt/ws\_local/PERMITS\_SQL/1059106420\_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-jar/com/google/errorprone/annotations/Var.java
  - \* /opt/ws\_local/PERMITS\_SQL/1059106420\_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-jar/com/google/errorprone/annotations/SuppressPackageLocation.java
  - \* /opt/ws\_local/PERMITS\_SQL/1059106420\_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-jar/com/google/errorprone/annotations/IncompatibleModifiers.java
  - \* /opt/ws\_local/PERMITS\_SQL/1059106420\_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-jar/com/google/errorprone/annotations/CanIgnoreReturnValue.java
  - \* /opt/ws\_local/PERMITS\_SQL/1059106420\_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-jar/com/google/errorprone/annotations/CompileTimeConstant.java
  - \* /opt/ws\_local/PERMITS\_SQL/1059106420\_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-jar/com/google/errorprone/annotations/concurrent/LazyInit.java
  - \* /opt/ws\_local/PERMITS\_SQL/1059106420\_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-jar/com/google/errorprone/annotations/RequiredModifiers.java
- No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright 2014 The Error Prone Authors.
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/ws\_local/PERMITS\_SQL/1059106420\_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-jar/com/google/errorprone/annotations/concurrent/UnlockMethod.java
- \* /opt/ws\_local/PERMITS\_SQL/1059106420\_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-jar/com/google/errorprone/annotations/NoAllocation.java
- \* /opt/ws\_local/PERMITS\_SQL/1059106420\_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-jar/com/google/errorprone/annotations/concurrent/LockMethod.java

# 1.7 jackson-annotations 2.13.2

## 1.7.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade

names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
  
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier

identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and

limitations under the License.

## 1.8 zlib 1.2.13-r0

### 1.8.1 Available under license :

Boost Software License - Version 1.0 - August 17th, 2003

Permission is hereby granted, free of charge, to any person or organization obtaining a copy of the software and accompanying documentation covered by this license (the "Software") to use, reproduce, display, distribute, execute, and transmit the Software, and to prepare derivative works of the Software, and to permit third-parties to whom the Software is furnished to do so, all subject to the following:

The copyright notices in the Software and this entire statement, including the above license grant, this restriction and the following disclaimer, must be included in all copies of the Software, in whole or in part, and all derivative works of the Software, unless such copies or derivative works are solely in the form of machine-executable object code generated by a source language processor.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR ANYONE DISTRIBUTING THE SOFTWARE BE LIABLE FOR ANY DAMAGES OR OTHER LIABILITY, WHETHER IN CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

/\* zlib.h -- interface of the 'zlib' general purpose compression library  
version 1.2.13, October 13th, 2022

Copyright (C) 1995-2022 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly      Mark Adler  
jloup@gzip.org      madler@alumni.caltech.edu

The data format used by the zlib library is described by RFCs (Request for Comments) 1950 to 1952 in the files <http://tools.ietf.org/html/rfc1950> (zlib format), rfc1951 (deflate format) and rfc1952 (gzip format).

\*/

Copyright notice:

(C) 1995-2022 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly      Mark Adler  
jloup@gzip.org      madler@alumni.caltech.edu



# 1.9 profiles 2.18.2

## 1.9.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes

of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You

meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

Note: Other license terms may apply to certain, identified software files contained within or distributed  
with the accompanying software if such terms are included in the directory containing the accompanying software.  
Such other license terms will then apply in lieu of the terms of the software license above.

AWS SDK for Java 2.0

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

This product includes software developed by  
Amazon Technologies, Inc (<http://www.amazon.com/>).

\*\*\*\*\*

#### THIRD PARTY COMPONENTS

\*\*\*\*\*

This software includes third party software subject to the following copyrights:

- XML parsing and utility functions from JetS3t - Copyright 2006-2009 James Murty.
- PKCS#1 PEM encoded private key parsing and utility functions from [oauth.googlecode.com](http://oauth.googlecode.com) - Copyright 1998-2010 AOL Inc.
- Apache Commons Lang - <https://github.com/apache/commons-lang>
- Netty Reactive Streams - <https://github.com/playframework/netty-reactive-streams>
- Jackson-core - <https://github.com/FasterXML/jackson-core>
- Jackson-dataformat-cbor - <https://github.com/FasterXML/jackson-dataformats-binary>

The licenses for these third party components are included in LICENSE.txt

- For Apache Commons Lang see also this required NOTICE:  
Apache Commons Lang  
Copyright 2001-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

# 1.10 openjdk 17.0.4

## 1.10.1 Available under license :

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

See Terms of Use for definitions of Unicode Inc.'s Data Files and Software.

NOTICE TO USER: Carefully read the following legal agreement.  
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"), YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT.  
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

### COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2021 Unicode, Inc. All rights reserved.  
Distributed under the Terms of Use in <https://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either  
(a) this copyright and permission notice appear with all copies of the Data Files or Software, or  
(b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.  
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale,

use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

Copyright (c) 1999-2003 David Corcoran <corcoran@musclecard.com>

Copyright (c) 2001-2011 Ludovic Rousseau <ludovic.rousseau@free.fr>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Some files are under GNU GPL v3 or any later version

- doc/example/pcsc\_demo.c

- the files in src/spy/

- the files in UnitaryTests/

Copyright (C) 2003-2014 Ludovic Rousseau

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License

along with this program. If not, see <<http://www.gnu.org/licenses/>>.

Files src/auth.c and src/auth.h are:

```
* Copyright (C) 2013 Red Hat
*
* All rights reserved.
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
* "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
* LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
* FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
* COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING,
* BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS
* OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED
* AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF
* THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH
* DAMAGE.
*
* Author: Nikos Mavrogiannopoulos <nmav@redhat.com>
```

Files src/simclist.c and src/simclist.h are:

```
* Copyright (c) 2007,2008,2009,2010,2011 Mij <mij@bitchx.it>
*
* Permission to use, copy, modify, and distribute this software for any
* purpose with or without fee is hereby granted, provided that the above
* copyright notice and this permission notice appear in all copies.
*
* THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES
* WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF
* MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR
* ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
* WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
* ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF
* OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.
```



## c-libutl 20160225

### c-libutl License  
^^^

This software is distributed under the terms of the BSD license.

== BSD LICENSE =====

(C) 2009 by Remo Dentato (rdentato@gmail.com)

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

<http://opensource.org/licenses/bsd-license.php>

^^^

The GIFLIB distribution is Copyright (c) 1997 Eric S. Raymond

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## xwd v1.0.7

### xwd utility

<pre>

This is the copyright for the files in src/java.desktop/unix/native/libawt\_xawt:  
list.h, multiVis.h, wsutils.h, list.c, multiVis.c

Copyright 1994 Hewlett-Packard Co.

Copyright 1996, 1998 The Open Group

Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation.

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE OPEN GROUP BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of The Open Group shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from The Open Group.

</pre>

## Harfbuzz v2.8

### Harfbuzz License

<https://github.com/harfbuzz/harfbuzz/blob/master/COPYING>

<pre>

HarfBuzz is licensed under the so-called "Old MIT" license. Details follow.  
For parts of HarfBuzz that are licensed under different licenses see individual files names COPYING in subdirectories where applicable.

Copyright 2010,2011,2012,2013,2014,2015,2016,2017,2018,2019,2020 Google, Inc.  
Copyright 2018,2019,2020 Ebrahim Byagowi  
Copyright 2019,2020 Facebook, Inc.  
Copyright 2012 Mozilla Foundation  
Copyright 2011 Codethink Limited  
Copyright 2008,2010 Nokia Corporation and/or its subsidiary(-ies)  
Copyright 2009 Keith Stribley  
Copyright 2009 Martin Hosken and SIL International  
Copyright 2007 Chris Wilson  
Copyright 2006 Behdad Esfahbod  
Copyright 2005 David Turner  
Copyright 2004,2007,2008,2009,2010 Red Hat, Inc.  
Copyright 1998-2004 David Turner and Werner Lemberg

For full copyright notices consult the individual files in the package.

Permission is hereby granted, without written agreement and without license or royalty fees, to use, copy, modify, and distribute this software and its documentation for any purpose, provided that the above copyright notice and the following two paragraphs appear in all copies of this software.

IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE TO ANY PARTY FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OF THIS SOFTWARE AND ITS DOCUMENTATION, EVEN IF THE COPYRIGHT HOLDER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

THE COPYRIGHT HOLDER SPECIFICALLY DISCLAIMS ANY WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE SOFTWARE PROVIDED HEREUNDER IS ON AN "AS IS" BASIS, AND THE COPYRIGHT HOLDER HAS NO OBLIGATION TO PROVIDE MAINTENANCE, SUPPORT, UPDATES, ENHANCEMENTS, OR MODIFICATIONS.

All source code, except for one section, is licensed as above. The one exception is licensed with a slightly different MIT variant:  
The contents of this directory are licensed under the following terms:

Copyright (C) 2012 Grigori Goronzy <greg@kinoho.net>

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

</pre>

```
## IAIK (Institute for Applied Information Processing and Communication) PKCS#11 wrapper files v1
```

```
### IAIK License
```

<pre>

Copyright (c) 2002 Graz University of Technology. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:

"This product includes software developed by IAIK of Graz University of Technology."

Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

4. The names "Graz University of Technology" and "IAIK of Graz University of Technology" must not be used to endorse or promote products derived from this software without prior written permission.
5. Products derived from this software may not be called "IAIK PKCS Wrapper", nor may "IAIK" appear in their name, without prior written permission of Graz University of Technology.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE LICENSOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,

OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
</pre>  
## zlib v1.2.11
```

```
### zlib License  
<pre>
```

Copyright (C) 1995-2017 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly      Mark Adler  
jloup@gzip.org      madler@alumni.caltech.edu

```
</pre>  
## CUP Parser Generator for Java v 0.11b
```

```
### CUP Parser Generator License  
<pre>
```

Copyright 1996-2015 by Scott Hudson, Frank Flannery, C. Scott Ananian, Michael Petter

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both the copyright notice and this permission notice and warranty disclaimer appear in supporting documentation, and that the names of the authors or their employers not be used in advertising or publicity pertaining to

distribution of the software without specific, written prior permission.

The authors and their employers disclaim all warranties with regard to this software, including all implied warranties of merchantability and fitness. In no event shall the authors or their employers be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of this software.

```
</pre>
```

```
## Apache Santuario v2.2.1
```

```
### Apache Santuario Notice
```

```
<pre>
```

```
Apache Santuario - XML Security for Java  
Copyright 1999-2021 The Apache Software Foundation
```

```
This product includes software developed at  
The Apache Software Foundation (http://www.apache.org/).
```

```
It was originally based on software copyright (c) 2001, Institute for  
Data Communications Systems, <http://www.nue.et-inf.uni-siegen.de/>.
```

```
The development of this software was partly funded by the European  
Commission in the <WebSig> project in the ISIS Programme.
```

```
</pre>
```

```
### Apache 2.0 License
```

```
<pre>
```

```
Apache License  
Version 2.0, January 2004  
http://www.apache.org/licenses/
```

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all

other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and

subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed



as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

</pre>

This is the copyright file

## The Unicode Standard, Unicode Character Database, Version 13.0.0

### Unicode Character Database

...

## UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

See Terms of Use for definitions of Unicode Inc.'s Data Files and Software.

NOTICE TO USER: Carefully read the following legal agreement.  
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),  
YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT.  
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

### COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2020 Unicode, Inc. All rights reserved.  
Distributed under the Terms of Use in <https://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either  
(a) this copyright and permission notice appear with all copies of the Data Files or Software, or  
(b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.  
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

---

## Unicode Common Local Data Repository (CLDR) v39

### CLDR License

---

## UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

See Terms of Use for definitions of Unicode Inc.'s  
Data Files and Software.

NOTICE TO USER: Carefully read the following legal agreement.  
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S  
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),  
YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE  
TERMS AND CONDITIONS OF THIS AGREEMENT.  
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE  
THE DATA FILES OR SOFTWARE.

## COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2021 Unicode, Inc. All rights reserved.  
Distributed under the Terms of Use in <https://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining  
a copy of the Unicode data files and any associated documentation  
(the "Data Files") or Unicode software and any associated documentation  
(the "Software") to deal in the Data Files or Software  
without restriction, including without limitation the rights to use,  
copy, modify, merge, publish, distribute, and/or sell copies of  
the Data Files or Software, and to permit persons to whom the Data Files  
or Software are furnished to do so, provided that either  
(a) this copyright and permission notice appear with all copies  
of the Data Files or Software, or  
(b) this copyright and permission notice appear in associated  
Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF  
ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE  
WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
NONINFRINGEMENT OF THIRD PARTY RIGHTS.  
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS  
NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL  
DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE,  
DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER  
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR

## PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

----- Terms of Use -----  
-

### Unicode Copyright and Terms of Use

For the general privacy policy governing access to this site, see the [Unicode Privacy Policy](#).

### Unicode Copyright

Copyright 1991-2021 Unicode, Inc. All rights reserved.

### Definitions

Unicode Data Files ("DATA FILES") include all data files under the directories:

<https://www.unicode.org/Public/>

<https://www.unicode.org/reports/>

<https://www.unicode.org/ivd/data/>

Unicode Data Files do not include PDF online code charts under the directory:

<https://www.unicode.org/Public/>

Unicode Software ("SOFTWARE") includes any source code published in the Unicode Standard or any source code or compiled code under the directories:

<https://www.unicode.org/Public/PROGRAMS/>

<https://www.unicode.org/Public/cldr/>

<http://site.icu-project.org/download/>

### Terms of Use

Certain documents and files on this website contain a legend indicating that "Modification is permitted." Any person is hereby authorized, without fee, to modify such documents and files to create derivative works conforming to the Unicode Standard, subject to Terms and Conditions herein.

Any person is hereby authorized, without fee, to view, use, reproduce, and distribute all documents and files, subject to the Terms and Conditions herein.

Further specifications of rights and restrictions pertaining to the use of the Unicode DATA FILES and SOFTWARE can be found in the Unicode Data Files and Software License.

Each version of the Unicode Standard has further specifications of rights and restrictions of use. For the book editions (Unicode 5.0 and earlier), these are found on the back of the title page.

The Unicode PDF online code charts carry specific restrictions. Those restrictions are incorporated as the first page of each PDF code chart.

All other files, including online documentation of the core specification for Unicode 6.0 and later, are covered under these general Terms of Use.

No license is granted to "mirror" the Unicode website where a fee is charged for access to the "mirror" site.

Modification is not permitted with respect to this document. All copies of this document must be verbatim.

### Restricted Rights Legend

Any technical data or software which is licensed to the United States of America, its agencies and/or

instrumentalities under this Agreement is commercial technical data or commercial computer software developed exclusively at private expense as defined in FAR 2.101, or DFARS 252.227-7014 (June 1995), as applicable. For technical data, use, duplication, or disclosure by the Government is subject to restrictions as set forth in DFARS 202.227-7015 Technical Data, Commercial and Items (Nov 1995) and this Agreement. For Software, in accordance with FAR 12-212 or DFARS 227-7202, as applicable, use, duplication or disclosure by the Government is subject to the restrictions set forth in this Agreement.

#### Warranties and Disclaimers

This publication and/or website may include technical or typographical errors or other inaccuracies. Changes are periodically added to the information herein; these changes will be incorporated in new editions of the publication and/or website. Unicode, Inc. may make improvements and/or changes in the product(s) and/or program(s) described in this publication and/or website at any time.

If this file has been purchased on magnetic or optical media from Unicode, Inc. the sole and exclusive remedy for any claim will be exchange of the defective media within ninety (90) days of original purchase.

EXCEPT AS PROVIDED IN SECTION E.2, THIS PUBLICATION AND/OR SOFTWARE IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND EITHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. UNICODE, INC. AND ITS LICENSORS ASSUME NO RESPONSIBILITY FOR ERRORS OR OMISSIONS IN THIS PUBLICATION AND/OR SOFTWARE OR OTHER DOCUMENTS WHICH ARE REFERENCED BY OR LINKED TO THIS PUBLICATION OR THE UNICODE WEBSITE.

#### Waiver of Damages

In no event shall Unicode, Inc. or its licensors be liable for any special, incidental, indirect or consequential damages of any kind, or any damages whatsoever, whether or not Unicode, Inc. was advised of the possibility of the damage, including, without limitation, those resulting from the following: loss of use, data or profits, in connection with the use, modification or distribution of this information or its derivatives.

#### Trademarks & Logos

The Unicode Word Mark and the Unicode Logo are trademarks of Unicode, Inc. The Unicode Consortium and Unicode, Inc. are trade names of Unicode, Inc. Use of the information and materials found on this website indicates your acknowledgement of Unicode, Inc.'s exclusive worldwide rights in the Unicode Word Mark, the Unicode Logo, and the Unicode trade names.

The Unicode Consortium Name and Trademark Usage Policy (Trademark Policy) are incorporated herein by reference and you agree to abide by the provisions of the Trademark Policy, which may be changed from time to time in the sole discretion of Unicode, Inc.

All third party trademarks referenced herein are the property of their respective owners.

#### Miscellaneous

**Jurisdiction and Venue.** This website is operated from a location in the State of California, United States of America. Unicode, Inc. makes no representation that the materials are appropriate for use in other locations. If you access this website from other locations, you are responsible for compliance with local laws. This Agreement, all use of this website and any claims and damages resulting from use of this website are governed solely by the laws of the State of California without regard to any principles which would apply the laws of a different jurisdiction. The user agrees that any disputes regarding this website shall be resolved solely in the courts located in Santa Clara County, California. The user agrees said courts have personal jurisdiction and agree to waive any right to transfer the dispute to any other forum.

**Modification by Unicode, Inc.** Unicode, Inc. shall have the right to modify this Agreement at any time by posting it to this website. The user may not assign any part of this Agreement without Unicode, Inc.'s prior written consent.

**Taxes.** The user agrees to pay any taxes arising from access to this website or use of the information herein, except for those based on Unicode's net income.

**Severability.** If any provision of this Agreement is declared invalid or unenforceable, the remaining provisions of

this Agreement shall remain in effect.

Entire Agreement. This Agreement constitutes the entire agreement between the parties.

...

All images in this directory are copyright 1995 by Jeff Dinkins.

Unauthorized reproduction is prohibited.

For more information about Jeff's photographs, please see:

<http://www.theFixx.org/Jeff>

package test license file (just some sample text).

## Thai Dictionary

### Thai Dictionary License

<pre>

Copyright (C) 1982 The Royal Institute, Thai Royal Government.

Copyright (C) 1998 National Electronics and Computer Technology Center,  
National Science and Technology Development Agency,  
Ministry of Science Technology and Environment,  
Thai Royal Government.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

## Apache Xerces v2.12.1

### Apache Xerces Notice

<pre>

=====

== NOTICE file corresponding to section 4(d) of the Apache License, ==  
== Version 2.0, in this case for the Apache Xerces Java distribution. ==

=====  
Apache Xerces Java  
Copyright 1999-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:  
- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.  
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.  
- voluntary contributions made by Paul Eng on behalf of the  
Apache Software Foundation that were originally developed at iClick, Inc.,  
software copyright (c) 1999.

</pre>

### Apache 2.0 License

<pre>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the  
direction or management of such entity, whether by contract or  
otherwise, or (ii) ownership of fifty percent (50%) or more of the  
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity  
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,  
including but not limited to software source code, documentation



source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable

(except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify,

defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

</pre>

## Eastman Kodak Company: Portions of color management and imaging software

### Eastman Kodak Notice

<pre>

Portions Copyright Eastman Kodak Company 1991-2003

</pre>

Format: <https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Files: \*

Copyright: APPLICATION\_COPYRIGHT

License: APPLICATION\_LICENSE\_TEXT

### ADDITIONAL INFORMATION ABOUT LICENSING

Certain files distributed by Oracle America, Inc. and/or its affiliates are subject to the following clarification and special exception to the GPLv2, based on the GNU Project exception for its Classpath libraries, known as the

GNU Classpath Exception.

Note that Oracle includes multiple, independent programs in this software package. Some of those programs are provided under licenses deemed incompatible with the GPLv2 by the Free Software Foundation and others. For example, the package includes programs licensed under the Apache License, Version 2.0 and may include FreeType. Such programs are licensed to you under their original licenses.

Oracle facilitates your further distribution of this package by adding the Classpath Exception to the necessary parts of its GPLv2 code, which permits you to use that code in combination with other independent modules not licensed under the GPLv2. However, note that this would not permit you to commingle code under an incompatible license with Oracle's GPLv2 licensed code by, for example, cutting and pasting such code into a file also containing Oracle's GPLv2 licensed code and then distributing the result.

Additionally, if you were to remove the Classpath Exception from any of the files to which it applies and distribute the result, you would likely be required to license some or all of the other code in that distribution under the GPLv2 as well, and since the GPLv2 is incompatible with the license terms of some items included in the distribution by Oracle, removing the Classpath Exception could therefore effectively compromise your ability to further distribute the package.

Failing to distribute notices associated with some files may also create unexpected legal consequences.

Proceed with caution and we recommend that you obtain the advice of a lawyer skilled in open source matters before removing the Classpath Exception or making modifications to this package which may subsequently be redistributed and/or involve the use of third party software.

Copyright (c) %YEARS% Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version

2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

## OASIS PKCS #11 Cryptographic Token Interface v3.0

### OASIS PKCS #11 Cryptographic Token Interface License

<pre>

Copyright OASIS Open 2020. All Rights Reserved.

All capitalized terms in the following text have the meanings assigned to them in the OASIS Intellectual Property Rights Policy (the "OASIS IPR Policy"). The full Policy may be found at the OASIS website: [<http://www.oasis-open.org/policies-guidelines/ipr>]

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to OASIS, except as needed for the purpose of developing any document or deliverable produced by an OASIS Technical Committee (in which case the rules applicable to copyrights, as set forth in the OASIS IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. OASIS AND ITS MEMBERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THIS DOCUMENT OR ANY PART THEREOF.

[OASIS requests that any OASIS Party or any other party that believes it has patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable, to notify OASIS TC Administrator and provide an indication of its willingness to grant patent licenses to such patent claims in a manner consistent with

the IPR Mode of the OASIS Technical Committee that produced this deliverable.]

[OASIS invites any party to contact the OASIS TC Administrator if it is aware of a claim of ownership of any patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable by a patent holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this OASIS Standards Final Deliverable. OASIS may include such claims on its website, but disclaims any obligation to do so.]

[OASIS takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this OASIS Standards Final Deliverable or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on OASIS' procedures with respect to rights in any document or deliverable produced by an OASIS Technical Committee can be found on the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this OASIS Standards Final Deliverable, can be obtained from the OASIS TC Administrator. OASIS makes no representation that any information or list of intellectual property rights will at any time be complete, or that any claims in such list are, in fact, Essential Claims.]

```
</pre>
## Apache Xalan v2.7.2
```

```
### Apache Xalan Notice
<pre>
```

```
=====
====
== NOTICE file corresponding to the section 4d of the Apache License, Version 2.0, ==
== in this case for the Apache Xalan distribution. ==
=====
====
```

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

Specifically, we only include the XSLTC portion of the source from the Xalan distribution.  
The Xalan project has two processors: an interpretive one (Xalan Interpretive) and a  
compiled one (The XSLT Compiler (XSLTC)). We \*only\* use the XSLTC part of Xalan; We use

the source from the packages that are part of the XSLTC sources.

Portions of this software was originally based on the following:

- software copyright (c) 1999-2002, Lotus Development Corporation., <http://www.lotus.com>.
- software copyright (c) 2001-2002, Sun Microsystems., <http://www.sun.com>.
- software copyright (c) 2003, IBM Corporation., <http://www.ibm.com>.
- voluntary contributions made by Ovidiu Predescu ([ovidiu@cup.hp.com](mailto:ovidiu@cup.hp.com)) on behalf of the Apache Software Foundation and was originally developed at Hewlett Packard Company.

</pre>

### Apache 2.0 License

<pre>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.



"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.  
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

## APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

### JLEX COPYRIGHT NOTICE, LICENSE AND DISCLAIMER.

Copyright 1996-2003 by Elliot Joel Berk and C. Scott Ananian  
Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both the copyright notice and this permission notice and warranty disclaimer appear in supporting documentation, and that the name of the authors or their employers not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

The authors and their employers disclaim all warranties with regard to this software, including all implied warranties of merchantability and fitness. In no event shall the authors or their employers be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of this software. The portions of JLex output which are hard-coded into the JLex source code are (naturally) covered by this same license.

</pre>

## Cryptix AES v3.2.0

### Cryptix General License

<pre>

Cryptix General License

Copyright (c) 1995-2005 The Cryptix Foundation Limited.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE CRYPTIX FOUNDATION LIMITED AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE CRYPTIX FOUNDATION LIMITED OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

## jopt-simple v5.0.4

### MIT License

<pre>

Copyright (c) 2004-2015 Paul R. Holser, Jr.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to

permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

## PC/SC Lite v1.8.26

### PC/SC Lite License

<pre>

Copyright (c) 1999-2003 David Corcoran <corcoran@linuxnet.com>

Copyright (c) 2001-2011 Ludovic Rousseau <ludovic.rousseau@free.fr>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

Changes to this license can be made only by the copyright author with explicit written consent.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF

THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
</pre>
```

```
## JLine v3.14.0
```

```
### JLine License
```

```
<pre>
```

Copyright (c) 2002-2018, the original author or authors.

All rights reserved.

<https://opensource.org/licenses/BSD-3-Clause>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of JLine nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
</pre>
```

```
## jQuery v3.5.1
```

```
### jQuery License
```

```
...
```

jQuery v 3.5.1

Copyright JS Foundation and other contributors, <https://js.foundation/>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

\*\*\*\*\*

The jQuery JavaScript Library v3.5.1 also includes Sizzle.js

Sizzle.js includes the following license:

Copyright JS Foundation and other contributors, <https://js.foundation/>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/jquery/sizzle>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be



included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

All files located in the node\_modules and external directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

\*\*\*\*\*

...

## DOM Level 3 Core Specification v1.0

### W3C License

<pre>

#### W3C SOFTWARE NOTICE AND LICENSE

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.

3. Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION. The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

---

This formulation of W3C's notice and license became active on December 31 2002. This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to [site-policy@w3.org](mailto:site-policy@w3.org).

</pre>

All images in this directory are copyright 1995 by Jeff Dinkins.

COPYRIGHT NOTICE, DISCLAIMER, and LICENSE

=====

PNG Reference Library License version 2

-----

- \* Copyright (c) 1995-2019 The PNG Reference Library Authors.
- \* Copyright (c) 2018-2019 Cosmin Truta.
- \* Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson.
- \* Copyright (c) 1996-1997 Andreas Dilger.
- \* Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

The software is supplied "as is", without warranty of any kind, express or implied, including, without limitation, the warranties of merchantability, fitness for a particular purpose, title, and non-infringement. In no event shall the Copyright owners, or anyone distributing the software, be liable for any damages or other liability, whether in contract, tort or otherwise, arising from, out of, or in connection with the software, or the use or other dealings in the software, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this software, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated, but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

PNG Reference Library License version 1 (for libpng 0.5 through 1.6.35)

-----  
libpng versions 1.0.7, July 1, 2000, through 1.6.35, July 15, 2018 are Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson, are derived from libpng-1.0.6, and are distributed according to the same disclaimer and license as libpng-1.0.6 with the following individuals added to the list of Contributing Authors:

Simon-Pierre Cadieux  
Eric S. Raymond  
Mans Rullgard  
Cosmin Truta  
Gilles Vollant  
James Yu  
Mandar Sahastrabudde  
Google Inc.  
Vadim Barkov

and with the following additions to the disclaimer:

There is no warranty against interference with your enjoyment of

the library or against infringement. There is no warranty that our efforts or the library will fulfill any of your particular purposes or needs. This library is provided with all faults, and the entire risk of satisfactory quality, performance, accuracy, and effort is with the user.

Some files in the "contrib" directory and some configure-generated files that are distributed with libpng have other copyright owners, and are released under other open source licenses.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are Copyright (c) 1998-2000 Glenn Randers-Pehrson, are derived from libpng-0.96, and are distributed according to the same disclaimer and license as libpng-0.96, with the following individuals added to the list of Contributing Authors:

Tom Lane  
Glenn Randers-Pehrson  
Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are Copyright (c) 1996-1997 Andreas Dilger, are derived from libpng-0.88, and are distributed according to the same disclaimer and license as libpng-0.88, with the following individuals added to the list of Contributing Authors:

John Bowler  
Kevin Bracey  
Sam Bushell  
Magnus Holmgren  
Greg Roelofs  
Tom Tanner

Some files in the "scripts" directory have other copyright owners, but are released under this license.

libpng versions 0.5, May 1995, through 0.88, January 1996, are Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors" is defined as the following set of individuals:

Andreas Dilger  
Dave Martindale  
Guy Eric Schalnat  
Paul Schmidt  
Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing Authors and Group 42, Inc. disclaim all warranties, expressed or implied, including, without limitation, the warranties of merchantability and of fitness for any purpose. The Contributing Authors and Group 42, Inc. assume no liability for direct, indirect, incidental, special, exemplary, or consequential damages, which may result from the use of the PNG Reference Library, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this source code, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this source code must not be misrepresented.
2. Altered versions must be plainly marked as such and must not be misrepresented as being the original source.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit, without fee, and encourage the use of this source code as a component to supporting the PNG file format in commercial products. If you use this source code in a product, acknowledgment is not required but would be appreciated.

```
## GIFLIB v5.2.1
```

```
### GIFLIB License
```

```
...
```

The GIFLIB distribution is Copyright (c) 1997 Eric S. Raymond

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

<https://sourceforge.net/p/giflib/code/ci/master/tree/openbsd-reallocarray.c>

Copyright (c) 2008 Otto Moerbeek <otto@drijf.net>

SPDX-License-Identifier: MIT

## libpng v1.6.37

### libpng License

<pre>

COPYRIGHT NOTICE, DISCLAIMER, and LICENSE

=====

PNG Reference Library License version 2

-----

- \* Copyright (c) 1995-2019 The PNG Reference Library Authors.
- \* Copyright (c) 2018-2019 Cosmin Truta.
- \* Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson.
- \* Copyright (c) 1996-1997 Andreas Dilger.
- \* Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

The software is supplied "as is", without warranty of any kind, express or implied, including, without limitation, the warranties of merchantability, fitness for a particular purpose, title, and non-infringement. In no event shall the Copyright owners, or anyone distributing the software, be liable for any damages or other liability, whether in contract, tort or otherwise, arising from, out of, or in connection with the software, or the use or other dealings in the software, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this software, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated, but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This Copyright notice may not be removed or altered from any

source or altered source distribution.

PNG Reference Library License version 1 (for libpng 0.5 through 1.6.35)

-----

libpng versions 1.0.7, July 1, 2000, through 1.6.35, July 15, 2018 are Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson, are derived from libpng-1.0.6, and are distributed according to the same disclaimer and license as libpng-1.0.6 with the following individuals added to the list of Contributing Authors:

Simon-Pierre Cadieux  
Eric S. Raymond  
Mans Rullgard  
Cosmin Truta  
Gilles Vollant  
James Yu  
Mandar Sahastrabudde  
Google Inc.  
Vadim Barkov

and with the following additions to the disclaimer:

There is no warranty against interference with your enjoyment of the library or against infringement. There is no warranty that our efforts or the library will fulfill any of your particular purposes or needs. This library is provided with all faults, and the entire risk of satisfactory quality, performance, accuracy, and effort is with the user.

Some files in the "contrib" directory and some configure-generated files that are distributed with libpng have other copyright owners, and are released under other open source licenses.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are Copyright (c) 1998-2000 Glenn Randers-Pehrson, are derived from libpng-0.96, and are distributed according to the same disclaimer and license as libpng-0.96, with the following individuals added to the list of Contributing Authors:

Tom Lane  
Glenn Randers-Pehrson  
Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are Copyright (c) 1996-1997 Andreas Dilger, are derived from libpng-0.88, and are distributed according to the same disclaimer and license as

libpng-0.88, with the following individuals added to the list of Contributing Authors:

John Bowler  
Kevin Bracey  
Sam Bushell  
Magnus Holmgren  
Greg Roelofs  
Tom Tanner

Some files in the "scripts" directory have other copyright owners, but are released under this license.

libpng versions 0.5, May 1995, through 0.88, January 1996, are Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors" is defined as the following set of individuals:

Andreas Dilger  
Dave Martindale  
Guy Eric Schalnat  
Paul Schmidt  
Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing Authors and Group 42, Inc. disclaim all warranties, expressed or implied, including, without limitation, the warranties of merchantability and of fitness for any purpose. The Contributing Authors and Group 42, Inc. assume no liability for direct, indirect, incidental, special, exemplary, or consequential damages, which may result from the use of the PNG Reference Library, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this source code, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this source code must not be misrepresented.
2. Altered versions must be plainly marked as such and must not be misrepresented as being the original source.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit, without fee, and encourage the use of this source code as a component



to supporting the PNG file format in commercial products. If you use this source code in a product, acknowledgment is not required but would be appreciated.

</pre>

The GNU General Public License (GPL)

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that

everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating

that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1

and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that

contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for

permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

## NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type 'show w'. This is free software, and you are welcome to redistribute it under certain conditions; type 'show c' for details.
```

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than 'show w' and 'show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program 'Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
signature of Ty Coon, 1 April 1989
```

```
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

#### "CLASSPATH" EXCEPTION TO THE GPL

Certain source files distributed by Oracle America and/or its affiliates are subject to the following clarification and special exception to the GPL, but only where Oracle has expressly included in the particular source file's header

the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

## Dynalink v.5

### Dynalink License

<pre>

Copyright (c) 2009-2013, Attila Szegedi

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the copyright holder nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL COPYRIGHT HOLDER BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.



</pre>

Copyright (c) %YEARS% Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of Oracle nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## ASM Bytecode Manipulation Framework v8.0.1

### ASM License

<pre>

Copyright (c) 2000-2011 France Tlcom

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

```
## jQuery UI v1.12.1
```

```
### jQuery UI License
```

```
---
```

```
Copyright jQuery Foundation and other contributors, https://jquery.org/
```

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/jquery/jquery-ui>

The following license applies to all parts of this software except as documented below:

```
====
```

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION

OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

Copyright and related rights for sample code are waived via CC0. Sample code is defined as all source code contained within the demos directory.

CC0: <http://creativecommons.org/publicdomain/zero/1.0/>

====

All files located in the node\_modules and external directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

---

Copyright (c) %YEARS% Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

## Independent JPEG Group: JPEG release 6b

### JPEG License

---

\*\*\*\*\*

Copyright (C) 1991-1998, Thomas G. Lane.

This software is the work of Tom Lane, Philip Gladstone, Jim Boucher,

Lee Crocker, Julian Minguillon, Luis Ortiz, George Phillips, Davide Rossi, Guido Vollbeding, Ge' Weijers, and other members of the Independent JPEG Group.

IJG is not affiliated with the official ISO JPEG standards committee.

The authors make NO WARRANTY or representation, either express or implied, with respect to this software, its quality, accuracy, merchantability, or fitness for a particular purpose. This software is provided "AS IS", and you, its user, assume the entire risk as to its quality and accuracy.

This software is copyright (C) 1991-1998, Thomas G. Lane.  
All Rights Reserved except as specified below.

Permission is hereby granted to use, copy, modify, and distribute this software (or portions thereof) for any purpose, without fee, subject to these conditions:

- (1) If any part of the source code for this software is distributed, then this README file must be included, with this copyright and no-warranty notice unaltered; and any additions, deletions, or changes to the original files must be clearly indicated in accompanying documentation.
- (2) If only executable code is distributed, then the accompanying documentation must state that "this software is based in part on the work of the Independent JPEG Group".
- (3) Permission for use of this software is granted only if the user accepts full responsibility for any undesirable consequences; the authors accept NO LIABILITY for damages of any kind.

These conditions apply to any software derived from or based on the IJG code, not just to the unmodified library. If you use our work, you ought to acknowledge us.

Permission is NOT granted for the use of any IJG author's name or company name in advertising or publicity relating to this software or products derived from it. This software may be referred to only as "the Independent JPEG Group's software".

We specifically permit and encourage the use of this software as the basis of commercial products, provided that all warranty or liability claims are assumed by the product vendor.

It appears that the arithmetic coding option of the JPEG spec is covered by patents owned by IBM, AT&T, and Mitsubishi. Hence arithmetic coding cannot legally be used without obtaining one or more licenses. For this reason, support for arithmetic coding has been removed from the free

JPEG software. (Since arithmetic coding provides only a marginal gain over the unpatented Huffman mode, it is unlikely that very many implementations will support it.) So far as we are aware, there are no patent restrictions on the remaining code.

The IJG distribution formerly included code to read and write GIF files. To avoid entanglement with the Unisys LZW patent, GIF reading support has been removed altogether, and the GIF writer has been simplified to produce "uncompressed GIFs". This technique does not use the LZW algorithm; the resulting GIF files are larger than usual, but are readable by all standard GIF decoders.

We are required to state that "The Graphics Interchange Format(c) is the Copyright property of CompuServe Incorporated. GIF(sm) is a Service Mark property of CompuServe Incorporated."

\*\*\*\*\*

\*\*\*

## International Components for Unicode (ICU4J) v67.1

### ICU4J License

\*\*\*

COPYRIGHT AND PERMISSION NOTICE (ICU 58 and later)

Copyright 1991-2020 Unicode, Inc. All rights reserved.

Distributed under the Terms of Use in <https://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either

- (a) this copyright and permission notice appear with all copies of the Data Files or Software, or
- (b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE,

DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

-----

#### Third-Party Software Licenses

This section contains third-party software notices and/or additional terms for licensed third-party software components included within ICU libraries.

#### 1. ICU License - ICU 1.8.1 to ICU 57.1

#### COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1995-2016 International Business Machines Corporation and others  
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, provided that the above copyright notice(s) and this permission notice appear in all copies of the Software and that both the above copyright notice(s) and this permission notice appear in supporting documentation.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

All trademarks and registered trademarks mentioned herein are the property of their respective owners.

From: <https://www.unicode.org/copyright.html>:

Unicode Copyright and Terms of Use

For the general privacy policy governing access to this site, see the [Unicode Privacy Policy](#).

Unicode Copyright

Copyright 1991-2020 Unicode, Inc. All rights reserved.

Definitions

Unicode Data Files ("DATA FILES") include all data files under the directories:

<https://www.unicode.org/Public/>

<https://www.unicode.org/reports/>

<https://www.unicode.org/ivd/data/>

Unicode Data Files do not include PDF online code charts under the directory:

<https://www.unicode.org/Public/>

Unicode Software ("SOFTWARE") includes any source code published in the Unicode Standard or any source code or compiled code under the directories:

<https://www.unicode.org/Public/PROGRAMS/>

<https://www.unicode.org/Public/cldr/>

<http://site.icu-project.org/download/>

Terms of Use

Certain documents and files on this website contain a legend indicating that "Modification is permitted." Any person is hereby authorized, without fee, to modify such documents and files to create derivative works conforming to the Unicode Standard, subject to Terms and Conditions herein.

Any person is hereby authorized, without fee, to view, use, reproduce, and distribute all documents and files, subject to the Terms and Conditions herein.

Further specifications of rights and restrictions pertaining to the use of the Unicode DATA FILES and SOFTWARE can be found in the Unicode Data Files and Software License.

Each version of the Unicode Standard has further specifications of rights and restrictions of use. For the book editions (Unicode 5.0 and earlier), these are found on the back of the title page.

The Unicode PDF online code charts carry specific restrictions. Those restrictions are incorporated as the first page of each PDF code chart.

All other files, including online documentation of the core specification for Unicode 6.0 and later, are covered under these general Terms of Use.

No license is granted to "mirror" the Unicode website where a fee is charged for access to the "mirror" site.

Modification is not permitted with respect to this document. All copies of this document must be verbatim.

## Restricted Rights Legend

Any technical data or software which is licensed to the United States of America, its agencies and/or instrumentalities under this Agreement is commercial technical data or commercial computer software developed exclusively at private expense as defined in FAR 2.101, or DFARS 252.227-7014 (June 1995), as applicable. For technical data, use, duplication, or disclosure by the Government is subject to restrictions as set forth in DFARS 202.227-7015 Technical Data, Commercial and Items (Nov 1995) and this Agreement. For Software, in accordance with FAR 12-212 or DFARS 227-7202, as applicable, use, duplication or disclosure by the Government is subject to the restrictions set forth in this Agreement.

## Warranties and Disclaimers

This publication and/or website may include technical or typographical errors or other inaccuracies. Changes are periodically added to the information herein; these changes will be incorporated in new editions of the publication and/or website. Unicode, Inc. may make improvements and/or changes in the product(s) and/or program(s) described in this publication and/or website at any time.

If this file has been purchased on magnetic or optical media from Unicode, Inc. the sole and exclusive remedy for any claim will be exchange of the defective media within ninety (90) days of original purchase.

EXCEPT AS PROVIDED IN SECTION E.2, THIS PUBLICATION AND/OR SOFTWARE IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND EITHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. UNICODE, INC. AND ITS LICENSORS ASSUME NO RESPONSIBILITY FOR ERRORS OR OMISSIONS IN THIS PUBLICATION AND/OR SOFTWARE OR OTHER DOCUMENTS WHICH ARE REFERENCED BY OR LINKED TO THIS PUBLICATION OR THE UNICODE WEBSITE.

## Waiver of Damages

In no event shall Unicode, Inc. or its licensors be liable for any special, incidental, indirect or consequential damages of any kind, or any damages whatsoever, whether or not Unicode, Inc. was advised of the possibility of the damage, including, without limitation, those resulting from the following: loss of use, data or profits, in connection with the use, modification or distribution of this information or its derivatives.

## Trademarks & Logos

The Unicode Word Mark and the Unicode Logo are trademarks of Unicode, Inc. The Unicode Consortium and Unicode, Inc. are trade names of Unicode, Inc. Use of the information and materials found on this website indicates your acknowledgement of Unicode, Inc.'s exclusive worldwide rights in the Unicode Word Mark, the Unicode Logo, and the Unicode trade names.

The Unicode Consortium Name and Trademark Usage Policy (Trademark Policy) are incorporated herein by reference and you agree to abide by the provisions of the Trademark Policy, which may be changed from time to time in the sole discretion of Unicode, Inc.

All third party trademarks referenced herein are the property of their respective owners.

## Miscellaneous

**Jurisdiction and Venue.** This website is operated from a location in the State of California, United States of America. Unicode, Inc. makes no representation that the materials are appropriate for use in other locations. If you access this website from other locations, you are responsible for compliance with local laws. This Agreement, all use of this website and any claims and damages resulting from use of this website are governed solely by the laws of the State of California without regard to any principles which would apply the laws of a different jurisdiction. The user agrees that any disputes regarding this website shall be resolved solely in the courts located in Santa Clara County, California. The user agrees said courts have personal jurisdiction and agree to waive any right to transfer the dispute to any other forum.

**Modification by Unicode, Inc.** Unicode, Inc. shall have the right to modify this Agreement at any time by posting it to this website. The user may not assign any part of this Agreement without Unicode, Inc.'s prior written consent.



Taxes. The user agrees to pay any taxes arising from access to this website or use of the information herein, except for those based on Unicodes net income.

Severability. If any provision of this Agreement is declared invalid or unenforceable, the remaining provisions of this Agreement shall remain in effect.

Entire Agreement. This Agreement constitutes the entire agreement between the parties.

...

## Mozilla Public Suffix List

### Public Suffix Notice

...

You are receiving a copy of the Mozilla Public Suffix List in the following file: <java-home>/lib/security/public\_suffix\_list.dat. The terms of the Oracle license do NOT apply to this file; it is licensed under the Mozilla Public License 2.0, separately from the Oracle programs you receive. If you do not wish to use the Public Suffix List, you may remove the <java-home>/lib/security/public\_suffix\_list.dat file.

The Source Code of this file is available under the Mozilla Public License, v. 2.0 and is located at [https://raw.githubusercontent.com/publicsuffix/list/cbbba1d234670453df9c930dfbf510c0474d4301/public\\_suffix\\_list.dat](https://raw.githubusercontent.com/publicsuffix/list/cbbba1d234670453df9c930dfbf510c0474d4301/public_suffix_list.dat).

If a copy of the MPL was not distributed with this file, you can obtain one at <https://mozilla.org/MPL/2.0/>.

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations under the License.

...

### MPL v2.0

...

Mozilla Public License Version 2.0

=====

## 1. Definitions

-----

### 1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

### 1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

### 1.3. "Contribution"

means Covered Software of a particular Contributor.

1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. "Incompatible With Secondary Licenses"

means

(a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

(b) that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its

Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

-----

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- (b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under

this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- (a) for any code that a Contributor has removed from Covered Software;  
or
- (b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- (c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

#### 2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

#### 2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

#### 2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

#### 2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

### 3. Responsibilities

-----

#### 3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

### 3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- (a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and
- (b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

### 3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

### 3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

### 3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support,

indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

#### 4. Inability to Comply Due to Statute or Regulation

-----

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

#### 5. Termination

-----

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all

end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

\*\*\*\*\*

\* \*  
\* 6. Disclaimer of Warranty \*  
\* ----- \*  
\* \*  
\* Covered Software is provided under this License on an "as is" \*  
\* basis, without warranty of any kind, either expressed, implied, or \*  
\* statutory, including, without limitation, warranties that the \*  
\* Covered Software is free of defects, merchantable, fit for a \*  
\* particular purpose or non-infringing. The entire risk as to the \*  
\* quality and performance of the Covered Software is with You. \*  
\* Should any Covered Software prove defective in any respect, You \*  
\* (not any Contributor) assume the cost of any necessary servicing, \*  
\* repair, or correction. This disclaimer of warranty constitutes an \*  
\* essential part of this License. No use of any Covered Software is \*  
\* authorized under this License except under this disclaimer. \*  
\* \*  
\*\*\*\*\*

\*\*\*\*\*

\* \*  
\* 7. Limitation of Liability \*  
\* ----- \*  
\* \*  
\* Under no circumstances and under no legal theory, whether tort \*  
\* (including negligence), contract, or otherwise, shall any \*  
\* Contributor, or anyone who distributes Covered Software as \*  
\* permitted above, be liable to You for any direct, indirect, \*  
\* special, incidental, or consequential damages of any character \*  
\* including, without limitation, damages for lost profits, loss of \*  
\* goodwill, work stoppage, computer failure or malfunction, or any \*  
\* and all other commercial damages or losses, even if such party \*  
\* shall have been informed of the possibility of such damages. This \*  
\* limitation of liability shall not apply to liability for death or \*  
\* personal injury resulting from such party's negligence to the \*  
\* extent applicable law prohibits such limitation. Some \*  
\* jurisdictions do not allow the exclusion or limitation of \*  
\* incidental or consequential damages, so this exclusion and \*  
\* limitation may not apply to You. \*  
\* \*  
\*\*\*\*\*

8. Litigation  
-----

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

## 9. Miscellaneous

-----

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

## 10. Versions of the License

-----

### 10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

### 10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

### 10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

### 10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the



notice described in Exhibit B of this License must be attached.

#### Exhibit A - Source Code Form License Notice

-----

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <https://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

#### Exhibit B - "Incompatible With Secondary Licenses" Notice

-----

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

...

## Apache Commons Byte Code Engineering Library (BCEL) Version 6.5.0

### Apache Commons BCEL Notice

<pre>

```
=====
== NOTICE file corresponding to the section 4 d of      ==
== the Apache License, Version 2.0,                      ==
== in this case for the Apache Commons BCEL distribution. ==
=====
```

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

</pre>

### Apache 2.0 License

<pre>

```
    Apache License
    Version 2.0, January 2004
    http://www.apache.org/licenses/
```

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

## 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent

to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

</pre>

## The FreeType Project: Freetype v2.10.4

### FreeType Notice

...

FreeType comes with two licenses from which you can choose the one  
which fits your needs best.

The FreeType License (FTL) is the most commonly used one. It is  
a BSD-style license with a credit clause and thus compatible with  
the GNU Public License (GPL) version 3, but not with the  
GPL version 2.

The GNU General Public License (GPL), version 2. Use it for all  
projects which use the GPLv2 also, or which need a license  
compatible to the GPLv2.

...

### FreeType License

...

The FreeType Project LICENSE

-----

2006-Jan-27

Copyright 1996-2002, 2006 by  
David Turner, Robert Wilhelm, and Werner Lemberg

Introduction

=====

The FreeType Project is distributed in several archive packages;  
some of them may contain, in addition to the FreeType font engine,  
various tools and contributions which rely on, or relate to, the  
FreeType Project.

This license applies to all files found in such packages, and  
which do not fall under their own explicit license. The license  
affects thus the FreeType font engine, the test programs,

documentation and makefiles, at the very least.

This license was inspired by the BSD, Artistic, and IJG (Independent JPEG Group) licenses, which all encourage inclusion and use of free software in commercial and freeware products alike. As a consequence, its main points are that:

- o We don't promise that this software works. However, we will be interested in any kind of bug reports. ('as is' distribution)
- o You can use this software for whatever you want, in parts or full form, without having to pay us. ('royalty-free' usage)
- o You may not pretend that you wrote this software. If you use it, or only parts of it, in a program, you must acknowledge somewhere in your documentation that you have used the FreeType code. ('credits')

We specifically permit and encourage the inclusion of this software, with or without modifications, in commercial products. We disclaim all warranties covering The FreeType Project and assume no liability related to The FreeType Project.

Finally, many people asked us for a preferred form for a credit/disclaimer to use in compliance with this license. We thus encourage you to use the following text:

```
""  
Portions of this software are copyright <year> The FreeType  
Project (www.freetype.org). All rights reserved.  
""
```

Please replace <year> with the value from the FreeType version you actually use.

## Legal Terms

=====

### 0. Definitions

-----

Throughout this license, the terms 'package', 'FreeType Project', and 'FreeType archive' refer to the set of files originally distributed by the authors (David Turner, Robert Wilhelm, and Werner Lemberg) as the 'FreeType Project', be they named as alpha, beta or final release.

`You' refers to the licensee, or person using the project, where `using' is a generic term including compiling the project's source code as well as linking it to form a `program' or `executable'. This program is referred to as `a program using the FreeType engine'.

This license applies to all files distributed in the original FreeType Project, including all source code, binaries and documentation, unless otherwise stated in the file in its original, unmodified form as distributed in the original archive. If you are unsure whether or not a particular file is covered by this license, you must contact us to verify this.

The FreeType Project is copyright (C) 1996-2000 by David Turner, Robert Wilhelm, and Werner Lemberg. All rights reserved except as specified below.

#### 1. No Warranty

-----

THE FREETYPE PROJECT IS PROVIDED `AS IS' WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT WILL ANY OF THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY DAMAGES CAUSED BY THE USE OR THE INABILITY TO USE, OF THE FREETYPE PROJECT.

#### 2. Redistribution

-----

This license grants a worldwide, royalty-free, perpetual and irrevocable right and license to use, execute, perform, compile, display, copy, create derivative works of, distribute and sublicense the FreeType Project (in both source and object code forms) and derivative works thereof for any purpose; and to authorize others to exercise some or all of the rights granted herein, subject to the following conditions:

- o Redistribution of source code must retain this license file (FTL.TXT) unaltered; any additions, deletions or changes to the original files must be clearly indicated in accompanying documentation. The copyright notices of the unaltered, original files must be preserved in all copies of source files.
- o Redistribution in binary form must provide a disclaimer that states that the software is based in part of the work of the



FreeType Team, in the distribution documentation. We also encourage you to put an URL to the FreeType web page in your documentation, though this isn't mandatory.

These conditions apply to any software derived from or based on the FreeType Project, not just the unmodified files. If you use our work, you must acknowledge us. However, no fee need be paid to us.

### 3. Advertising

-----

Neither the FreeType authors and contributors nor you shall use the name of the other for commercial, advertising, or promotional purposes without specific prior written permission.

We suggest, but do not require, that you use one or more of the following phrases to refer to this software in your documentation or advertising materials: `FreeType Project', `FreeType Engine', `FreeType library', or `FreeType Distribution'.

As you have not signed this license, you are not required to accept it. However, as the FreeType Project is copyrighted material, only this license, or another one contracted with the authors, grants you the right to use, distribute, and modify it. Therefore, by using, distributing, or modifying the FreeType Project, you indicate that you understand and accept all the terms of this license.

### 4. Contacts

-----

There are two mailing lists related to FreeType:

o [freetype@nongnu.org](mailto:freetype@nongnu.org)

Discusses general use and applications of FreeType, as well as future and wanted additions to the library and distribution.

If you are looking for support, start in this list if you haven't found anything to help you in the documentation.

o [freetype-devel@nongnu.org](mailto:freetype-devel@nongnu.org)

Discusses bugs, as well as engine internals, design issues, specific licenses, porting, etc.

Our home page can be found at

<http://www.freetype.org>

...

### GPL v2

...

## GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and

all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among

countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

## How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:



Yoyodyne, Inc., hereby disclaims all copyright interest in the program  
'Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into  
proprietary programs. If your program is a subroutine library, you may  
consider it more useful to permit linking proprietary applications with the  
library. If this is what you want to do, use the GNU Library General  
Public License instead of this License.

#####

--- fthash.c and fthash.h are covered by the following notices ---

```
/*
 * Copyright 2000 Computing Research Labs, New Mexico State University
 * Copyright 2001-2015
 * Francesco Zappa Nardelli
 *
 * Permission is hereby granted, free of charge, to any person obtaining a
 * copy of this software and associated documentation files (the "Software"),
 * to deal in the Software without restriction, including without limitation
 * the rights to use, copy, modify, merge, publish, distribute, sublicense,
 * and/or sell copies of the Software, and to permit persons to whom the
 * Software is furnished to do so, subject to the following conditions:
 *
 * The above copyright notice and this permission notice shall be included in
 * all copies or substantial portions of the Software.
 *
 * THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
 * IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
 * FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL
 * THE COMPUTING RESEARCH LAB OR NEW MEXICO STATE UNIVERSITY BE LIABLE FOR ANY
 * CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT
 * OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR
 * THE USE OR OTHER DEALINGS IN THE SOFTWARE.
 */

/*****
 *
 * This file is based on code from bdf.c,v 1.22 2000/03/16 20:08:50
 *
 * taken from Mark Leisher's xmbdfed package
 *
 */
```

#####

--- FreeType 2 PSaux module is covered by the following notices ---

Copyright 2006-2014 Adobe Systems Incorporated.

This software, and all works of authorship, whether in source or object code form as indicated by the copyright notice(s) included herein (collectively, the "Work") is made available, and may only be used, modified, and distributed under the FreeType Project License, LICENSE.TXT. Additionally, subject to the terms and conditions of the FreeType Project License, each contributor to the Work hereby grants to any individual or legal entity exercising permissions granted by the FreeType Project License and this section (hereafter, "You" or "Your") a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such contributor that are necessarily infringed by their contribution(s) alone or by combination of their contribution(s) with the Work to which such contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

By using, modifying, or distributing the Work you indicate that you have read and understood the terms and conditions of the FreeType Project License as well as those provided in this section, and you accept them fully.

#####

---

## Mesa 3-D Graphics Library v21.0.3

### Mesa License

---

Copyright (C) 1999-2007 Brian Paul All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense,

and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

#### Attention, Contributors

When contributing to the Mesa project you must agree to the licensing terms of the component to which you're contributing.

The following section lists the primary components of the Mesa distribution and their respective licenses.

#### Mesa Component Licenses

| Component      | Location           | License        |
|----------------|--------------------|----------------|
| Main Mesa code | src/mesa/          | MIT            |
| Device drivers | src/mesa/drivers/* | MIT, generally |
| Gallium code   | src/gallium/       | MIT            |
| Ext headers    | GL/glxt.h          | Khronos        |
|                | GL/glxt.h          | Khronos        |
|                | GL/wglxt.h         | Khronos        |
|                | KHR/khrplatform.h  | Khronos        |

\*\*\*\*\*

----

include/GL/gl.h :

Mesa 3-D graphics library

Copyright (C) 1999-2006 Brian Paul All Rights Reserved.

Copyright (C) 2009 VMware, Inc. All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a

copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

\*\*\*\*\*

----

```
include/GL/glex.h  
include/GL/glxext.h  
include/GL/wglxext.h :
```

Copyright (c) 2013 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and/or associated documentation files (the "Materials"), to deal in the Materials without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Materials, and to permit persons to whom the Materials are furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

\*\*\*\*\*

----

include/KHR/khrplatform.h :

Copyright (c) 2008 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and/or associated documentation files (the "Materials"), to deal in the Materials without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Materials, and to permit persons to whom the Materials are furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

\*\*\*\*\*

...

## Little Color Management System (LCMS) v2.12

### LCMS License

<pre>

Little Color Management System  
Copyright (c) 1998-2020 Marti Maria Saguer

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND

NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

## Bert Belder: wepoll v 1.5.8

### wepoll License

...

wepoll - epoll for Windows

<https://github.com/piscisaureus/wepoll>

Copyright 2012-2020, Bert Belder <bertbelder@gmail.com>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

...

## 1.11 xerces-j 2.12.2

### 1.11.1 Available under license :

Apache XML Commons Resolver

Copyright 2006 The Apache Software Foundation.

This product includes software developed at  
The Apache Software Foundation <http://www.apache.org/>

Portions of this code are derived from classes placed in the  
public domain by Arbortext on 10 Apr 2000. See:  
[http://www.arbortext.com/customer\\_support/updates\\_and\\_technical\\_notes/catalogs/docs/README.htm](http://www.arbortext.com/customer_support/updates_and_technical_notes/catalogs/docs/README.htm)

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the  
direction or management of such entity, whether by contract or  
otherwise, or (ii) ownership of fifty percent (50%) or more of the  
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity  
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,  
including but not limited to software source code, documentation  
source, and configuration files.

"Object" form shall mean any form resulting from mechanical  
transformation or translation of a Source form, including but  
not limited to compiled object code, generated documentation,  
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or  
Object form, made available under the License, as indicated by a  
copyright notice that is included in or attached to the work  
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object  
form, that is based on (or derived from) the Work and for which the

editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the



Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the

same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

=====  
== NOTICE file corresponding to section 4(d) of the Apache License, ==  
== Version 2.0, in this case for the Apache Xerces Java distribution. ==  
=====

Apache Xerces Java  
Copyright 1999-2022 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:  
- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.  
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.  
- voluntary contributions made by Paul Eng on behalf of the Apache Software Foundation that were originally developed at iClick, Inc., software copyright (c) 1999.

=====  
== NOTICE file corresponding to section 4(d) of the Apache License, ==  
== Version 2.0, in this case for the Apache Xalan Java distribution. ==  
=====

Apache Xalan (Xalan serializer)  
Copyright 1999-2012 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software was originally based on the following:  
- software copyright (c) 1999-2002, Lotus Development Corporation., <http://www.lotus.com>.  
- software copyright (c) 2001-2002, Sun Microsystems.,

<http://www.sun.com>.

- software copyright (c) 2003, IBM Corporation.,

<http://www.ibm.com>.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
  
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

## 1.12 lang-tag 1.7

### 1.12.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* lang-tag  
*  
* Copyright 2012-2016, Connect2id Ltd.  
*  
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use  
* this file except in compliance with the License. You may obtain a copy of the  
* License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software distributed  
* under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR  
* CONDITIONS OF ANY KIND, either express or implied. See the License for the  
* specific language governing permissions and limitations under the License.  
*/
```

Found in path(s):

```
* /opt/cola/permits/1363399374_1657793194.0493948/0/lang-tag-1-7-sources-  
jar/com/nimbusds/langtag/LangTag.java  
* /opt/cola/permits/1363399374_1657793194.0493948/0/lang-tag-1-7-sources-  
jar/com/nimbusds/langtag/LangTagUtils.java  
* /opt/cola/permits/1363399374_1657793194.0493948/0/lang-tag-1-7-sources-  
jar/com/nimbusds/langtag/ReadOnlyLangTag.java  
* /opt/cola/permits/1363399374_1657793194.0493948/0/lang-tag-1-7-sources-jar/com/nimbusds/langtag/package-  
info.java  
* /opt/cola/permits/1363399374_1657793194.0493948/0/lang-tag-1-7-sources-  
jar/com/nimbusds/langtag/LangTagException.java
```



# 1.13 error\_prone\_annotations 2.3.3

## 1.13.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2014 The Error Prone Authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-
jar/com/google/errorprone/annotations/NoAllocation.java
* /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-
jar/com/google/errorprone/annotations/concurrent/LockMethod.java
* /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-
jar/com/google/errorprone/annotations/concurrent/UnlockMethod.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright 2016 The Error Prone Authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

- \* /opt/cola/permits/1264660152\_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/CompatibleWith.java
- \* /opt/cola/permits/1264660152\_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/FormatMethod.java
- \* /opt/cola/permits/1264660152\_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/MustBeClosed.java
- \* /opt/cola/permits/1264660152\_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/RestrictedApi.java
- \* /opt/cola/permits/1264660152\_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/FormatString.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017 The Error Prone Authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1264660152\_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/OverridingMethodsMustInvokeSuper.java
- \* /opt/cola/permits/1264660152\_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/DoNotCall.java
- \* /opt/cola/permits/1264660152\_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/concurrent/GuardedBy.java
- \* /opt/cola/permits/1264660152\_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/CheckReturnValue.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015 The Error Prone Authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1264660152\_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/CompileTimeConstant.java
- \* /opt/cola/permits/1264660152\_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/SuppressPackageLocation.java
- \* /opt/cola/permits/1264660152\_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/Immutable.java
- \* /opt/cola/permits/1264660152\_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/RequiredModifiers.java
- \* /opt/cola/permits/1264660152\_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/Var.java
- \* /opt/cola/permits/1264660152\_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/ForOverride.java
- \* /opt/cola/permits/1264660152\_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/concurrent/LazyInit.java
- \* /opt/cola/permits/1264660152\_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/CanIgnoreReturnValue.java
- \* /opt/cola/permits/1264660152\_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/IncompatibleModifiers.java

## 1.14 jackson-dataformat-yaml 2.13.2

### 1.14.1 Available under license :

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.

It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

## Licensing

Jackson core and extension components may be licensed under different licenses.

To find the details that apply to this artifact see the accompanying LICENSE file.

For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

This copy of Jackson JSON processor YAML module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

## 1.15 error\_prone\_annotations 2.9.0

### 1.15.1 Available under license :

No license file was found, but licenses were detected in source scan.

Copyright 2015 The Error Prone Authors.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Found in path(s):

\* /opt/cola/permits/1262997566\_1643611399.53/0/error-prone-annotations-2-9-0-jar/META-INF/maven/com.google.errorprone/error\_prone\_annotations/pom.xml

## 1.16 okta-commons-lang 1.3.3

### 1.16.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 Stormpath, Inc.

\* Modifications Copyright 2018 Okta, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1652154182\_1682349409.01629/0/okta-commons-lang-1-3-3-sources-  
jar/com/okta/commons/lang/ApplicationInfo.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2005-2018 the original author or authors.  
\* Modifications Copyright 2018-Present Okta, Inc.  
\*  
\* Licensed to the Apache Software Foundation (ASF) under one or more  
\* contributor license agreements. See the NOTICE file distributed with  
\* this work for additional information regarding copyright ownership.  
\* The ASF licenses this file to You under the Apache License, Version 2.0  
\* (the "License"); you may not use this file except in compliance with  
\* the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1652154182\_1682349409.01629/0/okta-commons-lang-1-3-3-sources-  
jar/com/okta/commons/lang/Locales.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2017 the original author or authors.  
\* Modifications Copyright 2018-Present Okta, Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1652154182\_1682349409.01629/0/okta-commons-lang-1-3-3-sources-jar/com/okta/commons/lang/Objects.java  
\* /opt/cola/permits/1652154182\_1682349409.01629/0/okta-commons-lang-1-3-3-sources-jar/com/okta/commons/lang/Assert.java  
\* /opt/cola/permits/1652154182\_1682349409.01629/0/okta-commons-lang-1-3-3-sources-jar/com/okta/commons/lang/Strings.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2014 Stormpath, Inc.  
\* Modifications Copyright 2018-Present Okta, Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1652154182\_1682349409.01629/0/okta-commons-lang-1-3-3-sources-jar/com/okta/commons/lang/InstantiationException.java  
\* /opt/cola/permits/1652154182\_1682349409.01629/0/okta-commons-lang-1-3-3-sources-jar/com/okta/commons/lang/Classes.java  
\* /opt/cola/permits/1652154182\_1682349409.01629/0/okta-commons-lang-1-3-3-sources-jar/com/okta/commons/lang/UnknownClassException.java  
\* /opt/cola/permits/1652154182\_1682349409.01629/0/okta-commons-lang-1-3-3-sources-jar/com/okta/commons/lang/Collections.java  
\* /opt/cola/permits/1652154182\_1682349409.01629/0/okta-commons-lang-1-3-3-sources-

jar/com/okta/commons/lang/Instants.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2020-Present Okta, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1652154182\_1682349409.01629/0/okta-commons-lang-1-3-3-sources-

jar/com/okta/commons/lang/XdgConfig.java

No license file was found, but licenses were detected in source scan.

<!--

~ Copyright 2018-Present Okta, Inc.

~

~ Licensed under the Apache License, Version 2.0 (the "License");

~ you may not use this file except in compliance with the License.

~ You may obtain a copy of the License at

~

~ <http://www.apache.org/licenses/LICENSE-2.0>

~

~ Unless required by applicable law or agreed to in writing, software

~ distributed under the License is distributed on an "AS IS" BASIS,

~ WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

~ See the License for the specific language governing permissions and

~ limitations under the License.

-->

Found in path(s):

\* /opt/cola/permits/1652154182\_1682349409.01629/0/okta-commons-lang-1-3-3-sources-jar/META-

INF/maven/com.okta.commons/okta-commons-lang/pom.xml

## 1.17 secretsmanager 2.18.2

## 1.17.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.



"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or

Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
  
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

Note: Other license terms may apply to certain, identified software files contained within or distributed  
with the accompanying software if such terms are included in the directory containing the accompanying software.  
Such other license terms will then apply in lieu of the terms of the software license above.

AWS SDK for Java 2.0

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

This product includes software developed by  
Amazon Technologies, Inc (<http://www.amazon.com/>).

\*\*\*\*\*

#### THIRD PARTY COMPONENTS

\*\*\*\*\*

This software includes third party software subject to the following copyrights:

- XML parsing and utility functions from JetS3t - Copyright 2006-2009 James Murty.
- PKCS#1 PEM encoded private key parsing and utility functions from [oauth.googlecode.com](http://oauth.googlecode.com) - Copyright 1998-2010 AOL Inc.
- Apache Commons Lang - <https://github.com/apache/commons-lang>
- Netty Reactive Streams - <https://github.com/playframework/netty-reactive-streams>
- Jackson-core - <https://github.com/FasterXML/jackson-core>
- Jackson-dataformat-cbor - <https://github.com/FasterXML/jackson-dataformats-binary>

The licenses for these third party components are included in LICENSE.txt

- For Apache Commons Lang see also this required NOTICE:  
Apache Commons Lang  
Copyright 2001-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

## 1.18 apk-tools 2.12.10-r1

## 1.18.1 Available under license :

```
/* io_url.c - Alpine Package Keeper (APK)
 *
 * Copyright (C) 2005-2008 Natanael Copa <n@tanael.org>
 * Copyright (C) 2008-2011 Timo Teräs <timo.teras@iki.fi>
 * All rights reserved.
 *
 * SPDX-License-Identifier: GPL-2.0-only
 */
```

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

#### TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it,

thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium

customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of



the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the

Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE

THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.  
END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and an idea of what it does.>

Copyright (C)< yyyy> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon >, 1 April 1989 Ty Coon, President of Vice This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

## 1.19 jboss-logging 3.4.1.Final

## 1.19.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or

Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
  
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

## 1.20 spring-security-config 6.0.2

### 1.20.1 Available under license :

Apache-2.0

## 1.21 servlet-api 3.0.1

### 1.21.1 Available under license :

/\*

\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

\*

\* Copyright (c) 1997-2010 Oracle and/or its affiliates. All rights reserved.

\*

\* The contents of this file are subject to the terms of either the GNU

\* General Public License Version 2 only ("GPL") or the Common Development

\* and Distribution License("CDDL") (collectively, the "License"). You

\* may not use this file except in compliance with the License. You can

\* obtain a copy of the License at

\* [https://glassfish.dev.java.net/public/CDDL+GPL\\_1\\_1.html](https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html)

\* or [packager/legal/LICENSE.txt](#). See the License for the specific

\* language governing permissions and limitations under the License.

\*

\* When distributing the software, include this License Header Notice in each

\* file and include the License file at [packager/legal/LICENSE.txt](#).

\*

\* GPL Classpath Exception:

\* Oracle designates this particular file as subject to the "Classpath"

\* exception as provided by Oracle in the GPL Version 2 section of the License

\* file that accompanied this code.

\*

\* Modifications:

\* If applicable, add the following below the License Header, with the fields

\* enclosed by brackets [] replaced by your own identifying information:

\* "Portions Copyright [year] [name of copyright owner]"



\*  
\* Contributor(s):  
\* If you wish your version of this file to be governed by only the CDDL or  
\* only the GPL Version 2, indicate your decision by adding "[Contributor]  
\* elects to include this software in this distribution under the [CDDL or GPL  
\* Version 2] license." If you don't indicate a single choice of license, a  
\* recipient has the option to distribute your version of this file under  
\* either the CDDL, the GPL Version 2 or to extend the choice of license to  
\* its licensees as provided above. However, if you add GPL Version 2 code  
\* and therefore, elected the GPL Version 2 license, then the option applies  
\* only if the new code is made subject to such option by the copyright  
\* holder.

\*  
\*  
\* This file incorporates work covered by the following copyright and  
\* permission notice:

\*  
\* Copyright 2004 The Apache Software Foundation

\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at

\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>

\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.

\*/

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

## 1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8. Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

## 3. Distribution Obligations.

### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered

Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

#### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

#### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

#### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

### 4. Versions of the License.

#### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

#### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

#### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

## 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY.S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

## 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction.s conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys. fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

## 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

## NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

## Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:



a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the

section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING

RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

## "CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

## 1.22 j2objc-annotations 1.3

### 1.22.1 Available under license :

For org.w3c.dom code.

See <<http://www.w3.org/Consortium/Legal/>>.

The MIT License

Copyright (c) 2007 Mockito contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in

all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2007-2009, JSR305 expert group  
All rights reserved.

<http://www.opensource.org/licenses/bsd-license.php>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the JSR305 expert group nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

/\*

- \* Licensed to the Apache Software Foundation (ASF) under one or more
- \* contributor license agreements. See the NOTICE file distributed with
- \* this work for additional information regarding copyright ownership.
- \* The ASF licenses this file to You under the Apache License, Version 2.0
- \* (the "License"); you may not use this file except in compliance with
- \* the License. You may obtain a copy of the License at
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \* Unless required by applicable law or agreed to in writing, software

- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.

\*/

```
package java.security;
```

```
import java.io.Serializable;
```

```
/**
```

```
 * Legacy security code; do not use.
```

```
*/
```

```
public abstract class Permission implements Guard, Serializable {
    public Permission(String name) { }
```

```
    public final String getName() { return null; }
```

```
    public void checkGuard(Object obj) throws SecurityException { }
```

```
    public PermissionCollection newPermissionCollection() {
        return new AllPermissionCollection();
    }
```

```
    public abstract String getActions();
```

```
    public abstract boolean implies(Permission permission);
}
```

```
=====
== NOTICE file corresponding to the section 4 d of      ==
== the Apache License, Version 2.0,                      ==
== in this case for the Android-specific code.           ==
=====
```

Android Code

Copyright 2005-2008 The Android Open Source Project

This product includes software developed as part of  
The Android Open Source Project (<http://source.android.com>).

```
=====
== NOTICE file corresponding to the section 4 d of      ==
== the Apache License, Version 2.0,                      ==
== in this case for the Apache Harmony distribution.       ==
=====
```

Apache Harmony

Copyright 2006 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Portions of Harmony were originally developed by  
Intel Corporation and are licensed to the Apache Software  
Foundation under the "Software Grant and Corporate Contribution  
License Agreement", informally known as the "Intel Harmony CLA".

=====  
== NOTICE file for the ICU License. ==  
=====

Copyright (c) 1995-2014 International Business Machines Corporation and others

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining  
a copy of this software and associated documentation files (the  
"Software"), to deal in the Software without restriction, including  
without limitation the rights to use, copy, modify, merge, publish,  
distribute, and/or sell copies of the Software, and to permit persons  
to whom the Software is furnished to do so, provided that the above  
copyright notice(s) and this permission notice appear in all copies of  
the Software and that both the above copyright notice(s) and this  
permission notice appear in supporting documentation.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,  
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF  
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT  
OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR  
HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY  
SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER  
RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF  
CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN  
CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Except as contained in this notice, the name of a copyright holder  
shall not be used in advertising or otherwise to promote the sale, use  
or other dealings in this Software without prior written authorization  
of the copyright holder.

All trademarks and registered trademarks mentioned herein are the  
property of their respective owners.

=====

== NOTICE file for the KXML License.

==

=====  
Copyright (c) 2002,2003, Stefan Haustein, Oberhausen, Rhld., Germany

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

=====  
== NOTICE file for the W3C License.

==

=====  
Copyright (c) 2000 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved. This program is distributed under the W3C's Software Intellectual Property License. This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

See W3C License <http://www.w3.org/Consortium/Legal/> for more details.

=====  
== NOTICE file for the fdlibm License.

==

=====  
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

Developed at SunSoft, a Sun Microsystems, Inc. business.

Permission to use, copy, modify, and distribute this software is freely granted, provided that this notice



is preserved.

\*\*\*\*\*  
Copyright (C) 2003, International Business Machines Corporation and \*  
others. All Rights Reserved. \*  
\*\*\*\*\*

Created on May 2, 2003

To change the template for this generated file go to  
Window>Preferences>Java>Code Generation>Code and Comments

-----  
\*\*\*\*\*  
(C) Copyright IBM Corp. 1996-2005 - All Rights Reserved \*  
\*  
The original version of this source code and documentation is copyrighted \*  
and owned by IBM, These materials are provided under terms of a License \*  
Agreement between IBM and Sun. This technology is protected by multiple \*  
US and International patents. This notice and attribution to IBM may not \*  
to removed. \*  
\*\*\*\*\*

-----  
\*\*\*\*\*  
(C) Copyright IBM Corp. and others, 1996-2009 - All Rights Reserved \*  
\*  
The original version of this source code and documentation is copyrighted \*  
and owned by IBM, These materials are provided under terms of a License \*  
Agreement between IBM and Sun. This technology is protected by multiple \*  
US and International patents. This notice and attribution to IBM may not \*  
to removed. \*  
\*\*\*\*\*

-----  
\*\*\*\*\*  
(C) Copyright IBM Corp. and others, 1996-2009 - All Rights Reserved \*  
\*  
The original version of this source code and documentation is copyrighted \*  
and owned by IBM, These materials are provided under terms of a License \*  
Agreement between IBM and Sun. This technology is protected by multiple \*  
US and International patents. This notice and attribution to IBM may not \*  
to removed. \*  
\*\*\*\*\*

\* file name: UBiDiProps.java  
\* encoding: US-ASCII

\* tab size: 8 (not used)  
\* indentation:4  
\*  
\* created on: 2005jan16  
\* created by: Markus W. Scherer  
\*  
\* Low-level Unicode bidi/shaping properties access.  
\* Java port of ubidi\_props.h/c.

-----

\*\*\*\*\*  
Copyright (C) 2003-2004, International Business Machines Corporation and \*  
others. All Rights Reserved. \*  
\*\*\*\*\*

-----

\*\*\*\*\*  
Copyright (C) 2003-2004, International Business Machines Corporation and \*  
others. All Rights Reserved. \*  
\*\*\*\*\*

-----

\*\*\*\*\*  
Copyright (C) 2004, International Business Machines Corporation and \*  
others. All Rights Reserved. \*  
\*\*\*\*\*

-----

\*\*\*\*\*  
Copyright (C) 2009, International Business Machines Corporation and \*  
others. All Rights Reserved. \*  
\*\*\*\*\*

-----

\*\*\*\*\*  
Copyright (C) 2009-2010, International Business Machines Corporation and \*  
others. All Rights Reserved. \*  
\*\*\*\*\*

-----

\*\*\*\*\*  
Copyright (C) 2010, International Business Machines Corporation and \*  
\*\*\*\*\*

others. All Rights Reserved.

\*

\*\*\*\*\*

-----

(C) Copyright IBM Corp. 1996-2003 - All Rights Reserved

\*

\*

The original version of this source code and documentation is copyrighted \*  
and owned by IBM, These materials are provided under terms of a License \*  
Agreement between IBM and Sun. This technology is protected by multiple \*  
US and International patents. This notice and attribution to IBM may not \*  
to removed. \*

#\*\*\*\*\*

This locale data is based on the ICU's Vietnamese locale data (rev. 1.38)  
found at:

<http://oss.software.ibm.com/cvs/icu/icu/source/data/locales/vi.txt?rev=1.38>

-----

(C) Copyright IBM Corp. 1999-2003 - All Rights Reserved

The original version of this source code and documentation is  
copyrighted and owned by IBM. These materials are provided  
under terms of a License Agreement between IBM and Sun.  
This technology is protected by multiple US and International  
patents. This notice and attribution to IBM may not be removed.

-----

(C) Copyright Taligent, Inc. 1996 - 1997, All Rights Reserved

(C) Copyright IBM Corp. 1996 - 1998, All Rights Reserved

The original version of this source code and documentation is  
copyrighted and owned by Taligent, Inc., a wholly-owned subsidiary  
of IBM. These materials are provided under terms of a License  
Agreement between Taligent and Sun. This technology is protected  
by multiple US and International patents.

This notice and attribution to Taligent may not be removed.  
Taligent is a registered trademark of Taligent, Inc.

-----

(C) Copyright Taligent, Inc. 1996 - All Rights Reserved

(C) Copyright IBM Corp. 1996 - All Rights Reserved

The original version of this source code and documentation is copyrighted and owned by Taligent, Inc., a wholly-owned subsidiary of IBM. These materials are provided under terms of a License Agreement between Taligent and Sun. This technology is protected by multiple US and International patents. This notice and attribution to Taligent may not be removed. Taligent is a registered trademark of Taligent, Inc.

-----  
(C) Copyright Taligent, Inc. 1996 - All Rights Reserved  
(C) Copyright IBM Corp. 1996-1998 - All Rights Reserved

The original version of this source code and documentation is copyrighted and owned by Taligent, Inc., a wholly-owned subsidiary of IBM. These materials are provided under terms of a License Agreement between Taligent and Sun. This technology is protected by multiple US and International patents. This notice and attribution to Taligent may not be removed. Taligent is a registered trademark of Taligent, Inc.

-----  
(C) Copyright Taligent, Inc. 1996, 1997 - All Rights Reserved  
(C) Copyright IBM Corp. 1996 - 1998 - All Rights Reserved

The original version of this source code and documentation is copyrighted and owned by Taligent, Inc., a wholly-owned subsidiary of IBM. These materials are provided under terms of a License Agreement between Taligent and Sun. This technology is protected by multiple US and International patents. This notice and attribution to Taligent may not be removed. Taligent is a registered trademark of Taligent, Inc.

-----  
(C) Copyright Taligent, Inc. 1996, 1997 - All Rights Reserved  
(C) Copyright IBM Corp. 1996 - 1998 - All Rights Reserved

The original version of this source code and documentation is copyrighted and owned by Taligent, Inc., a wholly-owned subsidiary of IBM. These materials are provided under terms of a License Agreement between Taligent and Sun. This technology is protected by multiple US and International patents.

This notice and attribution to Taligent may not be removed. Taligent is a registered trademark of Taligent, Inc.

-----  
(C) Copyright Taligent, Inc. 1996, 1997 - All Rights Reserved

(C) Copyright IBM Corp. 1996 - 1999 - All Rights Reserved

The original version of this source code and documentation is copyrighted and owned by Taligent, Inc., a wholly-owned subsidiary of IBM. These materials are provided under terms of a License Agreement between Taligent and Sun. This technology is protected by multiple US and International patents.

This notice and attribution to Taligent may not be removed.  
Taligent is a registered trademark of Taligent, Inc.

-----

(C) Copyright Taligent, Inc. 1996, 1997 - All Rights Reserved

(C) Copyright IBM Corp. 1996 - 2002 - All Rights Reserved

The original version of this source code and documentation is copyrighted and owned by Taligent, Inc., a wholly-owned subsidiary of IBM. These materials are provided under terms of a License Agreement between Taligent and Sun. This technology is protected by multiple US and International patents.

This notice and attribution to Taligent may not be removed.  
Taligent is a registered trademark of Taligent, Inc.

-----

(C) Copyright Taligent, Inc. 1996, 1997 - All Rights Reserved

(C) Copyright IBM Corp. 1996, 1997 - All Rights Reserved

The original version of this source code and documentation is copyrighted and owned by Taligent, Inc., a wholly-owned subsidiary of IBM. These materials are provided under terms of a License Agreement between Taligent and Sun. This technology is protected by multiple US and International patents. This notice and attribution to Taligent may not be removed.  
Taligent is a registered trademark of Taligent, Inc.

-----

(C) Copyright Taligent, Inc. 1996, 1997 - All Rights Reserved

(C) Copyright IBM Corp. 1996-1998 - All Rights Reserved

The original version of this source code and documentation is copyrighted and owned by Taligent, Inc., a wholly-owned subsidiary of IBM. These materials are provided under terms of a License Agreement between Taligent and Sun. This technology is protected by multiple US and International patents. This notice and attribution to Taligent may not be removed.  
Taligent is a registered trademark of Taligent, Inc.

-----  
(C) Copyright Taligent, Inc. 1996,1997 - All Rights Reserved  
(C) Copyright IBM Corp. 1996, 1997 - All Rights Reserved  
-----

(C) Copyright Taligent, Inc. 1996-1998 - All Rights Reserved  
(C) Copyright IBM Corp. 1996-1998 - All Rights Reserved

The original version of this source code and documentation is copyrighted and owned by Taligent, Inc., a wholly-owned subsidiary of IBM. These materials are provided under terms of a License Agreement between Taligent and Sun. This technology is protected by multiple US and International patents. This notice and attribution to Taligent may not be removed.  
Taligent is a registered trademark of Taligent, Inc.

-----  
(C) Copyright Taligent, Inc. 1996-1998 - All Rights Reserved  
(C) Copyright IBM Corp. 1996-1998 - All Rights Reserved

The original version of this source code and documentation is copyrighted and owned by Taligent, Inc., a wholly-owned subsidiary of IBM. These materials are provided under terms of a License Agreement between Taligent and Sun. This technology is protected by multiple US and International patents. This notice and attribution to Taligent may not be removed.  
Taligent is a registered trademark of Taligent, Inc.

-----  
\*\*\*\*\*  
\* Copyright (C) 1996-2004, International Business Machines Corporation and \*  
\* others. All Rights Reserved. \*  
\*\*\*\*\*

-----  
Oracle designates certain files in this repository as subject to the "Classpath" exception. The designated files include the following notices. In the following notices, the LICENSE file referred to is:

\*\*\*\*\*  
START LICENSE file  
\*\*\*\*\*

The GNU General Public License (GPL)

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We

wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.



c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with

Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through

you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

## NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author Gnomovision comes
with ABSOLUTELY NO WARRANTY; for details type 'show w'. This is free
software, and you are welcome to redistribute it under certain conditions;
type 'show c' for details.
```

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than 'show w' and 'show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
'Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
signature of Ty Coon, 1 April 1989
```

```
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

#### "CLASSPATH" EXCEPTION TO THE GPL

Certain source files distributed by Oracle America and/or its affiliates are subject to the following clarification and special exception to the GPL, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

\*\*\*\*\*

END LICENSE file

\*\*\*\*\*

-----

<!--

Copyright (c) 1998, 1999, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

<!--

Copyright (c) 1998, 2003, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

<!--

Copyright (c) 1998, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

<!--

Copyright (c) 1998, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

<!--

Copyright (c) 1998, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any



questions.

-----  
<!--

Copyright (c) 2000, 2004, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
<!--

Copyright (c) 2000, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation,

Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----

<!--

Copyright (c) 2001, 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----

<!--

Copyright (c) 2001, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that

accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
<!--

Copyright (c) 2003, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
<!--

Copyright (c) 1999, 2007, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
<!--

Copyright (c) 1999, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2001, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as

published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1998, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1998, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1998, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1998, 2011, Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1998, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

Copyright (c) 1999, 2001, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1999, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.



-----  
Copyright (c) 1999, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2000, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA

or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2000, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2000, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 2001, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version

2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2003, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2003, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2003, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
<?xml version="1.0" encoding="UTF-8"?>

<!--

Copyright (c) 2003, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
<?xml version="1.0"?>

<!--

Copyright (c) 2003, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1998, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it

under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
<code>Replaceable</code> is an interface representing a string of characters that supports the replacement of a range of itself with a new string of characters. It is used by APIs that change a piece of text while retaining metadata. Metadata is data other than the Unicode characters returned by `char32At()`. One example of metadata is style attributes; another is an edit history, marking each character with an author and revision number.

<p>An implicit aspect of the <code>Replaceable</code> API is that during a replace operation, new characters take on the metadata of the old characters. For example, if the string "the <b>bold</b> font" has range (4, 8) replaced with "strong", then it becomes "the <b>strong</b> font".

<p><code>Replaceable</code> specifies ranges using a start offset and a limit offset. The range of characters thus specified includes the characters at offset `start..limit-1`. That is, the start offset is inclusive, and the limit offset is exclusive.

<p><code>Replaceable</code> also includes API to access characters in the string: <code>length()</code>, <code>charAt()</code>, <code>char32At()</code>, and <code>extractBetween()</code>.

<p>For a subclass to support metadata, typical behavior of <code>replace()</code> is the following:

<ul>

<li>Set the metadata of the new text to the metadata of the first

- character replaced
- If no characters are replaced, use the metadata of the previous character
- If there is no previous character (i.e. start == 0), use the following character
- If there is no following character (i.e. the replaceable was empty), use default metadata
- If the code point U+FFFF is seen, it should be interpreted as a special marker having no metadata

If this is not the behavior, the subclass should document any differences.

Copyright © IBM Corporation 1999. All rights reserved.

@author Alan Liu  
@stable ICU 2.0

`ReplaceableString` is an adapter class that implements the `Replaceable` API around an ordinary `StringBuffer`.

**Note:** This class does not support attributes and is not intended for general use. Most clients will need to implement `Replaceable` in their text representation class.

Copyright © IBM Corporation 1999. All rights reserved.

@see Replaceable  
@author Alan Liu  
@stable ICU 2.0

Copyright (C) 1991-2007 Unicode, Inc. All rights reserved.  
Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that (a) the above copyright notice(s) and this permission notice appear with all copies of the Data Files or Software, (b) both the above copyright notice(s) and this permission notice appear in associated



documentation, and (c) there is clear notice in each modified Data File or in the Software as well as in the documentation associated with the Data File(s) or Software that the data or software has been modified.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

Generated automatically from the Common Locale Data Repository. DO NOT EDIT!

-----  
Copyright (C) 1991-2011 Unicode, Inc. All rights reserved.  
Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that (a) the above copyright notice(s) and this permission notice appear with all copies of the Data Files or Software, (b) both the above copyright notice(s) and this permission notice appear in associated documentation, and (c) there is clear notice in each modified Data File or in the Software as well as in the documentation associated with the Data File(s) or Software that the data or software has been modified.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES

WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1994, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1994, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1994, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1994, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as

published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1994, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1994, 2013, Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1995, 2000, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1995, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1995, 2007, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1995, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1995, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1995, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1995, 2013, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or



FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1996, 2004, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1996, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided

by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1996, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1996, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1996, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1996, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1996, 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any

questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1996, 2013, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1997, 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation,

Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1997, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1997, 2007, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that

accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1997, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1997, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1997, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1997, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as



published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1997, 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1997, 2013, Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1998, 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1998, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1998, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1998, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1999, 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1999, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1999, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or

FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1999, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2000, 2003, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided

by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2000, 2004, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2000, 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2000, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.



Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2000, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2000, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any

questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2000, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2000, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation,

Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2000, 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2000, 2013, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that

accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2001, 2002, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2001, 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2001, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2001, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as

published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2001, 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2002, 2005, Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2002, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2002, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2003, 2004, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.



Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2003, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2003, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2003, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2003, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or

FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2003, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2004, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided

by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2005, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2005, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2005, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2005, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2005, 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any

questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2005, 2013 Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation,

Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2007, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that



accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2008, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2009, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1994, 1995, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1994, 1998, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided

by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 1994, 2000, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 1994, 2001, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as

published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1994, 2002, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1994, 2003, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1994, 2004, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1994, 2005, Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1994, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

Copyright (c) 1994, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1994, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1994, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1994, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA



or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1994, 2013, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1995, 1996, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 1995, 1997, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 1995, 1999, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version

2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1995, 2000, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1995, 2001, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1995, 2003, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1995, 2004, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License

version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1995, 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1995, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT

ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1995, 2007, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1995, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1995, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1995, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this

particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 1995, 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 1995, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it



under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1996, 1997, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1996, 1998, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1996, 1999, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

Copyright (c) 1996, 2000, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1996, 2001, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1996, 2002, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1996, 2003, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any

questions.

-----  
Copyright (c) 1996, 2004, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1996, 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 1996, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 1996, 2007, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,

Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 1996, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 1996, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1996, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1996, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that



accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1996, 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1996, 2013, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or

FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1996, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1997, 1998, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1997, 1999, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1997, 2000, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided

by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 1997, 2001, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 1997, 2002, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as

published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1997, 2003, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1997, 2004, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1997, 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1997, 2006, Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1997, 2007, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

Copyright (c) 1997, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1997, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.



-----  
Copyright (c) 1997, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1997, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA

or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1997, 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1997, 2013, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 1997, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 1998, 2001, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version

2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1998, 2002, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1998, 2003, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1998, 2004, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1998, 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License

version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1998, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1998, 2007, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT

ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1998, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1998, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1998, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1998, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this



particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 1998, 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 1998, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it

under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1999, 2000, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1999, 2001, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 1999, 2002, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 1999, 2003, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1999, 2004, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1999, 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1999, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any

questions.

-----  
Copyright (c) 1999, 2007, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1999, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 1999, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 1999, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,

Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 1999, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 1999, 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).



You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1999, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2000, 2001, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that

accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2000, 2002, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2000, 2003, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or

FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 2000, 2004, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 2000, 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2000, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2000, 2007, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this

particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 2000, 2007, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 2000, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it

under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2000, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2000, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 2000, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 2000, 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2000, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.



-----  
Copyright (c) 2001, 2002, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2001, 2003, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any

questions.

-----  
Copyright (c) 2001, 2004, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2001, 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 2001, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 2001, 2007, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,

Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 2001, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 2001, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2001, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2001, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that

accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2001, 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2001, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or

FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 2002, 2003, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 2002, 2004, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2002, 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2002, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided



by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 2002, 2007, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 2002, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as

published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2002, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2002, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2002, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2002, 2012, Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 2002, 2013, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 2002, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2003, 2004, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2003, 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2003, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA

or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2003, 2007, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2003, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 2003, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 2003, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version



2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2003, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2003, 2013, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2003, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2003,2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License

version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2004, 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2004, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT

ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2004, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2004, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2004, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2004, 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this

particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 2004, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 2005, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it

under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 2005, 2007, Oracle and/or its affiliates. All rights reserved.

-----

Copyright (c) 2005, 2007, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2005, 2007, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

(C) Copyright Taligent, Inc. 1996, 1997 - All Rights Reserved  
(C) Copyright IBM Corp. 1996 - 1999 - All Rights Reserved

The original version of this source code and documentation is copyrighted and owned by Taligent, Inc., a wholly-owned subsidiary of IBM. These materials are provided under terms of a License Agreement between Taligent and Sun. This technology is protected by multiple US and International patents.

This notice and attribution to Taligent may not be removed.  
Taligent is a registered trademark of Taligent, Inc.

-----  
Copyright (c) 2005, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.



This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2005, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2005, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided

by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 2005, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 2005, 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as

published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2005, Oracle and/or its affiliates. All rights reserved.

-----  
Copyright (c) 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

Copyright (c) 2006, 2007, Oracle and/or its affiliates. All rights reserved.

-----  
Copyright (c) 2006, 2007, Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2006, 2011, Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 2006, 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version

2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2007, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2007, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2007, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2007, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License

version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2007, 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2007, Oracle and/or its affiliates. All rights reserved.

-----  
Copyright (c) 2007, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this



particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 2008, 2009, Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 2008, 2009, Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 2008, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 2008, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2008, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2008, 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any

questions.

-----  
Copyright (c) 2009, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2009, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 2009, 2013, Oracle and/or its affiliates. All rights reserved.

Copyright 2009 Google Inc. All Rights Reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 2009, Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version

2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2010, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2010, 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2010, 2013, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License



version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2012, 2013, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT

ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2013, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright 2015 Google Inc.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Google designates this particular file as subject to the "Classpath" exception as provided by Google in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

-----  
Licensed Materials - Property of IBM

(C) Copyright IBM Corp. 1999 All Rights Reserved.  
(C) IBM Corp. 1997-1998. All Rights Reserved.

The program is provided "as is" without any warranty express or implied, including the warranty of non-infringement and the implied warranties of merchantability and fitness for a particular purpose. IBM will not be liable for any damages suffered by you as a result of using the Program. In no event will IBM be liable for any special, indirect or consequential damages or lost profits even if

IBM has been advised of the possibility of their occurrence. IBM will not be liable for any third party claims against you.

-----  
is licensed under the same terms. The copyright and license information for java/net/Inet4AddressImpl.java follows.

Copyright (c) 2002, 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
licensed under the same terms. The copyright and license information for java/net/PlainDatagramSocketImpl.java follows.

Copyright (c) 2007, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License

version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
licensed under the same terms. The copyright and license information for `java/net/PlainSocketImpl.java` follows.

Copyright (c) 2007, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
licensed under the same terms. The copyright and license information for `sun/nio/ch/FileChannelImpl.java` follows.

Copyright (c) 2000, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it

under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
licensed under the same terms. The copyright and license information for `sun/nio/ch/FileDispatcherImpl.java` follows.

Copyright (c) 2000, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

licensed under the same terms. The copyright and license information for sun/nio/ch/InheritedChannel.java follows.

Copyright (c) 2003, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
licensed under the same terms. The copyright and license information for sun/nio/ch/ServerSocketChannelImpl.java follows.

Copyright (c) 2000, 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version

2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
same terms. The copyright and license information for sun/nio/ch/Net.java follows.

Copyright (c) 2000, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
the same terms. The copyright and license information for java/io/FileSystem.java follows.

Copyright (c) 1998, 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.



This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
the same terms. The copyright and license information for java/lang/Long.java follows.

Copyright (c) 1994, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
the same terms. The copyright and license information for sun/nio/ch/IOStatus.java follows.

Copyright (c) 2002, 2003, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
under the same terms. The copyright and license information for `java/io/UnixFileSystem.java` follows.

Copyright (c) 1998, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA

or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
under the same terms. The copyright and license information for `java/lang/Integer.java` follows.

Copyright (c) 1994, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
under the same terms. The copyright and license information for `java/net/NetworkInterface.java` follows.

Copyright (c) 2000, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License

version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
under the same terms. The copyright and license information for `java/net/SocketOptions.java` follows.

Copyright (c) 1996, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
under the same terms. The copyright and license information for `java/util/zip/ZipFile.java` follows.

Copyright (c) 1995, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it

under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
=====  
== NOTICE file corresponding to section 4(d) of the Apache License, ==  
== Version 2.0, in this case for the Apache Xalan Java distribution. ==  
=====

Apache Xalan (Xalan XSLT processor)  
Copyright 1999-2006 The Apache Software Foundation

Apache Xalan (Xalan serializer)  
Copyright 1999-2006 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

=====  
Portions of this software was originally based on the following:  
- software copyright (c) 1999-2002, Lotus Development Corporation.,  
  <http://www.lotus.com>.  
- software copyright (c) 2001-2002, Sun Microsystems.,  
  <http://www.sun.com>.  
- software copyright (c) 2003, IBM Corporation.,  
  <http://www.ibm.com>.  
=====

The binary distribution package (ie. jars, samples and documentation) of  
this product includes software developed by the following:

- The Apache Software Foundation

- Xerces Java - see LICENSE.txt
  - JAXP 1.3 APIs - see LICENSE.txt
  - Bytecode Engineering Library - see LICENSE.txt
  - Regular Expression - see LICENSE.txt
- Scott Hudson, Frank Flannery, C. Scott Ananian
- CUP Parser Generator runtime (javacup\runtime) - see LICENSE.txt

---

The source distribution package (ie. all source and tools required to build Xalan Java) of this product includes software developed by the following:

- The Apache Software Foundation
  - Xerces Java - see LICENSE.txt
  - JAXP 1.3 APIs - see LICENSE.txt
  - Bytecode Engineering Library - see LICENSE.txt
  - Regular Expression - see LICENSE.txt
  - Ant - see LICENSE.txt
  - Stylebook doc tool - see LICENSE.txt
- Elliot Joel Berk and C. Scott Ananian
  - Lexical Analyzer Generator (JLex) - see LICENSE.txt

---

Apache Xerces Java  
 Copyright 1999-2006 The Apache Software Foundation

This product includes software developed at  
 The Apache Software Foundation (<http://www.apache.org/>).

Portions of Apache Xerces Java in xercesImpl.jar and xml-apis.jar were originally based on the following:

- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.
- voluntary contributions made by Paul Eng on behalf of the Apache Software Foundation that were originally developed at iClick, Inc., software copyright (c) 1999.

---

Apache xml-commons xml-apis (redistribution of xml-apis.jar)

Apache XML Commons  
 Copyright 2001-2003,2006 The Apache Software Foundation.

This product includes software developed at  
 The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:

- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.
- software copyright (c) 2000 World Wide Web Consortium, <http://www.w3.org>

The GNU General Public License (GPL)

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to

know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.



b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy

simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this.

Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

## NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT

ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author Gnomovision comes
with ABSOLUTELY NO WARRANTY; for details type 'show w'. This is free
software, and you are welcome to redistribute it under certain conditions;
type 'show c' for details.
```

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than 'show w' and 'show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
'Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
signature of Ty Coon, 1 April 1989
```

```
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

#### "CLASSPATH" EXCEPTION TO THE GPL

Certain source files distributed by Oracle America and/or its affiliates are subject to the following clarification and special exception to the GPL, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

## ICU

There are two licenses here:

- ICU license
- Unicode Terms of Use

-----  
ICU License - ICU 1.8.1 and later

From <http://source.icu-project.org/repos/icu/icu/trunk/license.html>

X License (old version). For license pedigree see the

ICU FAQ at <http://icu-project.org/userguide/icufaq.html>

## COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1995-2014 International Business Machines Corporation and others

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, provided that the above copyright notice(s) and this permission notice appear in all copies of the Software and that both the above copyright notice(s) and this permission notice appear in supporting documentation.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION

WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

All trademarks and registered trademarks mentioned herein are the property of their respective owners.

-----  
Unicode Terms of Use, from <http://www.unicode.org/copyright.html>

For the general privacy policy governing access to this site, see the Unicode Privacy Policy. For trademark usage, see the Unicode Consortium Name and Trademark Usage Policy.

Notice to End User: Terms of Use

Carefully read the following legal agreement ("Agreement"). Use or copying of the software and/or codes provided with this agreement (The "Software") constitutes your acceptance of these terms. If you have any questions about these terms of use, please contact the Unicode Consortium.

A. Unicode Copyright.

1. Copyright 1991-2014 Unicode, Inc. All rights reserved.
2. Certain documents and files on this website contain a legend indicating that "Modification is permitted." Any person is hereby authorized, without fee, to modify such documents and files to create derivative works conforming to the Unicode Standard, subject to Terms and Conditions herein.
3. Any person is hereby authorized, without fee, to view, use, reproduce, and distribute all documents and files solely for informational purposes in the creation of products supporting the Unicode Standard, subject to the Terms and Conditions herein.
4. Further specifications of rights and restrictions pertaining to the use of the particular set of data files known as the "Unicode Character Database" can be found in Exhibit 1.
5. Each version of the Unicode Standard has further specifications of rights and restrictions of use. For the book editions (Unicode 5.0 and earlier), these are found on the back of the title page. The online code charts carry specific restrictions. All other files, including online documentation of the core specification for Unicode 6.0 and later, are covered under these general Terms of Use.
6. No license is granted to "mirror" the Unicode website where a fee is charged for access to the "mirror" site.
7. Modification is not permitted with respect to this document. All copies of this document must be verbatim.

B. Restricted Rights Legend. Any technical data or software which is licensed to the United States of America, its agencies and/or instrumentalities under

this Agreement is commercial technical data or commercial computer software developed exclusively at private expense as defined in FAR 2.101, or DFARS 252.227-7014 (June 1995), as applicable. For technical data, use, duplication, or disclosure by the Government is subject to restrictions as set forth in DFARS 202.227-7015 Technical Data, Commercial and Items (Nov 1995) and this Agreement. For Software, in accordance with FAR 12-212 or DFARS 227-7202, as applicable, use, duplication or disclosure by the Government is subject to the restrictions set forth in this Agreement.

#### C. Warranties and Disclaimers.

1. This publication and/or website may include technical or typographical errors or other inaccuracies. Changes are periodically added to the information herein; these changes will be incorporated in new editions of the publication and/or website. Unicode may make improvements and/or changes in the product(s) and/or program(s) described in this publication and/or website at any time.
2. If this file has been purchased on magnetic or optical media from Unicode, Inc. the sole and exclusive remedy for any claim will be exchange of the defective media within ninety (90) days of original purchase.
3. EXCEPT AS PROVIDED IN SECTION C.2, THIS PUBLICATION AND/OR SOFTWARE IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND EITHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. UNICODE AND ITS LICENSORS ASSUME NO RESPONSIBILITY FOR ERRORS OR OMISSIONS IN THIS PUBLICATION AND/OR SOFTWARE OR OTHER DOCUMENTS WHICH ARE REFERENCED BY OR LINKED TO THIS PUBLICATION OR THE UNICODE WEBSITE.

D. Waiver of Damages. In no event shall Unicode or its licensors be liable for any special, incidental, indirect or consequential damages of any kind, or any damages whatsoever, whether or not Unicode was advised of the possibility of the damage, including, without limitation, those resulting from the following: loss of use, data or profits, in connection with the use, modification or distribution of this information or its derivatives.

#### E. Trademarks & Logos.

1. The Unicode Word Mark and the Unicode Logo are trademarks of Unicode, Inc. The Unicode Consortium and Unicode, Inc. are trade names of Unicode, Inc. Use of the information and materials found on this website indicates your acknowledgement of Unicode, Inc.'s exclusive worldwide rights in the Unicode Word Mark, the Unicode Logo, and the Unicode trade names.
2. The Unicode Consortium Name and Trademark Usage Policy (Trademark Policy) are incorporated herein by reference and you agree to abide by the provisions of the Trademark Policy, which may be changed from time to time in the sole discretion of Unicode, Inc.
3. All third party trademarks referenced herein are the property of their respective owners.

#### F. Miscellaneous.

1. Jurisdiction and Venue. This server is operated from a location in the State of California, United States of America. Unicode makes no representation that the materials are appropriate for use in other locations. If you access this server from other locations, you are



responsible for compliance with local laws. This Agreement, all use of this site and any claims and damages resulting from use of this site are governed solely by the laws of the State of California without regard to any principles which would apply the laws of a different jurisdiction. The user agrees that any disputes regarding this site shall be resolved solely in the courts located in Santa Clara County, California. The user agrees said courts have personal jurisdiction and agree to waive any right to transfer the dispute to any other forum.

2. Modification by Unicode Unicode shall have the right to modify this Agreement at any time by posting it to this site. The user may not assign any part of this Agreement without Unicodes prior written consent.
3. Taxes. The user agrees to pay any taxes arising from access to this website or use of the information herein, except for those based on Unicodes net income.
4. Severability. If any provision of this Agreement is declared invalid or unenforceable, the remaining provisions of this Agreement shall remain in effect.
5. Entire Agreement. This Agreement constitutes the entire agreement between the parties.

#### EXHIBIT 1

#### UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories <http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>, and <http://www.unicode.org/cldr/data/>. Unicode Data Files do not include PDF online code charts under the directory <http://www.unicode.org/Public/>. Software includes any source code published in the Unicode Standard or under the directories <http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>, and <http://www.unicode.org/cldr/data/>.

NOTICE TO USER: Carefully read the following legal agreement. BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"), YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT. IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

#### COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2014 Unicode, Inc. All rights reserved.  
Distributed under the Terms of Use in  
<http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software

without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that

- (a) this copyright and permission notice appear with all copies of the Data Files or Software,
- (b) this copyright and permission notice appear in associated documentation, and
- (c) there is clear notice in each modified Data File or in the Software as well as in the documentation associated with the Data File(s) or Software that the data or software has been modified.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

JUnit

Common Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS COMMON PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
  - i) changes to the Program, and
  - ii) additions to the Program;

where such changes and/or additions to the Program originate from and are

distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

### 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
  - i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
  - ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
  - iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
  - iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is

intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS

GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against a Contributor with respect to a patent applicable to software (including a cross-claim or counterclaim in a lawsuit), then any patent licenses granted by that Contributor to such Recipient under this Agreement shall terminate as of the date such litigation is filed. In addition, if Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. IBM is the initial Agreement Steward. IBM may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the

intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes

of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You



meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

#### UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories  
<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>, and  
<http://www.unicode.org/cldr/data/>. Unicode Software includes any source code  
published in the Unicode Standard or under the directories  
<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>, and  
<http://www.unicode.org/cldr/data/>.

NOTICE TO USER: Carefully read the following legal agreement. BY  
DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES  
("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"), YOU UNEQUIVOCALLY ACCEPT, AND  
AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT. IF YOU  
DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES  
OR SOFTWARE.

#### COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2006 Unicode, Inc. All rights reserved. Distributed under  
the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy  
of the Unicode data files and any associated documentation (the "Data Files") or  
Unicode software and any associated documentation (the "Software") to deal in  
the Data Files or Software without restriction, including without limitation the  
rights to use, copy, modify, merge, publish, distribute, and/or sell copies of  
the Data Files or Software, and to permit persons to whom the Data Files or  
Software are furnished to do so, provided that (a) the above copyright notice(s)  
and this permission notice appear with all copies of the Data Files or Software,  
(b) both the above copyright notice(s) and this permission notice appear in  
associated documentation, and (c) there is clear notice in each modified Data  
File or in the Software as well as in the documentation associated with the Data  
File(s) or Software that the data or software has been modified.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

## 1.23 commons-lang3 3.12.0

### 1.23.1 Available under license :

Apache Commons Lang  
Copyright 2001-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.24 ncurses 6.3\_p20221119-r0

## 1.24.1 Available under license :

Upstream source <https://invisible-island.net/ncurses/ncurses.html>

This package is used for testing builds of ncurses.

Current ncurses maintainer: Thomas Dickey <[dickey@invisible-island.net](mailto:dickey@invisible-island.net)>

-----  
Files: \*

Copyright: 2017-2020,2021 by Thomas E. Dickey

Copyright: 1998-2016,2017 Free Software Foundation, Inc.



Licence: X11

Files: aclocal.m4 package

Copyright: 1996-2020,2021 by Thomas E. Dickey

Licence: X11

Files: doc/html/NCURSES-Programming-HOWTO.html

Copyright: 2001 by Pradeep Padala

Licence: X11

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, distribute with modifications, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE ABOVE COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name(s) of the above copyright holders shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization.

-----  
Files: install-sh

Copyright: 1994 X Consortium

Licence: X11

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE X CONSORTIUM BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of the X Consortium shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from the X Consortium.

-----  
Files: progs/tset.c ncurses/tinfo/read\_termcap.c

Copyright: 1980,1991,1992,1993 The Regents of the University of California.

License: BSD

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the University nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-- vile: txtmode file-encoding=utf-8

Copyright 2018-2020,2021 Thomas E. Dickey

Copyright 1998-2017,2018 Free Software Foundation, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the

"Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, distribute with modifications, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE ABOVE COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name(s) of the above copyright holders shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization.

-- vile:txtmode fc=72  
-- \$Id: COPYING,v 1.10 2021/01/01 09:54:30 tom Exp \$  
Upstream source <https://invisible-island.net/ncurses/Ada95.html>

Current ncurses maintainer: Thomas Dickey <[dickey@invisible-island.net](mailto:dickey@invisible-island.net)>

-----  
Files: \*  
Copyright: 2017-2020,2021 by Thomas E. Dickey  
Copyright: 1998-2016,2017 Free Software Foundation, Inc.  
Licence: X11

Files: alocal.m4 package  
Copyright: 2010-2020,2021 by Thomas E. Dickey  
Licence: X11

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, distribute with modifications, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE ABOVE COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name(s) of the above copyright holders shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization.

-----  
Files: install-sh

Copyright: 1994 X Consortium

Licence: X11

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE X CONSORTIUM BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of the X Consortium shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from the X Consortium.

FSF changes to this file are in the public domain.

Calling this script install-sh is preferred over install.sh, to prevent `make` implicit rules from creating a file called install from it when there is no Makefile.

This script is compatible with the BSD install script, but was written

from scratch. It can only install one file at a time, a restriction shared with many OS's install programs.

On Debian systems, the complete text of the GNU General Public License can be found in '/usr/share/common-licenses/GPL-2'

-- vile: txtmode file-encoding=utf-8

Upstream source <https://invisible-island.net/ncurses/ncurses-examples.html>

Current ncurses maintainer: Thomas Dickey <[dickey@invisible-island.net](mailto:dickey@invisible-island.net)>

-----  
Files: \*

Copyright: 2017-2020,2021 Thomas E. Dickey

Copyright: 1998-2016,2017 Free Software Foundation, Inc.

Licence: X11

Files: alocal.m4 package

Copyright: 2003-2019,2020 by Thomas E. Dickey

Licence: X11

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, distribute with modifications, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE ABOVE COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name(s) of the above copyright holders shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization.

-----  
Files: install-sh

Copyright: 1994 X Consortium

Licence: X11

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE X CONSORTIUM BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of the X Consortium shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from the X Consortium.

FSF changes to this file are in the public domain.

Calling this script `install-sh` is preferred over `install.sh`, to prevent ``make'` implicit rules from creating a file called `install` from it when there is no `Makefile`.

This script is compatible with the BSD `install` script, but was written from scratch. It can only install one file at a time, a restriction shared with many OS's `install` programs.

On Debian systems, the complete text of the GNU General Public License can be found in `'/usr/share/common-licenses/GPL-2'`

-- vile: txtmode file-encoding=utf-8

Upstream source <https://invisible-island.net/ncurses/ncurses-examples.html>

Current ncurses maintainer: Thomas Dickey <[dickey@invisible-island.net](mailto:dickey@invisible-island.net)>

-----  
Files: \*

Copyright: 2017-2020,2021 Thomas E. Dickey

Copyright: 1998-2016,2017 Free Software Foundation, Inc.

Licence: X11

Files: aclocal.m4 package  
Copyright: 2003-2020,2021 by Thomas E. Dickey  
Licence: X11

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, distribute with modifications, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE ABOVE COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name(s) of the above copyright holders shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization.

-----  
Files: install-sh  
Copyright: 1994 X Consortium  
Licence: X11

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE X CONSORTIUM BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNEC-

TION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of the X Consortium shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from the X Consortium.

FSF changes to this file are in the public domain.

Calling this script install-sh is preferred over install.sh, to prevent `make` implicit rules from creating a file called install from it when there is no Makefile.

This script is compatible with the BSD install script, but was written from scratch. It can only install one file at a time, a restriction shared with many OS's install programs.

On Debian systems, the complete text of the GNU General Public License can be found in '/usr/share/common-licenses/GPL-2'

-- vile: txtmode file-encoding=utf-8

## 1.25 snake-yaml 2.0

### 1.25.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright (c) 2008, SnakeYAML
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/representer/SafeRepresenter.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/parser/Parser.java
```



\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/env/EnvScalarConstructor.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/nodes/ScalarNode.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/ValueToken.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/events/StreamEndEvent.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/constructor/AbstractConstruct.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/events/CollectionEndEvent.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/emitter/ScalarAnalysis.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/events/AliasEvent.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/events/ScalarEvent.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/emitter/EmitterState.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/DirectiveToken.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/events/StreamStartEvent.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/events/CommentEvent.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/AliasToken.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/constructor/Construct.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/events/ImplicitTuple.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/constructor/CustomClassLoaderConstructor.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/introspector/Property.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/parser/Production.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/resolver/ResolverTuple.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/scanner/Scanner.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/composer/ComposerException.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/nodes/MappingNode.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/emitter/Emitable.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/FlowMappingEndToken.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/DumperOptions.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/FlowSequenceEndToken.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/nodes/AnchorNode.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/representer/Represent.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/nodes/Node.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/FlowMappingStartToken.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/reader/ReaderException.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/constructor/SafeConstructor.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/scanner/Constant.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/nodes/NodeId.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/serializer/AnchorGenerator.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/DocumentEndToken.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/parser/ParserImpl.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/ScalarToken.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/introspector/MethodProperty.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/events/CollectionStartEvent.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/util/UriEncoder.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/reader/UnicodeReader.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/BlockMappingStartToken.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/nodes/CollectionNode.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/StreamStartToken.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/DocumentStartToken.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/BlockSequenceStartToken.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/constructor/ConstructorException.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/events/SequenceStartEvent.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/representer/BaseRepresenter.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/events/SequenceEndEvent.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/util/PlatformFeatureDetector.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/parser/VersionTagsTuple.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/Yaml.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/inspector/UnTrustedTagInspector.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/parser/ParserException.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/error/MarkedYAMLEException.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/representer/Representer.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/nodes/NodeTuple.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/inspector/TrustedTagInspector.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/serializer/Serializer.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/emitter/EmitterException.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/introspector/FieldProperty.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/introspector/BeanAccess.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/comments/CommentLine.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/LoaderOptions.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/CommentToken.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/extensions/compactnotation/PackageCompactConstructor.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/inspector/TrustedPrefixesTagInspector.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/BlockEndToken.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/serializer/SerializerException.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-

jar/org/yaml/snakeyaml/error/Mark.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/util/ArrayUtils.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/error/YAMLEException.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/events/DocumentEndEvent.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/emitter/Emitter.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/events/MappingEndEvent.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/util/ArrayStack.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/util/EnumUtils.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/TypeDescription.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/scanner/ScannerException.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/tokens/FlowSequenceStartToken.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/nodes/SequenceNode.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/resolver/Resolver.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/inspector/TagInspector.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/constructor/Constructor.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/scanner/SimpleKey.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/events/DocumentStartEvent.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/tokens/FlowEntryToken.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/comments/CommentEventsCollector.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/tokens/TagToken.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/tokens/Token.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/serializer/NumberAnchorGenerator.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/tokens/AnchorToken.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/error/MissingEnvironmentVariableException.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-

jar/org/yaml/snakeyaml/constructor/BaseConstructor.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/StreamEndToken.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/composer/Composer.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/extensions/compactnotation/CompactData.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/introspector/PropertyUtils.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/nodes/Tag.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/events/NodeEvent.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/introspector/PropertySubstitute.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/reader/StreamReader.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/internal/Logger.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/events/MappingStartEvent.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/scanner/ScannerImpl.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/KeyToken.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/TagTuple.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/BlockEntryToken.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/introspector/MissingProperty.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/events/Event.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/constructor/DuplicateKeyException.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/extensions/compactnotation/CompactConstructor.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/comments/CommentType.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/introspector/GenericProperty.java  
No license file was found, but licenses were detected in source scan.

<name>Apache License, Version 2.0</name>  
<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/META-

INF/maven/org.yaml/snakeyaml/pom.xml

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (c) 2008 Google Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/external/com/google/gdata/util/common/base/Escaper.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/external/com/google/gdata/util/common/base/PercentEscaper.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/external/com/google/gdata/util/common/base/UnicodeEscaper.java

No license file was found, but licenses were detected in source scan.

// This module is multi-licensed and may be used under the terms

// EPL, Eclipse Public License, V1.0 or later, <http://www.eclipse.org/legal>

// LGPL, GNU Lesser General Public License, V2.1 or later, <http://www.gnu.org/licenses/lgpl.html>

// GPL, GNU General Public License, V2 or later, <http://www.gnu.org/licenses/gpl.html>

// AL, Apache License, V2.0 or later, <http://www.apache.org/licenses>

// BSD, BSD License, <http://www.opensource.org/licenses/bsd-license.php>

/\*\*

\* A Base64 encoder/decoder.

\*

\* <p>

\* This class is used to encode and decode data in Base64 format as described in RFC 1521.

\*

\* <p>

\* Project home page: <a href="http://www.source-code.biz/base64coder/java/">www.

\* source-code.biz/base64coder/java</a><br>

\* Author: Christian d'Heureuse, Inventec Informatik AG, Zurich, Switzerland<br>

\* Multi-licensed: EPL / LGPL / GPL / AL / BSD.

\*/

Found in path(s):

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-

# 1.26 okio 1.17.5

## 1.26.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written

communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and  
You must cause any modified files to carry prominent notices stating that You changed the files; and  
You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any



additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

## 1.27 busybox 1.35.0-r29

### 1.27.1 Available under license :

bzip2 applet in busybox is based on lightly-modified source of bzip2 version 1.0.4. bzip2 source is distributed under the following conditions (copied verbatim from LICENSE file)

=====

This program, "bzip2", the associated library "libbzip2", and all documentation, are copyright (C) 1996-2006 Julian R Seward. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
3. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
4. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Julian Seward, Cambridge, UK.

[jseward@bzip.org](mailto:jseward@bzip.org)

bzip2/libbzip2 version 1.0.4 of 20 December 2006

--- A note on GPL versions

BusyBox is distributed under version 2 of the General Public License (included in its entirety, below). Version 2 is the only version of this license which this version of BusyBox (or modified versions derived from this one) may be distributed under.

-----  
GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE  
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an

announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot

distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

##### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by



the Free Software Foundation; either version 2 of the License, or  
(at your option) any later version.

This program is distributed in the hope that it will be useful,  
but WITHOUT ANY WARRANTY; without even the implied warranty of  
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the  
GNU General Public License for more details.

You should have received a copy of the GNU General Public License  
along with this program; if not, write to the Free Software  
Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this  
when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate  
parts of the General Public License. Of course, the commands you use may  
be called something other than ``show w'` and ``show c'`; they could even be  
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your  
school, if any, to sign a "copyright disclaimer" for the program, if  
necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into  
proprietary programs. If your program is a subroutine library, you may  
consider it more useful to permit linking proprietary applications with the  
library. If this is what you want to do, use the GNU Library General  
Public License instead of this License.

## 1.28 slf4j 2.0.0

## 1.28.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright (c) 2004-2011 QOS.ch
 * All rights reserved.
 *
 * Permission is hereby granted, free of charge, to any person obtaining
 * a copy of this software and associated documentation files (the
 * "Software"), to deal in the Software without restriction, including
 * without limitation the rights to use, copy, modify, merge, publish,
 * distribute, sublicense, and/or sell copies of the Software, and to
 * permit persons to whom the Software is furnished to do so, subject to
 * the following conditions:
 *
 * The above copyright notice and this permission notice shall be
 * included in all copies or substantial portions of the Software.
 *
 * THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
 * EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
 * MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
 * NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
 * LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
 * OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
 * WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
 */
```

Found in path(s):

```
* /opt/cola/permits/1652154189_1682398171.2772305/0/slf4j-api-2-0-0-sources-
jar/org/slf4j/helpers/FormattingTuple.java
* /opt/cola/permits/1652154189_1682398171.2772305/0/slf4j-api-2-0-0-sources-jar/org/slf4j/IMarkerFactory.java
* /opt/cola/permits/1652154189_1682398171.2772305/0/slf4j-api-2-0-0-sources-jar/org/slf4j/LoggerFactory.java
* /opt/cola/permits/1652154189_1682398171.2772305/0/slf4j-api-2-0-0-sources-
jar/org/slf4j/helpers/SubstituteLogger.java
* /opt/cola/permits/1652154189_1682398171.2772305/0/slf4j-api-2-0-0-sources-jar/org/slf4j/helpers/Util.java
* /opt/cola/permits/1652154189_1682398171.2772305/0/slf4j-api-2-0-0-sources-jar/org/slf4j/MarkerFactory.java
* /opt/cola/permits/1652154189_1682398171.2772305/0/slf4j-api-2-0-0-sources-
jar/org/slf4j/spi/MarkerFactoryBinder.java
* /opt/cola/permits/1652154189_1682398171.2772305/0/slf4j-api-2-0-0-sources-jar/org/slf4j/Marker.java
* /opt/cola/permits/1652154189_1682398171.2772305/0/slf4j-api-2-0-0-sources-jar/org/slf4j/spi/MDCAdapter.java
* /opt/cola/permits/1652154189_1682398171.2772305/0/slf4j-api-2-0-0-sources-
jar/org/slf4j/helpers/NOPLogger.java
* /opt/cola/permits/1652154189_1682398171.2772305/0/slf4j-api-2-0-0-sources-
jar/org/slf4j/helpers/NOPLoggerFactory.java
* /opt/cola/permits/1652154189_1682398171.2772305/0/slf4j-api-2-0-0-sources-
jar/org/slf4j/helpers/NamedLoggerBase.java
* /opt/cola/permits/1652154189_1682398171.2772305/0/slf4j-api-2-0-0-sources-
```

```
jar/org/slf4j/helpers/BasicMarkerFactory.java
* /opt/cola/permits/1652154189_1682398171.2772305/0/slf4j-api-2-0-0-sources-
jar/org/slf4j/helpers/MarkerIgnoringBase.java
* /opt/cola/permits/1652154189_1682398171.2772305/0/slf4j-api-2-0-0-sources-jar/org/slf4j/ILoggerFactory.java
* /opt/cola/permits/1652154189_1682398171.2772305/0/slf4j-api-2-0-0-sources-
jar/org/slf4j/spi/LoggerFactoryBinder.java
* /opt/cola/permits/1652154189_1682398171.2772305/0/slf4j-api-2-0-0-sources-
jar/org/slf4j/helpers/BasicMarker.java
* /opt/cola/permits/1652154189_1682398171.2772305/0/slf4j-api-2-0-0-sources-
jar/org/slf4j/helpers/MessageFormatter.java
* /opt/cola/permits/1652154189_1682398171.2772305/0/slf4j-api-2-0-0-sources-
jar/org/slf4j/spi/LocationAwareLogger.java
* /opt/cola/permits/1652154189_1682398171.2772305/0/slf4j-api-2-0-0-sources-
jar/org/slf4j/helpers/SubstituteLoggerFactory.java
* /opt/cola/permits/1652154189_1682398171.2772305/0/slf4j-api-2-0-0-sources-jar/org/slf4j/MDC.java
* /opt/cola/permits/1652154189_1682398171.2772305/0/slf4j-api-2-0-0-sources-
jar/org/slf4j/helpers/NOPMDCAdapter.java
* /opt/cola/permits/1652154189_1682398171.2772305/0/slf4j-api-2-0-0-sources-
jar/org/slf4j/helpers/BasicMDCAdapter.java
```

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright (c) 2004-2019 QOS.ch
 * All rights reserved.
 *
 * Permission is hereby granted, free of charge, to any person obtaining
 * a copy of this software and associated documentation files (the
 * "Software"), to deal in the Software without restriction, including
 * without limitation the rights to use, copy, modify, merge, publish,
 * distribute, sublicense, and/or sell copies of the Software, and to
 * permit persons to whom the Software is furnished to do so, subject to
 * the following conditions:
 *
 * The above copyright notice and this permission notice shall be
 * included in all copies or substantial portions of the Software.
 *
 * THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
 * EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
 * MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
 * NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
 * LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
 * OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
 * WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
 */
```

Found in path(s):

```
* /opt/cola/permits/1652154189_1682398171.2772305/0/slf4j-api-2-0-0-sources-
```

jar/org/slf4j/helpers/AbstractLogger.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright (c) 2004-2022 QOS.ch

\* All rights reserved.

\*

\* Permission is hereby granted, free of charge, to any person obtaining

\* a copy of this software and associated documentation files (the

\* "Software"), to deal in the Software without restriction, including

\* without limitation the rights to use, copy, modify, merge, publish,

\* distribute, sublicense, and/or sell copies of the Software, and to

\* permit persons to whom the Software is furnished to do so, subject to

\* the following conditions:

\*

\* The above copyright notice and this permission notice shall be

\* included in all copies or substantial portions of the Software.

\*

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,

\* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF

\* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND

\* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE

\* LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION

\* OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

\* WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

\*

\*/

Found in path(s):

\* /opt/cola/permits/1652154189\_1682398171.2772305/0/slf4j-api-2-0-0-sources-jar/org/slf4j/Logger.java

\* /opt/cola/permits/1652154189\_1682398171.2772305/0/slf4j-api-2-0-0-sources-

jar/org/slf4j/spi/DefaultLoggingEventBuilder.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright (c) 2004-2021 QOS.ch

\* All rights reserved.

\*

\* Permission is hereby granted, free of charge, to any person obtaining

\* a copy of this software and associated documentation files (the

\* "Software"), to deal in the Software without restriction, including

\* without limitation the rights to use, copy, modify, merge, publish,

\* distribute, sublicense, and/or sell copies of the Software, and to

\* permit persons to whom the Software is furnished to do so, subject to

\* the following conditions:

\*

\* The above copyright notice and this permission notice shall be

\* included in all copies or substantial portions of the Software.

\*  
\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,  
\* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF  
\* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
\* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE  
\* LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION  
\* OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION  
\* WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.  
\*  
\*/

Found in path(s):

\* /opt/cola/permits/1652154189\_1682398171.2772305/0/slf4j-api-2-0-0-sources-  
jar/org/slf4j/LoggerFactoryFriend.java  
\* /opt/cola/permits/1652154189\_1682398171.2772305/0/slf4j-api-2-0-0-sources-  
jar/org/slf4j/spi/LoggingEventBuilder.java

## 1.29 jackson-annotations 2.13.3

### 1.29.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,

including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf



of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.30 okta-spring-sdk 3.0.3

### 1.30.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017 Okta, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1652154191\_1682349410.4693277/0/okta-spring-sdk-3-0-3-sources-jar/com/okta/spring/boot/sdk/config/OktaClientProperties.java

\* /opt/cola/permits/1652154191\_1682349410.4693277/0/okta-spring-sdk-3-0-3-sources-jar/com/okta/spring/boot/sdk/OktaSdkConfig.java

No license file was found, but licenses were detected in source scan.

<!--

~ Copyright 2017 Okta, Inc.

~

~ Licensed under the Apache License, Version 2.0 (the "License");

~ you may not use this file except in compliance with the License.

~ You may obtain a copy of the License at

~

~ <http://www.apache.org/licenses/LICENSE-2.0>

~

~ Unless required by applicable law or agreed to in writing, software

~ distributed under the License is distributed on an "AS IS" BASIS,

~ WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

~ See the License for the specific language governing permissions and

~ limitations under the License.

-->

Found in path(s):

\* /opt/cola/permits/1652154191\_1682349410.4693277/0/okta-spring-sdk-3-0-3-sources-jar/META-INF/maven/com.okta.spring/okta-spring-sdk/pom.xml

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017-Present Okta, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1652154191\_1682349410.4693277/0/okta-spring-sdk-3-0-3-sources-jar/com/okta/spring/boot/sdk/env/OktaSdkPropertiesEnvironmentPostProcessor.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015 Stormpath, Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1652154191\_1682349410.4693277/0/okta-spring-sdk-3-0-3-sources-jar/com/okta/spring/boot/sdk/cache/SpringCacheManager.java  
\* /opt/cola/permits/1652154191\_1682349410.4693277/0/okta-spring-sdk-3-0-3-sources-jar/com/okta/spring/boot/sdk/cache/SpringCache.java

## 1.31 commons-compress 1.21

### 1.31.1 Available under license :

Apache Commons Compress  
Copyright 2002-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

---

The files in the package org.apache.commons.compress.archivers.sevenz were derived from the LZMA SDK, version 9.20 (C/ and CPP/7zip/), which has been placed in the public domain:

"LZMA SDK is placed in the public domain." (<http://www.7-zip.org/sdk.html>)

---

The test file `libzip2_32767.bz2` has been copied from `libzip2`'s source repository:

This program, "bzip2", the associated library "libbzip2", and all documentation, are copyright (C) 1996-2019 Julian R Seward. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
3. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
4. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Julian Seward, [jseward@acm.org](mailto:jseward@acm.org)  
Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and



limitations under the License.

## 1.32 Icms 2.12

### 1.32.1 Available under license :

Little CMS

Copyright (c) 1998-2011 Marti Maria Saguer

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

THIS LICENSE APPLIES ONLY TO iccjpeg.c file

-----

In plain English:

1. We don't promise that this software works. (But if you find any bugs, please let us know!)
2. You can use this software for whatever you want. You don't have to pay us.
3. You may not pretend that you wrote this software. If you use it in a program, you must acknowledge somewhere in your documentation that you've used the IJG code.

In legalese:

The authors make NO WARRANTY or representation, either express or implied, with respect to this software, its quality, accuracy, merchantability, or fitness for a particular purpose. This software is provided "AS IS", and you, its user, assume the entire risk as to its quality and accuracy.

This software is copyright (C) 1991-2013, Thomas G. Lane, Guido Vollbeding.  
All Rights Reserved except as specified below.

Permission is hereby granted to use, copy, modify, and distribute this software (or portions thereof) for any purpose, without fee, subject to these conditions:

(1) If any part of the source code for this software is distributed, then this README file must be included, with this copyright and no-warranty notice unaltered; and any additions, deletions, or changes to the original files must be clearly indicated in accompanying documentation.

(2) If only executable code is distributed, then the accompanying documentation must state that "this software is based in part on the work of the Independent JPEG Group".

(3) Permission for use of this software is granted only if the user accepts full responsibility for any undesirable consequences; the authors accept NO LIABILITY for damages of any kind.

These conditions apply to any software derived from or based on the IJG code, not just to the unmodified library. If you use our work, you ought to acknowledge us.

Permission is NOT granted for the use of any IJG author's name or company name in advertising or publicity relating to this software or products derived from it. This software may be referred to only as "the Independent JPEG Group's software".

We specifically permit and encourage the use of this software as the basis of commercial products, provided that all warranty or liability claims are assumed by the product vendor.

The Unix configuration script "configure" was produced with GNU Autoconf. It is copyright by the Free Software Foundation but is freely distributable. The same holds for its supporting scripts (config.guess, config.sub, ltmain.sh). Another support script, install-sh, is copyright by X Consortium but is also freely distributable.

The IJG distribution formerly included code to read and write GIF files. To avoid entanglement with the Unisys LZW patent, GIF reading support has been removed altogether, and the GIF writer has been simplified to produce "uncompressed GIFs". This technique does not use the LZW algorithm; the resulting GIF files are larger than usual, but are readable by all standard GIF decoders.

We are required to state that

"The Graphics Interchange Format(c) is the Copyright property of CompuServe Incorporated. GIF(sm) is a Service Mark property of CompuServe Incorporated."

## 1.33 protobuf-java 3.19.4

## 1.33.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
// Copyright 2008 Google Inc. All rights reserved.  
// Redistribution and use in source and binary forms, with or without  
// modification, are permitted provided that the following conditions are  
// * Redistributions of source code must retain the above copyright  
// notice, this list of conditions and the following disclaimer.  
// * Redistributions in binary form must reproduce the above  
// copyright notice, this list of conditions and the following disclaimer  
// in the documentation and/or other materials provided with the  
// * Neither the name of Google Inc. nor the names of its  
// this software without specific prior written permission.
```

Found in path(s):

```
* /opt/cola/permits/1444784973_1666041526.196175/0/protobuf-java-3-19-4-3-jar/google/protobuf/wrappers.proto  
* /opt/cola/permits/1444784973_1666041526.196175/0/protobuf-java-3-19-4-3-jar/google/protobuf/descriptor.proto  
* /opt/cola/permits/1444784973_1666041526.196175/0/protobuf-java-3-19-4-3-jar/google/protobuf/timestamp.proto  
* /opt/cola/permits/1444784973_1666041526.196175/0/protobuf-java-3-19-4-3-jar/google/protobuf/duration.proto  
* /opt/cola/permits/1444784973_1666041526.196175/0/protobuf-java-3-19-4-3-jar/google/protobuf/field_mask.proto  
* /opt/cola/permits/1444784973_1666041526.196175/0/protobuf-java-3-19-4-3-jar/google/protobuf/source_context.proto  
* /opt/cola/permits/1444784973_1666041526.196175/0/protobuf-java-3-19-4-3-jar/google/protobuf/type.proto  
* /opt/cola/permits/1444784973_1666041526.196175/0/protobuf-java-3-19-4-3-jar/google/protobuf/compiler/plugin.proto  
* /opt/cola/permits/1444784973_1666041526.196175/0/protobuf-java-3-19-4-3-jar/google/protobuf/empty.proto  
* /opt/cola/permits/1444784973_1666041526.196175/0/protobuf-java-3-19-4-3-jar/google/protobuf/struct.proto  
* /opt/cola/permits/1444784973_1666041526.196175/0/protobuf-java-3-19-4-3-jar/google/protobuf/api.proto  
* /opt/cola/permits/1444784973_1666041526.196175/0/protobuf-java-3-19-4-3-jar/google/protobuf/any.proto
```

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Automatic-Module-Name: com.google.protobuf

Bnd-LastModified: 1643389670477

Build-Jdk: 1.8.0\_181-google-v7

Built-By: acozzette

Bundle-Description: Core Protocol Buffers library. Protocol Buffers are a way of encoding structured data in an efficient yet extensible format.

Bundle-DocURL: <https://developers.google.com/protocol-buffers/>

Bundle-License: <https://opensource.org/licenses/BSD-3-Clause>

Bundle-ManifestVersion: 2

Bundle-Name: Protocol Buffers [Core]

Bundle-SymbolicName: com.google.protobuf

Bundle-Version: 3.19.4

Created-By: Apache Maven Bundle Plugin

Export-Package: com.google.protobuf;version="3.19.4"  
Import-Package: sun.misc;resolution:=optional,com.google.protobuf;version="[3.19,4)"  
Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.7))"  
Tool: Bnd-3.0.0.201509101326

Found in path(s):

\* /opt/cola/permits/1444784973\_1666041526.196175/0/protobuf-java-3-19-4-3-jar/META-INF/MANIFEST.MF

## 1.34 kotlin-logging 1.7.9

### 1.34.1 Available under license :

Apache-2.0

## 1.35 xodus-openapi 2.0.1

### 1.35.1 Available under license :

Apache-2.0

## 1.36 listenablefuture 9999.0-empty-to-avoid-conflict-with-guava

### 1.36.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the

outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable

copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and

do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.37 opentelemetry-sdk-extension-autoconfigure-spi 1.13.0

### 1.37.1 Available under license :

Apache-2.0



# 1.38 spring-context 6.0.7

## 1.38.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002-2020 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
/**
 * Abstract the invocation of a cache operation.
 *
 * <p>Does not provide a way to transmit checked exceptions but
 * provide a special exception that should be used to wrap any
 * exception that was thrown by the underlying invocation.
 * Callers are expected to handle this issue type specifically.
 *
 * @author Stephane Nicoll
 * @since 4.1
 */
```

Found in path(s):

```
*/opt/cola/permits/1622818241_1680247355.5627449/0/spring-context-6-0-7-sources-
jar/org/springframework/cache/interceptor/CacheOperationInvoker.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002-2018 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
```

- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/jmx/export/notification/NotificationPublisher.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/annotation/AdviceModeImportSelector.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/annotation/BeanAnnotationHelper.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/annotation/DependsOn.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/annotation/EnableLoadTimeWeaving.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/support/FileSystemXmlApplicationContext.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/scripting/config/LangNamespaceUtils.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/expression/BeanFactoryResolver.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/validation/FieldError.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/validation/DirectFieldBindingResult.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/jmx/support/MBeanRegistrationSupport.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/EmbeddedValueResolverAware.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/validation/AbstractPropertyBindingResult.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/validation/beanvalidation/BeanValidationPostProcessor.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/expression/MethodBasedEvaluationContext.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/format/datetime/standard/MonthFormatter.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/annotation/AdviceMode.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/annotation/ProfileCondition.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/jmx/export/MBeanExportOperations.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/annotation/ScopedProxyCreator.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-

jar/org/springframework/jmx/export/naming/IdentityNamingStrategy.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/annotation/Profile.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/scripting/config/ScriptingDefaultsParser.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/cache/interceptor/CacheExpressionRootObject.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/jmx/export/ assembler/AbstractReflectiveMBeanInfoAssembler.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/support/MessageSourceAccessor.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/jndi/JndiLocatorSupport.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/jmx/export/ assembler/SimpleReflectiveMBeanInfoAssembler.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/format/datetime/standard/YearFormatter.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/instrument/classloading/ReflectiveLoadTimeWeaver.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/jmx/export/ assembler/MetadataMBeanInfoAssembler.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/scripting/ScriptCompilationException.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/validation/BeanPropertyBindingResult.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/scheduling/concurrent/ForkJoinPoolFactoryBean.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/annotation/Scope.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/jndi/JndiObjectLocator.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/format/annotation/NumberFormat.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/annotation/ComponentScanBeanDefinitionParser.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/annotation/ImportRegistry.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/scheduling/config/TaskManagementConfigUtils.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/cache/interceptor/VariableNotAvaliableException.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/instrument/classloading/WeavingTransformer.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/jmx/export/naming/KeyNamingStrategy.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/scripting/config/ScriptBeanDefinitionParser.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-

jar/org/springframework/jndi/JndiTemplate.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/cache/interceptor/CacheOperationInvocationContext.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/validation/Errors.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/validation/SmartValidator.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/cache/interceptor/AbstractCacheResolver.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/jmx/export/metadata/ManagedAttribute.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/cache/interceptor/SimpleCacheResolver.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/cache/interceptor/CacheOperationExpressionEvaluator.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/cache/interceptor/CacheResolver.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/scheduling/support/ScheduledMethodRunnable.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/format/FormatterRegistry.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/validation/DefaultBindingErrorProcessor.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/Lifecycle.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/weaving/AspectJWeavingEnabler.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/cache/config/CacheManagementConfigUtils.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2002-2017 the original author or authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/ui/ModelExtensions.kt  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/ui/ModelMapExtensions.kt  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2002-2017 the original author or authors.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/cache/support/SimpleValueWrapper.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/validation/beanvalidation/CustomValidatorBean.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/scheduling/support/MethodInvokingRunnable.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/validation/DefaultMessageCodesResolver.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/cache/interceptor/BeanFactoryCacheOperationSourceAdvisor.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/jmx/export/NotificationListenerBean.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/support/EmbeddedValueResolutionSupport.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/jmx/export/metadata/JmxMetadataUtils.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/cache/interceptor/CacheErrorHandler.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/jndi/IndiAccessor.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/format/datetime/standard/DateTimeFormatterFactoryBean.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/stereotype/Component.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-

jar/org/springframework/format/number/NumberFormatAnnotationFormatterFactory.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/jmx/export/metadata/ManagedMetric.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/jmx/export/naming/ObjectNamingStrategy.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/instrument/classloading/glassfish/GlassFishLoadTimeWeaver.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/scheduling/config/TriggerTask.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/cache/concurrent/ConcurrentMapCacheFactoryBean.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/scripting/support/StaticScriptSource.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/instrument/classloading/tomcat/TomcatLoadTimeWeaver.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/jmx/access/ConnectorDelegate.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/jndi/TypeMismatchNamingException.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/jmx/export/metadata/ManagedNotification.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/instrument/classloading/SimpleInstrumentableClassLoader.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/format/number/money/MonetaryAmountFormatter.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/jmx/support/MetricType.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/scheduling/config/ScheduledTaskHolder.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/support/AbstractRefreshableConfigApplicationContext.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/stereotype/Indexed.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/jmx/export/metadata/ManagedResource.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/support/DelegatingMessageSource.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/jmx/export/assembly/AbstractMBeanInfoAssembler.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/support/AbstractXmlApplicationContext.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/config/LoadTimeWeaverBeanDefinitionParser.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/scheduling/concurrent/ScheduledExecutorTask.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/MessageSourceResolvable.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-

jar/org/springframework/context/EnvironmentAware.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/instrument/classloading/SimpleLoadTimeWeaver.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/scheduling/config/Task.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/cache/config/CacheNamespaceHandler.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/jmx/access/MBeanProxyFactoryBean.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/scripting/ScriptFactory.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/cache/support/NullValue.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/scripting/bsh/BshScriptEvaluator.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/jndi/JndiObjectTargetSource.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/support/ClassPathXmlApplicationContext.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/format/number/CurrencyStyleFormatter.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/annotation/AspectJAutoProxyRegistrar.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/support/ConversionServiceFactoryBean.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/instrument/classloading/SimpleThrowawayClassLoader.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/expression/EnvironmentAccessor.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/cache/interceptor/SimpleCacheErrorHandler.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2023 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/scripting/groovy/GroovyScriptEvaluator.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/validation/AbstractBindingResult.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/scripting/support/StandardScriptFactory.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/format/support/FormattingConversionService.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/validation/ObjectError.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/weaving/LoadTimeWeaverAwareProcessor.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/support/GenericApplicationContext.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/annotation/AnnotationBeanNameGenerator.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/validation/annotation/ValidationAnnotationUtils.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/jmx/export/MBeanExporter.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/scheduling/support/CronExpression.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/annotation/ConditionEvaluator.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/jmx/export/notification/ModelMBeanNotificationPublisher.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/event/SourceFilteringListener.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/support/AbstractApplicationContext.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/scheduling/support/BitsCronField.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/i18n/LocaleContextHolder.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/event/AbstractApplicationEventMulticaster.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/scheduling/concurrent/ExecutorConfigurationSupport.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/event/GenericApplicationListenerAdapter.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/jndi/JndiObjectFactoryBean.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/cache/interceptor/SimpleKey.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/format/datetime/standard/DateTimeConverters.java



\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/scheduling/concurrent/ScheduledExecutorFactoryBean.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/config/PropertyPlaceholderBeanDefinitionParser.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/scheduling/support/QuartzCronField.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/annotation/Lazy.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/validation/DataBinder.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/scripting/support/StandardScriptEvaluator.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/jmx/support/ObjectNameManager.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/scheduling/support/TaskUtils.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/scheduling/annotation/AsyncResult.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/scheduling/SchedulingTaskExecutor.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/cache/annotation/SpringCacheAnnotationParser.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/scripting/groovy/GroovyScriptFactory.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/scheduling/support/CronTrigger.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/weaving/DefaultContextLoadTimeWeaver.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/i18n/SimpleTimeZoneAwareLocaleContext.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/format/datetime/standard/DateTimeContext.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/scheduling/annotation/AsyncAnnotationAdvisor.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/validation/beanvalidation/MethodValidationInterceptor.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/annotation/AnnotationConfigUtils.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/scheduling/config/ScheduledTaskRegistrar.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/scheduling/concurrent/ThreadPoolTaskScheduler.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/config/SpringConfiguredBeanDefinitionParser.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/annotation/ConfigurationClassUtils.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/ui/context/support/ResourceBundleThemeSource.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/event/EventExpressionRootObject.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/validation/beanvalidation/BeanValidationBeanRegistrationAotProcessor.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/scheduling/concurrent/ThreadPoolTaskExecutor.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/aot/KotlinReflectionBeanRegistrationAotProcessor.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/format/datetime/DateFormatter.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/annotation/ConfigurationClassPostProcessor.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/format/number/PercentStyleFormatter.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/support/ApplicationObjectSupport.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/scripting/bsh/BshScriptUtils.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/cache/support/NoOpCacheManager.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/annotation/ImportAwareAotBeanPostProcessor.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/event/SimpleApplicationEventMulticaster.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/ApplicationListener.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/scripting/bsh/BshScriptFactory.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/scripting/support/StandardScriptUtils.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/ui/context/support/UiApplicationContextUtils.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/scheduling/TaskScheduler.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/scripting/support/ScriptFactoryPostProcessor.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/cache/interceptor/CacheAspectSupport.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/format/support/FormattingConversionServiceFactoryBean.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/validation/BindingResultUtils.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/event/ApplicationListenerMethodAdapter.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/scheduling/concurrent/ConcurrentTaskExecutor.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/ui/ConcurrentModel.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/annotation/BeanMethod.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/scheduling/annotation/ScheduledAnnotationBeanPostProcessor.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/annotation/ConfigurationClassParser.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/annotation/ClassPathBeanDefinitionScanner.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/ui/ModelMap.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/jmx/export/annotation/AnnotationJmxAttributeSource.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/annotation/ConfigurationClass.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/jmx/access/MBeanClientInterceptor.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/event/EventListenerMethodProcessor.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/annotation/AnnotatedBeanDefinitionReader.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/validation/ValidationUtils.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/scheduling/annotation/AnnotationAsyncExecutionInterceptor.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/validation/beanvalidation/LocalValidatorFactoryBean.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/scheduling/support/CompositeCronField.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2016 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-

jar/org/springframework/format/datetime/standard/MonthDayFormatter.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/scheduling/config/ScheduledTasksBeanDefinitionParser.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/format/datetime/standard/TemporalAccessorPrinter.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/format/Printer.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/cache/interceptor/CacheEvaluationContext.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/annotation/ScopeMetadataResolver.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/scripting/groovy/GroovyObjectCustomizer.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/config/AbstractPropertyLoadingBeanDefinitionParser.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/format/datetime/standard/PeriodFormatter.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/scheduling/annotation/Schedules.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/format/datetime/standard/DurationFormatter.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/jndi/JndiPropertySource.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/annotation/Primary.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/config/PropertyOverrideBeanDefinitionParser.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/cache/support/CompositeCacheManager.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/cache/interceptor/KeyGenerator.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/scheduling/config/ExecutorBeanDefinitionParser.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/support/GenericXmlApplicationContext.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/format/datetime/standard/YearMonthFormatter.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/format/support/FormatterPropertyEditorAdapter.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/format/Parser.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/cache/interceptor/SimpleKeyGenerator.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/jndi/JndiLocatorDelegate.java  
No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright 2002-2021 the original author or authors.
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <https://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/config/MBeanExportBeanDefinitionParser.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/validation/support/BindingAwareModelMap.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/annotation/ConfigurationMethod.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/validation/support/BindingAwareConcurrentModel.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/ejb/config/LocalStatelessSessionBeanDefinitionParser.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/cache/interceptor/AbstractFallbackCacheOperationSource.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/cache/concurrent/ConcurrentMapCacheManager.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/jndi/JndiCallback.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/annotation/Bean.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/ejb/config/RemoteStatelessSessionBeanDefinitionParser.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/ResourceLoaderAware.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/cache/annotation/AnnotationCacheOperationSource.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/config/MBeanServerBeanDefinitionParser.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/expression/StandardBeanExpressionResolver.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/support/BeanDefinitionDsl.kt
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/support/DefaultMessageSourceResolvable.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/cache/annotation/CachingConfigurer.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/scheduling/annotation/EnableScheduling.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/cache/interceptor/CacheableOperation.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/jmx/support/ConnectorServerFactoryBean.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/scheduling/config/TaskExecutorFactoryBean.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/scheduling/concurrent/DefaultManagedAwareThreadFactory.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/scheduling/support/CronField.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/format/datetime/DateTimeFormatAnnotationFormatterFactory.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/format/datetime/standard/DateTimeFormatterUtils.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/cache/annotation/ProxyCachingConfiguration.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/jndi/support/SimpleJndiBeanFactory.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/cache/interceptor/CachePutOperation.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/support/ResourceBundleMessageSource.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/instrument/classloading/ResourceOverridingShadowingClassLoader.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/validation/Validator.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/cache/support/AbstractCacheManager.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/format/datetime/standard/DateTimeContextHolder.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/event/ApplicationEventMulticaster.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/cache/interceptor/CacheOperation.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/annotation/EnableAspectJAutoProxy.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/event/SmartApplicationListener.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/event/GenericApplicationListener.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/format/datetime/DateFormatterRegistrar.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/cache/interceptor/CacheOperationSourcePointcut.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/annotation/Jsr330ScopeMetadataResolver.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/annotation/MBeanExportConfiguration.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/support/MessageSourceSupport.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/scheduling/annotation/SchedulingConfigurer.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/PayloadApplicationEvent.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/expression/AnnotatedElementKey.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/jmx/support/NotificationListenerHolder.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/format/annotation/DateTimeFormat.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/expression/MapAccessor.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/cache/config/AnnotationDrivenCacheBeanDefinitionParser.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/scheduling/SchedulingAwareRunnable.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/index/CandidateComponentsIndexLoader.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/jmx/support/MBeanServerConnectionFactoryBean.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/expression/CachedExpressionEvaluator.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/scheduling/annotation/EnableAsync.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/cache/interceptor/NameMatchCacheOperationSource.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/annotation/ComponentScanAnnotationParser.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/format/FormatterRegistrar.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/cache/CacheExtensions.kt

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/cache/config/CacheAdviceParser.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/support/ContextTypeMatchClassLoader.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/jmx/export/ assembler/AbstractConfigurableMBeanInfoAssembler.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/cache/CacheManagerExtensions.kt

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/scheduling/annotation/Scheduled.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/scheduling/concurrent/ThreadPoolExecutorFactoryBean.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/support/SimpleThreadScope.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/format/number/NumberStyleFormatter.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/scheduling/config/CronTask.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/cache/interceptor/CacheEvictOperation.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/ApplicationEvent.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/scripting/support/ResourceScriptSource.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/annotation/AnnotationScopeMetadataResolver.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/format/support/DefaultFormattingConversionService.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/scheduling/annotation/AsyncConfigurer.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2005 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/jmx/export/metadata/ManagedOperation.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2014 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.



\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/validation/annotation/Validated.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/annotation/PropertySources.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/validation/beanvalidation/MessageSourceResourceBundleLocator.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/ApplicationContext.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/scheduling/config/ContextLifecycleScheduledTaskRegistrar.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/cache/interceptor/BasicOperation.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/format/AnnotationFormatterFactory.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2020 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/format/number/money/Jsr354NumberFormatAnnotationFormatterFactory.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-

jar/org/springframework/context/annotation/ConditionContext.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/annotation/LoadTimeWeavingConfiguration.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/annotation/PropertySource.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/jmx/support/RegistrationPolicy.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/scheduling/concurrent/DefaultManagedTaskExecutor.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/annotation/AutoProxyRegistrar.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/instrument/classloading/ShadowingClassLoader.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/annotation/AnnotationConfigApplicationContext.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/annotation/ScannedGenericBeanDefinition.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/validation/MessageCodeFormatter.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/scheduling/concurrent/DefaultManagedTaskScheduler.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/scheduling/annotation/SchedulingConfiguration.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/annotation/ComponentScan.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/support/AbstractRefreshableApplicationContext.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/annotation/ConfigurationCondition.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/cache/support/AbstractValueAdaptingCache.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/annotation/FullyQualifiedAnnotationBeanNameGenerator.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/annotation/DeferredImportSelector.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/event/EventPublicationInterceptor.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/event/DefaultEventListenerFactory.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/annotation/ScopedProxyMode.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/support/AbstractResourceBasedMessageSource.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/validation/AbstractErrors.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/validation/MapBindingResult.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-

jar/org/springframework/context/ApplicationContextInitializer.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/cache/support/NoOpCache.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/jmx/export/metadata/AbstractJmxAttribute.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/annotation/ImportSelector.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/annotation/Condition.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/validation/BindException.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/cache/concurrent/ConcurrentMapCache.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/cache/support/SimpleCacheManager.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/cache/interceptor/CacheInterceptor.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/index/CandidateComponentsIndex.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/jmx/export/ assembler/InterfaceBasedMBeanInfoAssembler.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/ApplicationStartupAware.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/ejb/config/AbstractJndiLocatingBeanDefinitionParser.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/jmx/export/annotation/ManagedAttribute.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2009 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/LifecycleProcessor.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002-2022 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1622818241_1680247355.5627449/0/spring-context-6-0-7-sources-
jar/org/springframework/stereotype/Repository.java
* /opt/cola/permits/1622818241_1680247355.5627449/0/spring-context-6-0-7-sources-
jar/org/springframework/scheduling/annotation/ProxyAsyncConfiguration.java
* /opt/cola/permits/1622818241_1680247355.5627449/0/spring-context-6-0-7-sources-
jar/org/springframework/cache/annotation/CachePut.java
* /opt/cola/permits/1622818241_1680247355.5627449/0/spring-context-6-0-7-sources-
jar/org/springframework/scheduling/config/FixedDelayTask.java
* /opt/cola/permits/1622818241_1680247355.5627449/0/spring-context-6-0-7-sources-
jar/org/springframework/format/datetime/standard/Jsr310DateTimeFormatAnnotationFormatterFactory.java
* /opt/cola/permits/1622818241_1680247355.5627449/0/spring-context-6-0-7-sources-
jar/org/springframework/ui/Model.java
* /opt/cola/permits/1622818241_1680247355.5627449/0/spring-context-6-0-7-sources-
jar/org/springframework/context/aot/CglibClassHandler.java
* /opt/cola/permits/1622818241_1680247355.5627449/0/spring-context-6-0-7-sources-
jar/org/springframework/scheduling/Trigger.java
* /opt/cola/permits/1622818241_1680247355.5627449/0/spring-context-6-0-7-sources-
jar/org/springframework/scheduling/config/IntervalTask.java
* /opt/cola/permits/1622818241_1680247355.5627449/0/spring-context-6-0-7-sources-
jar/org/springframework/context/aot/ContextAotProcessor.java
* /opt/cola/permits/1622818241_1680247355.5627449/0/spring-context-6-0-7-sources-
jar/org/springframework/context/aot/ReflectiveProcessorBeanFactoryInitializationAotProcessor.java
* /opt/cola/permits/1622818241_1680247355.5627449/0/spring-context-6-0-7-sources-
jar/org/springframework/jmx/export/naming/MetadataNamingStrategy.java
* /opt/cola/permits/1622818241_1680247355.5627449/0/spring-context-6-0-7-sources-
jar/org/springframework/context/expression/BeanExpressionContextAccessor.java
* /opt/cola/permits/1622818241_1680247355.5627449/0/spring-context-6-0-7-sources-
jar/org/springframework/context/support/GenericGroovyApplicationContext.java
* /opt/cola/permits/1622818241_1680247355.5627449/0/spring-context-6-0-7-sources-
```

jar/org/springframework/context/annotation/ImportRuntimeHints.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/aot/AbstractAotProcessor.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/annotation/CommonAnnotationBeanPostProcessor.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/support/ApplicationContextAwareProcessor.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/scheduling/config/FixedRateTask.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/validation/BindingResult.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/jmx/export/annotation/ManagedOperation.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/cache/annotation/AbstractCachingConfiguration.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/support/ApplicationListenerDetector.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/cache/annotation/Cacheable.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/jmx/export/annotation/ManagedNotification.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/jmx/export/annotation/ManagedOperationParameter.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/ui/context/support/DelegatingThemeSource.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/jmx/export/annotation/AnnotationMBeanExporter.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/aot/AotApplicationContextInitializer.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/format/datetime/standard/DateTimeFormatterRegistrar.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/scheduling/concurrent/ReschedulingRunnable.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/aot/ApplicationContextAotGenerator.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/MessageSourceAware.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/annotation/ClassPathScanningCandidateComponentProvider.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/scheduling/support/CronSequenceGenerator.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/scheduling/config/ScheduledTask.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/scheduling/annotation/Async.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/scheduling/annotation/AsyncConfigurationSelector.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-

jar/org/springframework/format/datetime/standard/TemporalAccessorParser.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/jmx/access/NotificationListenerRegistrar.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/stereotype/Controller.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/jmx/export/annotation/ManagedNotifications.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/scheduling/annotation/AsyncConfigurerSupport.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/ui/ExtendedModelMap.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/expression/BeanFactoryAccessor.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/support/PropertySourcesPlaceholderConfigurer.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/scheduling/support/PeriodicTrigger.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/ui/context/Theme.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/scheduling/support/SimpleTriggerContext.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/ui/context/ThemeSource.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/validation/beanvalidation/SpringValidatorAdapter.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/jmx/export/annotation/ManagedOperationParameters.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/annotation/ConfigurationClassBeanDefinitionReader.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/ConfigurableApplicationContext.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/cache/Cache.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/cache/annotation/EnableCaching.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/annotation/ParserStrategyUtils.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/annotation/ContextAnnotationAutowireCandidateResolver.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/annotation/TypeFilterUtils.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/support/PostProcessorRegistrationDelegate.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/cache/annotation/CachingConfigurationSelector.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/aot/BeanFactoryInitializationAotContributions.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-

jar/org/springframework/ui/context/HierarchicalThemeSource.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/event/EventListener.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/cache/annotation/CacheEvict.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/format/datetime/standard/DateTimeFormatterFactory.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/aot/RuntimeHintsBeanFactoryInitializationAotProcessor.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/i18n/SimpleLocaleContext.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/jmx/export/annotation/ManagedResource.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/validation/beanvalidation/MethodValidationPostProcessor.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/annotation/ConfigurationClassEnhancer.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/jmx/export/ assembler/MethodNameBasedMBeanInfoAssembler.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/annotation/Configuration.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/cache/annotation/Caching.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/scheduling/annotation/AbstractAsyncConfiguration.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/ui/context/support/SimpleTheme.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/aot/ApplicationContextInitializationCodeGenerator.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/cache/interceptor/NamedCacheResolver.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/scheduling/annotation/AsyncAnnotationBeanPostProcessor.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/support/DefaultLifecycleProcessor.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/scheduling/TriggerContext.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/stereotype/Service.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/cache/annotation/CachingConfigurerSupport.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/jmx/export/ assembler/MethodExclusionMBeanInfoAssembler.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/scheduling/concurrent/ConcurrentTaskScheduler.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/support/ReloadableResourceBundleMessageSource.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-

jar/org/springframework/jmx/support/JmxUtils.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/annotation/PropertySourceRegistry.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/support/AbstractMessageSource.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/cache/interceptor/LoggingCacheErrorHandler.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2002-2007 the original author or authors.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/jmx/export/SpringModelMBean.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/jmx/export/metadata/ManagedOperationParameter.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2002-2020 the original author or authors.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/  
/**
```



\* Indicates that a component is only eligible for registration when all  
 \* { @linkplain #value specified conditions } match.  
 \*  
 \* <p>A <em>condition</em> is any state that can be determined programmatically  
 \* before the bean definition is due to be registered (see { @link Condition } for details).  
 \*  
 \* <p>The { @code @Conditional } annotation may be used in any of the following ways:  
 \* <ul>  
 \* <li>as a type-level annotation on any class directly or indirectly annotated with  
 \* { @code @Component }, including { @link Configuration @Configuration } classes</li>  
 \* <li>as a meta-annotation, for the purpose of composing custom stereotype  
 \* annotations</li>  
 \* <li>as a method-level annotation on any { @link Bean @Bean } method</li>  
 \* </ul>  
 \*  
 \* <p>If a { @code @Configuration } class is marked with { @code @Conditional },  
 \* all of the { @code @Bean } methods, { @link Import @Import } annotations, and  
 \* { @link ComponentScan @ComponentScan } annotations associated with that  
 \* class will be subject to the conditions.  
 \*  
 \* <p><strong>NOTE</strong>: Inheritance of { @code @Conditional } annotations  
 \* is not supported; any conditions from superclasses or from overridden  
 \* methods will not be considered. In order to enforce these semantics,  
 \* { @code @Conditional } itself is not declared as  
 \* { @link java.lang.annotation.Inherited @Inherited }; furthermore, any  
 \* custom <em>composed annotation</em> that is meta-annotated with  
 \* { @code @Conditional } must not be declared as { @code @Inherited }.  
 \*  
 \* @author Phillip Webb  
 \* @author Sam Brannen  
 \* @since 4.0  
 \* @see Condition  
 \*/

Found in path(s):

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
 jar/org/springframework/context/annotation/Conditional.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2012 the original author or authors.  
 \*  
 \* Licensed under the Apache License, Version 2.0 (the "License");  
 \* you may not use this file except in compliance with the License.  
 \* You may obtain a copy of the License at  
 \*  
 \* <https://www.apache.org/licenses/LICENSE-2.0>  
 \*

- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/Phased.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/validation/beanvalidation/LocaleContextMessageInterpolator.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/HierarchicalMessageSource.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/jmx/access/MBeanConnectFailureException.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/event/ContextStoppedEvent.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/NoSuchMessageException.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/jmx/export/assembly/AutodetectCapableMBeanInfoAssembler.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/ejb/config/JeeNamespaceHandler.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/jmx/JmxException.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/annotation/LoadTimeWeavingConfigurer.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/weaving/LoadTimeWeaverAware.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/event/ApplicationContextEvent.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/ApplicationContextException.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/jmx/access/MBeanInfoRetrievalException.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/format/number/AbstractNumberFormatter.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/jmx/export/MBeanExportException.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/jmx/MBeanServerNotFoundException.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/jmx/access/InvalidInvocationException.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/scheduling/support/DelegatingErrorHandlingRunnable.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/jmx/access/InvocationFailureException.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/scheduling/config/SchedulerBeanDefinitionParser.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/jmx/export/naming/SelfNaming.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/annotation/ScopeMetadata.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/ejb/config/JndiLookupBeanDefinitionParser.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/jmx/export/notification/UnableToSendNotificationException.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/jmx/export/metadata/JmxAttributeSource.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/validation/BindingErrorProcessor.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/scheduling/SchedulingException.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/format/Formatter.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/jmx/export/assembler/MBeanInfoAssembler.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/jndi/JndiLookupFailureException.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/ApplicationContextAware.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/event/ContextClosedEvent.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/config/ContextNamespaceHandler.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/annotation/EnableMBeanExport.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/instrument/classloading/LoadTimeWeaver.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/jmx/export/MBeanExporterListener.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/jmx/export/UnableToRegisterMBeanException.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/scripting/support/RefreshableScriptTargetSource.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/validation/MessageCodesResolver.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/scheduling/config/TaskNamespaceHandler.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/jmx/export/metadata/InvalidMetadataException.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/scripting/ScriptSource.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/annotation/AnnotationConfigBeanDefinitionParser.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/event/ContextRefreshedEvent.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/event/ContextStartedEvent.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2019 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/cache/annotation/CacheAnnotationParser.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/annotation/AnnotationConfigRegistry.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/cache/interceptor/AbstractCacheInvoker.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/cache/CacheManager.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/instrument/classloading/InstrumentationLoadTimeWeaver.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/cache/interceptor/CompositeCacheOperationSource.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/instrument/classloading/jboss/JBossLoadTimeWeaver.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/format/datetime/standard/InstantFormatter.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/MessageSource.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/cache/interceptor/CacheProxyFactoryBean.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/jmx/support/MBeanServerFactoryBean.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/annotation/AnnotationConfigApplicationContextExtensions.kt  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-

jar/org/springframework/context/support/StaticApplicationContext.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/annotation/Import.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/SmartLifecycle.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/support/GenericApplicationContextExtensions.kt  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/jndi/JndiTemplateEditor.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/support/StaticMessageSource.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/ApplicationEventPublisher.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/cache/interceptor/CacheOperationSource.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/event/EventExpressionEvaluator.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/annotation/ImportBeanDefinitionRegistrar.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2013 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/validation/beanvalidation/OptionalValidatorFactoryBean.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/scheduling/concurrent/CustomizableThreadFactory.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/i18n/TimeZoneAwareLocaleContext.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/i18n/LocaleContext.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-  
jar/org/springframework/context/annotation/Description.java

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/annotation/FilterType.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/support/MessageSourceResourceBundle.java  
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002-2011 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/jmx/export/notification/NotificationPublisherAware.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/annotation/ImportAware.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/annotation/ConflictingBeanDefinitionException.java  
\* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/ApplicationEventPublisherAware.java  
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002-2015 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/event/EventListenerFactory.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/annotation/ImportResource.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/jmx/export/annotation/ManagedMetric.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/scheduling/config/AnnotationDrivenBeanDefinitionParser.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/format/number/money/CurrencyUnitFormatter.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/annotation/Role.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/scripting/ScriptEvaluator.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/cache/annotation/CacheConfig.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/scripting/config/LangNamespaceHandler.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/scripting/support/StandardScriptEvalException.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/context/annotation/ComponentScans.java
- \* /opt/cola/permits/1622818241\_1680247355.5627449/0/spring-context-6-0-7-sources-jar/org/springframework/validation/beanvalidation/SpringConstraintValidatorFactory.java

## 1.39 jakarta-validation-api 3.0.2

### 1.39.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Jakarta Bean Validation API
 *
 * License: Apache License, Version 2.0
 * See the license.txt file in the root directory or <http://www.apache.org/licenses/LICENSE-2.0>.
 */
```

Found in path(s):

- \* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/metadata/ValidateUnwrappedValue.java
- \* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/executable/ValidateOnExecution.java
- \* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/constraints/AssertTrue.java
- \* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-

jar/jakarta/validation/ConstraintDefinitionException.java  
\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/constraints/Positive.java  
\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/constraints/Digits.java  
\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/constraints/Min.java  
\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/executable/package-info.java  
\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/module-info.java  
\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/ValidatorContext.java  
\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/metadata/CascadableDescriptor.java  
\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/metadata/ExecutableDescriptor.java  
\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/Configuration.java  
\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/metadata/MethodDescriptor.java  
\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/spi/package-info.java  
\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/groups/Default.java  
\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/GroupDefinitionException.java  
\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/constraints/FutureOrPresent.java  
\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/constraints/NotBlank.java  
\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/constraints/DecimalMin.java  
\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/metadata/ConstraintDescriptor.java  
\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/Payload.java  
\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/spi/BootstrapState.java  
\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/ParameterNameProvider.java  
\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/metadata/Scope.java  
\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/ValidationProviderResolver.java  
\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/constraints/NegativeOrZero.java  
\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/constraints/NotEmpty.java



\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/valueextraction/ExtractedValue.java

\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/constraintvalidation/ValidationTarget.java

\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/UnexpectedTypeException.java

\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/metadata/CrossParameterDescriptor.java

\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/metadata/PropertyDescriptor.java

\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/BootstrapConfiguration.java

\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/metadata/GroupConversionDescriptor.java

\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/valueextraction/package-info.java

\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/metadata/ReturnValueDescriptor.java

\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/bootstrap/GenericBootstrap.java

\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/constraints/AssertFalse.java

\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/valueextraction/Unwrapping.java

\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/ReportAsSingleViolation.java

\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/ConstraintViolationException.java

\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/metadata/ParameterDescriptor.java

\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/Constraint.java

\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/TraversableResolver.java

\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/NoProviderFoundException.java

\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/ValidatorFactory.java

\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/constraints/Null.java

\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/ValidationException.java

\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/Path.java

\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/Validation.java

\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/valueextraction/ValueExtractorDefinitionException.java

\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/ConstraintValidatorFactory.java

\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/constraints/Max.java

\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/constraints/PastOrPresent.java

\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/constraints/Negative.java

\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/Validator.java

\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/metadata/ContainerElementTypeDescriptor.java

\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/metadata/ConstructorDescriptor.java

\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/ConstraintDeclarationException.java

\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/constraints/Email.java

\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/constraints/Pattern.java

\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/ElementKind.java

\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/executable/ExecutableValidator.java

\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/constraints/NotNull.java

\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/metadata/ElementDescriptor.java

\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/constraints/Past.java

\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/package-info.java

\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/ClockProvider.java

\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/constraints/Size.java

\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/metadata/package-info.java

\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/constraints/PositiveOrZero.java

\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/bootstrap/ProviderSpecificBootstrap.java

\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/constraints/Future.java

\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/ConstraintTarget.java

\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/constraints/DecimalMax.java

\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/GroupSequence.java  
\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/spi/ConfigurationState.java  
\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/metadata/BeanDescriptor.java  
\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/groups/ConvertGroup.java  
\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/constraintvalidation/package-info.java  
\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/spi/ValidationProvider.java  
\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/MessageInterpolator.java  
\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/bootstrap/package-info.java  
\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/valueextraction/ValueExtractor.java  
\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/groups/package-info.java  
\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/ConstraintValidatorContext.java  
\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/ConstraintViolation.java  
\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/constraintvalidation/SupportedValidationTarget.java  
\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/valueextraction/UnwrapByDefault.java  
\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/Valid.java  
\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/OverridesAttribute.java  
\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/valueextraction/ValueExtractorDeclarationException.java  
\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/ConstraintValidator.java  
\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/constraints/package-info.java  
\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/executable/ExecutableType.java  
\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/metadata/MethodType.java  
\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/jakarta/validation/metadata/ContainerDescriptor.java

No license file was found, but licenses were detected in source scan.

<!--

~ Jakarta Bean Validation API

~  
~ License: Apache License, Version 2.0  
~ See the license.txt file in the root directory or <<http://www.apache.org/licenses/LICENSE-2.0>>.  
-->  
<![CDATA[  
Comments to: <<mailto:bean-validation-dev@eclipse.org>>bean-validation-dev@eclipse.org</a>.<br>  
Copyright © 1999, 2019, 2020 Eclipse Foundation.<br>  
Use is subject to <[EFSL]({ @docRoot }/doc-files/speclicense.html)> this spec is based on  
material that is licensed under the Apache License, version 2.0.]]>

Found in path(s):

\* /opt/cola/permits/1343263537\_1655119212.9029043/0/jakarta-validation-api-3-0-2-sources-jar/META-INF/maven/jakarta.validation/jakarta.validation-api/pom.xml

## 1.40 ssl-client 1.35.0-r29

### 1.40.1 Available under license :

bzip2 applet in busybox is based on lightly-modified source  
of bzip2 version 1.0.4. bzip2 source is distributed  
under the following conditions (copied verbatim from LICENSE file)

=====

This program, "bzip2", the associated library "libbzip2", and all  
documentation, are copyright (C) 1996-2006 Julian R Seward. All  
rights reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions  
are met:

1. Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.
2. The origin of this software must not be misrepresented; you must  
not claim that you wrote the original software. If you use this  
software in a product, an acknowledgment in the product  
documentation would be appreciated but is not required.
3. Altered source versions must be plainly marked as such, and must  
not be misrepresented as being the original software.
4. The name of the author may not be used to endorse or promote  
products derived from this software without specific prior written  
permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS

OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Julian Seward, Cambridge, UK.

jseward@bzip.org

bzip2/libbzip2 version 1.0.4 of 20 December 2006

--- A note on GPL versions

BusyBox is distributed under version 2 of the General Public License (included in its entirety, below). Version 2 is the only version of this license which this version of BusyBox (or modified versions derived from this one) may be distributed under.

-----  
GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

#### GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program

is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.



4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is

implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE

PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program  
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

## 1.41 jeromq 0.3.5

### 1.41.1 Available under license :

GNU General Lesser Public License (LGPL) version 3.0  
<http://www.gnu.org/licenses/lgpl-3.0.html>

## 1.42 httpcomponents-client 4.5.13

### 1.42.1 Available under license :

Apache HttpComponents Client  
Copyright 1999-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

## 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted"

means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
  
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
  
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the

appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

=====

This project includes Public Suffix List copied from  
<[https://publicsuffix.org/list/effective\\_tld\\_names.dat](https://publicsuffix.org/list/effective_tld_names.dat)>  
licensed under the terms of the Mozilla Public License, v. 2.0

Full license text: <<http://mozilla.org/MPL/2.0/>>

Mozilla Public License Version 2.0

=====

#### 1. Definitions

-----

##### 1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

##### 1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used



by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"

means Covered Software of a particular Contributor.

1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. "Incompatible With Secondary Licenses"

means

(a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

(b) that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method,

process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

-----

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- (b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

### 2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License.

Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- (a) for any code that a Contributor has removed from Covered Software;  
or
- (b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- (c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

### 2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

### 2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

### 2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

### 2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

### 3. Responsibilities

-----

#### 3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

#### 3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- (a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and
- (b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

#### 3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

#### 3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

### 3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

### 4. Inability to Comply Due to Statute or Regulation

-----

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

### 5. Termination

-----

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to

You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

\*\*\*\*\*

```
*
*
* 6. Disclaimer of Warranty
* -----
*
* Covered Software is provided under this License on an "as is"
* basis, without warranty of any kind, either expressed, implied, or
* statutory, including, without limitation, warranties that the
* Covered Software is free of defects, merchantable, fit for a
* particular purpose or non-infringing. The entire risk as to the
* quality and performance of the Covered Software is with You.
* Should any Covered Software prove defective in any respect, You
* (not any Contributor) assume the cost of any necessary servicing,
* repair, or correction. This disclaimer of warranty constitutes an
* essential part of this License. No use of any Covered Software is
* authorized under this License except under this disclaimer.
*
*
```

\*\*\*\*\*

\*\*\*\*\*

```
*
*
* 7. Limitation of Liability
* -----
*
* Under no circumstances and under no legal theory, whether tort
* (including negligence), contract, or otherwise, shall any
* Contributor, or anyone who distributes Covered Software as
* permitted above, be liable to You for any direct, indirect,
* special, incidental, or consequential damages of any character
* including, without limitation, damages for lost profits, loss of
* goodwill, work stoppage, computer failure or malfunction, or any
* and all other commercial damages or losses, even if such party
* shall have been informed of the possibility of such damages. This
* limitation of liability shall not apply to liability for death or
* personal injury resulting from such party's negligence to the
* extent applicable law prohibits such limitation. Some
* jurisdictions do not allow the exclusion or limitation of
* incidental or consequential damages, so this exclusion and
* limitation may not apply to You.
*
*
```

## 8. Litigation

-----

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions.

Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

## 9. Miscellaneous

-----

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

## 10. Versions of the License

-----

### 10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

### 10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

### 10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

### 10.4. Distributing Source Code Form that is Incompatible With Secondary

## Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

### Exhibit A - Source Code Form License Notice

-----

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

### Exhibit B - "Incompatible With Secondary Licenses" Notice

-----

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

## 1.43 gson 2.9.1

### 1.43.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2010 Google Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```



Found in path(s):

\* /opt/cola/permits/1385266528\_1660026490.5295608/0/gson-2-9-1-sources-jar/com/google/gson/JsonSyntaxException.java

\* /opt/cola/permits/1385266528\_1660026490.5295608/0/gson-2-9-1-sources-jar/com/google/gson/internal/Streams.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright (C) 2008 Google Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1385266528\_1660026490.5295608/0/gson-2-9-1-sources-jar/com/google/gson/internal/\$Gson\$Types.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2018 The Gson authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1385266528\_1660026490.5295608/0/gson-2-9-1-sources-jar/com/google/gson/internal/GsonBuildConfig.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2011 Google Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
*/opt/cola/permits/1385266528_1660026490.5295608/0/gson-2-9-1-sources-
jar/com/google/gson/internal/bind/DateTypeAdapter.java
*/opt/cola/permits/1385266528_1660026490.5295608/0/gson-2-9-1-sources-
jar/com/google/gson/internal/sql/SqlDateTypeAdapter.java
*/opt/cola/permits/1385266528_1660026490.5295608/0/gson-2-9-1-sources-
jar/com/google/gson/internal/LazilyParsedNumber.java
*/opt/cola/permits/1385266528_1660026490.5295608/0/gson-2-9-1-sources-
jar/com/google/gson/internal/bind/TreeTypeAdapter.java
*/opt/cola/permits/1385266528_1660026490.5295608/0/gson-2-9-1-sources-
jar/com/google/gson/internal/sql/SqlTimeTypeAdapter.java
*/opt/cola/permits/1385266528_1660026490.5295608/0/gson-2-9-1-sources-
jar/com/google/gson/internal/ConstructorConstructor.java
*/opt/cola/permits/1385266528_1660026490.5295608/0/gson-2-9-1-sources-
jar/com/google/gson/internal/UnsafeAllocator.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2014 Google Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
```

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1385266528\_1660026490.5295608/0/gson-2-9-1-sources-jar/com/google/gson/internal/bind/JsonAdapterAnnotationTypeAdapterFactory.java

\* /opt/cola/permits/1385266528\_1660026490.5295608/0/gson-2-9-1-sources-jar/com/google/gson/annotations/JsonAdapter.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2017 The Gson authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1385266528\_1660026490.5295608/0/gson-2-9-1-sources-jar/com/google/gson/internal/JavaVersion.java

\* /opt/cola/permits/1385266528\_1660026490.5295608/0/gson-2-9-1-sources-jar/com/google/gson/internal/PreJava9DateFormatProvider.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2010 Google Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1385266528\_1660026490.5295608/0/gson-2-9-1-sources-jar/com/google/gson/stream/JsonWriter.java
- \* /opt/cola/permits/1385266528\_1660026490.5295608/0/gson-2-9-1-sources-jar/com/google/gson/stream/JsonScope.java
- \* /opt/cola/permits/1385266528\_1660026490.5295608/0/gson-2-9-1-sources-jar/com/google/gson/stream/MalformedJsonException.java
- \* /opt/cola/permits/1385266528\_1660026490.5295608/0/gson-2-9-1-sources-jar/com/google/gson/stream/JsonReader.java
- \* /opt/cola/permits/1385266528\_1660026490.5295608/0/gson-2-9-1-sources-jar/com/google/gson/stream/JsonToken.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2021 Google Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1385266528\_1660026490.5295608/0/gson-2-9-1-sources-jar/com/google/gson/ToNumberStrategy.java
- \* /opt/cola/permits/1385266528\_1660026490.5295608/0/gson-2-9-1-sources-jar/com/google/gson/ToNumberPolicy.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2009 Google Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1385266528\_1660026490.5295608/0/gson-2-9-1-sources-jar/com/google/gson/JsonParser.java
- \* /opt/cola/permits/1385266528\_1660026490.5295608/0/gson-2-9-1-sources-jar/com/google/gson/FieldAttributes.java
- \* /opt/cola/permits/1385266528\_1660026490.5295608/0/gson-2-9-1-sources-jar/com/google/gson/LongSerializationPolicy.java
- \* /opt/cola/permits/1385266528\_1660026490.5295608/0/gson-2-9-1-sources-jar/com/google/gson/JsonStreamParser.java

No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright (C) 2011 Google Inc.
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1385266528\_1660026490.5295608/0/gson-2-9-1-sources-jar/com/google/gson/internal/JsonReaderInternalAccess.java
- \* /opt/cola/permits/1385266528\_1660026490.5295608/0/gson-2-9-1-sources-jar/com/google/gson/internal/bind/ArrayTypeAdapter.java
- \* /opt/cola/permits/1385266528\_1660026490.5295608/0/gson-2-9-1-sources-jar/com/google/gson/TypeAdapter.java
- \* /opt/cola/permits/1385266528\_1660026490.5295608/0/gson-2-9-1-sources-jar/com/google/gson/internal/bind/MapTypeAdapterFactory.java
- \* /opt/cola/permits/1385266528\_1660026490.5295608/0/gson-2-9-1-sources-jar/com/google/gson/internal/bind/ObjectTypeAdapter.java
- \* /opt/cola/permits/1385266528\_1660026490.5295608/0/gson-2-9-1-sources-jar/com/google/gson/internal/bind/ReflectiveTypeAdapterFactory.java
- \* /opt/cola/permits/1385266528\_1660026490.5295608/0/gson-2-9-1-sources-jar/com/google/gson/internal/bind/JsonTreeWriter.java
- \* /opt/cola/permits/1385266528\_1660026490.5295608/0/gson-2-9-1-sources-jar/com/google/gson/internal/bind/TypeAdapterRuntimeTypeWrapper.java

```
* /opt/cola/permits/1385266528_1660026490.5295608/0/gson-2-9-1-sources-
jar/com/google/gson/internal/bind/TypeAdapters.java
* /opt/cola/permits/1385266528_1660026490.5295608/0/gson-2-9-1-sources-
jar/com/google/gson/internal/bind/CollectionTypeAdapterFactory.java
* /opt/cola/permits/1385266528_1660026490.5295608/0/gson-2-9-1-sources-
jar/com/google/gson/TypeAdapterFactory.java
* /opt/cola/permits/1385266528_1660026490.5295608/0/gson-2-9-1-sources-
jar/com/google/gson/internal/bind/JsonTreeReader.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright (C) 2010 The Android Open Source Project
```

```
* Copyright (C) 2012 Google Inc.
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
* See the License for the specific language governing permissions and
```

```
* limitations under the License.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1385266528_1660026490.5295608/0/gson-2-9-1-sources-
jar/com/google/gson/internal/LinkedTreeMap.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright (C) 2020 Google Inc.
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
* See the License for the specific language governing permissions and
```

```
* limitations under the License.
```

```
*/
```

Found in path(s):

\* /opt/cola/permits/1385266528\_1660026490.5295608/0/gson-2-9-1-sources-jar/com/google/gson/internal/bind/NumberTypeAdapter.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2008 Google Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1385266528\_1660026490.5295608/0/gson-2-9-1-sources-jar/com/google/gson/internal/Excluder.java

\* /opt/cola/permits/1385266528\_1660026490.5295608/0/gson-2-9-1-sources-jar/com/google/gson/annotations/Expose.java

\* /opt/cola/permits/1385266528\_1660026490.5295608/0/gson-2-9-1-sources-jar/com/google/gson/annotations/Since.java

\* /opt/cola/permits/1385266528\_1660026490.5295608/0/gson-2-9-1-sources-jar/com/google/gson/JsonDeserializer.java

\* /opt/cola/permits/1385266528\_1660026490.5295608/0/gson-2-9-1-sources-jar/com/google/gson/internal/ObjectConstructor.java

\* /opt/cola/permits/1385266528\_1660026490.5295608/0/gson-2-9-1-sources-jar/com/google/gson/JsonElement.java

\* /opt/cola/permits/1385266528\_1660026490.5295608/0/gson-2-9-1-sources-jar/com/google/gson/internal/Primitives.java

\* /opt/cola/permits/1385266528\_1660026490.5295608/0/gson-2-9-1-sources-jar/com/google/gson/JsonPrimitive.java

\* /opt/cola/permits/1385266528\_1660026490.5295608/0/gson-2-9-1-sources-jar/com/google/gson/JsonSerializationContext.java

\* /opt/cola/permits/1385266528\_1660026490.5295608/0/gson-2-9-1-sources-jar/com/google/gson/reflect/TypeToken.java

\* /opt/cola/permits/1385266528\_1660026490.5295608/0/gson-2-9-1-sources-jar/com/google/gson/JsonNull.java

\* /opt/cola/permits/1385266528\_1660026490.5295608/0/gson-2-9-1-sources-jar/com/google/gson/Gson.java

\* /opt/cola/permits/1385266528\_1660026490.5295608/0/gson-2-9-1-sources-jar/com/google/gson/JsonDeserializationContext.java

\* /opt/cola/permits/1385266528\_1660026490.5295608/0/gson-2-9-1-sources-jar/com/google/gson/JsonObject.java

\* /opt/cola/permits/1385266528\_1660026490.5295608/0/gson-2-9-1-sources-jar/com/google/gson/GsonBuilder.java

\* /opt/cola/permits/1385266528\_1660026490.5295608/0/gson-2-9-1-sources-

```
jar/com/google/gson/FieldNamingStrategy.java
* /opt/cola/permits/1385266528_1660026490.5295608/0/gson-2-9-1-sources-
jar/com/google/gson/annotations/SerializedName.java
* /opt/cola/permits/1385266528_1660026490.5295608/0/gson-2-9-1-sources-
jar/com/google/gson/annotations/Until.java
* /opt/cola/permits/1385266528_1660026490.5295608/0/gson-2-9-1-sources-
jar/com/google/gson/JsonSerializer.java
* /opt/cola/permits/1385266528_1660026490.5295608/0/gson-2-9-1-sources-
jar/com/google/gson/internal/bind/DefaultDateTypeAdapter.java
* /opt/cola/permits/1385266528_1660026490.5295608/0/gson-2-9-1-sources-
jar/com/google/gson/internal/$Gson$Preconditions.java
* /opt/cola/permits/1385266528_1660026490.5295608/0/gson-2-9-1-sources-
jar/com/google/gson/InstanceCreator.java
* /opt/cola/permits/1385266528_1660026490.5295608/0/gson-2-9-1-sources-
jar/com/google/gson/JsonIOException.java
* /opt/cola/permits/1385266528_1660026490.5295608/0/gson-2-9-1-sources-
jar/com/google/gson/JsonParseException.java
* /opt/cola/permits/1385266528_1660026490.5295608/0/gson-2-9-1-sources-
jar/com/google/gson/ExclusionStrategy.java
* /opt/cola/permits/1385266528_1660026490.5295608/0/gson-2-9-1-sources-
jar/com/google/gson/FieldNamingPolicy.java
* /opt/cola/permits/1385266528_1660026490.5295608/0/gson-2-9-1-sources-jar/com/google/gson/JsonArray.java
```

## 1.44 netty-codec 4.1.86.Final

### 1.44.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2012 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
/*
* Written by Robert Harder and released to the public domain, as explained at
* https://creativecommons.org/licenses/publicdomain
*/
```



```
/**
 * Enumeration of supported Base64 dialects.
 * <p>
 * The internal lookup tables in this class has been derived from
 * <a href="http://iharder.sourceforge.net/current/java/base64/">Robert Harder's Public Domain
 * Base64 Encoder/Decoder</a>.
 */
```

Found in path(s):

```
* /opt/cola/permits/1509095575_1671044644.0113554/0/netty-codec-4-1-86-final-sources-
jar/io/netty/handler/codec/base64/Base64Dialect.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2014 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1509095575_1671044644.0113554/0/netty-codec-4-1-86-final-sources-
jar/io/netty/handler/codec/compression/Bzip2HuffmanStageEncoder.java
* /opt/cola/permits/1509095575_1671044644.0113554/0/netty-codec-4-1-86-final-sources-
jar/io/netty/handler/codec/compression/SnappyFramedEncoder.java
* /opt/cola/permits/1509095575_1671044644.0113554/0/netty-codec-4-1-86-final-sources-
jar/io/netty/handler/codec/compression/Bzip2MTFAndRLE2StageEncoder.java
* /opt/cola/permits/1509095575_1671044644.0113554/0/netty-codec-4-1-86-final-sources-
jar/io/netty/handler/codec/compression/FastLz.java
* /opt/cola/permits/1509095575_1671044644.0113554/0/netty-codec-4-1-86-final-sources-
jar/io/netty/handler/codec/json/JsonObjectDecoder.java
* /opt/cola/permits/1509095575_1671044644.0113554/0/netty-codec-4-1-86-final-sources-
jar/io/netty/handler/codec/AsciiHeadersEncoder.java
* /opt/cola/permits/1509095575_1671044644.0113554/0/netty-codec-4-1-86-final-sources-
jar/io/netty/handler/codec/compression/Bzip2Constants.java
* /opt/cola/permits/1509095575_1671044644.0113554/0/netty-codec-4-1-86-final-sources-
jar/io/netty/handler/codec/compression/SnappyFramedDecoder.java
* /opt/cola/permits/1509095575_1671044644.0113554/0/netty-codec-4-1-86-final-sources-
jar/io/netty/handler/codec/json/package-info.java
```

\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-jar/io/netty/handler/codec/compression/LzfDecoder.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-jar/io/netty/handler/codec/compression/Bzip2Encoder.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-jar/io/netty/handler/codec/compression/Lz4Constants.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-jar/io/netty/handler/codec/DecoderResultProvider.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-jar/io/netty/handler/codec/compression/FastLzFrameDecoder.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-jar/io/netty/handler/codec/compression/Bzip2MoveToFrontTable.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-jar/io/netty/handler/codec/compression/Lz4FrameDecoder.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-jar/io/netty/handler/codec/compression/Bzip2HuffmanStageDecoder.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-jar/io/netty/handler/codec/compression/Bzip2BlockCompressor.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-jar/io/netty/handler/codec/compression/FastLzFrameEncoder.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-jar/io/netty/handler/codec/compression/Bzip2DivSufSort.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-jar/io/netty/handler/codec/compression/Bzip2BitWriter.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-jar/io/netty/handler/codec/MessageAggregationException.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-jar/io/netty/handler/codec/compression/Bzip2BitReader.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-jar/io/netty/handler/codec/compression/Bzip2Decoder.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-jar/io/netty/handler/codec/compression/Crc32.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-jar/io/netty/handler/codec/compression/Bzip2HuffmanAllocator.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-jar/io/netty/handler/codec/compression/Bzip2BlockDecompressor.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-jar/io/netty/handler/codec/compression/LzfEncoder.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-jar/io/netty/handler/codec/compression/Bzip2Rand.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-jar/io/netty/handler/codec/compression/Lz4FrameEncoder.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-jar/io/netty/handler/codec/compression/LzmaFrameEncoder.java

No license file was found, but licenses were detected in source scan.

# The Netty Project licenses this file to you under the Apache License,  
# version 2.0 (the "License"); you may not use this file except in compliance

# with the License. You may obtain a copy of the License at:  
# distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

Found in path(s):

\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-jar/META-INF/native-image/io.netty/netty-codec/native-image.properties

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-jar/io/netty/handler/codec/protobuf/ProtobufEncoder.java

\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-jar/io/netty/handler/codec/HeadersUtils.java

\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-jar/io/netty/handler/codec/ProtocolDetectionResult.java

\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-jar/io/netty/handler/codec/ProtocolDetectionState.java

\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-jar/io/netty/handler/codec/protobuf/ProtobufVarint32LengthFieldPrepender.java

\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-jar/io/netty/handler/codec/UnsupportedValueConverter.java

\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-jar/io/netty/handler/codec/protobuf/ProtobufVarint32FrameDecoder.java

\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-jar/io/netty/handler/codec/protobuf/ProtobufDecoderNano.java

\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-jar/io/netty/handler/codec/protobuf/ProtobufEncoderNano.java

\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-jar/io/netty/handler/codec/protobuf/ProtobufDecoder.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License, version 2.0 (the  
\* "License"); you may not use this file except in compliance with the License. You may obtain a  
\* copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/DefaultHeaders.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/EmptyHeaders.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/Headers.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2012 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

/\*  
\* Written by Robert Harder and released to the public domain, as explained at  
\* <https://creativecommons.org/licenses/publicdomain>  
\*/

/\*\*  
\* Utility class for {@link ByteBuf} that encodes and decodes to and from  
\* [Base64](https://en.wikipedia.org/wiki/Base64) notation.  
\* 

The encoding and decoding algorithm in this class has been derived from

\* <a href="http://iharder.sourceforge.net/current/java/base64/">Robert Harder's Public Domain  
\* Base64 Encoder/Decoder</a>.  
\*/

Found in path(s):

\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codecs/base64/Base64.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2019 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codecs/compression/Lz4XXHash32.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

/\*\*

\* A decoder that splits the received {@link ByteBuf}s dynamically by the  
\* value of the length field in the message. It is particularly useful when you

\* decode a binary message which has an integer header field that represents the length of the message body or the whole message.

\* <p>

\* { @link LengthFieldBasedFrameDecoder } has many configuration parameters so that it can decode any message with a length field, which is often seen in proprietary client-server protocols. Here are some example that will give you the basic idea on which option does what.

\* <h3>2 bytes length field at offset 0, do not strip header</h3>

\* The value of the length field in this example is <tt>12 (0x0C)</tt> which represents the length of "HELLO, WORLD". By default, the decoder assumes that the length field represents the number of the bytes that follows the length field. Therefore, it can be decoded with the simplistic parameter combination.

```
* <pre>
* <b>lengthFieldOffset</b> = <b>0</b>
* <b>lengthFieldLength</b> = <b>2</b>
* lengthAdjustment = 0
* initialBytesToStrip = 0 (= do not strip header)
```

```
* BEFORE DECODE (14 bytes)    AFTER DECODE (14 bytes)
* +-----+-----+ +-----+-----+
* | Length | Actual Content |---->| Length | Actual Content |
* | 0x000C | "HELLO, WORLD" |   | 0x000C | "HELLO, WORLD" |
* +-----+-----+ +-----+-----+
```

\* <h3>2 bytes length field at offset 0, strip header</h3>

\* Because we can get the length of the content by calling { @link ByteBuf#readableBytes() }, you might want to strip the length field by specifying <tt>initialBytesToStrip</tt>. In this example, we specified <tt>2</tt>, that is same with the length of the length field, to strip the first two bytes.

```
* <pre>
* lengthFieldOffset = 0
* lengthFieldLength = 2
* lengthAdjustment = 0
* <b>initialBytesToStrip</b> = <b>2</b> (= the length of the Length field)
```

```
* BEFORE DECODE (14 bytes)    AFTER DECODE (12 bytes)
* +-----+-----+ +-----+
* | Length | Actual Content |---->| Actual Content |
* | 0x000C | "HELLO, WORLD" |   | "HELLO, WORLD" |
* +-----+-----+ +-----+
```

\* <h3>2 bytes length field at offset 0, do not strip header, the length field

\* represents the length of the whole message</h3>

\*

\* In most cases, the length field represents the length of the message body

\* only, as shown in the previous examples. However, in some protocols, the

\* length field represents the length of the whole message, including the

\* message header. In such a case, we specify a non-zero

\* <tt>lengthAdjustment</tt>. Because the length value in this example message

\* is always greater than the body length by <tt>2</tt>, we specify <tt>-2</tt>

\* as <tt>lengthAdjustment</tt> for compensation.

\* <pre>

\* lengthFieldOffset = 0

\* lengthFieldLength = 2

\* <b>lengthAdjustment</b> = <b>-2</b> (= the length of the Length field)

\* initialBytesToStrip = 0

\*

\* BEFORE DECODE (14 bytes)      AFTER DECODE (14 bytes)

\* +-----+-----+      +-----+-----+

\* | Length | Actual Content |---->| Length | Actual Content |

\* | 0x000E | "HELLO, WORLD" |      | 0x000E | "HELLO, WORLD" |

\* +-----+-----+      +-----+-----+

\* </pre>

\*

\* <h3>3 bytes length field at the end of 5 bytes header, do not strip header</h3>

\*

\* The following message is a simple variation of the first example. An extra

\* header value is prepended to the message. <tt>lengthAdjustment</tt> is zero

\* again because the decoder always takes the length of the prepended data into

\* account during frame length calculation.

\* <pre>

\* <b>lengthFieldOffset</b> = <b>2</b> (= the length of Header 1)

\* <b>lengthFieldLength</b> = <b>3</b>

\* lengthAdjustment = 0

\* initialBytesToStrip = 0

\*

\* BEFORE DECODE (17 bytes)      AFTER DECODE (17 bytes)

\* +-----+-----+-----+      +-----+-----+-----+

\* | Header 1 | Length | Actual Content |---->| Header 1 | Length | Actual Content |

\* | 0xCAFE | 0x00000C | "HELLO, WORLD" |      | 0xCAFE | 0x00000C | "HELLO, WORLD" |

\* +-----+-----+-----+      +-----+-----+-----+

\* </pre>

\*

\* <h3>3 bytes length field at the beginning of 5 bytes header, do not strip header</h3>

\*

\* This is an advanced example that shows the case where there is an extra

\* header between the length field and the message body. You have to specify a

\* positive <tt>lengthAdjustment</tt> so that the decoder counts the extra

\* header into the frame length calculation.

```

* <pre>
* lengthFieldOffset = 0
* lengthFieldLength = 3
* <b>lengthAdjustment</b> = <b>2</b> (= the length of Header 1)
* initialBytesToStrip = 0
*
* BEFORE DECODE (17 bytes)          AFTER DECODE (17 bytes)
* +-----+-----+-----+-----+ +-----+-----+-----+-----+
* | Length | Header 1 | Actual Content |---->| Length | Header 1 | Actual Content |
* | 0x00000C | 0xCAFE | "HELLO, WORLD" |   | 0x00000C | 0xCAFE | "HELLO, WORLD" |
* +-----+-----+-----+-----+ +-----+-----+-----+-----+
* </pre>

```

\* <h3>2 bytes length field at offset 1 in the middle of 4 bytes header,  
\* strip the first header field and the length field</h3>

\* This is a combination of all the examples above. There are the prepended  
\* header before the length field and the extra header after the length field.  
\* The prepended header affects the <tt>lengthFieldOffset</tt> and the extra  
\* header affects the <tt>lengthAdjustment</tt>. We also specified a non-zero  
\* <tt>initialBytesToStrip</tt> to strip the length field and the prepended  
\* header from the frame. If you don't want to strip the prepended header, you  
\* could specify <tt>0</tt> for <tt>initialBytesToSkip</tt>.

```

* <pre>
* lengthFieldOffset = 1 (= the length of HDR1)
* lengthFieldLength = 2
* <b>lengthAdjustment</b> = <b>1</b> (= the length of HDR2)
* <b>initialBytesToStrip</b> = <b>3</b> (= the length of HDR1 + LEN)
*
* BEFORE DECODE (16 bytes)          AFTER DECODE (13 bytes)
* +-----+-----+-----+-----+ +-----+-----+-----+-----+
* | HDR1 | Length | HDR2 | Actual Content |---->| HDR2 | Actual Content |
* | 0xCA | 0x000C | 0xFE | "HELLO, WORLD" |   | 0xFE | "HELLO, WORLD" |
* +-----+-----+-----+-----+ +-----+-----+-----+-----+
* </pre>

```

\* <h3>2 bytes length field at offset 1 in the middle of 4 bytes header,  
\* strip the first header field and the length field, the length field  
\* represents the length of the whole message</h3>

\* Let's give another twist to the previous example. The only difference from  
\* the previous example is that the length field represents the length of the  
\* whole message instead of the message body, just like the third example.  
\* We have to count the length of HDR1 and Length into <tt>lengthAdjustment</tt>.  
\* Please note that we don't need to take the length of HDR2 into account  
\* because the length field already includes the whole header length.

```

* <pre>
* lengthFieldOffset = 1

```



```

* lengthFieldLength = 2
* <b>lengthAdjustment</b> = <b>-3</b> (= the length of HDR1 + LEN, negative)
* <b>initialBytesToStrip</b> = <b> 3</b>
*
* BEFORE DECODE (16 bytes)          AFTER DECODE (13 bytes)
* +-----+-----+-----+-----+-----+ +-----+-----+-----+
* | HDR1 | Length | HDR2 | Actual Content |---->| HDR2 | Actual Content |
* | 0xCA | 0x0010 | 0xFE | "HELLO, WORLD" |    | 0xFE | "HELLO, WORLD" |
* +-----+-----+-----+-----+-----+ +-----+-----+-----+
* </pre>
* @see LengthFieldPrepender
*/

```

Found in path(s):

```

* /opt/cola/permits/1509095575_1671044644.0113554/0/netty-codec-4-1-86-final-sources-
jar/io/netty/handler/codec/LengthFieldBasedFrameDecoder.java

```

No license file was found, but licenses were detected in source scan.

```

/*
* Copyright 2012 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

```

Found in path(s):

```

* /opt/cola/permits/1509095575_1671044644.0113554/0/netty-codec-4-1-86-final-sources-
jar/io/netty/handler/codec/compression/DecompressionException.java
* /opt/cola/permits/1509095575_1671044644.0113554/0/netty-codec-4-1-86-final-sources-
jar/io/netty/handler/codec/base64/Base64Decoder.java
* /opt/cola/permits/1509095575_1671044644.0113554/0/netty-codec-4-1-86-final-sources-
jar/io/netty/handler/codec/marshalling/package-info.java
* /opt/cola/permits/1509095575_1671044644.0113554/0/netty-codec-4-1-86-final-sources-
jar/io/netty/handler/codec/serialization/ReferenceMap.java
* /opt/cola/permits/1509095575_1671044644.0113554/0/netty-codec-4-1-86-final-sources-
jar/io/netty/handler/codec/compression/JZlibDecoder.java
* /opt/cola/permits/1509095575_1671044644.0113554/0/netty-codec-4-1-86-final-sources-
jar/io/netty/handler/codec/marshalling/ThreadLocalUnmarshallerProvider.java
* /opt/cola/permits/1509095575_1671044644.0113554/0/netty-codec-4-1-86-final-sources-

```

jar/io/netty/handler/codec/marshalling/DefaultMarshallerProvider.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/string/StringDecoder.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/FixedLengthFrameDecoder.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/compression/ZlibWrapper.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/ReplayingDecoder.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/ByteToMessageDecoder.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/DecoderException.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/serialization/CompactObjectInputStream.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/PrematureChannelClosureException.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/compression/ZlibUtil.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/UnsupportedMessageTypeException.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/serialization/ObjectDecoderInputStream.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/compression/SnappyFrameDecoder.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/marshalling/LimitingByteInput.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/MessageToMessageDecoder.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/ReplayingDecoderByteBuf.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/compression/ZlibCodecFactory.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/MessageToByteEncoder.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/serialization/CompatibleObjectEncoder.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/marshalling/DefaultUnmarshallerProvider.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/LengthFieldPrepender.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/marshalling/ChannelBufferByteInput.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/marshalling/ChannelBufferByteOutput.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/DecoderResult.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-

jar/io/netty/handler/codec/string/StringEncoder.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/compression/JdkZlibEncoder.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/MessageToMessageCodec.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/CorruptedFrameException.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/DelimiterBasedFrameDecoder.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/xml/package-info.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/compression/package-info.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/MessageAggregator.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/MessageToMessageEncoder.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/marshalling/CompatibleMarshallingDecoder.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/base64/Base64Encoder.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/compression/SnappyFrameEncoder.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/serialization/ObjectDecoder.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/serialization/ClassResolver.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/marshalling/MarshallerProvider.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/Delimiters.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/serialization/CachingClassResolver.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/serialization/ObjectEncoder.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/compression/Snappy.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/bytes/ByteArrayDecoder.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/compression/CompressionException.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/serialization/ClassResolvers.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/protobuf/package-info.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/compression/ZlibDecoder.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-

jar/io/netty/handler/codec/marshalling/MarshallingEncoder.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/marshalling/MarshallingDecoder.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/marshalling/UnmarshallerProvider.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/compression/ZlibEncoder.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/CodecException.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/marshalling/CompatibleMarshallingEncoder.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/serialization/package-info.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/LineBasedFrameDecoder.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/marshalling/ThreadLocalMarshallerProvider.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/TooLongFrameException.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/serialization/CompactObjectOutputStream.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/base64/package-info.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/marshalling/ContextBoundUnmarshallerProvider.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/bytes/ByteArrayEncoder.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/serialization/ObjectEncoderOutputStream.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/serialization/SoftReferenceMap.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/ByteToMessageCodec.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/package-info.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/bytes/package-info.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/serialization/WeakReferenceMap.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/string/package-info.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/compression/JZlibEncoder.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/serialization/ClassLoaderClassResolver.java  
\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-  
jar/io/netty/handler/codec/EncoderException.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2021 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1509095575_1671044644.0113554/0/netty-codec-4-1-86-final-sources-
jar/io/netty/handler/codec/compression/CompressionOptions.java
* /opt/cola/permits/1509095575_1671044644.0113554/0/netty-codec-4-1-86-final-sources-
jar/io/netty/handler/codec/compression/ZstdOptions.java
* /opt/cola/permits/1509095575_1671044644.0113554/0/netty-codec-4-1-86-final-sources-
jar/io/netty/handler/codec/compression/BrotliEncoder.java
* /opt/cola/permits/1509095575_1671044644.0113554/0/netty-codec-4-1-86-final-sources-
jar/io/netty/handler/codec/compression/StandardCompressionOptions.java
* /opt/cola/permits/1509095575_1671044644.0113554/0/netty-codec-4-1-86-final-sources-
jar/io/netty/handler/codec/compression/BrotliDecoder.java
* /opt/cola/permits/1509095575_1671044644.0113554/0/netty-codec-4-1-86-final-sources-
jar/io/netty/handler/codec/compression/ZstdEncoder.java
* /opt/cola/permits/1509095575_1671044644.0113554/0/netty-codec-4-1-86-final-sources-
jar/io/netty/handler/codec/compression/Zstd.java
* /opt/cola/permits/1509095575_1671044644.0113554/0/netty-codec-4-1-86-final-sources-
jar/io/netty/handler/codec/compression/DeflateOptions.java
* /opt/cola/permits/1509095575_1671044644.0113554/0/netty-codec-4-1-86-final-sources-
jar/io/netty/handler/codec/compression/BrotliOptions.java
* /opt/cola/permits/1509095575_1671044644.0113554/0/netty-codec-4-1-86-final-sources-
jar/io/netty/handler/codec/compression/Brotli.java
* /opt/cola/permits/1509095575_1671044644.0113554/0/netty-codec-4-1-86-final-sources-
jar/io/netty/handler/codec/compression/GzipOptions.java
* /opt/cola/permits/1509095575_1671044644.0113554/0/netty-codec-4-1-86-final-sources-
jar/io/netty/handler/codec/compression/ZstdConstants.java
```

No license file was found, but licenses were detected in source scan.

```
<!--
~ Copyright 2012 The Netty Project
~
```

~ The Netty Project licenses this file to you under the Apache License,  
~ version 2.0 (the "License"); you may not use this file except in compliance  
~ with the License. You may obtain a copy of the License at:  
~  
~ <https://www.apache.org/licenses/LICENSE-2.0>  
~  
~ Unless required by applicable law or agreed to in writing, software  
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
~ License for the specific language governing permissions and limitations  
~ under the License.  
-->

Found in path(s):

\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-jar/META-INF/maven/io.netty/netty-codec/pom.xml

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-jar/io/netty/handler/codec/CodecOutputList.java

\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-jar/io/netty/handler/codec/compression/ByteBufChecksum.java

\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-jar/io/netty/handler/codec/string/LineEncoder.java

\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-jar/io/netty/handler/codec/string/LineSeparator.java

\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-jar/io/netty/handler/codec/DatagramPacketEncoder.java

\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-jar/io/netty/handler/codec/DateFormatter.java

\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-

jar/io/netty/handler/codec/DatagramPacketDecoder.java

\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-

jar/io/netty/handler/codec/compression/CompressionUtil.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2013 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-

jar/io/netty/handler/codec/compression/Crc32c.java

\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-

jar/io/netty/handler/codec/xml/XmlFrameDecoder.java

\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-

jar/io/netty/handler/codec/compression/JdkZlibDecoder.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License, version 2.0 (the

\* "License"); you may not use this file except in compliance with the License. You may obtain a

\* copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1509095575\_1671044644.0113554/0/netty-codec-4-1-86-final-sources-

```
jar/io/netty/handler/codec/ValueConverter.java
* /opt/cola/permits/1509095575_1671044644.0113554/0/netty-codec-4-1-86-final-sources-
jar/io/netty/handler/codec/DefaultHeadersImpl.java
* /opt/cola/permits/1509095575_1671044644.0113554/0/netty-codec-4-1-86-final-sources-
jar/io/netty/handler/codec/CharSequenceValueConverter.java
```

# 1.45 httpclient-cache 4.5.13

## 1.45.1 Available under license :

Apache HttpClient Cache  
Copyright 2010-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but



not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their

Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with

the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.  
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.46 kotlin 1.6.10

## 1.46.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
{"version":3,"file":"kotlin.js","sources":["wrapper.js","js/arrayUtils.js","js/callableReferenceUtils.js","js/conversions.js","js/core.js","js/long.js","js/markerFunctions.js","js/misc.js","js/polyfills.js","js/rtti.js","runtime/arrayUtils.kt","runtime/Enum.kt","primitiveCompanionObjects.kt","common/src/generated/_Arrays.kt","common/src/generated/_Ranges.kt","unsigned/src/kotlin/UByte.kt","unsigned/src/kotlin/UInt.kt","unsigned/src/kotlin/UShort.kt","builtin-sources/Ranges.kt","src/kotlin/collections/Collections.kt","src/kotlin/collections/Maps.kt","src/kotlin/collections/Sets.kt","src/kotlin/text/StringNumberConversions.kt","src/kotlin/time/Duration.kt","unsigned/src/kotlin/UnsignedUtils.kt","src/kotlin/collections/Iterables.kt","src/kotlin/collections/Sequences.kt","src/kotlin/util/Preconditions.kt","js/src/generated/_ArraysJs.kt","src/kotlin/comparisons/Comparisons.kt","src/kotlin/util/Standard.kt","js/src/generated/_ComparisonsJs.kt","unsigned/src/kotlin/ULong.kt","common/src/generated/_Collections.kt","js/src/kotlin/collections.kt","src/kotlin/collections/Iterators.kt","common/src/generated/_Comparisons.kt","common/src/generated/_Maps.kt","common/src/generated/_OneToManyTitlecaseMappings.kt","js/src/kotlin/text/char.kt","js/src/kotlin/text/string.kt","src/kotlin/text/Char.kt","src/kotlin/CharCode.kt","common/src/generated/_Sequences.kt","common/src/generated/_Sets.kt","common/src/generated/_Strings.kt","src/kotlin/text/Strings.kt","unsigned/src/kotlin/UByteArray.kt","unsigned/src/kotlin/UIntArray.kt","unsigned/src/kotlin/ULongArray.kt","unsigned/src/kotlin/UShortArray.kt","common/src/generated/_UArrays.kt","common/src/generated/_UCollections.kt","common/src/generated/_UComparisons.kt"}
```

common/src/generated/\_URanges.kt", "common/src/generated/\_USequences.kt", "common/src/kotlin/ExceptionsH.kt", "common/src/kotlin/JsAnnotationsH.kt", "common/src/kotlin/ioH.kt", "builtin-sources/Collections.kt", "builtin-sources/Iterators.kt", "builtin-sources/ProgressionIterators.kt", "builtin-sources/Progressions.kt", "builtin-sources/Range.kt", "builtin-sources/Unit.kt", "builtin-sources/annotation/Annotations.kt", "builtin-sources/internal/InternalAnnotations.kt", "builtin-sources/internal/progressionUtil.kt", "src/kotlin/builtins.kt", "src/kotlin/jsTypeOf.kt", "src/kotlin/kotlin.kt", "src/kotlin/charCode\_js-v1.kt", "src/kotlin/coroutines/CoroutineImpl.kt", "src/kotlin/util/Result.kt", "src/kotlin/coroutines/Continuation.kt", "src/kotlin/coroutines/intrinsics/IntrinsicsJs.kt", "src/kotlin/currentBeMisc.kt", "src/kotlin/exceptions.kt", "src/kotlin/jsOperators.kt", "src/kotlin/math\_js-v1.kt", "src/kotlin/numbers\_js-v1.kt", "src/kotlin/reflection\_js-v1.kt", "src/kotlin/text/numberConversions\_js-v1.kt", "js/src/generated/\_CharCategories.kt", "js/src/generated/\_CollectionsJs.kt", "js/src/generated/\_DigitChars.kt", "js/src/generated/\_LetterChars.kt", "js/src/generated/\_OtherLowercaseChars.kt", "js/src/generated/\_OtherUppercaseChars.kt", "js/src/generated/\_StringsJs.kt", "js/src/generated/\_TitlecaseMappings.kt", "js/src/generated/\_UArraysJs.kt", "js/src/generated/\_WhitespaceChars.kt", "js/src/kotlin/Comparator.kt", "js/src/kotlin/annotations.kt", "js/src/kotlin/annotationsJVM.kt", "js/src/kotlin/collections/AbstractMutableCollection.kt", "js/src/kotlin/collections/AbstractMutableList.kt", "js/src/kotlin/collections/AbstractMutableMap.kt", "js/src/kotlin/collections/AbstractMutableSet.kt", "js/src/kotlin/collections/ArrayList.kt", "js/src/kotlin/collections/ArraySorting.kt", "js/src/kotlin/collections/ArraysJs.kt", "js/src/kotlin/collections/EqualityComparator.kt", "js/src/kotlin/collections/HashMap.kt", "js/src/kotlin/collections/HashSet.kt", "js/src/kotlin/collections/InternalHashMap.kt", "js/src/kotlin/collections/InternalMap.kt", "js/src/kotlin/collections/InternalStringMap.kt", "js/src/kotlin/collections/LinkedHashMap.kt", "js/src/kotlin/collections/LinkedHashSet.kt", "js/src/kotlin/concurrent.kt", "js/src/kotlin/console.kt", "js/src/kotlin/coroutines/SafeContinuationJs.kt", "js/src/kotlin/coroutines/cancellation/CancellationException.kt", "js/src/kotlin/coroutines/js/internal/EmptyContinuation.kt", "js/src/kotlin/date.kt", "js/src/kotlin/dom/Builders.kt", "js/src/kotlin/dom/Classes.kt", "js/src/kotlin/dom/Dom.kt", "js/src/kotlin/dom/EventListener.kt", "js/src/kotlin/dom/ItemArrayLike.kt", "js/src/kotlin/dom/Mutations.kt", "js/src/kotlin/dynamic.kt", "js/src/kotlin/exceptionUtils.kt", "js/src/kotlin/grouping.kt", "src/kotlin/collections/Grouping.kt", "js/src/kotlin/jsOn.kt", "js/src/kotlin/math.kt", "js/src/kotlin/numbers.kt", "js/src/kotlin/promise.kt", "js/src/kotlin/random/PlatformRandom.kt", "js/src/kotlin/reflect/AssociatedObjects.kt", "js/src/kotlin/reflect/JsClass.kt", "js/src/kotlin/reflect/KClassImpl.kt", "js/src/kotlin/reflect/KClassesImpl.kt", "js/src/kotlin/reflect/KTypeHelpers.kt", "js/src/kotlin/reflect/KTypeImpl.kt", "js/src/kotlin/reflect/KTypeParameterImpl.kt", "js/src/kotlin/reflect/primitives.kt", "js/src/kotlin/reflect/reflection.kt", "js/src/kotlin/regexp.kt", "js/src/kotlin/sequence.kt", "js/src/kotlin/text/CharCategoryJS.kt", "js/src/kotlin/text/CharacterCodingExceptionJs.kt", "js/src/kotlin/text/StringBuilderJs.kt", "js/src/kotlin/text/numberConversions.kt", "js/src/kotlin/text/regex.kt", "src/kotlin/text/StringBuilder.kt", "js/src/kotlin/text/stringsCode.kt", "js/src/kotlin/text/utf8Encoding.kt", "js/src/kotlin/throwableExtensions.kt", "js/src/kotlin/time/DurationJs.kt", "js/src/kotlin/time/DurationUnit.kt", "js/src/kotlin/time/MonoTimeSource.kt", "js/src/kotlinx/dom/Builders.kt", "js/src/kotlinx/dom/Classes.kt", "src/kotlin/text/regex/RegexExtensions.kt", "js/src/kotlinx/dom/Dom.kt", "js/src/kotlinx/dom/Mutations.kt", "js/src/org.w3c/deprecated.kt", "js/src/org.w3c/org.khronos.webgl.kt", "js/src/org.w3c/org.w3c.dom.clipboard.kt", "js/src/org.w3c/org.w3c.dom.css.kt", "js/src/org.w3c/org.w3c.dom.encryptedmedia.kt", "js/src/org.w3c/org.w3c.dom.events.kt", "js/src/org.w3c/org.w3c.dom.kt", "js/src/org.w3c/org.w3c.fetch.kt", "js/src/org.w3c/org.w3c.dom.mediacapture.kt", "js/src/org.w3c/org.w3c.dom.mediasource.kt", "js/src/org.w3c/org.w3c.dom.pointerevents.kt", "js/src/org.w3c/org.w3c.dom.svg.kt", "js/src/org.w3c/org.w3c.files.kt", "js/src/org.w3c/org.w3c.notifications.kt", "js/src/org.w3c/org.w3c.workers.kt", "js/src/org.w3c/org.w3c.xhr.kt", "src/kotlin/annotations/Experimental.kt", "src/kotlin/annotations/ExperimentalStdlibApi.kt", "src/kotlin/annotations/Inference.kt", "src/kotlin/annotations/Multiplatform.kt", "src/kotlin/annotations/OptIn.kt", "src/kotlin/collections/AbstractCollection.kt", "src/kotlin/collections/AbstractIterator.kt", "src/kotlin/collections/AbstractList.kt", "src/kotlin/collections/AbstractMap.kt", "src/kotlin/collections/AbstractSet.kt", "src/kotlin/collections/ArrayDeque.kt", "src/kotlin/collections/Arrays.kt", "src/kotlin/collections/BrittleContainsOptimization.kt", "src/kotlin/collections/IndexedValue.kt", "src/kotlin/collections/MapAccessors.kt", "src/kotlin/collections/MapWithDefault.kt", "src/kotlin/collections/MutableCollections.kt", "src/kotlin/collections/ReversedViews.kt", "src/kotlin/collections/SequenceBuilder

r.kt","src/kotlin/collections/SlidingWindow.kt","src/kotlin/collections/UArraySorting.kt","src/kotlin/comparisons/compareTo.kt","src/kotlin/contracts/ContractBuilder.kt","src/kotlin/coroutines/ContinuationInterceptor.kt","src/kotlin/coroutines/CoroutineContext.kt","src/kotlin/coroutines/CoroutineContextImpl.kt","src/kotlin/coroutines/intrinsics/Intrinsics.kt","src/kotlin/experimental/bitwiseOperations.kt","src/kotlin/experimental/inferenceMarker.kt","src/kotlin/internal/Annotations.kt","src/kotlin/properties/Delegates.kt","src/kotlin/properties/Interfaces.kt","src/kotlin/properties/ObservableProperty.kt","src/kotlin/properties/PropertyReferenceDelegates.kt","src/kotlin/random/Random.kt","src/kotlin/random/URandom.kt","src/kotlin/random/XorWowRandom.kt","src/kotlin/ranges/Ranges.kt","src/kotlin/reflect/KClasses.kt","src/kotlin/reflect/KTypeProjection.kt","src/kotlin/reflect/KVariance.kt","src/kotlin/reflect/typeOf.kt","src/kotlin/text/Appendable.kt","src/kotlin/text/Indent.kt","src/kotlin/text/Typography.kt","src/kotlin/text/regex/MatchResult.kt","src/kotlin/time/DurationUnit.kt","src/kotlin/time/ExperimentalTime.kt","src/kotlin/time/TimeSource.kt","src/kotlin/time/TimeSources.kt","src/kotlin/time/measureTime.kt","src/kotlin/util/DeepRecursive.kt","src/kotlin/util/FloorDivMod.kt","src/kotlin/util/HashCode.kt","src/kotlin/util/KotlinVersion.kt","src/kotlin/util/Lateinit.kt","src/kotlin/util/Lazy.kt","src/kotlin/util/Numbers.kt","src/kotlin/util/Suspend.kt","src/kotlin/util/Tuples.kt","unsigned/src/kotlin/UIntRange.kt","unsigned/src/kotlin/UInterators.kt","unsigned/src/kotlin/ULongRange.kt","unsigned/src/kotlin/UMath.kt","unsigned/src/kotlin/UNumbers.kt","unsigned/src/kotlin/UProgressionUtil.kt","unsigned/src/kotlin/UStrings.kt","unsigned/src/kotlin/annotations/Unsigned.kt","common/src/kotlin/MathH.kt"],"sourcesContent":["(function (root, factory) {\n if (typeof define === 'function' && define.amd) {\n define('kotlin', ['exports'], factory);\n }\n else if (typeof exports === 'object') {\n factory(module.exports);\n }\n else {\n root.kotlin = {};\n factory(root.kotlin);\n }\n})(this, function (Kotlin) {\n var \_ = Kotlin;\n insertContent();\n});\n","/\*\n \* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n \* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n \*/\n\nKotlin.isBooleanArray = function (a) {\n return (Array.isArray(a) || a instanceof Int8Array) && a.\$type\$ === \"BooleanArray\";\n};\n\nKotlin.isByteArray = function (a) {\n return a instanceof Int8Array && a.\$type\$ !== \"BooleanArray\";\n};\n\nKotlin.isShortArray = function (a) {\n return a instanceof Int16Array;\n};\n\nKotlin.isCharArray = function (a) {\n return a instanceof Uint16Array && a.\$type\$ === \"CharArray\";\n};\n\nKotlin.isIntArray = function (a) {\n return a instanceof Int32Array;\n};\n\nKotlin.isFloatArray = function (a) {\n return a instanceof Float32Array;\n};\n\nKotlin.isDoubleArray = function (a) {\n return a instanceof Float64Array;\n};\n\nKotlin.isLongArray = function (a) {\n return Array.isArray(a) && a.\$type\$ === \"LongArray\";\n};\n\nKotlin.isArray = function (a) {\n return Array.isArray(a) && !a.\$type\$;\n};\n\nKotlin.isArrayish = function (a) {\n return Array.isArray(a) || ArrayBuffer.isView(a);\n};\n\nKotlin.arrayToString = function (a) {\n if (a === null) return \"null\";\n var toString = Kotlin.isCharArray(a) ? String.fromCharCode : Kotlin.toString;\n return \"[\" + Array.prototype.map.call(a, function(e) { return toString(e); }).join(\", \") + \"]\";\n};\n\nKotlin.arrayDeepToString = function (arr) {\n return Kotlin.kotlin.collections.contentDeepToStringImpl(arr);\n};\n\nKotlin.arrayEquals = function (a, b) {\n if (a === b) {\n return true;\n }\n if (a === null || b === null || !Kotlin.isArrayish(b) || a.length !== b.length) {\n return false;\n }\n for (var i = 0, n = a.length; i < n; i++) {\n if (!Kotlin.equals(a[i], b[i])) {\n return false;\n }\n }\n return true;\n};\n\nKotlin.arrayDeepEquals = function (a, b) {\n return Kotlin.kotlin.collections.contentDeepEqualsImpl(a, b);\n};\n\nKotlin.arrayHashCode = function (arr) {\n if (arr === null) return 0;\n var result = 1;\n for (var i = 0, n = arr.length; i < n; i++) {\n result = ((31 \* result | 0) + Kotlin.hashCode(arr[i])) | 0;\n }\n return result;\n};\n\nKotlin.arrayDeepHashCode = function (arr) {\n return Kotlin.kotlin.collections.contentDeepHashCodeImpl(arr);\n};\n\nKotlin.primitiveArraySort = function (array) {\n array.sort(Kotlin.doubleCompareTo);\n};\n","/\*\n \* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n \* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n \*/\n\nKotlin.getCallableRef = function (name, f) {\n f.callableName = name;\n return f;\n};\n\nKotlin.getPropertyCallableRef = function (name, paramCount, getter, setter) {\n getter.get = getter;\n getter.set = setter;\n getter.callableName = name;\n return getPropertyRefClass(getter, setter,

```

propertyRefClassMetadataCache[paramCount]);\n);\n\nfunction getPropertyRefClass(obj, setter, cache) {\n
obj.$metadata$ = getPropertyRefMetadata(typeof setter === \"function\" ? cache.mutable : cache.immutable);\n
obj.constructor = obj;\n  return obj;\n}\n\nvar propertyRefClassMetadataCache = [\n  {\n    mutable: { value:\n
null, implementedInterface: function () {\n      return Kotlin.kotlin.reflect.KMutableProperty0 }\n    },\n
immutable: { value: null, implementedInterface: function () {\n      return Kotlin.kotlin.reflect.KProperty0 }\n
  }\n  },\n  {\n    mutable: { value: null, implementedInterface: function () {\n      return\n
Kotlin.kotlin.reflect.KMutableProperty1 }\n    },\n    immutable: { value: null, implementedInterface: function\n
() {\n      return Kotlin.kotlin.reflect.KProperty1 }\n    }\n  }\n];\n\nfunction getPropertyRefMetadata(cache)\n
{\n  if (cache.value === null) {\n    cache.value = {\n      interfaces: [cache.implementedInterface()],\n
baseClass: null,\n      functions: {},\n      properties: {},\n      types: {},\n      staticMembers: {}\n
    };\n  }\n  return cache.value;\n}\n\n\"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming\n
Language contributors. \n * Use of this source code is governed by the Apache 2.0 license that can be found in the\n
license/LICENSE.txt file.\n */\n\nKotlin.toShort = function (a) {\n  return (a & 0xFFFF) << 16 >>\n
16;\n};\n\nKotlin.toByte = function (a) {\n  return (a & 0xFF) << 24 >> 24;\n};\n\nKotlin.toChar = function (a) {\n\n
return a & 0xFFFF;\n};\n\nKotlin.numberToLong = function (a) {\n  return a instanceof Kotlin.Long ? a :\n
Kotlin.Long.fromNumber(a);\n};\n\nKotlin.numberToInt = function (a) {\n  return a instanceof Kotlin.Long ?\n
a.toInt() : Kotlin.doubleToInt(a);\n};\n\nKotlin.numberToShort = function (a) {\n  return\n
Kotlin.toShort(Kotlin.numberToInt(a));\n};\n\nKotlin.numberToByte = function (a) {\n  return\n
Kotlin.toByte(Kotlin.numberToInt(a));\n};\n\nKotlin.numberToDouble = function (a) {\n  return\n
+a;\n};\n\nKotlin.numberToChar = function (a) {\n  return\n
Kotlin.toChar(Kotlin.numberToInt(a));\n};\n\nKotlin.doubleToInt = function(a) {\n  if (a > 2147483647) return\n
2147483647;\n  if (a < -2147483648) return -2147483648;\n  return a | 0;\n};\n\nKotlin.toBoxedChar = function\n
(a) {\n  if (a == null) return a;\n  if (a instanceof Kotlin.BoxedChar) return a;\n  return new\n
Kotlin.BoxedChar(a);\n};\n\nKotlin.unboxChar = function(a) {\n  if (a == null) return a;\n  return\n
Kotlin.toChar(a);\n};\n\n\"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language\n
contributors. \n * Use of this source code is governed by the Apache 2.0 license that can be found in the\n
license/LICENSE.txt file.\n */\n\nKotlin.equals = function (obj1, obj2) {\n  if (obj1 == null) {\n    return obj2 ==\n
null;\n  }\n  if (obj2 == null) {\n    return false;\n  }\n  if (obj1 !== obj2) {\n    return obj2 !== obj2;\n
  }\n  if (typeof obj1 === \"object\" && typeof obj1.equals === \"function\") {\n    return obj1.equals(obj2);\n
  }\n  if (typeof obj1 === \"number\" && typeof obj2 === \"number\") {\n    return obj1 === obj2 && (obj1 !==\n
0 || 1 / obj1 === 1 / obj2);\n  }\n  return obj1 === obj2;\n};\n\nKotlin.hashCode = function (obj) {\n  if (obj ==\n
null) {\n    return 0;\n  }\n  var objType = typeof obj;\n  if (\"object\" === objType) {\n    return \"function\"\n
=== typeof obj.hashCode ? obj.hashCode() : getObjectHashCode(obj);\n  }\n  if (\"function\" === objType) {\n\n
return\n
getObjectHashCode(obj);\n  }\n  if (\"number\" === objType) {\n    return\n
Kotlin.numberHashCode(obj);\n  }\n  if (\"boolean\" === objType) {\n    return Number(obj)\n  }\n  var str\n
= String(obj);\n  return getStringHashCode(str);\n};\n\nKotlin.toString = function (o) {\n  if (o == null) {\n\n
return\n
\"null\";\n  }\n  else if (Kotlin.isArrayish(o)) {\n    return \"[...]\";\n  }\n  else {\n    return\n
o.toString();\n  }\n};\n\n/** @const */\nvar POW_2_32 = 4294967296;\n// TODO: consider switching to Symbol\n
type once we are on ES6.\n/** @const */\nvar OBJECT_HASH_CODE_PROPERTY_NAME =\n
\"kotlinHashCodeValue$\";\n\nfunction getObjectHashCode(obj) {\n  if\n
(! (OBJECT_HASH_CODE_PROPERTY_NAME in obj)) {\n    var hash = (Math.random() * POW_2_32) | 0; //\n
Make 32-bit signed integer.\n    Object.defineProperty(obj, OBJECT_HASH_CODE_PROPERTY_NAME, {\n
value: hash, enumerable: false });\n  }\n  return\n
obj[OBJECT_HASH_CODE_PROPERTY_NAME];\n}\n\nfunction getStringHashCode(str) {\n  var hash = 0;\n
for (var i = 0; i < str.length; i++) {\n    var code = str.charCodeAt(i);\n    hash = (hash * 31 + code) | 0; // Keep\n
it 32-bit.\n  }\n  return hash;\n}\n\nKotlin.identityHashCode = getObjectHashCode;\n\n\"/*\n * Copyright 2010-\n
2018 JetBrains s.r.o. and Kotlin Programming Language contributors. \n * Use of this source code is governed by\n
the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// Copyright 2009 The Closure

```

Library Authors. All Rights Reserved.  
 Licensed under the Apache License, Version 2.0 (the "License");  
 you may not use this file except in compliance with the License.  
 You may obtain a copy of the License at  
<http://www.apache.org/licenses/LICENSE-2.0>  
 Unless required by applicable law or agreed to in writing,  
 software distributed under the License is distributed on an "AS-IS" BASIS,  
 WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

**Constructs a 64-bit two's-complement integer, given its low and high 32-bit values as signed integers. See the from\* functions below for more convenient ways of constructing Longs.**

**The internal representation of a long is the two given signed, 32-bit values. We use 32-bit pieces because these are the size of integers on which Javascript performs bit-operations. For operations like addition and multiplication, we split each number into 16-bit pieces, which can easily be multiplied within Javascript's floating-point representation without overflow or change in sign.**

**In the algorithms below, we frequently reduce the negative case to the positive case by negating the input(s) and then post-processing the result. Note that we must ALWAYS check specially whether those values are MIN\_VALUE (-2^63) because -MIN\_VALUE == MIN\_VALUE (since 2^63 cannot be represented as a positive number, it overflows back into a negative). Not handling this case would often result in infinite recursion.**

```

  @param {number} low The low (signed) 32 bits of the long.
  @param {number} high The high (signed) 32 bits of the long.
  @constructor
  @final
  ^\nKotlin.Long = function(low, high) {
  /**
  @type {number}
  @private
  ^\n this.low_ = low | 0; // force into 32 signed bits.
  /**
  @type {number}
  @private
  ^\n this.high_ = high | 0; // force into 32 signed bits.
  };
  \nKotlin.Long.$metadata$ = {
  \n  kind: "class",
  \n  simpleName: "Long",
  \n  interfaces: []
  };
  \n\n// NOTE: Common constant values ZERO, ONE, NEG_ONE, etc. are defined below the from* methods on which they depend.
  \n\n/**
  @type {!Object}
  @private
  ^\nKotlin.Long.IntCache_ = {};
  \n\n/**
  @type {number}
  @private
  ^\n Returns a Long representing the given (32-bit) integer value.
  @param {number} value The 32-bit integer in question.
  @return {!Kotlin.Long} The corresponding Long value.
  ^\nKotlin.Long.fromInt = function(value) {
  \n  if (-128 <= value && value < 128) {
  \n    var cachedObj = Kotlin.Long.IntCache_[value];
  \n    if (cachedObj) {
  \n      return cachedObj;
  \n    }
  \n    var obj = new Kotlin.Long(value | 0, value < 0 ? -1 : 0);
  \n    if (-128 <= value && value < 128) {
  \n      Kotlin.Long.IntCache_[value] = obj;
  \n    }
  \n    return obj;
  \n  };
  \n\n/**
  Converts this number value to `Long`. The fractional part, if any, is rounded down towards zero. Returns zero if this `Double` value is `NaN`, `Long.MIN_VALUE` if it's less than `Long.MIN_VALUE`, `Long.MAX_VALUE` if it's bigger than `Long.MAX_VALUE`.
  @param {number} value The number in question.
  @return {!Kotlin.Long} The corresponding Long value.
  ^\nKotlin.Long.fromNumber = function(value) {
  \n  if (isNaN(value)) {
  \n    return Kotlin.Long.ZERO;
  \n  } else if (value <= -Kotlin.Long.TWO_PWR_63_DBL_) {
  \n    return Kotlin.Long.MIN_VALUE;
  \n  } else if (value + 1 >= Kotlin.Long.TWO_PWR_63_DBL_) {
  \n    return Kotlin.Long.MAX_VALUE;
  \n  } else if (value < 0) {
  \n    return Kotlin.Long.fromNumber(-value).negate();
  \n  } else {
  \n    return new Kotlin.Long(
  \n      (value % Kotlin.Long.TWO_PWR_32_DBL_) | 0,
  \n      (value / Kotlin.Long.TWO_PWR_32_DBL_) | 0);
  \n  };
  \n\n/**
  Returns a Long representing the 64-bit integer that comes by concatenating the given high and low bits. Each is assumed to use 32 bits.
  @param {number} lowBits The low 32-bits.
  @param {number} highBits The high 32-bits.
  @return {!Kotlin.Long} The corresponding Long value.
  ^\nKotlin.Long.fromBits = function(lowBits, highBits) {
  \n  return new Kotlin.Long(lowBits, highBits);
  };
  \n\n/**
  Returns a Long representation of the given string, written using the given radix.
  @param {string} str The textual representation of the Long.
  @param {number=} opt_radix The radix in which the text is written.
  @return {!Kotlin.Long} The corresponding Long value.
  ^\nKotlin.Long.fromString = function(str, opt_radix) {
  \n  if (str.length == 0) {
  \n    throw Error('number format error: empty string');
  \n  }
  \n  var radix = opt_radix || 10;
  \n  if (radix < 2 || 36 < radix) {
  \n    throw Error('radix out of range: ' + radix);
  \n  }
  \n  if (str.charAt(0) == '-') {
  \n    return Kotlin.Long.fromString(str.substring(1), radix).negate();
  \n  } else if (str.indexOf('-') >= 0) {
  \n    throw Error('number format error: interior "-" character: ' + str);
  \n  }
  \n  // Do several (8) digits each time through the loop, so as to minimize the calls to the very expensive emulated div.
  \n  var radixToPower = Kotlin.Long.fromNumber(Math.pow(radix, 8));
  \n  var result = Kotlin.Long.ZERO;
  \n  for (var i = 0; i < str.length;

```



```

i += 8) {\n    var size = Math.min(8, str.length - i);\n    var value = parseInt(str.substring(i, i + size), radix);\n    if
(size < 8) {\n        var power = Kotlin.Long.fromNumber(Math.pow(radix, size));\n        result =
result.multiply(power).add(Kotlin.Long.fromNumber(value));\n    } else {\n        result =
result.multiply(radixToPower);\n        result = result.add(Kotlin.Long.fromNumber(value));\n    }\n}\n
return
result;\n};\n\n\n// NOTE: the compiler should inline these constant values below and then remove\n// these
variables, so there should be no runtime penalty for these.\n\n\n**\n * Number used repeated below in calculations.
This must appear before the\n * first call to any from* function below.\n * @type {number}\n * @private\n
*\nKotlin.Long.TWO_PWR_16_DBL_ = 1 << 16;\n\n\n**\n * @type {number}\n * @private\n
*\nKotlin.Long.TWO_PWR_24_DBL_ = 1 << 24;\n\n\n**\n * @type {number}\n * @private\n
*\nKotlin.Long.TWO_PWR_32_DBL_ =\n Kotlin.Long.TWO_PWR_16_DBL_ *
Kotlin.Long.TWO_PWR_16_DBL_;\n\n\n**\n * @type {number}\n * @private\n
*\nKotlin.Long.TWO_PWR_31_DBL_ =\n Kotlin.Long.TWO_PWR_32_DBL_ / 2;\n\n\n**\n * @type
{number}\n * @private\n *\nKotlin.Long.TWO_PWR_48_DBL_ =\n Kotlin.Long.TWO_PWR_32_DBL_ *
Kotlin.Long.TWO_PWR_16_DBL_;\n\n\n**\n * @type {number}\n * @private\n
*\nKotlin.Long.TWO_PWR_64_DBL_ =\n Kotlin.Long.TWO_PWR_32_DBL_ *
Kotlin.Long.TWO_PWR_32_DBL_;\n\n\n**\n * @type {number}\n * @private\n
*\nKotlin.Long.TWO_PWR_63_DBL_ =\n Kotlin.Long.TWO_PWR_64_DBL_ / 2;\n\n\n** @type
{!Kotlin.Long} *\nKotlin.Long.ZERO = Kotlin.Long.fromInt(0);\n\n\n** @type {!Kotlin.Long}
*\nKotlin.Long.ONE = Kotlin.Long.fromInt(1);\n\n\n** @type {!Kotlin.Long} *\nKotlin.Long.NEG_ONE =
Kotlin.Long.fromInt(-1);\n\n\n** @type {!Kotlin.Long} *\nKotlin.Long.MAX_VALUE =\n
Kotlin.Long.fromBits(0xFFFFFFFF | 0, 0x7FFFFFFF | 0);\n\n\n** @type {!Kotlin.Long}
*\nKotlin.Long.MIN_VALUE = Kotlin.Long.fromBits(0, 0x80000000 | 0);\n\n\n**\n * @type {!Kotlin.Long}\n *
@private\n *\nKotlin.Long.TWO_PWR_24_ = Kotlin.Long.fromInt(1 << 24);\n\n\n** @return {number} The
value, assuming it is a 32-bit integer. *\nKotlin.Long.prototype.toInt = function() {\n    return this.low_;\n};\n\n\n**
@return {number} The closest floating-point representation to this value. *\nKotlin.Long.prototype.toNumber =
function() {\n    return this.high_ * Kotlin.Long.TWO_PWR_32_DBL_ +\n
this.getLowBitsUnsigned();\n};\n\n\n** @return {number} The 32-bit hashCode of this value.
*\nKotlin.Long.prototype.hashCode = function() {\n    return this.high_ ^ this.low_;\n};\n\n\n**\n * @param
{number=} opt_radix The radix in which the text should be written.\n * @return {string} The textual representation
of this value.\n * @override\n *\nKotlin.Long.prototype.toString = function(opt_radix) {\n    var radix = opt_radix ||
10;\n    if (radix < 2 || 36 < radix) {\n        throw Error('radix out of range: ' + radix);\n    }\n\n    if (this.isZero()) {\n
return '0';\n    }\n\n    if (this.isNegative()) {\n        if (this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n            // We need to
change the Long value before it can be negated, so we remove\n            // the bottom-most digit in this base and then
recurse to do the rest.\n            var radixLong = Kotlin.Long.fromNumber(radix);\n            var div = this.div(radixLong);\n
            var rem = div.multiply(radixLong).subtract(this);\n            return div.toString(radix) + rem.toInt().toString(radix);\n        }
else {\n            return '-' + this.negate().toString(radix);\n        }\n    }\n\n    // Do several (6) digits each time through the loop,
so as to\n    // minimize the calls to the very expensive emulated div.\n    var radixToPower =
Kotlin.Long.fromNumber(Math.pow(radix, 6));\n    var rem = this;\n    var result = '';\n    while (true) {\n        var
remDiv = rem.div(radixToPower);\n        var intVal = rem.subtract(remDiv.multiply(radixToPower)).toInt();\n        var
digits = intVal.toString(radix);\n        rem = remDiv;\n        if (rem.isZero()) {\n            return digits + result;\n        }
else {\n            while (digits.length < 6) {\n                digits = '0' + digits;\n            }\n            result = " + digits +
result;\n        }\n    }\n};\n\n\n**
@return {number} The high 32-bits as a signed value. *\nKotlin.Long.prototype.getHighBits = function() {\n    return
this.high_;\n};\n\n\n** @return {number} The low 32-bits as a signed value.
*\nKotlin.Long.prototype.getLowBits = function() {\n    return this.low_;\n};\n\n\n** @return {number} The low
32-bits as an unsigned value. *\nKotlin.Long.prototype.getLowBitsUnsigned = function() {\n    return (this.low_ >=
0) ?\n        this.low_ : Kotlin.Long.TWO_PWR_32_DBL_ + this.low_;\n};\n\n\n**\n * @return {number} Returns
the number of bits needed to represent the absolute\n * value of this Long.\n
*\nKotlin.Long.prototype.getNumBitsAbs = function() {\n    if (this.isNegative()) {\n        if

```

```

(this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n    return 64;\n } else {\n    return
this.negate().getNumBitsAbs();\n }\n } else {\n    var val = this.high_ != 0 ? this.high_ : this.low_;\n    for (var bit
= 31; bit > 0; bit--) {\n        if ((val & (1 << bit)) != 0) {\n            break;\n        }\n    }\n    return this.high_ != 0 ? bit + 33
: bit + 1;\n }\n};\n\n/** @return {boolean} Whether this value is zero. */\nKotlin.Long.prototype.isZero =
function() {\n    return this.high_ == 0 && this.low_ == 0;\n};\n\n/** @return {boolean} Whether this value is
negative. */\nKotlin.Long.prototype.isNegative = function() {\n    return this.high_ < 0;\n};\n\n/** @return
{boolean} Whether this value is odd. */\nKotlin.Long.prototype.isOdd = function() {\n    return (this.low_ & 1) ==
1;\n};\n\n/**\n * @param {Kotlin.Long} other Long to compare against.\n * @return {boolean} Whether this
Long equals the other.\n */\nKotlin.Long.prototype.equalsLong = function(other) {\n    return (this.high_ ==
other.high_) && (this.low_ == other.low_);\n};\n\n/**\n * @param {Kotlin.Long} other Long to compare
against.\n * @return {boolean} Whether this Long does not equal the other.\n
*/\nKotlin.Long.prototype.notEqualsLong = function(other) {\n    return (this.high_ != other.high_) || (this.low_ !=
other.low_);\n};\n\n/**\n * @param {Kotlin.Long} other Long to compare against.\n * @return {boolean}
Whether this Long is less than the other.\n */\nKotlin.Long.prototype.lessThan = function(other) {\n    return
this.compare(other) < 0;\n};\n\n/**\n * @param {Kotlin.Long} other Long to compare against.\n * @return
{boolean} Whether this Long is less than or equal to the other.\n */\nKotlin.Long.prototype.lessThanOrEqual =
function(other) {\n    return this.compare(other) <= 0;\n};\n\n/**\n * @param {Kotlin.Long} other Long to
compare against.\n * @return {boolean} Whether this Long is greater than the other.\n
*/\nKotlin.Long.prototype.greaterThan = function(other) {\n    return this.compare(other) > 0;\n};\n\n/**\n *
@param {Kotlin.Long} other Long to compare against.\n * @return {boolean} Whether this Long is greater than or
equal to the other.\n */\nKotlin.Long.prototype.greaterThanOrEqual = function(other) {\n    return
this.compare(other) >= 0;\n};\n\n/**\n * @param {Kotlin.Long} other Long to compare against.\n * @return
{number} 0 if they are the same, 1 if the this is greater, and -1\n * if the given one is greater.\n */\nKotlin.Long.prototype.compare = function(other) {\n    if (this.equalsLong(other)) {\n
return 0;\n }\n\n    var thisNeg = this.isNegative();\n    var otherNeg = other.isNegative();\n    if (thisNeg &&
!otherNeg) {\n        return -1;\n    }\n    if (!thisNeg && otherNeg) {\n        return 1;\n    }\n\n    // at this point, the signs are the
same, so subtraction will not overflow\n    if (this.subtract(other).isNegative()) {\n        return -1;\n    } else {\n        return
1;\n    }\n};\n\n/** @return {!Kotlin.Long} The negation of this value. */\nKotlin.Long.prototype.negate =
function() {\n    if (this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n        return Kotlin.Long.MIN_VALUE;\n    } else
{\n        return this.not().add(Kotlin.Long.ONE);\n    }\n};\n\n/**\n * Returns the sum of this and the given Long.\n *
@param {Kotlin.Long} other Long to add to this one.\n * @return {!Kotlin.Long} The sum of this and the given
Long.\n */\nKotlin.Long.prototype.add = function(other) {\n    // Divide each number into 4 chunks of 16 bits, and
then sum the chunks.\n\n    var a48 = this.high_ >>> 16;\n    var a32 = this.high_ & 0xFFFF;\n    var a16 = this.low_
>>> 16;\n    var a00 = this.low_ & 0xFFFF;\n\n    var b48 = other.high_ >>> 16;\n    var b32 = other.high_ & 0xFFFF;\n
var b16 = other.low_ >>> 16;\n    var b00 = other.low_ & 0xFFFF;\n\n    var c48 = 0, c32 = 0, c16 = 0, c00 = 0;\n    c00
+= a00 + b00;\n    c16 += c00 >>> 16;\n    c00 &= 0xFFFF;\n    c16 += a16 + b16;\n    c32 += c16 >>> 16;\n    c16 &=
0xFFFF;\n    c32 += a32 + b32;\n    c48 += c32 >>> 16;\n    c32 &= 0xFFFF;\n    c48 += a48 + b48;\n    c48 &=
0xFFFF;\n    return Kotlin.Long.fromBits((c16 << 16) | c00, (c48 << 16) | c32);\n};\n\n/**\n * Returns the
difference of this and the given Long.\n * @param {Kotlin.Long} other Long to subtract from this.\n * @return
{!Kotlin.Long} The difference of this and the given Long.\n */\nKotlin.Long.prototype.subtract = function(other)
{\n    return this.add(other.negate());\n};\n\n/**\n * Returns the product of this and the given long.\n * @param
{Kotlin.Long} other Long to multiply with this.\n * @return {!Kotlin.Long} The product of this and the other.\n
*/\nKotlin.Long.prototype.multiply = function(other) {\n    if (this.isZero()) {\n        return Kotlin.Long.ZERO;\n    } else
if (other.isZero()) {\n        return Kotlin.Long.ZERO;\n    }\n\n    if (this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n
return other.isOdd() ? Kotlin.Long.MIN_VALUE : Kotlin.Long.ZERO;\n    } else if
(other.equalsLong(Kotlin.Long.MIN_VALUE)) {\n        return this.isOdd() ? Kotlin.Long.MIN_VALUE :
Kotlin.Long.ZERO;\n    }\n\n    if (this.isNegative()) {\n        if (other.isNegative()) {\n            return
this.negate().multiply(other.negate());\n        } else {\n            return this.negate().multiply(other).negate();\n        }\n    } else if

```

```

(other.isNegative()) {
    return this.multiply(other.negate()).negate();
}

// If both longs are small, use float
multiplication
if (this.lessThan(Kotlin.Long.TWO_PWR_24_) &&
    other.lessThan(Kotlin.Long.TWO_PWR_24_)) {
    return Kotlin.Long.fromNumber(this.toNumber() *
        other.toNumber());
}

// Divide each long into 4 chunks of 16 bits, and then add up 4x4 products.
// We can skip products that would overflow.
var a48 = this.high_ >>> 16;
var a32 = this.high_ & 0xFFFF;
var a16 = this.low_ >>> 16;
var a00 = this.low_ & 0xFFFF;
var b48 = other.high_ >>> 16;
var b32 = other.high_ & 0xFFFF;
var b16 = other.low_ >>> 16;
var b00 = other.low_ & 0xFFFF;
var c48 = 0, c32 = 0, c16 = 0, c00 = 0;
c00 += a00 * b00;
c16 += c00 >>> 16;
c00 &= 0xFFFF;
c16 += a16 * b00;
c32 += c16 >>> 16;
c16 &= 0xFFFF;
c16 += a00 * b16;
c32 += c16 >>> 16;
c16 &= 0xFFFF;
c32 += a32 * b00;
c48 += c32 >>> 16;
c32 &= 0xFFFF;
c32 += a16 * b16;
c48 += c32 >>> 16;
c32 &= 0xFFFF;
c32 += a00 * b32;
c48 += c32 >>> 16;
c32 &= 0xFFFF;
c48 += a48 * b00 + a32 * b16 + a16 * b32 + a00 * b48;
c48 &= 0xFFFF;
return Kotlin.Long.fromBits((c16 << 16) | c00, (c48 << 16) | c32);
}

/** Returns this Long divided by the given one.
 * @param {Kotlin.Long} other Long by which to divide.
 * @return {!Kotlin.Long} This Long divided by the given one.
 */
Kotlin.Long.prototype.div = function(other) {
    if (other.isZero()) {
        throw Error('division by zero');
    } else if (this.isZero()) {
        return Kotlin.Long.ZERO;
    }

    if (this.equalsLong(Kotlin.Long.MIN_VALUE)) {
        if (other.equalsLong(Kotlin.Long.ONE) ||
            other.equalsLong(Kotlin.Long.NEG_ONE)) {
            return Kotlin.Long.MIN_VALUE; // recall that -MIN_VALUE == MIN_VALUE
        } else if (other.equalsLong(Kotlin.Long.MIN_VALUE)) {
            return Kotlin.Long.ONE;
        } else {
            // At this point, we have |other| >= 2, so |this/other| < |MIN_VALUE|.
            var halfThis = this.shiftRight(1);
            var approx = halfThis.div(other).shiftLeft(1);
            if (approx.equalsLong(Kotlin.Long.ZERO)) {
                return other.isNegative() ? Kotlin.Long.ONE : Kotlin.Long.NEG_ONE;
            } else {
                var rem = this.subtract(other.multiply(approx));
                var result = approx.add(rem.div(other));
                return result;
            }
        }
    }

    if (this.isNegative()) {
        if (other.isNegative()) {
            return this.negate().div(other.negate());
        } else {
            return this.negate().div(other).negate();
        }
    } else if (other.isNegative()) {
        return this.div(other.negate()).negate();
    }

    // Repeat the following until the remainder is less than other: find a floating-point that approximates remainder / other *from below*, add this into the result, and subtract it from the remainder. It is critical that the approximate value is less than or equal to the real value so that the remainder never becomes negative.
    var res = Kotlin.Long.ZERO;
    var rem = this;
    while (rem.greaterThanOrEqual(other)) {
        // Approximate the result of division. This may be a little greater or smaller than the actual value.
        var approx = Math.max(1, Math.floor(rem.toNumber() / other.toNumber()));

        // We will tweak the approximate result by changing it in the 48-th digit or the smallest non-fractional digit, whichever is larger.
        var log2 = Math.ceil(Math.log(approx) / Math.LN2);
        var delta = (log2 <= 48) ? 1 : Math.pow(2, log2 - 48);

        // Decrease the approximation until it is smaller than the remainder. Note that if it is too large, the product overflows and is negative.
        var approxRes = Kotlin.Long.fromNumber(approx);
        var approxRem = approxRes.multiply(other);
        while (approxRem.isNegative() || approxRem.greaterThan(rem)) {
            approx -= delta;
            approxRes = Kotlin.Long.fromNumber(approx);
            approxRem = approxRes.multiply(other);
        }

        // We know the answer can't be zero... and actually, zero would cause infinite recursion since we would make no progress.
        if (approxRes.isZero()) {
            approxRes = Kotlin.Long.ONE;
        }

        res = res.add(approxRes);
        rem = rem.subtract(approxRem);
    }

    return res;
}

/** Returns this Long modulo the given one.
 * @param {Kotlin.Long} other Long by which to mod.
 * @return {!Kotlin.Long} This Long modulo the given one.
 */
Kotlin.Long.prototype.modulo = function(other) {
    return this.subtract(this.div(other).multiply(other));
}

/** Returns the bitwise-NOT of this value.
 */
Kotlin.Long.prototype.not = function() {
    return Kotlin.Long.fromBits(~this.low_, ~this.high_);
}

/** Returns the bitwise-AND of this Long and the given one.
 * @param {Kotlin.Long} other The Long with which to AND.
 * @return {!Kotlin.Long} The bitwise-AND of this and the other.
 */
Kotlin.Long.prototype.and = function(other) {
    return Kotlin.Long.fromBits(this.low_ & other.low_,

```

```

        this.high_ & other.high_);;};\n\n\n/**\n * Returns the bitwise-OR of this Long and the given one.\n *
    @param {Kotlin.Long} other The Long with which to OR.\n * @return {!Kotlin.Long} The bitwise-OR of this and
    the other.\n */\nKotlin.Long.prototype.or = function(other) {\n  return Kotlin.Long.fromBits(this.low_ |
    other.low_,\n                    this.high_ | other.high_);;};\n\n\n/**\n * Returns the bitwise-XOR of this Long
    and the given one.\n * @param {Kotlin.Long} other The Long with which to XOR.\n * @return {!Kotlin.Long}
    The bitwise-XOR of this and the other.\n */\nKotlin.Long.prototype.xor = function(other) {\n  return
    Kotlin.Long.fromBits(this.low_ ^ other.low_,\n                    this.high_ ^ other.high_);;};\n\n\n/**\n *
    Returns this Long with bits shifted to the left by the given amount.\n * @param {number} numBits The number of
    bits by which to shift.\n * @return {Kotlin.Long} This shifted to the left by the given amount.\n
    */\nKotlin.Long.prototype.shiftLeft = function(numBits) {\n  numBits &= 63;\n  if (numBits == 0) {\n    return
    this;\n  } else {\n    var low = this.low_;\n    if (numBits < 32) {\n      var high = this.high_;\n      return
    Kotlin.Long.fromBits(\n        low << numBits,\n        (high << numBits) | (low >>> (32 - numBits)));\n    } else
    {\n      return Kotlin.Long.fromBits(0, low << (numBits - 32));\n    }\n  };\n};\n\n\n/**\n * Returns this Long with
    bits shifted to the right by the given amount.\n * @param {number} numBits The number of bits by which to shift.\n
    * @return {Kotlin.Long} This shifted to the right by the given amount.\n */\nKotlin.Long.prototype.shiftRight =
    function(numBits) {\n  numBits &= 63;\n  if (numBits == 0) {\n    return this;\n  } else {\n    var high =
    this.high_;\n    if (numBits < 32) {\n      var low = this.low_;\n      return Kotlin.Long.fromBits(\n        (low >>>
    numBits) | (high <<< (32 - numBits)),\n        high >> numBits);\n    } else {\n      return Kotlin.Long.fromBits(\n        high >>
    (numBits - 32),\n        high >= 0 ? 0 : -1);\n    }\n  };\n};\n\n\n/**\n * Returns this Long with bits shifted to the right
    by the given amount, with\n * zeros placed into the new leading bits.\n * @param {number} numBits The number
    of bits by which to shift.\n * @return {Kotlin.Long} This shifted to the right by the given amount, with\n *
    zeros placed into the new leading bits.\n */\nKotlin.Long.prototype.shiftRightUnsigned = function(numBits) {\n  numBits
    &= 63;\n  if (numBits == 0) {\n    return this;\n  } else {\n    var high = this.high_;\n    if (numBits < 32) {\n      var
    low = this.low_;\n      return Kotlin.Long.fromBits(\n        (low >>> numBits) | (high <<< (32 - numBits)),\n        high >>>
    numBits);\n    } else if (numBits == 32) {\n      return Kotlin.Long.fromBits(high, 0);\n    } else {\n      return
    Kotlin.Long.fromBits(high >>> (numBits - 32), 0);\n    }\n  };\n};\n\n// Support for
    Kotlin\nKotlin.Long.prototype.equals = function (other) {\n  return other instanceof Kotlin.Long &&
    this.equalsLong(other);;};\n\nKotlin.Long.prototype.compareTo_11rb$ =
    Kotlin.Long.prototype.compareTo;\n\nKotlin.Long.prototype.inc = function() {\n  return
    this.add(Kotlin.Long.ONE);;};\n\nKotlin.Long.prototype.dec = function() {\n  return
    this.add(Kotlin.Long.NEG_ONE);;};\n\nKotlin.Long.prototype.valueOf = function() {\n  return
    this.toNumber();;};\n\nKotlin.Long.prototype.unaryPlus = function() {\n  return
    this;};\n\nKotlin.Long.prototype.unaryMinus = Kotlin.Long.prototype.negate;\nKotlin.Long.prototype.inv =
    Kotlin.Long.prototype.not;\n\nKotlin.Long.prototype.rangeTo = function (other) {\n  return new
    Kotlin.kotlin.ranges.LongRange(this, other);;};\n";\n\n\n/* Copyright 2010-2018 JetBrains s.r.o. and Kotlin
    Programming Language contributors. \n * Use of this source code is governed by the Apache 2.0 license that can be
    found in the license/LICENSE.txt file.\n */\n\n\n/**\n * @param {string} id\n * @param {Object} declaration\n
    */\nKotlin.defineModule = function (id, declaration) {\n};\n\nKotlin.defineInlineFunction = function(tag, fun) {\n
    return fun;};\n\nKotlin.wrapFunction = function(fun) {\n  var f = function() {\n    f = fun();\n    return
    f.apply(this, arguments);;};\n  return function() {\n    return f.apply(this, arguments);;};\n};\n\nKotlin.isTypeOf =
    function(type) {\n  return function (object) {\n    return typeof object === type;\n  };\n};\n\nKotlin.isInstanceOf =
    function (klass) {\n  return function (object) {\n    return Kotlin.isType(object,
    klass);;};\n};\n\nKotlin.orNull = function (fn) {\n  return function (object) {\n    return object == null ||
    fn(object);;};\n};\n\nKotlin.andPredicate = function (a, b) {\n  return function (object) {\n    return a(object)
    && b(object);;};\n};\n\nKotlin.kotlinModuleMetadata = function (abiVersion, moduleName, data)
    {\n};\n\nKotlin.suspendCall = function(value) {\n  return value;};\n\nKotlin.coroutineResult = function(qualifier)
    {\n  throwMarkerError();;};\n\nKotlin.coroutineController = function(qualifier) {\n
    throwMarkerError();;};\n\nKotlin.coroutineReceiver = function(qualifier) {\n
  
```

```

throwMarkerError();\n};\n\nKotlin.setCoroutineResult = function(value, qualifier) {\n
throwMarkerError();\n};\n\nKotlin.getReifiedTypeParameterKType = function(typeParameter) {\n
throwMarkerError();\n};\n\nfunction throwMarkerError() {\n  throw new Error(\n    \"This marker function\n    should never been called. \" +\n    \"Looks like compiler did not eliminate it properly. \" +\n    \"Please, report\n    an issue if you caught this exception.\");\n}\n\nKotlin.getFunctionById = function(id, defaultValue) {\n  return\n  function() {\n    return defaultValue;\n  };\n};\n\n/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin\n  Programming Language contributors.\n  * Use of this source code is governed by the Apache 2.0 license that can be\n  found in the license/LICENSE.txt file.\n  */\n\nKotlin.compareTo = function(a, b) {\n  var typeA = typeof a;\n  if\n  (typeA === \"number\") {\n    if (typeof b === \"number\") {\n      return Kotlin.doubleCompareTo(a, b);\n    }\n    return Kotlin.primitiveCompareTo(a, b);\n  }\n  if (typeA === \"string\" || typeA === \"boolean\") {\n    return Kotlin.primitiveCompareTo(a, b);\n  }\n  return\n  a.compareTo_11rb$(b);\n};\n\nKotlin.primitiveCompareTo = function(a, b) {\n  return a < b ? -1 : a > b ? 1 :\n  0;\n};\n\nKotlin.doubleCompareTo = function(a, b) {\n  if (a < b) return -1;\n  if (a > b) return 1;\n  if (a ===\n  b) {\n    if (a !== 0) return 0;\n    var ia = 1 / a;\n    return ia === 1 / b ? 0 : (ia < 0 ? -1 : 1);\n  }\n  return a !== a ? (b !== b ? 0 : 1) : -1;\n};\n\nKotlin.charInc = function(value) {\n  return\n  Kotlin.toChar(value+1);\n};\n\nKotlin.charDec = function(value) {\n  return Kotlin.toChar(value-\n  1);\n};\n\nKotlin.imul = Math.imul || imul;\n\nKotlin.imulEmulated = imul;\n\nfunction imul(a, b) {\n  return ((a &\n  0xffff0000) * (b & 0xffff) + (a & 0xffff) * (b | 0)) | 0;\n}\n\n(function() {\n  var buf = new ArrayBuffer(8);\n  var\n  bufFloat64 = new Float64Array(buf);\n  var bufFloat32 = new Float32Array(buf);\n  var bufInt32 = new\n  Int32Array(buf);\n  var lowIndex = 0;\n  var highIndex = 1;\n  bufFloat64[0] = -1; // bff00000_00000000\n  if\n  (bufInt32[lowIndex] !== 0) {\n    lowIndex = 1;\n    highIndex = 0;\n  }\n  Kotlin.doubleToBits =\n  function(value) {\n    return Kotlin.doubleToRawBits(isNaN(value) ? NaN : value);\n  };\n\n  Kotlin.doubleToRawBits = function(value) {\n    bufFloat64[0] = value;\n    return\n    Kotlin.Long.fromBits(bufInt32[lowIndex], bufInt32[highIndex]);\n  };\n\n  Kotlin.doubleFromBits =\n  function(value) {\n    bufInt32[lowIndex] = value.low_;\n    bufInt32[highIndex] = value.high_;\n    return\n    bufFloat64[0];\n  };\n\n  Kotlin.floatToBits = function(value) {\n    return Kotlin.floatToRawBits(isNaN(value)\n    ? NaN : value);\n  };\n\n  Kotlin.floatToRawBits = function(value) {\n    bufFloat32[0] = value;\n    return\n    bufInt32[0];\n  };\n\n  Kotlin.floatFromBits = function(value) {\n    bufInt32[0] = value;\n    return\n    bufFloat32[0];\n  };\n\n  // returns zero value for number with positive sign bit and non-zero value for number\n  with negative sign bit.\n  Kotlin.doubleSignBit = function(value) {\n    bufFloat64[0] = value;\n    return\n    bufInt32[highIndex] & 0x80000000;\n  };\n\n  Kotlin.numberHashCode = function(obj) {\n    if ((obj | 0) ===\n    obj) {\n      return obj | 0;\n    }\n    else {\n      bufFloat64[0] = obj;\n      return (bufInt32[highIndex]\n      * 31 | 0) + bufInt32[lowIndex] | 0;\n    }\n  };\n}\n\nKotlin.ensureNotNull = function(x) {\n  return x != null\n  ? x : Kotlin.throwNPE();\n};\n\n/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language\n  contributors.\n  * Use of this source code is governed by the Apache 2.0 license that can be found in the\n  license/LICENSE.txt file.\n  */\n\nif (typeof String.prototype.startsWith === \"undefined\") {\n  Object.defineProperty(String.prototype, \"startsWith\", {\n    value: function (searchString, position) {\n      position = position || 0;\n      return this.lastIndexOf(searchString, position) === position;\n    }\n  });\n}\n\nif (typeof String.prototype.endsWith === \"undefined\") {\n  Object.defineProperty(String.prototype, \"endsWith\", {\n    value: function (searchString, position) {\n      var subjectString = this.toString();\n      if (position\n      === undefined || position > subjectString.length) {\n        position = subjectString.length;\n      }\n      position -= searchString.length;\n      var lastIndex = subjectString.indexOf(searchString, position);\n      return lastIndex !== -1 && lastIndex === position;\n    }\n  });\n}\n\n// ES6 Math polyfills\n\nif (typeof Math.sign ===\n  \"undefined\") {\n  Math.sign = function(x) {\n    x = +x; // convert to a number\n    if (x === 0 ||\n    isNaN(x)) {\n      return Number(x);\n    }\n    return x > 0 ? 1 : -1;\n  };\n}\n\nif (typeof Math.trunc ===\n  \"undefined\") {\n  Math.trunc = function(x) {\n    if (isNaN(x)) {\n      return NaN;\n    }\n    if (x > 0)\n    {\n      return Math.floor(x);\n    }\n    return Math.ceil(x);\n  };\n}\n\n(function() {\n  var epsilon =\n  2.220446049250313E-16;\n  var taylor_2_bound = Math.sqrt(epsilon);\n  var taylor_n_bound =

```

```

Math.sqrt(taylor_2_bound);\n  var upper_taylor_2_bound = 1/taylor_2_bound;\n  var upper_taylor_n_bound =
1/taylor_n_bound;\n  if (typeof Math.sinh === \"undefined\") {\n    Math.sinh = function(x) {\n      if
(Math.abs(x) < taylor_n_bound) {\n        var result = x;\n        if (Math.abs(x) > taylor_2_bound) {\n
          result += (x * x * x) / 6;\n        }\n        return result;\n      } else {\n        var y =
Math.exp(x);\n        var y1 = 1 / y;\n        if (!isFinite(y)) return Math.exp(x - Math.LN2);\n        if
(!isFinite(y1)) return -Math.exp(-x - Math.LN2);\n        return (y - y1) / 2;\n      }\n    };\n  }\n  if
(typeof Math.cosh === \"undefined\") {\n    Math.cosh = function(x) {\n      var y = Math.exp(x);\n      var
y1 = 1 / y;\n      if (!isFinite(y) || !isFinite(y1)) return Math.exp(Math.abs(x) - Math.LN2);\n      return (y +
y1) / 2;\n    };\n  }\n  if (typeof Math.tanh === \"undefined\") {\n    Math.tanh = function(x) {\n      if
(Math.abs(x) < taylor_n_bound) {\n        var result = x;\n        if (Math.abs(x) > taylor_2_bound) {\n
          result -= (x * x * x) / 3;\n        }\n        return result;\n      }\n      else {\n        var a =
Math.exp(+x), b = Math.exp(-x);\n        return a === Infinity ? 1 : b === Infinity ? -1 : (a - b) / (a + b);\n
      }\n    };\n  }\n  // Inverse hyperbolic function implementations derived from boost special math functions,\n
// Copyright Eric Ford & Hubert Holin 2001.\n  if (typeof Math.asinh === \"undefined\") {\n    var asinh =
function(x) {\n      if (x >= +taylor_n_bound)\n        {\n          if (x > upper_taylor_n_bound)\n            {\n              if (x > upper_taylor_2_bound)\n                {\n                  // approximation by laurent series in
1/x at 0+ order from -1 to 0\n                  return Math.log(x) + Math.LN2;\n                }\n              else\n                {\n                  // approximation by laurent series in 1/x at 0+ order from -1 to 1\n                  return
Math.log(x * 2 + (1 / (x * 2)));\n                }\n            }\n          else if (x <= -taylor_n_bound)\n            {\n              // approximation by taylor series in x at 0 up to
order 2\n              var result = x;\n              if (Math.abs(x) >= taylor_2_bound)\n                {\n                  var x3 =
x * x * x;\n                  // approximation by taylor series in x at 0 up to order 4\n                  result -= x3 / 6;\n                }\n              return result;\n            }\n          }\n        }\n      Math.asinh = asinh;\n    }\n  }\n  if (typeof Math.acosh ===
\"undefined\") {\n    Math.acosh = function(x) {\n      if (x < 1)\n        {\n          return NaN;\n        }\n      else if (x - 1 >= taylor_n_bound)\n        {\n          if (x > upper_taylor_2_bound)\n            {\n              // approximation by laurent series in 1/x at 0+ order from -1 to 0\n              return Math.log(x) + Math.LN2;\n            }\n          else\n            {\n              return Math.log(x + Math.sqrt(x * x - 1));\n            }\n          }\n        }\n      else\n        {\n          var y = Math.sqrt(x - 1);\n          // approximation by taylor series in y at 0
up to order 2\n          var result = y;\n          if (y >= taylor_2_bound)\n            {\n              var y3 = y *
y * y;\n              // approximation by taylor series in y at 0 up to order 4\n              result -= y3 / 12;\n            }\n          return Math.sqrt(2) * result;\n        }\n      }\n    }\n  }\n  if (typeof Math.atanh === \"undefined\")
{\n    Math.atanh = function(x) {\n      if (Math.abs(x) < taylor_n_bound) {\n        var result = x;\n        if
(Math.abs(x) > taylor_2_bound) {\n          result += (x * x * x) / 3;\n        }\n        return result;\n      }\n      return Math.log((1 + x) / (1 - x)) / 2;\n    };\n  }\n  if (typeof Math.log1p === \"undefined\") {\n    Math.log1p = function(x) {\n      if (Math.abs(x) < taylor_n_bound) {\n        var x2 = x * x;\n        var x3 = x2 * x;\n        var x4 = x3 * x;\n        // approximation by taylor series in x at 0 up to order 4\n        return (-x4 / 4 + x3 / 3 - x2 / 2 + x);\n      }\n      return Math.log(x + 1);\n    };\n  }\n  if (typeof
Math.expm1 === \"undefined\") {\n    Math.expm1 = function(x) {\n      if (Math.abs(x) < taylor_n_bound)
{\n        var x2 = x * x;\n        var x3 = x2 * x;\n        var x4 = x3 * x;\n        // approximation by
taylor series in x at 0 up to order 4\n        return (x4 / 24 + x3 / 6 + x2 / 2 + x);\n      }\n      return
Math.exp(x) - 1;\n    };\n  }\n  if (typeof Math.hypot === \"undefined\") {\n    Math.hypot = function() {\n      var
y = 0;\n      var length = arguments.length;\n      for (var i = 0; i < length; i++) {\n        if (arguments[i]
=== Infinity || arguments[i] === -Infinity) {\n          return Infinity;\n        }\n        y += arguments[i] *
arguments[i];\n      }\n      return Math.sqrt(y);\n    };\n  }\n  if (typeof Math.log10 === \"undefined\") {\n    Math.log10 = function(x) {\n      return Math.log(x) * Math.LOG10E;\n    };\n  }\n  if (typeof Math.log2 ===
\"undefined\") {\n    Math.log2 = function(x) {\n      return Math.log(x) * Math.LOG2E;\n    };\n  }\n  if (typeof
Math.clz32 === \"undefined\") {\n    Math.clz32 = (function(log, LN2) {\n      return function(x) {\n        var

```

```

asUint = x >>> 0;\n      if (asUint === 0) {\n          return 32;\n      }\n      return 31 - (log(asUint) /
LN2 | 0) | 0; // the `| 0` acts like math.floor\n    });\n  })(Math.log, Math.LN2);\n}\n\n// For HtmlUnit and
PhantomJs\nif (typeof ArrayBuffer.isView === `undefined`) {\n  ArrayBuffer.isView = function(a) {\n    return a != null && a.__proto__ != null && a.__proto__.__proto__ === Int8Array.prototype.__proto__;\n  };\n}\n\nif (typeof Array.prototype.fill === `undefined`) {\n  // Polyfill from https://developer.mozilla.org/en-
US/docs/Web/JavaScript/Reference/Global_Objects/Array/fill#Polyfill\n  Object.defineProperty(Array.prototype,
'fill', {\n    value: function (value) {\n      // Steps 1-2.\n      if (this === null) {\n        throw new
TypeError('this is null or not defined');\n      }\n      var O = Object(this);\n      // Steps 3-5.\n      var len = O.length >>> 0;\n      // Steps 6-7.\n      var start = arguments[1];\n      var relativeStart = start
>> 0;\n      // Step 8.\n      var k = relativeStart < 0 ?\n        Math.max(len + relativeStart, 0) :\n        Math.min(relativeStart, len);\n      // Steps 9-10.\n      var end = arguments[2];\n      var
relativeEnd = end === undefined ?\n        len : end >> 0;\n      // Step 11.\n      var finalValue
= relativeEnd < 0 ?\n        Math.max(len + relativeEnd, 0) :\n        Math.min(relativeEnd,
len);\n      // Step 12.\n      while (k < finalValue) {\n        O[k] = value;\n        k++;\n      }\n      // Step 13.\n      return O;\n    };\n  });\n}\n\n(function() {\n  function normalizeOffset(offset, length)
{\n    if (offset < 0) return Math.max(0, offset + length);\n    return Math.min(offset, length);\n  }\n  function
typedArraySlice(begin, end) {\n    if (typeof end === `undefined`) {\n      end = this.length;\n    }\n    begin = normalizeOffset(begin || 0, this.length);\n    end = Math.max(begin, normalizeOffset(end, this.length));\n    return new this.constructor(this.subarray(begin, end));\n  }\n  var arrays = [Int8Array, Int16Array,
Uint16Array, Int32Array, Float32Array, Float64Array];\n  for (var i = 0; i < arrays.length; ++i) {\n    var
TypedArray = arrays[i];\n    if (typeof TypedArray.prototype.fill === `undefined`) {\n      Object.defineProperty(TypedArray.prototype, 'fill', {\n        value: Array.prototype.fill\n      });\n    }\n    if (typeof TypedArray.prototype.slice === `undefined`) {\n      Object.defineProperty(TypedArray.prototype,
'slice', {\n        value: typedArraySlice\n      });\n    }\n  }\n  // Patch apply to work with TypedArrays
if needed.\n  try {\n    (function() {}).apply(null, new Int32Array(0))\n  } catch (e) {\n    var apply =
Function.prototype.apply;\n    Object.defineProperty(Function.prototype, 'apply', {\n      value: function(self,
array) {\n        return apply.call(this, self, [].slice.call(array));\n      }\n    });\n  }\n  // Patch map to
work with TypedArrays if needed.\n  for (var i = 0; i < arrays.length; ++i) {\n    var TypedArray = arrays[i];\n    if (typeof TypedArray.prototype.map === `undefined`) {\n      Object.defineProperty(TypedArray.prototype,
'map', {\n        value: function(callback, self) {\n          return [].slice.call(this).map(callback, self);\n        }\n      });\n    }\n  }\n  // Patch sort to work with TypedArrays if needed.\n  // TODO: consider to
remove following function and replace it with `Kotlin.doubleCompareTo` (see misc.js)\n  var
totalOrderComparator = function (a, b) {\n    if (a < b) return -1;\n    if (a > b) return 1;\n    if (a === b) {\n      if (a !== 0) return 0;\n      var ia = 1 / a;\n      return ia === 1 / b ? 0 : (ia < 0 ? -1 : 1);\n    }\n    return a !== a ? (b !== b ? 0 : 1) : -1\n  };\n  for (var i = 0; i < arrays.length; ++i) {\n    var TypedArray =
arrays[i];\n    if (typeof TypedArray.prototype.sort === `undefined`) {\n      Object.defineProperty(TypedArray.prototype, 'sort', {\n        value: function(compareFunction) {\n          return Array.prototype.sort.call(this, compareFunction || totalOrderComparator);\n        }\n      });\n    }\n  }\n})();\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors. \n * Use
of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n\nKotlin.Kind = {\n  CLASS: `class`,\n  INTERFACE: `interface`,\n  OBJECT:
`object`\n};\n\nKotlin.callGetter = function (thisObject, klass, propertyName) {\n  var propertyDescriptor =
Object.getOwnPropertyDescriptor(klass, propertyName);\n  if (propertyDescriptor != null &&
propertyDescriptor.get != null) {\n    return propertyDescriptor.get.call(thisObject);\n  }\n  propertyDescriptor
= Object.getOwnPropertyDescriptor(thisObject, propertyName);\n  if (propertyDescriptor != null && `value` in
propertyDescriptor) {\n    return thisObject[propertyName];\n  }\n  return Kotlin.callGetter(thisObject,
Object.getPrototypeOf(klass), propertyName);\n};\n\nKotlin.callSetter = function (thisObject, klass, propertyName,
value) {\n  var propertyDescriptor = Object.getOwnPropertyDescriptor(klass, propertyName);\n  if

```

```

(propertyDescriptor != null && propertyDescriptor.set != null) {\n    propertyDescriptor.set.call(thisObject,
value);\n    return;\n }\n\n propertyDescriptor = Object.getOwnPropertyDescriptor(thisObject,
propertyName);\n if (propertyDescriptor != null && \"value\" in propertyDescriptor) {\n
thisObject[propertyName] = value;\n    return\n }\n\n Kotlin.callSetter(thisObject,
Object.getPrototypeOf(klass), propertyName, value);\n};\n\nfunction isInheritanceFromInterface(ctor, iface) {\n if
(ctor === iface) return true;\n\n var metadata = ctor.$metadata$;\n if (metadata != null) {\n    var interfaces =
metadata.interfaces;\n    for (var i = 0; i < interfaces.length; i++) {\n        if
(isInheritanceFromInterface(interfaces[i], iface)) {\n            return true;\n        }\n    }\n\n var
superPrototype = ctor.prototype != null ? Object.getPrototypeOf(ctor.prototype) : null;\n    var superConstructor =
superPrototype != null ? superPrototype.constructor : null;\n    return superConstructor != null &&
isInheritanceFromInterface(superConstructor, iface);\n}\n\n**\n * \n * @param {*} object\n * @param
{Function|Object} klass\n * @returns {Boolean}\n * \n Kotlin.isType = function (object, klass) {\n if (klass ===
Object) {\n    switch (typeof object) {\n        case \"string\":\n            case \"number\":\n            case
\"boolean\":\n            case \"function\":\n                return true;\n            default:\n                return object instanceof
Object;\n    }\n\n if (object == null || klass == null || (typeof object !== 'object' && typeof object !==
'function')) {\n    return false;\n }\n\n if (typeof klass === \"function\" && object instanceof klass) {\n
return true;\n }\n\n var proto = Object.getPrototypeOf(klass);\n    var constructor = proto != null ?
proto.constructor : null;\n    if (constructor != null && \"$metadata$\" in constructor) {\n        var metadata =
constructor.$metadata$;\n        if (metadata.kind === Kotlin.Kind.OBJECT) {\n            return object === klass;\n
}\n    }\n\n var klassMetadata = klass.$metadata$;\n\n // In WebKit (JavaScriptCore) for some interfaces from
DOM typeof returns \"object\", nevertheless they can be used in RHS of instanceof\n    if (klassMetadata == null)
{\n        return object instanceof klass;\n    }\n\n if (klassMetadata.kind === Kotlin.Kind.INTERFACE &&
object.constructor != null) {\n        return isInheritanceFromInterface(object.constructor, klass);\n    }\n\n return
false;\n};\n\nKotlin.isNumber = function (a) {\n    return typeof a == \"number\" || a instanceof
Kotlin.Long;\n};\n\nKotlin.isChar = function (value) {\n    return value instanceof
Kotlin.BoxedChar;\n};\n\nKotlin.isComparable = function (value) {\n    var type = typeof value;\n\n    return type
=== \"string\" ||\n        type === \"boolean\" ||\n        Kotlin.isNumber(value) ||\n        Kotlin.isType(value,
Kotlin.kotlin.Comparable);\n};\n\nKotlin.isCharSequence = function (value) {\n    return typeof value === \"string\"
|| Kotlin.isType(value, Kotlin.kotlin.CharSequence);\n};\n\n/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n * \n \n // a package is omitted to get declarations directly under the
module\n\n@PublishedApi\nexternal fun <T> Array(size: Int): Array<T>\n\n@JsName(\"newArray\")\nfun
<T> newArray(size: Int, initialValue: T) = fillArrayVal(Array<T>(size),
initialValue)\n\n@JsName(\"newArrayF\")\ninline fun <T> arrayWithFun(size: Int, init: (Int) -> T) =
fillArrayFun(Array<T>(size), init)\n\n@JsName(\"fillArray\")\ninline fun <T> fillArrayFun(array: Array<T>, init:
(Int) -> T): Array<T> {\n    for (i in 0..array.size - 1) {\n        array[i] = init(i)\n    }\n    return
array\n}\n\n@JsName(\"booleanArray\")\nfun booleanArray(size: Int, init: dynamic): Array<Boolean> {\n    val
result: dynamic = Array<Boolean>(size)\n    result.`$type$` = \"BooleanArray\"\n    return when (init) {\n        null,
true -> fillArrayVal(result, false)\n        false -> result\n        else -> fillArrayFun<Boolean>(result, init)\n
}\n}\n\n@JsName(\"booleanArrayF\")\ninline fun booleanArrayWithFun(size: Int, init: (Int) -> Boolean):
Array<Boolean> = fillArrayFun(booleanArray(size, false),
init)\n\n@JsName(\"charArray\")\n@Suppress(\"UNUSED_PARAMETER\")\nfun charArray(size: Int, init:
dynamic): Array<Char> {\n    val result = js(\"new Uint16Array(size)\")\n    result.`$type$` = \"CharArray\"\n    return
when (init) {\n        null, true, false -> result // For consistency\n        else -> fillArrayFun<Char>(result,
init)\n    }\n}\n\n@JsName(\"charArrayF\")\ninline fun charArrayWithFun(size: Int, init: (Int) -> Char):
Array<Char> {\n    val array = charArray(size, null)\n    for (i in 0..array.size - 1) {\n
@Suppress(\"UNUSED_VARIABLE\") // used in js block\n        val value = init(i)\n        js(\"array[i] = value;\")\n
}\n    return array\n}\n\n@JsName(\"untypedCharArrayF\")\ninline fun untypedCharArrayWithFun(size: Int, init:

```



```

(Int) -> Char): Array<Char> {
    val array = Array<Char>(size)
    for (i in 0..array.size - 1) {
        @Suppress("UNUSED_VARIABLE") // used in js block
        val value = init(i)
        js("array[i] = value;")
    }
    return array
}

@JsName("longArray")
fun longArray(size: Int, init: dynamic): Array<Long> {
    val result: dynamic = Array<Long>(size)
    result.$type$ = "LongArray"
    return when (init) {
        null, true ->
        fillArrayVal(result, 0L)
        false -> result
        else -> fillArrayFun<Long>(result, init)
    }
}

@JsName("longArrayF")
inline fun longArrayWithFun(size: Int, init: (Int) -> Long): Array<Long> =
    fillArrayFun(longArray(size, false), init)

private fun <T> fillArrayVal(array: Array<T>, initialValue: T): Array<T> {
    for (i in 0..array.size - 1) {
        array[i] = initialValue
    }
    return array
}

/*
 * Copyright 2010-2018
 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the
 Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
package kotlin
public class
Enum<T : Enum<T>> : Comparable<Enum<T>> {
    @JsName("name$") private var _name: String = ""
    @JsName("ordinal$") private var _ordinal: Int = 0
    val name: String
    get() = _name
    val ordinal:
    Int
    get() = _ordinal
    override fun compareTo(other: Enum<T>) = ordinal.compareTo(other.ordinal)
    override fun equals(other: Any?) = this === other
    override fun hashCode(): Int =
    js("Kotlin.identityHashCode")(this)
    override fun toString() = name
    companion object {
        /*
         * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.
         * Use of this source code is
         governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
         */
        package
        kotlin.js.internal
        @JsName("DoubleCompanionObject")
        internal object DoubleCompanionObject {
            @JsName("MIN_VALUE")
            const val MIN_VALUE: Double = 4.9E-324
            @JsName("MAX_VALUE")
            const val MAX_VALUE: Double = 1.7976931348623157E308
            @JsName("POSITIVE_INFINITY")
            @Suppress("DIVISION_BY_ZERO")
            const val
            POSITIVE_INFINITY: Double = 1.0 / 0.0
            @JsName("NEGATIVE_INFINITY")
            @Suppress("DIVISION_BY_ZERO")
            const val NEGATIVE_INFINITY: Double = -1.0 / 0.0
            @JsName("NaN")
            @Suppress("DIVISION_BY_ZERO")
            const val NaN: Double = -(0.0 / 0.0)
            @JsName("SIZE_BYTES")
            const val SIZE_BYTES = 8
            @JsName("SIZE_BITS")
            const val
            SIZE_BITS = 64
        }
        @JsName("FloatCompanionObject")
        internal object FloatCompanionObject {
            @JsName("MIN_VALUE")
            const val MIN_VALUE: Float = 1.4E-45F
            @JsName("MAX_VALUE")
            const val MAX_VALUE: Float = 3.4028235E38F
            @JsName("POSITIVE_INFINITY")
            @Suppress("DIVISION_BY_ZERO")
            const val POSITIVE_INFINITY: Float = 1.0F / 0.0F
            @JsName("NEGATIVE_INFINITY")
            @Suppress("DIVISION_BY_ZERO")
            const val
            NEGATIVE_INFINITY: Float = -1.0F / 0.0F
            @JsName("NaN")
            @Suppress("DIVISION_BY_ZERO")
            const val NaN: Float = -(0.0F / 0.0F)
            @JsName("SIZE_BYTES")
            const val SIZE_BYTES = 4
            @JsName("SIZE_BITS")
            const val
            SIZE_BITS = 32
        }
        @JsName("IntCompanionObject")
        internal object IntCompanionObject {
            @JsName("MIN_VALUE")
            val MIN_VALUE: Int = -2147483647 - 1
            @JsName("MAX_VALUE")
            val MAX_VALUE: Int = 2147483647
            @JsName("SIZE_BYTES")
            const val SIZE_BYTES = 4
            @JsName("SIZE_BITS")
            const val SIZE_BITS = 32
        }
        @JsName("LongCompanionObject")
        internal
        object LongCompanionObject {
            @JsName("MIN_VALUE")
            val MIN_VALUE: Long =
            js("Kotlin.Long.MIN_VALUE")
            @JsName("MAX_VALUE")
            val MAX_VALUE: Long =
            js("Kotlin.Long.MAX_VALUE")
            @JsName("SIZE_BYTES")
            const val SIZE_BYTES = 8
            @JsName("SIZE_BITS")
            const val SIZE_BITS = 64
        }
        @JsName("ShortCompanionObject")
        internal
        object ShortCompanionObject {
            @JsName("MIN_VALUE")
            val MIN_VALUE: Short = -32768
            @JsName("MAX_VALUE")
            val MAX_VALUE: Short = 32767
            @JsName("SIZE_BYTES")
            const
            val SIZE_BYTES = 2
            @JsName("SIZE_BITS")
            const val SIZE_BITS =
            16
        }
        @JsName("ByteCompanionObject")
        internal object ByteCompanionObject {
            @JsName("MIN_VALUE")
            val MIN_VALUE: Byte = -128
            @JsName("MAX_VALUE")
            val
            MAX_VALUE: Byte = 127
            @JsName("SIZE_BYTES")
            const val SIZE_BYTES = 1
            @JsName("SIZE_BITS")
            const val SIZE_BITS = 8
        }
        @JsName("CharCompanionObject")
        internal

```

```

object CharCompanionObject {
    @JsName("MIN_VALUE") public const val MIN_VALUE: Char =
        "\u0000"
    @JsName("MAX_VALUE") public const val MAX_VALUE: Char = "\uFFFF"
    @JsName("MIN_HIGH_SURROGATE") public const val MIN_HIGH_SURROGATE: Char = "\uD800"
    @JsName("MAX_HIGH_SURROGATE") public const val MAX_HIGH_SURROGATE: Char =
        "\uDBFF"
    @JsName("MIN_LOW_SURROGATE") public const val MIN_LOW_SURROGATE: Char =
        "\uDC00"
    @JsName("MAX_LOW_SURROGATE") public const val MAX_LOW_SURROGATE: Char =
        "\uDFFF"
    @JsName("MIN_SURROGATE") public const val MIN_SURROGATE: Char =
        MIN_HIGH_SURROGATE
    @JsName("MAX_SURROGATE") public const val MAX_SURROGATE:
        Char = MAX_LOW_SURROGATE
    @JsName("SIZE_BYTES") const val SIZE_BYTES = 2
    @JsName("SIZE_BITS") const val SIZE_BITS = 16
}
internal object StringCompanionObject
{
}
internal object BooleanCompanionObject
{
}
/*
 * Copyright 2010-2021 JetBrains s.r.o. and Kotlin
 * Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be
 * found in the license/LICENSE.txt file.
 */
@file:kotlin.jvm.JvmMultifileClass
@file:kotlin.jvm.JvmName("ArraysKt")
package
kotlin.collections
// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt
// See:
// https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib
import kotlin.random.*
import
kotlin.ranges.contains
import kotlin.ranges.reversed
/**
 * Returns 1st element from the array.
 * If the size of this array is less than 1, throws an [IndexOutOfBoundsException]
 * except in Kotlin/JS where the behavior is unspecified.
 */
@kotlin.internal.InlineOnly
public inline operator fun <T> Array<out T>.component1(): T
{
    return get(0)
}
/**
 * Returns 1st element from the array.
 * If the size of this array is less than 1,
 * throws an [IndexOutOfBoundsException] except in Kotlin/JS where the behavior is unspecified.
 */
@kotlin.internal.InlineOnly
public inline operator fun ByteArray.component1(): Byte {
    return
    get(0)
}
/**
 * Returns 1st element from the array.
 * If the size of this array is less than 1, throws an
 * [IndexOutOfBoundsException] except in Kotlin/JS where the behavior is unspecified.
 */
@kotlin.internal.InlineOnly
public inline operator fun ShortArray.component1(): Short {
    return
    get(0)
}
/**
 * Returns 1st element from the array.
 * If the size of this array is less than 1, throws an
 * [IndexOutOfBoundsException] except in Kotlin/JS where the behavior is unspecified.
 */
@kotlin.internal.InlineOnly
public inline operator fun IntArray.component1(): Int {
    return
    get(0)
}
/**
 * Returns 1st element from the array.
 * If the size of this array is less than 1, throws an
 * [IndexOutOfBoundsException] except in Kotlin/JS where the behavior is unspecified.
 */
@kotlin.internal.InlineOnly
public inline operator fun LongArray.component1(): Long {
    return
    get(0)
}
/**
 * Returns 1st element from the array.
 * If the size of this array is less than 1, throws an
 * [IndexOutOfBoundsException] except in Kotlin/JS where the behavior is unspecified.
 */
@kotlin.internal.InlineOnly
public inline operator fun FloatArray.component1(): Float {
    return
    get(0)
}
/**
 * Returns 1st element from the array.
 * If the size of this array is less than 1, throws an
 * [IndexOutOfBoundsException] except in Kotlin/JS where the behavior is unspecified.
 */
@kotlin.internal.InlineOnly
public inline operator fun DoubleArray.component1(): Double {
    return
    get(0)
}
/**
 * Returns 1st element from the array.
 * If the size of this array is less than 1, throws an
 * [IndexOutOfBoundsException] except in Kotlin/JS where the behavior is unspecified.
 */
@kotlin.internal.InlineOnly
public inline operator fun BooleanArray.component1(): Boolean {
    return
    get(0)
}
/**
 * Returns 2nd element from the array.
 * If the size of this array is less than 2, throws an
 * [IndexOutOfBoundsException] except in Kotlin/JS where the behavior is unspecified.
 */
@kotlin.internal.InlineOnly
public inline operator fun <T> Array<out T>.component2(): T {
    return
    get(1)
}

```

```

*\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component2(): Byte {\n    return
get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component2(): Short {\n    return
get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component2(): Int {\n    return
get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component2(): Long {\n    return
get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component2(): Float {\n    return
get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component2(): Double {\n    return
get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component2(): Boolean {\n    return
get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component2(): Char {\n    return
get(1)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component3(): T {\n    return
get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component3(): Byte {\n    return
get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component3(): Short {\n    return
get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component3(): Int {\n    return
get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component3(): Long {\n    return
get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component3(): Float {\n    return
get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component3(): Double {\n    return
get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component3(): Boolean {\n    return
get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n

```

```

*^@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component3(): Char {\n  return
get(2)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*^@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component4(): T {\n  return
get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*^@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component4(): Byte {\n  return
get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*^@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component4(): Short {\n  return
get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*^@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component4(): Int {\n  return
get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*^@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component4(): Long {\n  return
get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*^@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component4(): Float {\n  return
get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*^@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component4(): Double {\n  return
get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*^@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component4(): Boolean {\n  return
get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*^@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component4(): Char {\n  return
get(3)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*^@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component5(): T {\n  return
get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*^@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component5(): Byte {\n  return
get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*^@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component5(): Short {\n  return
get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*^@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component5(): Int {\n  return
get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*^@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component5(): Long {\n  return
get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*^@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component5(): Float {\n  return
get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n

```

```

*\/n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component5(): Double {\n  return
get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\/n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component5(): Boolean {\n  return
get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\/n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component5(): Char {\n  return
get(4)\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n *\/n\npublic operator fun
<@kotlin.internal.OnlyInputTypes T> Array<out T>.contains(element: T): Boolean {\n  return indexOf(element)
>= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n *\/n\npublic operator fun
ByteArray.contains(element: Byte): Boolean {\n  return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if
[element] is found in the array.\n *\/n\npublic operator fun ShortArray.contains(element: Short): Boolean {\n  return
indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n *\/n\npublic operator fun
IntArray.contains(element: Int): Boolean {\n  return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if
[element] is found in the array.\n *\/n\npublic operator fun LongArray.contains(element: Long): Boolean {\n  return
indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n *\/n\n@Deprecated("The
function has unclear behavior when searching for NaN or zero values and will be removed soon. Use 'any { it ==
element }' instead to continue using this behavior, or '.asList().contains(element: T)' to get the same search behavior
as in a list.", ReplaceWith("any { it == element }"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.6")\n@Suppress("DEPRECATION_ERROR")\npublic operator fun FloatArray.contains(element: Float):
Boolean {\n  return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n
*\/n\n@Deprecated("The function has unclear behavior when searching for NaN or zero values and will be removed
soon. Use 'any { it == element }' instead to continue using this behavior, or '.asList().contains(element: T)' to get the
same search behavior as in a list.", ReplaceWith("any { it == element
}"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.6")\n@Suppress("DEPRECATION_ERROR")\npublic operator fun DoubleArray.contains(element: Double):
Boolean {\n  return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n
*\/n\npublic operator fun BooleanArray.contains(element: Boolean): Boolean {\n  return indexOf(element) >=
0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n *\/n\npublic operator fun
CharArray.contains(element: Char): Boolean {\n  return indexOf(element) >= 0\n}\n\n/**\n * Returns an element
at the given [index] or throws an [IndexOutOfBoundsExcep] if the [index] is out of bounds of this array.\n * \n *
*\/n\n * @sample samples.collections.Collections.Elements.elementAt\n *\/n\npublic expect fun <T> Array<out
T>.elementAt(index: Int): T\n\n/**\n * Returns an element at the given [index] or throws an
[IndexOutOfBoundsExcep] if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAt\n *\/n\npublic expect fun ByteArray.elementAt(index: Int):
Byte\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsExcep] if the [index] is
out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n *\/n\npublic
expect fun ShortArray.elementAt(index: Int): Short\n\n/**\n * Returns an element at the given [index] or throws an
[IndexOutOfBoundsExcep] if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAt\n *\/n\npublic expect fun IntArray.elementAt(index: Int):
Int\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsExcep] if the [index] is
out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n *\/n\npublic
expect fun LongArray.elementAt(index: Int): Long\n\n/**\n * Returns an element at the given [index] or throws an
[IndexOutOfBoundsExcep] if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAt\n *\/n\npublic expect fun FloatArray.elementAt(index: Int):
Float\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsExcep] if the [index]
is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n *\/n\npublic
expect fun DoubleArray.elementAt(index: Int): Double\n\n/**\n * Returns an element at the given [index] or throws

```

an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n \* \n \* @sample

```

samples.collections.Collections.Elements.elementAt\n * \n\npublic expect fun BooleanArray.elementAt(index: Int): Boolean\n\n**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAt\n * \n\npublic expect fun CharArray.elementAt(index: Int): Char\n\n**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n * \n\n@kotlin.internal.InlineOnly\n\npublic inline fun <T> Array<out T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T {\n    return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n * \n\n@kotlin.internal.InlineOnly\n\npublic inline fun ByteArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Byte): Byte {\n    return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n * \n\n@kotlin.internal.InlineOnly\n\npublic inline fun ShortArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Short): Short {\n    return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n * \n\n@kotlin.internal.InlineOnly\n\npublic inline fun IntArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Int): Int {\n    return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n * \n\n@kotlin.internal.InlineOnly\n\npublic inline fun LongArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Long): Long {\n    return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n * \n\n@kotlin.internal.InlineOnly\n\npublic inline fun FloatArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Float): Float {\n    return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n * \n\n@kotlin.internal.InlineOnly\n\npublic inline fun DoubleArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Double): Double {\n    return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n * \n\n@kotlin.internal.InlineOnly\n\npublic inline fun BooleanArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Boolean): Boolean {\n    return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n * \n\n@kotlin.internal.InlineOnly\n\npublic inline fun CharArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Char): Char {\n    return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n * \n\n@kotlin.internal.InlineOnly\n\npublic inline fun <T> Array<out T>.elementAtOrNull(index: Int): T? {\n    return this.getOrNull(index)\n}\n\n**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n * \n\n@kotlin.internal.InlineOnly\n\npublic inline fun ByteArray.elementAtOrNull(index: Int): Byte? {\n    return this.getOrNull(index)\n}\n\n**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample

```

```

samples.collections.Collections.Elements.elementAtOrNull\n *^n@kotlin.internal.InlineOnly\npublic inline fun
ShortArray.elementAtOrNull(index: Int): Short? {\n  return this.getOrNull(index)\n}\n\n/**\n * Returns an element
at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n *^n@kotlin.internal.InlineOnly\npublic inline fun
IntArray.elementAtOrNull(index: Int): Int? {\n  return this.getOrNull(index)\n}\n\n/**\n * Returns an element at
the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n *^n@kotlin.internal.InlineOnly\npublic inline fun
LongArray.elementAtOrNull(index: Int): Long? {\n  return this.getOrNull(index)\n}\n\n/**\n * Returns an element
at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n *^n@kotlin.internal.InlineOnly\npublic inline fun
FloatArray.elementAtOrNull(index: Int): Float? {\n  return this.getOrNull(index)\n}\n\n/**\n * Returns an element
at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n *^n@kotlin.internal.InlineOnly\npublic inline fun
DoubleArray.elementAtOrNull(index: Int): Double? {\n  return this.getOrNull(index)\n}\n\n/**\n * Returns an
element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n *^n@kotlin.internal.InlineOnly\npublic inline fun
BooleanArray.elementAtOrNull(index: Int): Boolean? {\n  return this.getOrNull(index)\n}\n\n/**\n * Returns an
element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n *^n@kotlin.internal.InlineOnly\npublic inline fun
CharArray.elementAtOrNull(index: Int): Char? {\n  return this.getOrNull(index)\n}\n\n/**\n * Returns the first
element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n *^n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out
T>.find(predicate: (T) -> Boolean): T? {\n  return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element
matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n *^n@kotlin.internal.InlineOnly\npublic inline fun
ByteArray.find(predicate: (Byte) -> Boolean): Byte? {\n  return firstOrNull(predicate)\n}\n\n/**\n * Returns the
first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n *^n@kotlin.internal.InlineOnly\npublic inline fun
ShortArray.find(predicate: (Short) -> Boolean): Short? {\n  return firstOrNull(predicate)\n}\n\n/**\n * Returns the
first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n *^n@kotlin.internal.InlineOnly\npublic inline fun
IntArray.find(predicate: (Int) -> Boolean): Int? {\n  return firstOrNull(predicate)\n}\n\n/**\n * Returns the first
element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n *^n@kotlin.internal.InlineOnly\npublic inline fun
LongArray.find(predicate: (Long) -> Boolean): Long? {\n  return firstOrNull(predicate)\n}\n\n/**\n * Returns the
first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n *^n@kotlin.internal.InlineOnly\npublic inline fun
FloatArray.find(predicate: (Float) -> Boolean): Float? {\n  return firstOrNull(predicate)\n}\n\n/**\n * Returns the
first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n *^n@kotlin.internal.InlineOnly\npublic inline fun
DoubleArray.find(predicate: (Double) -> Boolean): Double? {\n  return firstOrNull(predicate)\n}\n\n/**\n *
Returns the first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n *^n@kotlin.internal.InlineOnly\npublic inline fun
BooleanArray.find(predicate: (Boolean) -> Boolean): Boolean? {\n  return firstOrNull(predicate)\n}\n\n/**\n *
Returns the first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n *^n@kotlin.internal.InlineOnly\npublic inline fun
CharArray.find(predicate: (Char) -> Boolean): Char? {\n  return firstOrNull(predicate)\n}\n\n/**\n * Returns the
last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample

```

```

samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out
T>.findLast(predicate: (T) -> Boolean): T? {\n    return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element
matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun
ByteArray.findLast(predicate: (Byte) -> Boolean): Byte? {\n    return lastOrNull(predicate)\n}\n\n/**\n * Returns
the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun
ShortArray.findLast(predicate: (Short) -> Boolean): Short? {\n    return lastOrNull(predicate)\n}\n\n/**\n * Returns
the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun
IntArray.findLast(predicate: (Int) -> Boolean): Int? {\n    return lastOrNull(predicate)\n}\n\n/**\n * Returns the last
element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun
LongArray.findLast(predicate: (Long) -> Boolean): Long? {\n    return lastOrNull(predicate)\n}\n\n/**\n * Returns
the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun
FloatArray.findLast(predicate: (Float) -> Boolean): Float? {\n    return lastOrNull(predicate)\n}\n\n/**\n * Returns
the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun
DoubleArray.findLast(predicate: (Double) -> Boolean): Double? {\n    return lastOrNull(predicate)\n}\n\n/**\n *
Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun
BooleanArray.findLast(predicate: (Boolean) -> Boolean): Boolean? {\n    return lastOrNull(predicate)\n}\n\n/**\n *
Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun
CharArray.findLast(predicate: (Char) -> Boolean): Char? {\n    return lastOrNull(predicate)\n}\n\n/**\n * Returns
first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun <T> Array<out
T>.first(): T {\n    if (isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return
this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n
*/\npublic fun ByteArray.first(): Byte {\n    if (isEmpty())\n        throw NoSuchElementException("Array is
empty.")\n    return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the
array is empty.\n */\npublic fun ShortArray.first(): Short {\n    if (isEmpty())\n        throw
NoSuchElementException("Array is empty.")\n    return this[0]\n}\n\n/**\n * Returns first element.\n * @throws
[NoSuchElementException] if the array is empty.\n */\npublic fun IntArray.first(): Int {\n    if (isEmpty())\n
throw NoSuchElementException("Array is empty.")\n    return this[0]\n}\n\n/**\n * Returns first element.\n *
@throws [NoSuchElementException] if the array is empty.\n */\npublic fun LongArray.first(): Long {\n    if
(isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return this[0]\n}\n\n/**\n * Returns first
element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun FloatArray.first(): Float
{\n    if (isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return this[0]\n}\n\n/**\n *
Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun
DoubleArray.first(): Double {\n    if (isEmpty())\n        throw NoSuchElementException("Array is empty.")\n
return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n
*/\npublic fun BooleanArray.first(): Boolean {\n    if (isEmpty())\n        throw NoSuchElementException("Array is
empty.")\n    return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the
array is empty.\n */\npublic fun CharArray.first(): Char {\n    if (isEmpty())\n        throw
NoSuchElementException("Array is empty.")\n    return this[0]\n}\n\n/**\n * Returns the first element matching
the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun
<T> Array<out T>.first(predicate: (T) -> Boolean): T {\n    for (element in this) if (predicate(element)) return

```



```

element\n  throw NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun ByteArray.first(predicate: (Byte) -> Boolean): Byte {\n  for (element in this) if (predicate(element)) return element\n  throw NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun ShortArray.first(predicate: (Short) -> Boolean): Short {\n  for (element in this) if (predicate(element)) return element\n  throw NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun IntArray.first(predicate: (Int) -> Boolean): Int {\n  for (element in this) if (predicate(element)) return element\n  throw NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun LongArray.first(predicate: (Long) -> Boolean): Long {\n  for (element in this) if (predicate(element)) return element\n  throw NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun FloatArray.first(predicate: (Float) -> Boolean): Float {\n  for (element in this) if (predicate(element)) return element\n  throw NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun DoubleArray.first(predicate: (Double) -> Boolean): Double {\n  for (element in this) if (predicate(element)) return element\n  throw NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun BooleanArray.first(predicate: (Boolean) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return element\n  throw NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun CharArray.first(predicate: (Char) -> Boolean): Char {\n  for (element in this) if (predicate(element)) return element\n  throw NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the first non-null value produced by [transform] function being applied to elements of this array in iteration order,\n * or throws [NoSuchElementException] if no non-null value was produced.\n */\n\n * @sample\n samples.collections.Collections.Transformations.firstNotNullOf\n\n *\n * @SinceKotlin("1.5")\n * @kotlin.internal.InlineOnly\n * public inline fun <T, R : Any> Array<out T>.firstNotNullOf(transform: (T) -> R?): R {\n  return firstNotNullOfOrNull(transform) ?: throw NoSuchElementException("No element of the array was transformed to a non-null value.")\n}\n\n/**\n * Returns the first non-null value produced by [transform] function being applied to elements of this array in iteration order,\n * or `null` if no non-null value was produced.\n */\n\n * @sample\n samples.collections.Collections.Transformations.firstNotNullOf\n\n *\n * @SinceKotlin("1.5")\n * @kotlin.internal.InlineOnly\n * public inline fun <T, R : Any> Array<out T>.firstNotNullOfOrNull(transform: (T) -> R?): R? {\n  for (element in this) {\n    val result = transform(element)\n    if (result != null) {\n      return result\n    }\n  }\n  return null\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\n\n * public fun <T> Array<out T>.firstOrNull(): T? {\n  return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\n\n * public fun ByteArray.firstOrNull(): Byte? {\n  return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\n\n * public fun ShortArray.firstOrNull(): Short? {\n  return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\n\n * public fun IntArray.firstOrNull(): Int? {\n  return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\n\n * public fun LongArray.firstOrNull(): Long? {\n  return if (isEmpty()) null else

```

```

this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun
FloatArray.firstOrNull(): Float? {\n    return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element,
or `null` if the array is empty.\n */\npublic fun DoubleArray.firstOrNull(): Double? {\n    return if (isEmpty()) null
else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun
BooleanArray.firstOrNull(): Boolean? {\n    return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first
element, or `null` if the array is empty.\n */\npublic fun CharArray.firstOrNull(): Char? {\n    return if (isEmpty())
null else this[0]\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not
found.\n */\npublic inline fun <T> Array<out T>.firstOrNull(predicate: (T) -> Boolean): T? {\n    for (element in
this) if (predicate(element)) return element\n    return null\n}\n\n/**\n * Returns the first element matching the given
[predicate], or `null` if element was not found.\n */\npublic inline fun ByteArray.firstOrNull(predicate: (Byte) ->
Boolean): Byte? {\n    for (element in this) if (predicate(element)) return element\n    return null\n}\n\n/**\n *
Returns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun
ShortArray.firstOrNull(predicate: (Short) -> Boolean): Short? {\n    for (element in this) if (predicate(element))
return element\n    return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if
element was not found.\n */\npublic inline fun IntArray.firstOrNull(predicate: (Int) -> Boolean): Int? {\n    for
(element in this) if (predicate(element)) return element\n    return null\n}\n\n/**\n * Returns the first element
matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun
LongArray.firstOrNull(predicate: (Long) -> Boolean): Long? {\n    for (element in this) if (predicate(element))
return element\n    return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if
element was not found.\n */\npublic inline fun FloatArray.firstOrNull(predicate: (Float) -> Boolean): Float? {\n
for (element in this) if (predicate(element)) return element\n    return null\n}\n\n/**\n * Returns the first element
matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun
DoubleArray.firstOrNull(predicate: (Double) -> Boolean): Double? {\n    for (element in this) if
(predicate(element)) return element\n    return null\n}\n\n/**\n * Returns the first element matching the given
[predicate], or `null` if element was not found.\n */\npublic inline fun BooleanArray.firstOrNull(predicate:
(Boolean) -> Boolean): Boolean? {\n    for (element in this) if (predicate(element)) return element\n    return
null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n
*/\npublic inline fun CharArray.firstOrNull(predicate: (Char) -> Boolean): Char? {\n    for (element in this) if
(predicate(element)) return element\n    return null\n}\n\n/**\n * Returns an element at the given [index] or the
result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.getOrNull(index: Int, defaultValue: (Int) ->
T): T? {\n    return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns
an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of
this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.getOrNull(index: Int, defaultValue: (Int) -
> Byte): Byte? {\n    return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n *
Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of
bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.getOrNull(index: Int,
defaultValue: (Int) -> Short): Short? {\n    return if (index >= 0 && index <= lastIndex) get(index) else
defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue]
function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun
IntArray.getOrNull(index: Int, defaultValue: (Int) -> Int): Int? {\n    return if (index >= 0 && index <= lastIndex)
get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the
[defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline
fun LongArray.getOrNull(index: Int, defaultValue: (Int) -> Long): Long? {\n    return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of
calling the [defaultValue] function if the [index] is out of bounds of this array.\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.getOrNull(index: Int, defaultValue: (Int) -> Float):
Float? {\n    return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns

```

an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.

```

*\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.getOrElse(index: Int, defaultValue: (Int) -> Double): Double {\n    return if (index >= 0 && index <= lastIndex) get(index) else\n    defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue]\n function if the [index] is out of bounds of this array.\n */\n*\n@kotlin.internal.InlineOnly\npublic inline fun\n BooleanArray.getOrElse(index: Int, defaultValue: (Int) -> Boolean): Boolean {\n    return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result\n of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n*\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.getOrElse(index: Int, defaultValue: (Int) -> Char):\n Char {\n    return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns\n an element at the given [index] or `null` if the [index] is out of bounds of this array.\n */\n * @sample\n samples.collections.Collections.Elements.getOrNull\n */\n*\npublic fun <T> Array<out T>.getOrNull(index: Int): T?\n {\n    return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the\n given [index] or `null` if the [index] is out of bounds of this array.\n */\n * @sample\n samples.collections.Collections.Elements.getOrNull\n */\n*\npublic fun ByteArray.getOrNull(index: Int): Byte? {\n    return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given\n [index] or `null` if the [index] is out of bounds of this array.\n */\n * @sample\n samples.collections.Collections.Elements.getOrNull\n */\n*\npublic fun ShortArray.getOrNull(index: Int): Short? {\n    return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given\n [index] or `null` if the [index] is out of bounds of this array.\n */\n * @sample\n samples.collections.Collections.Elements.getOrNull\n */\n*\npublic fun IntArray.getOrNull(index: Int): Int? {\n    return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given\n [index] or `null` if the [index] is out of bounds of this array.\n */\n * @sample\n samples.collections.Collections.Elements.getOrNull\n */\n*\npublic fun LongArray.getOrNull(index: Int): Long? {\n    return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given\n [index] or `null` if the [index] is out of bounds of this array.\n */\n * @sample\n samples.collections.Collections.Elements.getOrNull\n */\n*\npublic fun FloatArray.getOrNull(index: Int): Float? {\n    return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given\n [index] or `null` if the [index] is out of bounds of this array.\n */\n * @sample\n samples.collections.Collections.Elements.getOrNull\n */\n*\npublic fun DoubleArray.getOrNull(index: Int): Double?\n {\n    return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the\n given [index] or `null` if the [index] is out of bounds of this array.\n */\n * @sample\n samples.collections.Collections.Elements.getOrNull\n */\n*\npublic fun BooleanArray.getOrNull(index: Int): Boolean?\n {\n    return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the\n given [index] or `null` if the [index] is out of bounds of this array.\n */\n * @sample\n samples.collections.Collections.Elements.getOrNull\n */\n*\npublic fun CharArray.getOrNull(index: Int): Char? {\n    return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns first index of [element], or -\n 1 if the array does not contain element.\n */\n*\npublic fun <@kotlin.internal.OnlyInputTypes T> Array<out\n T>.indexOf(element: T): Int {\n    if (element == null) {\n        for (index in indices) {\n            if (this[index] ==\n            null) {\n                return index\n            }\n        }\n    } else {\n        for (index in indices) {\n            if (element ==\n            this[index]) {\n                return index\n            }\n        }\n    }\n    return -1\n}\n\n/**\n * Returns first index of\n [element], or -1 if the array does not contain element.\n */\n*\npublic fun ByteArray.indexOf(element: Byte): Int {\n    for (index in indices) {\n        if (element == this[index]) {\n            return index\n        }\n    }\n    return -\n    1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\n*\npublic fun\n ShortArray.indexOf(element: Short): Int {\n    for (index in indices) {\n        if (element == this[index]) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not\n contain element.\n */\n*\npublic fun IntArray.indexOf(element: Int): Int {\n    for (index in indices) {\n        if (element\n        == this[index]) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns first index of [element], or -

```

1 if the array does not contain element.

```

public fun LongArray.indexOf(element: Long): Int {
    for (index in indices) {
        if (element == this[index]) {
            return index
        }
    }
    return -1
}

```

\* Returns first index of [element], or -1 if the array does not contain element.

@Deprecated("The function has unclear behavior when searching for NaN or zero values and will be removed soon. Use 'indexOfFirst { it == element }' instead to continue using this behavior, or '.asList().indexOf(element: T)' to get the same search behavior as in a list.", ReplaceWith("indexOfFirst { it == element }"))

@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.6")

```

public fun FloatArray.indexOf(element: Float): Int {
    for (index in indices) {
        if (element == this[index]) {
            return index
        }
    }
    return -1
}

```

\* Returns first index of [element], or -1 if the array does not contain element.

@Deprecated("The function has unclear behavior when searching for NaN or zero values and will be removed soon. Use 'indexOfFirst { it == element }' instead to continue using this behavior, or '.asList().indexOf(element: T)' to get the same search behavior as in a list.", ReplaceWith("indexOfFirst { it == element }"))

@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.6")

```

public fun DoubleArray.indexOf(element: Double): Int {
    for (index in indices) {
        if (element == this[index]) {
            return index
        }
    }
    return -1
}

```

\* Returns first index of [element], or -1 if the array does not contain element.

```

public fun BooleanArray.indexOf(element: Boolean): Int {
    for (index in indices) {
        if (element == this[index]) {
            return index
        }
    }
    return -1
}

```

\* Returns first index of [element], or -1 if the array does not contain element.

```

public fun CharArray.indexOf(element: Char): Int {
    for (index in indices) {
        if (element == this[index]) {
            return index
        }
    }
    return -1
}

```

\* Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.

```

public inline fun <T> Array<out T>.indexOfFirst(predicate: (T) -> Boolean): Int {
    for (index in indices) {
        if (predicate(this[index])) {
            return index
        }
    }
    return -1
}

```

\* Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.

```

public inline fun ByteArray.indexOfFirst(predicate: (Byte) -> Boolean): Int {
    for (index in indices) {
        if (predicate(this[index])) {
            return index
        }
    }
    return -1
}

```

\* Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.

```

public inline fun ShortArray.indexOfFirst(predicate: (Short) -> Boolean): Int {
    for (index in indices) {
        if (predicate(this[index])) {
            return index
        }
    }
    return -1
}

```

\* Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.

```

public inline fun IntArray.indexOfFirst(predicate: (Int) -> Boolean): Int {
    for (index in indices) {
        if (predicate(this[index])) {
            return index
        }
    }
    return -1
}

```

\* Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.

```

public inline fun LongArray.indexOfFirst(predicate: (Long) -> Boolean): Int {
    for (index in indices) {
        if (predicate(this[index])) {
            return index
        }
    }
    return -1
}

```

\* Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.

```

public inline fun FloatArray.indexOfFirst(predicate: (Float) -> Boolean): Int {
    for (index in indices) {
        if (predicate(this[index])) {
            return index
        }
    }
    return -1
}

```

\* Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.

```

public inline fun DoubleArray.indexOfFirst(predicate: (Double) -> Boolean): Int {
    for (index in indices) {
        if (predicate(this[index])) {
            return index
        }
    }
    return -1
}

```

\* Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.

```

public inline fun BooleanArray.indexOfFirst(predicate: (Boolean) -> Boolean): Int {
    for (index in indices) {
        if (predicate(this[index])) {
            return index
        }
    }
    return -1
}

```

\* Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.

```

public inline fun CharArray.indexOfFirst(predicate: (Char) -> Boolean): Int {
    for (index in indices) {
        if (predicate(this[index])) {
            return index
        }
    }
    return -1
}

```

\* Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.

```

public inline fun <T> Array<out T>.indexOfLast(predicate: (T) -> Boolean): Int {
    for (index in indices.reversed()) {
        if

```

```

(predicate(this[index])) {\n      return index\n    }\n  }\n  return -1\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
ByteArray.indexOfLast(predicate: (Byte) -> Boolean): Int {\n  for (index in indices.reversed()) {\n    if
(predicate(this[index])) {\n      return index\n    }\n    return -1\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
ShortArray.indexOfLast(predicate: (Short) -> Boolean): Int {\n  for (index in indices.reversed()) {\n    if
(predicate(this[index])) {\n      return index\n    }\n    return -1\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
IntArray.indexOfLast(predicate: (Int) -> Boolean): Int {\n  for (index in indices.reversed()) {\n    if
(predicate(this[index])) {\n      return index\n    }\n    return -1\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
LongArray.indexOfLast(predicate: (Long) -> Boolean): Int {\n  for (index in indices.reversed()) {\n    if
(predicate(this[index])) {\n      return index\n    }\n    return -1\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
FloatArray.indexOfLast(predicate: (Float) -> Boolean): Int {\n  for (index in indices.reversed()) {\n    if
(predicate(this[index])) {\n      return index\n    }\n    return -1\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
DoubleArray.indexOfLast(predicate: (Double) -> Boolean): Int {\n  for (index in indices.reversed()) {\n    if
(predicate(this[index])) {\n      return index\n    }\n    return -1\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
BooleanArray.indexOfLast(predicate: (Boolean) -> Boolean): Int {\n  for (index in indices.reversed()) {\n    if
(predicate(this[index])) {\n      return index\n    }\n    return -1\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
CharArray.indexOfLast(predicate: (Char) -> Boolean): Int {\n  for (index in indices.reversed()) {\n    if
(predicate(this[index])) {\n      return index\n    }\n    return -1\n}\n\n/**\n * Returns the last element.\n */
\n * @throws NoSuchElementException if the array is empty.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic fun <T> Array<out T>.last(): T {\n  if (isEmpty())\n  throw NoSuchElementException("Array is empty.")\n  return this[lastIndex]\n}\n\n/**\n * Returns the last
element.\n * \n * @throws NoSuchElementException if the array is empty.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic fun ByteArray.last(): Byte {\n  if (isEmpty())\n  throw NoSuchElementException("Array is empty.")\n  return this[lastIndex]\n}\n\n/**\n * Returns the last
element.\n * \n * @throws NoSuchElementException if the array is empty.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic fun ShortArray.last(): Short {\n  if (isEmpty())\n  throw NoSuchElementException("Array is empty.")\n  return this[lastIndex]\n}\n\n/**\n * Returns the last
element.\n * \n * @throws NoSuchElementException if the array is empty.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic fun IntArray.last(): Int {\n  if (isEmpty())\n  throw
NoSuchElementException("Array is empty.")\n  return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n */
\n * @throws NoSuchElementException if the array is empty.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic fun LongArray.last(): Long {\n  if (isEmpty())\n  throw
NoSuchElementException("Array is empty.")\n  return this[lastIndex]\n}\n\n/**\n * Returns the last
element.\n * \n * @throws NoSuchElementException if the array is empty.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic fun FloatArray.last(): Float {\n  if (isEmpty())\n  throw
NoSuchElementException("Array is empty.")\n  return this[lastIndex]\n}\n\n/**\n * Returns the last
element.\n * \n * @throws NoSuchElementException if the array is empty.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic fun DoubleArray.last(): Double {\n  if (isEmpty())\n  throw
NoSuchElementException("Array is empty.")\n  return this[lastIndex]\n}\n\n/**\n * Returns the last
element.\n * \n * @throws NoSuchElementException if the array is empty.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic fun BooleanArray.last(): Boolean {\n  if (isEmpty())\n

```

```

    throw NoSuchElementException("Array is empty.")\n    return this[lastIndex]\n}\n\n/**\n * Returns the last
element.\n * \n * @throws NoSuchElementException if the array is empty.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic fun CharArray.last(): Char {\n    if (isEmpty())\n    throw NoSuchElementException("Array is empty.")\n    return this[lastIndex]\n}\n\n/**\n * Returns the last
element matching the given [predicate].\n * \n * @throws NoSuchElementException if no such element is found.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic inline fun <T> Array<out
T>.last(predicate: (T) -> Boolean): T {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if (predicate(element)) return element\n    }\n    throw NoSuchElementException("Array contains no element
matching the predicate.")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws
NoSuchElementException if no such element is found.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic inline fun ByteArray.last(predicate: (Byte) -> Boolean):
Byte {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if (predicate(element)) return
element\n    }\n    throw NoSuchElementException("Array contains no element matching the
predicate.")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws
NoSuchElementException if no such element is found.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic inline fun ShortArray.last(predicate: (Short) -> Boolean):
Short {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if (predicate(element))
return element\n    }\n    throw NoSuchElementException("Array contains no element matching the
predicate.")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws
NoSuchElementException if no such element is found.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic inline fun IntArray.last(predicate: (Int) -> Boolean): Int
{\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if (predicate(element)) return
element\n    }\n    throw NoSuchElementException("Array contains no element matching the
predicate.")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws
NoSuchElementException if no such element is found.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic inline fun LongArray.last(predicate: (Long) -> Boolean):
Long {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if (predicate(element))
return element\n    }\n    throw NoSuchElementException("Array contains no element matching the
predicate.")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws
NoSuchElementException if no such element is found.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic inline fun FloatArray.last(predicate: (Float) -> Boolean):
Float {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if (predicate(element))
return element\n    }\n    throw NoSuchElementException("Array contains no element matching the
predicate.")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws
NoSuchElementException if no such element is found.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic inline fun DoubleArray.last(predicate: (Double) ->
Boolean): Double {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if
(predicate(element)) return element\n    }\n    throw NoSuchElementException("Array contains no element
matching the predicate.")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws
NoSuchElementException if no such element is found.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic inline fun BooleanArray.last(predicate: (Boolean) ->
Boolean): Boolean {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if
(predicate(element)) return element\n    }\n    throw NoSuchElementException("Array contains no element
matching the predicate.")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws
NoSuchElementException if no such element is found.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic inline fun CharArray.last(predicate: (Char) -> Boolean):
Char {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if (predicate(element))
return element\n    }\n    throw NoSuchElementException("Array contains no element matching the

```

```

predicate.\n\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic
fun <@kotlin.internal.OnlyInputTypes T> Array<out T>.lastIndexOf(element: T): Int {\n    if (element == null) {\n
        for (index in indices.reversed()) {\n            if (this[index] == null) {\n                return index\n            }\n        }\n    } else {\n        for (index in indices.reversed()) {\n            if (element == this[index]) {\n                return index\n            }\n        }\n    }\n    return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain
element.\n */\npublic fun ByteArray.lastIndexOf(element: Byte): Int {\n    for (index in indices.reversed()) {\n        if
(element == this[index]) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns last index of
[element], or -1 if the array does not contain element.\n */\npublic fun ShortArray.lastIndexOf(element: Short): Int
{\n    for (index in indices.reversed()) {\n        if (element == this[index]) {\n            return index\n        }\n    }\n
    return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun
IntArray.lastIndexOf(element: Int): Int {\n    for (index in indices.reversed()) {\n        if (element == this[index]) {\n
            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not
contain element.\n */\npublic fun LongArray.lastIndexOf(element: Long): Int {\n    for (index in indices.reversed())
{\n        if (element == this[index]) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns last
index of [element], or -1 if the array does not contain element.\n */\n@Deprecated("The function has unclear
behavior when searching for NaN or zero values and will be removed soon. Use 'indexOfLast { it == element }'
instead to continue using this behavior, or '.asList().lastIndexOf(element: T)' to get the same search behavior as in a
list.", ReplaceWith("indexOfLast { it == element }"))\n@DeprecatedSinceKotlin(warningSince = "1.4",
errorSince = "1.6")\npublic fun FloatArray.lastIndexOf(element: Float): Int {\n    for (index in indices.reversed())
{\n        if (element == this[index]) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns last
index of [element], or -1 if the array does not contain element.\n */\n@Deprecated("The function has unclear
behavior when searching for NaN or zero values and will be removed soon. Use 'indexOfLast { it == element }'
instead to continue using this behavior, or '.asList().lastIndexOf(element: T)' to get the same search behavior as in a
list.", ReplaceWith("indexOfLast { it == element }"))\n@DeprecatedSinceKotlin(warningSince = "1.4",
errorSince = "1.6")\npublic fun DoubleArray.lastIndexOf(element: Double): Int {\n    for (index in
indices.reversed()) {\n        if (element == this[index]) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun
BooleanArray.lastIndexOf(element: Boolean): Int {\n    for (index in indices.reversed()) {\n        if (element ==
this[index]) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns last index of [element], or -1 if
the array does not contain element.\n */\npublic fun CharArray.lastIndexOf(element: Char): Int {\n    for (index in
indices.reversed()) {\n        if (element == this[index]) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\n * @sample
samples.collections.Collections.Elements.last\n */\npublic fun <T> Array<out T>.lastOrNull(): T? {\n    return if
(isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\n * @sample
samples.collections.Collections.Elements.last\n */\npublic fun ByteArray.lastOrNull(): Byte? {\n    return
if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\n * @sample
samples.collections.Collections.Elements.last\n */\npublic fun ShortArray.lastOrNull(): Short? {\n    return
if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\n * @sample
samples.collections.Collections.Elements.last\n */\npublic fun IntArray.lastOrNull(): Int? {\n    return
if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\n * @sample
samples.collections.Collections.Elements.last\n */\npublic fun LongArray.lastOrNull(): Long? {\n    return
if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\n * @sample
samples.collections.Collections.Elements.last\n */\npublic fun FloatArray.lastOrNull(): Float? {\n    return
if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\n * @sample
samples.collections.Collections.Elements.last\n */\npublic fun DoubleArray.lastOrNull(): Double? {\n    return
if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\n * @sample
samples.collections.Collections.Elements.last\n */\npublic fun BooleanArray.lastOrNull(): Boolean? {\n    return
if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is

```

```

empty.\n * \n * @sample samples.collections.Collections.Elements.last\n *^\npublic fun CharArray.lastOrNull():
Char? {\n  return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element matching the given
[predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n *^\npublic inline fun <T> Array<out T>.lastOrNull(predicate: (T) ->
Boolean): T? {\n  for (index in this.indices.reversed()) {\n    val element = this[index]\n    if
(predicate(element)) return element\n  }\n  return null\n}\n\n/**\n * Returns the last element matching the given
[predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n *^\npublic inline fun ByteArray.lastOrNull(predicate: (Byte) ->
Boolean): Byte? {\n  for (index in this.indices.reversed()) {\n    val element = this[index]\n    if
(predicate(element)) return element\n  }\n  return null\n}\n\n/**\n * Returns the last element matching the given
[predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n *^\npublic inline fun ShortArray.lastOrNull(predicate: (Short) ->
Boolean): Short? {\n  for (index in this.indices.reversed()) {\n    val element = this[index]\n    if
(predicate(element)) return element\n  }\n  return null\n}\n\n/**\n * Returns the last element matching the given
[predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n *^\npublic inline fun IntArray.lastOrNull(predicate: (Int) ->
Boolean): Int? {\n  for (index in this.indices.reversed()) {\n    val element = this[index]\n    if
(predicate(element)) return element\n  }\n  return null\n}\n\n/**\n * Returns the last element matching the given
[predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n *^\npublic inline fun LongArray.lastOrNull(predicate: (Long) ->
Boolean): Long? {\n  for (index in this.indices.reversed()) {\n    val element = this[index]\n    if
(predicate(element)) return element\n  }\n  return null\n}\n\n/**\n * Returns the last element matching the given
[predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n *^\npublic inline fun FloatArray.lastOrNull(predicate: (Float) ->
Boolean): Float? {\n  for (index in this.indices.reversed()) {\n    val element = this[index]\n    if
(predicate(element)) return element\n  }\n  return null\n}\n\n/**\n * Returns the last element matching the given
[predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n *^\npublic inline fun DoubleArray.lastOrNull(predicate: (Double) ->
Boolean): Double? {\n  for (index in this.indices.reversed()) {\n    val element = this[index]\n    if
(predicate(element)) return element\n  }\n  return null\n}\n\n/**\n * Returns the last element matching the given
[predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n *^\npublic inline fun BooleanArray.lastOrNull(predicate: (Boolean)
-> Boolean): Boolean? {\n  for (index in this.indices.reversed()) {\n    val element = this[index]\n    if
(predicate(element)) return element\n  }\n  return null\n}\n\n/**\n * Returns the last element matching the given
[predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n *^\npublic inline fun CharArray.lastOrNull(predicate: (Char) ->
Boolean): Char? {\n  for (index in this.indices.reversed()) {\n    val element = this[index]\n    if
(predicate(element)) return element\n  }\n  return null\n}\n\n/**\n * Returns a random element from this array.\n *
\n * @throws NoSuchElementException if this array is empty.\n *
\n *^\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.random(): T {\n
return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws
NoSuchElementException if this array is empty.\n *
\n *^\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic
inline fun ByteArray.random(): Byte {\n  return random(Random)\n}\n\n/**\n * Returns a random element from
this array.\n * \n * @throws NoSuchElementException if this array is empty.\n *
\n *^\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic
inline fun ShortArray.random(): Short {\n  return
random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws
NoSuchElementException if this array is empty.\n *
\n *^\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic
inline fun IntArray.random(): Int {\n  return
random(Random)\n}\n\n/**\n * Returns a random element from this

```



```

array.\n * \n * @throws NoSuchElementException if this array is empty.\n
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.random(): Long {\n    return\n    random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws\n    NoSuchElementException if this array is empty.\n */\n*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic\n    inline fun FloatArray.random(): Float {\n        return random(Random)\n    }\n\n    /**\n     * Returns a random element from\n     * this array.\n     * \n     * @throws NoSuchElementException if this array is empty.\n     */\n    *\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.random(): Double {\n    return\n    random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws\n    NoSuchElementException if this array is empty.\n */\n*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic\n    inline fun BooleanArray.random(): Boolean {\n        return random(Random)\n    }\n\n    /**\n     * Returns a random element\n     * from this array.\n     * \n     * @throws NoSuchElementException if this array is empty.\n     */\n    *\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.random(): Char {\n    return\n    random(Random)\n}\n\n/**\n * Returns a random element from this array using the specified source of\n * randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n*\n@SinceKotlin("1.3")\npublic\n    fun <T> Array<out T>.random(random: Random): T {\n        if (isEmpty())\n            throw\n            NoSuchElementException("Array is empty.")\n        return get(random.nextInt(size))\n    }\n\n    /**\n     * Returns a random\n     * element from this array using the specified source of randomness.\n     * \n     * @throws NoSuchElementException if\n     * this array is empty.\n     */\n    *\n@SinceKotlin("1.3")\npublic fun ByteArray.random(random: Random): Byte {\n    if\n    (isEmpty())\n        throw\n        NoSuchElementException("Array is empty.")\n    return\n    get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of\n * randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n*\n@SinceKotlin("1.3")\npublic\n    fun ShortArray.random(random: Random): Short {\n        if (isEmpty())\n            throw\n            NoSuchElementException("Array is empty.")\n        return\n        get(random.nextInt(size))\n    }\n\n    /**\n     * Returns a random\n     * element from this array using the specified source of randomness.\n     * \n     * @throws NoSuchElementException if\n     * this array is empty.\n     */\n    *\n@SinceKotlin("1.3")\npublic fun IntArray.random(random: Random): Int {\n    if\n    (isEmpty())\n        throw\n        NoSuchElementException("Array is empty.")\n    return\n    get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of\n * randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n*\n@SinceKotlin("1.3")\npublic\n    fun LongArray.random(random: Random): Long {\n        if (isEmpty())\n            throw\n            NoSuchElementException("Array is empty.")\n        return\n        get(random.nextInt(size))\n    }\n\n    /**\n     * Returns a random\n     * element from this array using the specified source of randomness.\n     * \n     * @throws NoSuchElementException if\n     * this array is empty.\n     */\n    *\n@SinceKotlin("1.3")\npublic fun FloatArray.random(random: Random): Float {\n    if\n    (isEmpty())\n        throw\n        NoSuchElementException("Array is empty.")\n    return\n    get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of\n * randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n*\n@SinceKotlin("1.3")\npublic\n    fun DoubleArray.random(random: Random): Double {\n        if (isEmpty())\n            throw\n            NoSuchElementException("Array is empty.")\n        return\n        get(random.nextInt(size))\n    }\n\n    /**\n     * Returns a random\n     * element from this array using the specified source of randomness.\n     * \n     * @throws NoSuchElementException if\n     * this array is empty.\n     */\n    *\n@SinceKotlin("1.3")\npublic fun BooleanArray.random(random: Random): Boolean {\n    if\n    (isEmpty())\n        throw\n        NoSuchElementException("Array is empty.")\n    return\n    get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of\n * randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n*\n@SinceKotlin("1.3")\npublic\n    fun CharArray.random(random: Random): Char {\n        if (isEmpty())\n            throw\n            NoSuchElementException("Array\n            is empty.")\n        return\n        get(random.nextInt(size))\n    }\n\n    /**\n     * Returns a random element from this array, or `null` if\n     * this array is empty.\n     */\n    *\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic\n    inline fun <T> Array<out T>.randomOrNull(): T? {\n        return\n        randomOrNull(Random)\n    }\n\n    /**\n     * Returns a\n     * random element from this array, or `null` if this array is empty.\n     */

```

```

*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.randomOrNull(): Byte? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.randomOrNull(): Short? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.randomOrNull(): Int? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.randomOrNull(): Long? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.randomOrNull(): Float? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.randomOrNull(): Double? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.randomOrNull(): Boolean? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.randomOrNull(): Char? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun <T> Array<out T>.randomOrNull(random: Random): T? {\n    if (isEmpty())\n        return null\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun ByteArray.randomOrNull(random: Random): Byte? {\n    if (isEmpty())\n        return null\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun ShortArray.randomOrNull(random: Random): Short? {\n    if (isEmpty())\n        return null\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun IntArray.randomOrNull(random: Random): Int? {\n    if (isEmpty())\n        return null\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun LongArray.randomOrNull(random: Random): Long? {\n    if (isEmpty())\n        return null\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun FloatArray.randomOrNull(random: Random): Float? {\n    if (isEmpty())\n        return null\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness, or `null` if this array is empty.\n

```

```

*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
DoubleArray.randomOrNull(random: Random): Double? {\n if (isEmpty())\n return null\n return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
BooleanArray.randomOrNull(random: Random): Boolean? {\n if (isEmpty())\n return null\n return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
CharArray.randomOrNull(random: Random): Char? {\n if (isEmpty())\n return null\n return
get(random.nextInt(size))\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or
has more than one element.\n */\npublic fun <T> Array<out T>.single(): T {\n return when (size) {\n 0 ->
throw NoSuchElementException("Array is empty.")\n 1 -> this[0]\n else -> throw
IllegalArgumentException("Array has more than one element.")\n }\n}\n\n/**\n * Returns the single element, or
throws an exception if the array is empty or has more than one element.\n */\npublic fun ByteArray.single(): Byte
{\n return when (size) {\n 0 -> throw NoSuchElementException("Array is empty.")\n 1 -> this[0]\n
else -> throw IllegalArgumentException("Array has more than one element.")\n }\n}\n\n/**\n * Returns the
single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun
ShortArray.single(): Short {\n return when (size) {\n 0 -> throw NoSuchElementException("Array is
empty.")\n 1 -> this[0]\n else -> throw IllegalArgumentException("Array has more than one element.")\n
}\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one
element.\n */\npublic fun IntArray.single(): Int {\n return when (size) {\n 0 -> throw
NoSuchElementException("Array is empty.")\n 1 -> this[0]\n else -> throw
IllegalArgumentException("Array has more than one element.")\n }\n}\n\n/**\n * Returns the single element, or
throws an exception if the array is empty or has more than one element.\n */\npublic fun LongArray.single(): Long
{\n return when (size) {\n 0 -> throw NoSuchElementException("Array is empty.")\n 1 -> this[0]\n
else -> throw IllegalArgumentException("Array has more than one element.")\n }\n}\n\n/**\n * Returns the
single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun
FloatArray.single(): Float {\n return when (size) {\n 0 -> throw NoSuchElementException("Array is
empty.")\n 1 -> this[0]\n else -> throw IllegalArgumentException("Array has more than one element.")\n
}\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one
element.\n */\npublic fun DoubleArray.single(): Double {\n return when (size) {\n 0 -> throw
NoSuchElementException("Array is empty.")\n 1 -> this[0]\n else -> throw
IllegalArgumentException("Array has more than one element.")\n }\n}\n\n/**\n * Returns the single element, or
throws an exception if the array is empty or has more than one element.\n */\npublic fun BooleanArray.single():
Boolean {\n return when (size) {\n 0 -> throw NoSuchElementException("Array is empty.")\n 1 ->
this[0]\n else -> throw IllegalArgumentException("Array has more than one element.")\n }\n}\n\n/**\n *
Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\npublic
fun CharArray.single(): Char {\n return when (size) {\n 0 -> throw NoSuchElementException("Array is
empty.")\n 1 -> this[0]\n else -> throw IllegalArgumentException("Array has more than one element.")\n
}\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or
more than one matching element.\n */\npublic inline fun <T> Array<out T>.single(predicate: (T) -> Boolean): T {\n
var single: T? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if
(found) throw IllegalArgumentException("Array contains more than one matching element.")\n single =
element\n found = true\n }\n }\n if (!found) throw NoSuchElementException("Array contains no
element matching the predicate.")\n @Suppress("UNCHECKED_CAST")\n return single as T\n}\n\n/**\n * Returns the
single element matching the given [predicate], or throws exception if there is no or more than one
matching element.\n */\npublic inline fun ByteArray.single(predicate: (Byte) -> Boolean): Byte {\n var single:

```

```

Byte? = null\n  var found = false\n  for (element in this) {\n    if (predicate(element)) {\n      if (found) throw
IllegalArgumentException("Array contains more than one matching element.")\n      single = element\n
found = true\n    }\n  }\n  if (!found) throw NoSuchElementException("Array contains no element matching
the predicate.")\n  @Suppress("UNCHECKED_CAST")\n  return single as Byte\n}\n\n/**\n * Returns the
single element matching the given [predicate], or throws exception if there is no or more than one matching
element.\n */\npublic inline fun ShortArray.single(predicate: (Short) -> Boolean): Short {\n  var single: Short? =
null\n  var found = false\n  for (element in this) {\n    if (predicate(element)) {\n      if (found) throw
IllegalArgumentException("Array contains more than one matching element.")\n      single = element\n
found = true\n    }\n  }\n  if (!found) throw NoSuchElementException("Array contains no element matching
the predicate.")\n  @Suppress("UNCHECKED_CAST")\n  return single as Short\n}\n\n/**\n * Returns the
single element matching the given [predicate], or throws exception if there is no or more than one matching
element.\n */\npublic inline fun IntArray.single(predicate: (Int) -> Boolean): Int {\n  var single: Int? = null\n  var
found = false\n  for (element in this) {\n    if (predicate(element)) {\n      if (found) throw
IllegalArgumentException("Array contains more than one matching element.")\n      single = element\n
found = true\n    }\n  }\n  if (!found) throw NoSuchElementException("Array contains no element matching
the predicate.")\n  @Suppress("UNCHECKED_CAST")\n  return single as Int\n}\n\n/**\n * Returns the single
element matching the given [predicate], or throws exception if there is no or more than one matching element.\n
*/\npublic inline fun LongArray.single(predicate: (Long) -> Boolean): Long {\n  var single: Long? = null\n  var
found = false\n  for (element in this) {\n    if (predicate(element)) {\n      if (found) throw
IllegalArgumentException("Array contains more than one matching element.")\n      single = element\n
found = true\n    }\n  }\n  if (!found) throw NoSuchElementException("Array contains no element matching
the predicate.")\n  @Suppress("UNCHECKED_CAST")\n  return single as Long\n}\n\n/**\n * Returns the
single element matching the given [predicate], or throws exception if there is no or more than one matching
element.\n */\npublic inline fun FloatArray.single(predicate: (Float) -> Boolean): Float {\n  var single: Float? =
null\n  var found = false\n  for (element in this) {\n    if (predicate(element)) {\n      if (found) throw
IllegalArgumentException("Array contains more than one matching element.")\n      single = element\n
found = true\n    }\n  }\n  if (!found) throw NoSuchElementException("Array contains no element matching
the predicate.")\n  @Suppress("UNCHECKED_CAST")\n  return single as Float\n}\n\n/**\n * Returns the
single element matching the given [predicate], or throws exception if there is no or more than one matching
element.\n */\npublic inline fun DoubleArray.single(predicate: (Double) -> Boolean): Double {\n  var single:
Double? = null\n  var found = false\n  for (element in this) {\n    if (predicate(element)) {\n      if (found)
throw IllegalArgumentException("Array contains more than one matching element.")\n      single = element\n
found = true\n    }\n  }\n  if (!found) throw NoSuchElementException("Array contains no element
matching the predicate.")\n  @Suppress("UNCHECKED_CAST")\n  return single as Double\n}\n\n/**\n *
Returns the single element matching the given [predicate], or throws exception if there is no or more than one
matching element.\n */\npublic inline fun BooleanArray.single(predicate: (Boolean) -> Boolean): Boolean {\n  var
single: Boolean? = null\n  var found = false\n  for (element in this) {\n    if (predicate(element)) {\n      if
(found) throw IllegalArgumentException("Array contains more than one matching element.")\n      single =
element\n      found = true\n    }\n  }\n  if (!found) throw NoSuchElementException("Array contains no
element matching the predicate.")\n  @Suppress("UNCHECKED_CAST")\n  return single as
Boolean\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no
or more than one matching element.\n */\npublic inline fun CharArray.single(predicate: (Char) -> Boolean): Char
{\n  var single: Char? = null\n  var found = false\n  for (element in this) {\n    if (predicate(element)) {\n
if (found) throw IllegalArgumentException("Array contains more than one matching element.")\n      single =
element\n      found = true\n    }\n  }\n  if (!found) throw NoSuchElementException("Array contains no
element matching the predicate.")\n  @Suppress("UNCHECKED_CAST")\n  return single as Char\n}\n\n/**\n *
Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic fun <T>
Array<out T>.singleOrNull(): T? {\n  return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or

```

```

`null` if the array is empty or has more than one element.\n */\npublic fun ByteArray.singleOrNull(): Byte? {\n
return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more
than one element.\n */\npublic fun ShortArray.singleOrNull(): Short? {\n    return if (size == 1) this[0] else
null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic
fun IntArray.singleOrNull(): Int? {\n    return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or
`null` if the array is empty or has more than one element.\n */\npublic fun LongArray.singleOrNull(): Long? {\n
return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more
than one element.\n */\npublic fun FloatArray.singleOrNull(): Float? {\n    return if (size == 1) this[0] else
null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic
fun DoubleArray.singleOrNull(): Double? {\n    return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single
element, or `null` if the array is empty or has more than one element.\n */\npublic fun BooleanArray.singleOrNull():
Boolean? {\n    return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is
empty or has more than one element.\n */\npublic fun CharArray.singleOrNull(): Char? {\n    return if (size == 1)
this[0] else null\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not
found or more than one element was found.\n */\npublic inline fun <T> Array<out T>.singleOrNull(predicate: (T) -
> Boolean): T? {\n    var single: T? = null\n    var found = false\n    for (element in this) {\n        if
(predicate(element)) {\n            if (found) return null\n            single = element\n            found = true\n        }\n    }\n    if (!found) return null\n    return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or
`null` if element was not found or more than one element was found.\n */\npublic inline fun
ByteArray.singleOrNull(predicate: (Byte) -> Boolean): Byte? {\n    var single: Byte? = null\n    var found = false\n
for (element in this) {\n        if (predicate(element)) {\n            if (found) return null\n            single = element\n
found = true\n        }\n    }\n    if (!found) return null\n    return single\n}\n\n/**\n * Returns the single element
matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic
inline fun ShortArray.singleOrNull(predicate: (Short) -> Boolean): Short? {\n    var single: Short? = null\n    var
found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) return null\n            single
= element\n            found = true\n        }\n    }\n    if (!found) return null\n    return single\n}\n\n/**\n * Returns the
single element matching the given [predicate], or `null` if element was not found or more than one element was
found.\n */\npublic inline fun IntArray.singleOrNull(predicate: (Int) -> Boolean): Int? {\n    var single: Int? = null\n
var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) return null\n
single = element\n            found = true\n        }\n    }\n    if (!found) return null\n    return single\n}\n\n/**\n *
Returns the single element matching the given [predicate], or `null` if element was not found or more than one
element was found.\n */\npublic inline fun LongArray.singleOrNull(predicate: (Long) -> Boolean): Long? {\n    var
single: Long? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if
(found) return null\n            single = element\n            found = true\n        }\n    }\n    if (!found) return null\n    return
single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or
more than one element was found.\n */\npublic inline fun FloatArray.singleOrNull(predicate: (Float) -> Boolean):
Float? {\n    var single: Float? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element))
{\n            if (found) return null\n            single = element\n            found = true\n        }\n    }\n    if (!found) return
null\n    return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element
was not found or more than one element was found.\n */\npublic inline fun DoubleArray.singleOrNull(predicate:
(Double) -> Boolean): Double? {\n    var single: Double? = null\n    var found = false\n    for (element in this) {\n
if (predicate(element)) {\n            if (found) return null\n            single = element\n            found = true\n        }\n
}\n    if (!found) return null\n    return single\n}\n\n/**\n * Returns the single element matching the given
[predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun
BooleanArray.singleOrNull(predicate: (Boolean) -> Boolean): Boolean? {\n    var single: Boolean? = null\n    var
found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) return null\n            single
= element\n            found = true\n        }\n    }\n    if (!found) return null\n    return single\n}\n\n/**\n * Returns the
single element matching the given [predicate], or `null` if element was not found or more than one element was

```

```

found.\n *\npublic inline fun CharArray.singleOrNull(predicate: (Char) -> Boolean): Char? {\n  var single: Char?
= null\n  var found = false\n  for (element in this) {\n    if (predicate(element)) {\n      if (found) return
null\n      single = element\n      found = true\n    }\n  }\n  if (!found) return null\n  return
single\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun <T> Array<out T>.drop(n: Int): List<T> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun ByteArray.drop(n: Int): List<Byte> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun ShortArray.drop(n: Int): List<Short> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun IntArray.drop(n: Int): List<Int> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun LongArray.drop(n: Int): List<Long> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun FloatArray.drop(n: Int): List<Float> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun DoubleArray.drop(n: Int): List<Double> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun BooleanArray.drop(n: Int): List<Boolean>
{\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun CharArray.drop(n: Int): List<Char> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun <T> Array<out T>.dropLast(n: Int): List<T>
{\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun ByteArray.dropLast(n: Int): List<Byte> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws

```

```

IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun ShortArray.dropLast(n: Int): List<Short> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun IntArray.dropLast(n: Int): List<Int> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun LongArray.dropLast(n: Int): List<Long> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun FloatArray.dropLast(n: Int): List<Float> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun DoubleArray.dropLast(n: Int): List<Double>
{\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun BooleanArray.dropLast(n: Int):
List<Boolean> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun CharArray.dropLast(n: Int): List<Char> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given
[predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n *\npublic inline fun <T>
Array<out T>.dropLastWhile(predicate: (T) -> Boolean): List<T> {\n  for (index in lastIndex downTo 0) {\n    if
(!predicate(this[index])) {\n      return take(index + 1)\n    }\n  }\n  return emptyList()\n}\n\n/**\n * Returns
a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun ByteArray.dropLastWhile(predicate:
(Byte) -> Boolean): List<Byte> {\n  for (index in lastIndex downTo 0) {\n    if (!predicate(this[index])) {\n
return take(index + 1)\n    }\n  }\n  return emptyList()\n}\n\n/**\n * Returns a list containing all elements
except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun ShortArray.dropLastWhile(predicate:
(Short) -> Boolean): List<Short> {\n  for (index in lastIndex downTo 0) {\n    if (!predicate(this[index])) {\n
return take(index + 1)\n    }\n  }\n  return emptyList()\n}\n\n/**\n * Returns a list containing all elements
except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun IntArray.dropLastWhile(predicate:
(Int) -> Boolean): List<Int> {\n  for (index in lastIndex downTo 0) {\n    if (!predicate(this[index])) {\n
return take(index + 1)\n    }\n  }\n  return emptyList()\n}\n\n/**\n * Returns a list containing all elements
except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun LongArray.dropLastWhile(predicate:
(Long) -> Boolean): List<Long> {\n  for (index in lastIndex downTo 0) {\n    if (!predicate(this[index])) {\n
return take(index + 1)\n    }\n  }\n  return emptyList()\n}\n\n/**\n * Returns a list containing all elements
except last elements that satisfy the given [predicate].\n * \n * @sample

```

```

samples.collections.Collections.Transformations.drop\n *\npublic inline fun FloatArray.dropLastWhile(predicate:
(Float) -> Boolean): List<Float> {\n  for (index in lastIndex downTo 0) {\n    if (!predicate(this[index])) {\n
  return take(index + 1)\n    }\n  }\n  return emptyList()\n}\n\n/**\n * Returns a list containing all elements
except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun DoubleArray.dropLastWhile(predicate:
(Double) -> Boolean): List<Double> {\n  for (index in lastIndex downTo 0) {\n    if (!predicate(this[index])) {\n
  return take(index + 1)\n    }\n  }\n  return emptyList()\n}\n\n/**\n * Returns a list containing all elements
except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun
BooleanArray.dropLastWhile(predicate: (Boolean) -> Boolean): List<Boolean> {\n  for (index in lastIndex
downTo 0) {\n    if (!predicate(this[index])) {\n      return take(index + 1)\n    }\n  }\n  return
emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given
[predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun
CharArray.dropLastWhile(predicate: (Char) -> Boolean): List<Char> {\n  for (index in lastIndex downTo 0) {\n
  if (!predicate(this[index])) {\n    return take(index + 1)\n  }\n}\n  return emptyList()\n}\n\n/**\n *
Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun <T> Array<out
T>.dropWhile(predicate: (T) -> Boolean): List<T> {\n  var yielding = false\n  val list = ArrayList<T>()\n  for
(item in this)\n    if (yielding)\n      list.add(item)\n    else if (!predicate(item)) {\n      list.add(item)\n
  yielding = true\n    }\n  return list\n}\n\n/**\n * Returns a list containing all elements except first elements that
satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic
inline fun ByteArray.dropWhile(predicate: (Byte) -> Boolean): List<Byte> {\n  var yielding = false\n  val list =
ArrayList<Byte>()\n  for (item in this)\n    if (yielding)\n      list.add(item)\n    else if (!predicate(item)) {\n
  list.add(item)\n    yielding = true\n    }\n  return list\n}\n\n/**\n * Returns a list containing all
elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun ShortArray.dropWhile(predicate:
(Short) -> Boolean): List<Short> {\n  var yielding = false\n  val list = ArrayList<Short>()\n  for (item in this)\n
  if (yielding)\n    list.add(item)\n  else if (!predicate(item)) {\n    list.add(item)\n    yielding =
true\n  }\n  return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the
given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun
IntArray.dropWhile(predicate: (Int) -> Boolean): List<Int> {\n  var yielding = false\n  val list =
ArrayList<Int>()\n  for (item in this)\n    if (yielding)\n      list.add(item)\n    else if (!predicate(item)) {\n
  list.add(item)\n    yielding = true\n    }\n  return list\n}\n\n/**\n * Returns a list containing all elements
except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun LongArray.dropWhile(predicate:
(Long) -> Boolean): List<Long> {\n  var yielding = false\n  val list = ArrayList<Long>()\n  for (item in this)\n
  if (yielding)\n    list.add(item)\n  else if (!predicate(item)) {\n    list.add(item)\n    yielding =
true\n  }\n  return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the
given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun
FloatArray.dropWhile(predicate: (Float) -> Boolean): List<Float> {\n  var yielding = false\n  val list =
ArrayList<Float>()\n  for (item in this)\n    if (yielding)\n      list.add(item)\n    else if (!predicate(item))
{\n  list.add(item)\n    yielding = true\n    }\n  return list\n}\n\n/**\n * Returns a list containing all
elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun DoubleArray.dropWhile(predicate:
(Double) -> Boolean): List<Double> {\n  var yielding = false\n  val list = ArrayList<Double>()\n  for (item in
this)\n    if (yielding)\n      list.add(item)\n    else if (!predicate(item)) {\n      list.add(item)\n
  yielding = true\n    }\n  return list\n}\n\n/**\n * Returns a list containing all elements except first elements that
satisfy the given [predicate].\n * \n * @sample

```



```

inline fun BooleanArray.dropWhile(predicate: (Boolean) -> Boolean): List<Boolean> {\n  var yielding = false\n  val list = ArrayList<Boolean>()\n  for (item in this)\n    if (yielding)\n      list.add(item)\n    else if\n      (!predicate(item)) {\n        list.add(item)\n        yielding = true\n      }\n  return list\n}\n\n/**\n * Returns a list\n * containing all elements except first elements that satisfy the given [predicate].\n * @sample\n * samples.collections.Collections.Transformations.drop\n */\npublic inline fun CharArray.dropWhile(predicate:\n(Char) -> Boolean): List<Char> {\n  var yielding = false\n  val list = ArrayList<Char>()\n  for (item in this)\n    if (yielding)\n      list.add(item)\n    else if (!predicate(item)) {\n      list.add(item)\n      yielding =\n      true\n    }\n  return list\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @sample\n * samples.collections.Collections.Filtering.filter\n */\npublic inline fun <T> Array<out\nT>.filter(predicate: (T) -> Boolean): List<T> {\n  return filterTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Returns\n * a list containing only elements matching the given [predicate].\n * @sample\n * samples.collections.Collections.Filtering.filter\n */\npublic inline fun ByteArray.filter(predicate: (Byte) -> Boolean):\nList<Byte> {\n  return filterTo(ArrayList<Byte>(), predicate)\n}\n\n/**\n * Returns a list containing only elements\n * matching the given [predicate].\n * @sample\n * samples.collections.Collections.Filtering.filter\n */\npublic inline\nfun ShortArray.filter(predicate: (Short) -> Boolean): List<Short> {\n  return filterTo(ArrayList<Short>(),\n  predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @sample\n * samples.collections.Collections.Filtering.filter\n */\npublic inline fun IntArray.filter(predicate: (Int) -> Boolean):\nList<Int> {\n  return filterTo(ArrayList<Int>(), predicate)\n}\n\n/**\n * Returns a list containing only elements\n * matching the given [predicate].\n * @sample\n * samples.collections.Collections.Filtering.filter\n */\npublic inline\nfun LongArray.filter(predicate: (Long) -> Boolean): List<Long> {\n  return filterTo(ArrayList<Long>(),\n  predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @sample\n * samples.collections.Collections.Filtering.filter\n */\npublic inline fun FloatArray.filter(predicate: (Float) ->\nBoolean): List<Float> {\n  return filterTo(ArrayList<Float>(), predicate)\n}\n\n/**\n * Returns a list containing\n * only elements matching the given [predicate].\n * @sample\n * samples.collections.Collections.Filtering.filter\n */\npublic inline fun DoubleArray.filter(predicate: (Double) -> Boolean): List<Double> {\n  return\n  filterTo(ArrayList<Double>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given\n * [predicate].\n * @sample\n * samples.collections.Collections.Filtering.filter\n */\npublic inline fun\nBooleanArray.filter(predicate: (Boolean) -> Boolean): List<Boolean> {\n  return filterTo(ArrayList<Boolean>(),\n  predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @sample\n * samples.collections.Collections.Filtering.filter\n */\npublic inline fun CharArray.filter(predicate: (Char) ->\nBoolean): List<Char> {\n  return filterTo(ArrayList<Char>(), predicate)\n}\n\n/**\n * Returns a list containing\n * only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element\n * and the element itself\n * and returns the result of predicate evaluation on the element.\n * @sample\n * samples.collections.Collections.Filtering.filterIndexed\n */\npublic inline fun <T> Array<out\nT>.filterIndexed(predicate: (index: Int, T) -> Boolean): List<T> {\n  return filterIndexedTo(ArrayList<T>(),\n  predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param\n * [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate\n * evaluation on the element.\n * @sample\n * samples.collections.Collections.Filtering.filterIndexed\n */\npublic\ninline fun ByteArray.filterIndexed(predicate: (index: Int, Byte) -> Boolean): List<Byte> {\n  return\n  filterIndexedTo(ArrayList<Byte>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the\n * given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and\n * returns the result of predicate evaluation on the element.\n * @sample\n * samples.collections.Collections.Filtering.filterIndexed\n */\npublic inline fun ShortArray.filterIndexed(predicate:\n(index: Int, Short) -> Boolean): List<Short> {\n  return filterIndexedTo(ArrayList<Short>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes\n * the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * @sample\n * samples.collections.Collections.Filtering.filterIndexed\n */\npublic inline fun\nIntArray.filterIndexed(predicate: (index: Int, Int) -> Boolean): List<Int> {\n  return

```

```

filterIndexedTo(ArrayList<Int>(), predicate)\n\n/**\n * Returns a list containing only elements matching the
given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and
returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexed\n */\npublic inline fun LongArray.filterIndexed(predicate:
(index: Int, Long) -> Boolean): List<Long> {\n    return filterIndexedTo(ArrayList<Long>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes
the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexed\n */\npublic inline fun
FloatArray.filterIndexed(predicate: (index: Int, Float) -> Boolean): List<Float> {\n    return
filterIndexedTo(ArrayList<Float>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the
given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and
returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexed\n */\npublic inline fun
DoubleArray.filterIndexed(predicate:
(index: Int, Double) -> Boolean): List<Double> {\n    return filterIndexedTo(ArrayList<Double>(),
predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param
[predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate
evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexed\n */\npublic
inline fun BooleanArray.filterIndexed(predicate: (index: Int, Boolean) -> Boolean): List<Boolean> {\n    return
filterIndexedTo(ArrayList<Boolean>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching
the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n *
and returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexed\n */\npublic inline fun CharArray.filterIndexed(predicate:
(index: Int, Char) -> Boolean): List<Char> {\n    return filterIndexedTo(ArrayList<Char>(), predicate)\n}\n\n/**\n *
Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that
takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the
element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n */\npublic inline fun <T, C :
MutableCollection<in T>> Array<out T>.filterIndexedTo(destination: C, predicate: (index: Int, T) -> Boolean): C
{\n    forEachIndexed { index, element ->\n        if (predicate(index, element)) destination.add(element)\n    }\n    return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param
[predicate] function that takes the index of an element and the element itself\n * and returns the result of
predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n */\npublic inline fun <C : MutableCollection<in Byte>> ByteArray.filterIndexedTo(destination: C, predicate:
(index: Int, Byte) -> Boolean): C {\n    forEachIndexed { index, element ->\n        if (predicate(index, element))
destination.add(element)\n    }\n    return destination\n}\n\n/**\n * Appends all elements matching the given
[predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the
element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexedTo\n */\npublic inline fun <C : MutableCollection<in Short>>
ShortArray.filterIndexedTo(destination: C, predicate: (index: Int, Short) -> Boolean): C {\n    forEachIndexed {
index, element ->\n        if (predicate(index, element)) destination.add(element)\n    }\n    return
destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param
[predicate] function that takes the index of an element and the element itself\n * and returns the result of
predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n */\npublic inline fun <C : MutableCollection<in Int>> IntArray.filterIndexedTo(destination: C, predicate: (index:
Int, Int) -> Boolean): C {\n    forEachIndexed { index, element ->\n        if (predicate(index, element))
destination.add(element)\n    }\n    return destination\n}\n\n/**\n * Appends all elements matching the given
[predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the
element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexedTo\n */\npublic inline fun <C : MutableCollection<in Long>>

```

```

LongArray.filterIndexedTo(destination: C, predicate: (index: Int, Long) -> Boolean): C {
    forEachIndexed { index, element ->
        if (predicate(index, element)) destination.add(element)
    }
    return destination
}
Append all elements matching the given [predicate] to the given [destination].
@param [predicate] function that takes the index of an element and the element itself
and returns the result of predicate evaluation on the element.
@sample samples.collections.Collections.Filtering.filterIndexedTo

public inline fun <C : MutableCollection<in Float>> FloatArray.filterIndexedTo(destination: C, predicate:
(index: Int, Float) -> Boolean): C {
    forEachIndexed { index, element ->
        if (predicate(index, element)) destination.add(element)
    }
    return destination
}
Append all elements matching the given [predicate] to the given [destination].
@param [predicate] function that takes the index of an element and the element itself
and returns the result of predicate evaluation on the element.
@sample samples.collections.Collections.Filtering.filterIndexedTo

public inline fun <C : MutableCollection<in Double>> DoubleArray.filterIndexedTo(destination: C, predicate: (index: Int, Double) -> Boolean): C {
    forEachIndexed { index, element ->
        if (predicate(index, element)) destination.add(element)
    }
    return destination
}
Append all elements matching the given [predicate] to the given [destination].
@param [predicate] function that takes the index of an element and the element itself
and returns the result of predicate evaluation on the element.
@sample samples.collections.Collections.Filtering.filterIndexedTo

public inline fun <C : MutableCollection<in Boolean>> BooleanArray.filterIndexedTo(destination: C, predicate:
(index: Int, Boolean) -> Boolean): C {
    forEachIndexed { index, element ->
        if (predicate(index, element)) destination.add(element)
    }
    return destination
}
Append all elements matching the given [predicate] to the given [destination].
@param [predicate] function that takes the index of an element and the element itself
and returns the result of predicate evaluation on the element.
@sample samples.collections.Collections.Filtering.filterIndexedTo

public inline fun <C : MutableCollection<in Char>> CharArray.filterIndexedTo(destination: C, predicate: (index: Int, Char) -> Boolean): C {
    forEachIndexed { index, element ->
        if (predicate(index, element)) destination.add(element)
    }
    return destination
}
Returns a list containing all elements that are instances of specified type parameter R.
@sample samples.collections.Collections.Filtering.filterIsInstance

public inline fun <reified R> Array<*>.filterIsInstance(): List<@kotlin.internal.NoInfer R> {
    return filterIsInstanceTo(ArrayList<R>())
}
Append all elements that are instances of specified type parameter R to the given [destination].
@sample samples.collections.Collections.Filtering.filterIsInstanceTo

public inline fun <reified R, C : MutableCollection<in R>> Array<*>.filterIsInstanceTo(destination: C): C {
    for (element in this) if (element is R) destination.add(element)
    return destination
}
Returns a list containing all elements not matching the given [predicate].
@sample samples.collections.Collections.Filtering.filter

public inline fun <T> Array<out T>.filterNot(predicate: (T) -> Boolean): List<T> {
    return filterNotTo(ArrayList<T>(), predicate)
}
Returns a list containing all elements not matching the given [predicate].
@sample samples.collections.Collections.Filtering.filter

public inline fun ByteArray.filterNot(predicate: (Byte) -> Boolean): List<Byte> {
    return filterNotTo(ArrayList<Byte>(), predicate)
}
Returns a list containing all elements not matching the given [predicate].
@sample samples.collections.Collections.Filtering.filter

public inline fun ShortArray.filterNot(predicate: (Short) -> Boolean): List<Short> {
    return filterNotTo(ArrayList<Short>(), predicate)
}
Returns a list containing all elements not matching the given [predicate].
@sample samples.collections.Collections.Filtering.filter

public inline fun IntArray.filterNot(predicate: (Int) -> Boolean): List<Int> {
    return filterNotTo(ArrayList<Int>(), predicate)
}
Returns a list containing all elements not matching the given [predicate].
@sample samples.collections.Collections.Filtering.filter

public inline fun LongArray.filterNot(predicate: (Long) -> Boolean): List<Long> {
    return filterNotTo(ArrayList<Long>(), predicate)
}
Returns a list containing all elements not matching the given [predicate].
@sample samples.collections.Collections.Filtering.filter

public inline fun FloatArray.filterNot(predicate: (Float) -> Boolean): List<Float> {
    return filterNotTo(ArrayList<Float>(), predicate)
}
Returns a list

```

```

containing all elements not matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filterNot\n *\npublic inline fun DoubleArray.filterNot(predicate: (Double) ->
Boolean): List<Double> {\n    return filterNotTo(ArrayList<Double>(), predicate)\n}\n\n/**\n * Returns a list
containing all elements not matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filterNot\n *\npublic inline fun BooleanArray.filterNot(predicate: (Boolean) -
> Boolean): List<Boolean> {\n    return filterNotTo(ArrayList<Boolean>(), predicate)\n}\n\n/**\n * Returns a list
containing all elements not matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n *\npublic inline fun CharArray.filterNot(predicate: (Char) ->
Boolean): List<Char> {\n    return filterNotTo(ArrayList<Char>(), predicate)\n}\n\n/**\n * Returns a list containing
all elements that are not `null`.\n * \n * @sample samples.collections.Collections.Filtering.filterNotNull\n *\npublic
fun <T : Any> Array<out T?>.filterNotNull(): List<T> {\n    return filterNotNullTo(ArrayList<T>())\n}\n\n/**\n *
Appends all elements that are not `null` to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterNotNullTo\n *\npublic fun <C : MutableCollection<in T>, T : Any>
Array<out T?>.filterNotNullTo(destination: C): C {\n    for (element in this) if (element != null)
destination.add(element)\n    return destination\n}\n\n/**\n * Appends all elements not matching the given
[predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n
*\npublic inline fun <T, C : MutableCollection<in T>> Array<out T>.filterNotTo(destination: C, predicate: (T) ->
Boolean): C {\n    for (element in this) if (!predicate(element)) destination.add(element)\n    return
destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n * \n *
@sample samples.collections.Collections.Filtering.filterTo\n *\npublic inline fun <C : MutableCollection<in
Byte>> ByteArray.filterNotTo(destination: C, predicate: (Byte) -> Boolean): C {\n    for (element in this) if
(!predicate(element)) destination.add(element)\n    return destination\n}\n\n/**\n * Appends all elements not
matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n *\npublic inline fun <C : MutableCollection<in Short>>
ShortArray.filterNotTo(destination: C, predicate: (Short) -> Boolean): C {\n    for (element in this) if
(!predicate(element)) destination.add(element)\n    return destination\n}\n\n/**\n * Appends all elements not
matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n *\npublic inline fun <C : MutableCollection<in Int>>
IntArray.filterNotTo(destination: C, predicate: (Int) -> Boolean): C {\n    for (element in this) if
(!predicate(element)) destination.add(element)\n    return destination\n}\n\n/**\n * Appends all elements not
matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n *\npublic inline fun <C : MutableCollection<in Long>>
LongArray.filterNotTo(destination: C, predicate: (Long) -> Boolean): C {\n    for (element in this) if
(!predicate(element)) destination.add(element)\n    return destination\n}\n\n/**\n * Appends all elements not
matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n *\npublic inline fun <C : MutableCollection<in Float>>
FloatArray.filterNotTo(destination: C, predicate: (Float) -> Boolean): C {\n    for (element in this) if
(!predicate(element)) destination.add(element)\n    return destination\n}\n\n/**\n * Appends all elements not
matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n *\npublic inline fun <C : MutableCollection<in Double>>
DoubleArray.filterNotTo(destination: C, predicate: (Double) -> Boolean): C {\n    for (element in this) if
(!predicate(element)) destination.add(element)\n    return destination\n}\n\n/**\n * Appends all elements not
matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n *\npublic inline fun <C : MutableCollection<in Boolean>>
BooleanArray.filterNotTo(destination: C, predicate: (Boolean) -> Boolean): C {\n    for (element in this) if
(!predicate(element)) destination.add(element)\n    return destination\n}\n\n/**\n * Appends all elements not
matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n *\npublic inline fun <C : MutableCollection<in Char>>

```

```

CharArray.filterNotTo(destination: C, predicate: (Char) -> Boolean): C {\n  for (element in this) if
(!predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements matching
the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n
*/\npublic inline fun <T, C : MutableCollection<in T>> Array<out T>.filterTo(destination: C, predicate: (T) ->
Boolean): C {\n  for (element in this) if (predicate(element)) destination.add(element)\n  return
destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * \n *
@sample samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <C : MutableCollection<in
Byte>> ByteArray.filterTo(destination: C, predicate: (Byte) -> Boolean): C {\n  for (element in this) if
(predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements matching
the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n
*/\npublic inline fun <C : MutableCollection<in Short>> ShortArray.filterTo(destination: C, predicate: (Short) ->
Boolean): C {\n  for (element in this) if (predicate(element)) destination.add(element)\n  return
destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * \n *
@sample samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <C : MutableCollection<in Int>>
IntArray.filterTo(destination: C, predicate: (Int) -> Boolean): C {\n  for (element in this) if (predicate(element))
destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to
the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun
<C : MutableCollection<in Long>> LongArray.filterTo(destination: C, predicate: (Long) -> Boolean): C {\n  for
(element in this) if (predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all
elements matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <C : MutableCollection<in Float>>
FloatArray.filterTo(destination: C, predicate: (Float) -> Boolean): C {\n  for (element in this) if
(predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements matching
the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n
*/\npublic inline fun <C : MutableCollection<in Double>> DoubleArray.filterTo(destination: C, predicate: (Double)
-> Boolean): C {\n  for (element in this) if (predicate(element)) destination.add(element)\n  return
destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * \n *
@sample samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <C : MutableCollection<in
Boolean>> BooleanArray.filterTo(destination: C, predicate: (Boolean) -> Boolean): C {\n  for (element in this) if
(predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements matching
the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n
*/\npublic inline fun <C : MutableCollection<in Char>> CharArray.filterTo(destination: C, predicate: (Char) ->
Boolean): C {\n  for (element in this) if (predicate(element)) destination.add(element)\n  return
destination\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic
fun <T> Array<out T>.slice(indices: IntRange): List<T> {\n  if (indices.isEmpty()) return listOf()\n  return
copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at
indices in the specified [indices] range.\n */\npublic fun ByteArray.slice(indices: IntRange): List<Byte> {\n  if
(indices.isEmpty()) return listOf()\n  return copyOfRange(indices.start, indices.endInclusive +
1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic
fun ShortArray.slice(indices: IntRange): List<Short> {\n  if (indices.isEmpty()) return listOf()\n  return
copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at
indices in the specified [indices] range.\n */\npublic fun IntArray.slice(indices: IntRange): List<Int> {\n  if
(indices.isEmpty()) return listOf()\n  return copyOfRange(indices.start, indices.endInclusive +
1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic
fun LongArray.slice(indices: IntRange): List<Long> {\n  if (indices.isEmpty()) return listOf()\n  return
copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at
indices in the specified [indices] range.\n */\npublic fun FloatArray.slice(indices: IntRange): List<Float> {\n  if
(indices.isEmpty()) return listOf()\n  return copyOfRange(indices.start, indices.endInclusive +

```

```

1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic
fun DoubleArray.slice(indices: IntRange): List<Double> {\n    if (indices.isEmpty()) return listOf()\n    return
copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at
indices in the specified [indices] range.\n */\npublic fun BooleanArray.slice(indices: IntRange): List<Boolean> {\n
if (indices.isEmpty()) return listOf()\n    return copyOfRange(indices.start, indices.endInclusive +
1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic
fun CharArray.slice(indices: IntRange): List<Char> {\n    if (indices.isEmpty()) return listOf()\n    return
copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at
specified [indices].\n */\npublic fun <T> Array<out T>.slice(indices: Iterable<Int>): List<T> {\n    val size =
indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<T>(size)\n    for
(index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing elements at
specified [indices].\n */\npublic fun ByteArray.slice(indices: Iterable<Int>): List<Byte> {\n    val size =
indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<Byte>(size)\n    for
(index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing elements at
specified [indices].\n */\npublic fun ShortArray.slice(indices: Iterable<Int>): List<Short> {\n    val size =
indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<Short>(size)\n
for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing
elements at specified [indices].\n */\npublic fun IntArray.slice(indices: Iterable<Int>): List<Int> {\n    val size =
indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<Int>(size)\n    for
(index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing elements at
specified [indices].\n */\npublic fun LongArray.slice(indices: Iterable<Int>): List<Long> {\n    val size =
indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<Long>(size)\n
for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing
elements at specified [indices].\n */\npublic fun FloatArray.slice(indices: Iterable<Int>): List<Float> {\n    val size =
indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<Float>(size)\n
for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing
elements at specified [indices].\n */\npublic fun DoubleArray.slice(indices: Iterable<Int>): List<Double> {\n    val
size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list =
ArrayList<Double>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n *
Returns a list containing elements at specified [indices].\n */\npublic fun BooleanArray.slice(indices: Iterable<Int>):
List<Boolean> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list
= ArrayList<Boolean>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n *
Returns a list containing elements at specified [indices].\n */\npublic fun CharArray.slice(indices: Iterable<Int>):
List<Char> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list =
ArrayList<Char>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n *
Returns an array containing elements of this array at specified [indices].\n */\npublic fun <T>
Array<T>.sliceArray(indices: Collection<Int>): Array<T> {\n    val result = arrayOfNulls(this, indices.size)\n    var
targetIndex = 0\n    for (sourceIndex in indices) {\n        result[targetIndex++] = this[sourceIndex]\n    }\n    return
result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun
ByteArray.sliceArray(indices: Collection<Int>): ByteArray {\n    val result = ByteArray(indices.size)\n    var
targetIndex = 0\n    for (sourceIndex in indices) {\n        result[targetIndex++] = this[sourceIndex]\n    }\n    return
result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun
ShortArray.sliceArray(indices: Collection<Int>): ShortArray {\n    val result = ShortArray(indices.size)\n    var
targetIndex = 0\n    for (sourceIndex in indices) {\n        result[targetIndex++] = this[sourceIndex]\n    }\n    return
result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun
IntArray.sliceArray(indices: Collection<Int>): IntArray {\n    val result = IntArray(indices.size)\n    var targetIndex
= 0\n    for (sourceIndex in indices) {\n        result[targetIndex++] = this[sourceIndex]\n    }\n    return
result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun

```

```

LongArray.sliceArray(indices: Collection<Int>): LongArray {\n  val result = LongArray(indices.size)\n  var\n  targetIndex = 0\n  for (sourceIndex in indices) {\n    result[targetIndex++] = this[sourceIndex]\n  }\n  return\n  result}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\n\npublic fun\nFloatArray.sliceArray(indices: Collection<Int>): FloatArray {\n  val result = FloatArray(indices.size)\n  var\n  targetIndex = 0\n  for (sourceIndex in indices) {\n    result[targetIndex++] = this[sourceIndex]\n  }\n  return\n  result}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\n\npublic fun\nDoubleArray.sliceArray(indices: Collection<Int>): DoubleArray {\n  val result = DoubleArray(indices.size)\n  var\n  targetIndex = 0\n  for (sourceIndex in indices) {\n    result[targetIndex++] = this[sourceIndex]\n  }\n  return\n  result}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\n\npublic fun\nBooleanArray.sliceArray(indices: Collection<Int>): BooleanArray {\n  val result = BooleanArray(indices.size)\n  var\n  targetIndex = 0\n  for (sourceIndex in indices) {\n    result[targetIndex++] = this[sourceIndex]\n  }\n  return\n  result}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\n\npublic fun\nCharArray.sliceArray(indices: Collection<Int>): CharArray {\n  val result = CharArray(indices.size)\n  var\n  targetIndex = 0\n  for (sourceIndex in indices) {\n    result[targetIndex++] = this[sourceIndex]\n  }\n  return\n  result}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\n\npublic fun\n<T> Array<T>.sliceArray(indices: IntRange): Array<T> {\n  if (indices.isEmpty()) return copyOfRange(0, 0)\n  return\n  copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at\n  indices in the specified [indices] range.\n */\n\npublic fun\nByteArray.sliceArray(indices: IntRange): ByteArray {\n  if\n  (indices.isEmpty()) return ByteArray(0)\n  return\n  copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\n\npublic fun\nShortArray.sliceArray(indices: IntRange): ShortArray {\n  if (indices.isEmpty()) return ShortArray(0)\n  return\n  copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices\n  in the specified [indices] range.\n */\n\npublic fun\nIntArray.sliceArray(indices: IntRange): IntArray {\n  if\n  (indices.isEmpty()) return IntArray(0)\n  return\n  copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\n\npublic fun\nLongArray.sliceArray(indices: IntRange): LongArray {\n  if (indices.isEmpty()) return LongArray(0)\n  return\n  copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices\n  in the specified [indices] range.\n */\n\npublic fun\nFloatArray.sliceArray(indices: IntRange): FloatArray {\n  if\n  (indices.isEmpty()) return FloatArray(0)\n  return\n  copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\n\npublic fun\nDoubleArray.sliceArray(indices: IntRange): DoubleArray {\n  if (indices.isEmpty()) return DoubleArray(0)\n  return\n  copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at\n  indices in the specified [indices] range.\n */\n\npublic fun\nBooleanArray.sliceArray(indices: IntRange): BooleanArray\n{\n  if (indices.isEmpty()) return BooleanArray(0)\n  return\n  copyOfRange(indices.start, indices.endInclusive +\n  1)\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\n\npublic fun\nCharArray.sliceArray(indices: IntRange): CharArray {\n  if (indices.isEmpty()) return CharArray(0)\n  return\n  copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns a list containing first [n] elements.\n */\n\n * @throws IllegalArgumentException if [n] is negative.\n */\n\n * @sample\nsamples.collections.Collections.Transformations.take\n\npublic fun\n<T> Array<out T>.take(n: Int): List<T> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  if (n == 0) return emptyList()\n  if (n >=\n  size) return toList()\n  if (n == 1) return listOf(this[0])\n  var count = 0\n  val list = ArrayList<T>(n)\n  for\n  (item in this) {\n    list.add(item)\n    if (++count == n)\n      break\n  }\n  return\n  list}\n\n/**\n * Returns\n  a list containing first [n] elements.\n */\n\n * @throws IllegalArgumentException if [n] is negative.\n */\n\n * @sample\nsamples.collections.Collections.Transformations.take\n\npublic fun\nByteArray.take(n: Int): List<Byte> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  if (n == 0) return emptyList()\n  if (n >=\n  size) return toList()\n  if (n == 1) return listOf(this[0])\n  var count = 0\n  val list = ArrayList<Byte>(n)\n  for\n  (item in this) {\n    list.add(item)\n    if (++count == n)\n      break\n  }\n  return\n  list}\n\n/**\n * Returns\n  a list containing first [n] elements.\n */\n\n * @throws IllegalArgumentException if [n] is negative.\n */\n\n * @sample

```

```

samples.collections.Collections.Transformations.take\n *^\npublic fun ShortArray.take(n: Int): List<Short> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n if (n >=
size) return toList()\n if (n == 1) return listOf(this[0])\n var count = 0\n val list = ArrayList<Short>(n)\n for
(item in this) {\n list.add(item)\n if (++count == n)\n break\n }\n return list\n}\n\n/**\n * Returns
a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n *^\npublic fun IntArray.take(n: Int): List<Int> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n if (n >=
size) return toList()\n if (n == 1) return listOf(this[0])\n var count = 0\n val list = ArrayList<Int>(n)\n for
(item in this) {\n list.add(item)\n if (++count == n)\n break\n }\n return list\n}\n\n/**\n * Returns
a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n *^\npublic fun LongArray.take(n: Int): List<Long> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n if (n >=
size) return toList()\n if (n == 1) return listOf(this[0])\n var count = 0\n val list = ArrayList<Long>(n)\n for
(item in this) {\n list.add(item)\n if (++count == n)\n break\n }\n return list\n}\n\n/**\n * Returns
a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n *^\npublic fun FloatArray.take(n: Int): List<Float> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n if (n >=
size) return toList()\n if (n == 1) return listOf(this[0])\n var count = 0\n val list = ArrayList<Float>(n)\n for
(item in this) {\n list.add(item)\n if (++count == n)\n break\n }\n return list\n}\n\n/**\n * Returns
a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n *^\npublic fun DoubleArray.take(n: Int): List<Double> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n if (n >=
size) return toList()\n if (n == 1) return listOf(this[0])\n var count = 0\n val list = ArrayList<Double>(n)\n
for (item in this) {\n list.add(item)\n if (++count == n)\n break\n }\n return list\n}\n\n/**\n *
Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n *
@sample samples.collections.Collections.Transformations.take\n *^\npublic fun BooleanArray.take(n: Int):
List<Boolean> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return
emptyList()\n if (n >= size) return toList()\n if (n == 1) return listOf(this[0])\n var count = 0\n val list =
ArrayList<Boolean>(n)\n for (item in this) {\n list.add(item)\n if (++count == n)\n break\n }\n
return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if
[n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n *^\npublic fun
CharArray.take(n: Int): List<Char> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if
(n == 0) return emptyList()\n if (n >= size) return toList()\n if (n == 1) return listOf(this[0])\n var count = 0\n
val list = ArrayList<Char>(n)\n for (item in this) {\n list.add(item)\n if (++count == n)\n break\n
}\n return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws
IllegalArgument\n * Exception if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n *^\npublic fun <T> Array<out T>.takeLast(n: Int): List<T>
{\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n val
size = size\n if (n >= size) return toList()\n if (n == 1) return listOf(this[size - 1])\n val list =
ArrayList<T>(n)\n for (index in size - n until size)\n list.add(this[index])\n return list\n}\n\n/**\n *
Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n *
@sample
samples.collections.Collections.Transformations.take\n *^\npublic fun ByteArray.takeLast(n: Int): List<Byte> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n val size =
size\n if (n >= size) return toList()\n if (n == 1) return listOf(this[size - 1])\n val list = ArrayList<Byte>(n)\n
for (index in size - n until size)\n list.add(this[index])\n return list\n}\n\n/**\n * Returns a list containing last
[n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n *^\npublic fun ShortArray.takeLast(n: Int): List<Short> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n val size =

```



```

size\n if (n >= size) return toList()\n if (n == 1) return listOf(this[size - 1])\n val list = ArrayList<Short>(n)\n for (index in size - n until size)\n list.add(this[index])\n return list\n}\n\n/**\n * Returns a list containing last\n [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample\n samples.collections.Collections.Transformations.take\n */\npublic fun IntArray.takeLast(n: Int): List<Int> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n val size =\n size\n if (n >= size) return toList()\n if (n == 1) return listOf(this[size - 1])\n val list = ArrayList<Int>(n)\n for (index in size - n until size)\n list.add(this[index])\n return list\n}\n\n/**\n * Returns a list containing last\n [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample\n samples.collections.Collections.Transformations.take\n */\npublic fun LongArray.takeLast(n: Int): List<Long> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n val size =\n size\n if (n >= size) return toList()\n if (n == 1) return listOf(this[size - 1])\n val list = ArrayList<Long>(n)\n for (index in size - n until size)\n list.add(this[index])\n return list\n}\n\n/**\n * Returns a list containing last\n [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample\n samples.collections.Collections.Transformations.take\n */\npublic fun FloatArray.takeLast(n: Int): List<Float> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n val size =\n size\n if (n >= size) return toList()\n if (n == 1) return listOf(this[size - 1])\n val list = ArrayList<Float>(n)\n for (index in size - n until size)\n list.add(this[index])\n return list\n}\n\n/**\n * Returns a list containing last\n [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample\n samples.collections.Collections.Transformations.take\n */\npublic fun DoubleArray.takeLast(n: Int): List<Double>\n {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n val\n size = size\n if (n >= size) return toList()\n if (n == 1) return listOf(this[size - 1])\n val list =\n ArrayList<Double>(n)\n for (index in size - n until size)\n list.add(this[index])\n return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * \n * @sample\n samples.collections.Collections.Transformations.take\n */\npublic fun BooleanArray.takeLast(n: Int):\n List<Boolean> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return\n emptyList()\n val size = size\n if (n >= size) return toList()\n if (n == 1) return listOf(this[size - 1])\n val list\n = ArrayList<Boolean>(n)\n for (index in size - n until size)\n list.add(this[index])\n return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * \n * @sample\n samples.collections.Collections.Transformations.take\n */\npublic fun CharArray.takeLast(n: Int):\n List<Char> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return\n emptyList()\n val size = size\n if (n >= size) return toList()\n if (n == 1) return listOf(this[size - 1])\n val list\n = ArrayList<Char>(n)\n for (index in size - n until size)\n list.add(this[index])\n return list\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample\n samples.collections.Collections.Transformations.take\n */\npublic inline fun <T> Array<out\n T>.takeLastWhile(predicate: (T) -> Boolean): List<T> {\n for (index in lastIndex downTo 0) {\n if\n (!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a\n list containing last elements satisfying the given [predicate].\n * \n * @sample\n samples.collections.Collections.Transformations.take\n */\npublic inline fun ByteArray.takeLastWhile(predicate:\n (Byte) -> Boolean): List<Byte> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n\n return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing last elements\n satisfying the given [predicate].\n * \n * @sample\n samples.collections.Collections.Transformations.take\n */\npublic inline fun ShortArray.takeLastWhile(predicate: (Short) -> Boolean): List<Short> {\n for (index in lastIndex\n downTo 0) {\n if (!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return\n toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample\n samples.collections.Collections.Transformations.take\n */\npublic inline fun IntArray.takeLastWhile(predicate: (Int)\n -> Boolean): List<Int> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return\n drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the\n given [predicate].\n * \n * @sample\n samples.collections.Collections.Transformations.take\n */\npublic inline fun

```

```

LongArray.takeLastWhile(predicate: (Long) -> Boolean): List<Long> {\n  for (index in lastIndex downTo 0) {\n    if (!predicate(this[index])) {\n      return drop(index + 1)\n    }\n  }\n  return toList()\n}\n\nReturns a list containing last elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *^npublic inline fun FloatArray.takeLastWhile(predicate:
(Float) -> Boolean): List<Float> {\n  for (index in lastIndex downTo 0) {\n    if (!predicate(this[index])) {\n
      return drop(index + 1)\n    }\n  }\n  return toList()\n}\n\nReturns a list containing last elements
satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *^npublic inline fun DoubleArray.takeLastWhile(predicate:
(Double) -> Boolean): List<Double> {\n  for (index in lastIndex
downTo 0) {\n    if (!predicate(this[index])) {\n      return drop(index + 1)\n    }\n  }\n  return
toList()\n}\n\nReturns a list containing last elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *^npublic inline fun
BooleanArray.takeLastWhile(predicate: (Boolean) -> Boolean): List<Boolean> {\n  for (index in lastIndex
downTo 0) {\n    if (!predicate(this[index])) {\n      return drop(index + 1)\n    }\n  }\n  return
toList()\n}\n\nReturns a list containing last elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *^npublic inline fun CharArray.takeLastWhile(predicate:
(Char) -> Boolean): List<Char> {\n  for (index in lastIndex downTo 0) {\n    if (!predicate(this[index])) {\n
      return drop(index + 1)\n    }\n  }\n  return toList()\n}\n\nReturns a list containing first elements
satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *^npublic inline fun
<T> Array<out T>.takeWhile(predicate: (T) -> Boolean): List<T> {\n  val list = ArrayList<T>()\n  for
(item in this) {\n    if (!predicate(item))\n      break\n    list.add(item)\n  }\n  return list\n}\n\nReturns a list containing first elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *^npublic inline fun ByteArray.takeWhile(predicate: (Byte)
-> Boolean): List<Byte> {\n  val list = ArrayList<Byte>()\n  for (item in this) {\n    if (!predicate(item))\n
      break\n    list.add(item)\n  }\n  return list\n}\n\nReturns a list containing first elements satisfying the
given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *^npublic inline fun
ShortArray.takeWhile(predicate: (Short) -> Boolean): List<Short> {\n  val list = ArrayList<Short>()\n  for
(item in this) {\n    if (!predicate(item))\n      break\n    list.add(item)\n  }\n  return list\n}\n\nReturns a
list containing first elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *^npublic inline fun IntArray.takeWhile(predicate: (Int) ->
Boolean): List<Int> {\n  val list = ArrayList<Int>()\n  for (item in this) {\n    if (!predicate(item))\n
      break\n    list.add(item)\n  }\n  return list\n}\n\nReturns a list containing first elements satisfying the
given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *^npublic inline fun
LongArray.takeWhile(predicate: (Long) -> Boolean): List<Long> {\n  val list = ArrayList<Long>()\n  for
(item in this) {\n    if (!predicate(item))\n      break\n    list.add(item)\n  }\n  return list\n}\n\nReturns a
list containing first elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *^npublic inline fun FloatArray.takeWhile(predicate:
(Float) -> Boolean): List<Float> {\n  val list = ArrayList<Float>()\n  for (item in this) {\n    if
(!predicate(item))\n      break\n    list.add(item)\n  }\n  return list\n}\n\nReturns a list containing first
elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *^npublic inline fun DoubleArray.takeWhile(predicate:
(Double) -> Boolean): List<Double> {\n  val list =
ArrayList<Double>()\n  for (item in this) {\n    if (!predicate(item))\n      break\n    list.add(item)\n  }\n
return list\n}\n\nReturns a list containing first elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *^npublic inline fun BooleanArray.takeWhile(predicate:
(Boolean) -> Boolean): List<Boolean> {\n  val list = ArrayList<Boolean>()\n  for (item in this) {\n    if
(!predicate(item))\n      break\n    list.add(item)\n  }\n  return list\n}\n\nReturns a list containing first
elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *^npublic inline fun CharArray.takeWhile(predicate: (Char) ->
Boolean): List<Char> {\n  val list =
ArrayList<Char>()\n  for (item in this) {\n    if (!predicate(item))\n      break\n    list.add(item)\n  }\n
}

```

```

return list\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun <T> Array<T>.reverse(): Unit {\n
val midPoint = (size / 2) - 1\n if (midPoint < 0) return\n var reverseIndex = lastIndex\n for (index in
0..midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n this[reverseIndex] = tmp\n
reverseIndex--\n }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun ByteArray.reverse():
Unit {\n val midPoint = (size / 2) - 1\n if (midPoint < 0) return\n var reverseIndex = lastIndex\n for (index in
0..midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n this[reverseIndex] = tmp\n
reverseIndex--\n }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun ShortArray.reverse():
Unit {\n val midPoint = (size / 2) - 1\n if (midPoint < 0) return\n var reverseIndex = lastIndex\n for (index in
0..midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n this[reverseIndex] = tmp\n
reverseIndex--\n }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun IntArray.reverse():
Unit {\n val midPoint = (size / 2) - 1\n if (midPoint < 0) return\n var reverseIndex = lastIndex\n for (index in
0..midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n this[reverseIndex] = tmp\n
reverseIndex--\n }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun LongArray.reverse():
Unit {\n val midPoint = (size / 2) - 1\n if (midPoint < 0) return\n var reverseIndex = lastIndex\n for (index in
0..midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n this[reverseIndex] = tmp\n
reverseIndex--\n }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun FloatArray.reverse():
Unit {\n val midPoint = (size / 2) - 1\n if (midPoint < 0) return\n var reverseIndex = lastIndex\n for (index in
0..midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n this[reverseIndex] = tmp\n
reverseIndex--\n }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun
DoubleArray.reverse(): Unit {\n val midPoint = (size / 2) - 1\n if (midPoint < 0) return\n var reverseIndex =
lastIndex\n for (index in 0..midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n
this[reverseIndex] = tmp\n reverseIndex--\n }\n}\n\n/**\n * Reverses elements in the array in-place.\n
*/\npublic fun BooleanArray.reverse(): Unit {\n val midPoint = (size / 2) - 1\n if (midPoint < 0) return\n var
reverseIndex = lastIndex\n for (index in 0..midPoint) {\n val tmp = this[index]\n this[index] =
this[reverseIndex]\n this[reverseIndex] = tmp\n reverseIndex--\n }\n}\n\n/**\n * Reverses elements in the
array in-place.\n */\npublic fun CharArray.reverse(): Unit {\n val midPoint = (size / 2) - 1\n if (midPoint < 0)
return\n var reverseIndex = lastIndex\n for (index in 0..midPoint) {\n val tmp = this[index]\n this[index]
= this[reverseIndex]\n this[reverseIndex] = tmp\n reverseIndex--\n }\n}\n\n/**\n * Reverses elements of
the array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n *
@param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if
[fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin("1.4")\npublic fun <T>
Array<T>.reverse(fromIndex: Int, toIndex: Int): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex,
size)\n val midPoint = (fromIndex + toIndex) / 2\n if (fromIndex == midPoint) return\n var reverseIndex =
toIndex - 1\n for (index in fromIndex until midPoint) {\n val tmp = this[index]\n this[index] =
this[reverseIndex]\n this[reverseIndex] = tmp\n reverseIndex--\n }\n}\n\n/**\n * Reverses elements of the
array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n *
@param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if
[fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin("1.4")\npublic fun
ByteArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex,
size)\n val midPoint = (fromIndex + toIndex) / 2\n if (fromIndex == midPoint) return\n var reverseIndex =
toIndex - 1\n for (index in fromIndex until midPoint) {\n val tmp = this[index]\n this[index] =
this[reverseIndex]\n this[reverseIndex] = tmp\n reverseIndex--\n }\n}\n\n/**\n * Reverses elements of the
array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n *
@param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if
[fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin("1.4")\npublic fun

```

```

ShortArray.reverse(fromIndex: Int, toIndex: Int): Unit {
    AbstractList.checkRangeIndexes(fromIndex, toIndex,
size)\n    val midPoint = (fromIndex + toIndex) / 2\n    if (fromIndex == midPoint) return\n    var reverseIndex =
toIndex - 1\n    for (index in fromIndex until midPoint) {\n        val tmp = this[index]\n        this[index] =
this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements of the
array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n *
@param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if
[fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin("1.4")\npublic fun
IntArray.reverse(fromIndex: Int, toIndex: Int): Unit {
    AbstractList.checkRangeIndexes(fromIndex, toIndex,
size)\n    val midPoint = (fromIndex + toIndex) / 2\n    if (fromIndex == midPoint) return\n    var reverseIndex =
toIndex - 1\n    for (index in fromIndex until midPoint) {\n        val tmp = this[index]\n        this[index] =
this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements of the
array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n *
@param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if
[fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin("1.4")\npublic fun
LongArray.reverse(fromIndex: Int, toIndex: Int): Unit {
    AbstractList.checkRangeIndexes(fromIndex, toIndex,
size)\n    val midPoint = (fromIndex + toIndex) / 2\n    if (fromIndex == midPoint) return\n    var reverseIndex =
toIndex - 1\n    for (index in fromIndex until midPoint) {\n        val tmp = this[index]\n        this[index] =
this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements of the
array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n *
@param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if
[fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin("1.4")\npublic fun
FloatArray.reverse(fromIndex: Int, toIndex: Int): Unit {
    AbstractList.checkRangeIndexes(fromIndex, toIndex,
size)\n    val midPoint = (fromIndex + toIndex) / 2\n    if (fromIndex == midPoint) return\n    var reverseIndex =
toIndex - 1\n    for (index in fromIndex until midPoint) {\n        val tmp = this[index]\n        this[index] =
this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements of the
array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n *
@param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if
[fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin("1.4")\npublic fun
DoubleArray.reverse(fromIndex: Int, toIndex: Int): Unit {
    AbstractList.checkRangeIndexes(fromIndex, toIndex,
size)\n    val midPoint = (fromIndex + toIndex) / 2\n    if (fromIndex == midPoint) return\n    var reverseIndex =
toIndex - 1\n    for (index in fromIndex until midPoint) {\n        val tmp = this[index]\n        this[index] =
this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements of the
array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n *
@param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if
[fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin("1.4")\npublic fun
BooleanArray.reverse(fromIndex: Int, toIndex: Int): Unit {
    AbstractList.checkRangeIndexes(fromIndex,
toIndex, size)\n    val midPoint = (fromIndex + toIndex) / 2\n    if (fromIndex == midPoint) return\n    var
reverseIndex = toIndex - 1\n    for (index in fromIndex until midPoint) {\n        val tmp = this[index]\n
this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses
elements of the array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to
reverse.\n * \n * @param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *
@throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin("1.4")\npublic

```

```

fun CharArray.reverse(fromIndex: Int, toIndex: Int): Unit {
    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)
    val midPoint = (fromIndex + toIndex) / 2
    if (fromIndex == midPoint) return
    var reverseIndex = toIndex - 1
    for (index in fromIndex until midPoint) {
        val tmp = this[index]
        this[index] = this[reverseIndex]
        this[reverseIndex] = tmp
        reverseIndex--
    }
}

// Returns a list with elements in reversed order.
public fun <T> Array<out T>.reversed(): List<T> {
    if (isEmpty()) return emptyList()
    val list = toMutableList()
    list.reverse()
    return list
}

// Returns a list with elements in reversed order.
public fun ByteArray.reversed(): List<Byte> {
    if (isEmpty()) return emptyList()
    val list = toMutableList()
    list.reverse()
    return list
}

// Returns a list with elements in reversed order.
public fun ShortArray.reversed(): List<Short> {
    if (isEmpty()) return emptyList()
    val list = toMutableList()
    list.reverse()
    return list
}

// Returns a list with elements in reversed order.
public fun IntArray.reversed(): List<Int> {
    if (isEmpty()) return emptyList()
    val list = toMutableList()
    list.reverse()
    return list
}

// Returns a list with elements in reversed order.
public fun LongArray.reversed(): List<Long> {
    if (isEmpty()) return emptyList()
    val list = toMutableList()
    list.reverse()
    return list
}

// Returns a list with elements in reversed order.
public fun FloatArray.reversed(): List<Float> {
    if (isEmpty()) return emptyList()
    val list = toMutableList()
    list.reverse()
    return list
}

// Returns a list with elements in reversed order.
public fun DoubleArray.reversed(): List<Double> {
    if (isEmpty()) return emptyList()
    val list = toMutableList()
    list.reverse()
    return list
}

// Returns a list with elements in reversed order.
public fun BooleanArray.reversed(): List<Boolean> {
    if (isEmpty()) return emptyList()
    val list = toMutableList()
    list.reverse()
    return list
}

// Returns an array with elements of this array in reversed order.
public fun <T> Array<T>.reversedArray(): Array<T> {
    if (isEmpty()) return this
    val result = arrayOfNulls(this, size)
    val lastIndex = lastIndexOf()
    for (i in 0..lastIndex)
        result[lastIndex - i] = this[i]
    return result
}

// Returns an array with elements of this array in reversed order.
public fun ByteArray.reversedArray(): ByteArray {
    if (isEmpty()) return this
    val result = ByteArray(size)
    val lastIndex = lastIndexOf()
    for (i in 0..lastIndex)
        result[lastIndex - i] = this[i]
    return result
}

// Returns an array with elements of this array in reversed order.
public fun ShortArray.reversedArray(): ShortArray {
    if (isEmpty()) return this
    val result = ShortArray(size)
    val lastIndex = lastIndexOf()
    for (i in 0..lastIndex)
        result[lastIndex - i] = this[i]
    return result
}

// Returns an array with elements of this array in reversed order.
public fun IntArray.reversedArray(): IntArray {
    if (isEmpty()) return this
    val result = IntArray(size)
    val lastIndex = lastIndexOf()
    for (i in 0..lastIndex)
        result[lastIndex - i] = this[i]
    return result
}

// Returns an array with elements of this array in reversed order.
public fun LongArray.reversedArray(): LongArray {
    if (isEmpty()) return this
    val result = LongArray(size)
    val lastIndex = lastIndexOf()
    for (i in 0..lastIndex)
        result[lastIndex - i] = this[i]
    return result
}

// Returns an array with elements of this array in reversed order.
public fun FloatArray.reversedArray(): FloatArray {
    if (isEmpty()) return this
    val result = FloatArray(size)
    val lastIndex = lastIndexOf()
    for (i in 0..lastIndex)
        result[lastIndex - i] = this[i]
    return result
}

// Returns an array with elements of this array in reversed order.
public fun DoubleArray.reversedArray(): DoubleArray {
    if (isEmpty()) return this
    val result = DoubleArray(size)
    val lastIndex = lastIndexOf()
    for (i in 0..lastIndex)
        result[lastIndex - i] = this[i]
    return result
}

// Returns an array with elements of this array in reversed order.
public fun BooleanArray.reversedArray(): BooleanArray {
    if (isEmpty()) return this
    val result = BooleanArray(size)
    val lastIndex = lastIndexOf()
    for (i in 0..lastIndex)
        result[lastIndex - i] = this[i]
    return result
}

// Returns an array with elements of this array in reversed order.
public fun CharArray.reversedArray(): CharArray {
    if (isEmpty()) return this
    val result = CharArray(size)
    val lastIndex = lastIndexOf()
    for (i in 0..lastIndex)
        result[lastIndex - i] = this[i]
    return result
}

// Randomly shuffles elements in this array in-place.
@SinceKotlin("1.4")
public fun <T> Array<T>.shuffle(): Unit {
    shuffle(Random())
}

// Randomly shuffles elements in this array in-place.

```

```

*\n@SinceKotlin("1.4")\npublic fun ByteArray.shuffle(): Unit {\n    shuffle(Random)\n}\n\n**\n * Randomly
shuffles elements in this array in-place.\n *\n@SinceKotlin("1.4")\npublic fun ShortArray.shuffle(): Unit {\n
shuffle(Random)\n}\n\n**\n * Randomly shuffles elements in this array in-place.\n
*\n@SinceKotlin("1.4")\npublic fun IntArray.shuffle(): Unit {\n    shuffle(Random)\n}\n\n**\n * Randomly
shuffles elements in this array in-place.\n *\n@SinceKotlin("1.4")\npublic fun LongArray.shuffle(): Unit {\n
shuffle(Random)\n}\n\n**\n * Randomly shuffles elements in this array in-place.\n
*\n@SinceKotlin("1.4")\npublic fun FloatArray.shuffle(): Unit {\n    shuffle(Random)\n}\n\n**\n * Randomly
shuffles elements in this array in-place.\n *\n@SinceKotlin("1.4")\npublic fun DoubleArray.shuffle(): Unit {\n
shuffle(Random)\n}\n\n**\n * Randomly shuffles elements in this array in-place.\n
*\n@SinceKotlin("1.4")\npublic fun BooleanArray.shuffle(): Unit {\n    shuffle(Random)\n}\n\n**\n * Randomly
shuffles elements in this array in-place.\n *\n@SinceKotlin("1.4")\npublic fun CharArray.shuffle(): Unit {\n
shuffle(Random)\n}\n\n**\n * Randomly shuffles elements in this array in-place using the specified [random]
instance as the source of randomness.\n * \n * See:
https://en.wikipedia.org/wiki/Fisher%20%80%93Yates\_shuffle#The\_modern\_algorithm\n
*\n@SinceKotlin("1.4")\npublic fun <T> Array<T>.shuffle(random: Random): Unit {\n    for (i in lastIndex
downTo 1) {\n        val j = random.nextInt(i + 1)\n        val copy = this[i]\n        this[i] = this[j]\n        this[j] = copy\n
    }\n}\n\n**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the
source of randomness.\n * \n * See:
https://en.wikipedia.org/wiki/Fisher%20%80%93Yates\_shuffle#The\_modern\_algorithm\n
*\n@SinceKotlin("1.4")\npublic fun ByteArray.shuffle(random: Random): Unit {\n    for (i in lastIndex downTo
1) {\n        val j = random.nextInt(i + 1)\n        val copy = this[i]\n        this[i] = this[j]\n        this[j] = copy\n
    }\n}\n\n**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the
source of randomness.\n * \n * See:
https://en.wikipedia.org/wiki/Fisher%20%80%93Yates\_shuffle#The\_modern\_algorithm\n
*\n@SinceKotlin("1.4")\npublic fun ShortArray.shuffle(random: Random): Unit {\n    for (i in lastIndex downTo
1) {\n        val j = random.nextInt(i + 1)\n        val copy = this[i]\n        this[i] = this[j]\n        this[j] = copy\n
    }\n}\n\n**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the
source of randomness.\n * \n * See:
https://en.wikipedia.org/wiki/Fisher%20%80%93Yates\_shuffle#The\_modern\_algorithm\n
*\n@SinceKotlin("1.4")\npublic fun IntArray.shuffle(random: Random): Unit {\n    for (i in lastIndex downTo 1)
{\n        val j = random.nextInt(i + 1)\n        val copy = this[i]\n        this[i] = this[j]\n        this[j] = copy\n
    }\n}\n\n**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the
source of randomness.\n * \n * See:
https://en.wikipedia.org/wiki/Fisher%20%80%93Yates\_shuffle#The\_modern\_algorithm\n
*\n@SinceKotlin("1.4")\npublic fun LongArray.shuffle(random: Random): Unit {\n    for (i in lastIndex downTo
1) {\n        val j = random.nextInt(i + 1)\n        val copy = this[i]\n        this[i] = this[j]\n        this[j] = copy\n
    }\n}\n\n**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the
source of randomness.\n * \n * See:
https://en.wikipedia.org/wiki/Fisher%20%80%93Yates\_shuffle#The\_modern\_algorithm\n
*\n@SinceKotlin("1.4")\npublic fun FloatArray.shuffle(random: Random): Unit {\n    for (i in lastIndex downTo
1) {\n        val j = random.nextInt(i + 1)\n        val copy = this[i]\n        this[i] = this[j]\n        this[j] = copy\n
    }\n}\n\n**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the
source of randomness.\n * \n * See:
https://en.wikipedia.org/wiki/Fisher%20%80%93Yates\_shuffle#The\_modern\_algorithm\n
*\n@SinceKotlin("1.4")\npublic fun DoubleArray.shuffle(random: Random): Unit {\n    for (i in lastIndex
downTo 1) {\n        val j = random.nextInt(i + 1)\n        val copy = this[i]\n        this[i] = this[j]\n        this[j] = copy\n
    }\n}\n\n**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the
source of randomness.\n * \n * See:

```

[https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates\\_shuffle#The\\_modern\\_algorithm](https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm)

```
*\n@SinceKotlin("1.4")\npublic fun BooleanArray.shuffle(random: Random): Unit {\n    for (i in lastIndex\n        downTo 1) {\n        val j = random.nextInt(i + 1)\n        val copy = this[i]\n        this[i] = this[j]\n        this[j] = copy\n    }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the\n * source of randomness.\n * \n * See:
```

[https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates\\_shuffle#The\\_modern\\_algorithm](https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm)

```
*\n@SinceKotlin("1.4")\npublic fun CharArray.shuffle(random: Random): Unit {\n    for (i in lastIndex downTo\n        1) {\n        val j = random.nextInt(i + 1)\n        val copy = this[i]\n        this[i] = this[j]\n        this[j] = copy\n    }\n}\n\n/**\n * Sorts elements in the array in-place according to natural sort order of the value returned by specified\n * [selector] function.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each\n * other after sorting.\n *\npublic inline fun <T, R : Comparable<R>> Array<out T>.sortBy(crossinline selector: (T)\n    -> R?): Unit {\n    if (size > 1) sortByWith(compareBy(selector))\n}\n\n/**\n * Sorts elements in the array in-place\n * descending according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is\n * _stable_. It means that equal elements preserve their order relative to each other after sorting.\n *\npublic inline fun\n    <T, R : Comparable<R>> Array<out T>.sortByDescending(crossinline selector: (T) -> R?): Unit {\n    if (size > 1)\n        sortByDescending(compareByDescending(selector))\n}\n\n/**\n * Sorts elements in the array in-place descending according\n * to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to\n * each other after sorting.\n *\npublic fun <T : Comparable<T>> Array<out T>.sortDescending(): Unit {\n    if (size > 1)\n        sort()\n        reverse()\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n *\npublic fun\n    ByteArray.sortDescending(): Unit {\n    if (size > 1) {\n        sort()\n        reverse()\n    }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n *\npublic fun\n    ShortArray.sortDescending(): Unit {\n    if (size > 1) {\n        sort()\n        reverse()\n    }\n}\n\n/**\n * Sorts\n * elements in the array in-place descending according to their natural sort order.\n *\npublic fun\n    IntArray.sortDescending(): Unit {\n    if (size > 1) {\n        sort()\n        reverse()\n    }\n}\n\n/**\n * Sorts elements\n * in the array in-place descending according to their natural sort order.\n *\npublic fun\n    LongArray.sortDescending():\n    Unit {\n    if (size > 1) {\n        sort()\n        reverse()\n    }\n}\n\n/**\n * Sorts elements in the array in-place\n * descending according to their natural sort order.\n *\npublic fun\n    FloatArray.sortDescending(): Unit {\n    if (size >\n        1) {\n        sort()\n        reverse()\n    }\n}\n\n/**\n * Sorts elements in the array in-place descending according to\n * their natural sort order.\n *\npublic fun\n    DoubleArray.sortDescending(): Unit {\n    if (size > 1) {\n        sort()\n        reverse()\n    }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n *\npublic fun\n    CharArray.sortDescending(): Unit {\n    if (size > 1) {\n        sort()\n        reverse()\n    }\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n * \n * The sort is _stable_. It means that\n * equal elements preserve their order relative to each other after sorting.\n *\npublic fun <T : Comparable<T>>\n    Array<out T>.sorted(): List<T> {\n    return sortedArray().asList()\n}\n\n/**\n * Returns a list of all elements sorted\n * according to their natural sort order.\n *\npublic fun\n    ByteArray.sorted(): List<Byte> {\n    return\n        toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural\n * sort order.\n *\npublic fun\n    ShortArray.sorted(): List<Short> {\n    return toTypedArray().apply { sort() }\n        }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n *\npublic fun\n    IntArray.sorted(): List<Int> {\n    return toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all\n * elements sorted according to their natural sort order.\n *\npublic fun\n    LongArray.sorted(): List<Long> {\n    return\n        toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural\n * sort order.\n *\npublic fun\n    FloatArray.sorted(): List<Float> {\n    return toTypedArray().apply { sort() }\n        }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n *\npublic fun\n    DoubleArray.sorted(): List<Double> {\n    return toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns a\n * list of all elements sorted according to their natural sort order.\n *\npublic fun\n    CharArray.sorted(): List<Char> {\n    return toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns an array with all elements of this array sorted\n * according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order\n * relative to each other after sorting.\n *\npublic fun <T : Comparable<T>> Array<T>.sortedArray(): Array<T> {\n
```

```

if (isEmpty()) return this\n    return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of
this array sorted according to their natural sort order.\n */\npublic fun ByteArray.sortedArray(): ByteArray {\n    if
(isEmpty()) return this\n    return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of
this array sorted according to their natural sort order.\n */\npublic fun ShortArray.sortedArray(): ShortArray {\n    if
(isEmpty()) return this\n    return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of
this array sorted according to their natural sort order.\n */\npublic fun IntArray.sortedArray(): IntArray {\n    if
(isEmpty()) return this\n    return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of
this array sorted according to their natural sort order.\n */\npublic fun LongArray.sortedArray(): LongArray {\n    if
(isEmpty()) return this\n    return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of
this array sorted according to their natural sort order.\n */\npublic fun FloatArray.sortedArray(): FloatArray {\n    if
(isEmpty()) return this\n    return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of
this array sorted according to their natural sort order.\n */\npublic fun DoubleArray.sortedArray(): DoubleArray {\n    if
(isEmpty()) return this\n    return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements
of this array sorted according to their natural sort order.\n */\npublic fun CharArray.sortedArray(): CharArray {\n    if
(isEmpty()) return this\n    return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of
this array sorted descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal
elements preserve their order relative to each other after sorting.\n */\npublic fun <T : Comparable<T>>
Array<T>.sortedArrayDescending(): Array<T> {\n    if (isEmpty()) return this\n    return this.copyOf().apply {
sortWith(reverseOrder()) }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending
according to their natural sort order.\n */\npublic fun ByteArray.sortedArrayDescending(): ByteArray {\n    if
(isEmpty()) return this\n    return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all
elements of this array sorted descending according to their natural sort order.\n */\npublic fun
ShortArray.sortedArrayDescending(): ShortArray {\n    if (isEmpty()) return this\n    return this.copyOf().apply {
sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to
their natural sort order.\n */\npublic fun IntArray.sortedArrayDescending(): IntArray {\n    if (isEmpty()) return
this\n    return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this
array sorted descending according to their natural sort order.\n */\npublic fun LongArray.sortedArrayDescending():
LongArray {\n    if (isEmpty()) return this\n    return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns
an array with all elements of this array sorted descending according to their natural sort order.\n */\npublic fun
FloatArray.sortedArrayDescending(): FloatArray {\n    if (isEmpty()) return this\n    return this.copyOf().apply {
sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to
their natural sort order.\n */\npublic fun DoubleArray.sortedArrayDescending(): DoubleArray {\n    if (isEmpty())
return this\n    return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of
this array sorted descending according to their natural sort order.\n */\npublic fun
CharArray.sortedArrayDescending(): CharArray {\n    if (isEmpty()) return this\n    return this.copyOf().apply {
sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according the specified
[comparator].\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other
after sorting.\n */\npublic fun <T> Array<out T>.sortedArrayWith(comparator: Comparator<in T>): Array<out T>
{\n    if (isEmpty()) return this\n    return this.copyOf().apply { sortWith(comparator) }\n}\n\n/**\n * Returns a list
of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n * \n *
The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n * \n *
@sample samples.collections.Collections.Sorting.sortedBy\n */\npublic inline fun <T, R : Comparable<R>>
Array<out T>.sortedBy(crossinline selector: (T) -> R?): List<T> {\n    return
sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order
of the value returned by specified [selector] function.\n * \n * @sample
samples.collections.Collections.Sorting.sortedBy\n */\npublic inline fun <R : Comparable<R>>
ByteArray.sortedBy(crossinline selector: (Byte) -> R?): List<Byte> {\n    return
sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order

```



of the value returned by specified [selector] function.\n \* \n \* @sample  
samples.collections.Collections.Sorting.sortedBy\n \* \n\npublic inline fun <R : Comparable<R>>  
ShortArray.sortedBy(crossinline selector: (Short) -> R?): List<Short> {\n return  
sortedWith(compareBy(selector))\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to natural sort order  
of the value returned by specified [selector] function.\n \* \n \* @sample  
samples.collections.Collections.Sorting.sortedBy\n \* \n\npublic inline fun <R : Comparable<R>>  
IntArray.sortedBy(crossinline selector: (Int) -> R?): List<Int> {\n return  
sortedWith(compareBy(selector))\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to natural sort order  
of the value returned by specified [selector] function.\n \* \n \* @sample  
samples.collections.Collections.Sorting.sortedBy\n \* \n\npublic inline fun <R : Comparable<R>>  
LongArray.sortedBy(crossinline selector: (Long) -> R?): List<Long> {\n return  
sortedWith(compareBy(selector))\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to natural sort order  
of the value returned by specified [selector] function.\n \* \n \* @sample  
samples.collections.Collections.Sorting.sortedBy\n \* \n\npublic inline fun <R : Comparable<R>>  
FloatArray.sortedBy(crossinline selector: (Float) -> R?): List<Float> {\n return  
sortedWith(compareBy(selector))\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to natural sort order  
of the value returned by specified [selector] function.\n \* \n \* @sample  
samples.collections.Collections.Sorting.sortedBy\n \* \n\npublic inline fun <R : Comparable<R>>  
DoubleArray.sortedBy(crossinline selector: (Double) -> R?): List<Double> {\n return  
sortedWith(compareBy(selector))\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to natural sort order  
of the value returned by specified [selector] function.\n \* \n \* @sample  
samples.collections.Collections.Sorting.sortedBy\n \* \n\npublic inline fun <R : Comparable<R>>  
BooleanArray.sortedBy(crossinline selector: (Boolean) -> R?): List<Boolean> {\n return  
sortedWith(compareBy(selector))\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to natural sort order  
of the value returned by specified [selector] function.\n \* \n \* @sample  
samples.collections.Collections.Sorting.sortedBy\n \* \n\npublic inline fun <R : Comparable<R>>  
CharArray.sortedBy(crossinline selector: (Char) -> R?): List<Char> {\n return  
sortedWith(compareBy(selector))\n}\n\n/\*\*\n \* Returns a list of all elements sorted descending according to natural  
sort order of the value returned by specified [selector] function.\n \* \n \* The sort is `_stable_`. It means that equal  
elements preserve their order relative to each other after sorting.\n \* \n\npublic inline fun <T, R : Comparable<R>>  
Array<out T>.sortedByDescending(crossinline selector: (T) -> R?): List<T> {\n return  
sortedWith(compareByDescending(selector))\n}\n\n/\*\*\n \* Returns a list of all elements sorted descending  
according to natural sort order of the value returned by specified [selector] function.\n \* \n\npublic inline fun <R :  
Comparable<R>> ByteArray.sortedByDescending(crossinline selector: (Byte) -> R?): List<Byte> {\n return  
sortedWith(compareByDescending(selector))\n}\n\n/\*\*\n \* Returns a list of all elements sorted descending  
according to natural sort order of the value returned by specified [selector] function.\n \* \n\npublic inline fun <R :  
Comparable<R>> ShortArray.sortedByDescending(crossinline selector: (Short) -> R?): List<Short> {\n return  
sortedWith(compareByDescending(selector))\n}\n\n/\*\*\n \* Returns a list of all elements sorted descending  
according to natural sort order of the value returned by specified [selector] function.\n \* \n\npublic inline fun <R :  
Comparable<R>> IntArray.sortedByDescending(crossinline selector: (Int) -> R?): List<Int> {\n return  
sortedWith(compareByDescending(selector))\n}\n\n/\*\*\n \* Returns a list of all elements sorted descending  
according to natural sort order of the value returned by specified [selector] function.\n \* \n\npublic inline fun <R :  
Comparable<R>> LongArray.sortedByDescending(crossinline selector: (Long) -> R?): List<Long> {\n return  
sortedWith(compareByDescending(selector))\n}\n\n/\*\*\n \* Returns a list of all elements sorted descending  
according to natural sort order of the value returned by specified [selector] function.\n \* \n\npublic inline fun <R :  
Comparable<R>> FloatArray.sortedByDescending(crossinline selector: (Float) -> R?): List<Float> {\n return  
sortedWith(compareByDescending(selector))\n}\n\n/\*\*\n \* Returns a list of all elements sorted descending  
according to natural sort order of the value returned by specified [selector] function.\n \* \n\npublic inline fun <R :

Comparable<R>> DoubleArray.sortedByDescending(crossinline selector: (Double) -> R?): List<Double> {\n return sortedWith(compareByDescending(selector))\n}\n\n/\*\*\n \* Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n \*/\npublic inline fun <R : Comparable<R>> BooleanArray.sortedByDescending(crossinline selector: (Boolean) -> R?): List<Boolean> {\n return sortedWith(compareByDescending(selector))\n}\n\n/\*\*\n \* Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n \*/\npublic inline fun <R : Comparable<R>> CharArray.sortedByDescending(crossinline selector: (Char) -> R?): List<Char> {\n return sortedWith(compareByDescending(selector))\n}\n\n/\*\*\n \* Returns a list of all elements sorted descending according to their natural sort order.\n \* \n \* The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.\n \*/\npublic fun <T : Comparable<T>> Array<out T>.sortedDescending(): List<T> {\n return sortedWith(reverseOrder())\n}\n\n/\*\*\n \* Returns a list of all elements sorted descending according to their natural sort order.\n \*/\npublic fun ByteArray.sortedDescending(): List<Byte> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/\*\*\n \* Returns a list of all elements sorted descending according to their natural sort order.\n \*/\npublic fun ShortArray.sortedDescending(): List<Short> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/\*\*\n \* Returns a list of all elements sorted descending according to their natural sort order.\n \*/\npublic fun IntArray.sortedDescending(): List<Int> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/\*\*\n \* Returns a list of all elements sorted descending according to their natural sort order.\n \*/\npublic fun LongArray.sortedDescending(): List<Long> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/\*\*\n \* Returns a list of all elements sorted descending according to their natural sort order.\n \*/\npublic fun FloatArray.sortedDescending(): List<Float> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/\*\*\n \* Returns a list of all elements sorted descending according to their natural sort order.\n \*/\npublic fun DoubleArray.sortedDescending(): List<Double> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/\*\*\n \* Returns a list of all elements sorted descending according to their natural sort order.\n \*/\npublic fun CharArray.sortedDescending(): List<Char> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to the specified [comparator].\n \* \n \* The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.\n \*/\npublic fun <T> Array<out T>.sortedWith(comparator: Comparator<in T>): List<T> {\n return sortedArrayWith(comparator).asList()\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to the specified [comparator].\n \*/\npublic fun ByteArray.sortedWith(comparator: Comparator<in Byte>): List<Byte> {\n return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to the specified [comparator].\n \*/\npublic fun ShortArray.sortedWith(comparator: Comparator<in Short>): List<Short> {\n return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to the specified [comparator].\n \*/\npublic fun IntArray.sortedWith(comparator: Comparator<in Int>): List<Int> {\n return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to the specified [comparator].\n \*/\npublic fun LongArray.sortedWith(comparator: Comparator<in Long>): List<Long> {\n return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to the specified [comparator].\n \*/\npublic fun FloatArray.sortedWith(comparator: Comparator<in Float>): List<Float> {\n return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to the specified [comparator].\n \*/\npublic fun DoubleArray.sortedWith(comparator: Comparator<in Double>): List<Double> {\n return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to the specified [comparator].\n \*/\npublic fun BooleanArray.sortedWith(comparator: Comparator<in Boolean>): List<Boolean> {\n return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to the specified [comparator].\n \*/\npublic fun CharArray.sortedWith(comparator: Comparator<in Char>): List<Char> {\n return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/\*\*\n \* Returns a [List] that wraps the original array.\n \*/\npublic expect fun <T> Array<out T>.asList(): List<T>\n\n/\*\*\n \* Returns a [List] that wraps the original array.\n \*/\npublic expect fun ByteArray.asList(): List<Byte>\n\n/\*\*\n \* Returns a [List] that wraps the original array.\n \*/\npublic expect fun

`ShortArray.asList(): List<Short>`  
 Returns a [List] that wraps the original array.  
`IntArray.asList(): List<Int>`  
 Returns a [List] that wraps the original array.  
`LongArray.asList(): List<Long>`  
 Returns a [List] that wraps the original array.  
`FloatArray.asList(): List<Float>`  
 Returns a [List] that wraps the original array.  
`DoubleArray.asList(): List<Double>`  
 Returns a [List] that wraps the original array.  
`BooleanArray.asList(): List<Boolean>`  
 Returns a [List] that wraps the original array.  
`CharArray.asList(): List<Char>`  
 Returns `true` if the two specified arrays are *deeply* equal to one another, i.e. contain the same number of the same elements in the same order. If two corresponding elements are nested arrays, they are also compared deeply. If any of arrays contains itself on any nesting level the behavior is undefined. The elements of other types are compared for equality with the [equals][Any.equals] function. For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.

`contentDeepEquals(other: Array<out T>): Boolean`  
 Returns `true` if the two specified arrays are *deeply* equal to one another, i.e. contain the same number of the same elements in the same order. The specified arrays are also considered deeply equal if both are `null`. If two corresponding elements are nested arrays, they are also compared deeply. If any of arrays contains itself on any nesting level the behavior is undefined. The elements of other types are compared for equality with the [equals][Any.equals] function. For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.

`contentDeepHashCode(): Int`  
 Returns a hash code based on the contents of this array as if it is [List]. Nested arrays are treated as lists too. If any of arrays contains itself on any nesting level the behavior is undefined.

`contentDeepToString(): String`  
 Returns a string representation of the contents of this array as if it is a [List]. Nested arrays are treated as lists too. If any of arrays contains itself on any nesting level that reference is rendered as `[...]` to prevent recursion.

`contentDeepToString(): String`  
 Returns a string representation of the contents of this array as if it is a [List]. Nested arrays are treated as lists too. If any of arrays contains itself on any nesting level that reference is rendered as `[...]` to prevent recursion.

`contentDeepToString(): String`  
 Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order. The elements are compared for equality with the [equals][Any.equals] function. For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.

`contentEquals(other: Array<out T>): Boolean`  
 Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order. The elements are compared for equality with the [equals][Any.equals] function. For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.

`contentEquals(other: ByteArray): Boolean`  
 Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order. The elements are compared for equality with the [equals][Any.equals] function. For floating point numbers it

means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.

```

@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")
@SinceKotlin("1.1")
@DeprecatedSinceKotlin(hiddenSince = "1.4")
public expect infix fun ShortArray.contentEquals(other: ShortArray): Boolean
/**
 * Returns `true` if the two specified arrays are *structurally* equal to one another,
 * i.e. contain the same number of the same elements in the same order.
 * The elements are compared for equality with the [equals][Any.equals] function.
 * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.
 */
@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")
@SinceKotlin("1.1")
@DeprecatedSinceKotlin(hiddenSince = "1.4")
public expect infix fun IntArray.contentEquals(other: IntArray): Boolean
/**
 * Returns `true` if the two specified arrays are *structurally* equal to one another,
 * i.e. contain the same number of the same elements in the same order.
 * The elements are compared for equality with the [equals][Any.equals] function.
 * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.
 */
@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")
@SinceKotlin("1.1")
@DeprecatedSinceKotlin(hiddenSince = "1.4")
public expect infix fun LongArray.contentEquals(other: LongArray): Boolean
/**
 * Returns `true` if the two specified arrays are *structurally* equal to one another,
 * i.e. contain the same number of the same elements in the same order.
 * The elements are compared for equality with the [equals][Any.equals] function.
 * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.
 */
@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")
@SinceKotlin("1.1")
@DeprecatedSinceKotlin(hiddenSince = "1.4")
public expect infix fun FloatArray.contentEquals(other: FloatArray): Boolean
/**
 * Returns `true` if the two specified arrays are *structurally* equal to one another,
 * i.e. contain the same number of the same elements in the same order.
 * The elements are compared for equality with the [equals][Any.equals] function.
 * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.
 */
@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")
@SinceKotlin("1.1")
@DeprecatedSinceKotlin(hiddenSince = "1.4")
public expect infix fun DoubleArray.contentEquals(other: DoubleArray): Boolean
/**
 * Returns `true` if the two specified arrays are *structurally* equal to one another,
 * i.e. contain the same number of the same elements in the same order.
 * The elements are compared for equality with the [equals][Any.equals] function.
 * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.
 */
@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")
@SinceKotlin("1.1")
@DeprecatedSinceKotlin(hiddenSince = "1.4")
public expect infix fun BooleanArray.contentEquals(other: BooleanArray): Boolean
/**
 * Returns `true` if the two specified arrays are *structurally* equal to one another,
 * i.e. contain the same number of the same elements in the same order.
 * The elements are compared for equality with the [equals][Any.equals] function.
 * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.
 */
@SinceKotlin("1.4")
public expect infix fun CharArray.contentEquals(other: CharArray): Boolean
/**
 * Returns `true` if the two specified arrays are *structurally* equal to one another,
 * i.e. contain the same number of the same elements in the same order.
 * The elements are compared for equality with the [equals][Any.equals] function.
 * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.
 */
@SinceKotlin("1.4")
public expect infix fun <T> Array<out T>?.contentEquals(other: Array<out T>?): Boolean
/**
 * Returns `true` if the two specified arrays are *structurally* equal to one another,
 * i.e. contain the same number of the same elements in the same order.
 * The elements are compared for equality with the [equals][Any.equals] function.
 * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.
 */
@SinceKotlin("1.4")
public expect infix fun ByteArray?.contentEquals(other: ByteArray?): Boolean
/**
 * Returns `true` if the two specified arrays are *structurally* equal to one another,
 * i.e. contain the same number of the same elements in the same order.
 * The elements are compared for equality with the [equals][Any.equals] function.
 * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.
 */
@SinceKotlin("1.4")
public expect infix fun ShortArray?.contentEquals(other: ShortArray?): Boolean
/**
 * Returns `true` if the two specified arrays are *structurally* equal to one another,
 * i.e. contain

```

the same number of the same elements in the same order.  
`Boolean` \* Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order. The elements are compared for equality with the `[equals][Any.equals]` function. For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.

`BooleanArray?.contentEquals(other: BooleanArray?): Boolean`  
 Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order. The elements are compared for equality with the `[equals][Any.equals]` function. For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.

`CharArray?.contentEquals(other: CharArray?): Boolean`  
 Returns a hash code based on the contents of this array as if it is `[List]`.

`IntArray?.contentHashCode(): Int`  
 Returns a hash code based on the contents of this array as if it is `[List]`.

`LongArray?.contentHashCode(): Int`  
 Returns a hash code based on the contents of this array as if it is `[List]`.

`FloatArray?.contentHashCode(): Int`  
 Returns a hash code based on the contents of this array as if it is `[List]`.

`DoubleArray?.contentHashCode(): Int`  
 Returns a hash code based on the contents of this array as if it is `[List]`.

`BooleanArray?.contentHashCode(): Int`  
 Returns a hash code based on the contents of this array as if it is `[List]`.

```

[List].\n *\n@Deprecated(\nUse Kotlin compiler 1.4 to avoid deprecation
warning.\n)\n@SinceKotlin(\n1.1\n)\n@DeprecatedSinceKotlin(hiddenSince = \n1.4\n)\npublic expect fun
CharArray.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is
[List].\n *\n@SinceKotlin(\n1.4\n)\npublic expect fun <T> Array<out T>?.contentHashCode(): Int\n\n/**\n *
Returns a hash code based on the contents of this array as if it is [List].\n *\n@SinceKotlin(\n1.4\n)\npublic expect
fun ByteArray?.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is
[List].\n *\n@SinceKotlin(\n1.4\n)\npublic expect fun ShortArray?.contentHashCode(): Int\n\n/**\n * Returns a
hash code based on the contents of this array as if it is [List].\n *\n@SinceKotlin(\n1.4\n)\npublic expect fun
IntArray?.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is
[List].\n *\n@SinceKotlin(\n1.4\n)\npublic expect fun LongArray?.contentHashCode(): Int\n\n/**\n * Returns a
hash code based on the contents of this array as if it is [List].\n *\n@SinceKotlin(\n1.4\n)\npublic expect fun
FloatArray?.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is
[List].\n *\n@SinceKotlin(\n1.4\n)\npublic expect fun DoubleArray?.contentHashCode(): Int\n\n/**\n * Returns a
hash code based on the contents of this array as if it is [List].\n *\n@SinceKotlin(\n1.4\n)\npublic expect fun
BooleanArray?.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is
[List].\n *\n@SinceKotlin(\n1.4\n)\npublic expect fun CharArray?.contentHashCode(): Int\n\n/**\n * Returns a
string representation of the contents of the specified array as if it is [List].\n *\n\n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n *\n@Deprecated(\nUse Kotlin compiler 1.4 to
avoid deprecation warning.\n)\n@SinceKotlin(\n1.1\n)\n@DeprecatedSinceKotlin(hiddenSince = \n1.4\n)\npublic
expect fun <T> Array<out T>.contentToString(): String\n\n/**\n * Returns a string representation of the contents of
the specified array as if it is [List].\n *\n\n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n *\n@Deprecated(\nUse Kotlin compiler 1.4 to
avoid deprecation warning.\n)\n@SinceKotlin(\n1.1\n)\n@DeprecatedSinceKotlin(hiddenSince = \n1.4\n)\npublic
expect fun ByteArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the
specified array as if it is [List].\n *\n\n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@Deprecated(\nUse Kotlin compiler 1.4 to avoid deprecation
warning.\n)\n@SinceKotlin(\n1.1\n)\n@DeprecatedSinceKotlin(hiddenSince = \n1.4\n)\npublic expect fun
ShortArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array
as if it is [List].\n *\n\n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@Deprecated(\nUse Kotlin compiler 1.4 to avoid deprecation
warning.\n)\n@SinceKotlin(\n1.1\n)\n@DeprecatedSinceKotlin(hiddenSince = \n1.4\n)\npublic expect fun
IntArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array
as if it is [List].\n *\n\n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@Deprecated(\nUse Kotlin compiler 1.4 to avoid deprecation
warning.\n)\n@SinceKotlin(\n1.1\n)\n@DeprecatedSinceKotlin(hiddenSince = \n1.4\n)\npublic expect fun
LongArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array
as if it is [List].\n *\n\n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@Deprecated(\nUse Kotlin compiler 1.4 to avoid deprecation
warning.\n)\n@SinceKotlin(\n1.1\n)\n@DeprecatedSinceKotlin(hiddenSince = \n1.4\n)\npublic expect fun
FloatArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array
as if it is [List].\n *\n\n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@Deprecated(\nUse Kotlin compiler 1.4 to avoid deprecation
warning.\n)\n@SinceKotlin(\n1.1\n)\n@DeprecatedSinceKotlin(hiddenSince = \n1.4\n)\npublic expect fun
DoubleArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified
array as if it is [List].\n *\n\n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@Deprecated(\nUse Kotlin compiler 1.4 to avoid deprecation
warning.\n)\n@SinceKotlin(\n1.1\n)\n@DeprecatedSinceKotlin(hiddenSince = \n1.4\n)\npublic expect fun
BooleanArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified

```

array as if it is [List].\n \* \n \* @sample samples.collections.Arrays.ContentOperations.contentToString\n \* \n @Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n @SinceKotlin("1.1")\n @DeprecatedSinceKotlin(hiddenSince = "1.4")\n public expect fun CharArray.contentToString(): String\n\n \*\*\n \* Returns a string representation of the contents of the specified array as if it is [List].\n \* \n \* @sample samples.collections.Arrays.ContentOperations.contentToString\n \* \n @SinceKotlin("1.4")\n public expect fun <T> Array<out T>?.contentToString(): String\n\n \*\*\n \* Returns a string representation of the contents of the specified array as if it is [List].\n \* \n \* @sample samples.collections.Arrays.ContentOperations.contentToString\n \* \n @SinceKotlin("1.4")\n public expect fun ByteArray?.contentToString(): String\n\n \*\*\n \* Returns a string representation of the contents of the specified array as if it is [List].\n \* \n \* @sample samples.collections.Arrays.ContentOperations.contentToString\n \* \n @SinceKotlin("1.4")\n public expect fun ShortArray?.contentToString(): String\n\n \*\*\n \* Returns a string representation of the contents of the specified array as if it is [List].\n \* \n \* @sample samples.collections.Arrays.ContentOperations.contentToString\n \* \n @SinceKotlin("1.4")\n public expect fun IntArray?.contentToString(): String\n\n \*\*\n \* Returns a string representation of the contents of the specified array as if it is [List].\n \* \n \* @sample samples.collections.Arrays.ContentOperations.contentToString\n \* \n @SinceKotlin("1.4")\n public expect fun LongArray?.contentToString(): String\n\n \*\*\n \* Returns a string representation of the contents of the specified array as if it is [List].\n \* \n \* @sample samples.collections.Arrays.ContentOperations.contentToString\n \* \n @SinceKotlin("1.4")\n public expect fun FloatArray?.contentToString(): String\n\n \*\*\n \* Returns a string representation of the contents of the specified array as if it is [List].\n \* \n \* @sample samples.collections.Arrays.ContentOperations.contentToString\n \* \n @SinceKotlin("1.4")\n public expect fun DoubleArray?.contentToString(): String\n\n \*\*\n \* Returns a string representation of the contents of the specified array as if it is [List].\n \* \n \* @sample samples.collections.Arrays.ContentOperations.contentToString\n \* \n @SinceKotlin("1.4")\n public expect fun BooleanArray?.contentToString(): String\n\n \*\*\n \* Returns a string representation of the contents of the specified array as if it is [List].\n \* \n \* @sample samples.collections.Arrays.ContentOperations.contentToString\n \* \n @SinceKotlin("1.4")\n public expect fun CharArray?.contentToString(): String\n\n \*\*\n \* Copies this array or its subrange into the [destination] array and returns that array.\n \* \n \* It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n \* \n \* @param destination the array to copy to.\n \* @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n \* @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n \* @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n \* @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n \* @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n \* or when that index is out of the [destination] array indices range.\n \* \n \* @return the [destination] array.\n \* \n @SinceKotlin("1.3")\n public expect fun <T> Array<out T>.copyInto(destination: Array<T>, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): Array<T>\n\n \*\*\n \* Copies this array or its subrange into the [destination] array and returns that array.\n \* \n \* It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n \* \n \* @param destination the array to copy to.\n \* @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n \* @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n \* @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n \* @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n \* @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n \* or when that index is out of the [destination] array indices range.\n \* \n \* @return the [destination] array.\n \* \n @SinceKotlin("1.3")\n public expect fun ByteArray.copyInto(destination: ByteArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): ByteArray\n\n \*\*\n \* Copies this array or its subrange into the [destination] array and returns that array.\n \* \n \* It's allowed to pass the same array in the

[destination] and even specify the subrange so that it overlaps with the destination range.

`@param destination` the array to copy to.

`@param destinationOffset` the position in the [destination] array to copy to, 0 by default.

`@param startIndex` the beginning (inclusive) of the subrange to copy, 0 by default.

`@param endIndex` the end (exclusive) of the subrange to copy, size of this array by default.

`@throws IndexOutOfBoundsException` or `[IllegalArgumentException]` when [startIndex] or [endIndex] is out of range of this array indices or when ``startIndex > endIndex``.

`@throws IndexOutOfBoundsException` when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],

or when that index is out of the [destination] array indices range.

`@return` the [destination] array.

```

*\/n@SinceKotlin("1.3")npublic expect fun ShortArray.copyInto(destination: ShortArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): ShortArrayn/n/**n * Copies this array or its subrange into the [destination] array and returns that array.n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.n * @param destination the array to copy to.n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.n * n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],n * or when that index is out of the [destination] array indices range.n * n * @return the [destination] array.n *\/n@SinceKotlin("1.3")npublic expect fun IntArray.copyInto(destination: IntArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): IntArrayn/n/**n * Copies this array or its subrange into the [destination] array and returns that array.n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.n * @param destination the array to copy to.n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.n * n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],n * or when that index is out of the [destination] array indices range.n * n * @return the [destination] array.n *\/n@SinceKotlin("1.3")npublic expect fun LongArray.copyInto(destination: LongArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): LongArrayn/n/**n * Copies this array or its subrange into the [destination] array and returns that array.n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.n * @param destination the array to copy to.n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.n * n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],n * or when that index is out of the [destination] array indices range.n * n * @return the [destination] array.n *\/n@SinceKotlin("1.3")npublic expect fun FloatArray.copyInto(destination: FloatArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): FloatArrayn/n/**n * Copies this array or its subrange into the [destination] array and returns that array.n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.n * @param destination the array to copy to.n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.n * n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array

```



starting at the specified [destinationOffset],\n \* or when that index is out of the [destination] array indices range.\n \*  
 \n \* @return the [destination] array.\n \*  
 \n \* @SinceKotlin("1.3")\n \*  
 public expect fun  
 DoubleArray.copyInto(destination: DoubleArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): DoubleArray\n \*  
 \n \* Copies this array or its subrange into the [destination] array and returns that array.\n \*  
 \n \* It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n \*  
 \n \* @param destination the array to copy to.\n \* @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n \* @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n \* @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n \*  
 \n \* @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n \* @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n \* or when that index is out of the [destination] array indices range.\n \*  
 \n \* @return the [destination] array.\n \*  
 \n \* @SinceKotlin("1.3")\n \*  
 public expect fun  
 BooleanArray.copyInto(destination: BooleanArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): BooleanArray\n \*  
 \n \* Copies this array or its subrange into the [destination] array and returns that array.\n \*  
 \n \* It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n \*  
 \n \* @param destination the array to copy to.\n \* @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n \* @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n \* @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n \*  
 \n \* @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n \* @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n \* or when that index is out of the [destination] array indices range.\n \*  
 \n \* @return the [destination] array.\n \*  
 \n \* @SinceKotlin("1.3")\n \*  
 public expect fun  
 CharArray.copyInto(destination: CharArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): CharArray\n \*  
 \n \* Returns new array which is a copy of the original array.\n \*  
 \n \* @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n \*  
 \n \* @Suppress("NO\_ACTUAL\_FOR\_EXPECT")\n \*  
 public expect fun <T> Array<T>.copyOf(): Array<T>\n \*  
 \n \* Returns new array which is a copy of the original array.\n \*  
 \n \* @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n \*  
 \n \* public expect fun ByteArray.copyOf(): ByteArray\n \*  
 \n \* Returns new array which is a copy of the original array.\n \*  
 \n \* @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n \*  
 \n \* public expect fun ShortArray.copyOf(): ShortArray\n \*  
 \n \* Returns new array which is a copy of the original array.\n \*  
 \n \* @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n \*  
 \n \* public expect fun IntArray.copyOf(): IntArray\n \*  
 \n \* Returns new array which is a copy of the original array.\n \*  
 \n \* @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n \*  
 \n \* public expect fun LongArray.copyOf(): LongArray\n \*  
 \n \* Returns new array which is a copy of the original array.\n \*  
 \n \* @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n \*  
 \n \* public expect fun FloatArray.copyOf(): FloatArray\n \*  
 \n \* Returns new array which is a copy of the original array.\n \*  
 \n \* @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n \*  
 \n \* public expect fun DoubleArray.copyOf(): DoubleArray\n \*  
 \n \* Returns new array which is a copy of the original array.\n \*  
 \n \* @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n \*  
 \n \* public expect fun BooleanArray.copyOf(): BooleanArray\n \*  
 \n \* Returns new array which is a copy of the original array.\n \*  
 \n \* @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n \*  
 \n \* public expect fun CharArray.copyOf(): CharArray\n \*  
 \n \* Returns new array which is a copy of the original array, resized to the given [newSize].\n \*  
 \n \* The copy is either truncated or padded at the end with zero values if necessary.\n \*  
 \n \* - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n \*  
 \n \* - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n \*  
 \n \* @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n \*  
 \n \* public expect fun

ByteArray.copyOf(newSize: Int): ByteArray\n\n/\*\*\n \* Returns new array which is a copy of the original array, resized to the given [newSize].\n \* The copy is either truncated or padded at the end with zero values if necessary.\n \* \n \* - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n \* - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n \*/\npublic expect fun ShortArray.copyOf(newSize: Int): ShortArray\n\n/\*\*\n \* Returns new array which is a copy of the original array, resized to the given [newSize].\n \* The copy is either truncated or padded at the end with zero values if necessary.\n \* \n \* - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n \* - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n \*/\npublic expect fun IntArray.copyOf(newSize: Int): IntArray\n\n/\*\*\n \* Returns new array which is a copy of the original array, resized to the given [newSize].\n \* The copy is either truncated or padded at the end with zero values if necessary.\n \* \n \* - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n \* - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n \*/\npublic expect fun LongArray.copyOf(newSize: Int): LongArray\n\n/\*\*\n \* Returns new array which is a copy of the original array, resized to the given [newSize].\n \* The copy is either truncated or padded at the end with zero values if necessary.\n \* \n \* - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n \* - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n \*/\npublic expect fun FloatArray.copyOf(newSize: Int): FloatArray\n\n/\*\*\n \* Returns new array which is a copy of the original array, resized to the given [newSize].\n \* The copy is either truncated or padded at the end with zero values if necessary.\n \* \n \* - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n \* - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n \*/\npublic expect fun DoubleArray.copyOf(newSize: Int): DoubleArray\n\n/\*\*\n \* Returns new array which is a copy of the original array, resized to the given [newSize].\n \* The copy is either truncated or padded at the end with `false` values if necessary.\n \* \n \* - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n \* - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with `false` values.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n \*/\npublic expect fun BooleanArray.copyOf(newSize: Int): BooleanArray\n\n/\*\*\n \* Returns new array which is a copy of the original array, resized to the given [newSize].\n \* The copy is either truncated or padded at the end with null char (`\u0000`) values if necessary.\n \* \n \* - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n \* - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with null char (`\u0000`) values.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n \*/\npublic expect fun CharArray.copyOf(newSize: Int): CharArray\n\n/\*\*\n \* Returns new array which is a copy of the original array, resized to the given [newSize].\n \* The copy is either truncated or padded at the end with `null` values if necessary.\n \* \n \* - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n \* - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with `null` values.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.resizingCopyOf\n \*/\n@Suppress("NO\_ACTUAL\_FOR\_EXPECT")\npublic expect fun <T> Array<T>.copyOf(newSize: Int): Array<T?>\n\n/\*\*\n \* Returns a new array which is a copy of the specified range of the original array.\n \* \n \* @param fromIndex the start of the range (inclusive) to copy.\n \* @param toIndex the end of the range (exclusive) to copy.\n \* \n \* @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n \* @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n \*/\n@Suppress("NO\_ACTUAL\_FOR\_EXPECT")\npublic expect fun <T> Array<T>.copyOfRange(fromIndex:

Int, toIndex: Int): Array<T>\n\n/\*\*\n \* Returns a new array which is a copy of the specified range of the original array.\n \* \n \* @param fromIndex the start of the range (inclusive) to copy.\n \* @param toIndex the end of the range (exclusive) to copy.\n \* \n \* @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n \* @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n \*/\npublic expect fun ByteArray.copyOfRange(fromIndex: Int, toIndex: Int): ByteArray\n\n/\*\*\n \* Returns a new array which is a copy of the specified range of the original array.\n \* \n \* @param fromIndex the start of the range (inclusive) to copy.\n \* @param toIndex the end of the range (exclusive) to copy.\n \* \n \* @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n \* @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n \*/\npublic expect fun ShortArray.copyOfRange(fromIndex: Int, toIndex: Int): ShortArray\n\n/\*\*\n \* Returns a new array which is a copy of the specified range of the original array.\n \* \n \* @param fromIndex the start of the range (inclusive) to copy.\n \* @param toIndex the end of the range (exclusive) to copy.\n \* \n \* @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n \* @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n \*/\npublic expect fun IntArray.copyOfRange(fromIndex: Int, toIndex: Int): IntArray\n\n/\*\*\n \* Returns a new array which is a copy of the specified range of the original array.\n \* \n \* @param fromIndex the start of the range (inclusive) to copy.\n \* @param toIndex the end of the range (exclusive) to copy.\n \* \n \* @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n \* @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n \*/\npublic expect fun LongArray.copyOfRange(fromIndex: Int, toIndex: Int): LongArray\n\n/\*\*\n \* Returns a new array which is a copy of the specified range of the original array.\n \* \n \* @param fromIndex the start of the range (inclusive) to copy.\n \* @param toIndex the end of the range (exclusive) to copy.\n \* \n \* @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n \* @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n \*/\npublic expect fun FloatArray.copyOfRange(fromIndex: Int, toIndex: Int): FloatArray\n\n/\*\*\n \* Returns a new array which is a copy of the specified range of the original array.\n \* \n \* @param fromIndex the start of the range (inclusive) to copy.\n \* @param toIndex the end of the range (exclusive) to copy.\n \* \n \* @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n \* @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n \*/\npublic expect fun DoubleArray.copyOfRange(fromIndex: Int, toIndex: Int): DoubleArray\n\n/\*\*\n \* Returns a new array which is a copy of the specified range of the original array.\n \* \n \* @param fromIndex the start of the range (inclusive) to copy.\n \* @param toIndex the end of the range (exclusive) to copy.\n \* \n \* @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n \* @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n \*/\npublic expect fun BooleanArray.copyOfRange(fromIndex: Int, toIndex: Int): BooleanArray\n\n/\*\*\n \* Returns a new array which is a copy of the specified range of the original array.\n \* \n \* @param fromIndex the start of the range (inclusive) to copy.\n \* @param toIndex the end of the range (exclusive) to copy.\n \* \n \* @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n \* @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n \*/\npublic expect fun CharArray.copyOfRange(fromIndex: Int, toIndex: Int): CharArray\n\n/\*\*\n \* Fills this array or its subrange with the specified [element] value.\n \* \n \* @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n \* @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n \* \n \* @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n \* @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n \*/\n@SinceKotlin("1.3")\npublic expect fun <T> Array<T>.fill(element: T, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/\*\*\n \* Fills this array or its subrange with the specified [element] value.\n \* \n \* @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n \* @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n \* \n \* @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this

```

array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.3")\npublic expect fun ByteArray.fill(element: Byte, fromIndex: Int = 0, toIndex: Int = size):
Unit\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the
start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of
this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is
greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.3")\npublic expect fun ShortArray.fill(element: Short, fromIndex: Int = 0, toIndex: Int =
size): Unit\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex
the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size
of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex]
is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than
[toIndex].\n *\n@SinceKotlin("1.3")\npublic expect fun IntArray.fill(element: Int, fromIndex: Int = 0, toIndex: Int =
size): Unit\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param
fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive)
to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero
or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater
than [toIndex].\n *\n@SinceKotlin("1.3")\npublic expect fun LongArray.fill(element: Long, fromIndex: Int = 0,
toIndex: Int = size): Unit\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n *
@param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range
(exclusive) to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less
than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is
greater than [toIndex].\n *\n@SinceKotlin("1.3")\npublic expect fun FloatArray.fill(element: Float, fromIndex: Int = 0,
toIndex: Int = size): Unit\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n *
@param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range
(exclusive) to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less
than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is
greater than [toIndex].\n *\n@SinceKotlin("1.3")\npublic expect fun DoubleArray.fill(element: Double,
fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Fills this array or its subrange with the specified [element]
value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end
of the range (exclusive) to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if
[fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
IllegalArgumentExceptio\n *\n@SinceKotlin("1.3")\npublic expect fun BooleanArray.fill(element: Boolean, fromIndex: Int = 0, toIndex: Int = size):
Unit\n\n/**\n * Returns the range of valid indices for the array.\n *\n@SinceKotlin("1.3")\npublic val <T> Array<out T>.indices:
IntRange\n    get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n *\n@SinceKotlin("1.3")\npublic val ByteArray.indices: IntRange\n    get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n *\n@SinceKotlin("1.3")\npublic val ShortArray.indices: IntRange\n    get() = IntRange(0,
lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n *\n@SinceKotlin("1.3")\npublic val IntArray.indices: IntRange\n    get() = IntRange(0,
lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n *\n@SinceKotlin("1.3")\npublic val LongArray.indices:
IntRange\n    get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n *\n@SinceKotlin("1.3")\npublic val FloatArray.indices: IntRange\n    get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n *\n@SinceKotlin("1.3")\npublic val DoubleArray.indices: IntRange\n    get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n *\n@SinceKotlin("1.3")\npublic val BooleanArray.indices: IntRange\n    get() = IntRange(0,

```

```

lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n */\npublic val CharArray.indices: IntRange\n    get() = IntRange(0, lastIndex)\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.isEmpty(): Boolean {\n    return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.isEmpty(): Boolean {\n    return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.isEmpty(): Boolean {\n    return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.isEmpty(): Boolean {\n    return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.isEmpty(): Boolean {\n    return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.isEmpty(): Boolean {\n    return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.isEmpty(): Boolean {\n    return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.isEmpty(): Boolean {\n    return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.isEmpty(): Boolean {\n    return size == 0\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.isNotEmpty(): Boolean {\n    return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.isNotEmpty(): Boolean {\n    return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.isNotEmpty(): Boolean {\n    return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.isNotEmpty(): Boolean {\n    return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.isNotEmpty(): Boolean {\n    return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.isNotEmpty(): Boolean {\n    return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.isNotEmpty(): Boolean {\n    return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.isNotEmpty(): Boolean {\n    return !isEmpty()\n}\n\n/**\n * Returns the last valid index for the array.\n */\npublic val <T> Array<out T>.lastIndex: Int\n    get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val ByteArray.lastIndex: Int\n    get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val ShortArray.lastIndex: Int\n    get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val IntArray.lastIndex: Int\n    get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val LongArray.lastIndex: Int\n    get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val FloatArray.lastIndex: Int\n    get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val DoubleArray.lastIndex: Int\n    get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val BooleanArray.lastIndex: Int\n    get() = size - 1\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress("NO_ACTUAL_FOR_EXPECT")\npublic expect operator fun <T> Array<T>.plus(element: T): Array<T>\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect operator fun ByteArray.plus(element: Byte): ByteArray\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect operator fun ShortArray.plus(element: Short): ShortArray\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect operator fun IntArray.plus(element: Int): IntArray\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect operator fun LongArray.plus(element: Long): LongArray\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect operator fun FloatArray.plus(element: Float):

```

FloatArray\n\n/\*\*\n \* Returns an array containing all elements of the original array and then the given [element].\n\n \*/\npublic expect operator fun DoubleArray.plus(element: Double): DoubleArray\n\n/\*\*\n \* Returns an array containing all elements of the original array and then the given [element].\n\n \*/\npublic expect operator fun BooleanArray.plus(element: Boolean): BooleanArray\n\n/\*\*\n \* Returns an array containing all elements of the original array and then the given [element].\n\n \*/\npublic expect operator fun CharArray.plus(element: Char): CharArray\n\n/\*\*\n \* Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n\n \*/\n@Suppress("NO\_ACTUAL\_FOR\_EXPECT")\npublic expect operator fun <T> Array<T>.plus(elements: Collection<T>): Array<T>\n\n/\*\*\n \* Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n\n \*/\npublic expect operator fun ByteArray.plus(elements: Collection<Byte>): ByteArray\n\n/\*\*\n \* Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n\n \*/\npublic expect operator fun ShortArray.plus(elements: Collection<Short>): ShortArray\n\n/\*\*\n \* Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n\n \*/\npublic expect operator fun IntArray.plus(elements: Collection<Int>): IntArray\n\n/\*\*\n \* Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n\n \*/\npublic expect operator fun LongArray.plus(elements: Collection<Long>): LongArray\n\n/\*\*\n \* Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n\n \*/\npublic expect operator fun FloatArray.plus(elements: Collection<Float>): FloatArray\n\n/\*\*\n \* Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n\n \*/\npublic expect operator fun DoubleArray.plus(elements: Collection<Double>): DoubleArray\n\n/\*\*\n \* Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n\n \*/\npublic expect operator fun BooleanArray.plus(elements: Collection<Boolean>): BooleanArray\n\n/\*\*\n \* Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n\n \*/\npublic expect operator fun CharArray.plus(elements: Collection<Char>): CharArray\n\n/\*\*\n \* Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n\n \*/\n@Suppress("NO\_ACTUAL\_FOR\_EXPECT")\npublic expect operator fun <T> Array<T>.plus(elements: Array<out T>): Array<T>\n\n/\*\*\n \* Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n\n \*/\npublic expect operator fun ByteArray.plus(elements: ByteArray): ByteArray\n\n/\*\*\n \* Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n\n \*/\npublic expect operator fun ShortArray.plus(elements: ShortArray): ShortArray\n\n/\*\*\n \* Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n\n \*/\npublic expect operator fun IntArray.plus(elements: IntArray): IntArray\n\n/\*\*\n \* Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n\n \*/\npublic expect operator fun LongArray.plus(elements: LongArray): LongArray\n\n/\*\*\n \* Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n\n \*/\npublic expect operator fun FloatArray.plus(elements: FloatArray): FloatArray\n\n/\*\*\n \* Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n\n \*/\npublic expect operator fun DoubleArray.plus(elements: DoubleArray): DoubleArray\n\n/\*\*\n \* Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n\n \*/\npublic expect operator fun BooleanArray.plus(elements: BooleanArray): BooleanArray\n\n/\*\*\n \* Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n\n \*/\npublic expect operator fun CharArray.plus(elements: CharArray): CharArray\n\n/\*\*\n \* Returns an array containing all elements of the original array and then the given [element].\n\n \*/\n@Suppress("NO\_ACTUAL\_FOR\_EXPECT")\npublic expect fun <T> Array<T>.plusElement(element: T): Array<T>\n\n/\*\*\n \* Sorts the array in-place.\n\n \*/\n \* \n \* @sample samples.collections.Arrays.Sorting.sortArray\n\n \*/\npublic expect fun IntArray.sort(): Unit\n\n/\*\*\n \* Sorts the array in-place.\n\n \*/\n \* \n \* @sample samples.collections.Arrays.Sorting.sortArray\n\n \*/\npublic expect fun LongArray.sort(): Unit\n\n/\*\*\n \* Sorts the array in-place.\n\n \*/\n \* \n \* @sample samples.collections.Arrays.Sorting.sortArray\n\n \*/\npublic expect fun ByteArray.sort(): Unit\n\n/\*\*\n \* Sorts the array in-place.\n\n \*/\n \* \n \* @sample

```

samples.collections.Arrays.Sorting.sortArray\n *\/\npublic expect fun ShortArray.sort(): Unit\n\n/**\n * Sorts the
array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n *\/\npublic expect fun
DoubleArray.sort(): Unit\n\n/**\n * Sorts the array in-place.\n * \n * @sample
samples.collections.Arrays.Sorting.sortArray\n *\/\npublic expect fun FloatArray.sort(): Unit\n\n/**\n * Sorts the
array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n *\/\npublic expect fun
CharArray.sort(): Unit\n\n/**\n * Sorts the array in-place according to the natural order of its elements.\n * \n * The
sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n * \n *
@sample samples.collections.Arrays.Sorting.sortArrayOfComparable\n *\/\npublic expect fun <T :
Comparable<T>> Array<out T>.sort(): Unit\n\n/**\n * Sorts a range in the array in-place.\n * \n * The sort is
_stable_. It means that equal elements preserve their order relative to each other after sorting.\n * \n * @param
fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range
(exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is
less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if
[fromIndex] is greater than [toIndex].\n * \n * @sample
samples.collections.Arrays.Sorting.sortRangeOfArrayOfComparable\n *\/\n@SinceKotlin("1.4")\npublic expect
fun <T : Comparable<T>> Array<out T>.sort(fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Sorts a range
in the array in-place.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param
toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *
@throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample
samples.collections.Arrays.Sorting.sortRangeOfArray\n *\/\n@SinceKotlin("1.4")\npublic expect fun
ByteArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Sorts a range in the array in-place.\n * \n *
@param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range
(exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is
less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if
[fromIndex] is greater than [toIndex].\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n
*\/\n@SinceKotlin("1.4")\npublic expect fun ShortArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n
* Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by
default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *
@throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample
samples.collections.Arrays.Sorting.sortRangeOfArray\n *\/\n@SinceKotlin("1.4")\npublic expect fun
IntArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Sorts a range in the array in-place.\n * \n *
@param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range
(exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is
less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if
[fromIndex] is greater than [toIndex].\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n
*\/\n@SinceKotlin("1.4")\npublic expect fun LongArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n
* Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by
default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *
@throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample
samples.collections.Arrays.Sorting.sortRangeOfArray\n *\/\n@SinceKotlin("1.4")\npublic expect fun
FloatArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Sorts a range in the array in-place.\n * \n *
@param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range
(exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is
less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if
[fromIndex] is greater than [toIndex].\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n

```

```

*\n@SinceKotlin("1.4")\npublic expect fun DoubleArray.sort(fromIndex: Int = 0, toIndex: Int = size):
Unit\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the range (inclusive) to
sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n *
@throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this
array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample
samples.collections.Arrays.Sorting.sortRangeOfArray\n *\n@SinceKotlin("1.4")\npublic expect fun
CharArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Sorts elements of the array in the specified
range in-place.\n * The elements are sorted descending according to their natural sort order.\n * \n * The sort is
_stable_. It means that equal elements preserve their order relative to each other after sorting.\n * \n * @param
fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end of the range (exclusive) to sort.\n *
\n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of
this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
\n\n*\n@SinceKotlin("1.4")\npublic fun <T : Comparable<T>> Array<out T>.sortDescending(fromIndex: Int,
toIndex: Int): Unit {\n    sortWith(reverseOrder(), fromIndex, toIndex)\n}\n\n/**\n * Sorts elements of the array in
the specified range in-place.\n * The elements are sorted descending according to their natural sort order.\n * \n *
@param fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end of the range (exclusive) to
sort.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the
size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
\n\n*\n@SinceKotlin("1.4")\npublic fun ByteArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n    sort(fromIndex, toIndex)\n    reverse(fromIndex, toIndex)\n}\n\n/**\n * Sorts elements of the array in the specified
range in-place.\n * The elements are sorted descending according to their natural sort order.\n * \n * @param
fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end of the range (exclusive) to sort.\n *
\n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of
this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
\n\n*\n@SinceKotlin("1.4")\npublic fun ShortArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n    sort(fromIndex, toIndex)\n    reverse(fromIndex, toIndex)\n}\n\n/**\n * Sorts elements of the array in the specified
range in-place.\n * The elements are sorted descending according to their natural sort order.\n * \n * @param
fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end of the range (exclusive) to sort.\n *
\n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of
this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
\n\n*\n@SinceKotlin("1.4")\npublic fun IntArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n    sort(fromIndex, toIndex)\n    reverse(fromIndex, toIndex)\n}\n\n/**\n * Sorts elements of the array in the specified
range in-place.\n * The elements are sorted descending according to their natural sort order.\n * \n * @param
fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end of the range (exclusive) to sort.\n *
\n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of
this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
\n\n*\n@SinceKotlin("1.4")\npublic fun LongArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n    sort(fromIndex, toIndex)\n    reverse(fromIndex, toIndex)\n}\n\n/**\n * Sorts elements of the array in the specified
range in-place.\n * The elements are sorted descending according to their natural sort order.\n * \n * @param
fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end of the range (exclusive) to sort.\n *
\n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of
this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
\n\n*\n@SinceKotlin("1.4")\npublic fun FloatArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n    sort(fromIndex, toIndex)\n    reverse(fromIndex, toIndex)\n}\n\n/**\n * Sorts elements of the array in the specified
range in-place.\n * The elements are sorted descending according to their natural sort order.\n * \n * @param
fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end of the range (exclusive) to sort.\n *
\n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of
this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n

```



```

*^@SinceKotlin("1.4")\npublic fun DoubleArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n
sort(fromIndex, toIndex)\n  reverse(fromIndex, toIndex)\n}\n\n/**\n * Sorts elements of the array in the specified
range in-place.\n * The elements are sorted descending according to their natural sort order.\n * \n * @param
fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end of the range (exclusive) to sort.\n *
\n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of
this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
\n*^@SinceKotlin("1.4")\npublic fun CharArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n
sort(fromIndex, toIndex)\n  reverse(fromIndex, toIndex)\n}\n\n/**\n * Sorts the array in-place according to the
order specified by the given [comparator].\n * \n * The sort is _stable_. It means that equal elements preserve their
order relative to each other after sorting.\n *^npublic expect fun <T> Array<out T>.sortWith(comparator:
Comparator<in T>): Unit\n\n/**\n * Sorts a range in the array in-place with the given [comparator].\n * \n * The
sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n * \n *
@param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range
(exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is
less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if
[fromIndex] is greater than [toIndex].\n *^npublic expect fun <T> Array<out T>.sortWith(comparator:
Comparator<in T>, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Returns an array of Boolean containing
all of the elements of this generic array.\n *^npublic fun Array<out Boolean>.toBooleanArray(): BooleanArray {\n
return BooleanArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of Byte containing all of the
elements of this generic array.\n *^npublic fun Array<out Byte>.toByteArray(): ByteArray {\n  return
ByteArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of Char containing all of the elements of this
generic array.\n *^npublic fun Array<out Char>.toCharArray(): CharArray {\n  return CharArray(size) { index ->
this[index] }\n}\n}\n\n/**\n * Returns an array of Double containing all of the elements of this generic array.\n
\n*^npublic fun Array<out Double>.toDoubleArray(): DoubleArray {\n  return DoubleArray(size) { index ->
this[index] }\n}\n}\n\n/**\n * Returns an array of Float containing all of the elements of this generic array.\n
\n*^npublic fun Array<out Float>.toFloatArray(): FloatArray {\n  return FloatArray(size) { index -> this[index] }\n}\n}\n\n/**\n * Returns an array of Int containing all of the elements of this generic array.\n
\n*^npublic fun Array<out
Int>.toIntArray(): IntArray {\n  return IntArray(size) { index -> this[index] }\n}\n}\n\n/**\n * Returns an array of
Long containing all of the elements of this generic array.\n *^npublic fun Array<out Long>.toLongArray():
LongArray {\n  return LongArray(size) { index -> this[index] }\n}\n}\n\n/**\n * Returns an array of Short containing
all of the elements of this generic array.\n *^npublic fun Array<out Short>.toShortArray(): ShortArray {\n  return
ShortArray(size) { index -> this[index] }\n}\n}\n\n/**\n * Returns a *typed* object array containing all of the elements
of this primitive array.\n *^npublic expect fun ByteArray.toTypedArray(): Array<Byte>\n\n/**\n * Returns a
*typed* object array containing all of the elements of this primitive array.\n *^npublic expect fun
ShortArray.toTypedArray(): Array<Short>\n\n/**\n * Returns a *typed* object array containing all of the elements
of this primitive array.\n *^npublic expect fun IntArray.toTypedArray(): Array<Int>\n\n/**\n * Returns a *typed*
object array containing all of the elements of this primitive array.\n *^npublic expect fun
LongArray.toTypedArray(): Array<Long>\n\n/**\n * Returns a *typed* object array containing all of the elements
of this primitive array.\n *^npublic expect fun FloatArray.toTypedArray(): Array<Float>\n\n/**\n * Returns a
*typed* object array containing all of the elements of this primitive array.\n *^npublic expect fun
DoubleArray.toTypedArray(): Array<Double>\n\n/**\n * Returns a *typed* object array containing all of the
elements of this primitive array.\n *^npublic expect fun BooleanArray.toTypedArray(): Array<Boolean>\n\n/**\n * Returns a
*typed* object array containing all of the elements of this primitive array.\n *^npublic expect fun
CharArray.toTypedArray(): Array<Char>\n\n/**\n * Returns a [Map] containing key-value pairs provided by
[transform] function\n * applied to elements of the given array.\n * \n * If any of two pairs would have the same key
the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original
array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitives\n *^npublic inline
fun <T, K, V> Array<out T>.associate(transform: (T) -> Pair<K, V>): Map<K, V> {\n  val capacity =

```

```

mapCapacity(size).coerceAtLeast(16)\n  return associateTo(LinkedHashMap<K, V>(capacity),
transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to
elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the
map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitives\n *\npublic inline fun <K, V>
ByteArray.associate(transform: (Byte) -> Pair<K, V>): Map<K, V> {\n  val capacity =
mapCapacity(size).coerceAtLeast(16)\n  return associateTo(LinkedHashMap<K, V>(capacity),
transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to
elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the
map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitives\n *\npublic inline fun <K, V>
ShortArray.associate(transform: (Short) -> Pair<K, V>): Map<K, V> {\n  val capacity =
mapCapacity(size).coerceAtLeast(16)\n  return associateTo(LinkedHashMap<K, V>(capacity),
transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to
elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the
map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitives\n *\npublic inline fun <K, V>
IntArray.associate(transform: (Int) -> Pair<K, V>): Map<K, V> {\n  val capacity =
mapCapacity(size).coerceAtLeast(16)\n  return associateTo(LinkedHashMap<K, V>(capacity),
transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to
elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the
map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitives\n *\npublic inline fun <K, V>
LongArray.associate(transform: (Long) -> Pair<K, V>): Map<K, V> {\n  val capacity =
mapCapacity(size).coerceAtLeast(16)\n  return associateTo(LinkedHashMap<K, V>(capacity),
transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to
elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the
map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitives\n *\npublic inline fun <K, V>
FloatArray.associate(transform: (Float) -> Pair<K, V>): Map<K, V> {\n  val capacity =
mapCapacity(size).coerceAtLeast(16)\n  return associateTo(LinkedHashMap<K, V>(capacity),
transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to
elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the
map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitives\n *\npublic inline fun <K, V>
DoubleArray.associate(transform: (Double) -> Pair<K, V>): Map<K, V> {\n  val capacity =
mapCapacity(size).coerceAtLeast(16)\n  return associateTo(LinkedHashMap<K, V>(capacity),
transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to
elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the
map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitives\n *\npublic inline fun <K, V>
BooleanArray.associate(transform: (Boolean) -> Pair<K, V>): Map<K, V> {\n  val capacity =
mapCapacity(size).coerceAtLeast(16)\n  return associateTo(LinkedHashMap<K, V>(capacity),
transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to
elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the
map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitives\n *\npublic inline fun <K, V>
CharArray.associate(transform: (Char) -> Pair<K, V>): Map<K, V> {\n  val capacity =

```

```

mapCapacity(size).coerceAtLeast(16)\n    return associateTo(LinkedHashMap<K, V>(capacity),
transform)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <T, K>
Array<out T>.associateBy(keySelector: (T) -> K): Map<K, T> {\n    val capacity =
mapCapacity(size).coerceAtLeast(16)\n    return associateByTo(LinkedHashMap<K, T>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <K>
ByteArray.associateBy(keySelector: (Byte) -> K): Map<K, Byte> {\n    val capacity =
mapCapacity(size).coerceAtLeast(16)\n    return associateByTo(LinkedHashMap<K, Byte>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <K>
ShortArray.associateBy(keySelector: (Short) -> K): Map<K, Short> {\n    val capacity =
mapCapacity(size).coerceAtLeast(16)\n    return associateByTo(LinkedHashMap<K, Short>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <K>
IntArray.associateBy(keySelector: (Int) -> K): Map<K, Int> {\n    val capacity =
mapCapacity(size).coerceAtLeast(16)\n    return associateByTo(LinkedHashMap<K, Int>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <K>
LongArray.associateBy(keySelector: (Long) -> K): Map<K, Long> {\n    val capacity =
mapCapacity(size).coerceAtLeast(16)\n    return associateByTo(LinkedHashMap<K, Long>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <K>
FloatArray.associateBy(keySelector: (Float) -> K): Map<K, Float> {\n    val capacity =
mapCapacity(size).coerceAtLeast(16)\n    return associateByTo(LinkedHashMap<K, Float>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <K>

```

```

DoubleArray.associateBy(keySelector: (Double) -> K): Map<K, Double> {\n  val capacity =
mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, Double>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <K>
BooleanArray.associateBy(keySelector: (Boolean) -> K): Map<K, Boolean> {\n  val capacity =
mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, Boolean>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <K>
CharArray.associateBy(keySelector: (Char) -> K): Map<K, Char> {\n  val capacity =
mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, Char>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by
[keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n */\npublic inline
fun <T, K, V> Array<out T>.associateBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, V> {\n  val
capacity = mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, V>(capacity),
keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform]
and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would
have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves
the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n */\npublic inline
fun <K, V> ByteArray.associateBy(keySelector: (Byte) -> K, valueTransform: (Byte) -> V): Map<K, V> {\n  val
capacity = mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, V>(capacity),
keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform]
and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would
have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves
the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n */\npublic inline
fun <K, V> ShortArray.associateBy(keySelector: (Short) -> K, valueTransform: (Short) -> V): Map<K, V> {\n  val
capacity = mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, V>(capacity),
keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform]
and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would
have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves
the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n */\npublic inline
fun <K, V> IntArray.associateBy(keySelector: (Int) -> K, valueTransform: (Int) -> V): Map<K, V> {\n  val
capacity = mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, V>(capacity),
keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform]
and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would
have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves
the entry iteration order of the original array.\n * \n * @sample

```

```
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n *\npublic inline fun <K, V> LongArray.associateBy(keySelector: (Long) -> K, valueTransform: (Long) -> V): Map<K, V> {\n    val capacity = mapCapacity(size).coerceAtLeast(16)\n    return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample
```

```
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n *\npublic inline fun <K, V> FloatArray.associateBy(keySelector: (Float) -> K, valueTransform: (Float) -> V): Map<K, V> {\n    val capacity = mapCapacity(size).coerceAtLeast(16)\n    return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample
```

```
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n *\npublic inline fun <K, V> DoubleArray.associateBy(keySelector: (Double) -> K, valueTransform: (Double) -> V): Map<K, V> {\n    val capacity = mapCapacity(size).coerceAtLeast(16)\n    return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample
```

```
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n *\npublic inline fun <K, V> BooleanArray.associateBy(keySelector: (Boolean) -> K, valueTransform: (Boolean) -> V): Map<K, V> {\n    val capacity = mapCapacity(size).coerceAtLeast(16)\n    return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample
```

```
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n *\npublic inline fun <K, V> CharArray.associateBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, V> {\n    val capacity = mapCapacity(size).coerceAtLeast(16)\n    return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample
```

```
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n *\npublic inline fun <T, K, M : MutableMap<in K, in T>> Array<out T>.associateByTo(destination: M, keySelector: (T) -> K): M {\n    for (element in this) {\n        destination.put(keySelector(element), element)\n    }\n    return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample
```

```
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n *\npublic inline fun <K, M : MutableMap<in K, in Byte>> ByteArray.associateByTo(destination: M, keySelector: (Byte) -> K): M {\n    for (element in this) {\n        destination.put(keySelector(element), element)\n    }\n    return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample
```

```
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n *\npublic inline fun <K,
```

```

M : MutableMap<in K, in Short>> ShortArray.associateByTo(destination: M, keySelector: (Short) -> K): M {
for (element in this) {
    destination.put(keySelector(element), element)
}
return destination
}
}
}
* Populates and returns the [destination] mutable map with key-value pairs,
* where key is provided by the [keySelector] function applied to each element of the given array
* and value is the element itself.
* If any two elements would have the same key returned by [keySelector] the last one gets added to the map.
}
}
}
@sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo
}
}
}
public inline fun <K,
M : MutableMap<in K, in Int>> IntArray.associateByTo(destination: M, keySelector: (Int) -> K): M {
for (element in this) {
    destination.put(keySelector(element), element)
}
return destination
}
}
}
* Populates and returns the [destination] mutable map with key-value pairs,
* where key is provided by the [keySelector] function applied to each element of the given array
* and value is the element itself.
* If any two elements would have the same key returned by [keySelector] the last one gets added to the map.
}
}
}
@sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo
}
}
}
public inline fun <K,
M : MutableMap<in K, in Long>> LongArray.associateByTo(destination: M, keySelector: (Long) -> K): M {
for (element in this) {
    destination.put(keySelector(element), element)
}
return destination
}
}
}
* Populates and returns the [destination] mutable map with key-value pairs,
* where key is provided by the [keySelector] function applied to each element of the given array
* and value is the element itself.
* If any two elements would have the same key returned by [keySelector] the last one gets added to the map.
}
}
}
@sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo
}
}
}
public inline fun <K,
M : MutableMap<in K, in Float>> FloatArray.associateByTo(destination: M, keySelector: (Float) -> K): M {
for (element in this) {
    destination.put(keySelector(element), element)
}
return destination
}
}
}
* Populates and returns the [destination] mutable map with key-value pairs,
* where key is provided by the [keySelector] function applied to each element of the given array
* and value is the element itself.
* If any two elements would have the same key returned by [keySelector] the last one gets added to the map.
}
}
}
@sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo
}
}
}
public inline fun <K,
M : MutableMap<in K, in Double>> DoubleArray.associateByTo(destination: M, keySelector: (Double) -> K): M {
for (element in this) {
    destination.put(keySelector(element), element)
}
return destination
}
}
}
* Populates and returns the [destination] mutable map with key-value pairs,
* where key is provided by the [keySelector] function applied to each element of the given array
* and value is the element itself.
* If any two elements would have the same key returned by [keySelector] the last one gets added to the map.
}
}
}
@sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo
}
}
}
public inline fun <K, M : MutableMap<in K, in Boolean>> BooleanArray.associateByTo(destination: M, keySelector:
(Boolean) -> K): M {
for (element in this) {
    destination.put(keySelector(element), element)
}
return destination
}
}
}
* Populates and returns the [destination] mutable map with key-value pairs,
* where key is provided by the [keySelector] function applied to each element of the given array
* and value is the element itself.
* If any two elements would have the same key returned by [keySelector] the last one gets added to the map.
}
}
}
@sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo
}
}
}
public inline fun <K, M : MutableMap<in K, in Char>> CharArray.associateByTo(destination: M, keySelector: (Char) ->
K): M {
for (element in this) {
    destination.put(keySelector(element), element)
}
return destination
}
}
}
* Populates and returns the [destination] mutable map with key-value pairs,
* where key is provided by the [keySelector] function and
* and value is provided by the [valueTransform] function applied to elements of the given array.
* If any two elements would have the same key returned by [keySelector] the last one gets added to the map.
}
}
}
@sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform
}
}
}
public inline fun <T, K, V, M : MutableMap<in K, in V>> Array<out T>.associateByTo(destination: M, keySelector: (T) -
> K, valueTransform: (T) -> V): M {
for (element in this) {
    destination.put(keySelector(element),
valueTransform(element))
}
return destination
}
}
}
* Populates and returns the [destination] mutable map with key-value pairs,
* where key is provided by the [keySelector] function and
* and value is provided by the [valueTransform] function applied to elements of the given array.
* If any two elements would have the

```

same key returned by [keySelector] the last one gets added to the map.

```

samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform
public inline fun <K, V, M : MutableMap<in K, in V>> ByteArray.associateByTo(destination: M, keySelector: (Byte) -> K, valueTransform: (Byte) -> V): M {
    for (element in this) {
        destination.put(keySelector(element), valueTransform(element))
    }
    return destination
}

```

Populates and returns the [destination] mutable map with key-value pairs, where key is provided by the [keySelector] function and value is provided by the [valueTransform] function applied to elements of the given array. If any two elements would have the same key returned by [keySelector] the last one gets added to the map.

```

samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform
public inline fun <K, V, M : MutableMap<in K, in V>> ShortArray.associateByTo(destination: M, keySelector: (Short) -> K, valueTransform: (Short) -> V): M {
    for (element in this) {
        destination.put(keySelector(element), valueTransform(element))
    }
    return destination
}

```

Populates and returns the [destination] mutable map with key-value pairs, where key is provided by the [keySelector] function and value is provided by the [valueTransform] function applied to elements of the given array. If any two elements would have the same key returned by [keySelector] the last one gets added to the map.

```

samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform
public inline fun <K, V, M : MutableMap<in K, in V>> IntArray.associateByTo(destination: M, keySelector: (Int) -> K, valueTransform: (Int) -> V): M {
    for (element in this) {
        destination.put(keySelector(element), valueTransform(element))
    }
    return destination
}

```

Populates and returns the [destination] mutable map with key-value pairs, where key is provided by the [keySelector] function and value is provided by the [valueTransform] function applied to elements of the given array. If any two elements would have the same key returned by [keySelector] the last one gets added to the map.

```

samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform
public inline fun <K, V, M : MutableMap<in K, in V>> LongArray.associateByTo(destination: M, keySelector: (Long) -> K, valueTransform: (Long) -> V): M {
    for (element in this) {
        destination.put(keySelector(element), valueTransform(element))
    }
    return destination
}

```

Populates and returns the [destination] mutable map with key-value pairs, where key is provided by the [keySelector] function and value is provided by the [valueTransform] function applied to elements of the given array. If any two elements would have the same key returned by [keySelector] the last one gets added to the map.

```

samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform
public inline fun <K, V, M : MutableMap<in K, in V>> FloatArray.associateByTo(destination: M, keySelector: (Float) -> K, valueTransform: (Float) -> V): M {
    for (element in this) {
        destination.put(keySelector(element), valueTransform(element))
    }
    return destination
}

```

Populates and returns the [destination] mutable map with key-value pairs, where key is provided by the [keySelector] function and value is provided by the [valueTransform] function applied to elements of the given array. If any two elements would have the same key returned by [keySelector] the last one gets added to the map.

```

samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform
public inline fun <K, V, M : MutableMap<in K, in V>> DoubleArray.associateByTo(destination: M, keySelector: (Double) -> K, valueTransform: (Double) -> V): M {
    for (element in this) {
        destination.put(keySelector(element), valueTransform(element))
    }
    return destination
}

```

Populates and returns the [destination] mutable map with key-value pairs, where key is provided by the [keySelector] function and value is provided by the [valueTransform] function applied to elements of the given array. If any two elements would have the same key returned by [keySelector] the last one gets added to the map.

```

samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform
public inline fun <K, V, M : MutableMap<in K, in V>> BooleanArray.associateByTo(destination: M, keySelector: (Boolean) -> K, valueTransform: (Boolean) -> V): M {
    for (element in this) {
        destination.put(keySelector(element), valueTransform(element))
    }
    return destination
}

```

Populates and returns the [destination] mutable map with key-value pairs, where key is provided by the [keySelector]

function and value is provided by the [valueTransform] function applied to elements of the given array.

If any two elements would have the same key returned by [keySelector] the last one gets added to the map.

@sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform

```

public inline fun <K, V, M : MutableMap<in K, in V>> CharArray.associateByTo(destination: M, keySelector:
(Char) -> K, valueTransform: (Char) -> V): M {
    for (element in this) {
        destination.put(keySelector(element), valueTransform(element))
    }
    return destination
}

```

Populates and returns the [destination] mutable map with key-value pairs provided by [transform] function applied to each element of the given array.

If any of two pairs would have the same key the last one gets added to the map.

@sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo

```

public inline fun <T, K, V, M : MutableMap<in K, in V>> Array<out T>.associateTo(destination: M, transform: (T) ->
Pair<K, V>): M {
    for (element in this) {
        destination += transform(element)
    }
    return destination
}

```

Populates and returns the [destination] mutable map with key-value pairs provided by [transform] function applied to each element of the given array.

If any of two pairs would have the same key the last one gets added to the map.

@sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo

```

public inline fun <K, V, M : MutableMap<in K, in V>> ByteArray.associateTo(destination: M, transform: (Byte) -> Pair<K, V>): M {
    for (element in this) {
        destination += transform(element)
    }
    return destination
}

```

Populates and returns the [destination] mutable map with key-value pairs provided by [transform] function applied to each element of the given array.

If any of two pairs would have the same key the last one gets added to the map.

@sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo

```

public inline fun <K, V, M : MutableMap<in K, in V>> ShortArray.associateTo(destination: M, transform: (Short) ->
Pair<K, V>): M {
    for (element in this) {
        destination += transform(element)
    }
    return destination
}

```

Populates and returns the [destination] mutable map with key-value pairs provided by [transform] function applied to each element of the given array.

If any of two pairs would have the same key the last one gets added to the map.

@sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo

```

public inline fun <K, V, M : MutableMap<in K, in V>> IntArray.associateTo(destination: M, transform: (Int) -> Pair<K, V>): M {
    for (element in this) {
        destination += transform(element)
    }
    return destination
}

```

Populates and returns the [destination] mutable map with key-value pairs provided by [transform] function applied to each element of the given array.

If any of two pairs would have the same key the last one gets added to the map.

@sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo

```

public inline fun <K, V, M : MutableMap<in K, in V>> LongArray.associateTo(destination: M, transform: (Long) ->
Pair<K, V>): M {
    for (element in this) {
        destination += transform(element)
    }
    return destination
}

```

Populates and returns the [destination] mutable map with key-value pairs provided by [transform] function applied to each element of the given array.

If any of two pairs would have the same key the last one gets added to the map.

@sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo

```

public inline fun <K, V, M : MutableMap<in K, in V>> FloatArray.associateTo(destination: M, transform: (Float) -> Pair<K, V>): M {
    for (element in this) {
        destination += transform(element)
    }
    return destination
}

```

Populates and returns the [destination] mutable map with key-value pairs provided by [transform] function applied to each element of the given array.

If any of two pairs would have the same key the last one gets added to the map.

@sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo

```

public inline fun <K, V, M : MutableMap<in K, in V>> DoubleArray.associateTo(destination: M, transform: (Double) ->
Pair<K, V>): M {
    for (element in this) {
        destination += transform(element)
    }
    return destination
}

```

Populates and returns the [destination] mutable map with key-value pairs provided by [transform] function applied to each element of the given array.

If any of two pairs would have the same key the last one gets added to the map.

@sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo

```

public inline fun <K, V, M :

```



```

MutableMap<in K, in V>> BooleanArray.associateTo(destination: M, transform: (Boolean) -> Pair<K, V>): M {
for (element in this) {
    destination += transform(element)
}
return destination
}
Populates
and returns the [destination] mutable map with key-value pairs
provided by [transform] function applied to each
element of the given array.
If any of two pairs would have the same key the last one gets added to the
map.
@sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo
public
inline fun <K, V, M : MutableMap<in K, in V>> CharArray.associateTo(destination: M, transform: (Char) ->
Pair<K, V>): M {
for (element in this) {
    destination += transform(element)
}
return
destination
}
Returns a [Map] where keys are elements from the given array and values are
produced
by the [valueSelector] function applied to each element.
If any two elements are equal, the last one gets
added to the map.
The returned map preserves the entry iteration order of the original array.
@sample samples.collections.Collections.Transformations.associateWith
@SinceKotlin("1.4")
public inline
fun <K, V> Array<out K>.associateWith(valueSelector: (K) -> V): Map<K, V> {
val result =
LinkedHashMap<K, V>(mapCapacity(size).coerceAtLeast(16))
return associateWithTo(result,
valueSelector)
}
Returns a [Map] where keys are elements from the given array and values are
produced
by the [valueSelector] function applied to each element.
If any two elements are equal, the last one gets
added to the map.
The returned map preserves the entry iteration order of the original array.
@sample samples.collections.Collections.Transformations.associateWith
@SinceKotlin("1.4")
@kotlin.internal.InlineOnly
public inline fun <V>
ByteArray.associateWith(valueSelector: (Byte) -> V): Map<Byte, V> {
val result = LinkedHashMap<Byte,
V>(mapCapacity(size).coerceAtLeast(16))
return associateWithTo(result, valueSelector)
}
Returns a
[Map] where keys are elements from the given array and values are
produced by the [valueSelector] function
applied to each element.
If any two elements are equal, the last one gets added to the map.
The
returned map preserves the entry iteration order of the original array.
@sample
samples.collections.Collections.Transformations.associateWith
@SinceKotlin("1.4")
@kotlin.internal.InlineOnly
public inline fun <V>
ShortArray.associateWith(valueSelector: (Short) -> V): Map<Short, V> {
val result = LinkedHashMap<Short,
V>(mapCapacity(size).coerceAtLeast(16))
return associateWithTo(result, valueSelector)
}
Returns a
[Map] where keys are elements from the given array and values are
produced by the [valueSelector] function
applied to each element.
If any two elements are equal, the last one gets added to the map.
The
returned map preserves the entry iteration order of the original array.
@sample
samples.collections.Collections.Transformations.associateWith
@SinceKotlin("1.4")
@kotlin.internal.InlineOnly
public inline fun <V>
IntArray.associateWith(valueSelector: (Int) -> V): Map<Int, V> {
val result = LinkedHashMap<Int,
V>(mapCapacity(size).coerceAtLeast(16))
return associateWithTo(result, valueSelector)
}
Returns a
[Map] where keys are elements from the given array and values are
produced by the [valueSelector] function
applied to each element.
If any two elements are equal, the last one gets added to the map.
The
returned map preserves the entry iteration order of the original array.
@sample
samples.collections.Collections.Transformations.associateWith
@SinceKotlin("1.4")
@kotlin.internal.InlineOnly
public inline fun <V>
LongArray.associateWith(valueSelector: (Long) -> V): Map<Long, V> {
val result = LinkedHashMap<Long,
V>(mapCapacity(size).coerceAtLeast(16))
return associateWithTo(result, valueSelector)
}
Returns a
[Map] where keys are elements from the given array and values are
produced by the [valueSelector] function
applied to each element.
If any two elements are equal, the last one gets added to the map.
The
returned map preserves the entry iteration order of the original array.
@sample
samples.collections.Collections.Transformations.associateWith
@SinceKotlin("1.4")
@kotlin.internal.InlineOnly
public inline fun <V>
FloatArray.associateWith(valueSelector: (Float) -> V): Map<Float, V> {
val result = LinkedHashMap<Float,
V>(mapCapacity(size).coerceAtLeast(16))
return associateWithTo(result, valueSelector)
}
Returns a

```

[Map] where keys are elements from the given array and values are produced by the [valueSelector] function applied to each element. If any two elements are equal, the last one gets added to the map. The returned map preserves the entry iteration order of the original array.

```

@sample samples.collections.Collections.Transformations.associateWith
*/\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V>
DoubleArray.associateWith(valueSelector: (Double) -> V): Map<Double, V> {\n    val result =
LinkedHashMap<Double, V>(mapCapacity(size).coerceAtLeast(16))\n    return associateWithTo(result,
valueSelector)\n}\n\n/**\n * Returns a [Map] where keys are elements from the given array and values are
produced by the [valueSelector] function applied to each element. If any two elements are equal, the last one
gets added to the map. The returned map preserves the entry iteration order of the original array.
@sample samples.collections.Collections.Transformations.associateWith
*/\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V>
BooleanArray.associateWith(valueSelector: (Boolean) -> V): Map<Boolean, V> {\n    val result =
LinkedHashMap<Boolean, V>(mapCapacity(size).coerceAtLeast(16))\n    return associateWithTo(result,
valueSelector)\n}\n\n/**\n * Returns a [Map] where keys are elements from the given array and values are
produced by the [valueSelector] function applied to each element. If any two elements are equal, the last one
gets added to the map. The returned map preserves the entry iteration order of the original array.
@sample samples.collections.Collections.Transformations.associateWith
*/\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V>
CharArray.associateWith(valueSelector: (Char) -> V): Map<Char, V> {\n    val result = LinkedHashMap<Char,
V>(mapCapacity(size.coerceAtMost(128)).coerceAtLeast(16))\n    return associateWithTo(result,
valueSelector)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs for each
element of the given array, where key is the element itself and value is provided by the [valueSelector] function
applied to that key. If any two elements are equal, the last one overwrites the former value in the map.
@sample samples.collections.Collections.Transformations.associateWithTo
*/\n@SinceKotlin("1.4")\npublic
inline fun <K, V, M : MutableMap<in K, in V>> Array<out K>.associateWithTo(destination: M, valueSelector: (K)
-> V): M {\n    for (element in this) {\n        destination.put(element, valueSelector(element))\n    }\n    return
destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs for each element
of the given array, where key is the element itself and value is provided by the [valueSelector] function applied
to that key. If any two elements are equal, the last one overwrites the former value in the map.
@sample samples.collections.Collections.Transformations.associateWithTo
*/\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in Byte, in V>>
ByteArray.associateWithTo(destination: M, valueSelector: (Byte) -> V): M {\n    for (element in this) {\n
destination.put(element, valueSelector(element))\n    }\n    return destination\n}\n\n/**\n * Populates and returns the
[destination] mutable map with key-value pairs for each element of the given array, where key is the element
itself and value is provided by the [valueSelector] function applied to that key. If any two elements are
equal, the last one overwrites the former value in the map.
@sample
samples.collections.Collections.Transformations.associateWithTo
*/\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in Short, in V>>
ShortArray.associateWithTo(destination: M, valueSelector: (Short) -> V): M {\n    for (element in this) {\n
destination.put(element, valueSelector(element))\n    }\n    return destination\n}\n\n/**\n * Populates and returns the
[destination] mutable map with key-value pairs for each element of the given array, where key is the element
itself and value is provided by the [valueSelector] function applied to that key. If any two elements are
equal, the last one overwrites the former value in the map.
@sample
samples.collections.Collections.Transformations.associateWithTo
*/\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in Int, in V>>
IntArray.associateWithTo(destination: M, valueSelector: (Int) -> V): M {\n    for (element in this) {\n
destination.put(element, valueSelector(element))\n    }\n    return destination\n}\n\n/**\n * Populates and returns the

```

[destination] mutable map with key-value pairs for each element of the given array,\n \* where key is the element itself and value is provided by the [valueSelector] function applied to that key.\n \* \n \* If any two elements are equal, the last one overwrites the former value in the map.\n \* \n \* @sample samples.collections.Collections.Transformations.associateWithTo

```

*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in Long, in V>>
LongArray.associateWithTo(destination: M, valueSelector: (Long) -> V): M {\n for (element in this) {\n
destination.put(element, valueSelector(element))\n } \n return destination\n}\n\n/**\n * Populates and returns the
[destination] mutable map with key-value pairs for each element of the given array,\n * where key is the element
itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two elements are
equal, the last one overwrites the former value in the map.\n * \n * @sample
samples.collections.Collections.Transformations.associateWithTo
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in Float, in V>>
FloatArray.associateWithTo(destination: M, valueSelector: (Float) -> V): M {\n for (element in this) {\n
destination.put(element, valueSelector(element))\n } \n return destination\n}\n\n/**\n * Populates and returns the
[destination] mutable map with key-value pairs for each element of the given array,\n * where key is the element
itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two elements are
equal, the last one overwrites the former value in the map.\n * \n * @sample
samples.collections.Collections.Transformations.associateWithTo
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in Double, in V>>
DoubleArray.associateWithTo(destination: M, valueSelector: (Double) -> V): M {\n for (element in this) {\n
destination.put(element, valueSelector(element))\n } \n return destination\n}\n\n/**\n * Populates and returns the
[destination] mutable map with key-value pairs for each element of the given array,\n * where key is the element
itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two elements are
equal, the last one overwrites the former value in the map.\n * \n * @sample
samples.collections.Collections.Transformations.associateWithTo
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in Boolean, in
V>> BooleanArray.associateWithTo(destination: M, valueSelector: (Boolean) -> V): M {\n for (element in this)
{\n destination.put(element, valueSelector(element))\n } \n return destination\n}\n\n/**\n * Populates and
returns the [destination] mutable map with key-value pairs for each element of the given array,\n * where key is the
element itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two elements
are equal, the last one overwrites the former value in the map.\n * \n * @sample
samples.collections.Collections.Transformations.associateWithTo
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in Char, in V>>
CharArray.associateWithTo(destination: M, valueSelector: (Char) -> V): M {\n for (element in this) {\n
destination.put(element, valueSelector(element))\n } \n return destination\n}\n\n/**\n * Appends all elements to
the given [destination] collection.\n *\npublic fun <T, C : MutableCollection<in T>> Array<out
T>.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n } \n return
destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n *\npublic fun <C :
MutableCollection<in Byte>> ByteArray.toCollection(destination: C): C {\n for (item in this) {\n
destination.add(item)\n } \n return destination\n}\n\n/**\n * Appends all elements to the given [destination]
collection.\n *\npublic fun <C : MutableCollection<in Short>> ShortArray.toCollection(destination: C): C {\n for
(item in this) {\n destination.add(item)\n } \n return destination\n}\n\n/**\n * Appends all elements to the
given [destination] collection.\n *\npublic fun <C : MutableCollection<in Int>> IntArray.toCollection(destination:
C): C {\n for (item in this) {\n destination.add(item)\n } \n return destination\n}\n\n/**\n * Appends all
elements to the given [destination] collection.\n *\npublic fun <C : MutableCollection<in Long>>
LongArray.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n } \n return
destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n *\npublic fun <C :
MutableCollection<in Float>> FloatArray.toCollection(destination: C): C {\n for (item in this) {\n

```

```

destination.add(item)\n } \n return destination\n}\n\n/**\n * Appends all elements to the given [destination]
collection.\n *\npublic fun <C : MutableCollection<in Double>> DoubleArray.toCollection(destination: C): C {\n
for (item in this) {\n destination.add(item)\n } \n return destination\n}\n\n/**\n * Appends all elements to the
given [destination] collection.\n *\npublic fun <C : MutableCollection<in Boolean>>
BooleanArray.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n } \n return
destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n *\npublic fun <C :
MutableCollection<in Char>> CharArray.toCollection(destination: C): C {\n for (item in this) {\n
destination.add(item)\n } \n return destination\n}\n\n/**\n * Returns a new [HashSet] of all elements.\n
*\npublic fun <T> Array<out T>.toHashSet(): HashSet<T> {\n return
toCollection(HashSet<T>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [HashSet] of all elements.\n *\npublic
fun ByteArray.toHashSet(): HashSet<Byte> {\n return
toCollection(HashSet<Byte>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [HashSet] of all elements.\n
*\npublic fun ShortArray.toHashSet(): HashSet<Short> {\n return
toCollection(HashSet<Short>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [HashSet] of all elements.\n
*\npublic fun IntArray.toHashSet(): HashSet<Int> {\n return
toCollection(HashSet<Int>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [HashSet] of all elements.\n *\npublic
fun LongArray.toHashSet(): HashSet<Long> {\n return
toCollection(HashSet<Long>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [HashSet] of all elements.\n
*\npublic fun FloatArray.toHashSet(): HashSet<Float> {\n return
toCollection(HashSet<Float>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [HashSet] of all elements.\n
*\npublic fun DoubleArray.toHashSet(): HashSet<Double> {\n return
toCollection(HashSet<Double>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [HashSet] of all elements.\n
*\npublic fun BooleanArray.toHashSet(): HashSet<Boolean> {\n return
toCollection(HashSet<Boolean>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [HashSet] of all elements.\n
*\npublic fun CharArray.toHashSet(): HashSet<Char> {\n return
toCollection(HashSet<Char>(mapCapacity(size.coerceAtMost(128))))\n}\n\n/**\n * Returns a [List] containing all
elements.\n *\npublic fun <T> Array<out T>.toList(): List<T> {\n return when (size) {\n 0 -> emptyList()\n
1 -> listOf(this[0])\n else -> this.toMutableList()\n } \n}\n\n/**\n * Returns a [List] containing all
elements.\n *\npublic fun ByteArray.toList(): List<Byte> {\n return when (size) {\n 0 -> emptyList()\n 1
-> listOf(this[0])\n else -> this.toMutableList()\n } \n}\n\n/**\n * Returns a [List] containing all elements.\n
*\npublic fun ShortArray.toList(): List<Short> {\n return when (size) {\n 0 -> emptyList()\n 1 ->
listOf(this[0])\n else -> this.toMutableList()\n } \n}\n\n/**\n * Returns a [List] containing all elements.\n
*\npublic fun IntArray.toList(): List<Int> {\n return when (size) {\n 0 -> emptyList()\n 1 ->
listOf(this[0])\n else -> this.toMutableList()\n } \n}\n\n/**\n * Returns a [List] containing all elements.\n
*\npublic fun LongArray.toList(): List<Long> {\n return when (size) {\n 0 -> emptyList()\n 1 ->
listOf(this[0])\n else -> this.toMutableList()\n } \n}\n\n/**\n * Returns a [List] containing all elements.\n
*\npublic fun FloatArray.toList(): List<Float> {\n return when (size) {\n 0 -> emptyList()\n 1 ->
listOf(this[0])\n else -> this.toMutableList()\n } \n}\n\n/**\n * Returns a [List] containing all elements.\n
*\npublic fun DoubleArray.toList(): List<Double> {\n return when (size) {\n 0 -> emptyList()\n 1 ->
listOf(this[0])\n else -> this.toMutableList()\n } \n}\n\n/**\n * Returns a [List] containing all elements.\n
*\npublic fun BooleanArray.toList(): List<Boolean> {\n return when (size) {\n 0 -> emptyList()\n 1 ->
listOf(this[0])\n else -> this.toMutableList()\n } \n}\n\n/**\n * Returns a [List] containing all elements.\n
*\npublic fun CharArray.toList(): List<Char> {\n return when (size) {\n 0 -> emptyList()\n 1 ->
listOf(this[0])\n else -> this.toMutableList()\n } \n}\n\n/**\n * Returns a new [MutableList] filled with all
elements of this array.\n *\npublic fun <T> Array<out T>.toMutableList(): MutableList<T> {\n return
ArrayList(this.asCollection())\n}\n\n/**\n * Returns a new [MutableList] filled with all elements of this array.\n
*\npublic fun ByteArray.toMutableList(): MutableList<Byte> {\n val list = ArrayList<Byte>(size)\n for (item
in this) list.add(item)\n return list\n}\n\n/**\n * Returns a new [MutableList] filled with all elements of this

```

```

array.\n */\npublic fun ShortArray.toMutableList(): MutableList<Short> {\n    val list = ArrayList<Short>(size)\n    for (item in this) list.add(item)\n    return list\n}\n\n/**\n * Returns a new [MutableList] filled with all elements of  
this array.\n */\npublic fun IntArray.toMutableList(): MutableList<Int> {\n    val list = ArrayList<Int>(size)\n    for (item in this) list.add(item)\n    return list\n}\n\n/**\n * Returns a new [MutableList] filled with all elements of this  
array.\n */\npublic fun LongArray.toMutableList(): MutableList<Long> {\n    val list = ArrayList<Long>(size)\n    for (item in this) list.add(item)\n    return list\n}\n\n/**\n * Returns a new [MutableList] filled with all elements of  
this array.\n */\npublic fun FloatArray.toMutableList(): MutableList<Float> {\n    val list =  
ArrayList<Float>(size)\n    for (item in this) list.add(item)\n    return list\n}\n\n/**\n * Returns a new [MutableList]  
filled with all elements of this array.\n */\npublic fun DoubleArray.toMutableList(): MutableList<Double> {\n    val  
list = ArrayList<Double>(size)\n    for (item in this) list.add(item)\n    return list\n}\n\n/**\n * Returns a new  
[MutableList] filled with all elements of this array.\n */\npublic fun BooleanArray.toMutableList():  
MutableList<Boolean> {\n    val list = ArrayList<Boolean>(size)\n    for (item in this) list.add(item)\n    return  
list\n}\n\n/**\n * Returns a new [MutableList] filled with all elements of this array.\n */\npublic fun  
CharArray.toMutableList(): MutableList<Char> {\n    val list = ArrayList<Char>(size)\n    for (item in this)  
list.add(item)\n    return list\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the  
element iteration order of the original array.\n */\npublic fun <T> Array<out T>.toSet(): Set<T> {\n    return when  
(size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n        else ->  
toCollection(LinkedHashSet<T>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The  
returned set preserves the element iteration order of the original array.\n */\npublic fun ByteArray.toSet():  
Set<Byte> {\n    return when (size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n        else ->  
toCollection(LinkedHashSet<Byte>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The  
returned set preserves the element iteration order of the original array.\n */\npublic fun ShortArray.toSet():  
Set<Short> {\n    return when (size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n        else ->  
toCollection(LinkedHashSet<Short>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The  
returned set preserves the element iteration order of the original array.\n */\npublic fun IntArray.toSet():  
Set<Int> {\n    return when (size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n        else ->  
toCollection(LinkedHashSet<Int>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The  
returned set preserves the element iteration order of the original array.\n */\npublic fun LongArray.toSet():  
Set<Long> {\n    return when (size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n        else ->  
toCollection(LinkedHashSet<Long>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The  
returned set preserves the element iteration order of the original array.\n */\npublic fun FloatArray.toSet():  
Set<Float> {\n    return when (size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n        else ->  
toCollection(LinkedHashSet<Float>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The  
returned set preserves the element iteration order of the original array.\n */\npublic fun DoubleArray.toSet():  
Set<Double> {\n    return when (size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n        else ->  
toCollection(LinkedHashSet<Double>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The  
returned set preserves the element iteration order of the original array.\n */\npublic fun  
BooleanArray.toSet(): Set<Boolean> {\n    return when (size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n        else -> toCollection(LinkedHashSet<Boolean>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a [Set] of all  
elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun  
CharArray.toSet(): Set<Char> {\n    return when (size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n        else -  
> toCollection(LinkedHashSet<Char>(mapCapacity(size.coerceAtMost(128))))\n    }\n}\n\n/**\n * Returns a single  
list of all elements yielded from results of [transform] function being invoked on each element of original array.\n *  
\n * @sample samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <T, R> Array<out  
T>.flatMap(transform: (T) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of  
original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun  
<R> ByteArray.flatMap(transform: (Byte) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(),

```

```

transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original array.\n * \n * @sample
samples.collections.Collections.Transformations.flatMap\n *\npublic inline fun <R> ShortArray.flatMap(transform:
(Short) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single
list of all elements yielded from results of [transform] function being invoked on each element of original array.\n *
\n * @sample samples.collections.Collections.Transformations.flatMap\n *\npublic inline fun <R>
IntArray.flatMap(transform: (Int) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original array.\n * \n * @sample
samples.collections.Collections.Transformations.flatMap\n *\npublic inline fun <R> LongArray.flatMap(transform:
(Long) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single
list of all elements yielded from results of [transform] function being invoked on each element of original array.\n *
\n * @sample samples.collections.Collections.Transformations.flatMap\n *\npublic inline fun <R>
FloatArray.flatMap(transform: (Float) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original array.\n * \n * @sample
samples.collections.Collections.Transformations.flatMap\n *\npublic inline fun <R>
DoubleArray.flatMap(transform: (Double) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original array.\n * \n * @sample
samples.collections.Collections.Transformations.flatMap\n *\npublic inline fun <R>
BooleanArray.flatMap(transform: (Boolean) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original array.\n * \n * @sample
samples.collections.Collections.Transformations.flatMap\n *\npublic inline fun <R> CharArray.flatMap(transform:
(Char) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single
list of all elements yielded from results of [transform] function being invoked on each element of original array.\n *
\n * @sample samples.collections.Collections.Transformations.flatMap\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapSequence")\npublic inline fun <T, R> Array<out
T>.flatMap(transform: (T) -> Sequence<R>): List<R> {\n    return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element\n * and its index in the original array.\n * \n * @sample
samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterable")\n@kotlin.internal.InlineOnly\npublic
inline fun <T, R> Array<out T>.flatMapIndexed(transform: (index: Int, T) -> Iterable<R>): List<R> {\n    return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n *
\n * @sample samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterable")\n@kotlin.internal.InlineOnly\npublic
inline fun <R> ByteArray.flatMapIndexed(transform: (index: Int, Byte) -> Iterable<R>): List<R> {\n    return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n *
\n * @sample samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterable")\n@kotlin.internal.InlineOnly\npublic

```

```

inline fun <R> ShortArray.flatMapIndexed(transform: (index: Int, Short) -> Iterable<R>): List<R> {\n  return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n *
@sample samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterable")\n@kotlin.internal.InlineOnly\npublic
inline fun <R> IntArray.flatMapIndexed(transform: (index: Int, Int) -> Iterable<R>): List<R> {\n  return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n *
@sample samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterable")\n@kotlin.internal.InlineOnly\npublic
inline fun <R> LongArray.flatMapIndexed(transform: (index: Int, Long) -> Iterable<R>): List<R> {\n  return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n *
@sample samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterable")\n@kotlin.internal.InlineOnly\npublic
inline fun <R> FloatArray.flatMapIndexed(transform: (index: Int, Float) -> Iterable<R>): List<R> {\n  return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n *
@sample samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterable")\n@kotlin.internal.InlineOnly\npublic
inline fun <R> DoubleArray.flatMapIndexed(transform: (index: Int, Double) -> Iterable<R>): List<R> {\n  return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n *
@sample samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterable")\n@kotlin.internal.InlineOnly\npublic
inline fun <R> BooleanArray.flatMapIndexed(transform: (index: Int, Boolean) -> Iterable<R>): List<R> {\n
return flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded
from results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n *
@sample samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterable")\n@kotlin.internal.InlineOnly\npublic
inline fun <R> CharArray.flatMapIndexed(transform: (index: Int, Char) -> Iterable<R>): List<R> {\n  return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n *
@sample samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedSequence")\n@kotlin.internal.InlineOnly\npubli
c inline fun <T, R> Array<out T>.flatMapIndexed(transform: (index: Int, T) -> Sequence<R>): List<R> {\n  return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each element\n * and its index in the original array, to the given
[destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npubli

```

```

c inline fun <T, R, C : MutableCollection<in R>> Array<out T>.flatMapIndexedTo(destination: C, transform:
(index: Int, T) -> Iterable<R>): C { \n  var index = 0\n  for (element in this) {\n    val list = transform(index++,
element)\n    destination.addAll(list)\n  }\n  return destination\n}\n\n/**\n * Appends all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array, to the given
[destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npublic
c inline fun <R, C : MutableCollection<in R>> ByteArray.flatMapIndexedTo(destination: C, transform: (index: Int,
Byte) -> Iterable<R>): C { \n  var index = 0\n  for (element in this) {\n    val list = transform(index++,
element)\n    destination.addAll(list)\n  }\n  return destination\n}\n\n/**\n * Appends all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array, to the given
[destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npublic
c inline fun <R, C : MutableCollection<in R>> ShortArray.flatMapIndexedTo(destination: C, transform: (index: Int,
Short) -> Iterable<R>): C { \n  var index = 0\n  for (element in this) {\n    val list = transform(index++,
element)\n    destination.addAll(list)\n  }\n  return destination\n}\n\n/**\n * Appends all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array, to the given
[destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npublic
c inline fun <R, C : MutableCollection<in R>> IntArray.flatMapIndexedTo(destination: C, transform: (index: Int,
Int) -> Iterable<R>): C { \n  var index = 0\n  for (element in this) {\n    val list = transform(index++, element)\n
    destination.addAll(list)\n  }\n  return destination\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each element\n * and its index in the original array, to the given
[destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npublic
c inline fun <R, C : MutableCollection<in R>> LongArray.flatMapIndexedTo(destination: C, transform: (index: Int,
Long) -> Iterable<R>): C { \n  var index = 0\n  for (element in this) {\n    val list = transform(index++,
element)\n    destination.addAll(list)\n  }\n  return destination\n}\n\n/**\n * Appends all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array, to the given
[destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npublic
c inline fun <R, C : MutableCollection<in R>> FloatArray.flatMapIndexedTo(destination: C, transform: (index: Int,
Float) -> Iterable<R>): C { \n  var index = 0\n  for (element in this) {\n    val list = transform(index++,
element)\n    destination.addAll(list)\n  }\n  return destination\n}\n\n/**\n * Appends all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array, to the given
[destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npublic
c inline fun <R, C : MutableCollection<in R>> DoubleArray.flatMapIndexedTo(destination: C, transform: (index:
Int, Double) -> Iterable<R>): C { \n  var index = 0\n  for (element in this) {\n    val list = transform(index++,
element)\n    destination.addAll(list)\n  }\n  return destination\n}\n\n/**\n * Appends all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array, to the given
[destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution

```



```
ByLambdaReturnType\n@kotlin.jvm.JvmName("\flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> BooleanArray.flatMapIndexedTo(destination: C, transform: (index: Int, Boolean) -> Iterable<R>): C {\n    var index = 0\n    for (element in this) {\n        val list = transform(index++, element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/* Appends all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original array, to the given [destination].\n
```

```
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName("\flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> CharArray.flatMapIndexedTo(destination: C, transform: (index: Int, Char) -> Iterable<R>): C {\n    var index = 0\n    for (element in this) {\n        val list = transform(index++, element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/* Appends all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original array, to the given [destination].\n
```

```
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName("\flatMapIndexedSequenceTo")\n@kotlin.internal.InlineOnly\npublic inline fun <T, R, C : MutableCollection<in R>> Array<out T>.flatMapIndexedTo(destination: C, transform: (index: Int, T) -> Sequence<R>): C {\n    var index = 0\n    for (element in this) {\n        val list = transform(index++, element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/* Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <T, R, C : MutableCollection<in R>> Array<out T>.flatMapTo(destination: C, transform: (T) -> Iterable<R>): C {\n    for (element in this) {\n        val list = transform(element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/* Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> ByteArray.flatMapTo(destination: C, transform: (Byte) -> Iterable<R>): C {\n    for (element in this) {\n        val list = transform(element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/* Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> ShortArray.flatMapTo(destination: C, transform: (Short) -> Iterable<R>): C {\n    for (element in this) {\n        val list = transform(element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/* Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> IntArray.flatMapTo(destination: C, transform: (Int) -> Iterable<R>): C {\n    for (element in this) {\n        val list = transform(element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/* Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> LongArray.flatMapTo(destination: C, transform: (Long) -> Iterable<R>): C {\n    for (element in this) {\n        val list = transform(element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/* Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> FloatArray.flatMapTo(destination: C, transform: (Float) -> Iterable<R>): C {\n    for (element in this) {\n        val list = transform(element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/* Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> DoubleArray.flatMapTo(destination: C, transform: (Double) -> Iterable<R>): C {\n    for (element in this) {\n        val list = transform(element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/* Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> BooleanArray.flatMapTo(destination: C, transform: (Boolean) -> Iterable<R>): C {\n    for (element in this) {\n        val list = transform(element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/* Appends all elements yielded from results of [transform] function being
```

invoked on each element of original array, to the given [destination].

```

*\n\npublic inline fun <R, C :
MutableCollection<in R>> CharArray.flatMapTo(destination: C, transform: (Char) -> Iterable<R>): C {\n for
(element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return
destination}\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
element of original array, to the given [destination].\n
*\n\n@SinceKotlin("1.4")\n\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n\n@OverloadResolution
ByLambdaReturnType\n\n@kotlin.jvm.JvmName("flatMapSequenceTo")\n\npublic inline fun <T, R, C :
MutableCollection<in R>> Array<out T>.flatMapTo(destination: C, transform: (T) -> Sequence<R>): C {\n for
(element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return
destination}\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector]
function\n * applied to each element and returns a map where each group key is associated with a list of
corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the
original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n *\n\npublic inline fun
<T, K> Array<out T>.groupBy(keySelector: (T) -> K): Map<K, List<T>> {\n return
groupByTo(LinkedHashMap<K, MutableList<T>>(), keySelector)\n}\n}\n\n/**\n * Groups elements of the original
array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where
each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry
iteration order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n *\n\npublic inline fun <K>
ByteArray.groupBy(keySelector: (Byte) -> K): Map<K, List<Byte>> {\n return groupByTo(LinkedHashMap<K,
MutableList<Byte>>(), keySelector)\n}\n}\n\n/**\n * Groups elements of the original array by the key returned by the
given [keySelector] function\n * applied to each element and returns a map where each group key is associated with
a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced
from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n *\n\npublic
inline fun <K> ShortArray.groupBy(keySelector: (Short) -> K): Map<K, List<Short>> {\n return
groupByTo(LinkedHashMap<K, MutableList<Short>>(), keySelector)\n}\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map
where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the
entry iteration order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n *\n\npublic inline fun <K>
IntArray.groupBy(keySelector: (Int) -> K): Map<K, List<Int>> {\n return groupByTo(LinkedHashMap<K,
MutableList<Int>>(), keySelector)\n}\n}\n\n/**\n * Groups elements of the original array by the key returned by the
given [keySelector] function\n * applied to each element and returns a map where each group key is associated with
a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced
from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n *\n\npublic
inline fun <K> LongArray.groupBy(keySelector: (Long) -> K): Map<K, List<Long>> {\n return
groupByTo(LinkedHashMap<K, MutableList<Long>>(), keySelector)\n}\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map
where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the
entry iteration order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n *\n\npublic inline fun <K>
FloatArray.groupBy(keySelector: (Float) -> K): Map<K, List<Float>> {\n return groupByTo(LinkedHashMap<K,
MutableList<Float>>(), keySelector)\n}\n}\n\n/**\n * Groups elements of the original array by the key returned by the
given [keySelector] function\n * applied to each element and returns a map where each group key is associated with
a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced
from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n *\n\npublic
inline fun <K> DoubleArray.groupBy(keySelector: (Double) -> K): Map<K, List<Double>> {\n return
groupByTo(LinkedHashMap<K, MutableList<Double>>(), keySelector)\n}\n}\n\n/**\n * Groups elements of the

```

original array by the key returned by the given [keySelector] function\n \* applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n \* \n \* The returned map preserves the entry iteration order of the keys produced from the original array.\n \* \n \* @sample

```
samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K>
```

BooleanArray.groupBy(keySelector: (Boolean) -> K): Map<K, List<Boolean>> {\n return groupByTo(LinkedHashMap<K, MutableList<Boolean>>(), keySelector)\n}\n\n/\*\*\n \* Groups elements of the original array by the key returned by the given [keySelector] function\n \* applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n \* \n \* The returned map preserves the entry iteration order of the keys produced from the original array.\n \* \n \* @sample

```
samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K>
```

CharArray.groupBy(keySelector: (Char) -> K): Map<K, List<Char>> {\n return groupByTo(LinkedHashMap<K, MutableList<Char>>(), keySelector)\n}\n\n/\*\*\n \* Groups values returned by the [valueTransform] function applied to each element of the original array\n \* by the key returned by the given [keySelector] function applied to the element\n \* and returns a map where each group key is associated with a list of corresponding values.\n \* \n \* The returned map preserves the entry iteration order of the keys produced from the original array.\n \* \n \* @sample

```
samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <T, K, V>
```

Array<out T>.groupBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/\*\*\n \* Groups values returned by the [valueTransform] function applied to each element of the original array\n \* by the key returned by the given [keySelector] function applied to the element\n \* and returns a map where each group key is associated with a list of corresponding values.\n \* \n \* The returned map preserves the entry iteration order of the keys produced from the original array.\n \* \n \* @sample

```
samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V>
```

ByteArray.groupBy(keySelector: (Byte) -> K, valueTransform: (Byte) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/\*\*\n \* Groups values returned by the [valueTransform] function applied to each element of the original array\n \* by the key returned by the given [keySelector] function applied to the element\n \* and returns a map where each group key is associated with a list of corresponding values.\n \* \n \* The returned map preserves the entry iteration order of the keys produced from the original array.\n \* \n \* @sample

```
samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V>
```

ShortArray.groupBy(keySelector: (Short) -> K, valueTransform: (Short) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/\*\*\n \* Groups values returned by the [valueTransform] function applied to each element of the original array\n \* by the key returned by the given [keySelector] function applied to the element\n \* and returns a map where each group key is associated with a list of corresponding values.\n \* \n \* The returned map preserves the entry iteration order of the keys produced from the original array.\n \* \n \* @sample

```
samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V>
```

IntArray.groupBy(keySelector: (Int) -> K, valueTransform: (Int) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/\*\*\n \* Groups values returned by the [valueTransform] function applied to each element of the original array\n \* by the key returned by the given [keySelector] function applied to the element\n \* and returns a map where each group key is associated with a list of corresponding values.\n \* \n \* The returned map preserves the entry iteration order of the keys produced from the original array.\n \* \n \* @sample

```
samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V>
```

LongArray.groupBy(keySelector: (Long) -> K, valueTransform: (Long) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/\*\*\n \* Groups values returned by the [valueTransform] function applied to each element of the original array\n \* by the key returned by the given [keySelector] function applied to the element\n \* and returns a map where each group key is associated

with a list of corresponding values.\n \* \n \* The returned map preserves the entry iteration order of the keys produced from the original array.\n \* \n \* @sample

```

samples.collections.Collections.Transformations.groupByKeyAndValues\n *^\npublic inline fun <K, V>
FloatArray.groupBy(keySelector: (Float) -> K, valueTransform: (Float) -> V): Map<K, List<V>> {\n
return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values
returned by the [valueTransform] function applied to each element of the original array\n *
by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated
with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys
produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n *^\npublic inline fun <K, V>
DoubleArray.groupBy(keySelector: (Double) -> K, valueTransform: (Double) -> V): Map<K, List<V>> {\n
return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups
values returned by the [valueTransform] function applied to each element of the original array\n *
by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is
associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the
keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n *^\npublic inline fun <K, V>
BooleanArray.groupBy(keySelector: (Boolean) -> K, valueTransform: (Boolean) -> V): Map<K, List<V>> {\n
return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups
values returned by the [valueTransform] function applied to each element of the original array\n *
by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is
associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the
keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n *^\npublic inline fun <K, V>
CharArray.groupBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, List<V>> {\n
return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups elements
of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to
the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The
[destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n *^\npublic inline
fun <T, K, M : MutableMap<in K, MutableList<T>>> Array<out T>.groupByTo(destination: M, keySelector: (T) -
> K): M {\n
for (element in this) {\n
val key = keySelector(element)\n
val list = destination.getOrPut(key)
{ ArrayList<T>() }\n
list.add(element)\n
}\n
return destination\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the
[destination] map each group key associated with a list of corresponding elements.\n * \n * @return The
[destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n *^\npublic inline
fun <K, M : MutableMap<in K, MutableList<Byte>>> ByteArray.groupByTo(destination: M, keySelector: (Byte) -
> K): M {\n
for (element in this) {\n
val key = keySelector(element)\n
val list = destination.getOrPut(key)
{ ArrayList<Byte>() }\n
list.add(element)\n
}\n
return destination\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the
[destination] map each group key associated with a list of corresponding elements.\n * \n * @return The
[destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n *^\npublic inline
fun <K, M : MutableMap<in K, MutableList<Short>>> ShortArray.groupByTo(destination: M, keySelector: (Short) -
-> K): M {\n
for (element in this) {\n
val key = keySelector(element)\n
val list =
destination.getOrPut(key) { ArrayList<Short>() }\n
list.add(element)\n
}\n
return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n *
applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n *
@return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n *^\npublic inline
fun <K, M : MutableMap<in K, MutableList<Int>>> IntArray.groupByTo(destination: M,

```

```

keySelector: (Int) -> K): M {\n  for (element in this) {\n    val key = keySelector(element)\n    val list =
destination.getOrPut(key) { ArrayList<Int>() }\n    list.add(element)\n  }\n  return destination\n}\n\n/**\n *
Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each
element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n *
@return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n
*/\n\npublic inline fun <K, M : MutableMap<in K, MutableList<Long>>>> LongArray.groupByTo(destination: M,
keySelector: (Long) -> K): M {\n  for (element in this) {\n    val key = keySelector(element)\n    val list =
destination.getOrPut(key) { ArrayList<Long>() }\n    list.add(element)\n  }\n  return destination\n}\n\n/**\n *
Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each
element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n *
@return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n
*/\n\npublic inline fun <K, M : MutableMap<in K, MutableList<Float>>>> FloatArray.groupByTo(destination: M,
keySelector: (Float) -> K): M {\n  for (element in this) {\n    val key = keySelector(element)\n    val list =
destination.getOrPut(key) { ArrayList<Float>() }\n    list.add(element)\n  }\n  return destination\n}\n\n/**\n *
Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each
element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n *
@return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n
*/\n\npublic inline fun <K, M : MutableMap<in K, MutableList<Double>>>> DoubleArray.groupByTo(destination: M,
keySelector: (Double) -> K): M {\n  for (element in this) {\n    val key = keySelector(element)\n    val list =
destination.getOrPut(key) { ArrayList<Double>() }\n    list.add(element)\n  }\n  return destination\n}\n\n/**\n *
Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each
element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n *
@return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n
*/\n\npublic inline fun <K, M : MutableMap<in K, MutableList<Boolean>>>> BooleanArray.groupByTo(destination:
M, keySelector: (Boolean) -> K): M {\n  for (element in this) {\n    val key = keySelector(element)\n    val list =
destination.getOrPut(key) { ArrayList<Boolean>() }\n    list.add(element)\n  }\n  return
destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector]
function\n * applied to each element and puts to the [destination] map each group key associated with a list of
corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n
*/\n\npublic inline fun <K, M : MutableMap<in K,
MutableList<Char>>>> CharArray.groupByTo(destination: M, keySelector: (Char) -> K): M {\n  for (element in
this) {\n    val key = keySelector(element)\n    val list = destination.getOrPut(key) { ArrayList<Char>() }\n
list.add(element)\n  }\n  return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function
applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to
the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n *
\n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n
*/\n\npublic inline fun <T, K, V, M :
MutableMap<in K, MutableList<V>>>> Array<out T>.groupByTo(destination: M, keySelector: (T) -> K,
valueTransform: (T) -> V): M {\n  for (element in this) {\n    val key = keySelector(element)\n    val list =
destination.getOrPut(key) { ArrayList<V>() }\n    list.add(valueTransform(element))\n  }\n  return
destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the
original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the
[destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination]
map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n
*/\n\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>>> ByteArray.groupByTo(destination: M, keySelector:
(Byte) -> K, valueTransform: (Byte) -> V): M {\n  for (element in this) {\n    val key = keySelector(element)\n
val list = destination.getOrPut(key) { ArrayList<V>() }\n    list.add(valueTransform(element))\n  }\n  return
destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the

```

```

original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the
[destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination]
map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeyAndValues\n *^\npublic
inline fun <K, V, M : MutableMap<in K, MutableList<V>>> ShortArray.groupByTo(destination: M, keySelector:
(Short) -> K, valueTransform: (Short) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n
val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return
destination}\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the
original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the
[destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination]
map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeyAndValues\n *^\npublic
inline fun <K, V, M : MutableMap<in K, MutableList<V>>> IntArray.groupByTo(destination: M, keySelector:
(Int) -> K, valueTransform: (Int) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n
val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return
destination}\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the
original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the
[destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination]
map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeyAndValues\n *^\npublic
inline fun <K, V, M : MutableMap<in K, MutableList<V>>> LongArray.groupByTo(destination: M, keySelector:
(Long) -> K, valueTransform: (Long) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n
val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return
destination}\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the
original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the
[destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination]
map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeyAndValues\n *^\npublic
inline fun <K, V, M : MutableMap<in K, MutableList<V>>> FloatArray.groupByTo(destination: M, keySelector:
(Float) -> K, valueTransform: (Float) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n
val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return
destination}\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the
original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the
[destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination]
map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeyAndValues\n *^\npublic
inline fun <K, V, M : MutableMap<in K, MutableList<V>>> DoubleArray.groupByTo(destination: M, keySelector:
(Double) -> K, valueTransform: (Double) -> V): M {\n for (element in this) {\n val key =
keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n
list.add(valueTransform(element))\n }\n return destination}\n}\n\n/**\n * Groups values returned by the
[valueTransform] function applied to each element of the original array\n * by the key returned by the given
[keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a
list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n *^\npublic inline fun <K, V, M :
MutableMap<in K, MutableList<V>>> BooleanArray.groupByTo(destination: M, keySelector: (Boolean) -> K,
valueTransform: (Boolean) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list
= destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return
destination}\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the
original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the
[destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination]
map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeyAndValues\n *^\npublic
inline fun <K, V, M : MutableMap<in K, MutableList<V>>> CharArray.groupByTo(destination: M, keySelector:
(Char) -> K, valueTransform: (Char) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n

```

```

    val list = destination.getOrPut(key) { ArrayList<V>() } list.add(valueTransform(element)) } return
destination\n\n/n/**\n * Creates a [Grouping] source from an array to be used later with one of group-and-fold
operations\n * using the specified [keySelector] function to extract a key from each element.\n * \n * @sample
samples.collections.Grouping.groupingByEachCount\n *\n@SinceKotlin("1.1")\npublic inline fun <T, K>
Array<out T>.groupingBy(crossinline keySelector: (T) -> K): Grouping<T, K> {\n    return object : Grouping<T,
K> {\n        override fun sourceIterator(): Iterator<T> = this@groupingBy.iterator()\n        override fun
keyOf(element: T): K = keySelector(element)\n    }\n}\n/n/**\n * Returns a list containing the results of applying
the given [transform] function\n * to each element in the original array.\n * \n * @sample
samples.collections.Collections.Transformations.map\n *\npublic inline fun <T, R> Array<out T>.map(transform:
(T) -> R): List<R> {\n    return mapTo(ArrayList<R>(size), transform)\n}\n/n/**\n * Returns a list containing the
results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample
samples.collections.Collections.Transformations.map\n *\npublic inline fun <R> ByteArray.map(transform: (Byte)
-> R): List<R> {\n    return mapTo(ArrayList<R>(size), transform)\n}\n/n/**\n * Returns a list containing the
results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample
samples.collections.Collections.Transformations.map\n *\npublic inline fun <R> ShortArray.map(transform:
(Short) -> R): List<R> {\n    return mapTo(ArrayList<R>(size), transform)\n}\n/n/**\n * Returns a list containing
the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample
samples.collections.Collections.Transformations.map\n *\npublic inline fun <R> IntArray.map(transform: (Int) ->
R): List<R> {\n    return mapTo(ArrayList<R>(size), transform)\n}\n/n/**\n * Returns a list containing the results
of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample
samples.collections.Collections.Transformations.map\n *\npublic inline fun <R> LongArray.map(transform:
(Long) -> R): List<R> {\n    return mapTo(ArrayList<R>(size), transform)\n}\n/n/**\n * Returns a list containing
the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample
samples.collections.Collections.Transformations.map\n *\npublic inline fun <R> FloatArray.map(transform: (Float)
-> R): List<R> {\n    return mapTo(ArrayList<R>(size), transform)\n}\n/n/**\n * Returns a list containing the
results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample
samples.collections.Collections.Transformations.map\n *\npublic inline fun <R> DoubleArray.map(transform:
(Double) -> R): List<R> {\n    return mapTo(ArrayList<R>(size), transform)\n}\n/n/**\n * Returns a list containing
the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample
samples.collections.Collections.Transformations.map\n *\npublic inline fun <R> BooleanArray.map(transform:
(Boolean) -> R): List<R> {\n    return mapTo(ArrayList<R>(size), transform)\n}\n/n/**\n * Returns a list
containing the results of applying the given [transform] function\n * to each element in the original array.\n * \n *
@sample samples.collections.Collections.Transformations.map\n *\npublic inline fun <R>
CharArray.map(transform: (Char) -> R): List<R> {\n    return mapTo(ArrayList<R>(size), transform)\n}\n/n/**\n *
Returns a list containing the results of applying the given [transform] function\n * to each element and its index in
the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and
returns the result of the transform applied to the element.\n *\npublic inline fun <T, R> Array<out
T>.mapIndexed(transform: (index: Int, T) -> R): List<R> {\n    return mapIndexedTo(ArrayList<R>(size),
transform)\n}\n/n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each
element and its index in the original array.\n * @param [transform] function that takes the index of an element and
the element itself\n * and returns the result of the transform applied to the element.\n *\npublic inline fun <R>
ByteArray.mapIndexed(transform: (index: Int, Byte) -> R): List<R> {\n    return
mapIndexedTo(ArrayList<R>(size), transform)\n}\n/n/**\n * Returns a list containing the results of applying the
given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function
that takes the index of an element and the element itself\n * and returns the result of the transform applied to the
element.\n *\npublic inline fun <R> ShortArray.mapIndexed(transform: (index: Int, Short) -> R): List<R> {\n
return mapIndexedTo(ArrayList<R>(size), transform)\n}\n/n/**\n * Returns a list containing the results of applying
the given [transform] function\n * to each element and its index in the original array.\n * @param [transform]

```

function that takes the index of an element and the element itself and returns the result of the transform applied to the element.

```

public inline fun <R> IntArray.mapIndexed(transform: (index: Int, Int) -> R): List<R> {
    return mapIndexedTo(ArrayList<R>(size), transform)
}

```

Returns a list containing the results of applying the given [transform] function to each element and its index in the original array.

@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element.

```

public inline fun <R> LongArray.mapIndexed(transform: (index: Int, Long) -> R): List<R> {
    return mapIndexedTo(ArrayList<R>(size), transform)
}

```

Returns a list containing the results of applying the given [transform] function to each element and its index in the original array.

@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element.

```

public inline fun <R> FloatArray.mapIndexed(transform: (index: Int, Float) -> R): List<R> {
    return mapIndexedTo(ArrayList<R>(size), transform)
}

```

Returns a list containing the results of applying the given [transform] function to each element and its index in the original array.

@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element.

```

public inline fun <R> DoubleArray.mapIndexed(transform: (index: Int, Double) -> R): List<R> {
    return mapIndexedTo(ArrayList<R>(size), transform)
}

```

Returns a list containing the results of applying the given [transform] function to each element and its index in the original array.

@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element.

```

public inline fun <R> BooleanArray.mapIndexed(transform: (index: Int, Boolean) -> R): List<R> {
    return mapIndexedTo(ArrayList<R>(size), transform)
}

```

Returns a list containing the results of applying the given [transform] function to each element and its index in the original array.

@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element.

```

public inline fun <R> CharArray.mapIndexed(transform: (index: Int, Char) -> R): List<R> {
    return mapIndexedTo(ArrayList<R>(size), transform)
}

```

Returns a list containing only the non-null results of applying the given [transform] function to each element and its index in the original array.

@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element.

```

public inline fun <T, R : Any> Array<out T>.mapIndexedNotNull(transform: (index: Int, T) -> R?): List<R> {
    return mapIndexedNotNullTo(ArrayList<R>(), transform)
}

```

Applies the given [transform] function to each element and its index in the original array and appends only the non-null results to the given [destination].

@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element.

```

public inline fun <T, R : Any, C : MutableCollection<in R>> Array<out T>.mapIndexedNotNullTo(destination: C, transform: (index: Int, T) -> R?): C {
    forEachIndexed { index, element -> transform(index, element)?.let { destination.add(it) } }
    return destination
}

```

Applies the given [transform] function to each element and its index in the original array and appends the results to the given [destination].

@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element.

```

public inline fun <T, R, C : MutableCollection<in R>> Array<out T>.mapIndexedTo(destination: C, transform: (index: Int, T) -> R): C {
    var index = 0
    for (item in this)
        destination.add(transform(index++, item))
    return destination
}

```

Applies the given [transform] function to each element and its index in the original array and appends the results to the given [destination].

@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element.

```

public inline fun <R, C : MutableCollection<in R>> ByteArray.mapIndexedTo(destination: C, transform: (index: Int, Byte) -> R): C {
    var index = 0
    for (item in this)
        destination.add(transform(index++, item))
    return destination
}

```

Applies the given [transform] function to each element and its index in the original array and appends the results to the given [destination].

@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element.

```

public inline fun <R, C : MutableCollection<in R>> ShortArray.mapIndexedTo(destination: C, transform: (index: Int, Short) -> R): C {
    var index = 0
    for (item in

```



```

this)\n    destination.add(transform(index++, item))\n    return destination\n}\n\n/**\n * Applies the given
[transform] function to each element and its index in the original array\n * and appends the results to the given
[destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and
returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>>
IntArray.mapIndexedTo(destination: C, transform: (index: Int, Int) -> R): C {\n    var index = 0\n    for (item in
this)\n        destination.add(transform(index++, item))\n    return destination\n}\n\n/**\n * Applies the given
[transform] function to each element and its index in the original array\n * and appends the results to the given
[destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and
returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>>
LongArray.mapIndexedTo(destination: C, transform: (index: Int, Long) -> R): C {\n    var index = 0\n    for (item in
this)\n        destination.add(transform(index++, item))\n    return destination\n}\n\n/**\n * Applies the given
[transform] function to each element and its index in the original array\n * and appends the results to the given
[destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and
returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>>
FloatArray.mapIndexedTo(destination: C, transform: (index: Int, Float) -> R): C {\n    var index = 0\n    for (item in
this)\n        destination.add(transform(index++, item))\n    return destination\n}\n\n/**\n * Applies the given
[transform] function to each element and its index in the original array\n * and appends the results to the given
[destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and
returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>>
DoubleArray.mapIndexedTo(destination: C, transform: (index: Int, Double) -> R): C {\n    var index = 0\n    for
(item in this)\n        destination.add(transform(index++, item))\n    return destination\n}\n\n/**\n * Applies the given
[transform] function to each element and its index in the original array\n * and appends the results to the given
[destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and
returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>>
BooleanArray.mapIndexedTo(destination: C, transform: (index: Int, Boolean) -> R): C {\n    var index = 0\n    for
(item in this)\n        destination.add(transform(index++, item))\n    return destination\n}\n\n/**\n * Applies the given
[transform] function to each element and its index in the original array\n * and appends the results to the given
[destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and
returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>>
CharArray.mapIndexedTo(destination: C, transform: (index: Int, Char) -> R): C {\n    var index = 0\n    for (item in
this)\n        destination.add(transform(index++, item))\n    return destination\n}\n\n/**\n * Returns a list containing
only the non-null results of applying the given [transform] function\n * to each element in the original array.\n * \n *
@sample samples.collections.Collections.Transformations.mapNotNull\n */\npublic inline fun <T, R : Any>
Array<out T>.mapNotNull(transform: (T) -> R?): List<R> {\n    return mapNotNullTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Applies the given [transform] function to each element in the original array\n * and
appends only the non-null results to the given [destination].\n */\npublic inline fun <T, R : Any, C :
MutableCollection<in R>> Array<out T>.mapNotNullTo(destination: C, transform: (T) -> R?): C {\n    forEach {
element -> transform(element)?.let { destination.add(it) } }\n    return destination\n}\n\n/**\n * Applies the given
[transform] function to each element of the original array\n * and appends the results to the given [destination].\n
*/\npublic inline fun <T, R, C : MutableCollection<in R>> Array<out T>.mapTo(destination: C, transform: (T) ->
R): C {\n    for (item in this)\n        destination.add(transform(item))\n    return destination\n}\n\n/**\n * Applies the
given [transform] function to each element of the original array\n * and appends the results to the given
[destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> ByteArray.mapTo(destination: C,
transform: (Byte) -> R): C {\n    for (item in this)\n        destination.add(transform(item))\n    return
destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and
appends the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>>
ShortArray.mapTo(destination: C, transform: (Short) -> R): C {\n    for (item in this)\n
destination.add(transform(item))\n    return destination\n}\n\n/**\n * Applies the given [transform] function to each

```

element of the original array\n \* and appends the results to the given [destination].\n \*/\npublic inline fun <R, C : MutableCollection<in R>> IntArray.mapTo(destination: C, transform: (Int) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/\*\*\n \* Applies the given [transform] function to each element of the original array\n \* and appends the results to the given [destination].\n \*/\npublic inline fun <R, C : MutableCollection<in R>> LongArray.mapTo(destination: C, transform: (Long) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/\*\*\n \* Applies the given [transform] function to each element of the original array\n \* and appends the results to the given [destination].\n \*/\npublic inline fun <R, C : MutableCollection<in R>> FloatArray.mapTo(destination: C, transform: (Float) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/\*\*\n \* Applies the given [transform] function to each element of the original array\n \* and appends the results to the given [destination].\n \*/\npublic inline fun <R, C : MutableCollection<in R>> DoubleArray.mapTo(destination: C, transform: (Double) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/\*\*\n \* Applies the given [transform] function to each element of the original array\n \* and appends the results to the given [destination].\n \*/\npublic inline fun <R, C : MutableCollection<in R>> BooleanArray.mapTo(destination: C, transform: (Boolean) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/\*\*\n \* Applies the given [transform] function to each element of the original array\n \* and appends the results to the given [destination].\n \*/\npublic inline fun <R, C : MutableCollection<in R>> CharArray.mapTo(destination: C, transform: (Char) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/\*\*\n \* Returns a lazy [Iterable] that wraps each element of the original array\n \* into an [IndexedValue] containing the index of that element and the element itself.\n \*/\npublic fun <T> Array<out T>.withIndex(): Iterable<IndexedValue<T>> {\n return IndexingIterable { iterator() }\n}\n\n/\*\*\n \* Returns a lazy [Iterable] that wraps each element of the original array\n \* into an [IndexedValue] containing the index of that element and the element itself.\n \*/\npublic fun ByteArray.withIndex(): Iterable<IndexedValue<Byte>> {\n return IndexingIterable { iterator() }\n}\n\n/\*\*\n \* Returns a lazy [Iterable] that wraps each element of the original array\n \* into an [IndexedValue] containing the index of that element and the element itself.\n \*/\npublic fun ShortArray.withIndex(): Iterable<IndexedValue<Short>> {\n return IndexingIterable { iterator() }\n}\n\n/\*\*\n \* Returns a lazy [Iterable] that wraps each element of the original array\n \* into an [IndexedValue] containing the index of that element and the element itself.\n \*/\npublic fun IntArray.withIndex(): Iterable<IndexedValue<Int>> {\n return IndexingIterable { iterator() }\n}\n\n/\*\*\n \* Returns a lazy [Iterable] that wraps each element of the original array\n \* into an [IndexedValue] containing the index of that element and the element itself.\n \*/\npublic fun LongArray.withIndex(): Iterable<IndexedValue<Long>> {\n return IndexingIterable { iterator() }\n}\n\n/\*\*\n \* Returns a lazy [Iterable] that wraps each element of the original array\n \* into an [IndexedValue] containing the index of that element and the element itself.\n \*/\npublic fun FloatArray.withIndex(): Iterable<IndexedValue<Float>> {\n return IndexingIterable { iterator() }\n}\n\n/\*\*\n \* Returns a lazy [Iterable] that wraps each element of the original array\n \* into an [IndexedValue] containing the index of that element and the element itself.\n \*/\npublic fun DoubleArray.withIndex(): Iterable<IndexedValue<Double>> {\n return IndexingIterable { iterator() }\n}\n\n/\*\*\n \* Returns a lazy [Iterable] that wraps each element of the original array\n \* into an [IndexedValue] containing the index of that element and the element itself.\n \*/\npublic fun BooleanArray.withIndex(): Iterable<IndexedValue<Boolean>> {\n return IndexingIterable { iterator() }\n}\n\n/\*\*\n \* Returns a lazy [Iterable] that wraps each element of the original array\n \* into an [IndexedValue] containing the index of that element and the element itself.\n \*/\npublic fun CharArray.withIndex(): Iterable<IndexedValue<Char>> {\n return IndexingIterable { iterator() }\n}\n\n/\*\*\n \* Returns a list containing only distinct elements from the given array.\n \* \n \* Among equal elements of the given array, only the first one will be present in the resulting list.\n \* \n \* The elements in the resulting list are in the same order as they were in the source array.\n \* \n \* @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n \*/\npublic fun <T> Array<out T>.distinct(): List<T> {\n return this.toMutableSet().toList()\n}\n\n/\*\*\n \* Returns a list containing only distinct elements from the given array.\n \* \n \* The elements in the resulting list are in the same order as they were in the source array.\n \* \n \* @sample

```

samples.collections.Collections.Transformations.distinctAndDistinctBy\n *^\\npublic fun ByteArray.distinct():
List<Byte> {\n    return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements
from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source
array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n *^\\npublic fun
ShortArray.distinct(): List<Short> {\n    return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing
only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they
were in the source array.\n * \n * @sample
samples.collections.Collections.Transformations.distinctAndDistinctBy\n *^\\npublic fun IntArray.distinct():
List<Int> {\n    return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from
the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n *
\n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n *^\\npublic fun
LongArray.distinct(): List<Long> {\n    return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing
only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they
were in the source array.\n * \n * @sample
samples.collections.Collections.Transformations.distinctAndDistinctBy\n *^\\npublic fun FloatArray.distinct():
List<Float> {\n    return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements
from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source
array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n *^\\npublic fun
DoubleArray.distinct(): List<Double> {\n    return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list
containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same
order as they were in the source array.\n * \n * @sample
samples.collections.Collections.Transformations.distinctAndDistinctBy\n *^\\npublic fun BooleanArray.distinct():
List<Boolean> {\n    return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct
elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the
source array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n *^\\npublic
fun CharArray.distinct(): List<Char> {\n    return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing
only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n *
Among elements of the given array with equal keys, only the first one will be present in the resulting list.\n * The
elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample
samples.collections.Collections.Transformations.distinctAndDistinctBy\n *^\\npublic inline fun <T, K> Array<out
T>.distinctBy(selector: (T) -> K): List<T> {\n    val set = HashSet<K>()\n    val list = ArrayList<T>()\n    for (e in
this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n    return list\n}\n\n/**\n *
Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector]
function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n *
@sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n *^\\npublic inline fun <K>
ByteArray.distinctBy(selector: (Byte) -> K): List<Byte> {\n    val set = HashSet<K>()\n    val list =
ArrayList<Byte>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n
return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys
returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they
were in the source array.\n * \n * @sample
samples.collections.Collections.Transformations.distinctAndDistinctBy\n *^\\npublic inline fun <K>
ShortArray.distinctBy(selector: (Short) -> K): List<Short> {\n    val set = HashSet<K>()\n    val list =
ArrayList<Short>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n
return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys
returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they
were in the source array.\n * \n * @sample
samples.collections.Collections.Transformations.distinctAndDistinctBy\n *^\\npublic inline fun <K>
IntArray.distinctBy(selector: (Int) -> K): List<Int> {\n    val set = HashSet<K>()\n    val list = ArrayList<Int>()\n

```

```

for (e in this) {\n    val key = selector(e)\n    if (set.add(key))\n        list.add(e)\n }\n return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given\n [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source\n array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic inline\n fun <K> LongArray.distinctBy(selector: (Long) -> K): List<Long> {\n    val set = HashSet<K>()\n    val list =\n    ArrayList<Long>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n    return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys\n returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they\n were in the source array.\n * \n * @sample\n samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic inline fun <K>\n FloatArray.distinctBy(selector: (Float) -> K): List<Float> {\n    val set = HashSet<K>()\n    val list =\n    ArrayList<Float>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n    return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys\n returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they\n were in the source array.\n * \n * @sample\n samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic inline fun <K>\n DoubleArray.distinctBy(selector: (Double) -> K): List<Double> {\n    val set = HashSet<K>()\n    val list =\n    ArrayList<Double>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n    return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys\n returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they\n were in the source array.\n * \n * @sample\n samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic inline fun <K>\n BooleanArray.distinctBy(selector: (Boolean) -> K): List<Boolean> {\n    val set = HashSet<K>()\n    val list =\n    ArrayList<Boolean>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n    return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys\n returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they\n were in the source array.\n * \n * @sample\n samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic inline fun <K>\n CharArray.distinctBy(selector: (Char) -> K): List<Char> {\n    val set = HashSet<K>()\n    val list =\n    ArrayList<Char>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n    return list\n}\n\n/**\n * Returns a set containing all elements that are contained by both this array and the specified\n collection.\n * \n * The returned set preserves the element iteration order of the original array.\n * \n * To get a set\n containing all elements that are contained at least in one of these collections use [union].\n */\npublic infix fun <T>\n Array<out T>.intersect(other: Iterable<T>): Set<T> {\n    val set = this.toMutableSet()\n    set.retainAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this array and the specified\n collection.\n * \n * The returned set preserves the element iteration order of the original array.\n * \n * To get a set\n containing all elements that are contained at least in one of these collections use [union].\n */\npublic infix fun\n ByteArray.intersect(other: Iterable<Byte>): Set<Byte> {\n    val set = this.toMutableSet()\n    set.retainAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this array and the specified\n collection.\n * \n * The returned set preserves the element iteration order of the original array.\n * \n * To get a set\n containing all elements that are contained at least in one of these collections use [union].\n */\npublic infix fun\n ShortArray.intersect(other: Iterable<Short>): Set<Short> {\n    val set = this.toMutableSet()\n    set.retainAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this\n array and the specified collection.\n * \n * The returned set preserves the element iteration order of the original\n array.\n * \n * To get a set containing all elements that are contained at least in one of these collections use\n [union].\n */\npublic infix fun\n IntArray.intersect(other: Iterable<Int>): Set<Int> {\n    val set = this.toMutableSet()\n    set.retainAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this\n array and the specified collection.\n * \n * The returned set preserves the element iteration order of the original

```

array.  
`public infix fun LongArray.intersect(other: Iterable<Long>): Set<Long>` {  
 val set = this.toMutableSet()  
 set.retainAll(other)  
 return set  
}  
Returns a set containing all elements that are contained by both this array and the specified collection.  
The returned set preserves the element iteration order of the original array.  
`public infix fun FloatArray.intersect(other: Iterable<Float>): Set<Float>` {  
 val set = this.toMutableSet()  
 set.retainAll(other)  
 return set  
}  
Returns a set containing all elements that are contained by both this array and the specified collection.  
The returned set preserves the element iteration order of the original array.  
`public infix fun DoubleArray.intersect(other: Iterable<Double>): Set<Double>` {  
 val set = this.toMutableSet()  
 set.retainAll(other)  
 return set  
}  
Returns a set containing all elements that are contained by both this array and the specified collection.  
The returned set preserves the element iteration order of the original array.  
`public infix fun BooleanArray.intersect(other: Iterable<Boolean>): Set<Boolean>` {  
 val set = this.toMutableSet()  
 set.retainAll(other)  
 return set  
}  
Returns a set containing all elements that are contained by both this array and the specified collection.  
The returned set preserves the element iteration order of the original array.  
`public infix fun CharArray.intersect(other: Iterable<Char>): Set<Char>` {  
 val set = this.toMutableSet()  
 set.retainAll(other)  
 return set  
}  
Returns a set containing all elements that are contained by this array and not contained by the specified collection.  
The returned set preserves the element iteration order of the original array.  
`public infix fun <T>Array<out T>.subtract(other: Iterable<T>): Set<T>` {  
 val set = this.toMutableSet()  
 set.removeAll(other)  
 return set  
}  
Returns a set containing all elements that are contained by this array and not contained by the specified collection.  
The returned set preserves the element iteration order of the original array.  
`public infix fun ByteArray.subtract(other: Iterable<Byte>): Set<Byte>` {  
 val set = this.toMutableSet()  
 set.removeAll(other)  
 return set  
}  
Returns a set containing all elements that are contained by this array and not contained by the specified collection.  
The returned set preserves the element iteration order of the original array.  
`public infix fun ShortArray.subtract(other: Iterable<Short>): Set<Short>` {  
 val set = this.toMutableSet()  
 set.removeAll(other)  
 return set  
}  
Returns a set containing all elements that are contained by this array and not contained by the specified collection.  
The returned set preserves the element iteration order of the original array.  
`public infix fun IntArray.subtract(other: Iterable<Int>): Set<Int>` {  
 val set = this.toMutableSet()  
 set.removeAll(other)  
 return set  
}  
Returns a set containing all elements that are contained by this array and not contained by the specified collection.  
The returned set preserves the element iteration order of the original array.  
`public infix fun LongArray.subtract(other: Iterable<Long>): Set<Long>` {  
 val set = this.toMutableSet()  
 set.removeAll(other)  
 return set  
}  
Returns a set containing all elements that are contained by this array and not contained by the specified collection.  
The returned set preserves the element iteration order of the original array.  
`public infix fun FloatArray.subtract(other: Iterable<Float>): Set<Float>` {  
 val set = this.toMutableSet()  
 set.removeAll(other)  
 return set  
}  
Returns a set containing all elements that are contained by this array and not contained by the specified collection.  
The returned set preserves the element iteration order of the original array.  
`public infix fun DoubleArray.subtract(other: Iterable<Double>): Set<Double>` {  
 val set = this.toMutableSet()  
 set.removeAll(other)  
 return set  
}  
Returns a set containing all elements that are contained by this array and not contained by the specified collection.  
The returned set preserves the element iteration order of the original array.  
`public infix fun BooleanArray.subtract(other: Iterable<Boolean>): Set<Boolean>` {  
 val set = this.toMutableSet()  
 set.removeAll(other)  
 return set  
}  
Returns a set containing all elements that are contained by this array and not contained by the specified collection.  
The returned set preserves the element iteration order of the original array.  
`public infix fun CharArray.subtract(other: Iterable<Char>): Set<Char>` {  
 val set = this.toMutableSet()  
 set.removeAll(other)  
 return set  
}

return set\n}\n\n/\*\*\n \* Returns a new [MutableSet] containing all distinct elements from the given array.\n \* \n \*  
The returned set preserves the element iteration order of the original array.\n \*/\npublic fun <T> Array<out  
T>.toMutableSet(): MutableSet<T> {\n return toCollection(LinkedHashSet<T>(mapCapacity(size)))\n}\n\n/\*\*\n \*  
\* Returns a new [MutableSet] containing all distinct elements from the given array.\n \* \n \* The returned set  
preserves the element iteration order of the original array.\n \*/\npublic fun ByteArray.toMutableSet():  
MutableSet<Byte> {\n return toCollection(LinkedHashSet<Byte>(mapCapacity(size)))\n}\n\n\n/\*\*\n \* Returns a  
new [MutableSet] containing all distinct elements from the given array.\n \* \n \* The returned set preserves the  
element iteration order of the original array.\n \*/\npublic fun ShortArray.toMutableSet(): MutableSet<Short> {\n  
return toCollection(LinkedHashSet<Short>(mapCapacity(size)))\n}\n\n\n/\*\*\n \* Returns a new [MutableSet]  
containing all distinct elements from the given array.\n \* \n \* The returned set preserves the element iteration order  
of the original array.\n \*/\npublic fun IntArray.toMutableSet(): MutableSet<Int> {\n return  
toCollection(LinkedHashSet<Int>(mapCapacity(size)))\n}\n\n\n/\*\*\n \* Returns a new [MutableSet] containing all  
distinct elements from the given array.\n \* \n \* The returned set preserves the element iteration order of the original  
array.\n \*/\npublic fun LongArray.toMutableSet(): MutableSet<Long> {\n return  
toCollection(LinkedHashSet<Long>(mapCapacity(size)))\n}\n\n\n/\*\*\n \* Returns a new [MutableSet] containing all  
distinct elements from the given array.\n \* \n \* The returned set preserves the element iteration order of the original  
array.\n \*/\npublic fun FloatArray.toMutableSet(): MutableSet<Float> {\n return  
toCollection(LinkedHashSet<Float>(mapCapacity(size)))\n}\n\n\n/\*\*\n \* Returns a new [MutableSet] containing all  
distinct elements from the given array.\n \* \n \* The returned set preserves the element iteration order of the original  
array.\n \*/\npublic fun DoubleArray.toMutableSet(): MutableSet<Double> {\n return  
toCollection(LinkedHashSet<Double>(mapCapacity(size)))\n}\n\n\n/\*\*\n \* Returns a new [MutableSet] containing  
all distinct elements from the given array.\n \* \n \* The returned set preserves the element iteration order of the  
original array.\n \*/\npublic fun BooleanArray.toMutableSet(): MutableSet<Boolean> {\n return  
toCollection(LinkedHashSet<Boolean>(mapCapacity(size)))\n}\n\n\n/\*\*\n \* Returns a new [MutableSet] containing  
all distinct elements from the given array.\n \* \n \* The returned set preserves the element iteration order of the  
original array.\n \*/\npublic fun CharArray.toMutableSet(): MutableSet<Char> {\n return  
toCollection(LinkedHashSet<Char>(mapCapacity(size.coerceAtMost(128))))\n}\n\n\n/\*\*\n \* Returns a set containing  
all distinct elements from both collections.\n \* \n \* The returned set preserves the element iteration order of the  
original array.\n \* Those elements of the [other] collection that are unique are iterated in the end\n \* in the order of  
the [other] collection.\n \* \n \* To get a set containing all elements that are contained in both collections use  
[intersect].\n \*/\npublic infix fun <T> Array<out T>.union(other: Iterable<T>): Set<T> {\n val set =  
this.toMutableSet()\n set.addAll(other)\n return set\n}\n\n\n/\*\*\n \* Returns a set containing all distinct elements  
from both collections.\n \* \n \* The returned set preserves the element iteration order of the original array.\n \* Those  
elements of the [other] collection that are unique are iterated in the end\n \* in the order of the [other] collection.\n \*  
\n \* To get a set containing all elements that are contained in both collections use [intersect].\n \*/\npublic infix fun  
ByteArray.union(other: Iterable<Byte>): Set<Byte> {\n val set = this.toMutableSet()\n set.addAll(other)\n  
return set\n}\n\n\n/\*\*\n \* Returns a set containing all distinct elements from both collections.\n \* \n \* The returned set  
preserves the element iteration order of the original array.\n \* Those elements of the [other] collection that are  
unique are iterated in the end\n \* in the order of the [other] collection.\n \* \n \* To get a set containing all elements  
that are contained in both collections use [intersect].\n \*/\npublic infix fun ShortArray.union(other:  
Iterable<Short>): Set<Short> {\n val set = this.toMutableSet()\n set.addAll(other)\n return set\n}\n\n\n/\*\*\n \*  
Returns a set containing all distinct elements from both collections.\n \* \n \* The returned set preserves the element  
iteration order of the original array.\n \* Those elements of the [other] collection that are unique are iterated in the  
end\n \* in the order of the [other] collection.\n \* \n \* To get a set containing all elements that are contained in both  
collections use [intersect].\n \*/\npublic infix fun IntArray.union(other: Iterable<Int>): Set<Int> {\n val set =  
this.toMutableSet()\n set.addAll(other)\n return set\n}\n\n\n/\*\*\n \* Returns a set containing all distinct elements  
from both collections.\n \* \n \* The returned set preserves the element iteration order of the original array.\n \* Those  
elements of the [other] collection that are unique are iterated in the end\n \* in the order of the [other] collection.\n \*  
\n \* To get a set containing all elements that are contained in both collections use [intersect].\n \*/\n

```

\n * To get a set containing all elements that are contained in both collections use [intersect].\n *
\n * public infix fun LongArray.union(other: Iterable<Long>): Set<Long> {\n    val set = this.toMutableSet()\n    set.addAll(other)\n    return set\n}\n\n**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set
preserves the element iteration order of the original array.\n * Those elements of the [other] collection that are
unique are iterated in the end\n * in the order of the [other] collection.\n * \n * To get a set containing all elements
that are contained in both collections use [intersect].\n *
\n * public infix fun FloatArray.union(other: Iterable<Float>):
Set<Float> {\n    val set = this.toMutableSet()\n    set.addAll(other)\n    return set\n}\n\n**\n * Returns a set
containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order
of the original array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the
order of the [other] collection.\n * \n * To get a set containing all elements that are contained in both collections use
[intersect].\n *
\n * public infix fun DoubleArray.union(other: Iterable<Double>): Set<Double> {\n    val set =
this.toMutableSet()\n    set.addAll(other)\n    return set\n}\n\n**\n * Returns a set containing all distinct elements
from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those
elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n *
\n * To get a set containing all elements that are contained in both collections use [intersect].\n *
\n * public infix fun BooleanArray.union(other: Iterable<Boolean>): Set<Boolean> {\n    val set = this.toMutableSet()\n
set.addAll(other)\n    return set\n}\n\n**\n * Returns a set containing all distinct elements from both collections.\n *
\n * The returned set preserves the element iteration order of the original array.\n * Those elements of the [other]
collection that are unique are iterated in the end\n * in the order of the [other] collection.\n * \n * To get a set
containing all elements that are contained in both collections use [intersect].\n *
\n * public infix fun CharArray.union(other: Iterable<Char>): Set<Char> {\n    val set = this.toMutableSet()\n    set.addAll(other)\n
return set\n}\n\n**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n *
\n * public inline fun <T> Array<out T>.all(predicate: (T) -> Boolean): Boolean {\n    for (element in this) if (!predicate(element)) return false\n    return true\n}\n\n**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n *
\n * public inline fun ByteArray.all(predicate: (Byte) -> Boolean): Boolean {\n    for (element in this) if (!predicate(element)) return false\n    return true\n}\n\n**\n * Returns `true` if
all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n *
\n * public inline fun ShortArray.all(predicate: (Short) -> Boolean): Boolean {\n    for (element in this) if
(!predicate(element)) return false\n    return true\n}\n\n**\n * Returns `true` if all elements match the given
[predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n *
\n * public inline fun IntArray.all(predicate: (Int) -> Boolean): Boolean {\n    for (element in this) if
(!predicate(element)) return false\n    return true\n}\n\n**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n *
\n * public inline fun LongArray.all(predicate: (Long) -> Boolean): Boolean {\n    for (element in this) if
(!predicate(element)) return false\n    return true\n}\n\n**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n *
\n * public inline fun FloatArray.all(predicate: (Float) -> Boolean): Boolean {\n    for (element in this) if
(!predicate(element)) return false\n    return true\n}\n\n**\n * Returns `true` if all elements match the given
[predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n *
\n * public inline fun DoubleArray.all(predicate: (Double) -> Boolean): Boolean {\n    for (element in this) if
(!predicate(element)) return false\n    return true\n}\n\n**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n *
\n * public inline fun BooleanArray.all(predicate: (Boolean) -> Boolean): Boolean {\n    for (element in this) if
(!predicate(element)) return false\n    return true\n}\n\n**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n *
\n * public inline fun CharArray.all(predicate: (Char) -> Boolean): Boolean {\n    for (element in this) if
(!predicate(element)) return false\n    return true\n}\n\n**\n * Returns `true` if array has at least one element.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n *
\n * public fun <T> Array<out T>.any(): Boolean {\n    return !isEmpty()\n}\n\n**\n * Returns `true` if array has at least one

```

```

element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun ByteArray.any():
Boolean {\n    return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n */\npublic fun ShortArray.any(): Boolean {\n    return
isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n */\npublic fun IntArray.any(): Boolean {\n    return
isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n */\npublic fun LongArray.any(): Boolean {\n    return
isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n */\npublic fun FloatArray.any(): Boolean {\n    return
isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n */\npublic fun DoubleArray.any(): Boolean {\n    return
isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n */\npublic fun BooleanArray.any(): Boolean {\n    return
isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n */\npublic fun CharArray.any(): Boolean {\n    return
isEmpty()\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun <T> Array<out
T>.any(predicate: (T) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return true\n    return
false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun ByteArray.any(predicate:
(Byte) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return true\n    return
false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun ShortArray.any(predicate:
(Short) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return true\n    return
false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun IntArray.any(predicate: (Int) -
> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return true\n    return false\n}\n\n/**\n *
Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun LongArray.any(predicate:
(Long) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return true\n    return
false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun FloatArray.any(predicate:
(Float) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return true\n    return
false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun DoubleArray.any(predicate:
(Double) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return true\n    return
false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun BooleanArray.any(predicate:
(Boolean) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return true\n    return
false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun CharArray.any(predicate:
(Char) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return true\n    return
false\n}\n\n/**\n * Returns the number of elements in this array.\n * \n */\n@kotlin.internal.InlineOnly\npublic inline
fun <T> Array<out T>.count(): Int {\n    return size\n}\n\n/**\n * Returns the number of elements in this array.\n * \n
*/\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.count(): Int {\n    return size\n}\n\n/**\n * Returns the
number of elements in this array.\n * \n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.count(): Int {\n
return size\n}\n\n/**\n * Returns the number of elements in this array.\n * \n */\n@kotlin.internal.InlineOnly\npublic
inline fun IntArray.count(): Int {\n    return size\n}\n\n/**\n * Returns the number of elements in this array.\n

```



```

*  

@kotlin.internal.InlineOnly  

public inline fun LongArray.count(): Int {  

    return size  

}  

* Returns the number of elements in this array.  

*  

@kotlin.internal.InlineOnly  

public inline fun FloatArray.count(): Int {  

    return size  

}  

* Returns the number of elements in this array.  

*  

@kotlin.internal.InlineOnly  

public inline fun DoubleArray.count(): Int {  

    return size  

}  

* Returns the number of elements in this array.  

*  

@kotlin.internal.InlineOnly  

public inline fun BooleanArray.count(): Int {  

    return size  

}  

* Returns the number of elements in this array.  

*  

@kotlin.internal.InlineOnly  

public inline fun CharArray.count(): Int {  

    return size  

}  

* Returns the number of elements matching the given [predicate].  

*  

public inline fun  

<T> Array<out T>.count(predicate: (T) -> Boolean): Int {  

    var count = 0  

    for (element in this) if  

    (predicate(element)) ++count  

    return count  

}  

* Returns the number of elements matching the given  

[predicate].  

*  

public inline fun ByteArray.count(predicate: (Byte) -> Boolean): Int {  

    var count = 0  

    for (element in this) if (predicate(element)) ++count  

    return count  

}  

* Returns the number of elements  

matching the given [predicate].  

*  

public inline fun ShortArray.count(predicate: (Short) -> Boolean): Int {  

    var  

count = 0  

    for (element in this) if (predicate(element)) ++count  

    return count  

}  

* Returns the  

number of elements matching the given [predicate].  

*  

public inline fun IntArray.count(predicate: (Int) ->  

Boolean): Int {  

    var count = 0  

    for (element in this) if (predicate(element)) ++count  

    return  

count  

}  

* Returns the number of elements matching the given [predicate].  

*  

public inline fun  

LongArray.count(predicate: (Long) -> Boolean): Int {  

    var count = 0  

    for (element in this) if  

    (predicate(element)) ++count  

    return count  

}  

* Returns the number of elements matching the given  

[predicate].  

*  

public inline fun FloatArray.count(predicate: (Float) -> Boolean): Int {  

    var count = 0  

    for  

    (element in this) if (predicate(element)) ++count  

    return count  

}  

* Returns the number of elements  

matching the given [predicate].  

*  

public inline fun DoubleArray.count(predicate: (Double) -> Boolean): Int {  

    var  

count = 0  

    for (element in this) if (predicate(element)) ++count  

    return count  

}  

* Returns the  

number of elements matching the given [predicate].  

*  

public inline fun BooleanArray.count(predicate: (Boolean) ->  

Boolean): Int {  

    var count = 0  

    for (element in this) if (predicate(element)) ++count  

    return  

count  

}  

* Returns the number of elements matching the given [predicate].  

*  

public inline fun  

CharArray.count(predicate: (Char) -> Boolean): Int {  

    var count = 0  

    for (element in this) if  

    (predicate(element)) ++count  

    return count  

}  

* Accumulates value starting with [initial] value and  

applying [operation] from left to right  

* to current accumulator value and each element.  

*  

Returns the  

specified [initial] value if the array is empty.  

*  

@param [operation] function that takes current accumulator  

value and an element, and calculates the next accumulator value.  

*  

public inline fun <T, R> Array<out  

T>.fold(initial: R, operation: (acc: R, T) -> R): R {  

    var accumulator = initial  

    for (element in this)  

    accumulator = operation(accumulator, element)  

    return accumulator  

}  

* Accumulates value starting  

with [initial] value and applying [operation] from left to right  

* to current accumulator value and each element.  

*  

Returns the  

specified [initial] value if the array is empty.  

*  

@param [operation] function that takes  

current accumulator value and an element, and calculates the next accumulator value.  

*  

public inline fun <R>  

ByteArray.fold(initial: R, operation: (acc: R, Byte) -> R): R {  

    var accumulator = initial  

    for (element in this)  

    accumulator = operation(accumulator, element)  

    return accumulator  

}  

* Accumulates value starting  

with [initial] value and applying [operation] from left to right  

* to current accumulator value and each element.  

*  

Returns the  

specified [initial] value if the array is empty.  

*  

@param [operation] function that takes  

current accumulator value and an element, and calculates the next accumulator value.  

*  

public inline fun <R>  

ShortArray.fold(initial: R, operation: (acc: R, Short) -> R): R {  

    var accumulator = initial  

    for (element in this)  

    accumulator = operation(accumulator, element)  

    return accumulator  

}  

* Accumulates value starting  

with [initial] value and applying [operation] from left to right  

* to current accumulator value and each element.  

*  

Returns the  

specified [initial] value if the array is empty.  

*  

@param [operation] function that takes  

current accumulator value and an element, and calculates the next accumulator value.  

*  

public inline fun <R>  

IntArray.fold(initial: R, operation: (acc: R, Int) -> R): R {  

    var accumulator = initial  

    for (element in this)  

    accumulator = operation(accumulator, element)  

    return accumulator  

}  

* Accumulates value starting  

with [initial] value and applying [operation] from left to right  

* to current accumulator value and each element.  

*

```

```

\n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes
current accumulator value and an element, and calculates the next accumulator value.\n */\npublic inline fun <R>
LongArray.fold(initial: R, operation: (acc: R, Long) -> R): R {\n    var accumulator = initial\n    for (element in this)
accumulator = operation(accumulator, element)\n    return accumulator\n}\n\n/**\n * Accumulates value starting
with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element.\n *
\n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes
current accumulator value and an element, and calculates the next accumulator value.\n */\npublic inline fun <R>
FloatArray.fold(initial: R, operation: (acc: R, Float) -> R): R {\n    var accumulator = initial\n    for (element in this)
accumulator = operation(accumulator, element)\n    return accumulator\n}\n\n/**\n * Accumulates value starting
with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element.\n *
\n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes
current accumulator value and an element, and calculates the next accumulator value.\n */\npublic inline fun <R>
DoubleArray.fold(initial: R, operation: (acc: R, Double) -> R): R {\n    var accumulator = initial\n    for (element in
this) accumulator = operation(accumulator, element)\n    return accumulator\n}\n\n/**\n * Accumulates value
starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each
element.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that
takes current accumulator value and an element, and calculates the next accumulator value.\n */\npublic inline fun
<R> BooleanArray.fold(initial: R, operation: (acc: R, Boolean) -> R): R {\n    var accumulator = initial\n    for
(element in this) accumulator = operation(accumulator, element)\n    return accumulator\n}\n\n/**\n * Accumulates
value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and
each element.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation]
function that takes current accumulator value and an element, and calculates the next accumulator value.\n */\n
*\npublic inline fun <R> CharArray.fold(initial: R, operation: (acc: R, Char) -> R): R {\n    var accumulator =
initial\n    for (element in this) accumulator = operation(accumulator, element)\n    return accumulator\n}\n\n/**\n *
Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator
value and each element with its index in the original array.\n * \n * Returns the specified [initial] value if the array
is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and
the element itself, and calculates the next accumulator value.\n */\npublic inline fun <T, R> Array<out
T>.foldIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): R {\n    var index = 0\n    var accumulator =
initial\n    for (element in this) accumulator = operation(index++, accumulator, element)\n    return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns the
specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an
element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\n
*\npublic inline fun <R> ByteArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Byte) -> R): R {\n    var
index = 0\n    var accumulator = initial\n    for (element in this) accumulator = operation(index++, accumulator,
element)\n    return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying
[operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n
* \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the
index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator
value.\n */\npublic inline fun <R> ShortArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Short) -> R): R
{\n    var index = 0\n    var accumulator = initial\n    for (element in this) accumulator = operation(index++,
accumulator, element)\n    return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and
applying [operation] from left to right\n * to current accumulator value and each element with its index in the
original array.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the
next accumulator value.\n */\npublic inline fun <R> IntArray.foldIndexed(initial: R, operation: (index: Int, acc: R,
Int) -> R): R {\n    var index = 0\n    var accumulator = initial\n    for (element in this) accumulator =

```

```

operation(index++, accumulator, element)\n  return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R> LongArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Long) -> R): R {\n  var index = 0\n  var accumulator = initial\n  for (element in this) accumulator = operation(index++, accumulator, element)\n  return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R> FloatArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Float) -> R): R {\n  var index = 0\n  var accumulator = initial\n  for (element in this) accumulator = operation(index++, accumulator, element)\n  return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R> DoubleArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Double) -> R): R {\n  var index = 0\n  var accumulator = initial\n  for (element in this) accumulator = operation(index++, accumulator, element)\n  return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R> BooleanArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Boolean) -> R): R {\n  var index = 0\n  var accumulator = initial\n  for (element in this) accumulator = operation(index++, accumulator, element)\n  return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R> CharArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): R {\n  var index = 0\n  var accumulator = initial\n  for (element in this) accumulator = operation(index++, accumulator, element)\n  return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <T, R> Array<out T>.foldRight(initial: R, operation: (T, acc: R) -> R): R {\n  var index = lastIndex\n  var accumulator = initial\n  while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> ByteArray.foldRight(initial: R, operation: (Byte, acc: R) -> R): R {\n  var index = lastIndex\n  var accumulator = initial\n  while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> ShortArray.foldRight(initial: R, operation: (Short, acc: R) -> R): R {\n  var index = lastIndex\n  var accumulator = initial\n  while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n  return

```

```

accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to
left\n * to each element and current accumulator value.\n * \n * Returns the specified [initial] value if the array is
empty.\n * \n * @param [operation] function that takes an element and current accumulator value, and calculates the
next accumulator value.\n */\npublic inline fun <R> IntArray.foldRight(initial: R, operation: (Int, acc: R) -> R): R
{\n    var index = lastIndex\n    var accumulator = initial\n    while (index >= 0) {\n        accumulator =
operation(get(index--), accumulator)\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with
[initial] value and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n *
Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes an element
and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R>
LongArray.foldRight(initial: R, operation: (Long, acc: R) -> R): R {\n    var index = lastIndex\n    var accumulator =
initial\n    while (index >= 0) {\n        accumulator = operation(get(index--), accumulator)\n    }\n    return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to
left\n * to each element and current accumulator value.\n * \n * Returns the specified [initial] value if the array is
empty.\n * \n * @param [operation] function that takes an element and current accumulator value, and calculates the
next accumulator value.\n */\npublic inline fun <R> FloatArray.foldRight(initial: R, operation: (Float, acc: R) -> R):
R {\n    var index = lastIndex\n    var accumulator = initial\n    while (index >= 0) {\n        accumulator =
operation(get(index--), accumulator)\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with
[initial] value and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n *
Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes an element
and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R>
DoubleArray.foldRight(initial: R, operation: (Double, acc: R) -> R): R {\n    var index = lastIndex\n    var
accumulator = initial\n    while (index >= 0) {\n        accumulator = operation(get(index--), accumulator)\n    }\n
return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right
to left\n * to each element and current accumulator value.\n * \n * Returns the specified [initial] value if the array is
empty.\n * \n * @param [operation] function that takes an element and current accumulator value, and calculates the
next accumulator value.\n */\npublic inline fun <R> BooleanArray.foldRight(initial: R, operation: (Boolean, acc: R)
-> R): R {\n    var index = lastIndex\n    var accumulator = initial\n    while (index >= 0) {\n        accumulator =
operation(get(index--), accumulator)\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with
[initial] value and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n *
Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes an element
and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R>
CharArray.foldRight(initial: R, operation: (Char, acc: R) -> R): R {\n    var index = lastIndex\n    var accumulator =
initial\n    while (index >= 0) {\n        accumulator = operation(get(index--), accumulator)\n    }\n    return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to
left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns the
specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an
element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <T, R> Array<out T>.foldRightIndexed(initial: R, operation: (index: Int, T, acc: R) -> R): R
{\n    var index = lastIndex\n    var accumulator = initial\n    while (index >= 0) {\n        accumulator =
operation(index, get(index), accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates
value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the
original array and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n *
\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator
value, and calculates the next accumulator value.\n */\npublic inline fun <R> ByteArray.foldRightIndexed(initial: R,
operation: (index: Int, Byte, acc: R) -> R): R {\n    var index = lastIndex\n    var accumulator = initial\n    while
(index >= 0) {\n        accumulator = operation(index, get(index), accumulator)\n        --index\n    }\n    return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to
left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns the

```

```

specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an
element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n
*\npublic inline fun <R> ShortArray.foldRightIndexed(initial: R, operation: (index: Int, Short, acc: R) -> R): R {\n
var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index,
get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with
[initial] value and applying [operation] from right to left\n * to each element with its index in the original array and
current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param
[operation] function that takes the index of an element, the element itself\n * and current accumulator value, and
calculates the next accumulator value.\n *\npublic inline fun <R> IntArray.foldRightIndexed(initial: R, operation:
(index: Int, Int, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n
accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates
value starting with [initial] value and applying [operation] from right to left\n * to each element with
its index in the original array and current accumulator value.\n * \n * Returns the specified [initial] value if the array
is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself\n * and current
accumulator value, and calculates the next accumulator value.\n *\npublic inline fun <R>
LongArray.foldRightIndexed(initial: R, operation: (index: Int, Long, acc: R) -> R): R {\n var index = lastIndex\n
var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n
--index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying
[operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n
* \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the
index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator
value.\n *\npublic inline fun <R> FloatArray.foldRightIndexed(initial: R, operation: (index: Int, Float, acc: R) ->
R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator =
operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates
value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the
original array and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n *
\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator
value, and calculates the next accumulator value.\n *\npublic inline fun <R> DoubleArray.foldRightIndexed(initial:
R, operation: (index: Int, Double, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while
(index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to
left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns the
specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an
element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n
*\npublic inline fun <R> BooleanArray.foldRightIndexed(initial: R, operation: (index: Int, Boolean, acc: R) -> R):
R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator =
operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates
value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the
original array and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n *
\n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator
value, and calculates the next accumulator value.\n *\npublic inline fun <R> CharArray.foldRightIndexed(initial: R,
operation: (index: Int, Char, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while
(index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return
accumulator\n}\n\n/**\n * Performs the given [action] on each element.\n *\npublic inline fun <T> Array<out
T>.forEach(action: (T) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given
[action] on each element.\n *\npublic inline fun ByteArray.forEach(action: (Byte) -> Unit): Unit {\n for (element
in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n *\npublic inline fun
ShortArray.forEach(action: (Short) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs

```

```

the given [action] on each element.\n */\npublic inline fun IntArray.forEach(action: (Int) -> Unit): Unit {\n  for
(element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun
LongArray.forEach(action: (Long) -> Unit): Unit {\n  for (element in this) action(element)\n}\n\n/**\n * Performs
the given [action] on each element.\n */\npublic inline fun FloatArray.forEach(action: (Float) -> Unit): Unit {\n
for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline
fun DoubleArray.forEach(action: (Double) -> Unit): Unit {\n  for (element in this) action(element)\n}\n\n/**\n *
Performs the given [action] on each element.\n */\npublic inline fun BooleanArray.forEach(action: (Boolean) ->
Unit): Unit {\n  for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n
*/\npublic inline fun CharArray.forEach(action: (Char) -> Unit): Unit {\n  for (element in this)
action(element)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the
element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the
action on the element.\n */\npublic inline fun <T> Array<out T>.forEachIndexed(action: (index: Int, T) -> Unit):
Unit {\n  var index = 0\n  for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on
each element, providing sequential index with the element.\n * @param [action] function that takes the index of an
element and the element itself\n * and performs the action on the element.\n */\npublic inline fun
ByteArray.forEachIndexed(action: (index: Int, Byte) -> Unit): Unit {\n  var index = 0\n  for (item in this)
action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with
the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs
the action on the element.\n */\npublic inline fun ShortArray.forEachIndexed(action: (index: Int, Short) -> Unit):
Unit {\n  var index = 0\n  for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on
each element, providing sequential index with the element.\n * @param [action] function that takes the index of an
element and the element itself\n * and performs the action on the element.\n */\npublic inline fun
IntArray.forEachIndexed(action: (index: Int, Int) -> Unit): Unit {\n  var index = 0\n  for (item in this)
action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with
the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs
the action on the element.\n */\npublic inline fun LongArray.forEachIndexed(action: (index: Int, Long) -> Unit):
Unit {\n  var index = 0\n  for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on
each element, providing sequential index with the element.\n * @param [action] function that takes the index of an
element and the element itself\n * and performs the action on the element.\n */\npublic inline fun
FloatArray.forEachIndexed(action: (index: Int, Float) -> Unit): Unit {\n  var index = 0\n  for (item in this)
action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with
the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs
the action on the element.\n */\npublic inline fun DoubleArray.forEachIndexed(action: (index: Int, Double) -> Unit):
Unit {\n  var index = 0\n  for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on
each element, providing sequential index with the element.\n * @param [action] function that takes the index of an
element and the element itself\n * and performs the action on the element.\n */\npublic inline fun
BooleanArray.forEachIndexed(action: (index: Int, Boolean) -> Unit): Unit {\n  var index = 0\n  for (item in this)
action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with
the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs
the action on the element.\n */\npublic inline fun CharArray.forEachIndexed(action: (index: Int, Char) -> Unit): Unit
{\n  var index = 0\n  for (item in this) action(index++, item)\n}\n\n@Deprecated("Use maxOrNull instead.",
ReplaceWith("this.maxOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\n@SinceKotlin("1.1")\npublic fun Array<out Double>.max(): Double? {\n  return
maxOrNull()\n}\n\n@Deprecated("Use maxOrNull instead.",
ReplaceWith("this.maxOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\n@SinceKotlin("1.1")\npublic fun Array<out Float>.max(): Float? {\n  return
maxOrNull()\n}\n\n@Deprecated("Use maxOrNull instead.",
ReplaceWith("this.maxOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",

```

```

hiddenSince = `1.6`)npublic fun <T : Comparable<T>> Array<out T>.max(): T? {n  return
maxOrNull()\n}\n\n@Deprecated(`Use maxOrNull instead.`),
ReplaceWith(`this.maxOrNull()\n`)n@DeprecatedSinceKotlin(warningSince = `1.4`, errorSince = `1.5`,
hiddenSince = `1.6`)npublic fun ByteArray.max(): Byte? {n  return maxOrNull()\n}\n\n@Deprecated(`Use
maxOrNull instead.`), ReplaceWith(`this.maxOrNull()\n`)n@DeprecatedSinceKotlin(warningSince = `1.4`,
errorSince = `1.5`, hiddenSince = `1.6`)npublic fun ShortArray.max(): Short? {n  return
maxOrNull()\n}\n\n@Deprecated(`Use maxOrNull instead.`),
ReplaceWith(`this.maxOrNull()\n`)n@DeprecatedSinceKotlin(warningSince = `1.4`, errorSince = `1.5`,
hiddenSince = `1.6`)npublic fun IntArray.max(): Int? {n  return maxOrNull()\n}\n\n@Deprecated(`Use
maxOrNull instead.`), ReplaceWith(`this.maxOrNull()\n`)n@DeprecatedSinceKotlin(warningSince = `1.4`,
errorSince = `1.5`, hiddenSince = `1.6`)npublic fun LongArray.max(): Long? {n  return
maxOrNull()\n}\n\n@Deprecated(`Use maxOrNull instead.`),
ReplaceWith(`this.maxOrNull()\n`)n@DeprecatedSinceKotlin(warningSince = `1.4`, errorSince = `1.5`,
hiddenSince = `1.6`)npublic fun FloatArray.max(): Float? {n  return maxOrNull()\n}\n\n@Deprecated(`Use
maxOrNull instead.`), ReplaceWith(`this.maxOrNull()\n`)n@DeprecatedSinceKotlin(warningSince = `1.4`,
errorSince = `1.5`, hiddenSince = `1.6`)npublic fun DoubleArray.max(): Double? {n  return
maxOrNull()\n}\n\n@Deprecated(`Use maxOrNull instead.`),
ReplaceWith(`this.maxOrNull()\n`)n@DeprecatedSinceKotlin(warningSince = `1.4`, errorSince = `1.5`,
hiddenSince = `1.6`)npublic fun CharArray.max(): Char? {n  return maxOrNull()\n}\n\n@Deprecated(`Use
maxByOrNull instead.`), ReplaceWith(`this.maxByOrNull(selector)\n`)n@DeprecatedSinceKotlin(warningSince =
`1.4`, errorSince = `1.5`, hiddenSince = `1.6`)npublic inline fun <T, R : Comparable<R>> Array<out
T>.maxBy(selector: (T) -> R): T? {n  return maxByOrNull(selector)\n}\n\n@Deprecated(`Use maxByOrNull
instead.`), ReplaceWith(`this.maxByOrNull(selector)\n`)n@DeprecatedSinceKotlin(warningSince = `1.4`,
errorSince = `1.5`, hiddenSince = `1.6`)npublic inline fun <R : Comparable<R>> ByteArray.maxBy(selector:
(Byte) -> R): Byte? {n  return maxByOrNull(selector)\n}\n\n@Deprecated(`Use maxByOrNull instead.`),
ReplaceWith(`this.maxByOrNull(selector)\n`)n@DeprecatedSinceKotlin(warningSince = `1.4`, errorSince =
`1.5`, hiddenSince = `1.6`)npublic inline fun <R : Comparable<R>> ShortArray.maxBy(selector: (Short) -> R):
Short? {n  return maxByOrNull(selector)\n}\n\n@Deprecated(`Use maxByOrNull instead.`),
ReplaceWith(`this.maxByOrNull(selector)\n`)n@DeprecatedSinceKotlin(warningSince = `1.4`, errorSince =
`1.5`, hiddenSince = `1.6`)npublic inline fun <R : Comparable<R>> IntArray.maxBy(selector: (Int) -> R): Int?
{n  return maxByOrNull(selector)\n}\n\n@Deprecated(`Use maxByOrNull instead.`),
ReplaceWith(`this.maxByOrNull(selector)\n`)n@DeprecatedSinceKotlin(warningSince = `1.4`, errorSince =
`1.5`, hiddenSince = `1.6`)npublic inline fun <R : Comparable<R>> LongArray.maxBy(selector: (Long) -> R):
Long? {n  return maxByOrNull(selector)\n}\n\n@Deprecated(`Use maxByOrNull instead.`),
ReplaceWith(`this.maxByOrNull(selector)\n`)n@DeprecatedSinceKotlin(warningSince = `1.4`, errorSince =
`1.5`, hiddenSince = `1.6`)npublic inline fun <R : Comparable<R>> FloatArray.maxBy(selector: (Float) -> R):
Float? {n  return maxByOrNull(selector)\n}\n\n@Deprecated(`Use maxByOrNull instead.`),
ReplaceWith(`this.maxByOrNull(selector)\n`)n@DeprecatedSinceKotlin(warningSince = `1.4`, errorSince =
`1.5`, hiddenSince = `1.6`)npublic inline fun <R : Comparable<R>> DoubleArray.maxBy(selector: (Double) ->
R): Double? {n  return maxByOrNull(selector)\n}\n\n@Deprecated(`Use maxByOrNull instead.`),
ReplaceWith(`this.maxByOrNull(selector)\n`)n@DeprecatedSinceKotlin(warningSince = `1.4`, errorSince =
`1.5`, hiddenSince = `1.6`)npublic inline fun <R : Comparable<R>> BooleanArray.maxBy(selector: (Boolean) -
> R): Boolean? {n  return maxByOrNull(selector)\n}\n\n@Deprecated(`Use maxByOrNull instead.`),
ReplaceWith(`this.maxByOrNull(selector)\n`)n@DeprecatedSinceKotlin(warningSince = `1.4`, errorSince =
`1.5`, hiddenSince = `1.6`)npublic inline fun <R : Comparable<R>> CharArray.maxBy(selector: (Char) -> R):
Char? {n  return maxByOrNull(selector)\n}\n\n/**n * Returns the first element yielding the largest value of the
given function or `null` if there are no elements.n * n * @sample
samples.collections.Collections.Aggregates.maxByOrNulln */n@SinceKotlin(`1.4`)npublic inline fun <T, R :

```

```

Comparable<R>> Array<out T>.maxByOrNull(selector: (T) -> R): T? {\n  if (isEmpty()) return null\n  var
maxElem = this[0]\n  val lastIndex = this.lastIndex\n  if (lastIndex == 0) return maxElem\n  var maxValue =
selector(maxElem)\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    val v = selector(e)\n    if (maxValue < v)
{\n      maxElem = e\n      maxValue = v\n    }\n  }\n  return maxElem\n}\n\n/**\n * Returns the first
element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.maxByOrNull\n */\n\n@SinceKotlin("1.4")\npublic inline fun <R :
Comparable<R>> ByteArray.maxByOrNull(selector: (Byte) -> R): Byte? {\n  if (isEmpty()) return null\n  var
maxElem = this[0]\n  val lastIndex = this.lastIndex\n  if (lastIndex == 0) return maxElem\n  var maxValue =
selector(maxElem)\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    val v = selector(e)\n    if (maxValue < v)
{\n      maxElem = e\n      maxValue = v\n    }\n  }\n  return maxElem\n}\n\n/**\n * Returns the first
element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.maxByOrNull\n */\n\n@SinceKotlin("1.4")\npublic inline fun <R :
Comparable<R>> ShortArray.maxByOrNull(selector: (Short) -> R): Short? {\n  if (isEmpty()) return null\n  var
maxElem = this[0]\n  val lastIndex = this.lastIndex\n  if (lastIndex == 0) return maxElem\n  var maxValue =
selector(maxElem)\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    val v = selector(e)\n    if (maxValue < v)
{\n      maxElem = e\n      maxValue = v\n    }\n  }\n  return maxElem\n}\n\n/**\n * Returns the first
element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.maxByOrNull\n */\n\n@SinceKotlin("1.4")\npublic inline fun <R :
Comparable<R>> IntArray.maxByOrNull(selector: (Int) -> R): Int? {\n  if (isEmpty()) return null\n  var maxElem
= this[0]\n  val lastIndex = this.lastIndex\n  if (lastIndex == 0) return maxElem\n  var maxValue =
selector(maxElem)\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    val v = selector(e)\n    if (maxValue < v)
{\n      maxElem = e\n      maxValue = v\n    }\n  }\n  return maxElem\n}\n\n/**\n * Returns the first
element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.maxByOrNull\n */\n\n@SinceKotlin("1.4")\npublic inline fun <R :
Comparable<R>> LongArray.maxByOrNull(selector: (Long) -> R): Long? {\n  if (isEmpty()) return null\n  var
maxElem = this[0]\n  val lastIndex = this.lastIndex\n  if (lastIndex == 0) return maxElem\n  var maxValue =
selector(maxElem)\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    val v = selector(e)\n    if (maxValue < v)
{\n      maxElem = e\n      maxValue = v\n    }\n  }\n  return maxElem\n}\n\n/**\n * Returns the first
element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.maxByOrNull\n */\n\n@SinceKotlin("1.4")\npublic inline fun <R :
Comparable<R>> FloatArray.maxByOrNull(selector: (Float) -> R): Float? {\n  if (isEmpty()) return null\n  var
maxElem = this[0]\n  val lastIndex = this.lastIndex\n  if (lastIndex == 0) return maxElem\n  var maxValue =
selector(maxElem)\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    val v = selector(e)\n    if (maxValue < v)
{\n      maxElem = e\n      maxValue = v\n    }\n  }\n  return maxElem\n}\n\n/**\n * Returns the first
element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.maxByOrNull\n */\n\n@SinceKotlin("1.4")\npublic inline fun <R :
Comparable<R>> DoubleArray.maxByOrNull(selector: (Double) -> R): Double? {\n  if (isEmpty()) return null\n
var maxElem = this[0]\n  val lastIndex = this.lastIndex\n  if (lastIndex == 0) return maxElem\n  var maxValue =
selector(maxElem)\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    val v = selector(e)\n    if (maxValue < v)
{\n      maxElem = e\n      maxValue = v\n    }\n  }\n  return maxElem\n}\n\n/**\n * Returns the first
element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.maxByOrNull\n */\n\n@SinceKotlin("1.4")\npublic inline fun <R :
Comparable<R>> BooleanArray.maxByOrNull(selector: (Boolean) -> R): Boolean? {\n  if (isEmpty()) return
null\n  var maxElem = this[0]\n  val lastIndex = this.lastIndex\n  if (lastIndex == 0) return maxElem\n  var
maxValue = selector(maxElem)\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    val v = selector(e)\n    if
(maxValue < v) {\n      maxElem = e\n      maxValue = v\n    }\n  }\n  return maxElem\n}\n\n/**\n * Returns the first
element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.maxByOrNull\n */\n\n@SinceKotlin("1.4")\npublic inline fun

```



```

<R : Comparable<R>> CharArray.maxByOrNull(selector: (Char) -> R): Char? {
    if (isEmpty()) return null
    var maxElem = this[0]
    val lastIndex = this.lastIndex
    if (lastIndex == 0) return maxElem
    var maxValue = selector(maxElem)
    for (i in 1..lastIndex) {
        val e = this[i]
        val v = selector(e)
        if (maxValue < v) {
            maxElem = e
            maxValue = v
        }
    }
    return maxElem
}

Returns the largest value among all values produced by [selector] function applied to each element in the array.
If any of values produced by [selector] function is NaN, the returned result is NaN.
@throws NoSuchElementException if the array is empty.

Since Kotlin 1.4
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <T> Array<out T>.maxOf(selector: (T) -> Double): Double {
    if (isEmpty()) throw NoSuchElementException()
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue, v)
    }
    return maxValue
}

Returns the largest value among all values produced by [selector] function applied to each element in the array.
If any of values produced by [selector] function is NaN, the returned result is NaN.
@throws NoSuchElementException if the array is empty.

Since Kotlin 1.4
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun ByteArray.maxOf(selector: (Byte) -> Double): Double {
    if (isEmpty()) throw NoSuchElementException()
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue, v)
    }
    return maxValue
}

Returns the largest value among all values produced by [selector] function applied to each element in the array.
If any of values produced by [selector] function is NaN, the returned result is NaN.
@throws NoSuchElementException if the array is empty.

Since Kotlin 1.4
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun ShortArray.maxOf(selector: (Short) -> Double): Double {
    if (isEmpty()) throw NoSuchElementException()
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue, v)
    }
    return maxValue
}

Returns the largest value among all values produced by [selector] function applied to each element in the array.
If any of values produced by [selector] function is NaN, the returned result is NaN.
@throws NoSuchElementException if the array is empty.

Since Kotlin 1.4
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun IntArray.maxOf(selector: (Int) -> Double): Double {
    if (isEmpty()) throw NoSuchElementException()
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue, v)
    }
    return maxValue
}

Returns the largest value among all values produced by [selector] function applied to each element in the array.
If any of values produced by [selector] function is NaN, the returned result is NaN.
@throws NoSuchElementException if the array is empty.

Since Kotlin 1.4
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun LongArray.maxOf(selector: (Long) -> Double): Double {
    if (isEmpty()) throw NoSuchElementException()
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue, v)
    }
    return maxValue
}

Returns the largest value among all values produced by [selector] function applied to each element in the array.
If any of values produced by [selector] function is NaN, the returned result is NaN.
@throws NoSuchElementException if the array is empty.

Since Kotlin 1.4
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun FloatArray.maxOf(selector: (Float) -> Double): Double {
    if (isEmpty()) throw NoSuchElementException()
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue, v)
    }
    return maxValue
}

Returns the largest value among all values produced by [selector] function applied to each element in the array.
If any of values produced by [selector] function is NaN, the returned result is NaN.
@throws NoSuchElementException if the array is empty.

```

```

`NaN`.n * .n * @throws NoSuchElementException if the array is empty.n
*/n@SinceKotlin("1.4")n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)n@OverloadResolution
ByLambdaReturnTypen@kotlin.internal.InlineOnlynpublic inline fun DoubleArray.maxOf(selector: (Double) ->
Double): Double {n if (isEmpty()) throw NoSuchElementException()n var maxValue = selector(this[0])n for
(i in 1..lastIndex) {n val v = selector(this[i])n maxValue = maxOf(maxValue, v)n }n return
maxValue\n}\n/n/**n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array.n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.n * \n * @throws NoSuchElementException if the array is empty.n
*/n@SinceKotlin("1.4")n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)n@OverloadResolution
ByLambdaReturnTypen@kotlin.internal.InlineOnlynpublic inline fun BooleanArray.maxOf(selector: (Boolean) ->
Double): Double {n if (isEmpty()) throw NoSuchElementException()n var maxValue = selector(this[0])n for
(i in 1..lastIndex) {n val v = selector(this[i])n maxValue = maxOf(maxValue, v)n }n return
maxValue\n}\n/n/**n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array.n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.n * \n * @throws NoSuchElementException if the array is empty.n
*/n@SinceKotlin("1.4")n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)n@OverloadResolution
ByLambdaReturnTypen@kotlin.internal.InlineOnlynpublic inline fun CharArray.maxOf(selector: (Char) ->
Double): Double {n if (isEmpty()) throw NoSuchElementException()n var maxValue = selector(this[0])n for
(i in 1..lastIndex) {n val v = selector(this[i])n maxValue = maxOf(maxValue, v)n }n return
maxValue\n}\n/n/**n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array.n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.n * \n * @throws NoSuchElementException if the array is empty.n
*/n@SinceKotlin("1.4")n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)n@OverloadResolution
ByLambdaReturnTypen@kotlin.internal.InlineOnlynpublic inline fun <T> Array<out T>.maxOf(selector: (T) ->
Float): Float {n if (isEmpty()) throw NoSuchElementException()n var maxValue = selector(this[0])n for (i
in 1..lastIndex) {n val v = selector(this[i])n maxValue = maxOf(maxValue, v)n }n return
maxValue\n}\n/n/**n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array.n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.n * \n * @throws NoSuchElementException if the array is empty.n
*/n@SinceKotlin("1.4")n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)n@OverloadResolution
ByLambdaReturnTypen@kotlin.internal.InlineOnlynpublic inline fun ByteArray.maxOf(selector: (Byte) -> Float):
Float {n if (isEmpty()) throw NoSuchElementException()n var maxValue = selector(this[0])n for (i in
1..lastIndex) {n val v = selector(this[i])n maxValue = maxOf(maxValue, v)n }n return
maxValue\n}\n/n/**n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array.n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.n * \n * @throws NoSuchElementException if the array is empty.n
*/n@SinceKotlin("1.4")n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)n@OverloadResolution
ByLambdaReturnTypen@kotlin.internal.InlineOnlynpublic inline fun ShortArray.maxOf(selector: (Short) ->
Float): Float {n if (isEmpty()) throw NoSuchElementException()n var maxValue = selector(this[0])n for (i
in 1..lastIndex) {n val v = selector(this[i])n maxValue = maxOf(maxValue, v)n }n return
maxValue\n}\n/n/**n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array.n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.n * \n * @throws NoSuchElementException if the array is empty.n
*/n@SinceKotlin("1.4")n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)n@OverloadResolution
ByLambdaReturnTypen@kotlin.internal.InlineOnlynpublic inline fun IntArray.maxOf(selector: (Int) -> Float):
Float {n if (isEmpty()) throw NoSuchElementException()n var maxValue = selector(this[0])n for (i in
1..lastIndex) {n val v = selector(this[i])n maxValue = maxOf(maxValue, v)n }n return
maxValue\n}\n/n/**n * Returns the largest value among all values produced by [selector] function\n * applied to

```

```

each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.maxOf(selector: (Long) ->
Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i
in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.maxOf(selector: (Float) ->
Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i
in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.maxOf(selector: (Double) ->
Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i
in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.maxOf(selector: (Boolean) ->
Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i
in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.maxOf(selector: (Char) -> Float):
Float {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in
1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>> Array<out
T>.maxOf(selector: (T) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue =
selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (maxValue < v) {\n
maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced
by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the
array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
ByteArray.maxOf(selector: (Byte) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var
maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (maxValue < v) {\n
maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values

```

```

produced by [selector] function\n * applied to each element in the array.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
ShortArray.maxOf(selector: (Short) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var
maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (maxValue < v) {\n
maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values
produced by [selector] function\n * applied to each element in the array.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
IntArray.maxOf(selector: (Int) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue =
selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (maxValue < v) {\n
maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced
by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the
array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
LongArray.maxOf(selector: (Long) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var
maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (maxValue < v) {\n
maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values
produced by [selector] function\n * applied to each element in the array.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
FloatArray.maxOf(selector: (Float) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var
maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (maxValue < v) {\n
maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values
produced by [selector] function\n * applied to each element in the array.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
DoubleArray.maxOf(selector: (Double) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var
maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (maxValue < v) {\n
maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values
produced by [selector] function\n * applied to each element in the array.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
BooleanArray.maxOf(selector: (Boolean) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var
maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (maxValue < v) {\n
maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values
produced by [selector] function\n * applied to each element in the array.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
CharArray.maxOf(selector: (Char) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var
maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (maxValue < v) {\n

```

```

    maxValue = v\n    }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values
produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If
any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.maxOfOrNull(selector:
(T) -> Double): Double? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in
1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function
is `NaN`, the returned result is `NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.maxOfOrNull(selector: (Byte) ->
Double): Double? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n
        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns
the largest value among all values produced by [selector] function\n * applied to each element in the array or `null`
if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.maxOfOrNull(selector: (Short) ->
Double): Double? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex)
{\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n *
Returns the largest value among all values produced by [selector] function\n * applied to each element in the array
or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned
result is `NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.maxOfOrNull(selector: (Int) ->
Double): Double? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n
        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns
the largest value among all values produced by [selector] function\n * applied to each element in the array or `null`
if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.maxOfOrNull(selector: (Long) ->
Double): Double? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex)
{\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n *
Returns the largest value among all values produced by [selector] function\n * applied to each element in the array
or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned
result is `NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.maxOfOrNull(selector: (Float) ->
Double): Double? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex)
{\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n *
Returns the largest value among all values produced by [selector] function\n * applied to each element in the array
or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned
result is `NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.maxOfOrNull(selector:
(Double) -> Double): Double? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in

```

```

1..lastIndex) {\n    val v = selector(this[i])\n    maxValue = maxOf(maxValue, v)\n } \n return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function
is `NaN`, the returned result is `NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.maxOfOrNull(selector:
(Boolean) -> Double): Double? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in
1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function
is `NaN`, the returned result is `NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.maxOfOrNull(selector: (Char) ->
Double): Double? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n
        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns
the largest value among all values produced by [selector] function\n * applied to each element in the array or `null`
if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.maxOfOrNull(selector:
(T) -> Float): Float? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex)
{\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n *
Returns the largest value among all values produced by [selector] function\n * applied to each element in the array
or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned
result is `NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.maxOfOrNull(selector: (Byte) ->
Float): Float? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n
        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns
the largest value among all values produced by [selector] function\n * applied to each element in the array or `null`
if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.maxOfOrNull(selector: (Short) -
> Float): Float? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n
        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns
the largest value among all values produced by [selector] function\n * applied to each element in the array or `null`
if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.maxOfOrNull(selector: (Int) ->
Float): Float? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n
        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n *
Returns the largest value among all values produced by [selector] function\n * applied to each element in the array
or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned
result is `NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.maxOfOrNull(selector: (Long) -

```

```

> Float): Float? {\n  if (isEmpty()) return null\n  var maxValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    maxValue = maxOf(maxValue, v)\n  }\n  return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.maxOfOrNull(selector: (Float) -> Float): Float? {\n  if (isEmpty()) return null\n  var maxValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    maxValue = maxOf(maxValue, v)\n  }\n  return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.maxOfOrNull(selector: (Double) -> Float): Float? {\n  if (isEmpty()) return null\n  var maxValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    maxValue = maxOf(maxValue, v)\n  }\n  return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.maxOfOrNull(selector: (Boolean) -> Float): Float? {\n  if (isEmpty()) return null\n  var maxValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    maxValue = maxOf(maxValue, v)\n  }\n  return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.maxOfOrNull(selector: (Char) -> Float): Float? {\n  if (isEmpty()) return null\n  var maxValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    maxValue = maxOf(maxValue, v)\n  }\n  return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>> Array<out T>.maxOfOrNull(selector: (T) -> R): R? {\n  if (isEmpty()) return null\n  var maxValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if (maxValue < v) {\n      maxValue = v\n    }\n  }\n  return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> ByteArray.maxOfOrNull(selector: (Byte) -> R): R? {\n  if (isEmpty()) return null\n  var maxValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if (maxValue < v) {\n      maxValue = v\n    }\n  }\n  return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> ShortArray.maxOfOrNull(selector: (Short) -> R): R? {\n  if (isEmpty()) return null\n  var maxValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if (maxValue < v) {\n      maxValue = v\n    }\n  }\n  return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n */\n
```

```

maxValue = v\n    }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced
by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
IntArray.maxOfOrNull(selector: (Int) -> R): R? {\n    if (isEmpty()) return null\n    var maxValue =
selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (maxValue < v) {\n
maxValue = v\n    }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced
by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
LongArray.maxOfOrNull(selector: (Long) -> R): R? {\n    if (isEmpty()) return null\n    var maxValue =
selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (maxValue < v) {\n
maxValue = v\n    }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced
by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
FloatArray.maxOfOrNull(selector: (Float) -> R): R? {\n    if (isEmpty()) return null\n    var maxValue =
selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (maxValue < v) {\n
maxValue = v\n    }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced
by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
DoubleArray.maxOfOrNull(selector: (Double) -> R): R? {\n    if (isEmpty()) return null\n    var maxValue =
selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (maxValue < v) {\n
maxValue = v\n    }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced
by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
BooleanArray.maxOfOrNull(selector: (Boolean) -> R): R? {\n    if (isEmpty()) return null\n    var maxValue =
selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (maxValue < v) {\n
maxValue = v\n    }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced
by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
CharArray.maxOfOrNull(selector: (Char) -> R): R? {\n    if (isEmpty()) return null\n    var maxValue =
selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (maxValue < v) {\n
maxValue = v\n    }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value according to the provided
[comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * \n *
@throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> Array<out
T>.maxOfWith(comparator: Comparator<in R>, selector: (T) -> R): R {\n    if (isEmpty()) throw
NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v =
selector(this[i])\n        if (comparator.compare(maxValue, v) < 0) {\n            maxValue = v\n        }\n    }\n    return
maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values
produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if
the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution

```



ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> ByteArray.maxOfWith(comparator: Comparator<in R>, selector: (Byte) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var max\nValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue}\n\n\n/\*\*\n \* Returns the largest value according to the provided [comparator]\n \* among all values produced by [selector] function applied to each element in the array.\n \* \n \* @throws NoSuchElementException if the array is empty.\n \*\n \* \n \* \n \* @SinceKotlin("1.4")\n \* \n \* @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n \* \n \* @OverloadResolution

ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> ShortArray.maxOfWith(comparator: Comparator<in R>, selector: (Short) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var max\nValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue}\n\n\n/\*\*\n \* Returns the largest value according to the provided [comparator]\n \* among all values produced by [selector] function applied to each element in the array.\n \* \n \* @throws NoSuchElementException if the array is empty.\n \*\n \* \n \* \n \* @SinceKotlin("1.4")\n \* \n \* @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n \* \n \* @OverloadResolution

ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> IntArray.maxOfWith(comparator: Comparator<in R>, selector: (Int) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var max\nValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue}\n\n\n/\*\*\n \* Returns the largest value according to the provided [comparator]\n \* among all values produced by [selector] function applied to each element in the array.\n \* \n \* @throws NoSuchElementException if the array is empty.\n \*\n \* \n \* \n \* @SinceKotlin("1.4")\n \* \n \* @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n \* \n \* @OverloadResolution

ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> LongArray.maxOfWith(comparator: Comparator<in R>, selector: (Long) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var max\nValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue}\n\n\n/\*\*\n \* Returns the largest value according to the provided [comparator]\n \* among all values produced by [selector] function applied to each element in the array.\n \* \n \* @throws NoSuchElementException if the array is empty.\n \*\n \* \n \* \n \* @SinceKotlin("1.4")\n \* \n \* @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n \* \n \* @OverloadResolution

ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> FloatArray.maxOfWith(comparator: Comparator<in R>, selector: (Float) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var max\nValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue}\n\n\n/\*\*\n \* Returns the largest value according to the provided [comparator]\n \* among all values produced by [selector] function applied to each element in the array.\n \* \n \* @throws NoSuchElementException if the array is empty.\n \*\n \* \n \* \n \* @SinceKotlin("1.4")\n \* \n \* @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n \* \n \* @OverloadResolution

ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> DoubleArray.maxOfWith(comparator: Comparator<in R>, selector: (Double) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var max\nValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue}\n\n\n/\*\*\n \* Returns the largest value according to the provided [comparator]\n \* among all values produced by [selector] function applied to each element in the array.\n \* \n \* @throws NoSuchElementException if the array is empty.\n \*\n \* \n \* \n \* @SinceKotlin("1.4")\n \* \n \* @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n \* \n \* @OverloadResolution

ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> BooleanArray.maxOfWith(comparator: Comparator<in R>, selector: (Boolean) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var max\nValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue}\n\n\n/\*\*\n \* Returns the largest value according to the provided [comparator]\n \* among all values produced by [selector] function applied to each element in the array.\n \* \n \* @throws NoSuchElementException if the array is empty.\n \*\n \* \n \* \n \* @SinceKotlin("1.4")\n \* \n \* @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n \* \n \* @OverloadResolution

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> CharArray.maxOfWith(comparator:
Comparator<in R>, selector: (Char) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var
maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if
(comparator.compare(maxValue, v) < 0) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n *
Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> Array<out
T>.maxOfWithOrNull(comparator: Comparator<in R>, selector: (T) -> R): R? {\n    if (isEmpty()) return null\n
var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if
(comparator.compare(maxValue, v) < 0) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n *
Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
ByteArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Byte) -> R): R? {\n    if (isEmpty()) return
null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if
(comparator.compare(maxValue, v) < 0) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n *
Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
ShortArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Short) -> R): R? {\n    if (isEmpty())
return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if
(comparator.compare(maxValue, v) < 0) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n *
Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
IntArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Int) -> R): R? {\n    if (isEmpty()) return
null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if
(comparator.compare(maxValue, v) < 0) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n *
Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
LongArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Long) -> R): R? {\n    if (isEmpty())
return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if
(comparator.compare(maxValue, v) < 0) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n *
Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
FloatArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Float) -> R): R? {\n    if (isEmpty())
return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if
(comparator.compare(maxValue, v) < 0) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n *
Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]

```

```

function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
DoubleArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Double) -> R): R? {\n if (isEmpty())
return null\n var max = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if
(comparator.compare(max, v) < 0) {\n max = v\n }\n }\n return max\n}\n\n/**\n *
Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
BooleanArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Boolean) -> R): R? {\n if (isEmpty())
return null\n var max = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if
(comparator.compare(max, v) < 0) {\n max = v\n }\n }\n return max\n}\n\n/**\n *
Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
CharArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Char) -> R): R? {\n if (isEmpty()) return
null\n var max = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if
(comparator.compare(max, v) < 0) {\n max = v\n }\n }\n return max\n}\n\n/**\n *
Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n
*\n@SinceKotlin("1.4")\npublic fun Array<out Double>.maxOrNull(): Double? {\n if (isEmpty()) return null\n
var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n max = maxOf(max, e)\n }\n return
max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN`
returns `NaN`.\n
*\n@SinceKotlin("1.4")\npublic fun Array<out Float>.maxOrNull(): Float? {\n if (isEmpty())
return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n max = maxOf(max, e)\n }\n
return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\npublic fun <T : Comparable<T>> Array<out T>.maxOrNull(): T? {\n if (isEmpty())
return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n
return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\npublic fun ByteArray.maxOrNull(): Byte? {\n if (isEmpty()) return null\n var max =
this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n/**\n *
Returns the largest element or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\npublic fun ShortArray.maxOrNull(): Short? {\n if (isEmpty()) return null\n var max =
this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n/**\n *
Returns the largest element or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\npublic fun IntArray.maxOrNull(): Int? {\n if (isEmpty())
return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n
return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\npublic fun LongArray.maxOrNull(): Long? {\n if (isEmpty()) return null\n var max =
this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n/**\n *
Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n
*\n@SinceKotlin("1.4")\npublic fun FloatArray.maxOrNull(): Float? {\n if (isEmpty()) return null\n var max =
this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n max = maxOf(max, e)\n }\n return
max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN`
returns `NaN`.\n
*\n@SinceKotlin("1.4")\npublic fun DoubleArray.maxOrNull(): Double? {\n if (isEmpty())
return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n max = maxOf(max, e)\n }\n
return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\npublic fun CharArray.maxOrNull(): Char? {\n if (isEmpty()) return null\n var max =

```

```

this[0]\n for (i in 1..lastIndex) {\n     val e = this[i]\n     if (max < e) max = e\n } \n return
max\n}\n\n@Deprecated("Use maxWithOrNull instead.\",
ReplaceWith("this.maxWithOrNull(comparator)")\n)\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\npublic fun <T> Array<out T>.maxWith(comparator: Comparator<in T>): T? {\n
return maxWithOrNull(comparator)\n}\n\n@Deprecated("Use maxWithOrNull instead.\",
ReplaceWith("this.maxWithOrNull(comparator)")\n)\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\npublic fun ByteArray.maxWith(comparator: Comparator<in Byte>): Byte? {\n
return maxWithOrNull(comparator)\n}\n\n@Deprecated("Use maxWithOrNull instead.\",
ReplaceWith("this.maxWithOrNull(comparator)")\n)\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\npublic fun ShortArray.maxWith(comparator: Comparator<in Short>): Short? {\n
return maxWithOrNull(comparator)\n}\n\n@Deprecated("Use maxWithOrNull instead.\",
ReplaceWith("this.maxWithOrNull(comparator)")\n)\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\npublic fun IntArray.maxWith(comparator: Comparator<in Int>): Int? {\n return
maxWithOrNull(comparator)\n}\n\n@Deprecated("Use maxWithOrNull instead.\",
ReplaceWith("this.maxWithOrNull(comparator)")\n)\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\npublic fun LongArray.maxWith(comparator: Comparator<in Long>): Long? {\n
return maxWithOrNull(comparator)\n}\n\n@Deprecated("Use maxWithOrNull instead.\",
ReplaceWith("this.maxWithOrNull(comparator)")\n)\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\npublic fun FloatArray.maxWith(comparator: Comparator<in Float>): Float? {\n
return maxWithOrNull(comparator)\n}\n\n@Deprecated("Use maxWithOrNull instead.\",
ReplaceWith("this.maxWithOrNull(comparator)")\n)\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\npublic fun DoubleArray.maxWith(comparator: Comparator<in Double>): Double?
{\n return maxWithOrNull(comparator)\n}\n\n@Deprecated("Use maxWithOrNull instead.\",
ReplaceWith("this.maxWithOrNull(comparator)")\n)\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\npublic fun BooleanArray.maxWith(comparator: Comparator<in Boolean>):
Boolean? {\n return maxWithOrNull(comparator)\n}\n\n@Deprecated("Use maxWithOrNull instead.\",
ReplaceWith("this.maxWithOrNull(comparator)")\n)\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\npublic fun CharArray.maxWith(comparator: Comparator<in Char>): Char? {\n
return maxWithOrNull(comparator)\n}\n\n/**\n * Returns the first element having the largest value according to the
provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin("1.4")\npublic fun <T> Array<out
T>.maxWithOrNull(comparator: Comparator<in T>): T? {\n if (isEmpty()) return null\n var max = this[0]\n
for (i in 1..lastIndex) {\n     val e = this[i]\n     if (comparator.compare(max, e) < 0) max = e\n } \n
return
max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null`
if there are no elements.\n */\n@SinceKotlin("1.4")\npublic fun ByteArray.maxWithOrNull(comparator:
Comparator<in Byte>): Byte? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n
val e = this[i]\n     if (comparator.compare(max, e) < 0) max = e\n } \n return max\n}\n\n/**\n * Returns the
first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n
*/\n@SinceKotlin("1.4")\npublic fun ShortArray.maxWithOrNull(comparator: Comparator<in Short>): Short? {\n
if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n     val e = this[i]\n     if
(comparator.compare(max, e) < 0) max = e\n } \n return max\n}\n\n/**\n * Returns the first element having the
largest value according to the provided [comparator] or `null` if there are no elements.\n
*/\n@SinceKotlin("1.4")\npublic fun IntArray.maxWithOrNull(comparator: Comparator<in Int>): Int? {\n if
(isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n     val e = this[i]\n     if
(comparator.compare(max, e) < 0) max = e\n } \n return max\n}\n\n/**\n * Returns the first element having the
largest value according to the provided [comparator] or `null` if there are no elements.\n
*/\n@SinceKotlin("1.4")\npublic fun LongArray.maxWithOrNull(comparator: Comparator<in Long>): Long? {\n
if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n     val e = this[i]\n     if
(comparator.compare(max, e) < 0) max = e\n } \n return max\n}\n\n/**\n * Returns the first element having the

```

```

largest value according to the provided [comparator] or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\npublic fun FloatArray.maxOrNull(comparator: Comparator<in Float>): Float? {\n
if (isEmpty()) return null\n    var max = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if\n
(comparator.compare(max, e) < 0) max = e\n    }\n    return max\n}\n\n/**\n * Returns the first element having the\n
largest value according to the provided [comparator] or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\npublic fun DoubleArray.maxOrNull(comparator: Comparator<in Double>):\n
Double? {\n    if (isEmpty()) return null\n    var max = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n
if (comparator.compare(max, e) < 0) max = e\n    }\n    return max\n}\n\n/**\n * Returns the first element having the\n
largest value according to the provided [comparator] or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\npublic fun BooleanArray.maxOrNull(comparator: Comparator<in Boolean>):\n
Boolean? {\n    if (isEmpty()) return null\n    var max = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n
if (comparator.compare(max, e) < 0) max = e\n    }\n    return max\n}\n\n/**\n * Returns the first element having the\n
largest value according to the provided [comparator] or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\npublic fun CharArray.maxOrNull(comparator: Comparator<in Char>): Char? {\n
if (isEmpty()) return null\n    var max = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if\n
(comparator.compare(max, e) < 0) max = e\n    }\n    return max\n}\n\n@Deprecated("Use minOrNull instead.",\n
ReplaceWith("this.minOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",\n
hiddenSince = "1.6")\n@SinceKotlin("1.1")\npublic fun Array<out Double>.min(): Double? {\n    return\n
minOrNull()\n}\n\n@Deprecated("Use minOrNull instead.",\n
ReplaceWith("this.minOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",\n
hiddenSince = "1.6")\n@SinceKotlin("1.1")\npublic fun Array<out Float>.min(): Float? {\n    return\n
minOrNull()\n}\n\n@Deprecated("Use minOrNull instead.",\n
ReplaceWith("this.minOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",\n
hiddenSince = "1.6")\npublic fun <T : Comparable<T>> Array<out T>.min(): T? {\n    return\n
minOrNull()\n}\n\n@Deprecated("Use minOrNull instead.",\n
ReplaceWith("this.minOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",\n
hiddenSince = "1.6")\npublic fun ByteArray.min(): Byte? {\n    return minOrNull()\n}\n\n@Deprecated("Use\n
minOrNull instead.", ReplaceWith("this.minOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4",\n
errorSince = "1.5", hiddenSince = "1.6")\npublic fun ShortArray.min(): Short? {\n    return\n
minOrNull()\n}\n\n@Deprecated("Use minOrNull instead.",\n
ReplaceWith("this.minOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",\n
hiddenSince = "1.6")\npublic fun IntArray.min(): Int? {\n    return minOrNull()\n}\n\n@Deprecated("Use\n
minOrNull instead.", ReplaceWith("this.minOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4",\n
errorSince = "1.5", hiddenSince = "1.6")\npublic fun LongArray.min(): Long? {\n    return\n
minOrNull()\n}\n\n@Deprecated("Use minOrNull instead.",\n
ReplaceWith("this.minOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",\n
hiddenSince = "1.6")\npublic fun FloatArray.min(): Float? {\n    return minOrNull()\n}\n\n@Deprecated("Use\n
minOrNull instead.", ReplaceWith("this.minOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4",\n
errorSince = "1.5", hiddenSince = "1.6")\npublic fun DoubleArray.min(): Double? {\n    return\n
minOrNull()\n}\n\n@Deprecated("Use minOrNull instead.",\n
ReplaceWith("this.minOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",\n
hiddenSince = "1.6")\npublic fun CharArray.min(): Char? {\n    return minOrNull()\n}\n\n@Deprecated("Use\n
minByOrNull instead.", ReplaceWith("this.minByOrNull(selector)"))\n@DeprecatedSinceKotlin(warningSince =\n
"1.4", errorSince = "1.5", hiddenSince = "1.6")\npublic inline fun <T, R : Comparable<R>> Array<out\n
T>.minBy(selector: (T) -> R): T? {\n    return minByOrNull(selector)\n}\n\n@Deprecated("Use minByOrNull\n
instead.", ReplaceWith("this.minByOrNull(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.4",\n
errorSince = "1.5", hiddenSince = "1.6")\npublic inline fun <R : Comparable<R>> ByteArray.minBy(selector:\n
(Byte) -> R): Byte? {\n    return minByOrNull(selector)\n}\n\n@Deprecated("Use minByOrNull instead.",

```

```

ReplaceWith("this.minByOrNull(selector)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince = "1.6")\npublic inline fun <R : Comparable<R>> ShortArray.minBy(selector: (Short) -> R):
Short? {\n    return minByOrNull(selector)\n}\n\n@Deprecated("Use minByOrNull instead."),
ReplaceWith("this.minByOrNull(selector)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince = "1.6")\npublic inline fun <R : Comparable<R>> IntArray.minBy(selector: (Int) -> R): Int?
{\n    return minByOrNull(selector)\n}\n\n@Deprecated("Use minByOrNull instead."),
ReplaceWith("this.minByOrNull(selector)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince = "1.6")\npublic inline fun <R : Comparable<R>> LongArray.minBy(selector: (Long) -> R):
Long? {\n    return minByOrNull(selector)\n}\n\n@Deprecated("Use minByOrNull instead."),
ReplaceWith("this.minByOrNull(selector)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince = "1.6")\npublic inline fun <R : Comparable<R>> FloatArray.minBy(selector: (Float) -> R):
Float? {\n    return minByOrNull(selector)\n}\n\n@Deprecated("Use minByOrNull instead."),
ReplaceWith("this.minByOrNull(selector)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince = "1.6")\npublic inline fun <R : Comparable<R>> DoubleArray.minBy(selector: (Double) ->
R): Double? {\n    return minByOrNull(selector)\n}\n\n@Deprecated("Use minByOrNull instead."),
ReplaceWith("this.minByOrNull(selector)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince = "1.6")\npublic inline fun <R : Comparable<R>> BooleanArray.minBy(selector: (Boolean) -
> R): Boolean? {\n    return minByOrNull(selector)\n}\n\n@Deprecated("Use minByOrNull instead."),
ReplaceWith("this.minByOrNull(selector)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince = "1.6")\npublic inline fun <R : Comparable<R>> CharArray.minBy(selector: (Char) -> R):
Char? {\n    return minByOrNull(selector)\n}\n\n/**\n * Returns the first element yielding the smallest value of the
given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.minByOrNull\n * \n@SinceKotlin("1.4")\npublic inline fun <T, R :
Comparable<R>> Array<out T>.minByOrNull(selector: (T) -> R): T? {\n    if (isEmpty()) return null\n    var
minElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return minElem\n    var minValue =
selector(minElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (minValue > v)
{\n            minElem = e\n            minValue = v\n        }\n    }\n    return minElem\n}\n\n/**\n * Returns the first
element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.minByOrNull\n * \n@SinceKotlin("1.4")\npublic inline fun <R :
Comparable<R>> ByteArray.minByOrNull(selector: (Byte) -> R): Byte? {\n    if (isEmpty()) return null\n    var
minElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return minElem\n    var minValue =
selector(minElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (minValue > v)
{\n            minElem = e\n            minValue = v\n        }\n    }\n    return minElem\n}\n\n/**\n * Returns the first
element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.minByOrNull\n * \n@SinceKotlin("1.4")\npublic inline fun <R :
Comparable<R>> ShortArray.minByOrNull(selector: (Short) -> R): Short? {\n    if (isEmpty()) return null\n    var
minElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return minElem\n    var minValue =
selector(minElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (minValue > v)
{\n            minElem = e\n            minValue = v\n        }\n    }\n    return minElem\n}\n\n/**\n * Returns the first
element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.minByOrNull\n * \n@SinceKotlin("1.4")\npublic inline fun <R :
Comparable<R>> IntArray.minByOrNull(selector: (Int) -> R): Int? {\n    if (isEmpty()) return null\n    var minElem
= this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return minElem\n    var minValue =
selector(minElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (minValue > v)
{\n            minElem = e\n            minValue = v\n        }\n    }\n    return minElem\n}\n\n/**\n * Returns the first
element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.minByOrNull\n * \n@SinceKotlin("1.4")\npublic inline fun <R :
Comparable<R>> LongArray.minByOrNull(selector: (Long) -> R): Long? {\n    if (isEmpty()) return null\n    var

```

```

minElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return minElem\n    var minValue =
selector(minElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (minValue > v)
{\n            minElem = e\n            minValue = v\n        }\n    }\n    return minElem\n}\n\n/**\n * Returns the first
element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.minByOrNull\n * \n * @SinceKotlin("1.4")\npublic inline fun <R :
Comparable<R>> FloatArray.minByOrNull(selector: (Float) -> R): Float? {\n    if (isEmpty()) return null\n    var
minElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return minElem\n    var minValue =
selector(minElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (minValue > v)
{\n            minElem = e\n            minValue = v\n        }\n    }\n    return minElem\n}\n\n/**\n * Returns the first
element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.minByOrNull\n * \n * @SinceKotlin("1.4")\npublic inline fun <R :
Comparable<R>> DoubleArray.minByOrNull(selector: (Double) -> R): Double? {\n    if (isEmpty()) return null\n
var minElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return minElem\n    var minValue =
selector(minElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (minValue > v) {\n
minElem = e\n            minValue = v\n        }\n    }\n    return minElem\n}\n\n/**\n * Returns the first
element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.minByOrNull\n * \n * @SinceKotlin("1.4")\npublic inline fun <R :
Comparable<R>> BooleanArray.minByOrNull(selector: (Boolean) -> R): Boolean? {\n    if (isEmpty()) return
null\n    var minElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return minElem\n    var
minValue = selector(minElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if
(minValue > v) {\n            minElem = e\n            minValue = v\n        }\n    }\n    return minElem\n}\n\n/**\n *
Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n *
@sample samples.collections.Collections.Aggregates.minByOrNull\n * \n * @SinceKotlin("1.4")\npublic inline fun
<R : Comparable<R>> CharArray.minByOrNull(selector: (Char) -> R): Char? {\n    if (isEmpty()) return null\n
var minElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return minElem\n    var minValue =
selector(minElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (minValue > v)
{\n            minElem = e\n            minValue = v\n        }\n    }\n    return minElem\n}\n\n/**\n * Returns the smallest
value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of
values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n * @SinceKotlin("1.4")\n * @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n * @OverloadResolution
ByLambdaReturnType\n * @kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.minOf(selector: (T) ->
Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for
(i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return
minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n * @SinceKotlin("1.4")\n * @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n * @OverloadResolution
ByLambdaReturnType\n * @kotlin.internal.InlineOnly\npublic inline fun ByteArray.minOf(selector: (Byte) ->
Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for
(i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return
minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n * @SinceKotlin("1.4")\n * @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n * @OverloadResolution
ByLambdaReturnType\n * @kotlin.internal.InlineOnly\npublic inline fun ShortArray.minOf(selector: (Short) ->
Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for
(i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return
minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n

```

```

minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.minOf(selector: (Int) -> Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.minOf(selector: (Long) -> Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.minOf(selector: (Float) -> Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.minOf(selector: (Double) -> Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.minOf(selector: (Boolean) -> Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.minOf(selector: (Char) -> Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.minOf(selector: (T) -> Float): Float {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in

```



```

1..lastIndex) {\n    val v = selector(this[i])\n    minValue = minOf(minValue, v)\n } return
minValue}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.minOf(selector: (Byte) -> Float):
Float {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in
1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return
minValue}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.minOf(selector: (Short) ->
Float): Float {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in
1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return
minValue}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.minOf(selector: (Int) -> Float):
Float {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in
1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return
minValue}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.minOf(selector: (Long) ->
Float): Float {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in
1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return
minValue}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.minOf(selector: (Float) -> Float):
Float {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in
1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return
minValue}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.minOf(selector: (Double) ->
Float): Float {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in
1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return
minValue}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.minOf(selector: (Boolean) ->

```

```

Float): Float {
    if (isEmpty()) throw NoSuchElementException()
    var minValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        minValue = minOf(minValue, v)
    }
    return minValue
}

/** Returns the smallest value among all values produced by [selector] function
 * applied to each element in the array.
 * If any of values produced by [selector] function is `NaN`, the returned result is
 * `NaN`.
 * @throws NoSuchElementException if the array is empty.
 */
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun CharArray.minOf(selector: (Char) -> Float):
Float {
    if (isEmpty()) throw NoSuchElementException()
    var minValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        minValue = minOf(minValue, v)
    }
    return minValue
}

/** Returns the smallest value among all values produced by [selector] function
 * applied to each element in the array.
 * @throws NoSuchElementException if the array is empty.
 */
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <T, R : Comparable<R>> Array<out T>.minOf(selector: (T) -> R): R {
    if (isEmpty()) throw NoSuchElementException()
    var minValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        if (minValue > v) {
            minValue = v
        }
    }
    return minValue
}

/** Returns the smallest value among all values produced by [selector] function
 * applied to each element in the array.
 * @throws NoSuchElementException if the array is empty.
 */
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <R : Comparable<R>>
ByteArray.minOf(selector: (Byte) -> R): R {
    if (isEmpty()) throw NoSuchElementException()
    var minValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        if (minValue > v) {
            minValue = v
        }
    }
    return minValue
}

/** Returns the smallest value among all values produced by [selector] function
 * applied to each element in the array.
 * @throws NoSuchElementException if the array is empty.
 */
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <R : Comparable<R>>
ShortArray.minOf(selector: (Short) -> R): R {
    if (isEmpty()) throw NoSuchElementException()
    var minValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        if (minValue > v) {
            minValue = v
        }
    }
    return minValue
}

/** Returns the smallest value among all values produced by [selector] function
 * applied to each element in the array.
 * @throws NoSuchElementException if the array is empty.
 */
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <R : Comparable<R>>
IntArray.minOf(selector: (Int) -> R): R {
    if (isEmpty()) throw NoSuchElementException()
    var minValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        if (minValue > v) {
            minValue = v
        }
    }
    return minValue
}

/** Returns the smallest value among all values produced by [selector] function
 * applied to each element in the array.
 * @throws NoSuchElementException if the array is empty.
 */
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <R : Comparable<R>>
LongArray.minOf(selector: (Long) -> R): R {
    if (isEmpty()) throw NoSuchElementException()
    var minValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        if (minValue > v) {
            minValue = v
        }
    }
    return minValue
}

/** Returns the smallest value among all values produced by [selector] function
 * applied to each element in the array.
 * @throws NoSuchElementException if the array is empty.
 */
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <R : Comparable<R>>

```

```

FloatArray.minOf(selector: (Float) -> R): R {
    if (isEmpty()) throw NoSuchElementException()
    var minValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        if (minValue > v) {
            minValue = v
        }
    }
    return minValue
}
Returns the smallest value among all values produced by [selector] function applied to each element in the array.
@throws NoSuchElementException if the array is empty.

@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <R : Comparable<R>>
DoubleArray.minOf(selector: (Double) -> R): R {
    if (isEmpty()) throw NoSuchElementException()
    var minValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        if (minValue > v) {
            minValue = v
        }
    }
    return minValue
}
Returns the smallest value among all values produced by [selector] function applied to each element in the array.
@throws NoSuchElementException if the array is empty.

@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <R : Comparable<R>>
BooleanArray.minOf(selector: (Boolean) -> R): R {
    if (isEmpty()) throw NoSuchElementException()
    var minValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        if (minValue > v) {
            minValue = v
        }
    }
    return minValue
}
Returns the smallest value among all values produced by [selector] function applied to each element in the array.
@throws NoSuchElementException if the array is empty.

@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <R : Comparable<R>>
CharArray.minOf(selector: (Char) -> R): R {
    if (isEmpty()) throw NoSuchElementException()
    var minValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        if (minValue > v) {
            minValue = v
        }
    }
    return minValue
}
Returns the smallest value among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.
If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.

@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <T> Array<out T>.minOfOrNull(selector: (T) -> Double): Double? {
    if (isEmpty()) return null
    var minValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        minValue = minOf(minValue, v)
    }
    return minValue
}
Returns the smallest value among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.
If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.

@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun ByteArray.minOfOrNull(selector: (Byte) -> Double): Double? {
    if (isEmpty()) return null
    var minValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        minValue = minOf(minValue, v)
    }
    return minValue
}
Returns the smallest value among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.
If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.

@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun ShortArray.minOfOrNull(selector: (Short) -> Double): Double? {
    if (isEmpty()) return null
    var minValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        minValue = minOf(minValue, v)
    }
    return minValue
}
Returns the smallest value among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.
If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.

@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolution

```

ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.minOrNull(selector: (Int) -> Double): Double? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n\*\*\n \* Returns the smallest value among all values produced by [selector] function\n \* applied to each element in the array or `null` if there are no elements.\n \* \n \* If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n

\*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.minOrNull(selector: (Long) -> Double): Double? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n\*\*\n \* Returns the smallest value among all values produced by [selector] function\n \* applied to each element in the array or `null` if there are no elements.\n \* \n \* If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n

\*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.minOrNull(selector: (Float) -> Double): Double? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n\*\*\n \* Returns the smallest value among all values produced by [selector] function\n \* applied to each element in the array or `null` if there are no elements.\n \* \n \* If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n

\*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.minOrNull(selector: (Double) -> Double): Double? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n\*\*\n \* Returns the smallest value among all values produced by [selector] function\n \* applied to each element in the array or `null` if there are no elements.\n \* \n \* If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n

\*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.minOrNull(selector: (Boolean) -> Double): Double? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n\*\*\n \* Returns the smallest value among all values produced by [selector] function\n \* applied to each element in the array or `null` if there are no elements.\n \* \n \* If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n

\*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.minOrNull(selector: (Char) -> Double): Double? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n\*\*\n \* Returns the smallest value among all values produced by [selector] function\n \* applied to each element in the array or `null` if there are no elements.\n \* \n \* If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n

\*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.minOrNull(selector: (T) -> Float): Float? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n\*\*\n \* Returns the smallest value among all values produced by [selector] function\n \* applied to each element in the array or `null` if there are no elements.\n \* \n \* If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.minOfOrNull(selector: (Byte) ->\nFloat): Float? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the\n smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if\n there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is\n `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.minOfOrNull(selector: (Short) ->\nFloat): Float? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the\n smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if\n there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is\n `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.minOfOrNull(selector: (Int) ->\nFloat): Float? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the\n smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if\n there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is\n `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.minOfOrNull(selector: (Long) ->\nFloat): Float? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the\n smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if\n there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is\n `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.minOfOrNull(selector: (Float) ->\nFloat): Float? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the\n smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if\n there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is\n `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.minOfOrNull(selector:\n(Double) -> Float): Float? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in\n1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return\nminValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to\n each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function\n is `NaN`, the returned result is `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.minOfOrNull(selector:\n(Boolean) -> Float): Float? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in\n1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return\nminValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to\n each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function
```

is `NaN`, the returned result is `NaN`.\n

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.minOrNull(selector: (Char) ->\nFloat): Float? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the\n smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if\n there are no elements.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>> Array<out\nT>.minOrNull(selector: (T) -> R): R? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>\nByteArray.minOrNull(selector: (Byte) -> R): R? {\n    if (isEmpty()) return null\n    var minValue =\nselector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced\n by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>\nShortArray.minOrNull(selector: (Short) -> R): R? {\n    if (isEmpty()) return null\n    var minValue =\nselector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced\n by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>\nIntArray.minOrNull(selector: (Int) -> R): R? {\n    if (isEmpty()) return null\n    var minValue =\nselector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced\n by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>\nLongArray.minOrNull(selector: (Long) -> R): R? {\n    if (isEmpty()) return null\n    var minValue =\nselector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced\n by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>\nFloatArray.minOrNull(selector: (Float) -> R): R? {\n    if (isEmpty()) return null\n    var minValue =\nselector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced\n by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>\nDoubleArray.minOrNull(selector: (Double) -> R): R? {\n    if (isEmpty()) return null\n    var minValue =\nselector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced\n
```

```

by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
BooleanArray.minOfOrNull(selector: (Boolean) -> R): R? {\n if (isEmpty()) return null\n var minValue =
selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n
minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
CharArray.minOfOrNull(selector: (Char) -> R): R? {\n if (isEmpty()) return null\n var minValue =
selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n
minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value according to the provided
[comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * \n *
@throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> Array<out
T>.minOfWith(comparator: Comparator<in R>, selector: (T) -> R): R {\n if (isEmpty()) throw
NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v =
selector(this[i])\n if (comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return
minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values
produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if
the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> ByteArray.minOfWith(comparator:
Comparator<in R>, selector: (Byte) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var
minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if
(comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n *
Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> ShortArray.minOfWith(comparator:
Comparator<in R>, selector: (Short) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var
minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if
(comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n *
Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> IntArray.minOfWith(comparator:
Comparator<in R>, selector: (Int) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var minValue
= selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(minValue,
v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value
according to the provided [comparator]\n * among all values produced by [selector] function applied to each
element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> LongArray.minOfWith(comparator:
Comparator<in R>, selector: (Long) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var
minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if
(comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n *
Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n

```

Returns the smallest value according to the provided [comparator] among all values produced by [selector] function applied to each element in the array. @throws NoSuchElementException if the array is empty.

```

*\/@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution
ByLambdaReturnType@kotlin.internal.InlineOnly\npublic inline fun <R> FloatArray.minOfWith(comparator:
Comparator<in R>, selector: (Float) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var
minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if
(comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n**\n
Returns the smallest value according to the provided [comparator] among all values produced by [selector]
function applied to each element in the array. @throws NoSuchElementException if the array is empty.
*\/@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution
ByLambdaReturnType@kotlin.internal.InlineOnly\npublic inline fun <R> DoubleArray.minOfWith(comparator:
Comparator<in R>, selector: (Double) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var
minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if
(comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n**\n
Returns the smallest value according to the provided [comparator] among all values produced by [selector]
function applied to each element in the array. @throws NoSuchElementException if the array is empty.
*\/@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution
ByLambdaReturnType@kotlin.internal.InlineOnly\npublic inline fun <R> BooleanArray.minOfWith(comparator:
Comparator<in R>, selector: (Boolean) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var
minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if
(comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n**\n
Returns the smallest value according to the provided [comparator] among all values produced by [selector]
function applied to each element in the array. @throws NoSuchElementException if the array is empty.
*\/@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution
ByLambdaReturnType@kotlin.internal.InlineOnly\npublic inline fun <R> CharArray.minOfWith(comparator:
Comparator<in R>, selector: (Char) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var
minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if
(comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n**\n
Returns the smallest value according to the provided [comparator] among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.
*\/@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution
ByLambdaReturnType@kotlin.internal.InlineOnly\npublic inline fun <T, R> Array<out
T>.minOfWithOrNull(comparator: Comparator<in R>, selector: (T) -> R): R? {\n if (isEmpty()) return null\n
var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if
(comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n**\n
Returns the smallest value according to the provided [comparator] among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.
*\/@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution
ByLambdaReturnType@kotlin.internal.InlineOnly\npublic inline fun <R>
ByteArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (Byte) -> R): R? {\n if (isEmpty()) return
null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if
(comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n**\n
Returns the smallest value according to the provided [comparator] among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.
*\/@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution
ByLambdaReturnType@kotlin.internal.InlineOnly\npublic inline fun <R>
ShortArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (Short) -> R): R? {\n if (isEmpty())
return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if

```



```

(comparator.compare(minValue, v) > 0) {\n        minValue = v\n    }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]\n function applied to each element in the array or `null` if there are no elements.\n *\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>\nIntArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (Int) -> R): R? {\n    if (isEmpty()) return\n    null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if\n        (comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]\n function applied to each element in the array or `null` if there are no elements.\n *\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>\nLongArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (Long) -> R): R? {\n    if (isEmpty()) return\n    null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if\n        (comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]\n function applied to each element in the array or `null` if there are no elements.\n *\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>\nFloatArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (Float) -> R): R? {\n    if (isEmpty()) return\n    null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if\n        (comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]\n function applied to each element in the array or `null` if there are no elements.\n *\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>\nDoubleArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (Double) -> R): R? {\n    if (isEmpty())\n    return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if\n        (comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]\n function applied to each element in the array or `null` if there are no elements.\n *\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>\nBooleanArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (Boolean) -> R): R? {\n    if (isEmpty())\n    return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if\n        (comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]\n function applied to each element in the array or `null` if there are no elements.\n *\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>\nCharArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (Char) -> R): R? {\n    if (isEmpty()) return\n    null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if\n        (comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n *\n */\n@SinceKotlin("1.4")\npublic fun Array<out Double>.minOrNull(): Double? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        min = minOf(min, e)\n    }\n    return\n    min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n * \n * If any of elements is\n `NaN` returns `NaN`.\n *\n */\n@SinceKotlin("1.4")\npublic fun Array<out Float>.minOrNull(): Float? {\n    if

```

```

(isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n min = minOf(min,
e)\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\npublic fun <T : Comparable<T>> Array<out T>.minOrNull(): T? {\n if (isEmpty())
return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n
return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\npublic fun ByteArray.minOrNull(): Byte? {\n if (isEmpty()) return null\n var min =
this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return min\n}\n\n/**\n *
Returns the smallest element or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\npublic fun ShortArray.minOrNull(): Short? {\n if (isEmpty()) return null\n var min =
this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return min\n}\n\n/**\n *
Returns the smallest element or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\npublic fun IntArray.minOrNull(): Int? {\n if (isEmpty())
return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n
return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\npublic fun LongArray.minOrNull(): Long? {\n if (isEmpty()) return null\n var min =
this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return min\n}\n\n/**\n *
Returns the smallest element or `null` if there are no elements.\n
*\n * \n * If any of elements is `NaN` returns `NaN`.\n
*\n@SinceKotlin("1.4")\npublic fun FloatArray.minOrNull(): Float? {\n if (isEmpty()) return null\n var min =
this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n min = minOf(min, e)\n }\n return min\n}\n\n/**\n *
Returns the smallest element or `null` if there are no elements.\n
*\n * \n * If any of elements is `NaN` returns `NaN`.\n
*\n@SinceKotlin("1.4")\npublic fun DoubleArray.minOrNull(): Double? {\n if (isEmpty()) return null\n var
min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n min = minOf(min, e)\n }\n return
min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\npublic fun CharArray.minOrNull(): Char? {\n if (isEmpty()) return null\n var min =
this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return
min\n}\n\n@Deprecated("Use minWithOrNull instead.")
ReplaceWith("this.minWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\npublic fun <T> Array<out T>.minWith(comparator: Comparator<in T>): T? {\n
return minWithOrNull(comparator)\n}\n\n@Deprecated("Use minWithOrNull instead.")
ReplaceWith("this.minWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\npublic fun ByteArray.minWith(comparator: Comparator<in Byte>): Byte? {\n
return minWithOrNull(comparator)\n}\n\n@Deprecated("Use minWithOrNull instead.")
ReplaceWith("this.minWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\npublic fun ShortArray.minWith(comparator: Comparator<in Short>): Short? {\n
return minWithOrNull(comparator)\n}\n\n@Deprecated("Use minWithOrNull instead.")
ReplaceWith("this.minWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\npublic fun IntArray.minWith(comparator: Comparator<in Int>): Int? {\n return
minWithOrNull(comparator)\n}\n\n@Deprecated("Use minWithOrNull instead.")
ReplaceWith("this.minWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\npublic fun LongArray.minWith(comparator: Comparator<in Long>): Long? {\n
return minWithOrNull(comparator)\n}\n\n@Deprecated("Use minWithOrNull instead.")
ReplaceWith("this.minWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\npublic fun FloatArray.minWith(comparator: Comparator<in Float>): Float? {\n
return minWithOrNull(comparator)\n}\n\n@Deprecated("Use minWithOrNull instead.")
ReplaceWith("this.minWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\npublic fun DoubleArray.minWith(comparator: Comparator<in Double>): Double?
{\n return minWithOrNull(comparator)\n}\n\n@Deprecated("Use minWithOrNull instead.")
ReplaceWith("this.minWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\npublic fun BooleanArray.minWith(comparator: Comparator<in Boolean>):

```

```

Boolean? { \n  return minWithOrNull(comparator)\n}\n\n@Deprecated(\\"Use minWithOrNull instead.\",
ReplaceWith(\\"this.minWithOrNull(comparator)\")\n)\n@DeprecatedSinceKotlin(warningSince = \\"1.4\", errorSince
= \\"1.5\", hiddenSince = \\"1.6\")\npublic fun CharArray.minWith(comparator: Comparator<in Char>): Char? { \n
return minWithOrNull(comparator)\n}\n\n/**\n * Returns the first element having the smallest value according to
the provided [comparator] or `null` if there are no elements.\n * \n\n@SinceKotlin(\\"1.4\")\npublic fun <T> Array<out
T>.minWithOrNull(comparator: Comparator<in T>): T? { \n  if (isEmpty()) return null\n  var min = this[0]\n  for
(i in 1..lastIndex) { \n    val e = this[i]\n    if (comparator.compare(min, e) > 0) min = e\n  }\n  return
min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or
`null` if there are no elements.\n * \n\n@SinceKotlin(\\"1.4\")\npublic fun ByteArray.minWithOrNull(comparator:
Comparator<in Byte>): Byte? { \n  if (isEmpty()) return null\n  var min = this[0]\n  for (i in 1..lastIndex) { \n
val e = this[i]\n    if (comparator.compare(min, e) > 0) min = e\n  }\n  return min\n}\n\n/**\n * Returns the first
element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n
\n@SinceKotlin(\\"1.4\")\npublic fun ShortArray.minWithOrNull(comparator: Comparator<in Short>): Short? { \n
if (isEmpty()) return null\n  var min = this[0]\n  for (i in 1..lastIndex) { \n    val e = this[i]\n    if
(comparator.compare(min, e) > 0) min = e\n  }\n  return min\n}\n\n/**\n * Returns the first element having the
smallest value according to the provided [comparator] or `null` if there are no elements.\n
\n@SinceKotlin(\\"1.4\")\npublic fun IntArray.minWithOrNull(comparator: Comparator<in Int>): Int? { \n  if
(isEmpty()) return null\n  var min = this[0]\n  for (i in 1..lastIndex) { \n    val e = this[i]\n    if
(comparator.compare(min, e) > 0) min = e\n  }\n  return min\n}\n\n/**\n * Returns the first element having the
smallest value according to the provided [comparator] or `null` if there are no elements.\n
\n@SinceKotlin(\\"1.4\")\npublic fun LongArray.minWithOrNull(comparator: Comparator<in Long>): Long? { \n
if (isEmpty()) return null\n  var min = this[0]\n  for (i in 1..lastIndex) { \n    val e = this[i]\n    if
(comparator.compare(min, e) > 0) min = e\n  }\n  return min\n}\n\n/**\n * Returns the first element having the
smallest value according to the provided [comparator] or `null` if there are no elements.\n
\n@SinceKotlin(\\"1.4\")\npublic fun FloatArray.minWithOrNull(comparator: Comparator<in Float>): Float? { \n
if (isEmpty()) return null\n  var min = this[0]\n  for (i in 1..lastIndex) { \n    val e = this[i]\n    if
(comparator.compare(min, e) > 0) min = e\n  }\n  return min\n}\n\n/**\n * Returns the first element having the
smallest value according to the provided [comparator] or `null` if there are no elements.\n
\n@SinceKotlin(\\"1.4\")\npublic fun DoubleArray.minWithOrNull(comparator: Comparator<in Double>):
Double? { \n  if (isEmpty()) return null\n  var min = this[0]\n  for (i in 1..lastIndex) { \n    val e = this[i]\n
if (comparator.compare(min, e) > 0) min = e\n  }\n  return min\n}\n\n/**\n * Returns the first element having the
smallest value according to the provided [comparator] or `null` if there are no elements.\n
\n@SinceKotlin(\\"1.4\")\npublic fun BooleanArray.minWithOrNull(comparator: Comparator<in Boolean>):
Boolean? { \n  if (isEmpty()) return null\n  var min = this[0]\n  for (i in 1..lastIndex) { \n    val e = this[i]\n
if (comparator.compare(min, e) > 0) min = e\n  }\n  return min\n}\n\n/**\n * Returns the first element having the
smallest value according to the provided [comparator] or `null` if there are no elements.\n
\n@SinceKotlin(\\"1.4\")\npublic fun CharArray.minWithOrNull(comparator: Comparator<in Char>): Char? { \n
if (isEmpty()) return null\n  var min = this[0]\n  for (i in 1..lastIndex) { \n    val e = this[i]\n    if
(comparator.compare(min, e) > 0) min = e\n  }\n  return min\n}\n\n/**\n * Returns `true` if the array has no
elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n * \n\npublic fun <T> Array<out
T>.none(): Boolean { \n  return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n *
\n * @sample samples.collections.Collections.Aggregates.none\n * \n\npublic fun ByteArray.none(): Boolean { \n  return
isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.none\n * \n\npublic fun ShortArray.none(): Boolean { \n  return
isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.none\n * \n\npublic fun IntArray.none(): Boolean { \n  return
isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.none\n * \n\npublic fun LongArray.none(): Boolean { \n  return

```

```

isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.none\n */\npublic fun FloatArray.none(): Boolean {\n    return
isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.none\n */\npublic fun DoubleArray.none(): Boolean {\n    return
isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.none\n */\npublic fun BooleanArray.none(): Boolean {\n    return
isEmpty()\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun <T> Array<out
T>.none(predicate: (T) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return false\n    return
true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun ByteArray.none(predicate:
(Byte) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return false\n    return
true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun ShortArray.none(predicate:
(Short) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return false\n    return
true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun IntArray.none(predicate: (Int)
-> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return false\n    return true\n}\n\n/**\n *
Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun LongArray.none(predicate:
(Long) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return false\n    return
true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun FloatArray.none(predicate:
(Float) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return false\n    return
true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun DoubleArray.none(predicate:
(Double) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return false\n    return
true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun
BooleanArray.none(predicate: (Boolean) -> Boolean): Boolean {\n    for (element in this) if (predicate(element))
return false\n    return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun CharArray.none(predicate:
(Char) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return false\n    return
true\n}\n\n/**\n * Performs the given [action] on each element and returns the array itself afterwards.\n
*/\n\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.onEach(action: (T) ->
Unit): Array<out T> {\n    return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given
[action] on each element and returns the array itself afterwards.\n
*/\n\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.onEach(action: (Byte) ->
Unit): ByteArray {\n    return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given
[action] on each element and returns the array itself afterwards.\n
*/\n\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.onEach(action: (Short) ->
Unit): ShortArray {\n    return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given
[action] on each element and returns the array itself afterwards.\n
*/\n\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.onEach(action: (Int) -> Unit):
IntArray {\n    return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given [action] on
each element and returns the array itself afterwards.\n

```

```

*^@SinceKotlin("1.4")^@kotlin.internal.InlineOnly^public inline fun LongArray.onEach(action: (Long) ->
Unit): LongArray {^ return apply { for (element in this) action(element) }^}^n/n/**^ * Performs the given
[action] on each element and returns the array itself afterwards.^n
*^@SinceKotlin("1.4")^@kotlin.internal.InlineOnly^public inline fun FloatArray.onEach(action: (Float) ->
Unit): FloatArray {^ return apply { for (element in this) action(element) }^}^n/n/**^ * Performs the given
[action] on each element and returns the array itself afterwards.^n
*^@SinceKotlin("1.4")^@kotlin.internal.InlineOnly^public inline fun DoubleArray.onEach(action: (Double) ->
Unit): DoubleArray {^ return apply { for (element in this) action(element) }^}^n/n/**^ * Performs the given
[action] on each element and returns the array itself afterwards.^n
*^@SinceKotlin("1.4")^@kotlin.internal.InlineOnly^public inline fun BooleanArray.onEach(action: (Boolean)
-> Unit): BooleanArray {^ return apply { for (element in this) action(element) }^}^n/n/**^ * Performs the given
[action] on each element and returns the array itself afterwards.^n
*^@SinceKotlin("1.4")^@kotlin.internal.InlineOnly^public inline fun CharArray.onEach(action: (Char) ->
Unit): CharArray {^ return apply { for (element in this) action(element) }^}^n/n/**^ * Performs the given
[action] on each element, providing sequential index with the element,^n * and returns the array itself afterwards.^n *
@param [action] function that takes the index of an element and the element itself^n * and performs the action on
the element.^n *^@SinceKotlin("1.4")^@kotlin.internal.InlineOnly^public inline fun <T> Array<out
T>.onEachIndexed(action: (index: Int, T) -> Unit): Array<out T> {^ return apply { forEachIndexed(action)
}^}^n/n/**^ * Performs the given [action] on each element, providing sequential index with the element,^n * and
returns the array itself afterwards.^n * @param [action] function that takes the index of an element and the element
itself^n * and performs the action on the element.^n *^@SinceKotlin("1.4")^@kotlin.internal.InlineOnly^public
inline fun ByteArray.onEachIndexed(action: (index: Int, Byte) -> Unit): ByteArray {^ return apply {
forEachIndexed(action) }^}^n/n/**^ * Performs the given [action] on each element, providing sequential index
with the element,^n * and returns the array itself afterwards.^n * @param [action] function that takes the index of an
element and the element itself^n * and performs the action on the element.^n
*^@SinceKotlin("1.4")^@kotlin.internal.InlineOnly^public inline fun ShortArray.onEachIndexed(action:
(index: Int, Short) -> Unit): ShortArray {^ return apply { forEachIndexed(action) }^}^n/n/**^ * Performs the
given [action] on each element, providing sequential index with the element,^n * and returns the array itself
afterwards.^n * @param [action] function that takes the index of an element and the element itself^n * and performs
the action on the element.^n *^@SinceKotlin("1.4")^@kotlin.internal.InlineOnly^public inline fun
IntArray.onEachIndexed(action: (index: Int, Int) -> Unit): IntArray {^ return apply { forEachIndexed(action)
}^}^n/n/**^ * Performs the given [action] on each element, providing sequential index with the element,^n * and
returns the array itself afterwards.^n * @param [action] function that takes the index of an element and the element
itself^n * and performs the action on the element.^n *^@SinceKotlin("1.4")^@kotlin.internal.InlineOnly^public
inline fun LongArray.onEachIndexed(action: (index: Int, Long) -> Unit): LongArray {^ return apply {
forEachIndexed(action) }^}^n/n/**^ * Performs the given [action] on each element, providing sequential index
with the element,^n * and returns the array itself afterwards.^n * @param [action] function that takes the index of an
element and the element itself^n * and performs the action on the element.^n
*^@SinceKotlin("1.4")^@kotlin.internal.InlineOnly^public inline fun FloatArray.onEachIndexed(action:
(index: Int, Float) -> Unit): FloatArray {^ return apply { forEachIndexed(action) }^}^n/n/**^ * Performs the
given [action] on each element, providing sequential index with the element,^n * and returns the array itself
afterwards.^n * @param [action] function that takes the index of an element and the element itself^n * and performs
the action on the element.^n *^@SinceKotlin("1.4")^@kotlin.internal.InlineOnly^public inline fun
DoubleArray.onEachIndexed(action: (index: Int, Double) -> Unit): DoubleArray {^ return apply {
forEachIndexed(action) }^}^n/n/**^ * Performs the given [action] on each element, providing sequential index
with the element,^n * and returns the array itself afterwards.^n * @param [action] function that takes the index of an
element and the element itself^n * and performs the action on the element.^n
*^@SinceKotlin("1.4")^@kotlin.internal.InlineOnly^public inline fun BooleanArray.onEachIndexed(action:

```

```

(index: Int, Boolean) -> Unit): BooleanArray {
    return apply {
        forEachIndexed(action)
    }
}

/**
 * Performs the given [action] on each element, providing sequential index with the element,
 * and returns the array itself afterwards.
 * @param [action] function that takes the index of an element and the element itself
 * and performs the action on the element.
 */
@SinceKotlin("1.4")
@kotlin.internal.InlineOnly
public inline fun CharArray.onEachIndexed(action: (index: Int, Char) -> Unit): CharArray {
    return apply {
        forEachIndexed(action)
    }
}

/**
 * Accumulates value starting with the first element and applying [operation] from left to right
 * to current accumulator value and each element.
 * Throws an exception if this array is empty.
 * If the array can be empty in an expected way, please use [reduceOrNull] instead.
 * It returns `null` when its receiver is empty.
 * @param [operation] function that takes current accumulator value and an element,
 * and calculates the next accumulator value.
 */
@sample samples.collections.Collections.Aggregates.reduce
public inline fun <S, T : S> Array<out T>.reduce(operation: (acc: S, T) -> S): S {
    if (isEmpty())
        throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator: S = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(accumulator, this[index])
    }
    return accumulator
}

/**
 * Accumulates value starting with the first element and applying [operation] from left to right
 * to current accumulator value and each element.
 * Throws an exception if this array is empty.
 * If the array can be empty in an expected way, please use [reduceOrNull] instead.
 * It returns `null` when its receiver is empty.
 * @param [operation] function that takes current accumulator value and an element,
 * and calculates the next accumulator value.
 */
@sample samples.collections.Collections.Aggregates.reduce
public inline fun ByteArray.reduce(operation: (acc: Byte, Byte) -> Byte): Byte {
    if (isEmpty())
        throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(accumulator, this[index])
    }
    return accumulator
}

/**
 * Accumulates value starting with the first element and applying [operation] from left to right
 * to current accumulator value and each element.
 * Throws an exception if this array is empty.
 * If the array can be empty in an expected way, please use [reduceOrNull] instead.
 * It returns `null` when its receiver is empty.
 * @param [operation] function that takes current accumulator value and an element,
 * and calculates the next accumulator value.
 */
@sample samples.collections.Collections.Aggregates.reduce
public inline fun ShortArray.reduce(operation: (acc: Short, Short) -> Short): Short {
    if (isEmpty())
        throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(accumulator, this[index])
    }
    return accumulator
}

/**
 * Accumulates value starting with the first element and applying [operation] from left to right
 * to current accumulator value and each element.
 * Throws an exception if this array is empty.
 * If the array can be empty in an expected way, please use [reduceOrNull] instead.
 * It returns `null` when its receiver is empty.
 * @param [operation] function that takes current accumulator value and an element,
 * and calculates the next accumulator value.
 */
@sample samples.collections.Collections.Aggregates.reduce
public inline fun IntArray.reduce(operation: (acc: Int, Int) -> Int): Int {
    if (isEmpty())
        throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(accumulator, this[index])
    }
    return accumulator
}

/**
 * Accumulates value starting with the first element and applying [operation] from left to right
 * to current accumulator value and each element.
 * Throws an exception if this array is empty.
 * If the array can be empty in an expected way, please use [reduceOrNull] instead.
 * It returns `null` when its receiver is empty.
 * @param [operation] function that takes current accumulator value and an element,
 * and calculates the next accumulator value.
 */
@sample samples.collections.Collections.Aggregates.reduce
public inline fun LongArray.reduce(operation: (acc: Long, Long) -> Long): Long {
    if (isEmpty())
        throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(accumulator, this[index])
    }
    return accumulator
}

/**
 * Accumulates value starting with the first element and applying [operation] from left to right
 * to current accumulator value and each element.
 * Throws an exception if this array is empty.
 * If the array can be empty in an expected way, please use [reduceOrNull] instead.
 * It returns `null` when its receiver is empty.
 */

```

@param [operation] function that takes current accumulator value and an element,  
 and calculates the next accumulator value.

```

@sample samples.collections.Collections.Aggregates.reduce
public inline fun FloatArray.reduce(operation: (acc: Float, Float) -> Float): Float {
    if (isEmpty()) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(accumulator, this[index])
    }
    return accumulator
}

```

Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element. Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceOrNull] instead. It returns `null` when its receiver is empty.

@param [operation] function that takes current accumulator value and an element,  
 and calculates the next accumulator value.

```

@sample samples.collections.Collections.Aggregates.reduce
public inline fun DoubleArray.reduce(operation: (acc: Double, Double) -> Double): Double {
    if (isEmpty()) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(accumulator, this[index])
    }
    return accumulator
}

```

Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element. Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceOrNull] instead. It returns `null` when its receiver is empty.

@param [operation] function that takes current accumulator value and an element,  
 and calculates the next accumulator value.

```

@sample samples.collections.Collections.Aggregates.reduce
public inline fun BooleanArray.reduce(operation: (acc: Boolean, Boolean) -> Boolean): Boolean {
    if (isEmpty()) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(accumulator, this[index])
    }
    return accumulator
}

```

Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element. Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceOrNull] instead. It returns `null` when its receiver is empty.

@param [operation] function that takes current accumulator value and an element,  
 and calculates the next accumulator value.

```

@sample samples.collections.Collections.Aggregates.reduce
public inline fun CharArray.reduce(operation: (acc: Char, Char) -> Char): Char {
    if (isEmpty()) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(accumulator, this[index])
    }
    return accumulator
}

```

Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element with its index in the original array. Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.

@param [operation] function that takes the index of an element, current accumulator value and the element itself,  
 and calculates the next accumulator value.

```

@sample samples.collections.Collections.Aggregates.reduce
public inline fun <S, T : S> Array<out T>.reduceIndexed(operation: (index: Int, acc: S, T) -> S): S {
    if (isEmpty()) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator: S = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(index, accumulator, this[index])
    }
    return accumulator
}

```

Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element with its index in the original array. Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.

@param [operation] function that takes the index of an element, current accumulator value and the element itself,  
 and calculates the next accumulator value.

```

@sample samples.collections.Collections.Aggregates.reduce
public inline fun ByteArray.reduceIndexed(operation: (index: Int, acc: Byte, Byte) -> Byte): Byte {
    if (isEmpty()) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(index, accumulator, this[index])
    }
    return accumulator
}

```

Accumulates value starting with the first element and applying [operation] from left to

right\n \* to current accumulator value and each element with its index in the original array.\n \* \n \* Throws an exception if this array is empty. If the array can be empty in an expected way,\n \* please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.\n \* \n \* @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n \* and calculates the next accumulator value.\n \* \n \* @sample samples.collections.Collections.Aggregates.reduce\n \* ^\npublic inline fun

ShortArray.reduceIndexed(operation: (index: Int, acc: Short, Short) -> Short): Short {\n if (isEmpty())\n throw UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/\*\*\n \* Accumulates value starting with the first element and applying [operation] from left to right\n \* to current accumulator value and each element with its index in the original array.\n \* \n \* Throws an exception if this array is empty. If the array can be empty in an expected way,\n \* please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.\n \* \n \* @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n \* and calculates the next accumulator value.\n \* \n \* @sample samples.collections.Collections.Aggregates.reduce\n \* ^\npublic inline fun

IntArray.reduceIndexed(operation: (index: Int, acc: Int, Int) -> Int): Int {\n if (isEmpty())\n throw UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/\*\*\n \* Accumulates value starting with the first element and applying [operation] from left to right\n \* to current accumulator value and each element with its index in the original array.\n \* \n \* Throws an exception if this array is empty. If the array can be empty in an expected way,\n \* please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.\n \* \n \* @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n \* and calculates the next accumulator value.\n \* \n \* @sample samples.collections.Collections.Aggregates.reduce\n \* ^\npublic inline fun

LongArray.reduceIndexed(operation: (index: Int, acc: Long, Long) -> Long): Long {\n if (isEmpty())\n throw UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/\*\*\n \* Accumulates value starting with the first element and applying [operation] from left to right\n \* to current accumulator value and each element with its index in the original array.\n \* \n \* Throws an exception if this array is empty. If the array can be empty in an expected way,\n \* please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.\n \* \n \* @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n \* and calculates the next accumulator value.\n \* \n \* @sample samples.collections.Collections.Aggregates.reduce\n \* ^\npublic inline fun

FloatArray.reduceIndexed(operation: (index: Int, acc: Float, Float) -> Float): Float {\n if (isEmpty())\n throw UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/\*\*\n \* Accumulates value starting with the first element and applying [operation] from left to right\n \* to current accumulator value and each element with its index in the original array.\n \* \n \* Throws an exception if this array is empty. If the array can be empty in an expected way,\n \* please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.\n \* \n \* @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n \* and calculates the next accumulator value.\n \* \n \* @sample samples.collections.Collections.Aggregates.reduce\n \* ^\npublic inline fun

DoubleArray.reduceIndexed(operation: (index: Int, acc: Double, Double) -> Double): Double {\n if (isEmpty())\n throw UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/\*\*\n \* Accumulates value starting with the first element and applying [operation] from left to right\n \* to current accumulator value and each element with its index in the original array.\n \* \n \* Throws an exception if this array is empty. If the array can be empty in an expected way,\n \* please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.\n \* \n \* @param [operation] function that takes the index of an



element, current accumulator value and the element itself, and calculates the next accumulator value.

```

@sample samples.collections.Collections.Aggregates.reduce
BooleanArray.reduceIndexed(operation: (index: Int, acc: Boolean, Boolean) -> Boolean): Boolean {
    if (isEmpty())
        throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(index, accumulator, this[index])
    }
    return accumulator
}

```

Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element with its index in the original array. Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.

@param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.

```

@sample samples.collections.Collections.Aggregates.reduce
CharArray.reduceIndexed(operation: (index: Int, acc: Char, Char) -> Char): Char {
    if (isEmpty())
        throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(index, accumulator, this[index])
    }
    return accumulator
}

```

Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element with its index in the original array. Returns `null` if the array is empty.

@param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.

```

@sample samples.collections.Collections.Aggregates.reduceOrNull
@SinceKotlin("1.4")
public inline fun <S, T : S> Array<out T>.reduceIndexedOrNull(operation: (index: Int, acc: S, T) -> S): S? {
    if (isEmpty())
        return null
    var accumulator: S = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(index, accumulator, this[index])
    }
    return accumulator
}

```

Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element with its index in the original array. Returns `null` if the array is empty.

@param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.

```

@sample samples.collections.Collections.Aggregates.reduceOrNull
@SinceKotlin("1.4")
public inline fun ByteArray.reduceIndexedOrNull(operation: (index: Int, acc: Byte, Byte) -> Byte): Byte? {
    if (isEmpty())
        return null
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(index, accumulator, this[index])
    }
    return accumulator
}

```

Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element with its index in the original array. Returns `null` if the array is empty.

@param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.

```

@sample samples.collections.Collections.Aggregates.reduceOrNull
@SinceKotlin("1.4")
public inline fun ShortArray.reduceIndexedOrNull(operation: (index: Int, acc: Short, Short) -> Short): Short? {
    if (isEmpty())
        return null
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(index, accumulator, this[index])
    }
    return accumulator
}

```

Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element with its index in the original array. Returns `null` if the array is empty.

@param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.

```

@sample samples.collections.Collections.Aggregates.reduceOrNull
@SinceKotlin("1.4")
public inline fun IntArray.reduceIndexedOrNull(operation: (index: Int, acc: Int, Int) -> Int): Int? {
    if (isEmpty())
        return null
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(index, accumulator, this[index])
    }
    return accumulator
}

```

Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element with its index in the original array. Returns `null` if the array is empty.

@param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.

```

*^@SinceKotlin("1.4")\npublic inline fun LongArray.reduceIndexedOrNull(operation: (index: Int, acc: Long, Long) -> Long): Long? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n*^@SinceKotlin("1.4")\npublic inline fun FloatArray.reduceIndexedOrNull(operation: (index: Int, acc: Float, Float) -> Float): Float? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n*^@SinceKotlin("1.4")\npublic inline fun DoubleArray.reduceIndexedOrNull(operation: (index: Int, acc: Double, Double) -> Double): Double? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n*^@SinceKotlin("1.4")\npublic inline fun BooleanArray.reduceIndexedOrNull(operation: (index: Int, acc: Boolean, Boolean) -> Boolean): Boolean? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n*^@SinceKotlin("1.4")\npublic inline fun CharArray.reduceIndexedOrNull(operation: (index: Int, acc: Char, Char) -> Char): Char? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n*^@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <S, T : S> Array<out T>.reduceOrNull(operation: (acc: S, T) -> S): S? {\n if (isEmpty())\n return null\n var accumulator: S = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n*^@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun ByteArray.reduceOrNull(operation: (acc: Byte, Byte) -> Byte): Byte? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation]

```

```

from left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if the array is empty.\n *
\n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n
*/\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun
ShortArray.reduceOrNull(operation: (acc: Short, Short) -> Short): Short? {\n if (isEmpty())\n return null\n
var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n
}\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation]
from left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if the array is empty.\n *
\n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n
*/\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun
IntArray.reduceOrNull(operation: (acc: Int, Int) -> Int): Int? {\n if (isEmpty())\n return null\n var
accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n
}\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation]
from left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if the array is empty.\n *
\n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n
*/\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun
LongArray.reduceOrNull(operation: (acc: Long, Long) -> Long): Long? {\n if (isEmpty())\n return null\n
var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n
}\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation]
from left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if the array is empty.\n *
\n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n
*/\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun
FloatArray.reduceOrNull(operation: (acc: Float, Float) -> Float): Float? {\n if (isEmpty())\n return null\n var
accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n
}\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation]
from left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if the array is empty.\n *
\n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n
*/\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun
DoubleArray.reduceOrNull(operation: (acc: Double, Double) -> Double): Double? {\n if (isEmpty())\n return
null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator,
this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and
applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if
the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n *
and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceOrNull\n
*/\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun
BooleanArray.reduceOrNull(operation: (acc: Boolean, Boolean) -> Boolean): Boolean? {\n if (isEmpty())\n
return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator =
operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the
first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n *
Returns `null` if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and
an element,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceOrNull\n
*/\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun

```

```

CharArray.reduceOrNull(operation: (acc: Char, Char) -> Char): Char? {
    if (isEmpty()) return null
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(accumulator, this[index])
    }
    return accumulator
}

```

Accumulates value starting with the last element and applying [operation] from right to left to each element and current accumulator value. Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.
 @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.
 @sample

```

samples.collections.Collections.Aggregates.reduceRight

```

```

public inline fun <S, T : S> Array<out T>.reduceRight(operation: (T, acc: S) -> S): S {
    var index = lastIndex
    if (index < 0) throw
    UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator: S = get(index--)
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}

```

Accumulates value starting with the last element and applying [operation] from right to left to each element and current accumulator value. Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.
 @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.
 @sample

```

samples.collections.Collections.Aggregates.reduceRight

```

```

public inline fun ByteArray.reduceRight(operation: (Byte, acc: Byte) -> Byte): Byte {
    var index = lastIndex
    if (index < 0) throw
    UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}

```

Accumulates value starting with the last element and applying [operation] from right to left to each element and current accumulator value. Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.
 @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.
 @sample

```

samples.collections.Collections.Aggregates.reduceRight

```

```

public inline fun ShortArray.reduceRight(operation: (Short, acc: Short) -> Short): Short {
    var index = lastIndex
    if (index < 0) throw
    UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}

```

Accumulates value starting with the last element and applying [operation] from right to left to each element and current accumulator value. Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.
 @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.
 @sample

```

samples.collections.Collections.Aggregates.reduceRight

```

```

public inline fun IntArray.reduceRight(operation: (Int, acc: Int) -> Int): Int {
    var index = lastIndex
    if (index < 0) throw
    UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}

```

Accumulates value starting with the last element and applying [operation] from right to left to each element and current accumulator value. Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.
 @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.
 @sample

```

samples.collections.Collections.Aggregates.reduceRight

```

```

public inline fun LongArray.reduceRight(operation: (Long, acc: Long) -> Long): Long {
    var index = lastIndex
    if (index < 0) throw
    UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}

```

Accumulates value starting with the last element and applying [operation] from right to left to each element and current accumulator value. Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.
 @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.
 @sample

and calculates the next accumulator value.

```

samples.collections.Collections.Aggregates.reduceRight
public inline fun FloatArray.reduceRight(operation: (Float, acc: Float) -> Float): Float {
    var index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}

```

Accumulates value starting with the last element and applying [operation] from right to left to each element and current accumulator value. Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.

@param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.

```

samples.collections.Collections.Aggregates.reduceRight
public inline fun DoubleArray.reduceRight(operation: (Double, acc: Double) -> Double): Double {
    var index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}

```

Accumulates value starting with the last element and applying [operation] from right to left to each element and current accumulator value. Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.

@param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.

```

samples.collections.Collections.Aggregates.reduceRight
public inline fun BooleanArray.reduceRight(operation: (Boolean, acc: Boolean) -> Boolean): Boolean {
    var index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}

```

Accumulates value starting with the last element and applying [operation] from right to left to each element and current accumulator value. Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.

@param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.

```

samples.collections.Collections.Aggregates.reduceRight
public inline fun CharArray.reduceRight(operation: (Char, acc: Char) -> Char): Char {
    var index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}

```

Accumulates value starting with the last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value. Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.

@param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

```

samples.collections.Collections.Aggregates.reduceRight
public inline fun <S, T : S> Array<out T>.reduceRightIndexed(operation: (index: Int, T, acc: S) -> S): S {
    var index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator: S = get(index--)
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

```

Accumulates value starting with the last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value. Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.

@param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

```

samples.collections.Collections.Aggregates.reduceRight
public inline fun ByteArray.reduceRightIndexed(operation: (index: Int, Byte, acc: Byte) -> Byte): Byte {
    var index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
    var

```

```

accumulator = get(index--)\n  while (index >= 0) {\n    accumulator = operation(index, get(index),
accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the last
element and applying [operation] from right to left\n * to each element with its index in the original array and
current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an
expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n
* @param [operation] function that takes the index of an element, the element itself and current accumulator
value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n */\n\npublic inline fun
ShortArray.reduceRightIndexed(operation: (index: Int, Short, acc: Short) -> Short): Short {\n  var index =
lastIndex\n  if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n  var
accumulator = get(index--)\n  while (index >= 0) {\n    accumulator = operation(index, get(index),
accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the last
element and applying [operation] from right to left\n * to each element with its index in the original array and
current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an
expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n
* @param [operation] function that takes the index of an element, the element itself and current accumulator
value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n */\n\npublic inline fun
IntArray.reduceRightIndexed(operation: (index: Int, Int, acc: Int) -> Int): Int {\n  var index = lastIndex\n  if (index
< 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator = get(index--)\n
while (index >= 0) {\n    accumulator = operation(index, get(index), accumulator)\n    --index\n  }\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to
left\n * to each element with its index in the original array and current accumulator value.\n * \n * Throws an
exception if this array is empty. If the array can be empty in an expected way,\n * please use
[reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation]
function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\n\npublic
inline fun LongArray.reduceRightIndexed(operation: (index: Int, Long, acc: Long) -> Long): Long {\n  var index =
lastIndex\n  if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n  var
accumulator = get(index--)\n  while (index >= 0) {\n    accumulator = operation(index, get(index),
accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the last
element and applying [operation] from right to left\n * to each element with its index in the original array and
current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an
expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n
* @param [operation] function that takes the index of an element, the element itself and current accumulator
value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n */\n\npublic inline fun
FloatArray.reduceRightIndexed(operation: (index: Int, Float, acc: Float) -> Float): Float {\n  var index =
lastIndex\n  if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n  var
accumulator = get(index--)\n  while (index >= 0) {\n    accumulator = operation(index, get(index),
accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the last
element and applying [operation] from right to left\n * to each element with its index in the original array and
current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an
expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n
* @param [operation] function that takes the index of an element, the element itself and current accumulator
value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n */\n\npublic inline fun
DoubleArray.reduceRightIndexed(operation: (index: Int, Double, acc: Double) -> Double): Double {\n  var index =

```

```

lastIndex\n    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n    var
accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(index, get(index),
accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the last
element and applying [operation] from right to left\n * to each element with its index in the original array and
current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an
expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n *
@param [operation] function that takes the index of an element, the element itself and current accumulator
value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n */\n\npublic inline fun
BooleanArray.reduceRightIndexed(operation: (index: Int, Boolean, acc: Boolean) -> Boolean): Boolean {\n    var
index = lastIndex\n    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n    var
accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(index, get(index),
accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the last
element and applying [operation] from right to left\n * to each element with its index in the original array and
current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an
expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n *
@param [operation] function that takes the index of an element, the element itself and current accumulator
value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n */\n\npublic inline fun
CharArray.reduceRightIndexed(operation: (index: Int, Char, acc: Char) -> Char): Char {\n    var index = lastIndex\n
if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator =
get(index--)\n    while (index >= 0) {\n        accumulator = operation(index, get(index), accumulator)\n        --index\n
    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation]
from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n *
Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the
element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n\n@SinceKotlin("1.4")\n\npublic inline fun <S,
T : S> Array<out T>.reduceRightIndexedOrNull(operation: (index: Int, T, acc: S) -> S): S? {\n    var index =
lastIndex\n    if (index < 0) return null\n    var accumulator: S = get(index--)\n    while (index >= 0) {\n
accumulator = operation(index, get(index), accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with
its index in the original array and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n *
@param [operation] function that takes the index of an element, the element itself and current accumulator value,\n *
and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n\n@SinceKotlin("1.4")\n\npublic inline fun
ByteArray.reduceRightIndexedOrNull(operation: (index: Int, Byte, acc: Byte) -> Byte): Byte? {\n    var index =
lastIndex\n    if (index < 0) return null\n    var accumulator = get(index--)\n    while (index >= 0) {\n
accumulator = operation(index, get(index), accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with
its index in the original array and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n *
@param [operation] function that takes the index of an element, the element itself and current accumulator value,\n *
and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n\n@SinceKotlin("1.4")\n\npublic inline fun
ShortArray.reduceRightIndexedOrNull(operation: (index: Int, Short, acc: Short) -> Short): Short? {\n    var index =
lastIndex\n    if (index < 0) return null\n    var accumulator = get(index--)\n    while (index >= 0) {\n
accumulator = operation(index, get(index), accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with
its index in the original array and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n *

```

@param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value. @sample

```

samples.collections.Collections.Aggregates.reduceRightOrNull<T>@SinceKotlin("1.4")\npublic inline fun
IntArray.reduceRightIndexedOrNull(operation: (index: Int, Int, acc: Int) -> Int): Int? {\n  var index = lastIndex\n
if (index < 0) return null\n  var accumulator = get(index--)\n  while (index >= 0) {\n    accumulator =
operation(index, get(index), accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n * Accumulates
value starting with the last element and applying [operation] from right to left\n * to each element with its index in
the original array and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param
[operation] function that takes the index of an element, the element itself and current accumulator value,\n * and
calculates the next accumulator value.\n * \n * @sample

```

```

samples.collections.Collections.Aggregates.reduceRightOrNull<T>@SinceKotlin("1.4")\npublic inline fun
LongArray.reduceRightIndexedOrNull(operation: (index: Int, Long, acc: Long) -> Long): Long? {\n  var index =
lastIndex\n  if (index < 0) return null\n  var accumulator = get(index--)\n  while (index >= 0) {\n
accumulator = operation(index, get(index), accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n *
Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with
its index in the original array and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n *
@param [operation] function that takes the index of an element, the element itself and current accumulator value,\n *
and calculates the next accumulator value.\n * \n * @sample

```

```

samples.collections.Collections.Aggregates.reduceRightOrNull<T>@SinceKotlin("1.4")\npublic inline fun
FloatArray.reduceRightIndexedOrNull(operation: (index: Int, Float, acc: Float) -> Float): Float? {\n  var index =
lastIndex\n  if (index < 0) return null\n  var accumulator = get(index--)\n  while (index >= 0) {\n
accumulator = operation(index, get(index), accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n *
Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with
its index in the original array and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n *
@param [operation] function that takes the index of an element, the element itself and current accumulator value,\n *
and calculates the next accumulator value.\n * \n * @sample

```

```

samples.collections.Collections.Aggregates.reduceRightOrNull<T>@SinceKotlin("1.4")\npublic inline fun
DoubleArray.reduceRightIndexedOrNull(operation: (index: Int, Double, acc: Double) -> Double): Double? {\n  var
index = lastIndex\n  if (index < 0) return null\n  var accumulator = get(index--)\n  while (index >= 0) {\n
accumulator = operation(index, get(index), accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n *
Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with
its index in the original array and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n *
@param [operation] function that takes the index of an element, the element itself and current accumulator value,\n *
and calculates the next accumulator value.\n * \n * @sample

```

```

samples.collections.Collections.Aggregates.reduceRightOrNull<T>@SinceKotlin("1.4")\npublic inline fun
BooleanArray.reduceRightIndexedOrNull(operation: (index: Int, Boolean, acc: Boolean) -> Boolean): Boolean? {\n
var index = lastIndex\n  if (index < 0) return null\n  var accumulator = get(index--)\n  while (index >= 0) {\n
accumulator = operation(index, get(index), accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n *
Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with
its index in the original array and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n *
@param [operation] function that takes the index of an element, the element itself and current accumulator value,\n *
and calculates the next accumulator value.\n * \n * @sample

```

```

samples.collections.Collections.Aggregates.reduceRightOrNull<T>@SinceKotlin("1.4")\npublic inline fun
CharArray.reduceRightIndexedOrNull(operation: (index: Int, Char, acc: Char) -> Char): Char? {\n  var index =
lastIndex\n  if (index < 0) return null\n  var accumulator = get(index--)\n  while (index >= 0) {\n
accumulator = operation(index, get(index), accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n *
Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and
current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that

```



takes an element and current accumulator value, and calculates the next accumulator value.

```

samples.collections.Collections.Aggregates.reduceRightOrNull

*\/n@SinceKotlin("1.4")n@WasExperimental(ExperimentalStdlibApi::class)npublic inline fun <S, T : S>
Array<out T>.reduceRightOrNull(operation: (T, acc: S) -> S): S? {n var index = lastIndexn if (index < 0)
return nulln var accumulator: S = get(index--n while (index >= 0) {n accumulator = operation(get(index--
), accumulator)n }n return accumulatorn}n/n/**n * Accumulates value starting with the last element and
applying [operation] from right to leftn * to each element and current accumulator value.n * n * Returns `null` if
the array is empty.n * n * @param [operation] function that takes an element and current accumulator value,n *
and calculates the next accumulator value.n * n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull

*\/n@SinceKotlin("1.4")n@WasExperimental(ExperimentalStdlibApi::class)npublic inline fun
ByteArray.reduceRightOrNull(operation: (Byte, acc: Byte) -> Byte): Byte? {n var index = lastIndexn if (index
< 0) return nulln var accumulator = get(index--n while (index >= 0) {n accumulator =
operation(get(index--), accumulator)n }n return accumulatorn}n/n/**n * Accumulates value starting with the
last element and applying [operation] from right to leftn * to each element and current accumulator value.n * n *
Returns `null` if the array is empty.n * n * @param [operation] function that takes an element and current
accumulator value,n * and calculates the next accumulator value.n * n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull

*\/n@SinceKotlin("1.4")n@WasExperimental(ExperimentalStdlibApi::class)npublic inline fun
ShortArray.reduceRightOrNull(operation: (Short, acc: Short) -> Short): Short? {n var index = lastIndexn if
(index < 0) return nulln var accumulator = get(index--n while (index >= 0) {n accumulator =
operation(get(index--), accumulator)n }n return accumulatorn}n/n/**n * Accumulates value starting with the
last element and applying [operation] from right to leftn * to each element and current accumulator value.n * n *
Returns `null` if the array is empty.n * n * @param [operation] function that takes an element and current
accumulator value,n * and calculates the next accumulator value.n * n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull

*\/n@SinceKotlin("1.4")n@WasExperimental(ExperimentalStdlibApi::class)npublic inline fun
IntArray.reduceRightOrNull(operation: (Int, acc: Int) -> Int): Int? {n var index = lastIndexn if (index < 0)
return nulln var accumulator = get(index--n while (index >= 0) {n accumulator = operation(get(index--),
accumulator)n }n return accumulatorn}n/n/**n * Accumulates value starting with the last element and
applying [operation] from right to leftn * to each element and current accumulator value.n * n * Returns `null` if
the array is empty.n * n * @param [operation] function that takes an element and current accumulator value,n *
and calculates the next accumulator value.n * n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull

*\/n@SinceKotlin("1.4")n@WasExperimental(ExperimentalStdlibApi::class)npublic inline fun
LongArray.reduceRightOrNull(operation: (Long, acc: Long) -> Long): Long? {n var index = lastIndexn if
(index < 0) return nulln var accumulator = get(index--n while (index >= 0) {n accumulator =
operation(get(index--), accumulator)n }n return accumulatorn}n/n/**n * Accumulates value starting with the
last element and applying [operation] from right to leftn * to each element and current accumulator value.n * n *
Returns `null` if the array is empty.n * n * @param [operation] function that takes an element and current
accumulator value,n * and calculates the next accumulator value.n * n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull

*\/n@SinceKotlin("1.4")n@WasExperimental(ExperimentalStdlibApi::class)npublic inline fun
FloatArray.reduceRightOrNull(operation: (Float, acc: Float) -> Float): Float? {n var index = lastIndexn if
(index < 0) return nulln var accumulator = get(index--n while (index >= 0) {n accumulator =
operation(get(index--), accumulator)n }n return accumulatorn}n/n/**n * Accumulates value starting with the
last element and applying [operation] from right to leftn * to each element and current accumulator value.n * n *
Returns `null` if the array is empty.n * n * @param [operation] function that takes an element and current

```

```

accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun
DoubleArray.reduceRightOrNull(operation: (Double, acc: Double) -> Double): Double? {\n  var index =
lastIndex\n  if (index < 0) return null\n  var accumulator = get(index--)\n  while (index >= 0) {\n
accumulator = operation(get(index--), accumulator)\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value
starting with the last element and applying [operation] from right to left\n * to each element and current accumulator
value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes an element and
current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun
BooleanArray.reduceRightOrNull(operation: (Boolean, acc: Boolean) -> Boolean): Boolean? {\n  var index =
lastIndex\n  if (index < 0) return null\n  var accumulator = get(index--)\n  while (index >= 0) {\n
accumulator = operation(get(index--), accumulator)\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value
starting with the last element and applying [operation] from right to left\n * to each element and current accumulator
value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes an element and
current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun
CharArray.reduceRightOrNull(operation: (Char, acc: Char) -> Char): Char? {\n  var index = lastIndex\n  if (index
< 0) return null\n  var accumulator = get(index--)\n  while (index >= 0) {\n    accumulator =
operation(get(index--), accumulator)\n  }\n  return accumulator\n}\n\n/**\n * Returns a list containing successive
accumulation values generated by applying [operation] from left to right\n * to each element and current
accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should
not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation]
function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n *
@sample samples.collections.Collections.Aggregates.runningFold\n
*\n@SinceKotlin("1.4")\npublic inline fun
<T, R> Array<out T>.runningFold(initial: R, operation: (acc: R, T) -> R): List<R> {\n  if (isEmpty()) return
listOf(initial)\n  val result = ArrayList<R>(size + 1).apply { add(initial) }\n  var accumulator = initial\n  for
(element in this) {\n    accumulator = operation(accumulator, element)\n    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying
[operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n *
\n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the
previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an
element, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.runningFold\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <R> ByteArray.runningFold(initial: R,
operation: (acc: R, Byte) -> R): List<R> {\n  if (isEmpty()) return listOf(initial)\n  val result = ArrayList<R>(size
+ 1).apply { add(initial) }\n  var accumulator = initial\n  for (element in this) {\n    accumulator =
operation(accumulator, element)\n    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n * Returns a list
containing successive accumulation values generated by applying [operation] from left to right\n * to each element
and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation]
function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param
[operation] function that takes current accumulator value and an element, and calculates the next accumulator
value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <R> ShortArray.runningFold(initial: R,
operation: (acc: R, Short) -> R): List<R> {\n  if (isEmpty()) return listOf(initial)\n  val result = ArrayList<R>(size
+ 1).apply { add(initial) }\n  var accumulator = initial\n  for (element in this) {\n    accumulator =

```

operation(accumulator, element)\n result.add(accumulator)\n }\n return result\n}\n\n\*\*\n \* Returns a list containing successive accumulation values generated by applying [operation] from left to right\n \* to each element and current accumulator value that starts with [initial] value.\n \* \n \* Note that `acc` value passed to [operation] function should not be mutated;\n \* otherwise it would affect the previous value in resulting list.\n \* \n \* @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n \* \n \* @sample samples.collections.Collections.Aggregates.runningFold\n

```
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <R> IntArray.runningFold(initial: R, operation: (acc: R, Int) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (element in this) {\n accumulator = operation(accumulator, element)\n result.add(accumulator)\n }\n return result\n}\n\n**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n
```

```
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <R> LongArray.runningFold(initial: R, operation: (acc: R, Long) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (element in this) {\n accumulator = operation(accumulator, element)\n result.add(accumulator)\n }\n return result\n}\n\n**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n
```

```
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <R> FloatArray.runningFold(initial: R, operation: (acc: R, Float) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (element in this) {\n accumulator = operation(accumulator, element)\n result.add(accumulator)\n }\n return result\n}\n\n**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n
```

```
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <R> DoubleArray.runningFold(initial: R, operation: (acc: R, Double) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (element in this) {\n accumulator = operation(accumulator, element)\n result.add(accumulator)\n }\n return result\n}\n\n**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n
```

```
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <R> BooleanArray.runningFold(initial: R, operation: (acc: R, Boolean) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (element in this) {\n accumulator = operation(accumulator, element)\n result.add(accumulator)\n }\n return result\n}\n\n**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to
```

[operation] function should not be mutated;\n \* otherwise it would affect the previous value in resulting list.\n \* \n \* @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n \* \n \* @sample samples.collections.Collections.Aggregates.runningFold\n \* \n @SinceKotlin("1.4")\n @kotlin.internal.InlineOnly\n public inline fun <R> CharArray.runningFold(initial: R, operation: (acc: R, Char) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (element in this) {\n accumulator = operation(accumulator, element)\n result.add(accumulator)\n }\n return result\n}\n\n/\*\*\n \* Returns a list containing successive accumulation values generated by applying [operation] from left to right\n \* to each element, its index in the original array and current accumulator value that starts with [initial] value.\n \* \n \* Note that `acc` value passed to [operation] function should not be mutated;\n \* otherwise it would affect the previous value in resulting list.\n \* \n \* @param [operation] function that takes the index of an element, current accumulator value\n \* and the element itself, and calculates the next accumulator value.\n \* \n \* @sample samples.collections.Collections.Aggregates.runningFold\n \* \n @SinceKotlin("1.4")\n public inline fun <T, R> Array<out T>.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (index in indices) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/\*\*\n \* Returns a list containing successive accumulation values generated by applying [operation] from left to right\n \* to each element, its index in the original array and current accumulator value that starts with [initial] value.\n \* \n \* Note that `acc` value passed to [operation] function should not be mutated;\n \* otherwise it would affect the previous value in resulting list.\n \* \n \* @param [operation] function that takes the index of an element, current accumulator value\n \* and the element itself, and calculates the next accumulator value.\n \* \n \* @sample samples.collections.Collections.Aggregates.runningFold\n \* \n @SinceKotlin("1.4")\n @kotlin.internal.InlineOnly\n public inline fun <R> ByteArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Byte) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (index in indices) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/\*\*\n \* Returns a list containing successive accumulation values generated by applying [operation] from left to right\n \* to each element, its index in the original array and current accumulator value that starts with [initial] value.\n \* \n \* Note that `acc` value passed to [operation] function should not be mutated;\n \* otherwise it would affect the previous value in resulting list.\n \* \n \* @param [operation] function that takes the index of an element, current accumulator value\n \* and the element itself, and calculates the next accumulator value.\n \* \n \* @sample samples.collections.Collections.Aggregates.runningFold\n \* \n @SinceKotlin("1.4")\n @kotlin.internal.InlineOnly\n public inline fun <R> ShortArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Short) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (index in indices) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/\*\*\n \* Returns a list containing successive accumulation values generated by applying [operation] from left to right\n \* to each element, its index in the original array and current accumulator value that starts with [initial] value.\n \* \n \* Note that `acc` value passed to [operation] function should not be mutated;\n \* otherwise it would affect the previous value in resulting list.\n \* \n \* @param [operation] function that takes the index of an element, current accumulator value\n \* and the element itself, and calculates the next accumulator value.\n \* \n \* @sample samples.collections.Collections.Aggregates.runningFold\n \* \n @SinceKotlin("1.4")\n @kotlin.internal.InlineOnly\n public inline fun <R> IntArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Int) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (index in indices) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/\*\*\n \* Returns a list containing successive accumulation values generated by applying [operation] from left to right\n \* to each element, its index in the original array and current accumulator value that

starts with [initial] value.\n \* \n \* Note that `acc` value passed to [operation] function should not be mutated;\n \* otherwise it would affect the previous value in resulting list.\n \* \n \* @param [operation] function that takes the index of an element, current accumulator value\n \* and the element itself, and calculates the next accumulator value.\n \* \n \* @sample samples.collections.Collections.Aggregates.runningFold\n \* \n @SinceKotlin("1.4")\n @kotlin.internal.InlineOnly\n public inline fun <R>  
LongArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Long) -> R): List<R> {\n if (isEmpty())\n return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (index in indices) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n\*\*\n \* Returns a list containing successive accumulation values generated by applying [operation] from left to right\n \* to each element, its index in the original array and current accumulator value that starts with [initial] value.\n \* \n \* Note that `acc` value passed to [operation] function should not be mutated;\n \* otherwise it would affect the previous value in resulting list.\n \* \n \* @param [operation] function that takes the index of an element, current accumulator value\n \* and the element itself, and calculates the next accumulator value.\n \* \n \* @sample samples.collections.Collections.Aggregates.runningFold\n \* \n @SinceKotlin("1.4")\n @kotlin.internal.InlineOnly\n public inline fun <R>  
FloatArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Float) -> R): List<R> {\n if (isEmpty())\n return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (index in indices) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n\*\*\n \* Returns a list containing successive accumulation values generated by applying [operation] from left to right\n \* to each element, its index in the original array and current accumulator value that starts with [initial] value.\n \* \n \* Note that `acc` value passed to [operation] function should not be mutated;\n \* otherwise it would affect the previous value in resulting list.\n \* \n \* @param [operation] function that takes the index of an element, current accumulator value\n \* and the element itself, and calculates the next accumulator value.\n \* \n \* @sample samples.collections.Collections.Aggregates.runningFold\n \* \n @SinceKotlin("1.4")\n @kotlin.internal.InlineOnly\n public inline fun <R>  
DoubleArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Double) -> R): List<R> {\n if (isEmpty())\n return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (index in indices) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n\*\*\n \* Returns a list containing successive accumulation values generated by applying [operation] from left to right\n \* to each element, its index in the original array and current accumulator value that starts with [initial] value.\n \* \n \* Note that `acc` value passed to [operation] function should not be mutated;\n \* otherwise it would affect the previous value in resulting list.\n \* \n \* @param [operation] function that takes the index of an element, current accumulator value\n \* and the element itself, and calculates the next accumulator value.\n \* \n \* @sample samples.collections.Collections.Aggregates.runningFold\n \* \n @SinceKotlin("1.4")\n @kotlin.internal.InlineOnly\n public inline fun <R>  
BooleanArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Boolean) -> R): List<R> {\n if (isEmpty())\n return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (index in indices) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n\*\*\n \* Returns a list containing successive accumulation values generated by applying [operation] from left to right\n \* to each element, its index in the original array and current accumulator value that starts with [initial] value.\n \* \n \* Note that `acc` value passed to [operation] function should not be mutated;\n \* otherwise it would affect the previous value in resulting list.\n \* \n \* @param [operation] function that takes the index of an element, current accumulator value\n \* and the element itself, and calculates the next accumulator value.\n \* \n \* @sample samples.collections.Collections.Aggregates.runningFold\n \* \n @SinceKotlin("1.4")\n @kotlin.internal.InlineOnly\n public inline fun <R>  
CharArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): List<R> {\n if (isEmpty())\n return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (index in indices) {\n accumulator = operation(index, accumulator, this[index])\n

result.add(accumulator)\n } \n return result\n}\n\n/\*\*\n \* Returns a list containing successive accumulation values generated by applying [operation] from left to right\n \* to each element and current accumulator value that starts with the first element of this array.\n \* \n \* Note that `acc` value passed to [operation] function should not be mutated;\n \* otherwise it would affect the previous value in resulting list.\n \* \n \* @param [operation] function that takes current accumulator value and the element, and calculates the next accumulator value.\n \* \n \* @sample samples.collections.Collections.Aggregates.runningReduce\n

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <S, T : S>\nArray<out T>.runningReduce(operation: (acc: S, T) -> S): List<S> {\n    if (isEmpty()) return emptyList()\n    var accumulator: S = this[0]\n    val result = ArrayList<S>(size).apply { add(accumulator) }\n    for (index in 1 until size) {\n        accumulator = operation(accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n
```

```
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.runningReduce(operation: (acc: Byte, Byte) -> Byte): List<Byte> {\n    if (isEmpty()) return emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<Byte>(size).apply { add(accumulator) }\n    for (index in 1 until size) {\n        accumulator = operation(accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n
```

```
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.runningReduce(operation: (acc: Short, Short) -> Short): List<Short> {\n    if (isEmpty()) return emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<Short>(size).apply { add(accumulator) }\n    for (index in 1 until size) {\n        accumulator = operation(accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n
```

```
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.runningReduce(operation: (acc: Int, Int) -> Int): List<Int> {\n    if (isEmpty()) return emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<Int>(size).apply { add(accumulator) }\n    for (index in 1 until size) {\n        accumulator = operation(accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n
```

```
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.runningReduce(operation: (acc: Long, Long) -> Long): List<Long> {\n    if (isEmpty()) return emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<Long>(size).apply { add(accumulator) }\n    for (index in 1 until size) {\n        accumulator = operation(accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n
```

```
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.runningReduce(operation: (acc: Float, Float) -> Float): List<Float> {\n    if (isEmpty()) return emptyList()\n    var accumulator = this[0]\n    val
```

result = ArrayList<Float>(size).apply { add(accumulator) } for (index in 1 until size) { accumulator = operation(accumulator, this[index]) result.add(accumulator) } return result

\* Returns a list containing successive accumulation values generated by applying [operation] from left to right \* to each element and current accumulator value that starts with the first element of this array.

\* @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.

@sample samples.collections.Collections.Aggregates.runningReduce

```
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.runningReduce(operation: (acc: Double, Double) -> Double): List<Double> {\n    if (isEmpty()) return emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<Double>(size).apply { add(accumulator) } for (index in 1 until size) {\n        accumulator = operation(accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}
```

\* Returns a list containing successive accumulation values generated by applying [operation] from left to right \* to each element and current accumulator value that starts with the first element of this array.

\* @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.

@sample samples.collections.Collections.Aggregates.runningReduce

```
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.runningReduce(operation: (acc: Boolean, Boolean) -> Boolean): List<Boolean> {\n    if (isEmpty()) return emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<Boolean>(size).apply { add(accumulator) } for (index in 1 until size) {\n        accumulator = operation(accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}
```

\* Returns a list containing successive accumulation values generated by applying [operation] from left to right \* to each element and current accumulator value that starts with the first element of this array.

\* @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.

@sample samples.collections.Collections.Aggregates.runningReduce

```
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.runningReduce(operation: (acc: Char, Char) -> Char): List<Char> {\n    if (isEmpty()) return emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<Char>(size).apply { add(accumulator) } for (index in 1 until size) {\n        accumulator = operation(accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}
```

\* Returns a list containing successive accumulation values generated by applying [operation] from left to right \* to each element, its index in the original array and current accumulator value that starts with the first element of this array.

\* Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.

\* @param [operation] function that takes the index of an element, current accumulator value \* and the element itself, and calculates the next accumulator value.

@sample samples.collections.Collections.Aggregates.runningReduce

```
*\n@SinceKotlin("1.4")\npublic inline fun <S, T : S> Array<out T>.runningReduceIndexed(operation: (index: Int, acc: S, T) -> S): List<S> {\n    if (isEmpty()) return emptyList()\n    var accumulator: S = this[0]\n    val result = ArrayList<S>(size).apply { add(accumulator) } for (index in 1 until size) {\n        accumulator = operation(index, accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}
```

\* Returns a list containing successive accumulation values generated by applying [operation] from left to right \* to each element, its index in the original array and current accumulator value that starts with the first element of this array.

\* @param [operation] function that takes the index of an element, current accumulator value \* and the element itself, and calculates the next accumulator value.

@sample samples.collections.Collections.Aggregates.runningReduce

```
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.runningReduceIndexed(operation: (index: Int, acc: Byte, Byte) -> Byte): List<Byte> {\n    if (isEmpty()) return emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<Byte>(size).apply { add(accumulator) } for (index in 1 until size) {\n        accumulator = operation(index, accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}
```

\* Returns a list containing successive accumulation values generated by applying [operation] from left to right \* to each element, its index in the original array and current accumulator value that starts with the first element of this array.

\* @param [operation] function that takes the index of an element, current accumulator value \* and the element itself, and calculates the next

```

accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun
ShortArray.runningReduceIndexed(operation: (index: Int, acc: Short, Short) -> Short): List<Short> {\n if
(isEmpty()) return emptyList()\n var accumulator = this[0]\n val result = ArrayList<Short>(size).apply {
add(accumulator) }\n for (index in 1 until size) {\n accumulator = operation(index, accumulator, this[index])\n
result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element, its index in the original array and
current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that
takes the index of an element, current accumulator value\n * and the element itself, and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun
IntArray.runningReduceIndexed(operation: (index: Int, acc: Int, Int) -> Int): List<Int> {\n if (isEmpty()) return
emptyList()\n var accumulator = this[0]\n val result = ArrayList<Int>(size).apply { add(accumulator) }\n for
(index in 1 until size) {\n accumulator = operation(index, accumulator, this[index])\n
result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element, its index in the original array and
current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that
takes the index of an element, current accumulator value\n * and the element itself, and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun
LongArray.runningReduceIndexed(operation: (index: Int, acc: Long, Long) -> Long): List<Long> {\n if
(isEmpty()) return emptyList()\n var accumulator = this[0]\n val result = ArrayList<Long>(size).apply {
add(accumulator) }\n for (index in 1 until size) {\n accumulator = operation(index, accumulator, this[index])\n
result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element, its index in the original array and
current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that
takes the index of an element, current accumulator value\n * and the element itself, and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun
FloatArray.runningReduceIndexed(operation: (index: Int, acc: Float, Float) -> Float): List<Float> {\n if
(isEmpty()) return emptyList()\n var accumulator = this[0]\n val result = ArrayList<Float>(size).apply {
add(accumulator) }\n for (index in 1 until size) {\n accumulator = operation(index, accumulator, this[index])\n
result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element, its index in the original array and
current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that
takes the index of an element, current accumulator value\n * and the element itself, and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun
DoubleArray.runningReduceIndexed(operation: (index: Int, acc: Double, Double) -> Double): List<Double> {\n if
(isEmpty()) return emptyList()\n var accumulator = this[0]\n val result = ArrayList<Double>(size).apply {
add(accumulator) }\n for (index in 1 until size) {\n accumulator = operation(index, accumulator, this[index])\n
result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element, its index in the original array and
current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that
takes the index of an element, current accumulator value\n * and the element itself, and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun
BooleanArray.runningReduceIndexed(operation: (index: Int, acc: Boolean, Boolean) -> Boolean): List<Boolean>

```



```

{\n  if (isEmpty()) return emptyList()\n  var accumulator = this[0]\n  val result =
ArrayList<Boolean>(size).apply { add(accumulator) }\n  for (index in 1 until size) {\n    accumulator =
operation(index, accumulator, this[index])\n    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n *
Returns a list containing successive accumulation values generated by applying [operation] from left to right\n *
to each element, its index in the original array and current accumulator value that starts with the first element of this
array.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and
the element itself, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.runningReduce\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun
CharArray.runningReduceIndexed(operation: (index: Int, acc: Char, Char) -> Char): List<Char> {\n  if (isEmpty())
return emptyList()\n  var accumulator = this[0]\n  val result = ArrayList<Char>(size).apply { add(accumulator)
}\n  for (index in 1 until size) {\n    accumulator = operation(index, accumulator, this[index])\n
result.add(accumulator)\n  }\n  return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element and current accumulator value that
starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n *
otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current
accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <T, R>
Array<out T>.scan(initial: R, operation: (acc: R, T) -> R): List<R> {\n  return runningFold(initial,
operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation]
from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that
`acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in
resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and
calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun <R> ByteArray.scan(initial: R, operation: (acc: R, Byte) -> R): List<R> {\n  return runningFold(initial,
operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation]
from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that
`acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in
resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and
calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun <R> ShortArray.scan(initial: R, operation: (acc: R, Short) -> R): List<R> {\n  return
runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by
applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial]
value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would
affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value
and an element, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun <R> IntArray.scan(initial: R, operation: (acc: R, Int) -> R): List<R> {\n  return runningFold(initial,
operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation]
from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that
`acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in
resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and
calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli

```

```

c inline fun <R> LongArray.scan(initial: R, operation: (acc: R, Long) -> R): List<R> {
    return
    runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by
    applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial]
    value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would
    affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value
    and an element, and calculates the next accumulator value.\n * \n * @sample
    samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
c inline fun <R> FloatArray.scan(initial: R, operation: (acc: R, Float) -> R): List<R> {
    return
    runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by
    applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial]
    value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would
    affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value
    and an element, and calculates the next accumulator value.\n * \n * @sample
    samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
c inline fun <R> DoubleArray.scan(initial: R, operation: (acc: R, Double) -> R): List<R> {
    return
    runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by
    applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial]
    value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would
    affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value
    and an element, and calculates the next accumulator value.\n * \n * @sample
    samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
c inline fun <R> BooleanArray.scan(initial: R, operation: (acc: R, Boolean) -> R): List<R> {
    return
    runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by
    applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial]
    value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would
    affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value
    and an element, and calculates the next accumulator value.\n * \n * @sample
    samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
c inline fun <R> CharArray.scan(initial: R, operation: (acc: R, Char) -> R): List<R> {
    return runningFold(initial,
    operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation]
    from left to right\n * to each element, its index in the original array and current accumulator value that starts with
    [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it
    would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an
    element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n *
    @sample samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <T, R>
Array<out T>.scanIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): List<R> {
    return
    runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values
    generated by applying [operation] from left to right\n * to each element, its index in the original array and current
    accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function
    should
    not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation]
    function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the
    next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic

```

```

c inline fun <R> ByteArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Byte) -> R): List<R> {\n  return
runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values
generated by applying [operation] from left to right\n * to each element, its index in the original array and current
accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should
not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
*\n*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
c inline fun <R> ShortArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Short) -> R): List<R> {\n  return
runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values
generated by applying [operation] from left to right\n * to each element, its index in the original array and current
accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should
not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
*\n*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
c inline fun <R> IntArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Int) -> R): List<R> {\n  return
runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values
generated by applying [operation] from left to right\n * to each element, its index in the original array and current
accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should
not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
*\n*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
c inline fun <R> LongArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Long) -> R): List<R> {\n  return
runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values
generated by applying [operation] from left to right\n * to each element, its index in the original array and current
accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should
not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
*\n*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
c inline fun <R> FloatArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Float) -> R): List<R> {\n  return
runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values
generated by applying [operation] from left to right\n * to each element, its index in the original array and current
accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should
not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
*\n*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
c inline fun <R> DoubleArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Double) -> R): List<R> {\n
return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values
generated by applying [operation] from left to right\n * to each element, its index in the original array and current
accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should
not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
*\n*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic

```

```

c inline fun <R> BooleanArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Boolean) -> R): List<R> {
    return runningFoldIndexed(initial, operation)
}

/**
 * Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element, its index in the original array and current accumulator value that starts with [initial] value.
 * Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.
 * @param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.
 * @sample samples.collections.Collections.Aggregates.scan
 */
@SinceKotlin("1.4")
@WasExperimental(ExperimentalStdlibApi::class)
@kotlin.internal.InlineOnly
public inline fun <R> CharArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): List<R> {
    return runningFoldIndexed(initial, operation)
}

/**
 * Returns the sum of all values produced by [selector] function applied to each element in the array.
 */
@Deprecated("Use sumOf instead.", ReplaceWith("this.sumOf(selector)"))
@DeprecatedSinceKotlin(warningSince = "1.5")
public inline fun <T> Array<out T>.sumBy(selector: (T) -> Int): Int {
    var sum: Int = 0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

/**
 * Returns the sum of all values produced by [selector] function applied to each element in the array.
 */
@Deprecated("Use sumOf instead.", ReplaceWith("this.sumOf(selector)"))
@DeprecatedSinceKotlin(warningSince = "1.5")
public inline fun ByteArray.sumBy(selector: (Byte) -> Int): Int {
    var sum: Int = 0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

/**
 * Returns the sum of all values produced by [selector] function applied to each element in the array.
 */
@Deprecated("Use sumOf instead.", ReplaceWith("this.sumOf(selector)"))
@DeprecatedSinceKotlin(warningSince = "1.5")
public inline fun ShortArray.sumBy(selector: (Short) -> Int): Int {
    var sum: Int = 0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

/**
 * Returns the sum of all values produced by [selector] function applied to each element in the array.
 */
@Deprecated("Use sumOf instead.", ReplaceWith("this.sumOf(selector)"))
@DeprecatedSinceKotlin(warningSince = "1.5")
public inline fun IntArray.sumBy(selector: (Int) -> Int): Int {
    var sum: Int = 0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

/**
 * Returns the sum of all values produced by [selector] function applied to each element in the array.
 */
@Deprecated("Use sumOf instead.", ReplaceWith("this.sumOf(selector)"))
@DeprecatedSinceKotlin(warningSince = "1.5")
public inline fun LongArray.sumBy(selector: (Long) -> Int): Int {
    var sum: Int = 0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

/**
 * Returns the sum of all values produced by [selector] function applied to each element in the array.
 */
@Deprecated("Use sumOf instead.", ReplaceWith("this.sumOf(selector)"))
@DeprecatedSinceKotlin(warningSince = "1.5")
public inline fun FloatArray.sumBy(selector: (Float) -> Int): Int {
    var sum: Int = 0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

/**
 * Returns the sum of all values produced by [selector] function applied to each element in the array.
 */
@Deprecated("Use sumOf instead.", ReplaceWith("this.sumOf(selector)"))
@DeprecatedSinceKotlin(warningSince = "1.5")
public inline fun DoubleArray.sumBy(selector: (Double) -> Int): Int {
    var sum: Int = 0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

/**
 * Returns the sum of all values produced by [selector] function applied to each element in the array.
 */
@Deprecated("Use sumOf instead.", ReplaceWith("this.sumOf(selector)"))
@DeprecatedSinceKotlin(warningSince = "1.5")
public inline fun BooleanArray.sumBy(selector: (Boolean) -> Int): Int {
    var sum: Int = 0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

/**
 * Returns the sum of all values produced by [selector] function applied to each element in the array.
 */
@Deprecated("Use sumOf instead.", ReplaceWith("this.sumOf(selector)"))
@DeprecatedSinceKotlin(warningSince = "1.5")
public inline fun CharArray.sumBy(selector: (Char) -> Int): Int {
    var sum: Int = 0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

/**
 * Returns the sum of all values produced by [selector] function applied to each element in the array.
 */
@Deprecated("Use sumOf instead.", ReplaceWith("this.sumOf(selector)"))
@DeprecatedSinceKotlin(warningSince = "1.5")
public inline fun <T>

```

```

Array<out T>.sumByDouble(selector: (T) -> Double): Double {
    var sum: Double = 0.0
    for (element in this)
        sum += selector(element)
    return sum
}
// Returns the sum of all values produced by
// [selector] function applied to each element in the array.
// Use sumOf instead.
@Deprecated("Use sumOf instead.")
ReplaceWith("this.sumOf(selector)")
@DeprecatedSinceKotlin(warningSince = "1.5")
public inline fun
ByteArray.sumByDouble(selector: (Byte) -> Double): Double {
    var sum: Double = 0.0
    for (element in this)
        sum += selector(element)
    return sum
}
// Returns the sum of all values produced by
// [selector] function applied to each element in the array.
// Use sumOf instead.
@Deprecated("Use sumOf instead.")
ReplaceWith("this.sumOf(selector)")
@DeprecatedSinceKotlin(warningSince = "1.5")
public inline fun
ShortArray.sumByDouble(selector: (Short) -> Double): Double {
    var sum: Double = 0.0
    for (element in this)
        sum += selector(element)
    return sum
}
// Returns the sum of all values produced by
// [selector] function applied to each element in the array.
// Use sumOf instead.
@Deprecated("Use sumOf instead.")
ReplaceWith("this.sumOf(selector)")
@DeprecatedSinceKotlin(warningSince = "1.5")
public inline fun
IntArray.sumByDouble(selector: (Int) -> Double): Double {
    var sum: Double = 0.0
    for (element in this)
        sum += selector(element)
    return sum
}
// Returns the sum of all values produced by [selector]
// function applied to each element in the array.
// Use sumOf instead.
@Deprecated("Use sumOf instead.")
ReplaceWith("this.sumOf(selector)")
@DeprecatedSinceKotlin(warningSince = "1.5")
public inline fun
LongArray.sumByDouble(selector: (Long) -> Double): Double {
    var sum: Double = 0.0
    for (element in this)
        sum += selector(element)
    return sum
}
// Returns the sum of all values produced by
// [selector] function applied to each element in the array.
// Use sumOf instead.
@Deprecated("Use sumOf instead.")
ReplaceWith("this.sumOf(selector)")
@DeprecatedSinceKotlin(warningSince = "1.5")
public inline fun
FloatArray.sumByDouble(selector: (Float) -> Double): Double {
    var sum: Double = 0.0
    for (element in this)
        sum += selector(element)
    return sum
}
// Returns the sum of all values produced by
// [selector] function applied to each element in the array.
// Use sumOf instead.
@Deprecated("Use sumOf instead.")
ReplaceWith("this.sumOf(selector)")
@DeprecatedSinceKotlin(warningSince = "1.5")
public inline fun
DoubleArray.sumByDouble(selector: (Double) -> Double): Double {
    var sum: Double = 0.0
    for (element in
this)
        sum += selector(element)
    return sum
}
// Returns the sum of all values produced by
// [selector] function applied to each element in the array.
// Use sumOf instead.
@Deprecated("Use sumOf instead.")
ReplaceWith("this.sumOf(selector)")
@DeprecatedSinceKotlin(warningSince = "1.5")
public inline fun
BooleanArray.sumByDouble(selector: (Boolean) -> Double): Double {
    var sum: Double = 0.0
    for (element
in this)
        sum += selector(element)
    return sum
}
// Returns the sum of all values produced
// by [selector] function applied to each element in the array.
// Use sumOf instead.
@Deprecated("Use sumOf instead.")
ReplaceWith("this.sumOf(selector)")
@DeprecatedSinceKotlin(warningSince = "1.5")
public inline fun
CharArray.sumByDouble(selector: (Char) -> Double): Double {
    var sum: Double = 0.0
    for (element in this)
        sum += selector(element)
    return sum
}
// Returns the sum of all values produced by
// [selector] function applied to each element in the array.
// Use sumOf instead.
@Deprecated("Use sumOf instead.")
ReplaceWith("this.sumOf(selector)")
@DeprecatedSinceKotlin(warningSince = "1.5")
public inline fun
<T> Array<out T>.sumOf(selector: (T) -> Double): Double {
    var sum: Double = 0.toDouble()
    for (element
in this)
        sum += selector(element)
    return sum
}
// Returns the sum of all values produced
// by [selector] function applied to each element in the array.
// Use sumOf instead.
@Deprecated("Use sumOf instead.")
ReplaceWith("this.sumOf(selector)")
@DeprecatedSinceKotlin(warningSince = "1.5")
public inline fun
ByteArray.sumOf(selector: (Byte) -> Double): Double {
    var sum: Double = 0.toDouble()
    for (element in
this)
        sum += selector(element)
    return sum
}
// Returns the sum of all values produced by
// [selector] function applied to each element in the array.
// Use sumOf instead.
@Deprecated("Use sumOf instead.")
ReplaceWith("this.sumOf(selector)")
@DeprecatedSinceKotlin(warningSince = "1.5")
public inline fun
ShortArray.sumOf(selector: (Short) -> Double): Double {
    var sum: Double = 0.toDouble()
    for (element in
this)
        sum += selector(element)
    return sum
}
// Returns the sum of all values produced by
// [selector] function applied to each element in the array.
// Use sumOf instead.
@Deprecated("Use sumOf instead.")
ReplaceWith("this.sumOf(selector)")
@DeprecatedSinceKotlin(warningSince = "1.5")
public inline fun

```

```

this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfDouble")\n@kotlin.internal.InlineOnly\npublic inline fun
IntArray.sumOf(selector: (Int) -> Double): Double {\n  var sum: Double = 0.toDouble()\n  for (element in this)
{\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfDouble")\n@kotlin.internal.InlineOnly\npublic inline fun
LongArray.sumOf(selector: (Long) -> Double): Double {\n  var sum: Double = 0.toDouble()\n  for (element in
this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfDouble")\n@kotlin.internal.InlineOnly\npublic inline fun
FloatArray.sumOf(selector: (Float) -> Double): Double {\n  var sum: Double = 0.toDouble()\n  for (element in
this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfDouble")\n@kotlin.internal.InlineOnly\npublic inline fun
DoubleArray.sumOf(selector: (Double) -> Double): Double {\n  var sum: Double = 0.toDouble()\n  for (element
in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced
by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfDouble")\n@kotlin.internal.InlineOnly\npublic inline fun
BooleanArray.sumOf(selector: (Boolean) -> Double): Double {\n  var sum: Double = 0.toDouble()\n  for
(element in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values
produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfDouble")\n@kotlin.internal.InlineOnly\npublic inline fun
CharArray.sumOf(selector: (Char) -> Double): Double {\n  var sum: Double = 0.toDouble()\n  for (element in
this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfInt")\n@kotlin.internal.InlineOnly\npublic inline fun <T>
Array<out T>.sumOf(selector: (T) -> Int): Int {\n  var sum: Int = 0.toInt()\n  for (element in this) {\n    sum +=
selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfInt")\n@kotlin.internal.InlineOnly\npublic inline fun
ByteArray.sumOf(selector: (Byte) -> Int): Int {\n  var sum: Int = 0.toInt()\n  for (element in this) {\n    sum +=
selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfInt")\n@kotlin.internal.InlineOnly\npublic inline fun
ShortArray.sumOf(selector: (Short) -> Int): Int {\n  var sum: Int = 0.toInt()\n  for (element in this) {\n    sum +=
selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution

```

```

ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfInt")\n@kotlin.internal.InlineOnly\npublic inline fun
IntArray.sumOf(selector: (Int) -> Int): Int {\n  var sum: Int = 0.toInt()\n  for (element in this) {\n    sum +=
selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfInt")\n@kotlin.internal.InlineOnly\npublic inline fun
LongArray.sumOf(selector: (Long) -> Int): Int {\n  var sum: Int = 0.toInt()\n  for (element in this) {\n    sum +=
selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfInt")\n@kotlin.internal.InlineOnly\npublic inline fun
FloatArray.sumOf(selector: (Float) -> Int): Int {\n  var sum: Int = 0.toInt()\n  for (element in this) {\n    sum +=
selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfInt")\n@kotlin.internal.InlineOnly\npublic inline fun
DoubleArray.sumOf(selector: (Double) -> Int): Int {\n  var sum: Int = 0.toInt()\n  for (element in this) {\n
sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector]
function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfInt")\n@kotlin.internal.InlineOnly\npublic inline fun
BooleanArray.sumOf(selector: (Boolean) -> Int): Int {\n  var sum: Int = 0.toInt()\n  for (element in this) {\n
sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector]
function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfInt")\n@kotlin.internal.InlineOnly\npublic inline fun
CharArray.sumOf(selector: (Char) -> Int): Int {\n  var sum: Int = 0.toInt()\n  for (element in this) {\n    sum +=
selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfLong")\n@kotlin.internal.InlineOnly\npublic inline fun
<T> Array<out T>.sumOf(selector: (T) -> Long): Long {\n  var sum: Long = 0.toLong()\n  for (element in this)
{\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfLong")\n@kotlin.internal.InlineOnly\npublic inline fun
ByteArray.sumOf(selector: (Byte) -> Long): Long {\n  var sum: Long = 0.toLong()\n  for (element in this) {\n
sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector]
function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfLong")\n@kotlin.internal.InlineOnly\npublic inline fun
ShortArray.sumOf(selector: (Short) -> Long): Long {\n  var sum: Long = 0.toLong()\n  for (element in this) {\n
sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector]
function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfLong")\n@kotlin.internal.InlineOnly\npublic inline fun
IntArray.sumOf(selector: (Int) -> Long): Long {\n  var sum: Long = 0.toLong()\n  for (element in this) {\n
sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector]

```

function applied to each element in the array.\n

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfLong")\n@kotlin.internal.InlineOnly\npublic inline fun\nLongArray.sumOf(selector: (Long) -> Long): Long {\n    var sum: Long = 0.toLong()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n/**\n * Returns the sum of all values produced by [selector]\n * function applied to each element in the array.\n */
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfLong")\n@kotlin.internal.InlineOnly\npublic inline fun\nFloatArray.sumOf(selector: (Float) -> Long): Long {\n    var sum: Long = 0.toLong()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n/**\n * Returns the sum of all values produced by [selector]\n * function applied to each element in the array.\n */
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfLong")\n@kotlin.internal.InlineOnly\npublic inline fun\nDoubleArray.sumOf(selector: (Double) -> Long): Long {\n    var sum: Long = 0.toLong()\n    for (element in this)\n    {\n        sum += selector(element)\n    }\n    return sum\n}\n/**\n * Returns the sum of all values produced by\n * [selector] function applied to each element in the array.\n */
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfLong")\n@kotlin.internal.InlineOnly\npublic inline fun\nBooleanArray.sumOf(selector: (Boolean) -> Long): Long {\n    var sum: Long = 0.toLong()\n    for (element in this)\n    {\n        sum += selector(element)\n    }\n    return sum\n}\n/**\n * Returns the sum of all values produced by\n * [selector] function applied to each element in the array.\n */
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfLong")\n@kotlin.internal.InlineOnly\npublic inline fun\nCharArray.sumOf(selector: (Char) -> Long): Long {\n    var sum: Long = 0.toLong()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n/**\n * Returns the sum of all values produced by [selector]\n * function applied to each element in the array.\n */
```

```
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfUInt")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.sumOf(selector: (T) -> UInt): UInt {\n    var sum: UInt = 0.toUInt()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return\n    sum\n}\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the\n * array.\n */
```

```
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfUInt")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.sumOf(selector: (Byte) -> UInt): UInt {\n    var\n    sum: UInt = 0.toUInt()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */
```

```
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfUInt")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.sumOf(selector: (Short) -> UInt): UInt {\n    var\n    sum: UInt = 0.toUInt()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */
```

```
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfUInt")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.sumOf(selector: (Int) -> UInt): UInt {\n    var\n    sum: UInt = 0.toUInt()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */
```

```
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
```



```

ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfUInt")\n@WasExperimental(ExperimentalUnsignedType
s::class)\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.sumOf(selector: (Long) -> UInt): UInt {\n  var
sum: UInt = 0.toUInt()\n  for (element in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/*\n *
Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*\n\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfUInt")\n@WasExperimental(ExperimentalUnsignedType
s::class)\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.sumOf(selector: (Float) -> UInt): UInt {\n  var
sum: UInt = 0.toUInt()\n  for (element in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/*\n *
Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*\n\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfUInt")\n@WasExperimental(ExperimentalUnsignedType
s::class)\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.sumOf(selector: (Double) -> UInt): UInt {\n
var sum: UInt = 0.toUInt()\n  for (element in this) {\n    sum += selector(element)\n  }\n  return
sum\n}\n\n/*\n * Returns the sum of all values produced by [selector] function applied to each element in the
array.\n
*\n\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfUInt")\n@WasExperimental(ExperimentalUnsignedType
s::class)\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.sumOf(selector: (Boolean) -> UInt): UInt
{\n  var sum: UInt = 0.toUInt()\n  for (element in this) {\n    sum += selector(element)\n  }\n  return
sum\n}\n\n/*\n * Returns the sum of all values produced by [selector] function applied to each element in the
array.\n
*\n\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfUInt")\n@WasExperimental(ExperimentalUnsignedType
s::class)\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.sumOf(selector: (Char) -> UInt): UInt {\n  var
sum: UInt = 0.toUInt()\n  for (element in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/*\n *
Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*\n\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfULong")\n@WasExperimental(ExperimentalUnsignedTY
pes::class)\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.sumOf(selector: (T) -> ULong):
ULong {\n  var sum: ULong = 0.toULong()\n  for (element in this) {\n    sum += selector(element)\n  }\n
return sum\n}\n\n/*\n * Returns the sum of all values produced by [selector] function applied to each element in
the array.\n
*\n\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfULong")\n@WasExperimental(ExperimentalUnsignedTY
pes::class)\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.sumOf(selector: (Byte) -> ULong): ULong
{\n  var sum: ULong = 0.toULong()\n  for (element in this) {\n    sum += selector(element)\n  }\n  return
sum\n}\n\n/*\n * Returns the sum of all values produced by [selector] function applied to each element in the
array.\n
*\n\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfULong")\n@WasExperimental(ExperimentalUnsignedTY
pes::class)\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.sumOf(selector: (Short) -> ULong): ULong
{\n  var sum: ULong = 0.toULong()\n  for (element in this) {\n    sum += selector(element)\n  }\n  return
sum\n}\n\n/*\n * Returns the sum of all values produced by [selector] function applied to each element in the
array.\n
*\n\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfULong")\n@WasExperimental(ExperimentalUnsignedTY
pes::class)\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.sumOf(selector: (Int) -> ULong): ULong {\n
var sum: ULong = 0.toULong()\n  for (element in this) {\n    sum += selector(element)\n  }\n  return

```

```

sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the
array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfULong")\n@WasExperimental(ExperimentalUnsignedTy
pes::class)\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.sumOf(selector: (Long) -> ULong): ULong
{\n    var sum: ULong = 0.toULong()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return
sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the
array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfULong")\n@WasExperimental(ExperimentalUnsignedTy
pes::class)\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.sumOf(selector: (Float) -> ULong): ULong
{\n    var sum: ULong = 0.toULong()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return
sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the
array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfULong")\n@WasExperimental(ExperimentalUnsignedTy
pes::class)\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.sumOf(selector: (Double) -> ULong):
ULong {\n    var sum: ULong = 0.toULong()\n    for (element in this) {\n        sum += selector(element)\n    }\n
return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in
the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfULong")\n@WasExperimental(ExperimentalUnsignedTy
pes::class)\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.sumOf(selector: (Boolean) -> ULong):
ULong {\n    var sum: ULong = 0.toULong()\n    for (element in this) {\n        sum += selector(element)\n    }\n
return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in
the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfULong")\n@WasExperimental(ExperimentalUnsignedTy
pes::class)\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.sumOf(selector: (Char) -> ULong): ULong
{\n    var sum: ULong = 0.toULong()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return
sum\n}\n\n/**\n * Returns an original collection containing all the non-`null` elements, throwing an
[IllegalArgumentException] if there are any `null` elements.\n *\npublic fun <T : Any>
Array<T?>.requireNonNulls(): Array<T> {\n    for (element in this) {\n        if (element == null) {\n            throw
IllegalArgumentException("null element found in $this.")\n        }\n    }\n    @Suppress("UNCHECKED_CAST")\n    return this as Array<T>\n}\n\n/**\n * Splits the original array into pair
of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains
elements for which [predicate] yielded `false`.\n * \n * @sample
samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n *\npublic inline fun <T> Array<out
T>.partition(predicate: (T) -> Boolean): Pair<List<T>, List<T>> {\n    val first = ArrayList<T>()\n    val second =
ArrayList<T>()\n    for (element in this) {\n        if (predicate(element)) {\n            first.add(element)\n        } else {\n
second.add(element)\n        }\n    }\n    return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair
of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains
elements for which [predicate] yielded `false`.\n * \n * @sample
samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n *\npublic inline fun
ByteArray.partition(predicate: (Byte) -> Boolean): Pair<List<Byte>, List<Byte>> {\n    val first =
ArrayList<Byte>()\n    val second = ArrayList<Byte>()\n    for (element in this) {\n        if (predicate(element)) {\n
first.add(element)\n        } else {\n            second.add(element)\n        }\n    }\n    return Pair(first,
second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which

```

```

[predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n * \n *
@sample samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n */\npublic inline fun
ShortArray.partition(predicate: (Short) -> Boolean): Pair<List<Short>, List<Short>> {\n    val first =
ArrayList<Short>()\n    val second = ArrayList<Short>()\n    for (element in this) {\n        if (predicate(element)) {\n
        first.add(element)\n        } else {\n            second.add(element)\n        }\n    }\n    return Pair(first,
second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which
[predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n * \n *
@sample samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n */\npublic inline fun
IntArray.partition(predicate: (Int) -> Boolean): Pair<List<Int>, List<Int>> {\n    val first = ArrayList<Int>()\n    val
second = ArrayList<Int>()\n    for (element in this) {\n        if (predicate(element)) {\n            first.add(element)\n
        } else {\n            second.add(element)\n        }\n    }\n    return Pair(first, second)\n}\n\n/**\n * Splits the original
array into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while
*second* list contains elements for which [predicate] yielded `false`.\n * \n * @sample
samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n */\npublic inline fun
LongArray.partition(predicate: (Long) -> Boolean): Pair<List<Long>, List<Long>> {\n    val first =
ArrayList<Long>()\n    val second = ArrayList<Long>()\n    for (element in this) {\n        if (predicate(element)) {\n
        first.add(element)\n        } else {\n            second.add(element)\n        }\n    }\n    return Pair(first,
second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which
[predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n * \n *
@sample samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n */\npublic inline fun
FloatArray.partition(predicate: (Float) -> Boolean): Pair<List<Float>, List<Float>> {\n    val first =
ArrayList<Float>()\n    val second = ArrayList<Float>()\n    for (element in this) {\n        if (predicate(element)) {\n
        first.add(element)\n        } else {\n            second.add(element)\n        }\n    }\n    return Pair(first,
second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which
[predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n * \n *
@sample samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n */\npublic inline fun
DoubleArray.partition(predicate: (Double) -> Boolean): Pair<List<Double>, List<Double>> {\n    val first =
ArrayList<Double>()\n    val second = ArrayList<Double>()\n    for (element in this) {\n        if (predicate(element))
{\n            first.add(element)\n        } else {\n            second.add(element)\n        }\n    }\n    return Pair(first,
second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which
[predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n * \n *
@sample samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n */\npublic inline fun
BooleanArray.partition(predicate: (Boolean) -> Boolean): Pair<List<Boolean>, List<Boolean>> {\n    val first =
ArrayList<Boolean>()\n    val second = ArrayList<Boolean>()\n    for (element in this) {\n        if
(predicate(element)) {\n            first.add(element)\n        } else {\n            second.add(element)\n        }\n    }\n
return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains
elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate]
yielded `false`.\n * \n * @sample samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n
*/\npublic inline fun CharArray.partition(predicate: (Char) -> Boolean): Pair<List<Char>, List<Char>> {\n    val
first = ArrayList<Char>()\n    val second = ArrayList<Char>()\n    for (element in this) {\n        if
(predicate(element)) {\n            first.add(element)\n        } else {\n            second.add(element)\n        }\n    }\n
return Pair(first, second)\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other]
array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <T, R> Array<out T>.zip(other:
Array<out R>): List<Pair<T, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs
built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of
the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun
<R> ByteArray.zip(other: Array<out R>): List<Pair<Byte, R>> {\n    return zip(other) { t1, t2 -> t1 to t2

```

```

}\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same
index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n * \npublic infix fun <R> ShortArray.zip(other: Array<out
R>): List<Pair<Short, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from
the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n * \npublic infix fun <R>
IntArray.zip(other: Array<out R>): List<Pair<Int, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n *
Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The
returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n * \npublic infix fun <R> LongArray.zip(other: Array<out
R>): List<Pair<Long, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from
the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n * \npublic infix fun <R>
FloatArray.zip(other: Array<out R>): List<Pair<Float, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n *
Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The
returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n * \npublic infix fun <R> DoubleArray.zip(other: Array<out
R>): List<Pair<Double, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built
from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the
shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n * \npublic infix fun <R>
BooleanArray.zip(other: Array<out R>): List<Pair<Boolean, R>> {\n    return zip(other) { t1, t2 -> t1 to t2
}\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same
index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n * \npublic infix fun <R> CharArray.zip(other: Array<out R>):
List<Pair<Char, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the
elements of `this` array and the [other] array with the same index\n * using the provided [transform] function
applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n * \npublic inline fun <T, R, V> Array<out
T>.zip(other: Array<out R>, transform: (a: T, b: R) -> V): List<V> {\n    val size = minOf(size, other.size)\n    val
list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return
list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same
index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length
of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n *
\npublic inline fun <R, V> ByteArray.zip(other: Array<out R>, transform: (a: Byte, b: R) -> V): List<V> {\n    val
size = minOf(size, other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements
of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each
pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n * \npublic inline fun <R, V>
ShortArray.zip(other: Array<out R>, transform: (a: Short, b: R) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n * \npublic inline fun <R, V>
IntArray.zip(other: Array<out R>, transform: (a: Int, b: R) -> V): List<V> {\n    val size = minOf(size, other.size)\n
val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return
list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same

```

```

index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length
of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\npublic inline fun <R, V> LongArray.zip(other: Array<out R>, transform: (a: Long, b: R) -> V): List<V> {\n
val size = minOf(size, other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n
list.add(transform(this[i], other[i]))\n } \n return list\n}\n\n/**\n * Returns a list of values built from the elements
of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each
pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\npublic inline fun <R, V>
FloatArray.zip(other: Array<out R>, transform: (a: Float, b: R) -> V): List<V> {\n val size = minOf(size,
other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n
}\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\npublic inline fun <R, V>
DoubleArray.zip(other: Array<out R>, transform: (a: Double, b: R) -> V): List<V> {\n val size = minOf(size,
other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n
}\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\npublic inline fun <R, V>
BooleanArray.zip(other: Array<out R>, transform: (a: Boolean, b: R) -> V): List<V> {\n val size = minOf(size,
other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n
}\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\npublic inline fun <R, V>
CharArray.zip(other: Array<out R>, transform: (a: Char, b: R) -> V): List<V> {\n val size = minOf(size,
other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n
}\n return list\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with
the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n
*\npublic infix fun <T, R> Array<out T>.zip(other:
Iterable<R>): List<Pair<T, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built
from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the
shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\npublic infix fun <R>
ByteArray.zip(other: Iterable<R>): List<Pair<Byte, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n *
Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The
returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n
*\npublic infix fun <R> ShortArray.zip(other: Iterable<R>):
List<Pair<Short, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the
elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\npublic infix fun <R>
IntArray.zip(other: Iterable<R>): List<Pair<Int, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n *
Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The
returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n
*\npublic infix fun <R> LongArray.zip(other: Iterable<R>):
List<Pair<Long, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the
elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\npublic infix fun <R>

```

```

FloatArray.zip(other: Iterable<R>): List<Pair<Float, R>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> DoubleArray.zip(other:
Iterable<R>): List<Pair<Double, R>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs
built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of
the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun
<R> BooleanArray.zip(other: Iterable<R>): List<Pair<Boolean, R>> {\n  return zip(other) { t1, t2 -> t1 to t2
}\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same
index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> CharArray.zip(other: Iterable<R>):
List<Pair<Char, R>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the
elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function
applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <T, R, V> Array<out
T>.zip(other: Iterable<R>, transform: (a: T, b: R) -> V): List<V> {\n  val arraySize = size\n  val list =
ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n  var i = 0\n  for (element in other) {\n
if (i >= arraySize) break\n    list.add(transform(this[i++], element))\n  }\n  return list\n}\n\n/**\n * Returns a
list of values built from the elements of `this` array and the [other] collection with the same index\n * using the
provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline
fun <R, V> ByteArray.zip(other: Iterable<R>, transform: (a: Byte, b: R) -> V): List<V> {\n  val arraySize = size\n
val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n  var i = 0\n  for (element in
other) {\n    if (i >= arraySize) break\n    list.add(transform(this[i++], element))\n  }\n  return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> ShortArray.zip(other: Iterable<R>, transform: (a: Short, b: R) -> V): List<V> {\n  val arraySize = size\n  val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n  var i = 0\n  for (element in other) {\n    if (i >= arraySize) break\n    list.add(transform(this[i++], element))\n  }\n  return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V>
IntArray.zip(other: Iterable<R>, transform: (a: Int, b: R) -> V): List<V> {\n  val arraySize = size\n  val list =
ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n  var i = 0\n  for (element in other) {\n
if (i >= arraySize) break\n    list.add(transform(this[i++], element))\n  }\n  return list\n}\n\n/**\n * Returns a
list of values built from the elements of `this` array and the [other] collection with the same index\n * using the
provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline
fun <R, V> LongArray.zip(other: Iterable<R>, transform: (a: Long, b: R) -> V): List<V> {\n  val arraySize =
size\n  val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n  var i = 0\n  for (element
in other) {\n    if (i >= arraySize) break\n    list.add(transform(this[i++], element))\n  }\n  return
list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the
same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has
length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V>
FloatArray.zip(other: Iterable<R>, transform: (a: Float, b: R) -> V): List<V> {\n  val arraySize = size\n  val list =

```

```

ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n  var i = 0\n  for (element in other) {\n
if (i >= arraySize) break\n    list.add(transform(this[i++], element))\n  }\n  return list\n}\n\n/**\n * Returns a
list of values built from the elements of `this` array and the [other] collection with the same index\n * using the
provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline
fun <R, V> DoubleArray.zip(other: Iterable<R>, transform: (a: Double, b: R) -> V): List<V> {\n  val arraySize =
size\n  val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n  var i = 0\n  for (element
in other) {\n    if (i >= arraySize) break\n    list.add(transform(this[i++], element))\n  }\n  return
list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the
same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has
length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V>
BooleanArray.zip(other: Iterable<R>, transform: (a: Boolean, b: R) -> V): List<V> {\n  val arraySize = size\n  val
list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n  var i = 0\n  for (element in other)
{\n    if (i >= arraySize) break\n    list.add(transform(this[i++], element))\n  }\n  return list\n}\n\n/**\n *
Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n *
using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the
shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic
inline fun <R, V> CharArray.zip(other: Iterable<R>, transform: (a: Char, b: R) -> V): List<V> {\n  val arraySize =
size\n  val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n  var i = 0\n  for (element
in other) {\n    if (i >= arraySize) break\n    list.add(transform(this[i++], element))\n  }\n  return
list\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same
index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun ByteArray.zip(other: ByteArray):
List<Pair<Byte, Byte>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from
the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the
shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun
ShortArray.zip(other: ShortArray): List<Pair<Short, Short>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n
* Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The
returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun IntArray.zip(other: IntArray):
List<Pair<Int, Int>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the
elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun
LongArray.zip(other: LongArray): List<Pair<Long, Long>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n
* Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The
returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun FloatArray.zip(other: FloatArray):
List<Pair<Float, Float>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from
the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the
shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun
DoubleArray.zip(other: DoubleArray): List<Pair<Double, Double>> {\n  return zip(other) { t1, t2 -> t1 to t2
}\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same
index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun BooleanArray.zip(other: BooleanArray):
List<Pair<Boolean, Boolean>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built
from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the
shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun

```

```

CharArray.zip(other: CharArray): List<Pair<Char, Char>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V> ByteArray.zip(other: ByteArray, transform: (a: Byte, b: Byte) -> V): List<V> {\n  val size = minOf(size, other.size)\n  val list = ArrayList<V>(size)\n  for (i in 0 until size) {\n    list.add(transform(this[i], other[i]))\n  }\n  return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V> ShortArray.zip(other: ShortArray, transform: (a: Short, b: Short) -> V): List<V> {\n  val size = minOf(size, other.size)\n  val list = ArrayList<V>(size)\n  for (i in 0 until size) {\n    list.add(transform(this[i], other[i]))\n  }\n  return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V> IntArray.zip(other: IntArray, transform: (a: Int, b: Int) -> V): List<V> {\n  val size = minOf(size, other.size)\n  val list = ArrayList<V>(size)\n  for (i in 0 until size) {\n    list.add(transform(this[i], other[i]))\n  }\n  return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V> LongArray.zip(other: LongArray, transform: (a: Long, b: Long) -> V): List<V> {\n  val size = minOf(size, other.size)\n  val list = ArrayList<V>(size)\n  for (i in 0 until size) {\n    list.add(transform(this[i], other[i]))\n  }\n  return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V> FloatArray.zip(other: FloatArray, transform: (a: Float, b: Float) -> V): List<V> {\n  val size = minOf(size, other.size)\n  val list = ArrayList<V>(size)\n  for (i in 0 until size) {\n    list.add(transform(this[i], other[i]))\n  }\n  return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V> DoubleArray.zip(other: DoubleArray, transform: (a: Double, b: Double) -> V): List<V> {\n  val size = minOf(size, other.size)\n  val list = ArrayList<V>(size)\n  for (i in 0 until size) {\n    list.add(transform(this[i], other[i]))\n  }\n  return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V> BooleanArray.zip(other: BooleanArray, transform: (a: Boolean, b: Boolean) -> V): List<V> {\n  val size = minOf(size, other.size)\n  val list = ArrayList<V>(size)\n  for (i in 0 until size) {\n    list.add(transform(this[i], other[i]))\n  }\n  return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V> CharArray.zip(other: CharArray, transform: (a: Char, b: Char) -> V): List<V> {\n  val size = minOf(size, other.size)\n  val list = ArrayList<V>(size)\n  for (i in 0 until size) {\n    list.add(transform(this[i], other[i]))\n  }\n  return list\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the

```







\* If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit] elements will be appended, followed by the [truncated] string (which defaults to "...").

```

@sample
samples.collections.Collections.Transformations.joinToString
*/
public fun ByteArray.joinToString(separator:
CharSequence = ", ", prefix: CharSequence = "\n", postfix: CharSequence = "\n", limit: Int = -1, truncated:
CharSequence = "...", transform: ((Byte) -> CharSequence)? = null): String {
return joinTo(StringBuilder(),
separator, prefix, postfix, limit, truncated, transform).toString()
}
*/
Creates a string from all the elements
separated using [separator] and using the given [prefix] and [postfix] if supplied.
*/
If the collection could be
huge, you can specify a non-negative value of [limit], in which case only the first [limit] elements will be
appended, followed by the [truncated] string (which defaults to "...").
*/
@sample
samples.collections.Collections.Transformations.joinToString
*/
public fun ShortArray.joinToString(separator:
CharSequence = ", ", prefix: CharSequence = "\n", postfix: CharSequence = "\n", limit: Int = -1, truncated:
CharSequence = "...", transform: ((Short) -> CharSequence)? = null): String {
return joinTo(StringBuilder(),
separator, prefix, postfix, limit, truncated, transform).toString()
}
*/
Creates a string from all the elements
separated using [separator] and using the given [prefix] and [postfix] if supplied.
*/
If the collection could be
huge, you can specify a non-negative value of [limit], in which case only the first [limit] elements will be
appended, followed by the [truncated] string (which defaults to "...").
*/
@sample
samples.collections.Collections.Transformations.joinToString
*/
public fun IntArray.joinToString(separator:
CharSequence = ", ", prefix: CharSequence = "\n", postfix: CharSequence = "\n", limit: Int = -1, truncated:
CharSequence = "...", transform: ((Int) -> CharSequence)? = null): String {
return joinTo(StringBuilder(),
separator, prefix, postfix, limit, truncated, transform).toString()
}
*/
Creates a string from all the elements
separated using [separator] and using the given [prefix] and [postfix] if supplied.
*/
If the collection could be
huge, you can specify a non-negative value of [limit], in which case only the first [limit] elements will be
appended, followed by the [truncated] string (which defaults to "...").
*/
@sample
samples.collections.Collections.Transformations.joinToString
*/
public fun LongArray.joinToString(separator:
CharSequence = ", ", prefix: CharSequence = "\n", postfix: CharSequence = "\n", limit: Int = -1, truncated:
CharSequence = "...", transform: ((Long) -> CharSequence)? = null): String {
return joinTo(StringBuilder(),
separator, prefix, postfix, limit, truncated, transform).toString()
}
*/
Creates a string from all the elements
separated using [separator] and using the given [prefix] and [postfix] if supplied.
*/
If the collection could be
huge, you can specify a non-negative value of [limit], in which case only the first [limit] elements will be
appended, followed by the [truncated] string (which defaults to "...").
*/
@sample
samples.collections.Collections.Transformations.joinToString
*/
public fun FloatArray.joinToString(separator:
CharSequence = ", ", prefix: CharSequence = "\n", postfix: CharSequence = "\n", limit: Int = -1, truncated:
CharSequence = "...", transform: ((Float) -> CharSequence)? = null): String {
return joinTo(StringBuilder(),
separator, prefix, postfix, limit, truncated, transform).toString()
}
*/
Creates a string from all the elements
separated using [separator] and using the given [prefix] and [postfix] if supplied.
*/
If the collection could be
huge, you can specify a non-negative value of [limit], in which case only the first [limit] elements will be
appended, followed by the [truncated] string (which defaults to "...").
*/
@sample
samples.collections.Collections.Transformations.joinToString
*/
public fun DoubleArray.joinToString(separator:
CharSequence = ", ", prefix: CharSequence = "\n", postfix: CharSequence = "\n", limit: Int = -1, truncated:
CharSequence = "...", transform: ((Double) -> CharSequence)? = null): String {
return joinTo(StringBuilder(),
separator, prefix, postfix, limit, truncated, transform).toString()
}
*/
Creates a string from all the elements
separated using [separator] and using the given [prefix] and [postfix] if supplied.
*/
If the collection could be
huge, you can specify a non-negative value of [limit], in which case only the first [limit] elements will be
appended, followed by the [truncated] string (which defaults to "...").
*/
@sample
samples.collections.Collections.Transformations.joinToString
*/
public fun
BooleanArray.joinToString(separator: CharSequence = ", ", prefix: CharSequence = "\n", postfix: CharSequence =
"\n", limit: Int = -1, truncated: CharSequence = "...", transform: ((Boolean) -> CharSequence)? = null): String {
return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()
}
*/
Creates

```

a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.

\* If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit] elements will be appended, followed by the [truncated] string (which defaults to "...").

@sample samples.collections.Collections.Transformations.joinToString

```

public fun CharArray.joinToString(separator: CharSequence = "\", \"", prefix: CharSequence = "\", postfix: CharSequence = "\", limit: Int = -1, truncated: CharSequence = "...\", transform: ((Char) -> CharSequence)? = null): String {
    return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()
}

```

\* Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.

```

public fun <T> Array<out T>.asIterable(): Iterable<T> {
    if (isEmpty()) return emptyList()
    return Iterable { this.iterator() }
}

```

\* Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.

```

public fun ByteArray.asIterable(): Iterable<Byte> {
    if (isEmpty()) return emptyList()
    return Iterable { this.iterator() }
}

```

\* Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.

```

public fun ShortArray.asIterable(): Iterable<Short> {
    if (isEmpty()) return emptyList()
    return Iterable { this.iterator() }
}

```

\* Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.

```

public fun IntArray.asIterable(): Iterable<Int> {
    if (isEmpty()) return emptyList()
    return Iterable { this.iterator() }
}

```

\* Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.

```

public fun LongArray.asIterable(): Iterable<Long> {
    if (isEmpty()) return emptyList()
    return Iterable { this.iterator() }
}

```

\* Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.

```

public fun FloatArray.asIterable(): Iterable<Float> {
    if (isEmpty()) return emptyList()
    return Iterable { this.iterator() }
}

```

\* Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.

```

public fun DoubleArray.asIterable(): Iterable<Double> {
    if (isEmpty()) return emptyList()
    return Iterable { this.iterator() }
}

```

\* Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.

```

public fun BooleanArray.asIterable(): Iterable<Boolean> {
    if (isEmpty()) return emptyList()
    return Iterable { this.iterator() }
}

```

\* Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.

```

public fun CharArray.asIterable(): Iterable<Char> {
    if (isEmpty()) return emptyList()
    return Iterable { this.iterator() }
}

```

\* Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.

@sample

```

samples.collections.Sequences.Building.sequenceFromArray
public fun <T> Array<out T>.asSequence(): Sequence<T> {
    if (isEmpty()) return emptySequence()
    return Sequence { this.iterator() }
}

```

\* Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.

@sample samples.collections.Sequences.Building.sequenceFromArray

```

public fun ByteArray.asSequence(): Sequence<Byte> {
    if (isEmpty()) return emptySequence()
    return Sequence { this.iterator() }
}

```

\* Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.

@sample samples.collections.Sequences.Building.sequenceFromArray

```

public fun ShortArray.asSequence(): Sequence<Short> {
    if (isEmpty()) return emptySequence()
    return Sequence { this.iterator() }
}

```

\* Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.

@sample samples.collections.Sequences.Building.sequenceFromArray

```

public fun IntArray.asSequence(): Sequence<Int> {
    if (isEmpty()) return emptySequence()
    return Sequence { this.iterator() }
}

```

\* Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.

@sample samples.collections.Sequences.Building.sequenceFromArray

```

public fun LongArray.asSequence(): Sequence<Long> {
    if (isEmpty()) return emptySequence()
    return Sequence { this.iterator() }
}

```

\* Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.

@sample samples.collections.Sequences.Building.sequenceFromArray

```

public fun FloatArray.asSequence(): Sequence<Float> {
    if (isEmpty()) return emptySequence()
    return Sequence { this.iterator() }
}

```

\* Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.

@sample samples.collections.Sequences.Building.sequenceFromArray

```

public fun DoubleArray.asSequence(): Sequence<Double> {
    if (isEmpty()) return emptySequence()
    return Sequence { this.iterator() }
}

```

```

Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n *
@sample samples.collections.Sequences.Building.sequenceFromArray\n *^npublic fun
BooleanArray.asSequence(): Sequence<Boolean> {\n  if (isEmpty()) return emptySequence()\n  return Sequence
{ this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original array returning its elements
when being iterated.\n * \n * @sample samples.collections.Sequences.Building.sequenceFromArray\n *^npublic
fun CharArray.asSequence(): Sequence<Char> {\n  if (isEmpty()) return emptySequence()\n  return Sequence {
this.iterator() }\n}\n\n/**\n * Returns an average value of elements in the array.\n
*\n*@kotlin.jvm.JvmName("averageOfByte")\npublic fun Array<out Byte>.average(): Double {\n  var sum:
Double = 0.0\n  var count: Int = 0\n  for (element in this) {\n    sum += element\n    ++count\n  }\n  return
if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n
*\n*@kotlin.jvm.JvmName("averageOfShort")\npublic fun Array<out Short>.average(): Double {\n  var sum:
Double = 0.0\n  var count: Int = 0\n  for (element in this) {\n    sum += element\n    ++count\n  }\n  return
if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n
*\n*@kotlin.jvm.JvmName("averageOfInt")\npublic fun Array<out Int>.average(): Double {\n  var sum: Double
= 0.0\n  var count: Int = 0\n  for (element in this) {\n    sum += element\n    ++count\n  }\n  return if (count
== 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n
*\n*@kotlin.jvm.JvmName("averageOfLong")\npublic fun Array<out Long>.average(): Double {\n  var sum:
Double = 0.0\n  var count: Int = 0\n  for (element in this) {\n    sum += element\n    ++count\n  }\n  return
if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n
*\n*@kotlin.jvm.JvmName("averageOfFloat")\npublic fun Array<out Float>.average(): Double {\n  var sum:
Double = 0.0\n  var count: Int = 0\n  for (element in this) {\n    sum += element\n    ++count\n  }\n  return
if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n
*\n*@kotlin.jvm.JvmName("averageOfDouble")\npublic fun Array<out Double>.average(): Double {\n  var sum:
Double = 0.0\n  var count: Int = 0\n  for (element in this) {\n    sum += element\n    ++count\n  }\n  return
if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n
*\npublic fun ByteArray.average(): Double {\n  var sum: Double = 0.0\n  var count: Int = 0\n  for (element in
this) {\n    sum += element\n    ++count\n  }\n  return if (count == 0) Double.NaN else sum /
count\n}\n\n/**\n * Returns an average value of elements in the array.\n *\npublic fun ShortArray.average():
Double {\n  var sum: Double = 0.0\n  var count: Int = 0\n  for (element in this) {\n    sum += element\n
++count\n  }\n  return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of
elements in the array.\n *\npublic fun IntArray.average(): Double {\n  var sum: Double = 0.0\n  var count: Int =
0\n  for (element in this) {\n    sum += element\n    ++count\n  }\n  return if (count == 0) Double.NaN else
sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n *\npublic fun LongArray.average():
Double {\n  var sum: Double = 0.0\n  var count: Int = 0\n  for (element in this) {\n    sum += element\n
++count\n  }\n  return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of
elements in the array.\n *\npublic fun FloatArray.average(): Double {\n  var sum: Double = 0.0\n  var count: Int
= 0\n  for (element in this) {\n    sum += element\n    ++count\n  }\n  return if (count == 0) Double.NaN
else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n *\npublic fun
DoubleArray.average(): Double {\n  var sum: Double = 0.0\n  var count: Int = 0\n  for (element in this) {\n
sum += element\n    ++count\n  }\n  return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns
the sum of all elements in the array.\n *\n*@kotlin.jvm.JvmName("sumOfByte")\npublic fun Array<out
Byte>.sum(): Int {\n  var sum: Int = 0\n  for (element in this) {\n    sum += element\n  }\n  return
sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n *\n*@kotlin.jvm.JvmName("sumOfShort")\npublic fun Array<out Short>.sum(): Int {\n  var sum: Int = 0\n  for
(element in this) {\n    sum += element\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all elements in the
array.\n *\n*@kotlin.jvm.JvmName("sumOfInt")\npublic fun Array<out Int>.sum(): Int {\n  var sum: Int = 0\n
for (element in this) {\n    sum += element\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all elements in
the array.\n *\n*@kotlin.jvm.JvmName("sumOfLong")\npublic fun Array<out Long>.sum(): Long {\n  var sum:

```

```

Long = 0L\n  for (element in this) {\n      sum += element\n  }\n  return sum\n}\n\n/**\n * Returns the sum of
all elements in the array.\n */\n@kotlin.jvm.JvmName("sumOfFloat")\npublic fun Array<out Float>.sum(): Float
{\n  var sum: Float = 0.0f\n  for (element in this) {\n      sum += element\n  }\n  return sum\n}\n\n/**\n *
Returns the sum of all elements in the array.\n */\n@kotlin.jvm.JvmName("sumOfDouble")\npublic fun Array<out
Double>.sum(): Double {\n  var sum: Double = 0.0\n  for (element in this) {\n      sum += element\n  }\n
return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\npublic fun ByteArray.sum(): Int {\n
var sum: Int = 0\n  for (element in this) {\n      sum += element\n  }\n  return sum\n}\n\n/**\n * Returns the
sum of all elements in the array.\n */\npublic fun ShortArray.sum(): Int {\n  var sum: Int = 0\n  for (element in
this) {\n      sum += element\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n
*/\npublic fun IntArray.sum(): Int {\n  var sum: Int = 0\n  for (element in this) {\n      sum += element\n  }\n
return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\npublic fun LongArray.sum(): Long {\n
var sum: Long = 0L\n  for (element in this) {\n      sum += element\n  }\n  return sum\n}\n\n/**\n * Returns the
sum of all elements in the array.\n */\npublic fun FloatArray.sum(): Float {\n  var sum: Float = 0.0f\n  for
(element in this) {\n      sum += element\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all elements in the
array.\n */\npublic fun DoubleArray.sum(): Double {\n  var sum: Double = 0.0\n  for (element in this) {\n
sum += element\n  }\n  return sum\n}\n\n"/>\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("RangesKt")\n\npackage
kotlin.ranges\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.random.*\n\n/**\n * Returns a
random element from this range.\n * \n * @throws IllegalArgumentException if this range is empty.\n
*/\n\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun IntRange.random(): Int {\n  return
random(Random)\n}\n\n/**\n * Returns a random element from this range.\n * \n * @throws
IllegalArgumentException if this range is empty.\n */\n\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic
inline fun LongRange.random(): Long {\n  return random(Random)\n}\n\n/**\n * Returns a random element from
this range.\n * \n * @throws IllegalArgumentException if this range is empty.\n
*/\n\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun CharRange.random(): Char {\n  return
random(Random)\n}\n\n/**\n * Returns a random element from this range using the specified source of
randomness.\n * \n * @throws IllegalArgumentException if this range is empty.\n
*/\n\n@SinceKotlin("1.3")\npublic fun IntRange.random(random: Random): Int {\n  try {\n      return
random.nextInt(this)\n  } catch (e: IllegalArgumentException) {\n      throw
NoSuchElementException(e.message)\n  }\n}\n\n/**\n * Returns a random element from this range using the
specified source of randomness.\n * \n * @throws IllegalArgumentException if this range is empty.\n
*/\n\n@SinceKotlin("1.3")\npublic fun LongRange.random(random: Random): Long {\n  try {\n      return
random.nextLong(this)\n  } catch (e: IllegalArgumentException) {\n      throw
NoSuchElementException(e.message)\n  }\n}\n\n/**\n * Returns a random element from this range using the
specified source of randomness.\n * \n * @throws IllegalArgumentException if this range is empty.\n
*/\n\n@SinceKotlin("1.3")\npublic fun CharRange.random(random: Random): Char {\n  try {\n      return
random.nextInt(first.code, last.code + 1).toChar()\n  } catch (e: IllegalArgumentException) {\n      throw
NoSuchElementException(e.message)\n  }\n}\n\n/**\n * Returns a random element from this range, or `null` if this
range is empty.\n
*/\n\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
inline fun IntRange.randomOrNull(): Int? {\n  return randomOrNull(Random)\n}\n\n/**\n * Returns a random
element from this range, or `null` if this range is empty.\n
*/\n\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
inline fun LongRange.randomOrNull(): Long? {\n  return randomOrNull(Random)\n}\n\n/**\n * Returns a
random element from this range, or `null` if this range is empty.\n
*/\n

```

```

*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun CharRange.randomOrNull(): Char? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this range using the specified source of randomness, or `null` if this range is empty.\n */\n*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun IntRange.randomOrNull(random: Random): Int? {\n    if (isEmpty())\n        return null\n    return random.nextInt(this)\n}\n\n/**\n * Returns a random element from this range using the specified source of randomness, or `null` if this range is empty.\n */\n*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun LongRange.randomOrNull(random: Random): Long? {\n    if (isEmpty())\n        return null\n    return random.nextLong(this)\n}\n\n/**\n * Returns a random element from this range using the specified source of randomness, or `null` if this range is empty.\n */\n*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun CharRange.randomOrNull(random: Random): Char? {\n    if (isEmpty())\n        return null\n    return random.nextInt(first.code, last.code + 1).toChar()\n}\n\n/**\n * Returns `true` if this range contains the specified [element].\n * \n * Always returns `false` if the [element] is `null`.\n */\n*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline operator fun IntRange.contains(element: Int?): Boolean {\n    return element != null && contains(element)\n}\n\n/**\n * Returns `true` if this range contains the specified [element].\n * \n * Always returns `false` if the [element] is `null`.\n */\n*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline operator fun LongRange.contains(element: Long?): Boolean {\n    return element != null && contains(element)\n}\n\n/**\n * Returns `true` if this range contains the specified [element].\n * \n * Always returns `false` if the [element] is `null`.\n */\n*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline operator fun CharRange.contains(element: Char?): Boolean {\n    return element != null && contains(element)\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n*\n@kotlin.jvm.JvmName("intRangeContains")\npublic operator fun ClosedRange<Int>.contains(value: Byte): Boolean {\n    return contains(value.toInt())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n*\n@kotlin.jvm.JvmName("longRangeContains")\npublic operator fun ClosedRange<Long>.contains(value: Byte): Boolean {\n    return contains(value.toLong())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n*\n@kotlin.jvm.JvmName("shortRangeContains")\npublic operator fun ClosedRange<Short>.contains(value: Byte): Boolean {\n    return contains(value.toShort())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n*\n@Deprecated("This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.")\n@DeprecatedSinceKotlin(warningSince = "1.3", errorSince = "1.4", hiddenSince = "1.5")\n@kotlin.jvm.JvmName("doubleRangeContains")\npublic operator fun ClosedRange<Double>.contains(value: Byte): Boolean {\n    return contains(value.toDouble())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n*\n@Deprecated("This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.")\n@DeprecatedSinceKotlin(warningSince = "1.3", errorSince = "1.4", hiddenSince = "1.5")\n@kotlin.jvm.JvmName("floatRangeContains")\npublic operator fun ClosedRange<Float>.contains(value: Byte): Boolean {\n    return contains(value.toFloat())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n*\n@Deprecated("This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.")\n@DeprecatedSinceKotlin(warningSince = "1.3", errorSince = "1.4", hiddenSince = "1.5")\n@kotlin.jvm.JvmName("intRangeContains")\npublic operator fun ClosedRange<Int>.contains(value: Double): Boolean {\n    return value.toIntExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n*\n@Deprecated("This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.")\n@DeprecatedSinceKotlin(warningSince = "1.3", errorSince = "1.4", hiddenSince = "1.5")\n@kotlin.jvm.JvmName("longRangeContains")\npublic operator fun ClosedRange<Long>.contains(value: Double): Boolean {\n    return value.toLongExactOrNull().let { if (it != null)

```





floating point arguments has ambiguous semantics and is going to be removed.

`@DeprecatedSinceKotlin(warningSince = "1.3", errorSince = "1.4", hiddenSince = "1.5")`

`kotlin.jvm.JvmName("floatRangeContains")`

`public operator fun ClosedRange<Float>.contains(value: Int): Boolean` {  
return contains(value.toFloat())  
} // Checks if the specified [value] belongs to this range.

`kotlin.jvm.JvmName("intRangeContains")`

`public operator fun ClosedRange<Int>.contains(value: Long): Boolean` {  
return value.toIntExactOrNull().let { if (it != null) contains(it) else false }  
} // Checks if the specified [value] belongs to this range.

`kotlin.jvm.JvmName("byteRangeContains")`

`public operator fun ClosedRange<Byte>.contains(value: Long): Boolean` {  
return value.toByteExactOrNull().let { if (it != null) contains(it) else false }  
} // Checks if the specified [value] belongs to this range.

`kotlin.jvm.JvmName("shortRangeContains")`

`public operator fun ClosedRange<Short>.contains(value: Long): Boolean` {  
return value.toShortExactOrNull().let { if (it != null) contains(it) else false }  
} // Checks if the specified [value] belongs to this range.

`@Deprecated("This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.")`

`@DeprecatedSinceKotlin(warningSince = "1.3", errorSince = "1.4", hiddenSince = "1.5")`

`kotlin.jvm.JvmName("doubleRangeContains")`

`public operator fun ClosedRange<Double>.contains(value: Long): Boolean` {  
return contains(value.toDouble())  
} // Checks if the specified [value] belongs to this range.

`@Deprecated("This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.")`

`@DeprecatedSinceKotlin(warningSince = "1.3", errorSince = "1.4", hiddenSince = "1.5")`

`kotlin.jvm.JvmName("floatRangeContains")`

`public operator fun ClosedRange<Float>.contains(value: Long): Boolean` {  
return contains(value.toFloat())  
} // Checks if the specified [value] belongs to this range.

`kotlin.jvm.JvmName("intRangeContains")`

`public operator fun ClosedRange<Int>.contains(value: Short): Boolean` {  
return contains(value.toInt())  
} // Checks if the specified [value] belongs to this range.

`kotlin.jvm.JvmName("longRangeContains")`

`public operator fun ClosedRange<Long>.contains(value: Short): Boolean` {  
return contains(value.toLong())  
} // Checks if the specified [value] belongs to this range.

`kotlin.jvm.JvmName("byteRangeContains")`

`public operator fun ClosedRange<Byte>.contains(value: Short): Boolean` {  
return value.toByteExactOrNull().let { if (it != null) contains(it) else false }  
} // Checks if the specified [value] belongs to this range.

`@Deprecated("This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.")`

`@DeprecatedSinceKotlin(warningSince = "1.3", errorSince = "1.4", hiddenSince = "1.5")`

`kotlin.jvm.JvmName("doubleRangeContains")`

`public operator fun ClosedRange<Double>.contains(value: Short): Boolean` {  
return contains(value.toDouble())  
} // Checks if the specified [value] belongs to this range.

`@Deprecated("This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.")`

`@DeprecatedSinceKotlin(warningSince = "1.3", errorSince = "1.4", hiddenSince = "1.5")`

`kotlin.jvm.JvmName("floatRangeContains")`

`public operator fun ClosedRange<Float>.contains(value: Short): Boolean` {  
return contains(value.toFloat())  
} // Returns a progression from this value down to the specified [to] value with the step -1. The [to] value should be less than or equal to `this` value. If the [to] value is greater than `this` value the returned progression is empty.

`public infix fun Int.downTo(to: Byte): IntProgression` {  
return IntProgression.fromClosedRange(this, to.toInt(), -1)  
} // Returns a progression from this value down to the specified [to] value with the step -1. The [to] value should be less than or equal to `this` value. If the [to] value is greater than `this` value the returned progression is empty.

`public infix fun Long.downTo(to: Byte): LongProgression` {  
return LongProgression.fromClosedRange(this, to.toLong(), -1L)  
} // Returns a progression from this value down to the specified [to] value with the step -1. The [to] value should be less than or equal to `this` value. If the [to] value is greater than `this` value the returned progression is empty.

`public infix fun Byte.downTo(to: Byte): IntProgression` {  
return IntProgression.fromClosedRange(this.toInt(), to.toInt(), -1)  
} // Returns a progression from this value down to the specified [to] value with the step -1. The [to] value should be less than or equal to `this` value.

\* If the [to] value is greater than `this` value the returned progression is empty.

```

public infix fun Short.downTo(to: Byte): IntProgression {
    return IntProgression.fromClosedRange(this.toInt(), to.toInt(), -1)
}

```

\* Returns a progression from this value down to the specified [to] value with the step -1. The [to] value should be less than or equal to `this` value. If the [to] value is greater than `this` value the returned progression is empty.

```

public infix fun Char.downTo(to: Char): CharProgression {
    return CharProgression.fromClosedRange(this, to, -1)
}

```

\* Returns a progression from this value down to the specified [to] value with the step -1. The [to] value should be less than or equal to `this` value. If the [to] value is greater than `this` value the returned progression is empty.

```

public infix fun Int.downTo(to: Int): IntProgression {
    return IntProgression.fromClosedRange(this, to, -1)
}

```

\* Returns a progression from this value down to the specified [to] value with the step -1. The [to] value should be less than or equal to `this` value. If the [to] value is greater than `this` value the returned progression is empty.

```

public infix fun Long.downTo(to: Int): LongProgression {
    return LongProgression.fromClosedRange(this, to.toLong(), -1L)
}

```

\* Returns a progression from this value down to the specified [to] value with the step -1. The [to] value should be less than or equal to `this` value. If the [to] value is greater than `this` value the returned progression is empty.

```

public infix fun Byte.downTo(to: Int): IntProgression {
    return IntProgression.fromClosedRange(this.toInt(), to, -1)
}

```

\* Returns a progression from this value down to the specified [to] value with the step -1. The [to] value should be less than or equal to `this` value. If the [to] value is greater than `this` value the returned progression is empty.

```

public infix fun Short.downTo(to: Int): IntProgression {
    return IntProgression.fromClosedRange(this.toInt(), to, -1)
}

```

\* Returns a progression from this value down to the specified [to] value with the step -1. The [to] value should be less than or equal to `this` value. If the [to] value is greater than `this` value the returned progression is empty.

```

public infix fun Int.downTo(to: Long): LongProgression {
    return LongProgression.fromClosedRange(this.toLong(), to, -1L)
}

```

\* Returns a progression from this value down to the specified [to] value with the step -1. The [to] value should be less than or equal to `this` value. If the [to] value is greater than `this` value the returned progression is empty.

```

public infix fun Long.downTo(to: Long): LongProgression {
    return LongProgression.fromClosedRange(this, to, -1L)
}

```

\* Returns a progression from this value down to the specified [to] value with the step -1. The [to] value should be less than or equal to `this` value. If the [to] value is greater than `this` value the returned progression is empty.

```

public infix fun Byte.downTo(to: Long): LongProgression {
    return LongProgression.fromClosedRange(this.toLong(), to, -1L)
}

```

\* Returns a progression from this value down to the specified [to] value with the step -1. The [to] value should be less than or equal to `this` value. If the [to] value is greater than `this` value the returned progression is empty.

```

public infix fun Short.downTo(to: Long): LongProgression {
    return LongProgression.fromClosedRange(this.toLong(), to, -1L)
}

```

\* Returns a progression from this value down to the specified [to] value with the step -1. The [to] value should be less than or equal to `this` value. If the [to] value is greater than `this` value the returned progression is empty.

```

public infix fun Int.downTo(to: Short): IntProgression {
    return IntProgression.fromClosedRange(this, to.toInt(), -1)
}

```

\* Returns a progression from this value down to the specified [to] value with the step -1. The [to] value should be less than or equal to `this` value. If the [to] value is greater than `this` value the returned progression is empty.

```

public infix fun Long.downTo(to: Short): LongProgression {
    return LongProgression.fromClosedRange(this, to.toLong(), -1L)
}

```

\* Returns a progression from this value down to the specified [to] value with the step -1. The [to] value should be less than or equal to `this` value. If the [to] value is greater than `this` value the returned progression is empty.

```

public infix fun Byte.downTo(to: Short): IntProgression {
    return IntProgression.fromClosedRange(this.toInt(), to.toInt(), -1)
}

```

\* Returns a progression from this value down to the specified [to] value with the step -1. The [to] value should be less than or equal to `this` value. If the [to] value is greater than `this` value the returned progression is empty.

```

public fun IntProgression.reversed(): IntProgression {
    return IntProgression.fromClosedRange(last, first, -1)
}

```

```

step)\n}\n\n/**\n * Returns a progression that goes over the same range in the opposite direction with the same
step.\n */\npublic fun LongProgression.reversed(): LongProgression {\n    return
LongProgression.fromClosedRange(last, first, -step)\n}\n\n/**\n * Returns a progression that goes over the same
range in the opposite direction with the same step.\n */\npublic fun CharProgression.reversed(): CharProgression {\n
    return CharProgression.fromClosedRange(last, first, -step)\n}\n\n/**\n * Returns a progression that goes over the
same range with the given step.\n */\npublic infix fun IntProgression.step(step: Int): IntProgression {\n
    checkStepIsPositive(step > 0, step)\n    return IntProgression.fromClosedRange(first, last, if (this.step > 0) step else -
step)\n}\n\n/**\n * Returns a progression that goes over the same range with the given step.\n */\npublic infix fun
LongProgression.step(step: Long): LongProgression {\n    checkStepIsPositive(step > 0, step)\n    return
LongProgression.fromClosedRange(first, last, if (this.step > 0) step else -step)\n}\n\n/**\n * Returns a progression
that goes over the same range with the given step.\n */\npublic infix fun CharProgression.step(step: Int):
CharProgression {\n    checkStepIsPositive(step > 0, step)\n    return CharProgression.fromClosedRange(first, last, if
(this.step > 0) step else -step)\n}\n\ninternal fun Int.toByteExactOrNull(): Byte? {\n    return if (this in
Byte.MIN_VALUE.toInt()..Byte.MAX_VALUE.toInt()) this.toByte() else null\n}\n\ninternal fun
Long.toByteExactOrNull(): Byte? {\n    return if (this in
Byte.MIN_VALUE.toLong()..Byte.MAX_VALUE.toLong()) this.toByte() else null\n}\n\ninternal fun
Short.toByteExactOrNull(): Byte? {\n    return if (this in
Byte.MIN_VALUE.toShort()..Byte.MAX_VALUE.toShort()) this.toByte() else null\n}\n\ninternal fun
Double.toByteExactOrNull(): Byte? {\n    return if (this in
Byte.MIN_VALUE.toDouble()..Byte.MAX_VALUE.toDouble()) this.toInt().toByte() else null\n}\n\ninternal fun
Float.toByteExactOrNull(): Byte? {\n    return if (this in
Byte.MIN_VALUE.toFloat()..Byte.MAX_VALUE.toFloat()) this.toInt().toByte() else null\n}\n\ninternal fun
Long.toIntExactOrNull(): Int? {\n    return if (this in Int.MIN_VALUE.toLong()..Int.MAX_VALUE.toLong())
this.toInt() else null\n}\n\ninternal fun Double.toIntExactOrNull(): Int? {\n    return if (this in
Int.MIN_VALUE.toDouble()..Int.MAX_VALUE.toDouble()) this.toInt() else null\n}\n\ninternal fun
Float.toIntExactOrNull(): Int? {\n    return if (this in Int.MIN_VALUE.toFloat()..Int.MAX_VALUE.toFloat())
this.toInt() else null\n}\n\ninternal fun Double.toLongExactOrNull(): Long? {\n    return if (this in
Long.MIN_VALUE.toDouble()..Long.MAX_VALUE.toDouble()) this.toLong() else null\n}\n\ninternal fun
Float.toLongExactOrNull(): Long? {\n    return if (this in
Long.MIN_VALUE.toFloat()..Long.MAX_VALUE.toFloat()) this.toLong() else null\n}\n\ninternal fun
Int.toShortExactOrNull(): Short? {\n    return if (this in Short.MIN_VALUE.toInt()..Short.MAX_VALUE.toInt())
this.toShort() else null\n}\n\ninternal fun Long.toShortExactOrNull(): Short? {\n    return if (this in
Short.MIN_VALUE.toLong()..Short.MAX_VALUE.toLong()) this.toShort() else null\n}\n\ninternal fun
Double.toShortExactOrNull(): Short? {\n    return if (this in
Short.MIN_VALUE.toDouble()..Short.MAX_VALUE.toDouble()) this.toInt().toShort() else null\n}\n\ninternal fun
Float.toShortExactOrNull(): Short? {\n    return if (this in
Short.MIN_VALUE.toFloat()..Short.MAX_VALUE.toFloat()) this.toInt().toShort() else null\n}\n\n/**\n * Returns
a range from this value up to but excluding the specified [to] value.\n */\n * If the [to] value is less than or equal to
`this` value, then the returned range is empty.\n */\npublic infix fun Int.until(to: Byte): IntRange {\n    return this ..
(to.toInt() - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n */
\n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun
Long.until(to: Byte): LongRange {\n    return this .. (to.toLong() - 1).toLong()\n}\n\n/**\n * Returns a range from
this value up to but excluding the specified [to] value.\n */\n * If the [to] value is less than or equal to `this` value,
then the returned range is empty.\n */\npublic infix fun Byte.until(to: Byte): IntRange {\n    return this.toInt() ..
(to.toInt() - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n */
\n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun
Short.until(to: Byte): IntRange {\n    return this.toInt() .. (to.toInt() - 1).toInt()\n}\n\n/**\n * Returns a range from
this value up to but excluding the specified [to] value.\n */\n * If the [to] value is less than or equal to `this` value,

```

then the returned range is empty.

```

public infix fun Char.until(to: Char): CharRange {
    if (to <= '\u0000')
        return CharRange.EMPTY
    return this .. (to - 1).toChar()
}

```

\* Returns a range from this value up to but excluding the specified [to] value.

\* If the [to] value is less than or equal to `this` value, then the returned range is empty.

```

public infix fun Int.until(to: Int): IntRange {
    if (to <= Int.MIN_VALUE)
        return IntRange.EMPTY
    return this .. (to - 1).toInt()
}

```

\* Returns a range from this value up to but excluding the specified [to] value.

\* If the [to] value is less than or equal to `this` value, then the returned range is empty.

```

public infix fun Long.until(to: Int): LongRange {
    return this .. (to.toLong() - 1).toLong()
}

```

\* Returns a range from this value up to but excluding the specified [to] value.

\* If the [to] value is less than or equal to `this` value, then the returned range is empty.

```

public infix fun Byte.until(to: Int): IntRange {
    if (to <= Int.MIN_VALUE)
        return IntRange.EMPTY
    return this.toInt() .. (to - 1).toInt()
}

```

\* Returns a range from this value up to but excluding the specified [to] value.

\* If the [to] value is less than or equal to `this` value, then the returned range is empty.

```

public infix fun Short.until(to: Int): IntRange {
    if (to <= Int.MIN_VALUE)
        return IntRange.EMPTY
    return this.toInt() .. (to - 1).toInt()
}

```

\* Returns a range from this value up to but excluding the specified [to] value.

\* If the [to] value is less than or equal to `this` value, then the returned range is empty.

```

public infix fun Int.until(to: Long): LongRange {
    if (to <= Long.MIN_VALUE)
        return LongRange.EMPTY
    return this.toLong() .. (to - 1).toLong()
}

```

\* Returns a range from this value up to but excluding the specified [to] value.

\* If the [to] value is less than or equal to `this` value, then the returned range is empty.

```

public infix fun Long.until(to: Long): LongRange {
    if (to <= Long.MIN_VALUE)
        return LongRange.EMPTY
    return this .. (to - 1).toLong()
}

```

\* Returns a range from this value up to but excluding the specified [to] value.

\* If the [to] value is less than or equal to `this` value, then the returned range is empty.

```

public infix fun Byte.until(to: Long): LongRange {
    if (to <= Long.MIN_VALUE)
        return LongRange.EMPTY
    return this.toLong() .. (to - 1).toLong()
}

```

\* Returns a range from this value up to but excluding the specified [to] value.

\* If the [to] value is less than or equal to `this` value, then the returned range is empty.

```

public infix fun Short.until(to: Long): LongRange {
    if (to <= Long.MIN_VALUE)
        return LongRange.EMPTY
    return this.toLong() .. (to - 1).toLong()
}

```

\* Returns a range from this value up to but excluding the specified [to] value.

\* If the [to] value is less than or equal to `this` value, then the returned range is empty.

```

public infix fun Int.until(to: Short): IntRange {
    return this .. (to.toInt() - 1).toInt()
}

```

\* Returns a range from this value up to but excluding the specified [to] value.

\* If the [to] value is less than or equal to `this` value, then the returned range is empty.

```

public infix fun Long.until(to: Short): LongRange {
    return this .. (to.toLong() - 1).toLong()
}

```

\* Returns a range from this value up to but excluding the specified [to] value.

\* If the [to] value is less than or equal to `this` value, then the returned range is empty.

```

public infix fun Byte.until(to: Short): IntRange {
    return this.toInt() .. (to.toInt() - 1).toInt()
}

```

\* Ensures that this value is not less than the specified [minimumValue].

\* @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.

\* @sample samples.comparisons.ComparableOps.coerceAtLeast

```

T.coerceAtLeast(minimumValue: T): T {
    return if (this < minimumValue) minimumValue else this
}

```

\* Ensures that this value is not less than the specified [minimumValue].

\* @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.

\* @sample samples.comparisons.ComparableOps.coerceAtLeast

```

Byte.coerceAtLeast(minimumValue: Byte): Byte {
    return if (this < minimumValue) minimumValue else this
}

```

\* Ensures that this value is not less than the specified [minimumValue].

\* @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.

```

Short.coerceAtLeast(minimumValue: Short): Short {
    return if (this < minimumValue) minimumValue else this
}

```

\* Ensures that this value is not less than the specified [minimumValue].

\* @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.

```

@sample samples.comparisons.ComparableOps.coerceAtLeast\n */\npublic fun Int.coerceAtLeast(minimumValue:
Int): Int {\n    return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not
less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the
[minimumValue] or the [minimumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtLeast\n */\npublic fun Long.coerceAtLeast(minimumValue: Long):
Long {\n    return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less
than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue]
or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n
*/\npublic fun Float.coerceAtLeast(minimumValue: Float): Float {\n    return if (this < minimumValue)
minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n
* @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n
* @sample samples.comparisons.ComparableOps.coerceAtLeast\n */\npublic fun
Double.coerceAtLeast(minimumValue: Double): Double {\n    return if (this < minimumValue) minimumValue else
this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this
value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtMostComparable\n */\npublic fun <T : Comparable<T>>
T.coerceAtMost(maximumValue: T): T {\n    return if (this > maximumValue) maximumValue else this\n}\n\n/**\n
* Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less
than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtMost\n */\npublic fun Byte.coerceAtMost(maximumValue: Byte):
Byte {\n    return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not
greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the
[maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtMost\n */\npublic fun Short.coerceAtMost(maximumValue: Short):
Short {\n    return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not
greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the
[maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtMost\n */\npublic fun Int.coerceAtMost(maximumValue: Int): Int
{\n    return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater
than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or
the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMost\n
*/\npublic fun Long.coerceAtMost(maximumValue: Long): Long {\n    return if (this > maximumValue)
maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n *
\n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n
* @sample samples.comparisons.ComparableOps.coerceAtMost\n */\npublic fun
Float.coerceAtMost(maximumValue: Float): Float {\n    return if (this > maximumValue) maximumValue else
this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this
value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtMost\n */\npublic fun Double.coerceAtMost(maximumValue:
Double): Double {\n    return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this
value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range,
or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than
[maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceInComparable\n */\npublic fun
<T : Comparable<T>> T.coerceIn(minimumValue: T?, maximumValue: T?): T {\n    if (minimumValue !== null
&& maximumValue !== null) {\n        if (minimumValue > maximumValue) throw
IllegalArgumentExcep
tion("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n        if (this < minimumValue) return minimumValue\n        if (this >
maximumValue) return maximumValue\n    }\n    else {\n        if (minimumValue !== null && this <

```

```

minimumValue) return minimumValue\n    if (maximumValue != null && this > maximumValue) return
maximumValue\n } \n return this\n}\n\n/**\n * Ensures that this value lies in the specified range
[minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value
is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
samples.comparisons.ComparableOps.coerceIn\n *\npublic fun Byte.coerceIn(minimumValue: Byte,
maximumValue: Byte): Byte {\n    if (minimumValue > maximumValue) throw
IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n    if (this < minimumValue) return minimumValue\n    if (this > maximumValue)
return maximumValue\n    return this\n}\n\n/**\n * Ensures that this value lies in the specified range
[minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value
is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
samples.comparisons.ComparableOps.coerceIn\n *\npublic fun Short.coerceIn(minimumValue: Short,
maximumValue: Short): Short {\n    if (minimumValue > maximumValue) throw
IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n    if (this < minimumValue) return minimumValue\n    if (this > maximumValue)
return maximumValue\n    return this\n}\n\n/**\n * Ensures that this value lies in the specified range
[minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value
is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
samples.comparisons.ComparableOps.coerceIn\n *\npublic fun Int.coerceIn(minimumValue: Int, maximumValue:
Int): Int {\n    if (minimumValue > maximumValue) throw IllegalArgumentException("Cannot coerce value to an
empty range: maximum $maximumValue is less than minimum $minimumValue.")\n    if (this < minimumValue)
return minimumValue\n    if (this > maximumValue) return maximumValue\n    return this\n}\n\n/**\n * Ensures
that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in
the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater
than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n *\npublic fun
Long.coerceIn(minimumValue: Long, maximumValue: Long): Long {\n    if (minimumValue > maximumValue)
throw IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n    if (this < minimumValue) return minimumValue\n    if (this > maximumValue)
return maximumValue\n    return this\n}\n\n/**\n * Ensures that this value lies in the specified range
[minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value
is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
samples.comparisons.ComparableOps.coerceIn\n *\npublic fun Float.coerceIn(minimumValue: Float,
maximumValue: Float): Float {\n    if (minimumValue > maximumValue) throw
IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n    if (this < minimumValue) return minimumValue\n    if (this > maximumValue)
return maximumValue\n    return this\n}\n\n/**\n * Ensures that this value lies in the specified range
[minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value
is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
samples.comparisons.ComparableOps.coerceIn\n *\npublic fun Double.coerceIn(minimumValue: Double,
maximumValue: Double): Double {\n    if (minimumValue > maximumValue) throw
IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n    if (this < minimumValue) return minimumValue\n    if (this > maximumValue)
return maximumValue\n    return this\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n *
@return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or `range.endInclusive`
if this value is greater than `range.endInclusive`.\n * \n * @sample
samples.comparisons.ComparableOps.coerceInFloatingPointRange\n *\n@SinceKotlin("1.1")\npublic fun <T :
Comparable<T>> T.coerceIn(range: ClosedFloatingPointRange<T>): T {\n    if (range.isEmpty()) throw
IllegalArgumentException("Cannot coerce value to an empty range: $range.")\n    return when {\n        // this <

```

```

start equiv to this <= start && !(this >= start)\n    range.lessThanOrEquals(this, range.start) &&
!range.lessThanOrEquals(range.start, this) -> range.start\n    // this > end equiv to this >= end && !(this <= end)\n
    range.lessThanOrEquals(range.endInclusive, this) && !range.lessThanOrEquals(this, range.endInclusive) ->
range.endInclusive\n    else -> this\n    }\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n *
@return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or `range.endInclusive`
if this value is greater than `range.endInclusive`.\n * \n * @sample
samples.comparisons.ComparableOps.coerceInComparable\n * \npublic fun <T> Comparable<T>>
T.coerceIn(range: ClosedRange<T>): T {\n    if (range is ClosedFloatingPointRange) {\n        return
this.coerceIn<T>(range)\n    }\n    if (range.isEmpty()) throw IllegalArgumentException("Cannot coerce value to an
empty range: $range.")\n    return when {\n        this < range.start -> range.start\n        this > range.endInclusive ->
range.endInclusive\n        else -> this\n    }\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n *
@return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or `range.endInclusive`
if this value is greater than `range.endInclusive`.\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n
* \npublic fun Int.coerceIn(range: ClosedRange<Int>): Int {\n    if (range is ClosedFloatingPointRange) {\n
return this.coerceIn<Int>(range)\n    }\n    if (range.isEmpty()) throw IllegalArgumentException("Cannot coerce
value to an empty range: $range.")\n    return when {\n        this < range.start -> range.start\n        this >
range.endInclusive -> range.endInclusive\n        else -> this\n    }\n}\n\n/**\n * Ensures that this value lies in the
specified [range].\n * \n * @return this value if it's in the [range], or `range.start` if this value is less than
`range.start`, or `range.endInclusive` if this value is greater than `range.endInclusive`.\n * \n * @sample
samples.comparisons.ComparableOps.coerceIn\n * \npublic fun Long.coerceIn(range: ClosedRange<Long>): Long
{\n    if (range is ClosedFloatingPointRange) {\n        return this.coerceIn<Long>(range)\n    }\n    if
(range.isEmpty()) throw IllegalArgumentException("Cannot coerce value to an empty range: $range.")\n    return
when {\n        this < range.start -> range.start\n        this > range.endInclusive -> range.endInclusive\n        else ->
this\n    }\n}\n\n"/**\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n *
Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *
\n * \n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin\n\nimport kotlin.experimental.*\nimport
kotlin.jvm.*\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@JvmInline\npublic
value class UByte @PublishedApi internal constructor(@PublishedApi internal val data: Byte) :
Comparable<UByte> {\n\n    companion object {\n        /**\n         * A constant holding the minimum value an
instance of UByte can have.\n         * \n         * \n        public const val MIN_VALUE: UByte = UByte(0)\n        /**\n         *
A constant holding the maximum value an instance of UByte can have.\n         * \n         * \n        public const val
MAX_VALUE: UByte = UByte(-1)\n        /**\n         * The number of bytes used to represent an instance of
UByte in a binary form.\n         * \n         * \n        public const val SIZE_BYTES: Int = 1\n        /**\n         * The number of
bits used to represent an instance of UByte in a binary form.\n         * \n         * \n        public const val SIZE_BITS: Int = 8\n
}\n\n        /**\n         * Compares this value with the specified value for order.\n         * Returns zero if this value is equal to
the specified other value, a negative number if it's less than other,\n         * or a positive number if it's greater than
other.\n         * \n         * \n        @kotlin.internal.InlineOnly\n        @Suppress("OVERRIDE_BY_INLINE")\n        public override
inline operator fun compareTo(other: UByte): Int = this.toInt().compareTo(other.toInt())\n        /**\n         * Compares
this value with the specified value for order.\n         * Returns zero if this value is equal to the specified other value, a
negative number if it's less than other,\n         * or a positive number if it's greater than other.\n         * \n         * \n
        @kotlin.internal.InlineOnly\n        public inline operator fun compareTo(other: UShort): Int =
this.toInt().compareTo(other.toInt())\n        /**\n         * Compares this value with the specified value for order.\n         *
Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n         * or a
positive number if it's greater than other.\n         * \n         * \n        @kotlin.internal.InlineOnly\n        public inline operator fun
compareTo(other: UInt): Int = this.toUInt().compareTo(other)\n        /**\n         * Compares this value with the
specified value for order.\n         * Returns zero if this value is equal to the specified other value, a negative number if
it's less than other,\n         * or a positive number if it's greater than other.\n         * \n         * \n        @kotlin.internal.InlineOnly\n
        public inline operator fun compareTo(other: ULong): Int = this.toULong().compareTo(other)\n        /**\n         * Adds the

```

```

other value to this value. */n @kotlin.internal.InlineOnlyn public inline operator fun plus(other: UByte): UInt =
this.toUInt().plus(other.toUInt())n /** Adds the other value to this value. */n @kotlin.internal.InlineOnlyn
public inline operator fun plus(other: UShort): UInt = this.toUInt().plus(other.toUInt())n /** Adds the other value
to this value. */n @kotlin.internal.InlineOnlyn public inline operator fun plus(other: UInt): UInt =
this.toUInt().plus(other)n /** Adds the other value to this value. */n @kotlin.internal.InlineOnlyn public
inline operator fun plus(other: ULong): ULong = this.toULong().plus(other)n /** Subtracts the other value from
this value. */n @kotlin.internal.InlineOnlyn public inline operator fun minus(other: UByte): UInt =
this.toUInt().minus(other.toUInt())n /** Subtracts the other value from this value. */n
@kotlin.internal.InlineOnlyn public inline operator fun minus(other: UShort): UInt =
this.toUInt().minus(other.toUInt())n /** Subtracts the other value from this value. */n
@kotlin.internal.InlineOnlyn public inline operator fun minus(other: UInt): UInt = this.toUInt().minus(other)n
/** Subtracts the other value from this value. */n @kotlin.internal.InlineOnlyn public inline operator fun
minus(other: ULong): ULong = this.toULong().minus(other)n /** Multiplies this value by the other value. */n
@kotlin.internal.InlineOnlyn public inline operator fun times(other: UByte): UInt =
this.toUInt().times(other.toUInt())n /** Multiplies this value by the other value. */n
@kotlin.internal.InlineOnlyn public inline operator fun times(other: UShort): UInt =
this.toUInt().times(other.toUInt())n /** Multiplies this value by the other value. */n
@kotlin.internal.InlineOnlyn public inline operator fun times(other: UInt): UInt = this.toUInt().times(other)n
/** Multiplies this value by the other value. */n @kotlin.internal.InlineOnlyn public inline operator fun
times(other: ULong): ULong = this.toULong().times(other)n /** Divides this value by the other value,
truncating the result to an integer that is closer to zero. */n @kotlin.internal.InlineOnlyn public inline operator
fun div(other: UByte): UInt = this.toUInt().div(other.toUInt())n /** Divides this value by the other value,
truncating the result to an integer that is closer to zero. */n @kotlin.internal.InlineOnlyn public inline operator
fun div(other: UShort): UInt = this.toUInt().div(other.toUInt())n /** Divides this value by the other value,
truncating the result to an integer that is closer to zero. */n @kotlin.internal.InlineOnlyn public inline operator
fun div(other: UInt): UInt = this.toUInt().div(other)n /** Divides this value by the other value, truncating the
result to an integer that is closer to zero. */n @kotlin.internal.InlineOnlyn public inline operator fun div(other:
ULong): ULong = this.toULong().div(other)n /**n * Calculates the remainder of truncating division of this
value by the other value.n *n * The result is always less than the divisor.n */n
@kotlin.internal.InlineOnlyn public inline operator fun rem(other: UByte): UInt =
this.toUInt().rem(other.toUInt())n /**n * Calculates the remainder of truncating division of this value by the
other value.n *n * The result is always less than the divisor.n */n @kotlin.internal.InlineOnlyn public
inline operator fun rem(other: UShort): UInt = this.toUInt().rem(other.toUInt())n /**n * Calculates the
remainder of truncating division of this value by the other value.n *n * The result is always less than the
divisor.n */n @kotlin.internal.InlineOnlyn public inline operator fun rem(other: UInt): UInt =
this.toUInt().rem(other)n /**n * Calculates the remainder of truncating division of this value by the other
value.n *n * The result is always less than the divisor.n */n @kotlin.internal.InlineOnlyn public
inline operator fun rem(other: ULong): ULong = this.toULong().rem(other)n /**n * Divides this value by
the other value, flooring the result to an integer that is closer to negative infinity.n *n * For unsigned types,
the results of flooring division and truncating division are the same.n */n @kotlin.internal.InlineOnlyn
public inline fun floorDiv(other: UByte): UInt = this.toUInt().floorDiv(other.toUInt())n /**n * Divides this
value by the other value, flooring the result to an integer that is closer to negative infinity.n *n * For unsigned
types, the results of flooring division and truncating division are the same.n */n @kotlin.internal.InlineOnlyn
public inline fun floorDiv(other: UShort): UInt = this.toUInt().floorDiv(other.toUInt())n /**n * Divides this
value by the other value, flooring the result to an integer that is closer to negative infinity.n *n * For unsigned
types, the results of flooring division and truncating division are the same.n */n @kotlin.internal.InlineOnlyn
public inline fun floorDiv(other: UInt): UInt = this.toUInt().floorDiv(other)n /**n * Divides this value by the
other value, flooring the result to an integer that is closer to negative infinity.n *n * For unsigned types, the

```



```

results of flooring division and truncating division are the same.\n
*/\n @kotlin.internal.InlineOnly\n public
inline fun floorDiv(other: ULong): ULong = this.toULong().floorDiv(other)\n\n /**\n * Calculates the
remainder of flooring division of this value by the other value.\n * \n * The result is always less than the
divisor.\n * \n * For unsigned types, the remainders of flooring division and truncating division are the same.\n
*/\n @kotlin.internal.InlineOnly\n public inline fun mod(other: UByte): UByte =
this.toUInt().mod(other.toUInt()).toUByte()\n\n /**\n * Calculates the remainder of flooring division of this value
by the other value.\n * \n * The result is always less than the divisor.\n * \n * For unsigned types, the
remainders of flooring division and truncating division are the same.\n
*/\n @kotlin.internal.InlineOnly\n public inline fun mod(other: UShort): UShort = this.toUInt().mod(other.toUInt()).toUShort()\n\n /**\n *
Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is always less
than the divisor.\n * \n * For unsigned types, the remainders of flooring division and truncating division are the
same.\n
*/\n @kotlin.internal.InlineOnly\n public inline fun mod(other: UInt): UInt =
this.toUInt().mod(other)\n\n /**\n * Calculates the remainder of flooring division of this value by the other
value.\n * \n * The result is always less than the divisor.\n * \n * For unsigned types, the remainders of
flooring division and truncating division are the same.\n
*/\n @kotlin.internal.InlineOnly\n public inline fun
mod(other: ULong): ULong = this.toULong().mod(other)\n\n /**\n * Returns this value incremented by one.\n
*/\n * @sample samples.misc.Builtins.inc\n
*/\n @kotlin.internal.InlineOnly\n public inline operator fun
inc(): UByte = UByte(data.inc())\n\n /**\n * Returns this value decremented by one.\n
*/\n * @sample
samples.misc.Builtins.dec\n
*/\n @kotlin.internal.InlineOnly\n public inline operator fun
dec(): UByte =
UByte(data.dec())\n\n /** Creates a range from this value to the specified [other] value. */\n
@kotlin.internal.InlineOnly\n public inline operator fun rangeTo(other: UByte): UIntRange =
UIntRange(this.toUInt(), other.toUInt())\n\n /** Performs a bitwise AND operation between the two values. */\n
@kotlin.internal.InlineOnly\n public inline infix fun and(other: UByte): UByte = UByte(this.data and other.data)\n\n
/** Performs a bitwise OR operation between the two values. */\n
@kotlin.internal.InlineOnly\n public inline
infix fun or(other: UByte): UByte = UByte(this.data or other.data)\n\n /** Performs a bitwise XOR operation
between the two values. */\n
@kotlin.internal.InlineOnly\n public inline infix fun
xor(other: UByte): UByte =
UByte(this.data xor other.data)\n\n /** Inverts the bits in this value. */\n
@kotlin.internal.InlineOnly\n public
inline fun inv(): UByte = UByte(data.inv())\n\n /**\n * Converts this [UByte] value to [Byte].\n * \n * If
this value is less than or equals to [Byte.MAX_VALUE], the resulting `Byte` value represents\n * the same
numerical value as this `UByte`. Otherwise the result is negative.\n * \n * The resulting `Byte` value has the
same binary representation as this `UByte` value.\n
*/\n @kotlin.internal.InlineOnly\n public inline fun
toByte(): Byte = data\n\n /**\n * Converts this [UByte] value to [Short].\n * \n * The resulting `Short`
value represents the same numerical value as this `UByte`. \n * \n * The least significant 8 bits of the resulting
`Short` value are the same as the bits of this `UByte` value,\n * whereas the most significant 8 bits are filled
with zeros.\n
*/\n @kotlin.internal.InlineOnly\n public inline fun
toShort(): Short = data.toShort() and 0xFF\n\n /**\n *
Converts this [UByte] value to [Int].\n * \n * The resulting `Int` value represents the same numerical value as
this `UByte`. \n * \n * The least significant 8 bits of the resulting `Int` value are the same as the bits of
this `UByte` value,\n * whereas the most significant 24 bits are filled with zeros.\n
*/\n
@kotlin.internal.InlineOnly\n public inline fun
toInt(): Int = data.toInt() and 0xFF\n\n /**\n * Converts this
[UByte] value to [Long].\n * \n * The resulting `Long` value represents the same numerical value as this
`UByte`. \n * \n * The least significant 8 bits of the resulting `Long` value are the same as the bits of
this `UByte` value,\n * whereas the most significant 56 bits are filled with zeros.\n
*/\n
@kotlin.internal.InlineOnly\n public inline fun
toLong(): Long = data.toLong() and 0xFF\n\n /** Returns this
value. */\n
@kotlin.internal.InlineOnly\n public inline fun
toUByte(): UByte = this\n\n /**\n * Converts this
[UByte] value to [UShort].\n * \n * The resulting `UShort` value represents the same numerical value as this
`UByte`. \n * \n * The least significant 8 bits of the resulting `UShort` value are the same as the bits of
this `UByte` value,\n * whereas the most significant 8 bits are filled with zeros.\n
*/\n
@kotlin.internal.InlineOnly\n public inline fun
toUShort(): UShort = UShort(data.toShort() and 0xFF)\n\n /**\n

```

```

* Converts this [UByte] value to [UInt].\n    *\n    * The resulting `UInt` value represents the same numerical value
as this `UByte`.\n    *\n    * The least significant 8 bits of the resulting `UInt` value are the same as the bits of this
`UByte` value,\n    * whereas the most significant 24 bits are filled with zeros.\n    */\n
@kotlin.internal.InlineOnly\n    public inline fun toUInt(): UInt = UInt(data.toInt() and 0xFF)\n    /**\n    *
Converts this [UByte] value to [ULong].\n    *\n    * The resulting `ULong` value represents the same numerical
value as this `UByte`.\n    *\n    * The least significant 8 bits of the resulting `ULong` value are the same as the bits
of this `UByte` value,\n    * whereas the most significant 56 bits are filled with zeros.\n    */\n
@kotlin.internal.InlineOnly\n    public inline fun toULong(): ULong = ULong(data.toLong() and 0xFF)\n    /**\n    *
* Converts this [UByte] value to [Float].\n    *\n    * The resulting `Float` value represents the same numerical
value as this `UByte`.\n    */\n    @kotlin.internal.InlineOnly\n    public inline fun toFloat(): Float =
this.toInt().toFloat()\n    /**\n    * Converts this [UByte] value to [Double].\n    *\n    * The resulting `Double`
value represents the same numerical value as this `UByte`.\n    */\n    @kotlin.internal.InlineOnly\n    public inline
fun toDouble(): Double = this.toInt().toDouble()\n    public override fun toString(): String =
toInt().toString()\n}\n\n/**\n * Converts this [Byte] value to [UByte].\n */\n * If this value is positive, the resulting
`UByte` value represents the same numerical value as this `Byte`.\n */\n * The resulting `UByte` value has the same
binary representation as this `Byte` value.\n
*/\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\n
public inline fun Byte.toUByte(): UByte = UByte(this)\n/**\n * Converts this [Short] value to [UByte].\n */\n * If
this value is positive and less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value represents\n *
the same numerical value as this `Short`.\n */\n * The resulting `UByte` value is represented by the least significant 8
bits of this `Short` value.\n
*/\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\n
public inline fun Short.toUByte(): UByte = UByte(this.toByte())\n/**\n * Converts this [Int] value to [UByte].\n
*/\n * If this value is positive and less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value
represents\n * the same numerical value as this `Int`.\n */\n * The resulting `UByte` value is represented by the least
significant 8 bits of this `Int` value.\n
*/\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\n
public inline fun Int.toUByte(): UByte = UByte(this.toByte())\n/**\n * Converts this [Long] value to [UByte].\n
*/\n * If this value is positive and less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value
represents\n * the same numerical value as this `Long`.\n */\n * The resulting `UByte` value is represented by the
least significant 8 bits of this `Long` value.\n
*/\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\n
public inline fun Long.toUByte(): UByte = UByte(this.toByte())\n","/**\n * Copyright 2010-2021 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage
kotlin\n\nimport kotlin.experimental.*\nimport
kotlin.jvm.*\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@JvmInline\npu
blic value class UInt @PublishedApi internal constructor(@PublishedApi internal val data: Int) :
Comparable<UInt> {\n\n    companion object {\n\n        /**\n        * A constant holding the minimum value an
instance of UInt can have.\n        */\n        public const val MIN_VALUE: UInt = UInt(0)\n\n        /**\n        * A
constant holding the maximum value an instance of UInt can have.\n        */\n        public const val MAX_VALUE:
UInt = UInt(-1)\n\n        /**\n        * The number of bytes used to represent an instance of UInt in a binary form.\n
        */\n        public const val SIZE_BYTES: Int = 4\n\n        /**\n        * The number of bits used to represent an
instance of UInt in a binary form.\n        */\n        public const val SIZE_BITS: Int = 32\n    }\n\n    /**\n    *
Compares this value with the specified value for order.\n    * Returns zero if this value is equal to the specified other
value, a negative number if it's less than other,\n    * or a positive number if it's greater than other.\n    */\n
    @kotlin.internal.InlineOnly\n    public inline operator fun compareTo(other: UByte): Int =
this.compareTo(other.toUInt())\n\n    /**\n    * Compares this value with the specified value for order.\n    */

```

```

Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n * or a
positive number if it's greater than other.\n */\n @kotlin.internal.InlineOnly\n public inline operator fun
compareTo(other: UShort): Int = this.compareTo(other.toUInt())\n /**\n * Compares this value with the
specified value for order.\n * Returns zero if this value is equal to the specified other value, a negative number if
it's less than other,\n * or a positive number if it's greater than other.\n */\n @kotlin.internal.InlineOnly\n
@Suppress("OVERRIDE_BY_INLINE")\n public override inline operator fun compareTo(other: UInt): Int =
uintCompare(this.data, other.data)\n /**\n * Compares this value with the specified value for order.\n *
Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n * or a
positive number if it's greater than other.\n */\n @kotlin.internal.InlineOnly\n public inline operator fun
compareTo(other: ULong): Int = this.toULong().compareTo(other)\n /** Adds the other value to this value. */\n
@kotlin.internal.InlineOnly\n public inline operator fun plus(other: UByte): UInt = this.plus(other.toUInt())\n
/** Adds the other value to this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun plus(other:
UShort): UInt = this.plus(other.toUInt())\n /** Adds the other value to this value. */\n
@kotlin.internal.InlineOnly\n public inline operator fun plus(other: UInt): UInt = UInt(this.data.plus(other.data))\n
/** Adds the other value to this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun plus(other:
ULong): ULong = this.toULong().plus(other)\n /** Subtracts the other value from this value. */\n
@kotlin.internal.InlineOnly\n public inline operator fun minus(other: UByte): UInt = this.minus(other.toUInt())\n
/** Subtracts the other value from this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun
minus(other: UShort): UInt = this.minus(other.toUInt())\n /** Subtracts the other value from this value. */\n
@kotlin.internal.InlineOnly\n public inline operator fun minus(other: UInt): UInt =
UInt(this.data.minus(other.data))\n /** Subtracts the other value from this value. */\n
@kotlin.internal.InlineOnly\n public inline operator fun minus(other: ULong): ULong =
this.toULong().minus(other)\n /** Multiplies this value by the other value. */\n @kotlin.internal.InlineOnly\n
public inline operator fun times(other: UByte): UInt = this.times(other.toUInt())\n /** Multiplies this value by the
other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun times(other: UShort): UInt =
this.times(other.toUInt())\n /** Multiplies this value by the other value. */\n @kotlin.internal.InlineOnly\n
public inline operator fun times(other: UInt): UInt = UInt(this.data.times(other.data))\n /** Multiplies this value
by the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun times(other: ULong): ULong =
this.toULong().times(other)\n /** Divides this value by the other value, truncating the result to an integer that is
closer to zero. */\n @kotlin.internal.InlineOnly\n public inline operator fun div(other: UByte): UInt =
this.div(other.toUInt())\n /** Divides this value by the other value, truncating the result to an integer that is closer
to zero. */\n @kotlin.internal.InlineOnly\n public inline operator fun div(other: UShort): UInt =
this.div(other.toUInt())\n /** Divides this value by the other value, truncating the result to an integer that is closer
to zero. */\n @kotlin.internal.InlineOnly\n public inline operator fun div(other: UInt): UInt = uintDivide(this,
other)\n /** Divides this value by the other value, truncating the result to an integer that is closer to zero. */\n
@kotlin.internal.InlineOnly\n public inline operator fun div(other: ULong): ULong =
this.toULong().div(other)\n /**\n * Calculates the remainder of truncating division of this value by the other
value.\n * \n * The result is always less than the divisor.\n */\n @kotlin.internal.InlineOnly\n public
inline operator fun rem(other: UByte): UInt = this.rem(other.toUInt())\n /**\n * Calculates the remainder of
truncating division of this value by the other value.\n * \n * The result is always less than the divisor.\n */\n
@kotlin.internal.InlineOnly\n public inline operator fun rem(other: UShort): UInt = this.rem(other.toUInt())\n
/**\n * Calculates the remainder of truncating division of this value by the other value.\n * \n * The result is
always less than the divisor.\n */\n @kotlin.internal.InlineOnly\n public inline operator fun rem(other: UInt):
UInt = uintRemainder(this, other)\n /**\n * Calculates the remainder of truncating division of this value by the
other value.\n * \n * The result is always less than the divisor.\n */\n @kotlin.internal.InlineOnly\n public
inline operator fun rem(other: ULong): ULong = this.toULong().rem(other)\n /**\n * Divides this value by
the other value, flooring the result to an integer that is closer to negative infinity.\n * \n * For unsigned types,
the results of flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n

```

```

public inline fun floorDiv(other: UByte): UInt = this.floorDiv(other.toUInt())\n /**\n * Divides this value by the
other value, flooring the result to an integer that is closer to negative infinity.\n * \n * For unsigned types, the
results of flooring division and truncating division are the same.\n * \n @kotlin.internal.InlineOnly\n public
inline fun floorDiv(other: UShort): UInt = this.floorDiv(other.toUInt())\n /**\n * Divides this value by the other
value, flooring the result to an integer that is closer to negative infinity.\n * \n * For unsigned types, the results
of flooring division and truncating division are the same.\n * \n @kotlin.internal.InlineOnly\n public inline
fun floorDiv(other: UInt): UInt = div(other)\n /**\n * Divides this value by the other value, flooring the result to
an integer that is closer to negative infinity.\n * \n * For unsigned types, the results of flooring division and
truncating division are the same.\n * \n @kotlin.internal.InlineOnly\n public inline fun floorDiv(other:
ULong): ULong = this.toULong().floorDiv(other)\n\n /**\n * Calculates the remainder of flooring division of
this value by the other value.\n * \n * The result is always less than the divisor.\n * \n * For unsigned
types, the remainders of flooring division and truncating division are the same.\n * \n @kotlin.internal.InlineOnly\n
public inline fun mod(other: UByte): UByte = this.mod(other.toUInt()).toUByte()\n
/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is
always less than the divisor.\n * \n * For unsigned types, the remainders of flooring division and truncating
division are the same.\n * \n @kotlin.internal.InlineOnly\n public inline fun mod(other: UShort): UShort =
this.mod(other.toUInt()).toUShort()\n /**\n * Calculates the remainder of flooring division of this value by the
other value.\n * \n * The result is always less than the divisor.\n * \n * For unsigned types, the remainders
of flooring division and truncating division are the same.\n * \n @kotlin.internal.InlineOnly\n public inline
fun mod(other: UInt): UInt = rem(other)\n /**\n * Calculates the remainder of flooring division of this value by
the other value.\n * \n * The result is always less than the divisor.\n * \n * For unsigned types, the
remainders of flooring division and truncating division are the same.\n * \n @kotlin.internal.InlineOnly\n
public inline fun mod(other: ULong): ULong = this.toULong().mod(other)\n\n /**\n * Returns this value
incremented by one.\n * \n * @sample samples.misc.Builtins.inc\n * \n @kotlin.internal.InlineOnly\n
public inline operator fun inc(): UInt = UInt(data.inc())\n\n /**\n * Returns this value decremented by one.\n
*\n * @sample samples.misc.Builtins.dec\n * \n @kotlin.internal.InlineOnly\n public inline operator fun
dec(): UInt = UInt(data.dec())\n\n /**\n * Creates a range from this value to the specified [other] value. *\n
@\n @kotlin.internal.InlineOnly\n public inline operator fun rangeTo(other: UInt): UIntRange = UIntRange(this,
other)\n\n /**\n * Shifts this value left by the [bitCount] number of bits.\n * \n * Note that only the five
lowest-order bits of the [bitCount] are used as the shift distance.\n * \n * The shift distance actually used is therefore
always in the range `0..31`.\n * \n @kotlin.internal.InlineOnly\n public inline infix fun shl(bitCount: Int): UInt
= UInt(data shl bitCount)\n\n /**\n * Shifts this value right by the [bitCount] number of bits, filling the leftmost
bits with zeros.\n * \n * Note that only the five lowest-order bits of the [bitCount] are used as the shift
distance.\n * \n * The shift distance actually used is therefore always in the range `0..31`.\n * \n
@\n @kotlin.internal.InlineOnly\n public inline infix fun shr(bitCount: Int): UInt = UInt(data ushr bitCount)\n\n /**
Performs a bitwise AND operation between the two values. *\n @kotlin.internal.InlineOnly\n public inline infix
fun and(other: UInt): UInt = UInt(this.data and other.data)\n\n /**\n * Performs a bitwise OR operation between the two
values. *\n @kotlin.internal.InlineOnly\n public inline infix fun or(other: UInt): UInt = UInt(this.data or
other.data)\n\n /**\n * Performs a bitwise XOR operation between the two values. *\n @kotlin.internal.InlineOnly\n
public inline infix fun xor(other: UInt): UInt = UInt(this.data xor other.data)\n\n /**\n * Inverts the bits in this
value. *\n @kotlin.internal.InlineOnly\n public inline fun inv(): UInt = UInt(data.inv())\n\n /**\n * Converts this
[UInt] value to [Byte].\n * \n * If this value is less than or equals to [Byte.MAX_VALUE], the resulting `Byte`
value represents\n * the same numerical value as this `UInt`.\n * \n * The resulting `Byte` value is
represented by the least significant 8 bits of this `UInt` value.\n * \n * Note that the resulting `Byte` value may be
negative.\n * \n @kotlin.internal.InlineOnly\n public inline fun toByte(): Byte = data.toByte()\n\n /**\n *
Converts this [UInt] value to [Short].\n * \n * If this value is less than or equals to [Short.MAX_VALUE], the
resulting `Short` value represents\n * the same numerical value as this `UInt`.\n * \n * The resulting `Short`
value is represented by the least significant 16 bits of this `UInt` value.\n * \n * Note that the resulting `Short`
value

```

```

may be negative.\n    *\n    @kotlin.internal.InlineOnly\n    public inline fun toShort(): Short = data.toShort()\n    /**\n     * Converts this [UInt] value to [Int].\n     *\n     * If this value is less than or equals to [Int.MAX_VALUE],\n     the resulting `Int` value represents\n     * the same numerical value as this `UInt`. Otherwise the result is negative.\n     *\n     * The resulting `Int` value has the same binary representation as this `UInt` value.\n     *\n    @kotlin.internal.InlineOnly\n    public inline fun toInt(): Int = data\n    /**\n     * Converts this [UInt] value to\n    [Long].\n     *\n     * The resulting `Long` value represents the same numerical value as this `UInt`. \n     *\n     * The\n     least significant 32 bits of the resulting `Long` value are the same as the bits of this `UInt` value,\n     * whereas the\n     most significant 32 bits are filled with zeros.\n     *\n    @kotlin.internal.InlineOnly\n    public inline fun toLong():\n    Long = data.toLong() and 0xFFFF_FFFF\n    /**\n     * Converts this [UInt] value to [UByte].\n     *\n     * If this\n     value is less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value represents\n     * the same\n     numerical value as this `UInt`. \n     *\n     * The resulting `UByte` value is represented by the least significant 8 bits\n     of this `UInt` value.\n     *\n    @kotlin.internal.InlineOnly\n    public inline fun toUByte(): UByte =\n    data.toUByte()\n    /**\n     * Converts this [UInt] value to [UShort].\n     *\n     * If this value is less than or equals\n     to [UShort.MAX_VALUE], the resulting `UShort` value represents\n     * the same numerical value as this `UInt`. \n     *\n     * The resulting `UShort` value is represented by the least significant 16 bits of this `UInt` value.\n     *\n    @kotlin.internal.InlineOnly\n    public inline fun toUShort(): UShort = data.toUShort()\n    /** Returns this value.\n     *\n    @kotlin.internal.InlineOnly\n    public inline fun toUInt(): UInt = this\n    /**\n     * Converts this [UInt] value\n     to [ULong].\n     *\n     * The resulting `ULong` value represents the same numerical value as this `UInt`. \n     *\n     *\n     * The least significant 32 bits of the resulting `ULong` value are the same as the bits of this `UInt` value,\n     * whereas the most significant 32 bits are filled with zeros.\n     *\n    @kotlin.internal.InlineOnly\n    public inline\n    fun toULong(): ULong = ULong(data.toLong() and 0xFFFF_FFFF)\n    /**\n     * Converts this [UInt] value to\n    [Float].\n     *\n     * The resulting value is the closest `Float` to this `UInt` value. \n     *\n     * In case when this `UInt`\n     value is exactly between two `Float`s,\n     * the one with zero at least significant bit of mantissa is selected.\n     *\n    @kotlin.internal.InlineOnly\n    public inline fun toFloat(): Float = this.toDouble().toFloat()\n    /**\n     * Converts\n     this [UInt] value to [Double].\n     *\n     * The resulting `Double` value represents the same numerical value as this\n     `UInt`. \n     *\n    @kotlin.internal.InlineOnly\n    public inline fun toDouble(): Double = uintToDouble(data)\n    public override fun toString(): String = toLong().toString()\n    /**\n     * Converts this [Byte] value to [UInt].\n     *\n     * If this value is positive, the resulting `UInt` value represents the same numerical value as this `Byte`. \n     *\n     *\n     * The least significant 8 bits of the resulting `UInt` value are the same as the bits of this `Byte` value,\n     * whereas the\n     most significant 24 bits are filled with the sign bit of this value.\n     *\n    @SinceKotlin("1.5")\n    @WasExperimental(ExperimentalUnsignedTypes::class)\n    @kotlin.internal.InlineOnly\n    public inline fun Byte.toUInt(): UInt = UInt(this.toInt())\n    /**\n     * Converts this [Short] value to [UInt].\n     *\n     * If\n     this value is positive, the resulting `UInt` value represents the same numerical value as this `Short`. \n     *\n     * The least\n     significant 16 bits of the resulting `UInt` value are the same as the bits of this `Short` value,\n     * whereas the most\n     significant 16 bits are filled with the sign bit of this value.\n     *\n    @SinceKotlin("1.5")\n    @WasExperimental(ExperimentalUnsignedTypes::class)\n    @kotlin.internal.InlineOnly\n    public inline fun Short.toUInt(): UInt = UInt(this.toInt())\n    /**\n     * Converts this [Int] value to [UInt].\n     *\n     * If this\n     value is positive, the resulting `UInt` value represents the same numerical value as this `Int`. \n     *\n     * The resulting\n     `UInt` value has the same binary representation as this `Int` value.\n     *\n    @SinceKotlin("1.5")\n    @WasExperimental(ExperimentalUnsignedTypes::class)\n    @kotlin.internal.InlineOnly\n    public inline fun Int.toUInt(): UInt = UInt(this)\n    /**\n     * Converts this [Long] value to [UInt].\n     *\n     * If this value\n     is positive and less than or equals to [UInt.MAX_VALUE], the resulting `UInt` value represents\n     * the same\n     numerical value as this `Long`. \n     *\n     * The resulting `UInt` value is represented by the least significant 32 bits of\n     this `Long` value.\n     *\n    @SinceKotlin("1.5")\n    @WasExperimental(ExperimentalUnsignedTypes::class)\n    @kotlin.internal.InlineOnly\n    public inline fun Long.toUInt(): UInt = UInt(this.toInt())\n    /**\n     * Converts this [Float] value to [UInt].\n     *\n     * \n     * The fractional part, if any, is rounded down towards zero. \n     *\n     * Returns zero if this `Float` value is negative or `NaN`,\n     [UInt.MAX_VALUE] if it's bigger than `UInt.MAX_VALUE`. \n     *\n    
```

```

*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun Float.toUInt(): UInt = doubleToUInt(this.toDouble())\n/**\n * Converts this [Double] value to [UInt].\n *\n * The fractional part, if any, is rounded down towards zero.\n * Returns zero if this `Double` value is negative or `NaN`, [UInt.MAX_VALUE] if it's bigger than `UInt.MAX_VALUE`.\n */\n*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun Double.toUInt(): UInt = doubleToUInt(this)\n",/>\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin\n\nimport kotlin.experimental.*\nimport kotlin.jvm.*\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@JvmInline\npublic value class UShort @PublishedApi internal constructor(@PublishedApi internal val data: Short) : Comparable<UShort> {\n\n    companion object {\n\n        /**\n         * A constant holding the minimum value an instance of UShort can have.\n         */\n        public const val MIN_VALUE: UShort = UShort(0)\n\n        /**\n         * A constant holding the maximum value an instance of UShort can have.\n         */\n        public const val MAX_VALUE: UShort = UShort(-1)\n\n        /**\n         * The number of bytes used to represent an instance of UShort in a binary form.\n         */\n        public const val SIZE_BYTES: Int = 2\n\n        /**\n         * The number of bits used to represent an instance of UShort in a binary form.\n         */\n        public const val SIZE_BITS: Int = 16\n    }\n\n    /**\n     * Compares this value with the specified value for order.\n     * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n     * or a positive number if it's greater than other.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun compareTo(other: UByte): Int = this.toInt().compareTo(other.toInt())\n\n    /**\n     * Compares this value with the specified value for order.\n     * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n     * or a positive number if it's greater than other.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun compareTo(other: UShort): Int = this.toInt().compareTo(other.toInt())\n\n    /**\n     * Compares this value with the specified value for order.\n     * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n     * or a positive number if it's greater than other.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun compareTo(other: UInt): Int = this.toUInt().compareTo(other)\n\n    /**\n     * Compares this value with the specified value for order.\n     * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n     * or a positive number if it's greater than other.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun compareTo(other: ULong): Int = this.toULong().compareTo(other)\n\n    /**\n     * Adds the other value to this value.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun plus(other: UByte): UInt = this.toUInt().plus(other.toUInt())\n\n    /**\n     * Adds the other value to this value.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun plus(other: UShort): UInt = this.toUInt().plus(other.toUInt())\n\n    /**\n     * Adds the other value to this value.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun plus(other: UInt): UInt = this.toUInt().plus(other)\n\n    /**\n     * Adds the other value to this value.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun plus(other: ULong): ULong = this.toULong().plus(other)\n\n    /**\n     * Subtracts the other value from this value.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun minus(other: UByte): UInt = this.toUInt().minus(other.toUInt())\n\n    /**\n     * Subtracts the other value from this value.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun minus(other: UShort): UInt = this.toUInt().minus(other.toUInt())\n\n    /**\n     * Subtracts the other value from this value.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun minus(other: UInt): UInt = this.toUInt().minus(other)\n\n    /**\n     * Subtracts the other value from this value.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun minus(other: ULong): ULong = this.toULong().minus(other)\n\n    /**\n     * Multiplies this value by the other value.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun times(other: UByte): UInt = this.toUInt().times(other.toUInt())\n\n    /**\n     * Multiplies this value by the other value.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun times(other: UShort): UInt = this.toUInt().times(other.toUInt())\n\n    /**\n     * Multiplies this value by the other value.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun times(other: UInt): UInt = this.toUInt().times(other)\n\n    /**\n     * Multiplies this value by the other value.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun times(other: ULong): ULong = this.toULong().times(other)\n}

```

```

@kotlin.internal.InlineOnly\n public inline operator fun times(other: UInt): UInt = this.toUInt().times(other)\n
/** Multiplies this value by the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun
times(other: ULong): ULong = this.toULong().times(other)\n\n /** Divides this value by the other value,
truncating the result to an integer that is closer to zero. */\n @kotlin.internal.InlineOnly\n public inline operator
fun div(other: UByte): UInt = this.toUInt().div(other.toUInt())\n /** Divides this value by the other value,
truncating the result to an integer that is closer to zero. */\n @kotlin.internal.InlineOnly\n public inline operator
fun div(other: UShort): UInt = this.toUInt().div(other.toUInt())\n /** Divides this value by the other value,
truncating the result to an integer that is closer to zero. */\n @kotlin.internal.InlineOnly\n public inline operator
fun div(other: UInt): UInt = this.toUInt().div(other)\n /** Divides this value by the other value, truncating the
result to an integer that is closer to zero. */\n @kotlin.internal.InlineOnly\n public inline operator fun div(other:
ULong): ULong = this.toULong().div(other)\n\n /**\n * Calculates the remainder of truncating division of this
value by the other value.\n * \n * The result is always less than the divisor.\n */\n
@kotlin.internal.InlineOnly\n public inline operator fun rem(other: UByte): UInt =
this.toUInt().rem(other.toUInt())\n /**\n * Calculates the remainder of truncating division of this value by the
other value.\n * \n * The result is always less than the divisor.\n */\n @kotlin.internal.InlineOnly\n public
inline operator fun rem(other: UShort): UInt = this.toUInt().rem(other.toUInt())\n /**\n * Calculates the
remainder of truncating division of this value by the other value.\n * \n * The result is always less than the
divisor.\n */\n @kotlin.internal.InlineOnly\n public inline operator fun rem(other: UInt): UInt =
this.toUInt().rem(other)\n /**\n * Calculates the remainder of truncating division of this value by the other
value.\n * \n * The result is always less than the divisor.\n */\n @kotlin.internal.InlineOnly\n public
inline operator fun rem(other: ULong): ULong = this.toULong().rem(other)\n\n /**\n * Divides this value by
the other value, flooring the result to an integer that is closer to negative infinity.\n * \n * For unsigned types,
the results of flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n
public inline fun floorDiv(other: UByte): UInt = this.toUInt().floorDiv(other.toUInt())\n /**\n * Divides this
value by the other value, flooring the result to an integer that is closer to negative infinity.\n * \n * For unsigned
types, the results of flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n
public inline fun floorDiv(other: UShort): UInt = this.toUInt().floorDiv(other.toUInt())\n /**\n * Divides this
value by the other value, flooring the result to an integer that is closer to negative infinity.\n * \n * For unsigned
types, the results of flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n
public inline fun floorDiv(other: UInt): UInt = this.toUInt().floorDiv(other)\n /**\n * Divides this value by the
other value, flooring the result to an integer that is closer to negative infinity.\n * \n * For unsigned types, the
results of flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n public
inline fun floorDiv(other: ULong): ULong = this.toULong().floorDiv(other)\n\n /**\n * Calculates the
remainder of flooring division of this value by the other value.\n * \n * The result is always less than the
divisor.\n * \n * For unsigned types, the remainders of flooring division and truncating division are the same.\n
*/\n @kotlin.internal.InlineOnly\n public inline fun mod(other: UByte): UByte =
this.toUInt().mod(other.toUInt()).toUByte()\n /**\n * Calculates the remainder of flooring division of this value
by the other value.\n * \n * The result is always less than the divisor.\n * \n * For unsigned types, the
remainders of flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n
public inline fun mod(other: UShort): UShort = this.toUInt().mod(other.toUInt()).toUShort()\n /**\n *
Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is always less
than the divisor.\n * \n * For unsigned types, the remainders of flooring division and truncating division are the
same.\n */\n @kotlin.internal.InlineOnly\n public inline fun mod(other: UInt): UInt =
this.toUInt().mod(other)\n /**\n * Calculates the remainder of flooring division of this value by the other
value.\n * \n * The result is always less than the divisor.\n * \n * For unsigned types, the remainders of
flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n public inline fun
mod(other: ULong): ULong = this.toULong().mod(other)\n\n /**\n * Returns this value incremented by one.\n
*\n * @sample samples.misc.Builtins.inc\n */\n @kotlin.internal.InlineOnly\n public inline operator fun

```

```

inc(): UShort = UShort(data.inc())\n\n /**\n * Returns this value decremented by one.\n *\n * @sample
samples.misc.Builtins.dec\n *\n @kotlin.internal.InlineOnly\n public inline operator fun dec(): UShort =
UShort(data.dec())\n\n /** Creates a range from this value to the specified [other] value. *\n
@kotlin.internal.InlineOnly\n public inline operator fun rangeTo(other: UShort): UIntRange =
UIntRange(this.toUInt(), other.toUInt())\n\n /** Performs a bitwise AND operation between the two values. *\n
@kotlin.internal.InlineOnly\n public inline infix fun and(other: UShort): UShort = UShort(this.data and
other.data)\n\n /** Performs a bitwise OR operation between the two values. *\n @kotlin.internal.InlineOnly\n
public inline infix fun or(other: UShort): UShort = UShort(this.data or other.data)\n\n /** Performs a bitwise XOR
operation between the two values. *\n @kotlin.internal.InlineOnly\n public inline infix fun xor(other: UShort):
UShort = UShort(this.data xor other.data)\n\n /** Inverts the bits in this value. *\n @kotlin.internal.InlineOnly\n
public inline fun inv(): UShort = UShort(data.inv())\n\n /**\n * Converts this [UShort] value to [Byte].\n *\n
* If this value is less than or equals to [Byte.MAX_VALUE], the resulting `Byte` value represents\n
* the same numerical value as this `UShort`.\n *\n
* The resulting `Byte` value is represented by the least significant 8 bits
of this `UShort` value.\n
* Note that the resulting `Byte` value may be negative.\n
*\n
@kotlin.internal.InlineOnly\n public inline fun toByte(): Byte = data.toByte()\n\n /**\n * Converts this [UShort]
value to [Short].\n *\n
* If this value is less than or equals to [Short.MAX_VALUE], the resulting `Short` value
represents\n
* the same numerical value as this `UShort`. Otherwise the result is negative.\n
*\n
* The
resulting `Short` value has the same binary representation as this `UShort` value.\n
*\n
@kotlin.internal.InlineOnly\n public inline fun toShort(): Short = data\n\n /**\n * Converts this [UShort] value
to [Int].\n *\n
* The resulting `Int` value represents the same numerical value as this `UShort`.\n
*\n
* The
least significant 16 bits of the resulting `Int` value are the same as the bits of this `UShort` value,\n
* whereas the
most significant 16 bits are filled with zeros.\n
*\n
@kotlin.internal.InlineOnly\n public inline fun toInt(): Int
= data.toInt() and 0xFFFF\n\n /**\n * Converts this [UShort] value to [Long].\n *\n
* The resulting `Long`
value represents the same numerical value as this `UShort`.\n
*\n
* The least significant 16 bits of the resulting
`Long` value are the same as the bits of this `UShort` value,\n
* whereas the most significant 48 bits are filled
with zeros.\n
*\n
@kotlin.internal.InlineOnly\n public inline fun toLong(): Long = data.toLong() and
0xFFFF\n\n /**\n * Converts this [UShort] value to [UByte].\n *\n
* If this value is less than or equals to
[UByte.MAX_VALUE], the resulting `UByte` value represents\n
* the same numerical value as this `UShort`.\n
*\n
* The resulting `UByte` value is represented by the least significant 8 bits of this `UShort` value.\n
*\n
@kotlin.internal.InlineOnly\n public inline fun toUByte(): UByte = data.toUByte()\n\n /** Returns this value. *\n
@kotlin.internal.InlineOnly\n public inline fun toUShort(): UShort = this\n\n /**\n * Converts this [UShort]
value to [UInt].\n *\n
* The resulting `UInt` value represents the same numerical value as this `UShort`.\n
*\n
* The least significant 16 bits of the resulting `UInt` value are the same as the bits of this `UShort` value,\n
* whereas the
most significant 16 bits are filled with zeros.\n
*\n
@kotlin.internal.InlineOnly\n public inline
fun toUInt(): UInt = UInt(data.toInt() and 0xFFFF)\n\n /**\n * Converts this [UShort] value to [ULong].\n *\n
* The resulting `ULong` value represents the same numerical value as this `UShort`.\n
*\n
* The least
significant 16 bits of the resulting `ULong` value are the same as the bits of this `UShort` value,\n
* whereas the
most significant 48 bits are filled with zeros.\n
*\n
@kotlin.internal.InlineOnly\n public inline fun toULong():
ULong = ULong(data.toLong() and 0xFFFF)\n\n /**\n * Converts this [UShort] value to [Float].\n *\n
* The resulting `Float` value represents the same numerical value as this `UShort`.\n
*\n
@kotlin.internal.InlineOnly\n public inline fun toFloat(): Float = this.toInt().toFloat()\n\n /**\n * Converts this
[UShort] value to [Double].\n *\n
* The resulting `Double` value represents the same numerical value as this
`UShort`.\n
*\n
@kotlin.internal.InlineOnly\n public inline fun toDouble(): Double =
this.toInt().toDouble()\n\n public override fun toString(): String = toInt().toString()\n\n}\n\n/**\n * Converts this
[Byte] value to [UShort].\n *\n
* If this value is positive, the resulting `UShort` value represents the same numerical
value as this `Byte`.\n
*\n
* The least significant 8 bits of the resulting `UShort` value are the same as the bits of this
`Byte` value,\n
* whereas the most significant 8 bits are filled with the sign bit of this value.\n
*\n
@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly

```



```

public inline fun Byte.toUShort(): UShort = UShort(this.toShort())\n/**\n * Converts this [Short] value to [UShort].\n * If this value is positive, the resulting `UShort` value represents the same numerical value as this `Short`.\n * The resulting `UShort` value has the same binary representation as this `Short` value.\n */\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun Short.toUShort(): UShort = UShort(this)\n/**\n * Converts this [Int] value to [UShort].\n * If this value is positive and less than or equals to [UShort.MAX_VALUE], the resulting `UShort` value represents\n * the same numerical value as this `Int`.\n * The resulting `UShort` value is represented by the least significant 16 bits of this `Int` value.\n */\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun Int.toUShort(): UShort = UShort(this.toShort())\n/**\n * Converts this [Long] value to [UShort].\n * If this value is positive and less than or equals to [UShort.MAX_VALUE], the resulting `UShort` value represents\n * the same numerical value as this `Long`.\n * The resulting `UShort` value is represented by the least significant 16 bits of this `Long` value.\n */\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun Long.toUShort(): UShort = UShort(this.toShort())\n", "/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin.ranges\n\n/**\n * A range of values of type `Char`.\n */\npublic class CharRange(start: Char, endInclusive: Char) : CharProgression(start, endInclusive, 1), ClosedRange<Char> {\n    override val start: Char get() = first\n    override val endInclusive: Char get() = last\n\n    override fun contains(value: Char): Boolean = first <= value && value <= last\n\n    /**\n     * Checks whether the range is empty.\n     *\n     * The range is empty if its start value is greater than the end value.\n     */\n    override fun isEmpty(): Boolean = first > last\n\n    override fun equals(other: Any?): Boolean =\n        other is CharRange && (isEmpty() && other.isEmpty()) ||\n        first == other.first && last == other.last\n\n    override fun hashCode(): Int =\n        if (isEmpty()) -1 else (31 * first.code + last.code)\n\n    override fun toString(): String = \"$first..$last\"\n\n    companion object {\n        /** An empty range of values of type Char. */\n        public val EMPTY: CharRange = CharRange(1.toChar(), 0.toChar())\n    }\n}\n\n/**\n * A range of values of type `Int`.\n */\npublic class IntRange(start: Int, endInclusive: Int) : IntProgression(start, endInclusive, 1), ClosedRange<Int> {\n    override val start: Int get() = first\n    override val endInclusive: Int get() = last\n\n    override fun contains(value: Int): Boolean = first <= value && value <= last\n\n    /**\n     * Checks whether the range is empty.\n     *\n     * The range is empty if its start value is greater than the end value.\n     */\n    override fun isEmpty(): Boolean = first > last\n\n    override fun equals(other: Any?): Boolean =\n        other is IntRange && (isEmpty() && other.isEmpty()) ||\n        first == other.first && last == other.last\n\n    override fun hashCode(): Int =\n        if (isEmpty()) -1 else (31 * first + last)\n\n    override fun toString(): String = \"$first..$last\"\n\n    companion object {\n        /** An empty range of values of type Int. */\n        public val EMPTY: IntRange = IntRange(1, 0)\n    }\n}\n\n/**\n * A range of values of type `Long`.\n */\npublic class LongRange(start: Long, endInclusive: Long) : LongProgression(start, endInclusive, 1), ClosedRange<Long> {\n    override val start: Long get() = first\n    override val endInclusive: Long get() = last\n\n    override fun contains(value: Long): Boolean = first <= value && value <= last\n\n    /**\n     * Checks whether the range is empty.\n     *\n     * The range is empty if its start value is greater than the end value.\n     */\n    override fun isEmpty(): Boolean = first > last\n\n    override fun equals(other: Any?): Boolean =\n        other is LongRange && (isEmpty() && other.isEmpty()) ||\n        first == other.first && last == other.last\n\n    override fun hashCode(): Int =\n        if (isEmpty()) -1 else (31 * (first xor (first ushr 32)) + (last xor (last ushr 32))).toInt()\n\n    override fun toString(): String = \"$first..$last\"\n\n    companion object {\n        /** An empty range of values of type Long. */\n        public val EMPTY: LongRange = LongRange(1, 0)\n    }\n}\n", "/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("CollectionsKt")\n@file:OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n\npackage kotlin.collections\n\nimport kotlin.contracts.*\nimport

```

```

kotlin.random.Random\n\ninternal object EmptyIterator : ListIterator<Nothing> {\n  override fun hasNext():
Boolean = false\n  override fun hasPrevious(): Boolean = false\n  override fun nextIndex(): Int = 0\n  override
fun previousIndex(): Int = -1\n  override fun next(): Nothing = throw NoSuchElementException()\n  override fun
previous(): Nothing = throw NoSuchElementException()\n}\n\ninternal object EmptyList : List<Nothing>,
Serializable, RandomAccess {\n  private const val serialVersionUID: Long = -7390468764508069838L\n\n  override fun equals(other: Any?): Boolean = other is List<*> && other.isEmpty()\n  override fun hashCode(): Int
= 1\n  override fun toString(): String = \"[]\"\n\n  override val size: Int get() = 0\n  override fun isEmpty():
Boolean = true\n  override fun contains(element: Nothing): Boolean = false\n  override fun containsAll(elements:
Collection<Nothing>): Boolean = elements.isEmpty()\n\n  override fun get(index: Int): Nothing = throw
IndexOutOfBoundsException(\"Empty list doesn't contain element at index $index.\")\n\n  override fun
indexOf(element: Nothing): Int = -1\n  override fun lastIndexOf(element: Nothing): Int = -1\n\n  override fun
iterator(): Iterator<Nothing> = EmptyIterator\n  override fun listIterator(): ListIterator<Nothing> = EmptyIterator\n\n  override fun listIterator(index: Int): ListIterator<Nothing> {\n    if (index != 0) throw
IndexOutOfBoundsException(\"Index: $index\")\n    return EmptyIterator\n  }\n\n  override fun
subList(fromIndex: Int, toIndex: Int): List<Nothing> {\n    if (fromIndex == 0 && toIndex == 0) return this\n    throw IndexOutOfBoundsException(\"fromIndex: $fromIndex, toIndex: $toIndex\")\n  }\n\n  private fun
readResolve(): Any = EmptyList\n}\n\ninternal fun <T> Array<out T>.asCollection(): Collection<T> =
ArrayAsCollection(this, isVarargs = false)\n\nprivate class ArrayAsCollection<T>(val values: Array<out T>, val
isVarargs: Boolean) : Collection<T> {\n  override val size: Int get() = values.size\n  override fun isEmpty():
Boolean = values.isEmpty()\n  override fun contains(element: T): Boolean = values.contains(element)\n  override
fun containsAll(elements: Collection<T>): Boolean = elements.all { contains(it) }\n  override fun iterator():
Iterator<T> = values.iterator()\n  // override hidden toArray implementation to prevent copying of values array\n
public fun toArray(): Array<out Any?> = values.copyToArrayOfAny(isVarargs)\n}\n\n/**\n * Returns an empty
read-only list. The returned list is serializable (JVM).\n * @sample
samples.collections.Collections.Lists.emptyReadOnlyList\n */\n\npublic fun <T> emptyList(): List<T> =
EmptyList\n\n/**\n * Returns a new read-only list of given elements. The returned list is serializable (JVM).\n *
@sample samples.collections.Collections.Lists.readOnlyList\n */\n\npublic fun <T> listOf(vararg elements: T):
List<T> = if (elements.size > 0) elements.asList() else emptyList()\n\n/**\n * Returns an empty read-only list. The
returned list is serializable (JVM).\n * @sample samples.collections.Collections.Lists.emptyReadOnlyList\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun <T> listOf(): List<T> = emptyList()\n\n/**\n * Returns an empty
new [MutableList].\n * @sample samples.collections.Collections.Lists.emptyMutableList\n */\n\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> mutableListOf(): MutableList<T> =
ArrayList()\n\n/**\n * Returns an empty new [ArrayList].\n * @sample
samples.collections.Collections.Lists.emptyArrayList\n */\n\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> arrayListOf(): ArrayList<T> =
ArrayList()\n\n/**\n * Returns a new [MutableList] with the given elements.\n * @sample
samples.collections.Collections.Lists.mutableList\n */\n\npublic fun <T> mutableListOf(vararg elements: T):
MutableList<T> =\n  if (elements.size == 0) ArrayList() else ArrayList(ArrayAsCollection(elements, isVarargs =
true))\n\n/**\n * Returns a new [ArrayList] with the given elements.\n * @sample
samples.collections.Collections.Lists.arrayList\n */\n\npublic fun <T> arrayListOf(vararg elements: T): ArrayList<T>
=\n  if (elements.size == 0) ArrayList() else ArrayList(ArrayAsCollection(elements, isVarargs = true))\n\n/**\n * Returns a new read-only list either of single given element, if it is not null, or empty list if the element is null. The
returned list is serializable (JVM).\n * @sample samples.collections.Collections.Lists.listOfNotNull\n */\n\npublic fun
<T : Any> listOfNotNull(element: T?): List<T> = if (element != null) listOf(element) else emptyList()\n\n/**\n * Returns a new read-only list only of those given elements, that are not null. The returned list is serializable
(JVM).\n * @sample samples.collections.Collections.Lists.listOfNotNull\n */\n\npublic fun <T : Any>
listOfNotNull(vararg elements: T?): List<T> = elements.filterNotNull()\n\n/**\n * Creates a new read-only list with
the specified [size], where each element is calculated by calling the specified\n * [init] function.\n * @sample

```

```

function [init] is called for each list element sequentially starting from the first one.\n * It should return the value for
a list element given its index.\n *\n * @sample samples.collections.Collections.Lists.readOnlyListFromInitializer\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun <T> List(size: Int, init: (index: Int) -> T):
List<T> = MutableList(size, init)\n\n/**\n * Creates a new mutable list with the specified [size], where each element
is calculated by calling the specified\n * [init] function.\n *\n * The function [init] is called for each list element
sequentially starting from the first one.\n * It should return the value for a list element given its index.\n *\n *
@sample samples.collections.Collections.Lists.mutableListFromInitializer\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun <T> MutableList(size: Int, init: (index:
Int) -> T): MutableList<T> {\n    val list = ArrayList<T>(size)\n    repeat(size) { index -> list.add(init(index)) }\n
return list}\n\n/**\n * Builds a new read-only [List] by populating a [MutableList] using the given
[builderAction]\n * and returning a read-only list with the same elements.\n *\n * The list passed as a receiver to the
[builderAction] is valid only inside that function.\n * Using it outside of the function produces an unspecified
behavior.\n *\n * The returned list is serializable (JVM).\n *\n * @sample
samples.collections.Builders.Lists.buildListSample\n
*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
inline fun <E> buildList(@BuilderInference builderAction: MutableList<E>().->Unit): List<E> {\n    contract {
callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n    return
buildListInternal(builderAction)\n}\n\n@PublishedApi\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\ninternal
expect inline fun <E> buildListInternal(builderAction: MutableList<E>().->Unit): List<E>\n\n/**\n * Builds a
new read-only [List] by populating a [MutableList] using the given [builderAction]\n * and returning a read-only list
with the same elements.\n *\n * The list passed as a receiver to the [builderAction] is valid only inside that
function.\n * Using it outside of the function produces an unspecified behavior.\n *\n * The returned list is
serializable (JVM).\n *\n * [capacity] is used to hint the expected number of elements added in the
[builderAction].\n *\n * @throws IllegalArgumentException if the given [capacity] is negative.\n *\n * @sample
samples.collections.Builders.Lists.buildListSampleWithCapacity\n
*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
inline fun <E> buildList(capacity: Int, @BuilderInference builderAction: MutableList<E>().->Unit): List<E> {\n
contract { callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n    return buildListInternal(capacity,
builderAction)\n}\n\n@PublishedApi\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\ninternal expect inline
fun <E> buildListInternal(capacity: Int, builderAction: MutableList<E>().->Unit): List<E>\n\n/**\n * Returns an
[IntRange] of the valid indices for this collection.\n * @sample
samples.collections.Collections.Collections.indicesOfCollection\n *\npublic val Collection<*>.indices: IntRange\n
get() = 0..size - 1\n\n/**\n * Returns the index of the last item in the list or -1 if the list is empty.\n *\n * @sample
samples.collections.Collections.Lists.lastIndexOfList\n *\npublic val <T> List<T>.lastIndex: Int\n    get() =
this.size - 1\n\n/**\n * Returns `true` if the collection is not empty.\n * @sample
samples.collections.Collections.Collections.collectionIsNotEmpty\n *\n@kotlin.internal.InlineOnly\npublic inline
fun <T> Collection<T>.isNotEmpty(): Boolean = !isEmpty()\n\n/**\n * Returns `true` if this nullable collection is
either null or empty.\n * @sample samples.collections.Collections.Collections.collectionIsNullOrEmpty\n
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Collection<T>?.isNullOrEmpty():
Boolean {\n    contract {\n        returns(false) implies (this@isNullOrEmpty != null)\n    }\n    return this == null ||
this.isEmpty()\n}\n\n/**\n * Returns this Collection if it's not `null` and the empty list otherwise.\n * @sample
samples.collections.Collections.Collections.collectionOrElse\n *\n@kotlin.internal.InlineOnly\npublic inline fun
<T> Collection<T>?.orElse(): Collection<T> = this ?: emptyList()\n\n/**\n * Returns this List if it's not `null` and
the empty list otherwise.\n * @sample samples.collections.Collections.Lists.listOrElse\n
*\n@kotlin.internal.InlineOnly\npublic inline fun <T> List<T>?.orElse(): List<T> = this ?: emptyList()\n\n/**\n *
Returns this collection if it's not empty\n * or the result of calling [defaultValue] function if the collection is
empty.\n *\n * @sample samples.collections.Collections.Collections.collectionIfEmpty\n
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun <C, R> C.ifEmpty(defaultValue: () ->

```

```

R): R where C : Collection<*>, C : R => Boolean {
    if (isEmpty()) defaultValue() else this.containsAll(elements)
}
 * Checks if all elements in the specified collection are contained in this collection.
 * Allows to overcome type-safety restriction of `containsAll` that requires to pass a collection of type `Collection<E>`.
 * @sample samples.collections.Collections.Collections.collectionContainsAll

 * @Suppress("EXTENSION_SHADOWED_BY_MEMBER") // false warning, extension takes precedence in some cases
 @kotlin.internal.InlineOnly
 public inline fun <@kotlin.internal.OnlyInputTypes T> Collection<T>.containsAll(elements: Collection<T>): Boolean = this.containsAll(elements)

 * Returns a new list with the elements of this list randomly shuffled
 * using the specified [random] instance as the source of randomness.
 * @SinceKotlin("1.3")
 public fun <T> Iterable<T>.shuffled(random: Random): List<T> = toMutableList().apply { shuffle(random) }

 internal fun <T> List<T>.optimizeReadOnlyList() = when (size) {
    0 -> emptyList()
    1 -> listOf(this[0])
    else -> this
}
 * Searches this list or its range for the provided [element] using the binary search algorithm.
 * The list is expected to be sorted into ascending order according to the Comparable natural ordering of its elements,
 * otherwise the result is undefined.
 * If the list contains multiple elements equal to the specified [element], there is no guarantee which one will be found.
 * `null` value is considered to be less than any non-null value.
 * @return the index of the element, if it is contained in the list within the specified range;
 * otherwise, the inverted insertion point `(-insertion point - 1)`.
 * The insertion point is defined as the index at which the element should be inserted,
 * so that the list (or the specified subrange of list) still remains sorted.
 * @sample samples.collections.Collections.Lists.binarySearchOnComparable
 * @sample samples.collections.Collections.Lists.binarySearchWithBoundaries

 public fun <T : Comparable<T>> List<T?>.binarySearch(element: T?, fromIndex: Int = 0, toIndex: Int = size): Int {
    rangeCheck(size, fromIndex, toIndex)
    var low = fromIndex
    var high = toIndex - 1
    while (low <= high) {
        val mid = (low + high).ushr(1) // safe from overflows
        val midVal = get(mid)
        val cmp = compareValues(midVal, element)
        if (cmp < 0)
            low = mid + 1
        else if (cmp > 0)
            high = mid - 1
        else
            return mid // key found
    }
    return -(low + 1) // key not found
}
 * Searches this list or its range for the provided [element] using the binary search algorithm.
 * The list is expected to be sorted into ascending order according to the specified [comparator],
 * otherwise the result is undefined.
 * If the list contains multiple elements equal to the specified [element], there is no guarantee which one will be found.
 * `null` value is considered to be less than any non-null value.
 * @return the index of the element, if it is contained in the list within the specified range;
 * otherwise, the inverted insertion point `(-insertion point - 1)`.
 * The insertion point is defined as the index at which the element should be inserted,
 * so that the list (or the specified subrange of list) still remains sorted according to the specified [comparator].
 * @sample samples.collections.Collections.Lists.binarySearchWithComparator

 public fun <T> List<T>.binarySearch(element: T, comparator: Comparator<in T>, fromIndex: Int = 0, toIndex: Int = size): Int {
    rangeCheck(size, fromIndex, toIndex)
    var low = fromIndex
    var high = toIndex - 1
    while (low <= high) {
        val mid = (low + high).ushr(1) // safe from overflows
        val midVal = get(mid)
        val cmp = comparator.compare(midVal, element)
        if (cmp < 0)
            low = mid + 1
        else if (cmp > 0)
            high = mid - 1
        else
            return mid // key found
    }
    return -(low + 1) // key not found
}
 * Searches this list or its range for an element having the key returned by the specified [selector] function
 * equal to the provided [key] value using the binary search algorithm.
 * The list is expected to be sorted into ascending order according to the Comparable natural ordering of keys of its elements.
 * otherwise the result is undefined.
 * If the list contains multiple elements with the specified [key], there is no guarantee which one will be found.
 * `null` value is considered to be less than any non-null value.
 * @return the index of the element with the specified [key], if it is contained in the list within the specified range;
 * otherwise, the inverted insertion point `(-insertion point - 1)`.
 * The insertion point is defined as the index at which the element should be inserted,
 * so that the list (or the specified subrange of list) still remains sorted.
 * @sample samples.collections.Collections.Lists.binarySearchByKey

 public inline fun <T, K : Comparable<K>> List<T>.binarySearchBy(
    key: K?,
    fromIndex: Int = 0,
    toIndex: Int = size,
    crossinline selector: (T) ->

```

```

K?Int = Int binarySearch(fromIndex, toIndex) { compareValues(selector(it), key) }
// do not introduce this overload --- too rare
public fun <T, K> List<T>.binarySearchBy(key: K, comparator: Comparator<K>,
fromIndex: Int = 0, toIndex: Int = size(), selector: (T) -> K): Int =
    binarySearch(fromIndex, toIndex) {
        comparator.compare(selector(it), key)
    }
    * Searches this list or its range for an element for which the
    given [comparison] function returns zero using the binary search algorithm.
    * The list is expected to be sorted so that the signs of the [comparison]
    function's return values ascend on the list elements, i.e. negative values
    come before zero and zeroes come before positive values.
    * Otherwise, the result is undefined.
    * If the list contains multiple elements for which [comparison] returns zero,
    there is no guarantee which one will be found.
    * @param comparison function that returns zero when called on the list
    element being searched.
    * On the elements coming before the target element, the function must
    return negative values; on the elements coming after the target element,
    the function must return positive values.
    * @return the index of the found element, if it is contained in the list
    within the specified range; otherwise, the inverted insertion point
    `(-insertion point - 1)`.
    * The insertion point is defined as the index at which the element should
    be inserted, so that the list (or the specified subrange of list) still
    remains sorted.
    * @sample
    samples.collections.Collections.Lists.binarySearchWithComparisonFunction
public fun <T> List<T>.binarySearch(fromIndex: Int = 0, toIndex: Int = size,
comparison: (T) -> Int): Int {
    rangeCheck(size, fromIndex, toIndex)
    var low = fromIndex
    var high = toIndex - 1
    while (low <= high) {
        val mid = (low + high).ushr(1) // safe from overflows
        val midVal = get(mid)
        val cmp = comparison(midVal)
        if (cmp < 0) low = mid + 1
        else if (cmp > 0) high = mid - 1
        else return mid // key found
    }
    return -(low + 1) // key not found
}
    * Checks that `from` and `to` are in the range of [0..size] and throws
    an appropriate exception, if they aren't.
private fun rangeCheck(size: Int, fromIndex: Int, toIndex: Int) {
    when {
        fromIndex > toIndex -> throw IllegalArgumentException("fromIndex ($fromIndex)
is greater than toIndex ($toIndex).")
        fromIndex < 0 -> throw IndexOutOfBoundsException("fromIndex ($fromIndex)
is less than zero.")
        toIndex > size -> throw IndexOutOfBoundsException("toIndex ($toIndex)
is greater than size ($size).")
    }
}
@PublishedApi
@SinceKotlin("1.3")
internal expect fun checkIndexOverflow(index: Int): Int
@PublishedApi
@SinceKotlin("1.3")
internal expect fun checkCountOverflow(count: Int): Int
@PublishedApi
@SinceKotlin("1.3")
internal fun throwIndexOverflow() {
    throw ArithmeticException("Index overflow has happened.")
}
@PublishedApi
@SinceKotlin("1.3")
internal fun throwCountOverflow() {
    throw ArithmeticException("Count overflow has happened.")
}
    * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.
    * Use of this source code is governed by the Apache 2.0 license that can
    be found in the license/LICENSE.txt file.
@file:kotlin.jvm.JvmMultifileClass
@file:kotlin.jvm.JvmName("MapsKt")
@file:OptIn(kotlin.experimental.ExperimentalTypeInference::class)
package kotlin.collections
import kotlin.contracts.*
private object EmptyMap : Map<Any?, Nothing>, Serializable {
    private const val serialVersionUID: Long = 8246714829545688274
    override fun equals(other: Any?): Boolean = other is Map<*, *> &&
        other.isEmpty()
    override fun hashCode(): Int = 0
    override fun toString(): String = "{}"
    override val size: Int get() = 0
    override fun isEmpty(): Boolean = true
    override fun containsKey(key: Any?): Boolean = false
    override fun containsValue(value: Nothing): Boolean = false
    override fun get(key: Any?): Nothing? = null
    override val entries: Set<Map.Entry<Any?, Nothing>> get() = EmptySet
    override val keys: Set<Any?> get() = EmptySet
    override val values: Collection<Nothing> get() = EmptyList
    private fun readResolve(): Any = EmptyMap
}
    * Returns an empty read-only map of specified type.
    * The returned map is serializable (JVM).
    * @sample samples.collections.Maps.Instantiation.emptyReadOnlyMap
public fun <K, V> emptyMap(): Map<K, V> = @Suppress("UNCHECKED_CAST")
    (EmptyMap as Map<K, V>)
    * Returns a new read-only map with the specified contents, given as a list
    of pairs where the first value is the key and the second is the value.
    * If multiple pairs have the same key, the resulting map will contain
    the value from the last of those pairs.
    * Entries of the map are iterated in the order they were specified.
    * The returned map is serializable (JVM).
    * @sample samples.collections.Maps.Instantiation.mapFromPairs

```

```

*  

public fun <K, V> mapOf(vararg pairs: Pair<K, V>): Map<K, V> = if (pairs.size > 0)
pairs.toMap(LinkedHashMap(mapCapacity(pairs.size))) else emptyMap()
* Returns an empty read-only map.
* The returned map is serializable (JVM).
@sample
samples.collections.Maps.Instantiation.emptyReadOnlyMap
*  

@kotlin.internal.InlineOnly
public inline fun <K, V> mapOf(): Map<K, V> = emptyMap()
* Returns an empty new [MutableMap].
* The returned map preserves the entry iteration order.
@sample
samples.collections.Maps.Instantiation.emptyMutableMap
*  

@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public inline fun <K, V> mutableMapOf():
MutableMap<K, V> = LinkedHashMap()
* Returns a new [MutableMap] with the specified contents, given
as a list of pairs
* where the first component is the key and the second is the value.
* If multiple pairs have the same key, the resulting map will contain the value from the last of those pairs.
* Entries of the map are iterated in the order they were specified.
* @sample
samples.collections.Maps.Instantiation.mutableMapFromPairs
* @sample
samples.collections.Maps.Instantiation.emptyMutableMap
*  

public fun <K, V> mutableMapOf(vararg pairs:
Pair<K, V>): MutableMap<K, V> =
LinkedHashMap<K, V>(mapCapacity(pairs.size)).apply { putAll(pairs)
}
* Returns an empty new [HashMap].
* @sample
samples.collections.Maps.Instantiation.emptyHashMap
*  

@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public inline fun <K, V> hashMapOf(): HashMap<K, V>
= HashMap<K, V>()
* Returns a new [HashMap] with the specified contents, given as a list of pairs
* where the first component is the key and the second is the value.
* @sample
samples.collections.Maps.Instantiation.hashMapFromPairs
*  

public fun <K, V> hashMapOf(vararg pairs:
Pair<K, V>): HashMap<K, V> = HashMap<K, V>(mapCapacity(pairs.size)).apply { putAll(pairs) }
* Returns an empty new [LinkedHashMap].
*  

@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public inline
fun <K, V> linkedMapOf(): LinkedHashMap<K, V> = LinkedHashMap<K, V>()
* Returns a new
[LinkedHashMap] with the specified contents, given as a list of pairs
* where the first component is the key and
the second is the value.
* If multiple pairs have the same key, the resulting map will contain the value from the
last of those pairs.
* Entries of the map are iterated in the order they were specified.
* @sample
samples.collections.Maps.Instantiation.linkedMapFromPairs
*  

public fun <K, V> linkedMapOf(vararg pairs:
Pair<K, V>): LinkedHashMap<K, V> = pairs.toMap(LinkedHashMap(mapCapacity(pairs.size)))
* Builds
a new read-only [Map] by populating a [MutableMap] using the given [builderAction]
* and returning a read-only
map with the same key-value pairs.
* The map passed as a receiver to the [builderAction] is valid only inside
that function.
* Using it outside of the function produces an unspecified behavior.
* Entries of the map are
iterated in the order they were added by the [builderAction].
* The returned map is serializable (JVM).
* @sample
samples.collections.Builders.Maps.buildMapSample
*  

@SinceKotlin("1.6")
@WasExperimental(ExperimentalStdlibApi::class)
@kotlin.internal.InlineOnly
public
inline fun <K, V> buildMap(@BuilderInference builderAction: MutableMap<K, V>().->Unit): Map<K, V> {
    contract { callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }
    return
buildMapInternal(builderAction)
}
*  

@PublishedApi
@SinceKotlin("1.3")
@kotlin.internal.InlineOnly
internal
expect inline fun <K, V> buildMapInternal(builderAction: MutableMap<K, V>().->Unit): Map<K,
V>
* Builds a new read-only [Map] by populating a [MutableMap] using the given [builderAction]
* and
returning a read-only map with the same key-value pairs.
* The map passed as a receiver to the
[builderAction] is valid only inside that function.
* Using it outside of the function produces an unspecified
behavior.
* [capacity] is used to hint the expected number of pairs added in the [builderAction].
* Entries
of the map are iterated in the order they were added by the [builderAction].
* The returned map is serializable
(JVM).
* @throws IllegalArgumentException if the given [capacity] is negative.
* @sample
samples.collections.Builders.Maps.buildMapSample
*  

@SinceKotlin("1.6")
@WasExperimental(ExperimentalStdlibApi::class)
@kotlin.internal.InlineOnly
public
inline fun <K, V> buildMap(capacity: Int, @BuilderInference builderAction: MutableMap<K, V>().->Unit):
Map<K, V> {
    contract { callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }
    return

```

```

buildMapInternal(capacity,
builderAction)\n}\n\n@PublishedApi\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\ninternal expect inline
fun <K, V> buildMapInternal(capacity: Int, builderAction: MutableMap<K, V>().->Unit): Map<K, V>\n\n/**\n * Calculate the initial capacity of a map.\n * ^\n@PublishedApi\ninternal expect fun mapCapacity(expectedSize: Int):
Int\n\n/**\n * Returns `true` if this map is not empty.\n * @sample
samples.collections.Maps.Usage.mapIsNotEmpty\n * ^\n@kotlin.internal.InlineOnly\npublic inline fun <K, V>
Map<out K, V>.isEmpty(): Boolean = !isEmpty()\n\n/**\n * Returns `true` if this nullable map is either null or
empty.\n * @sample samples.collections.Maps.Usage.mapIsNullOrEmpty\n
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K,
V>?.isNullOrEmpty(): Boolean {\n    contract {\n        returns(false) implies (this@isNullOrEmpty != null)\n    }\n\n    return this == null || isEmpty()\n}\n\n/**\n * Returns the [Map] if its not `null`, or the empty [Map] otherwise.\n
*\n * @sample samples.collections.Maps.Usage.mapOrEmpty\n * ^\n@kotlin.internal.InlineOnly\npublic inline fun
<K, V> Map<K, V>?.orEmpty(): Map<K, V> = this ?: emptyMap()\n\n/**\n * Returns this map if it's not empty\n *
or the result of calling [defaultValue] function if the map is empty.\n * ^\n * @sample
samples.collections.Maps.Usage.mapIfEmpty\n * ^\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic
inline fun <M, R> M.ifEmpty(defaultValue: () -> R): R where M : Map<*, *>, M : R =\n    if (isEmpty())
defaultValue() else this\n\n/**\n * Checks if the map contains the given key.\n * ^\n * This method allows to use the
`x in map` syntax for checking whether an object is contained in the map.\n * ^\n * @sample
samples.collections.Maps.Usage.containsKey\n * ^\n@kotlin.internal.InlineOnly\npublic inline operator fun
<@kotlin.internal.OnlyInputTypes K, V> Map<out K, V>.contains(key: K): Boolean = containsKey(key)\n\n/**\n *
Returns the value corresponding to the given [key], or `null` if such a key is not present in the map.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun <@kotlin.internal.OnlyInputTypes K, V> Map<out K,
V>.get(key: K): V? =\n    @Suppress("UNCHECKED_CAST") (this as Map<K, V>).get(key)\n\n/**\n * Allows
to use the index operator for storing values in a mutable map.\n * ^\n@kotlin.internal.InlineOnly\npublic inline
operator fun <K, V> MutableMap<K, V>.set(key: K, value: V): Unit {\n    put(key, value)\n}\n\n/**\n * Returns
`true` if the map contains the specified [key].\n * ^\n * Allows to overcome type-safety restriction of `containsKey`
that requires to pass a key of type `K`.\n * ^\n@kotlin.internal.InlineOnly\npublic inline fun
<@kotlin.internal.OnlyInputTypes K> Map<out K, *>.containsKey(key: K): Boolean =\n    @Suppress("UNCHECKED_CAST") (this as Map<K, *>).containsKey(key)\n\n/**\n * Returns `true` if the map
maps one or more keys to the specified [value].\n * ^\n * Allows to overcome type-safety restriction of
`containsValue` that requires to pass a value of type `V`.\n * ^\n * @sample
samples.collections.Maps.Usage.containsValue\n * ^\n@Suppress("EXTENSION_SHADOWED_BY_MEMBER")
// false warning, extension takes precedence in some cases\n@kotlin.internal.InlineOnly\npublic inline fun <K,
@kotlin.internal.OnlyInputTypes V> Map<K, V>.containsValue(value: V): Boolean =
this.containsValue(value)\n\n/**\n * Removes the specified key and its corresponding value from this map.\n * ^\n
* @return the previous value associated with the key, or `null` if the key was not present in the map.\n\n * Allows to
overcome type-safety restriction of `remove` that requires to pass a key of type `K`.\n
*\n@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes K, V> MutableMap<out K,
V>.remove(key: K): V? =\n    @Suppress("UNCHECKED_CAST") (this as MutableMap<K,
V>).remove(key)\n\n/**\n * Returns the key component of the map entry.\n * ^\n * This method allows to use
destructuring declarations when working with maps, for example:\n * ```\n * for ((key, value) in map) {\n *     // do
something with the key and the value\n * }\n * ```\n * ^\n@kotlin.internal.InlineOnly\npublic inline operator fun <K,
V> Map.Entry<K, V>.component1(): K = key\n\n/**\n * Returns the value component of the map entry.\n * ^\n *
This method allows to use destructuring declarations when working with maps, for example:\n * ```\n * for ((key,
value) in map) {\n *     // do something with the key and the value\n * }\n * ```\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> Map.Entry<K, V>.component2(): V =
value\n\n/**\n * Converts entry to [Pair] with key being first component and value being second.\n
*\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map.Entry<K, V>.toPair(): Pair<K, V> = Pair(key,

```

value)\n\n/\*\*\n \* Returns the value for the given key, or the result of the [defaultValue] function if there was no entry for the given key.\n \*\n \* @sample samples.collections.Maps.Usage.getOrElse\n \*\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<K, V>.getOrElse(key: K, defaultValue: () -> V): V = get(key) ?: defaultValue()\n\n\ninternal inline fun <K, V> Map<K, V>.getOrElseNullable(key: K, defaultValue: () -> V): V {\n val value = get(key)\n if (value == null && !containsKey(key)) {\n return defaultValue()\n } else {\n @Suppress("UNCHECKED\_CAST")\n return value as V\n }\n}\n\n/\*\*\n \* Returns the value for the given [key] or throws an exception if there is no such key in the map.\n \*\n \* If the map was created by [withDefault], resorts to its `defaultValue` provider function\n \* instead of throwing an exception.\n \*\n \* @throws NoSuchElementException when the map doesn't contain a value for the specified key and\n \* no implicit default value was provided for that map.\n \*\n@SinceKotlin("1.1")\npublic fun <K, V> Map<K, V>.getValue(key: K): V = getOrElse(key)\n\n\n/\*\*\n \* Returns the value for the given key. If the key is not found in the map, calls the [defaultValue] function,\n \* puts its result into the map under the given key and returns it.\n \*\n \* Note that the operation is not guaranteed to be atomic if the map is being modified concurrently.\n \*\n \* @sample samples.collections.Maps.Usage.getOrPut\n \*\npublic inline fun <K, V> MutableMap<K, V>.getOrPut(key: K, defaultValue: () -> V): V {\n val value = get(key)\n return if (value == null) {\n val answer = defaultValue()\n put(key, answer)\n answer\n } else {\n value\n }\n}\n\n\n/\*\*\n \* Returns an [Iterator] over the entries in the [Map].\n \*\n \* @sample samples.collections.Maps.Usage.forOverEntries\n \*\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> Map<out K, V>.iterator(): Iterator<Map.Entry<K, V>> = entries.iterator()\n\n\n/\*\*\n \* Returns a [MutableIterator] over the mutable entries in the [MutableMap].\n \*\n \* @kotlin.jvm.JvmName("mutableIterator")\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K, V>.iterator(): MutableIterator<MutableMap.MutableEntry<K, V>> = entries.iterator()\n\n\n/\*\*\n \* Populates the given [destination] map with entries having the keys of this map and the values obtained\n \* by applying the [transform] function to each entry in this [Map].\n \*\n@public inline fun <K, V, R, M : MutableMap<in K, in R>> Map<out K, V>.mapValuesTo(destination: M, transform: (Map.Entry<K, V>) -> R): M {\n return entries.associateByTo(destination, { it.key }, transform)\n}\n\n\n/\*\*\n \* Populates the given [destination] map with entries having the keys obtained\n \* by applying the [transform] function to each entry in this [Map] and the values of this map.\n \*\n \* In case if any two entries are mapped to the equal keys, the value of the latter one will overwrite\n \* the value associated with the former one.\n \*\n@public inline fun <K, V, R, M : MutableMap<in R, in V>> Map<out K, V>.mapKeysTo(destination: M, transform: (Map.Entry<K, V>) -> R): M {\n return entries.associateByTo(destination, transform, { it.value })\n}\n\n\n/\*\*\n \* Puts all the given [pairs] into this [MutableMap] with the first component in the pair being the key and the second the value.\n \*\n@public fun <K, V> MutableMap<in K, in V>.putAll(pairs: Array<out Pair<K, V>>): Unit {\n for ((key, value) in pairs) {\n put(key, value)\n }\n}\n\n\n/\*\*\n \* Puts all the elements of the given collection into this [MutableMap] with the first component in the pair being the key and the second the value.\n \*\n@public fun <K, V> MutableMap<in K, in V>.putAll(pairs: Iterable<Pair<K, V>>): Unit {\n for ((key, value) in pairs) {\n put(key, value)\n }\n}\n\n\n/\*\*\n \* Puts all the elements of the given sequence into this [MutableMap] with the first component in the pair being the key and the second the value.\n \*\n@public fun <K, V> MutableMap<in K, in V>.putAll(pairs: Sequence<Pair<K, V>>): Unit {\n for ((key, value) in pairs) {\n put(key, value)\n }\n}\n\n\n/\*\*\n \* Returns a new map with entries having the keys of this map and the values obtained by applying the [transform]\n \* function to each entry in this [Map].\n \*\n \* The returned map preserves the entry iteration order of the original map.\n \*\n \* @sample samples.collections.Maps.Transformations.mapValues\n \*\npublic inline fun <K, V, R> Map<out K, V>.mapValues(transform: (Map.Entry<K, V>) -> R): Map<K, R> {\n return mapValuesTo(LinkedHashMap<K, R>(mapCapacity(size)), transform) // .optimizeReadOnlyMap()\n}\n\n\n/\*\*\n \* Returns a new Map with entries having the keys obtained by applying the [transform] function to each entry in this\n \* [Map] and the values of this map.\n \*\n \* In case if any two entries are mapped to the equal keys, the value of the latter one will overwrite\n \* the value associated with the former one.\n \*\n \* The returned map preserves the entry iteration order of the original map.\n \*\n \* @sample samples.collections.Maps.Transformations.mapKeys\n \*\npublic inline fun <K, V, R> Map<out K, V>.mapKeys(transform: (Map.Entry<K, V>) -> R): Map<R, V> {\n return



```

mapKeysTo(LinkedHashMap<R, V>(mapCapacity(size)), transform) // .optimizeReadOnlyMap()\n\n/**\n *
Returns a map containing all key-value pairs with keys matching the given [predicate].\n *\n * The returned map
preserves the entry iteration order of the original map.\n * @sample samples.collections.Maps.Filtering.filterKeys\n
*/\npublic inline fun <K, V> Map<out K, V>.filterKeys(predicate: (K) -> Boolean): Map<K, V> {\n    val result =
LinkedHashMap<K, V>()\n    for (entry in this) {\n        if (predicate(entry.key)) {\n            result.put(entry.key,
entry.value)\n        }\n    }\n    return result\n}\n\n/**\n * Returns a map containing all key-value pairs with values
matching the given [predicate].\n *\n * The returned map preserves the entry iteration order of the original map.\n *
@sample samples.collections.Maps.Filtering.filterValues\n
*/\npublic inline fun <K, V> Map<out K,
V>.filterValues(predicate: (V) -> Boolean): Map<K, V> {\n    val result = LinkedHashMap<K, V>()\n    for (entry
in this) {\n        if (predicate(entry.value)) {\n            result.put(entry.key, entry.value)\n        }\n    }\n    return
result\n}\n\n/**\n * Appends all entries matching the given [predicate] into the mutable map given as [destination]
parameter.\n *\n * @return the destination map.\n * @sample samples.collections.Maps.Filtering.filterTo\n
*/\npublic inline fun <K, V, M : MutableMap<in K, in V>> Map<out K, V>.filterTo(destination: M, predicate:
(Map.Entry<K, V>) -> Boolean): M {\n    for (element in this) {\n        if (predicate(element)) {\n
destination.put(element.key, element.value)\n        }\n    }\n    return destination\n}\n\n/**\n * Returns a new map
containing all key-value pairs matching the given [predicate].\n *\n * The returned map preserves the entry iteration
order of the original map.\n * @sample samples.collections.Maps.Filtering.filter\n
*/\npublic inline fun <K, V>
Map<out K, V>.filter(predicate: (Map.Entry<K, V>) -> Boolean): Map<K, V> {\n    return
filterTo(LinkedHashMap<K, V>(), predicate)\n}\n\n/**\n * Appends all entries not matching the given [predicate]
into the given [destination].\n *\n * @return the destination map.\n * @sample
samples.collections.Maps.Filtering.filterNotTo\n
*/\npublic inline fun <K, V, M : MutableMap<in K, in V>>
Map<out K, V>.filterNotTo(destination: M, predicate: (Map.Entry<K, V>) -> Boolean): M {\n    for (element in
this) {\n        if (!predicate(element)) {\n            destination.put(element.key, element.value)\n        }\n    }\n    return
destination\n}\n\n/**\n * Returns a new map containing all key-value pairs not matching the given [predicate].\n *\n * The returned map preserves the entry iteration order of the original map.\n * @sample
samples.collections.Maps.Filtering.filterNot\n
*/\npublic inline fun <K, V> Map<out K, V>.filterNot(predicate:
(Map.Entry<K, V>) -> Boolean): Map<K, V> {\n    return filterNotTo(LinkedHashMap<K, V>(),
predicate)\n}\n\n/**\n * Returns a new map containing all key-value pairs from the given collection of pairs.\n *\n * The returned map preserves the entry iteration order of the original collection.\n * If any of two pairs would have the
same key the last one gets added to the map.\n */\npublic fun <K, V> Iterable<Pair<K, V>>.toMap(): Map<K, V>
{\n    if (this is Collection) {\n        return when (size) {\n            0 -> emptyMap()\n            1 -> mapOf(if (this is
List) this[0] else iterator().next())\n            else -> toMap(LinkedHashMap<K, V>(mapCapacity(size)))\n        }\n    }\n    return toMap(LinkedHashMap<K, V>()).optimizeReadOnlyMap()\n}\n\n/**\n * Populates and returns the
[destination] mutable map with key-value pairs from the given collection of pairs.\n */\npublic fun <K, V, M :
MutableMap<in K, in V>> Iterable<Pair<K, V>>.toMap(destination: M): M =\n    destination.apply {
putAll(this@toMap) }\n\n/**\n * Returns a new map containing all key-value pairs from the given array of pairs.\n *\n * The returned map preserves the entry iteration order of the original array.\n * If any of two pairs would have
the same key the last one gets added to the map.\n */\npublic fun <K, V> Array<out Pair<K, V>>.toMap(): Map<K,
V> = when (size) {\n    0 -> emptyMap()\n    1 -> mapOf(this[0])\n    else -> toMap(LinkedHashMap<K,
V>(mapCapacity(size)))\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs
from the given array of pairs.\n */\npublic fun <K, V, M : MutableMap<in K, in V>> Array<out Pair<K,
V>>.toMap(destination: M): M =\n    destination.apply { putAll(this@toMap) }\n\n/**\n * Returns a new map
containing all key-value pairs from the given sequence of pairs.\n *\n * The returned map preserves the entry
iteration order of the original sequence.\n * If any of two pairs would have the same key the last one gets added to
the map.\n */\npublic fun <K, V> Sequence<Pair<K, V>>.toMap(): Map<K, V> = toMap(LinkedHashMap<K,
V>()).optimizeReadOnlyMap()\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs
from the given sequence of pairs.\n */\npublic fun <K, V, M : MutableMap<in K, in V>> Sequence<Pair<K,
V>>.toMap(destination: M): M =\n    destination.apply { putAll(this@toMap) }\n\n/**\n * Returns a new read-only

```

map containing all key-value pairs from the original map.

`toMap(): Map<K, V> = when (size) { 0 -> emptyMap() 1 -> toSingletonMap() else -> toMutableMap() }`

`toMutableMap(): MutableMap<K, V> = LinkedHashMap(this)`

`toMutableMap(destination: M): M = destination.apply { putAll(this@toMap) }`

`plus(pair: Pair<K, V>): Map<K, V> = if (this.isEmpty()) mapOf(pair) else LinkedHashMap(this).apply { put(pair.first, pair.second) }`

`plus(pairs: Iterable<Pair<K, V>>): Map<K, V> = if (this.isEmpty()) pairs.toMap() else LinkedHashMap(this).apply { putAll(pairs) }`

`plus(pairs: Array<out Pair<K, V>>): Map<K, V> = if (this.isEmpty()) pairs.toMap() else LinkedHashMap(this).apply { putAll(pairs) }`

`plus(pairs: Sequence<Pair<K, V>>): Map<K, V> = LinkedHashMap(this).apply { putAll(pairs) }.optimizeReadOnlyMap()`

`plus(map: Map<out K, V>): Map<K, V> = LinkedHashMap(this).apply { putAll(map) }`

`plusAssign(pair: Pair<K, V>) { put(pair.first, pair.second) }`

`plusAssign(pairs: Iterable<Pair<K, V>>) { putAll(pairs) }`

`plusAssign(pairs: Array<out Pair<K, V>>) { putAll(pairs) }`

`plusAssign(pairs: Sequence<Pair<K, V>>) { putAll(pairs) }`

`plusAssign(map: Map<K, V>) { putAll(map) }`

`minus(key: K): Map<K, V> = this.toMutableMap().apply { minusAssign(key) }.optimizeReadOnlyMap()`

`minus(keys: Iterable<K>): Map<K, V> = this.toMutableMap().apply { minusAssign(keys) }.optimizeReadOnlyMap()`

```

* the keys of which are contained in the given [keys] array.\n * The returned map preserves the entry iteration
order of the original map.\n *\n@SinceKotlin("1.1")\npublic operator fun <K, V> Map<out K, V>.minus(keys:
Array<out K>): Map<K, V> =\n    this.toMutableMap().apply { minusAssign(keys)
}.optimizeReadOnlyMap()\n\n/**\n * Returns a map containing all entries of the original map except those entries\n
* the keys of which are contained in the given [keys] sequence.\n * The returned map preserves the entry
iteration order of the original map.\n *\n@SinceKotlin("1.1")\npublic operator fun <K, V> Map<out K,
V>.minus(keys: Sequence<K>): Map<K, V> =\n    this.toMutableMap().apply { minusAssign(keys)
}.optimizeReadOnlyMap()\n\n/**\n * Removes the entry with the given [key] from this mutable map.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K,
V>.minusAssign(key: K) {\n    remove(key)\n}\n\n/**\n * Removes all entries the keys of which are contained in
the given [keys] collection from this mutable map.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K,
V>.minusAssign(keys: Iterable<K>) {\n    this.keys.removeAll(keys)\n}\n\n/**\n * Removes all entries the keys of
which are contained in the given [keys] array from this mutable map.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K,
V>.minusAssign(keys: Array<out K>) {\n    this.keys.removeAll(keys)\n}\n\n/**\n * Removes all entries from the
keys of which are contained in the given [keys] sequence from this mutable map.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K,
V>.minusAssign(keys: Sequence<K>) {\n    this.keys.removeAll(keys)\n}\n\n// do not expose for now
@PublishedApi\ninternal fun <K, V> Map<K, V>.optimizeReadOnlyMap() = when (size) {\n    0 -> emptyMap()\n    1 -> toSingletonMapOrSelf()\n    else -> this\n}\n\n"/\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("SetsKt")\n@file:OptIn(kotlin.experimental
.ExperimentalTypeInference::class)\n\npackage kotlin.collections\n\nimport kotlin.contracts.*\n\ninternal object
EmptySet : Set<Nothing>, Serializable {\n    private const val serialVersionUID: Long =
3406603774387020532\n\n    override fun equals(other: Any?): Boolean = other is Set<*> && other.isEmpty()\n
    override fun hashCode(): Int = 0\n    override fun toString(): String = "[]"\n\n    override val size: Int get() = 0\n
    override fun isEmpty(): Boolean = true\n    override fun contains(element: Nothing): Boolean = false\n    override
fun containsAll(elements: Collection<Nothing>): Boolean = elements.isEmpty()\n\n    override fun iterator():
Iterator<Nothing> = EmptyIterator\n\n    private fun readResolve(): Any = EmptySet\n}\n\n/**\n * Returns an
empty read-only set. The returned set is serializable (JVM).\n * @sample
samples.collections.Collections.Sets.emptyReadOnlySet\n *\n@SinceKotlin("1.1")\npublic fun <T> emptySet(): Set<T> =
EmptySet\n\n/**\n * Returns a new read-only set with the given elements.\n * Elements of the set are iterated in the
order they were specified.\n * The returned set is serializable (JVM).\n * @sample
samples.collections.Collections.Sets.readOnlySet\n *\n@SinceKotlin("1.1")\npublic fun <T> setOf(vararg elements: T): Set<T> = if
(elements.size > 0) elements.toSet() else emptySet()\n\n/**\n * Returns an empty read-only set. The returned set is
serializable (JVM).\n * @sample samples.collections.Collections.Sets.emptyReadOnlySet\n
*\n@kotlin.internal.InlineOnly\npublic inline fun <T> setOf(): Set<T> = emptySet()\n\n/**\n * Returns an empty
new [MutableSet].\n * The returned set preserves the element iteration order.\n * @sample
samples.collections.Collections.Sets.emptyMutableSet\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun <T> mutableSetOf(): MutableSet<T> =
LinkedHashSet()\n\n/**\n * Returns a new [MutableSet] with the given elements.\n * Elements of the set are
iterated in the order they were specified.\n * @sample samples.collections.Collections.Sets.mutableSet\n *\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun <T> mutableSetOf(vararg elements: T): MutableSet<T> =
elements.toCollection(LinkedHashSet(mapCapacity(elements.size)))\n\n/**\n * Returns an empty new [HashSet].
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun <T> hashSetOf(): HashSet<T> =
HashSet()\n\n/**\n * Returns a new [HashSet] with the given elements. *\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun <T> hashSetOf(vararg elements:

```

```

T): HashSet<T> = elements.toCollection(HashSet(mapCapacity(elements.size)))\n\n/**\n * Returns an empty new
[LinkedHashSet].\n * @sample samples.collections.Collections.Sets.emptyLinkedHashSet\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun <T> linkedSetOf(): LinkedHashSet<T>
= LinkedHashSet()\n\n/**\n * Returns a new [LinkedHashSet] with the given elements.\n * Elements of the set are
iterated in the order they were specified.\n * @sample samples.collections.Collections.Sets.linkedHashSet\n
*\npublic fun <T> linkedSetOf(vararg elements: T): LinkedHashSet<T> =
elements.toCollection(LinkedHashSet(mapCapacity(elements.size)))\n\n/**\n * Returns a new read-only set either
with single given element, if it is not null, or empty set if the element is null.\n * The returned set is serializable
(JVM).\n * @sample samples.collections.Collections.Sets.setOfNotNull\n *\n@SinceKotlin("1.4")\npublic fun <T
: Any> setOfNotNull(element: T?): Set<T> = if (element != null) setOf(element) else emptySet()\n\n/**\n * Returns
a new read-only set only with those given elements, that are not null.\n * Elements of the set are iterated in the order
they were specified.\n * The returned set is serializable (JVM).\n * @sample
samples.collections.Collections.Sets.setOfNotNull\n *\n@SinceKotlin("1.4")\npublic fun <T : Any>
setOfNotNull(vararg elements: T?): Set<T> {\n    return elements.filterNotNullTo(LinkedHashSet())\n}\n\n/**\n *
Builds a new read-only [Set] by populating a [MutableSet] using the given [builderAction]\n * and returning a read-
only set with the same elements.\n * \n * The set passed as a receiver to the [builderAction] is valid only inside that
function.\n * Using it outside of the function produces an unspecified behavior.\n * \n * Elements of the set are
iterated in the order they were added by the [builderAction].\n * \n * The returned set is serializable (JVM).\n * \n *
@sample samples.collections.Builders.Sets.buildSetSample\n
*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun <E> buildSet(@BuilderInference builderAction: MutableSet<E>().->Unit): Set<E> {\n    contract {
callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n    return
buildSetInternal(builderAction)\n}\n\n@PublishedApi\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\nintern
al expect inline fun <E> buildSetInternal(builderAction: MutableSet<E>().->Unit): Set<E>\n\n/**\n * Builds a
new read-only [Set] by populating a [MutableSet] using the given [builderAction]\n * and returning a read-only set
with the same elements.\n * \n * The set passed as a receiver to the [builderAction] is valid only inside that
function.\n * Using it outside of the function produces an unspecified behavior.\n * \n * [capacity] is used to hint the
expected number of elements added in the [builderAction].\n * \n * Elements of the set are iterated in the order they
were added by the [builderAction].\n * \n * The returned set is serializable (JVM).\n * \n * @throws
IllegalArgumentException if the given [capacity] is negative.\n * \n * @sample
samples.collections.Builders.Sets.buildSetSample\n
*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun <E> buildSet(capacity: Int, @BuilderInference builderAction: MutableSet<E>().->Unit): Set<E> {\n
    contract { callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n    return buildSetInternal(capacity,
builderAction)\n}\n\n@PublishedApi\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\ninternal expect inline
fun <E> buildSetInternal(capacity: Int, builderAction: MutableSet<E>().->Unit): Set<E>\n\n\n/**\n * Returns this Set
if it's not `null` and the empty set otherwise. *\n@kotlin.internal.InlineOnly\npublic inline fun <T>
Set<T>?.orEmpty(): Set<T> = this ?: emptySet()\n\ninternal fun <T> Set<T>.optimizeReadOnlySet() = when (size)
{\n    0 -> emptySet()\n    1 -> setOf(iterator().next())\n    else -> this\n}\n\n"/*\n * Copyright 2010-2018 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("StringsKt")\n@file:Suppress("PLATFOR
M_CLASS_MAPPED_TO_KOTLIN")\n\npackage kotlin.text\n\n/**\n * Parses the string as a signed [Byte]
number and returns the result\n * or `null` if the string is not a valid representation of a number.\n
*\n@SinceKotlin("1.1")\npublic fun String.toByteArrayOrNull(): Byte? = toByteOrNull(radix = 10)\n\n/**\n * Parses
the string as a signed [Byte] number and returns the result\n * or `null` if the string is not a valid representation of a
number.\n * \n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number
conversion.\n * \n@SinceKotlin("1.1")\npublic fun String.toByteArrayOrNull(radix: Int): Byte? {\n    val int =

```

```

this.toIntOrNull(radix) ?: return null\n    if (int < Byte.MIN_VALUE || int > Byte.MAX_VALUE) return null\n
return int.toByte()\n}\n\n/**\n * Parses the string as a [Short] number and returns the result\n * or `null` if the string
is not a valid representation of a number.\n */\n@SinceKotlin("1.1")\npublic fun String.toShortOrNull(): Short? =
toShortOrNull(radix = 10)\n\n/**\n * Parses the string as a [Short] number and returns the result\n * or `null` if the
string is not a valid representation of a number.\n */\n * @throws IllegalArgumentException when [radix] is not a
valid radix for string to number conversion.\n */\n@SinceKotlin("1.1")\npublic fun String.toShortOrNull(radix:
Int): Short? {\n    val int = this.toIntOrNull(radix) ?: return null\n    if (int < Short.MIN_VALUE || int >
Short.MAX_VALUE) return null\n    return int.toShort()\n}\n\n/**\n * Parses the string as an [Int] number and
returns the result\n * or `null` if the string is not a valid representation of a number.\n */\n@SinceKotlin("1.1")\npublic fun String.toIntOrNull(): Int? = toIntOrNull(radix = 10)\n\n/**\n * Parses the
string as an [Int] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n */\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\n@SinceKotlin("1.1")\npublic fun String.toIntOrNull(radix: Int): Int? {\n    checkRadix(radix)\n\n    val length
= this.length\n    if (length == 0) return null\n\n    val start: Int\n    val isNegative: Boolean\n    val limit: Int\n    val
firstChar = this[0]\n    if (firstChar < '0') { // Possible leading sign\n        if (length == 1) return null // non-digit
(possible sign) only, no digits after\n\n        start = 1\n        if (firstChar == '-') {\n            isNegative = true\n
limit = Int.MIN_VALUE\n        } else if (firstChar == '+') {\n            isNegative = false\n            limit = -
Int.MAX_VALUE\n        } else\n            return null\n    } else {\n        start = 0\n        isNegative = false\n        limit
= -Int.MAX_VALUE\n    }\n\n    val limitForMaxRadix = (-Int.MAX_VALUE) / 36\n\n    var limitBeforeMul =
limitForMaxRadix\n    var result = 0\n    for (i in start until length) {\n        val digit = digitOf(this[i], radix)\n
if (digit < 0) return null\n        if (result < limitBeforeMul) {\n            if (limitBeforeMul == limitForMaxRadix) {\n
                limitBeforeMul = limit / radix\n            }\n            if (result < limitBeforeMul) {\n                return null\n
            }\n        } else {\n            return null\n        }\n    }\n\n    result *= radix\n\n    if (result < limit + digit)
return null\n\n    result -= digit\n}\n\n    return if (isNegative) result else -result\n}\n\n\n/**\n * Parses the string
as a [Long] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n */\n@SinceKotlin("1.1")\npublic fun String.toLongOrNull(): Long? = toLongOrNull(radix = 10)\n\n/**\n * Parses the
string as a [Long] number and returns the result\n * or `null` if the string is not a valid representation of a
number.\n */\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number
conversion.\n */\n@SinceKotlin("1.1")\npublic fun String.toLongOrNull(radix: Int): Long? {\n    checkRadix(radix)\n\n    val length = this.length\n    if (length == 0) return null\n\n    val start: Int\n    val isNegative:
Boolean\n    val limit: Long\n\n    val firstChar = this[0]\n    if (firstChar < '0') { // Possible leading sign\n        if
(length == 1) return null // non-digit (possible sign) only, no digits after\n\n        start = 1\n        if (firstChar == '-')
{\n            isNegative = true\n            limit = Long.MIN_VALUE\n        } else if (firstChar == '+') {\n           
isNegative = false\n            limit = -Long.MAX_VALUE\n        } else\n            return null\n    } else {\n        start =
0\n        isNegative = false\n        limit = -Long.MAX_VALUE\n    }\n\n    val limitForMaxRadix = (-
Long.MAX_VALUE) / 36\n\n    var limitBeforeMul = limitForMaxRadix\n    var result = 0L\n    for (i in start until
length) {\n        val digit = digitOf(this[i], radix)\n\n        if (digit < 0) return null\n        if (result < limitBeforeMul)
{\n            if (limitBeforeMul == limitForMaxRadix) {\n                limitBeforeMul = limit / radix\n            }\n            if
(result < limitBeforeMul) {\n                return null\n            }\n        } else {\n            return null\n        }\n    }\n\n    result *= radix\n\n    if (result < limit + digit) return null\n\n    result -= digit\n}\n\n    return if (isNegative) result else -result\n}\n\n\ninternal fun numberFormatException(input: String): Nothing = throw
NumberFormatException("Invalid number format: '$input')\n", "/*\n * Copyright 2010-2021 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.time\n\nimport kotlin.contracts.*\nimport
kotlin.jvm.JvmInline\nimport kotlin.math.*\n\n/**\n * Represents the amount of time one instant of time is away
from another instant.\n */\n * A negative duration is possible in a situation when the second instant is earlier than the
first one.\n */\n * The type can store duration values up to \u00b1146 years with nanosecond precision,\n * and up to
\u00b1146 million years with millisecond precision.\n * If a duration-returning operation provided in `kotlin.time`

```

produces a duration value that doesn't fit into the above range, the returned `Duration` is infinite. An infinite duration value [Duration.INFINITE] can be used to represent infinite timeouts. To construct a duration use either the extension function [toDuration], or the extension properties [hours], [minutes], [seconds], and so on, available on [Int], [Long], and [Double] numeric types. To get the value of this duration expressed in a particular [duration units][DurationUnit] use the functions [toInt], [toLong], and [toDouble] or the properties [inWholeHours], [inWholeMinutes], [inWholeSeconds], [inWholeNanoseconds], and so on.

```

@SinceKotlin("1.6")
@WasExperimental(ExperimentalTime::class)
@JvmInline
public value class
Duration internal constructor(private val rawValue: Long) : Comparable<Duration> {
    private val value: Long
    get() = rawValue shr 1
    private inline val unitDiscriminator: Int
    get() = rawValue.toInt() and 1
    private fun
    isInNanos() = unitDiscriminator == 0
    private fun
    isInMillis() = unitDiscriminator == 1
    private val
    storageUnit
    get() = if (isInNanos()) DurationUnit.NANOSECONDS else DurationUnit.MILLISECONDS
    init {
        if (durationAssertionsEnabled) {
            if (isInNanos()) {
                if (value !in -
                MAX_NANOS..MAX_NANOS) throw AssertionError("\$value ns is out of nanoseconds range")
            } else {
                if (value !in -MAX_MILLIS..MAX_MILLIS) throw AssertionError("\$value ms is out of milliseconds
                range")
                if (value in -MAX_NANOS_IN_MILLIS..MAX_NANOS_IN_MILLIS) throw
                AssertionError("\$value ms is denormalized")
            }
        }
    }
    companion object {
        /** The
        duration equal to exactly 0 seconds.
        public val ZERO: Duration = Duration(0L)
        /** The duration
        whose value is positive infinity. It is useful for representing timeouts that should never expire.
        public val
        INFINITE: Duration = durationOfMillis(MAX_MILLIS)
        internal val NEG_INFINITE: Duration =
        durationOfMillis(-MAX_MILLIS)
        /** Converts the given time duration [value] expressed in the specified
        [sourceUnit] into the specified [targetUnit].
        @ExperimentalTime
        public fun convert(value: Double,
        sourceUnit: DurationUnit, targetUnit: DurationUnit): Double =
        convertDurationUnit(value, sourceUnit,
        targetUnit)
        // Duration construction extension properties in Duration companion scope
        /** Returns a
        [Duration] equal to this [Int] number of nanoseconds.
        @kotlin.internal.InlineOnly
        public inline val
        Int.nanoseconds
        get() = toDuration(DurationUnit.NANOSECONDS)
        /** Returns a [Duration] equal to this
        [Long] number of nanoseconds.
        @kotlin.internal.InlineOnly
        public inline val Long.nanoseconds
        get() = toDuration(DurationUnit.NANOSECONDS)
        /**
        * Returns a [Duration] equal to this
        [Double] number of nanoseconds.
        *
        * Depending on its magnitude, the value is rounded to an integer
        number of nanoseconds or milliseconds.
        *
        * @throws IllegalArgumentException if this [Double]
        value is `NaN`.
        @kotlin.internal.InlineOnly
        public inline val Double.nanoseconds
        get() =
        toDuration(DurationUnit.NANOSECONDS)
        /** Returns a [Duration] equal to this [Int] number of
        microseconds.
        @kotlin.internal.InlineOnly
        public inline val Int.microseconds
        get() =
        toDuration(DurationUnit.MICROSECONDS)
        /** Returns a [Duration] equal to this [Long] number of
        microseconds.
        @kotlin.internal.InlineOnly
        public inline val Long.microseconds
        get() =
        toDuration(DurationUnit.MICROSECONDS)
        /**
        * Returns a [Duration] equal to this [Double]
        number of microseconds.
        *
        * Depending on its magnitude, the value is rounded to an integer
        number of nanoseconds or milliseconds.
        *
        * @throws IllegalArgumentException if this [Double] value is
        `NaN`.
        @kotlin.internal.InlineOnly
        public inline val Double.microseconds
        get() =
        toDuration(DurationUnit.MICROSECONDS)
        /** Returns a [Duration] equal to this [Int] number of
        milliseconds.
        @kotlin.internal.InlineOnly
        public inline val Int.milliseconds
        get() =
        toDuration(DurationUnit.MILLISECONDS)
        /** Returns a [Duration] equal to this [Long] number of
        milliseconds.
        @kotlin.internal.InlineOnly
        public inline val Long.milliseconds
        get() =
        toDuration(DurationUnit.MILLISECONDS)
        /**
        * Returns a [Duration] equal to this [Double]
        number of milliseconds.
        *
        * Depending on its magnitude, the value is rounded to an integer
        number of nanoseconds or milliseconds.
        *
        * @throws IllegalArgumentException if this [Double] value is
        `NaN`.
        @kotlin.internal.InlineOnly
        public inline val Double.milliseconds
        get() =
        toDuration(DurationUnit.MILLISECONDS)
        /** Returns a [Duration] equal to this [Int] number of
        seconds.
        @kotlin.internal.InlineOnly
        public inline val Int.seconds
        get() =

```

```

toDuration(DurationUnit.SECONDS)\n\n    /** Returns a [Duration] equal to this [Long] number of seconds. */\n    @kotlin.internal.InlineOnly\n    public inline val Long.seconds get() =\n    toDuration(DurationUnit.SECONDS)\n\n    /**\n     * Returns a [Duration] equal to this [Double] number of\n     * seconds.\n     * Depending on its magnitude, the value is rounded to an integer number of nanoseconds or\n     * milliseconds.\n     * @throws IllegalArgumentException if this [Double] value is `NaN`.\n     */\n    @kotlin.internal.InlineOnly\n    public inline val Double.seconds get() =\n    toDuration(DurationUnit.SECONDS)\n\n    /** Returns a [Duration] equal to this [Int] number of minutes. */\n    @kotlin.internal.InlineOnly\n    public inline val Int.minutes get() = toDuration(DurationUnit.MINUTES)\n\n    /** Returns a [Duration] equal to this [Long] number of minutes. */\n    @kotlin.internal.InlineOnly\n    public inline val Long.minutes get() = toDuration(DurationUnit.MINUTES)\n\n    /**\n     * Returns a\n     * [Duration] equal to this [Double] number of minutes.\n     * Depending on its magnitude, the value is\n     * rounded to an integer number of nanoseconds or milliseconds.\n     * @throws IllegalArgumentException\n     * if this [Double] value is `NaN`.\n     */\n    @kotlin.internal.InlineOnly\n    public inline val Double.minutes\n    get() = toDuration(DurationUnit.MINUTES)\n\n    /** Returns a [Duration] equal to this [Int] number of hours.\n     */\n    @kotlin.internal.InlineOnly\n    public inline val Int.hours get() = toDuration(DurationUnit.HOURS)\n\n    /** Returns a [Duration] equal to this [Long] number of hours. */\n    @kotlin.internal.InlineOnly\n    public\n    inline val Long.hours get() = toDuration(DurationUnit.HOURS)\n\n    /**\n     * Returns a [Duration] equal to\n     * this [Double] number of hours.\n     * Depending on its magnitude, the value is rounded to an integer\n     * number of nanoseconds or milliseconds.\n     * @throws IllegalArgumentException if this [Double]\n     * value is `NaN`.\n     */\n    @kotlin.internal.InlineOnly\n    public inline val Double.hours get() =\n    toDuration(DurationUnit.HOURS)\n\n    /** Returns a [Duration] equal to this [Int] number of days. */\n    @kotlin.internal.InlineOnly\n    public inline val Int.days get() = toDuration(DurationUnit.DAYS)\n\n    /**\n     * Returns a [Duration] equal to this [Long] number of days. */\n    @kotlin.internal.InlineOnly\n    public inline\n    val Long.days get() = toDuration(DurationUnit.DAYS)\n\n    /**\n     * Returns a [Duration] equal to this\n     * [Double] number of days.\n     * Depending on its magnitude, the value is rounded to an integer number\n     * of nanoseconds or milliseconds.\n     * @throws IllegalArgumentException if this [Double] value is\n     * `NaN`.\n     */\n    @kotlin.internal.InlineOnly\n    public inline val Double.days get() =\n    toDuration(DurationUnit.DAYS)\n\n    // deprecated static factory functions\n\n    /** Returns a [Duration]\n     * representing the specified [value] number of nanoseconds. */\n    @SinceKotlin("1.5")\n    @ExperimentalTime\n    @Deprecated("Use 'Int.nanoseconds' extension property from Duration.Companion\n    instead.", ReplaceWith("value.nanoseconds", "kotlin.time.Duration.Companion.nanoseconds"))\n    @DeprecatedSinceKotlin(warningSince = "1.6")\n    public fun nanoseconds(value: Int): Duration =\n    value.toDuration(DurationUnit.NANOSECONDS)\n\n    /** Returns a [Duration] representing the specified\n     * [value] number of nanoseconds. */\n    @SinceKotlin("1.5")\n    @ExperimentalTime\n    @Deprecated("Use 'Long.nanoseconds' extension property from Duration.Companion instead.",\n    ReplaceWith("value.nanoseconds", "kotlin.time.Duration.Companion.nanoseconds"))\n    @DeprecatedSinceKotlin(warningSince = "1.6")\n    public fun nanoseconds(value: Long): Duration =\n    value.toDuration(DurationUnit.NANOSECONDS)\n\n    /**\n     * Returns a [Duration] representing the\n     * specified [value] number of nanoseconds.\n     * @throws IllegalArgumentException if the provided\n     * `Double` [value] is `NaN`.\n     */\n    @SinceKotlin("1.5")\n    @ExperimentalTime\n    @Deprecated("Use 'Double.nanoseconds' extension property from Duration.Companion instead.",\n    ReplaceWith("value.nanoseconds", "kotlin.time.Duration.Companion.nanoseconds"))\n    @DeprecatedSinceKotlin(warningSince = "1.6")\n    public fun nanoseconds(value: Double): Duration =\n    value.toDuration(DurationUnit.NANOSECONDS)\n\n    /** Returns a [Duration] representing the specified\n     * [value] number of microseconds. */\n    @SinceKotlin("1.5")\n    @ExperimentalTime\n    @Deprecated("Use 'Int.microseconds' extension property from Duration.Companion instead.",\n    ReplaceWith("value.microseconds", "kotlin.time.Duration.Companion.microseconds"))\n    @DeprecatedSinceKotlin(warningSince = "1.6")\n    public fun microseconds(value: Int): Duration =

```

```

value.toDuration(DurationUnit.MICROSECONDS)\n\n    /** Returns a [Duration] representing the specified
[value] number of microseconds. */\n    @SinceKotlin("1.5")\n    @ExperimentalTime\n    @Deprecated("Use 'Long.microseconds' extension property from Duration.Companion instead.",
ReplaceWith("value.microseconds", "kotlin.time.Duration.Companion.microseconds"))\n
@DeprecatedSinceKotlin(warningSince = "1.6")\n    public fun microseconds(value: Long): Duration =
value.toDuration(DurationUnit.MICROSECONDS)\n\n    /**\n    * Returns a [Duration] representing the
specified [value] number of microseconds.\n    *\n    * @throws IllegalArgumentException if the provided
`Double` [value] is `NaN`.\n    */\n    @SinceKotlin("1.5")\n    @ExperimentalTime\n    @Deprecated("Use 'Double.microseconds' extension property from Duration.Companion instead.",
ReplaceWith("value.microseconds", "kotlin.time.Duration.Companion.microseconds"))\n
@DeprecatedSinceKotlin(warningSince = "1.6")\n    public fun microseconds(value: Double): Duration =
value.toDuration(DurationUnit.MICROSECONDS)\n\n    /** Returns a [Duration] representing the specified
[value] number of milliseconds. */\n    @SinceKotlin("1.5")\n    @ExperimentalTime\n    @Deprecated("Use 'Int.milliseconds' extension property from Duration.Companion instead.",
ReplaceWith("value.milliseconds", "kotlin.time.Duration.Companion.milliseconds"))\n
@DeprecatedSinceKotlin(warningSince = "1.6")\n    public fun milliseconds(value: Int): Duration =
value.toDuration(DurationUnit.MILLISECONDS)\n\n    /** Returns a [Duration] representing the specified
[value] number of milliseconds. */\n    @SinceKotlin("1.5")\n    @ExperimentalTime\n    @Deprecated("Use 'Long.milliseconds' extension property from Duration.Companion instead.",
ReplaceWith("value.milliseconds", "kotlin.time.Duration.Companion.milliseconds"))\n
@DeprecatedSinceKotlin(warningSince = "1.6")\n    public fun milliseconds(value: Long): Duration =
value.toDuration(DurationUnit.MILLISECONDS)\n\n    /**\n    * Returns a [Duration] representing the
specified [value] number of milliseconds.\n    *\n    * @throws IllegalArgumentException if the provided
`Double` [value] is `NaN`.\n    */\n    @SinceKotlin("1.5")\n    @ExperimentalTime\n    @Deprecated("Use 'Double.milliseconds' extension property from Duration.Companion instead.",
ReplaceWith("value.milliseconds", "kotlin.time.Duration.Companion.milliseconds"))\n
@DeprecatedSinceKotlin(warningSince = "1.6")\n    public fun milliseconds(value: Double): Duration =
value.toDuration(DurationUnit.MILLISECONDS)\n\n    /** Returns a [Duration] representing the specified
[value] number of seconds. */\n    @SinceKotlin("1.5")\n    @ExperimentalTime\n    @Deprecated("Use
'Int.seconds' extension property from Duration.Companion instead.", ReplaceWith("value.seconds",
"kotlin.time.Duration.Companion.seconds"))\n    @DeprecatedSinceKotlin(warningSince = "1.6")\n    public
fun seconds(value: Int): Duration = value.toDuration(DurationUnit.SECONDS)\n\n    /** Returns a [Duration]
representing the specified [value] number of seconds. */\n    @SinceKotlin("1.5")\n    @ExperimentalTime\n
    @Deprecated("Use 'Long.seconds' extension property from Duration.Companion instead.",
ReplaceWith("value.seconds", "kotlin.time.Duration.Companion.seconds"))\n
@DeprecatedSinceKotlin(warningSince = "1.6")\n    public fun seconds(value: Long): Duration =
value.toDuration(DurationUnit.SECONDS)\n\n    /**\n    * Returns a [Duration] representing the specified
[value] number of seconds.\n    *\n    * @throws IllegalArgumentException if the provided `Double` [value] is
`NaN`.\n    */\n    @SinceKotlin("1.5")\n    @ExperimentalTime\n    @Deprecated("Use
'Double.seconds' extension property from Duration.Companion instead.", ReplaceWith("value.seconds",
"kotlin.time.Duration.Companion.seconds"))\n    @DeprecatedSinceKotlin(warningSince = "1.6")\n    public
fun seconds(value: Double): Duration = value.toDuration(DurationUnit.SECONDS)\n\n    /** Returns a
[Duration] representing the specified [value] number of minutes. */\n    @SinceKotlin("1.5")\n
    @ExperimentalTime\n    @Deprecated("Use 'Int.minutes' extension property from Duration.Companion
instead.", ReplaceWith("value.minutes", "kotlin.time.Duration.Companion.minutes"))\n
@DeprecatedSinceKotlin(warningSince = "1.6")\n    public fun minutes(value: Int): Duration =
value.toDuration(DurationUnit.MINUTES)\n\n    /** Returns a [Duration] representing the specified [value]
number of minutes. */\n    @SinceKotlin("1.5")\n    @ExperimentalTime\n    @Deprecated("Use

```



```

'Long.minutes' extension property from Duration.Companion instead.', ReplaceWith("value.minutes",
"kotlin.time.Duration.Companion.minutes"))\n    @DeprecatedSinceKotlin(warningSince = "1.6")\n    public
fun minutes(value: Long): Duration = value.toDuration(DurationUnit.MINUTES)\n\n    /**\n     * Returns a
[Duration] representing the specified [value] number of minutes.\n     *\n     * @throws
IllegalArgumentException if the provided `Double` [value] is `NaN`.\n     */\n    @SinceKotlin("1.5")\n    @ExperimentalTime\n    @Deprecated("Use 'Double.minutes' extension property from Duration.Companion
instead.", ReplaceWith("value.minutes", "kotlin.time.Duration.Companion.minutes"))\n
@DeprecatedSinceKotlin(warningSince = "1.6")\n    public fun minutes(value: Double): Duration =
value.toDuration(DurationUnit.MINUTES)\n\n    /** Returns a [Duration] representing the specified [value]
number of hours. *\n    @SinceKotlin("1.5")\n    @ExperimentalTime\n    @Deprecated("Use 'Int.hours'
extension property from Duration.Companion instead.", ReplaceWith("value.hours",
"kotlin.time.Duration.Companion.hours"))\n    @DeprecatedSinceKotlin(warningSince = "1.6")\n    public
fun hours(value: Int): Duration = value.toDuration(DurationUnit.HOURS)\n\n    /** Returns a [Duration]
representing the specified [value] number of hours. *\n    @SinceKotlin("1.5")\n    @ExperimentalTime\n
@Deprecated("Use 'Long.hours' extension property from Duration.Companion instead.",
ReplaceWith("value.hours", "kotlin.time.Duration.Companion.hours"))\n
@DeprecatedSinceKotlin(warningSince = "1.6")\n    public fun hours(value: Long): Duration =
value.toDuration(DurationUnit.HOURS)\n\n    /**\n     * Returns a [Duration] representing the specified
[value] number of hours.\n     *\n     * @throws IllegalArgumentException if the provided `Double` [value] is
`NaN`.\n     */\n    @SinceKotlin("1.5")\n    @ExperimentalTime\n    @Deprecated("Use 'Double.hours'
extension property from Duration.Companion instead.", ReplaceWith("value.hours",
"kotlin.time.Duration.Companion.hours"))\n    @DeprecatedSinceKotlin(warningSince = "1.6")\n    public
fun hours(value: Double): Duration = value.toDuration(DurationUnit.HOURS)\n\n    /** Returns a [Duration]
representing the specified [value] number of days. *\n    @SinceKotlin("1.5")\n    @ExperimentalTime\n
@Deprecated("Use 'Int.days' extension property from Duration.Companion instead.", ReplaceWith("value.days",
"kotlin.time.Duration.Companion.days"))\n    @DeprecatedSinceKotlin(warningSince = "1.6")\n    public
fun days(value: Int): Duration = value.toDuration(DurationUnit.DAYS)\n\n    /** Returns a [Duration]
representing the specified [value] number of days. *\n    @SinceKotlin("1.5")\n    @ExperimentalTime\n
@Deprecated("Use 'Long.days' extension property from Duration.Companion instead.",
ReplaceWith("value.days", "kotlin.time.Duration.Companion.days"))\n
@DeprecatedSinceKotlin(warningSince = "1.6")\n    public fun days(value: Long): Duration =
value.toDuration(DurationUnit.DAYS)\n\n    /**\n     * Returns a [Duration] representing the specified [value]
number of days.\n     *\n     * @throws IllegalArgumentException if the provided `Double` [value] is `NaN`.\n
     */\n    @SinceKotlin("1.5")\n    @ExperimentalTime\n    @Deprecated("Use 'Double.days' extension
property from Duration.Companion instead.", ReplaceWith("value.days",
"kotlin.time.Duration.Companion.days"))\n    @DeprecatedSinceKotlin(warningSince = "1.6")\n    public
fun days(value: Double): Duration = value.toDuration(DurationUnit.DAYS)\n\n    /**\n     * Parses a string that
represents a duration and returns the parsed [Duration] value.\n     *\n     * The following formats are
accepted:\n     *\n     * - ISO-8601 Duration format, e.g. `P1DT2H3M4.058S`, see [toIsoString] and
[parseIsoString].\n     * - The format of string returned by the default [Duration.toString] and `toString` in a
specific unit,\n     * e.g. `10s`, `1h 30m` or `-(1h 30m)`.\n     *\n     * @throws IllegalArgumentException if
the string doesn't represent a duration in any of the supported formats.\n     * @sample
samples.time.Durations.parse\n     */\n    public fun parse(value: String): Duration = try {\n
parseDuration(value, strictIso = false)\n    } catch (e: IllegalArgumentException) {\n        throw
IllegalArgumentException("Invalid duration string format: '$value'.", e)\n    }\n\n    /**\n     * Parses a
string that represents a duration in ISO-8601 format and returns the parsed [Duration] value.\n     *\n     *
@throws IllegalArgumentException if the string doesn't represent a duration in ISO-8601 format.\n     * @sample
samples.time.Durations.parseIsoString\n     */\n    public fun parseIsoString(value: String): Duration = try {\n

```

```

    parseDuration(value, strictIso = true)\n    } catch (e: IllegalArgumentException) {\n        throw
IllegalArgumentException("Invalid ISO duration string format: '$value'.", e)\n    }\n    /**\n     * Parses a
string that represents a duration and returns the parsed [Duration] value,\n     * or `null` if the string doesn't
represent a duration in any of the supported formats.\n     *\n     * The following formats are accepted:\n
*\n     * - ISO-8601 Duration format, e.g. `P1DT2H3M4.058S`, see [toISOString] and [parseIsoString].\n     * -
The format of string returned by the default [Duration.toString] and `toString` in a specific unit,\n     * e.g. `10s`,
`1h 30m` or `-(1h 30m)`.\n     * @sample samples.time.Durations.parse\n     */\n    public fun
parseOrNull(value: String): Duration? = try {\n        parseDuration(value, strictIso = false)\n    } catch (e:
IllegalArgumentException) {\n        null\n    }\n    /**\n     * Parses a string that represents a duration in
ISO-8601 format and returns the parsed [Duration] value,\n     * or `null` if the string doesn't represent a duration
in ISO-8601 format.\n     * @sample samples.time.Durations.parseIsoString\n     */\n    public fun
parseIsoStringOrNull(value: String): Duration? = try {\n        parseDuration(value, strictIso = true)\n    } catch
(e: IllegalArgumentException) {\n        null\n    }\n    }\n    // arithmetic operators\n    /** Returns the
negative of this value. */\n    public operator fun unaryMinus(): Duration = durationOf(-value,
unitDiscriminator)\n    /**\n     * Returns a duration whose value is the sum of this and [other] duration values.\n
*\n     * @throws IllegalArgumentException if the operation results in an undefined value for the given arguments,\n
* e.g. when adding infinite durations of different sign.\n     */\n    public operator fun plus(other: Duration):
Duration {\n        when {\n            this.isInfinite() -> {\n                if (other.isFinite() || (this.rawValue xor
other.rawValue >= 0))\n                    return this\n                else\n                    throw
IllegalArgumentException("Summing infinite durations of different signs yields an undefined result.")\n            }\n
            other.isInfinite() -> return other\n        }\n        return when {\n            this.unitDiscriminator ==
other.unitDiscriminator -> {\n                val result = this.value + other.value // never overflows long, but can
overflow long63\n                when {\n                    isInNanos() ->\n
                    durationOfNanosNormalized(result)\n                } else ->\n                    durationOfMillisNormalized(result)\n
                }\n                this.isInMillis() ->\n                    addValuesMixedRanges(this.value, other.value)\n
            } else ->\n                addValuesMixedRanges(other.value, this.value)\n        }\n    }\n    private fun
addValuesMixedRanges(thisMillis: Long, otherNanos: Long): Duration {\n        val otherMillis =
nanosToMillis(otherNanos)\n        val resultMillis = thisMillis + otherMillis\n        return if (resultMillis in -
MAX_NANOS_IN_MILLIS..MAX_NANOS_IN_MILLIS) {\n            val otherNanoRemainder = otherNanos -
millisToNanos(otherMillis)\n            durationOfNanos(millisToNanos(resultMillis) + otherNanoRemainder)\n        }
else {\n            durationOfMillis(resultMillis.coerceIn(-MAX_MILLIS, MAX_MILLIS))\n        }\n    }\n    /**\n
     * Returns a duration whose value is the difference between this and [other] duration values.\n     *\n     * @throws
IllegalArgumentException if the operation results in an undefined value for the given arguments,\n     * e.g. when
subtracting infinite durations of the same sign.\n     */\n    public operator fun minus(other: Duration): Duration =
this + (-other)\n    /**\n     * Returns a duration whose value is this duration value multiplied by the given [scale]
number.\n     *\n     * @throws IllegalArgumentException if the operation results in an undefined value for the given
arguments,\n     * e.g. when multiplying an infinite duration by zero.\n     */\n    public operator fun times(scale: Int):
Duration {\n        if (isInfinite()) {\n            return when {\n                scale == 0 -> throw
IllegalArgumentException("Multiplying infinite duration by zero yields an undefined result.")\n                scale > 0
-> this\n                else -> -this\n            }\n        }\n        if (scale == 0) return ZERO\n        val value = value\n
        val result = value * scale\n        return if (isInNanos()) {\n            if (value in (MAX_NANOS /
Int.MIN_VALUE)..(-MAX_NANOS / Int.MIN_VALUE)) {\n                // can't overflow nanos range for any
scale\n                durationOfNanos(result)\n            } else {\n                if (result / scale == value) {\n
                    durationOfNanosNormalized(result)\n                } else {\n                    val millis = nanosToMillis(value)\n
                    val remNanos = value - millisToNanos(millis)\n                    val resultMillis = millis * scale\n
                    val totalMillis = resultMillis + nanosToMillis(remNanos * scale)\n                    if (resultMillis / scale == millis &&
totalMillis xor resultMillis >= 0) {\n                        durationOfMillis(totalMillis.coerceIn(-
MAX_MILLIS..MAX_MILLIS))\n                    } else {\n                        if (value.sign * scale.sign > 0) INFINITE

```

```

else NEG_INFINITY\n        }\n        }\n        } else {\n        if (result / scale == value) {\n        durationOfMillis(result.coerceIn(-MAX_MILLIS..MAX_MILLIS))\n        } else {\n        if (value.sign\n        * scale.sign > 0) INFINITE else NEG_INFINITY\n        }\n        }\n        }\n        }\n        /**\n        * Returns a duration whose\n        value is this duration value multiplied by the given [scale] number.\n        *\n        * The operation may involve rounding\n        when the result cannot be represented exactly with a [Double] number.\n        *\n        * @throws\n        IllegalArgumentException if the operation results in an undefined value for the given arguments,\n        * e.g. when\n        multiplying an infinite duration by zero.\n        */\n        public operator fun times(scale: Double): Duration {\n        val\n        intScale = scale.roundToInt()\n        if (intScale.toDouble() == scale) {\n        return times(intScale)\n        }\n        val\n        unit = storageUnit\n        val result = toDouble(unit) * scale\n        return result.toDuration(unit)\n        }\n        /**\n        * Returns a duration whose value is this duration value divided by the given [scale] number.\n        *\n        * @throws\n        IllegalArgumentException if the operation results in an undefined value for the given arguments,\n        * e.g. when\n        dividing zero duration by zero.\n        */\n        public operator fun div(scale: Int): Duration {\n        if (scale ==\n        0) {\n        return when {\n        isPositive() -> INFINITE\n        isNegative() -> NEG_INFINITY\n        else -> throw IllegalArgumentException("Dividing zero duration by zero yields an undefined result.")\n        }\n        }\n        if (isInNanos()) {\n        return durationOfNanos(value / scale)\n        } else {\n        if\n        (isInfinite())\n        return this * scale.sign\n        val result = value / scale\n        if (result in -\n        MAX_NANOS_IN_MILLIS..MAX_NANOS_IN_MILLIS) {\n        val rem = millisToNanos(value - (result *\n        scale)) / scale\n        return durationOfNanos(millisToNanos(result) + rem)\n        }\n        return\n        durationOfMillis(result)\n        }\n        }\n        /**\n        * Returns a duration whose value is this duration value divided\n        by the given [scale] number.\n        *\n        * @throws\n        IllegalArgumentException if the operation results in an\n        undefined value for the given arguments,\n        * e.g. when\n        dividing an infinite duration by infinity or zero duration\n        by zero.\n        */\n        public operator fun div(scale: Double): Duration {\n        val intScale = scale.roundToInt()\n        if (intScale.toDouble() == scale && intScale != 0) {\n        return div(intScale)\n        }\n        val unit =\n        storageUnit\n        val result = toDouble(unit) / scale\n        return result.toDuration(unit)\n        }\n        /** Returns a\n        number that is the ratio of this and [other] duration values. */\n        public operator fun div(other: Duration): Double\n        {\n        val coarserUnit = maxOf(this.storageUnit, other.storageUnit)\n        return this.toDouble(coarserUnit) /\n        other.toDouble(coarserUnit)\n        }\n        /** Returns true, if the duration value is less than zero. */\n        public fun\n        isNegative(): Boolean = rawValue < 0\n        /** Returns true, if the duration value is greater than zero. */\n        public fun\n        isPositive(): Boolean = rawValue > 0\n        /** Returns true, if the duration value is infinite. */\n        public fun\n        isInfinite(): Boolean = rawValue == INFINITE.rawValue || rawValue == NEG_INFINITY.rawValue\n        /**\n        Returns true, if the duration value is finite. */\n        public fun\n        isFinite(): Boolean = !isInfinite()\n        /** Returns the\n        absolute value of this value. The returned value is always non-negative. */\n        public val\n        absoluteValue: Duration\n        get() = if (isNegative()) -this else this\n        override fun\n        compareTo(other: Duration): Int {\n        val compareBits =\n        this.rawValue xor other.rawValue\n        if (compareBits < 0 || compareBits.toInt() and 1 == 0) // different signs or\n        same sign/same range\n        return this.rawValue.compareTo(other.rawValue) // same sign/different\n        ranges\n        val r = this.unitDiscriminator - other.unitDiscriminator // compare ranges\n        return if (isNegative())\n        -r else r\n        } // splitting to components\n        /**\n        * Splits this duration into days, hours, minutes,\n        seconds, and nanoseconds and executes the given [action] with these components.\n        * The result of [action] is\n        returned as the result of this function.\n        *\n        * - `nanoseconds` represents the whole number of nanoseconds in\n        this duration, and its absolute value is less than 1_000_000_000;\n        * - `seconds` represents the whole number of\n        seconds in this duration, and its absolute value is less than 60;\n        * - `minutes` represents the whole number of\n        minutes in this duration, and its absolute value is less than 60;\n        * - `hours` represents the whole number of hours\n        in this duration, and its absolute value is less than 24;\n        * - `days` represents the whole number of days in this\n        duration.\n        *\n        * Infinite durations are represented as either [Long.MAX_VALUE] days, or\n        [Long.MIN_VALUE] days (depending on the sign of infinity),\n        * and zeroes in the lower components.\n        */\n        public inline fun <T> toComponents(action: (days: Long, hours: Int, minutes: Int, seconds: Int, nanoseconds: Int) -\n        > T): T {\n        contract { callsInPlace(action, InvocationKind.EXACTLY_ONCE) }\n        return\n        action(inWholeDays, hoursComponent, minutesComponent, secondsComponent, nanosecondsComponent)\n        }\n    }

```

```

/**\n * Splits this duration into hours, minutes, seconds, and nanoseconds and executes the given [action] with
these components.\n * The result of [action] is returned as the result of this function.\n *\n * - `nanoseconds`
represents the whole number of nanoseconds in this duration, and its absolute value is less than 1_000_000_000;\n
* - `seconds` represents the whole number of seconds in this duration, and its absolute value is less than 60;\n * -
`minutes` represents the whole number of minutes in this duration, and its absolute value is less than 60;\n * -
`hours` represents the whole number of hours in this duration.\n *\n * Infinite durations are represented as
either [Long.MAX_VALUE] hours, or [Long.MIN_VALUE] hours (depending on the sign of infinity),\n * and
zeroes in the lower components.\n */\n public inline fun <T> toComponents(action: (hours: Long, minutes: Int,
seconds: Int, nanoseconds: Int) -> T): T {\n     contract { callsInPlace(action, InvocationKind.EXACTLY_ONCE)
}\n     return action(inWholeHours, minutesComponent, secondsComponent, nanosecondsComponent)\n }\n\n
/**\n * Splits this duration into minutes, seconds, and nanoseconds and executes the given [action] with these
components.\n * The result of [action] is returned as the result of this function.\n *\n * - `nanoseconds`
represents the whole number of nanoseconds in this duration, and its absolute value is less than 1_000_000_000;\n
* - `seconds` represents the whole number of seconds in this duration, and its absolute value is less than 60;\n * -
`minutes` represents the whole number of minutes in this duration.\n *\n * Infinite durations are represented as
either [Long.MAX_VALUE] minutes, or [Long.MIN_VALUE] minutes (depending on the sign of infinity),\n *
and zeroes in the lower components.\n */\n public inline fun <T> toComponents(action: (minutes: Long,
seconds: Int, nanoseconds: Int) -> T): T {\n     contract { callsInPlace(action, InvocationKind.EXACTLY_ONCE)
}\n     return action(inWholeMinutes, secondsComponent, nanosecondsComponent)\n }\n\n
/**\n * Splits
this duration into seconds, and nanoseconds and executes the given [action] with these components.\n * The result
of [action] is returned as the result of this function.\n *\n * - `nanoseconds` represents the whole number of
nanoseconds in this duration, and its absolute value is less than 1_000_000_000;\n * - `seconds` represents the
whole number of seconds in this duration.\n *\n * Infinite durations are represented as either
[Long.MAX_VALUE] seconds, or [Long.MIN_VALUE] seconds (depending on the sign of infinity),\n * and
zero nanoseconds.\n */\n public inline fun <T> toComponents(action: (seconds: Long, nanoseconds: Int) -> T):
T {\n     contract { callsInPlace(action, InvocationKind.EXACTLY_ONCE) }\n     return
action(inWholeSeconds, nanosecondsComponent)\n }\n\n @PublishedApi\n internal val hoursComponent:
Int\n     get() = if (isInfinite()) 0 else (inWholeHours % 24).toInt()\n\n @PublishedApi\n internal val
minutesComponent: Int\n     get() = if (isInfinite()) 0 else (inWholeMinutes % 60).toInt()\n\n @PublishedApi\n
internal val secondsComponent: Int\n     get() = if (isInfinite()) 0 else (inWholeSeconds % 60).toInt()\n\n
@PublishedApi\n internal val nanosecondsComponent: Int\n     get() = when {\n         isInfinite() -> 0\n
isInMillis() -> millisToNanos(value % 1_000).toInt()\n         else -> (value % 1_000_000_000).toInt()\n
}\n\n // conversion to units\n\n /**\n * Returns the value of this duration expressed as a [Double] number of
the specified [unit].\n *\n * The operation may involve rounding when the result cannot be represented exactly
with a [Double] number.\n *\n * An infinite duration value is converted either to
[Double.POSITIVE_INFINITY] or [Double.NEGATIVE_INFINITY] depending on its sign.\n */\n public fun
toDouble(unit: DurationUnit): Double {\n     return when (rawValue) {\n         INFINITE.rawValue ->
Double.POSITIVE_INFINITY\n         NEG_INFINITE.rawValue -> Double.NEGATIVE_INFINITY\n         else -> {\n
// TODO: whether it's ok to convert to Double before scaling\n
convertDurationUnit(value.toDouble(), storageUnit, unit)\n         }\n     }\n }\n\n /**\n * Returns the value
of this duration expressed as a [Long] number of the specified [unit].\n *\n * If the result doesn't fit in the range
of [Long] type, it is coerced into that range:\n * - [Long.MIN_VALUE] is returned if it's less than
`Long.MIN_VALUE`,\n * - [Long.MAX_VALUE] is returned if it's greater than `Long.MAX_VALUE`.\n *\n * An infinite
duration value is converted either to [Long.MAX_VALUE] or [Long.MIN_VALUE] depending on
its sign.\n */\n public fun toLong(unit: DurationUnit): Long {\n     return when (rawValue) {\n
INFINITE.rawValue -> Long.MAX_VALUE\n         NEG_INFINITE.rawValue -> Long.MIN_VALUE\n         else ->
convertDurationUnit(value, storageUnit, unit)\n     }\n }\n\n /**\n * Returns the value of this
duration expressed as an [Int] number of the specified [unit].\n *\n * If the result doesn't fit in the range of [Int]

```

```

type, it is coerced into that range:\n    * - [Int.MIN_VALUE] is returned if it's less than `Int.MIN_VALUE`,\n    * - [Int.MAX_VALUE] is returned if it's greater than `Int.MAX_VALUE`.\n    *\n    * An infinite duration value is converted either to [Int.MAX_VALUE] or [Int.MIN_VALUE] depending on its sign.\n    */\n    public fun toInt(unit: DurationUnit): Int =\n        toLong(unit).coerceIn(Int.MIN_VALUE.toLong(), Int.MAX_VALUE.toLong()).toInt()\n\n    /** The value of this duration expressed as a [Double] number of days.\n    */\n    @ExperimentalTime\n    @Deprecated("Use inWholeDays property instead or convert toDouble(DAYS) if a double value is required.", ReplaceWith("toDouble(DurationUnit.DAYS)"))\n    public val inDays: Double get() = toDouble(DurationUnit.DAYS)\n\n    /** The value of this duration expressed as a [Double] number of hours.\n    */\n    @ExperimentalTime\n    @Deprecated("Use inWholeHours property instead or convert toDouble(HOURS) if a double value is required.", ReplaceWith("toDouble(DurationUnit.HOURS)"))\n    public val inHours: Double get() = toDouble(DurationUnit.HOURS)\n\n    /** The value of this duration expressed as a [Double] number of minutes.\n    */\n    @ExperimentalTime\n    @Deprecated("Use inWholeMinutes property instead or convert toDouble(MINUTES) if a double value is required.", ReplaceWith("toDouble(DurationUnit.MINUTES)"))\n    public val inMinutes: Double get() = toDouble(DurationUnit.MINUTES)\n\n    /** The value of this duration expressed as a [Double] number of seconds.\n    */\n    @ExperimentalTime\n    @Deprecated("Use inWholeSeconds property instead or convert toDouble(SECONDS) if a double value is required.", ReplaceWith("toDouble(DurationUnit.SECONDS)"))\n    public val inSeconds: Double get() = toDouble(DurationUnit.SECONDS)\n\n    /** The value of this duration expressed as a [Double] number of milliseconds.\n    */\n    @ExperimentalTime\n    @Deprecated("Use inWholeMilliseconds property instead or convert toDouble(MILLISECONDS) if a double value is required.", ReplaceWith("toDouble(DurationUnit.MILLISECONDS)"))\n    public val inMilliseconds: Double get() = toDouble(DurationUnit.MILLISECONDS)\n\n    /** The value of this duration expressed as a [Double] number of microseconds.\n    */\n    @ExperimentalTime\n    @Deprecated("Use inWholeMicroseconds property instead or convert toDouble(MICROSECONDS) if a double value is required.", ReplaceWith("toDouble(DurationUnit.MICROSECONDS)"))\n    public val inMicroseconds: Double get() = toDouble(DurationUnit.MICROSECONDS)\n\n    /** The value of this duration expressed as a [Double] number of nanoseconds.\n    */\n    @ExperimentalTime\n    @Deprecated("Use inWholeNanoseconds property instead or convert toDouble(NANOSECONDS) if a double value is required.", ReplaceWith("toDouble(DurationUnit.NANOSECONDS)"))\n    public val inNanoseconds: Double get() = toDouble(DurationUnit.NANOSECONDS)\n\n    /**\n    * The value of this duration expressed as a [Long] number of days.\n    */\n    *\n    * An infinite duration value is converted either to [Long.MAX_VALUE] or [Long.MIN_VALUE] depending on its sign.\n    */\n    public val inWholeDays: Long\n        get() = toLong(DurationUnit.DAYS)\n\n    /**\n    * The value of this duration expressed as a [Long] number of hours.\n    */\n    *\n    * An infinite duration value is converted either to [Long.MAX_VALUE] or [Long.MIN_VALUE] depending on its sign.\n    */\n    public val inWholeHours: Long\n        get() = toLong(DurationUnit.HOURS)\n\n    /**\n    * The value of this duration expressed as a [Long] number of minutes.\n    */\n    *\n    * An infinite duration value is converted either to [Long.MAX_VALUE] or [Long.MIN_VALUE] depending on its sign.\n    */\n    public val inWholeMinutes: Long\n        get() = toLong(DurationUnit.MINUTES)\n\n    /**\n    * The value of this duration expressed as a [Long] number of seconds.\n    */\n    *\n    * An infinite duration value is converted either to [Long.MAX_VALUE] or [Long.MIN_VALUE] depending on its sign.\n    */\n    public val inWholeSeconds: Long\n        get() = toLong(DurationUnit.SECONDS)\n\n    /**\n    * The value of this duration expressed as a [Long] number of milliseconds.\n    */\n    *\n    * An infinite duration value is converted either to [Long.MAX_VALUE] or [Long.MIN_VALUE] depending on its sign.\n    */\n    public val inWholeMilliseconds: Long\n        get() {\n            return if (isInMillis() && isFinite()) value else toLong(DurationUnit.MILLISECONDS)\n        }\n\n    /**\n    * The value of this duration expressed as a [Long] number of microseconds.\n    */\n    *\n    * If the result doesn't fit in the range of [Long] type, it is coerced into that range:\n    * - [Long.MIN_VALUE] is returned if it's less than `Long.MIN_VALUE`,\n    * - [Long.MAX_VALUE] is returned if it's greater than `Long.MAX_VALUE`.\n    */\n    *\n    * An infinite duration value is converted either to [Long.MAX_VALUE] or [Long.MIN_VALUE] depending on

```

```

its sign.\n    */\n    public val inWholeMicroseconds: Long\n        get() =
toLong(DurationUnit.MICROSECONDS)\n\n    /**\n     * The value of this duration expressed as a [Long] number
of nanoseconds.\n     *\n     * If the result doesn't fit in the range of [Long] type, it is coerced into that range:\n     * -
[Long.MIN_VALUE] is returned if it's less than `Long.MIN_VALUE`,\n     * - [Long.MAX_VALUE] is returned if
it's greater than `Long.MAX_VALUE`.\n     *\n     * An infinite duration value is converted either to
[Long.MAX_VALUE] or [Long.MIN_VALUE] depending on its sign.\n    */\n    public val inWholeNanoseconds:
Long\n        get() {\n            val value = value\n            return when {\n                isInNanos() -> value\n
value > Long.MAX_VALUE / NANOS_IN_MILLIS -> Long.MAX_VALUE\n                value <
Long.MIN_VALUE / NANOS_IN_MILLIS -> Long.MIN_VALUE\n                else -> millisToNanos(value)\n
            }\n        }\n\n    // shortcuts\n\n    /**\n     * Returns the value of this duration expressed as a [Long] number of
nanoseconds.\n     *\n     * If the value doesn't fit in the range of [Long] type, it is coerced into that range, see the
conversion [Double.toLong] for details.\n     *\n     * The range of durations that can be expressed as a `Long`
number of nanoseconds is approximately \u00b1292 years.\n    */\n    @ExperimentalTime\n    @Deprecated("Use
inWholeNanoseconds property instead.", ReplaceWith("this.inWholeNanoseconds"))\n    public fun
toLongNanoseconds(): Long = inWholeNanoseconds\n\n    /**\n     * Returns the value of this duration expressed as
a [Long] number of milliseconds.\n     *\n     * The value is coerced to the range of [Long] type, if it doesn't fit in
that range, see the conversion [Double.toLong] for details.\n     *\n     * The range of durations that can be expressed
as a `Long` number of milliseconds is approximately \u00b1292 million years.\n    */\n    @ExperimentalTime\n    @Deprecated("Use inWholeMilliseconds property instead.", ReplaceWith("this.inWholeMilliseconds"))\n    public fun
toLongMilliseconds(): Long = inWholeMilliseconds\n\n    /**\n     * Returns a string representation of
this duration value\n     * expressed as a combination of numeric components, each in its own unit.\n     *\n     * Each
component is a number followed by the unit abbreviated name: `d`, `h`, `m`, `s`:\n     * `5h`, `1d 12h`, `1h 0m
30.340s`.\n     *\n     * The last component, usually seconds, can be a number with a fractional part.\n     *\n     * If the
duration is less than a second, it is represented as a single number\n     * with one of sub-second units: `ms`
(milliseconds), `us` (microseconds), or `ns` (nanoseconds):\n     * `140.884ms`, `500us`, `24ns`.\n     *\n     * A
negative duration is prefixed with `-` sign and, if it consists of multiple components, surrounded with parentheses:\n
     * `-12m` and `-(1h 30m)`.\n     *\n     * Special cases:\n     * - an infinite duration is formatted as `\"Infinity\"` or
`\"-Infinity\"` without a unit.\n     *\n     * It's recommended to use [toIsoString] that uses more strict ISO-8601
format instead of this `toString`\n     * when you want to convert a duration to a string in cases of serialization,
interchange, etc.\n     *\n     * @sample samples.time.Durations.toStringDefault\n    */\n    override fun toString():
String = when (rawValue) {\n        0L -> "0s"\n        INFINITE.rawValue -> "Infinity"\n        NEG_INFINITE.rawValue -> "-Infinity"\n        else -> {\n            val isNegative = isNegative()\n
            buildString {\n                if (isNegative) append('-')\n                absoluteValue.toComponents { days, hours, minutes,
seconds, nanoseconds ->\n                    val hasDays = days != 0\n                    val hasHours = hours != 0\n
                    val hasMinutes = minutes != 0\n                    val hasSeconds = seconds != 0 || nanoseconds != 0\n                    var
components = 0\n                    if (hasDays) {\n                        append(days).append('d')\n
                        components++\n                    }\n                    if (hasHours || (hasDays && (hasMinutes || hasSeconds))) {\n
                        if (components++ > 0) append(' ')\n                        append(hours).append('h')\n                    }\n                    if
(hasMinutes || (hasSeconds && (hasHours || hasDays))) {\n                        if (components++ > 0) append(' ')\n
                        append(minutes).append('m')\n                    }\n                    if (hasSeconds) {\n                        if
(components++ > 0) append(' ')\n                        when {\n                            seconds != 0 || hasDays || hasHours ||
hasMinutes ->\n                                appendFractional(seconds, nanoseconds, 9, "s", isoZeroes = false)\n
                            nanoseconds >= 1_000_000 ->\n                                appendFractional(nanoseconds / 1_000_000, nanoseconds
% 1_000_000, 6, "ms", isoZeroes = false)\n
                            nanoseconds >= 1_000 ->\n                                appendFractional(nanoseconds / 1_000, nanoseconds % 1_000, 3, "us", isoZeroes = false)\n
                            else ->\n                                append(nanoseconds).append("ns")\n                        }\n                    }\n                    if
(isNegative && components > 1) insert(1, '(').append(')')\n                    }\n                }\n            }\n        }\n    }\n\n    private fun
StringBuilder.appendFractional(whole: Int, fractional: Int, fractionalSize: Int, unit: String, isoZeroes: Boolean) {\n

```

```

    append(whole)\n    if (fractional != 0) {\n        append('.')\n        val fracString =
fractional.toString().padStart(fractionalSize, '0')\n        val nonZeroDigits = fracString.indexOfLast { it != '0' } +
1\n        when {\n            !isoZeroes && nonZeroDigits < 3 -> appendRange(fracString, 0, nonZeroDigits)\n
            else -> appendRange(fracString, 0, ((nonZeroDigits + 2) / 3) * 3)\n        }\n        append(unit)\n
}\n\n /**\n * Returns a string representation of this duration value expressed in the given [unit]\n * and
formatted with the specified [decimals] number of digits after decimal point.\n * * Special cases:\n * - an
infinite duration is formatted as `\"Infinity\"` or `\"-Infinity\"` without a unit.\n * * @param decimals the
number of digits after decimal point to show. The value must be non-negative.\n * * No more than 12 decimals will
be shown, even if a larger number is requested.\n * * @return the value of duration in the specified [unit]
followed by that unit abbreviated name: `d`, `h`, `m`, `s`, `ms`, `us`, or `ns`.\n * * @throws
IllegalArgumentException if [decimals] is less than zero.\n * * @sample
samples.time.Durations.toStringDecimals\n * ^\n public fun toString(unit: DurationUnit, decimals: Int = 0):
String {\n    require(decimals >= 0) { \"decimals must be not negative, but was $decimals\" }\n    val number =
toDouble(unit)\n    if (number.isInfinite()) return number.toString()\n    return formatToExactDecimals(number,
decimals.coerceAtMost(12)) + unit.shortName()\n }\n\n /**\n * Returns an ISO-8601 based string
representation of this duration.\n * * The returned value is presented in the format `PTm>s.fS`, where `h`,
`m`, `s` are the integer components of this duration (see [toComponents])\n * and `f` is a fractional part of second.
Depending on the roundness of the value the fractional part can be formatted with either\n * 0, 3, 6, or 9 decimal
digits.\n * * The infinite duration is represented as `\"PT999999999999999H\"` which is larger than any
possible finite duration in Kotlin.\n * * Negative durations are indicated with the sign `-` in the beginning of
the returned string, for example, `\"-PT5M30S\"`.\n * * @sample samples.time.Durations.toIsoString\n
* ^\n public fun toIsoString(): String = buildString {\n    if (isNegative()) append('-')\n    append(\"PT\")\n
this@Duration.absoluteValue.toComponents { hours, minutes, seconds, nanoseconds ->\n
@Suppress(\"NAME_SHADOWING\")\n        var hours = hours\n        if (isInfinite()) {\n            // use large
enough value instead of Long.MAX_VALUE\n            hours = 9_999_999_999_999\n        }\n        val
hasHours = hours != 0L\n        val hasSeconds = seconds != 0 || nanoseconds != 0\n        val hasMinutes =
minutes != 0 || (hasSeconds && hasHours)\n        if (hasHours) {\n            append(hours).append('H')\n
}\n        if (hasMinutes) {\n            append(minutes).append('M')\n        }\n        if (hasSeconds ||
(!hasHours && !hasMinutes)) {\n            appendFractional(seconds, nanoseconds, 9, \"S\", isoZeroes = true)\n
        }\n    }\n }\n\n // constructing from number of units\n // extension functions\n /** Returns a [Duration]
equal to this [Int] number of the specified [unit].
* ^\n @SinceKotlin(\"1.6\")\n @WasExperimental(ExperimentalTime::class)\n public fun Int.toDuration(unit:
DurationUnit): Duration {\n    return if (unit <= DurationUnit.SECONDS) {\n
durationOfNanos(convertDurationUnitOverflow(this.toLong(), unit, DurationUnit.NANOSECONDS))\n    } else {\n
    toLong().toDuration(unit)\n    }\n }\n\n /** Returns a [Duration] equal to this [Long] number of the specified [unit].
* ^\n @SinceKotlin(\"1.6\")\n @WasExperimental(ExperimentalTime::class)\n public fun Long.toDuration(unit:
DurationUnit): Duration {\n    val maxNsInUnit = convertDurationUnitOverflow(MAX_NANOS,
DurationUnit.NANOSECONDS, unit)\n    if (this in -maxNsInUnit..maxNsInUnit) {\n        return
durationOfNanos(convertDurationUnitOverflow(this, unit, DurationUnit.NANOSECONDS))\n    } else {\n        val
millis = convertDurationUnit(this, unit, DurationUnit.MILLISECONDS)\n        return
durationOfMillis(millis.coerceIn(-MAX_MILLIS, MAX_MILLIS))\n    }\n }\n\n /** Returns a [Duration] equal
to this [Double] number of the specified [unit].\n * * Depending on its magnitude, the value is rounded to an
integer number of nanoseconds or milliseconds.\n * * @throws IllegalArgumentException if this `Double` value is
`NaN`.\n * ^\n @SinceKotlin(\"1.6\")\n @WasExperimental(ExperimentalTime::class)\n public fun
Double.toDuration(unit: DurationUnit): Duration {\n    val valueInNs = convertDurationUnit(this, unit,
DurationUnit.NANOSECONDS)\n    require(!valueInNs.isNaN()) { \"Duration value cannot be NaN.\" }\n    val
nanos = valueInNs.roundToLong()\n    return if (nanos in -MAX_NANOS..MAX_NANOS) {\n
durationOfNanos(nanos)\n    } else {\n        val millis = convertDurationUnit(this, unit,

```

```

DurationUnit.MILLISECONDS).roundToLong()\n    durationOfMillisNormalized(millis)\n    }\n}\n\n//
constructing from number of units\n// deprecated extension properties\n\n/** Returns a [Duration] equal to this [Int]
number of nanoseconds. *\n@SinceKotlin("1.3")\n@ExperimentalTime\n@Deprecated(\n"Use 'Int.nanoseconds'
extension property from Duration.Companion instead.\n", ReplaceWith(\n"this.nanoseconds\n",
\n" kotlin.time.Duration.Companion.nanoseconds\n"))\n@DeprecatedSinceKotlin(warningSince = \n"1.5")\n\npublic val
Int.nanoseconds get() = toDuration(DurationUnit.NANOSECONDS)\n\n/** Returns a [Duration] equal to this
[Long] number of nanoseconds. *\n@SinceKotlin("1.3")\n@ExperimentalTime\n@Deprecated(\n"Use
'Long.nanoseconds' extension property from Duration.Companion instead.\n", ReplaceWith(\n"this.nanoseconds\n",
\n" kotlin.time.Duration.Companion.nanoseconds\n"))\n@DeprecatedSinceKotlin(warningSince = \n"1.5")\n\npublic val
Long.nanoseconds get() = toDuration(DurationUnit.NANOSECONDS)\n\n/**\n * Returns a [Duration] equal to this
[Double] number of nanoseconds.\n * \n * @throws IllegalArgumentException if this [Double] value is `NaN`.\n
*\n@SinceKotlin("1.3")\n@ExperimentalTime\n@Deprecated(\n"Use 'Double.nanoseconds' extension property
from Duration.Companion instead.\n", ReplaceWith(\n"this.nanoseconds\n",
\n" kotlin.time.Duration.Companion.nanoseconds\n"))\n@DeprecatedSinceKotlin(warningSince = \n"1.5")\n\npublic val
Double.nanoseconds get() = toDuration(DurationUnit.NANOSECONDS)\n\n/** Returns a [Duration] equal to
this [Int] number of microseconds. *\n@SinceKotlin("1.3")\n@ExperimentalTime\n@Deprecated(\n"Use
'Int.microseconds' extension property from Duration.Companion instead.\n", ReplaceWith(\n"this.microseconds\n",
\n" kotlin.time.Duration.Companion.microseconds\n"))\n@DeprecatedSinceKotlin(warningSince = \n"1.5")\n\npublic val
Int.microseconds get() = toDuration(DurationUnit.MICROSECONDS)\n\n/** Returns a [Duration] equal to this
[Long] number of microseconds. *\n@SinceKotlin("1.3")\n@ExperimentalTime\n@Deprecated(\n"Use
'Long.microseconds' extension property from Duration.Companion instead.\n", ReplaceWith(\n"this.microseconds\n",
\n" kotlin.time.Duration.Companion.microseconds\n"))\n@DeprecatedSinceKotlin(warningSince = \n"1.5")\n\npublic val
Long.microseconds get() = toDuration(DurationUnit.MICROSECONDS)\n\n/**\n * Returns a [Duration] equal to
this [Double] number of microseconds.\n * \n * @throws IllegalArgumentException if this [Double] value is
`NaN`.\n * \n *\n@SinceKotlin("1.3")\n@ExperimentalTime\n@Deprecated(\n"Use 'Double.microseconds' extension
property from Duration.Companion instead.\n", ReplaceWith(\n"this.microseconds\n",
\n" kotlin.time.Duration.Companion.microseconds\n"))\n@DeprecatedSinceKotlin(warningSince = \n"1.5")\n\npublic val
Double.microseconds get() = toDuration(DurationUnit.MICROSECONDS)\n\n/** Returns a [Duration] equal to
this [Int] number of milliseconds. *\n@SinceKotlin("1.3")\n@ExperimentalTime\n@Deprecated(\n"Use
'Int.milliseconds' extension property from Duration.Companion instead.\n", ReplaceWith(\n"this.milliseconds\n",
\n" kotlin.time.Duration.Companion.milliseconds\n"))\n@DeprecatedSinceKotlin(warningSince = \n"1.5")\n\npublic val
Int.milliseconds get() = toDuration(DurationUnit.MILLISECONDS)\n\n/** Returns a [Duration] equal to this
[Long] number of milliseconds. *\n@SinceKotlin("1.3")\n@ExperimentalTime\n@Deprecated(\n"Use
'Long.milliseconds' extension property from Duration.Companion instead.\n", ReplaceWith(\n"this.milliseconds\n",
\n" kotlin.time.Duration.Companion.milliseconds\n"))\n@DeprecatedSinceKotlin(warningSince = \n"1.5")\n\npublic val
Long.milliseconds get() = toDuration(DurationUnit.MILLISECONDS)\n\n/**\n * Returns a [Duration] equal to this
[Double] number of milliseconds.\n * \n * @throws IllegalArgumentException if this [Double] value is `NaN`.\n
*\n@SinceKotlin("1.3")\n@ExperimentalTime\n@Deprecated(\n"Use 'Double.milliseconds' extension property
from Duration.Companion instead.\n", ReplaceWith(\n"this.milliseconds\n",
\n" kotlin.time.Duration.Companion.milliseconds\n"))\n@DeprecatedSinceKotlin(warningSince = \n"1.5")\n\npublic val
Double.milliseconds get() = toDuration(DurationUnit.MILLISECONDS)\n\n/** Returns a [Duration] equal to
this [Int] number of seconds. *\n@SinceKotlin("1.3")\n@ExperimentalTime\n@Deprecated(\n"Use 'Int.seconds'
extension property from Duration.Companion instead.\n", ReplaceWith(\n"this.seconds\n",
\n" kotlin.time.Duration.Companion.seconds\n"))\n@DeprecatedSinceKotlin(warningSince = \n"1.5")\n\npublic val
Int.seconds get() = toDuration(DurationUnit.SECONDS)\n\n/** Returns a [Duration] equal to this [Long] number of
seconds. *\n@SinceKotlin("1.3")\n@ExperimentalTime\n@Deprecated(\n"Use 'Long.seconds' extension property
from Duration.Companion instead.\n", ReplaceWith(\n"this.seconds\n",
\n" kotlin.time.Duration.Companion.seconds\n"))\n@DeprecatedSinceKotlin(warningSince = \n"1.5")\n\npublic val

```



```

Long.seconds get() = toDuration(DurationUnit.SECONDS)\n\n/**\n * Returns a [Duration] equal to this [Double]
number of seconds.\n * \n * @throws IllegalArgumentException if this [Double] value is `NaN`.\n
*\n@SinceKotlin("1.3")\n@ExperimentalTime\n@Deprecated("Use 'Double.seconds' extension property from
Duration.Companion instead.", ReplaceWith("this.seconds"),
"\"kotlin.time.Duration.Companion.seconds\""))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic val
Double.seconds get() = toDuration(DurationUnit.SECONDS)\n\n/** Returns a [Duration] equal to this [Int]
number of minutes. *\n@SinceKotlin("1.3")\n@ExperimentalTime\n@Deprecated("Use 'Int.minutes' extension
property from Duration.Companion instead.", ReplaceWith("this.minutes"),
"\"kotlin.time.Duration.Companion.minutes\""))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic val
Int.minutes get() = toDuration(DurationUnit.MINUTES)\n\n/** Returns a [Duration] equal to this [Long] number of
minutes. *\n@SinceKotlin("1.3")\n@ExperimentalTime\n@Deprecated("Use 'Long.minutes' extension property
from Duration.Companion instead.", ReplaceWith("this.minutes"),
"\"kotlin.time.Duration.Companion.minutes\""))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic val
Long.minutes get() = toDuration(DurationUnit.MINUTES)\n\n/**\n * Returns a [Duration] equal to this [Double]
number of minutes.\n * \n * @throws IllegalArgumentException if this [Double] value is `NaN`.\n
*\n@SinceKotlin("1.3")\n@ExperimentalTime\n@Deprecated("Use 'Double.minutes' extension property from
Duration.Companion instead.", ReplaceWith("this.minutes"),
"\"kotlin.time.Duration.Companion.minutes\""))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic val
Double.minutes get() = toDuration(DurationUnit.MINUTES)\n\n/** Returns a [Duration] equal to this [Int]
number of hours. *\n@SinceKotlin("1.3")\n@ExperimentalTime\n@Deprecated("Use 'Int.hours' extension
property from Duration.Companion instead.", ReplaceWith("this.hours"),
"\"kotlin.time.Duration.Companion.hours\""))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic val
Int.hours get() = toDuration(DurationUnit.HOURS)\n\n/** Returns a [Duration] equal to this [Long] number of
hours. *\n@SinceKotlin("1.3")\n@ExperimentalTime\n@Deprecated("Use 'Long.hours' extension property from
Duration.Companion instead.", ReplaceWith("this.hours",
"\"kotlin.time.Duration.Companion.hours\""))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic val
Long.hours get() = toDuration(DurationUnit.HOURS)\n\n/**\n * Returns a [Duration] equal to this [Double]
number of hours.\n * \n * @throws IllegalArgumentException if this [Double] value is `NaN`.\n
*\n@SinceKotlin("1.3")\n@ExperimentalTime\n@Deprecated("Use 'Double.hours' extension property from
Duration.Companion instead.", ReplaceWith("this.hours",
"\"kotlin.time.Duration.Companion.hours\""))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic val
Double.hours get() = toDuration(DurationUnit.HOURS)\n\n/** Returns a [Duration] equal to this [Int] number of
days. *\n@SinceKotlin("1.3")\n@ExperimentalTime\n@Deprecated("Use 'Int.days' extension property from
Duration.Companion instead.", ReplaceWith("this.days",
"\"kotlin.time.Duration.Companion.days\""))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic val Int.days
get() = toDuration(DurationUnit.DAYS)\n\n/** Returns a [Duration] equal to this [Long] number of days.
*\n@SinceKotlin("1.3")\n@ExperimentalTime\n@Deprecated("Use 'Long.days' extension property from
Duration.Companion instead.", ReplaceWith("this.days",
"\"kotlin.time.Duration.Companion.days\""))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic val
Long.days get() = toDuration(DurationUnit.DAYS)\n\n/**\n * Returns a [Duration] equal to this [Double] number
of days.\n * \n * @throws IllegalArgumentException if this [Double] value is `NaN`.\n
*\n@SinceKotlin("1.3")\n@ExperimentalTime\n@Deprecated("Use 'Double.days' extension property from
Duration.Companion instead.", ReplaceWith("this.days",
"\"kotlin.time.Duration.Companion.days\""))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic val
Double.days get() = toDuration(DurationUnit.DAYS)\n\n/** Returns a duration whose value is the specified
[duration] value multiplied by this number.
*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalTime::class)\n@kotlin.internal.InlineOnly\npublic
inline operator fun Int.times(duration: Duration): Duration = duration * this\n\n/**\n * Returns a duration whose

```

value is the specified [duration] value multiplied by this number.\n \* The operation may involve rounding when the result cannot be represented exactly with a [Double] number.\n \* @throws IllegalArgumentException if the operation results in a `NaN` value.\n

```

*\/n@SinceKotlin("1.6")n@WasExperimental(ExperimentalTime::class)n@kotlin.internal.InlineOnlynpublic
inline operator fun Double.times(duration: Duration): Duration = duration * thisn\n\nprivate fun
parseDuration(value: String, strictIso: Boolean): Duration {n    var length = value.lengthn    if (length == 0) throw
IllegalArgumentException("The string is empty")n    var index = 0n    var result = Duration.ZERO\n    val
infinityString = "Infinity"n    when (value[index]) {n        '+', '-' -> index++n    }n    val hasSign = index > 0n
val isNegative = hasSign && value.startsWith('-')n    when {n        length <= index ->n            throw
IllegalArgumentException("No components")n        value[index] == 'P' -> {n            if (++index == length) throw
IllegalArgumentException()\n            val nonDigitSymbols = "+-."n            var isTimeComponent = false\n
var prevUnit: DurationUnit? = nulln            while (index < length) {n                if (value[index] == 'T') {n
                    if (isTimeComponent || ++index == length) throw IllegalArgumentException()\n                    isTimeComponent =
true\n                    continue\n                }n                val component = value.substringWhile(index) { it in '0'..'9' || it in
nonDigitSymbols }n                if (component.isEmpty()) throw IllegalArgumentException()\n                index +=
component.length\n                val unitChar = value.getOrNull(index) { throw IllegalArgumentException("Missing
unit for value $component") }n                index++n                val unit = durationUnitByIsoChar(unitChar,
isTimeComponent)\n                if (prevUnit != null && prevUnit <= unit) throw
IllegalArgumentException("Unexpected order of duration components")n                prevUnit = unit\n                val
dotIndex = component.indexOf('.')n                if (unit == DurationUnit.SECONDS && dotIndex > 0) {n
                    val whole = component.substring(0, dotIndex)n                    result +=
parseOverLongIsoComponent(whole).toDuration(unit)\n                    result +=
component.substring(dotIndex).toDouble().toDuration(unit)\n                } else {n                    result +=
parseOverLongIsoComponent(component).toDuration(unit)\n                }n            }n            strictIso ->n
throw IllegalArgumentException()\n            value.regionMatches(index, infinityString, 0, length = maxOf(length -
index, infinityString.length), ignoreCase = true) -> {n                result = Duration.INFINITE\n            }n            else -> {n
                // parse default string format\n                var prevUnit: DurationUnit? = null\n                var afterFirst = false\n
var allowSpaces = !hasSign\n                if (hasSign && value[index] == '(' && value.last() == ')') {n
                    allowSpaces = true\n                    if (++index == --length) throw IllegalArgumentException("No components")\n
                }n                while (index < length) {n                    if (afterFirst && allowSpaces) {n                        index =
value.skipWhile(index) { it == ' ' }n                    }n                    afterFirst = true\n                    val component =
value.substringWhile(index) { it in '0'..'9' || it == '.' }n                    if (component.isEmpty()) throw
IllegalArgumentException()\n                    index += component.length\n                    val unitName =
value.substringWhile(index) { it in 'a'..'z' }n                    index += unitName.length\n                    val unit =
durationUnitByShortName(unitName)\n                    if (prevUnit != null && prevUnit <= unit) throw
IllegalArgumentException("Unexpected order of duration components")n                    prevUnit = unit\n                    val
dotIndex = component.indexOf('.')n                    if (dotIndex > 0) {n                        val whole = component.substring(0,
dotIndex)\n                        result += whole.toLong().toDuration(unit)\n                        result +=
component.substring(dotIndex).toDouble().toDuration(unit)\n                    } if (index < length) throw
IllegalArgumentException("Fractional component must be last")n                    } else {n                        result +=
component.toLong().toDuration(unit)\n                    }n                }n            }n            return if (isNegative) -result else
result\n\n\nprivate fun parseOverLongIsoComponent(value: String): Long {n    val length = value.length\n    var
startIndex = 0\n    if (length > 0 && value[0] in "+-") startIndex++\n    if ((length - startIndex) > 16 &&
(startIndex..value.lastIndex).all { value[it] in '0'..'9' }) {n        // all chars are digits, but more than
ceiling(log10(MAX_MILLIS / 1000)) of them\n        return if (value[0] == '-') Long.MIN_VALUE else
Long.MAX_VALUE\n    }n    // TODO: replace with just toLong after min JDK becomes 8\n    return if
(value.startsWith("+")) value.drop(1).toLong() else value.toLong()\n\n\nprivate inline fun
String.substringWhile(startIndex: Int, predicate: (Char) -> Boolean): String =\n    substring(startIndex,

```

```

skipWhile(startIndex, predicate))\n\nprivate inline fun String.skipWhile(startIndex: Int, predicate: (Char) ->
Boolean): Int {\n    var i = startIndex\n    while (i < length && predicate(this[i])) i++\n    return i}\n}\n\n\n\n\n\n//
The ranges are chosen so that they are:\n// - symmetric relative to zero: this greatly simplifies operations with sign,
e.g. unaryMinus and minus.\n// - non-overlapping, but adjacent: the first value that doesn't fit in nanos range, can be
exactly represented in millis.\n\ninternal const val NANOS_IN_MILLIS = 1_000_000\n// maximum number
duration can store in nanosecond range\ninternal const val MAX_NANOS = Long.MAX_VALUE / 2 /
NANOS_IN_MILLIS * NANOS_IN_MILLIS - 1 // ends in ..._999_999\n// maximum number duration can store in
millisecond range, also encodes an infinite value\ninternal const val MAX_MILLIS = Long.MAX_VALUE / 2\n//
MAX_NANOS expressed in milliseconds\nprivate const val MAX_NANOS_IN_MILLIS = MAX_NANOS /
NANOS_IN_MILLIS\n\nprivate fun nanosToMillis(nanos: Long): Long = nanos / NANOS_IN_MILLIS\nprivate
fun millisToNanos(millis: Long): Long = millis * NANOS_IN_MILLIS\n\nprivate fun
durationOfNanos(normalNanos: Long) = Duration(normalNanos shl 1)\nprivate fun durationOfMillis(normalMillis:
Long) = Duration((normalMillis shl 1) + 1)\nprivate fun durationOf(normalValue: Long, unitDiscriminator: Int) =
Duration((normalValue shl 1) + unitDiscriminator)\nprivate fun durationOfNanosNormalized(nanos: Long) =\n    if
(nanos in -MAX_NANOS..MAX_NANOS) {\n        durationOfNanos(nanos)\n    } else {\n
durationOfMillis(nanosToMillis(nanos))\n    }\n\nprivate fun durationOfMillisNormalized(millis: Long) =\n    if
(millis in -MAX_NANOS_IN_MILLIS..MAX_NANOS_IN_MILLIS) {\n
durationOfNanos(millisToNanos(millis))\n    } else {\n        durationOfMillis(millis.coerceIn(-MAX_MILLIS,
MAX_MILLIS))\n    }\n\ninternal expect val durationAssertionsEnabled: Boolean\n\ninternal expect fun
formatToExactDecimals(value: Double, decimals: Int): String\n\ninternal expect fun formatUpToDecimals(value:
Double, decimals: Int): String", "/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n@file:kotlin.jvm.JvmName("UnsignedKt")\npackage
kotlin\n\n@PublishedApi\ninternal fun uintCompare(v1: Int, v2: Int): Int = (v1 xor
Int.MIN_VALUE).compareTo(v2 xor Int.MIN_VALUE)\n\n@PublishedApi\ninternal fun ulongCompare(v1: Long,
v2: Long): Int = (v1 xor Long.MIN_VALUE).compareTo(v2 xor Long.MIN_VALUE)\n\n@PublishedApi\ninternal
fun uintDivide(v1: UInt, v2: UInt): UInt = (v1.toLong() / v2.toLong()).toUInt()\n\n@PublishedApi\ninternal fun
uintRemainder(v1: UInt, v2: UInt): UInt = (v1.toLong() % v2.toLong()).toUInt()\n\n// Division and remainder are
based on Guava's UnsignedLongs implementation\n// Copyright 2011 The Guava
Authors\n\n@PublishedApi\ninternal fun ulongDivide(v1: ULong, v2: ULong): ULong {\n    val dividend =
v1.toLong()\n    val divisor = v2.toLong()\n    if (divisor < 0) { // i.e., divisor >= 2^63:\n        return if (v1 < v2)
ULong(0) else ULong(1)\n    }\n\n    // Optimization - use signed division if both dividend and divisor < 2^63\n    if
(dividend >= 0) {\n        return ULong(dividend / divisor)\n    }\n\n    // Otherwise, approximate the quotient, check,
and correct if necessary.\n    val quotient = ((dividend ushr 1) / divisor) shl 1\n    val rem = dividend - quotient *
divisor\n    return ULong(quotient + if (ULong(rem) >= ULong(divisor)) 1 else 0)\n}\n\n@PublishedApi\ninternal
fun ulongRemainder(v1: ULong, v2: ULong): ULong {\n    val dividend = v1.toLong()\n    val divisor =
v2.toLong()\n    if (divisor < 0) { // i.e., divisor >= 2^63:\n        return if (v1 < v2) {\n            v1 // dividend <
divisor\n        } else {\n            v1 - v2 // dividend >= divisor\n        }\n    }\n\n    // Optimization - use signed
modulus if both dividend and divisor < 2^63\n    if (dividend >= 0) {\n        return ULong(dividend % divisor)\n
    }\n\n    // Otherwise, approximate the quotient, check, and correct if necessary.\n    val quotient = ((dividend ushr 1)
/ divisor) shl 1\n    val rem = dividend - quotient * divisor\n    return ULong(rem - if (ULong(rem) >=
ULong(divisor)) divisor else 0)\n}\n\n@PublishedApi\ninternal fun doubleToUInt(v: Double): UInt = when {\n
v.isNaN() -> 0u\n    v <= UInt.MIN_VALUE.toDouble() -> UInt.MIN_VALUE\n    v >=
UInt.MAX_VALUE.toDouble() -> UInt.MAX_VALUE\n    v <= Int.MAX_VALUE -> v.toInt().toUInt()\n    else -
> (v - Int.MAX_VALUE).toInt().toUInt() + Int.MAX_VALUE.toUInt() // Int.MAX_VALUE < v <
UInt.MAX_VALUE\n}\n\n@PublishedApi\ninternal fun doubleToULong(v: Double): ULong = when {\n
v.isNaN() -> 0u\n    v <= ULong.MIN_VALUE.toDouble() -> ULong.MIN_VALUE\n    v >=
ULong.MAX_VALUE.toDouble() -> ULong.MAX_VALUE\n    v < Long.MAX_VALUE ->

```

```

v.toLong().toULong()\n\n // Real values from Long.MAX_VALUE to (Long.MAX_VALUE + 1) are not
representable in Double, so don't handle them.\n else -> (v - 9223372036854775808.0).toLong().toULong() +
9223372036854775808uL // Long.MAX_VALUE + 1 < v <
ULong.MAX_VALUE\n}\n\n\n@PublishedApi\ninternal fun uintToDouble(v: Int): Double = (v and
Int.MAX_VALUE).toDouble() + (v ushr 31 shl 30).toDouble() * 2\n\n@PublishedApi\ninternal fun
ulongToDouble(v: Long): Double = (v ushr 11).toDouble() * 2048 + (v and 2047)\n}\n\ninternal fun
ulongToString(v: Long): String = ulongToString(v, 10)\n\ninternal fun ulongToString(v: Long, base: Int): String {\n
if (v >= 0) return v.toString(base)\n\n var quotient = ((v ushr 1) / base) shl 1\n var rem = v - quotient * base\n
if (rem >= base) {\n rem -= base\n quotient += 1\n }\n return quotient.toString(base) +
rem.toString(base)\n}\n\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("CollectionsKt")\n\npackage
kotlin.collections\n\n/**\n * Given an [iterator] function constructs an [Iterable] instance that returns values through
the [Iterator]\n * provided by that function.\n * @sample samples.collections.Iterables.Building.iterable\n
*\n\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable(crossinline iterator: () -> Iterator<T>): Iterable<T>
= object : Iterable<T> {\n override fun iterator(): Iterator<T> = iterator()\n}\n\n/**\n * A wrapper over another
[Iterable] (or any other object that can produce an [Iterator]) that returns\n * an indexing iterator.\n *\n\ninternal class
IndexingIterable<out T>(private val iteratorFactory: () -> Iterator<T>) : Iterable<IndexedValue<T>> {\n override
fun iterator(): Iterator<IndexedValue<T>> = IndexingIterator(iteratorFactory())\n}\n\n\n/**\n * Returns the size of
this iterable if it is known, or `null` otherwise.\n *\n\n@PublishedApi\ninternal fun <T>
Iterable<T>.collectionSizeOrNull(): Int? = if (this is Collection<*>) this.size else null\n\n/**\n * Returns the size of
this iterable if it is known, or the specified [default] value otherwise.\n *\n\n@PublishedApi\ninternal fun <T>
Iterable<T>.collectionSizeOrDefault(default: Int): Int = if (this is Collection<*>) this.size else default\n\n\n/**\n *
Returns a single list of all elements from all collections in the given collection.\n * @sample
samples.collections.Iterables.Operations.flattenIterable\n *\n\npublic fun <T> Iterable<Iterable<T>>.flatten():
List<T> {\n val result = ArrayList<T>()\n for (element in this) {\n result.addAll(element)\n }\n return
result\n}\n\n\n/**\n * Returns a pair of lists, where\n * *first* list is built from the first values of each pair from this
collection,\n * *second* list is built from the second values of each pair from this collection.\n * @sample
samples.collections.Iterables.Operations.unzipIterable\n *\n\npublic fun <T, R> Iterable<Pair<T, R>>.unzip():
Pair<List<T>, List<R>> {\n val expectedSize = collectionSizeOrDefault(10)\n val listT =
ArrayList<T>(expectedSize)\n val listR = ArrayList<R>(expectedSize)\n for (pair in this) {\n
listT.add(pair.first)\n listR.add(pair.second)\n }\n return listT to listR\n}\n\n", "/*\n * Copyright 2010-2020
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("SequencesKt")\n\npackage
kotlin.sequences\n\nimport kotlin.random.Random\n\n/**\n * Given an [iterator] function constructs a [Sequence]
that returns values through the [Iterator]\n * provided by that function.\n * The values are evaluated lazily, and the
sequence is potentially infinite.\n *\n * @sample samples.collections.Sequences.Building.sequenceFromIterator\n
*\n\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence(crossinline iterator: () -> Iterator<T>):
Sequence<T> = object : Sequence<T> {\n override fun iterator(): Iterator<T> = iterator()\n}\n\n\n/**\n * Creates a
sequence that returns all elements from this iterator. The sequence is constrained to be iterated only once.\n *\n *
@sample samples.collections.Sequences.Building.sequenceFromIterator\n *\n\npublic fun <T>
Iterator<T>.asSequence(): Sequence<T> = Sequence { this }.constrainOnce()\n\n\n/**\n * Creates a sequence that
returns the specified values.\n *\n * @sample samples.collections.Sequences.Building.sequenceOfValues\n
*\n\npublic fun <T> sequenceOf(vararg elements: T): Sequence<T> = if (elements.isEmpty()) emptySequence() else
elements.asSequence()\n\n\n/**\n * Returns an empty sequence.\n *\n\npublic fun <T> emptySequence():
Sequence<T> = EmptySequence\n\nprivate object EmptySequence : Sequence<Nothing>,

```

```

DropTakeSequence<Nothing> {\n  override fun iterator(): Iterator<Nothing> = EmptyIterator\n  override fun
drop(n: Int) = EmptySequence\n  override fun take(n: Int) = EmptySequence}\n\n/**\n * Returns this sequence if
it's not `null` and the empty sequence otherwise.\n * @sample
samples.collections.Sequences.Usage.sequenceOrEmpty\n
*/\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>?.orEmpty():
Sequence<T> = this ?: emptySequence()\n\n/**\n * Returns a sequence that iterates through the elements either of
this sequence\n * or, if this sequence turns out to be empty, of the sequence returned by [defaultValue] function.\n
*\n * @sample samples.collections.Sequences.Usage.sequenceIfEmpty\n */\n@SinceKotlin("1.3")\npublic fun
<T> Sequence<T>.ifEmpty(defaultValue: () -> Sequence<T>): Sequence<T> = sequence {\n  val iterator =
this@ifEmpty.iterator()\n  if (iterator.hasNext()) {\n    yieldAll(iterator)\n  } else {\n
yieldAll(defaultValue())\n  }\n}\n\n/**\n * Returns a sequence of all elements from all sequences in this
sequence.\n * The operation is _intermediate_ and _stateless_.\n * @sample
samples.collections.Sequences.Transformations.flattenSequenceOfSequences\n */\npublic fun <T>
Sequence<Sequence<T>>.flatten(): Sequence<T> = flatten { it.iterator() }\n\n/**\n * Returns a sequence of all
elements from all iterables in this sequence.\n * The operation is _intermediate_ and _stateless_.\n
*\n * @sample samples.collections.Sequences.Transformations.flattenSequenceOfLists\n
*/\n@kotlin.jvm.JvmName("flattenSequenceOfIterable")\npublic fun <T> Sequence<Iterable<T>>.flatten():
Sequence<T> = flatten { it.iterator() }\n\nprivate fun <T, R> Sequence<T>.flatten(iterator: (T) -> Iterator<R>):
Sequence<R> {\n  if (this is TransformingSequence<*, *>) {\n    return (this as TransformingSequence<*,
T>).flatten(iterator)\n  }\n  return FlatteningSequence(this, { it }, iterator)\n}\n\n/**\n * Returns a pair of lists,
where\n * first list is built from the first values of each pair from this sequence,\n * second list is built from the
second values of each pair from this sequence.\n * The operation is _terminal_.\n * @sample
samples.collections.Sequences.Transformations.unzip\n */\npublic fun <T, R> Sequence<Pair<T, R>>.unzip():
Pair<List<T>, List<R>> {\n  val listT = ArrayList<T>()\n  val listR = ArrayList<R>()\n  for (pair in this) {\n
listT.add(pair.first)\n    listR.add(pair.second)\n  }\n  return listT to listR\n}\n\n/**\n * Returns a sequence that
yields elements of this sequence randomly shuffled.\n * Note that every iteration of the sequence returns
elements in a different order.\n * The operation is _intermediate_ and _stateful_.\n
*/\n@SinceKotlin("1.4")\npublic fun <T> Sequence<T>.shuffled(): Sequence<T> = shuffled(Random)\n\n/**\n * Returns a sequence that yields elements of this sequence randomly shuffled\n * using the specified [random]
instance as the source of randomness.\n * Note that every iteration of the sequence returns elements in a
different order.\n * The operation is _intermediate_ and _stateful_.\n */\n@SinceKotlin("1.4")\npublic fun <T>
Sequence<T>.shuffled(random: Random): Sequence<T> = sequence<T> {\n  val buffer = toMutableList()\n  while (buffer.isNotEmpty()) {\n    val j = random.nextInt(buffer.size)\n    val last = buffer.removeLast()\n
val value = if (j < buffer.size) buffer.set(j, last) else last\n    yield(value)\n  }\n}\n\n/**\n * A sequence that
returns the values from the underlying [sequence] that either match or do not match\n * the specified [predicate].\n
*\n * @param sendWhen If `true`, values for which the predicate returns `true` are returned. Otherwise,\n * values
for which the predicate returns `false` are returned\n */\ninternal class FilteringSequence<T>(\n  private val
sequence: Sequence<T>,\n  private val sendWhen: Boolean = true,\n  private val predicate: (T) -> Boolean\n) :
Sequence<T> {\n  override fun iterator(): Iterator<T> = object : Iterator<T> {\n    val iterator =
sequence.iterator()\n    var nextState: Int = -1 // -1 for unknown, 0 for done, 1 for continue\n    var nextItem: T?
= null\n\n    private fun calcNext() {\n      while (iterator.hasNext()) {\n        val item = iterator.next()\n
        if (predicate(item) == sendWhen) {\n          nextItem = item\n          nextState = 1\n        }\n      }\n    }\n\n    override fun next(): T {\n      if (nextState
== -1)\n        calcNext()\n      if (nextState == 0)\n        throw NoSuchElementException()\n      val
result = nextItem\n      nextItem = null\n      nextState = -1\n      @SuppressWarnings("UNCHECKED_CAST")\n
return result as T\n    }\n\n    override fun hasNext(): Boolean {\n      if (nextState == -1)\n        calcNext()\n      return nextState == 1\n    }\n  }\n}\n\n/**\n * A sequence which returns the results of
applying the given [transformer] function to the values\n * in the underlying [sequence].\n */\ninternal class

```

```

TransformingSequence<T, R>\nconstructor(private val sequence: Sequence<T>, private val transformer: (T) -> R) :
Sequence<R> {\n  override fun iterator(): Iterator<R> = object : Iterator<R> {\n    val iterator =
sequence.iterator()\n    override fun next(): R {\n      return transformer(iterator.next())\n    }\n  }\n  override fun hasNext(): Boolean {\n    return iterator.hasNext()\n  }\n}\n\ninternal fun <E>
flatten(iterator: (R) -> Iterator<E>): Sequence<E> {\n  return FlatteningSequence<T, R, E>(sequence,
transformer, iterator)\n}\n}\n\n/**\n * A sequence which returns the results of applying the given [transformer]
function to the values\n * in the underlying [sequence], where the transformer function takes the index of the value
in the underlying\n * sequence along with the value itself.\n */\ninternal class TransformingIndexedSequence<T,
R>\nconstructor(private val sequence: Sequence<T>, private val transformer: (Int, T) -> R) : Sequence<R> {\n
override fun iterator(): Iterator<R> = object : Iterator<R> {\n  val iterator = sequence.iterator()\n  var index =
0\n  override fun next(): R {\n    return transformer(checkIndexOverflow(index++), iterator.next())\n  }\n  override fun hasNext(): Boolean {\n    return iterator.hasNext()\n  }\n}\n}\n\n/**\n * A
sequence which combines values from the underlying [sequence] with their indices and returns them as\n *
[IndexValue] objects.\n */\ninternal class IndexingSequence<T>\nconstructor(private val sequence:
Sequence<T>) : Sequence<IndexedValue<T>> {\n  override fun iterator(): Iterator<IndexedValue<T>> = object :
Iterator<IndexedValue<T>> {\n    val iterator = sequence.iterator()\n    var index = 0\n    override fun next():
IndexedValue<T> {\n      return IndexedValue(checkIndexOverflow(index++), iterator.next())\n    }\n  }\n  override fun hasNext(): Boolean {\n    return iterator.hasNext()\n  }\n}\n}\n\n/**\n * A sequence which
takes the values from two parallel underlying sequences, passes them to the given\n * [transform] function and
returns the values returned by that function. The sequence stops returning\n * values as soon as one of the
underlying sequences stops returning values.\n */\ninternal class MergingSequence<T1, T2, V>\nconstructor(\n
private val sequence1: Sequence<T1>,\n private val sequence2: Sequence<T2>,\n private val transform: (T1,
T2) -> V\n) : Sequence<V> {\n  override fun iterator(): Iterator<V> = object : Iterator<V> {\n    val iterator1 =
sequence1.iterator()\n    val iterator2 = sequence2.iterator()\n    override fun next(): V {\n      return
transform(iterator1.next(), iterator2.next())\n    }\n    override fun hasNext(): Boolean {\n      return
iterator1.hasNext() && iterator2.hasNext()\n    }\n  }\n}\n\ninternal class FlatteningSequence<T, R,
E>\nconstructor(\n private val sequence: Sequence<T>,\n private val transformer: (T) -> R,\n private val
iterator: (R) -> Iterator<E>)\n) : Sequence<E> {\n  override fun iterator(): Iterator<E> = object : Iterator<E> {\n
val iterator = sequence.iterator()\n    var itemIterator: Iterator<E>? = null\n\n    override fun next(): E {\n
if (!ensureItemIterator())\n      throw NoSuchElementException()\n      return itemIterator!!.next()\n    }\n\n    override fun hasNext(): Boolean {\n      return ensureItemIterator()\n    }\n\n    private fun
ensureItemIterator(): Boolean {\n      if (itemIterator?.hasNext() == false)\n        itemIterator = null\n\n      while (itemIterator == null) {\n        if (!iterator.hasNext()) {\n          return false\n        } else {\n
val element = iterator.next()\n          val nextItemIterator = iterator(transformer(element))\n        }\n      }\n      if (nextItemIterator.hasNext()) {\n        itemIterator = nextItemIterator\n        return true\n      }\n    }\n  }\n}\n}\n\ninternal fun <T, C, R> flatMapIndexed(source:
Sequence<T>, transform: (Int, T) -> C, iterator: (C) -> Iterator<R>): Sequence<R> =\nsequence {\n  var
index = 0\n  for (element in source) {\n    val result = transform(checkIndexOverflow(index++), element)\n    yieldAll(iterator(result))\n  }\n}\n\n/**\n * A sequence that supports drop(n) and take(n) operations\n
*/\ninternal interface DropTakeSequence<T> : Sequence<T> {\n  fun drop(n: Int): Sequence<T>\n  fun take(n:
Int): Sequence<T>\n}\n\n/**\n * A sequence that skips [startIndex] values from the underlying [sequence]\n * and
stops returning values right before [endIndex], i.e. stops at `endIndex - 1`\n */\ninternal class SubSequence<T>(\n
private val sequence: Sequence<T>,\n private val startIndex: Int,\n private val endIndex: Int\n) : Sequence<T>,\nDropTakeSequence<T> {\n  init {\n    require(startIndex >= 0) { "\"startIndex should be non-negative, but is $startIndex\""}\n    require(endIndex >= 0) { "\"endIndex should be non-negative, but is $endIndex\""}\n    require(endIndex >= startIndex) { "\"endIndex should be not less than startIndex, but was $endIndex < $startIndex\""}\n  }\n  private val count: Int get() = endIndex - startIndex\n  override fun drop(n: Int): Sequence<T> = if (>= count) emptySequence() else SubSequence(sequence, startIndex + n, endIndex)\n  override fun take(n: Int):

```

```

Sequence<T> = if (n >= count) this else SubSequence(sequence, startIndex, startIndex + n)\n\n override fun
iterator() = object : Iterator<T> {\n\n val iterator = sequence.iterator()\n var position = 0\n\n //
Shouldn't be called from constructor to avoid premature iteration\n private fun drop() {\n while (position
< startIndex && iterator.hasNext()) {\n iterator.next()\n position++\n }\n }\n\n
override fun hasNext(): Boolean {\n drop()\n return (position < endIndex) && iterator.hasNext()\n
}\n\n override fun next(): T {\n drop()\n if (position >= endIndex)\n throw
NoSuchElementException()\n position++\n return iterator.next()\n }\n }\n}\n\n**\n * A
sequence that returns at most [count] values from the underlying [sequence], and stops returning values\n * as soon
as that count is reached.\n *\ninternal class TakeSequence<T>(\n private val sequence: Sequence<T>,\n private
val count: Int\n) : Sequence<T>, DropTakeSequence<T> {\n\n init {\n require(count >= 0) { \"count must be
non-negative, but was $count.\" }\n }\n\n override fun drop(n: Int): Sequence<T> = if (n >= count)
emptySequence() else SubSequence(sequence, n, count)\n\n override fun take(n: Int): Sequence<T> = if (n >=
count) this else TakeSequence(sequence, n)\n\n override fun iterator(): Iterator<T> = object : Iterator<T> {\n
var left = count\n val iterator = sequence.iterator()\n\n override fun next(): T {\n if (left == 0)\n
throw NoSuchElementException()\n left--\n return iterator.next()\n }\n\n override fun
hasNext(): Boolean {\n return left > 0 && iterator.hasNext()\n }\n }\n}\n\n**\n * A sequence that
returns values from the underlying [sequence] while the [predicate] function returns\n * `true`, and stops returning
values once the function returns `false` for the next element.\n *\ninternal class
TakeWhileSequence<T>\nconstructor(\n private val sequence: Sequence<T>,\n private val predicate: (T) ->
Boolean\n) : Sequence<T> {\n\n override fun iterator(): Iterator<T> = object : Iterator<T> {\n val iterator =
sequence.iterator()\n var nextState: Int = -1 // -1 for unknown, 0 for done, 1 for continue\n var nextItem: T?
= null\n\n private fun calcNext() {\n if (iterator.hasNext()) {\n val item = iterator.next()\n
if (predicate(item)) {\n nextState = 1\n nextItem = item\n return\n }\n
}\n\n nextState = 0\n }\n\n override fun next(): T {\n if (nextState == -1)\n
calcNext() // will change nextState\n if (nextState == 0)\n throw NoSuchElementException()\n
@Suppress(\"UNCHECKED_CAST\")\n val result = nextItem as T\n\n // Clean next to avoid keeping
reference on yielded instance\n nextItem = null\n nextState = -1\n return result\n }\n\n
override fun hasNext(): Boolean {\n if (nextState == -1)\n calcNext() // will change nextState\n
return nextState == 1\n }\n }\n}\n\n**\n * A sequence that skips the specified number of values from the
underlying [sequence] and returns\n * all values after that.\n *\ninternal class DropSequence<T>(\n private val
sequence: Sequence<T>,\n private val count: Int\n) : Sequence<T>, DropTakeSequence<T> {\n\n init {\n
require(count >= 0) { \"count must be non-negative, but was $count.\" }\n }\n\n override fun drop(n: Int):
Sequence<T> = (count + n).let { n1 -> if (n1 < 0) DropSequence(this, n) else DropSequence(sequence, n1) }\n\n
override fun take(n: Int): Sequence<T> = (count + n).let { n1 -> if (n1 < 0) TakeSequence(this, n) else
SubSequence(sequence, count, n1) }\n\n override fun iterator(): Iterator<T> = object : Iterator<T> {\n val
iterator = sequence.iterator()\n var left = count\n\n // Shouldn't be called from constructor to avoid
premature iteration\n private fun drop() {\n while (left > 0 && iterator.hasNext()) {\n
iterator.next()\n left--\n }\n }\n\n override fun next(): T {\n drop()\n return
iterator.next()\n }\n\n override fun hasNext(): Boolean {\n drop()\n return iterator.hasNext()\n
}\n }\n}\n\n**\n * A sequence that skips the values from the underlying [sequence] while the given
[predicate] returns `true` and returns\n * all values after that.\n *\ninternal class
DropWhileSequence<T>\nconstructor(\n private val sequence: Sequence<T>,\n private val predicate: (T) ->
Boolean\n) : Sequence<T> {\n\n override fun iterator(): Iterator<T> = object : Iterator<T> {\n val iterator =
sequence.iterator()\n var dropState: Int = -1 // -1 for not dropping, 1 for nextItem, 0 for normal iteration\n
var nextItem: T? = null\n\n private fun drop() {\n while (iterator.hasNext()) {\n val item =
iterator.next()\n if (!predicate(item)) {\n nextItem = item\n dropState = 1\n
return\n }\n }\n\n dropState = 0\n }\n\n override fun next(): T {\n if
(dropState == -1)\n drop()\n if (dropState == 1) {\n

```

```

@Suppress("UNCHECKED_CAST")\n        val result = nextItem as T\n        nextItem = null\n        dropState = 0\n        return result\n    }\n    return iterator.next()\n}\n\noverride fun\nhasNext(): Boolean {\n    if (dropState == -1)\n        drop()\n    return dropState == 1 ||\n    iterator.hasNext()\n}\n}\n\ninternal class DistinctSequence<T, K>(private val source: Sequence<T>,\nprivate val keySelector: (T) -> K) : Sequence<T> {\n    override fun iterator(): Iterator<T> =\n    DistinctIterator(source.iterator(), keySelector)\n}\n\nprivate class DistinctIterator<T, K>(private val source:\nIterator<T>, private val keySelector: (T) -> K) : AbstractIterator<T>() {\n    private val observed =\n    HashSet<K>()\n    override fun computeNext() {\n        while (source.hasNext()) {\n            val next =\n            source.next()\n            val key = keySelector(next)\n            if (observed.add(key)) {\n                setNext(next)\n            }\n        }\n        done()\n    }\n}\n\nprivate class GeneratorSequence<T : Any>(private val\ngetInitialValue: () -> T?, private val getNextValue: (T) -> T?) : Sequence<T> {\n    override fun iterator():\n    Iterator<T> = object : Iterator<T> {\n        var nextItem: T? = null\n        var nextState: Int = -2 // -2 for initial\n        unknown, -1 for next unknown, 0 for done, 1 for continue\n\n        private fun calcNext() {\n            nextItem = if\n            (nextState == -2) getInitialValue() else getNextValue(nextItem!!)\n            nextState = if (nextItem == null) 0 else\n            1\n        }\n\n        override fun next(): T {\n            if (nextState < 0)\n                calcNext()\n            if (nextState\n            == 0)\n                throw NoSuchElementException()\n            val result = nextItem as T\n            // Do not clean\n            nextItem (to avoid keeping reference on yielded instance) -- need to keep state for getNextValue\n            nextState\n            = -1\n            return result\n        }\n\n        override fun hasNext(): Boolean {\n            if (nextState < 0)\n                calcNext()\n            return nextState == 1\n        }\n    }\n}\n\n/**\n * Returns a wrapper sequence that provides\n values of this sequence, but ensures it can be iterated only one time.\n *\n * The operation is _intermediate_ and\n _stateless_.  

 * [IllegalStateException] is thrown on iterating the returned sequence for the second time and the\n following times.\n *\n */\npublic fun <T> Sequence<T>.constrainOnce(): Sequence<T> {\n    // as? does not work\n    in js\n    //return this as? ConstrainedOnceSequence<T> ?: ConstrainedOnceSequence(this)\n    return if (this is\n    ConstrainedOnceSequence<T>) this else ConstrainedOnceSequence(this)\n}\n\n/**\n * Returns a sequence which\n invokes the function to calculate the next value on each iteration until the function returns `null`.\n *\n * The\n returned sequence is constrained to be iterated only once.\n *\n * @see constrainOnce\n *\n * @see\n kotlin.sequences.sequence\n *\n * @sample samples.collections.Sequences.Building.generateSequence\n */\npublic\nfun <T : Any> generateSequence(nextFunction: () -> T?): Sequence<T> {\n    return\n    GeneratorSequence(nextFunction, { nextFunction() }).constrainOnce()\n}\n\n/**\n * Returns a sequence defined by\n the starting value [seed] and the function [nextFunction],\n *\n * which is invoked to calculate the next value based on\n the previous one on each iteration.\n *\n * The sequence produces values until it encounters first `null` value.\n *\n * If\n [seed] is `null`, an empty sequence is produced.\n *\n * The sequence can be iterated multiple times, each time\n starting with [seed].\n *\n * @see kotlin.sequences.sequence\n *\n * @sample\n samples.collections.Sequences.Building.generateSequenceWithSeed\n */\n\n/*\n * @kotl.in.internal.LowPriorityInOverloadResolution\n */\npublic fun <T : Any> generateSequence(seed: T?,\nnextFunction: (T) -> T?): Sequence<T> =\n    if (seed == null)\n        EmptySequence\n    else\n    GeneratorSequence({ seed }, nextFunction)\n}\n\n/**\n * Returns a sequence defined by the function [seedFunction],\n which is invoked to produce the starting value,\n *\n * and the [nextFunction], which is invoked to calculate the next\n value based on the previous one on each iteration.\n *\n * The sequence produces values until it encounters first\n `null` value.\n *\n * If [seedFunction] returns `null`, an empty sequence is produced.\n *\n * The sequence can be\n iterated multiple times.\n *\n * @see kotlin.sequences.sequence\n *\n * @sample\n samples.collections.Sequences.Building.generateSequenceWithLazySeed\n */\n\npublic fun <T : Any>\ngenerateSequence(seedFunction: () -> T?, nextFunction: (T) -> T?): Sequence<T> =\n    GeneratorSequence(seedFunction, nextFunction)\n}\n\n"/\n *\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin\n Programming Language contributors.\n *\n * Use of this source code is governed by the Apache 2.0 license that can be\n found in the license/LICENSE.txt file.\n */\n\n/*\n * @file: kotlin.jvm.JvmMultifileClass\n * @file: kotlin.jvm.JvmName("PreconditionsKt")\n */\npackage\nkotlin\n\nimport kotlin.contracts.contract\n\n/**\n * Throws an [IllegalArgumentException] if the [value] is false.\n */

```



```

*\n * @sample samples.misc.Preconditions.failRequireWithLazyMessage\n *^\n@kotlin.internal.InlineOnly\npublic
inline fun require(value: Boolean): Unit {\n contract {\n returns() implies value\n }\n require(value) {
\"Failed requirement.\" }\n}\n\n/**\n * Throws an [IllegalArgumentException] with the result of calling
[lazyMessage] if the [value] is false.\n *\n * @sample samples.misc.Preconditions.failRequireWithLazyMessage\n
*^\n@kotlin.internal.InlineOnly\npublic inline fun require(value: Boolean, lazyMessage: () -> Any): Unit {\n
contract {\n returns() implies value\n }\n if (!value) {\n val message = lazyMessage()\n throw
IllegalArgumentException(message.toString())\n }\n}\n\n/**\n * Throws an [IllegalArgumentException] if the
[value] is null. Otherwise returns the not null value.\n *^\n@kotlin.internal.InlineOnly\npublic inline fun <T : Any>
requireNotNull(value: T?): T {\n contract {\n returns() implies (value != null)\n }\n return
requireNotNull(value) { \"Required value was null.\" }\n}\n\n/**\n * Throws an [IllegalArgumentException] with
the result of calling [lazyMessage] if the [value] is null. Otherwise\n * returns the not null value.\n *\n * @sample
samples.misc.Preconditions.failRequireNotNullWithLazyMessage\n *^\n@kotlin.internal.InlineOnly\npublic inline
fun <T : Any> requireNotNull(value: T?, lazyMessage: () -> Any): T {\n contract {\n returns() implies (value
!= null)\n }\n\n if (value == null) {\n val message = lazyMessage()\n throw
IllegalArgumentException(message.toString())\n } else {\n return value\n }\n}\n\n/**\n * Throws an
[IllegalStateException] if the [value] is false.\n *\n * @sample
samples.misc.Preconditions.failCheckWithLazyMessage\n *^\n@kotlin.internal.InlineOnly\npublic inline fun
check(value: Boolean): Unit {\n contract {\n returns() implies value\n }\n check(value) { \"Check failed.\"
}\n}\n\n/**\n * Throws an [IllegalStateException] with the result of calling [lazyMessage] if the [value] is false.\n
*\n * @sample samples.misc.Preconditions.failCheckWithLazyMessage\n *^\n@kotlin.internal.InlineOnly\npublic
inline fun check(value: Boolean, lazyMessage: () -> Any): Unit {\n contract {\n returns() implies value\n }\n
if (!value) {\n val message = lazyMessage()\n throw IllegalStateException(message.toString())\n
}\n}\n\n/**\n * Throws an [IllegalStateException] if the [value] is null. Otherwise\n * returns the not null value.\n
*\n * @sample samples.misc.Preconditions.failCheckWithLazyMessage\n *^\n@kotlin.internal.InlineOnly\npublic
inline fun <T : Any> checkNotNull(value: T?): T {\n contract {\n returns() implies (value != null)\n }\n
return checkNotNull(value) { \"Required value was null.\" }\n}\n\n/**\n * Throws an [IllegalStateException] with
the result of calling [lazyMessage] if the [value] is null. Otherwise\n * returns the not null value.\n *\n * @sample
samples.misc.Preconditions.failCheckWithLazyMessage\n *^\n@kotlin.internal.InlineOnly\npublic inline fun <T :
Any> checkNotNull(value: T?, lazyMessage: () -> Any): T {\n contract {\n returns() implies (value != null)\n
}\n\n if (value == null) {\n val message = lazyMessage()\n throw
IllegalStateException(message.toString())\n } else {\n return value\n }\n}\n\n/**\n * Throws an
[IllegalStateException] with the given [message].\n *\n * @sample samples.misc.Preconditions.failWithError\n
*^\n@kotlin.internal.InlineOnly\npublic inline fun error(message: Any): Nothing = throw
IllegalStateException(message.toString())\n\n\n/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n// NOTE: THIS FILE IS AUTO-GENERATED
by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport
kotlin.js.*\nimport primitiveArrayConcat\nimport withType\nimport kotlin.ranges.contains\nimport
kotlin.ranges.reversed\n\n/**\n * Returns an element at the given [index] or throws an
[IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n *\n * @sample
samples.collections.Collections.Elements.elementAt\n *^\npublic actual fun <T> Array<out T>.elementAt(index:
Int): T {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size\")
}\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is
out of bounds of this array.\n *\n * @sample samples.collections.Collections.Elements.elementAt\n *^\npublic
actual fun ByteArray.elementAt(index: Int): Byte {\n return elementAtOrElse(index) { throw
IndexOutOfBoundsException(\"index: $index, size: $size\") }\n}\n\n/**\n * Returns an element at the given
[index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n *\n * @sample
samples.collections.Collections.Elements.elementAt\n *^\npublic actual fun ShortArray.elementAt(index: Int): Short

```

```

{\n    return elementAtOrElse(index) { throw IndexOutOfBoundsException("index: $index, size: $size}")
}\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is
out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic
actual fun IntArray.elementAt(index: Int): Int {\n    return elementAtOrElse(index) { throw
IndexOutOfBoundsException("index: $index, size: $size") } }\n}\n\n/**\n * Returns an element at the given
[index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAt\n */\npublic actual fun LongArray.elementAt(index: Int): Long
{\n    return elementAtOrElse(index) { throw IndexOutOfBoundsException("index: $index, size: $size") }
}\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is
out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic
actual fun FloatArray.elementAt(index: Int): Float {\n    return elementAtOrElse(index) { throw
IndexOutOfBoundsException("index: $index, size: $size") } }\n}\n\n/**\n * Returns an element at the given
[index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAt\n */\npublic actual fun DoubleArray.elementAt(index: Int):
Double {\n    return elementAtOrElse(index) { throw IndexOutOfBoundsException("index: $index, size: $size") }
}\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is
out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic
actual fun BooleanArray.elementAt(index: Int): Boolean {\n    return elementAtOrElse(index) { throw
IndexOutOfBoundsException("index: $index, size: $size") } }\n}\n\n/**\n * Returns an element at the given
[index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAt\n */\npublic actual fun CharArray.elementAt(index: Int): Char
{\n    return elementAtOrElse(index) { throw IndexOutOfBoundsException("index: $index, size: $size") }
}\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic actual fun <T> Array<out T>.asList():
List<T> {\n    return ArrayList<T>(this.unsafeCast<Array<Any?>>()) }\n}\n\n/**\n * Returns a [List] that wraps the
original array.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun ByteArray.asList(): List<Byte> {\n
return this.unsafeCast<Array<Byte>>().asList() }\n}\n\n/**\n * Returns a [List] that wraps the original array.\n
*/\n@kotlin.internal.InlineOnly\npublic actual inline fun ShortArray.asList(): List<Short> {\n    return
this.unsafeCast<Array<Short>>().asList() }\n}\n\n/**\n * Returns a [List] that wraps the original array.\n
*/\n@kotlin.internal.InlineOnly\npublic actual inline fun IntArray.asList(): List<Int> {\n    return
this.unsafeCast<Array<Int>>().asList() }\n}\n\n/**\n * Returns a [List] that wraps the original array.\n
*/\n@kotlin.internal.InlineOnly\npublic actual inline fun LongArray.asList(): List<Long> {\n    return
this.unsafeCast<Array<Long>>().asList() }\n}\n\n/**\n * Returns a [List] that wraps the original array.\n
*/\n@kotlin.internal.InlineOnly\npublic actual inline fun FloatArray.asList(): List<Float> {\n    return
this.unsafeCast<Array<Float>>().asList() }\n}\n\n/**\n * Returns a [List] that wraps the original array.\n
*/\n@kotlin.internal.InlineOnly\npublic actual inline fun DoubleArray.asList(): List<Double> {\n    return
this.unsafeCast<Array<Double>>().asList() }\n}\n\n/**\n * Returns a [List] that wraps the original array.\n
*/\n@kotlin.internal.InlineOnly\npublic actual inline fun BooleanArray.asList(): List<Boolean> {\n    return
this.unsafeCast<Array<Boolean>>().asList() }\n}\n\n/**\n * Returns a [List] that wraps the original array.\n
*/\npublic actual fun CharArray.asList(): List<Char> {\n    return object : AbstractList<Char>(), RandomAccess {\n
        override val size: Int get() = this@asList.size\n        override fun isEmpty(): Boolean = this@asList.isEmpty()\n
        override fun contains(element: Char): Boolean = this@asList.contains(element)\n        override fun get(index: Int):
Char {\n            AbstractList.checkElementIndex(index, size)\n            return this@asList[index]\n        }\n
        override fun indexOf(element: Char): Int {\n            @Suppress("USELESS_CAST")\n            if ((element as
Any?) !is Char) return -1\n            return this@asList.indexOf(element)\n        }\n        override fun
lastIndexOf(element: Char): Int {\n            @Suppress("USELESS_CAST")\n            if ((element as Any?) !is
Char) return -1\n            return this@asList.lastIndexOf(element)\n        }\n    }\n}\n}\n\n/**\n * Returns `true` if the
two specified arrays are *deeply* equal to one another,\n * i.e. contain the same number of the same elements in the
same order.\n * \n * If two corresponding elements are nested arrays, they are also compared deeply.\n * If any of

```

arrays contains itself on any nesting level the behavior is undefined.  
The elements of other types are compared for equality with the [equals][Any.equals] function.  
For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.

```
*\n@SinceKotlin("1.1")\n@kotlin.internal.LowPriorityInOverloadResolution\npublic actual infix fun <T>
```

```
Array<out T>.contentDeepEquals(other: Array<out T>): Boolean {\n    return
```

```
this.contentDeepEquals(other)\n}\n\n/**\n * Returns `true` if the two specified arrays are deeply equal to one
```

```
another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The specified arrays are
```

```
also considered deeply equal if both are `null`.\n * \n * If two corresponding elements are nested arrays, they are
```

```
also compared deeply.\n * If any of arrays contains itself on any nesting level the behavior is undefined.\n * \n * The
```

```
elements of other types are compared for equality with the [equals][Any.equals] function.  
For floating point
```

```
numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.
```

```
*\n@SinceKotlin("1.4")\n@library("arrayDeepEquals")\npublic actual infix fun <T> Array<out
```

```
T>?.contentDeepEquals(other: Array<out T>?): Boolean {\n    definedExternally\n}\n\n/**\n * Returns a hash code
```

```
based on the contents of this array as if it is [List].\n * Nested arrays are treated as lists too.\n * \n * If any of arrays
```

```
contains itself on any nesting level the behavior is undefined.
```

```
*\n@SinceKotlin("1.1")\n@kotlin.internal.LowPriorityInOverloadResolution\npublic actual fun <T> Array<out
```

```
T>.contentDeepHashCode(): Int {\n    return this.contentDeepHashCode()\n}\n\n/**\n * Returns a hash code based
```

```
on the contents of this array as if it is [List].\n * Nested arrays are treated as lists too.\n * \n * If any of arrays
```

```
contains itself on any nesting level the behavior is undefined.
```

```
*\n@SinceKotlin("1.4")\n@library("arrayDeepHashCode")\npublic actual fun <T> Array<out
```

```
T>?.contentDeepHashCode(): Int {\n    definedExternally\n}\n\n/**\n * Returns a string representation of the
```

```
contents of this array as if it is a [List].\n * Nested arrays are treated as lists too.\n * \n * If any of arrays contains
```

```
itself on any nesting level that reference\n * is rendered as `[...]` to prevent recursion.\n * \n * @sample
```

```
samples.collections.Arrays.ContentOperations.contentDeepToString
```

```
*\n@SinceKotlin("1.1")\n@kotlin.internal.LowPriorityInOverloadResolution\npublic actual fun <T> Array<out
```

```
T>.contentDeepToString(): String {\n    return this.contentDeepToString()\n}\n\n/**\n * Returns a string
```

```
representation of the contents of this array as if it is a [List].\n * Nested arrays are treated as lists too.\n * \n * If any
```

```
of arrays contains itself on any nesting level that reference\n * is rendered as `[...]` to prevent recursion.\n * \n * @sample
```

```
samples.collections.Arrays.ContentOperations.contentDeepToString
```

```
*\n@SinceKotlin("1.4")\n@library("arrayDeepToString")\npublic actual fun <T> Array<out
```

```
T>?.contentDeepToString(): String {\n    definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays
```

```
are structurally equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n *
```

```
The elements are compared for equality with the [equals][Any.equals] function.  
For floating point numbers
```

```
it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.
```

```
*\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic
```

```
actual infix fun <T> Array<out T>.contentEquals(other: Array<out T>): Boolean {\n    return
```

```
this.contentEquals(other)\n}\n\n/**\n * Returns `true` if the two specified arrays are structurally equal to one
```

```
another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are
```

```
compared for equality with the [equals][Any.equals] function.  
For floating point numbers it means that `NaN`
```

```
is equal to itself and `-0.0` is not equal to `0.0`.
```

```
*\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic
```

```
actual infix fun ByteArray.contentEquals(other: ByteArray): Boolean {\n    return this.contentEquals(other)\n}\n\n/**\n * Returns
```

```
`true` if the two specified arrays are structurally equal to one another,\n * i.e. contain the same number of the
```

```
same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals]
```

```
function.  
For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.
```

```
*\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
```

```
warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual infix fun
```

```
ShortArray.contentEquals(other: ShortArray): Boolean {\n    return this.contentEquals(other)\n}\n\n/**\n * Returns
```

```

`true` if the two specified arrays are structurally equal to one another, \n * i.e. contain the same number of the
same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals]
function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n
*/\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.\n")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual infix fun
IntArray.contentEquals(other: IntArray): Boolean {\n    return this.contentEquals(other)\n}\n\n/**\n * Returns `true`
if the two specified arrays are structurally equal to one another, \n * i.e. contain the same number of the same
elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals]
function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n
*/\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.\n")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual infix fun
LongArray.contentEquals(other: LongArray): Boolean {\n    return this.contentEquals(other)\n}\n\n/**\n * Returns
`true` if the two specified arrays are structurally equal to one another, \n * i.e. contain the same number of the
same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals]
function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n
*/\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.\n")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual infix fun
FloatArray.contentEquals(other: FloatArray): Boolean {\n    return this.contentEquals(other)\n}\n\n/**\n * Returns
`true` if the two specified arrays are structurally equal to one another, \n * i.e. contain the same number of the
same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals]
function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n
*/\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.\n")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual infix fun
DoubleArray.contentEquals(other: DoubleArray): Boolean {\n    return this.contentEquals(other)\n}\n\n/**\n *
Returns `true` if the two specified arrays are structurally equal to one another, \n * i.e. contain the same number of
the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals]
function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n
*/\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.\n")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual infix fun
BooleanArray.contentEquals(other: BooleanArray): Boolean {\n    return this.contentEquals(other)\n}\n\n/**\n *
Returns `true` if the two specified arrays are structurally equal to one another, \n * i.e. contain the same number of
the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals]
function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n
*/\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.\n")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual infix fun
CharArray.contentEquals(other: CharArray): Boolean {\n    return this.contentEquals(other)\n}\n\n/**\n * Returns
`true` if the two specified arrays are structurally equal to one another, \n * i.e. contain the same number of the
same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals]
function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n
*/\n@SinceKotlin("1.4")\n@library("arrayEquals")\npublic actual infix fun <T> Array<out
T>?.contentEquals(other: Array<out T>?): Boolean {\n    definedExternally\n}\n\n/**\n * Returns `true` if the two
specified arrays are structurally equal to one another, \n * i.e. contain the same number of the same elements in the
same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating
point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n
*/\n@SinceKotlin("1.4")\n@library("arrayEquals")\npublic actual infix fun ByteArray?.contentEquals(other:
ByteArray?): Boolean {\n    definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are
structurally equal to one another, \n * i.e. contain the same number of the same elements in the same order.\n * \n
* The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it

```

means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.

```
*\n@SinceKotlin("1.4")\n@library("arrayEquals")\npublic actual infix fun ShortArray?.contentEquals(other: ShortArray?): Boolean {\n    definedExternally\n}\n/**\n * Returns `true` if the two specified arrays are\n *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.
```

```
*\n@SinceKotlin("1.4")\n@library("arrayEquals")\npublic actual infix fun IntArray?.contentEquals(other: IntArray?): Boolean {\n    definedExternally\n}\n/**\n * Returns `true` if the two specified arrays are\n *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.
```

```
*\n@SinceKotlin("1.4")\n@library("arrayEquals")\npublic actual infix fun LongArray?.contentEquals(other: LongArray?): Boolean {\n    definedExternally\n}\n/**\n * Returns `true` if the two specified arrays are\n *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.
```

```
*\n@SinceKotlin("1.4")\n@library("arrayEquals")\npublic actual infix fun FloatArray?.contentEquals(other: FloatArray?): Boolean {\n    definedExternally\n}\n/**\n * Returns `true` if the two specified arrays are\n *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.
```

```
*\n@SinceKotlin("1.4")\n@library("arrayEquals")\npublic actual infix fun DoubleArray?.contentEquals(other: DoubleArray?): Boolean {\n    definedExternally\n}\n/**\n * Returns `true` if the two specified arrays are\n *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.
```

```
*\n@SinceKotlin("1.4")\n@library("arrayEquals")\npublic actual infix fun BooleanArray?.contentEquals(other: BooleanArray?): Boolean {\n    definedExternally\n}\n/**\n * Returns `true` if the two specified arrays are\n *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.
```

```
*\n@SinceKotlin("1.4")\n@library("arrayEquals")\npublic actual infix fun CharArray?.contentEquals(other: CharArray?): Boolean {\n    definedExternally\n}\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual fun
```

```
Array<out T>.contentHashCode(): Int {\n    return this.contentHashCode()\n}\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual fun
```

```
ByteArray.contentHashCode(): Int {\n    return this.contentHashCode()\n}\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual fun
```

```
ShortArray.contentHashCode(): Int {\n    return this.contentHashCode()\n}\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual fun
```

```
IntArray.contentHashCode(): Int {\n    return this.contentHashCode()\n}\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual fun
```

```
LongArray.contentHashCode(): Int {\n    return this.contentHashCode()\n}\n/**\n * Returns a hash code based on
```

the contents of this array as if it is [List].\n \*^n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual fun FloatArray.contentHashCode(): Int {\n return this.contentHashCode()\n}\n\n/\*\*\n \* Returns a hash code based on the contents of this array as if it is [List].\n \*^n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual fun DoubleArray.contentHashCode(): Int {\n return this.contentHashCode()\n}\n\n/\*\*\n \* Returns a hash code based on the contents of this array as if it is [List].\n \*^n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual fun BooleanArray.contentHashCode(): Int {\n return this.contentHashCode()\n}\n\n/\*\*\n \* Returns a hash code based on the contents of this array as if it is [List].\n \*^n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual fun CharArray.contentHashCode(): Int {\n return this.contentHashCode()\n}\n\n/\*\*\n \* Returns a hash code based on the contents of this array as if it is [List].\n \*^n@SinceKotlin("1.4")\n@library("arrayHashCode")\npublic actual fun <T> Array<out T>?.contentHashCode(): Int {\n definedExternally\n}\n\n/\*\*\n \* Returns a hash code based on the contents of this array as if it is [List].\n \*^n@SinceKotlin("1.4")\n@library("arrayHashCode")\npublic actual fun ByteArray?.contentHashCode(): Int {\n definedExternally\n}\n\n/\*\*\n \* Returns a hash code based on the contents of this array as if it is [List].\n \*^n@SinceKotlin("1.4")\n@library("arrayHashCode")\npublic actual fun ShortArray?.contentHashCode(): Int {\n definedExternally\n}\n\n/\*\*\n \* Returns a hash code based on the contents of this array as if it is [List].\n \*^n@SinceKotlin("1.4")\n@library("arrayHashCode")\npublic actual fun IntArray?.contentHashCode(): Int {\n definedExternally\n}\n\n/\*\*\n \* Returns a hash code based on the contents of this array as if it is [List].\n \*^n@SinceKotlin("1.4")\n@library("arrayHashCode")\npublic actual fun LongArray?.contentHashCode(): Int {\n definedExternally\n}\n\n/\*\*\n \* Returns a hash code based on the contents of this array as if it is [List].\n \*^n@SinceKotlin("1.4")\n@library("arrayHashCode")\npublic actual fun FloatArray?.contentHashCode(): Int {\n definedExternally\n}\n\n/\*\*\n \* Returns a hash code based on the contents of this array as if it is [List].\n \*^n@SinceKotlin("1.4")\n@library("arrayHashCode")\npublic actual fun DoubleArray?.contentHashCode(): Int {\n definedExternally\n}\n\n/\*\*\n \* Returns a hash code based on the contents of this array as if it is [List].\n \*^n@SinceKotlin("1.4")\n@library("arrayHashCode")\npublic actual fun BooleanArray?.contentHashCode(): Int {\n definedExternally\n}\n\n/\*\*\n \* Returns a hash code based on the contents of this array as if it is [List].\n \*^n@SinceKotlin("1.4")\n@library("arrayHashCode")\npublic actual fun CharArray?.contentHashCode(): Int {\n definedExternally\n}\n\n/\*\*\n \* Returns a string representation of the contents of the specified array as if it is [List].\n \*^n \* @sample samples.collections.Arrays.ContentOperations.contentToString\n \*^n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual fun <T> Array<out T>.contentToString(): String {\n return this.contentToString()\n}\n\n/\*\*\n \* Returns a string representation of the contents of the specified array as if it is [List].\n \*^n \* @sample samples.collections.Arrays.ContentOperations.contentToString\n \*^n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual fun ByteArray.contentToString(): String {\n return this.contentToString()\n}\n\n/\*\*\n \* Returns a string representation of the contents of the specified array as if it is [List].\n \*^n \* @sample samples.collections.Arrays.ContentOperations.contentToString\n \*^n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual fun ShortArray.contentToString(): String {\n return this.contentToString()\n}\n\n/\*\*\n \* Returns a string representation of the contents of the specified array as if it is [List].\n \*^n \* @sample samples.collections.Arrays.ContentOperations.contentToString\n \*^n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual fun IntArray.contentToString(): String {\n return this.contentToString()\n}\n\n/\*\*\n \* Returns a string representation of the contents of the specified array as if it is [List].\n \*^n \* @sample samples.collections.Arrays.ContentOperations.contentToString\n \*^n@Deprecated("Use Kotlin compiler 1.4 to

```

avoid deprecation warning.\")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic
actual fun LongArray.contentToString(): String {\n    return this.contentToString()\n}\n\n/**\n * Returns a string
representation of the contents of the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated("Use Kotlin compiler 1.4
to avoid deprecation warning.\")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic
actual fun FloatArray.contentToString(): String {\n    return this.contentToString()\n}\n\n/**\n * Returns a string
representation of the contents of the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated("Use Kotlin compiler 1.4
to avoid deprecation warning.\")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic
actual fun DoubleArray.contentToString(): String {\n    return this.contentToString()\n}\n\n/**\n * Returns a string
representation of the contents of the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated("Use Kotlin compiler 1.4
to avoid deprecation warning.\")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic
actual fun BooleanArray.contentToString(): String {\n    return this.contentToString()\n}\n\n/**\n * Returns a string
representation of the contents of the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated("Use Kotlin compiler 1.4
to avoid deprecation warning.\")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic
actual fun CharArray.contentToString(): String {\n    return this.contentToString()\n}\n\n/**\n * Returns a string
representation of the contents of the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated("Use Kotlin compiler 1.4
to avoid deprecation warning.\")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic
actual fun <T> Array<out T>?.contentToString():
String {\n    definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as
if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin("1.4")\n@library("arrayToString")\npublic actual fun ByteArray?.contentToString(): String
{\n    definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin("1.4")\n@library("arrayToString")\npublic actual fun ShortArray?.contentToString(): String
{\n    definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin("1.4")\n@library("arrayToString")\npublic actual fun IntArray?.contentToString(): String {\n
definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin("1.4")\n@library("arrayToString")\npublic actual fun LongArray?.contentToString(): String
{\n    definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin("1.4")\n@library("arrayToString")\npublic actual fun FloatArray?.contentToString(): String
{\n    definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin("1.4")\n@library("arrayToString")\npublic actual fun DoubleArray?.contentToString(): String
{\n    definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin("1.4")\n@library("arrayToString")\npublic actual fun BooleanArray?.contentToString():
String {\n    definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as
if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin("1.4")\n@library("arrayToString")\npublic actual fun CharArray?.contentToString(): String
{\n    definedExternally\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that
array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it
overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset

```

the position in the [destination] array to copy to, 0 by default.\n \* @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n \* @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n \* \n \* @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n \* @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n \* or when that index is out of the [destination] array indices range.\n \* \n \* @return the [destination] array.\n

```
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun <T> Array<out T>.copyInto(destination: Array<T>, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): Array<T> {\n    arrayCopy(this, destination, destinationOffset, startIndex, endIndex)\n    return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
```

```
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun ByteArray.copyInto(destination: ByteArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): ByteArray {\n    arrayCopy(this.unsafeCast<Array<Byte>>(), destination.unsafeCast<Array<Byte>>(), destinationOffset, startIndex, endIndex)\n    return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
```

```
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun ShortArray.copyInto(destination: ShortArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): ShortArray {\n    arrayCopy(this.unsafeCast<Array<Short>>(), destination.unsafeCast<Array<Short>>(), destinationOffset, startIndex, endIndex)\n    return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
```

```
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun IntArray.copyInto(destination: IntArray, destinationOffset: Int = 0,
```



```

startIndex: Int = 0, endIndex: Int = size): IntArray {
    arrayCopy(this.unsafeCast<Array<Int>>(),
destination.unsafeCast<Array<Int>>(), destinationOffset, startIndex, endIndex)
    return destination
}

Copies this array or its subrange into the [destination] array and returns that array.
It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.
@param destination the array to copy to.
@param destinationOffset the position in the [destination] array to copy to, 0 by default.
@param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.
@param endIndex the end (exclusive) of the subrange to copy, size of this array by default.
@throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.
@throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset], or when that index is out of the [destination] array indices range.
@return the [destination] array.

@SinceKotlin("1.3")@kotlin.internal.InlineOnly@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")
public actual inline fun LongArray.copyInto(destination: LongArray, destinationOffset: Int = 0,
startIndex: Int = 0, endIndex: Int = size): LongArray {
    arrayCopy(this.unsafeCast<Array<Long>>(),
destination.unsafeCast<Array<Long>>(), destinationOffset, startIndex, endIndex)
    return destination
}

Copies this array or its subrange into the [destination] array and returns that array.
It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.
@param destination the array to copy to.
@param destinationOffset the position in the [destination] array to copy to, 0 by default.
@param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.
@param endIndex the end (exclusive) of the subrange to copy, size of this array by default.
@throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.
@throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset], or when that index is out of the [destination] array indices range.
@return the [destination] array.

@SinceKotlin("1.3")@kotlin.internal.InlineOnly@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")
public actual inline fun FloatArray.copyInto(destination: FloatArray, destinationOffset: Int = 0,
startIndex: Int = 0, endIndex: Int = size): FloatArray {
    arrayCopy(this.unsafeCast<Array<Float>>(),
destination.unsafeCast<Array<Float>>(), destinationOffset, startIndex, endIndex)
    return destination
}

Copies this array or its subrange into the [destination] array and returns that array.
It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.
@param destination the array to copy to.
@param destinationOffset the position in the [destination] array to copy to, 0 by default.
@param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.
@param endIndex the end (exclusive) of the subrange to copy, size of this array by default.
@throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.
@throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset], or when that index is out of the [destination] array indices range.
@return the [destination] array.

@SinceKotlin("1.3")@kotlin.internal.InlineOnly@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")
public actual inline fun DoubleArray.copyInto(destination: DoubleArray, destinationOffset: Int = 0,
startIndex: Int = 0, endIndex: Int = size): DoubleArray {
    arrayCopy(this.unsafeCast<Array<Double>>(),
destination.unsafeCast<Array<Double>>(), destinationOffset, startIndex, endIndex)
    return destination
}

Copies this array or its subrange into the [destination] array and returns that array.
It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.
@param destination the array to copy to.
@param destinationOffset the position in the [destination] array to copy to, 0 by default.
@param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.
@param endIndex the end (exclusive) of the subrange to copy, size of this array by default.
@throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.
@throws IndexOutOfBoundsException when the

```

subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n \* or when that index is out of the [destination] array indices range.\n \* \n \* @return the [destination] array.\n

```

*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun BooleanArray.copyInto(destination: BooleanArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): BooleanArray {\n
arrayCopy(this.unsafeCast<Array<Boolean>>(), destination.unsafeCast<Array<Boolean>>(), destinationOffset, startIndex, endIndex)\n
return destination\n}

```

\n \* Copies this array or its subrange into the [destination] array and returns that array.\n \* \n \* It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n \* \n \* @param destination the array to copy to.\n \* @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n \* @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n \* @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n \* \n \* @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n \* @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n \* or when that index is out of the [destination] array indices range.\n \* \n \* @return the [destination] array.\n

```

*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun CharArray.copyInto(destination: CharArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): CharArray {\n
arrayCopy(this.unsafeCast<Array<Char>>(), destination.unsafeCast<Array<Char>>(), destinationOffset, startIndex, endIndex)\n
return destination\n}

```

\n \* Returns new array which is a copy of the original array.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n \* \n \* @Suppress("ACTUAL\_WITHOUT\_EXPECT", "NOTHING\_TO\_INLINE")\npublic actual inline fun <T> Array<out T>.copyOf(): Array<T> {\n
return this.asDynamic().slice()\n}

\n \* Returns new array which is a copy of the original array.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n \* \n \* @Suppress("NOTHING\_TO\_INLINE")\npublic actual inline fun ByteArray.copyOfOf(): ByteArray {\n
return this.asDynamic().slice()\n}

\n \* Returns new array which is a copy of the original array.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n \* \n \* @Suppress("NOTHING\_TO\_INLINE")\npublic actual inline fun ShortArray.copyOfOf(): ShortArray {\n
return this.asDynamic().slice()\n}

\n \* Returns new array which is a copy of the original array.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n \* \n \* @Suppress("NOTHING\_TO\_INLINE")\npublic actual inline fun IntArray.copyOfOf(): IntArray {\n
return this.asDynamic().slice()\n}

\n \* Returns new array which is a copy of the original array.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n \* \n \* @public actual fun LongArray.copyOfOf(): LongArray {\n
return withType("LongArray", this.asDynamic().slice())\n}

\n \* Returns new array which is a copy of the original array.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n \* \n \* @Suppress("NOTHING\_TO\_INLINE")\npublic actual inline fun FloatArray.copyOfOf(): FloatArray {\n
return this.asDynamic().slice()\n}

\n \* Returns new array which is a copy of the original array.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n \* \n \* @Suppress("NOTHING\_TO\_INLINE")\npublic actual inline fun DoubleArray.copyOfOf(): DoubleArray {\n
return this.asDynamic().slice()\n}

\n \* Returns new array which is a copy of the original array.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n \* \n \* @public actual fun BooleanArray.copyOfOf(): BooleanArray {\n
return withType("BooleanArray", this.asDynamic().slice())\n}

\n \* Returns new array which is a copy of the original array.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n \* \n \* @public actual fun CharArray.copyOfOf(): CharArray {\n
return withType("CharArray", this.asDynamic().slice())\n}

\n \* Returns new array which is a copy of the original array, resized to the given [newSize].\n \* The copy is either truncated or padded at the end with zero values if necessary.\n \* \n \* - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n \* - If [newSize] is greater

than the size of the original array, the extra elements in the copy array are filled with zero values.

```

\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n *
\npublic actual fun
ByteArray.copyOf(newSize: Int): ByteArray {\n  require(newSize >= 0) { \"Invalid new array size: $newSize.\"
}\n  return fillFrom(this, ByteArray(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original
array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if
necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the
[newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are
filled with zero values.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n
\npublic actual fun
ShortArray.copyOf(newSize: Int): ShortArray {\n  require(newSize >= 0) { \"Invalid new
array size: $newSize.\" }\n  return fillFrom(this, ShortArray(newSize))\n}\n\n/**\n * Returns new array which is a
copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with
zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated
to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array
are filled with zero values.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n *
\npublic actual fun
IntArray.copyOf(newSize: Int): IntArray {\n  require(newSize >= 0) { \"Invalid new array size: $newSize.\" }\n
return fillFrom(this, IntArray(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original array,
resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n
\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n
\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero
values.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n *
\npublic actual
fun LongArray.copyOf(newSize: Int): LongArray {\n  require(newSize >= 0) { \"Invalid new array size:
$newSize.\" }\n  return withType(\"LongArray\", arrayCopyResize(this, newSize, 0L))\n}\n\n/**\n * Returns new
array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded
at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy
array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements
in the copy array are filled with zero values.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n *
\npublic actual fun
FloatArray.copyOf(newSize: Int): FloatArray {\n  require(newSize >= 0) { \"Invalid new array size: $newSize.\"
}\n  return fillFrom(this, FloatArray(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original
array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if
necessary.\n * \n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the
[newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are
filled with zero values.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n
\npublic actual fun
DoubleArray.copyOf(newSize: Int): DoubleArray {\n  require(newSize >= 0) { \"Invalid new
array size: $newSize.\" }\n  return fillFrom(this, DoubleArray(newSize))\n}\n\n/**\n * Returns new array which is
a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end
with `false` values if necessary.\n * \n * \n * - If [newSize] is less than the size of the original array, the copy array
is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in
the copy array are filled with `false` values.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n *
\npublic actual fun
BooleanArray.copyOf(newSize: Int): BooleanArray {\n  require(newSize >= 0) { \"Invalid new array size:
$newSize.\" }\n  return withType(\"BooleanArray\", arrayCopyResize(this, newSize, false))\n}\n\n/**\n * Returns
new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or
padded at the end with null char (`\u0000`) values if necessary.\n * \n * \n * - If [newSize] is less than the size of
the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the
original array, the extra elements in the copy array are filled with null char (`\u0000`) values.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n *
\npublic actual fun

```

```

CharArray.copyOf(newSize: Int): CharArray {
  require(newSize >= 0) { "Invalid new array size: $newSize." }
  return withType("CharArray", fillFrom(this, CharArray(newSize)))
}

```

Returns new array which is a copy of the original array, resized to the given [newSize]. The copy is either truncated or padded at the end with `null` values if necessary. If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize]. If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with `null` values.

```

samples.collections.Arrays.CopyOfOperations.resizingCopyOf

```

```

*\/@Suppress("ACTUAL_WITHOUT_EXPECT")
public actual fun <T> Array<out T>.copyOf(newSize: Int):
Array<T?> {
  require(newSize >= 0) { "Invalid new array size: $newSize." }
  return arrayCopyResize(this,
  newSize, null)
}

```

Returns a new array which is a copy of the specified range of the original array.

```

*\/@param fromIndex the start of the range (inclusive) to copy.
*\/@param toIndex the end of the range (exclusive) to copy.
*\/@throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than
the size of this array.
*\/@throws IllegalArgumentException if [fromIndex] is greater than [toIndex].

```

```

*\/@Suppress("ACTUAL_WITHOUT_EXPECT")
public actual fun <T> Array<out
T>.copyOfRange(fromIndex: Int, toIndex: Int): Array<T> {
  AbstractList.checkRangeIndexes(fromIndex,
  toIndex, size)
  return this.asDynamic().slice(fromIndex, toIndex)
}

```

Returns a new array which is a copy of the specified range of the original array.

```

*\/@param fromIndex the start of the range (inclusive) to copy.
*\/@param toIndex the end of the range (exclusive) to copy.
*\/@throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than
the size of this array.
*\/@throws
IllegalArgumentException if [fromIndex] is greater than [toIndex].

```

```

public actual fun
ByteArray.copyOfRange(fromIndex: Int, toIndex: Int): ByteArray {
  AbstractList.checkRangeIndexes(fromIndex, toIndex, size)
  return this.asDynamic().slice(fromIndex,
  toIndex)
}

```

Returns a new array which is a copy of the specified range of the original array.

```

*\/@param fromIndex the start of the range (inclusive) to copy.
*\/@param toIndex the end of the range (exclusive) to copy.
*\/@throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than
the size of this array.
*\/@throws IllegalArgumentException if [fromIndex] is greater than [toIndex].

```

```

public actual fun
ShortArray.copyOfRange(fromIndex: Int, toIndex: Int): ShortArray {
  AbstractList.checkRangeIndexes(fromIndex, toIndex, size)
  return this.asDynamic().slice(fromIndex,
  toIndex)
}

```

Returns a new array which is a copy of the specified range of the original array.

```

*\/@param fromIndex the start of the range (inclusive) to copy.
*\/@param toIndex the end of the range (exclusive) to copy.
*\/@throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than
the size of this array.
*\/@throws IllegalArgumentException if [fromIndex] is greater than [toIndex].

```

```

public actual fun
IntArray.copyOfRange(fromIndex: Int, toIndex: Int): IntArray {
  AbstractList.checkRangeIndexes(fromIndex, toIndex, size)
  return this.asDynamic().slice(fromIndex,
  toIndex)
}

```

Returns a new array which is a copy of the specified range of the original array.

```

*\/@param fromIndex the start of the range (inclusive) to copy.
*\/@param toIndex the end of the range (exclusive) to copy.
*\/@throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than
the size of this array.
*\/@throws IllegalArgumentException if [fromIndex] is greater than [toIndex].

```

```

public actual fun
LongArray.copyOfRange(fromIndex: Int, toIndex: Int): LongArray {
  AbstractList.checkRangeIndexes(fromIndex, toIndex, size)
  return withType("LongArray",
  this.asDynamic().slice(fromIndex, toIndex))
}

```

Returns a new array which is a copy of the specified range of the original array.

```

*\/@param fromIndex the start of the range (inclusive) to copy.
*\/@param toIndex the end of the range (exclusive) to copy.
*\/@throws IndexOutOfBoundsException if [fromIndex] is
less than zero or [toIndex] is greater than the size of this array.
*\/@throws IllegalArgumentException if
[fromIndex] is greater than [toIndex].

```

```

public actual fun
FloatArray.copyOfRange(fromIndex: Int, toIndex: Int):
FloatArray {
  AbstractList.checkRangeIndexes(fromIndex, toIndex, size)
  return
  this.asDynamic().slice(fromIndex, toIndex)
}

```

Returns a new array which is a copy of the specified range of the original array.

```

*\/@param fromIndex the start of the range (inclusive) to copy.
*\/@param toIndex the

```

end of the range (exclusive) to copy.\n \* \n \* @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n \* @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n \*\npublic actual fun DoubleArray.copyOfRange(fromIndex: Int, toIndex: Int): DoubleArray {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n return this.asDynamic().slice(fromIndex, toIndex)\n}\n\n/\*\*\n \* Returns a new array which is a copy of the specified range of the original array.\n \* \n \* @param fromIndex the start of the range (inclusive) to copy.\n \* @param toIndex the end of the range (exclusive) to copy.\n \* \n \* @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n \* @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n \*\npublic actual fun BooleanArray.copyOfRange(fromIndex: Int, toIndex: Int): BooleanArray {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n return withType("<code>BooleanArray</code>", this.asDynamic().slice(fromIndex, toIndex))\n}\n\n/\*\*\n \* Returns a new array which is a copy of the specified range of the original array.\n \* \n \* @param fromIndex the start of the range (inclusive) to copy.\n \* @param toIndex the end of the range (exclusive) to copy.\n \* \n \* @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n \* @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n \*\npublic actual fun CharArray.copyOfRange(fromIndex: Int, toIndex: Int): CharArray {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n return withType("<code>CharArray</code>", this.asDynamic().slice(fromIndex, toIndex))\n}\n\n/\*\*\n \* Fills this array or its subrange with the specified [element] value.\n \* \n \* @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n \* @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n \* \n \* @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n \* @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n \*\npublic actual fun <T> Array<T>.fill(element: T, fromIndex: Int = 0, toIndex: Int = size): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n this.asDynamic().fill(element, fromIndex, toIndex);\n}\n\n/\*\*\n \* Fills this array or its subrange with the specified [element] value.\n \* \n \* @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n \* @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n \* \n \* @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n \* @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n \*\npublic actual fun ByteArray.fill(element: Byte, fromIndex: Int = 0, toIndex: Int = size): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n this.asDynamic().fill(element, fromIndex, toIndex);\n}\n\n/\*\*\n \* Fills this array or its subrange with the specified [element] value.\n \* \n \* @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n \* @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n \* \n \* @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n \* @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n \*\npublic actual fun ShortArray.fill(element: Short, fromIndex: Int = 0, toIndex: Int = size): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n this.asDynamic().fill(element, fromIndex, toIndex);\n}\n\n/\*\*\n \* Fills this array or its subrange with the specified [element] value.\n \* \n \* @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n \* @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n \* \n \* @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n \* @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n \*\npublic actual fun IntArray.fill(element: Int, fromIndex: Int = 0, toIndex: Int = size): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n this.asDynamic().fill(element, fromIndex,

```

toIndex);}

/**
 * Fills this array or its subrange with the specified [element] value.
 * @param fromIndex the start of the range (inclusive) to fill, 0 by default.
 * @param toIndex the end of the range (exclusive) to fill, size of this array by default.
 * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.
 * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].
 */
@SinceKotlin("1.3")
@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")
public actual fun LongArray.fill(element: Long, fromIndex: Int = 0, toIndex: Int = size): Unit {
    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)
    this.asDynamic().fill(element, fromIndex, toIndex);
}

/**
 * Fills this array or its subrange with the specified [element] value.
 * @param fromIndex the start of the range (inclusive) to fill, 0 by default.
 * @param toIndex the end of the range (exclusive) to fill, size of this array by default.
 * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.
 * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].
 */
@SinceKotlin("1.3")
@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")
public actual fun FloatArray.fill(element: Float, fromIndex: Int = 0, toIndex: Int = size): Unit {
    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)
    this.asDynamic().fill(element, fromIndex, toIndex);
}

/**
 * Fills this array or its subrange with the specified [element] value.
 * @param fromIndex the start of the range (inclusive) to fill, 0 by default.
 * @param toIndex the end of the range (exclusive) to fill, size of this array by default.
 * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.
 * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].
 */
@SinceKotlin("1.3")
@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")
public actual fun DoubleArray.fill(element: Double, fromIndex: Int = 0, toIndex: Int = size): Unit {
    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)
    this.asDynamic().fill(element, fromIndex, toIndex);
}

/**
 * Fills this array or its subrange with the specified [element] value.
 * @param fromIndex the start of the range (inclusive) to fill, 0 by default.
 * @param toIndex the end of the range (exclusive) to fill, size of this array by default.
 * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.
 * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].
 */
@SinceKotlin("1.3")
@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")
public actual fun BooleanArray.fill(element: Boolean, fromIndex: Int = 0, toIndex: Int = size): Unit {
    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)
    this.asDynamic().fill(element, fromIndex, toIndex);
}

/**
 * Returns an array containing all elements of the original array and then the given [element].
 */
@Suppress("ACTUAL_WITHOUT_EXPECT", "NOTHING_TO_INLINE")
public actual inline operator fun <T> Array<out T>.plus(element: T): Array<T> {
    return this.asDynamic().concat(arrayOf(element))
}

/**
 * Returns an array containing all elements of the original array and then the given [element].
 */
@Suppress("NOTHING_TO_INLINE")
public actual inline operator fun ByteArray.plus(element: Byte): ByteArray {
    return plus(byteArrayOf(element))
}

/**
 * Returns an array containing all elements of the original array and then the given [element].
 */
@Suppress("NOTHING_TO_INLINE")
public actual inline operator fun ShortArray.plus(element: Short):

```

```

ShortArray {
    return plus(shortArrayOf(element))
}
/**
 * Returns an array containing all elements of the
original array and then the given [element].
*/
@Suppress("NOTHING_TO_INLINE")
public actual inline
operator fun IntArray.plus(element: Int): IntArray {
    return plus(intArrayOf(element))
}
/**
 * Returns an
array containing all elements of the original array and then the given [element].
*/
@Suppress("NOTHING_TO_INLINE")
public actual inline operator fun LongArray.plus(element: Long):
LongArray {
    return plus(longArrayOf(element))
}
/**
 * Returns an array containing all elements of the
original array and then the given [element].
*/
@Suppress("NOTHING_TO_INLINE")
public actual inline
operator fun FloatArray.plus(element: Float): FloatArray {
    return plus(floatArrayOf(element))
}
/**
 * Returns an array containing all elements of the original array and then the given [element].
*/
@Suppress("NOTHING_TO_INLINE")
public actual inline operator fun DoubleArray.plus(element:
Double): DoubleArray {
    return plus(doubleArrayOf(element))
}
/**
 * Returns an array containing all
elements of the original array and then the given [element].
*/
@Suppress("NOTHING_TO_INLINE")
public actual inline operator fun BooleanArray.plus(element: Boolean): BooleanArray {
    return
plus(booleanArrayOf(element))
}
/**
 * Returns an array containing all elements of the original array and then
the given [element].
*/
@Suppress("NOTHING_TO_INLINE")
public actual inline operator fun
CharArray.plus(element: Char): CharArray {
    return plus(charArrayOf(element))
}
/**
 * Returns an array
containing all elements of the original array and then all elements of the given [elements] collection.
*/
@Suppress("ACTUAL_WITHOUT_EXPECT")
public actual operator fun <T> Array<out T>.plus(elements:
Collection<T>): Array<T> {
    return arrayPlusCollection(this, elements)
}
/**
 * Returns an array
containing all elements of the original array and then all elements of the given [elements] collection.
*/
public actual
operator fun ByteArray.plus(elements: Collection<Byte>): ByteArray {
    return
fillFromCollection(this.copyOf(size + elements.size), this.size, elements)
}
/**
 * Returns an array containing
all elements of the original array and then all elements of the given [elements] collection.
*/
public actual
operator fun ShortArray.plus(elements: Collection<Short>): ShortArray {
    return
fillFromCollection(this.copyOf(size + elements.size), this.size, elements)
}
/**
 * Returns an array containing
all elements of the original array and then all elements of the given [elements] collection.
*/
public actual
operator fun IntArray.plus(elements: Collection<Int>): IntArray {
    return fillFromCollection(this.copyOf(size +
elements.size), this.size, elements)
}
/**
 * Returns an array containing all elements of the original array and
then all elements of the given [elements] collection.
*/
public actual operator fun LongArray.plus(elements:
Collection<Long>): LongArray {
    return arrayPlusCollection(this, elements)
}
/**
 * Returns an array
containing all elements of the original array and then all elements of the given [elements] collection.
*/
public actual
operator fun FloatArray.plus(elements: Collection<Float>): FloatArray {
    return
fillFromCollection(this.copyOf(size + elements.size), this.size, elements)
}
/**
 * Returns an array containing
all elements of the original array and then all elements of the given [elements] collection.
*/
public actual
operator fun DoubleArray.plus(elements: Collection<Double>): DoubleArray {
    return
fillFromCollection(this.copyOf(size + elements.size), this.size, elements)
}
/**
 * Returns an array containing
all elements of the original array and then all elements of the given [elements] collection.
*/
public actual
operator fun BooleanArray.plus(elements: Collection<Boolean>): BooleanArray {
    return
arrayPlusCollection(this, elements)
}
/**
 * Returns an array containing all elements of the original array and
then all elements of the given [elements] collection.
*/
public actual operator fun CharArray.plus(elements:
Collection<Char>): CharArray {
    return fillFromCollection(this.copyOf(size + elements.size), this.size,
elements)
}
/**
 * Returns an array containing all elements of the original array and then all elements of the
given [elements] array.
*/
@Suppress("ACTUAL_WITHOUT_EXPECT",
"NOTHING_TO_INLINE")
public actual inline operator fun <T> Array<out T>.plus(elements: Array<out T>):
Array<T> {
    return this.asDynamic().concat(elements)
}
/**
 * Returns an array containing all elements of
the original array and then all elements of the given [elements] array.
*/
@Suppress("NOTHING_TO_INLINE")
public actual inline operator fun ByteArray.plus(elements:
ByteArray): ByteArray {
    return primitiveArrayConcat(this, elements)
}
/**
 * Returns an array containing

```

all elements of the original array and then all elements of the given [elements] array.\n

```

*\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun ShortArray.plus(elements:
ShortArray): ShortArray {\n    return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array
containing all elements of the original array and then all elements of the given [elements] array.\n
*\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun IntArray.plus(elements: IntArray):
IntArray {\n    return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing all elements of
the original array and then all elements of the given [elements] array.\n
*\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun LongArray.plus(elements:
LongArray): LongArray {\n    return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array
containing all elements of the original array and then all elements of the given [elements] array.\n
*\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun FloatArray.plus(elements:
FloatArray): FloatArray {\n    return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing
all elements of the original array and then all elements of the given [elements] array.\n
*\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun DoubleArray.plus(elements:
DoubleArray): DoubleArray {\n    return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array
containing all elements of the original array and then all elements of the given [elements] array.\n
*\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun BooleanArray.plus(elements:
BooleanArray): BooleanArray {\n    return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array
containing all elements of the original array and then all elements of the given [elements] array.\n
*\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun CharArray.plus(elements:
CharArray): CharArray {\n    return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing
all elements of the original array and then the given [element].\n
*\n@Suppress("ACTUAL_WITHOUT_EXPECT", "NOTHING_TO_INLINE")\npublic actual inline fun <T>
Array<out T>.plusElement(element: T): Array<T> {\n    return
this.asDynamic().concat(arrayOf(element))\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample
samples.collections.Arrays.Sorting.sortArray\n
*\n@library("primitiveArraySort")\npublic actual fun
IntArray.sort(): Unit {\n    definedExternally\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample
samples.collections.Arrays.Sorting.sortArray\n
*\npublic actual fun LongArray.sort(): Unit {\n
@Suppress("DEPRECATION")\n    if (size > 1) sort { a: Long, b: Long -> a.compareTo(b) }\n}\n\n/**\n * Sorts
the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n
*\n@library("primitiveArraySort")\npublic actual fun ByteArray.sort(): Unit {\n    definedExternally\n}\n\n/**\n
* Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n
*\n@library("primitiveArraySort")\npublic actual fun ShortArray.sort(): Unit {\n    definedExternally\n}\n\n/**\n
* Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n
*\n@library("primitiveArraySort")\npublic actual fun DoubleArray.sort(): Unit {\n
definedExternally\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample
samples.collections.Arrays.Sorting.sortArray\n
*\n@library("primitiveArraySort")\npublic actual fun
FloatArray.sort(): Unit {\n    definedExternally\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample
samples.collections.Arrays.Sorting.sortArray\n
*\n@library("primitiveArraySort")\npublic actual fun
CharArray.sort(): Unit {\n    definedExternally\n}\n\n/**\n * Sorts the array in-place according to the natural order
of its elements.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other
after sorting.\n * \n * @sample samples.collections.Arrays.Sorting.sortArrayOfComparable\n
*\npublic actual fun
<T : Comparable<T>> Array<out T>.sort(): Unit {\n    if (size > 1) sortArray(this)\n}\n\n/**\n * Sorts the array in-
place according to the order specified by the given [comparison] function.\n * \n * The sort is _stable_. It means that
equal elements preserve their order relative to each other after sorting.\n * \n *\n@Deprecated("Use sortWith instead",
ReplaceWith("this.sortWith(Comparator(comparison))"))\n@DeprecatedSinceKotlin(warningSince =
"1.6")\npublic fun <T> Array<out T>.sort(comparison: (a: T, b: T) -> Int): Unit {\n    if (size > 1)
sortArrayWith(this, comparison)\n}\n\n/**\n * Sorts a range in the array in-place.\n * \n * The sort is _stable_. It

```



means that equal elements preserve their order relative to each other after sorting.

`fromIndex` the start of the range (inclusive) to sort, 0 by default.

`toIndex` the end of the range (exclusive) to sort, size of this array by default.

throws `IndexOutOfBoundsException` if [`fromIndex`] is less than zero or [`toIndex`] is greater than the size of this array.

throws `IllegalArgumentException` if [`fromIndex`] is greater than [`toIndex`].

`samples.collections.Arrays.Sorting.sortRangeOfArrayOfComparable`

```

* \n @SinceKotlin("1.4") \n @Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS") \n public
actual fun <T : Comparable<T>> Array<out T>.sort(fromIndex: Int = 0, toIndex: Int = size): Unit { \n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size) \n    sortArrayWith(this, fromIndex, toIndex,
naturalOrder()) \n } \n \n /** \n * Sorts a range in the array in-place. \n * \n * @param fromIndex the start of the range
(inclusive) to sort, 0 by default. \n * @param toIndex the end of the range (exclusive) to sort, size of this array by
default. \n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than
the size of this array. \n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex]. \n * \n *
@sample samples.collections.Arrays.Sorting.sortRangeOfArray \n
* \n @SinceKotlin("1.4") \n @Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS") \n public
actual fun ByteArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit { \n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size) \n    val subarray =
this.asDynamic().subarray(fromIndex, toIndex).unsafeCast<ByteArray>() \n    subarray.sort() \n } \n \n /** \n * Sorts a
range in the array in-place. \n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default. \n *
@param toIndex the end of the range (exclusive) to sort, size of this array by default. \n * \n * @throws
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array. \n *
@throws IllegalArgumentException if [fromIndex] is greater than [toIndex]. \n * \n * @sample
samples.collections.Arrays.Sorting.sortRangeOfArray \n
* \n @SinceKotlin("1.4") \n @Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS") \n public
actual fun ShortArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit { \n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size) \n    val subarray =
this.asDynamic().subarray(fromIndex, toIndex).unsafeCast<ShortArray>() \n    subarray.sort() \n } \n \n /** \n * Sorts a
range in the array in-place. \n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default. \n *
@param toIndex the end of the range (exclusive) to sort, size of this array by default. \n * \n * @throws
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array. \n *
@throws IllegalArgumentException if [fromIndex] is greater than [toIndex]. \n * \n * @sample
samples.collections.Arrays.Sorting.sortRangeOfArray \n
* \n @SinceKotlin("1.4") \n @Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS") \n public
actual fun IntArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit { \n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size) \n    val subarray =
this.asDynamic().subarray(fromIndex, toIndex).unsafeCast<IntArray>() \n    subarray.sort() \n } \n \n /** \n * Sorts a
range in the array in-place. \n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default. \n *
@param toIndex the end of the range (exclusive) to sort, size of this array by default. \n * \n * @throws
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array. \n *
@throws IllegalArgumentException if [fromIndex] is greater than [toIndex]. \n * \n * @sample
samples.collections.Arrays.Sorting.sortRangeOfArray \n
* \n @SinceKotlin("1.4") \n @Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS") \n public
actual fun LongArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit { \n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size) \n    sortArrayWith(this.unsafeCast<Array<Long>>(),
fromIndex, toIndex, naturalOrder()) \n } \n \n /** \n * Sorts a range in the array in-place. \n * \n * @param fromIndex
the start of the range (inclusive) to sort, 0 by default. \n * @param toIndex the end of the range (exclusive) to sort,
size of this array by default. \n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or
[toIndex] is greater than the size of this array. \n * @throws IllegalArgumentException if [fromIndex] is greater than
[toIndex]. \n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray \n

```

```

*\n@SinceKotlin("1.4")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun FloatArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    val subarray =
this.asDynamic().subarray(fromIndex, toIndex).unsafeCast<FloatArray>()\n    subarray.sort()\n}\n\n/**\n * Sorts a
range in the array in-place.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n *
@param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *
@throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample
samples.collections.Arrays.Sorting.sortRangeOfArray\n
*\n@SinceKotlin("1.4")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun DoubleArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    val subarray =
this.asDynamic().subarray(fromIndex, toIndex).unsafeCast<DoubleArray>()\n    subarray.sort()\n}\n\n/**\n * Sorts
a range in the array in-place.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n *
@param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *
@throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample
samples.collections.Arrays.Sorting.sortRangeOfArray\n
*\n@SinceKotlin("1.4")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun CharArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    val subarray =
this.asDynamic().subarray(fromIndex, toIndex).unsafeCast<CharArray>()\n    subarray.sort()\n}\n\n/**\n * Sorts the
array in-place according to the order specified by the given [comparison] function.\n * \n * @Deprecated("Use other
sorting functions from the Standard Library")\n * @DeprecatedSinceKotlin(warningSince =
"1.6")\n * @kotlin.internal.InlineOnly\n * public inline fun ByteArray.sort(noinline comparison: (a: Byte, b: Byte) ->
Int): Unit {\n    asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified
by the given [comparison] function.\n * \n * @Deprecated("Use other sorting functions from the Standard
Library")\n * @DeprecatedSinceKotlin(warningSince = "1.6")\n * @kotlin.internal.InlineOnly\n * public inline fun
ShortArray.sort(noinline comparison: (a: Short, b: Short) -> Int): Unit {\n
asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given
[comparison] function.\n * \n * @Deprecated("Use other sorting functions from the Standard
Library")\n * @DeprecatedSinceKotlin(warningSince = "1.6")\n * @kotlin.internal.InlineOnly\n * public inline fun
IntArray.sort(noinline comparison: (a: Int, b: Int) -> Int): Unit {\n    asDynamic().sort(comparison)\n}\n\n/**\n *
Sorts the array in-place according to the order specified by the given [comparison] function.\n * \n * @Deprecated("Use other sorting functions from the Standard
Library")\n * @DeprecatedSinceKotlin(warningSince = "1.6")\n * @kotlin.internal.InlineOnly\n * public inline fun
LongArray.sort(noinline comparison: (a: Long, b: Long) -> Int): Unit {\n
asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given
[comparison] function.\n * \n * @Deprecated("Use other sorting functions from the Standard
Library")\n * @DeprecatedSinceKotlin(warningSince = "1.6")\n * @kotlin.internal.InlineOnly\n * public inline fun
FloatArray.sort(noinline comparison: (a: Float, b: Float) -> Int): Unit {\n
asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given
[comparison] function.\n * \n * @Deprecated("Use other sorting functions from the Standard
Library")\n * @DeprecatedSinceKotlin(warningSince = "1.6")\n * @kotlin.internal.InlineOnly\n * public inline fun
DoubleArray.sort(noinline comparison: (a: Double, b: Double) -> Int): Unit {\n
asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given
[comparison] function.\n * \n * @Deprecated("Use other sorting functions from the Standard
Library")\n * @DeprecatedSinceKotlin(warningSince = "1.6")\n * @kotlin.internal.InlineOnly\n * public inline fun

```

```

CharArray.sort(noinline comparison: (a: Char, b: Char) -> Int): Unit {
asDynamic().sort(comparison)}\n\n/**\n * Sorts the array in-place according to the order specified by the given
[comparator].\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other
after sorting.\n */\npublic actual fun <T> Array<out T>.sortWith(comparator: Comparator<in T>): Unit {\n if
(size > 1) sortArrayWith(this, comparator)\n}\n\n/**\n * Sorts a range in the array in-place with the given
[comparator].\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other
after sorting.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex
the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException
if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
IllegalArgumentExcepion if [fromIndex] is greater than [toIndex].\n
*/\n@SinceKotlin("1.4")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun <T> Array<out T>.sortWith(comparator: Comparator<in T>, fromIndex: Int = 0, toIndex: Int = size):
Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n sortArrayWith(this, fromIndex, toIndex,
comparator)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n
*/\npublic actual fun ByteArray.toTypedArray(): Array<Byte> {\n return js("[]").slice.call(this)\n}\n\n/**\n *
Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic actual fun
ShortArray.toTypedArray(): Array<Short> {\n return js("[]").slice.call(this)\n}\n\n/**\n * Returns a *typed*
object array containing all of the elements of this primitive array.\n */\npublic actual fun IntArray.toTypedArray():
Array<Int> {\n return js("[]").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the
elements of this primitive array.\n */\npublic actual fun LongArray.toTypedArray(): Array<Long> {\n return
js("[]").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive
array.\n */\npublic actual fun FloatArray.toTypedArray(): Array<Float> {\n return
js("[]").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive
array.\n */\npublic actual fun DoubleArray.toTypedArray(): Array<Double> {\n return
js("[]").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive
array.\n */\npublic actual fun BooleanArray.toTypedArray(): Array<Boolean> {\n return
js("[]").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive
array.\n */\npublic actual fun CharArray.toTypedArray(): Array<Char> {\n return Array(size) { index ->
this[index] }\n}\n\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n
*/\n@file:kotlin.jvm.JvmName("ComparisonsKt")\n@file:kotlin.jvm.JvmMultifileClass\n\npackage
kotlin.comparisons\n\n/**\n * Compares two values using the specified functions [selectors] to calculate the result
of the comparison.\n * The functions are called sequentially, receive the given values [a] and [b] and return
[Comparable]\n * objects. As soon as the [Comparable] instances returned by a function for [a] and [b] values do
not\n * compare as equal, the result of that comparison is returned.\n * \n * @sample
samples.comparisons.Comparisons.compareValuesByWithSelectors\n */\npublic fun <T> compareValuesBy(a: T,
b: T, vararg selectors: (T) -> Comparable<*>?): Int {\n require(selectors.size > 0)\n return
compareValuesByImpl(a, b, selectors)\n}\n\nprivate fun <T> compareValuesByImpl(a: T, b: T, selectors:
Array<out (T) -> Comparable<*>?): Int {\n for (fn in selectors) {\n val v1 = fn(a)\n val v2 = fn(b)\n
val diff = compareValues(v1, v2)\n if (diff != 0) return diff\n }\n return 0\n}\n\n/**\n * Compares two
values using the specified [selector] function to calculate the result of the comparison.\n * The function is applied to
the given values [a] and [b] and return [Comparable] objects.\n * The result of comparison of these [Comparable]
instances is returned.\n * \n * @sample samples.comparisons.Comparisons.compareValuesByWithSingleSelector\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun <T> compareValuesBy(a: T, b: T, selector: (T) ->
Comparable<*>?): Int {\n return compareValues(selector(a), selector(b))\n}\n\n/**\n * Compares two values
using the specified [selector] function to calculate the result of the comparison.\n * The function is applied to the
given values [a] and [b] and return objects of type K which are then being\n * compared with the given

```

```

[comparator].\n * \n * @sample samples.comparisons.Comparisons.compareValuesByWithComparator\n
*\n@kotlin.internal.InlineOnly\npublic inline fun <T, K> compareValuesBy(a: T, b: T, comparator: Comparator<in
K>, selector: (T) -> K): Int {\n    return comparator.compare(selector(a), selector(b))\n}\n\n\n/// Not so useful without
type inference for receiver of expression\n\n/// compareValuesWith(v1, v2, compareBy { it.prop1 }
thenByDescending { it.prop2 })\n\n\n/// * Compares two values using the specified [comparator].\n\n
*\n\n//@Suppress("NOTHING_TO_INLINE")\n\n//public inline fun <T> compareValuesWith(a: T, b: T, comparator:
Comparator<T>): Int = comparator.compare(a, b)\n\n\n\n\n/// * Compares two nullable [Comparable] values. Null
is considered less than any value.\n * \n * @sample samples.comparisons.Comparisons.compareValues\n * \n\npublic
fun <T : Comparable<*>> compareValues(a: T?, b: T?): Int {\n    if (a === b) return 0\n    if (a == null) return -1\n
if (b == null) return 1\n    @Suppress("UNCHECKED_CAST")\n    return (a as
Comparable<Any>).compareTo(b)\n}\n\n\n\n/// * Creates a comparator using the sequence of functions to calculate a
result of comparison.\n * The functions are called sequentially, receive the given values `a` and `b` and return
[Comparable]\n * objects. As soon as the [Comparable] instances returned by a function for `a` and `b` values do
not\n * compare as equal, the result of that comparison is returned from the [Comparator].\n * \n * @sample
samples.comparisons.Comparisons.compareByWithSelectors\n * \n\npublic fun <T> compareBy(vararg selectors: (T)
-> Comparable<*>?): Comparator<T> {\n    require(selectors.size > 0)\n    return Comparator { a, b ->
compareValuesByImpl(a, b, selectors) }\n}\n\n\n\n\n/// * Creates a comparator using the function to transform value
to a [Comparable] instance for comparison.\n * \n * @sample
samples.comparisons.Comparisons.compareByWithSingleSelector\n * \n\n@kotlin.internal.InlineOnly\npublic inline
fun <T> compareBy(crossinline selector: (T) -> Comparable<*>?): Comparator<T> =\n    Comparator { a, b ->
compareValuesBy(a, b, selector) }\n\n\n\n\n/// * Creates a comparator using the [selector] function to transform values
being compared and then applying\n * the specified [comparator] to compare transformed values.\n * \n * @sample
samples.comparisons.Comparisons.compareByWithComparator\n * \n\n@kotlin.internal.InlineOnly\npublic inline
fun <T, K> compareBy(comparator: Comparator<in K>, crossinline selector: (T) -> K): Comparator<T> =\n    Comparator { a, b -> compareValuesBy(a, b, comparator, selector) }\n\n\n\n\n/// * Creates a descending comparator
using the function to transform value to a [Comparable] instance for comparison.\n * \n * @sample
samples.comparisons.Comparisons.compareByDescendingWithSingleSelector\n * \n\n@kotlin.internal.InlineOnly\npublic inline
fun <T> compareByDescending(crossinline selector: (T) ->
Comparable<*>?): Comparator<T> =\n    Comparator { a, b -> compareValuesBy(b, a, selector) }\n\n\n\n\n/// *
Creates a descending comparator using the [selector] function to transform values being compared and then
applying\n * the specified [comparator] to compare transformed values.\n * \n * Note that an order of [comparator] is
reversed by this wrapper.\n * \n * @sample
samples.comparisons.Comparisons.compareByDescendingWithComparator\n * \n\n@kotlin.internal.InlineOnly\npublic inline
fun <T, K> compareByDescending(comparator: Comparator<in K>,
crossinline selector: (T) -> K): Comparator<T> =\n    Comparator { a, b -> compareValuesBy(b, a, comparator,
selector) }\n\n\n\n\n/// * Creates a comparator comparing values after the primary comparator defined them equal. It
uses\n * the function to transform value to a [Comparable] instance for comparison.\n * \n * @sample
samples.comparisons.Comparisons.thenBy\n * \n\n@kotlin.internal.InlineOnly\npublic inline fun <T>
Comparator<T>.thenBy(crossinline selector: (T) -> Comparable<*>?): Comparator<T> =\n    Comparator { a, b -
->\n        val previousCompare = this@thenBy.compare(a, b)\n        if (previousCompare != 0) previousCompare else
compareValuesBy(a, b, selector)\n    }\n\n\n\n\n/// * Creates a comparator comparing values after the primary
comparator defined them equal. It uses\n * the [selector] function to transform values and then compares them with
the given [comparator].\n * \n * @sample samples.comparisons.Comparisons.thenByWithComparator\n * \n\n@kotlin.internal.InlineOnly\npublic inline fun <T, K> Comparator<T>.thenBy(comparator: Comparator<in K>,
crossinline selector: (T) -> K): Comparator<T> =\n    Comparator { a, b ->\n        val previousCompare =
this@thenBy.compare(a, b)\n        if (previousCompare != 0) previousCompare else compareValuesBy(a, b,
comparator, selector)\n    }\n\n\n\n\n/// * Creates a descending comparator using the primary comparator and\n * the
function to transform value to a [Comparable] instance for comparison.\n * \n * @sample

```

```

samples.comparisons.Comparisons.thenByDescending\n *\n@kotlin.internal.InlineOnly\npublic inline fun <T>
Comparator<T>.thenByDescending(crossinline selector: (T) -> Comparable<*>?): Comparator<T> =\n
Comparator { a, b ->\n    val previousCompare = this@thenByDescending.compare(a, b)\n    if
(previousCompare != 0) previousCompare else compareValuesBy(b, a, selector)\n    }\n\n/**\n * Creates a
descending comparator comparing values after the primary comparator defined them equal. It uses\n * the [selector]
function to transform values and then compares them with the given [comparator].\n *\n * @sample
samples.comparisons.Comparisons.thenByDescendingWithComparator\n *\n@kotlin.internal.InlineOnly\npublic
inline fun <T, K> Comparator<T>.thenByDescending(comparator: Comparator<in K>, crossinline selector: (T) ->
K): Comparator<T> =\n    Comparator { a, b ->\n        val previousCompare = this@thenByDescending.compare(a,
b)\n        if (previousCompare != 0) previousCompare else compareValuesBy(b, a, comparator, selector)\n
    }\n\n\n/**\n * Creates a comparator using the primary comparator and function to calculate a result of comparison.\n
*\n * @sample samples.comparisons.Comparisons.thenComparator\n *\n@kotlin.internal.InlineOnly\npublic inline
fun <T> Comparator<T>.thenComparator(crossinline comparison: (a: T, b: T) -> Int): Comparator<T> =\n
Comparator { a, b ->\n    val previousCompare = this@thenComparator.compare(a, b)\n    if (previousCompare
!= 0) previousCompare else comparison(a, b)\n    }\n\n\n/**\n * Combines this comparator and the given [comparator]
such that the latter is applied only\n * when the former considered values equal.\n *\n * @sample
samples.comparisons.Comparisons.then\n *\npublic infix fun <T> Comparator<T>.then(comparator:
Comparator<in T>): Comparator<T> =\n    Comparator { a, b ->\n        val previousCompare =
this@then.compare(a, b)\n        if (previousCompare != 0) previousCompare else comparator.compare(a, b)\n
    }\n\n\n/**\n * Combines this comparator and the given [comparator] such that the latter is applied only\n * when the
former considered values equal.\n *\n * @sample samples.comparisons.Comparisons.thenDescending\n *\npublic
infix fun <T> Comparator<T>.thenDescending(comparator: Comparator<in T>): Comparator<T> =\n
Comparator<T> { a, b ->\n    val previousCompare = this@thenDescending.compare(a, b)\n    if
(previousCompare != 0) previousCompare else comparator.compare(b, a)\n    }\n\n\n// Not so useful without type
inference for receiver of expression\n\n/**\n * Extends the given [comparator] of non-nullable values to a comparator
of nullable values\n * considering `null` value less than any other value.\n *\n * @sample
samples.comparisons.Comparisons.nullsFirstLastWithComparator\n *\npublic fun <T : Any>
nullsFirst(comparator: Comparator<in T>): Comparator<T?> =\n    Comparator { a, b ->\n        when {\n            a
=== b -> 0\n            a == null -> -1\n            b == null -> 1\n            else -> comparator.compare(a, b)\n        }\n
    }\n\n\n/**\n * Provides a comparator of nullable [Comparable] values\n * considering `null` value less than any other
value.\n *\n * @sample samples.comparisons.Comparisons.nullsFirstLastComparator\n
*\n@kotlin.internal.InlineOnly\npublic inline fun <T : Comparable<T>> nullsFirst(): Comparator<T?> =
nullsFirst(naturalOrder())\n\n\n/**\n * Extends the given [comparator] of non-nullable values to a comparator of
nullable values\n * considering `null` value greater than any other value.\n *\n * @sample
samples.comparisons.Comparisons.nullsFirstLastWithComparator\n *\npublic fun <T : Any>
nullsLast(comparator: Comparator<in T>): Comparator<T?> =\n    Comparator { a, b ->\n        when {\n            a
=== b -> 0\n            a == null -> 1\n            b == null -> -1\n            else -> comparator.compare(a, b)\n        }\n
    }\n\n\n/**\n * Provides a comparator of nullable [Comparable] values\n * considering `null` value greater than any
other value.\n *\n * @sample samples.comparisons.Comparisons.nullsFirstLastComparator\n
*\n@kotlin.internal.InlineOnly\npublic inline fun <T : Comparable<T>> nullsLast(): Comparator<T?> =
nullsLast(naturalOrder())\n\n\n/**\n * Returns a comparator that compares [Comparable] objects in natural order.\n
*\n * @sample samples.comparisons.Comparisons.naturalOrderComparator\n *\npublic fun <T : Comparable<T>>
naturalOrder(): Comparator<T> = @Suppress("UNCHECKED_CAST") (NaturalOrderComparator as
Comparator<T>)\n\n\n/**\n * Returns a comparator that compares [Comparable] objects in reversed natural order.\n
*\n * @sample samples.comparisons.Comparisons.nullsFirstLastWithComparator\n *\npublic fun <T :
Comparable<T>> reverseOrder(): Comparator<T> = @Suppress("UNCHECKED_CAST")
(ReverseOrderComparator as Comparator<T>)\n\n\n/**\n * Returns a comparator that imposes the reverse ordering
of this comparator.\n *\n * @sample samples.comparisons.Comparisons.reversed\n

```

```

*\n@Suppress("EXTENSION_SHADOWED_BY_MEMBER")\npublic fun <T> Comparator<T>.reversed():
Comparator<T> = when (this) {\n  is ReversedComparator -> this.comparator\n  NaturalOrderComparator ->
@Suppress("UNCHECKED_CAST") (ReverseOrderComparator as Comparator<T>)\n
ReverseOrderComparator -> @Suppress("UNCHECKED_CAST") (NaturalOrderComparator as
Comparator<T>)\n  else -> ReversedComparator(this)\n}\n\nprivate class ReversedComparator<T>(public val
comparator: Comparator<T>) : Comparator<T> {\n  override fun compare(a: T, b: T): Int = comparator.compare(b,
a)\n  @Suppress("VIRTUAL_MEMBER_HIDDEN")\n  fun reversed(): Comparator<T> =
comparator\n}\n\nprivate object NaturalOrderComparator : Comparator<Comparable<Any>> {\n  override fun
compare(a: Comparable<Any>, b: Comparable<Any>): Int = a.compareTo(b)\n
@Suppress("VIRTUAL_MEMBER_HIDDEN")\n  fun reversed(): Comparator<Comparable<Any>> =
ReverseOrderComparator\n}\n\nprivate object ReverseOrderComparator : Comparator<Comparable<Any>> {\n
override fun compare(a: Comparable<Any>, b: Comparable<Any>): Int = b.compareTo(a)\n
@Suppress("VIRTUAL_MEMBER_HIDDEN")\n  fun reversed(): Comparator<Comparable<Any>> =
NaturalOrderComparator\n}\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("StandardKt")\npackage kotlin\nimport
kotlin.contracts.*\n\n/**\n * An exception is thrown to indicate that a method body remains to be implemented.\n
*\npublic class NotImplementedError(message: String = "An operation is not implemented.") :
Error(message)\n\n/**\n * Always throws [NotImplementedError] stating that operation is not implemented.\n
*\n\n@kotlin.internal.InlineOnly\npublic inline fun TODO(): Nothing = throw NotImplementedError()\n\n/**\n *
Always throws [NotImplementedError] stating that operation is not implemented.\n * \n * @param reason a string
explaining why the implementation is missing.\n * \n@kotlin.internal.InlineOnly\npublic inline fun TODO(reason:
String): Nothing = throw NotImplementedError("An operation is not implemented: $reason")\n\n\n/**\n * Calls
the specified function [block] and returns its result.\n * \n * For detailed usage information see the documentation for
[scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#run).\n
*\n@kotlin.internal.InlineOnly\npublic inline fun <R> run(block: () -> R): R {\n  contract {\n
callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n  }\n  return block()\n}\n\n/**\n * Calls the specified
function [block] with `this` value as its receiver and returns its result.\n * \n * For detailed usage information see the
documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#run).\n
*\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> T.run(block: T.() -> R): R {\n  contract {\n
callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n  }\n  return block()\n}\n\n/**\n * Calls the specified
function [block] with the given [receiver] as its receiver and returns its result.\n * \n * For detailed usage information
see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#with).\n
*\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> with(receiver: T, block: T.() -> R): R {\n  contract {\n
callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n  }\n  return receiver.block()\n}\n\n\n/**\n * Calls the
specified function [block] with `this` value as its receiver and returns `this` value.\n * \n * For detailed usage
information see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-
functions.html#apply).\n * \n@kotlin.internal.InlineOnly\npublic inline fun <T> T.apply(block: T.() -> Unit): T {\n
contract {\n  callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n  }\n  block()\n  return
this\n}\n\n\n/**\n * Calls the specified function [block] with `this` value as its argument and returns `this` value.\n * \n
*\n * For detailed usage information see the documentation for [scope
functions](https://kotlinlang.org/docs/reference/scope-functions.html#also).\n
*\n@kotlin.internal.InlineOnly\n@SinceKotlin("1.1")\npublic inline fun <T> T.also(block: (T) -> Unit): T {\n
contract {\n  callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n  }\n  block(this)\n  return
this\n}\n\n\n/**\n * Calls the specified function [block] with `this` value as its argument and returns its result.\n * \n
*\n * For detailed usage information see the documentation for [scope
functions](https://kotlinlang.org/docs/reference/scope-functions.html#let).\n * \n@kotlin.internal.InlineOnly\npublic

```

```

inline fun <T, R> T.let(block: (T) -> R): R {
    contract {
        callsInPlace(block,
        InvocationKind.EXACTLY_ONCE)
    }
    return block(this)
}

Returns `this` value if it satisfies the
given [predicate] or `null`, if it doesn't.
For detailed usage information see the documentation for [scope
functions](https://kotlinlang.org/docs/reference/scope-functions.html#takeif-and-takeunless).

@kotlin.internal.InlineOnly@SinceKotlin("1.1")
public inline fun <T> T.takeIf(predicate: (T) -> Boolean):
T? {
    contract {
        callsInPlace(predicate, InvocationKind.EXACTLY_ONCE)
    }
    return if
    (predicate(this)) this else null
}

Returns `this` value if it _does not_ satisfy the given [predicate] or
`null`, if it does.
For detailed usage information see the documentation for [scope
functions](https://kotlinlang.org/docs/reference/scope-functions.html#takeif-and-takeunless).

@kotlin.internal.InlineOnly@SinceKotlin("1.1")
public inline fun <T> T.takeUnless(predicate: (T) ->
Boolean): T? {
    contract {
        callsInPlace(predicate, InvocationKind.EXACTLY_ONCE)
    }
    return if
    (!predicate(this)) this else null
}

Executes the given function [action] specified number of [times].
A zero-based index of current iteration is passed as a parameter to [action].
@sample
samples.misc.ControlFlow.repeat

@kotlin.internal.InlineOnly
public inline fun repeat(times: Int, action: (Int)
-> Unit) {
    contract {
        callsInPlace(action)
    }
    for (index in 0 until times) {
        action(index)
    }
}

Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.
Use of
this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

package kotlin.comparisons

NOTE: THIS FILE IS AUTO-GENERATED by the
GenerateStandardLib.kt

See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib

import
kotlin.js.*

Returns the greater of two values.
If values are equal, returns the first one.

@SinceKotlin("1.1")
public actual fun <T : Comparable<T>> maxOf(a: T, b: T): T {
    return if (a >= b) a
    else b
}

Returns the greater of two values.

@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public actual inline fun maxOf(a: Byte, b: Byte): Byte {
    return maxOf(a.toInt(), b.toInt()).unsafeCast<Byte>()
}

Returns the greater of two values.

@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public actual inline fun maxOf(a: Short, b: Short): Short {
    return maxOf(a.toInt(), b.toInt()).unsafeCast<Short>()
}

Returns the greater of two values.

@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public actual inline fun maxOf(a: Int, b: Int): Int {
    return JsMath.max(a, b)
}

Returns the greater of two values.

@SinceKotlin("1.1")
@Suppress("NOTHING_TO_INLINE")
public actual inline fun maxOf(a: Long, b:
Long): Long {
    return if (a >= b) a else b
}

Returns the greater of two values.
If either value
is `NaN`, returns `NaN`.

@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public actual inline fun
maxOf(a: Float, b: Float): Float {
    return JsMath.max(a, b)
}

Returns the greater of two values.
If either value
is `NaN`, returns `NaN`.

@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public actual
inline fun maxOf(a: Double, b: Double): Double {
    return JsMath.max(a, b)
}

Returns the greater of
three values.
If there are multiple equal maximal values, returns the first of them.

@SinceKotlin("1.1")
public actual fun <T : Comparable<T>> maxOf(a: T, b: T, c: T): T {
    return
maxOf(a, maxOf(b, c))
}

Returns the greater of three values.

@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public actual inline fun maxOf(a: Byte, b: Byte, c: Byte):
Byte {
    return JsMath.max(a.toInt(), b.toInt(), c.toInt()).unsafeCast<Byte>()
}

Returns the greater of
three values.

@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public actual inline fun maxOf(a: Short, b:
Short, c: Short): Short {
    return JsMath.max(a.toInt(), b.toInt(), c.toInt()).unsafeCast<Short>()
}

Returns the greater of three values.

@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public actual inline
fun maxOf(a: Int, b: Int, c: Int): Int {
    return JsMath.max(a, b, c)
}

Returns the greater of three
values.

@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public actual inline fun maxOf(a: Long, b: Long,
c: Long): Long {
    return maxOf(a, maxOf(b, c))
}

Returns the greater of three values.
If any
value is `NaN`, returns `NaN`.

@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public actual inline fun
maxOf(a: Float, b: Float, c: Float): Float {
    return JsMath.max(a, b, c)
}

Returns the greater of three
values.
If any value
is `NaN`, returns `NaN`.

```

```

*^@SinceKotlin("1.1")@kotlin.internal.InlineOnly\npublic actual inline fun maxOf(a: Double, b: Double, c: Double): Double {\n    return JsMath.max(a, b, c)\n}\n\n/**\n * Returns the greater of the given values.\n * \n * If there are multiple equal maximal values, returns the first of them.\n */^@SinceKotlin("1.4")\npublic actual fun <T : Comparable<T>> maxOf(a: T, vararg other: T): T {\n    var max = a\n    for (e in other) max = maxOf(max, e)\n    return max\n}\n\n/**\n * Returns the greater of the given values.\n */^@SinceKotlin("1.4")\npublic actual fun maxOf(a: Byte, vararg other: Byte): Byte {\n    var max = a\n    for (e in other) max = maxOf(max, e)\n    return max\n}\n\n/**\n * Returns the greater of the given values.\n */^@SinceKotlin("1.4")\npublic actual fun maxOf(a: Short, vararg other: Short): Short {\n    var max = a\n    for (e in other) max = maxOf(max, e)\n    return max\n}\n\n/**\n * Returns the greater of the given values.\n */^@SinceKotlin("1.4")\npublic actual fun maxOf(a: Int, vararg other: Int): Int {\n    var max = a\n    for (e in other) max = maxOf(max, e)\n    return max\n}\n\n/**\n * Returns the greater of the given values.\n */^@SinceKotlin("1.4")\npublic actual fun maxOf(a: Long, vararg other: Long): Long {\n    var max = a\n    for (e in other) max = maxOf(max, e)\n    return max\n}\n\n/**\n * Returns the greater of the given values.\n * \n * If any value is `NaN`, returns `NaN`.\n */^@SinceKotlin("1.4")\npublic actual fun maxOf(a: Float, vararg other: Float): Float {\n    var max = a\n    for (e in other) max = maxOf(max, e)\n    return max\n}\n\n/**\n * Returns the greater of the given values.\n * \n * If any value is `NaN`, returns `NaN`.\n */^@SinceKotlin("1.4")\npublic actual fun maxOf(a: Double, vararg other: Double): Double {\n    var max = a\n    for (e in other) max = maxOf(max, e)\n    return max\n}\n\n/**\n * Returns the smaller of two values.\n * \n * If values are equal, returns the first one.\n */^@SinceKotlin("1.1")\npublic actual fun <T : Comparable<T>> minOf(a: T, b: T): T {\n    return if (a <= b) a else b\n}\n\n/**\n * Returns the smaller of two values.\n */^@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Byte, b: Byte): Byte {\n    return minOf(a.toInt(), b.toInt()).unsafeCast<Byte>()\n}\n\n/**\n * Returns the smaller of two values.\n */^@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Short, b: Short): Short {\n    return minOf(a.toInt(), b.toInt()).unsafeCast<Short>()\n}\n\n/**\n * Returns the smaller of two values.\n */^@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Int, b: Int): Int {\n    return JsMath.min(a, b)\n}\n\n/**\n * Returns the smaller of two values.\n */^@SinceKotlin("1.1")\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline fun minOf(a: Long, b: Long): Long {\n    return if (a <= b) a else b\n}\n\n/**\n * Returns the smaller of two values.\n * \n * If either value is `NaN`, returns `NaN`.\n */^@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Float, b: Float): Float {\n    return JsMath.min(a, b)\n}\n\n/**\n * Returns the smaller of two values.\n * \n * If either value is `NaN`, returns `NaN`.\n */^@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Double, b: Double): Double {\n    return JsMath.min(a, b)\n}\n\n/**\n * Returns the smaller of three values.\n * \n * If there are multiple equal minimal values, returns the first of them.\n */^@SinceKotlin("1.1")\npublic actual fun <T : Comparable<T>> minOf(a: T, b: T, c: T): T {\n    return minOf(a, minOf(b, c))\n}\n\n/**\n * Returns the smaller of three values.\n */^@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Byte, b: Byte, c: Byte): Byte {\n    return JsMath.min(a.toInt(), b.toInt(), c.toInt()).unsafeCast<Byte>()\n}\n\n/**\n * Returns the smaller of three values.\n */^@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Short, b: Short, c: Short): Short {\n    return JsMath.min(a.toInt(), b.toInt(), c.toInt()).unsafeCast<Short>()\n}\n\n/**\n * Returns the smaller of three values.\n */^@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Int, b: Int, c: Int): Int {\n    return JsMath.min(a, b, c)\n}\n\n/**\n * Returns the smaller of three values.\n */^@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Long, b: Long, c: Long): Long {\n    return minOf(a, minOf(b, c))\n}\n\n/**\n * Returns the smaller of three values.\n * \n * If any value is `NaN`, returns `NaN`.\n */^@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Float, b: Float, c: Float): Float {\n    return JsMath.min(a, b, c)\n}\n\n/**\n * Returns the smaller of three values.\n * \n * If any value is `NaN`, returns `NaN`.\n */^@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Double, b: Double, c: Double): Double {\n    return JsMath.min(a, b, c)\n}\n\n/**\n * Returns the smaller of the given values.\n * \n * If there are multiple equal minimal values, returns the first of them.\n */^@SinceKotlin("1.4")\npublic actual fun <T

```



```

: Comparable<T>> minOf(a: T, vararg other: T): T {
    var min = a
    for (e in other) min = minOf(min, e)
    return min
}

Returns the smaller of the given values.

@SinceKotlin("1.4")
public actual fun minOf(a: Byte, vararg other: Byte): Byte {
    var min = a
    for (e in other) min = minOf(min, e)
    return min
}

Returns the smaller of the given values.

@SinceKotlin("1.4")
public actual fun minOf(a: Short, vararg other: Short): Short {
    var min = a
    for (e in other) min = minOf(min, e)
    return min
}

Returns the smaller of the given values.

@SinceKotlin("1.4")
public actual fun minOf(a: Int, vararg other: Int): Int {
    var min = a
    for (e in other) min = minOf(min, e)
    return min
}

Returns the smaller of the given values.

@SinceKotlin("1.4")
public actual fun minOf(a: Long, vararg other: Long): Long {
    var min = a
    for (e in other) min = minOf(min, e)
    return min
}

Returns the smaller of the given values.

If any value is `NaN`, returns `NaN`.

@SinceKotlin("1.4")
public actual fun minOf(a: Float, vararg other: Float): Float {
    var min = a
    for (e in other) min = minOf(min, e)
    return min
}

Returns the smaller of the given values.

If any value is `NaN`, returns `NaN`.

@SinceKotlin("1.4")
public actual fun minOf(a: Double, vararg other: Double): Double {
    var min = a
    for (e in other) min = minOf(min, e)
    return min
}

Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.
Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

package kotlin.experimental

import kotlin.jvm.*

@SinceKotlin("1.5")
@WasExperimental(ExperimentalUnsignedTypes::class)
@JvmInline
public value class ULong @PublishedApi internal constructor(@PublishedApi internal val data: Long) : Comparable<ULong> {
    companion object {
        /**
         * A constant holding the minimum value an instance of ULong can have.
         */
        public const val MIN_VALUE: ULong = ULong(0)

        /**
         * A constant holding the maximum value an instance of ULong can have.
         */
        public const val MAX_VALUE: ULong = ULong(-1)

        /**
         * The number of bytes used to represent an instance of ULong in a binary form.
         */
        public const val SIZE_BYTES: Int = 8

        /**
         * The number of bits used to represent an instance of ULong in a binary form.
         */
        public const val SIZE_BITS: Int = 64
    }

    /**
     * Compares this value with the specified value for order.
     * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,
     * or a positive number if it's greater than other.
     */
    @kotlin.internal.InlineOnly
    public inline operator fun compareTo(other: UByte): Int = this.compareTo(other.toULong())

    /**
     * Compares this value with the specified value for order.
     * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,
     * or a positive number if it's greater than other.
     */
    @kotlin.internal.InlineOnly
    public inline operator fun compareTo(other: UShort): Int = this.compareTo(other.toULong())

    /**
     * Compares this value with the specified value for order.
     * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,
     * or a positive number if it's greater than other.
     */
    @kotlin.internal.InlineOnly
    public inline operator fun compareTo(other: UInt): Int = this.compareTo(other.toULong())

    /**
     * Compares this value with the specified value for order.
     * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,
     * or a positive number if it's greater than other.
     */
    @kotlin.internal.InlineOnly
    @Suppress("OVERRIDE_BY_INLINE")
    public override inline operator fun compareTo(other: ULong): Int = ulongCompare(this.data, other.data)

    /**
     * Adds the other value to this value.
     */
    @kotlin.internal.InlineOnly
    public inline operator fun plus(other: UByte): ULong = this.plus(other.toULong())

    /**
     * Adds the other value to this value.
     */
    @kotlin.internal.InlineOnly
    public inline operator fun plus(other: UShort): ULong = this.plus(other.toULong())

    /**
     * Adds the other value to this value.
     */
    @kotlin.internal.InlineOnly
    public inline operator fun plus(other: UInt): ULong = this.plus(other.toULong())

    /**
     * Adds the other value to this value.
     */
    @kotlin.internal.InlineOnly
    public inline operator fun plus(other: ULong): ULong = ULong(this.data.plus(other.data))

    /**
     * Subtracts the other value from this value.
     */
    @kotlin.internal.InlineOnly
    public inline operator fun minus(other: UByte): ULong = this.minus(other.toULong())

    /**
     * Subtracts the other value from this value.
     */
    @kotlin.internal.InlineOnly
    public inline operator fun minus(other: UShort): ULong = this.minus(other.toULong())

    /**
     * Subtracts the other

```

```

value from this value. */n @kotlin.internal.InlineOnly\n public inline operator fun minus(other: UInt): ULong =
this.minus(other.toULong())\n /** Subtracts the other value from this value. */n @kotlin.internal.InlineOnly\n
public inline operator fun minus(other: ULong): ULong = ULong(this.data.minus(other.data))\n\n /** Multiplies
this value by the other value. */n @kotlin.internal.InlineOnly\n public inline operator fun times(other: UByte):
ULong = this.times(other.toULong())\n /** Multiplies this value by the other value. */n
@kotlin.internal.InlineOnly\n public inline operator fun times(other: UShort): ULong =
this.times(other.toULong())\n /** Multiplies this value by the other value. */n @kotlin.internal.InlineOnly\n
public inline operator fun times(other: UInt): ULong = this.times(other.toULong())\n /** Multiplies this value by
the other value. */n @kotlin.internal.InlineOnly\n public inline operator fun times(other: ULong): ULong =
ULong(this.data.times(other.data))\n\n /** Divides this value by the other value, truncating the result to an integer
that is closer to zero. */n @kotlin.internal.InlineOnly\n public inline operator fun div(other: UByte): ULong =
this.div(other.toULong())\n /** Divides this value by the other value, truncating the result to an integer that is
closer to zero. */n @kotlin.internal.InlineOnly\n public inline operator fun div(other: UShort): ULong =
this.div(other.toULong())\n /** Divides this value by the other value, truncating the result to an integer that is
closer to zero. */n @kotlin.internal.InlineOnly\n public inline operator fun div(other: UInt): ULong =
this.div(other.toULong())\n /** Divides this value by the other value, truncating the result to an integer that is
closer to zero. */n @kotlin.internal.InlineOnly\n public inline operator fun div(other: ULong): ULong =
ulongDivide(this, other)\n\n /**\n * Calculates the remainder of truncating division of this value by the other
value.\n * \n * The result is always less than the divisor.\n */n @kotlin.internal.InlineOnly\n public
inline operator fun rem(other: UByte): ULong = this.rem(other.toULong())\n /**\n * Calculates the remainder
of truncating division of this value by the other value.\n * \n * The result is always less than the divisor.\n
*/n @kotlin.internal.InlineOnly\n public inline operator fun rem(other: UShort): ULong =
this.rem(other.toULong())\n /**\n * Calculates the remainder of truncating division of this value by the other
value.\n * \n * The result is always less than the divisor.\n */n @kotlin.internal.InlineOnly\n public
inline operator fun rem(other: UInt): ULong = this.rem(other.toULong())\n /**\n * Calculates the remainder of
truncating division of this value by the other value.\n * \n * The result is always less than the divisor.\n
*/n @kotlin.internal.InlineOnly\n public inline operator fun rem(other: ULong): ULong = ulongRemainder(this,
other)\n\n /**\n * Divides this value by the other value, flooring the result to an integer that is closer to negative
infinity.\n * \n * For unsigned types, the results of flooring division and truncating division are the same.\n
*/n @kotlin.internal.InlineOnly\n public inline fun floorDiv(other: UByte): ULong =
this.floorDiv(other.toULong())\n /**\n * Divides this value by the other value, flooring the result to an integer
that is closer to negative infinity.\n * \n * For unsigned types, the results of flooring division and truncating
division are the same.\n */n @kotlin.internal.InlineOnly\n public inline fun floorDiv(other: UShort): ULong
= this.floorDiv(other.toULong())\n /**\n * Divides this value by the other value, flooring the result to an integer
that is closer to negative infinity.\n * \n * For unsigned types, the results of flooring division and truncating
division are the same.\n */n @kotlin.internal.InlineOnly\n public inline fun floorDiv(other: UInt): ULong =
this.floorDiv(other.toULong())\n /**\n * Divides this value by the other value, flooring the result to an integer
that is closer to negative infinity.\n * \n * For unsigned types, the results of flooring division and truncating
division are the same.\n */n @kotlin.internal.InlineOnly\n public inline fun floorDiv(other: ULong): ULong =
div(other)\n\n /**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n *
The result is always less than the divisor.\n * \n * For unsigned types, the remainders of flooring division and
truncating division are the same.\n */n @kotlin.internal.InlineOnly\n public inline fun mod(other: UByte):
UByte = this.mod(other.toULong()).toUByte()\n /**\n * Calculates the remainder of flooring division of this
value by the other value.\n * \n * The result is always less than the divisor.\n * \n * For unsigned types, the
remainders of flooring division and truncating division are the same.\n */n @kotlin.internal.InlineOnly\n
public inline fun mod(other: UShort): UShort = this.mod(other.toULong()).toUShort()\n /**\n * Calculates the
remainder of flooring division of this value by the other value.\n * \n * The result is always less than the
divisor.\n * \n * For unsigned types, the remainders of flooring division and truncating division are the same.\n

```

```

*\n @kotlin.internal.InlineOnly\n public inline fun mod(other: UInt): UInt =
this.mod(other.toULong()).toUInt()\n /**\n * Calculates the remainder of flooring division of this value by the
other value.\n * \n * The result is always less than the divisor.\n * \n * For unsigned types, the remainders
of flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n public inline
fun mod(other: ULong): ULong = rem(other)\n /**\n * Returns this value incremented by one.\n * \n *
@sample samples.misc.Builtins.inc\n */\n @kotlin.internal.InlineOnly\n public inline operator fun inc():
ULong = ULong(data.inc())\n /**\n * Returns this value decremented by one.\n * \n * @sample
samples.misc.Builtins.dec\n */\n @kotlin.internal.InlineOnly\n public inline operator fun dec(): ULong =
ULong(data.dec())\n /**\n * Creates a range from this value to the specified [other] value. *\n
@kotlin.internal.InlineOnly\n public inline operator fun rangeTo(other: ULong): ULongRange =
ULongRange(this, other)\n /**\n * Shifts this value left by the [bitCount] number of bits.\n * \n * Note
that only the six lowest-order bits of the [bitCount] are used as the shift distance.\n * The shift distance actually
used is therefore always in the range `0..63`.\n */\n @kotlin.internal.InlineOnly\n public inline infix fun
shl(bitCount: Int): ULong = ULong(data shl bitCount)\n /**\n * Shifts this value right by the [bitCount]
number of bits, filling the leftmost bits with zeros.\n * \n * Note that only the six lowest-order bits of the
[bitCount] are used as the shift distance.\n * The shift distance actually used is therefore always in the range
`0..63`.\n */\n @kotlin.internal.InlineOnly\n public inline infix fun shr(bitCount: Int): ULong = ULong(data
ushr bitCount)\n /**\n * Performs a bitwise AND operation between the two values. *\n
@kotlin.internal.InlineOnly\n public inline infix fun and(other: ULong): ULong = ULong(this.data and
other.data)\n /**\n * Performs a bitwise OR operation between the two values. *\n
@kotlin.internal.InlineOnly\n public inline infix fun or(other: ULong): ULong = ULong(this.data or other.data)\n /**\n * Performs a bitwise XOR
operation between the two values. *\n
@kotlin.internal.InlineOnly\n public inline infix fun xor(other: ULong):
ULong = ULong(this.data xor other.data)\n /**\n * Inverts the bits in this value. *\n
@kotlin.internal.InlineOnly\n public inline fun inv(): ULong = ULong(data.inv())\n /**\n * Converts this [ULong] value to [Byte].\n * \n
* If this value is less than or equals to [Byte.MAX_VALUE], the resulting `Byte` value represents\n * the same
numerical value as this `ULong`.\n * \n * The resulting `Byte` value is represented by the least significant 8 bits
of this `ULong` value.\n * Note that the resulting `Byte` value may be negative.\n */\n
@kotlin.internal.InlineOnly\n public inline fun toByte(): Byte = data.toByte()\n /**\n * Converts this [ULong]
value to [Short].\n * \n * If this value is less than or equals to [Short.MAX_VALUE], the resulting `Short` value
represents\n * the same numerical value as this `ULong`.\n * \n * The resulting `Short` value is represented
by the least significant 16 bits of this `ULong` value.\n * Note that the resulting `Short` value may be negative.\n
*/\n @kotlin.internal.InlineOnly\n public inline fun toShort(): Short = data.toShort()\n /**\n * Converts this
[ULong] value to [Int].\n * \n * If this value is less than or equals to [Int.MAX_VALUE], the resulting `Int`
value represents\n * the same numerical value as this `ULong`.\n * \n * The resulting `Int` value is
represented by the least significant 32 bits of this `ULong` value.\n * Note that the resulting `Int` value may be
negative.\n */\n @kotlin.internal.InlineOnly\n public inline fun toInt(): Int = data.toInt()\n /**\n *
Converts this [ULong] value to [Long].\n * \n * If this value is less than or equals to [Long.MAX_VALUE], the
resulting `Long` value represents\n * the same numerical value as this `ULong`. Otherwise the result is
negative.\n * \n * The resulting `Long` value has the same binary representation as this `ULong` value.\n */\n
@kotlin.internal.InlineOnly\n public inline fun toLong(): Long = data\n /**\n * Converts this [ULong]
value to [UByte].\n * \n * If this value is less than or equals to [UByte.MAX_VALUE], the resulting `UByte`
value represents\n * the same numerical value as this `ULong`.\n * \n * The resulting `UByte` value is
represented by the least significant 8 bits of this `ULong` value.\n */\n @kotlin.internal.InlineOnly\n public
inline fun toUByte(): UByte = data.toUByte()\n /**\n * Converts this [ULong] value to [UShort].\n * \n * If
this value is less than or equals to [UShort.MAX_VALUE], the resulting `UShort` value represents\n * the same
numerical value as this `ULong`.\n * \n * The resulting `UShort` value is represented by the least significant 16
bits of this `ULong` value.\n */\n @kotlin.internal.InlineOnly\n public inline fun toUShort(): UShort =
data.toUShort()\n /**\n * Converts this [ULong] value to [UInt].\n * \n * If this value is less than or equals

```

```

to [UInt.MAX_VALUE], the resulting `UInt` value represents
 * the same numerical value as this `ULong`.
 *
 * The resulting `UInt` value is represented by the least significant 32 bits of this `ULong` value.
 */
@kotlin.internal.InlineOnly
public inline fun toUInt(): UInt = data.toUInt()
/** Returns this value. */
@kotlin.internal.InlineOnly
public inline fun toULong(): ULong = this
/**
 * Converts this [ULong]
value to [Float].
 *
 * The resulting value is the closest `Float` to this `ULong` value.
 * In case when this
`ULong` value is exactly between two `Float`s,
 * the one with zero at least significant bit of mantissa is
selected.
 */
@kotlin.internal.InlineOnly
public inline fun toFloat(): Float = this.toDouble().toFloat()
/**
 * Converts this [ULong] value to [Double].
 *
 * The resulting value is the closest `Double` to this
`ULong` value.
 * In case when this `ULong` value is exactly between two `Double`s,
 * the one with zero at
least significant bit of mantissa is selected.
 */
@kotlin.internal.InlineOnly
public inline fun toDouble():
Double = ulongToDouble(data)
public override fun toString(): String = ulongToString(data)
}
/**
 * Converts this [Byte] value to [ULong].
 *
 * If this value is positive, the resulting `ULong` value represents the
same numerical value as this `Byte`.
 *
 * The least significant 8 bits of the resulting `ULong` value are the same
as the bits of this `Byte` value,
 * whereas the most significant 56 bits are filled with the sign bit of this value.
 */
@SinceKotlin("1.5")
@WasExperimental(ExperimentalUnsignedTypes::class)
@kotlin.internal.InlineOnly
public inline fun Byte.toULong(): ULong = ULong(this.toLong())
/**
 * Converts this [Short] value to
[ULong].
 *
 * If this value is positive, the resulting `ULong` value represents the same numerical value as this
`Short`.
 *
 * The least significant 16 bits of the resulting `ULong` value are the same as the bits of this `Short`
value,
 * whereas the most significant 48 bits are filled with the sign bit of this value.
 */
@SinceKotlin("1.5")
@WasExperimental(ExperimentalUnsignedTypes::class)
@kotlin.internal.InlineOnly
public inline fun Short.toULong(): ULong = ULong(this.toLong())
/**
 * Converts this [Int] value to [ULong].
 *
 * If this value is positive, the resulting `ULong` value represents the same numerical value as this `Int`.
 *
 * The least significant 32 bits of the resulting `ULong` value are the same as the bits of this `Int` value,
 * whereas
the most significant 32 bits are filled with the sign bit of this value.
 */
@SinceKotlin("1.5")
@WasExperimental(ExperimentalUnsignedTypes::class)
@kotlin.internal.InlineOnly
public inline fun Int.toULong(): ULong = ULong(this.toLong())
/**
 * Converts this [Long] value to [ULong].
 *
 * If this value is positive, the resulting `ULong` value represents the same numerical value as this `Long`.
 *
 * The resulting `ULong` value has the same binary representation as this `Long` value.
 */
@SinceKotlin("1.5")
@WasExperimental(ExperimentalUnsignedTypes::class)
@kotlin.internal.InlineOnly
public inline fun Long.toULong(): ULong = ULong(this)
/**
 * Converts this [Float] value to [ULong].
 *
 * The fractional part, if any, is rounded down towards zero.
 * Returns zero if this `Float` value is negative or `NaN`,
[ULong.MAX_VALUE] if it's bigger than `ULong.MAX_VALUE`.
 */
@SinceKotlin("1.5")
@WasExperimental(ExperimentalUnsignedTypes::class)
@kotlin.internal.InlineOnly
public inline fun Float.toULong(): ULong = doubleToULong(this.toDouble())
/**
 * Converts this [Double]
value to [ULong].
 *
 * The fractional part, if any, is rounded down towards zero.
 * Returns zero if this
`Double` value is negative or `NaN`, [ULong.MAX_VALUE] if it's bigger than `ULong.MAX_VALUE`.
 */
@SinceKotlin("1.5")
@WasExperimental(ExperimentalUnsignedTypes::class)
@kotlin.internal.InlineOnly
public inline fun Double.toULong(): ULong = doubleToULong(this)
}
/* Copyright 2010-2021 JetBrains
s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.
 */
@file:kotlin.jvm.JvmMultifileClass
@file:kotlin.jvm.JvmName("CollectionsKt")
package
kotlin.collections
// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt
// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib
//
import kotlin.random.*
import
kotlin.ranges.contains
import kotlin.ranges.reversed
/**
 * Returns 1st *element* from the list.
 *
 * Throws an [IndexOutOfBoundsException] if the size of this list is less than 1.
 */
@kotlin.internal.InlineOnly
public inline operator fun <T> List<T>.component1(): T {
return
get(0)
}
/**
 * Returns 2nd *element* from the list.
 *
 * Throws an [IndexOutOfBoundsException] if the
size of this list is less than 2.
 */
@kotlin.internal.InlineOnly
public inline operator fun <T>

```

```

List<T>.component2(): T { \n  return get(1)\n}\n\n/**\n * Returns 3rd *element* from the list.\n * \n * Throws an
[IndexOutOfBoundsException] if the size of this list is less than 3.\n */\n@kotlin.internal.InlineOnly\npublic inline
operator fun <T> List<T>.component3(): T { \n  return get(2)\n}\n\n/**\n * Returns 4th *element* from the list.\n
* \n * Throws an [IndexOutOfBoundsException] if the size of this list is less than 4.\n
*/\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> List<T>.component4(): T { \n  return
get(3)\n}\n\n/**\n * Returns 5th *element* from the list.\n * \n * Throws an [IndexOutOfBoundsException] if the
size of this list is less than 5.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T>
List<T>.component5(): T { \n  return get(4)\n}\n\n/**\n * Returns `true` if [element] is found in the collection.\n
*/\npublic operator fun <@kotlin.internal.OnlyInputTypes T> Iterable<T>.contains(element: T): Boolean { \n  if
(this is Collection)\n    return contains(element)\n    return indexOf(element) >= 0\n}\n\n/**\n * Returns an
element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this
collection.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic fun <T>
Iterable<T>.elementAt(index: Int): T { \n  if (this is List)\n    return get(index)\n    return
elementAtOrElse(index) { throw IndexOutOfBoundsException("\Collection doesn't contain element at index
$index.\n") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if
the [index] is out of bounds of this list.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun <T> List<T>.elementAt(index: Int): T { \n  return
get(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function
if the [index] is out of bounds of this collection.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n */\npublic fun <T>
Iterable<T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T { \n  if (this is List)\n    return
this.getOrElse(index, defaultValue)\n    if (index < 0)\n      return defaultValue(index)\n    val iterator = iterator()\n
    var count = 0\n    while (iterator.hasNext()) { \n      val element = iterator.next()\n      if (index == count++)\n
      return element\n    }\n    return defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or
the result of calling the [defaultValue] function if the [index] is out of bounds of this list.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun
<T> List<T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T { \n  return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the
[index] is out of bounds of this collection.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n */\npublic fun <T>
Iterable<T>.elementAtOrNull(index: Int): T? { \n  if (this is List)\n    return this.getOrNull(index)\n    if (index <
0)\n      return null\n    val iterator = iterator()\n    var count = 0\n    while (iterator.hasNext()) { \n      val element =
iterator.next()\n      if (index == count++)\n        return element\n    }\n    return null\n}\n\n/**\n * Returns an
element at the given [index] or `null` if the [index] is out of bounds of this list.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun
<T> List<T>.elementAtOrNull(index: Int): T? { \n  return this.getOrNull(index)\n}\n\n/**\n * Returns the first
element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T>
Iterable<T>.find(predicate: (T) -> Boolean): T? { \n  return firstOrNull(predicate)\n}\n\n/**\n * Returns the last
element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T>
Iterable<T>.findLast(predicate: (T) -> Boolean): T? { \n  return lastOrNull(predicate)\n}\n\n/**\n * Returns the last
element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T>
List<T>.findLast(predicate: (T) -> Boolean): T? { \n  return lastOrNull(predicate)\n}\n\n/**\n * Returns first
element.\n * @throws [NoSuchElementException] if the collection is empty.\n */\npublic fun <T>
Iterable<T>.first(): T { \n  when (this) { \n    is List -> return this.first()\n    else -> { \n      val iterator =
iterator()\n      if (!iterator.hasNext())\n        throw NoSuchElementException("\Collection is empty.\n")\n    }
  }
}

```

```

return iterator.next()\n    }\n }\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException]
if the list is empty.\n */\npublic fun <T> List<T>.first(): T {\n    if (isEmpty())\n        throw
NoSuchElementException("List is empty.")\n    return this[0]\n}\n\n/**\n * Returns the first element matching the
given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun <T>
Iterable<T>.first(predicate: (T) -> Boolean): T {\n    for (element in this) if (predicate(element)) return element\n
throw NoSuchElementException("Collection contains no element matching the predicate.")\n}\n\n/**\n * Returns
the first non-null value produced by [transform] function being applied to elements of this collection in iteration
order,\n * or throws [NoSuchElementException] if no non-null value was produced.\n * \n * @sample
samples.collections.Collections.Transformations.firstNotNullOf\n
*/\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Any>
Iterable<T>.firstNotNullOf(transform: (T) -> R?): R {\n    return firstNotNullOfOrNull(transform) ?: throw
NoSuchElementException("No element of the collection was transformed to a non-null value.")\n}\n\n/**\n * Returns
the first non-null value produced by [transform] function being applied to elements of this collection in
iteration order,\n * or `null` if no non-null value was produced.\n * \n * @sample
samples.collections.Collections.Transformations.firstNotNullOf\n
*/\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Any>
Iterable<T>.firstNotNullOfOrNull(transform: (T) -> R?): R? {\n    for (element in this) {\n        val result =
transform(element)\n        if (result != null) {\n            return result\n        }\n    }\n    return null\n}\n\n/**\n * Returns the first element, or `null` if the collection is empty.\n */\npublic fun <T> Iterable<T>.firstOrNull(): T? {\n
when (this) {\n    is List -> {\n        if (isEmpty())\n            return null\n        else\n            return this[0]\n    }\n    else -> {\n        val iterator = iterator()\n        if (!iterator.hasNext())\n            return null\n        return iterator.next()\n    }\n }\n}\n\n/**\n * Returns the first element, or `null` if the list is empty.\n */\npublic
fun <T> List<T>.firstOrNull(): T? {\n    return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element
matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun <T>
Iterable<T>.firstOrNull(predicate: (T) -> Boolean): T? {\n    for (element in this) if (predicate(element)) return
element\n    return null\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the
[defaultValue] function if the [index] is out of bounds of this list.\n */\n@kotlin.internal.InlineOnly\npublic inline
fun <T> List<T>.getOrNull(index: Int, defaultValue: (Int) -> T): T {\n    return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the
[index] is out of bounds of this list.\n * \n * @sample samples.collections.Collections.Elements.getOrNull\n
*/\npublic fun <T> List<T>.getOrNull(index: Int): T? {\n    return if (index >= 0 && index <= lastIndex) get(index)
else null\n}\n\n/**\n * Returns first index of [element], or -1 if the collection does not contain element.\n */\npublic
fun <@kotlin.internal.OnlyInputTypes T> Iterable<T>.indexOf(element: T): Int {\n    if (this is List) return
this.indexOf(element)\n    var index = 0\n    for (item in this) {\n        checkIndexOverflow(index)\n        if (element
== item)\n            return index\n        index++\n    }\n    return -1\n}\n\n/**\n * Returns first index of [element], or -1
if the list does not contain element.\n */\n@Suppress("EXTENSION_SHADOWED_BY_MEMBER") // false
warning, extension takes precedence in some cases\npublic fun <@kotlin.internal.OnlyInputTypes T>
List<T>.indexOf(element: T): Int {\n    return indexOf(element)\n}\n\n/**\n * Returns index of the first element
matching the given [predicate], or -1 if the collection does not contain such element.\n */\npublic inline fun <T>
Iterable<T>.indexOfFirst(predicate: (T) -> Boolean): Int {\n    var index = 0\n    for (item in this) {\n
checkIndexOverflow(index)\n        if (predicate(item))\n            return index\n        index++\n    }\n    return -
1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the list does not contain
such element.\n */\npublic inline fun <T> List<T>.indexOfFirst(predicate: (T) -> Boolean): Int {\n    var index = 0\n
for (item in this) {\n        if (predicate(item))\n            return index\n        index++\n    }\n    return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the collection does not contain such
element.\n */\npublic inline fun <T> Iterable<T>.indexOfLast(predicate: (T) -> Boolean): Int {\n    var lastIndex = -
1\n    var index = 0\n    for (item in this) {\n        checkIndexOverflow(index)\n        if (predicate(item))\n
lastIndex = index\n        index++\n    }\n    return lastIndex\n}\n\n/**\n * Returns index of the last element matching

```

```

the given [predicate], or -1 if the list does not contain such element.\n *^npublic inline fun <T>
List<T>.indexOfLast(predicate: (T) -> Boolean): Int {\n  val iterator = this.listIterator(size)\n  while
(iterator.hasPrevious()) {\n    if (predicate(iterator.previous())) {\n      return iterator.nextIndex()\n    }\n  }\n  return -1\n}\n\n/**\n * Returns the last element.\n * \n * @throws NoSuchElementException if the collection
is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n *^npublic fun <T> Iterable<T>.last(): T
{\n  when (this) {\n    is List -> return this.last()\n    else -> {\n      val iterator = iterator()\n      if
(!iterator.hasNext())\n        throw NoSuchElementException("Collection is empty.")\n      var last =
iterator.next()\n      while (iterator.hasNext())\n        last = iterator.next()\n      return last\n    }\n  }\n}\n\n/**\n * Returns the last element.\n * \n * @throws NoSuchElementException if the list is empty.\n * \n *
@sample samples.collections.Collections.Elements.last\n *^npublic fun <T> List<T>.last(): T {\n  if (isEmpty())\n    throw NoSuchElementException("List is empty.")\n  return this[lastIndex]}\n}\n\n/**\n * Returns the last
element matching the given [predicate].\n * \n * @throws NoSuchElementException if no such element is found.\n *
\n * @sample samples.collections.Collections.Elements.last\n *^npublic inline fun <T>
Iterable<T>.last(predicate: (T) -> Boolean): T {\n  var last: T? = null\n  var found = false\n  for (element in this)
{\n    if (predicate(element)) {\n      last = element\n      found = true\n    }\n  }\n  if (!found) throw
NoSuchElementException("Collection contains no element matching the predicate.")\n  @Suppress("UNCHECKED_CAST")\n  return last as T\n}\n\n/**\n * Returns the last element matching the
given [predicate].\n * \n * @throws NoSuchElementException if no such element is found.\n * \n * @sample
samples.collections.Collections.Elements.last\n *^npublic inline fun <T> List<T>.last(predicate: (T) -> Boolean): T
{\n  val iterator = this.listIterator(size)\n  while (iterator.hasPrevious()) {\n    val element = iterator.previous()\n
if (predicate(element)) return element\n  }\n  throw NoSuchElementException("List contains no element
matching the predicate.")\n}\n\n/**\n * Returns last index of [element], or -1 if the collection does not contain
element.\n *^npublic fun <@kotlin.internal.OnlyInputTypes T> Iterable<T>.lastIndexOf(element: T): Int {\n  if
(this is List) return this.lastIndexOf(element)\n  var lastIndex = -1\n  var index = 0\n  for (item in this) {\n
checkIndexOverflow(index)\n    if (element == item)\n      lastIndex = index\n      index++\n  }\n  return
lastIndex\n}\n\n/**\n * Returns last index of [element], or -1 if the list does not contain element.\n *
\n *^n@Suppress("EXTENSION_SHADOWED_BY_MEMBER") // false warning, extension takes precedence in
some cases\npublic fun <@kotlin.internal.OnlyInputTypes T> List<T>.lastIndexOf(element: T): Int {\n  return
lastIndexOf(element)\n}\n\n/**\n * Returns the last element, or `null` if the collection is empty.\n * \n * @sample
samples.collections.Collections.Elements.last\n *^npublic fun <T> Iterable<T>.lastOrNull(): T? {\n  when (this)
{\n    is List -> return if (isEmpty()) null else this[size - 1]\n    else -> {\n      val iterator = iterator()\n
if (!iterator.hasNext())\n        return null\n      var last = iterator.next()\n      while (iterator.hasNext())\n
last = iterator.next()\n      return last\n    }\n  }\n}\n\n/**\n * Returns the last element, or `null` if the
list is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n *^npublic fun <T>
List<T>.lastOrNull(): T? {\n  return if (isEmpty()) null else this[size - 1]}\n}\n\n/**\n * Returns the last element
matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n *^npublic inline fun <T> Iterable<T>.lastOrNull(predicate: (T) ->
Boolean): T? {\n  var last: T? = null\n  for (element in this) {\n    if (predicate(element)) {\n      last =
element\n    }\n  }\n  return last\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null`
if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.last\n *^npublic inline
fun <T> List<T>.lastOrNull(predicate: (T) -> Boolean): T? {\n  val iterator = this.listIterator(size)\n  while
(iterator.hasPrevious()) {\n    val element = iterator.previous()\n    if (predicate(element)) return element\n  }\n
return null\n}\n\n/**\n * Returns a random element from this collection.\n * \n * @throws
NoSuchElementException if this collection is empty.\n *
\n *^n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Collection<T>.random(): T {\n  return
random(Random)\n}\n\n/**\n * Returns a random element from this collection using the specified source of
randomness.\n * \n * @throws NoSuchElementException if this collection is empty.\n *
\n *^n@SinceKotlin("1.3")\npublic fun <T> Collection<T>.random(random: Random): T {\n  if (isEmpty())\n

```

```

throw NoSuchElementException("Collection is empty.")\n    return elementAt(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this collection, or `null` if this collection is empty.\n *\n */\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <T> Collection<T>.randomOrNull(): T? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this collection using the specified source of randomness, or `null` if this collection is empty.\n *\n */\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun <T> Collection<T>.randomOrNull(random: Random): T? {\n    if (isEmpty())\n        return null\n    return elementAt(random.nextInt(size))\n}\n\n/**\n * Returns the single element, or throws an exception if the collection is empty or has more than one element.\n *\n */\npublic fun <T> Iterable<T>.single(): T {\n    when (this) {\n        is List -> return this.single()\n        else -> {\n            val iterator = iterator()\n            if (!iterator.hasNext())\n                throw NoSuchElementException("Collection is empty.")\n            val single = iterator.next()\n            if (iterator.hasNext())\n                throw IllegalArgumentException("Collection has more than one element.")\n            return single\n        }\n    }\n}\n\n/**\n * Returns the single element, or throws an exception if the list is empty or has more than one element.\n *\n */\npublic fun <T> List<T>.single(): T {\n    return when (size) {\n        0 -> throw NoSuchElementException("List is empty.")\n        1 -> this[0]\n        else -> throw IllegalArgumentException("List has more than one element.")\n    }\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n *\n */\npublic inline fun <T> Iterable<T>.single(predicate: (T) -> Boolean): T {\n    var single: T? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) throw IllegalArgumentException("Collection contains more than one matching element.")\n            single = element\n            found = true\n        }\n    }\n    if (!found) throw NoSuchElementException("Collection contains no element matching the predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return single as T\n}\n\n/**\n * Returns single element, or `null` if the collection is empty or has more than one element.\n *\n */\npublic fun <T> Iterable<T>.singleOrNull(): T? {\n    when (this) {\n        is List -> return if (size == 1) this[0] else null\n        else -> {\n            val iterator = iterator()\n            if (!iterator.hasNext())\n                return null\n            val single = iterator.next()\n            if (iterator.hasNext())\n                return null\n            return single\n        }\n    }\n}\n\n/**\n * Returns single element, or `null` if the list is empty or has more than one element.\n *\n */\npublic fun <T> List<T>.singleOrNull(): T? {\n    return if (size == 1) this[0] else null\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n *\n */\npublic inline fun <T> Iterable<T>.singleOrNull(predicate: (T) -> Boolean): T? {\n    var single: T? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) return null\n            single = element\n            found = true\n        }\n    }\n    if (!found) return null\n    return single\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n *\n */\n@throws IllegalArgumentException if [n] is negative.\n * @sample samples.collections.Collections.Transformations.drop\n *\n */\npublic fun <T> Iterable<T>.drop(n: Int): List<T> {\n    require(n >= 0) {"Requested element count $n is less than zero." }\n    if (n == 0) return toList()\n    val list: ArrayList<T>\n    if (this is Collection<*>) {\n        val resultSize = size - n\n        if (resultSize <= 0)\n            return emptyList()\n        if (resultSize == 1)\n            return listOf(last())\n        list = ArrayList<T>(resultSize)\n        if (this is List<T>) {\n            if (this is RandomAccess) {\n                for (index in n until size)\n                    list.add(this[index])\n            } else {\n                for (item in listIterator(n))\n                    list.add(item)\n            }\n        }\n        return list\n    }\n    else {\n        list = ArrayList<T>()\n        var count = 0\n        for (item in this) {\n            if (count >= n) list.add(item) else ++count\n        }\n        return list.optimizeReadOnlyList()\n    }\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n *\n */\n@throws IllegalArgumentException if [n] is negative.\n * @sample samples.collections.Collections.Transformations.drop\n *\n */\npublic fun <T> List<T>.dropLast(n: Int): List<T> {\n    require(n >= 0) {"Requested element count $n is less than zero." }\n    return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n *\n */\n@sample samples.collections.Collections.Transformations.drop\n *\n */\npublic inline fun <T> List<T>.dropLastWhile(predicate: (T) -> Boolean): List<T> {\n    if (!isEmpty()) {\n        val iterator = listIterator(size)\n        while (iterator.hasPrevious()) {\n            if (!predicate(iterator.previous()))\n                return

```



```

take(iterator.nextIndex() + 1)\n        }\n        }\n        }\n        return emptyList()\n}\n\n/**\n * Returns a list containing
all elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n * \npublic inline fun <T> Iterable<T>.dropWhile(predicate:
(T) -> Boolean): List<T> {\n    var yielding = false\n    val list = ArrayList<T>()\n    for (item in this)\n        if
(yielding)\n            list.add(item)\n        else if (!predicate(item)) {\n            list.add(item)\n            yielding = true\n
        }\n    return list\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n *
@sample samples.collections.Collections.Filtering.filter\n * \npublic inline fun <T> Iterable<T>.filter(predicate: (T)
-> Boolean): List<T> {\n    return filterTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Returns a list containing only
elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the
element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexed\n * \npublic inline fun <T>
Iterable<T>.filterIndexed(predicate: (index: Int, T) -> Boolean): List<T> {\n    return
filterIndexedTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Appends all elements matching the given [predicate] to
the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n *
and returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexedTo\n * \npublic inline fun <T, C : MutableCollection<in T>>
Iterable<T>.filterIndexedTo(destination: C, predicate: (index: Int, T) -> Boolean): C {\n    forEachIndexed { index,
element ->\n        if (predicate(index, element)) destination.add(element)\n    }\n    return destination\n}\n\n/**\n *
Returns a list containing all elements that are instances of specified type parameter R.\n * \n * @sample
samples.collections.Collections.Filtering.filterIsInstance\n * \npublic inline fun <reified R>
Iterable<*>.filterIsInstance(): List<@kotlin.internal.NoInfer R> {\n    return
filterIsInstanceTo(ArrayList<R>())\n}\n\n/**\n * Appends all elements that are instances of specified type
parameter R to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterIsInstanceTo\n * \npublic inline fun <reified R, C :
MutableCollection<in R>> Iterable<*>.filterIsInstanceTo(destination: C): C {\n    for (element in this) if (element is
R) destination.add(element)\n    return destination\n}\n\n/**\n * Returns a list containing all elements not matching
the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n * \npublic inline fun <T>
Iterable<T>.filterNot(predicate: (T) -> Boolean): List<T> {\n    return filterNotTo(ArrayList<T>(),
predicate)\n}\n\n/**\n * Returns a list containing all elements that are not `null`.\n * \n * @sample
samples.collections.Collections.Filtering.filterNotNull\n * \npublic fun <T : Any> Iterable<T?>.filterNotNull():
List<T> {\n    return filterNotNullTo(ArrayList<T>())\n}\n\n/**\n * Appends all elements that are not `null` to the
given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterNotNullTo\n * \npublic fun <C
: MutableCollection<in T>, T : Any> Iterable<T?>.filterNotNullTo(destination: C): C {\n    for (element in this) if
(element != null) destination.add(element)\n    return destination\n}\n\n/**\n * Appends all elements not matching
the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n *
\npublic inline fun <T, C : MutableCollection<in T>> Iterable<T>.filterNotTo(destination: C, predicate: (T) ->
Boolean): C {\n    for (element in this) if (!predicate(element)) destination.add(element)\n    return
destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * \n *
@sample samples.collections.Collections.Filtering.filterTo\n * \npublic inline fun <T, C : MutableCollection<in
T>> Iterable<T>.filterTo(destination: C, predicate: (T) -> Boolean): C {\n    for (element in this) if
(predicate(element)) destination.add(element)\n    return destination\n}\n\n/**\n * Returns a list containing elements
at indices in the specified [indices] range.\n * \npublic fun <T> List<T>.slice(indices: IntRange): List<T> {\n    if
(indices.isEmpty()) return listOf()\n    return this.subList(indices.start, indices.endInclusive + 1).toList()\n}\n\n/**\n *
Returns a list containing elements at specified [indices].\n * \npublic fun <T> List<T>.slice(indices:
Iterable<Int>): List<T> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n
    val list = ArrayList<T>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n *
Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n *
@sample samples.collections.Collections.Transformations.take\n * \npublic fun <T> Iterable<T>.take(n: Int):

```

```

List<T> {
    require(n >= 0) { "Requested element count $n is less than zero." }
    if (n == 0) return emptyList()
    if (this is Collection<T>) {
        if (n >= size) return toList()
        if (n == 1) return listOf(first())
    }
    var count = 0
    val list = ArrayList<T>(n)
    for (item in this) {
        list.add(item)
        if (++count == n) break
    }
    return list.optimizeReadOnlyList()
}

/**
 * Returns a list containing last [n] elements.
 *
 * @throws IllegalArgumentException if [n] is negative.
 *
 * @sample
 * samples.collections.Collections.Transformations.take
 */
public fun <T> List<T>.takeLast(n: Int): List<T> {
    require(n >= 0) { "Requested element count $n is less than zero." }
    if (n == 0) return emptyList()
    val size = size
    if (n >= size) return toList()
    if (n == 1) return listOf(last())
    val list = ArrayList<T>(n)
    if (this is RandomAccess) {
        for (index in size - n until size)
            list.add(this[index])
    } else {
        for (item in listIterator(size - n))
            list.add(item)
    }
    return list
}

/**
 * Returns a list containing last elements satisfying the given [predicate].
 *
 * @sample
 * samples.collections.Collections.Transformations.take
 */
public inline fun <T> List<T>.takeLastWhile(predicate: (T) -> Boolean): List<T> {
    if (isEmpty()) return emptyList()
    val iterator = listIterator(size)
    while (iterator.hasPrevious()) {
        if (!predicate(iterator.previous())) {
            iterator.next()
            val expectedSize = size - iterator.nextIndex()
            if (expectedSize == 0) return emptyList()
            return ArrayList<T>(expectedSize).apply {
                while (iterator.hasNext())
                    add(iterator.next())
            }
        }
    }
    return toList()
}

/**
 * Returns a list containing first elements satisfying the given [predicate].
 *
 * @sample
 * samples.collections.Collections.Transformations.take
 */
public inline fun <T> Iterable<T>.takeWhile(predicate: (T) -> Boolean): List<T> {
    val list = ArrayList<T>()
    for (item in this) {
        if (!predicate(item)) break
        list.add(item)
    }
    return list
}

/**
 * Reverses elements in the list in-place.
 *
 * @public
 * expect fun <T> MutableList<T>.reverse(): Unit
 */
/**
 * Returns a list with elements in reversed order.
 *
 * @public
 * fun <T> Iterable<T>.reversed(): List<T>
 */
if (this is Collection && size <= 1) return toList()
val list = toMutableList()
list.reverse()
return list
}

/**
 * Randomly shuffles elements in this list in-place using the specified [random] instance as the source of randomness.
 *
 * See:
 * https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm
 *
 * @SinceKotlin("1.3")
 * @public
 * fun <T> MutableList<T>.shuffle(random: Random): Unit
 */
for (i in lastIndex downTo 1) {
    val j = random.nextInt(i + 1)
    this[j] = this.set(i, this[j])
}

/**
 * Sorts elements in the list in-place according to natural sort order of the value returned by specified [selector] function.
 *
 * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.
 *
 * @public
 * inline fun <T, R : Comparable<R>> MutableList<T>.sortBy(crossinline selector: (T) -> R?): Unit
 */
if (size > 1)
    sortWith(compareBy(selector))

/**
 * Sorts elements in the list in-place descending according to natural sort order of the value returned by specified [selector] function.
 *
 * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.
 *
 * @public
 * inline fun <T, R : Comparable<R>> MutableList<T>.sortByDescending(crossinline selector: (T) -> R?): Unit
 */
if (size > 1)
    sortWith(compareByDescending(selector))

/**
 * Sorts elements in the list in-place descending according to their natural sort order.
 *
 * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.
 *
 * @public
 * fun <T : Comparable<T>> MutableList<T>.sortDescending(): Unit
 */
if (size > 1)
    sortWith(reverseOrder())

/**
 * Returns a list of all elements sorted according to their natural sort order.
 *
 * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.
 *
 * @public
 * fun <T : Comparable<T>> Iterable<T>.sorted(): List<T>
 */
if (this is Collection) {
    if (size <= 1) return this.toList()
    @Suppress("UNCHECKED_CAST")
    return (toArray<Comparable<T>>()) as Array<T>.apply { sort() }.asList()
}
return toMutableList().apply { sort() }

/**
 * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.
 *
 * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.
 *
 * @sample
 * samples.collections.Collections.Sorting.sortedBy
 */
public inline fun <T, R : Comparable<R>> Iterable<T>.sortedBy(crossinline selector: (T) -> R?): List<T> {
    return sortedWith(compareBy(selector))
}

/**
 * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.
 *
 * The sort is _stable_. It means that equal

```

elements preserve their order relative to each other after sorting.

```

public inline fun <T, R : Comparable<R>>
Iterable<T>.sortedByDescending(crossinline selector: (T) -> R?): List<T> {
    return
sortedWith(compareByDescending(selector))
}

```

\* Returns a list of all elements sorted descending according to their natural sort order. The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.

```

public fun <T : Comparable<T>> Iterable<T>.sortedDescending(): List<T>
{
    return sortedWith(reverseOrder())
}

```

\* Returns a list of all elements sorted according to the specified [comparator]. The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.

```

public fun <T> Iterable<T>.sortedWith(comparator: Comparator<in T>): List<T>
{
    if (this is Collection) {
        if (size <= 1) return this.toList()
        @Suppress("UNCHECKED_CAST")
        return
(toTypedArray<Any?>() as Array<T>).apply {
            sortWith(comparator)
        }.asList()
    }
    return
toMutableList().apply {
        sortWith(comparator)
    }
}

```

\* Returns an array of Boolean containing all of the elements of this collection.

```

public fun Collection<Boolean>.toBooleanArray(): BooleanArray
{
    val result = BooleanArray(size)
    var index = 0
    for (element in this)
        result[index++] = element
    return
result
}

```

\* Returns an array of Byte containing all of the elements of this collection.

```

public fun Collection<Byte>.toByteArray(): ByteArray
{
    val result = ByteArray(size)
    var index = 0
    for (element in this)
        result[index++] = element
    return
result
}

```

\* Returns an array of Char containing all of the elements of this collection.

```

public fun Collection<Char>.toCharArray(): CharArray
{
    val result = CharArray(size)
    var index = 0
    for (element in this)
        result[index++] = element
    return
result
}

```

\* Returns an array of Double containing all of the elements of this collection.

```

public fun Collection<Double>.toDoubleArray(): DoubleArray
{
    val result = DoubleArray(size)
    var index = 0
    for (element in this)
        result[index++] = element
    return
result
}

```

\* Returns an array of Float containing all of the elements of this collection.

```

public fun Collection<Float>.toFloatArray(): FloatArray
{
    val result = FloatArray(size)
    var index = 0
    for (element in this)
        result[index++] = element
    return
result
}

```

\* Returns an array of Int containing all of the elements of this collection.

```

public fun Collection<Int>.toIntArray(): IntArray
{
    val result = IntArray(size)
    var index = 0
    for (element in this)
        result[index++] = element
    return
result
}

```

\* Returns an array of Long containing all of the elements of this collection.

```

public fun Collection<Long>.toLongArray(): LongArray
{
    val result = LongArray(size)
    var index = 0
    for (element in this)
        result[index++] = element
    return
result
}

```

\* Returns an array of Short containing all of the elements of this collection.

```

public fun Collection<Short>.toShortArray(): ShortArray
{
    val result = ShortArray(size)
    var index = 0
    for (element in this)
        result[index++] = element
    return
result
}

```

\* Returns a [Map] containing key-value pairs provided by [transform] function applied to elements of the given collection. If any of two pairs would have the same key the last one gets added to the map. The returned map preserves the entry iteration order of the original collection.

```

@sample
samples.collections.Collections.Transformations.associate

```

```

public inline fun <T, K, V> Iterable<T>.associate(transform: (T) -> Pair<K, V>): Map<K, V>
{
    val capacity = mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16)
    return associateTo(LinkedHashMap<K, V>(capacity), transform)
}

```

\* Returns a [Map] containing the elements from the given collection indexed by the key returned from [keySelector] function applied to each element. If any two elements would have the same key returned by [keySelector] the last one gets added to the map. The returned map preserves the entry iteration order of the original collection.

```

@sample
samples.collections.Collections.Transformations.associateBy

```

```

public inline fun <T, K> Iterable<T>.associateBy(keySelector: (T) -> K): Map<K, T>
{
    val capacity = mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16)
    return associateByTo(LinkedHashMap<K, T>(capacity), keySelector)
}

```

\* Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given collection. If any two elements would have the same key returned by [keySelector] the last one gets added to the map. The returned map preserves the entry iteration order of the original collection.

```

@sample
samples.collections.Collections.Transformations.associateByWithValueTransform

```

```

public inline fun <T, K, V>

```

```

Iterable<T>.associateBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, V> {\n  val capacity =
mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K,
V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Populates and returns the [destination] mutable map with
key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given
collection\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by
[keySelector] the last one gets added to the map.\n * \n * @sample
samples.collections.Collections.Transformations.associateByTo\n */\npublic inline fun <T, K, M : MutableMap<in
K, in T>> Iterable<T>.associateByTo(destination: M, keySelector: (T) -> K): M {\n  for (element in this) {\n
destination.put(keySelector(element), element)\n  }\n  return destination\n}\n\n/**\n * Populates and returns the
[destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n *
and value is provided by the [valueTransform] function applied to elements of the given collection.\n * \n * If any two
elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample
samples.collections.Collections.Transformations.associateByToWithValueTransform\n */\npublic inline fun <T, K,
V, M : MutableMap<in K, in V>> Iterable<T>.associateByTo(destination: M, keySelector: (T) -> K,
valueTransform: (T) -> V): M {\n  for (element in this) {\n    destination.put(keySelector(element),
valueTransform(element))\n  }\n  return destination\n}\n\n/**\n * Populates and returns the [destination] mutable
map with key-value pairs\n * provided by [transform] function applied to each element of the given collection.\n *
\n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * @sample
samples.collections.Collections.Transformations.associateTo\n */\npublic inline fun <T, K, V, M : MutableMap<in
K, in V>> Iterable<T>.associateTo(destination: M, transform: (T) -> Pair<K, V>): M {\n  for (element in this) {\n
destination += transform(element)\n  }\n  return destination\n}\n\n/**\n * Returns a [Map] where keys are
elements from the given collection and values are\n * produced by the [valueSelector] function applied to each
element.\n * \n * If any two elements are equal, the last one gets added to the map.\n * \n * The returned map
preserves the entry iteration order of the original collection.\n * \n * @sample
samples.collections.Collections.Transformations.associateWith\n */\n@SinceKotlin("1.3")\npublic inline fun <K,
V> Iterable<K>.associateWith(valueSelector: (K) -> V): Map<K, V> {\n  val result = LinkedHashMap<K,
V>(mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16))\n  return associateWithTo(result,
valueSelector)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs for each
element of the given collection,\n * where key is the element itself and value is provided by the [valueSelector]
function applied to that key.\n * \n * If any two elements are equal, the last one overwrites the former value in the
map.\n * \n * @sample samples.collections.Collections.Transformations.associateWithTo\n */\n@SinceKotlin("1.3")\npublic inline fun <K, V, M : MutableMap<in K, in V>>
Iterable<K>.associateWithTo(destination: M, valueSelector: (K) -> V): M {\n  for (element in this) {\n
destination.put(element, valueSelector(element))\n  }\n  return destination\n}\n\n/**\n * Appends all elements to
the given [destination] collection.\n */\npublic fun <T, C : MutableCollection<in T>>
Iterable<T>.toCollection(destination: C): C {\n  for (item in this) {\n    destination.add(item)\n  }\n  return
destination\n}\n\n/**\n * Returns a new [HashSet] of all elements.\n */\npublic fun <T> Iterable<T>.toHashSet():
HashSet<T> {\n  return toCollection(HashSet<T>(mapCapacity(collectionSizeOrDefault(12))))\n}\n\n/**\n * Returns a [List] containing all elements.\n */\npublic fun <T> Iterable<T>.toList(): List<T> {\n  if (this is
Collection) {\n    return when (size) {\n      0 -> emptyList()\n      1 -> listOf(if (this is List) get(0) else
iterator().next())\n      else -> this.toMutableList()\n    }\n  }\n  return
this.toMutableList().optimizeReadOnlyList()\n}\n\n/**\n * Returns a new [MutableList] filled with all elements of
this collection.\n */\npublic fun <T> Iterable<T>.toMutableList(): MutableList<T> {\n  if (this is Collection<T>)\n    return this.toMutableList()\n  return toCollection(ArrayList<T>())\n}\n\n/**\n * Returns a new [MutableList]
filled with all elements of this collection.\n */\npublic fun <T> Collection<T>.toMutableList(): MutableList<T> {\n
return ArrayList(this)\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element
iteration order of the original collection.\n */\npublic fun <T> Iterable<T>.toSet(): Set<T> {\n  if (this is
Collection) {\n    return when (size) {\n      0 -> emptySet()\n      1 -> setOf(if (this is List) this[0] else
}

```

```

iterator().next())\n        else -> toCollection(LinkedHashSet<T>(mapCapacity(size)))\n    }\n }\n return
toCollection(LinkedHashSet<T>()).optimizeReadOnlySet()\n}\n\n/**\n * Returns a single list of all elements
yielded from results of [transform] function being invoked on each element of original collection.\n * \n * @sample
samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <T, R>
Iterable<T>.flatMap(transform: (T) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original collection.\n * \n * @sample
samples.collections.Collections.Transformations.flatMap\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapSequence")\npublic inline fun <T, R>
Iterable<T>.flatMap(transform: (T) -> Sequence<R>): List<R> {\n    return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element\n * and its index in the original collection.\n * \n * @sample
samples.collections.Collections.Transformations.flatMapIndexed\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterable")\n@kotlin.internal.InlineOnly\npublic
inline fun <T, R> Iterable<T>.flatMapIndexed(transform: (index: Int, T) -> Iterable<R>): List<R> {\n    return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original collection.\n * \n *
@sample samples.collections.Collections.Transformations.flatMapIndexed\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedSequence")\n@kotlin.internal.InlineOnly\npubli
c inline fun <T, R> Iterable<T>.flatMapIndexed(transform: (index: Int, T) -> Sequence<R>): List<R> {\n    return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each element\n * and its index in the original collection, to the given
[destination].\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npubli
c inline fun <T, R, C : MutableCollection<in R>> Iterable<T>.flatMapIndexedTo(destination: C, transform: (index:
Int, T) -> Iterable<R>): C {\n    var index = 0\n    for (element in this) {\n        val list =
transform(checkIndexOverflow(index++), element)\n        destination.addAll(list)\n    }\n    return
destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
element\n * and its index in the original collection, to the given [destination].\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedSequenceTo")\n@kotlin.internal.InlineOnly\npubl
ic inline fun <T, R, C : MutableCollection<in R>> Iterable<T>.flatMapIndexedTo(destination: C, transform:
(index: Int, T) -> Sequence<R>): C {\n    var index = 0\n    for (element in this) {\n        val list =
transform(checkIndexOverflow(index++), element)\n        destination.addAll(list)\n    }\n    return
destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
element of original collection, to the given [destination].\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapSequenceTo")\npublic inline fun <T, R, C :
MutableCollection<in R>> Iterable<T>.flatMapTo(destination: C, transform: (T) -> Sequence<R>): C {\n    for (element in this) {\n        val
list = transform(element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Appends all
elements yielded from results of [transform] function being invoked on each element of original collection, to the
given [destination].\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapSequenceTo")\npublic inline fun <T, R, C :
MutableCollection<in R>> Iterable<T>.flatMapTo(destination: C, transform: (T) -> Sequence<R>): C {\n    for
(element in this) {\n        val list = transform(element)\n        destination.addAll(list)\n    }\n    return

```

```

destination\n}\n\n/**\n * Groups elements of the original collection by the key returned by the given [keySelector]
function\n * applied to each element and returns a map where each group key is associated with a list of
corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the
original collection.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline
fun <T, K> Iterable<T>.groupBy(keySelector: (T) -> K): Map<K, List<T>> {\n    return
groupByTo(LinkedHashMap<K, MutableList<T>>(), keySelector)\n}\n\n/**\n * Groups values returned by the
[valueTransform] function applied to each element of the original collection\n * by the key returned by the given
[keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of
corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the
original collection.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n
*/\npublic inline fun <T, K, V> Iterable<T>.groupBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K,
List<V>> {\n    return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector,
valueTransform)\n}\n\n/**\n * Groups elements of the original collection by the key returned by the given
[keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with
a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <T, K, M : MutableMap<in K,
MutableList<T>>> Iterable<T>.groupByTo(destination: M, keySelector: (T) -> K): M {\n    for (element in this) {\n
        val key = keySelector(element)\n        val list = destination.getOrPut(key) { ArrayList<T>() }\n
list.add(element)\n    }\n    return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function
applied to each element of the original collection\n * by the key returned by the given [keySelector] function applied
to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n
* \n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <T, K, V, M :
MutableMap<in K, MutableList<V>>> Iterable<T>.groupByTo(destination: M, keySelector: (T) -> K,
valueTransform: (T) -> V): M {\n    for (element in this) {\n        val key = keySelector(element)\n        val list =
destination.getOrPut(key) { ArrayList<V>() }\n        list.add(valueTransform(element))\n    }\n    return
destination\n}\n\n/**\n * Creates a [Grouping] source from a collection to be used later with one of group-and-fold
operations\n * using the specified [keySelector] function to extract a key from each element.\n * \n * @sample
samples.collections.Grouping.groupingByEachCount\n */\n@SinceKotlin("1.1")\npublic inline fun <T, K>
Iterable<T>.groupingBy(crossinline keySelector: (T) -> K): Grouping<T, K> {\n    return object : Grouping<T, K>
{\n        override fun sourceIterator(): Iterator<T> = this@groupingBy.iterator()\n        override fun keyOf(element:
T): K = keySelector(element)\n    }\n}\n\n/**\n * Returns a list containing the results of applying the given
[transform] function\n * to each element in the original collection.\n * \n * @sample
samples.collections.Collections.Transformations.map\n */\npublic inline fun <T, R> Iterable<T>.map(transform:
(T) -> R): List<R> {\n    return mapTo(ArrayList<R>(collectionSizeOrDefault(10)), transform)\n}\n\n/**\n *
Returns a list containing the results of applying the given [transform] function\n * to each element and its index in
the original collection.\n * @param [transform] function that takes the index of an element and the element itself\n *
and returns the result of the transform applied to the element.\n */\npublic inline fun <T, R>
Iterable<T>.mapIndexed(transform: (index: Int, T) -> R): List<R> {\n    return
mapIndexedTo(ArrayList<R>(collectionSizeOrDefault(10)), transform)\n}\n\n/**\n * Returns a list containing only
the non-null results of applying the given [transform] function\n * to each element and its index in the original
collection.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns
the result of the transform applied to the element.\n */\npublic inline fun <T, R : Any>
Iterable<T>.mapIndexedNotNull(transform: (index: Int, T) -> R?): List<R> {\n    return
mapIndexedNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each
element and its index in the original collection\n * and appends only the non-null results to the given [destination].\n
* @param [transform] function that takes the index of an element and the element itself\n * and returns the result of
the transform applied to the element.\n */\npublic inline fun <T, R : Any, C : MutableCollection<in R>>

```

```

Iterable<T>.mapIndexedNotNullTo(destination: C, transform: (index: Int, T) -> R?): C {
    forEachIndexed { index, element -> transform(index, element)?.let { destination.add(it) } }
    return destination
}

```

Applies the given [transform] function to each element and its index in the original collection and appends the results to the given [destination].

@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element.

```

public inline fun <T, R, C : MutableCollection<in R>> Iterable<T>.mapIndexedTo(destination: C, transform: (index: Int, T) -> R): C {
    var index = 0
    for (item in this) destination.add(transform(checkIndexOverflow(index++), item))
    return destination
}

```

Returns a list containing only the non-null results of applying the given [transform] function to each element in the original collection.

@sample

```

samples.collections.Collections.Transformations.mapNotNull

```

```

public inline fun <T, R : Any> Iterable<T>.mapNotNull(transform: (T) -> R?): List<R> {
    return mapNotNullTo(ArrayList<R>(), transform)
}

```

Applies the given [transform] function to each element in the original collection and appends only the non-null results to the given [destination].

```

public inline fun <T, R : Any, C : MutableCollection<in R>> Iterable<T>.mapNotNullTo(destination: C, transform: (T) -> R?): C {
    forEach { element -> transform(element)?.let { destination.add(it) } }
    return destination
}

```

Applies the given [transform] function to each element of the original collection and appends the results to the given [destination].

```

public inline fun <T, R, C : MutableCollection<in R>> Iterable<T>.mapTo(destination: C, transform: (T) -> R): C {
    for (item in this) destination.add(transform(item))
    return destination
}

```

Returns a lazy [Iterable] that wraps each element of the original collection into an [IndexedValue] containing the index of that element and the element itself.

```

public fun <T> Iterable<T>.withIndex(): Iterable<IndexedValue<T>> {
    return IndexingIterable { iterator() }
}

```

Returns a list containing only distinct elements from the given collection.

Among equal elements of the given collection, only the first one will be present in the resulting list.

The elements in the resulting list are in the same order as they were in the source collection.

@sample

```

samples.collections.Collections.Transformations.distinctAndDistinctBy

```

```

public fun <T> Iterable<T>.distinct(): List<T> {
    return this.toMutableSet().toList()
}

```

Returns a list containing only elements from the given collection having distinct keys returned by the given [selector] function.

Among elements of the given collection with equal keys, only the first one will be present in the resulting list.

The elements in the resulting list are in the same order as they were in the source collection.

@sample

```

samples.collections.Collections.Transformations.distinctAndDistinctBy

```

```

public inline fun <T, K> Iterable<T>.distinctBy(selector: (T) -> K): List<T> {
    val set = HashSet<K>()
    val list = ArrayList<T>()
    for (e in this) {
        val key = selector(e)
        if (set.add(key)) list.add(e)
    }
    return list
}

```

Returns a set containing all elements that are contained by both this collection and the specified collection.

The returned set preserves the element iteration order of the original collection.

To get a set containing all elements that are contained at least in one of these collections use [union].

```

public infix fun <T> Iterable<T>.intersect(other: Iterable<T>): Set<T> {
    val set = this.toMutableSet()
    set.retainAll(other)
    return set
}

```

Returns a set containing all elements that are contained by this collection and not contained by the specified collection.

The returned set preserves the element iteration order of the original collection.

```

public infix fun <T> Iterable<T>.subtract(other: Iterable<T>): Set<T> {
    val set = this.toMutableSet()
    set.removeAll(other)
    return set
}

```

Returns a new [MutableSet] containing all distinct elements from the given collection.

The returned set preserves the element iteration order of the original collection.

```

public fun <T> Iterable<T>.toMutableSet(): MutableSet<T> {
    return when (this) {
        is Collection<T> -> LinkedHashSet(this)
        else -> toCollection(LinkedHashSet<T>())
    }
}

```

Returns a set containing all distinct elements from both collections.

The returned set preserves the element iteration order of the original collection.

Those elements of the [other] collection that are unique are iterated in the end in the order of the [other] collection.

To get a set containing all elements that are contained in both collections use [intersect].

```

public infix fun <T> Iterable<T>.union(other: Iterable<T>): Set<T> {
    val set = this.toMutableSet()
    set.addAll(other)
    return set
}

```

Returns `true` if all elements match the

```

given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n *\npublic inline fun <T>
Iterable<T>.all(predicate: (T) -> Boolean): Boolean {\n if (this is Collection && isEmpty()) return true\n for
(element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if collection has at
least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n *\npublic inline fun <T>
Iterable<T>.any(): Boolean {\n if (this is Collection) return !isEmpty()\n return iterator().hasNext()\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n *\npublic inline fun <T>
Iterable<T>.any(predicate: (T) -> Boolean): Boolean {\n if (this is Collection && isEmpty()) return false\n for
(element in this) if (predicate(element)) return true\n return false\n}\n\n/**\n * Returns the number of elements in
this collection.\n *\npublic inline fun <T> Iterable<T>.count(): Int {\n if (this is Collection) return size\n var count =
0\n for (element in this) checkCountOverflow(++count)\n return count\n}\n\n/**\n * Returns the number of
elements in this collection.\n *\n@kotlin.internal.InlineOnly\npublic inline fun <T> Collection<T>.count(): Int {\n
return size\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n *\npublic inline fun <T>
Iterable<T>.count(predicate: (T) -> Boolean): Int {\n if (this is Collection && isEmpty()) return 0\n var count =
0\n for (element in this) if (predicate(element)) checkCountOverflow(++count)\n return count\n}\n\n/**\n *
Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator
value and each element.\n * \n * Returns the specified [initial] value if the collection is empty.\n * \n * @param
[operation] function that takes current accumulator value and an element, and calculates the next accumulator
value.\n *\npublic inline fun <T, R> Iterable<T>.fold(initial: R, operation: (acc: R, T) -> R): R {\n var
accumulator = initial\n for (element in this) accumulator = operation(accumulator, element)\n return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original collection.\n * \n * Returns the
specified [initial] value if the collection is empty.\n * \n * @param [operation] function that takes the index of an
element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n
*\npublic inline fun <T, R> Iterable<T>.foldIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): R {\n var
index = 0\n var accumulator = initial\n for (element in this) accumulator =
operation(checkIndexOverflow(index++), accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates
value starting with [initial] value and applying [operation] from right to left\n * to each element and current
accumulator value.\n * \n * Returns the specified [initial] value if the list is empty.\n * \n * @param [operation]
function that takes an element and current accumulator value, and calculates the next accumulator value.\n
*\npublic inline fun <T, R> List<T>.foldRight(initial: R, operation: (T, acc: R) -> R): R {\n var accumulator =
initial\n if (!isEmpty()) {\n val iterator = listIterator(size)\n while (iterator.hasPrevious()) {\n
accumulator = operation(iterator.previous(), accumulator)\n }\n }\n return accumulator\n}\n\n/**\n * Accumulates
value starting with [initial] value and applying [operation] from right to left\n * to each element with
its index in the original list and current accumulator value.\n * \n * Returns the specified [initial] value if the list is
empty.\n * \n * @param [operation] function that takes the index of an element, the element itself\n * and current
accumulator value, and calculates the next accumulator value.\n *\npublic inline fun <T, R>
List<T>.foldRightIndexed(initial: R, operation: (index: Int, T, acc: R) -> R): R {\n var accumulator = initial\n if
(!isEmpty()) {\n val iterator = listIterator(size)\n while (iterator.hasPrevious()) {\n val index =
iterator.previousIndex()\n accumulator = operation(index, iterator.previous(), accumulator)\n }\n }\n
return accumulator\n}\n\n/**\n * Performs the given [action] on each element.\n
*\n@kotlin.internal.HidesMembers\npublic inline fun <T> Iterable<T>.forEach(action: (T) -> Unit): Unit {\n for
(element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential
index with the element.\n * \n * @param [action] function that takes the index of an element and the element itself\n *
and performs the action on the element.\n *\npublic inline fun <T> Iterable<T>.forEachIndexed(action: (index: Int,
T) -> Unit): Unit {\n var index = 0\n for (item in this) action(checkIndexOverflow(index++),
item)\n}\n\n@Deprecated("Use maxOrNull instead.")
ReplaceWith("this.maxOrNull()")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",

```



```

hiddenSince = `1.6`)@SinceKotlin("1.1")public fun Iterable<Double>.max(): Double? {
    return
    maxOrNull()
}
@Deprecated("Use maxOrNull instead.",
ReplaceWith("this.maxOrNull()"))@DeprecatedSinceKotlin(warningSince = `1.4`, errorSince = `1.5`,
hiddenSince = `1.6`)@SinceKotlin("1.1")public fun Iterable<Float>.max(): Float? {
    return
    maxOrNull()
}
@Deprecated("Use maxOrNull instead.",
ReplaceWith("this.maxOrNull()"))@DeprecatedSinceKotlin(warningSince = `1.4`, errorSince = `1.5`,
hiddenSince = `1.6`)public fun <T : Comparable<T>> Iterable<T>.max(): T? {
    return
    maxOrNull()
}
@Deprecated("Use maxByOrNull instead.",
ReplaceWith("this.maxByOrNull(selector)"))@DeprecatedSinceKotlin(warningSince = `1.4`, errorSince =
`1.5`, hiddenSince = `1.6`)public inline fun <T, R : Comparable<R>> Iterable<T>.maxBy(selector: (T) -> R):
T? {
    return maxByOrNull(selector)
}
/**
 * Returns the first element yielding the largest value of the given
 * function or `null` if there are no elements.
 */
@sample
samples.collections.Collections.Aggregates.maxByOrNull
@SinceKotlin("1.4")public inline fun <T, R :
Comparable<R>> Iterable<T>.maxByOrNull(selector: (T) -> R): T? {
    val iterator = iterator()
    if
    (!iterator.hasNext()) return null
    var maxElem = iterator.next()
    if (!iterator.hasNext()) return maxElem
    var
    maxV = selector(maxElem)
    do {
        val e = iterator.next()
        val v = selector(e)
        if (maxV <
v) {
            maxElem = e
            maxV = v
        }
    } while (iterator.hasNext())
    return
    maxElem
}
/**
 * Returns the largest value among all values produced by [selector] function
 * applied to
 * each element in the collection.
 * If any of values produced by [selector] function is `NaN`, the returned result
 * is `NaN`.
 * @throws NoSuchElementException if the collection is empty.
 */
@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution
ByLambdaReturnType@kotlin.internal.InlineOnlypublic inline fun <T> Iterable<T>.maxOf(selector: (T) ->
Double): Double {
    val iterator = iterator()
    if (!iterator.hasNext()) throw NoSuchElementException()
    var
    maxV = selector(iterator.next())
    while (iterator.hasNext()) {
        val v = selector(iterator.next())
        maxV = maxOf(maxV, v)
    }
    return maxV
}
/**
 * Returns the largest value among all
 * values produced by [selector] function
 * applied to each element in the collection.
 * If any of values
 * produced by [selector] function is `NaN`, the returned result is `NaN`.
 * @throws NoSuchElementException
 * if the collection is empty.
 */
@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution
ByLambdaReturnType@kotlin.internal.InlineOnlypublic inline fun <T> Iterable<T>.maxOf(selector: (T) ->
Float): Float {
    val iterator = iterator()
    if (!iterator.hasNext()) throw NoSuchElementException()
    var
    maxV = selector(iterator.next())
    while (iterator.hasNext()) {
        val v = selector(iterator.next())
        maxV = maxOf(maxV, v)
    }
    return maxV
}
/**
 * Returns the largest value among all
 * values produced by [selector] function
 * applied to each element in the collection.
 * @throws
 * NoSuchElementException if the collection is empty.
 */
@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution
ByLambdaReturnType@kotlin.internal.InlineOnlypublic inline fun <T, R : Comparable<R>>
Iterable<T>.maxOf(selector: (T) -> R): R {
    val iterator = iterator()
    if (!iterator.hasNext()) throw
    NoSuchElementException()
    var maxV = selector(iterator.next())
    while (iterator.hasNext()) {
        val v
        = selector(iterator.next())
        if (maxV < v) {
            maxV = v
        }
    }
    return
    maxV
}
/**
 * Returns the largest value among all values produced by [selector] function
 * applied to
 * each element in the collection or `null` if there are no elements.
 * If any of values produced by [selector]
 * function is `NaN`, the returned result is `NaN`.
 */
@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution
ByLambdaReturnType@kotlin.internal.InlineOnlypublic inline fun <T> Iterable<T>.maxOfOrNull(selector: (T)
-> Double): Double? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var maxV =
    selector(iterator.next())
    while (iterator.hasNext()) {
        val v = selector(iterator.next())
        maxV =
        maxOf(maxV, v)
    }
    return maxV
}
/**
 * Returns the largest value among all values produced

```

by [selector] function\n \* applied to each element in the collection or `null` if there are no elements.\n \* \n \* If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.maxOfOrNull(selector: (T)
-> Float): Float? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var max Value =
selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n        max Value =
maxOf(max Value, v)\n    }\n    return max Value\n}\n\n/**\n * Returns the largest value among all values produced
by [selector] function\n * applied to each element in the collection or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>>
Iterable<T>.maxOfOrNull(selector: (T) -> R): R? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return
null\n    var max Value = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v =
selector(iterator.next())\n        if (max Value < v) {\n            max Value = v\n        }\n    }\n    return
max Value\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values
produced by [selector] function applied to each element in the collection.\n * \n * @throws
NoSuchElementException if the collection is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R>
Iterable<T>.maxOfWith(comparator: Comparator<in R>, selector: (T) -> R): R {\n    val iterator = iterator()\n    if
(!iterator.hasNext()) throw NoSuchElementException()\n    var max Value = selector(iterator.next())\n    while
(iterator.hasNext()) {\n        val v = selector(iterator.next())\n        if (comparator.compare(max Value, v) < 0) {\n
            max Value = v\n        }\n    }\n    return max Value\n}\n\n/**\n * Returns the largest value according to the provided
[comparator]\n * among all values produced by [selector] function applied to each element in the collection or `null`
if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R>
Iterable<T>.maxOfWithOrNull(comparator: Comparator<in R>, selector: (T) -> R): R? {\n    val iterator =
iterator()\n    if (!iterator.hasNext()) return null\n    var max Value = selector(iterator.next())\n    while
(iterator.hasNext()) {\n        val v = selector(iterator.next())\n        if (comparator.compare(max Value, v) < 0) {\n
            max Value = v\n        }\n    }\n    return max Value\n}\n\n/**\n * Returns the largest element or `null` if there are no
elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n *\n@SinceKotlin("1.4")\npublic fun
Iterable<Double>.maxOrNull(): Double? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var
max = iterator.next()\n    while (iterator.hasNext()) {\n        val e = iterator.next()\n        max = maxOf(max, e)\n
    }\n    return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of
elements is `NaN` returns `NaN`.\n *\n@SinceKotlin("1.4")\npublic fun Iterable<Float>.maxOrNull(): Float? {\n
val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var max = iterator.next()\n    while
(iterator.hasNext()) {\n        val e = iterator.next()\n        max = maxOf(max, e)\n    }\n    return max\n}\n\n/**\n *
Returns the largest element or `null` if there are no elements.\n *\n@SinceKotlin("1.4")\npublic fun <T :
Comparable<T>> Iterable<T>.maxOrNull(): T? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n
var max = iterator.next()\n    while (iterator.hasNext()) {\n        val e = iterator.next()\n        if (max < e) max = e\n
    }\n    return max\n}\n\n@Deprecated("Use maxWithOrNull instead.")
ReplaceWith("this.maxWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\npublic fun <T> Iterable<T>.maxWith(comparator: Comparator<in T>): T? {\n
return maxWithOrNull(comparator)\n}\n\n/**\n * Returns the first element having the largest value according to the
provided [comparator] or `null` if there are no elements.\n *\n@SinceKotlin("1.4")\npublic fun <T>
Iterable<T>.maxWithOrNull(comparator: Comparator<in T>): T? {\n    val iterator = iterator()\n    if
(!iterator.hasNext()) return null\n    var max = iterator.next()\n    while (iterator.hasNext()) {\n        val e =
iterator.next()\n        if (comparator.compare(max, e) < 0) max = e\n    }\n    return max\n}\n\n@Deprecated("Use

```

```

minOrNull instead.\", ReplaceWith(\"this.minOrNull()\")\n\n@DeprecatedSinceKotlin(warningSince = \"1.4\",
errorSince = \"1.5\", hiddenSince = \"1.6\")\n\n@SinceKotlin(\"1.1\")\n\npublic fun Iterable<Double>.min(): Double?
{\n    return minOrNull()\n}\n\n@Deprecated(\"Use minOrNull instead.\",
ReplaceWith(\"this.minOrNull()\")\n\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\",
hiddenSince = \"1.6\")\n\n@SinceKotlin(\"1.1\")\n\npublic fun Iterable<Float>.min(): Float? {\n    return
minOrNull()\n}\n\n@Deprecated(\"Use minOrNull instead.\",
ReplaceWith(\"this.minOrNull()\")\n\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\",
hiddenSince = \"1.6\")\n\npublic fun <T : Comparable<T>> Iterable<T>.min(): T? {\n    return
minOrNull()\n}\n\n@Deprecated(\"Use minByOrNull instead.\",
ReplaceWith(\"this.minByOrNull(selector)\")\n\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince =
\"1.5\", hiddenSince = \"1.6\")\n\npublic inline fun <T, R : Comparable<R>> Iterable<T>.minBy(selector: (T) -> R):
T? {\n    return minByOrNull(selector)\n}\n\n/**\n * Returns the first element yielding the smallest value of the
given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.minByOrNull\n * \n\n@SinceKotlin(\"1.4\")\n\npublic inline fun <T, R :
Comparable<R>> Iterable<T>.minByOrNull(selector: (T) -> R): T? {\n    val iterator = iterator()\n    if
(!iterator.hasNext()) return null\n    var minElem = iterator.next()\n    if (!iterator.hasNext()) return minElem\n    var
minValue = selector(minElem)\n    do {\n        val e = iterator.next()\n        val v = selector(e)\n        if (minValue >
v) {\n            minElem = e\n            minValue = v\n        }\n    } while (iterator.hasNext())\n    return
minElem\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the collection.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result
is `NaN`.\n * \n * @throws NoSuchElementException if the collection is empty.\n\n@SinceKotlin(\"1.4\")\n\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n\n@OverloadResolution
ByLambdaReturnType\n\n@kotlin.internal.InlineOnly\n\npublic inline fun <T> Iterable<T>.minOf(selector: (T) ->
Double): Double {\n    val iterator = iterator()\n    if (!iterator.hasNext()) throw NoSuchElementException()\n    var
minValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n
minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all
values produced by [selector] function\n * applied to each element in the collection.\n * \n * If any of values
produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException
if the collection is empty.\n\n@SinceKotlin(\"1.4\")\n\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n\n@OverloadResolution
ByLambdaReturnType\n\n@kotlin.internal.InlineOnly\n\npublic inline fun <T> Iterable<T>.minOf(selector: (T) ->
Float): Float {\n    val iterator = iterator()\n    if (!iterator.hasNext()) throw NoSuchElementException()\n    var
minValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n
minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all
values produced by [selector] function\n * applied to each element in the collection.\n * \n * @throws
NoSuchElementException if the collection is empty.\n\n@SinceKotlin(\"1.4\")\n\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n\n@OverloadResolution
ByLambdaReturnType\n\n@kotlin.internal.InlineOnly\n\npublic inline fun <T, R : Comparable<R>>
Iterable<T>.minOf(selector: (T) -> R): R {\n    val iterator = iterator()\n    if (!iterator.hasNext()) throw
NoSuchElementException()\n    var minValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v
= selector(iterator.next())\n        if (minValue > v) {\n            minValue = v\n        }\n    }\n    return
minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the collection or `null` if there are no elements.\n * \n * If any of values produced by [selector]
function is `NaN`, the returned result is `NaN`.\n\n@SinceKotlin(\"1.4\")\n\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n\n@OverloadResolution
ByLambdaReturnType\n\n@kotlin.internal.InlineOnly\n\npublic inline fun <T> Iterable<T>.minOfOrNull(selector: (T)
-> Double): Double? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var minValue =
selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n        minValue =

```

```

minOf(minValue, v)\n } return minValue\n}\n\n**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the collection or `null` if there are no elements.\n * \n * If any
of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.minOfOrNull(selector: (T)
-> Float): Float? {\n val iterator = iterator()\n if (iterator.hasNext()) return null\n var minValue =
selector(iterator.next())\n while (iterator.hasNext()) {\n val v = selector(iterator.next())\n minValue =
minOf(minValue, v)\n }\n return minValue\n}\n\n**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the collection or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>>
Iterable<T>.minOfOrNull(selector: (T) -> R): R? {\n val iterator = iterator()\n if (!iterator.hasNext()) return
null\n var minValue = selector(iterator.next())\n while (iterator.hasNext()) {\n val v =
selector(iterator.next())\n if (minValue > v) {\n minValue = v\n }\n }\n return
minValue\n}\n\n**\n * Returns the smallest value according to the provided [comparator]\n * among all values
produced by [selector] function applied to each element in the collection.\n * \n * @throws
NoSuchElementException if the collection is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> Iterable<T>.minOfWith(comparator:
Comparator<in R>, selector: (T) -> R): R {\n val iterator = iterator()\n if (!iterator.hasNext()) throw
NoSuchElementException()\n var minValue = selector(iterator.next())\n while (iterator.hasNext()) {\n val v
= selector(iterator.next())\n if (comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n
return minValue\n}\n\n**\n * Returns the smallest value according to the provided [comparator]\n * among all
values produced by [selector] function applied to each element in the collection or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R>
Iterable<T>.minOfWithOrNull(comparator: Comparator<in R>, selector: (T) -> R): R? {\n val iterator =
iterator()\n if (!iterator.hasNext()) return null\n var minValue = selector(iterator.next())\n while
(iterator.hasNext()) {\n val v = selector(iterator.next())\n if (comparator.compare(minValue, v) > 0) {\n
minValue = v\n }\n }\n return minValue\n}\n\n**\n * Returns the smallest element or `null` if there are
no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n *\n@SinceKotlin("1.4")\npublic fun
Iterable<Double>.minOrNull(): Double? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var
min = iterator.next()\n while (iterator.hasNext()) {\n val e = iterator.next()\n min = minOf(min, e)\n }\n
return min\n}\n\n**\n * Returns the smallest element or `null` if there are no elements.\n * \n * If any of elements
is `NaN` returns `NaN`.\n *\n@SinceKotlin("1.4")\npublic fun Iterable<Float>.minOrNull(): Float? {\n val
iterator = iterator()\n if (!iterator.hasNext()) return null\n var min = iterator.next()\n while (iterator.hasNext())
{\n val e = iterator.next()\n min = minOf(min, e)\n }\n return min\n}\n\n**\n * Returns the smallest
element or `null` if there are no elements.\n *\n@SinceKotlin("1.4")\npublic fun <T : Comparable<T>>
Iterable<T>.minOrNull(): T? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var min =
iterator.next()\n while (iterator.hasNext()) {\n val e = iterator.next()\n if (min > e) min = e\n }\n return
min\n}\n\n@Deprecated("Use minWithOrNull instead.")
ReplaceWith("this.minWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\npublic fun <T> Iterable<T>.minWith(comparator: Comparator<in T>): T? {\n
return minWithOrNull(comparator)\n}\n\n**\n * Returns the first element having the smallest value according to
the provided [comparator] or `null` if there are no elements.\n *\n@SinceKotlin("1.4")\npublic fun <T>
Iterable<T>.minWithOrNull(comparator: Comparator<in T>): T? {\n val iterator = iterator()\n if
(!iterator.hasNext()) return null\n var min = iterator.next()\n while (iterator.hasNext()) {\n val e =
iterator.next()\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n**\n * Returns `true` if

```

```

the collection has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n * \n\npublic fun
<T> Iterable<T>.none(): Boolean {\n    if (this is Collection) return isEmpty()\n    return
!iterator().hasNext()\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n * \n\npublic inline fun <T>
Iterable<T>.none(predicate: (T) -> Boolean): Boolean {\n    if (this is Collection && isEmpty()) return true\n    for
(element in this) if (predicate(element)) return false\n    return true\n}\n\n/**\n * Performs the given [action] on each
element and returns the collection itself afterwards.\n * \n\n@SinceKotlin("1.1")\n\npublic inline fun <T, C :
Iterable<T>> C.onEach(action: (T) -> Unit): C {\n    return apply { for (element in this) action(element)
}\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element,\n * and
returns the collection itself afterwards.\n * \n * @param [action] function that takes the index of an element and the
element itself\n * and performs the action on the element.\n * \n\n@SinceKotlin("1.4")\n\npublic inline fun <T, C :
Iterable<T>> C.onEachIndexed(action: (index: Int, T) -> Unit): C {\n    return apply { forEachIndexed(action)
}\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to
current accumulator value and each element.\n * \n * \n * Throws an exception if this collection is empty. If the
collection can be empty in an expected way,\n * please use [reduceOrNull] instead. It returns `null` when its receiver
is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and
calculates the next accumulator value.\n * \n * \n * @sample samples.collections.Collections.Aggregates.reduce\n * \n\npublic inline fun <S, T : S> Iterable<T>.reduce(operation: (acc: S, T) -> S): S {\n    val iterator = this.iterator()\n    if (!iterator.hasNext()) throw UnsupportedOperationException("Empty collection can't be reduced.")\n    var
accumulator: S = iterator.next()\n    while (iterator.hasNext()) {\n        accumulator = operation(accumulator,
iterator.next())\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and
applying [operation] from left to right\n * to current accumulator value and each element with its index in the
original collection.\n * \n * \n * Throws an exception if this collection is empty. If the collection can be empty in an
expected way,\n * please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * \n *
@param [operation] function that takes the index of an element, current accumulator value and the element itself,\n *
and calculates the next accumulator value.\n * \n * \n * @sample samples.collections.Collections.Aggregates.reduce\n * \n\npublic inline fun <S, T : S> Iterable<T>.reduceIndexed(operation: (index: Int, acc: S, T) -> S): S {\n    val
iterator = this.iterator()\n    if (!iterator.hasNext()) throw UnsupportedOperationException("Empty collection can't
be reduced.")\n    var index = 1\n    var accumulator: S = iterator.next()\n    while (iterator.hasNext()) {\n
accumulator = operation(checkIndexOverflow(index++), accumulator, iterator.next())\n    }\n    return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original collection.\n * \n * \n * Returns
`null` if the collection is empty.\n * \n * @param [operation] function that takes the index of an element, current
accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * \n * @sample
samples.collections.Collections.Aggregates.reduceOrNull\n * \n\n@SinceKotlin("1.4")\n\n@WasExperimental(ExperimentalStdlibApi::class)\n\npublic inline fun <S, T : S>
Iterable<T>.reduceIndexedOrNull(operation: (index: Int, acc: S, T) -> S): S? {\n    val iterator = this.iterator()\n    if
(!iterator.hasNext()) return null\n    var index = 1\n    var accumulator: S = iterator.next()\n    while
(iterator.hasNext()) {\n        accumulator = operation(checkIndexOverflow(index++), accumulator, iterator.next())\n
    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation]
from left to right\n * to current accumulator value and each element.\n * \n * \n * Returns `null` if the collection is
empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates
the next accumulator value.\n * \n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n * \n\n@SinceKotlin("1.4")\n\n@WasExperimental(ExperimentalStdlibApi::class)\n\npublic inline fun <S, T : S>
Iterable<T>.reduceOrNull(operation: (acc: S, T) -> S): S? {\n    val iterator = this.iterator()\n    if
(!iterator.hasNext()) return null\n    var accumulator: S = iterator.next()\n    while (iterator.hasNext()) {\n
accumulator = operation(accumulator, iterator.next())\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value
starting with the last element and applying [operation] from right to left\n * to each element and current accumulator
value.\n * \n * \n * Throws an exception if this list is empty. If the list can be empty in an expected way,\n * please use

```

[reduceRightOrNull] instead. It returns `null` when its receiver is empty.

\* @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.

\* @sample

```

samples.collections.Collections.Aggregates.reduceRight
public inline fun <S, T : S>
List<T>.reduceRight(operation: (T, acc: S) -> S): S {
    val iterator = listIterator(size)
    if (!iterator.hasPrevious())
        throw UnsupportedOperationException("Empty list can't be reduced.")
    var accumulator: S = iterator.previous()
    while (iterator.hasPrevious()) {
        accumulator =
            operation(iterator.previous(), accumulator)
    }
    return accumulator
}

```

Accumulates value starting with the last element and applying [operation] from right to left to each element with its index in the original list and current accumulator value.

\* Throws an exception if this list is empty. If the list can be empty in an expected way, please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.

\* @param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

\* @sample

```

samples.collections.Collections.Aggregates.reduceRight
public inline fun <S, T : S>
List<T>.reduceRightIndexed(operation: (index: Int, T, acc: S) -> S): S {
    val iterator = listIterator(size)
    if (!iterator.hasPrevious())
        throw UnsupportedOperationException("Empty list can't be reduced.")
    var accumulator: S = iterator.previous()
    while (iterator.hasPrevious()) {
        val index = iterator.previousIndex()
        accumulator = operation(index, iterator.previous(), accumulator)
    }
    return accumulator
}

```

Accumulates value starting with the last element and applying [operation] from right to left to each element with its index in the original list and current accumulator value.

\* Returns `null` if the list is empty.

\* @param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

\* @sample

```

samples.collections.Collections.Aggregates.reduceRightOrNull
@SinceKotlin("1.4")
public inline fun <S, T : S>
List<T>.reduceRightIndexedOrNull(operation: (index: Int, T, acc: S) -> S): S? {
    val iterator = listIterator(size)
    if (!iterator.hasPrevious())
        return null
    var accumulator: S = iterator.previous()
    while (iterator.hasPrevious()) {
        val index = iterator.previousIndex()
        accumulator = operation(index, iterator.previous(), accumulator)
    }
    return accumulator
}

```

Accumulates value starting with the last element and applying [operation] from right to left to each element and current accumulator value.

\* Returns `null` if the list is empty.

\* @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.

\* @sample

```

samples.collections.Collections.Aggregates.reduceRightOrNull
@SinceKotlin("1.4")
@WasExperimental(ExperimentalStdlibApi::class)
public inline fun <S, T : S>
List<T>.reduceRightOrNull(operation: (T, acc: S) -> S): S? {
    val iterator = listIterator(size)
    if (!iterator.hasPrevious())
        return null
    var accumulator: S = iterator.previous()
    while (iterator.hasPrevious()) {
        accumulator = operation(iterator.previous(), accumulator)
    }
    return accumulator
}

```

Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element and current accumulator value that starts with [initial] value.

\* Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.

\* @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.

\* @sample

```

samples.collections.Collections.Aggregates.runningFold
@SinceKotlin("1.4")
public inline fun <T, R>
Iterable<T>.runningFold(initial: R, operation: (acc: R, T) -> R): List<R> {
    val estimatedSize = collectionSizeOrDefault(9)
    if (estimatedSize == 0) return listOf(initial)
    val result = ArrayList<R>(estimatedSize + 1).apply { add(initial) }
    var accumulator = initial
    for (element in this) {
        accumulator = operation(accumulator, element)
        result.add(accumulator)
    }
    return result
}

```

Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element, its index in the original collection and current accumulator value that starts with [initial] value.

\* Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.

\* @param [operation] function that takes the index of an element, current

accumulator value and the element itself, and calculates the next accumulator value.

```

@sample
samples.collections.Collections.Aggregates.runningFold
fun <T, R>
Iterable<T>.runningFold(initial: R, operation: (index: Int, acc: R, T) -> R): List<R> {
    val estimatedSize = collectionSizeOrDefault(9)
    if (estimatedSize == 0) return listOf(initial)
    val result = ArrayList<R>(estimatedSize + 1).apply { add(initial) }
    var index = 0
    var accumulator = initial
    for (element in this) {
        accumulator = operation(index++, accumulator, element)
        result.add(accumulator)
    }
    return result
}

```

Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element and current accumulator value that starts with the first element of this collection. Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.

@param [operation] function that takes current accumulator value and the element, and calculates the next accumulator value.

```

@sample
samples.collections.Collections.Aggregates.runningReduce
fun <S, T : S>
Iterable<T>.runningReduce(operation: (acc: S, T) -> S): List<S> {
    val iterator = this.iterator()
    if (!iterator.hasNext()) return emptyList()
    var accumulator: S = iterator.next()
    val result = ArrayList<S>(collectionSizeOrDefault(10)).apply { add(accumulator) }
    while (iterator.hasNext()) {
        accumulator = operation(accumulator, iterator.next())
        result.add(accumulator)
    }
    return result
}

```

Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element, its index in the original collection and current accumulator value that starts with the first element of this collection. Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.

@param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.

```

@sample
samples.collections.Collections.Aggregates.runningReduce
fun <S, T : S>
Iterable<T>.runningReduceIndexed(operation: (index: Int, acc: S, T) -> S): List<S> {
    val iterator = this.iterator()
    if (!iterator.hasNext()) return emptyList()
    var accumulator: S = iterator.next()
    val result = ArrayList<S>(collectionSizeOrDefault(10)).apply {
        add(accumulator)
    }
    var index = 1
    while (iterator.hasNext()) {
        accumulator = operation(index++, accumulator, iterator.next())
        result.add(accumulator)
    }
    return result
}

```

Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element and current accumulator value that starts with [initial] value. Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.

@param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.

```

@sample
samples.collections.Collections.Aggregates.scan
fun <T, R>
Iterable<T>.scan(initial: R, operation: (acc: R, T) -> R): List<R> {
    return runningFold(initial, operation)
}

```

Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element, its index in the original collection and current accumulator value that starts with [initial] value. Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.

@param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.

```

@sample
samples.collections.Collections.Aggregates.scan
fun <T, R>
Iterable<T>.scanIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): List<R> {
    return runningFoldIndexed(initial, operation)
}

```

Returns the sum of all values produced by [selector] function applied to each element in the collection.

@Deprecated("Use sumOf instead.")

```

ReplaceWith("this.sumOf(selector)")
@DeprecatedSinceKotlin("1.5")
fun <T>
Iterable<T>.sumBy(selector: (T) -> Int): Int {
    var sum: Int = 0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

```

Returns the sum of all values produced by [selector] function

```

applied to each element in the collection.\n */\n@Deprecated("Use sumOf instead.\",
ReplaceWith("this.sumOf(selector)")\n)\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline fun <T>
Iterable<T>.sumByDouble(selector: (T) -> Double): Double {\n    var sum: Double = 0.0\n    for (element in this)
{\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the collection.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfDouble")\n@kotlin.internal.InlineOnly\npublic inline fun
<T> Iterable<T>.sumOf(selector: (T) -> Double): Double {\n    var sum: Double = 0.toDouble()\n    for (element in
this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the collection.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfInt")\n@kotlin.internal.InlineOnly\npublic inline fun <T>
Iterable<T>.sumOf(selector: (T) -> Int): Int {\n    var sum: Int = 0.toInt()\n    for (element in this) {\n        sum +=
selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the collection.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfLong")\n@kotlin.internal.InlineOnly\npublic inline fun
<T> Iterable<T>.sumOf(selector: (T) -> Long): Long {\n    var sum: Long = 0.toLong()\n    for (element in this) {\n
        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector]
function applied to each element in the collection.\n
*/\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfUInt")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.sumOf(selector: (T) -> UInt): UInt {\n
    var sum: UInt = 0.toUInt()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return
sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the
collection.\n
*/\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfULong")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.sumOf(selector: (T) -> ULong): ULong
{\n    var sum: ULong = 0.toULong()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return
sum\n}\n\n/**\n * Returns an original collection containing all the non-`null` elements, throwing an
[IllegalArgumentException] if there are any `null` elements.\n */\npublic fun <T : Any>
Iterable<T?>.requireNotNulls(): Iterable<T> {\n    for (element in this) {\n        if (element == null) {\n            throw
IllegalArgumentException("null element found in $this.")\n        }\n    }\n    @Suppress("UNCHECKED_CAST")\n    return this as Iterable<T>\n}\n\n/**\n * Returns an original collection
containing all the non-`null` elements, throwing an [IllegalArgumentException] if there are any `null` elements.\n
*/\npublic fun <T : Any> List<T?>.requireNotNulls(): List<T> {\n    for (element in this) {\n        if (element ==
null) {\n            throw IllegalArgumentException("null element found in $this.")\n        }\n    }\n    @Suppress("UNCHECKED_CAST")\n    return this as List<T>\n}\n\n/**\n * Splits this collection into a list of
lists each not exceeding the given [size].\n * \n * The last list in the resulting list may have fewer elements than the
given [size].\n * \n * @param size the number of elements to take in each list, must be positive and can be greater
than the number of elements in this collection.\n * \n * @sample
samples.collections.Collections.Transformations.chunked\n */\n@SinceKotlin("1.2")\npublic fun <T>
Iterable<T>.chunked(size: Int): List<List<T>> {\n    return windowed(size, size, partialWindows = true)\n}\n\n/**\n * Splits this collection into several lists each not exceeding the given [size]\n * and applies the given [transform]
function to an each.\n * \n * @return list of results of the [transform] applied to an each list.\n * \n * Note that the
list passed to the [transform] function is ephemeral and is valid only inside that function.\n * You should not store it
or allow it to escape in some way, unless you made a snapshot of it.\n * The last list may have fewer elements than

```



the given [size].\n \* \n \* @param size the number of elements to take in each list, must be positive and can be greater than the number of elements in this collection.\n \* \n \* @sample samples.text.Strings.chunkedTransform\n \* \n \* @SinceKotlin("1.2")\n public fun <T, R> Iterable<T>.chunked(size: Int, transform: (List<T>) -> R): List<R> {\n \* \n \* return windowed(size, size, partialWindows = true, transform = transform)\n \* \n \* \n \* Returns a list containing all elements of the original collection without the first occurrence of the given [element].\n \* \n \* \n \* public operator fun <T> Iterable<T>.minus(element: T): List<T> {\n \* \n \* val result = ArrayList<T>(collectionSizeOrDefault(10))\n \* \n \* var removed = false\n \* \n \* return this.filterTo(result) { if (!removed && it == element) { removed = true; false } else true }\n \* \n \* \n \* Returns a list containing all elements of the original collection except the elements contained in the given [elements] array.\n \* \n \* \n \* Before Kotlin 1.6, the [elements] array may have been converted to a [HashSet] to speed up the operation, thus the elements were required to have\n \* \n \* a correct and stable implementation of `hashCode()` that didn't change between successive invocations.\n \* \n \* On JVM, you can enable this behavior back with the system property `kotlin.collections.convert\_arg\_to\_set\_in\_removeAll` set to `true`.\n \* \n \* \n \* public operator fun <T> Iterable<T>.minus(elements: Array<out T>): List<T> {\n \* \n \* if (elements.isEmpty()) return this.toList()\n \* \n \* val other = elements.convertToSetForSetOperation()\n \* \n \* return this.filterNot { it in other }\n \* \n \* \n \* Returns a list containing all elements of the original collection except the elements contained in the given [elements] collection.\n \* \n \* \n \* Before Kotlin 1.6, the [elements] collection may have been converted to a [HashSet] to speed up the operation, thus the elements were required to have\n \* \n \* a correct and stable implementation of `hashCode()` that didn't change between successive invocations.\n \* \n \* On JVM, you can enable this behavior back with the system property `kotlin.collections.convert\_arg\_to\_set\_in\_removeAll` set to `true`.\n \* \n \* \n \* public operator fun <T> Iterable<T>.minus(elements: Iterable<T>): List<T> {\n \* \n \* val other = elements.convertToSetForSetOperationWith(this)\n \* \n \* if (other.isEmpty())\n \* \n \* return this.toList()\n \* \n \* return this.filterNot { it in other }\n \* \n \* \n \* Returns a list containing all elements of the original collection except the elements contained in the given [elements] sequence.\n \* \n \* \n \* Before Kotlin 1.6, the [elements] sequence may have been converted to a [HashSet] to speed up the operation, thus the elements were required to have\n \* \n \* a correct and stable implementation of `hashCode()` that didn't change between successive invocations.\n \* \n \* On JVM, you can enable this behavior back with the system property `kotlin.collections.convert\_arg\_to\_set\_in\_removeAll` set to `true`.\n \* \n \* \n \* public operator fun <T> Iterable<T>.minus(elements: Sequence<T>): List<T> {\n \* \n \* val other = elements.convertToSetForSetOperation()\n \* \n \* if (other.isEmpty())\n \* \n \* return this.toList()\n \* \n \* return this.filterNot { it in other }\n \* \n \* \n \* Returns a list containing all elements of the original collection without the first occurrence of the given [element].\n \* \n \* \n \* @kotlin.internal.InlineOnly\n \* \n \* public inline fun <T> Iterable<T>.minusElement(element: T): List<T> {\n \* \n \* return minus(element)\n \* \n \* \n \* Splits the original collection into pair of lists,\n \* \n \* where \*first\* list contains elements for which [predicate] yielded `true`,\n \* \n \* while \*second\* list contains elements for which [predicate] yielded `false`.\n \* \n \* \n \* @sample samples.collections.Iterables.Operations.partition\n \* \n \* \n \* public inline fun <T> Iterable<T>.partition(predicate: (T) -> Boolean): Pair<List<T>, List<T>> {\n \* \n \* val first = ArrayList<T>()\n \* \n \* val second = ArrayList<T>()\n \* \n \* for (element in this) {\n \* \n \* if (predicate(element)) {\n \* \n \* first.add(element)\n \* \n \* } else {\n \* \n \* second.add(element)\n \* \n \* }\n \* \n \* }\n \* \n \* return Pair(first, second)\n \* \n \* \n \* Returns a list containing all elements of the original collection and then the given [element].\n \* \n \* \n \* public operator fun <T> Iterable<T>.plus(element: T): List<T> {\n \* \n \* if (this is Collection) return this.plus(element)\n \* \n \* val result = ArrayList<T>()\n \* \n \* result.addAll(this)\n \* \n \* result.add(element)\n \* \n \* return result\n \* \n \* \n \* Returns a list containing all elements of the original collection and then the given [element].\n \* \n \* \n \* public operator fun <T> Collection<T>.plus(element: T): List<T> {\n \* \n \* val result = ArrayList<T>(size + 1)\n \* \n \* result.addAll(this)\n \* \n \* result.add(element)\n \* \n \* return result\n \* \n \* \n \* Returns a list containing all elements of the original collection and then all elements of the given [elements] array.\n \* \n \* \n \* public operator fun <T> Iterable<T>.plus(elements: Array<out T>): List<T> {\n \* \n \* if (this is Collection) return this.plus(elements)\n \* \n \* val result = ArrayList<T>()\n \* \n \* result.addAll(this)\n \* \n \* result.addAll(elements)\n \* \n \* return result\n \* \n \* \n \* Returns a list containing all elements of the original collection and then all elements of the given [elements] array.\n \* \n \* \n \* public operator fun <T>

```

Collection<T>.plus(elements: Array<out T>): List<T> {\n  val result = ArrayList<T>(this.size + elements.size)\n
result.addAll(this)\n  result.addAll(elements)\n  return result\n}\n\n/**\n * Returns a list containing all elements
of the original collection and then all elements of the given [elements] collection.\n */\npublic operator fun <T>
Iterable<T>.plus(elements: Iterable<T>): List<T> {\n  if (this is Collection) return this.plus(elements)\n  val
result = ArrayList<T>()\n  result.addAll(this)\n  result.addAll(elements)\n  return result\n}\n\n/**\n * Returns a
list containing all elements of the original collection and then all elements of the given [elements] collection.\n
*/\npublic operator fun <T> Collection<T>.plus(elements: Iterable<T>): List<T> {\n  if (elements is Collection)
{\n    val result = ArrayList<T>(this.size + elements.size)\n    result.addAll(this)\n
result.addAll(elements)\n    return result\n  } else {\n    val result = ArrayList<T>(this)\n
result.addAll(elements)\n    return result\n  }\n}\n\n/**\n * Returns a list containing all elements of the original
collection and then all elements of the given [elements] sequence.\n */\npublic operator fun <T>
Iterable<T>.plus(elements: Sequence<T>): List<T> {\n  val result = ArrayList<T>()\n  result.addAll(this)\n
result.addAll(elements)\n  return result\n}\n\n/**\n * Returns a list containing all elements of the original
collection and then all elements of the given [elements] sequence.\n */\npublic operator fun <T>
Collection<T>.plus(elements: Sequence<T>): List<T> {\n  val result = ArrayList<T>(this.size + 10)\n
result.addAll(this)\n  result.addAll(elements)\n  return result\n}\n\n/**\n * Returns a list containing all elements
of the original collection and then the given [element].\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T>
Iterable<T>.plusElement(element: T): List<T> {\n  return plus(element)\n}\n\n/**\n * Returns a list containing all
elements of the original collection and then the given [element].\n */\n@kotlin.internal.InlineOnly\npublic inline fun
<T> Collection<T>.plusElement(element: T): List<T> {\n  return plus(element)\n}\n\n/**\n * Returns a list of
snapshots of the window of the given [size]\n * sliding along this collection with the given [step], where each\n *
snapshot is a list.\n * \n * Several last lists may have fewer elements than the given [size].\n * \n * Both [size] and
[step] must be positive and can be greater than the number of elements in this collection.\n * @param size the
number of elements to take in each window\n * @param step the number of elements to move the window forward
by on an each step, by default 1\n * @param partialWindows controls whether or not to keep partial windows in the
end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample
samples.collections.Sequences.Transformations.takeWindows\n */\n@SinceKotlin("1.2")\npublic fun <T>
Iterable<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false): List<List<T>> {\n
checkWindowSizeStep(size, step)\n  if (this is RandomAccess && this is List) {\n    val thisSize = this.size\n
val resultCapacity = thisSize / step + if (thisSize % step == 0) 0 else 1\n    val result =
ArrayList<List<T>>(resultCapacity)\n    var index = 0\n    while (index in 0 until thisSize) {\n      val
windowSize = size.coerceAtMost(thisSize - index)\n      if (windowSize < size && !partialWindows) break\n
result.add(List(windowSize) { this[it + index] })\n      index += step\n    }\n    return result\n  }\n  val
result = ArrayList<List<T>>()\n  windowedIterator(iterator(), size, step, partialWindows, reuseBuffer =
false).forEach {\n    result.add(it)\n  }\n  return result\n}\n\n/**\n * Returns a list of results of applying the
given [transform] function to\n * an each list representing a view over the window of the given [size]\n * sliding
along this collection with the given [step].\n * \n * Note that the list passed to the [transform] function is ephemeral
and is valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made
a snapshot of it.\n * Several last lists may have fewer elements than the given [size].\n * \n * Both [size] and [step]
must be positive and can be greater than the number of elements in this collection.\n * @param size the number of
elements to take in each window\n * @param step the number of elements to move the window forward by on an
each step, by default 1\n * @param partialWindows controls whether or not to keep partial windows in the end if
any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample
samples.collections.Sequences.Transformations.averageWindows\n */\n@SinceKotlin("1.2")\npublic fun <T, R>
Iterable<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false, transform: (List<T>) -> R):
List<R> {\n  checkWindowSizeStep(size, step)\n  if (this is RandomAccess && this is List) {\n    val thisSize =
this.size\n    val resultCapacity = thisSize / step + if (thisSize % step == 0) 0 else 1\n    val result =
ArrayList<R>(resultCapacity)\n    val window = MovingSubList(this)\n    var index = 0\n    while (index in 0

```

```

until thisSize) {\n        val windowSize = size.coerceAtMost(thisSize - index)\n        if (!partialWindows &&
windowSize < size) break\n        window.move(index, index + windowSize)\n
result.add(transform(window))\n        index += step\n    }\n    return result\n }\n val result =
ArrayList<R>()\n windowedIterator(iterator(), size, step, partialWindows, reuseBuffer = true).forEach {\n
result.add(transform(it))\n }\n return result\n}\n\n/**\n * Returns a list of pairs built from the elements of `this`
collection and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n
* @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <T, R> Iterable<T>.zip(other:
Array<out R>): List<Pair<T, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values
built from the elements of `this` collection and the [other] array with the same index\n * using the provided
[transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n
* @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <T, R, V>
Iterable<T>.zip(other: Array<out R>, transform: (a: T, b: R) -> V): List<V> {\n    val arraySize = other.size\n    val
list = ArrayList<V>(minOf(collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element in this) {\n        if
(i >= arraySize) break\n        list.add(transform(element, other[i++]))\n    }\n    return list\n}\n\n/**\n * Returns a list
of pairs built from the elements of `this` collection and [other] collection with the same index.\n * The returned list
has length of the shortest collection.\n * \n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*/\npublic infix fun <T, R> Iterable<T>.zip(other: Iterable<R>): List<Pair<T, R>> {\n    return zip(other) { t1, t2 ->
t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` collection and the [other] collection
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest collection.\n * \n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <T, R, V>
Iterable<T>.zip(other: Iterable<R>, transform: (a: T, b: R) -> V): List<V> {\n    val first = iterator()\n    val second
= other.iterator()\n    val list = ArrayList<V>(minOf(collectionSizeOrDefault(10),
other.collectionSizeOrDefault(10)))\n    while (first.hasNext() && second.hasNext()) {\n
list.add(transform(first.next(), second.next()))\n    }\n    return list\n}\n\n/**\n * Returns a list of pairs of each two
adjacent elements in this collection.\n * \n * The returned list is empty if this collection contains less than two
elements.\n * \n * \n * @sample samples.collections.Collections.Transformations.zipWithNext\n
*/\n@SinceKotlin("1.2")\npublic fun <T> Iterable<T>.zipWithNext(): List<Pair<T, T>> {\n    return zipWithNext
{ a, b -> a to b }\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to
an each pair of two adjacent elements in this collection.\n * \n * The returned list is empty if this collection contains
less than two elements.\n * \n * \n * @sample
samples.collections.Collections.Transformations.zipWithNextToFindDeltas\n */\n@SinceKotlin("1.2")\npublic
inline fun <T, R> Iterable<T>.zipWithNext(transform: (a: T, b: T) -> R): List<R> {\n    val iterator = iterator()\n    if
(!iterator.hasNext()) return emptyList()\n    val result = mutableListOf<R>()\n    var current = iterator.next()\n
while (iterator.hasNext()) {\n        val next = iterator.next()\n        result.add(transform(current, next))\n        current
= next\n    }\n    return result\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and
using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-
negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the
[truncated] string (which defaults to `"...`").\n * \n * \n * @sample
samples.collections.Collections.Transformations.joinTo\n */\npublic fun <T, A : Appendable>
Iterable<T>.joinTo(buffer: A, separator: CharSequence = ``, prefix: CharSequence = ``, postfix: CharSequence
= ``, limit: Int = -1, truncated: CharSequence = `"...`", transform: ((T) -> CharSequence)? = null): A {\n
buffer.append(prefix)\n    var count = 0\n    for (element in this) {\n        if (++count > 1) buffer.append(separator)\n
        if (limit < 0 || count <= limit) {\n            buffer.appendElement(element, transform)\n        } else break\n    }\n
if (limit >= 0 && count > limit) buffer.append(truncated)\n    buffer.append(postfix)\n    return buffer\n}\n\n/**\n *
Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if
supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only
the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to `"...`").\n * \n
* \n *

```

```

@sample samples.collections.Collections.Transformations.joinToString\n *^\\npublic fun <T>
Iterable<T>.joinToString(separator: CharSequence = \\", \\", prefix: CharSequence = \\\"\\", postfix: CharSequence =
\\\"\\", limit: Int = -1, truncated: CharSequence = \\\"...\\\", transform: ((T) -> CharSequence)? = null): String {\\n  return
joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\\n}\\n\\n/**\\n * Returns this
collection as an [Iterable].\\n *^\\n@kotlin.internal.InlineOnly\\npublic inline fun <T> Iterable<T>.asIterable():
Iterable<T> {\\n  return this\\n}\\n\\n/**\\n * Creates a [Sequence] instance that wraps the original collection returning
its elements when being iterated.\\n * \\n * @sample
samples.collections.Sequences.Building.sequenceFromCollection\\n *^\\npublic fun <T> Iterable<T>.asSequence():
Sequence<T> {\\n  return Sequence { this.iterator() }\\n}\\n\\n/**\\n * Returns an average value of elements in the
collection.\\n *^\\n@kotlin.jvm.JvmName(\\\"averageOfByte\\\")\\npublic fun Iterable<Byte>.average(): Double {\\n  var
sum: Double = 0.0\\n  var count: Int = 0\\n  for (element in this) {\\n    sum += element\\n
checkCountOverflow(++count)\\n  }\\n  return if (count == 0) Double.NaN else sum / count\\n}\\n\\n/**\\n * Returns
an average value of elements in the collection.\\n *^\\n@kotlin.jvm.JvmName(\\\"averageOfShort\\\")\\npublic fun
Iterable<Short>.average(): Double {\\n  var sum: Double = 0.0\\n  var count: Int = 0\\n  for (element in this) {\\n
sum += element\\n  checkCountOverflow(++count)\\n  }\\n  return if (count == 0) Double.NaN else sum /
count\\n}\\n\\n/**\\n * Returns an average value of elements in the collection.\\n
*^\\n@kotlin.jvm.JvmName(\\\"averageOfInt\\\")\\npublic fun Iterable<Int>.average(): Double {\\n  var sum: Double =
0.0\\n  var count: Int = 0\\n  for (element in this) {\\n    sum += element\\n    checkCountOverflow(++count)\\n
}\\n  return if (count == 0) Double.NaN else sum / count\\n}\\n\\n/**\\n * Returns an average value of elements in the
collection.\\n *^\\n@kotlin.jvm.JvmName(\\\"averageOfLong\\\")\\npublic fun Iterable<Long>.average(): Double {\\n
var sum: Double = 0.0\\n  var count: Int = 0\\n  for (element in this) {\\n    sum += element\\n
checkCountOverflow(++count)\\n  }\\n  return if (count == 0) Double.NaN else sum / count\\n}\\n\\n/**\\n * Returns
an average value of elements in the collection.\\n *^\\n@kotlin.jvm.JvmName(\\\"averageOfFloat\\\")\\npublic fun
Iterable<Float>.average(): Double {\\n  var sum: Double = 0.0\\n  var count: Int = 0\\n  for (element in this) {\\n
sum += element\\n  checkCountOverflow(++count)\\n  }\\n  return if (count == 0) Double.NaN else sum /
count\\n}\\n\\n/**\\n * Returns an average value of elements in the collection.\\n
*^\\n@kotlin.jvm.JvmName(\\\"averageOfDouble\\\")\\npublic fun Iterable<Double>.average(): Double {\\n  var sum:
Double = 0.0\\n  var count: Int = 0\\n  for (element in this) {\\n    sum += element\\n
checkCountOverflow(++count)\\n  }\\n  return if (count == 0) Double.NaN else sum / count\\n}\\n\\n/**\\n * Returns
the sum of all elements in the collection.\\n *^\\n@kotlin.jvm.JvmName(\\\"sumOfByte\\\")\\npublic fun
Iterable<Byte>.sum(): Int {\\n  var sum: Int = 0\\n  for (element in this) {\\n    sum += element\\n  }\\n  return
sum\\n}\\n\\n/**\\n * Returns the sum of all elements in the collection.\\n
*^\\n@kotlin.jvm.JvmName(\\\"sumOfShort\\\")\\npublic fun Iterable<Short>.sum(): Int {\\n  var sum: Int = 0\\n  for
(element in this) {\\n    sum += element\\n  }\\n  return sum\\n}\\n\\n/**\\n * Returns the sum of all elements in the
collection.\\n *^\\n@kotlin.jvm.JvmName(\\\"sumOfInt\\\")\\npublic fun Iterable<Int>.sum(): Int {\\n  var sum: Int = 0\\n
for (element in this) {\\n    sum += element\\n  }\\n  return sum\\n}\\n\\n/**\\n * Returns the sum of all elements in
the collection.\\n *^\\n@kotlin.jvm.JvmName(\\\"sumOfLong\\\")\\npublic fun Iterable<Long>.sum(): Long {\\n  var
sum: Long = 0L\\n  for (element in this) {\\n    sum += element\\n  }\\n  return sum\\n}\\n\\n/**\\n * Returns the
sum of all elements in the collection.\\n *^\\n@kotlin.jvm.JvmName(\\\"sumOfFloat\\\")\\npublic fun
Iterable<Float>.sum(): Float {\\n  var sum: Float = 0.0f\\n  for (element in this) {\\n    sum += element\\n  }\\n
return sum\\n}\\n\\n/**\\n * Returns the sum of all elements in the collection.\\n
*^\\n@kotlin.jvm.JvmName(\\\"sumOfDouble\\\")\\npublic fun Iterable<Double>.sum(): Double {\\n  var sum: Double
= 0.0\\n  for (element in this) {\\n    sum += element\\n  }\\n  return sum\\n}\\n\\n\", /*\\n * Copyright 2010-2018
JetBrains s.r.o. and Kotlin Programming Language contributors.\\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\\n *^\\n\\npackage kotlin.collections\\n\\nimport
kotlin.comparisons.naturalOrder\\n\\nimport kotlin.random.Random\\n\\n/**\\n * Returns the array if it's not `null`, or an
empty array otherwise.\\n * @sample samples.collections.Arrays.Usage.arrayOrEmpty\\n
*^\\n@kotlin.internal.InlineOnly\\npublic actual inline fun <T> Array<out T>?.orEmpty(): Array<out T> = this ?

```

```

emptyArray<T>()\n\n/**\n * Returns a *typed* array containing all of the elements of this collection.\n *\n * Allocates an array of runtime type `T` having its size equal to the size of this collection\n * and populates the array with the elements of this collection.\n * @sample
samples.collections.Collections.Collections.collectionToTypedArray\n */\n@kotlin.internal.InlineOnly\npublic
actual inline fun <T> Collection<T>.toArray(): Array<T> =
copyToArray(this)\n\n@JsName("copyToArray")\n@PublishedApi\ninternal fun <T> copyToArray(collection:
Collection<T>): Array<T> {\n    return if (collection.asDynamic().toArray !== undefined)\n        collection.asDynamic().toArray().unsafeCast<Array<T>>()\n    else\n        copyToArrayImpl(collection).unsafeCast<Array<T>>()\n}\n\n@JsName("copyToArrayImpl")\ninternal actual fun
copyToArrayImpl(collection: Collection<*>): Array<Any?> {\n    val array = emptyArray<Any?>()\n    val iterator
= collection.iterator()\n    while (iterator.hasNext())\n        array.asDynamic().push(iterator.next())\n    return
array\n}\n\n@JsName("copyToExistingArrayImpl")\ninternal actual fun <T> copyToArrayImpl(collection:
Collection<*>, array: Array<T>): Array<T> {\n    if (array.size < collection.size)\n        return
copyToArrayImpl(collection).unsafeCast<Array<T>>()\n    val iterator = collection.iterator()\n    var index = 0\n    while (iterator.hasNext()) {\n        array[index++] = iterator.next().unsafeCast<T>()\n    }\n    if (index < array.size)\n        {\n            array[index] = null.unsafeCast<T>()\n        }\n    return array\n}\n\n/**\n * Returns an immutable list
containing only the specified object [element].\n *\npublic fun <T> listOf(element: T): List<T> =
arrayListOf(element)\n\n@PublishedApi\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\ninternal actual
inline fun <E> buildListInternal(builderAction: MutableList<E>().->Unit): List<E> {\n    return
ArrayList<E>().apply(builderAction).build()\n}\n\n@PublishedApi\n@SinceKotlin("1.3")\n@kotlin.internal.Inlin
eOnly\ninternal actual inline fun <E> buildListInternal(capacity: Int, builderAction: MutableList<E>().->Unit):
List<E> {\n    checkBuilderCapacity(capacity)\n    return
ArrayList<E>(capacity).apply(builderAction).build()\n}\n\n/**\n * Returns an immutable set containing only the
specified object [element].\n *\npublic fun <T> setOf(element: T): Set<T> =
hashSetOf(element)\n\n@PublishedApi\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\ninternal actual inline
fun <E> buildSetInternal(builderAction: MutableSet<E>().->Unit): Set<E> {\n    return
LinkedHashSet<E>().apply(builderAction).build()\n}\n\n@PublishedApi\n@SinceKotlin("1.3")\n@kotlin.internal.
InlineOnly\ninternal actual inline fun <E> buildSetInternal(capacity: Int, builderAction: MutableSet<E>().->Unit):
Set<E> {\n    return LinkedHashSet<E>(capacity).apply(builderAction).build()\n}\n\n/**\n * Returns an
immutable map, mapping only the specified key to the\n * specified value.\n *\npublic fun <K, V> mapOf(pair:
Pair<K, V>): Map<K, V> =
hashMapOf(pair)\n\n@PublishedApi\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\ninternal actual inline
fun <K, V> buildMapInternal(builderAction: MutableMap<K, V>().->Unit): Map<K, V> {\n    return
LinkedHashMap<K,
V>().apply(builderAction).build()\n}\n\n@PublishedApi\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\ninte
rnal actual inline fun <K, V> buildMapInternal(capacity: Int, builderAction: MutableMap<K, V>().->Unit):
Map<K, V> {\n    return LinkedHashMap<K, V>(capacity).apply(builderAction).build()\n}\n\n/**\n * Fills the
list with the provided [value].\n *\n * Each element in the list gets replaced with the [value].\n
*\n\n@SinceKotlin("1.2")\npublic actual fun <T> MutableList<T>.fill(value: T): Unit {\n    for (index in
0..lastIndex) {\n        this[index] = value\n    }\n}\n\n/**\n * Randomly shuffles elements in this list.\n *\n * See:
https://en.wikipedia.org/wiki/Fisher%20%80%93Yates\_shuffle#The\_modern\_algorithm\n
*\n\n@SinceKotlin("1.2")\npublic actual fun <T> MutableList<T>.shuffle(): Unit = shuffle(Random)\n}\n\n/**\n * Returns a new list with the elements of this list randomly shuffled.\n *\n\n@SinceKotlin("1.2")\npublic actual fun
<T> Iterable<T>.shuffled(): List<T> = toMutableList().apply { shuffle() }\n}\n\n/**\n * Sorts elements in the list in-
place according to their natural sort order.\n *\n * The sort is _stable_. It means that equal elements preserve their
order relative to each other after sorting.\n *\n * @sample samples.collections.Collections.Sorting.sortMutableList\n
*\n\npublic actual fun <T : Comparable<T>> MutableList<T>.sort(): Unit {\n    collectionsSort(this,
naturalOrder())\n}\n\n/**\n * Sorts elements in the list in-place according to the order specified with [comparator].\n

```

```

*\n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n *\n
* @sample samples.collections.Collections.Sorting.sortMutableListWith\n *^\npublic actual fun <T>
MutableList<T>.sortWith(comparator: Comparator<in T>): Unit {\n  collectionsSort(this,
comparator)\n}\n\nprivate fun <T> collectionsSort(list: MutableList<T>, comparator: Comparator<in T>) {\n  if
(list.size <= 1) return\n\n  val array = copyToArray(list)\n  sortArrayWith(array, comparator)\n\n  for (i in 0 until
array.size) {\n    list[i] = array[i]\n  }\n}\n\ninternal actual fun <T> arrayOfNulls(reference: Array<T>, size: Int):
Array<T> {\n  return
arrayOfNulls<Any>(size).unsafeCast<Array<T>>()\n}\n\n@SinceKotlin("1.3")\n@PublishedApi\n@JsName("arrayCopy")\ninternal fun <T> arrayCopy(source: Array<out T>, destination: Array<in T>, destinationOffset: Int,
startIndex: Int, endIndex: Int) {\n  AbstractList.checkRangeIndexes(startIndex, endIndex, source.size)\n  val
rangeSize = endIndex - startIndex\n  AbstractList.checkRangeIndexes(destinationOffset, destinationOffset +
rangeSize, destination.size)\n\n  if (js("ArrayBuffer").isView(destination) &&
js("ArrayBuffer").isView(source)) {\n    val subrange = source.asDynamic().subarray(startIndex, endIndex)\n
destination.asDynamic().set(subrange, destinationOffset)\n  } else {\n    if (source !== destination ||
destinationOffset <= startIndex) {\n      for (index in 0 until rangeSize) {\n
destination[destinationOffset + index] = source[startIndex + index]\n      }\n    } else {\n      for (index in
rangeSize - 1 downTo 0) {\n        destination[destinationOffset + index] = source[startIndex + index]\n
      }\n    }\n  }\n}\n\n// no singleton map implementation in js, return map as
is\n@Suppress("NOTHING_TO_INLINE")\ninternal actual inline fun <K, V> Map<K,
V>.toSingletonMapOrSelf(): Map<K, V> = this\n\n@Suppress("NOTHING_TO_INLINE")\ninternal actual inline
fun <K, V> Map<out K, V>.toSingletonMap(): Map<K, V> =
this.toMutableMap()\n\n@Suppress("NOTHING_TO_INLINE")\ninternal actual inline fun <T> Array<out
T>.copyToArrayOfAny(isVarargs: Boolean): Array<out Any?> =\n  if (isVarargs)\n    // no need to copy vararg
array in JS\n    this\n  else\n    this.copyOf()\n\n\n@PublishedApi\ninternal actual fun
checkIndexOverflow(index: Int): Int {\n  if (index < 0) {\n    throwIndexOverflow()\n  }\n  return
index\n}\n\n@PublishedApi\ninternal actual fun checkCountOverflow(count: Int): Int {\n  if (count < 0) {\n
throwCountOverflow()\n  }\n  return count\n}\n\n\n**\n * JS map and set implementations do not make use of
capacities or load factors.\n *^\n@PublishedApi\ninternal actual fun mapCapacity(expectedSize: Int) =
expectedSize\n\n\n**\n * Checks a collection builder function capacity argument.\n * In JS no validation is made in
Map/Set constructor yet.\n *^\n@SinceKotlin("1.3")\n@PublishedApi\ninternal fun
checkBuilderCapacity(capacity: Int) {\n  require(capacity >= 0) { "capacity must be non-negative."
}\n}\n\n\ninternal actual fun brittleContainsOptimizationEnabled(): Boolean = false", "/*\n * Copyright 2010-2018
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("CollectionsKt")\n\npackage
kotlin.collections\n\n\n**\n * Returns the given iterator itself. This allows to use an instance of iterator in a `for`
loop.\n * @sample samples.collections.Iterators.iterator\n *^\n@kotlin.internal.InlineOnly\npublic inline operator
fun <T> Iterator<T>.iterator(): Iterator<T> = this\n\n\n**\n * Returns an [Iterator] that wraps each element produced
by the original iterator\n * into an [IndexedValue] containing the index of that element and the element itself.\n *\n
* @sample samples.collections.Iterators.withIndexIterator\n *^\npublic fun <T> Iterator<T>.withIndex():
Iterator<IndexedValue<T>> = IndexingIterator(this)\n\n\n**\n * Performs the given [operation] on each element of
this [Iterator].\n * @sample samples.collections.Iterators.forEachIterator\n *^\npublic inline fun <T>
Iterator<T>.forEach(operation: (T) -> Unit): Unit {\n  for (element in this) operation(element)\n}\n\n\n**\n *
Iterator transforming original `iterator` into iterator of [IndexedValue], counting index from zero.\n *\n\ninternal class
IndexingIterator<out T>(private val iterator: Iterator<T>) : Iterator<IndexedValue<T>> {\n  private var index =
0\n  final override fun hasNext(): Boolean = iterator.hasNext()\n  final override fun next(): IndexedValue<T> =
IndexedValue(checkIndexOverflow(index++), iterator.next())\n}\n\n", "/*\n * Copyright 2010-2021 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license

```

that can be found in the license/LICENSE.txt file.\n

```
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"ComparisonsKt\")\n\npackage\nkotlin.comparisons\n\n/\n\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:\nhttps://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.random.*\n\n/**\n * Returns the\n greater of two values.\n * \n * If values are equal, returns the first one.\n */\n@SinceKotlin(\"1.1\")\npublic expect\nfun <T : Comparable<T>> maxOf(a: T, b: T): T\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Byte, b: Byte):\nByte\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Short, b: Short): Short\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Int, b: Int): Int\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Long, b: Long): Long\n\n/**\n * Returns the greater of two values.\n * \n * If either value is `NaN`,\n returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Float, b: Float): Float\n\n/**\n * Returns the greater of two values.\n * \n * If either value is `NaN`,\n returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Double, b: Double):\nDouble\n\n/**\n * Returns the greater of three values.\n * \n * If there are multiple equal maximal values, returns the\n first of them.\n */\n@SinceKotlin(\"1.1\")\npublic expect fun <T : Comparable<T>> maxOf(a: T, b: T, c: T):\nT\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Byte, b: Byte, c: Byte): Byte\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Short, b: Short, c:\nShort): Short\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Int, b: Int, c: Int):\nInt\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Long, b: Long, c: Long): Long\n\n/**\n * Returns the greater of three values.\n * \n * If\n any value is `NaN`, returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline\nfun maxOf(a: Float, b: Float, c: Float): Float\n\n/**\n * Returns the greater of three values.\n * \n * If any value is\n `NaN`, returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a:\nDouble, b: Double, c: Double): Double\n\n/**\n * Returns the greater of three values according to the order\n specified by the given [comparator].\n * \n * If there are multiple equal maximal values, returns the first of them.\n */\n@SinceKotlin(\"1.1\")\npublic fun <T> maxOf(a: T, b: T, c: T, comparator: Comparator<in T>): T {\n    return\n maxOf(a, maxOf(b, c, comparator), comparator)\n}\n\n/**\n * Returns the greater of two values according to the\n order specified by the given [comparator].\n * \n * If values are equal, returns the first one.\n */\n@SinceKotlin(\"1.1\")\npublic fun <T> maxOf(a: T, b: T, comparator: Comparator<in T>): T {\n    return if\n (comparator.compare(a, b) >= 0) a else b\n}\n\n/**\n * Returns the greater of the given values.\n * \n * If there are\n multiple equal maximal values, returns the first of them.\n */\n@SinceKotlin(\"1.4\")\npublic expect fun <T : Comparable<T>> maxOf(a: T, vararg other: T): T\n\n/**\n * Returns the greater of the given values.\n */\n@SinceKotlin(\"1.4\")\npublic expect fun maxOf(a: Byte, vararg other: Byte): Byte\n\n/**\n * Returns the\n greater of the given values.\n */\n@SinceKotlin(\"1.4\")\npublic expect fun maxOf(a: Short, vararg other: Short):\nShort\n\n/**\n * Returns the greater of the given values.\n */\n@SinceKotlin(\"1.4\")\npublic expect fun maxOf(a:\nInt, vararg other: Int): Int\n\n/**\n * Returns the greater of the given values.\n */\n@SinceKotlin(\"1.4\")\npublic expect fun maxOf(a: Long, vararg other: Long): Long\n\n/**\n * Returns the greater of the given values.\n * \n * If\n any value is `NaN`, returns `NaN`.\n */\n@SinceKotlin(\"1.4\")\npublic expect fun maxOf(a: Float, vararg other:\nFloat): Float\n\n/**\n * Returns the greater of the given values.\n * \n * If any value is `NaN`,\n returns `NaN`.\n */\n@SinceKotlin(\"1.4\")\npublic expect fun maxOf(a: Double, vararg other: Double): Double\n\n/**\n * Returns\n the greater of the given values according to the order specified by the given [comparator].\n * \n * If there are\n multiple equal maximal values, returns the first of them.\n */\n@SinceKotlin(\"1.4\")\npublic fun <T> maxOf(a: T,\nvararg other: T, comparator: Comparator<in T>): T {\n    var max = a\n    for (e in other) if\n (comparator.compare(max, e) < 0) max = e\n    return max\n}\n\n/**\n * Returns the smaller of two values.\n * \n * \n */
```

If values are equal, returns the first one.

```

@SinceKotlin("1.1")
public expect fun <T : Comparable<T>>
minOf(a: T, b: T): T

```

Returns the smaller of two values.

```

@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public expect inline fun minOf(a: Byte, b: Byte):
Byte

```

Returns the smaller of two values.

```

@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public expect inline fun minOf(a: Short, b: Short):
Short

```

Returns the smaller of two values.

```

@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public expect inline fun minOf(a: Int, b: Int): Int

```

Returns the smaller of two values.

```

@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public expect inline fun minOf(a: Long, b: Long): Long

```

Returns the smaller of two values.

If either value is `NaN`, returns `NaN`.

```

@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public expect inline fun minOf(a: Float, b: Float): Float

```

Returns the smaller of two values.

If either value is `NaN`, returns `NaN`.

```

@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public expect inline fun minOf(a: Double, b: Double):
Double

```

Returns the smaller of two values.

If there are multiple equal minimal values, returns the first of them.

```

@SinceKotlin("1.1")
public expect fun <T : Comparable<T>> minOf(a: T, b: T, c: T):
T

```

Returns the smaller of three values.

```

@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public expect inline fun minOf(a: Byte, b: Byte, c: Byte): Byte

```

Returns the smaller of three values.

```

@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public expect inline fun minOf(a: Short, b: Short, c:
Short): Short

```

Returns the smaller of three values.

```

@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public expect inline fun minOf(a: Int, b: Int, c: Int):
Int

```

Returns the smaller of three values.

```

@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public expect inline fun minOf(a: Long, b: Long, c: Long): Long

```

Returns the smaller of three values.

If any value is `NaN`, returns `NaN`.

```

@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public expect inline fun minOf(a: Float, b: Float, c: Float): Float

```

Returns the smaller of three values.

If any value is `NaN`, returns `NaN`.

```

@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public expect inline fun minOf(a: Double, b: Double, c: Double): Double

```

Returns the smaller of three values according to the order specified by the given `comparator`.

If there are multiple equal minimal values, returns the first of them.

```

@SinceKotlin("1.1")
public fun <T> minOf(a: T, b: T, c: T, comparator: Comparator<in T>): T {
    return minOf(a, minOf(b, c, comparator), comparator)
}

```

Returns the smaller of two values according to the order specified by the given `comparator`.

If values are equal, returns the first one.

```

@SinceKotlin("1.1")
public fun <T> minOf(a: T, b: T, comparator: Comparator<in T>): T {
    return if (comparator.compare(a, b) <= 0) a else b
}

```

Returns the smaller of the given values.

If there are multiple equal minimal values, returns the first of them.

```

@SinceKotlin("1.4")
public expect fun <T : Comparable<T>> minOf(a: T, vararg other: T): T

```

Returns the smaller of the given values.

```

@SinceKotlin("1.4")
public expect fun minOf(a: Byte, vararg other: Byte): Byte

```

Returns the smaller of the given values.

```

@SinceKotlin("1.4")
public expect fun minOf(a: Short, vararg other: Short): Short

```

Returns the smaller of the given values.

```

@SinceKotlin("1.4")
public expect fun minOf(a: Int, vararg other: Int): Int

```

Returns the smaller of the given values.

```

@SinceKotlin("1.4")
public expect fun minOf(a: Long, vararg other: Long): Long

```

Returns the smaller of the given values.

If any value is `NaN`, returns `NaN`.

```

@SinceKotlin("1.4")
public expect fun minOf(a: Float, vararg other: Float): Float

```

Returns the smaller of the given values.

If any value is `NaN`, returns `NaN`.

```

@SinceKotlin("1.4")
public expect fun minOf(a: Double, vararg other: Double): Double

```

Returns the smaller of the given values according to the order specified by the given `comparator`.

If there are multiple equal minimal values, returns the first of them.

```

@SinceKotlin("1.4")
public fun <T> minOf(a: T, vararg other: T, comparator: Comparator<in T>): T {
    var min = a
    for (e in other) if (comparator.compare(min, e) > 0) min = e
    return min
}

```

Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.

Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

```

@file:kotlin.jvm.JvmMultifileClass
@file:kotlin.jvm.JvmName("MapsKt")
package

```



```

kotlin.collections\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n\nimport kotlin.random.*\nimport
kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns the first non-null value produced by
[transform] function being applied to entries of this map in iteration order,\n * or throws
[NoSuchElementException] if no non-null value was produced.\n * \n * @sample
samples.collections.Collections.Transformations.firstNotNullOf\n
*\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R : Any> Map<out K,
V>.firstNotNullOf(transform: (Map.Entry<K, V>) -> R?): R {\n    return firstNotNullOfOrNull(transform) ?: throw
NoSuchElementException("No element of the map was transformed to a non-null value.")\n}\n\n/**\n * Returns
the first non-null value produced by [transform] function being applied to entries of this map in iteration order,\n *
or `null` if no non-null value was produced.\n * \n * @sample
samples.collections.Collections.Transformations.firstNotNullOf\n
*\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R : Any> Map<out K,
V>.firstNotNullOfOrNull(transform: (Map.Entry<K, V>) -> R?): R? {\n    for (element in this) {\n        val result =
transform(element)\n        if (result != null) {\n            return result\n        }\n    }\n    return null\n}\n\n/**\n *
Returns a [List] containing all key-value pairs.\n *\npublic fun <K, V> Map<out K, V>.toList(): List<Pair<K, V>>
{\n    if (size == 0)\n        return emptyList()\n    val iterator = entries.iterator()\n    if (!iterator.hasNext())\n        return emptyList()\n    val first = iterator.next()\n    if (!iterator.hasNext())\n        return listOf(first.toPair())\n    val
result = ArrayList<Pair<K, V>>(size)\n    result.add(first.toPair())\n    do {\n        result.add(iterator.next().toPair())\n    } while (iterator.hasNext())\n    return result\n}\n\n/**\n * Returns a single list
of all elements yielded from results of [transform] function being invoked on each entry of original map.\n * \n *
@sample samples.collections.Maps.Transformations.flatMap\n *\npublic inline fun <K, V, R> Map<out K,
V>.flatMap(transform: (Map.Entry<K, V>) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each entry of original map.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapSequence")\npublic inline fun <K, V, R> Map<out K,
V>.flatMap(transform: (Map.Entry<K, V>) -> Sequence<R>): List<R> {\n    return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
entry of original map, to the given [destination].\n *\npublic inline fun <K, V, R, C : MutableCollection<in R>>
Map<out K, V>.flatMapTo(destination: C, transform: (Map.Entry<K, V>) -> Iterable<R>): C {\n    for (element in
this) {\n        val list = transform(element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n *
Appends all elements yielded from results of [transform] function being invoked on each entry of original map, to
the given [destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapSequenceTo")\npublic inline fun <K, V, R, C :
MutableCollection<in R>> Map<out K, V>.flatMapTo(destination: C, transform: (Map.Entry<K, V>) ->
Sequence<R>): C {\n    for (element in this) {\n        val list = transform(element)\n        destination.addAll(list)\n
    }\n    return destination\n}\n\n/**\n * Returns a list containing the results of applying the given [transform]
function\n * to each entry in the original map.\n * \n * @sample
samples.collections.Maps.Transformations.mapToList\n *\npublic inline fun <K, V, R> Map<out K,
V>.map(transform: (Map.Entry<K, V>) -> R): List<R> {\n    return mapTo(ArrayList<R>(size),
transform)\n}\n\n/**\n * Returns a list containing only the non-null results of applying the given [transform]
function\n * to each entry in the original map.\n * \n * @sample
samples.collections.Maps.Transformations.mapNotNull\n *\npublic inline fun <K, V, R : Any> Map<out K,
V>.mapNotNull(transform: (Map.Entry<K, V>) -> R?): List<R> {\n    return mapNotNullTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Applies the given [transform] function to each entry in the original map\n * and appends
only the non-null results to the given [destination].\n *\npublic inline fun <K, V, R : Any, C : MutableCollection<in

```

```

R>> Map<out K, V>.mapNotNullTo(destination: C, transform: (Map.Entry<K, V>) -> R?): C {
    \n  forEach {
    element -> transform(element)?.let { destination.add(it) } } \n  return destination \n \n \n /**
    \n * Applies the given
    [transform] function to each entry of the original map \n * and appends the results to the given
    [destination]. \n
    * \n public inline fun <K, V, R, C : MutableCollection<in R>> Map<out K, V>.mapTo(destination: C,
    transform:
    (Map.Entry<K, V>) -> R): C {
    \n  for (item in this) \n    destination.add(transform(item)) \n  return
    destination \n \n \n /**
    \n * Returns `true` if all entries match the given [predicate]. \n * \n * @sample
    samples.collections.Collections.Aggregates.all \n
    * \n public inline fun <K, V> Map<out K, V>.all(predicate:
    (Map.Entry<K, V>) -> Boolean): Boolean {
    \n  if (isEmpty()) return true \n  for (element in this) if
    (!predicate(element)) return false \n  return true \n \n \n /**
    \n * Returns `true` if map has at least one entry. \n * \n *
    @sample samples.collections.Collections.Aggregates.any \n
    * \n public fun <K, V> Map<out K, V>.any(): Boolean
    {
    \n  return !isEmpty() \n \n \n /**
    \n * Returns `true` if at least one entry matches the given [predicate]. \n * \n *
    @sample samples.collections.Collections.Aggregates.anyWithPredicate \n
    * \n public inline fun <K, V> Map<out K,
    V>.any(predicate: (Map.Entry<K, V>) -> Boolean): Boolean {
    \n  if (isEmpty()) return false \n  for (element in
    this) if (predicate(element)) return true \n  return false \n \n \n /**
    \n * Returns the number of entries in this map. \n
    * \n @kotlin.internal.InlineOnly \n public inline fun <K, V> Map<out K, V>.count(): Int {
    \n  return size \n \n \n /**
    \n * Returns the number of entries matching the given [predicate]. \n
    * \n public inline fun <K, V> Map<out K,
    V>.count(predicate: (Map.Entry<K, V>) -> Boolean): Int {
    \n  if (isEmpty()) return 0 \n  var count = 0 \n  for
    (element in this) if (predicate(element)) ++count \n  return count \n \n \n /**
    \n * Performs the given [action] on each
    entry. \n
    * \n @kotlin.internal.HidesMembers \n public inline fun <K, V> Map<out K, V>.forEach(action:
    (Map.Entry<K, V>) -> Unit): Unit {
    \n  for (element in this) action(element) \n \n \n @Deprecated("Use
    maxByOrNull instead.") \n @ReplaceWith("this.maxByOrNull(selector)") \n @DeprecatedSinceKotlin(warningSince =
    "1.4", errorSince = "1.5", hiddenSince = "1.6") \n @kotlin.internal.InlineOnly \n public inline fun <K, V, R :
    Comparable<R>> Map<out K, V>.maxBy(selector: (Map.Entry<K, V>) -> R): Map.Entry<K, V>? {
    \n  return
    maxByOrNull(selector) \n \n \n /**
    \n * Returns the first entry yielding the largest value of the given function or `null`
    if there are no entries. \n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull \n
    * \n @SinceKotlin("1.4") \n @kotlin.internal.InlineOnly \n public inline fun <K, V, R : Comparable<R>> Map<out
    K, V>.maxByOrNull(selector: (Map.Entry<K, V>) -> R): Map.Entry<K, V>? {
    \n  return
    entries.maxByOrNull(selector) \n \n \n /**
    \n * Returns the largest value among all values produced by [selector]
    function \n * applied to each entry in the map. \n * \n * If any of values produced by [selector] function is `NaN`,
    the
    returned result is `NaN`. \n * \n * @throws NoSuchElementException if the map is empty. \n
    * \n @SinceKotlin("1.4") \n @OptIn(kotlin.experimental.ExperimentalTypeInference::class) \n @OverloadResolution
    ByLambdaReturnType \n @kotlin.internal.InlineOnly \n public inline fun <K, V> Map<out K, V>.maxOf(selector:
    (Map.Entry<K, V>) -> Double): Double {
    \n  return entries.maxOf(selector) \n \n \n /**
    \n * Returns the largest value
    among all values produced by [selector] function \n * applied to each entry in the map. \n * \n * If any of values
    produced by [selector] function is `NaN`, the returned result is `NaN`. \n * \n * @throws NoSuchElementException
    if the map is empty. \n
    * \n @SinceKotlin("1.4") \n @OptIn(kotlin.experimental.ExperimentalTypeInference::class) \n @OverloadResolution
    ByLambdaReturnType \n @kotlin.internal.InlineOnly \n public inline fun <K, V> Map<out K, V>.maxOf(selector:
    (Map.Entry<K, V>) -> Float): Float {
    \n  return entries.maxOf(selector) \n \n \n /**
    \n * Returns the largest value
    among all values produced by [selector] function \n * applied to each entry in the map. \n * \n * @throws
    NoSuchElementException if the map is empty. \n
    * \n @SinceKotlin("1.4") \n @OptIn(kotlin.experimental.ExperimentalTypeInference::class) \n @OverloadResolution
    ByLambdaReturnType \n @kotlin.internal.InlineOnly \n public inline fun <K, V, R : Comparable<R>> Map<out K,
    V>.maxOf(selector: (Map.Entry<K, V>) -> R): R {
    \n  return entries.maxOf(selector) \n \n \n /**
    \n * Returns the
    largest value among all values produced by [selector] function \n * applied to each entry in the map or `null` if there
    are no entries. \n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`. \n
    * \n @SinceKotlin("1.4") \n @OptIn(kotlin.experimental.ExperimentalTypeInference::class) \n @OverloadResolution
    ByLambdaReturnType \n @kotlin.internal.InlineOnly \n public inline fun <K, V> Map<out K,
  
```

```

V>.maxOfOrNull(selector: (Map.Entry<K, V>) -> Double): Double? {\n  return
entries.maxOfOrNull(selector)\n}\n\n/**\n * Returns the largest value among all values produced by [selector]
function\n * applied to each entry in the map or `null` if there are no entries.\n * \n * If any of values produced by
[selector] function is `NaN`, the returned result is `NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K,
V>.maxOfOrNull(selector: (Map.Entry<K, V>) -> Float): Float? {\n  return
entries.maxOfOrNull(selector)\n}\n\n/**\n * Returns the largest value among all values produced by [selector]
function\n * applied to each entry in the map or `null` if there are no entries.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R : Comparable<R>> Map<out K,
V>.maxOfOrNull(selector: (Map.Entry<K, V>) -> R): R? {\n  return entries.maxOfOrNull(selector)\n}\n\n/**\n *
Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each entry in the map.\n * \n * @throws NoSuchElementException if the map is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R> Map<out K,
V>.maxOfWith(comparator: Comparator<in R>, selector: (Map.Entry<K, V>) -> R): R {\n  return
entries.maxOfWith(comparator, selector)\n}\n\n/**\n * Returns the largest value according to the provided
[comparator]\n * among all values produced by [selector] function applied to each entry in the map or `null` if there
are no entries.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R> Map<out K,
V>.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Map.Entry<K, V>) -> R): R? {\n  return
entries.maxOfWithOrNull(comparator, selector)\n}\n\n@Deprecated("Use maxWithOrNull instead.",
ReplaceWith("this.maxWithOrNull(comparator)"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K,
V>.maxWith(comparator: Comparator<in Map.Entry<K, V>>): Map.Entry<K, V>? {\n  return
maxWithOrNull(comparator)\n}\n\n/**\n * Returns the first entry having the largest value according to the provided
[comparator] or `null` if there are no entries.\n * \n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic
inline fun <K, V> Map<out K, V>.maxWithOrNull(comparator: Comparator<in Map.Entry<K, V>>):
Map.Entry<K, V>? {\n  return entries.maxWithOrNull(comparator)\n}\n\n@Deprecated("Use minByOrNull
instead.", ReplaceWith("this.minByOrNull(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.4",
errorSince = "1.5", hiddenSince = "1.6")\npublic inline fun <K, V, R : Comparable<R>> Map<out K,
V>.minBy(selector: (Map.Entry<K, V>) -> R): Map.Entry<K, V>? {\n  return minByOrNull(selector)\n}\n\n/**\n *
Returns the first entry yielding the smallest value of the given function or `null` if there are no entries.\n * \n *
@sample samples.collections.Collections.Aggregates.minByOrNull\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R : Comparable<R>> Map<out
K, V>.minByOrNull(selector: (Map.Entry<K, V>) -> R): Map.Entry<K, V>? {\n  return
entries.minByOrNull(selector)\n}\n\n/**\n * Returns the smallest value among all values produced by [selector]
function\n * applied to each entry in the map.\n * \n * If any of values produced by [selector] function is `NaN`, the
returned result is `NaN`.\n * \n * @throws NoSuchElementException if the map is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.minOf(selector:
(Map.Entry<K, V>) -> Double): Double {\n  return entries.minOf(selector)\n}\n\n/**\n * Returns the smallest
value among all values produced by [selector] function\n * applied to each entry in the map.\n * \n * If any of values
produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException
if the map is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution

```

```

ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.minOf(selector:
(Map.Entry<K, V>) -> Float): Float {\n    return entries.minOf(selector)\n}\n\n/**\n * Returns the smallest value
among all values produced by [selector] function\n * applied to each entry in the map.\n * \n * @throws
NoSuchElementException if the map is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R : Comparable<R>> Map<out K,
V>.minOf(selector: (Map.Entry<K, V>) -> R): R {\n    return entries.minOf(selector)\n}\n\n/**\n * Returns the
smallest value among all values produced by [selector] function\n * applied to each entry in the map or `null` if
there are no entries.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K,
V>.minOfOrNull(selector: (Map.Entry<K, V>) -> Double): Double? {\n    return
entries.minOfOrNull(selector)\n}\n\n/**\n * Returns the smallest value among all values produced by [selector]
function\n * applied to each entry in the map or `null` if there are no entries.\n * \n * If any of values produced by
[selector] function is `NaN`, the returned result is `NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K,
V>.minOfOrNull(selector: (Map.Entry<K, V>) -> Float): Float? {\n    return
entries.minOfOrNull(selector)\n}\n\n/**\n * Returns the smallest value among all values produced by [selector]
function\n * applied to each entry in the map or `null` if there are no entries.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R : Comparable<R>> Map<out K,
V>.minOfOrNull(selector: (Map.Entry<K, V>) -> R): R? {\n    return entries.minOfOrNull(selector)\n}\n\n/**\n *
Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each entry in the map.\n * \n * @throws NoSuchElementException if the map is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R> Map<out K,
V>.minOfWith(comparator: Comparator<in R>, selector: (Map.Entry<K, V>) -> R): R {\n    return
entries.minOfWith(comparator, selector)\n}\n\n/**\n * Returns the smallest value according to the provided
[comparator]\n * among all values produced by [selector] function applied to each entry in the map or `null` if there
are no entries.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R> Map<out K,
V>.minOfWithOrNull(comparator: Comparator<in R>, selector: (Map.Entry<K, V>) -> R): R? {\n    return
entries.minOfWithOrNull(comparator, selector)\n}\n\n@Deprecated("Use minWithOrNull instead.",
ReplaceWith("this.minWithOrNull(comparator)"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\npublic fun <K, V> Map<out K, V>.minWith(comparator: Comparator<in
Map.Entry<K, V>>): Map.Entry<K, V>? {\n    return minWithOrNull(comparator)\n}\n\n/**\n * Returns the first
entry having the smallest value according to the provided [comparator] or `null` if there are no entries.\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K,
V>.minWithOrNull(comparator: Comparator<in Map.Entry<K, V>>): Map.Entry<K, V>? {\n    return
entries.minWithOrNull(comparator)\n}\n\n/**\n * Returns `true` if the map has no entries.\n * \n * @sample
samples.collections.Collections.Aggregates.none\n *\npublic fun <K, V> Map<out K, V>.none(): Boolean {\n
return isEmpty()\n}\n\n/**\n * Returns `true` if no entries match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n *\npublic inline fun <K, V> Map<out K,
V>.none(predicate: (Map.Entry<K, V>) -> Boolean): Boolean {\n    if (isEmpty()) return true\n    for (element in
this) if (predicate(element)) return false\n    return true\n}\n\n/**\n * Performs the given [action] on each entry and
returns the map itself afterwards.\n *\n@SinceKotlin("1.1")\npublic inline fun <K, V, M : Map<out K, V>>

```

```

M.onEach(action: (Map.Entry<K, V>) -> Unit): M { \n    return apply { for (element in this) action(element)
} \n } \n \n /** \n * Performs the given [action] on each entry, providing sequential index with the entry, \n * and returns
the map itself afterwards. \n * @param [action] function that takes the index of an entry and the entry itself \n * and
performs the action on the entry. \n * ^\n @SinceKotlin("1.4") \n public inline fun <K, V, M : Map<out K, V>>
M.onEachIndexed(action: (index: Int, Map.Entry<K, V>) -> Unit): M { \n    return apply {
entries.forEachIndexed(action) } \n } \n \n /** \n * Creates an [Iterable] instance that wraps the original map returning
its entries when being iterated. \n * ^\n @kotlin.internal.InlineOnly \n public inline fun <K, V> Map<out K,
V>.asIterable(): Iterable<Map.Entry<K, V>> { \n    return entries \n } \n \n /** \n * Creates a [Sequence] instance that
wraps the original map returning its entries when being iterated. \n * ^\n public fun <K, V> Map<out K,
V>.asSequence(): Sequence<Map.Entry<K, V>> { \n    return entries.asSequence() \n } \n \n ", /* \n * Copyright 2010-
2021 JetBrains s.r.o. and Kotlin Programming Language contributors. \n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file. \n * ^\n \n package kotlin.text \n \n \n // NOTE:
THIS FILE IS AUTO-GENERATED by the GenerateUnicodeData.kt \n // See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib \n \n \n // 10 mappings totally \n \n internal fun
Char.titlecaseImpl(): String { \n    val uppercase = uppercase() \n    if (uppercase.length > 1) { \n        return if (this ==
"\u0149") uppercase else uppercase[0] + uppercase.substring(1).lowercase() \n    } \n    return
titlecaseChar().toString() \n } \n \n ", /* \n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language
contributors. \n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file. \n * ^\n \n package kotlin.text \n \n \n /** \n * Converts this character to lower case using Unicode
mapping rules of the invariant locale. \n * ^\n @Deprecated("Use lowercaseChar() instead.",
ReplaceWith("lowercaseChar()")) \n @DeprecatedSinceKotlin(warningSince =
"1.5") \n @kotlin.internal.InlineOnly \n public actual inline fun Char.toLowerCase(): Char =
lowercaseChar() \n \n /** \n * Converts this character to lower case using Unicode mapping rules of the invariant
locale. \n * \n * This function performs one-to-one character mapping. \n * To support one-to-many character
mapping use the [lowercase] function. \n * If this character has no mapping equivalent, the character itself is
returned. \n * \n * @sample samples.text.Chars.toLowerCase \n
*\n @SinceKotlin("1.5") \n @WasExperimental(ExperimentalStdlibApi::class) \n @kotlin.internal.InlineOnly \n publi
c actual inline fun Char.lowercaseChar(): Char = lowercase()[0] \n \n /** \n * Converts this character to lower case
using Unicode mapping rules of the invariant locale. \n * \n * This function supports one-to-many character mapping,
thus the length of the returned string can be greater than one. \n * For example, ``\u0130.toLowerCase()`` returns
``\u0069\u0307``, \n * where ``\u0130`` is the LATIN CAPITAL LETTER I WITH DOT ABOVE character
(`\u0130`). \n * If this character has no lower case mapping, the result of `toString()` of this char is returned. \n * \n *
@sample samples.text.Chars.toLowerCase \n
*\n @SinceKotlin("1.5") \n @WasExperimental(ExperimentalStdlibApi::class) \n @kotlin.internal.InlineOnly \n publi
c actual inline fun Char.lowercase(): String = toString().asDynamic().toLowerCase().unsafeCast<String>() \n \n /** \n
* Converts this character to upper case using Unicode mapping rules of the invariant locale. \n
*\n @Deprecated("Use uppercaseChar() instead.",
ReplaceWith("uppercaseChar()")) \n @DeprecatedSinceKotlin(warningSince =
"1.5") \n @kotlin.internal.InlineOnly \n public actual inline fun Char.toUpperCase(): Char =
uppercaseChar() \n \n /** \n * Converts this character to upper case using Unicode mapping rules of the invariant
locale. \n * \n * This function performs one-to-one character mapping. \n * To support one-to-many character
mapping use the [uppercase] function. \n * If this character has no mapping equivalent, the character itself is
returned. \n * \n * @sample samples.text.Chars.toUpperCase \n
*\n @SinceKotlin("1.5") \n @WasExperimental(ExperimentalStdlibApi::class) \n public actual fun
Char.uppercaseChar(): Char { \n    val uppercase = uppercase() \n    return if (uppercase.length > 1) this else
uppercase[0] \n } \n \n /** \n * Converts this character to upper case using Unicode mapping rules of the invariant
locale. \n * \n * This function supports one-to-many character mapping, thus the length of the returned string can be
greater than one. \n * For example, ``\uFB00.toUpperCase()`` returns ``\u0046\u0046``, \n * where ``\uFB00`` is the

```

LATIN SMALL LIGATURE FF character (`\u00ff`).  
 \* If this character has no upper case mapping, the result of `toString()` of this char is returned.  
 \* @sample samples.text.Chars.uppercase

```

*^@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
c actual inline fun Char.uppercase(): String = toString().asDynamic().toUpperCase().unsafeCast<String>()\n\n/**\n
* Converts this character to title case using Unicode mapping rules of the invariant locale.\n * This function
performs one-to-one character mapping.\n * To support one-to-many character mapping use the [titlecase]
function.\n * If this character has no mapping equivalent, the result of calling [uppercaseChar] is returned.\n *
^@sample samples.text.Chars.titlecase\n *^@SinceKotlin("1.5")\npublic actual fun Char.titlecaseChar(): Char =
titlecaseCharImpl()\n\n/**\n * Returns `true` if this character is a Unicode high-surrogate code unit (also known as
leading-surrogate code unit).\n *^@public actual fun Char.isHighSurrogate(): Boolean = this in
Char.MIN_HIGH_SURROGATE..Char.MAX_HIGH_SURROGATE\n\n/**\n * Returns `true` if this character is a
Unicode low-surrogate code unit (also known as trailing-surrogate code unit).\n *^@public actual fun
Char.isLowSurrogate(): Boolean = this in
Char.MIN_LOW_SURROGATE..Char.MAX_LOW_SURROGATE\n\n/**\n * Returns the Unicode general
category of this character.\n *^@SinceKotlin("1.5")\npublic actual val Char.category: CharCategory\n  get() =
CharCategory.valueOf(getCategoryValue())\n\n/**\n * Returns `true` if this character (Unicode code point) is
defined in Unicode.\n * A character is considered to be defined in Unicode if its [category] is not
[CharCategory.UNASSIGNED].\n *^@SinceKotlin("1.5")\npublic actual fun Char.isDefined(): Boolean {\n  if
(this < "\u0080") {\n    return true\n  }\n  return getCategoryValue() !=
CharCategory.UNASSIGNED.value\n}\n\n/**\n * Returns `true` if this character is a letter.\n * A character is
considered to be a letter if its [category] is [CharCategory.UPPERCASE_LETTER],\n *
[CharCategory.LOWERCASE_LETTER], [CharCategory.TITLECASE_LETTER],
[CharCategory.MODIFIER_LETTER], or [CharCategory.OTHER_LETTER].\n *
^@sample
samples.text.Chars.isLetter\n *^@SinceKotlin("1.5")\npublic actual fun Char.isLetter(): Boolean {\n  if (this in
'a..'z' || this in 'A..'Z') {\n    return true\n  }\n  if (this < "\u0080") {\n    return false\n  }\n  return
isLetterImpl()\n}\n\n/**\n * Returns `true` if this character is a letter or digit.\n *
^@see isLetter\n * @see
isDigit\n *
^@sample samples.text.Chars.isLetterOrDigit\n *^@SinceKotlin("1.5")\npublic actual fun
Char.isLetterOrDigit(): Boolean {\n  if (this in 'a..'z' || this in 'A..'Z' || this in '0..'9') {\n    return true\n  }\n  if
(this < "\u0080") {\n    return false\n  }\n  return isDigitImpl() || isLetterImpl()\n}\n\n/**\n * Returns `true` if
this character is a digit.\n * A character is considered to be a digit if its [category] is
[CharCategory.DECIMAL_DIGIT_NUMBER].\n *
^@sample samples.text.Chars.isDigit\n *^@SinceKotlin("1.5")\npublic actual fun Char.isDigit(): Boolean {\n  if (this in '0..'9') {\n    return true\n  }\n  if (this < "\u0080") {\n    return false\n  }\n  return isDigitImpl()\n}\n\n/**\n * Returns `true` if this
character is upper case.\n * A character is considered to be an upper case character if its [category] is
[CharCategory.UPPERCASE_LETTER],\n * or it has contributory property Other_Uppercase as defined by the
Unicode Standard.\n *
^@sample samples.text.Chars.isUpperCase\n *^@SinceKotlin("1.5")\npublic actual fun
Char.isUpperCase(): Boolean {\n  if (this in 'A..'Z') {\n    return true\n  }\n  if (this < "\u0080") {\n    return
false\n  }\n  return isUpperCaseImpl()\n}\n\n/**\n * Returns `true` if this character is lower case.\n * A
character is considered to be a lower case character if its [category] is [CharCategory.LOWERCASE_LETTER],\n *
or it has contributory property Other_Lowercase as defined by the Unicode Standard.\n *
^@sample
samples.text.Chars.isLowerCase\n *^@SinceKotlin("1.5")\npublic actual fun Char.isLowerCase(): Boolean {\n  if (this in
'a..'z') {\n    return true\n  }\n  if (this < "\u0080") {\n    return false\n  }\n  return
isLowerCaseImpl()\n}\n\n/**\n * Returns `true` if this character is a title case letter.\n * A character is
considered to be a title case letter if its [category] is [CharCategory.TITLECASE_LETTER].\n *
^@sample
samples.text.Chars.isTitleCase\n *^@SinceKotlin("1.5")\npublic actual fun Char.isTitleCase(): Boolean {\n  if
(this < "\u0080") {\n    return false\n  }\n  return getCategoryValue() ==
CharCategory.TITLECASE_LETTER.value\n}\n\n/**\n * Returns `true` if this character is an ISO control
character.\n * A character is considered to be an ISO control character if its [category] is

```

```

[CharCategory.CONTROL],\n * meaning the Char is in the range `'\u0000'..''\u001F'` or in the range
`'\u007F'..''\u009F'`. \n *\n * @sample samples.text.Chars.isISOControl\n *\n@SinceKotlin("1.5")\n\npublic actual
fun Char.isISOControl(): Boolean {\n    return this <= '\u001F' || this in '\u007F'..''\u009F'\n}\n\n/**\n *
Determines whether a character is whitespace according to the Unicode standard.\n * Returns `true` if the character
is whitespace.\n *\n * @sample samples.text.Chars.isWhitespace\n *\n@public actual fun Char.isWhitespace():
Boolean = isWhitespaceImpl(),"/**\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n *\n@package kotlin.text\n\nimport kotlin.js.RegExp\n\n/**\n * Converts the characters
in the specified array to a string.\n *\n@SinceKotlin("1.2")\n\n@Deprecated("Use CharArray.concatToString()
instead", ReplaceWith("chars.concatToString()"))\n\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5")\n\npublic actual fun String(chars: CharArray): String {\n    var result = ""\n    for (char in chars) {\n
result += char\n    }\n    return result\n}\n\n/**\n * Converts the characters from a portion of the specified array to a
string.\n *\n * @throws IndexOutOfBoundsException if either [offset] or [length] are less than zero\n * or `offset +
length` is out of [chars] array bounds.\n *\n@SinceKotlin("1.2")\n\n@Deprecated("Use
CharArray.concatToString(startIndex, endIndex) instead", ReplaceWith("chars.concatToString(offset, offset +
length)"))\n\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5")\n\npublic actual fun String(chars:
CharArray, offset: Int, length: Int): String {\n    if (offset < 0 || length < 0 || chars.size - offset < length)\n        throw
IndexOutOfBoundsException("size: ${chars.size}; offset: $offset; length: $length")\n    var result = ""\n    for
(index in offset until offset + length) {\n        result += chars[index]\n    }\n    return result\n}\n\n/**\n *
Concatenates characters in this [CharArray] into a String.\n
\n*\n@SinceKotlin("1.4")\n\n@WasExperimental(ExperimentalStdlibApi::class)\n\npublic actual fun
CharArray.concatToString(): String {\n    var result = ""\n    for (char in this) {\n        result += char\n    }\n
return result\n}\n\n/**\n * Concatenates characters in this [CharArray] or its subrange into a String.\n *\n * @param
startIndex the beginning (inclusive) of the subrange of characters, 0 by default.\n * @param endIndex the end
(exclusive) of the subrange of characters, size of this array by default.\n *\n * @throws
IndexOutOfBoundsException if [startIndex] is less than zero or [endIndex] is greater than the size of this array.\n *
\n * @throws IllegalArgumentException if [startIndex] is greater than [endIndex].\n
\n*\n@SinceKotlin("1.4")\n\n@WasExperimental(ExperimentalStdlibApi::class)\n\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n\npublic actual fun CharArray.concatToString(startIndex: Int = 0,
endIndex: Int = this.size): String {\n    AbstractList.checkBoundsIndexes(startIndex, endIndex, this.size)\n    var
result = ""\n    for (index in startIndex until endIndex) {\n        result += this[index]\n    }\n    return
result\n}\n\n/**\n * Returns a [CharArray] containing characters of this string.\n
\n*\n@SinceKotlin("1.4")\n\n@WasExperimental(ExperimentalStdlibApi::class)\n\npublic actual fun
String.toCharArray(): CharArray {\n    return CharArray(length) { get(it) }\n}\n\n/**\n * Returns a [CharArray]
containing characters of this string or its substring.\n *\n * @param startIndex the beginning (inclusive) of the
substring, 0 by default.\n * @param endIndex the end (exclusive) of the substring, length of this string by default.\n
\n * @throws IndexOutOfBoundsException if [startIndex] is less than zero or [endIndex] is greater than the length
of this string.\n * @throws IllegalArgumentException if [startIndex] is greater than [endIndex].\n
\n*\n@SinceKotlin("1.4")\n\n@WasExperimental(ExperimentalStdlibApi::class)\n\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n\npublic actual fun String.toCharArray(startIndex: Int = 0, endIndex: Int
= this.length): CharArray {\n    AbstractList.checkBoundsIndexes(startIndex, endIndex, length)\n    return
CharArray(endIndex - startIndex) { get(startIndex + it) }\n}\n\n/**\n * Decodes a string from the bytes in UTF-8
encoding in this array.\n *\n * Malformed byte sequences are replaced by the replacement char `'\uFFFF'`.\n
\n*\n@SinceKotlin("1.4")\n\n@WasExperimental(ExperimentalStdlibApi::class)\n\npublic actual fun
ByteArray.decodeToString(): String {\n    return decodeUtf8(this, 0, size, false)\n}\n\n/**\n * Decodes a string from
the bytes in UTF-8 encoding in this array or its subrange.\n *\n * @param startIndex the beginning (inclusive) of the
subrange to decode, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to decode, size of this
array by default.\n * @param throwOnInvalidSequence specifies whether to throw an exception on malformed byte

```

sequence or replace it by the replacement char `\\uFFFF`.  
`@throws IndexOutOfBoundsException` if `[startIndex]` is less than zero or `[endIndex]` is greater than the size of this array.  
`@throws IllegalArgumentException` if `[startIndex]` is greater than `[endIndex]`.  
`@throws CharacterCodingException` if the byte array contains malformed UTF-8 byte sequence and `[throwOnInvalidSequence]` is true.

```

*\\n@SinceKotlin("1.4")\\n@WasExperimental(ExperimentalStdlibApi::class)\\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\\npublic actual fun ByteArray.decodeToString(\\n    startIndex: Int = 0,\\n    endIndex: Int = this.size,\\n    throwOnInvalidSequence: Boolean = false)\\n): String {\\n    AbstractList.checkBoundsIndexes(startIndex, endIndex, this.size)\\n    return decodeUtf8(this, startIndex, endIndex, throwOnInvalidSequence)\\n}\\n\\n/**\\n * Encodes this string to an array of bytes in UTF-8 encoding.\\n * Any malformed char sequence is replaced by the replacement byte sequence.\\n */\\n@SinceKotlin("1.4")\\n@WasExperimental(ExperimentalStdlibApi::class)\\npublic actual fun String.encodeToByteArray(): ByteArray {\\n    return encodeUtf8(this, 0, length, false)\\n}\\n\\n/**\\n * Encodes this string or its substring to an array of bytes in UTF-8 encoding.\\n * @param startIndex the beginning (inclusive) of the substring to encode, 0 by default.\\n * @param endIndex the end (exclusive) of the substring to encode, length of this string by default.\\n * @param throwOnInvalidSequence specifies whether to throw an exception on malformed char sequence or replace.\\n * @throws IndexOutOfBoundsException if [startIndex] is less than zero or [endIndex] is greater than the length of this string.\\n * @throws IllegalArgumentException if [startIndex] is greater than [endIndex].\\n * @throws CharacterCodingException if this string contains malformed char sequence and [throwOnInvalidSequence] is true.\\n */\\n@SinceKotlin("1.4")\\n@WasExperimental(ExperimentalStdlibApi::class)\\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\\npublic actual fun String.encodeToByteArray(\\n    startIndex: Int = 0,\\n    endIndex: Int = this.length,\\n    throwOnInvalidSequence: Boolean = false)\\n): ByteArray {\\n    AbstractList.checkBoundsIndexes(startIndex, endIndex, length)\\n    return encodeUtf8(this, startIndex, endIndex, throwOnInvalidSequence)\\n}\\n\\n/**\\n * Returns a copy of this string converted to upper case using the rules of the default locale.\\n */\\n@Deprecated("Use uppercase() instead.", ReplaceWith("uppercase()"))\\n@DeprecatedSinceKotlin(warningSince = "1.5")\\n@kotlin.internal.InlineOnly\\npublic actual inline fun String.toUpperCase(): String = asDynamic().toUpperCase()\\n\\n/**\\n * Returns a copy of this string converted to upper case using Unicode mapping rules of the invariant locale.\\n * This function supports one-to-many and many-to-one character mapping,\\n * thus the length of the returned string can be different from the length of the original string.\\n * @sample samples.text.Strings.uppercase\\n */\\n@SinceKotlin("1.5")\\n@WasExperimental(ExperimentalStdlibApi::class)\\n@kotlin.internal.InlineOnly\\npublic actual inline fun String.toUpperCase(): String = asDynamic().toUpperCase()\\n\\n/**\\n * Returns a copy of this string converted to lower case using the rules of the default locale.\\n */\\n@Deprecated("Use lowercase() instead.", ReplaceWith("lowercase()"))\\n@DeprecatedSinceKotlin(warningSince = "1.5")\\n@kotlin.internal.InlineOnly\\npublic actual inline fun String.toLowerCase(): String = asDynamic().toLowerCase()\\n\\n/**\\n * Returns a copy of this string converted to lower case using Unicode mapping rules of the invariant locale.\\n * This function supports one-to-many and many-to-one character mapping,\\n * thus the length of the returned string can be different from the length of the original string.\\n * @sample samples.text.Strings.lowercase\\n */\\n@SinceKotlin("1.5")\\n@WasExperimental(ExperimentalStdlibApi::class)\\n@kotlin.internal.InlineOnly\\npublic actual inline fun String.toLowerCase(): String = asDynamic().toLowerCase()\\n\\n@kotlin.internal.InlineOnly\\ninternal actual inline fun String.nativeIndexOf(str: String, fromIndex: Int): Int = asDynamic().indexOf(str, fromIndex)\\n\\n@kotlin.internal.InlineOnly\\ninternal actual inline fun String.nativeLastIndexOf(str: String, fromIndex: Int): Int = asDynamic().lastIndexOf(str, fromIndex)\\n\\n@kotlin.internal.InlineOnly\\ninternal inline fun String.nativeStartsWith(s: String, position: Int): Boolean = asDynamic().startsWith(s, position)\\n\\n@kotlin.internal.InlineOnly\\ninternal inline fun String.nativeEndsWith(s: String): Boolean = asDynamic().endsWith(s)\\n\\n@kotlin.internal.InlineOnly\\npublic actual inline fun String.substring(startIndex: Int):

```



```

String = asDynamic().substring(startIndex)\n\n@kotlin.internal.InlineOnly\npublic actual inline fun
String.substring(startIndex: Int, endIndex: Int): String = asDynamic().substring(startIndex,
endIndex)\n\n@Deprecated("Use String.plus() instead", ReplaceWith("this +
str"))\n\n@DeprecatedSinceKotlin(warningSince = "1.6")\n\n@kotlin.internal.InlineOnly\npublic inline fun
String.concat(str: String): String = asDynamic().concat(str)\n\n@Deprecated("Use Regex.findAll() instead or
invoke matches() on String dynamically:
this.asDynamic().match(regex)")\n\n@DeprecatedSinceKotlin(warningSince =
"1.6")\n\n@kotlin.internal.InlineOnly\npublic inline fun String.match(regex: String): Array<String>? =
asDynamic().match(regex)\n\n//native public fun String.trim(): String\n\n//TODO: String.replace to implement
effective trimLeading and trimTrailing\n\n@kotlin.internal.InlineOnly\n\ninternal inline fun
String.nativeReplace(pattern: RegExp, replacement: String): String = asDynamic().replace(pattern,
replacement)\n\n/n/**\n * Compares two strings lexicographically, optionally ignoring case differences.\n * \n * If
[ignoreCase] is true, the result of `Char.toUpperCaseChar().toLowerCaseChar()` on each character is compared.\n
*\n *\n * \n\n@SinceKotlin("1.2")\n\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n\npublic
actual fun String.compareTo(other: String, ignoreCase: Boolean = false): Int {\n    if (ignoreCase) {\n        val n1 =
this.length\n        val n2 = other.length\n        val min = minOf(n1, n2)\n        if (min == 0) return n1 - n2\n        for
(index in 0 until min) {\n            var thisChar = this[index]\n            var otherChar = other[index]\n            if
(thisChar != otherChar) {\n                thisChar = thisChar.toUpperCaseChar()\n                otherChar =
otherChar.toUpperCaseChar()\n                if (thisChar != otherChar) {\n                    thisChar =
thisChar.toLowerCaseChar()\n                    otherChar = otherChar.toLowerCaseChar()\n                    if (thisChar !=
otherChar) {\n                        return thisChar.compareTo(otherChar)\n                    }\n                }\n            }\n
        }\n        return n1 - n2\n    } else {\n        return compareTo(other)\n    }\n}\n\n/n/**\n * Returns `true` if the contents
of this char sequence are equal to the contents of the specified [other],\n * i.e. both char sequences contain the same
number of the same characters in the same order.\n * \n * @sample samples.text.Strings.contentEquals\n
*\n *\n *\n\n@SinceKotlin("1.5")\n\npublic actual infix fun CharSequence?.contentEquals(other: CharSequence?): Boolean =
contentEqualsImpl(other)\n\n/n/**\n * Returns `true` if the contents of this char sequence are equal to the contents of
the specified [other], optionally ignoring case difference.\n * \n * @param ignoreCase `true` to ignore character case
when comparing contents.\n * \n * @sample samples.text.Strings.contentEquals\n
*\n *\n *\n\n@SinceKotlin("1.5")\n\npublic
actual fun CharSequence?.contentEquals(other: CharSequence?, ignoreCase: Boolean): Boolean {\n    return if
(ignoreCase)\n        this.contentEqualsIgnoreCaseImpl(other)\n    else\n        this.contentEqualsImpl(other)\n}\n\n\nprivate val STRING_CASE_INSENSITIVE_ORDER = Comparator<String>
{ a, b -> a.compareTo(b, ignoreCase = true) }\n\n@SinceKotlin("1.2")\n\npublic actual val
String.Companion.CASE_INSENSITIVE_ORDER: Comparator<String>\n    get() =
STRING_CASE_INSENSITIVE_ORDER\n\n"/**\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n
*\n *\n *\n\n@file:kotlin.jvm.JvmMultifileClass\n\n@file:kotlin.jvm.JvmName("CharsKt")\n\n\npackage kotlin.text\n\n/**\n
*\n * Returns the numeric value of the decimal digit that this Char represents.\n * Throws an exception if this Char is
not a valid decimal digit.\n * \n * A Char is considered to represent a decimal digit if [isDigit] is true for the Char.\n
*\n * In this case, the Unicode decimal digit value of the character is returned.\n * \n * @sample
samples.text.Chars.digitToInt\n
*\n *\n *\n\n@SinceKotlin("1.5")\n\n@WasExperimental(ExperimentalStdlibApi::class)\n\npublic fun Char.digitToInt(): Int
{\n    return digitOf(this, 10).also {\n        if (it < 0) throw IllegalArgumentException("Char $this is not a decimal
digit")\n    }\n}\n\n/n/**\n * Returns the numeric value of the digit that this Char represents in the specified [radix].\n
*\n * Throws an exception if the [radix] is not in the range `2..36` or if this Char is not a valid digit in the
specified [radix].\n * \n * A Char is considered to represent a digit in the specified [radix] if at least one of the
following is true:\n * - [isDigit] is `true` for the Char and the Unicode decimal digit value of the character is
less than the specified [radix]. In this case the decimal digit value is returned.\n * - The Char is one of the
uppercase Latin letters

```

'A' through 'Z' and its [code] is less than ``radix + 'A'.code - 10``. In this case, ``this.code - 'A'.code + 10`` is returned.  
 \* - The Char is one of the lowercase Latin letters 'a' through 'z' and its [code] is less than ``radix + 'a'.code - 10``. In this case, ``this.code - 'a'.code + 10`` is returned.  
 \* - The Char is one of the fullwidth Latin capital letters '\uFF21' through '\uFF3A' and its [code] is less than ``radix + 0xFF21 - 10``. In this case, ``this.code - 0xFF21 + 10`` is returned.  
 \* - The Char is one of the fullwidth Latin small letters '\uFF41' through '\uFF5A' and its [code] is less than ``radix + 0xFF41 - 10``. In this case, ``this.code - 0xFF41 + 10`` is returned.

`@sample samples.text.Chars.digitToInt`

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun Char.digitToInt(radix: Int): Int {\n    return digitToIntOrNull(radix) ?: throw IllegalArgumentException("`Char $this is not a digit in the given radix=$radix`")\n}\n\n/**\n * Returns the numeric value of the decimal digit that this Char represents, or `null` if this Char is not a valid decimal digit.\n *\n * A Char is considered to represent a decimal digit if [isDigit] is true for the Char.\n *\n * In this case, the Unicode decimal digit value of the character is returned.\n *\n * @sample samples.text.Chars.digitToIntOrNull\n */
```

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun Char.digitToIntOrNull(): Int? {\n    return digitOf(this, 10).takeIf { it >= 0 }\n}\n\n/**\n * Returns the numeric value of the digit that this Char represents in the specified [radix], or `null` if this Char is not a valid digit in the specified [radix].\n *\n * Throws an exception if the [radix] is not in the range `2..36`.\n *\n * A Char is considered to represent a digit in the specified [radix] if at least one of the following is true:\n * - [isDigit] is `true` for the Char and the Unicode decimal digit value of the character is less than the specified [radix]. In this case the decimal digit value is returned.\n * - The Char is one of the uppercase Latin letters 'A' through 'Z' and its [code] is less than `radix + 'A'.code - 10`. In this case, `this.code - 'A'.code + 10` is returned.\n * - The Char is one of the lowercase Latin letters 'a' through 'z' and its [code] is less than `radix + 'a'.code - 10`. In this case, `this.code - 'a'.code + 10` is returned.\n * - The Char is one of the fullwidth Latin capital letters '\uFF21' through '\uFF3A' and its [code] is less than `radix + 0xFF21 - 10`. In this case, `this.code - 0xFF21 + 10` is returned.\n * - The Char is one of the fullwidth Latin small letters '\uFF41' through '\uFF5A' and its [code] is less than `radix + 0xFF41 - 10`. In this case, `this.code - 0xFF41 + 10` is returned.\n *\n * @sample samples.text.Chars.digitToIntOrNull\n */
```

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun Char.digitToIntOrNull(radix: Int): Int? {\n    checkRadix(radix)\n    return digitOf(this, radix).takeIf { it >= 0 }\n}\n\n/**\n * Returns the Char that represents this decimal digit.\n *\n * Throws an exception if this value is not in the range `0..9`.\n *\n * If this value is in `0..9`, the decimal digit Char with code `'0'.code + this` is returned.\n *\n * @sample samples.text.Chars.digitToChar\n */
```

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun Int.digitToChar(): Char {\n    if (this in 0..9) {\n        return '0' + this\n    } else {\n        throw IllegalArgumentException("`Int $this is not a decimal digit`")\n    }\n}\n\n/**\n * Returns the Char that represents this numeric digit value in the specified [radix].\n *\n * Throws an exception if the [radix] is not in the range `2..36` or if this value is not in the range `0` until radix`.  

  * If this value is less than `10`, the decimal digit Char with code `'0'.code + this` is returned.  

  * Otherwise, the uppercase Latin letter with code `'A'.code + this - 10` is returned.\n *\n * @sample samples.text.Chars.digitToChar\n */
```

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun Int.digitToChar(radix: Int): Char {\n    if (radix !in 2..36) {\n        throw IllegalArgumentException("Invalid radix: $radix. Valid radix values are in range 2..36")\n    }\n    if (this < 0 || this >= radix) {\n        throw IllegalArgumentException("Digit $this does not represent a valid digit in radix $radix")\n    }\n    return if (this < 10) {\n        '0' + this\n    } else {\n        'A' + this - 10\n    }\n}\n\n/**\n * Converts this character to lower case using Unicode mapping rules of the invariant locale.\n *\n * @Deprecated("Use lowercaseChar() instead.")
```

```
ReplaceWith("lowercaseChar()")\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic expect fun Char.toLowerCase(): Char\n\n/**\n * Converts this character to lower case using Unicode mapping rules of the invariant locale.\n *\n * This function performs one-to-one character mapping.\n *\n * To support one-to-many character mapping use the [toLowerCase] function.\n *\n * If this character has no mapping equivalent, the character itself is returned.\n *\n * @sample samples.text.Chars.toLowerCase\n */
```

```

*^@SinceKotlin("1.5")^@WasExperimental(ExperimentalStdlibApi::class)^public expect fun
Char.lowercaseChar(): Char\n\n/**\n * Converts this character to lower case using Unicode mapping rules of the
invariant locale.\n *\n * This function supports one-to-many character mapping, thus the length of the returned
string can be greater than one.\n * For example, `'\u0130'.lowercase()` returns `'\u0069\u0307'`,\n * where
'\u0130` is the LATIN CAPITAL LETTER I WITH DOT ABOVE character (`\ufffd\u0130`).\n * If this character
has no lower case mapping, the result of `toString()` of this char is returned.\n *\n * @sample
samples.text.Chars.lowercase\n
*^@SinceKotlin("1.5")^@WasExperimental(ExperimentalStdlibApi::class)^public expect fun
Char.lowercase(): String\n\n/**\n * Converts this character to upper case using Unicode mapping rules of the
invariant locale.\n *\n * @Deprecated("Use uppercaseChar() instead.")
ReplaceWith("uppercaseChar()")^@DeprecatedSinceKotlin(warningSince = "1.5")^public expect fun
Char.toUpperCase(): Char\n\n/**\n * Converts this character to upper case using Unicode mapping rules of the
invariant locale.\n *\n * This function performs one-to-one character mapping.\n * To support one-to-many
character mapping use the [uppercase] function.\n * If this character has no mapping equivalent, the character itself
is returned.\n *\n * @sample samples.text.Chars.uppercase\n
*^@SinceKotlin("1.5")^@WasExperimental(ExperimentalStdlibApi::class)^public expect fun
Char.uppercaseChar(): Char\n\n/**\n * Converts this character to upper case using Unicode mapping rules of the
invariant locale.\n *\n * This function supports one-to-many character mapping, thus the length of the returned
string can be greater than one.\n * For example, `'\uFB00'.uppercase()` returns `'\u0046\u0046'`,\n * where
'\uFB00` is the LATIN SMALL LIGATURE FF character (`\ufffd\u0046`).\n * If this character has no upper
case mapping, the result of `toString()` of this char is returned.\n *\n * @sample samples.text.Chars.uppercase\n
*^@SinceKotlin("1.5")^@WasExperimental(ExperimentalStdlibApi::class)^public expect fun
Char.uppercase(): String\n\n/**\n * Converts this character to title case using Unicode mapping rules of the
invariant locale.\n *\n * This function performs one-to-one character mapping.\n * To support one-to-many
character mapping use the [titlecase] function.\n * If this character has no mapping equivalent, the result of calling
[uppercaseChar] is returned.\n *\n * @sample samples.text.Chars.titlecase\n
*^@SinceKotlin("1.5")^public expect fun Char.titlecaseChar(): Char\n\n/**\n * Converts this character to title case using Unicode mapping rules of
the invariant locale.\n *\n * This function supports one-to-many character mapping, thus the length of the returned
string can be greater than one.\n * For example, `'\uFB00'.titlecase()` returns `'\u0046\u0066'`,\n * where
'\uFB00` is the LATIN SMALL LIGATURE FF character (`\ufffd\u0046`).\n * If this character has no title
case mapping, the result of [uppercase] is returned instead.\n *\n * @sample samples.text.Chars.titlecase\n
*^@SinceKotlin("1.5")^public fun Char.titlecase(): String = titlecaseImpl()\n\n/**\n * Concatenates this Char
and a String.\n *\n * @sample samples.text.Chars.plus\n
*^@kotlin.internal.InlineOnly^public inline operator fun
Char.plus(other: String): String = this.toString() + other\n\n/**\n * Returns `true` if this character is equal to the
[other] character, optionally ignoring character case.\n *\n * Two characters are considered equal ignoring case if
`Char.uppercaseChar().lowercaseChar()` on each character produces the same result.\n *\n * @param ignoreCase
`true` to ignore character case when comparing characters. By default `false`.\n *\n * @sample
samples.text.Chars.equals\n
*^public fun Char.equals(other: Char, ignoreCase: Boolean = false): Boolean {\n    if
(this == other) return true\n    if (!ignoreCase) return false\n\n    val thisUpper = this.uppercaseChar()\n    val
otherUpper = other.uppercaseChar()\n\n    return thisUpper == otherUpper || thisUpper.lowercaseChar() ==
otherUpper.lowercaseChar()\n}\n\n/**\n * Returns `true` if this character is a Unicode surrogate code unit.\n
*^public fun Char.isSurrogate(): Boolean = this in Char.MIN_SURROGATE..Char.MAX_SURROGATE\n\n/**\n
* Returns the Unicode general category of this character.\n
*^@SinceKotlin("1.5")^public expect val
Char.category: CharCategory\n\n/**\n * Returns `true` if this character (Unicode code point) is defined in
Unicode.\n *\n * A character is considered to be defined in Unicode if its [category] is not
[CharCategory.UNASSIGNED].\n
*^@SinceKotlin("1.5")^public expect fun Char.isDefined():
Boolean\n\n/**\n * Returns `true` if this character is a letter.\n *\n * A character is considered to be a letter if its
[category] is [CharCategory.UPPERCASE_LETTER],\n * [CharCategory.LOWERCASE_LETTER],

```



```

<@kotlin.internal.OnlyInputTypes T> Sequence<T>.contains(element: T): Boolean {
    return indexOf(element) >= 0
}

Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this sequence.

The operation is _terminal_.

@sample
samples.collections.Collections.Elements.elementAt

public fun <T> Sequence<T>.elementAt(index: Int): T {
    return elementAtOrElse(index) { throw IndexOutOfBoundsException("Sequence doesn't contain element at index $index.") }
}

Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this sequence.

The operation is _terminal_.

@sample
samples.collections.Collections.Elements.elementAtOrElse

public fun <T> Sequence<T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T {
    if (index < 0) return defaultValue(index)
    val iterator = iterator()
    var count = 0
    while (iterator.hasNext()) {
        val element = iterator.next()
        if (index == count++) return element
    }
    return defaultValue(index)
}

Returns an element at the given [index] or `null` if the [index] is out of bounds of this sequence.

The operation is _terminal_.

@sample
samples.collections.Collections.Elements.elementAtOrNull

public fun <T> Sequence<T>.elementOrNull(index: Int): T? {
    if (index < 0) return null
    val iterator = iterator()
    var count = 0
    while (iterator.hasNext()) {
        val element = iterator.next()
        if (index == count++) return element
    }
    return null
}

Returns the first element matching the given [predicate], or `null` if no such element was found.

The operation is _terminal_.

@sample
samples.collections.Collections.Elements.find

public inline fun <T> Sequence<T>.find(predicate: (T) -> Boolean): T? {
    return firstOrNull(predicate)
}

Returns the last element matching the given [predicate], or `null` if no such element was found.

The operation is _terminal_.

@sample
samples.collections.Collections.Elements.findLast

public inline fun <T> Sequence<T>.findLast(predicate: (T) -> Boolean): T? {
    return lastOrNull(predicate)
}

Returns first element.

@throws [NoSuchElementException] if the sequence is empty.

The operation is _terminal_.

public fun <T> Sequence<T>.first(): T {
    val iterator = iterator()
    if (!iterator.hasNext()) throw NoSuchElementException("Sequence is empty.")
    return iterator.next()
}

Returns the first element matching the given [predicate].

@throws [NoSuchElementException] if no such element is found.

The operation is _terminal_.

public inline fun <T> Sequence<T>.first(predicate: (T) -> Boolean): T {
    for (element in this) if (predicate(element)) return element
    throw NoSuchElementException("Sequence contains no element matching the predicate.")
}

Returns the first non-null value produced by [transform] function being applied to elements of this sequence in iteration order, or throws [NoSuchElementException] if no non-null value was produced.

The operation is _terminal_.

@sample
samples.collections.Collections.Transformations.firstNotNullOf

@SinceKotlin("1.5")
public inline fun <T, R : Any> Sequence<T>.firstNotNullOf(transform: (T) -> R?): R {
    return firstNotNullOfOrNull(transform) ?: throw NoSuchElementException("No element of the sequence was transformed to a non-null value.")
}

Returns the first non-null value produced by [transform] function being applied to elements of this sequence in iteration order, or `null` if no non-null value was produced.

The operation is _terminal_.

@sample
samples.collections.Collections.Transformations.firstNotNullOf

@SinceKotlin("1.5")
public inline fun <T, R : Any> Sequence<T>.firstNotNullOfOrNull(transform: (T) -> R?): R? {
    for (element in this) {
        val result = transform(element)
        if (result != null) return result
    }
    return null
}

Returns the first element, or `null` if the sequence is empty.

The operation is _terminal_.

public fun <T> Sequence<T>.firstOrNull(): T? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    return iterator.next()
}

Returns the first element matching the given [predicate], or `null` if element was not found.

The operation is _terminal_.

public inline fun <T> Sequence<T>.firstOrNull(predicate: (T) -> Boolean): T? {
    for (element in this) if (predicate(element)) return element
    return null
}

Returns first index of [element], or -1 if the sequence does not contain element.

The operation is

```

```

_terminal_.\n *^/npublic fun <@kotlin.internal.OnlyInputTypes T> Sequence<T>.indexOf(element: T): Int {\n  var
index = 0\n  for (item in this) {\n    checkIndexOverflow(index)\n    if (element == item)\n      return
index\n    index++\n  }\n  return -1\n}\n\n/**\n * Returns index of the first element matching the given
[predicate], or -1 if the sequence does not contain such element.\n *\n * The operation is _terminal_.\n */\npublic
inline fun <T> Sequence<T>.indexOfFirst(predicate: (T) -> Boolean): Int {\n  var index = 0\n  for (item in this)
{\n    checkIndexOverflow(index)\n    if (predicate(item))\n      return index\n    index++\n  }\n  return -
1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the sequence does not
contain such element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T>
Sequence<T>.indexOfLast(predicate: (T) -> Boolean): Int {\n  var lastIndex = -1\n  var index = 0\n  for (item in
this) {\n    checkIndexOverflow(index)\n    if (predicate(item))\n      lastIndex = index\n    index++\n  }\n
return lastIndex\n}\n\n/**\n * Returns the last element.\n *\n * The operation is _terminal_.\n */\n * @throws
NoSuchElementException if the sequence is empty.\n *\n * @sample
samples.collections.Collections.Elements.last\n */\npublic fun <T> Sequence<T>.last(): T {\n  val iterator =
iterator()\n  if (!iterator.hasNext())\n    throw NoSuchElementException("Sequence is empty.")\n  var last =
iterator.next()\n  while (iterator.hasNext())\n    last = iterator.next()\n  return last\n}\n\n/**\n * Returns the last
element matching the given [predicate].\n *\n * The operation is _terminal_.\n */\n * @throws
NoSuchElementException if no such element is found.\n *\n * @sample
samples.collections.Collections.Elements.last\n */\npublic inline fun <T> Sequence<T>.last(predicate: (T) ->
Boolean): T {\n  var last: T? = null\n  var found = false\n  for (element in this) {\n    if (predicate(element))
{\n      last = element\n      found = true\n    }\n  }\n  if (!found) throw
NoSuchElementException("Sequence contains no element matching the predicate.")\n  @Suppress("UNCHECKED_CAST")\n
return last as T\n}\n\n/**\n * Returns last index of [element], or -1 if the
sequence does not contain element.\n *\n * The operation is _terminal_.\n */\npublic fun
<@kotlin.internal.OnlyInputTypes T> Sequence<T>.lastIndexOf(element: T): Int {\n  var lastIndex = -1\n  var
index = 0\n  for (item in this) {\n    checkIndexOverflow(index)\n    if (element == item)\n      lastIndex =
index\n    index++\n  }\n  return lastIndex\n}\n\n/**\n * Returns the last element, or `null` if the sequence is
empty.\n *\n * The operation is _terminal_.\n */\n * @sample samples.collections.Collections.Elements.last\n */\npublic
fun <T> Sequence<T>.lastOrNull(): T? {\n  val iterator = iterator()\n  if (!iterator.hasNext())\n    return null\n
var last = iterator.next()\n  while (iterator.hasNext())\n    last = iterator.next()\n  return
last\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n
*\n * The operation is _terminal_.\n */\n * @sample samples.collections.Collections.Elements.last\n */\npublic
inline fun <T> Sequence<T>.lastOrNull(predicate: (T) -> Boolean): T? {\n  var last: T? = null\n  for (element in
this) {\n    if (predicate(element)) {\n      last = element\n    }\n  }\n  return last\n}\n\n/**\n * Returns the
single element, or throws an exception if the sequence is empty or has more than one element.\n *\n * The operation
is _terminal_.\n */\npublic fun <T> Sequence<T>.single(): T {\n  val iterator = iterator()\n  if
(!iterator.hasNext())\n    throw NoSuchElementException("Sequence is empty.")\n  val single =
iterator.next()\n  if (iterator.hasNext())\n    throw IllegalArgumentException("Sequence has more than one
element.")\n  return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws
exception if there is no or more than one matching element.\n *\n * The operation is _terminal_.\n */\npublic inline
fun <T> Sequence<T>.single(predicate: (T) -> Boolean): T {\n  var single: T? = null\n  var found = false\n  for
(element in this) {\n    if (predicate(element)) {\n      if (found) throw IllegalArgumentException("Sequence
contains more than one matching element.")\n      single = element\n      found = true\n    }\n  }\n  if
(!found) throw NoSuchElementException("Sequence contains no element matching the predicate.")\n  @Suppress("UNCHECKED_CAST")\n
return single as T\n}\n\n/**\n * Returns single element, or `null` if the
sequence is empty or has more than one element.\n *\n * The operation is _terminal_.\n */\npublic fun <T>
Sequence<T>.singleOrNull(): T? {\n  val iterator = iterator()\n  if (!iterator.hasNext())\n    return null\n  val
single = iterator.next()\n  if (iterator.hasNext())\n    return null\n  return single\n}\n\n/**\n * Returns the single
element matching the given [predicate], or `null` if element was not found or more than one element was found.\n

```

```

*\n * The operation is _terminal_.\n *\npublic inline fun <T> Sequence<T>.singleOrNull(predicate: (T) ->
Boolean): T? {\n  var single: T? = null\n  var found = false\n  for (element in this) {\n    if (predicate(element))\n    {\n      if (found) return null\n      single = element\n      found = true\n    }\n    if (!found) return\n    null\n    return single\n  }\n}\n\n**\n * Returns a sequence containing all elements except first [n] elements.\n *\n * The
operation is _intermediate_ and _stateless_.\n *\n * @throws IllegalArgumentException if [n] is negative.\n *\n *
@sample samples.collections.Collections.Transformations.drop\n *\npublic fun <T> Sequence<T>.drop(n: Int):
Sequence<T> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return when {\n    n
== 0 -> this\n    this is DropTakeSequence -> this.drop(n)\n    else -> DropSequence(this, n)\n  }\n}\n\n**\n *
Returns a sequence containing all elements except first elements that satisfy the given [predicate].\n *\n * The
operation is _intermediate_ and _stateless_.\n *\n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun <T> Sequence<T>.dropWhile(predicate: (T)
-> Boolean): Sequence<T> {\n  return DropWhileSequence(this, predicate)\n}\n\n**\n * Returns a sequence
containing only elements matching the given [predicate].\n *\n * The operation is _intermediate_ and _stateless_.\n
*\n * @sample samples.collections.Collections.Filtering.filter\n *\npublic fun <T> Sequence<T>.filter(predicate:
(T) -> Boolean): Sequence<T> {\n  return FilteringSequence(this, true, predicate)\n}\n\n**\n * Returns a sequence
containing only elements matching the given [predicate].\n *\n * @param [predicate] function that takes the index of an
element and the element itself\n * and returns the result of predicate evaluation on the element.\n *\n * The
operation is _intermediate_ and _stateless_.\n *\n * @sample
samples.collections.Collections.Filtering.filterIndexed\n *\npublic fun <T> Sequence<T>.filterIndexed(predicate:
(index: Int, T) -> Boolean): Sequence<T> {\n  // TODO: Rewrite with generalized MapFilterIndexingSequence\n
return TransformingSequence(FilteringSequence(IndexingSequence(this), true, { predicate(it.index, it.value) }), {
it.value })\n}\n\n**\n * Appends all elements matching the given [predicate] to the given [destination].\n *\n * @param
[predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate
evaluation on the element.\n *\n * The operation is _terminal_.\n *\n * @sample
samples.collections.Collections.Filtering.filterIndexedTo\n *\npublic inline fun <T, C : MutableCollection<in T>>
Sequence<T>.filterIndexedTo(destination: C, predicate: (index: Int, T) -> Boolean): C {\n  forEachIndexed {\n
index, element ->\n    if (predicate(index, element)) destination.add(element)\n  }\n  return
destination\n}\n\n**\n * Returns a sequence containing all elements that are instances of specified type parameter
R.\n *\n * The operation is _intermediate_ and _stateless_.\n *\n * @sample
samples.collections.Collections.Filtering.filterIsInstance\n *\npublic inline fun <reified R>
Sequence<*>.filterIsInstance(): Sequence<@kotlin.internal.NoInfer R> {\n
@Suppress(\"UNCHECKED_CAST\")\n  return filter { it is R } as Sequence<R>\n}\n\n**\n * Appends all
elements that are instances of specified type parameter R to the given [destination].\n *\n * The operation is
_terminal_.\n *\n * @sample samples.collections.Collections.Filtering.filterIsInstanceTo\n *\npublic inline fun
<reified R, C : MutableCollection<in R>> Sequence<*>.filterIsInstanceTo(destination: C): C {\n  for (element in
this) if (element is R) destination.add(element)\n  return destination\n}\n\n**\n * Returns a sequence containing
all elements not matching the given [predicate].\n *\n * The operation is _intermediate_ and _stateless_.\n *\n *
@sample samples.collections.Collections.Filtering.filter\n *\npublic fun <T> Sequence<T>.filterNot(predicate: (T)
-> Boolean): Sequence<T> {\n  return FilteringSequence(this, false, predicate)\n}\n\n**\n * Returns a sequence
containing all elements that are not `null`.\n *\n * The operation is _intermediate_ and _stateless_.\n *\n * @sample
samples.collections.Collections.Filtering.filterNotNull\n *\npublic fun <T : Any> Sequence<T?>.filterNotNull():
Sequence<T> {\n  @Suppress(\"UNCHECKED_CAST\")\n  return filterNot { it == null } as
Sequence<T>\n}\n\n**\n * Appends all elements that are not `null` to the given [destination].\n *\n * The operation
is _terminal_.\n *\n * @sample samples.collections.Collections.Filtering.filterNotNullTo\n *\npublic fun <C :
MutableCollection<in T>, T : Any> Sequence<T?>.filterNotNullTo(destination: C): C {\n  for (element in this) if
(element != null) destination.add(element)\n  return destination\n}\n\n**\n * Appends all elements not matching
the given [predicate] to the given [destination].\n *\n * The operation is _terminal_.\n *\n * @sample
samples.collections.Collections.Filtering.filterTo\n *\npublic inline fun <T, C : MutableCollection<in T>>

```

Sequence<T>.filterNotTo(destination: C, predicate: (T) -> Boolean): C {  
 for (element in this) if  
 (!predicate(element)) destination.add(element)  
 return destination  
 }  
 Appends all elements matching the given [predicate] to the given [destination].  
 The operation is `_terminal_`.  
 @sample samples.collections.Collections.Filtering.filterTo  
 public inline fun <T, C : MutableCollection<in T>>

Sequence<T>.filterTo(destination: C, predicate: (T) -> Boolean): C {  
 for (element in this) if (predicate(element))  
 destination.add(element)  
 return destination  
 }  
 Returns a sequence containing first [n] elements.  
 The operation is `_intermediate_` and `_stateless_`.  
 @throws IllegalArgumentException if [n] is negative.  
 @sample samples.collections.Collections.Transformations.take  
 public fun <T> Sequence<T>.take(n: Int):

Sequence<T> {  
 require(n >= 0) { "Requested element count \$n is less than zero." }  
 return when {  
 n == 0 -> emptySequence()  
 this is DropTakeSequence -> this.take(n)  
 else -> TakeSequence(this, n)  
 }  
 }  
 Returns a sequence containing first elements satisfying the given [predicate].  
 The operation is `_intermediate_` and `_stateless_`.  
 @sample samples.collections.Collections.Transformations.take  
 public fun <T> Sequence<T>.takeWhile(predicate: (T) -> Boolean): Sequence<T> {  
 return  
 TakeWhileSequence(this, predicate)  
 }  
 Returns a sequence that yields elements of this sequence sorted according to their natural sort order.  
 The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.  
 The operation is `_intermediate_` and `_stateful_`.  
 public fun <T : Comparable<T>> Sequence<T>.sorted(): Sequence<T> {  
 return object : Sequence<T> {  
 override fun  
 iterator(): Iterator<T> {  
 val sortedList = this@sorted.toMutableList()  
 sortedList.sort()  
 return sortedList.iterator()  
 }  
 }  
 }  
 Returns a sequence that yields elements of this sequence sorted according to natural sort order of the value returned by specified [selector] function.  
 The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.  
 The operation is `_intermediate_` and `_stateful_`.  
 @sample samples.collections.Collections.Sorting.sortedBy  
 public inline fun <T, R : Comparable<R>> Sequence<T>.sortedBy(crossinline selector: (T) -> R?): Sequence<T> {  
 return sortedWith(compareBy(selector))  
 }  
 Returns a sequence that yields elements of this sequence sorted descending according to natural sort order of the value returned by specified [selector] function.  
 The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.  
 The operation is `_intermediate_` and `_stateful_`.  
 public inline fun <T, R : Comparable<R>>

Sequence<T>.sortedByDescending(crossinline selector: (T) -> R?): Sequence<T> {  
 return  
 sortedWith(compareByDescending(selector))  
 }  
 Returns a sequence that yields elements of this sequence sorted descending according to their natural sort order.  
 The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.  
 The operation is `_intermediate_` and `_stateful_`.  
 public fun <T : Comparable<T>> Sequence<T>.sortedDescending(): Sequence<T> {  
 return  
 sortedWith(reverseOrder())  
 }  
 Returns a sequence that yields elements of this sequence sorted according to the specified [comparator].  
 The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.  
 The operation is `_intermediate_` and `_stateful_`.  
 public fun <T>

Sequence<T>.sortedWith(comparator: Comparator<in T>): Sequence<T> {  
 return object : Sequence<T> {  
 override fun  
 iterator(): Iterator<T> {  
 val sortedList = this@sortedWith.toMutableList()  
 sortedList.sortWith(comparator)  
 return sortedList.iterator()  
 }  
 }  
 }  
 Returns a [Map] containing key-value pairs provided by [transform] function applied to elements of the given sequence.  
 If any of two pairs would have the same key the last one gets added to the map.  
 The returned map preserves the entry iteration order of the original sequence.  
 The operation is `_terminal_`.  
 @sample samples.collections.Collections.Transformations.associate  
 public inline fun <T, K, V>

Sequence<T>.associate(transform: (T) -> Pair<K, V>): Map<K, V> {  
 return associateTo(LinkedHashMap<K, V>(), transform)  
 }  
 Returns a [Map] containing the elements from the given sequence indexed by the key returned from [keySelector] function applied to each element.  
 If any two elements would have the same key returned by [keySelector] the last one gets added to the map.  
 The returned map preserves the entry iteration order of the original sequence.  
 The operation is `_terminal_`.  
 @sample samples.collections.Collections.Transformations.associateBy  
 public inline fun <T, K>



```

Sequence<T>.associateBy(keySelector: (T) -> K): Map<K, T> {\n  return associateByTo(LinkedHashMap<K,
T>(), keySelector)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed
by [keySelector] functions applied to elements of the given sequence.\n * \n * If any two elements would have the
same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry
iteration order of the original sequence.\n *\n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Transformations.associateByWithValueTransform\n */\npublic inline fun <T, K, V>
Sequence<T>.associateBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, V> {\n  return
associateByTo(LinkedHashMap<K, V>(), keySelector, valueTransform)\n}\n\n/**\n * Populates and returns the
[destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to
each element of the given sequence\n * and value is the element itself.\n * \n * If any two elements would have the
same key returned by [keySelector] the last one gets added to the map.\n *\n * The operation is _terminal_.\n * \n *
@sample samples.collections.Collections.Transformations.associateByTo\n */\npublic inline fun <T, K, M :
MutableMap<in K, in T>> Sequence<T>.associateByTo(destination: M, keySelector: (T) -> K): M {\n  for
(element in this) {\n    destination.put(keySelector(element), element)\n  }\n  return destination\n}\n\n/**\n *
Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the
[keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the
given sequence.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets
added to the map.\n *\n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Transformations.associateByToWithValueTransform\n */\npublic inline fun <T, K,
V, M : MutableMap<in K, in V>> Sequence<T>.associateByTo(destination: M, keySelector: (T) -> K,
valueTransform: (T) -> V): M {\n  for (element in this) {\n    destination.put(keySelector(element),
valueTransform(element))\n  }\n  return destination\n}\n\n/**\n * Populates and returns the [destination] mutable
map with key-value pairs\n * provided by [transform] function applied to each element of the given sequence.\n * \n *
If any of two pairs would have the same key the last one gets added to the map.\n *\n * The operation is
_terminal_.\n * \n * @sample samples.collections.Collections.Transformations.associateTo\n */\npublic inline fun
<T, K, V, M : MutableMap<in K, in V>> Sequence<T>.associateTo(destination: M, transform: (T) -> Pair<K, V>):
M {\n  for (element in this) {\n    destination += transform(element)\n  }\n  return destination\n}\n\n/**\n *
Returns a [Map] where keys are elements from the given sequence and values are\n * produced by the
[valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last one gets added to
the map.\n * \n * The returned map preserves the entry iteration order of the original sequence.\n *\n * The
operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.associateWith\n */\n@SinceKotlin("1.3")\npublic inline fun <K, V> Sequence<K>.associateWith(valueSelector: (K) -> V):
Map<K, V> {\n  val result = LinkedHashMap<K, V>()\n  return associateWithTo(result,
valueSelector)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs for each
element of the given sequence,\n * where key is the element itself and value is provided by the [valueSelector]
function applied to that key.\n * \n * If any two elements are equal, the last one overwrites the former value in the
map.\n *\n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Transformations.associateWithTo\n */\n@SinceKotlin("1.3")\npublic inline fun
<K, V, M : MutableMap<in K, in V>> Sequence<K>.associateWithTo(destination: M, valueSelector: (K) -> V): M
{\n  for (element in this) {\n    destination.put(element, valueSelector(element))\n  }\n  return
destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n *\n * The operation is
_terminal_.\n */\npublic fun <T, C : MutableCollection<in T>> Sequence<T>.toCollection(destination: C): C {\n
for (item in this) {\n  destination.add(item)\n }\n  return destination\n}\n\n/**\n * Returns a new [HashSet] of
all elements.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.toHashSet(): HashSet<T> {\n
return toCollection(HashSet<T>())\n}\n\n/**\n * Returns a [List] containing all elements.\n *\n * The operation is
_terminal_.\n */\npublic fun <T> Sequence<T>.toList(): List<T> {\n  return
this.toMutableList().optimizeReadOnlyList()\n}\n\n/**\n * Returns a new [MutableList] filled with all elements of
this sequence.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.toMutableList():

```

```

MutableList<T> {\n    return toCollection(ArrayList<T>())\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n *\n * The returned set preserves the element iteration order of the original sequence.\n * \n *\n * The operation is\n * _terminal_.\n */\npublic fun <T> Sequence<T>.toSet(): Set<T> {\n    return\n    toCollection(LinkedHashSet<T>()).optimizeReadOnlySet()\n}\n\n/**\n * Returns a single sequence of all elements\n * from results of [transform] function being invoked on each element of original sequence.\n * \n *\n * The operation is\n * _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIterable")\npublic fun <T, R>\nSequence<T>.flatMap(transform: (T) -> Iterable<R>): Sequence<R> {\n    return FlatteningSequence(this,\n    transform, Iterable<R>::iterator)\n}\n\n/**\n * Returns a single sequence of all elements from results of [transform]\n * function being invoked on each element of original sequence.\n * \n *\n * The operation is _intermediate_ and\n * _stateless_.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\npublic fun <T, R>\nSequence<T>.flatMap(transform: (T) -> Sequence<R>): Sequence<R> {\n    return FlatteningSequence(this,\n    transform, Sequence<R>::iterator)\n}\n\n/**\n * Returns a single sequence of all elements yielded from results of\n * [transform] function being invoked on each element\n * and its index in the original sequence.\n * \n *\n * The operation\n * is _intermediate_ and _stateless_.\n * \n * @sample\n * samples.collections.Collections.Transformations.flatMapIndexed\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterable")\npublic fun <T, R>\nSequence<T>.flatMapIndexed(transform: (index: Int, T) -> Iterable<R>): Sequence<R> {\n    return\n    flatMapIndexed(this, transform, Iterable<R>::iterator)\n}\n\n/**\n * Returns a single sequence of all elements\n * yielded from results of [transform] function being invoked on each element\n * and its index in the original\n * sequence.\n * \n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample\n * samples.collections.Collections.Transformations.flatMapIndexed\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedSequence")\npublic fun <T, R>\nSequence<T>.flatMapIndexed(transform: (index: Int, T) -> Sequence<R>): Sequence<R> {\n    return\n    flatMapIndexed(this, transform, Sequence<R>::iterator)\n}\n\n/**\n * Appends all elements yielded from results of\n * [transform] function being invoked on each element\n * and its index in the original sequence, to the given\n * [destination].\n * \n *\n * The operation is _terminal_.\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npublic inline fun <T, R, C : MutableCollection<in R>> Sequence<T>.flatMapIndexedTo(destination: C, transform:\n(index: Int, T) -> Iterable<R>): C {\n    var index = 0\n    for (element in this) {\n        val list =\n        transform(checkIndexOverflow(index++), element)\n        destination.addAll(list)\n    }\n    return\n    destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each\n * element\n * and its index in the original sequence, to the given [destination].\n * \n *\n * The operation is _terminal_.\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedSequenceTo")\n@kotlin.internal.InlineOnly\npublic inline fun <T, R, C : MutableCollection<in R>> Sequence<T>.flatMapIndexedTo(destination: C, transform:\n(index: Int, T) -> Sequence<R>): C {\n    var index = 0\n    for (element in this) {\n        val list =\n        transform(checkIndexOverflow(index++), element)\n        destination.addAll(list)\n    }\n    return\n    destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each\n * element of original sequence, to the given [destination].\n * \n *\n * The operation is _terminal_.\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIterableTo")\npublic inline fun <T, R, C :\nMutableCollection<in R>> Sequence<T>.flatMapTo(destination: C, transform: (T) -> Iterable<R>): C {\n    for\n    (element in this) {\n        val list = transform(element)\n        destination.addAll(list)\n    }\n    return

```

```

destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
element of original sequence, to the given [destination].\n * \n * The operation is _terminal_.\n * \n * @public inline fun
<T, R, C : MutableCollection<in R>> Sequence<T>.flatMapTo(destination: C, transform: (T) -> Sequence<R>): C
{\n  for (element in this) {\n    val list = transform(element)\n    destination.addAll(list)\n  }\n  return
destination\n}\n\n/**\n * Groups elements of the original sequence by the key returned by the given [keySelector]
function\n * applied to each element and returns a map where each group key is associated with a list of
corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the
original sequence.\n * \n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n * \n * @public inline fun <T, K>
Sequence<T>.groupBy(keySelector: (T) -> K): Map<K, List<T>> {\n  return groupByTo(LinkedHashMap<K,
MutableList<T>>(), keySelector)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to
each element of the original sequence\n * by the key returned by the given [keySelector] function applied to the
element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The
returned map preserves the entry iteration order of the keys produced from the original sequence.\n * \n * The
operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n * \n * @public inline fun <T, K, V>
Sequence<T>.groupBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, List<V>> {\n  return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups elements
of the original sequence by the key returned by the given [keySelector] function\n * applied to each element and
puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The
[destination] map.\n * \n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n * \n * @public inline fun <T, K, M : MutableMap<in K,
MutableList<T>>> Sequence<T>.groupByTo(destination: M, keySelector: (T) -> K): M {\n  for (element in this)
{\n    val key = keySelector(element)\n    val list = destination.getOrPut(key) { ArrayList<T>() }\n    list.add(element)\n  }\n  return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function
applied to each element of the original sequence\n * by the key returned by the given [keySelector] function applied
to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n
* \n * @return The [destination] map.\n * \n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n * \n * @public inline fun <T, K, V, M :
MutableMap<in K, MutableList<V>>> Sequence<T>.groupByTo(destination: M, keySelector: (T) -> K,
valueTransform: (T) -> V): M {\n  for (element in this) {\n    val key = keySelector(element)\n    val list =
destination.getOrPut(key) { ArrayList<V>() }\n    list.add(valueTransform(element))\n  }\n  return
destination\n}\n\n/**\n * Creates a [Grouping] source from a sequence to be used later with one of group-and-fold
operations\n * using the specified [keySelector] function to extract a key from each element.\n * \n * The operation is
_intermediate_ and _stateless_.\n * \n * @sample samples.collections.Grouping.groupingByEachCount\n
* \n * @since Kotlin("1.1")\n * \n * @public inline fun <T, K> Sequence<T>.groupingBy(crossinline keySelector: (T) -> K):
Grouping<T, K> {\n  return object : Grouping<T, K> {\n    override fun sourceIterator(): Iterator<T> =
this@groupingBy.iterator()\n    override fun keyOf(element: T): K = keySelector(element)\n  }\n}\n\n/**\n * Returns a sequence containing the results of applying the given [transform] function\n * to each element in the
original sequence.\n * \n * The operation is _intermediate_ and _stateless_.\n * \n * @sample
samples.collections.Collections.Transformations.map\n * \n * @public fun <T, R> Sequence<T>.map(transform: (T) ->
R): Sequence<R> {\n  return TransformingSequence(this, transform)\n}\n\n/**\n * Returns a sequence containing
the results of applying the given [transform] function\n * to each element and its index in the original sequence.\n *
* @param [transform] function that takes the index of an element and the element itself\n * and returns the result of
the transform applied to the element.\n * \n * The operation is _intermediate_ and _stateless_.\n * \n * @public fun <T,
R> Sequence<T>.mapIndexed(transform: (index: Int, T) -> R): Sequence<R> {\n  return
TransformingIndexedSequence(this, transform)\n}\n\n/**\n * Returns a sequence containing only the non-null
results of applying the given [transform] function\n * to each element and its index in the original sequence.\n *

```

@param [transform] function that takes the index of an element and the element itself\n \* and returns the result of the transform applied to the element.\n \*\n \* The operation is `_intermediate_` and `_stateless_`.\n \*\n \*/\n public fun <T, R : Any> Sequence<T>.mapIndexedNotNull(transform: (index: Int, T) -> R?): Sequence<R> {\n return TransformingIndexedSequence(this, transform).filterNotNull()\n }\n \*\n \*/\n \* Applies the given [transform] function to each element and its index in the original sequence\n \* and appends only the non-null results to the given [destination].\n \*\n \* @param [transform] function that takes the index of an element and the element itself\n \* and returns the result of the transform applied to the element.\n \*\n \* The operation is `_terminal_`.\n \*\n \*/\n public inline fun <T, R : Any, C : MutableCollection<in R>> Sequence<T>.mapIndexedNotNullTo(destination: C, transform: (index: Int, T) -> R?): C {\n forEachIndexed { index, element -> transform(index, element)?.let { destination.add(it) } }\n return destination\n }\n \*\n \*/\n \* Applies the given [transform] function to each element and its index in the original sequence\n \* and appends the results to the given [destination].\n \*\n \* @param [transform] function that takes the index of an element and the element itself\n \* and returns the result of the transform applied to the element.\n \*\n \* The operation is `_terminal_`.\n \*\n \*/\n public inline fun <T, R, C : MutableCollection<in R>> Sequence<T>.mapIndexedTo(destination: C, transform: (index: Int, T) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(checkIndexOverflow(index++), item))\n return destination\n }\n \*\n \*/\n \* Returns a sequence containing only the non-null results of applying the given [transform] function\n \* to each element in the original sequence.\n \*\n \* The operation is `_intermediate_` and `_stateless_`.\n \*\n \*/\n @sample samples.collections.Collections.Transformations.mapNotNull\n \*\n \*/\n public fun <T, R : Any> Sequence<T>.mapNotNull(transform: (T) -> R?): Sequence<R> {\n return TransformingSequence(this, transform).filterNotNull()\n }\n \*\n \*/\n \* Applies the given [transform] function to each element in the original sequence\n \* and appends only the non-null results to the given [destination].\n \*\n \* The operation is `_terminal_`.\n \*\n \*/\n public inline fun <T, R : Any, C : MutableCollection<in R>> Sequence<T>.mapNotNullTo(destination: C, transform: (T) -> R?): C {\n forEach { element -> transform(element)?.let { destination.add(it) } }\n return destination\n }\n \*\n \*/\n \* Applies the given [transform] function to each element of the original sequence\n \* and appends the results to the given [destination].\n \*\n \* The operation is `_terminal_`.\n \*\n \*/\n public inline fun <T, R, C : MutableCollection<in R>> Sequence<T>.mapTo(destination: C, transform: (T) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n }\n \*\n \*/\n \* Returns a sequence that wraps each element of the original sequence\n \* into an [IndexedValue] containing the index of that element and the element itself.\n \*\n \* The operation is `_intermediate_` and `_stateless_`.\n \*\n \*/\n public fun <T> Sequence<T>.withIndex(): Sequence<IndexedValue<T>> {\n return IndexingSequence(this)\n }\n \*\n \*/\n \* Returns a sequence containing only distinct elements from the given sequence.\n \*\n \* Among equal elements of the given sequence, only the first one will be present in the resulting sequence.\n \*\n \* The elements in the resulting sequence are in the same order as they were in the source sequence.\n \*\n \* The operation is `_intermediate_` and `_stateful_`.\n \*\n \*/\n @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n \*\n \*/\n public fun <T> Sequence<T>.distinct(): Sequence<T> {\n return this.distinctBy { it }\n }\n \*\n \*/\n \* Returns a sequence containing only elements from the given sequence\n \* having distinct keys returned by the given [selector] function.\n \*\n \* Among elements of the given sequence with equal keys, only the first one will be present in the resulting sequence.\n \*\n \* The elements in the resulting sequence are in the same order as they were in the source sequence.\n \*\n \* The operation is `_intermediate_` and `_stateful_`.\n \*\n \*/\n @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n \*\n \*/\n public fun <T, K> Sequence<T>.distinctBy(selector: (T) -> K): Sequence<T> {\n return DistinctSequence(this, selector)\n }\n \*\n \*/\n \* Returns a new [MutableSet] containing all distinct elements from the given sequence.\n \*\n \* The returned set preserves the element iteration order of the original sequence.\n \*\n \* The operation is `_terminal_`.\n \*\n \*/\n public fun <T> Sequence<T>.toMutableSet(): MutableSet<T> {\n val set = LinkedHashSet<T>()\n for (item in this) set.add(item)\n return set\n }\n \*\n \*/\n \* Returns `true` if all elements match the given [predicate].\n \*\n \* The operation is `_terminal_`.\n \*\n \*/\n @sample samples.collections.Collections.Aggregates.all\n \*\n \*/\n public inline fun <T> Sequence<T>.all(predicate: (T) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n }\n \*\n \*/\n \* Returns `true` if sequence has at least one element.\n \*\n \* The operation is

```

_terminal_.\n * \n * @sample samples.collections.Collections.Aggregates.any\n * \n\npublic fun <T>
Sequence<T>.any(): Boolean {\n    return iterator().hasNext()\n}\n\n/**\n * Returns `true` if at least one element
matches the given [predicate].\n * \n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n * \n\npublic inline fun <T>
Sequence<T>.any(predicate: (T) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return
true\n    return false\n}\n\n/**\n * Returns the number of elements in this sequence.\n * \n * The operation is
_terminal_.\n * \n\npublic fun <T> Sequence<T>.count(): Int {\n    var count = 0\n    for (element in this)
checkCountOverflow(++count)\n    return count\n}\n\n/**\n * Returns the number of elements matching the given
[predicate].\n * \n * The operation is _terminal_.\n * \n\npublic inline fun <T> Sequence<T>.count(predicate: (T) ->
Boolean): Int {\n    var count = 0\n    for (element in this) if (predicate(element)) checkCountOverflow(++count)\n
return count\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to
right\n * to current accumulator value and each element.\n * \n * Returns the specified [initial] value if the sequence
is empty.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates
the next accumulator value.\n * \n * The operation is _terminal_.\n * \n\npublic inline fun <T, R>
Sequence<T>.fold(initial: R, operation: (acc: R, T) -> R): R {\n    var accumulator = initial\n    for (element in this)
accumulator = operation(accumulator, element)\n    return accumulator\n}\n\n/**\n * Accumulates value starting
with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element
with its index in the original sequence.\n * \n * Returns the specified [initial] value if the sequence is empty.\n * \n *
@param [operation] function that takes the index of an element, current accumulator value\n * and the element
itself, and calculates the next accumulator value.\n * \n * The operation is _terminal_.\n * \n\npublic inline fun <T, R>
Sequence<T>.foldIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): R {\n    var index = 0\n    var
accumulator = initial\n    for (element in this) accumulator = operation(checkIndexOverflow(index++), accumulator,
element)\n    return accumulator\n}\n\n/**\n * Performs the given [action] on each element.\n * \n * The operation is
_terminal_.\n * \n\npublic inline fun <T> Sequence<T>.forEach(action: (T) -> Unit): Unit {\n    for (element in this)
action(element)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the
element.\n * \n * @param [action] function that takes the index of an element and the element itself\n * and performs the
action on the element.\n * \n * The operation is _terminal_.\n * \n\npublic inline fun <T>
Sequence<T>.forEachIndexed(action: (index: Int, T) -> Unit): Unit {\n    var index = 0\n    for (item in this)
action(checkIndexOverflow(index++), item)\n}\n\n@Deprecated("Use maxOrNull instead.")
ReplaceWith("this.maxOrNull()")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\n@SinceKotlin("1.1")\npublic fun Sequence<Double>.max(): Double? {\n    return
maxOrNull()\n}\n\n@Deprecated("Use maxOrNull instead.")
ReplaceWith("this.maxOrNull()")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\n@SinceKotlin("1.1")\npublic fun Sequence<Float>.max(): Float? {\n    return
maxOrNull()\n}\n\n@Deprecated("Use maxOrNull instead.")
ReplaceWith("this.maxOrNull()")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\npublic fun <T : Comparable<T>> Sequence<T>.max(): T? {\n    return
maxOrNull()\n}\n\n@Deprecated("Use maxByOrNull instead.")
ReplaceWith("this.maxByOrNull(selector)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince = "1.6")\npublic inline fun <T, R : Comparable<R>> Sequence<T>.maxBy(selector: (T) ->
R): T? {\n    return maxByOrNull(selector)\n}\n\n/**\n * Returns the first element yielding the largest value of the
given function or `null` if there are no elements.\n * \n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Aggregates.maxByOrNull\n * \n\n@SinceKotlin("1.4")\npublic inline fun <T, R :
Comparable<R>> Sequence<T>.maxByOrNull(selector: (T) -> R): T? {\n    val iterator = iterator()\n    if
(!iterator.hasNext()) return null\n    var maxElem = iterator.next()\n    if (!iterator.hasNext()) return maxElem\n    var
maxValue = selector(maxElem)\n    do {\n        val e = iterator.next()\n        val v = selector(e)\n        if (maxValue <
v) {\n            maxElem = e\n            maxValue = v\n        }\n    } while (iterator.hasNext())\n    return
maxElem\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to

```

each element in the sequence.  
If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.  
@throws NoSuchElementException if the sequence is empty.  
The operation is

\_terminal\_

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.maxOf(selector: (T) -> Double): Double {\n    val iterator = iterator()\n    if (!iterator.hasNext()) throw NoSuchElementException()\n    var\n    max\n    Value = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n        max\n        Value = maxOf(max\n        Value, v)\n    }\n    return max\n    Value\n}\n\n/**\n * Returns the largest value among all\n * values produced by [selector] function\n * applied to each element in the sequence.\n * If any of values\n * produced by [selector] function is `NaN`, the returned result is `NaN`.\n * @throws NoSuchElementException\n * if the sequence is empty.\n * The operation is _terminal_.
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.maxOf(selector: (T) -> Float): Float {\n    val iterator = iterator()\n    if (!iterator.hasNext()) throw NoSuchElementException()\n    var\n    max\n    Value = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n        max\n        Value = maxOf(max\n        Value, v)\n    }\n    return max\n    Value\n}\n\n/**\n * Returns the largest value among all\n * values produced by [selector] function\n * applied to each element in the sequence.\n * @throws\n * NoSuchElementException if the sequence is empty.\n * The operation is _terminal_.
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>>\nSequence<T>.maxOf(selector: (T) -> R): R {\n    val iterator = iterator()\n    if (!iterator.hasNext()) throw\n    NoSuchElementException()\n    var\n    max\n    Value = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v\n        = selector(iterator.next())\n        if (max\n        Value < v) {\n            max\n            Value = v\n        }\n    }\n    return\n    max\n    Value\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the sequence or `null` if there are no elements.\n * If any of values produced by [selector]\n * function is `NaN`, the returned result is `NaN`.\n * The operation is _terminal_.
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.maxOfOrNull(selector:\n(T) -> Double): Double? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var\n    max\n    Value =\n    selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n        max\n        Value =\n        maxOf(max\n        Value, v)\n    }\n    return max\n    Value\n}\n\n/**\n * Returns the largest value among all values produced\n * by [selector] function\n * applied to each element in the sequence or `null` if there are no elements.\n * If any of\n * values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * The operation is _terminal_.
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.maxOfOrNull(selector:\n(T) -> Float): Float? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var\n    max\n    Value =\n    selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n        max\n        Value =\n        maxOf(max\n        Value, v)\n    }\n    return max\n    Value\n}\n\n/**\n * Returns the largest value among all values produced\n * by [selector] function\n * applied to each element in the sequence or `null` if there are no elements.\n * The\n * operation is _terminal_.
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>>\nSequence<T>.maxOfOrNull(selector: (T) -> R): R? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return\n    null\n    var\n    max\n    Value = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v =\n        selector(iterator.next())\n        if (max\n        Value < v) {\n            max\n            Value = v\n        }\n    }\n    return\n    max\n    Value\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values\n * produced by [selector] function applied to each element in the sequence.\n * @throws\n * NoSuchElementException if the sequence is empty.\n * The operation is _terminal_.
```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R>
Sequence<T>.maxOfWith(comparator: Comparator<in R>, selector: (T) -> R): R {\n    val iterator = iterator()\n    if
(!iterator.hasNext()) throw NoSuchElementException()\n    var max Value = selector(iterator.next())\n    while
(iterator.hasNext()) {\n        val v = selector(iterator.next())\n        if (comparator.compare(max Value, v) < 0) {\n
            max Value = v\n        }\n    }\n    return max Value\n}\n\n/**\n * Returns the largest value according to the provided
[comparator]\n * among all values produced by [selector] function applied to each element in the sequence or `null`
if there are no elements.\n * \n * The operation is _terminal_.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R>
Sequence<T>.maxOfWithOrNull(comparator: Comparator<in R>, selector: (T) -> R): R? {\n    val iterator =
iterator()\n    if (!iterator.hasNext()) return null\n    var max Value = selector(iterator.next())\n    while
(iterator.hasNext()) {\n        val v = selector(iterator.next())\n        if (comparator.compare(max Value, v) < 0) {\n
            max Value = v\n        }\n    }\n    return max Value\n}\n\n/**\n * Returns the largest element or `null` if there are no
elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n * \n * The operation is _terminal_.\n
*\n@SinceKotlin("1.4")\npublic fun Sequence<Double>.maxOrNull(): Double? {\n    val iterator = iterator()\n    if
(!iterator.hasNext()) return null\n    var max = iterator.next()\n    while (iterator.hasNext()) {\n        val e =
iterator.next()\n        max = maxOf(max, e)\n    }\n    return max\n}\n\n/**\n * Returns the largest element or `null` if
there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n * \n * The operation is _terminal_.\n
*\n@SinceKotlin("1.4")\npublic fun Sequence<Float>.maxOrNull(): Float? {\n    val iterator = iterator()\n    if
(!iterator.hasNext()) return null\n    var max = iterator.next()\n    while (iterator.hasNext()) {\n        val e =
iterator.next()\n        max = maxOf(max, e)\n    }\n    return max\n}\n\n/**\n * Returns the largest element or `null` if
there are no elements.\n * \n * The operation is _terminal_.\n
*\n@SinceKotlin("1.4")\npublic fun <T :
Comparable<T>> Sequence<T>.maxOrNull(): T? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return
null\n    var max = iterator.next()\n    while (iterator.hasNext()) {\n        val e = iterator.next()\n        if (max < e) max
= e\n    }\n    return max\n}\n\n@Deprecated("Use maxWithOrNull instead.")
ReplaceWith("this.maxWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\npublic fun <T> Sequence<T>.maxWith(comparator: Comparator<in T>): T? {\n
    return maxWithOrNull(comparator)\n}\n\n/**\n * Returns the first element having the largest value according to the
provided [comparator] or `null` if there are no elements.\n * \n * The operation is _terminal_.\n
*\n@SinceKotlin("1.4")\npublic fun <T> Sequence<T>.maxWithOrNull(comparator: Comparator<in T>): T? {\n
    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var max = iterator.next()\n    while
(iterator.hasNext()) {\n        val e = iterator.next()\n        if (comparator.compare(max, e) < 0) max = e\n    }\n
    return max\n}\n\n@Deprecated("Use minOrNull instead.")
ReplaceWith("this.minOrNull()")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\n@SinceKotlin("1.1")\npublic fun Sequence<Double>.min(): Double? {\n    return
minOrNull()\n}\n\n@Deprecated("Use minOrNull instead.")
ReplaceWith("this.minOrNull()")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\n@SinceKotlin("1.1")\npublic fun Sequence<Float>.min(): Float? {\n    return
minOrNull()\n}\n\n@Deprecated("Use minOrNull instead.")
ReplaceWith("this.minOrNull()")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\npublic fun <T : Comparable<T>> Sequence<T>.min(): T? {\n    return
minOrNull()\n}\n\n@Deprecated("Use minByOrNull instead.")
ReplaceWith("this.minByOrNull(selector)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince = "1.6")\npublic inline fun <T, R : Comparable<R>> Sequence<T>.minBy(selector: (T) ->
R): T? {\n    return minByOrNull(selector)\n}\n\n/**\n * Returns the first element yielding the smallest value of the
given function or `null` if there are no elements.\n * \n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Aggregates.minByOrNull\n
*\n@SinceKotlin("1.4")\npublic inline fun <T, R :

```

```

Comparable<R>> Sequence<T>.minByOrNull(selector: (T) -> R): T? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var minElem = iterator.next()
    if (!iterator.hasNext()) return minElem
    var minValue = selector(minElem)
    do {
        val e = iterator.next()
        val v = selector(e)
        if (minValue > v) {
            minElem = e
            minValue = v
        }
    } while (iterator.hasNext())
    return minElem
}

/**
 * Returns the smallest value among all values produced by [selector] function
 * applied to each element in the sequence.
 * If any of values produced by [selector] function is `NaN`, the returned result
 * is `NaN`.
 * @throws NoSuchElementException if the sequence is empty.
 * The operation is _terminal_.
 */
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <T> Sequence<T>.minOf(selector: (T) -> Double): Double {
    val iterator = iterator()
    if (!iterator.hasNext()) throw NoSuchElementException()
    var minValue = selector(iterator.next())
    while (iterator.hasNext()) {
        val v = selector(iterator.next())
        minValue = minOf(minValue, v)
    }
    return minValue
}

/**
 * Returns the smallest value among all
 * values produced by [selector] function
 * applied to each element in the sequence.
 * If any of values
 * produced by [selector] function is `NaN`, the returned result is `NaN`.
 * @throws NoSuchElementException
 * if the sequence is empty.
 * The operation is _terminal_.
 */
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <T> Sequence<T>.minOf(selector: (T) -> Float): Float {
    val iterator = iterator()
    if (!iterator.hasNext()) throw NoSuchElementException()
    var minValue = selector(iterator.next())
    while (iterator.hasNext()) {
        val v = selector(iterator.next())
        minValue = minOf(minValue, v)
    }
    return minValue
}

/**
 * Returns the smallest value among all
 * values produced by [selector] function
 * applied to each element in the sequence.
 * @throws
 * NoSuchElementException if the sequence is empty.
 * The operation is _terminal_.
 */
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <T, R : Comparable<R>> Sequence<T>.minOf(selector: (T) -> R): R {
    val iterator = iterator()
    if (!iterator.hasNext()) throw NoSuchElementException()
    var minValue = selector(iterator.next())
    while (iterator.hasNext()) {
        val v = selector(iterator.next())
        if (minValue > v) {
            minValue = v
        }
    }
    return minValue
}

/**
 * Returns the smallest value among all values produced by [selector] function
 * applied to each element in the sequence or `null` if there are no elements.
 * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.
 * The operation is _terminal_.
 */
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <T> Sequence<T>.minOfOrNull(selector: (T) -> Double): Double? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var minValue = selector(iterator.next())
    while (iterator.hasNext()) {
        val v = selector(iterator.next())
        minValue = minOf(minValue, v)
    }
    return minValue
}

/**
 * Returns the smallest value among all values produced
 * by [selector] function
 * applied to each element in the sequence or `null` if there are no elements.
 * If any of
 * values produced by [selector] function is `NaN`, the returned result is `NaN`.
 * The operation is _terminal_.
 */
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <T> Sequence<T>.minOfOrNull(selector: (T) -> Float): Float? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var minValue = selector(iterator.next())
    while (iterator.hasNext()) {
        val v = selector(iterator.next())
        minValue = minOf(minValue, v)
    }
    return minValue
}

/**
 * Returns the smallest value among all values produced
 * by [selector] function
 * applied to each element in the sequence or `null` if there are no elements.
 * The
 * operation is _terminal_.
 */
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <T, R : Comparable<R>> Sequence<T>.minOfOrNull(selector: (T) -> R): R? {
    val iterator = iterator()
    if (!iterator.hasNext()) return

```



```

null\n  var minValue = selector(iterator.next())\n  while (iterator.hasNext()) {\n    val v =
selector(iterator.next())\n    if (minValue > v) {\n      minValue = v\n    }\n  }\n  return
minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values
produced by [selector] function applied to each element in the sequence.\n * \n * @throws
NoSuchElementException if the sequence is empty.\n * \n * The operation is _terminal_.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R>
Sequence<T>.minOfWith(comparator: Comparator<in R>, selector: (T) -> R): R {\n  val iterator = iterator()\n  if
(!iterator.hasNext()) throw NoSuchElementException()\n  var minValue = selector(iterator.next())\n  while
(iterator.hasNext()) {\n    val v = selector(iterator.next())\n    if (comparator.compare(minValue, v) > 0) {\n
      minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value according to the
provided [comparator]\n * among all values produced by [selector] function applied to each element in the sequence
or `null` if there are no elements.\n * \n * The operation is _terminal_.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R>
Sequence<T>.minOfWithOrNull(comparator: Comparator<in R>, selector: (T) -> R): R? {\n  val iterator =
iterator()\n  if (!iterator.hasNext()) return null\n  var minValue = selector(iterator.next())\n  while
(iterator.hasNext()) {\n    val v = selector(iterator.next())\n    if (comparator.compare(minValue, v) > 0) {\n
      minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest element or `null` if there are
no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n * \n * The operation is _terminal_.\n
*\n@SinceKotlin("1.4")\npublic fun Sequence<Double>.minOrNull(): Double? {\n  val iterator = iterator()\n  if
(!iterator.hasNext()) return null\n  var min = iterator.next()\n  while (iterator.hasNext()) {\n    val e =
iterator.next()\n    min = minOf(min, e)\n  }\n  return min\n}\n\n/**\n * Returns the smallest element or `null` if
there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n * \n * The operation is _terminal_.\n
*\n@SinceKotlin("1.4")\npublic fun Sequence<Float>.minOrNull(): Float? {\n  val iterator = iterator()\n  if
(!iterator.hasNext()) return null\n  var min = iterator.next()\n  while (iterator.hasNext()) {\n    val e =
iterator.next()\n    min = minOf(min, e)\n  }\n  return min\n}\n\n/**\n * Returns the smallest element or `null` if
there are no elements.\n * \n * The operation is _terminal_.\n
*\n@SinceKotlin("1.4")\npublic fun <T :
Comparable<T>> Sequence<T>.minOrNull(): T? {\n  val iterator = iterator()\n  if (!iterator.hasNext()) return
null\n  var min = iterator.next()\n  while (iterator.hasNext()) {\n    val e = iterator.next()\n    if (min > e) min
= e\n  }\n  return min\n}\n\n@Deprecated("Use minWithOrNull instead.")
ReplaceWith("this.minWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\npublic fun <T> Sequence<T>.minWith(comparator: Comparator<in T>): T? {\n
return minWithOrNull(comparator)\n}\n\n/**\n * Returns the first element having the smallest value according to
the provided [comparator] or `null` if there are no elements.\n * \n * The operation is _terminal_.\n
*\n@SinceKotlin("1.4")\npublic fun <T> Sequence<T>.minWithOrNull(comparator: Comparator<in T>): T? {\n
val iterator = iterator()\n  if (!iterator.hasNext()) return null\n  var min = iterator.next()\n  while
(iterator.hasNext()) {\n    val e = iterator.next()\n    if (comparator.compare(min, e) > 0) min = e\n  }\n  return
min\n}\n\n/**\n * Returns `true` if the sequence has no elements.\n * \n * The operation is _terminal_.\n * \n *
@\n * @sample samples.collections.Collections.Aggregates.none\n *\n@SinceKotlin("1.4")\npublic fun <T> Sequence<T>.none(): Boolean {\n
return !iterator().hasNext()\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * The
operation is _terminal_.\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n
*\n@SinceKotlin("1.4")\npublic inline fun <T> Sequence<T>.none(predicate: (T) -> Boolean): Boolean {\n  for (element in this) if
(predicate(element)) return false\n  return true\n}\n\n/**\n * Returns a sequence which performs the given [action]
on each element of the original sequence as they pass through it.\n * \n * The operation is _intermediate_ and
_stateless_.\n *\n@SinceKotlin("1.1")\npublic fun <T> Sequence<T>.onEach(action: (T) -> Unit): Sequence<T>
{\n  return map {\n    action(it)\n    it\n  }\n}\n\n/**\n * Returns a sequence which performs the given
[action] on each element of the original sequence as they pass through it.\n * \n * @param [action] function that takes

```

the index of an element and the element itself and performs the action on the element. The operation is `_intermediate_ and _stateless_`.

```

@SinceKotlin("1.4")
public fun <T> Sequence<T>.onEachIndexed(action:
(index: Int, T) -> Unit): Sequence<T> {
    return mapIndexed { index, element ->
        action(index, element)
    }
}

```

Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element. Throws an exception if this sequence is empty. If the sequence can be empty in an expected way, please use [reduceOrNull] instead. It returns `null` when its receiver is empty.

@param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value. The operation is `_terminal_`.

@sample

```

samples.collections.Collections.Aggregates.reduce
public inline fun <S, T : S>
Sequence<T>.reduce(operation: (acc: S, T) -> S): S {
    val iterator = this.iterator()
    if (!iterator.hasNext())
        throw UnsupportedOperationException("Empty sequence can't be reduced.")
    var accumulator: S =
        iterator.next()
    while (iterator.hasNext()) {
        accumulator = operation(accumulator, iterator.next())
    }
    return accumulator
}

```

Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element with its index in the original sequence. Throws an exception if this sequence is empty. If the sequence can be empty in an expected way, please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.

@param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value. The operation is `_terminal_`.

@sample

```

samples.collections.Collections.Aggregates.reduce
public inline fun <S, T : S>
Sequence<T>.reduceIndexed(operation: (index: Int, acc: S, T) -> S): S {
    val iterator = this.iterator()
    if (!iterator.hasNext())
        throw UnsupportedOperationException("Empty sequence can't be reduced.")
    var index = 1
    var accumulator: S = iterator.next()
    while (iterator.hasNext()) {
        accumulator =
            operation(checkIndexOverflow(index++), accumulator, iterator.next())
    }
    return accumulator
}

```

Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element with its index in the original sequence. Returns `null` if the sequence is empty.

@param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value. The operation is `_terminal_`.

@sample

```

samples.collections.Collections.Aggregates.reduceOrNull
@SinceKotlin("1.4")
public inline fun <S, T : S>
Sequence<T>.reduceIndexedOrNull(operation: (index: Int, acc: S, T) -> S): S? {
    val iterator = this.iterator()
    if (!iterator.hasNext())
        return null
    var index = 1
    var accumulator: S = iterator.next()
    while (iterator.hasNext()) {
        accumulator = operation(checkIndexOverflow(index++), accumulator, iterator.next())
    }
    return accumulator
}

```

Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element. Returns `null` if the sequence is empty.

@param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value. The operation is `_terminal_`.

@sample

```

samples.collections.Collections.Aggregates.reduceOrNull
@SinceKotlin("1.4")
@WasExperimental(ExperimentalStdlibApi::class)
public inline fun <S, T : S>
Sequence<T>.reduceOrNull(operation: (acc: S, T) -> S): S? {
    val iterator = this.iterator()
    if (!iterator.hasNext())
        return null
    var accumulator: S = iterator.next()
    while (iterator.hasNext()) {
        accumulator = operation(accumulator, iterator.next())
    }
    return accumulator
}

```

Returns a sequence containing successive accumulation values generated by applying [operation] from left to right to each element and current accumulator value that starts with [initial] value. Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting sequence. The [initial] value should also be immutable (or should not be mutated) as it may be passed to [operation] function later because of sequence's lazy nature.

@param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value. The operation is `_intermediate_ and _stateless_`.

@sample

```

samples.collections.Collections.Aggregates.runningFold
@SinceKotlin("1.4")
public fun <T, R> Sequence<T>.runningFold(initial: R, operation: (acc: R, T) -> R):

```

```

Sequence<R> {\n  return sequence {\n    yield(initial)\n    var accumulator = initial\n    for (element in\nthis@runningFold) {\n      accumulator = operation(accumulator, element)\n      yield(accumulator)\n    }\n  }\n}\n\n/**\n * Returns a sequence containing successive accumulation values generated by applying [operation]\n from left to right\n * to each element, its index in the original sequence and current accumulator value that starts\n with [initial] value.\n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting sequence.\n * The [initial] value should also be immutable\n (or should not be mutated)\n * as it may be passed to [operation] function later because of sequence's lazy nature.\n *\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the\n element itself, and calculates the next accumulator value.\n *\n * The operation is _intermediate_ and _stateless_.\n *\n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n\n@SinceKotlin("1.4")\npublic fun\n<T, R> Sequence<T>.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): Sequence<R> {\n  return sequence {\n    yield(initial)\n    var index = 0\n    var accumulator = initial\n    for (element in\nthis@runningFoldIndexed) {\n      accumulator = operation(checkIndexOverflow(index++), accumulator,\n      element)\n      yield(accumulator)\n    }\n  }\n}\n\n/**\n * Returns a sequence containing successive\n accumulation values generated by applying [operation] from left to right\n * to each element and current\n accumulator value that starts with the first element of this sequence.\n *\n * Note that `acc` value passed to\n [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting sequence.\n *\n * @param [operation] function that takes current accumulator value and the element, and calculates the next\n accumulator value.\n *\n * The operation is _intermediate_ and _stateless_.\n *\n * @sample\n samples.collections.Collections.Aggregates.runningReduce\n */\n\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun <S, T : S>\nSequence<T>.runningReduce(operation: (acc: S, T) -> S): Sequence<S> {\n  return sequence {\n    val iterator =\niterator()\n    if (iterator.hasNext()) {\n      var accumulator: S = iterator.next()\n      yield(accumulator)\n      while (iterator.hasNext()) {\n        accumulator = operation(accumulator, iterator.next())\n        yield(accumulator)\n      }\n    }\n  }\n}\n\n/**\n * Returns a sequence containing successive accumulation\n values generated by applying [operation] from left to right\n * to each element, its index in the original sequence and\n current accumulator value that starts with the first element of this sequence.\n *\n * Note that `acc` value passed to\n [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting sequence.\n *\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the\n element itself, and calculates the next accumulator value.\n *\n * The operation is _intermediate_ and _stateless_.\n *\n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n\n@SinceKotlin("1.4")\npublic fun\n<S, T : S> Sequence<T>.runningReduceIndexed(operation: (index: Int, acc: S, T) -> S): Sequence<S> {\n  return\nsequence {\n    val iterator = iterator()\n    if (iterator.hasNext()) {\n      var accumulator: S =\niterator.next()\n      yield(accumulator)\n      var index = 1\n      while (iterator.hasNext()) {\n        accumulator = operation(checkIndexOverflow(index++), accumulator, iterator.next())\n        yield(accumulator)\n      }\n    }\n  }\n}\n\n/**\n * Returns a sequence containing successive accumulation\n values generated by applying [operation] from left to right\n * to each element and current accumulator value that\n starts with [initial] value.\n *\n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting sequence.\n * The [initial] value should also be immutable\n (or should not be mutated)\n * as it may be passed to [operation] function later because of sequence's lazy nature.\n *\n * @param [operation] function that takes current accumulator value and an element, and calculates the next\n accumulator value.\n *\n * The operation is _intermediate_ and _stateless_.\n *\n * @sample\n samples.collections.Collections.Aggregates.scan\n */\n\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun <T, R>\nSequence<T>.scan(initial: R, operation: (acc: R, T) -> R): Sequence<R> {\n  return runningFold(initial,\noperation)\n}\n\n/**\n * Returns a sequence containing successive accumulation values generated by applying\n [operation] from left to right\n * to each element, its index in the original sequence and current accumulator value\n that starts with [initial] value.\n *\n * Note that `acc` value passed to [operation] function should not be mutated;\n

```

\* otherwise it would affect the previous value in resulting sequence.\n \* The [initial] value should also be immutable (or should not be mutated)\n \* as it may be passed to [operation] function later because of sequence's lazy nature.\n

\* \n \* @param [operation] function that takes the index of an element, current accumulator value\n \* and the element itself, and calculates the next accumulator value.\n \*\n \* The operation is \_intermediate\_ and \_stateless\_.\n

\* \n \* @sample samples.collections.Collections.Aggregates.scan\n

```

*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun <T, R>
Sequence<T>.scanIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): Sequence<R> {\n    return
runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the sequence.\n *\n * The operation is _terminal_.\n */\n@Deprecated("Use sumOf
instead.", ReplaceWith("this.sumOf(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline
fun <T> Sequence<T>.sumBy(selector: (T) -> Int): Int {\n    var sum: Int = 0\n    for (element in this) {\n        sum
+= selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector]
function applied to each element in the sequence.\n *\n * The operation is _terminal_.\n */\n@Deprecated("Use
sumOf instead.", ReplaceWith("this.sumOf(selector)"))\n@DeprecatedSinceKotlin(warningSince =
"1.5")\npublic inline fun <T> Sequence<T>.sumByDouble(selector: (T) -> Double): Double {\n    var sum: Double
= 0.0\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum
of all values produced by [selector] function applied to each element in the sequence.\n *\n * The operation is
_terminal_.\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfDouble")\n@kotlin.internal.InlineOnly\npublic inline fun
<T> Sequence<T>.sumOf(selector: (T) -> Double): Double {\n    var sum: Double = 0.toDouble()\n    for (element
in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced
by [selector] function applied to each element in the sequence.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfInt")\n@kotlin.internal.InlineOnly\npublic inline fun <T>
Sequence<T>.sumOf(selector: (T) -> Int): Int {\n    var sum: Int = 0.toInt()\n    for (element in this) {\n        sum
+= selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the sequence.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfLong")\n@kotlin.internal.InlineOnly\npublic inline fun
<T> Sequence<T>.sumOf(selector: (T) -> Long): Long {\n    var sum: Long = 0.toLong()\n    for (element in this)
{\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the sequence.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfUInt")\n@WasExperimental(ExperimentalUnsignedType
s::class)\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.sumOf(selector: (T) -> UInt): UInt {\n
    var sum: UInt = 0.toUInt()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return
sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the
sequence.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfULong")\n@WasExperimental(ExperimentalUnsignedType
s::class)\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.sumOf(selector: (T) -> ULong):
ULong {\n    var sum: ULong = 0.toULong()\n    for (element in this) {\n        sum += selector(element)\n    }\n
return sum\n}\n\n/**\n * Returns an original collection containing all the non-`null` elements, throwing an
[IllegalArgumentException] if there are any `null` elements.\n *\n * The operation is _intermediate_ and
_stateless_.\n */\npublic fun <T : Any> Sequence<T?>.requireNonNulls(): Sequence<T> {\n    return map { it ? :
throw IllegalArgumentException("null element found in $this.") }\n}\n\n/**\n * Splits this sequence into a
sequence of lists each not exceeding the given [size].\n *\n * The last list in the resulting sequence may have fewer

```

elements than the given [size].\n \* \n \* @param size the number of elements to take in each list, must be positive and can be greater than the number of elements in this sequence.\n \* \n \* The operation is `_intermediate_` and `_stateful_`.\n \* \n \* @sample samples.collections.Collections.Transformations.chunked

```

*\n@SinceKotlin("1.2")\npublic fun <T> Sequence<T>.chunked(size: Int): Sequence<List<T>> {\n    return\n    windowed(size, size, partialWindows = true)\n}\n\n/**\n * Splits this sequence into several lists each not exceeding\n the given [size]\n * and applies the given [transform] function to an each.\n * \n * @return sequence of results of the\n [transform] applied to an each list.\n * \n * Note that the list passed to the [transform] function is ephemeral and is\n valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made a\n snapshot of it.\n * The last list may have fewer elements than the given [size].\n * \n * @param size the number of\n elements to take in each list, must be positive and can be greater than the number of elements in this sequence.\n * \n * The operation is _intermediate_ and _stateful_.\n * \n * @sample samples.text.Strings.chunkedTransform

```

```

*\n@SinceKotlin("1.2")\npublic fun <T, R> Sequence<T>.chunked(size: Int, transform: (List<T>) -> R):\n Sequence<R> {\n    return windowed(size, size, partialWindows = true, transform = transform)\n}\n\n/**\n * Returns a sequence containing all elements of the original sequence without the first occurrence of the given\n [element].\n * \n * The operation is _intermediate_ and _stateless_.\n */\npublic operator fun <T>\n Sequence<T>.minus(element: T): Sequence<T> {\n    return object: Sequence<T> {\n        override fun iterator():\n Iterator<T> {\n            var removed = false\n            return this@minus.filter { if (!removed && it == element) {\n                removed = true; false } else true }.iterator()\n        }\n    }\n}\n\n/**\n * Returns a sequence containing all elements\n of original sequence except the elements contained in the given [elements] array.\n * \n * Note that the source\n sequence and the array being subtracted are iterated only when an `iterator` is requested from\n * the resulting\n sequence. Changing any of them between successive calls to `iterator` may affect the result.\n * \n * Before Kotlin\n 1.6, the [elements] array may have been converted to a [HashSet] to speed up the operation, thus the elements were\n required to have\n * a correct and stable implementation of `hashCode()` that didn't change between successive\n invocations.\n * On JVM, you can enable this behavior back with the system property\n `kotlin.collections.convert_arg_to_set_in_removeAll` set to `true`.\n * \n * The operation is _intermediate_ and _stateful_.\n */\npublic operator fun <T> Sequence<T>.minus(elements: Array<out T>): Sequence<T> {\n    if\n (elements.isEmpty()) return this\n    return object: Sequence<T> {\n        override fun iterator(): Iterator<T> {\n            val other = elements.convertToSetForSetOperation()\n            return this@minus.filterNot { it in other }.iterator()\n        }\n    }\n}\n\n/**\n * Returns a sequence containing all elements of original sequence except the elements\n contained in the given [elements] collection.\n * \n * Note that the source sequence and the collection being\n subtracted are iterated only when an `iterator` is requested from\n * the resulting sequence. Changing any of them\n between successive calls to `iterator` may affect the result.\n * \n * Before Kotlin 1.6, the [elements] collection may\n have been converted to a [HashSet] to speed up the operation, thus the elements were required to have\n * a correct\n and stable implementation of `hashCode()` that didn't change between successive invocations.\n * On JVM, you can\n enable this behavior back with the system property `kotlin.collections.convert_arg_to_set_in_removeAll` set to\n `true`.\n * \n * The operation is _intermediate_ and _stateful_.\n */\npublic operator fun <T>\n Sequence<T>.minus(elements: Iterable<T>): Sequence<T> {\n    return object: Sequence<T> {\n        override fun\n iterator(): Iterator<T> {\n            val other = elements.convertToSetForSetOperation()\n            if (other.isEmpty())\n                return this@minus.iterator()\n            else\n                return this@minus.filterNot { it in other }.iterator()\n        }\n    }\n}\n\n/**\n * Returns a sequence containing all elements of original sequence except the elements\n contained in the given [elements] sequence.\n * \n * Note that the source sequence and the sequence being\n subtracted are iterated only when an `iterator` is requested from\n * the resulting sequence. Changing any of them\n between successive calls to `iterator` may affect the result.\n * \n * The operation is _intermediate_ for this sequence\n and _terminal_ and _stateful_ for the [elements] sequence.\n * \n * Before Kotlin 1.6, the [elements] sequence may\n have been converted to a [HashSet] to speed up the operation, thus the elements were required to have\n * a correct\n and stable implementation of `hashCode()` that didn't change between successive invocations.\n * On JVM, you can\n enable this behavior back with the system property `kotlin.collections.convert_arg_to_set_in_removeAll` set to\n `true`.\n * \n * \n */\npublic operator fun <T> Sequence<T>.minus(elements: Sequence<T>): Sequence<T> {\n    return

```

```

object: Sequence<T> {
    override fun iterator(): Iterator<T> {
        val other =
        elements.convertToSetForSetOperation()
        if (other.isEmpty())
            return this@minus.iterator()
        else
            return this@minus.filterNot { it in other }.iterator()
    }
}

Returns a sequence containing all elements of the original sequence without the first occurrence of the given [element].

The operation is _intermediate_ and _stateless_.

@kotlin.internal.InlineOnly
public inline fun <T> Sequence<T>.minusElement(element: T): Sequence<T> {
    return minus(element)
}

Splits the original sequence into pair of lists, where *first* list contains elements for which [predicate] yielded `true`, while *second* list contains elements for which [predicate] yielded `false`.

The operation is _terminal_.

@sample samples.collections.Sequences.Transformations.partition
public inline fun <T> Sequence<T>.partition(predicate: (T) -> Boolean): Pair<List<T>, List<T>> {
    val first = ArrayList<T>()
    val second = ArrayList<T>()
    for (element in this) {
        if (predicate(element))
            first.add(element)
        else
            second.add(element)
    }
    return Pair(first, second)
}

Returns a sequence containing all elements of the original sequence and then the given [element].

The operation is _intermediate_ and _stateless_.

public operator fun <T> Sequence<T>.plus(element: T): Sequence<T> {
    return sequenceOf(this, sequenceOf(element)).flatten()
}

Returns a sequence containing all elements of original sequence and then all elements of the given [elements] array.

Note that the source sequence and the array being added are iterated only when an `iterator` is requested from the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.

The operation is _intermediate_ and _stateless_.

public operator fun <T> Sequence<T>.plus(elements: Array<out T>): Sequence<T> {
    return this.plus(elements.asList())
}

Returns a sequence containing all elements of original sequence and then all elements of the given [elements] collection.

Note that the source sequence and the collection being added are iterated only when an `iterator` is requested from the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.

The operation is _intermediate_ and _stateless_.

public operator fun <T> Sequence<T>.plus(elements: Iterable<T>): Sequence<T> {
    return sequenceOf(this, elements.asSequence()).flatten()
}

Returns a sequence containing all elements of original sequence and then all elements of the given [elements] sequence.

Note that the source sequence and the sequence being added are iterated only when an `iterator` is requested from the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.

The operation is _intermediate_ and _stateless_.

public operator fun <T> Sequence<T>.plus(elements: Sequence<T>): Sequence<T> {
    return sequenceOf(this, elements).flatten()
}

Returns a sequence containing all elements of the original sequence and then the given [element].

The operation is _intermediate_ and _stateless_.

@kotlin.internal.InlineOnly
public inline fun <T> Sequence<T>.plusElement(element: T): Sequence<T> {
    return plus(element)
}

Returns a sequence of snapshots of the window of the given [size] sliding along this sequence with the given [step], where each snapshot is a list.

Several last lists may have fewer elements than the given [size].

Both [size] and [step] must be positive and can be greater than the number of elements in this sequence.

@param size the number of elements to take in each window
@param step the number of elements to move the window forward by on an each step, by default 1
@param partialWindows controls whether or not to keep partial windows in the end if any, by default `false` which means partial windows won't be preserved

@sample samples.collections.Sequences.Transformations.takeWindows
@SinceKotlin("1.2")
public fun <T> Sequence<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false): Sequence<List<T>> {
    return windowedSequence(size, step, partialWindows, reuseBuffer = false)
}

Returns a sequence of results of applying the given [transform] function to an each list representing a view over the window of the given [size] sliding along this sequence with the given [step].

Note that the list passed to the [transform] function is ephemeral and is valid only inside that function.

You should not store it or allow it to escape in some way, unless you made a snapshot of it.

Several last lists may have fewer elements than the given [size].

Both [size] and [step] must be positive and can be greater than the number of elements in this sequence.

@param size the number of elements to take in each window
@param step the number of elements to move the window forward by on an each step, by default 1
@param

```

partialWindows controls whether or not to keep partial windows in the end if any, \n \* by default `false` which means partial windows won't be preserved \n \* \n \* @sample

samples.collections.Sequences.Transformations.averageWindows \n \* \n @SinceKotlin("1.2") \n public fun <T, R> Sequence<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false, transform: (List<T>) -> R): Sequence<R> { \n return windowedSequence(size, step, partialWindows, reuseBuffer = true).map(transform) \n } \n \n \n \* Returns a sequence of values built from the elements of `this` sequence and the [other] sequence with the same index. \n \* The resulting sequence ends as soon as the shortest input sequence ends. \n \* \n \* The operation is \_intermediate\_ and \_stateless\_. \n \* \n \* @sample

samples.collections.Sequences.Transformations.zip \n \* \n public infix fun <T, R> Sequence<T>.zip(other: Sequence<R>): Sequence<Pair<T, R>> { \n return MergingSequence(this, other) { t1, t2 -> t1 to t2 } \n } \n \n \n \* Returns a sequence of values built from the elements of `this` sequence and the [other] sequence with the same index \n \* using the provided [transform] function applied to each pair of elements. \n \* The resulting sequence ends as soon as the shortest input sequence ends. \n \* \n \* The operation is \_intermediate\_ and \_stateless\_. \n \* \n \* @sample

samples.collections.Sequences.Transformations.zipWithTransform \n \* \n public fun <T, R, V> Sequence<T>.zip(other: Sequence<R>, transform: (a: T, b: R) -> V): Sequence<V> { \n return MergingSequence(this, other, transform) \n } \n \n \n \* Returns a sequence of pairs of each two adjacent elements in this sequence. \n \* \n \* The returned sequence is empty if this sequence contains less than two elements. \n \* \n \* The operation is \_intermediate\_ and \_stateless\_. \n \* \n \* @sample

samples.collections.Collections.Transformations.zipWithNext \n \* \n @SinceKotlin("1.2") \n public fun <T> Sequence<T>.zipWithNext(): Sequence<Pair<T, T>> { \n return zipWithNext { a, b -> a to b } \n } \n \n \n \* Returns a sequence containing the results of applying the given [transform] function \n \* to an each pair of two adjacent elements in this sequence. \n \* \n \* The returned sequence is empty if this sequence contains less than two elements. \n \* \n \* The operation is \_intermediate\_ and \_stateless\_. \n \* \n \* @sample

samples.collections.Collections.Transformations.zipWithNextToFindDeltas \n \* \n @SinceKotlin("1.2") \n public fun <T, R> Sequence<T>.zipWithNext(transform: (a: T, b: T) -> R): Sequence<R> { \n return sequence result@ { \n val iterator = iterator() \n if (!iterator.hasNext()) return @result \n var current = iterator.next() \n while (iterator.hasNext()) { \n val next = iterator.next() \n yield(transform(current, next)) \n current = next \n } \n } \n } \n \n \n \* Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied. \n \* \n \* If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit] \n \* elements will be appended, followed by the [truncated] string (which defaults to "..."). \n \* \n \* The operation is \_terminal\_. \n \* \n \* @sample

samples.collections.Collections.Transformations.joinTo \n \* \n public fun <T, A : Appendable> Sequence<T>.joinTo(buffer: A, separator: CharSequence = "\", \", prefix: CharSequence = "\"", postfix: CharSequence = "\"", limit: Int = -1, truncated: CharSequence = "\"...\"", transform: ((T) -> CharSequence)? = null): A { \n buffer.append(prefix) \n var count = 0 \n for (element in this) { \n if (++count > 1) \n buffer.append(separator) \n if (limit < 0 || count <= limit) { \n buffer.appendElement(element, transform) \n } else break \n } \n if (limit >= 0 && count > limit) buffer.append(truncated) \n buffer.append(postfix) \n return buffer \n } \n \n \n \* Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied. \n \* \n \* If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit] \n \* elements will be appended, followed by the [truncated] string (which defaults to "..."). \n \* \n \* The operation is \_terminal\_. \n \* \n \* @sample

samples.collections.Collections.Transformations.joinToString \n \* \n public fun <T> Sequence<T>.joinToString(separator: CharSequence = "\", \", prefix: CharSequence = "\"", postfix: CharSequence = "\"", limit: Int = -1, truncated: CharSequence = "\"...\"", transform: ((T) -> CharSequence)? = null): String { \n return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString() \n } \n \n \n \* Creates an [Iterable] instance that wraps the original sequence returning its elements when being iterated. \n \* \n @public fun <T> Sequence<T>.asIterable(): Iterable<T> { \n return Iterable { this.iterator() } \n } \n \n \n \* Returns this sequence as a [Sequence]. \n \* \n @kotlin.internal.InlineOnly \n public inline fun <T> Sequence<T>.asSequence(): Sequence<T>

```

{\n  return this}\n\n/**\n * Returns an average value of elements in the sequence.\n *\n * The operation is
_terminal_.\n *\n@kotlin.jvm.JvmName("averageOfByte")\npublic fun Sequence<Byte>.average(): Double {\n
var sum: Double = 0.0\n  var count: Int = 0\n  for (element in this) {\n    sum += element\n
checkCountOverflow(++count)\n  }\n  return if (count == 0) Double.NaN else sum / count}\n\n/**\n * Returns
an average value of elements in the sequence.\n *\n * The operation is _terminal_.\n
*\n@kotlin.jvm.JvmName("averageOfShort")\npublic fun Sequence<Short>.average(): Double {\n  var sum:
Double = 0.0\n  var count: Int = 0\n  for (element in this) {\n    sum += element\n
checkCountOverflow(++count)\n  }\n  return if (count == 0) Double.NaN else sum / count}\n\n/**\n * Returns
an average value of elements in the sequence.\n *\n * The operation is _terminal_.\n
*\n@kotlin.jvm.JvmName("averageOfInt")\npublic fun Sequence<Int>.average(): Double {\n  var sum: Double
= 0.0\n  var count: Int = 0\n  for (element in this) {\n    sum += element\n    checkCountOverflow(++count)\n
  }\n  return if (count == 0) Double.NaN else sum / count}\n\n/**\n * Returns an average value of elements in the
sequence.\n *\n * The operation is _terminal_.\n *\n@kotlin.jvm.JvmName("averageOfLong")\npublic fun
Sequence<Long>.average(): Double {\n  var sum: Double = 0.0\n  var count: Int = 0\n  for (element in this) {\n
sum += element\n    checkCountOverflow(++count)\n  }\n  return if (count == 0) Double.NaN else sum /
count}\n\n/**\n * Returns an average value of elements in the sequence.\n *\n * The operation is _terminal_.\n
*\n@kotlin.jvm.JvmName("averageOfFloat")\npublic fun Sequence<Float>.average(): Double {\n  var sum:
Double = 0.0\n  var count: Int = 0\n  for (element in this) {\n    sum += element\n
checkCountOverflow(++count)\n  }\n  return if (count == 0) Double.NaN else sum / count}\n\n/**\n * Returns
an average value of elements in the sequence.\n *\n * The operation is _terminal_.\n
*\n@kotlin.jvm.JvmName("averageOfDouble")\npublic fun Sequence<Double>.average(): Double {\n  var sum:
Double = 0.0\n  var count: Int = 0\n  for (element in this) {\n    sum += element\n
checkCountOverflow(++count)\n  }\n  return if (count == 0) Double.NaN else sum / count}\n\n/**\n * Returns
the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n
*\n@kotlin.jvm.JvmName("sumOfByte")\npublic fun Sequence<Byte>.sum(): Int {\n  var sum: Int = 0\n  for
(element in this) {\n    sum += element\n  }\n  return sum}\n\n/**\n * Returns the sum of all elements in the
sequence.\n *\n * The operation is _terminal_.\n *\n@kotlin.jvm.JvmName("sumOfShort")\npublic fun
Sequence<Short>.sum(): Int {\n  var sum: Int = 0\n  for (element in this) {\n    sum += element\n  }\n  return
sum}\n\n/**\n * Returns the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n
*\n@kotlin.jvm.JvmName("sumOfInt")\npublic fun Sequence<Int>.sum(): Int {\n  var sum: Int = 0\n  for
(element in this) {\n    sum += element\n  }\n  return sum}\n\n/**\n * Returns the sum of all elements in the
sequence.\n *\n * The operation is _terminal_.\n *\n@kotlin.jvm.JvmName("sumOfLong")\npublic fun
Sequence<Long>.sum(): Long {\n  var sum: Long = 0L\n  for (element in this) {\n    sum += element\n  }\n
return sum}\n\n/**\n * Returns the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n
*\n@kotlin.jvm.JvmName("sumOfFloat")\npublic fun Sequence<Float>.sum(): Float {\n  var sum: Float = 0.0f\n
for (element in this) {\n    sum += element\n  }\n  return sum}\n\n/**\n * Returns the sum of all elements in
the sequence.\n *\n * The operation is _terminal_.\n *\n@kotlin.jvm.JvmName("sumOfDouble")\npublic fun
Sequence<Double>.sum(): Double {\n  var sum: Double = 0.0\n  for (element in this) {\n    sum += element\n
  }\n  return sum}\n\n"/**\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n
*\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("SetsKt")\n\npackage
kotlin.collections\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.random.*\nimport
kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns a set containing all elements of the original
set except the given [element].\n *\n * The returned set preserves the element iteration order of the original set.\n
*\n@public operator fun <T> Set<T>.minus(element: T): Set<T> {\n  val result =
LinkedHashSet<T>(mapCapacity(size))\n  var removed = false\n  return this.filterTo(result) { if (!removed && it

```



```

== element) { removed = true; false } else true }
}

/** Returns a set containing all elements of the original
set except the elements contained in the given [elements] array.
 * The returned set preserves the element
iteration order of the original set.
 * Before Kotlin 1.6, the [elements] array may have been converted to a
[HashSet] to speed up the operation, thus the elements were required to have
 * a correct and stable implementation
of `hashCode()` that didn't change between successive invocations.
 * On JVM, you can enable this behavior back
with the system property `kotlin.collections.convert_arg_to_set_in_removeAll` set to `true`.
 */
@public operator
fun <T> Set<T>.minus(elements: Array<out T>): Set<T> {
    val result = LinkedHashSet<T>(this)
    result.removeAll(elements)
    return result
}

/** Returns a set containing all elements of the original set
except the elements contained in the given [elements] collection.
 * The returned set preserves the element
iteration order of the original set.
 * Before Kotlin 1.6, the [elements] collection may have been converted to a
[HashSet] to speed up the operation, thus the elements were required to have
 * a correct and stable implementation
of `hashCode()` that didn't change between successive invocations.
 * On JVM, you can enable this behavior back
with the system property `kotlin.collections.convert_arg_to_set_in_removeAll` set to `true`.
 */
@public operator
fun <T> Set<T>.minus(elements: Iterable<T>): Set<T> {
    val other =
elements.convertToSetForSetOperationWith(this)
    if (other.isEmpty())
        return this.toSet()
    if (other is
Set)
        return this.filterNotTo(LinkedHashSet<T>()) { it in other }
    val result = LinkedHashSet<T>(this)
    result.removeAll(other)
    return result
}

/** Returns a set containing all elements of the original set
except the elements contained in the given [elements] sequence.
 * The returned set preserves the element
iteration order of the original set.
 * Before Kotlin 1.6, the [elements] sequence may have been converted to a
[HashSet] to speed up the operation, thus the elements were required to have
 * a correct and stable implementation
of `hashCode()` that didn't change between successive invocations.
 * On JVM, you can enable this behavior back
with the system property `kotlin.collections.convert_arg_to_set_in_removeAll` set to `true`.
 */
@public operator
fun <T> Set<T>.minus(elements: Sequence<T>): Set<T> {
    val result = LinkedHashSet<T>(this)
    result.removeAll(elements)
    return result
}

/** Returns a set containing all elements of the original set
except the given [element].
 * The returned set preserves the element iteration order of the original set.
 */
@kotlin.internal.InlineOnly
@public inline fun <T> Set<T>.minusElement(element: T): Set<T> {
    return
minus(element)
}

/** Returns a set containing all elements of the original set and then the given [element] if
it isn't already in this set.
 * The returned set preserves the element iteration order of the original set.
 */
@public operator fun <T> Set<T>.plus(element: T): Set<T> {
    val result =
LinkedHashSet<T>(mapCapacity(size + 1))
    result.addAll(this)
    result.add(element)
    return
result
}

/** Returns a set containing all elements of the original set and the given [elements] array,
which aren't already in this set.
 * The returned set preserves the element iteration order of the original set.
 */
@public operator fun <T> Set<T>.plus(elements: Array<out T>): Set<T> {
    val result =
LinkedHashSet<T>(mapCapacity(this.size + elements.size))
    result.addAll(this)
    result.addAll(elements)
    return result
}

/** Returns a set containing all elements of the original set and the given [elements]
collection,
 * which aren't already in this set.
 * The returned set preserves the element iteration order of the
original set.
 */
@public operator fun <T> Set<T>.plus(elements: Iterable<T>): Set<T> {
    val result =
LinkedHashSet<T>(mapCapacity(elements.collectionSizeOrNull()?.let { this.size + it } ?: this.size * 2))
    result.addAll(this)
    result.addAll(elements)
    return result
}

/** Returns a set containing all elements of
the original set and the given [elements] sequence,
 * which aren't already in this set.
 * The returned set
preserves the element iteration order of the original set.
 */
@public operator fun <T> Set<T>.plus(elements:
Sequence<T>): Set<T> {
    val result = LinkedHashSet<T>(mapCapacity(this.size * 2))
    result.addAll(this)
    result.addAll(elements)
    return result
}

/** Returns a set containing all elements of the original set and
then the given [element] if it isn't already in this set.
 * The returned set preserves the element iteration order
of the original set.
 */
@kotlin.internal.InlineOnly
@public inline fun <T> Set<T>.plusElement(element: T):
Set<T> {
    return plus(element)
}
}

/* Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming
Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.

```

```

*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("\StringsKt")\n\npackage
kotlin.text\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.random.*\n\n/**\n * Returns a
character at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this char
sequence.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun
CharSequence.elementAt(index: Int): Char\n\n/**\n * Returns a character at the given [index] or the result of calling
the [defaultValue] function if the [index] is out of bounds of this char sequence.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun
CharSequence.elementAtOrElse(index: Int, defaultValue: (Int) -> Char): Char {\n    return if (index >= 0 && index
<= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns a character at the given [index] or `null` if
the [index] is out of bounds of this char sequence.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun
CharSequence.elementAtOrNull(index: Int): Char? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns the first
character matching the given [predicate], or `null` if no such character was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun
CharSequence.find(predicate: (Char) -> Boolean): Char? {\n    return firstOrNull(predicate)\n}\n\n/**\n * Returns
the last character matching the given [predicate], or `null` if no such character was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun
CharSequence.find(predicate: (Char) -> Boolean): Char? {\n    return lastOrNull(predicate)\n}\n\n/**\n *
Returns first character.\n * @throws [NoSuchElementException] if the char sequence is empty.\n */\npublic fun
CharSequence.first(): Char {\n    if (isEmpty())\n        throw NoSuchElementException("\Char sequence is
empty.")\n    return this[0]\n}\n\n/**\n * Returns the first character matching the given [predicate].\n * @throws
[NoSuchElementException] if no such character is found.\n */\npublic inline fun CharSequence.first(predicate:
(Char) -> Boolean): Char {\n    for (element in this) if (predicate(element)) return element\n    throw
NoSuchElementException("\Char sequence contains no character matching the predicate.")\n}\n\n/**\n * Returns
the first non-null value produced by [transform] function being applied to characters of this char sequence in
iteration order,\n * or throws [NoSuchElementException] if no non-null value was produced.\n * \n * @sample
samples.collections.Collections.Transformations.firstNotNullOf\n */\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun <R : Any>
CharSequence.firstNotNullOf(transform: (Char) -> R?): R {\n    return firstNotNullOfOrNull(transform) ?: throw
NoSuchElementException("\No element of the char sequence was transformed to a non-null value.")\n}\n\n/**\n *
Returns the first non-null value produced by [transform] function being applied to characters of this char sequence in
iteration order,\n * or `null` if no non-null value was produced.\n * \n * @sample
samples.collections.Collections.Transformations.firstNotNullOf\n */\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun <R : Any>
CharSequence.firstNotNullOfOrNull(transform: (Char) -> R?): R? {\n    for (element in this) {\n        val result =
transform(element)\n        if (result != null) {\n            return result\n        }\n    }\n    return null\n}\n\n/**\n *
Returns the first character, or `null` if the char sequence is empty.\n */\npublic fun CharSequence.firstOrNull():
Char? {\n    return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first character matching the given
[predicate], or `null` if character was not found.\n */\npublic inline fun CharSequence.firstOrNull(predicate: (Char) -
> Boolean): Char? {\n    for (element in this) if (predicate(element)) return element\n    return null\n}\n\n/**\n *
Returns a character at the given [index] or the result of calling the [defaultValue] function if the [index] is out of
bounds of this char sequence.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.getOrNull(index:
Int, defaultValue: (Int) -> Char): Char {\n    return if (index >= 0 && index <= lastIndex) get(index) else
defaultValue(index)\n}\n\n/**\n * Returns a character at the given [index] or `null` if the [index] is out of bounds of
this char sequence.\n * \n * @sample samples.collections.Collections.Elements.getOrNull\n */\npublic fun
CharSequence.getOrNull(index: Int): Char? {\n    return if (index >= 0 && index <= lastIndex) get(index) else
null\n}\n\n/**\n * Returns index of the first character matching the given [predicate], or -1 if the char sequence does

```

```

not contain such character.\n */\npublic inline fun CharSequence.indexOfFirst(predicate: (Char) -> Boolean): Int {\n
    for (index in indices) {\n        if (predicate(this[index])) {\n            return index\n        }\n    }\n    return -
1\n}\n\n/**\n * Returns index of the last character matching the given [predicate], or -1 if the char sequence does
not contain such character.\n */\npublic inline fun CharSequence.indexOfLast(predicate: (Char) -> Boolean): Int {\n
    for (index in indices.reversed()) {\n        if (predicate(this[index])) {\n            return index\n        }\n    }\n    return -
1\n}\n\n/**\n * Returns the last character.\n */\n * @throws NoSuchElementException if the char sequence is
empty.\n */\n * @sample samples.text.Strings.last\n */\npublic fun CharSequence.last(): Char {\n    if (isEmpty())\n        throw NoSuchElementException("Char sequence is empty.")\n    return this[lastIndex]\n}\n\n/**\n * Returns the
last character matching the given [predicate].\n */\n * @throws NoSuchElementException if no such character is
found.\n */\n * @sample samples.text.Strings.last\n */\npublic inline fun CharSequence.last(predicate: (Char) ->
Boolean): Char {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if
(predicate(element)) return element\n    }\n    throw NoSuchElementException("Char sequence contains no
character matching the predicate.")\n}\n\n/**\n * Returns the last character, or `null` if the char sequence is
empty.\n */\n * @sample samples.text.Strings.last\n */\npublic fun CharSequence.lastOrNull(): Char? {\n    return if
(isEmpty()) null else this[length - 1]\n}\n\n/**\n * Returns the last character matching the given [predicate], or `null`
if no such character was found.\n */\n * @sample samples.text.Strings.last\n */\npublic inline fun
CharSequence.lastOrNull(predicate: (Char) -> Boolean): Char? {\n    for (index in this.indices.reversed()) {\n
        val element = this[index]\n        if (predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns a
random character from this char sequence.\n */\n * @throws NoSuchElementException if this char sequence is
empty.\n */\n * @SinceKotlin("1.3")\n * @kotlin.internal.InlineOnly\n */\npublic inline fun CharSequence.random(): Char
{\n    return random(Random)\n}\n\n/**\n * Returns a random character from this char sequence using the specified
source of randomness.\n */\n * @throws NoSuchElementException if this char sequence is empty.\n */\n * @SinceKotlin("1.3")\n */\npublic fun CharSequence.random(random: Random): Char {\n    if (isEmpty())\n        throw NoSuchElementException("Char sequence is empty.")\n    return get(random.nextInt(length))\n}\n\n/**\n * Returns a random character from this char sequence, or `null` if this char sequence is empty.\n
*/\n * @SinceKotlin("1.4")\n * @WasExperimental(ExperimentalStdlibApi::class)\n * @kotlin.internal.InlineOnly\n */\npublic
inline fun CharSequence.randomOrNull(): Char? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a
random character from this char sequence using the specified source of randomness, or `null` if this char sequence is
empty.\n */\n * @SinceKotlin("1.4")\n * @WasExperimental(ExperimentalStdlibApi::class)\n */\npublic fun
CharSequence.randomOrNull(random: Random): Char? {\n    if (isEmpty())\n        return null\n    return
get(random.nextInt(length))\n}\n\n/**\n * Returns the single character, or throws an exception if the char sequence
is empty or has more than one character.\n */\n */\npublic fun CharSequence.single(): Char {\n    return when (length)
{\n        0 -> throw NoSuchElementException("Char sequence is empty.")\n        1 -> this[0]\n        else -> throw
IllegalArgumentException("Char sequence has more than one element.")\n    }\n}\n\n/**\n * Returns the single
character matching the given [predicate], or throws exception if there is no or more than one matching character.\n
*/\n */\npublic inline fun CharSequence.single(predicate: (Char) -> Boolean): Char {\n    var single: Char? = null\n    var
found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) throw
IllegalArgumentException("Char sequence contains more than one matching element.")\n            single =
element\n            found = true\n        }\n    }\n    if (!found) throw NoSuchElementException("Char sequence
contains no character matching the predicate.")\n    @SuppressWarnings("UNCHECKED_CAST")\n    return single as
Char\n}\n\n/**\n * Returns single character, or `null` if the char sequence is empty or has more than one character.\n
*/\n */\npublic fun CharSequence.singleOrNull(): Char? {\n    return if (length == 1) this[0] else null\n}\n\n/**\n *
Returns the single character matching the given [predicate], or `null` if character was not found or more than one
character was found.\n */\n */\npublic inline fun CharSequence.singleOrNull(predicate: (Char) -> Boolean): Char? {\n
    var single: Char? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n
            if (found) return null\n            single = element\n            found = true\n        }\n    }\n    if
(!found) return null\n    return single\n}\n\n/**\n * Returns a subsequence of this char sequence with the first [n]
characters removed.\n */\n * @throws IllegalArgumentException if [n] is negative.\n */\n * @sample samples.text.Strings.drop\n */\npublic fun

```



```

predicate)\n\n/**\n * Returns a string containing only those characters from the original string that do not match
the given [predicate].\n * \n * @sample samples.text.Strings.filterNot\n */\npublic inline fun
String.filterNot(predicate: (Char) -> Boolean): String {\n    return filterNotTo(StringBuilder(),
predicate).toString()\n}\n\n/**\n * Appends all characters not matching the given [predicate] to the given
[destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <C :
Appendable> CharSequence.filterNotTo(destination: C, predicate: (Char) -> Boolean): C {\n    for (element in this)
if (!predicate(element)) destination.append(element)\n    return destination\n}\n\n/**\n * Appends all characters
matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <C : Appendable>
CharSequence.filterTo(destination: C, predicate: (Char) -> Boolean): C {\n    for (index in 0 until length) {\n        val
element = get(index)\n        if (predicate(element)) destination.append(element)\n    }\n    return
destination\n}\n\n/**\n * Returns a char sequence containing characters of the original char sequence at the
specified range of [indices].\n */\npublic fun CharSequence.slice(indices: IntRange): CharSequence {\n    if
(indices.isEmpty()) return ""\n    return subSequence(indices)\n}\n\n/**\n * Returns a string containing characters
of the original string at the specified range of [indices].\n */\npublic fun String.slice(indices: IntRange): String {\n
if (indices.isEmpty()) return ""\n    return substring(indices)\n}\n\n/**\n * Returns a char sequence containing
characters of the original char sequence at specified [indices].\n */\npublic fun CharSequence.slice(indices:
Iterable<Int>): CharSequence {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return ""\n
val result = StringBuilder(size)\n    for (i in indices) {\n        result.append(get(i))\n    }\n    return result\n}\n\n/**\n * Returns a string containing characters of the original string at specified [indices].\n
*/\n\n@kotlin.internal.InlineOnly\npublic inline fun String.slice(indices: Iterable<Int>): String {\n    return (this as
CharSequence).slice(indices).toString()\n}\n\n/**\n * Returns a subsequence of this char sequence containing the
first [n] characters from this char sequence, or the entire char sequence if this char sequence is shorter.\n * \n *
@throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.text.Strings.take\n */\npublic fun
CharSequence.take(n: Int): CharSequence {\n    require(n >= 0) { \"Requested character count $n is less than zero.\"
}\n    return subSequence(0, n.coerceAtMost(length))\n}\n\n/**\n * Returns a string containing the first [n]
characters from this string, or the entire string if this string is shorter.\n * \n * @throws IllegalArgumentException if
[n] is negative.\n * \n * @sample samples.text.Strings.take\n */\npublic fun String.take(n: Int): String {\n    require(n
>= 0) { \"Requested character count $n is less than zero.\" }\n    return substring(0,
n.coerceAtMost(length))\n}\n\n/**\n * Returns a subsequence of this char sequence containing the last [n]
characters from this char sequence, or the entire char sequence if this char sequence is shorter.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample samples.text.Strings.take\n */\npublic fun
CharSequence.takeLast(n: Int): CharSequence {\n    require(n >= 0) { \"Requested character count $n is less than
zero.\" }\n    val length = length\n    return subSequence(length - n.coerceAtMost(length), length)\n}\n\n/**\n *
Returns a string containing the last [n] characters from this string, or the entire string if this string is shorter.\n *
\n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.text.Strings.take\n */\npublic fun
String.takeLast(n: Int): String {\n    require(n >= 0) { \"Requested character count $n is less than zero.\" }\n    val
length = length\n    return substring(length - n.coerceAtMost(length))\n}\n\n/**\n * Returns a subsequence of this
char sequence containing last characters that satisfy the given [predicate].\n * \n * @sample
samples.text.Strings.take\n */\npublic inline fun CharSequence.takeLastWhile(predicate: (Char) -> Boolean):
CharSequence {\n    for (index in lastIndex downTo 0) {\n        if (!predicate(this[index])) {\n            return
subSequence(index + 1, length)\n        }\n    }\n    return subSequence(0, length)\n}\n\n/**\n * Returns a string
containing last characters that satisfy the given [predicate].\n * \n * @sample samples.text.Strings.take\n */\npublic
inline fun String.takeLastWhile(predicate: (Char) -> Boolean): String {\n    for (index in lastIndex downTo 0) {\n
if (!predicate(this[index])) {\n        return substring(index + 1)\n    }\n    return this\n}\n\n/**\n * Returns
a subsequence of this char sequence containing the first characters that satisfy the given [predicate].\n * \n *
@sample samples.text.Strings.take\n */\npublic inline fun CharSequence.takeWhile(predicate: (Char) -> Boolean):
CharSequence {\n    for (index in 0 until length)\n        if (!predicate(get(index))) {\n            return subSequence(0,

```

```

index)\n    }\n    return subSequence(0, length)\n}\n\n/**\n * Returns a string containing the first characters that
satisfy the given [predicate].\n * \n * @sample samples.text.Strings.take\n */\npublic inline fun
String.takeWhile(predicate: (Char) -> Boolean): String {\n    for (index in 0 until length)\n        if
(!predicate(get(index))) {\n            return substring(0, index)\n        }\n    return this\n}\n\n/**\n * Returns a char
sequence with characters in reversed order.\n */\npublic fun CharSequence.reversed(): CharSequence {\n    return
StringBuilder(this).reverse()\n}\n\n/**\n * Returns a string with characters in reversed order.\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.reversed(): String {\n    return (this as
CharSequence).reversed().toString()\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by
[transform] function\n * applied to characters of the given char sequence.\n * \n * If any of two pairs would have the
same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the
original char sequence.\n * \n * @sample samples.text.Strings.associate\n */\npublic inline fun <K, V>
CharSequence.associate(transform: (Char) -> Pair<K, V>): Map<K, V> {\n    val capacity =
mapCapacity(length).coerceAtLeast(16)\n    return associateTo(LinkedHashMap<K, V>(capacity),
transform)\n}\n\n/**\n * Returns a [Map] containing the characters from the given char sequence indexed by the
key\n * returned from [keySelector] function applied to each character.\n * \n * If any two characters would have the
same\n key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry
iteration order of the original char sequence.\n * \n * @sample samples.text.Strings.associateBy\n */\npublic inline
fun <K> CharSequence.associateBy(keySelector: (Char) -> K): Map<K, Char> {\n    val capacity =
mapCapacity(length).coerceAtLeast(16)\n    return associateByTo(LinkedHashMap<K, Char>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by
[keySelector] functions applied to characters of the given char sequence.\n * \n * If any two characters would have
the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the
entry iteration order of the original char sequence.\n * \n * @sample
samples.text.Strings.associateByWithValueTransform\n */\npublic inline fun <K, V>
CharSequence.associateBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, V> {\n    val capacity
= mapCapacity(length).coerceAtLeast(16)\n    return associateByTo(LinkedHashMap<K, V>(capacity),
keySelector, valueTransform)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value
pairs,\n * where key is provided by the [keySelector] function applied to each character of the given char sequence\n
* and value is the character itself.\n * \n * If any two characters would have the same key returned by [keySelector]
the last one gets added to the map.\n * \n * @sample samples.text.Strings.associateByTo\n */\npublic inline fun <K,
M : MutableMap<in K, in Char>> CharSequence.associateByTo(destination: M, keySelector: (Char) -> K): M {\n    for
(element in this) {\n        destination.put(keySelector(element), element)\n    }\n    return destination\n}\n\n/**\n
* Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the
[keySelector] function and\n * and value is provided by the [valueTransform] function applied to characters of the
given char sequence.\n * \n * If any two characters would have the same key returned by [keySelector] the last one
gets added to the map.\n * \n * @sample samples.text.Strings.associateByToWithValueTransform\n */\npublic
inline fun <K, V, M : MutableMap<in K, in V>> CharSequence.associateByTo(destination: M, keySelector: (Char)
-> K, valueTransform: (Char) -> V): M {\n    for (element in this) {\n        destination.put(keySelector(element),
valueTransform(element))\n    }\n    return destination\n}\n\n/**\n * Populates and returns the [destination] mutable
map with key-value pairs\n * provided by [transform] function applied to each character of the given char
sequence.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * @sample
samples.text.Strings.associateTo\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>>
CharSequence.associateTo(destination: M, transform: (Char) -> Pair<K, V>): M {\n    for (element in this) {\n
destination += transform(element)\n    }\n    return destination\n}\n\n/**\n * Returns a [Map] where keys are
characters from the given char sequence and values are\n * produced by the [valueSelector] function applied to each
character.\n * \n * If any two characters are equal, the last one gets added to the map.\n * \n * The returned map
preserves the entry iteration order of the original char sequence.\n * \n * @sample
samples.text.Strings.associateWith\n */\n@SinceKotlin("1.3")\npublic inline fun <V>

```

```

CharSequence.associateWith(valueSelector: (Char) -> V): Map<Char, V> {\n  val result = LinkedHashMap<Char,
V>(mapCapacity(length.coerceAtMost(128)).coerceAtLeast(16))\n  return associateWithTo(result,
valueSelector)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs for each
character of the given char sequence,\n * where key is the character itself and value is provided by the
[valueSelector] function applied to that key.\n * \n * If any two characters are equal, the last one overwrites the
former value in the map.\n * \n * @sample samples.text.Strings.associateWithTo\n
*/\n\n@SinceKotlin("1.3")\npublic inline fun <V, M : MutableMap<in Char, in V>>
CharSequence.associateWithTo(destination: M, valueSelector: (Char) -> V): M {\n  for (element in this) {\n
destination.put(element, valueSelector(element))\n  }\n  return destination\n}\n\n/**\n * Appends all characters to
the given [destination] collection.\n */\n\npublic fun <C : MutableCollection<in Char>>
CharSequence.toCollection(destination: C): C {\n  for (item in this) {\n    destination.add(item)\n  }\n  return
destination\n}\n\n/**\n * Returns a new [HashSet] of all characters.\n */\n\npublic fun CharSequence.toHashSet():
HashSet<Char> {\n  return toCollection(HashSet<Char>(mapCapacity(length.coerceAtMost(128))))\n}\n\n/**\n *
Returns a [List] containing all characters.\n */\n\npublic fun CharSequence.toList(): List<Char> {\n  return when
(length) {\n    0 -> emptyList()\n    1 -> listOf(this[0])\n    else -> this.toMutableList()\n  }\n}\n\n/**\n *
Returns a new [MutableList] filled with all characters of this char sequence.\n */\n\npublic fun
CharSequence.toMutableList(): MutableList<Char> {\n  return toCollection(ArrayList<Char>(length))\n}\n\n/**\n *
Returns a [Set] of all characters.\n * \n * The returned set preserves the element iteration order of the original char
sequence.\n */\n\npublic fun CharSequence.toSet(): Set<Char> {\n  return when (length) {\n    0 -> emptySet()\n
1 -> setOf(this[0])\n    else -> toCollection(LinkedHashSet<Char>(mapCapacity(length.coerceAtMost(128))))\n
}\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on
each character of original char sequence.\n * \n * @sample
samples.collections.Collections.Transformations.flatMap\n */\n\npublic inline fun <R>
CharSequence.flatMap(transform: (Char) -> Iterable<R>): List<R> {\n  return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each character\n * and its index in the original char sequence.\n * \n * @sample
samples.collections.Collections.Transformations.flatMapIndexed\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterable")\n@kotlin.internal.InlineOnly\npublic
inline fun <R> CharSequence.flatMapIndexed(transform: (index: Int, Char) -> Iterable<R>): List<R> {\n  return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each character\n * and its index in the original char sequence, to the given
[destination].\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npublic
inline fun <R, C : MutableCollection<in R>> CharSequence.flatMapIndexedTo(destination: C, transform: (index:
Int, Char) -> Iterable<R>): C {\n  var index = 0\n  for (element in this) {\n    val list = transform(index++,
element)\n    destination.addAll(list)\n  }\n  return destination\n}\n\n/**\n * Appends all elements yielded from
results of [transform] function being invoked on each character of original char sequence, to the given
[destination].\n */\n\npublic inline fun <R, C : MutableCollection<in R>> CharSequence.flatMapTo(destination: C,
transform: (Char) -> Iterable<R>): C {\n  for (element in this) {\n    val list = transform(element)\n
destination.addAll(list)\n  }\n  return destination\n}\n\n/**\n * Groups characters of the original char sequence by
the key returned by the given [keySelector] function\n * applied to each character and returns a map where each
group key is associated with a list of corresponding characters.\n * \n * The returned map preserves the entry
iteration order of the keys produced from the original char sequence.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n */\n\npublic inline fun <K>
CharSequence.groupBy(keySelector: (Char) -> K): Map<K, List<Char>> {\n  return
groupByTo(LinkedHashMap<K, MutableList<Char>>(), keySelector)\n}\n\n/**\n * Groups values returned by the

```

[valueTransform] function applied to each character of the original char sequence by the key returned by the given [keySelector] function applied to the character and returns a map where each group key is associated with a list of corresponding values. The returned map preserves the entry iteration order of the keys produced from the original char sequence.

```

samples.collections.Collections.Transformations.groupByKeyAndValues
public inline fun <K, V>
CharSequence.groupBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, List<V>> {
    return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)
}
Groups characters of the original char sequence by the key returned by the given [keySelector] function applied to each character and puts to the [destination] map each group key associated with a list of corresponding characters.
@return The [destination] map.
@example samples.collections.Collections.Transformations.groupBy
public inline fun <K, M : MutableMap<in K, MutableList<Char>>> CharSequence.groupByTo(destination: M,
keySelector: (Char) -> K): M {
    for (element in this) {
        val key = keySelector(element)
        val list = destination.getOrPut(key) { ArrayList<Char>() }
        list.add(element)
    }
    return destination
}
Groups values returned by the [valueTransform] function applied to each character of the original char sequence by the key returned by the given [keySelector] function applied to the character and puts to the [destination] map each group key associated with a list of corresponding values.
@return The [destination] map.
@example samples.collections.Collections.Transformations.groupByKeyAndValues
public inline fun <K, V, M : MutableMap<in K, MutableList<V>>> CharSequence.groupByTo(destination: M, keySelector: (Char) -> K,
valueTransform: (Char) -> V): M {
    for (element in this) {
        val key = keySelector(element)
        val list = destination.getOrPut(key) { ArrayList<V>() }
        list.add(valueTransform(element))
    }
    return destination
}
Creates a [Grouping] source from a char sequence to be used later with one of group-and-fold operations using the specified [keySelector] function to extract a key from each character.
@example samples.collections.Grouping.groupingByEachCount
@SinceKotlin("1.1")
public inline fun <K>
CharSequence.groupingBy(crossinline keySelector: (Char) -> K): Grouping<Char, K> {
    return object : Grouping<Char, K> {
        override fun sourceIterator(): Iterator<Char> = this@groupingBy.iterator()
        override fun keyOf(element: Char): K = keySelector(element)
    }
}
Returns a list containing the results of applying the given [transform] function to each character in the original char sequence.
@example samples.text.Strings.map
public inline fun <R> CharSequence.map(transform: (Char) -> R): List<R> {
    return mapTo(ArrayList<R>(length), transform)
}
Returns a list containing the results of applying the given [transform] function to each character and its index in the original char sequence.
@param [transform] function that takes the index of a character and the character itself and returns the result of the transform applied to the character.
public inline fun <R> CharSequence.mapIndexed(transform: (index: Int, Char) -> R): List<R> {
    return mapIndexedTo(ArrayList<R>(length), transform)
}
Returns a list containing only the non-null results of applying the given [transform] function to each character and its index in the original char sequence.
@param [transform] function that takes the index of a character and the character itself and returns the result of the transform applied to the character.
public inline fun <R : Any>
CharSequence.mapIndexedNotNull(transform: (index: Int, Char) -> R?): List<R> {
    return mapIndexedNotNullTo(ArrayList<R>(), transform)
}
Applies the given [transform] function to each character and its index in the original char sequence and appends only the non-null results to the given [destination].
@param [transform] function that takes the index of a character and the character itself and returns the result of the transform applied to the character.
public inline fun <R : Any, C : MutableCollection<in R>> CharSequence.mapIndexedNotNullTo(destination: C, transform: (index: Int, Char) -> R?): C {
    forEachIndexed { index, element -> transform(index, element)?.let { destination.add(it) } }
    return destination
}
Applies the given [transform] function to each character and its index in the original char sequence and appends the results to the given [destination].
@param [transform] function that takes the index of a character and the character itself and returns the result of the transform applied to the character.
public inline fun <R, C : MutableCollection<in R>> CharSequence.mapIndexedTo(destination: C, transform: (index: Int, Char) -> R): C {
    var index = 0
    for (item in this)
        destination.add(transform(index++,

```



item))\n return destination\n}\n\n/\*\*\n \* Returns a list containing only the non-null results of applying the given [transform] function\n \* to each character in the original char sequence.\n \* \n \* @sample samples.collections.Collections.Transformations.mapNotNull\n \*/\npublic inline fun <R : Any> CharSequence.mapNotNull(transform: (Char) -> R?): List<R> {\n return mapNotNullTo(ArrayList<R>(), transform)\n}\n\n/\*\*\n \* Applies the given [transform] function to each character in the original char sequence\n \* and appends only the non-null results to the given [destination].\n \*/\npublic inline fun <R : Any, C : MutableCollection<in R>> CharSequence.mapNotNullTo(destination: C, transform: (Char) -> R?): C {\n forEach { element -> transform(element)?.let { destination.add(it) } }\n return destination\n}\n\n/\*\*\n \* Applies the given [transform] function to each character of the original char sequence\n \* and appends the results to the given [destination].\n \*/\npublic inline fun <R, C : MutableCollection<in R>> CharSequence.mapTo(destination: C, transform: (Char) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/\*\*\n \* Returns a lazy [Iterable] that wraps each character of the original char sequence\n \* into an [IndexedValue] containing the index of that character and the character itself.\n \*/\npublic fun CharSequence.withIndex(): Iterable<IndexedValue<Char>> {\n return IndexingIterable { iterator() }\n}\n\n/\*\*\n \* Returns `true` if all characters match the given [predicate].\n \* \n \* @sample samples.collections.Collections.Aggregates.all\n \*/\npublic inline fun CharSequence.all(predicate: (Char) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/\*\*\n \* Returns `true` if char sequence has at least one character.\n \* \n \* @sample samples.collections.Collections.Aggregates.any\n \*/\npublic fun CharSequence.any(): Boolean {\n return !isEmpty()\n}\n\n/\*\*\n \* Returns `true` if at least one character matches the given [predicate].\n \* \n \* @sample samples.collections.Collections.Aggregates.anyWithPredicate\n \*/\npublic inline fun CharSequence.any(predicate: (Char) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return true\n return false\n}\n\n/\*\*\n \* Returns the length of this char sequence.\n \*/\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.count(): Int {\n return length\n}\n\n/\*\*\n \* Returns the number of characters matching the given [predicate].\n \*/\npublic inline fun CharSequence.count(predicate: (Char) -> Boolean): Int {\n var count = 0\n for (element in this) if (predicate(element)) ++count\n return count\n}\n\n/\*\*\n \* Accumulates value starting with [initial] value and applying [operation] from left to right\n \* to current accumulator value and each character.\n \* \n \* Returns the specified [initial] value if the char sequence is empty.\n \* \n \* @param [operation] function that takes current accumulator value and a character, and calculates the next accumulator value.\n \*/\npublic inline fun <R> CharSequence.fold(initial: R, operation: (acc: R, Char) -> R): R {\n var accumulator = initial\n for (element in this) accumulator = operation(accumulator, element)\n return accumulator\n}\n\n/\*\*\n \* Accumulates value starting with [initial] value and applying [operation] from left to right\n \* to current accumulator value and each character with its index in the original char sequence.\n \* \n \* Returns the specified [initial] value if the char sequence is empty.\n \* \n \* @param [operation] function that takes the index of a character, current accumulator value\n \* and the character itself, and calculates the next accumulator value.\n \*/\npublic inline fun <R> CharSequence.foldIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): R {\n var index = 0\n var accumulator = initial\n for (element in this) accumulator = operation(index++, accumulator, element)\n return accumulator\n}\n\n/\*\*\n \* Accumulates value starting with [initial] value and applying [operation] from right to left\n \* to each character and current accumulator value.\n \* \n \* Returns the specified [initial] value if the char sequence is empty.\n \* \n \* @param [operation] function that takes a character and current accumulator value, and calculates the next accumulator value.\n \*/\npublic inline fun <R> CharSequence.foldRight(initial: R, operation: (Char, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/\*\*\n \* Accumulates value starting with [initial] value and applying [operation] from right to left\n \* to each character with its index in the original char sequence and current accumulator value.\n \* \n \* Returns the specified [initial] value if the char sequence is empty.\n \* \n \* @param [operation] function that takes the index of a character, the character itself\n \* and current accumulator value, and calculates the next accumulator value.\n \*/\npublic inline fun <R> CharSequence.foldRightIndexed(initial: R, operation: (index: Int, Char, acc: R) -> R): R {\n var index =

```

lastIndex\n    var accumulator = initial\n    while (index >= 0) {\n        accumulator = operation(index, get(index),
accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Performs the given [action] on each
character.\n */\npublic inline fun CharSequence.forEach(action: (Char) -> Unit): Unit {\n    for (element in this)
action(element)\n}\n\n/**\n * Performs the given [action] on each character, providing sequential index with the
character.\n * @param [action] function that takes the index of a character and the character itself\n * and performs
the action on the character.\n */\npublic inline fun CharSequence.forEachIndexed(action: (index: Int, Char) -> Unit):
Unit {\n    var index = 0\n    for (item in this) action(index++, item)\n}\n\n@Deprecated("Use maxOrNull
instead.", ReplaceWith("this.maxOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince = "1.6")\npublic fun CharSequence.max(): Char? {\n    return
maxOrNull()\n}\n\n@Deprecated("Use maxByOrNull instead.",
ReplaceWith("this.maxByOrNull(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince = "1.6")\npublic inline fun <R : Comparable<R>> CharSequence.maxBy(selector: (Char) ->
R): Char? {\n    return maxByOrNull(selector)\n}\n\n/**\n * Returns the first character yielding the largest value of
the given function or `null` if there are no characters.\n */\n * @sample
samples.collections.Collections.Aggregates.maxByOrNull\n */\n@SinceKotlin("1.4")\npublic inline fun <R :
Comparable<R>> CharSequence.maxByOrNull(selector: (Char) -> R): Char? {\n    if (isEmpty()) return null\n    var
maxElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return maxElem\n    var maxValue =
selector(maxElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (maxValue < v)
{\n            maxElem = e\n            maxValue = v\n        }\n    }\n    return maxElem\n}\n\n/**\n * Returns the largest
value among all values produced by [selector] function\n * applied to each character in the char sequence.\n * \n * If
any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws
NoSuchElementException if the char sequence is empty.\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.maxOf(selector: (Char) ->
Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for
(i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each character in the char sequence.\n * \n * If any of values produced by [selector] function is `NaN`, the returned
result is `NaN`.\n * \n * @throws NoSuchElementException if the char sequence is empty.\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.maxOf(selector: (Char) ->
Float): Float {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i
in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each character in the char sequence.\n * \n * @throws NoSuchElementException if the char sequence is empty.\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
CharSequence.maxOf(selector: (Char) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var
maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (maxValue < v) {\n
            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values
produced by [selector] function\n * applied to each character in the char sequence or `null` if there are no
characters.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.maxOfOrNull(selector:
(Char) -> Double): Double? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in
1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each character in the char sequence or `null` if there are no characters.\n * \n * If any of values produced by

```

[selector] function is `NaN`, the returned result is `NaN`.

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.maxOrNull(selector:\n(Char) -> Float): Float? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in\n1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return\nmaxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each character in the char sequence or `null` if there are no characters.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>\nCharSequence.maxOrNull(selector: (Char) -> R): R? {\n    if (isEmpty()) return null\n    var maxValue =\nselector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (maxValue < v) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value according to the provided\n [comparator]\n * among all values produced by [selector] function applied to each character in the char sequence.\n * \n * @throws NoSuchElementException if the char sequence is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> CharSequence.maxWith(comparator:\nComparator<in R>, selector: (Char) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var\nmaxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if\n(comparator.compare(maxValue, v) < 0) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]\n function applied to each character in the char sequence or `null` if there are no characters.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>\nCharSequence.maxWithOrNull(comparator: Comparator<in R>, selector: (Char) -> R): R? {\n    if (isEmpty())\nreturn null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if\n(comparator.compare(maxValue, v) < 0) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest character or `null` if there are no characters.\n
```

```
*\n@SinceKotlin("1.4")\npublic fun\nCharSequence.maxOrNull(): Char? {\n    if (isEmpty()) return null\n    var max = this[0]\n    for (i in 1..lastIndex)\n{\n        val e = this[i]\n        if (max < e) max = e\n    }\n    return max\n}\n\n@Deprecated("Use maxWithOrNull\ninstead.", ReplaceWith("this.maxWithOrNull(comparator)"))\n@DeprecatedSinceKotlin(warningSince = "1.4",\nerrorSince = "1.5", hiddenSince = "1.6")\npublic fun CharSequence.maxWith(comparator: Comparator<in\nChar>): Char? {\n    return maxWithOrNull(comparator)\n}\n\n/**\n * Returns the first character having the largest\n value according to the provided [comparator] or `null` if there are no characters.\n
```

```
*\n@SinceKotlin("1.4")\npublic fun CharSequence.maxWithOrNull(comparator: Comparator<in Char>): Char?\n{\n    if (isEmpty()) return null\n    var max = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if\n(comparator.compare(max, e) < 0) max = e\n    }\n    return max\n}\n\n@Deprecated("Use minOrNull instead.",\nReplaceWith("this.minOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",\nhiddenSince = "1.6")\npublic fun CharSequence.min(): Char? {\n    return minOrNull()\n}\n\n@Deprecated("Use\nminByOrNull instead.", ReplaceWith("this.minByOrNull(selector)"))\n@DeprecatedSinceKotlin(warningSince =\n"1.4", errorSince = "1.5", hiddenSince = "1.6")\npublic inline fun <R : Comparable<R>>\nCharSequence.minBy(selector: (Char) -> R): Char? {\n    return minByOrNull(selector)\n}\n\n/**\n * Returns the\n first character yielding the smallest value of the given function or `null` if there are no characters.\n * \n * @sample\n samples.collections.Collections.Aggregates.minByOrNull\n
```

```
*\n@SinceKotlin("1.4")\npublic inline fun <R :\nComparable<R>> CharSequence.minByOrNull(selector: (Char) -> R): Char? {\n    if (isEmpty()) return null\n    var\nminElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return minElem\n    var minValue =\nselector(minElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (minValue > v)\n{\n            minElem = e\n            minValue = v\n        }\n    }\n    return minElem\n}\n\n/**\n * Returns the smallest\n value among all values produced by [selector] function\n * applied to each character in the char sequence.\n * \n * If
```

any of values produced by [selector] function is `NaN`, the returned result is `NaN`.  
@throws NoSuchElementException if the char sequence is empty.

NoSuchElementException if the char sequence is empty.

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.minOf(selector: (Char) ->\nDouble): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return\n    minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each character in the char sequence.\n * \n * If any of values produced by [selector] function is `NaN`, the returned\n * result is `NaN`.  
@throws NoSuchElementException if the char sequence is empty.
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.minOf(selector: (Char) ->\nFloat): Float {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return\n    minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each character in the char sequence.\n * \n * @throws NoSuchElementException if the char sequence is empty.
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>\nCharSequence.minOf(selector: (Char) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var\n    minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values\n * produced by [selector] function\n * applied to each character in the char sequence or `null` if there are no\n * characters.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.minOfOrNull(selector:\n(Char) -> Double): Double? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return\n    minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each character in the char sequence or `null` if there are no characters.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.minOfOrNull(selector:\n(Char) -> Float): Float? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex)\n    {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each character in the char\n * sequence or `null` if there are no characters.
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>\nCharSequence.minOfOrNull(selector: (Char) -> R): R? {\n    if (isEmpty()) return null\n    var minValue =\n    selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value according to the provided\n * [comparator]\n * among all values produced by [selector] function applied to each character in the char sequence.\n * \n * @throws NoSuchElementException if the char sequence is empty.
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> CharSequence.minOfWith(comparator:\nComparator<in R>, selector: (Char) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var\n    minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if\n        (comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
```

```

function applied to each character in the char sequence or `null` if there are no characters.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
CharSequence.minOfWithOrNull(comparator: Comparator<in R>, selector: (Char) -> R): R? {\n if (isEmpty())
return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if
(comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n *
Returns the smallest character or `null` if there are no characters.\n */\n@SinceKotlin("1.4")\npublic fun
CharSequence.minOrNull(): Char? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n
val e = this[i]\n if (min > e) min = e\n }\n return min\n}\n\n@Deprecated("Use minWithOrNull
instead.", ReplaceWith("this.minWithOrNull(comparator)"))\n@DeprecatedSinceKotlin(warningSince = "1.4",
errorSince = "1.5", hiddenSince = "1.6")\npublic fun CharSequence.minWith(comparator: Comparator<in
Char>): Char? {\n return minWithOrNull(comparator)\n}\n\n/**\n * Returns the first character having the smallest
value according to the provided [comparator] or `null` if there are no characters.\n */\n
*\n@SinceKotlin("1.4")\npublic fun CharSequence.minWithOrNull(comparator: Comparator<in Char>): Char?
{\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if
(comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns `true` if the char sequence has
no characters.\n */\n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun
CharSequence.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if no characters match the given
[predicate].\n */\n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun
CharSequence.none(predicate: (Char) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return
false\n return true\n}\n\n/**\n * Performs the given [action] on each character and returns the char sequence itself
afterwards.\n */\n@SinceKotlin("1.1")\npublic inline fun <S : CharSequence> S.onEach(action: (Char) -> Unit): S
{\n return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given [action] on each
character, providing sequential index with the character,\n * and returns the char sequence itself afterwards.\n *
@param [action] function that takes the index of a character and the character itself\n * and performs the action on
the character.\n */\n@SinceKotlin("1.4")\npublic inline fun <S : CharSequence> S.onEachIndexed(action: (index:
Int, Char) -> Unit): S {\n return apply { forEachIndexed(action) }\n}\n\n/**\n * Accumulates value starting with
the first character and applying [operation] from left to right\n * to current accumulator value and each character.\n *
Throws an exception if this char sequence is empty. If the char sequence can be empty in an expected way,\n *
please use [reduceOrNull] instead. It returns `null` when its receiver is empty.\n */\n * @param [operation] function
that takes current accumulator value and a character,\n * and calculates the next accumulator value.\n */\n *
@sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun
CharSequence.reduce(operation: (acc: Char, Char) -> Char): Char {\n if (isEmpty())\n throw
UnsupportedOperationException("Empty char sequence can't be reduced.")\n var accumulator = this[0]\n for
(index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return
accumulator\n}\n\n/**\n * Accumulates value starting with the first character and applying [operation] from left to
right\n * to current accumulator value and each character with its index in the original char sequence.\n *
Throws an exception if this char sequence is empty. If the char sequence can be empty in an expected way,\n *
please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.\n */\n * @param [operation]
function that takes the index of a character, current accumulator value and the character itself,\n * and calculates the
next accumulator value.\n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun
CharSequence.reduceIndexed(operation: (index: Int, acc: Char, Char) -> Char): Char {\n if (isEmpty())\n
throw UnsupportedOperationException("Empty char sequence can't be reduced.")\n var accumulator = this[0]\n
for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return
accumulator\n}\n\n/**\n * Accumulates value starting with the first character and applying [operation] from left to
right\n * to current accumulator value and each character with its index in the original char sequence.\n *
Returns `null` if the char sequence is empty.\n */\n * @param [operation] function that takes the index of a
character, current accumulator value and the character itself,\n * and calculates the next accumulator value.\n */\n

```

```

@sample samples.collections.Collections.Aggregates.reduceOrNull\n *\n@SinceKotlin("1.4")\npublic inline fun
CharSequence.reduceIndexedOrNull(operation: (index: Int, acc: Char, Char) -> Char): Char? {\n  if (isEmpty())\n    return null\n  var accumulator = this[0]\n  for (index in 1..lastIndex) {\n    accumulator = operation(index,
accumulator, this[index])\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the first
character and applying [operation] from left to right\n * to current accumulator value and each character.\n * \n *
Returns `null` if the char sequence is empty.\n * \n * @param [operation] function that takes current accumulator
value and a character,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceOrNull\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun
CharSequence.reduceOrNull(operation: (acc: Char, Char) -> Char): Char? {\n  if (isEmpty())\n    return null\n  var
accumulator = this[0]\n  for (index in 1..lastIndex) {\n    accumulator = operation(accumulator, this[index])\n  }\n
return accumulator\n}\n\n/**\n * Accumulates value starting with the last character and applying [operation]
from right to left\n * to each character and current accumulator value.\n * \n * Throws an exception if this char
sequence is empty. If the char sequence can be empty in an expected way,\n * please use [reduceRightOrNull]
instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes a character and
current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n *\npublic inline fun
CharSequence.reduceRight(operation: (Char, acc: Char) -> Char): Char {\n  var index = lastIndex\n  if (index < 0)
throw UnsupportedOperationException("Empty char sequence can't be reduced.")\n  var accumulator = get(index--)\n  while
(index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with the last character and applying [operation] from right to
left\n * to each character with its index in the original char sequence and current accumulator value.\n * \n * Throws
an exception if this char sequence is empty. If the char sequence can be empty in an expected way,\n * please use
[reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation]
function that takes the index of a character, the character itself and current accumulator value,\n * and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n *\npublic
inline fun CharSequence.reduceRightIndexed(operation: (index: Int, Char, acc: Char) -> Char): Char {\n  var index
= lastIndex\n  if (index < 0) throw UnsupportedOperationException("Empty char sequence can't be reduced.")\n  var
accumulator = get(index--)\n  while (index >= 0) {\n    accumulator = operation(index, get(index),
accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the last
character and applying [operation] from right to left\n * to each character with its index in the original char sequence
and current accumulator value.\n * \n * Returns `null` if the char sequence is empty.\n * \n * @param [operation]
function that takes the index of a character, the character itself and current accumulator value,\n * and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n@SinceKotlin("1.4")\npublic inline fun CharSequence.reduceRightIndexedOrNull(operation: (index: Int, Char,
acc: Char) -> Char): Char? {\n  var index = lastIndex\n  if (index < 0) return null\n  var accumulator = get(index--)\n
while (index >= 0) {\n    accumulator = operation(index, get(index), accumulator)\n    --index\n  }\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with the last character and applying [operation] from
right to left\n * to each character and current accumulator value.\n * \n * Returns `null` if the char sequence is
empty.\n * \n * @param [operation] function that takes a character and current accumulator value,\n * and calculates
the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun
CharSequence.reduceRightOrNull(operation: (Char, acc: Char) -> Char): Char? {\n  var index = lastIndex\n  if
(index < 0) return null\n  var accumulator = get(index--)\n  while (index >= 0) {\n    accumulator =
operation(get(index--), accumulator)\n  }\n  return accumulator\n}\n\n/**\n * Returns a list containing successive
accumulation values generated by applying [operation] from left to right\n * to each character and current
accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should
not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation]

```

function that takes current accumulator value and a character, and calculates the next accumulator value.

```

@sample samples.collections.Collections.Aggregates.runningFold
<R> CharSequence.runningFold(initial: R, operation: (acc: R, Char) -> R): List<R> {
    if (isEmpty()) return listOf(initial)
    val result = ArrayList<R>(length + 1).apply { add(initial) }
    var accumulator = initial
    for (element in this) {
        accumulator = operation(accumulator, element)
        result.add(accumulator)
    }
    return result
}

```

Returns a list containing successive accumulation values generated by applying [operation] from left to right to each character, its index in the original char sequence and current accumulator value that starts with [initial] value.

Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.

@param [operation] function that takes the index of a character, current accumulator value and the character itself, and calculates the next accumulator value.

```

@sample samples.collections.Collections.Aggregates.runningFold
*
@SinceKotlin("1.4")
public inline fun <R> CharSequence.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): List<R> {
    if (isEmpty()) return listOf(initial)
    val result = ArrayList<R>(length + 1).apply { add(initial) }
    var accumulator = initial
    for (index in indices) {
        accumulator = operation(index, accumulator, this[index])
        result.add(accumulator)
    }
    return result
}

```

Returns a list containing successive accumulation values generated by applying [operation] from left to right to each character and current accumulator value that starts with the first character of this char sequence.

Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.

@param [operation] function that takes current accumulator value and a character, and calculates the next accumulator value.

```

@sample samples.collections.Collections.Aggregates.runningReduce
*
@SinceKotlin("1.4")
public inline fun CharSequence.runningReduce(operation: (acc: Char, Char) -> Char): List<Char> {
    if (isEmpty()) return emptyList()
    var accumulator = this[0]
    val result = ArrayList<Char>(length).apply { add(accumulator) }
    for (index in 1 until length) {
        accumulator = operation(accumulator, this[index])
        result.add(accumulator)
    }
    return result
}

```

Returns a list containing successive accumulation values generated by applying [operation] from left to right to each character, its index in the original char sequence and current accumulator value that starts with the first character of this char sequence.

Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.

@param [operation] function that takes the index of a character, current accumulator value and the character itself, and calculates the next accumulator value.

```

@sample samples.collections.Collections.Aggregates.runningReduce
*
@SinceKotlin("1.4")
public inline fun CharSequence.runningReduceIndexed(operation: (index: Int, acc: Char, Char) -> Char): List<Char> {
    if (isEmpty()) return emptyList()
    var accumulator = this[0]
    val result = ArrayList<Char>(length).apply { add(accumulator) }
    for (index in 1 until length) {
        accumulator = operation(index, accumulator, this[index])
        result.add(accumulator)
    }
    return result
}

```

Returns a list containing successive accumulation values generated by applying [operation] from left to right to each character and current accumulator value that starts with [initial] value.

Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.

@param [operation] function that takes current accumulator value and a character, and calculates the next accumulator value.

```

@sample samples.collections.Collections.Aggregates.scan
*
@SinceKotlin("1.4")
@WasExperimental(ExperimentalStdlibApi::class)
public inline fun <R> CharSequence.scan(initial: R, operation: (acc: R, Char) -> R): List<R> {
    return runningFold(initial, operation)
}

```

Returns a list containing successive accumulation values generated by applying [operation] from left to right to each character, its index in the original char sequence and current accumulator value that starts with [initial] value.

Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.

@param [operation] function that takes the index of a character, current accumulator value and the character itself, and calculates the next accumulator value.

```

@sample samples.collections.Collections.Aggregates.scan

```

```

*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <R>
CharSequence.scanIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): List<R> {\n return
runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each character in the char sequence.\n */\n@Deprecated("Use sumOf instead.")
ReplaceWith("this.sumOf(selector)")\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline fun
CharSequence.sumBy(selector: (Char) -> Int): Int {\n var sum: Int = 0\n for (element in this) {\n sum +=
selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each character in the char sequence.\n */\n@Deprecated("Use sumOf instead.")
ReplaceWith("this.sumOf(selector)")\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline fun
CharSequence.sumByDouble(selector: (Char) -> Double): Double {\n var sum: Double = 0.0\n for (element in
this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each character in the char sequence.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfDouble")\n@kotlin.internal.InlineOnly\npublic inline fun
CharSequence.sumOf(selector: (Char) -> Double): Double {\n var sum: Double = 0.toDouble()\n for (element in
this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each character in the char sequence.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfInt")\n@kotlin.internal.InlineOnly\npublic inline fun
CharSequence.sumOf(selector: (Char) -> Int): Int {\n var sum: Int = 0.toInt()\n for (element in this) {\n sum
+= selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector]
function applied to each character in the char sequence.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfLong")\n@kotlin.internal.InlineOnly\npublic inline fun
CharSequence.sumOf(selector: (Char) -> Long): Long {\n var sum: Long = 0.toLong()\n for (element in this) {\n
sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each character in the char sequence.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfUInt")\n@WasExperimental(ExperimentalUnsignedType
s::class)\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.sumOf(selector: (Char) -> UInt): UInt {\n
var sum: UInt = 0.toUInt()\n for (element in this) {\n sum += selector(element)\n }\n return
sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each character in the char
sequence.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfULong")\n@WasExperimental(ExperimentalUnsignedTy
pes::class)\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.sumOf(selector: (Char) -> ULong):
ULong {\n var sum: ULong = 0.toULong()\n for (element in this) {\n sum += selector(element)\n }\n
return sum\n}\n\n/**\n * Splits this char sequence into a list of strings each not exceeding the given [size].\n * \n *
The last string in the resulting list may have fewer characters than the given [size].\n * \n * @param size the number
of elements to take in each string, must be positive and can be greater than the number of elements in this char
sequence.\n * \n * @sample samples.text.Strings.chunked\n */\n@SinceKotlin("1.2")\npublic fun
CharSequence.chunked(size: Int): List<String> {\n return windowed(size, size, partialWindows =
true)\n}\n\n/**\n * Splits this char sequence into several char sequences each not exceeding the given [size]\n * and
applies the given [transform] function to an each.\n * \n * @return list of results of the [transform] applied to an
each char sequence.\n * \n * Note that the char sequence passed to the [transform] function is ephemeral and is valid
only inside that function.\n * You should not store it or allow it to escape in some way, unless you made a snapshot
of it.\n * The last char sequence may have fewer characters than the given [size].\n * \n * @param size the number
of elements to take in each char sequence, must be positive and can be greater than the number of elements in this

```



```

char sequence.\n * \n * @sample samples.text.Strings.chunkedTransform\n * \n\n@SinceKotlin("1.2")\npublic fun
<R> CharSequence.chunked(size: Int, transform: (CharSequence) -> R): List<R> {\n    return windowed(size, size,
partialWindows = true, transform = transform)\n}\n\n/**\n * Splits this char sequence into a sequence of strings
each not exceeding the given [size].\n * \n * The last string in the resulting sequence may have fewer characters than
the given [size].\n * \n * @param size the number of elements to take in each string, must be positive and can be
greater than the number of elements in this char sequence.\n * \n * @sample
samples.collections.Collections.Transformations.chunked\n * \n\n@SinceKotlin("1.2")\npublic fun
CharSequence.chunkedSequence(size: Int): Sequence<String> {\n    return chunkedSequence(size) { it.toString()
}\n}\n\n/**\n * Splits this char sequence into several char sequences each not exceeding the given [size]\n * and
applies the given [transform] function to an each.\n * \n * @return sequence of results of the [transform] applied to
an each char sequence.\n * \n * Note that the char sequence passed to the [transform] function is ephemeral and is
valid only inside that function.\n * \n * You should not store it or allow it to escape in some way, unless you made a
snapshot of it.\n * \n * The last char sequence may have fewer characters than the given [size].\n * \n * @param size the
number of elements to take in each char sequence, must be positive and can be greater than the number of elements
in this char sequence.\n * \n * @sample samples.text.Strings.chunkedTransformToSequence\n
*\n\n@SinceKotlin("1.2")\npublic fun <R> CharSequence.chunkedSequence(size: Int, transform: (CharSequence) -
> R): Sequence<R> {\n    return windowedSequence(size, size, partialWindows = true, transform =
transform)\n}\n\n/**\n * Splits the original char sequence into pair of char sequences,\n * where *first* char
sequence contains characters for which [predicate] yielded `true`,\n * while *second* char sequence contains
characters for which [predicate] yielded `false`.\n * \n * @sample samples.text.Strings.partition\n * \n\npublic inline
fun CharSequence.partition(predicate: (Char) -> Boolean): Pair<CharSequence, CharSequence> {\n    val first =
StringBuilder()\n    val second = StringBuilder()\n    for (element in this) {\n        if (predicate(element)) {\n
            first.append(element)\n        } else {\n            second.append(element)\n        }\n    }\n    return Pair(first,
second)\n}\n\n/**\n * Splits the original string into pair of strings,\n * where *first* string contains characters for
which [predicate] yielded `true`,\n * while *second* string contains characters for which [predicate] yielded
`false`.\n * \n * @sample samples.text.Strings.partition\n * \n\npublic inline fun String.partition(predicate: (Char) ->
Boolean): Pair<String, String> {\n    val first = StringBuilder()\n    val second = StringBuilder()\n    for (element in
this) {\n        if (predicate(element)) {\n            first.append(element)\n        } else {\n
            second.append(element)\n        }\n    }\n    return Pair(first.toString(), second.toString())\n}\n\n/**\n * Returns a list
of snapshots of the window of the given [size]\n * sliding along this char sequence with the given [step], where
each\n * snapshot is a string.\n * \n * Several last strings may have fewer characters than the given [size].\n * \n *
Both [size] and [step] must be positive and can be greater than the number of elements in this char sequence.\n *
\n * @param size the number of elements to take in each window\n * @param step the number of elements to move the
window forward by on an each step, by default 1\n * @param partialWindows controls whether or not to keep
partial windows in the end if any,\n * by default `false` which means partial windows won't be preserved\n * \n *
\n * @sample samples.collections.Sequences.Transformations.takeWindows\n * \n\n@SinceKotlin("1.2")\npublic fun
CharSequence.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false): List<String> {\n    return
windowed(size, step, partialWindows) { it.toString() }\n}\n\n/**\n * Returns a list of results of applying the given
[transform] function to\n * an each char sequence representing a view over the window of the given [size]\n *
sliding along this char sequence with the given [step].\n * \n * Note that the char sequence passed to the [transform]
function is ephemeral and is valid only inside that function.\n * \n * You should not store it or allow it to escape in some
way, unless you made a snapshot of it.\n * \n * Several last char sequences may have fewer characters than the given
[size].\n * \n * Both [size] and [step] must be positive and can be greater than the number of elements in this char
sequence.\n * \n * @param size the number of elements to take in each window\n * @param step the number of
elements to move the window forward by on an each step, by default 1\n * @param partialWindows controls
whether or not to keep partial windows in the end if any,\n * by default `false` which means partial windows won't
be preserved\n * \n * @sample samples.collections.Sequences.Transformations.averageWindows\n
*\n\n@SinceKotlin("1.2")\npublic fun <R> CharSequence.windowed(size: Int, step: Int = 1, partialWindows:

```

```

Boolean = false, transform: (CharSequence) -> R): List<R> {
    checkWindowSizeStep(size, step)
    val thisSize = this.length
    val resultCapacity = thisSize / step + if (thisSize % step == 0) 0 else 1
    val result = ArrayList<R>(resultCapacity)
    var index = 0
    while (index in 0 until thisSize) {
        val end = index + size
        val coercedEnd = if (end < 0 || end > thisSize) { if (partialWindows) thisSize else break } else end
        result.add(transform(subSequence(index, coercedEnd)))
        index += step
    }
    return result
}

Returns a sequence of snapshots of the window of the given [size] sliding along this char sequence with the given [step], where each snapshot is a string. Several last strings may have fewer characters than the given [size]. Both [size] and [step] must be positive and can be greater than the number of elements in this char sequence.
@param size the number of elements to take in each window
@param step the number of elements to move the window forward by on an each step, by default 1
@param partialWindows controls whether or not to keep partial windows in the end if any, by default `false` which means partial windows won't be preserved
@sample samples.collections.Sequences.Transformations.takeWindows

*Since Kotlin("1.2")
public fun CharSequence.windowedSequence(size: Int, step: Int = 1, partialWindows: Boolean = false): Sequence<String> {
    return windowedSequence(size, step, partialWindows) { it.toString() }
}

Returns a sequence of results of applying the given [transform] function to an each char sequence representing a view over the window of the given [size] sliding along this char sequence with the given [step]. Note that the char sequence passed to the [transform] function is ephemeral and is valid only inside that function. You should not store it or allow it to escape in some way, unless you made a snapshot of it. Several last char sequences may have fewer characters than the given [size]. Both [size] and [step] must be positive and can be greater than the number of elements in this char sequence.
@param size the number of elements to take in each window
@param step the number of elements to move the window forward by on an each step, by default 1
@param partialWindows controls whether or not to keep partial windows in the end if any, by default `false` which means partial windows won't be preserved
@sample samples.collections.Sequences.Transformations.averageWindows

*Since Kotlin("1.2")
public fun <R> CharSequence.windowedSequence(size: Int, step: Int = 1, partialWindows: Boolean = false, transform: (CharSequence) -> R): Sequence<R> {
    checkWindowSizeStep(size, step)
    val windows = if (partialWindows) indices else 0 until length - size + 1
    step step
    return windows.asSequence().map { index ->
        val end = index + size
        val coercedEnd = if (end < 0 || end > length) length else end
        transform(subSequence(index, coercedEnd))
    }
}

Returns a list of pairs built from the characters of `this` and the [other] char sequences with the same index. The returned list has length of the shortest char sequence.
@sample samples.text.Strings.zip

*public infix fun CharSequence.zip(other: CharSequence): List<Pair<Char, Char>> {
    return zip(other) { c1, c2 -> c1 to c2 }
}

Returns a list of values built from the characters of `this` and the [other] char sequences with the same index using the provided [transform] function applied to each pair of characters. The returned list has length of the shortest char sequence.
@sample samples.text.Strings.zipWithTransform

*public inline fun <V> CharSequence.zip(other: CharSequence, transform: (a: Char, b: Char) -> V): List<V> {
    val length = minOf(this.length, other.length)
    val list = ArrayList<V>(length)
    for (i in 0 until length) {
        list.add(transform(this[i], other[i]))
    }
    return list
}

Returns a list of pairs of each two adjacent characters in this char sequence. The returned list is empty if this char sequence contains less than two characters.
@sample samples.collections.Collections.Transformations.zipWithNext

*Since Kotlin("1.2")
public fun CharSequence.zipWithNext(): List<Pair<Char, Char>> {
    return zipWithNext { a, b -> a to b }
}

Returns a list containing the results of applying the given [transform] function to an each pair of two adjacent characters in this char sequence. The returned list is empty if this char sequence contains less than two characters.
@sample samples.collections.Collections.Transformations.zipWithNextToFindDeltas

*Since Kotlin("1.2")
public inline fun <R> CharSequence.zipWithNext(transform: (a: Char, b: Char) -> R): List<R> {
    val size = length - 1
    if (size < 1) return emptyList()
    val result = ArrayList<R>(size)
    for (index in 0 until size) {
        result.add(transform(this[index], this[index + 1]))
    }
    return result
}

Creates an [Iterable] instance that wraps the original char sequence returning its characters when being iterated.

```

```

*public fun CharSequence.asIterable(): Iterable<Char> {
    if (this is String && isEmpty()) return emptyList()
    return Iterable { this.iterator() }
}

* Creates a [Sequence] instance that wraps the original char sequence
returning its characters when being iterated.

*public fun CharSequence.asSequence(): Sequence<Char> {
    if (this is String && isEmpty()) return emptySequence()
    return Sequence { this.iterator() }
}

"/

*
Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.
* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

@file:kotlin.jvm.JvmMultifileClass
@file:kotlin.jvm.JvmName("StringsKt")
package
kotlin.text
import kotlin.contracts.contract
import kotlin.jvm.JvmName

* Returns a copy of this string
converted to upper case using the rules of the default locale.

*@Deprecated("Use uppercase() instead.",
ReplaceWith("uppercase()"))
@DeprecatedSinceKotlin(warningSince = "1.5")
public expect fun
String.toUpperCase(): String

* Returns a copy of this string converted to upper case using Unicode
mapping rules of the invariant locale.

* This function supports one-to-many and many-to-one character
mapping,
* thus the length of the returned string can be different from the length of the original string.

*
* @sample samples.text.Strings.uppercase

*@SinceKotlin("1.5")
@WasExperimental(ExperimentalStdlibApi::class)
public expect fun
String.toUpperCase(): String

* Returns a copy of this string converted to lower case using the rules of the
default locale.

*@Deprecated("Use lowercase() instead.",
ReplaceWith("lowercase()"))
@DeprecatedSinceKotlin(warningSince = "1.5")
public expect fun
String.toLowerCase(): String

* Returns a copy of this string converted to lower case using Unicode
mapping rules of the invariant locale.

* This function supports one-to-many and many-to-one character
mapping,
* thus the length of the returned string can be different from the length of the original string.

*
* @sample samples.text.Strings.lowercase

*@SinceKotlin("1.5")
@WasExperimental(ExperimentalStdlibApi::class)
public expect fun
String.toLowerCase(): String

* Returns a copy of this string having its first letter titlecased using the rules of
the default locale,
* or the original string if it's empty or already starts with a title case letter.

* The title case
of a character is usually the same as its upper case with several exceptions.

* The particular list of characters with
the special title case form depends on the underlying platform.

*
* @sample samples.text.Strings.capitalize

*@Deprecated("Use replaceFirstChar instead.", ReplaceWith("replaceFirstChar { if (it.isLowerCase())
it.titlecase() else it.toString() }"))
@DeprecatedSinceKotlin(warningSince = "1.5")
public expect fun
String.capitalize(): String

* Returns a copy of this string having its first letter lowercased using the rules of
the default locale,
* or the original string if it's empty or already starts with a lower case letter.

*
* @sample
samples.text.Strings.decapitalize

*@Deprecated("Use replaceFirstChar instead.",
ReplaceWith("replaceFirstChar { it.lowercase() }"))
@DeprecatedSinceKotlin(warningSince = "1.5")
public
expect fun String.decapitalize(): String

* Returns a sub sequence of this char sequence having leading and
trailing characters matching the [predicate] removed.

*public inline fun CharSequence.trim(predicate: (Char) ->
Boolean): CharSequence {
    var startIndex = 0
    var endIndex = length - 1
    var startFound = false
    while (startIndex <= endIndex) {
        val index = if (!startFound) startIndex else endIndex
        val match =
predicate(this[index])
        if (!startFound) {
            if (!match)
                startFound = true
            else
                startIndex += 1
        } else {
            if (!match)
                break
            else
                endIndex -= 1
        }
    }
    return subSequence(startIndex, endIndex + 1)
}

* Returns a string having leading and
trailing characters matching the [predicate] removed.

*public inline fun String.trim(predicate: (Char) ->
Boolean): String =
    (this as CharSequence).trim(predicate).toString()

* Returns a sub sequence of this
char sequence having leading characters matching the [predicate] removed.

*public inline fun
CharSequence.trimStart(predicate: (Char) -> Boolean): CharSequence {
    for (index in this.indices)
        if (!predicate(this[index]))
            return subSequence(index, length)
    return ""
}

* Returns a string
having leading characters matching the [predicate] removed.

*public inline fun String.trimStart(predicate:
(Char) -> Boolean): String =
    (this as CharSequence).trimStart(predicate).toString()

* Returns a sub
sequence of this char sequence having trailing characters matching the [predicate] removed.

*public inline fun

```

```

CharSequence.trimEnd(predicate: (Char) -> Boolean): CharSequence {
    for (index in this.indices.reversed())
        if (!predicate(this[index]))
            return subSequence(0, index + 1)
    return ""
}
* Returns a string having trailing characters matching the [predicate] removed.

public inline fun String.trimEnd(predicate: (Char) -> Boolean): String =
    (this as CharSequence).trimEnd(predicate).toString()
* Returns a sub sequence of this char sequence having leading and trailing characters from the [chars] array removed.

public fun CharSequence.trim(vararg chars: Char): CharSequence = trim { it in chars }
* Returns a string having leading and trailing characters from the [chars] array removed.

public fun String.trim(vararg chars: Char): String = trim { it in chars }
* Returns a sub sequence of this char sequence having leading characters from the [chars] array removed.

public fun CharSequence.trimStart(vararg chars: Char): CharSequence = trimStart { it in chars }
* Returns a string having leading characters from the [chars] array removed.

public fun String.trimStart(vararg chars: Char): String = trimStart { it in chars }
* Returns a sub sequence of this char sequence having trailing characters from the [chars] array removed.

public fun CharSequence.trimEnd(vararg chars: Char): CharSequence = trimEnd { it in chars }
* Returns a string having trailing characters from the [chars] array removed.

public fun String.trimEnd(vararg chars: Char): String = trimEnd { it in chars }
* Returns a sub sequence of this char sequence having leading and trailing whitespace removed.

public fun CharSequence.trim(): CharSequence = trim(Char::isWhitespace)
* Returns a string having leading and trailing whitespace removed.

@kotlin.internal.InlineOnly
public inline fun String.trim(): String = (this as CharSequence).trim().toString()
* Returns a sub sequence of this char sequence having leading whitespace removed.

public fun CharSequence.trimStart(): CharSequence = trimStart(Char::isWhitespace)
* Returns a string having leading whitespace removed.

@kotlin.internal.InlineOnly
public inline fun String.trimStart(): String = (this as CharSequence).trimStart().toString()
* Returns a sub sequence of this char sequence having trailing whitespace removed.

public fun CharSequence.trimEnd(): CharSequence = trimEnd(Char::isWhitespace)
* Returns a string having trailing whitespace removed.

@kotlin.internal.InlineOnly
public inline fun String.trimEnd(): String = (this as CharSequence).trimEnd().toString()
* Returns a char sequence with content of this char sequence padded at the beginning
* to the specified [length] with the specified character or space.
* @param length the desired string length.
* @param padChar the character to pad string with, if it has length less than the [length] specified.
Space is used by default.
* @return Returns a char sequence of length at least [length] consisting of `this` char
sequence prepended with [padChar] as many times
* as are necessary to reach that length.
* @sample samples.text.Strings.padStart
public fun CharSequence.padStart(length: Int, padChar: Char = ' '):
CharSequence {
    if (length < 0)
        throw IllegalArgumentException("Desired length $length is less than zero.")
    if (length <= this.length)
        return this.subSequence(0, this.length)
    val sb =
        StringBuilder(length)
    for (i in 1..(length - this.length))
        sb.append(padChar)
    sb.append(this)
    return sb
}
* Pads the string to the specified [length] at the beginning with the specified character or space.
* @param length the desired string length.
* @param padChar the character to pad string with, if it has length less than the [length] specified.
Space is used by default.
* @return Returns a string of length at least [length]
consisting of `this` string prepended with [padChar] as many times
* as are necessary to reach that length.
* @sample samples.text.Strings.padStart
public fun String.padStart(length: Int, padChar: Char = ' '): String =
    (this as CharSequence).padStart(length, padChar).toString()
* Returns a char sequence with content of this
char sequence padded at the end
* to the specified [length] with the specified character or space.
* @param length the desired string length.
* @param padChar the character to pad string with, if it has length less than the
[length] specified.
Space is used by default.
* @return Returns a char sequence of length at least [length]
consisting of `this` char sequence appended with [padChar] as many times
* as are necessary to reach that
length.
* @sample samples.text.Strings.padEnd
public fun CharSequence.padEnd(length: Int, padChar: Char = ' '):
CharSequence {
    if (length < 0)
        throw IllegalArgumentException("Desired length $length is less than zero.")
    if (length <= this.length)
        return this.subSequence(0, this.length)
    val sb =
        StringBuilder(length)
    sb.append(this)
    for (i in 1..(length - this.length))
        sb.append(padChar)
    return sb
}
* Pads the string to the specified [length] at the end with the specified character or space.

```

@param length the desired string length.\n \* @param padChar the character to pad string with, if it has length less than the [length] specified. Space is used by default.\n \* @return Returns a string of length at least [length] consisting of `this` string appended with [padChar] as many times\n \* as are necessary to reach that length.\n \* @sample samples.text.Strings.padEnd\n \* ^\npublic fun String.padEnd(length: Int, padChar: Char = ' '): String =\n (this as CharSequence).padEnd(length, padChar).toString()\n\n\*\*\n \* Returns `true` if this nullable char sequence is either `null` or empty.\n \* ^\n \* @sample samples.text.Strings.stringIsNullOrEmpty\n \* ^\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence?.isNullOrEmpty(): Boolean {\n contract {\n returns(false) implies (this@isNullOrEmpty != null)\n }\n\n return this == null || this.length == 0\n}\n\n\*\*\n \* Returns `true` if this char sequence is empty (contains no characters).\n \* ^\n \* @sample samples.text.Strings.stringIsEmpty\n \* ^\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.isEmpty(): Boolean = length == 0\n\n\*\*\n \* Returns `true` if this char sequence is not empty.\n \* ^\n \* @sample samples.text.Strings.stringIsNotEmpty\n \* ^\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.isNotEmpty(): Boolean = length > 0\n\n// implemented differently in JVM and JS\n//public fun String.isBlank(): Boolean = length() == 0 || all { it.isWhitespace() }\n\n\*\*\n \* Returns `true` if this char sequence is not empty and contains some characters except of whitespace characters.\n \* ^\n \* @sample samples.text.Strings.stringIsNotBlank\n \* ^\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.isNotBlank(): Boolean = !isBlank()\n\n\*\*\n \* Returns `true` if this nullable char sequence is either `null` or empty or consists solely of whitespace characters.\n \* ^\n \* @sample samples.text.Strings.stringIsNullOrBlank\n \* ^\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence?.isNullOrBlank(): Boolean {\n contract {\n returns(false) implies (this@isNullOrBlank != null)\n }\n\n return this == null || this.isBlank()\n}\n\n\*\*\n \* Iterator for characters of the given char sequence.\n \* ^\npublic operator fun CharSequence.iterator(): CharIterator = object : CharIterator() {\n private var index = 0\n\n public override fun nextChar(): Char = get(index++)\n\n public override fun hasNext(): Boolean = index < length\n}\n\n\*\*\n \* Returns the string if it is not `null`, or the empty string otherwise.\n \* ^\n@kotlin.internal.InlineOnly\npublic inline fun String?.orEmpty(): String = this ?: ""\n\n\*\*\n \* Returns this char sequence if it's not empty\n \* or the result of calling [defaultValue] function if the char sequence is empty.\n \* ^\n \* @sample samples.text.Strings.stringIfEmpty\n \* ^\n@kotlin.internal.InlineOnly\npublic inline fun <C, R> C.ifEmpty(defaultValue: () -> R): R where C : CharSequence, C : R =\n if (isEmpty()) defaultValue() else this\n\n\*\*\n \* Returns this char sequence if it is not empty and doesn't consist solely of whitespace characters,\n \* or the result of calling [defaultValue] function otherwise.\n \* ^\n \* @sample samples.text.Strings.stringIfNotBlank\n \* ^\n@kotlin.internal.InlineOnly\npublic inline fun <C, R> C.ifBlank(defaultValue: () -> R): R where C : CharSequence, C : R =\n if (isBlank()) defaultValue() else this\n\n\*\*\n \* Returns the range of valid character indices for this char sequence.\n \* ^\npublic val CharSequence.indices: IntRange\n get() = 0..length - 1\n\n\*\*\n \* Returns the index of the last character in the char sequence or -1 if it is empty.\n \* ^\npublic val CharSequence.lastIndex: Int\n get() = this.length - 1\n\n\*\*\n \* Returns `true` if this CharSequence has Unicode surrogate pair at the specified [index].\n \* ^\npublic fun CharSequence.hasSurrogatePairAt(index: Int): Boolean {\n return index in 0..length - 2\n && this[index].isHighSurrogate()\n && this[index + 1].isLowSurrogate()\n}\n\n\*\*\n \* Returns a substring specified by the given [range] of indices.\n \* ^\npublic fun String.substring(range: IntRange): String = substring(range.start, range.endInclusive + 1)\n\n\*\*\n \* Returns a subsequence of this char sequence specified by the given [range] of indices.\n \* ^\npublic fun CharSequence.subSequence(range: IntRange): CharSequence = subSequence(range.start, range.endInclusive + 1)\n\n\*\*\n \* Returns a subsequence of this char sequence.\n \* ^\n \* This extension is chosen only for invocation with old-named parameters.\n \* Replace parameter names with the same as those of [CharSequence.subSequence].\n \* ^\n@kotlin.internal.InlineOnly\n@Suppress("EXTENSION\_SHADOWED\_BY\_MEMBER") // false warning\n@Deprecated("Use parameters named startIndex and endIndex.", ReplaceWith("subSequence(startIndex = start, endIndex = end)"))\npublic inline fun String.subSequence(start: Int, end: Int): CharSequence = subSequence(start, end)\n\n\*\*\n \* Returns a substring of chars from a range of this char sequence starting at the

[startIndex] and ending right before the [endIndex].

- `startIndex` the start index (inclusive).
- `endIndex` the end index (exclusive). If not specified, the length of the char sequence is used.

```

@kotlin.internal.InlineOnly
public inline fun CharSequence.substring(startIndex: Int, endIndex: Int = length):
String = subSequence(startIndex, endIndex).toString()

```

Returns a substring of chars at indices from the specified [range] of this char sequence.

```

public fun CharSequence.substring(range: IntRange): String =
subSequence(range.start, range.endInclusive + 1).toString()

```

Returns a substring before the first occurrence of [delimiter].

- If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.

```

public fun String.substringBefore(delimiter: Char, missingDelimiterValue:
String = this): String {
    val index = indexOf(delimiter)
    return if (index == -1) missingDelimiterValue else
substring(0, index)
}

```

Returns a substring before the first occurrence of [delimiter].

- If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.

```

public fun String.substringBefore(delimiter: String, missingDelimiterValue: String = this): String {
    val index =
indexOf(delimiter)
    return if (index == -1) missingDelimiterValue else substring(0, index)
}

```

Returns a substring after the first occurrence of [delimiter].

- If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.

```

public fun String.substringAfter(delimiter:
Char, missingDelimiterValue: String = this): String {
    val index = indexOf(delimiter)
    return if (index == -1)
missingDelimiterValue else substring(index + 1, length)
}

```

Returns a substring after the first occurrence of [delimiter].

- If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.

```

public fun String.substringAfter(delimiter: String, missingDelimiterValue: String = this):
String {
    val index = indexOf(delimiter)
    return if (index == -1) missingDelimiterValue else substring(index +
delimiter.length, length)
}

```

Returns a substring before the last occurrence of [delimiter].

- If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.

```

public fun String.substringBeforeLast(delimiter: Char, missingDelimiterValue: String = this): String {
    val index =
lastIndexOf(delimiter)
    return if (index == -1) missingDelimiterValue else substring(0, index)
}

```

Returns a substring before the last occurrence of [delimiter].

- If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.

```

public fun String.substringBeforeLast(delimiter:
String, missingDelimiterValue: String = this): String {
    val index = lastIndexOf(delimiter)
    return if (index ==
-1) missingDelimiterValue else substring(0, index)
}

```

Returns a substring after the last occurrence of [delimiter].

- If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.

```

public fun String.substringAfterLast(delimiter: Char, missingDelimiterValue: String = this):
String {
    val index = lastIndexOf(delimiter)
    return if (index == -1) missingDelimiterValue else
substring(index + 1, length)
}

```

Returns a substring after the last occurrence of [delimiter].

- If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.

```

public fun String.substringAfterLast(delimiter: String, missingDelimiterValue: String = this): String {
    val
index = lastIndexOf(delimiter)
    return if (index == -1) missingDelimiterValue else substring(index +
delimiter.length, length)
}

```

Returns a char sequence with content of this char sequence where its part at the given range is replaced with the [replacement] char sequence.

- `startIndex` the index of the first character to be replaced.
- `endIndex` the index of the first character after the replacement to keep in the string.

```

public fun CharSequence.replaceRange(startIndex: Int, endIndex: Int, replacement: CharSequence):
CharSequence {
    if (endIndex < startIndex)
        throw IndexOutOfBoundsException("End index ($endIndex)
is less than start index ($startIndex).")
    val sb = StringBuilder()
    sb.appendRange(this, 0, startIndex)
    sb.append(replacement)
    sb.appendRange(this, endIndex, length)
    return sb
}

```

Replaces the part of the string at the given range with the [replacement] char sequence.

- `startIndex` the index of the first character to be replaced.
- `endIndex` the index of the first character after the replacement to keep in the string.

```

@kotlin.internal.InlineOnly
public inline fun String.replaceRange(startIndex: Int, endIndex: Int,
replacement: CharSequence): String =
(this as CharSequence).replaceRange(startIndex, endIndex,
replacement).toString()

```

Returns a char sequence with content of this char sequence where its part at the given [range] is replaced with the [replacement] char sequence.

- The end index of the [range] is included

```

in the part to be replaced.\n */\npublic fun CharSequence.replaceRange(range: IntRange, replacement:
CharSequence): CharSequence =\n    replaceRange(range.start, range.endInclusive + 1, replacement)\n\n/**\n * Replace the part of string at the given [range] with the [replacement] string.\n * The end index of the [range] is
included in the part to be replaced.\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.replaceRange(range:
IntRange, replacement: CharSequence): String =\n    (this as CharSequence).replaceRange(range,
replacement).toString()\n\n/**\n * Returns a char sequence with content of this char sequence where its part at the
given range is removed.\n * \n * @param startIndex the index of the first character to be removed.\n * @param
endIndex the index of the first character after the removed part to keep in the string.\n * [endIndex] is not
included in the removed part.\n */\npublic fun CharSequence.removeRange(startIndex: Int, endIndex: Int):
CharSequence {\n    if (endIndex < startIndex)\n        throw IndexOutOfBoundsException("End index ($endIndex)
is less than start index ($startIndex).")\n    if (endIndex == startIndex)\n        return this.subSequence(0,
length)\n    val sb = StringBuilder(length - (endIndex - startIndex))\n    sb.appendRange(this, 0, startIndex)\n
sb.appendRange(this, endIndex, length)\n    return sb\n}\n\n/**\n * Removes the part of a string at a given range.\n *
\n * @param startIndex the index of the first character to be removed.\n * @param endIndex the index of the first
character after the removed part to keep in the string.\n * [endIndex] is not included in the removed part.\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun String.removeRange(startIndex: Int, endIndex: Int): String =\n
(this as CharSequence).removeRange(startIndex, endIndex).toString()\n\n/**\n * Returns a char sequence with
content of this char sequence where its part at the given [range] is removed.\n * The end index of the [range] is
included in the removed part.\n */\npublic fun CharSequence.removeRange(range: IntRange): CharSequence =
removeRange(range.start, range.endInclusive + 1)\n\n/**\n * Removes the part of a string at the given [range].\n *
The end index of the [range] is included in the removed part.\n */\n@kotlin.internal.InlineOnly\npublic inline fun
String.removeRange(range: IntRange): String =\n    (this as CharSequence).removeRange(range).toString()\n\n/**\n *
If this char sequence starts with the given [prefix], returns a new char sequence\n * with the prefix removed.
Otherwise, returns a new char sequence with the same characters.\n */\npublic fun
CharSequence.removePrefix(prefix: CharSequence): CharSequence {\n    if (startsWith(prefix)) {\n        return
subSequence(prefix.length, length)\n    }\n    return subSequence(0, length)\n}\n\n/**\n * If this string starts with the
given [prefix], returns a copy of this string\n * with the prefix removed. Otherwise, returns this string.\n */\npublic
fun String.removePrefix(prefix: CharSequence): String {\n    if (startsWith(prefix)) {\n        return
substring(prefix.length)\n    }\n    return this\n}\n\n/**\n * If this char sequence ends with the given [suffix], returns
a new char sequence\n * with the suffix removed. Otherwise, returns a new char sequence with the same
characters.\n */\npublic fun CharSequence.removeSuffix(suffix: CharSequence): CharSequence {\n    if
(endsWith(suffix)) {\n        return subSequence(0, length - suffix.length)\n    }\n    return subSequence(0,
length)\n}\n\n/**\n * If this string ends with the given [suffix], returns a copy of this string\n * with the suffix
removed. Otherwise, returns this string.\n */\npublic fun String.removeSuffix(suffix: CharSequence): String {\n    if
(endsWith(suffix)) {\n        return substring(0, length - suffix.length)\n    }\n    return this\n}\n\n/**\n * When this
char sequence starts with the given [prefix] and ends with the given [suffix],\n * returns a new char sequence having
both the given [prefix] and [suffix] removed.\n * Otherwise returns a new char sequence with the same characters.\n
*/\npublic fun CharSequence.removeSurrounding(prefix: CharSequence, suffix: CharSequence): CharSequence {\n    if
((length >= prefix.length + suffix.length) && startsWith(prefix) && endsWith(suffix)) {\n        return
subSequence(prefix.length, length - suffix.length)\n    }\n    return subSequence(0, length)\n}\n\n/**\n * Removes
from a string both the given [prefix] and [suffix] if and only if\n * it starts with the [prefix] and ends with the
[suffix].\n * Otherwise returns this string unchanged.\n */\npublic fun String.removeSurrounding(prefix:
CharSequence, suffix: CharSequence): String {\n    if ((length >= prefix.length + suffix.length) &&
startsWith(prefix) && endsWith(suffix)) {\n        return substring(prefix.length, length - suffix.length)\n    }\n
return this\n}\n\n/**\n * When this char sequence starts with and ends with the given [delimiter],\n * returns a new
char sequence having this [delimiter] removed both from the start and end.\n * Otherwise returns a new char
sequence with the same characters.\n */\npublic fun CharSequence.removeSurrounding(delimiter: CharSequence):
CharSequence = removeSurrounding(delimiter, delimiter)\n\n/**\n * Removes the given [delimiter] string from both

```

the start and the end of this string\n \* if and only if it starts with and ends with the [delimiter].\n \* Otherwise returns this string unchanged.\n \*/\npublic fun String.removeSurrounding(delimiter: CharSequence): String = removeSurrounding(delimiter, delimiter)\n\n/\*\*\n \* Replace part of string before the first occurrence of given delimiter with the [replacement] string.\n \* If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n \*/\npublic fun String.replaceBefore(delimiter: Char, replacement: String, missingDelimiterValue: String = this): String {\n val index = indexOf(delimiter)\n return if (index == -1) missingDelimiterValue else replaceRange(0, index, replacement)\n}\n\n/\*\*\n \* Replace part of string before the first occurrence of given delimiter with the [replacement] string.\n \* If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n \*/\npublic fun String.replaceBefore(delimiter: String, replacement: String, missingDelimiterValue: String = this): String {\n val index = indexOf(delimiter)\n return if (index == -1) missingDelimiterValue else replaceRange(0, index, replacement)\n}\n\n/\*\*\n \* Replace part of string after the first occurrence of given delimiter with the [replacement] string.\n \* If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n \*/\npublic fun String.replaceAfter(delimiter: Char, replacement: String, missingDelimiterValue: String = this): String {\n val index = indexOf(delimiter)\n return if (index == -1) missingDelimiterValue else replaceRange(index + 1, length, replacement)\n}\n\n/\*\*\n \* Replace part of string after the first occurrence of given delimiter with the [replacement] string.\n \* If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n \*/\npublic fun String.replaceAfter(delimiter: String, replacement: String, missingDelimiterValue: String = this): String {\n val index = indexOf(delimiter)\n return if (index == -1) missingDelimiterValue else replaceRange(index + delimiter.length, length, replacement)\n}\n\n/\*\*\n \* Replace part of string after the last occurrence of given delimiter with the [replacement] string.\n \* If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n \*/\npublic fun String.replaceAfterLast(delimiter: String, replacement: String, missingDelimiterValue: String = this): String {\n val index = lastIndexOf(delimiter)\n return if (index == -1) missingDelimiterValue else replaceRange(index + delimiter.length, length, replacement)\n}\n\n/\*\*\n \* Replace part of string after the last occurrence of given delimiter with the [replacement] string.\n \* If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n \*/\npublic fun String.replaceAfterLast(delimiter: Char, replacement: String, missingDelimiterValue: String = this): String {\n val index = lastIndexOf(delimiter)\n return if (index == -1) missingDelimiterValue else replaceRange(index + 1, length, replacement)\n}\n\n/\*\*\n \* Replace part of string before the last occurrence of given delimiter with the [replacement] string.\n \* If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n \*/\npublic fun String.replaceBeforeLast(delimiter: Char, replacement: String, missingDelimiterValue: String = this): String {\n val index = lastIndexOf(delimiter)\n return if (index == -1) missingDelimiterValue else replaceRange(0, index, replacement)\n}\n\n/\*\*\n \* Replace part of string before the last occurrence of given delimiter with the [replacement] string.\n \* If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n \*/\npublic fun String.replaceBeforeLast(delimiter: String, replacement: String, missingDelimiterValue: String = this): String {\n val index = lastIndexOf(delimiter)\n return if (index == -1) missingDelimiterValue else replaceRange(0, index, replacement)\n}\n\n\n/\*\*\n \* Returns a new string obtained by replacing each substring of this char sequence that matches the given regular expression\n \* with the given [replacement].\n \* The [replacement] can consist of any combination of literal text and \$-substitutions. To treat the replacement string\n \* literally escape it with the [kotlin.text.Regex.Companion.escapeReplacement] method.\n \*/\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.replace(regex: Regex, replacement: String): String = regex.replace(this, replacement)\n\n/\*\*\n \* Returns a new string obtained by replacing each substring of this char sequence that matches the given regular expression\n \* with the result of the given function [transform] that takes [MatchResult] and returns a string to be used as a\n \* replacement for that match.\n \*/\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.replace(regex: Regex, noinline transform: (MatchResult) -> String): String = regex.replace(this, transform)



```

(MatchResult) -> CharSequence): String =\n regex.replace(this, transform)\n\n/**\n * Replaces the first
occurrence of the given regular expression [regex] in this char sequence with specified [replacement] expression.\n
*\n * @param replacement A replacement expression that can include substitutions. See [Regex.replaceFirst] for
details.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.replaceFirst(regex: Regex, replacement:
String): String = regex.replaceFirst(this, replacement)\n\n/**\n * Returns a copy of this string having its first
character replaced with the result of the specified [transform],\n * or the original string if it's empty.\n */\n * @param
transform function that takes the first character and returns the result of the transform applied to the character.\n */\n
* @sample samples.text.Strings.replaceFirstChar\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\n@OptIn(kotlin.experimental.Exper
imentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@JvmName("replaceFirstCharWithC
har")\n@kotlin.internal.InlineOnly\npublic inline fun String.replaceFirstChar(transform: (Char) -> Char): String {\n
return if (isEmpty()) transform(this[0]) + substring(1) else this\n}\n\n/**\n * Returns a copy of this string
having its first character replaced with the result of the specified [transform],\n * or the original string if it's empty.\n
*\n * @param transform function that takes the first character and returns the result of the transform applied to the
character.\n */\n * @sample samples.text.Strings.replaceFirstChar\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\n@OptIn(kotlin.experimental.Exper
imentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@JvmName("replaceFirstCharWithC
harSequence")\n@kotlin.internal.InlineOnly\npublic inline fun String.replaceFirstChar(transform: (Char) ->
CharSequence): String {\n return if (isEmpty()) transform(this[0]).toString() + substring(1) else
this\n}\n\n/**\n * Returns `true` if this char sequence matches the given regular expression.\n
*\n@kotlin.internal.InlineOnly\npublic inline infix fun CharSequence.matches(regex: Regex): Boolean =
regex.matches(this)\n\n/**\n * Implementation of [regionMatches] for CharSequences.\n * Invoked when it's
already known that arguments are not Strings, so that no additional type checks are performed.\n */\ninternal fun
CharSequence.regionMatchesImpl(thisOffset: Int, other: CharSequence, otherOffset: Int, length: Int, ignoreCase:
Boolean): Boolean {\n if ((otherOffset < 0) || (thisOffset < 0) || (thisOffset > this.length - length) || (otherOffset >
other.length - length)) {\n return false\n }\n for (index in 0 until length) {\n if (!this[thisOffset +
index].equals(other[otherOffset + index], ignoreCase))\n return false\n }\n return true\n}\n\n/**\n *
Returns `true` if this char sequence starts with the specified character.\n */\npublic fun
CharSequence.startsWith(char: Char, ignoreCase: Boolean = false): Boolean =\n this.length > 0 &&
this[0].equals(char, ignoreCase)\n\n/**\n * Returns `true` if this char sequence ends with the specified character.\n
*\n@kotlin.internal.InlineOnly\npublic fun CharSequence.endsWith(char: Char, ignoreCase: Boolean = false): Boolean =\n
this.length > 0 && this[lastIndex].equals(char, ignoreCase)\n\n/**\n * Returns `true` if this char sequence starts with the specified
prefix.\n */\npublic fun CharSequence.startsWith(prefix: CharSequence, ignoreCase: Boolean = false): Boolean {\n
if (!ignoreCase && this is String && prefix is String)\n return this.startsWith(prefix)\n else\n return
regionMatchesImpl(0, prefix, 0, prefix.length, ignoreCase)\n}\n\n/**\n * Returns `true` if a substring of this char
sequence starting at the specified offset [startIndex] starts with the specified prefix.\n */\npublic fun
CharSequence.startsWith(prefix: CharSequence, startIndex: Int, ignoreCase: Boolean = false): Boolean {\n if
(!ignoreCase && this is String && prefix is String)\n return this.startsWith(prefix, startIndex)\n else\n
return regionMatchesImpl(startIndex, prefix, 0, prefix.length, ignoreCase)\n}\n\n/**\n * Returns `true` if this char
sequence ends with the specified suffix.\n */\npublic fun CharSequence.endsWith(suffix: CharSequence,
ignoreCase: Boolean = false): Boolean {\n if (!ignoreCase && this is String && suffix is String)\n return
this.endsWith(suffix)\n else\n return regionMatchesImpl(length - suffix.length, suffix, 0, suffix.length,
ignoreCase)\n}\n\n/**\n * Returns the longest string `prefix` such that this char
sequence and [other] char sequence both start with this prefix,\n * taking care not to split surrogate pairs.\n * If this
and [other] have no common prefix, returns the empty string.\n */\n * @param ignoreCase `true` to ignore character
case when matching a character. By default `false`.\n * @sample samples.text.Strings.commonPrefixWith\n
*\n@kotlin.internal.InlineOnly\npublic fun CharSequence.commonPrefixWith(other: CharSequence, ignoreCase: Boolean = false): String {\n
val shortestLength = minOf(this.length, other.length)\n var i = 0\n while (i < shortestLength &&

```

```

this[i].equals(other[i], ignoreCase = ignoreCase)) {\n    i++\n }\n if (this.hasSurrogatePairAt(i - 1) ||
other.hasSurrogatePairAt(i - 1)) {\n    i--\n }\n return subSequence(0, i).toString()\n}\n\n/**\n * Returns the
longest string `suffix` such that this char sequence and [other] char sequence both end with this suffix,\n * taking
care not to split surrogate pairs.\n * If this and [other] have no common suffix, returns the empty string.\n\n *
@param ignoreCase `true` to ignore character case when matching a character. By default `false`.\n * @sample
samples.text.Strings.commonSuffixWith\n */\npublic fun CharSequence.commonSuffixWith(other: CharSequence,
ignoreCase: Boolean = false): String {\n    val thisLength = this.length\n    val otherLength = other.length\n    val
shortestLength = minOf(thisLength, otherLength)\n\n    var i = 0\n    while (i < shortestLength && this[thisLength -
i - 1].equals(other[otherLength - i - 1], ignoreCase = ignoreCase)) {\n        i++\n    }\n    if
(this.hasSurrogatePairAt(thisLength - i - 1) || other.hasSurrogatePairAt(otherLength - i - 1)) {\n        i--\n    }\n
return subSequence(thisLength - i, thisLength).toString()\n}\n\n// indexOfAny()\n\n/**\n * Finds the index of the
first occurrence of any of the specified [chars] in this char sequence,\n * starting from the specified [startIndex] and
optionally ignoring the case.\n * @param ignoreCase `true` to ignore character case when matching a character.
By default `false`.\n * @return An index of the first occurrence of matched character from [chars] or -1 if none of
[chars] are found.\n * @npublic fun CharSequence.indexOfAny(chars: CharArray, startIndex: Int = 0, ignoreCase:
Boolean = false): Int {\n    if (!ignoreCase && chars.size == 1 && this is String) {\n        val char = chars.single()\n
return nativeIndexOf(char, startIndex)\n    }\n\n    for (index in startIndex.coerceAtLeast(0)..lastIndex) {\n        val
charAtIndex = get(index)\n        if (chars.any { it.equals(charAtIndex, ignoreCase) })\n            return index\n    }\n
return -1\n}\n\n/**\n * Finds the index of the last occurrence of any of the specified [chars] in this char sequence,\n
* starting from the specified [startIndex] and optionally ignoring the case.\n * @param startIndex The index of
character to start searching at. The search proceeds backward toward the beginning of the string.\n * @param
ignoreCase `true` to ignore character case when matching a character. By default `false`.\n * @return An index of
the last occurrence of matched character from [chars] or -1 if none of [chars] are found.\n * @npublic fun
CharSequence.lastIndexOfAny(chars: CharArray, startIndex: Int = lastIndex, ignoreCase: Boolean = false): Int {\n
if (!ignoreCase && chars.size == 1 && this is String) {\n    val char = chars.single()\n    return
nativeLastIndexOf(char, startIndex)\n }\n\n for (index in startIndex.coerceAtMost(lastIndex) downTo 0) {\n
val charAtIndex = get(index)\n    if (chars.any { it.equals(charAtIndex, ignoreCase) })\n        return index\n
}\n\n return -1\n}\n\nprivate fun CharSequence.indexOf(other: CharSequence, startIndex: Int, endIndex: Int,
ignoreCase: Boolean, last: Boolean = false): Int {\n    val indices = if (!last)\n        startIndex.coerceAtLeast(0)..endIndex.coerceAtMost(length)\n    else\n        startIndex.coerceAtMost(lastIndex)
downTo endIndex.coerceAtLeast(0)\n\n    if (this is String && other is String) { // smart cast\n        for (index in
indices) {\n            if (other.regionMatches(0, this, index, other.length, ignoreCase))\n                return index\n
}\n    } else {\n        for (index in indices) {\n            if (other.regionMatchesImpl(0, this, index, other.length,
ignoreCase))\n                return index\n        }\n    }\n    return -1\n}\n\nprivate fun CharSequence.findAnyOf(strings:
Collection<String>, startIndex: Int, ignoreCase: Boolean, last: Boolean): Pair<Int, String>? {\n    if (!ignoreCase
&& strings.size == 1) {\n        val string = strings.single()\n        val index = if (!last) indexOf(string, startIndex) else
lastIndexOf(string, startIndex)\n        return if (index < 0) null else index to string\n    }\n\n    val indices = if (!last)
startIndex.coerceAtLeast(0)..length else startIndex.coerceAtMost(lastIndex) downTo 0\n\n    if (this is String) {\n
for (index in indices) {\n        val matchingString = strings.firstOrNull { it.regionMatches(0, this, index, it.length,
ignoreCase) }\n        if (matchingString != null)\n            return index to matchingString\n    }\n    } else {\n
for (index in indices) {\n        val matchingString = strings.firstOrNull { it.regionMatchesImpl(0, this, index,
it.length, ignoreCase) }\n        if (matchingString != null)\n            return index to matchingString\n    }\n
}\n\n    return null\n}\n\n/**\n * Finds the first occurrence of any of the specified [strings] in this char sequence,\n
* starting from the specified [startIndex] and optionally ignoring the case.\n * @param ignoreCase `true` to ignore
character case when matching a string. By default `false`.\n * @return A pair of an index of the first occurrence of
matched string from [strings] and the string matched\n * or `null` if none of [strings] are found.\n * @n * To avoid
ambiguous results when strings in [strings] have characters in common, this method proceeds from\n * the
beginning to the end of this string, and finds at each position the first element in [strings]\n * that matches this string

```

at that position.

```

public fun CharSequence.findAnyOf(strings: Collection<String>, startIndex: Int = 0, ignoreCase: Boolean = false): Pair<Int, String>? =
    findAnyOf(strings, startIndex, ignoreCase, last = false)

```

`findAnyOf` Finds the last occurrence of any of the specified [strings] in this char sequence, starting from the specified [startIndex] and optionally ignoring the case.

- `startIndex` The index of character to start searching at. The search proceeds backward toward the beginning of the string.
- `ignoreCase` `true` to ignore character case when matching a string. By default `false`.
- `@return` A pair of an index of the last occurrence of matched string from [strings] and the string matched or `null` if none of [strings] are found.

To avoid ambiguous results when strings in [strings] have characters in common, this method proceeds from the end toward the beginning of this string, and finds at each position the first element in [strings] that matches this string at that position.

```

public fun CharSequence.findLastAnyOf(strings: Collection<String>, startIndex: Int = lastIndexOfAny(strings, startIndex, ignoreCase, last = true): Pair<Int, String>? =
    findAnyOf(strings, startIndex, ignoreCase, last = true)

```

`findLastAnyOf` Finds the index of the first occurrence of any of the specified [strings] in this char sequence, starting from the specified [startIndex] and optionally ignoring the case.

- `ignoreCase` `true` to ignore character case when matching a string. By default `false`.
- `@return` An index of the first occurrence of matched string from [strings] or -1 if none of [strings] are found.

To avoid ambiguous results when strings in [strings] have characters in common, this method proceeds from the beginning to the end of this string, and finds at each position the first element in [strings] that matches this string at that position.

```

public fun CharSequence.indexOfAny(strings: Collection<String>, startIndex: Int = 0, ignoreCase: Boolean = false): Int =
    findAnyOf(strings, startIndex, ignoreCase, last = false)?.first ?: -1

```

`indexOfAny` Finds the index of the last occurrence of any of the specified [strings] in this char sequence, starting from the specified [startIndex] and optionally ignoring the case.

- `startIndex` The index of character to start searching at. The search proceeds backward toward the beginning of the string.
- `ignoreCase` `true` to ignore character case when matching a string. By default `false`.
- `@return` An index of the last occurrence of matched string from [strings] or -1 if none of [strings] are found.

To avoid ambiguous results when strings in [strings] have characters in common, this method proceeds from the end toward the beginning of this string, and finds at each position the first element in [strings] that matches this string at that position.

```

public fun CharSequence.lastIndexOfAny(strings: Collection<String>, startIndex: Int = lastIndexOfAny(strings, startIndex, ignoreCase, last = true): Int =
    findAnyOf(strings, startIndex, ignoreCase, last = true)?.first ?: -1

```

`lastIndexOfAny` Returns the index within this string of the first occurrence of the specified character, starting from the specified [startIndex].

- `ignoreCase` `true` to ignore character case when matching a character. By default `false`.
- `@return` An index of the first occurrence of [char] or -1 if none is found.

```

public fun CharSequence.indexOf(char: Char, startIndex: Int = 0, ignoreCase: Boolean = false): Int {
    return if (ignoreCase || this !is String)
        indexOfAny(charArrayOf(char), startIndex, ignoreCase)
    else
        nativeIndexOf(char, startIndex)
}

```

`indexOf` Returns the index within this char sequence of the first occurrence of the specified [string], starting from the specified [startIndex].

- `ignoreCase` `true` to ignore character case when matching a string. By default `false`.
- `@return` An index of the first occurrence of [string] or -1 if none is found.

```

@sample sample.text.Strings.indexOf
public fun CharSequence.indexOf(string: String, startIndex: Int = 0, ignoreCase: Boolean = false): Int {
    return if (ignoreCase || this !is String)
        indexOfAny(charArrayOf(string), startIndex, ignoreCase)
    else
        nativeIndexOf(string, startIndex)
}

```

`indexOf` Returns the index within this char sequence of the last occurrence of the specified character, starting from the specified [startIndex].

- `startIndex` The index of character to start searching at. The search proceeds backward toward the beginning of the string.
- `ignoreCase` `true` to ignore character case when matching a character. By default `false`.
- `@return` An index of the last occurrence of [char] or -1 if none is found.

```

public fun CharSequence.lastIndexOf(char: Char, startIndex: Int = lastIndexOfAny(char, startIndex, ignoreCase): Int {
    return if (ignoreCase || this !is String)
        lastIndexOfAny(charArrayOf(char), startIndex, ignoreCase)
    else
        nativeLastIndexOf(char, startIndex)
}

```

`lastIndexOf` Returns the index within this char sequence of the last occurrence of the specified [string], starting from the specified [startIndex].

- `startIndex` The index of character to start searching at. The search proceeds backward toward the beginning of the string.

```

@param ignoreCase `true` to ignore character case when matching a string. By default `false`.
@return An index of the last occurrence of [string] or -1 if none is found.
*/
public fun CharSequence.lastIndexOf(string: String,
startIndex: Int = lastIndex, ignoreCase: Boolean = false): Int {
    return if (ignoreCase || this != String)
        indexOf(string, startIndex, 0, ignoreCase, last = true)
    else
        nativeLastIndexOf(string, startIndex)
}

/** Returns `true` if this char sequence contains the specified [other] sequence of characters as a substring.
@param ignoreCase `true` to ignore character case when comparing strings. By default `false`.
*/
@Suppress("INAPPLICABLE_OPERATOR_MODIFIER")
public operator fun CharSequence.contains(other: CharSequence, ignoreCase: Boolean = false): Boolean =
    if (other is String)
        indexOf(other, ignoreCase = ignoreCase) >= 0
    else
        indexOf(other, 0, length, ignoreCase) >= 0

/** Returns `true` if this char sequence contains the specified character [char].
@param ignoreCase `true` to ignore character case when comparing characters. By default `false`.
*/
@Suppress("INAPPLICABLE_OPERATOR_MODIFIER")
public operator fun CharSequence.contains(char: Char, ignoreCase: Boolean = false): Boolean =
    indexOf(char, ignoreCase = ignoreCase) >= 0

/** Returns `true` if this char sequence contains at least one match of the specified regular expression [regex].
*/
@kotlin.internal.InlineOnly
public inline operator fun CharSequence.contains(regex: Regex): Boolean =
    regex.containsMatchIn(this)

// rangesDelimitedBy
private class DelimitedRangesSequence(
    private val input: CharSequence,
    private val startIndex: Int,
    private val limit: Int,
    private val getNextMatch: CharSequence.(current: Int) -> Pair<Int, Int>? : Sequence<IntRange> {
        override fun iterator(): Iterator<IntRange> = object : Iterator<IntRange> {
            var nextState: Int = -1 // -1 for unknown, 0 for done, 1 for continue
            var currentStartIndex: Int = startIndex.coerceIn(0, input.length)
            var nextSearchIndex: Int = currentStartIndex
            var nextItem: IntRange? = null
            var counter: Int = 0

            private fun calcNext() {
                if (nextSearchIndex < 0) {
                    nextState = 0
                    nextItem = null
                } else {
                    if (limit > 0 && ++counter >= limit || nextSearchIndex > input.length) {
                        nextItem = currentStartIndex..input.lastIndex
                        nextSearchIndex = -1
                    } else {
                        val match = input.getNextMatch(nextSearchIndex)
                        if (match == null) {
                            nextItem = currentStartIndex..input.lastIndex
                            nextSearchIndex = -1
                        } else {
                            val (index, length) = match
                            nextItem = currentStartIndex until index
                            currentStartIndex = index + length
                            nextSearchIndex = currentStartIndex + if (length == 0) 1 else 0
                        }
                    }
                    nextState = 1
                }
            }

            override fun next(): IntRange {
                if (nextState == -1) {
                    calcNext()
                    if (nextState == 0) {
                        throw NoSuchElementException()
                    }
                    val result = nextItem as IntRange
                    // Clean next to avoid keeping reference on yielded instance
                    nextItem = null
                    nextState = -1
                    return result
                }
                override fun hasNext(): Boolean {
                    if (nextState == -1) {
                        calcNext()
                        return nextState == 1
                    }
                }
            }
        }
    }

/** Returns a sequence of index ranges of substrings in this char sequence around occurrences of the specified [delimiters].
@param delimiters One or more characters to be used as delimiters.
@param startIndex The index to start searching delimiters from.
@param limit The maximum number of substrings to return. Zero by default means no limit is set.
*/
private fun CharSequence.rangesDelimitedBy(delimiters: CharArray,
startIndex: Int = 0, ignoreCase: Boolean = false, limit: Int = 0): Sequence<IntRange> {
    requireNonNegativeLimit(limit)
    return DelimitedRangesSequence(this, startIndex, limit, { current: Int ->
        indexOfAny(delimiters, current, ignoreCase = ignoreCase).let { if (it < 0) null else it to 1 }
    })
}

/** Returns a sequence of index ranges of substrings in this char sequence around occurrences of the specified [delimiters].
@param delimiters One or more strings to be used as delimiters.
@param startIndex The index to start searching delimiters from.
@param limit The maximum number of substrings to return. Zero by default means no limit is set.
*/
To avoid ambiguous results

```

```

when strings in [delimiters] have characters in common, this method proceeds from
the beginning to the end of this string, and finds at each position the first element in [delimiters]
that matches this string at that position.
*/private fun CharSequence.rangesDelimitedBy(delimiters: Array<out String>, startIndex: Int = 0, ignoreCase:
Boolean = false, limit: Int = 0): Sequence<IntRange> {
    requireNonNegativeLimit(limit)
    val delimitersList = delimiters.asList()
    return DelimitedRangesSequence(this, startIndex, limit, { currentIndex ->
        findAnyOf(delimitersList, currentIndex, ignoreCase = ignoreCase, last = false)?.let { it.first to it.second.length }
    })
}

internal fun requireNonNegativeLimit(limit: Int) =
    require(limit >= 0) { "Limit must be non-negative, but was $limit" }

// split
/* Splits this char sequence to a sequence of strings around
occurrences of the specified [delimiters].
*/ @param delimiters One or more strings to be used as delimiters.
*/ @param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.
*/ @param limit The maximum number of substrings to return. Zero by default means no limit is set.
*/ @param To avoid ambiguous results when strings in [delimiters] have characters in common, this method proceeds from
the beginning to the end of this string, and finds at each position the first element in [delimiters]
that matches this string at that position.
*/public fun CharSequence.splitToSequence(vararg delimiters: String, ignoreCase:
Boolean = false, limit: Int = 0): Sequence<String> =
    rangesDelimitedBy(delimiters, ignoreCase = ignoreCase, limit = limit).map { substring(it) }

/* Splits this char sequence to a list of strings around occurrences of the
specified [delimiters].
*/ @param delimiters One or more strings to be used as delimiters.
*/ @param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.
*/ @param limit The maximum number of substrings to return. Zero by default means no limit is set.
*/ @param To avoid ambiguous results when strings in [delimiters] have characters in common, this method proceeds from
the beginning to the end of this string, and matches at each position the first element in [delimiters]
that is equal to a delimiter in this instance at that position.
*/public fun CharSequence.split(vararg delimiters: String, ignoreCase: Boolean = false,
limit: Int = 0): List<String> {
    if (delimiters.size == 1) {
        val delimiter = delimiters[0]
        if (!delimiter.isEmpty())
            return split(delimiter, ignoreCase, limit)
    }
    return rangesDelimitedBy(delimiters, ignoreCase = ignoreCase, limit = limit).asIterable().map { substring(it) }

/* Splits this char sequence to a sequence of strings around occurrences of the specified [delimiters].
*/ @param delimiters One or more characters to be used as delimiters.
*/ @param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.
*/ @param limit The maximum number of substrings to return.
*/public fun CharSequence.splitToSequence(vararg delimiters: Char, ignoreCase: Boolean = false, limit: Int = 0):
Sequence<String> =
    rangesDelimitedBy(delimiters, ignoreCase = ignoreCase, limit = limit).map { substring(it) }

/* Splits this char sequence to a list of strings around occurrences of the specified [delimiters].
*/ @param delimiters One or more characters to be used as delimiters.
*/ @param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.
*/ @param limit The maximum number of substrings to return.
*/public fun CharSequence.split(vararg delimiters: Char, ignoreCase: Boolean = false, limit: Int = 0):
List<String> {
    if (delimiters.size == 1) {
        return split(delimiters[0].toString(), ignoreCase, limit)
    }
    return rangesDelimitedBy(delimiters, ignoreCase = ignoreCase, limit = limit).asIterable().map { substring(it) }

/* Splits this char sequence to a list of strings around occurrences of the specified [delimiter].
*/ This is specialized version of split which receives single non-empty delimiter and offers better performance
*/ @param delimiter String used as delimiter
*/ @param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.
*/ @param limit The maximum number of substrings to return.
*/private fun CharSequence.split(delimiter: String, ignoreCase: Boolean, limit: Int): List<String> {
    requireNonNegativeLimit(limit)
    var currentOffset = 0
    var nextIndex = indexOf(delimiter, currentOffset, ignoreCase)
    if (nextIndex == -1 || limit == 1)
        return listOf(this.toString())
    val isLimited = limit > 0
    val result = ArrayList<String>(if (isLimited) limit.coerceAtMost(10) else 10)
    do {
        result.add(substring(currentOffset, nextIndex))
        currentOffset = nextIndex + delimiter.length
        // Do not search for next occurrence if we're reaching limit
        if (isLimited && result.size == limit - 1) break
        nextIndex = indexOf(delimiter, currentOffset, ignoreCase)
    } while (nextIndex != -1)
    result.add(substring(currentOffset, length))
    return result
}

/* Splits this char sequence to a list of

```

```

strings around matches of the given regular expression.\n * \n * @param limit Non-negative value specifying the
maximum number of substrings to return.\n * Zero by default means no limit is set.\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.split(regex: Regex, limit: Int = 0): List<String> =
regex.split(this, limit)\n\n/**\n * Splits this char sequence to a sequence of strings around matches of the given
regular expression.\n * \n * @param limit Non-negative value specifying the maximum number of substrings to
return.\n * Zero by default means no limit is set.\n * @sample samples.text.Strings.splitToSequence\n
*/\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
c inline fun CharSequence.splitToSequence(regex: Regex, limit: Int = 0): Sequence<String> =
regex.splitToSequence(this, limit)\n\n/**\n * Splits this char sequence to a sequence of lines delimited by any of the
following character sequences: CRLF, LF or CR.\n * \n * The lines returned do not include terminating line
separators.\n */\npublic fun CharSequence.lineSequence(): Sequence<String> = splitToSequence("\\r\\n", "\\n",
"\\r")\n\n/**\n * Splits this char sequence to a list of lines delimited by any of the following character sequences:
CRLF, LF or CR.\n * \n * The lines returned do not include terminating line separators.\n */\npublic fun
CharSequence.lines(): List<String> = lineSequence().toList()\n\n/**\n * Returns `true` if the contents of this char
sequence are equal to the contents of the specified [other],\n * i.e. both char sequences contain the same number of
the same characters in the same order.\n * \n * @sample samples.text.Strings.contentEquals\n
*/\n@SinceKotlin("1.5")\npublic expect infix fun CharSequence?.contentEquals(other: CharSequence?):
Boolean\n\n/**\n * Returns `true` if the contents of this char sequence are equal to the contents of the specified
[other], optionally ignoring case difference.\n * \n * @param ignoreCase `true` to ignore character case when
comparing contents.\n * \n * @sample samples.text.Strings.contentEquals\n */\n@SinceKotlin("1.5")\npublic
expect fun CharSequence?.contentEquals(other: CharSequence?, ignoreCase: Boolean): Boolean\n\ninternal fun
CharSequence?.contentEqualsIgnoreCaseImpl(other: CharSequence?): Boolean {\n    if (this is String && other is
String) {\n        return this.equals(other, ignoreCase = true)\n    }\n    if (this === other) return true\n    if (this ==
null || other == null || this.length != other.length) return false\n    for (i in 0 until length) {\n        if
(!this[i].equals(other[i], ignoreCase = true)) {\n            return false\n        }\n    }\n    return true\n}\n\ninternal fun
CharSequence?.contentEqualsImpl(other: CharSequence?): Boolean {\n    if (this is String && other is String) {\n
        return this == other\n    }\n    if (this === other) return true\n    if (this == null || other == null ||
this.length !=
other.length) return false\n    for (i in 0 until length) {\n        if (this[i] != other[i]) {\n            return
false\n        }\n    }\n    return true\n}\n\n/**\n * Returns `true` if the content of this string is equal to the word
`"true"`, `false` if it is
equal to `false`,\n * and throws an exception otherwise.\n * \n * There is also a lenient version of the function
available on nullable String, [String?.toBoolean].\n * Note that this function is case-sensitive.\n * \n * @sample
samples.text.Strings.toBooleanStrict\n */\n@SinceKotlin("1.5")\npublic fun String.toBooleanStrict(): Boolean =
when (this) {\n    "true" -> true\n    "false" -> false\n    else -> throw IllegalArgumentException("The string
doesn't represent a boolean value: $this")\n}\n\n/**\n * Returns `true` if the content of this string is equal to the
word `true`, `false` if it is equal to
`false`,\n * and `null` otherwise.\n * \n * There is also a lenient version of the function available on nullable
String, [String?.toBoolean].\n * Note that this function is case-sensitive.\n * \n *
@sample samples.text.Strings.toBooleanStrictOrNull\n */\n@SinceKotlin("1.5")\npublic fun
String.toBooleanStrictOrNull(): Boolean? = when (this) {\n    "true" -> true\n    "false" -> false\n    else ->
null\n}, "/**\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of
this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n//
Auto-generated file. DO NOT EDIT!\n\npackage kotlin\n\nimport
kotlin.jvm.*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@JvmInline\npublic value class
UByteArray\n@PublishedApi\ninternal constructor(@PublishedApi internal val storage: ByteArray) :
Collection<UByte> {\n    /**\n     * Creates a new array of the specified [size], with all elements initialized to zero. */\n
    public constructor(size: Int) : this(ByteArray(size))\n    /**\n     * Returns the array element at the given [index].
This method can be called using the index operator.\n     * \n     * If the [index] is out of bounds of this array,
throws an [IndexOutOfBoundsException] except in Kotlin/JS\n     * where the behavior is unspecified.\n     */\n    public
operator fun get(index: Int): UByte = storage[index].toUByte()\n    /**\n     * Sets the element at the given [index]

```

```

to the given [value]. This method can be called using the index operator.\n
 * If the [index] is out of bounds of this array, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n
 * where the behavior is unspecified.\n
 * public operator fun set(index: Int, value: UByte) {\n
    storage[index] = value.toByte()\n
}\n
/** Returns the number of elements in the array. */\n
public override val size: Int get() = storage.size\n
/** Creates an iterator over the elements of the array. */\n
public override operator fun iterator():\n
kotlin.collections.Iterator<UByte> = Iterator(storage)\n
@Suppress("DEPRECATION_ERROR")\n
private class Iterator(private val array: ByteArray) : UByteIterator() {\n
    private var index = 0\n
    override fun\n
hasNext() = index < array.size\n
    override fun nextUByte() = if (index < array.size) array[index++].toUByte()\n
else throw NoSuchElementException(index.toString())\n
}\n
override fun contains(element: UByte): Boolean\n
{\n
    // TODO: Eliminate this check after KT-30016 gets fixed.\n
    // Currently JS BE does not generate\n
special bridge method for this method.\n
    @Suppress("USELESS_CAST")\n
    if ((element as Any?) !is\n
UByte) return false\n
    return storage.contains(element.toByte())\n
}\n
override fun containsAll(elements:\n
Collection<UByte>): Boolean {\n
    return (elements as Collection<*>).all { it is UByte &&\n
storage.contains(it.toByte()) }\n
}\n
override fun isEmpty(): Boolean = this.storage.size == 0\n
}\n
\n
/**\n
 * Creates a new array of the specified [size], where each element is calculated by calling the specified\n
 * [init]\n
 * function.\n
 * The function [init] is called for each array element sequentially starting from the first one.\n
 * It\n
 * should return the value for an array element given its index.\n
 */\n
@SinceKotlin("1.3")\n
@ExperimentalUnsignedTypes\n
@kotlin.internal.InlineOnly\n
public inline fun\n
UByteArray(size: Int, init: (Int) -> UByte): UByteArray {\n
    return UByteArray(ByteArray(size) { index ->\n
init(index).toByte()\n
})\n
}\n
\n
@SinceKotlin("1.3")\n
@ExperimentalUnsignedTypes\n
@kotlin.internal.InlineOnly\n
public inline fun\n
ubyteArrayOf(vararg elements: UByte): UByteArray = elements\n
\n
\n
\n
 * Copyright 2010-2021 JetBrains s.r.o. and\n
 * Kotlin Programming Language contributors.\n
 * Use of this source code is governed by the Apache 2.0 license that\n
 * can be found in the license/LICENSE.txt file.\n
 */\n
\n
// Auto-generated file. DO NOT EDIT!\n
\n
package\n
kotlin\n
\n
import kotlin.jvm.*\n
\n
@SinceKotlin("1.3")\n
@ExperimentalUnsignedTypes\n
@JvmInline\n
public\n
value class UIntArray\n
@PublishedApi\n
internal constructor(@PublishedApi internal val storage: IntArray) :\n
Collection<UInt> {\n
    /** Creates a new array of the specified [size], with all elements initialized to zero. */\n
    public constructor(size: Int) : this(IntArray(size))\n
    /**\n
     * Returns the array element at the given [index].\n
     * This method can be called using the index operator.\n
     * If the [index] is out of bounds of this array, throws\n
     * an [IndexOutOfBoundsException] except in Kotlin/JS\n
     * where the behavior is unspecified.\n
     */\n
    public\n
operator fun get(index: Int): UInt = storage[index].toUInt()\n
    /**\n
     * Sets the element at the given [index] to\n
     * the given [value]. This method can be called using the index operator.\n
     * If the [index] is out of bounds of\n
     * this array, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n
     * where the behavior is unspecified.\n
     */\n
    public\n
operator fun set(index: Int, value: UInt) {\n
        storage[index] = value.toInt()\n
    }\n
    /** Returns\n
     * the number of elements in the array. */\n
    public\n
override val size: Int get() = storage.size\n
    /** Creates an\n
     * iterator over the elements of the array. */\n
    public\n
override operator fun iterator(): kotlin.collections.Iterator<UInt>\n
= Iterator(storage)\n
    @Suppress("DEPRECATION_ERROR")\n
    private class Iterator(private val array:\n
IntArray) : UIntIterator() {\n
        private var index = 0\n
        override fun\n
hasNext() = index < array.size\n
        override fun nextUInt() = if (index < array.size) array[index++].toUInt()\n
else throw\n
NoSuchElementException(index.toString())\n
    }\n
    override fun contains(element: UInt): Boolean {\n
        //\n
        TODO: Eliminate this check after KT-30016 gets fixed.\n
        // Currently JS BE does not generate special bridge\n
        method for this method.\n
        @Suppress("USELESS_CAST")\n
        if ((element as Any?) !is UInt) return\n
false\n
        return storage.contains(element.toInt())\n
    }\n
    override fun containsAll(elements:\n
Collection<UInt>): Boolean {\n
        return (elements as Collection<*>).all { it is UInt &&\n
storage.contains(it.toInt()) }\n
    }\n
    override fun isEmpty(): Boolean = this.storage.size == 0\n
}\n
\n
/**\n
 * Creates a new array of the specified [size], where each element is calculated by calling the specified\n
 * [init]\n
 * function.\n
 * The function [init] is called for each array element sequentially starting from the first one.\n
 * It\n
 * should return the value for an array element given its index.\n
 */

```

```

*^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^@kotlin.internal.InlineOnly^public inline fun
UIntArray(size: Int, init: (Int) -> UInt): UIntArray {^n    return UIntArray(IntArray(size) { index ->
init(index).toInt()
})^n}^n^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^@kotlin.internal.InlineOnly^public inline fun
uintArrayOf(vararg elements: UInt): UIntArray = elements^n",/*^n * Copyright 2010-2021 JetBrains s.r.o. and
Kotlin Programming Language contributors.^n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.^n ^/^n// Auto-generated file. DO NOT EDIT!^n^package
kotlin^nimport kotlin.jvm.*^n^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^@JvmInline^public
value class ULongArray^@PublishedApi^internal constructor(@PublishedApi internal val storage: LongArray) :
Collection<ULong> {^n^    /** Creates a new array of the specified [size], with all elements initialized to zero. ^/^n
public constructor(size: Int) : this(LongArray(size))^n^    /**^n     * Returns the array element at the given [index].
This method can be called using the index operator.^n     *^n     * If the [index] is out of bounds of this array, throws
an [IndexOutOfBoundsException] except in Kotlin/JS^n     * where the behavior is unspecified.^n     *^n     public
operator fun get(index: Int): ULong = storage[index].toULong()^n^    /**^n     * Sets the element at the given
[index] to the given [value]. This method can be called using the index operator.^n     *^n     * If the [index] is out of
bounds of this array, throws an [IndexOutOfBoundsException] except in Kotlin/JS^n     * where the behavior is
unspecified.^n     *^n     public operator fun set(index: Int, value: ULong) {^n         storage[index] = value.toLong()^n
    }^n^    /** Returns the number of elements in the array. ^/^n     public override val size: Int get() = storage.size^n
/** Creates an iterator over the elements of the array. ^/^n     public override operator fun iterator():
kotlin.collections.Iterator<ULong> = Iterator(storage)^n     @Suppress("DEPRECATION_ERROR")^n     private
class Iterator(private val array: LongArray) : ULongIterator() {^n         private var index = 0^n         override fun
hasNext() = index < array.size^n         override fun nextULong() = if (index < array.size) array[index++].toULong()
else throw NoSuchElementException(index.toString())^n     }^n^n     override fun contains(element: ULong): Boolean
{^n         // TODO: Eliminate this check after KT-30016 gets fixed.^n         // Currently JS BE does not generate
special bridge method for this method.^n         @Suppress("USELESS_CAST")^n         if ((element as Any?) !is
ULong) return false^n         return storage.contains(element.toLong())^n     }^n^n     override fun
containsAll(elements: Collection<ULong>): Boolean {^n         return (elements as Collection<*>).all { it is ULong
&& storage.contains(it.toLong()) }^n     }^n^n     override fun isEmpty(): Boolean = this.storage.size == 0^n^n/**^n
 * Creates a new array of the specified [size], where each element is calculated by calling the specified^n * [init]
function.^n *^n * The function [init] is called for each array element sequentially starting from the first one.^n * It
should return the value for an array element given its index.^n
*^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^@kotlin.internal.InlineOnly^public inline fun
ULongArray(size: Int, init: (Int) -> ULong): ULongArray {^n    return ULongArray(LongArray(size) { index ->
init(index).toLong()
})^n}^n^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^@kotlin.internal.InlineOnly^public inline fun
ulongArrayOf(vararg elements: ULong): ULongArray = elements^n",/*^n * Copyright 2010-2021 JetBrains s.r.o.
and Kotlin Programming Language contributors.^n * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.^n ^/^n// Auto-generated file. DO NOT EDIT!^n^package
kotlin^nimport kotlin.jvm.*^n^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^@JvmInline^public
value class UShortArray^@PublishedApi^internal constructor(@PublishedApi internal val storage: ShortArray) :
Collection<UShort> {^n^    /** Creates a new array of the specified [size], with all elements initialized to zero. ^/^n
public constructor(size: Int) : this(ShortArray(size))^n^    /**^n     * Returns the array element at the given [index].
This method can be called using the index operator.^n     *^n     * If the [index] is out of bounds of this array, throws
an [IndexOutOfBoundsException] except in Kotlin/JS^n     * where the behavior is unspecified.^n     *^n     public
operator fun get(index: Int): UShort = storage[index].toUShort()^n^    /**^n     * Sets the element at the given
[index] to the given [value]. This method can be called using the index operator.^n     *^n     * If the [index] is out of
bounds of this array, throws an [IndexOutOfBoundsException] except in Kotlin/JS^n     * where the behavior is
unspecified.^n     *^n     public operator fun set(index: Int, value: UShort) {^n         storage[index] = value.toShort()^n
    }^n^}^n

```



```

}\n\n /** Returns the number of elements in the array. */\n public override val size: Int get() = storage.size\n/** Creates an iterator over the elements of the array. */\n public override operator fun iterator():
kotlin.collections.Iterator<UShort> = Iterator(storage)\n\n @Suppress(\"DEPRECATION_ERROR\")\n private
class Iterator(private val array: ShortArray) : UShortIterator() {\n private var index = 0\n override fun
hasNext() = index < array.size\n override fun nextUShort() = if (index < array.size) array[index++].toUShort()
else throw NoSuchElementException(index.toString())\n }\n\n override fun contains(element: UShort): Boolean
{\n // TODO: Eliminate this check after KT-30016 gets fixed.\n // Currently JS BE does not generate
special bridge method for this method.\n @Suppress(\"USELESS_CAST\")\n if ((element as Any?) !is
UShort) return false\n\n return storage.contains(element.toShort())\n }\n\n override fun
containsAll(elements: Collection<UShort>): Boolean {\n return (elements as Collection<*>).all { it is UShort
&& storage.contains(it.toShort()) }\n }\n\n override fun isEmpty(): Boolean = this.storage.size == 0\n\n/**\n * Creates a new array of the specified [size], where each element is calculated by calling the specified\n * [init]
function.\n * \n * The function [init] is called for each array element sequentially starting from the first one.\n * It
should return the value for an array element given its index.\n
*/\n\n @SinceKotlin(\"1.3\")\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnly\n public inline fun
UShortArray(size: Int, init: (Int) -> UShort): UShortArray {\n return UShortArray(ShortArray(size) { index ->
init(index).toShort()
})\n}\n\n @SinceKotlin(\"1.3\")\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnly\n public inline fun
ushortArrayOf(vararg elements: UShort): UShortArray = elements\n\n /*\n * Copyright 2010-2021 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.\n
*/\n\n @file:kotlin.jvm.JvmMultifileClass\n @file:kotlin.jvm.JvmName(\"UArraysKt\")\n @file:kotlin.jvm.JvmPacka
geName(\"kotlin.collections.unsigned\")\n\n package kotlin.collections\n\n // NOTE: THIS FILE IS AUTO-
GENERATED by the GenerateStandardLib.kt\n // See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n\n import kotlin.random.*\n import
kotlin.ranges.contains\n import kotlin.ranges.reversed\n\n /**\n * Returns 1st *element* from the array.\n * \n * If the
size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior
is unspecified.\n */\n\n @SinceKotlin(\"1.3\")\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnly\n public
inline operator fun UIntArray.component1(): UInt {\n return get(0)\n}\n\n /**\n * Returns 1st *element* from the
array.\n * \n * If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n
* where the behavior is unspecified.\n
*/\n\n @SinceKotlin(\"1.3\")\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnly\n public inline operator fun
ULongArray.component1(): ULong {\n return get(0)\n}\n\n /**\n * Returns 1st *element* from the array.\n * \n *
If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the
behavior is unspecified.\n
*/\n\n @SinceKotlin(\"1.3\")\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnly\n public inline operator fun
UByteArray.component1(): UByte {\n return get(0)\n}\n\n /**\n * Returns 1st *element* from the array.\n * \n * If
the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the
behavior is unspecified.\n
*/\n\n @SinceKotlin(\"1.3\")\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnly\n public inline operator fun
UShortArray.component1(): UShort {\n return get(0)\n}\n\n /**\n * Returns 2nd *element* from the array.\n * \n *
If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the
behavior is unspecified.\n
*/\n\n @SinceKotlin(\"1.3\")\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnly\n public inline operator fun
UIntArray.component2(): UInt {\n return get(1)\n}\n\n /**\n * Returns 2nd *element* from the array.\n * \n * If
the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the
behavior is unspecified.\n
*/\n\n @SinceKotlin(\"1.3\")\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnly\n public inline operator fun

```

UByteArray.component2(): ULong {  
return get(1)}  
Returns 2nd \*element\* from the array.  
If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS where the behavior is unspecified.

```
@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline operator fun
```

UByteArray.component2(): UByte {  
return get(1)}  
Returns 2nd \*element\* from the array.  
If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS where the behavior is unspecified.

```
@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline operator fun
```

UShortArray.component2(): UShort {  
return get(1)}  
Returns 3rd \*element\* from the array.  
If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS where the behavior is unspecified.

```
@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline operator fun
```

UIntArray.component3(): UInt {  
return get(2)}  
Returns 3rd \*element\* from the array.  
If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS where the behavior is unspecified.

```
@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline operator fun
```

UByteArray.component3(): UByte {  
return get(2)}  
Returns 3rd \*element\* from the array.  
If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS where the behavior is unspecified.

```
@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline operator fun
```

UShortArray.component3(): UShort {  
return get(2)}  
Returns 4th \*element\* from the array.  
If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS where the behavior is unspecified.

```
@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline operator fun
```

UIntArray.component4(): UInt {  
return get(3)}  
Returns 4th \*element\* from the array.  
If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS where the behavior is unspecified.

```
@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline operator fun
```

UByteArray.component4(): UByte {  
return get(3)}  
Returns 4th \*element\* from the array.  
If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS where the behavior is unspecified.

```
@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline operator fun
```

UShortArray.component4(): UShort {  
return get(3)}  
Returns 5th \*element\* from the array.  
If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS where the behavior is unspecified.

```
@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline operator fun
```

UIntArray.component5(): UInt {  
return get(4)}  
Returns 5th \*element\* from the array.  
If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS where the behavior is unspecified.

```
@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline operator fun
```

UByteArray.component5(): UByte {  
return get(4)}  
Returns 5th \*element\* from the array.  
If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in

Kotlin/JS\n \* where the behavior is unspecified.\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun  
UByteArray.component5(): UByte {\n    return get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n *\n * If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the  
behavior is unspecified.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun  
UShortArray.component5(): UShort {\n    return get(4)\n}\n\n/**\n * Returns an element at the given [index] or  
throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n *\n * @sample  
samples.collections.Collections.Elements.elementAt\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic expect fun UIntArray.elementAt(index: Int):  
UInt\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is  
out of bounds of this array.\n * \n *\n * @sample samples.collections.Collections.Elements.elementAt\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic expect fun ULongArray.elementAt(index: Int):  
ULong\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index]  
is out of bounds of this array.\n * \n *\n * @sample samples.collections.Collections.Elements.elementAt\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic expect fun UByteArray.elementAt(index: Int):  
UByte\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index]  
is out of bounds of this array.\n * \n *\n * @sample samples.collections.Collections.Elements.elementAt\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic expect fun UShortArray.elementAt(index: Int):  
UShort\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the  
[index] is out of bounds of this array.\n * \n *\n * @sample  
samples.collections.Collections.Elements.elementAtOrElse\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UIntArray.elementAtOrElse(index: Int, defaultValue: (Int) -> UInt): UInt {\n    return if (index >= 0 && index <=  
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of  
calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n *\n * @sample  
samples.collections.Collections.Elements.elementAtOrElse\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
ULongArray.elementAtOrElse(index: Int, defaultValue: (Int) -> ULong): ULong {\n    return if (index >= 0 &&  
index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the  
result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n *\n * @sample  
samples.collections.Collections.Elements.elementAtOrElse\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UByteArray.elementAtOrElse(index: Int, defaultValue: (Int) -> UByte): UByte {\n    return if (index >= 0 && index  
<= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result  
of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n *\n * @sample  
samples.collections.Collections.Elements.elementAtOrElse\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UShortArray.elementAtOrElse(index: Int, defaultValue: (Int) -> UShort): UShort {\n    return if (index >= 0 &&  
index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or  
'null' if the [index] is out of bounds of this array.\n * \n *\n * @sample  
samples.collections.Collections.Elements.elementAtOrNull\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UIntArray.elementAtOrNull(index: Int): UInt? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns an element  
at the given [index] or 'null' if the [index] is out of bounds of this array.\n * \n *\n * @sample  
samples.collections.Collections.Elements.elementAtOrNull\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
ULongArray.elementAtOrNull(index: Int): ULong? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns an
```

element at the given [index] or `null` if the [index] is out of bounds of this array.\n \* \n \* @sample  
samples.collections.Collections.Elements.elementAtOrNull\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  

UByteArray.elementAtOrNull(index: Int): UByte? {\n return this.getOrNull(index)\n}\n\n/**\n * Returns an  

element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample  

samples.collections.Collections.Elements.elementAtOrNull\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  

UShortArray.elementAtOrNull(index: Int): UShort? {\n return this.getOrNull(index)\n}\n\n/**\n * Returns the  

first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample  

samples.collections.Collections.Elements.find\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  

UIntArray.find(predicate: (UInt) -> Boolean): UInt? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the  

first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample  

samples.collections.Collections.Elements.find\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  

ULongArray.find(predicate: (ULong) -> Boolean): ULong? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the  

first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample  

samples.collections.Collections.Elements.find\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  

UByteArray.find(predicate: (UByte) -> Boolean): UByte? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns  

the first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample  

samples.collections.Collections.Elements.find\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  

UShortArray.find(predicate: (UShort) -> Boolean): UShort? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns  

the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample  

samples.collections.Collections.Elements.find\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  

UIntArray.findLast(predicate: (UInt) -> Boolean): UInt? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns the  

last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample  

samples.collections.Collections.Elements.find\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  

ULongArray.findLast(predicate: (ULong) -> Boolean): ULong? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns  

the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample  

samples.collections.Collections.Elements.find\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  

UByteArray.findLast(predicate: (UByte) -> Boolean): UByte? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns  

the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample  

samples.collections.Collections.Elements.find\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  

UShortArray.findLast(predicate: (UShort) -> Boolean): UShort? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns  

first element.\n * @throws [NoSuchElementException] if the array is empty.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  

UIntArray.first(): UInt {\n return storage.first().toUInt()\n}\n\n/**\n * Returns first element.\n * @throws  

[NoSuchElementException] if the array is empty.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  

ULongArray.first(): ULong {\n return storage.first().toULong()\n}\n\n/**\n * Returns first element.\n * @throws  

[NoSuchElementException] if the array is empty.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
```

```

ByteArray.first(): UByte {\n    return storage.first().toUByte()\n}\n\n/**\n * Returns first element.\n * @throws\n [NoSuchElementException] if the array is empty.\n\n*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.first(): UShort {\n    return storage.first().toUShort()\n}\n\n/**\n * Returns the first element matching
the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n\n*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.first(predicate: (UInt) -> Boolean): UInt {\n    for (element in this) if (predicate(element)) return
element\n    throw NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such
element is found.\n\n*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.first(predicate: (ULong) -> Boolean): ULong {\n    for (element in this) if (predicate(element)) return
element\n    throw NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such
element is found.\n\n*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ByteArray.first(predicate: (UByte) -> Boolean): UByte {\n    for (element in this) if (predicate(element)) return
element\n    throw NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such
element is found.\n\n*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.first(predicate: (UShort) -> Boolean): UShort {\n    for (element in this) if (predicate(element)) return
element\n    throw NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n\n*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.firstOrNull(): UInt? {\n    return
if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n\n*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.firstOrNull(): ULong? {\n    return
if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n\n*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ByteArray.firstOrNull(): UByte? {\n    return
if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n\n*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.firstOrNull(): UShort? {\n    return
if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null`
if element was not found.\n\n*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.firstOrNull(predicate: (UInt) -> Boolean): UInt? {\n    for (element in this) if (predicate(element)) return
element\n    return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element
was not found.\n\n*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun ULongArray.firstOrNull(predicate: (ULong) -> Boolean): ULong? {\n    for (element in this) if
(predicate(element)) return element\n    return null\n}\n\n/**\n * Returns the first element matching the given
[predicate], or `null` if element was not found.\n\n*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ByteArray.firstOrNull(predicate: (UByte) -> Boolean): UByte? {\n    for (element in this) if (predicate(element))
return element\n    return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if
element was not found.\n\n*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.firstOrNull(predicate: (UShort) -> Boolean): UShort? {\n    for (element in this) if (predicate(element))
return element\n    return null\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the
[defaultValue] function if the [index] is out of bounds of this array.\n\n*/

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.getOrElse(index: Int, defaultValue: (Int) -> UInt): UInt {\n    return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of
calling the [defaultValue] function if the [index] is out of bounds of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.getOrElse(index: Int, defaultValue: (Int) -> ULong): ULong {\n    return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of
calling the [defaultValue] function if the [index] is out of bounds of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.getOrElse(index: Int, defaultValue: (Int) -> UByte): UByte {\n    return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of
calling the [defaultValue] function if the [index] is out of bounds of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.getOrElse(index: Int, defaultValue: (Int) -> UShort): UShort {\n    return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the
[index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.getOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.getOrNull(index: Int): UInt? {\n
return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given
[index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.getOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.getOrNull(index: Int):
ULong? {\n    return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at
the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.getOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.getOrNull(index: Int): UByte?
{\n    return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the
given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.getOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.getOrNull(index: Int):
UShort? {\n    return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns first index of
[element], or -1 if the array does not contain element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.indexOf(element: UInt): Int {\n    return storage.indexOf(element.toInt())\n}\n\n/**\n * Returns first
index of [element], or -1 if the array does not contain element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.indexOf(element: ULong): Int {\n    return storage.indexOf(element.toLong())\n}\n\n/**\n * Returns
first index of [element], or -1 if the array does not contain element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.indexOf(element: UByte): Int {\n    return storage.indexOf(element.toByte())\n}\n\n/**\n * Returns
first index of [element], or -1 if the array does not contain element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.indexOf(element: UShort): Int {\n    return storage.indexOf(element.toShort())\n}\n\n/**\n * Returns
index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.indexOfFirst(predicate: (UInt) -> Boolean): Int {\n    return storage.indexOfFirst { predicate(it.toUInt())
}\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain
such element.\n * \n * @sample samples.collections.Collections.Elements.getOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun ULongArray.indexOfFirst(predicate: (ULong) -> Boolean): Int {\n    return storage.indexOfFirst {

```

predicate(it.toULong()) } \n} \n/n/\*\* \n \* Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.indexOfFirst(predicate: (UByte) -> Boolean): Int { \n    return storage.indexOfFirst {
predicate(it.toUByte()) } \n} \n/n/** \n * Returns index of the first element matching the given [predicate], or -1 if the
array does not contain such element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.indexOfFirst(predicate: (UShort) -> Boolean): Int { \n    return storage.indexOfFirst {
predicate(it.toUShort()) } \n} \n/n/** \n * Returns index of the last element matching the given [predicate], or -1 if the
array does not contain such element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.indexOfLast(predicate: (UInt) -> Boolean): Int { \n    return storage.indexOfLast { predicate(it.toUInt())
} \n} \n/n/** \n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain
such element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun ULongArray.indexOfLast(predicate: (ULong) -> Boolean): Int { \n    return storage.indexOfLast {
predicate(it.toULong()) } \n} \n/n/** \n * Returns index of the last element matching the given [predicate], or -1 if the
array does not contain such element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.indexOfLast(predicate: (UByte) -> Boolean): Int { \n    return storage.indexOfLast {
predicate(it.toUByte()) } \n} \n/n/** \n * Returns index of the last element matching the given [predicate], or -1 if the
array does not contain such element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.indexOfLast(predicate: (UShort) -> Boolean): Int { \n    return storage.indexOfLast {
predicate(it.toUShort()) } \n} \n/n/** \n * Returns the last element.\n * \n * @throws NoSuchElementException if the
array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.last(): UInt { \n    return storage.last().toUInt()\n} \n/n/** \n * Returns the last element.\n * \n * @throws
NoSuchElementException if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.last(): ULong { \n    return storage.last().toULong()\n} \n/n/** \n * Returns the last element.\n * \n *
@throws NoSuchElementException if the array is empty.\n * \n * @sample
samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.last(): UByte { \n    return storage.last().toUByte()\n} \n/n/** \n * Returns the last element.\n * \n *
@throws NoSuchElementException if the array is empty.\n * \n * @sample
samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.last(): UShort { \n    return storage.last().toUShort()\n} \n/n/** \n * Returns the last element matching
the given [predicate].\n * \n * @throws NoSuchElementException if no such element is found.\n * \n * @sample
samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.last(predicate: (UInt) -> Boolean): UInt { \n    for (index in this.indices.reversed()) { \n        val element =
this[index]\n        if (predicate(element)) return element\n    } \n    throw NoSuchElementException("Array contains
no element matching the predicate.")\n} \n/n/** \n * Returns the last element matching the given [predicate].\n * \n *
@throws NoSuchElementException if no such element is found.\n * \n * @sample
samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.last(predicate: (ULong) -> Boolean): ULong { \n    for (index in this.indices.reversed()) { \n        val

```

```

element = this[index]\n    if (predicate(element)) return element\n    }\n    throw
NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the last
element matching the given [predicate].\n * \n * @throws NoSuchElementException if no such element is found.\n
* \n * @sample samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.last(predicate: (UByte) -> Boolean): UByte {\n    for (index in this.indices.reversed()) {\n        val
element = this[index]\n        if (predicate(element)) return element\n    }\n    throw
NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the last
element matching the given [predicate].\n * \n * @throws NoSuchElementException if no such element is found.\n
* \n * @sample samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.last(predicate: (UShort) -> Boolean): UShort {\n    for (index in this.indices.reversed()) {\n        val
element = this[index]\n        if (predicate(element)) return element\n    }\n    throw
NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns last index
of [element], or -1 if the array does not contain element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.lastIndexOf(element: UInt): Int {\n    return storage.lastIndexOf(element.toInt())\n}\n\n/**\n * Returns
last index of [element], or -1 if the array does not contain element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.lastIndexOf(element: ULong): Int {\n    return storage.lastIndexOf(element.toLong())\n}\n\n/**\n *
Returns last index of [element], or -1 if the array does not contain element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.lastIndexOf(element: UByte): Int {\n    return storage.lastIndexOf(element.toByte())\n}\n\n/**\n *
Returns last index of [element], or -1 if the array does not contain element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.lastIndexOf(element: UShort): Int {\n    return storage.lastIndexOf(element.toShort())\n}\n\n/**\n *
Returns the last element, or `null` if the array is empty.\n * \n * @sample
samples.collections.Collections.Elements.last\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
fun UIntArray.lastOrNull(): UInt? {\n    return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last
element, or `null` if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.lastOrNull(): ULong? {\n    return if
(isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n *
*\n * @sample samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.lastOrNull(): UByte? {\n    return if
(isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n *
*\n * @sample samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.lastOrNull(): UShort? {\n    return if
(isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element matching the given [predicate], or
`null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.lastOrNull(predicate: (UInt) -> Boolean): UInt? {\n    for (index in this.indices.reversed()) {\n        val
element = this[index]\n        if (predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the last
element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.lastOrNull(predicate: (ULong) -> Boolean): ULong? {\n    for (index in this.indices.reversed()) {\n
val element = this[index]\n        if (predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the
last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample

```



```

samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.lastOrNull(predicate: (UByte) -> Boolean): UByte? {\n for (index in this.indices.reversed()) {\n
val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns the
last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.lastOrNull(predicate: (UShort) -> Boolean): UShort? {\n for (index in this.indices.reversed()) {\n
val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns a
random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.random(): UInt {\n return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n
* \n * @throws NoSuchElementException if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.random(): ULong {\n return random(Random)\n}\n\n/**\n * Returns a random element from this
array.\n * \n * @throws NoSuchElementException if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.random(): UByte {\n return random(Random)\n}\n\n/**\n * Returns a random element from this
array.\n * \n * @throws NoSuchElementException if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.random(): UShort {\n return random(Random)\n}\n\n/**\n * Returns a random element from this
array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.random(random: Random): UInt
{\n if (isEmpty())\n throw NoSuchElementException("Array is empty.")\n return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.random(random: Random):
ULong {\n if (isEmpty())\n throw NoSuchElementException("Array is empty.")\n return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.random(random: Random):
UByte {\n if (isEmpty())\n throw NoSuchElementException("Array is empty.")\n return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.random(random: Random):
UShort {\n if (isEmpty())\n throw NoSuchElementException("Array is empty.")\n return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun UIntArray.randomOrNull(): UInt? {\n return
randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun ULongArray.randomOrNull(): ULong? {\n return
randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun UByteArray.randomOrNull(): UByte? {\n return
randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun UShortArray.randomOrNull(): UShort? {\n return

```

```

randomOrNull(Random)\n\n/**\n * Returns a random element from this array using the specified source of
randomness, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\np
ublic fun UIntArray.randomOrNull(random: Random): UInt? {\n if (isEmpty())\n return null\n return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\np
ublic fun ULongArray.randomOrNull(random: Random): ULong? {\n if (isEmpty())\n return null\n return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\np
ublic fun UByteArray.randomOrNull(random: Random): UByte? {\n if (isEmpty())\n return null\n return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\np
ublic fun UShortArray.randomOrNull(random: Random): UShort? {\n if (isEmpty())\n return null\n return
get(random.nextInt(size))\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or
has more than one element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.single(): UInt {\n return storage.single().toUInt()\n}\n\n/**\n * Returns the single element, or throws an
exception if the array is empty or has more than one element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.single(): ULong {\n return storage.single().toULong()\n}\n\n/**\n * Returns the single element, or
throws an exception if the array is empty or has more than one element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.single(): UByte {\n return storage.single().toUByte()\n}\n\n/**\n * Returns the single element, or
throws an exception if the array is empty or has more than one element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.single(): UShort {\n return storage.single().toUShort()\n}\n\n/**\n * Returns the single element
matching the given [predicate], or throws exception if there is no or more than one matching element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.single(predicate: (UInt) -> Boolean): UInt {\n var single: UInt? = null\n var found = false\n for
(element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException("Array
contains more than one matching element.")\n single = element\n found = true\n }\n }\n if
(!found) throw NoSuchElementException("Array contains no element matching the predicate.")\n
@Suppress("UNCHECKED_CAST")\n return single as UInt\n}\n\n/**\n * Returns the single element matching
the given [predicate], or throws exception if there is no or more than one matching element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.single(predicate: (ULong) -> Boolean): ULong {\n var single: ULong? = null\n var found = false\n
for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException("Array
contains more than one matching element.")\n single = element\n found = true\n }\n }\n if
(!found) throw NoSuchElementException("Array contains no element matching the predicate.")\n
@Suppress("UNCHECKED_CAST")\n return single as ULong\n}\n\n/**\n * Returns the single element
matching the given [predicate], or throws exception if there is no or more than one matching element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.single(predicate: (UByte) -> Boolean): UByte {\n var single: UByte? = null\n var found = false\n
for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException("Array
contains more than one matching element.")\n single = element\n found = true\n }\n }\n if

```



```

n).coerceAtLeast(0))\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.drop(n: Int): List<UByte> {\n
require(n >= 0) { "Requested element count $n is less than zero." }\n  return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.drop(n: Int): List<UShort> {\n
require(n >= 0) { "Requested element count $n is less than zero." }\n  return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.dropLast(n: Int): List<UInt> {\n
require(n >= 0) { "Requested element count $n is less than zero." }\n  return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.dropLast(n: Int):
List<ULong> {\n  require(n >= 0) { "Requested element count $n is less than zero." }\n  return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.dropLast(n: Int): List<UByte>
{\n  require(n >= 0) { "Requested element count $n is less than zero." }\n  return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.dropLast(n: Int):
List<UShort> {\n  require(n >= 0) { "Requested element count $n is less than zero." }\n  return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given
[predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.dropLastWhile(predicate: (UInt) -> Boolean): List<UInt> {\n  for (index in lastIndex downTo 0) {\n
if (!predicate(this[index])) {\n    return take(index + 1)\n  } }\n  return emptyList()\n}\n\n/**\n *
Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.dropLastWhile(predicate: (ULong) -> Boolean): List<ULong> {\n  for (index in lastIndex downTo 0)
{\n    if (!predicate(this[index])) {\n      return take(index + 1)\n    } }\n  return emptyList()\n}\n\n/**\n *
Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.dropLastWhile(predicate: (UByte) -> Boolean): List<UByte> {\n  for (index in lastIndex downTo 0)
{\n    if (!predicate(this[index])) {\n      return take(index + 1)\n    } }\n  return emptyList()\n}\n\n/**\n *
Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun

```

```

UShortArray.dropLastWhile(predicate: (UShort) -> Boolean): List<UShort> {\n  for (index in lastIndex downTo
0) {\n    if (!predicate(this[index])) {\n      return take(index + 1)\n    }\n  }\n  return
emptyList()\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given
[predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n
*\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.dropWhile(predicate: (UInt) -> Boolean): List<UInt> {\n  var yielding = false\n  val list =
ArrayList<UInt>()\n  for (item in this)\n    if (yielding)\n      list.add(item)\n    else if (!predicate(item)) {\n
      list.add(item)\n      yielding = true\n    }\n  return list\n}\n\n/**\n * Returns a list containing all
elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.dropWhile(predicate: (ULong) -> Boolean): List<ULong> {\n  var yielding = false\n  val list =
ArrayList<ULong>()\n  for (item in this)\n    if (yielding)\n      list.add(item)\n    else if (!predicate(item))
{\n      list.add(item)\n      yielding = true\n    }\n  return list\n}\n\n/**\n * Returns a list containing all
elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.dropWhile(predicate: (UByte) -> Boolean): List<UByte> {\n  var yielding = false\n  val list =
ArrayList<UByte>()\n  for (item in this)\n    if (yielding)\n      list.add(item)\n    else if (!predicate(item))
{\n      list.add(item)\n      yielding = true\n    }\n  return list\n}\n\n/**\n * Returns a list containing all
elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.dropWhile(predicate: (UShort) -> Boolean): List<UShort> {\n  var yielding = false\n  val list =
ArrayList<UShort>()\n  for (item in this)\n    if (yielding)\n      list.add(item)\n    else if (!predicate(item))
{\n      list.add(item)\n      yielding = true\n    }\n  return list\n}\n\n/**\n * Returns a list containing only
elements matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n
*\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.filter(predicate: (UInt) -> Boolean): List<UInt> {\n  return filterTo(ArrayList<UInt>(),
predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n
*\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.filter(predicate: (ULong) -> Boolean): List<ULong> {\n  return filterTo(ArrayList<ULong>(),
predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n
*\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.filter(predicate: (UByte) -> Boolean): List<UByte> {\n  return filterTo(ArrayList<UByte>(),
predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n
*\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.filter(predicate: (UShort) -> Boolean): List<UShort> {\n  return filterTo(ArrayList<UShort>(),
predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @param
[predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate
evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexed\n
*\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.filterIndexed(predicate: (index: Int, UInt) -> Boolean): List<UInt> {\n  return
filterIndexedTo(ArrayList<UInt>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the
given [predicate].\n * \n * @param [predicate] function that takes the index of an element and the element itself\n * and

```

```

returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexed\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.filterIndexed(predicate: (index: Int, ULong) -> Boolean): List<ULong> {\n return
filterIndexedTo(ArrayList<ULong>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the
given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and
returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexed\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.filterIndexed(predicate: (index: Int, UByte) -> Boolean): List<UByte> {\n return
filterIndexedTo(ArrayList<UByte>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the
given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and
returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexed\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.filterIndexed(predicate: (index: Int, UShort) -> Boolean): List<UShort> {\n return
filterIndexedTo(ArrayList<UShort>(), predicate)\n}\n\n/**\n * Appends all elements matching the given [predicate]
to the given [destination].\n * @param [predicate] function that takes the index of an element and the element
itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexedTo\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UInt>> UIntArray.filterIndexedTo(destination: C, predicate: (index: Int, UInt) -> Boolean): C
{\n forEachIndexed { index, element ->\n if (predicate(index, element)) destination.add(element)\n }\n
return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n *
@param [predicate] function that takes the index of an element and the element itself\n * and returns the result of
predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in ULong>> ULongArray.filterIndexedTo(destination: C, predicate: (index: Int, ULong) ->
Boolean): C {\n forEachIndexed { index, element ->\n if (predicate(index, element))
destination.add(element)\n }\n return destination\n}\n\n/**\n * Appends all elements matching the given
[predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the
element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexedTo\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UByte>> UByteArray.filterIndexedTo(destination: C, predicate: (index: Int, UByte) ->
Boolean): C {\n forEachIndexed { index, element ->\n if (predicate(index, element))
destination.add(element)\n }\n return destination\n}\n\n/**\n * Appends all elements matching the given
[predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the
element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexedTo\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UShort>> UShortArray.filterIndexedTo(destination: C, predicate: (index: Int, UShort) ->
Boolean): C {\n forEachIndexed { index, element ->\n if (predicate(index, element))
destination.add(element)\n }\n return destination\n}\n\n/**\n * Returns a list containing all elements not
matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.filterNot(predicate: (UInt) -> Boolean): List<UInt> {\n return filterNotTo(ArrayList<UInt>(),
predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n * \n * @sample

```

```

samples.collections.Collections.Filtering.filter\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.filterNot(predicate: (UByte) -> Boolean): List<UByte> {\n return filterNotTo(ArrayList<UByte>(),
predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.filterNot(predicate: (UShort) -> Boolean): List<UShort> {\n return
filterNotTo(ArrayList<UShort>(), predicate)\n}\n\n/**\n * Appends all elements not matching the given [predicate]
to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UInt>> UIntArray.filterNotTo(destination: C, predicate: (UInt) -> Boolean): C {\n for
(element in this) if (!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all
elements not matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in ULong>> ULongArray.filterNotTo(destination: C, predicate: (ULong) -> Boolean): C {\n
for (element in this) if (!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends
all elements not matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UByte>> UByteArray.filterNotTo(destination: C, predicate: (UByte) -> Boolean): C {\n for
(element in this) if (!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all
elements not matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UShort>> UShortArray.filterNotTo(destination: C, predicate: (UShort) -> Boolean): C {\n
for (element in this) if (!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends
all elements matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UInt>> UIntArray.filterTo(destination: C, predicate: (UInt) -> Boolean): C {\n for (element
in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements
matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in ULong>> ULongArray.filterTo(destination: C, predicate: (ULong) -> Boolean): C {\n for
(element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all
elements matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UByte>> UByteArray.filterTo(destination: C, predicate: (UByte) -> Boolean): C {\n for
(element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all
elements matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UShort>> UShortArray.filterTo(destination: C, predicate: (UShort) -> Boolean): C {\n for
(element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Returns a list
containing elements at indices in the specified [indices] range.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.slice(indices: IntRange):
List<UInt> {\n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive +
1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.slice(indices: IntRange):
List<ULong> {\n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive
+ 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.slice(indices: IntRange):
List<UByte> {\n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive
+ 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.slice(indices: IntRange):
List<UShort> {\n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive
+ 1).asList()\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.slice(indices: Iterable<Int>):
List<UInt> {\n val size = indices.collectionSizeOrDefault(10)\n if (size == 0) return emptyList()\n val list =
ArrayList<UInt>(size)\n for (index in indices) {\n list.add(get(index))\n }\n return list\n}\n\n/**\n *
Returns a list containing elements at specified [indices].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.slice(indices: Iterable<Int>):
List<ULong> {\n val size = indices.collectionSizeOrDefault(10)\n if (size == 0) return emptyList()\n val list =
ArrayList<ULong>(size)\n for (index in indices) {\n list.add(get(index))\n }\n return list\n}\n\n/**\n *
Returns a list containing elements at specified [indices].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.slice(indices: Iterable<Int>):
List<UByte> {\n val size = indices.collectionSizeOrDefault(10)\n if (size == 0) return emptyList()\n val list =
ArrayList<UByte>(size)\n for (index in indices) {\n list.add(get(index))\n }\n return list\n}\n\n/**\n *
Returns a list containing elements at specified [indices].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.slice(indices: Iterable<Int>):
List<UShort> {\n val size = indices.collectionSizeOrDefault(10)\n if (size == 0) return emptyList()\n val list =
ArrayList<UShort>(size)\n for (index in indices) {\n list.add(get(index))\n }\n return list\n}\n\n/**\n *
Returns an array containing elements of this array at specified [indices].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sliceArray(indices:
Collection<Int>): UIntArray {\n return UIntArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array
containing elements of this array at specified [indices].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sliceArray(indices:
Collection<Int>): ULongArray {\n return ULongArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array
containing elements of this array at specified [indices].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sliceArray(indices:
Collection<Int>): UByteArray {\n return UByteArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array
containing elements of this array at specified [indices].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sliceArray(indices:
Collection<Int>): UShortArray {\n return UShortArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an
array containing elements at indices in the specified [indices] range.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sliceArray(indices: IntRange):
UIntArray {\n return UIntArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array containing elements at
indices in the specified [indices] range.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
ULongArray.sliceArray(indices: IntRange): ULongArray {\n return

```



```

UByteArray(storage.sliceArray(indices))\n\n/**\n * Returns an array containing elements at indices in the
specified [indices] range.\n *^\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UByteArray.sliceArray(indices: IntRange): UByteArray {\n    return
UByteArray(storage.sliceArray(indices))\n\n}\n\n/**\n * Returns an array containing elements at indices in the
specified [indices] range.\n *^\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UShortArray.sliceArray(indices: IntRange): UShortArray {\n    return
UShortArray(storage.sliceArray(indices))\n\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n *
@throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*^\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.take(n: Int): List<UInt> {\n
require(n >= 0) { "\nRequested element count $n is less than zero.\n" }\n    if (n == 0) return emptyList()\n    if (n >=
size) return toList()\n    if (n == 1) return listOf(this[0])\n    var count = 0\n    val list = ArrayList<UInt>(n)\n    for
(item in this) {\n        list.add(item)\n        if (++count == n)\n            break\n    }\n    return list\n}\n\n/**\n * Returns
a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*^\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.take(n: Int): List<ULong> {\n
require(n >= 0) { "\nRequested element count $n is less than zero.\n" }\n    if (n == 0) return emptyList()\n    if (n >=
size) return toList()\n    if (n == 1) return listOf(this[0])\n    var count = 0\n    val list = ArrayList<ULong>(n)\n    for
(item in this) {\n        list.add(item)\n        if (++count == n)\n            break\n    }\n    return list\n}\n\n/**\n * Returns
a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*^\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.take(n: Int): List<UByte> {\n
require(n >= 0) { "\nRequested element count $n is less than zero.\n" }\n    if (n == 0) return emptyList()\n    if (n >=
size) return toList()\n    if (n == 1) return listOf(this[0])\n    var count = 0\n    val list = ArrayList<UByte>(n)\n    for
(item in this) {\n        list.add(item)\n        if (++count == n)\n            break\n    }\n    return list\n}\n\n/**\n * Returns
a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*^\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.take(n: Int): List<UShort> {\n
require(n >= 0) { "\nRequested element count $n is less than zero.\n" }\n    if (n == 0) return emptyList()\n    if (n >=
size) return toList()\n    if (n == 1) return listOf(this[0])\n    var count = 0\n    val list = ArrayList<UShort>(n)\n    for
(item in this) {\n        list.add(item)\n        if (++count == n)\n            break\n    }\n    return list\n}\n\n/**\n * Returns
a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*^\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.takeLast(n: Int): List<UInt> {\n
require(n >= 0) { "\nRequested element count $n is less than zero.\n" }\n    if (n == 0) return emptyList()\n    val size =
size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[size - 1])\n    val list = ArrayList<UInt>(n)\n
for (index in size - n until size)\n        list.add(this[index])\n    return list\n}\n\n/**\n * Returns a list containing last
[n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*^\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.takeLast(n: Int): List<ULong>\n
{\n    require(n >= 0) { "\nRequested element count $n is less than zero.\n" }\n    if (n == 0) return emptyList()\n    val
size = size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[size - 1])\n    val list =
ArrayList<ULong>(n)\n    for (index in size - n until size)\n        list.add(this[index])\n    return list\n}\n\n/**\n * Returns
a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*^\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.takeLast(n: Int): List<UByte>
{\n    require(n >= 0) { "\nRequested element count $n is less than zero.\n" }\n    if (n == 0) return emptyList()\n    val
size = size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[size - 1])\n    val list =

```

```

ArrayList<UByte>(n)\n for (index in size - n until size)\n list.add(this[index])\n return list\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.takeLast(n: Int): List<UShort>\n {\n require(n >= 0) { "Requested element count $n is less than zero." }\n if (n == 0) return emptyList()\n val size = size\n if (n >= size) return toList()\n if (n == 1) return listOf(this[size - 1])\n val list = ArrayList<UShort>(n)\n for (index in size - n until size)\n list.add(this[index])\n return list\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.takeLastWhile(predicate: (UInt) -> Boolean): List<UInt> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.takeLastWhile(predicate: (ULong) -> Boolean): List<ULong> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.takeLastWhile(predicate: (UByte) -> Boolean): List<UByte> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.takeLastWhile(predicate: (UShort) -> Boolean): List<UShort> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.takeWhile(predicate: (UInt) -> Boolean): List<UInt> {\n val list = ArrayList<UInt>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.takeWhile(predicate: (ULong) -> Boolean): List<ULong> {\n val list = ArrayList<ULong>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.takeWhile(predicate: (UByte) -> Boolean): List<UByte> {\n val list = ArrayList<UByte>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.takeWhile(predicate: (UShort) -> Boolean): List<UShort> {\n val list = ArrayList<UShort>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Reverses elements in the array in-place.\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.reverse(): Unit {\n    storage.reverse()\n}\n\n/**\n * Reverses elements in the array in-place.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.reverse(): Unit {\n    storage.reverse()\n}\n\n/**\n * Reverses elements in the array in-place.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.reverse(): Unit {\n    storage.reverse()\n}\n\n/**\n * Reverses elements in the array in-place.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.reverse(): Unit {\n    storage.reverse()\n}\n\n/**\n * Reverses elements of the array in the specified
range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n * @param toIndex the end
of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero
or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater
than [toIndex].\n *\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UIntArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n    storage.reverse(fromIndex,
toIndex)\n}\n\n/**\n * Reverses elements of the array in the specified range in-place.\n * \n * @param fromIndex
the start of the range (inclusive) to reverse.\n * @param toIndex the end of the range (exclusive) to reverse.\n * \n *
@throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this
array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n    storage.reverse(fromIndex, toIndex)\n}\n\n/**\n *
Reverses elements of the array in the specified range in-place.\n * \n * @param fromIndex the start of the range
(inclusive) to reverse.\n * @param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *
@throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n    storage.reverse(fromIndex, toIndex)\n}\n\n/**\n *
Reverses elements of the array in the specified range in-place.\n * \n * @param fromIndex the start of the range
(inclusive) to reverse.\n * @param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *
@throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n    storage.reverse(fromIndex, toIndex)\n}\n\n/**\n *
Returns a list with elements in reversed order.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
fun UIntArray.reversed(): List<UInt> {\n    if (isEmpty()) return emptyList()\n    val list = toMutableList()\n
list.reverse()\n    return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.reversed(): List<ULong> {\n
if (isEmpty()) return emptyList()\n    val list = toMutableList()\n    list.reverse()\n    return list\n}\n\n/**\n *
Returns a list with elements in reversed order.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UByteArray.reversed(): List<UByte> {\n    if (isEmpty()) return emptyList()\n    val list = toMutableList()\n
list.reverse()\n    return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.reversed(): List<UShort> {\n
if (isEmpty()) return emptyList()\n    val list = toMutableList()\n    list.reverse()\n    return list\n}\n\n/**\n *
Returns an array with elements of this array in reversed order.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.reversedArray(): UIntArray {\n    return UIntArray(storage.reversedArray())\n}\n\n/**\n * Returns an
array with elements of this array in reversed order.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.reversedArray(): ULongArray {\n    return ULongArray(storage.reversedArray())\n}\n\n/**\n * Returns
an array with elements of this array in reversed order.\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.reversedArray(): UByteArray {\n    return UByteArray(storage.reversedArray())\n}\n\n/**\n * Returns
an array with elements of this array in reversed order.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.reversedArray(): UShortArray {\n    return UShortArray(storage.reversedArray())\n}\n\n/**\n *
Randomly shuffles elements in this array in-place.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.shuffle(): Unit {\n
shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-place.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.shuffle(): Unit {\n
shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-place.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.shuffle(): Unit {\n
shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-place.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.shuffle(): Unit {\n
shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random]
instance as the source of randomness.\n * \n * See:
https://en.wikipedia.org/wiki/Fisher%20%80%93Yates\_shuffle#The\_modern\_algorithm\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.shuffle(random: Random): Unit
{\n    for (i in lastIndex downTo 1) {\n        val j = random.nextInt(i + 1)\n        val copy = this[i]\n        this[i] =
this[j]\n        this[j] = copy\n    }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified
[random] instance as the source of randomness.\n * \n * See:
https://en.wikipedia.org/wiki/Fisher%20%80%93Yates\_shuffle#The\_modern\_algorithm\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.shuffle(random: Random):
Unit {\n    for (i in lastIndex downTo 1) {\n        val j = random.nextInt(i + 1)\n        val copy = this[i]\n        this[i] =
this[j]\n        this[j] = copy\n    }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified
[random] instance as the source of randomness.\n * \n * See:
https://en.wikipedia.org/wiki/Fisher%20%80%93Yates\_shuffle#The\_modern\_algorithm\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.shuffle(random: Random):
Unit {\n    for (i in lastIndex downTo 1) {\n        val j = random.nextInt(i + 1)\n        val copy = this[i]\n        this[i] =
this[j]\n        this[j] = copy\n    }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified
[random] instance as the source of randomness.\n * \n * See:
https://en.wikipedia.org/wiki/Fisher%20%80%93Yates\_shuffle#The\_modern\_algorithm\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.shuffle(random: Random):
Unit {\n    for (i in lastIndex downTo 1) {\n        val j = random.nextInt(i + 1)\n        val copy = this[i]\n        this[i] =
this[j]\n        this[j] = copy\n    }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their
natural sort order.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UIntArray.sortDescending(): Unit {\n    if (size > 1) {\n        sort()\n        reverse()\n    }\n}\n\n/**\n * Sorts elements
in the array in-place descending according to their natural sort order.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
ULongArray.sortDescending(): Unit {\n    if (size > 1) {\n        sort()\n        reverse()\n    }\n}\n\n/**\n * Sorts
elements in the array in-place descending according to their natural sort order.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UShortArray.sortDescending(): Unit {\n    if (size > 1) {\n        sort()\n        reverse()\n    }\n}\n\n/**\n * Returns a list of all elements sorted according to their
natural sort order.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UIntArray.sorted(): List<UInt> {\n    return copyOf().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted
according to their natural sort order.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
ULongArray.sorted(): List<ULong> {\n    return copyOf().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all

```

elements sorted according to their natural sort order.\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sorted(): List<UByte> {\n    return copyOf().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural\n * sort order.\n */\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sorted():\n    List<UShort> {\n    return copyOf().apply { sort() }.asList()\n}\n\n/**\n * Returns an array with all elements of this\n * array sorted according to their natural sort order.\n */
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sortedArray(): UIntArray {\n    if (isEmpty()) return this\n    return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of\n * this array sorted according to their natural sort order.\n */
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sortedArray(): ULongArray\n    {\n    if (isEmpty()) return this\n    return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all\n * elements of this array sorted according to their natural sort order.\n */
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sortedArray(): UByteArray {\n    if (isEmpty()) return this\n    return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements\n * of this array sorted according to their natural sort order.\n */
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sortedArray(): UShortArray\n    {\n    if (isEmpty()) return this\n    return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all\n * elements of this array sorted descending according to their natural sort order.\n */
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sortedArrayDescending():\n    UIntArray {\n    if (isEmpty()) return this\n    return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns\n * an array with all elements of this array sorted descending according to their natural sort order.\n */
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sortedArrayDescending():\n    ULongArray {\n    if (isEmpty()) return this\n    return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sortedArrayDescending():\n    UByteArray {\n    if (isEmpty()) return this\n    return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sortedArrayDescending():\n    UShortArray {\n    if (isEmpty()) return this\n    return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n * \n * The sort is _stable_. It\n * means that equal elements preserve their order relative to each other after sorting.\n */
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sortedDescending(): List<UInt>\n    {\n    return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending\n * according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order\n * relative to each other after sorting.\n */
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun\n    ULongArray.sortedDescending(): List<ULong> {\n    return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n * \n * The sort is _stable_. It\n * means that equal elements preserve their order relative to each other after sorting.\n */
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sortedDescending():\n    List<UByte> {\n    return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted\n * descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve\n * their order relative to each other after sorting.\n */\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sortedDescending(): List<UShort> {\n    return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns an array of type [ByteArray], which is a view of this array where each element is a signed reinterpretation\n * of the corresponding element of this array.\n */
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\n    UByteArray.asByteArray(): ByteArray {\n    return storage\n}\n\n/**\n * Returns an array of type [IntArray], which\n * is a view of this array where each element is a signed reinterpretation\n * of the corresponding element of this
```

```

array.\n *^@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.asIntArray(): IntArray {\n    return storage\n}\n\n/**\n * Returns a [List] that wraps the original array.\n
*^@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic expect fun UIntArray.asList():
List<UInt>\n\n/**\n * Returns a [List] that wraps the original array.\n
*^@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic expect fun ULongArray.asList():
List<ULong>\n\n/**\n * Returns a [List] that wraps the original array.\n
*^@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic expect fun UByteArray.asList():
List<UByte>\n\n/**\n * Returns a [List] that wraps the original array.\n
*^@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic expect fun UShortArray.asList():
List<UShort>\n\n/**\n * Returns an array of type [LongArray], which is a view of this array where each element is
a signed reinterpretation\n * of the corresponding element of this array.\n
*^@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.asLongArray(): LongArray {\n    return storage\n}\n\n/**\n * Returns an array of type [ShortArray],
which is a view of this array where each element is a signed reinterpretation\n * of the corresponding element of this
array.\n
*^@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.asShortArray(): ShortArray {\n    return storage\n}\n\n/**\n * Returns an array of type [UByteArray],
which is a view of this array where each element is an unsigned reinterpretation\n * of the corresponding element of
this array.\n
*^@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun ByteArray.asUByteArray(): UByteArray {\n    return UByteArray(this)\n}\n\n/**\n * Returns an array of type
[UIntArray], which is a view of this array where each element is an unsigned reinterpretation\n * of the
corresponding element of this array.\n
*^@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
IntArray.asUIntArray(): UIntArray {\n    return UIntArray(this)\n}\n\n/**\n * Returns an array of type
[ULongArray], which is a view of this array where each element is an unsigned reinterpretation\n * of the
corresponding element of this array.\n
*^@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
LongArray.asULongArray(): ULongArray {\n    return ULongArray(this)\n}\n\n/**\n * Returns an array of type
[UShortArray], which is a view of this array where each element is an unsigned reinterpretation\n * of the
corresponding element of this array.\n
*^@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ShortArray.asUShortArray(): UShortArray {\n    return UShortArray(this)\n}\n\n/**\n * Returns `true` if the two
specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the
same order.\n
*^@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.")\n@SinceKotlin("1.3")\n@DeprecatedSinceKotlin(hiddenSince =
"1.4")\n@ExperimentalUnsignedTypes\npublic infix fun UIntArray.contentEquals(other: UIntArray): Boolean {\n
return this.contentEquals(other)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to
one another,\n * i.e. contain the same number of the same elements in the same order.\n
*^@Deprecated("Use
Kotlin compiler 1.4 to avoid deprecation
warning.")\n@SinceKotlin("1.3")\n@DeprecatedSinceKotlin(hiddenSince =
"1.4")\n@ExperimentalUnsignedTypes\npublic infix fun ULongArray.contentEquals(other: ULongArray):
Boolean {\n    return this.contentEquals(other)\n}\n\n/**\n * Returns `true` if the two specified arrays are
*structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n
*^@Deprecated("Use
Kotlin compiler 1.4 to avoid deprecation
warning.")\n@SinceKotlin("1.3")\n@DeprecatedSinceKotlin(hiddenSince =
"1.4")\n@ExperimentalUnsignedTypes\npublic infix fun UByteArray.contentEquals(other: UByteArray): Boolean
{\n    return this.contentEquals(other)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal
to one another,\n * i.e. contain the same number of the same elements in the same order.\n
*^@Deprecated("Use
Kotlin compiler 1.4 to avoid deprecation

```

```

warning.\")\n@SinceKotlin("1.3")\n@DeprecatedSinceKotlin(hiddenSince =
"1.4")\n@ExperimentalUnsignedTypes\npublic infix fun UShortArray.contentEquals(other: UShortArray):
Boolean {\n    return this.contentEquals(other)\n}\n\n/**\n * Returns `true` if the two specified arrays are
*structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n
*\n@\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic infix fun UIntArray?.contentEquals(other:
UIntArray?): Boolean {\n    return this?.storage.contentEquals(other?.storage)\n}\n\n/**\n * Returns `true` if the two
specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the
same order.\n * \n@\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic infix fun
ULongArray?.contentEquals(other: ULongArray?): Boolean {\n    return
this?.storage.contentEquals(other?.storage)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally*
equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n
*\n@\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic infix fun UByteArray?.contentEquals(other:
UByteArray?): Boolean {\n    return this?.storage.contentEquals(other?.storage)\n}\n\n/**\n * Returns `true` if the
two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements
in the same order.\n * \n@\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic infix fun
UShortArray?.contentEquals(other: UShortArray?): Boolean {\n    return
this?.storage.contentEquals(other?.storage)\n}\n\n/**\n * Returns a hash code based on the contents of this array as
if it is [List].\n * \n@\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.\")\n@SinceKotlin("1.3")\n@DeprecatedSinceKotlin(hiddenSince =
"1.4")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.contentHashCode(): Int {\n    return
this.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n
*\n@\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.\")\n@SinceKotlin("1.3")\n@DeprecatedSinceKotlin(hiddenSince =
"1.4")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.contentHashCode(): Int {\n    return
this.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n
*\n@\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.\")\n@SinceKotlin("1.3")\n@DeprecatedSinceKotlin(hiddenSince =
"1.4")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.contentHashCode(): Int {\n    return
this.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n
*\n@\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.\")\n@SinceKotlin("1.3")\n@DeprecatedSinceKotlin(hiddenSince =
"1.4")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.contentHashCode(): Int {\n    return
this.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n
*\n@\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UIntArray?.contentHashCode(): Int {\n
return this?.storage.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it
is [List].\n * \n@\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun
ULongArray?.contentHashCode(): Int {\n    return this?.storage.contentHashCode()\n}\n\n/**\n * Returns a hash
code based on the contents of this array as if it is [List].\n
*\n@\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UByteArray?.contentHashCode(): Int {\n
return this?.storage.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it
is [List].\n * \n@\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun
UShortArray?.contentHashCode(): Int {\n    return this?.storage.contentHashCode()\n}\n\n/**\n * Returns a string
representation of the contents of the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n * \n@\n@Deprecated("Use Kotlin compiler 1.4 to
avoid deprecation warning.\")\n@SinceKotlin("1.3")\n@DeprecatedSinceKotlin(hiddenSince =
"1.4")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.contentToString(): String {\n    return
this.contentToString()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n * \n@\n@Deprecated("Use

```

Kotlin compiler 1.4 to avoid deprecation

```
warning.\")\n@SinceKotlin(\"1.3\")\n@DeprecatedSinceKotlin(hiddenSince =  
\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.contentToString(): String {\n    return  
this.contentToString()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is  
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated(\"Use  
Kotlin compiler 1.4 to avoid deprecation
```

```
warning.\")\n@SinceKotlin(\"1.3\")\n@DeprecatedSinceKotlin(hiddenSince =  
\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.contentToString(): String {\n    return  
this.contentToString()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is  
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated(\"Use  
Kotlin compiler 1.4 to avoid deprecation
```

```
warning.\")\n@SinceKotlin(\"1.3\")\n@DeprecatedSinceKotlin(hiddenSince =  
\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.contentToString(): String {\n    return  
this.contentToString()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is  
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated(\"Use  
Kotlin compiler 1.4 to avoid deprecation
```

```
warning.\")\n@SinceKotlin(\"1.3\")\n@DeprecatedSinceKotlin(hiddenSince =  
\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray?.contentToString(): String {\n    return  
this?.joinToString(\" \", \" \", \"[\", \"]\") ?: \"null\"\n}\n\n/**\n * Returns a string representation of the contents of  
the specified array as if it is [List].\n * \n * @sample  
samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray?.contentToString(): String {\n    return  
this?.joinToString(\" \", \" \", \"[\", \"]\") ?: \"null\"\n}\n\n/**\n * Returns a string representation of the contents of  
the specified array as if it is [List].\n * \n * @sample  
samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray?.contentToString(): String {\n    return  
this?.joinToString(\" \", \" \", \"[\", \"]\") ?: \"null\"\n}\n\n/**\n * Returns a string representation of the contents of  
the specified array as if it is [List].\n * \n * @sample  
samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray?.contentToString(): String {\n    return  
this?.joinToString(\" \", \" \", \"[\", \"]\") ?: \"null\"\n}\n\n/**\n * Returns a string representation of the contents of  
the specified array as if it is [List].\n * \n * @sample  
samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray?.contentToString(): String {\n    return  
this?.joinToString(\" \", \" \", \"[\", \"]\") ?: \"null\"\n}\n\n/**\n * Copies this array or its subrange into the  
[destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even  
specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy  
to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive)  
of the subrange to copy, size of this array by default.\n * @throws IndexOutOfBoundsException or  
[IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex  
> endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array  
starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UIntArray.copyInto(destination: UIntArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size):  
UIntArray {\n    storage.copyInto(destination.storage, destinationOffset, startIndex, endIndex)\n    return  
destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the  
destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the  
[destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy,  
0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of  
range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the
```



subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n \* or when that index is out of the [destination] array indices range.\n \* \n \* @return the [destination] array.\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.copyInto(destination: ULongArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size):
ULongArray {\n    storage.copyInto(destination.storage, destinationOffset, startIndex, endIndex)\n    return
destination}\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n *
It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the
destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the
[destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy,
0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n *
@throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of
range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the
subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is
out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.copyInto(destination: UByteArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size):
UByteArray {\n    storage.copyInto(destination.storage, destinationOffset, startIndex, endIndex)\n    return
destination}\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n *
It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the
destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the
[destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy,
0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n *
@throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of
range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the
subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is
out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.copyInto(destination: UShortArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int =
size): UShortArray {\n    storage.copyInto(destination.storage, destinationOffset, startIndex, endIndex)\n    return
destination}\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.copyOf\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.copyOf(): UIntArray {\n    return UIntArray(storage.copyOf())\n}\n\n/**\n * Returns new array which is
a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.copyOf(): ULongArray {\n    return ULongArray(storage.copyOf())\n}\n\n/**\n * Returns new array
which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.copyOf(): UByteArray {\n    return UByteArray(storage.copyOf())\n}\n\n/**\n * Returns new array
which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.copyOf(): UShortArray {\n    return UShortArray(storage.copyOf())\n}\n\n/**\n * Returns new array
which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at
the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array
is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the
copy array are filled with zero values.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.copyOf(newSize: Int): UIntArray {\n    return UIntArray(storage.copyOf(newSize))\n}\n\n/**\n *

```

Returns new array which is a copy of the original array, resized to the given [newSize].\n \* The copy is either truncated or padded at the end with zero values if necessary.\n \* - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n \* - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
ULongArray.copyOf(newSize: Int): ULongArray {\n    return ULongArray(storage.copyOf(newSize))\n}\n\n/n/**\n
```

Returns new array which is a copy of the original array, resized to the given [newSize].\n \* The copy is either truncated or padded at the end with zero values if necessary.\n \* - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n \* - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UByteArray.copyOf(newSize: Int): UByteArray {\n    return UByteArray(storage.copyOf(newSize))\n}\n\n/n/**\n
```

Returns new array which is a copy of the original array, resized to the given [newSize].\n \* The copy is either truncated or padded at the end with zero values if necessary.\n \* - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n \* - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UShortArray.copyOf(newSize: Int): UShortArray {\n    return UShortArray(storage.copyOf(newSize))\n}\n\n/n/**\n
```

Returns a new array which is a copy of the specified range of the original array.\n \* \n \* @param fromIndex the start of the range (inclusive) to copy.\n \* @param toIndex the end of the range (exclusive) to copy.\n \* \n \* @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n \* @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UIntArray.copyOfRange(fromIndex: Int, toIndex: Int): UIntArray {\n    return  
    UIntArray(storage.copyOfRange(fromIndex, toIndex))\n}\n\n/n/**\n * Returns a new array which is a copy of the  
specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if  
[fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws  
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
ULongArray.copyOfRange(fromIndex: Int, toIndex: Int): ULongArray {\n    return  
    ULongArray(storage.copyOfRange(fromIndex, toIndex))\n}\n\n/n/**\n * Returns a new array which is a copy of the  
specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if  
[fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws  
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UByteArray.copyOfRange(fromIndex: Int, toIndex: Int): UByteArray {\n    return  
    UByteArray(storage.copyOfRange(fromIndex, toIndex))\n}\n\n/n/**\n * Returns a new array which is a copy of the  
specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if  
[fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws  
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UShortArray.copyOfRange(fromIndex: Int, toIndex: Int): UShortArray {\n    return  
    UShortArray(storage.copyOfRange(fromIndex, toIndex))\n}\n\n/n/**\n * Fills this array or its subrange with the  
specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws
```

```

IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *
 * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.fill(element: UInt, fromIndex:
Int = 0, toIndex: Int = size): Unit {\n    storage.fill(element.toInt(), fromIndex, toIndex)\n}\n\n/**\n * Fills this array
or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to
fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n *
 * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this
array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.fill(element: ULong,
fromIndex: Int = 0, toIndex: Int = size): Unit {\n    storage.fill(element.toLong(), fromIndex, toIndex)\n}\n\n/**\n *
Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range
(inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by
default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than
the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.fill(element: UByte,
fromIndex: Int = 0, toIndex: Int = size): Unit {\n    storage.fill(element.toByte(), fromIndex, toIndex)\n}\n\n/**\n *
Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range
(inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by
default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than
the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.fill(element: UShort,
fromIndex: Int = 0, toIndex: Int = size): Unit {\n    storage.fill(element.toShort(), fromIndex, toIndex)\n}\n\n/**\n *
Returns the range of valid indices for the array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline val UIntArray.indices: IntRange\n    get()
= storage.indices\n\n/**\n * Returns the range of valid indices for the array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline val ULongArray.indices: IntRange\n
    get() = storage.indices\n\n/**\n * Returns the range of valid indices for the array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline val UByteArray.indices: IntRange\n
    get() = storage.indices\n\n/**\n * Returns the range of valid indices for the array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline val UShortArray.indices: IntRange\n
    get() = storage.indices\n\n/**\n * Returns the last valid index for the array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline val UIntArray.lastIndex: Int\n    get() =
storage.lastIndex\n\n/**\n * Returns the last valid index for the array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline val ULongArray.lastIndex: Int\n    get() =
storage.lastIndex\n\n/**\n * Returns the last valid index for the array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline val UByteArray.lastIndex: Int\n    get() =
storage.lastIndex\n\n/**\n * Returns the last valid index for the array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline val UShortArray.lastIndex: Int\n    get() =
storage.lastIndex\n\n/**\n * Returns an array containing all elements of the original array and then the given
[element].\n * \n * @param element the element to append to the array.\n * \n * @return an array containing all
elements of the original array and then the given [element].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
operator fun UIntArray.plus(element: UInt): UIntArray {\n    return UIntArray(storage +
element.toInt())\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given
[element].\n * \n * @param element the element to append to the array.\n * \n * @return an array containing all
elements of the original array and then the given [element].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
operator fun ULongArray.plus(element: ULong): ULongArray {\n    return ULongArray(storage +
element.toLong())\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given
[element].\n * \n * @param element the element to append to the array.\n * \n * @return an array containing all
elements of the original array and then the given [element].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
operator fun UByteArray.plus(element: UByte): UByteArray {\n    return UByteArray(storage +
element.toByte())\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given
[element].\n * \n * @param element the element to append to the array.\n * \n * @return an array containing all
elements of the original array and then the given [element].\n

```

```

[element].\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
operator fun UShortArray.plus(element: UShort): UShortArray {\n    return UShortArray(storage +
element.toShort())\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements
of the given [elements] collection.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic operator
fun UIntArray.plus(elements: Collection<UInt>): UIntArray {\n    var index = size\n    val result =
storage.copyOfOf(size + elements.size)\n    for (element in elements) result[index++] = element.toInt()\n    return
UIntArray(result)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements
of the given [elements] collection.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic operator
fun ULongArray.plus(elements: Collection<ULong>): ULongArray {\n    var index = size\n    val result =
storage.copyOfOf(size + elements.size)\n    for (element in elements) result[index++] = element.toLong()\n    return
ULongArray(result)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all
elements of the given [elements] collection.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
operator fun UByteArray.plus(elements: Collection<UByte>): UByteArray {\n    var index = size\n    val result =
storage.copyOfOf(size + elements.size)\n    for (element in elements) result[index++] = element.toByte()\n    return
UByteArray(result)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements
of the given [elements] collection.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic operator
fun UShortArray.plus(elements: Collection<UShort>): UShortArray {\n    var index = size\n    val result =
storage.copyOfOf(size + elements.size)\n    for (element in elements) result[index++] = element.toShort()\n    return
UShortArray(result)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all
elements of the given [elements] array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
UIntArray.plus(elements: UIntArray): UIntArray {\n    return UIntArray(storage + elements.storage)\n}\n\n/**\n *
Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
ULongArray.plus(elements: ULongArray): ULongArray {\n    return ULongArray(storage +
elements.storage)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements
of the given [elements] array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
UByteArray.plus(elements: UByteArray): UByteArray {\n    return UByteArray(storage +
elements.storage)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements
of the given [elements] array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
UShortArray.plus(elements: UShortArray): UShortArray {\n    return UShortArray(storage +
elements.storage)\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample
samples.collections.Arrays.Sorting.sortArray\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
fun UIntArray.sort(): Unit {\n    if (size > 1) sortArray(this, 0, size)\n}\n\n/**\n * Sorts the array in-place.\n * \n *
@sample samples.collections.Arrays.Sorting.sortArray\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sort(): Unit {\n    if (size > 1)
sortArray(this, 0, size)\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample
samples.collections.Arrays.Sorting.sortArray\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
fun UByteArray.sort(): Unit {\n    if (size > 1) sortArray(this, 0, size)\n}\n\n/**\n * Sorts the array in-place.\n * \n *
@sample samples.collections.Arrays.Sorting.sortArray\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sort(): Unit {\n    if (size > 1)
sortArray(this, 0, size)\n}\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the
range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array
by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater
than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n *
@sample samples.collections.Arrays.Sorting.sortRangeOfArray\n

```

```

*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sort(fromIndex: Int = 0, toIndex:
Int = size): Unit {\n  AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n  sortArray(this, fromIndex,
toIndex)\n}\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the range
(inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by
default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than
the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n *
@sample samples.collections.Arrays.Sorting.sortRangeOfArray\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sort(fromIndex: Int = 0,
toIndex: Int = size): Unit {\n  AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n  sortArray(this,
fromIndex, toIndex)\n}\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the
range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array
by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater
than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n *
@sample samples.collections.Arrays.Sorting.sortRangeOfArray\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sort(fromIndex: Int = 0,
toIndex: Int = size): Unit {\n  AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n  sortArray(this,
fromIndex, toIndex)\n}\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the
range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array
by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater
than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n *
@sample samples.collections.Arrays.Sorting.sortRangeOfArray\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sort(fromIndex: Int = 0,
toIndex: Int = size): Unit {\n  AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n  sortArray(this,
fromIndex, toIndex)\n}\n\n/**\n * Sorts elements of the array in the specified range in-place.\n * The elements are
sorted descending according to their natural sort order.\n * \n * @param fromIndex the start of the range (inclusive)
to sort.\n * @param toIndex the end of the range (exclusive) to sort.\n * \n * @throws IndexOutOfBoundsException
if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sortDescending(fromIndex: Int,
toIndex: Int): Unit {\n  sort(fromIndex, toIndex)\n  reverse(fromIndex, toIndex)\n}\n\n/**\n * Sorts elements of
the array in the specified range in-place.\n * The elements are sorted descending according to their natural sort
order.\n * \n * @param fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end of the range
(exclusive) to sort.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is
greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sortDescending(fromIndex:
Int, toIndex: Int): Unit {\n  sort(fromIndex, toIndex)\n  reverse(fromIndex, toIndex)\n}\n\n/**\n * Sorts elements
of the array in the specified range in-place.\n * The elements are sorted descending according to their natural sort
order.\n * \n * @param fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end of the range
(exclusive) to sort.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is
greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sortDescending(fromIndex:
Int, toIndex: Int): Unit {\n  sort(fromIndex, toIndex)\n  reverse(fromIndex, toIndex)\n}\n\n/**\n * Sorts elements
of the array in the specified range in-place.\n * The elements are sorted descending according to their natural sort
order.\n * \n * @param fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end of the range
(exclusive) to sort.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is
greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sortDescending(fromIndex:
Int, toIndex: Int): Unit {\n  sort(fromIndex, toIndex)\n  reverse(fromIndex, toIndex)\n}\n\n/**\n * Returns an

```

array of type [ByteArray], which is a copy of this array where each element is a signed reinterpretation of the corresponding element of this array.

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UByteArray.toByteArray(): ByteArray {\n    return storage.copyOf()\n}\n\n/**\n * Returns an array of type  
[IntArray], which is a copy of this array where each element is a signed reinterpretation  
of the corresponding  
element of this array.
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UIntArray.toIntArray(): IntArray {\n    return storage.copyOf()\n}\n\n/**\n * Returns an array of type [LongArray],  
which is a copy of this array where each element is a signed reinterpretation  
of the corresponding element of this  
array.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
ULongArray.toLongArray(): LongArray {\n    return storage.copyOf()\n}\n\n/**\n * Returns an array of type  
[ShortArray], which is a copy of this array where each element is a signed reinterpretation  
of the corresponding  
element of this array.
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UShortArray.toShortArray(): ShortArray {\n    return storage.copyOf()\n}\n\n/**\n * Returns a *typed* object array  
containing all of the elements of this primitive array.
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.toTypedArray(): Array<UInt>  
{\n    return Array(size) { index -> this[index] }\n}\n\n/**\n * Returns a *typed* object array containing all of the  
elements of this primitive array.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun  
ULongArray.toTypedArray(): Array<ULong> {\n    return Array(size) { index -> this[index] }\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.toTypedArray():  
Array<UByte> {\n    return Array(size) { index -> this[index] }\n}\n\n/**\n * Returns a *typed* object array  
containing all of the elements of this primitive array.
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.toTypedArray():  
Array<UShort> {\n    return Array(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of UByte containing  
all of the elements of this generic array.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun  
Array<out UByte>.toUByteArray(): UByteArray {\n    return UByteArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of type [UByteArray], which is a copy of this array where each element is an unsigned  
reinterpretation  
of the corresponding element of this array.
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
ByteArray.toUByteArray(): UByteArray {\n    return UByteArray(this.copyOf())\n}\n\n/**\n * Returns an array of  
UInt containing all of the elements of this generic array.
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun Array<out UInt>.toUIntArray(): UIntArray  
{\n    return UIntArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of type [UIntArray], which is a  
copy of this array where each element is an unsigned reinterpretation  
of the corresponding element of this  
array.
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
IntArray.toUIntArray(): UIntArray {\n    return UIntArray(this.copyOf())\n}\n\n/**\n * Returns an array of ULong  
containing all of the elements of this generic array.
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun Array<out ULong>.toULongArray():  
ULongArray {\n    return ULongArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of type  
[ULongArray], which is a copy of this array where each element is an unsigned reinterpretation  
of the  
corresponding element of this array.
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
LongArray.toULongArray(): ULongArray {\n    return ULongArray(this.copyOf())\n}\n\n/**\n * Returns an array  
of UShort containing all of the elements of this generic array.
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun Array<out UShort>.toUShortArray():  
UShortArray {\n    return UShortArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of type
```

[UShortArray], which is a copy of this array where each element is an unsigned reinterpretation of the corresponding element of this array.

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
ShortArray.toUShortArray(): UShortArray {\n    return UShortArray(this.copyOf())\n}\n\n/**\n * Returns a [Map]  
where keys are elements from the given array and values are  
* produced by the [valueSelector] function applied to  
each element.\n * \n * If any two elements are equal, the last one gets added to the map.\n * \n * The returned map  
preserves the entry iteration order of the original array.\n * \n * @sample  
samples.collections.Collections.Transformations.associateWith\n
```

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V>  
UIntArray.associateWith(valueSelector: (UInt) -> V): Map<UInt, V> {\n    val result = LinkedHashMap<UInt,  
V>(mapCapacity(size).coerceAtLeast(16))\n    return associateWithTo(result, valueSelector)\n}\n\n/**\n * Returns a [Map]  
where keys are elements from the given array and values are  
* produced by the [valueSelector] function  
applied to each element.\n * \n * If any two elements are equal, the last one gets added to the map.\n * \n * The  
returned map preserves the entry iteration order of the original array.\n * \n * @sample  
samples.collections.Collections.Transformations.associateWith\n
```

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V>  
ULongArray.associateWith(valueSelector: (ULong) -> V): Map<ULong, V> {\n    val result =  
LinkedHashMap<ULong, V>(mapCapacity(size).coerceAtLeast(16))\n    return associateWithTo(result,  
valueSelector)\n}\n\n/**\n * Returns a [Map]  
where keys are elements from the given array and values are  
* produced by the [valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last one  
gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n *  
@sample samples.collections.Collections.Transformations.associateWith\n
```

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V>  
UByteArray.associateWith(valueSelector: (UByte) -> V): Map<UByte, V> {\n    val result =  
LinkedHashMap<UByte, V>(mapCapacity(size).coerceAtLeast(16))\n    return associateWithTo(result,  
valueSelector)\n}\n\n/**\n * Returns a [Map]  
where keys are elements from the given array and values are  
* produced by the [valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last one  
gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n *  
@sample samples.collections.Collections.Transformations.associateWith\n
```

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V>  
UShortArray.associateWith(valueSelector: (UShort) -> V): Map<UShort, V> {\n    val result =  
LinkedHashMap<UShort, V>(mapCapacity(size).coerceAtLeast(16))\n    return associateWithTo(result,  
valueSelector)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs for each  
element of the given array,\n * where key is the element itself and value is provided by the [valueSelector] function  
applied to that key.\n * \n * If any two elements are equal, the last one overwrites the former value in the map.\n * \n *  
@sample samples.collections.Collections.Transformations.associateWithTo\n
```

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V, M :  
MutableMap<in UInt, in V>> UIntArray.associateWithTo(destination: M, valueSelector: (UInt) -> V): M {\n    for  
(element in this) {\n        destination.put(element, valueSelector(element))\n    }\n    return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs for each element of the given array,\n * where key is the element itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If  
any two elements are equal, the last one overwrites the former value in the map.\n * \n * @sample  
samples.collections.Collections.Transformations.associateWithTo\n
```

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V, M :  
MutableMap<in ULong, in V>> ULongArray.associateWithTo(destination: M, valueSelector: (ULong) -> V): M  
{\n    for (element in this) {\n        destination.put(element, valueSelector(element))\n    }\n    return  
destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs for each element  
of the given array,\n * where key is the element itself and value is provided by the [valueSelector] function applied
```

to that key.\n \* \n \* If any two elements are equal, the last one overwrites the former value in the map.\n \* \n \*  
@sample samples.collections.Collections.Transformations.associateWithTo\n

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in UByte, in V>> UByteArray.associateWithTo(destination: M, valueSelector: (UByte) -> V): M {\n  for (element in this) {\n    destination.put(element, valueSelector(element))\n  }\n  return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs for each element of the given array,\n * where key is the element itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two elements are equal, the last one overwrites the former value in the map.\n * \n * @sample samples.collections.Collections.Transformations.associateWithTo\n */\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in UShort, in V>> UShortArray.associateWithTo(destination: M, valueSelector: (UShort) -> V): M {\n  for (element in this) {\n    destination.put(element, valueSelector(element))\n  }\n  return destination\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.flatMap(transform: (UInt) -> Iterable<R>): List<R> {\n  return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.flatMap(transform: (ULong) -> Iterable<R>): List<R> {\n  return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.flatMap(transform: (UByte) -> Iterable<R>): List<R> {\n  return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.flatMap(transform: (UShort) -> Iterable<R>): List<R> {\n  return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMapIndexed\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.flatMapIndexed(transform: (index: Int, UInt) -> Iterable<R>): List<R> {\n  return flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMapIndexed\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.flatMapIndexed(transform: (index: Int, ULong) -> Iterable<R>): List<R> {\n  return flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMapIndexed\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
```



```

ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UByteArray.flatMapIndexed(transform: (index: Int, UByte) -> Iterable<R>): List<R> {\n return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n *
@sample samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UShortArray.flatMapIndexed(transform: (index: Int, UShort) -> Iterable<R>): List<R> {\n return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each element\n * and its index in the original array, to the given
[destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UIntArray.flatMapIndexedTo(destination: C, transform: (index: Int, UInt) ->
Iterable<R>): C {\n var index = 0\n for (element in this) {\n val list = transform(index++, element)\n
destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each element\n * and its index in the original array, to the given
[destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> ULongArray.flatMapIndexedTo(destination: C, transform: (index: Int, ULong) ->
Iterable<R>): C {\n var index = 0\n for (element in this) {\n val list = transform(index++, element)\n
destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each element\n * and its index in the original array, to the given
[destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UByteArray.flatMapIndexedTo(destination: C, transform: (index: Int, UByte) ->
Iterable<R>): C {\n var index = 0\n for (element in this) {\n val list = transform(index++, element)\n
destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each element\n * and its index in the original array, to the given
[destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UShortArray.flatMapIndexedTo(destination: C, transform: (index: Int, UShort) ->
Iterable<R>): C {\n var index = 0\n for (element in this) {\n val list = transform(index++, element)\n
destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each element of original array, to the given [destination].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UIntArray.flatMapTo(destination: C, transform: (UInt) -> Iterable<R>): C {\n for
(element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return
destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
element of original array, to the given [destination].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> ULongArray.flatMapTo(destination: C, transform: (ULong) -> Iterable<R>): C {\n for
(element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return
destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
element of original array, to the given [destination].\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UByteArray.flatMapTo(destination: C, transform: (UByte) -> Iterable<R>): C {\n for
(element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return
destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
element of original array, to the given [destination].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UShortArray.flatMapTo(destination: C, transform: (UShort) -> Iterable<R>): C {\n for
(element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return
destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector]
function\n * applied to each element and returns a map where each group key is associated with a list of
corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the
original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K>
UIntArray.groupBy(keySelector: (UInt) -> K): Map<K, List<UInt>> {\n return groupByTo(LinkedHashMap<K,
MutableList<UInt>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the
given [keySelector] function\n * applied to each element and returns a map where each group key is associated with
a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced
from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K>
ULongArray.groupBy(keySelector: (ULong) -> K): Map<K, List<ULong>> {\n return
groupByTo(LinkedHashMap<K, MutableList<ULong>>(), keySelector)\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map
where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the
entry iteration order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K>
UByteArray.groupBy(keySelector: (UByte) -> K): Map<K, List<UByte>> {\n return
groupByTo(LinkedHashMap<K, MutableList<UByte>>(), keySelector)\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map
where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the
entry iteration order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K>
UShortArray.groupBy(keySelector: (UShort) -> K): Map<K, List<UShort>> {\n return
groupByTo(LinkedHashMap<K, MutableList<UShort>>(), keySelector)\n}\n\n/**\n * Groups values returned by
the [valueTransform] function applied to each element of the original array\n * by the key returned by the given
[keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of
corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the
original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V>
UIntArray.groupBy(keySelector: (UInt) -> K, valueTransform: (UInt) -> V): Map<K, List<V>> {\n return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values
returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by
the given [keySelector] function applied to the element\n * and returns a map where each group key is associated
with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys
produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V>

```

```

ULongArray.groupBy(keySelector: (ULong) -> K, valueTransform: (ULong) -> V): Map<K, List<V>> {\n
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values
returned by the [valueTransform] function applied to each element of the original array\n *
by the key returned by the given [keySelector] function applied to the element\n * and
returns a map where each group key is associated with a list of corresponding values.\n * \n
* The returned map preserves the entry iteration order of the keys produced from the
original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V>
UByteArray.groupBy(keySelector: (UByte) -> K, valueTransform: (UByte) -> V): Map<K, List<V>> {\n
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values
returned by the [valueTransform] function applied to each element of the original array\n *
by the key returned by the given [keySelector] function applied to the element\n * and
returns a map where each group key is associated with a list of corresponding values.\n * \n
* The returned map preserves the entry iteration order of the keys produced from the
original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V>
UShortArray.groupBy(keySelector: (UShort) -> K, valueTransform: (UShort) -> V): Map<K, List<V>> {\n
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups elements
of the original array by the key returned by the given [keySelector] function\n * applied to
each element and puts to the [destination] map each group key associated with a list of
corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, M :
MutableMap<in K, MutableList<UInt>>> UIntArray.groupByTo(destination: M, keySelector: (UInt) -> K): M {\n
for (element in this) {\n
val key = keySelector(element)\n
val list = destination.getOrPut(key) {
ArrayList<UInt>() }\n
list.add(element)\n
}\n
return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the
given [keySelector] function\n * applied to each element and puts to the [destination] map
each group key associated with a list of corresponding elements.\n * \n * @return The [destination]
map.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, M :
MutableMap<in K, MutableList<ULong>>> ULongArray.groupByTo(destination: M, keySelector: (ULong) -> K):
M {\n
for (element in this) {\n
val key = keySelector(element)\n
val list = destination.getOrPut(key) {
ArrayList<ULong>() }\n
list.add(element)\n
}\n
return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the
given [keySelector] function\n * applied to each element and puts to the [destination] map
each group key associated with a list of corresponding elements.\n * \n * @return The [destination]
map.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, M :
MutableMap<in K, MutableList<UByte>>> UByteArray.groupByTo(destination: M, keySelector: (UByte) -> K):
M {\n
for (element in this) {\n
val key = keySelector(element)\n
val list = destination.getOrPut(key) {
ArrayList<UByte>() }\n
list.add(element)\n
}\n
return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the
given [keySelector] function\n * applied to each element and puts to the [destination] map
each group key associated with a list of corresponding elements.\n * \n * @return The [destination]
map.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, M :
MutableMap<in K, MutableList<UShort>>> UShortArray.groupByTo(destination: M, keySelector: (UShort) -> K):
M {\n
for (element in this) {\n
val key = keySelector(element)\n
val list = destination.getOrPut(key) {
ArrayList<UShort>() }\n
list.add(element)\n
}\n
return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to
each element of the original array\n * by the key returned by the given [keySelector]
function applied to the element\n * and puts to the [destination] map each group key associated with a

```

```

list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V,
M : MutableMap<in K, MutableList<V>>> UIntArray.groupByTo(destination: M, keySelector: (UInt) -> K,
valueTransform: (UInt) -> V): M {\n    for (element in this) {\n        val key = keySelector(element)\n        val list =
destination.getOrPut(key) { ArrayList<V>() }\n        list.add(valueTransform(element))\n    }\n    return
destination\n}\n\n**\n * Groups values returned by the [valueTransform] function applied to each element of the
original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the
[destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination]
map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeyAndValues\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V,
M : MutableMap<in K, MutableList<V>>> ULongArray.groupByTo(destination: M, keySelector: (ULong) -> K,
valueTransform: (ULong) -> V): M {\n    for (element in this) {\n        val key = keySelector(element)\n        val list =
destination.getOrPut(key) { ArrayList<V>() }\n        list.add(valueTransform(element))\n    }\n    return
destination\n}\n\n**\n * Groups values returned by the [valueTransform] function applied to each element of the
original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the
[destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination]
map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeyAndValues\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V,
M : MutableMap<in K, MutableList<V>>> UByteArray.groupByTo(destination: M, keySelector: (UByte) -> K,
valueTransform: (UByte) -> V): M {\n    for (element in this) {\n        val key = keySelector(element)\n        val list =
destination.getOrPut(key) { ArrayList<V>() }\n        list.add(valueTransform(element))\n    }\n    return
destination\n}\n\n**\n * Groups values returned by the [valueTransform] function applied to each element of the
original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the
[destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination]
map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeyAndValues\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V,
M : MutableMap<in K, MutableList<V>>> UShortArray.groupByTo(destination: M, keySelector: (UShort) -> K,
valueTransform: (UShort) -> V): M {\n    for (element in this) {\n        val key = keySelector(element)\n        val list =
destination.getOrPut(key) { ArrayList<V>() }\n        list.add(valueTransform(element))\n    }\n    return
destination\n}\n\n**\n * Returns a list containing the results of applying the given [transform] function\n * to each
element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UIntArray.map(transform: (UInt) -> R): List<R> {\n    return mapTo(ArrayList<R>(size), transform)\n}\n\n**\n *
Returns a list containing the results of applying the given [transform] function\n * to each element in the original
array.\n * \n * @sample samples.collections.Collections.Transformations.map\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
ULongArray.map(transform: (ULong) -> R): List<R> {\n    return mapTo(ArrayList<R>(size),
transform)\n}\n\n**\n * Returns a list containing the results of applying the given [transform] function\n * to each
element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UByteArray.map(transform: (UByte) -> R): List<R> {\n    return mapTo(ArrayList<R>(size),
transform)\n}\n\n**\n * Returns a list containing the results of applying the given [transform] function\n * to each
element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UShortArray.map(transform: (UShort) -> R): List<R> {\n    return mapTo(ArrayList<R>(size),
transform)\n}\n\n**\n * Returns a list containing the results of applying the given [transform] function\n * to each
element and its index in the original array.\n * @param [transform] function that takes the index of an element and

```

the element itself\n \* and returns the result of the transform applied to the element.\n

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UIntArray.mapIndexed(transform: (index: Int, UInt) -> R): List<R> {\n    return
mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the
given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function
that takes the index of an element and the element itself\n * and returns the result of the transform applied to the
element.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun <R> ULongArray.mapIndexed(transform: (index: Int, ULong) -> R): List<R> {\n    return
mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the
given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function
that takes the index of an element and the element itself\n * and returns the result of the transform applied to the
element.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun <R> UByteArray.mapIndexed(transform: (index: Int, UByte) -> R): List<R> {\n    return
mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the
given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function
that takes the index of an element and the element itself\n * and returns the result of the transform applied to the
element.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun <R> UShortArray.mapIndexed(transform: (index: Int, UShort) -> R): List<R> {\n    return
mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Applies the given [transform] function to each
element and its index in the original array\n * and appends the results to the given [destination].\n * @param
[transform] function that takes the index of an element and the element itself\n * and returns the result of the
transform applied to the element.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UIntArray.mapIndexedTo(destination: C, transform: (index: Int, UInt) -> R): C {\n    var
index = 0\n    for (item in this)\n        destination.add(transform(index++, item))\n    return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element
itself\n * and returns the result of the transform applied to the element.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> ULongArray.mapIndexedTo(destination: C, transform: (index: Int, ULong) -> R): C {\n    var
index = 0\n    for (item in this)\n        destination.add(transform(index++, item))\n    return
destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n *
and appends the results to the given [destination].\n * @param [transform] function that takes the index of an
element and the element itself\n * and returns the result of the transform applied to the element.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UByteArray.mapIndexedTo(destination: C, transform: (index: Int, UByte) -> R): C {\n    var
index = 0\n    for (item in this)\n        destination.add(transform(index++, item))\n    return
destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n *
and appends the results to the given [destination].\n * @param [transform] function that takes the index of an
element and the element itself\n * and returns the result of the transform applied to the element.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UShortArray.mapIndexedTo(destination: C, transform: (index: Int, UShort) -> R): C {\n    var
index = 0\n    for (item in this)\n        destination.add(transform(index++, item))\n    return
destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and
appends the results to the given [destination].\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UIntArray.mapTo(destination: C, transform: (UInt) -> R): C {\n    for (item in this)\n        destination.add(transform(item))\n    return destination\n}\n\n/**\n * Applies the given [transform] function to each

```

element of the original array\n \* and appends the results to the given [destination].\n

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> ULongArray.mapTo(destination: C, transform: (ULong) -> R): C {\n  for (item in
this)\n    destination.add(transform(item))\n  return destination\n}\n\n/**\n * Applies the given [transform]
function to each element of the original array\n * and appends the results to the given [destination].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UByteArray.mapTo(destination: C, transform: (UByte) -> R): C {\n  for (item in this)\n
destination.add(transform(item))\n  return destination\n}\n\n/**\n * Applies the given [transform] function to
each element of the original array\n * and appends the results to the given [destination].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UShortArray.mapTo(destination: C, transform: (UShort) -> R): C {\n  for (item in
this)\n    destination.add(transform(item))\n  return destination\n}\n\n/**\n * Returns a lazy [Iterable] that wraps
each element of the original array\n * into an [IndexedValue] containing the index of that element and the element
itself.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.withIndex():
Iterable<IndexedValue<UInt>> {\n  return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable]
that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the
element itself.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.withIndex():
Iterable<IndexedValue<ULong>> {\n  return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable]
that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the
element itself.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.withIndex():
Iterable<IndexedValue<UByte>> {\n  return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable]
that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the
element itself.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.withIndex():
Iterable<IndexedValue<UShort>> {\n  return IndexingIterable { iterator() }\n}\n\n/**\n * Returns `true` if all
elements match the given [predicate].\n *\n * @sample samples.collections.Collections.Aggregates.all\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.all(predicate: (UInt) -> Boolean): Boolean {\n  for (element in this) if (!predicate(element)) return
false\n  return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n *\n * @sample
samples.collections.Collections.Aggregates.all\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.all(predicate: (ULong) -> Boolean): Boolean {\n  for (element in this) if (!predicate(element)) return
false\n  return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n *\n * @sample
samples.collections.Collections.Aggregates.all\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.all(predicate: (UByte) -> Boolean): Boolean {\n  for (element in this) if (!predicate(element)) return
false\n  return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n *\n * @sample
samples.collections.Collections.Aggregates.all\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.all(predicate: (UShort) -> Boolean): Boolean {\n  for (element in this) if (!predicate(element)) return
false\n  return true\n}\n\n/**\n * Returns `true` if array has at least one element.\n *\n * @sample
samples.collections.Collections.Aggregates.any\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.any(): Boolean {\n  return storage.any()\n}\n\n/**\n * Returns `true` if array has at least one element.\n
*\n * @sample samples.collections.Collections.Aggregates.any\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.any(): Boolean {\n  return storage.any()\n}\n\n/**\n * Returns `true` if array has at least one
element.\n *\n * @sample samples.collections.Collections.Aggregates.any\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun

```

```

UByteArray.any(): Boolean {
    return storage.any()
}

/**
 * Returns `true` if array has at least one
 * element.
 */
@sample samples.collections.Collections.Aggregates.any()

*\/n@SinceKotlin("1.3")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun
UShortArray.any(): Boolean {
    return storage.any()
}

/**
 * Returns `true` if at least one element matches
 * the given [predicate].
 */
@sample samples.collections.Collections.Aggregates.anyWithPredicate()

*\/n@SinceKotlin("1.3")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun
UIntArray.any(predicate: (UInt) -> Boolean): Boolean {
    for (element in this) if (predicate(element)) return true
    return false
}

/**
 * Returns `true` if at least one element matches the given [predicate].
 */
@sample samples.collections.Collections.Aggregates.anyWithPredicate()

*\/n@SinceKotlin("1.3")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun
ULongArray.any(predicate: (ULong) -> Boolean): Boolean {
    for (element in this) if (predicate(element)) return
    true
    return false
}

/**
 * Returns `true` if at least one element matches the given [predicate].
 */
@sample samples.collections.Collections.Aggregates.anyWithPredicate()

*\/n@SinceKotlin("1.3")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun
UByteArray.any(predicate: (UByte) -> Boolean): Boolean {
    for (element in this) if (predicate(element)) return
    true
    return false
}

/**
 * Returns `true` if at least one element matches the given [predicate].
 */
@sample samples.collections.Collections.Aggregates.anyWithPredicate()

*\/n@SinceKotlin("1.3")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun
UShortArray.any(predicate: (UShort) -> Boolean): Boolean {
    for (element in this) if (predicate(element)) return
    true
    return false
}

/**
 * Returns the number of elements matching the given [predicate].
 */
@sample samples.collections.Collections.Aggregates.anyWithPredicate()

*\/n@SinceKotlin("1.3")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun
UIntArray.count(predicate: (UInt) -> Boolean): Int {
    var count = 0
    for (element in this) if
    (predicate(element)) ++count
    return count
}

/**
 * Returns the number of elements matching the given
 * [predicate].
 */
@sample samples.collections.Collections.Aggregates.anyWithPredicate()

*\/n@SinceKotlin("1.3")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic
inline fun ULongArray.count(predicate: (ULong) -> Boolean): Int {
    var count = 0
    for (element in this) if
    (predicate(element)) ++count
    return count
}

/**
 * Returns the number of elements matching the given
 * [predicate].
 */
@sample samples.collections.Collections.Aggregates.anyWithPredicate()

*\/n@SinceKotlin("1.3")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic
inline fun UByteArray.count(predicate: (UByte) -> Boolean): Int {
    var count = 0
    for (element in this) if
    (predicate(element)) ++count
    return count
}

/**
 * Returns the number of elements matching the given
 * [predicate].
 */
@sample samples.collections.Collections.Aggregates.anyWithPredicate()

*\/n@SinceKotlin("1.3")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic
inline fun UShortArray.count(predicate: (UShort) -> Boolean): Int {
    var count = 0
    for (element in this) if
    (predicate(element)) ++count
    return count
}

/**
 * Accumulates value starting with [initial] value and
 * applying [operation] from left to right
 * to current accumulator value and each element.
 * Returns the
 * specified [initial] value if the array is empty.
 */
@sample samples.collections.Collections.Aggregates.anyWithPredicate()

*\/n@SinceKotlin("1.3")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun <R>
UIntArray.fold(initial: R, operation: (acc: R, UInt) -> R): R {
    var accumulator = initial
    for (element in this)
    accumulator = operation(accumulator, element)
    return accumulator
}

/**
 * Accumulates value starting
 * with [initial] value and applying [operation] from left to right
 * to current accumulator value and each element.
 * Returns the specified [initial] value if the array is empty.
 */
@sample samples.collections.Collections.Aggregates.anyWithPredicate()

*\/n@SinceKotlin("1.3")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun <R>
ULongArray.fold(initial: R, operation: (acc: R, ULong) -> R): R {
    var accumulator = initial
    for (element in
    this) accumulator = operation(accumulator, element)
    return accumulator
}

/**
 * Accumulates value
 * starting with [initial] value and applying [operation] from left to right
 * to current accumulator value and each
 * element.
 * Returns the specified [initial] value if the array is empty.
 */
@sample samples.collections.Collections.Aggregates.anyWithPredicate()

*\/n@SinceKotlin("1.3")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun <R>

```

UByteArray.fold(initial: R, operation: (acc: R, UByte) -> R): R {\n var accumulator = initial\n for (element in this) accumulator = operation(accumulator, element)\n return accumulator}\n\n \* Accumulates value starting with [initial] value and applying [operation] from left to right\n \* to current accumulator value and each element.\n \* Returns the specified [initial] value if the array is empty.\n \* @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>  
UShortArray.fold(initial: R, operation: (acc: R, UShort) -> R): R {\n var accumulator = initial\n for (element in this) accumulator = operation(accumulator, element)\n return accumulator}\n\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * Returns the specified [initial] value if the array is empty.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>  
UIntArray.foldIndexed(initial: R, operation: (index: Int, acc: R, UInt) -> R): R {\n var index = 0\n var accumulator = initial\n for (element in this) accumulator = operation(index++, accumulator, element)\n return accumulator}\n\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * Returns the specified [initial] value if the array is empty.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>  
ULongArray.foldIndexed(initial: R, operation: (index: Int, acc: R, ULong) -> R): R {\n var index = 0\n var accumulator = initial\n for (element in this) accumulator = operation(index++, accumulator, element)\n return accumulator}\n\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * Returns the specified [initial] value if the array is empty.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>  
UByteArray.foldIndexed(initial: R, operation: (index: Int, acc: R, UByte) -> R): R {\n var index = 0\n var accumulator = initial\n for (element in this) accumulator = operation(index++, accumulator, element)\n return accumulator}\n\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * Returns the specified [initial] value if the array is empty.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>  
UShortArray.foldIndexed(initial: R, operation: (index: Int, acc: R, UShort) -> R): R {\n var index = 0\n var accumulator = initial\n for (element in this) accumulator = operation(index++, accumulator, element)\n return accumulator}\n\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element and current accumulator value.\n * Returns the specified [initial] value if the array is empty.\n * @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>  
UIntArray.foldRight(initial: R, operation: (UInt, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator}\n\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element and current accumulator value.\n * Returns the specified [initial] value if the array is empty.\n * @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
```



UByteArray.foldRight(initial: R, operation: (UByte, acc: R) -> R): R {  
var index = lastIndex  
var accumulator = initial  
while (index >= 0) {  
accumulator = operation(get(index--), accumulator)  
}  
return accumulator  
}

Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.  
Returns the specified [initial] value if the array is empty.  
@param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>  
UByteArray.foldRight(initial: R, operation: (UByte, acc: R) -> R): R {  
var index = lastIndex  
var accumulator = initial  
while (index >= 0) {  
accumulator = operation(get(index--), accumulator)  
}  
return accumulator  
}
```

Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.  
Returns the specified [initial] value if the array is empty.  
@param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>  
UShortArray.foldRight(initial: R, operation: (UShort, acc: R) -> R): R {  
var index = lastIndex  
var accumulator = initial  
while (index >= 0) {  
accumulator = operation(get(index--), accumulator)  
}  
return accumulator  
}
```

Accumulates value starting with [initial] value and applying [operation] from right to left to each element with its index in the original array and current accumulator value.  
Returns the specified [initial] value if the array is empty.  
@param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>  
UIntArray.foldRightIndexed(initial: R, operation: (index: Int, UInt, acc: R) -> R): R {  
var index = lastIndex  
var accumulator = initial  
while (index >= 0) {  
accumulator = operation(index, get(index), accumulator)  
--index  
}  
return accumulator  
}
```

Accumulates value starting with [initial] value and applying [operation] from right to left to each element with its index in the original array and current accumulator value.  
Returns the specified [initial] value if the array is empty.  
@param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
<R> ULongArray.foldRightIndexed(initial: R, operation: (index: Int, ULong, acc: R) -> R): R {  
var index = lastIndex  
var accumulator = initial  
while (index >= 0) {  
accumulator = operation(index, get(index), accumulator)  
--index  
}  
return accumulator  
}
```

Accumulates value starting with [initial] value and applying [operation] from right to left to each element with its index in the original array and current accumulator value.  
Returns the specified [initial] value if the array is empty.  
@param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>  
UByteArray.foldRightIndexed(initial: R, operation: (index: Int, UByte, acc: R) -> R): R {  
var index = lastIndex  
var accumulator = initial  
while (index >= 0) {  
accumulator = operation(index, get(index), accumulator)  
--index  
}  
return accumulator  
}
```

Accumulates value starting with [initial] value and applying [operation] from right to left to each element with its index in the original array and current accumulator value.  
Returns the specified [initial] value if the array is empty.  
@param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>  
UShortArray.foldRightIndexed(initial: R, operation: (index: Int, UShort, acc: R) -> R): R {  
var index = lastIndex  
var accumulator = initial  
while (index >= 0) {  
accumulator = operation(index, get(index), accumulator)  
--index  
}  
return accumulator  
}
```

Performs the given [action] on each element.

```

fun UIntArray.forEach(action: (UInt) -> Unit): Unit {
    for (element in this) action(element)
}
Performs the given [action] on each element.

*\/n@SinceKotlin("1.3")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun
ULongArray.forEach(action: (ULong) -> Unit): Unit {
    for (element in this) action(element)
}
Performs the given [action] on each element.

*\/n@SinceKotlin("1.3")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun
UByteArray.forEach(action: (UByte) -> Unit): Unit {
    for (element in this) action(element)
}
Performs the given [action] on each element.

*\/n@SinceKotlin("1.3")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun
UShortArray.forEach(action: (UShort) -> Unit): Unit {
    for (element in this) action(element)
}
Performs the given [action] on each element, providing sequential index with the element.
@param [action]
function that takes the index of an element and the element itself
and performs the action on the element.

*\/n@SinceKotlin("1.3")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun
UIntArray.forEachIndexed(action: (index: Int, UInt) -> Unit): Unit {
    var index = 0
    for (item in this)
        action(index++, item)
}
Performs the given [action] on each element, providing sequential index with
the element.
@param [action] function that takes the index of an element and the element itself
and performs
the action on the element.

*\/n@SinceKotlin("1.3")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun
ULongArray.forEachIndexed(action: (index: Int, ULong) -> Unit): Unit {
    var index = 0
    for (item in this)
        action(index++, item)
}
Performs the given [action] on each element, providing sequential index with
the element.
@param [action] function that takes the index of an element and the element itself
and performs
the action on the element.

*\/n@SinceKotlin("1.3")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun
UByteArray.forEachIndexed(action: (index: Int, UByte) -> Unit): Unit {
    var index = 0
    for (item in this)
        action(index++, item)
}
Performs the given [action] on each element, providing sequential index with
the element.
@param [action] function that takes the index of an element and the element itself
and performs
the action on the element.

*\/n@SinceKotlin("1.3")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun
UShortArray.forEachIndexed(action: (index: Int, UShort) -> Unit): Unit {
    var index = 0
    for (item in this)
        action(index++, item)
}
@Deprecated("Use maxOrNull instead.",
ReplaceWith("this.maxOrNull()"))
@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun UIntArray.max():
UInt? {
    return maxOrNull()
}
@Deprecated("Use maxOrNull instead.",
ReplaceWith("this.maxOrNull()"))
@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun ULongArray.max():
ULong? {
    return maxOrNull()
}
@Deprecated("Use maxOrNull instead.",
ReplaceWith("this.maxOrNull()"))
@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun UByteArray.max():
UByte? {
    return maxOrNull()
}
@Deprecated("Use maxOrNull instead.",
ReplaceWith("this.maxOrNull()"))
@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun UShortArray.max():
UShort? {
    return maxOrNull()
}
@Deprecated("Use maxByOrNull instead.",
ReplaceWith("this.maxByOrNull(selector)"))
@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince =
"1.6")
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
<R : Comparable<R>> UIntArray.maxBy(selector: (UInt) -> R): UInt? {
    return
maxByOrNull(selector)
}
@Deprecated("Use maxByOrNull instead.",
ReplaceWith("this.maxByOrNull(selector)"))
@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =

```

```

"1.5", hiddenSince =
"1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
<R : Comparable<R>> ULongArray.maxBy(selector: (ULong) -> R): ULong? {\n return
maxByOrNull(selector)\n}\n\n@Deprecated("Use maxByOrNull instead.\",
ReplaceWith("this.maxByOrNull(selector)")\n)\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince =
"1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
<R : Comparable<R>> UByteArray.maxBy(selector: (UByte) -> R): UByte? {\n return
maxByOrNull(selector)\n}\n\n@Deprecated("Use maxByOrNull instead.\",
ReplaceWith("this.maxByOrNull(selector)")\n)\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince =
"1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
<R : Comparable<R>> UShortArray.maxBy(selector: (UShort) -> R): UShort? {\n return
maxByOrNull(selector)\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or
`null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n
*\n*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UIntArray.maxByOrNull(selector: (UInt) -> R): UInt? {\n if (isEmpty()) return null\n var
maxElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return maxElem\n var maxValue =
selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v)
{\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first
element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.maxByOrNull\n
*\n*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> ULongArray.maxByOrNull(selector: (ULong) -> R): ULong? {\n if (isEmpty()) return null\n
var maxElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return maxElem\n var maxValue =
selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v)
{\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first
element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.maxByOrNull\n
*\n*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UByteArray.maxByOrNull(selector: (UByte) -> R): UByte? {\n if (isEmpty()) return null\n
var maxElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return maxElem\n var maxValue =
selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v)
{\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first
element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.maxByOrNull\n
*\n*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UShortArray.maxByOrNull(selector: (UShort) -> R): UShort? {\n if (isEmpty()) return null\n
var maxElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return maxElem\n var maxValue =
selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v)
{\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the largest
value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of
values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.maxOf(selector: (UInt) -> Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n
var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue =

```

```

maxOf(maxValue, v) } return maxValue}

 * Returns the largest value among all values produced
by [selector] function * applied to each element in the array.
 * If any of values produced by [selector]
function is NaN, the returned result is NaN.
 * @throws NoSuchElementException if the array is empty.
 * \n @SinceKotlin("1.4") \n @OptIn(kotlin.experimental.ExperimentalTypeInference::class) \n @OverloadResolution
ByLambdaReturnType \n @ExperimentalUnsignedTypes \n @kotlin.internal.InlineOnly \n public inline fun
UByteArray.maxOf(selector: (UByte) -> Double): Double {
    if (isEmpty()) throw NoSuchElementException()
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue =
maxOf(maxValue, v)
    }
    return maxValue}

 * Returns the largest value among all values produced
by [selector] function * applied to each element in the array.
 * If any of values produced by [selector]
function is NaN, the returned result is NaN.
 * @throws NoSuchElementException if the array is empty.
 * \n @SinceKotlin("1.4") \n @OptIn(kotlin.experimental.ExperimentalTypeInference::class) \n @OverloadResolution
ByLambdaReturnType \n @ExperimentalUnsignedTypes \n @kotlin.internal.InlineOnly \n public inline fun
UByteArray.maxOf(selector: (UByte) -> Double): Double {
    if (isEmpty()) throw NoSuchElementException()
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue =
maxOf(maxValue, v)
    }
    return maxValue}

 * Returns the largest value among all values produced
by [selector] function * applied to each element in the array.
 * If any of values produced by [selector]
function is NaN, the returned result is NaN.
 * @throws NoSuchElementException if the array is empty.
 * \n @SinceKotlin("1.4") \n @OptIn(kotlin.experimental.ExperimentalTypeInference::class) \n @OverloadResolution
ByLambdaReturnType \n @ExperimentalUnsignedTypes \n @kotlin.internal.InlineOnly \n public inline fun
UShortArray.maxOf(selector: (UShort) -> Double): Double {
    if (isEmpty()) throw
NoSuchElementException()
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v =
selector(this[i])
        maxValue = maxOf(maxValue, v)
    }
    return maxValue}

 * Returns the
largest value among all values produced by [selector] function
 * applied to each element in the array.
 * If
any of values produced by [selector] function is NaN, the returned result is NaN.
 * @throws
NoSuchElementException if the array is empty.
 * \n
 * \n @SinceKotlin("1.4") \n @OptIn(kotlin.experimental.ExperimentalTypeInference::class) \n @OverloadResolution
ByLambdaReturnType \n @ExperimentalUnsignedTypes \n @kotlin.internal.InlineOnly \n public inline fun
UIntArray.maxOf(selector: (UInt) -> Float): Float {
    if (isEmpty()) throw NoSuchElementException()
    var
maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue =
maxOf(maxValue, v)
    }
    return maxValue}

 * Returns the largest value among all values produced
by [selector] function * applied to each element in the array.
 * If any of values produced by [selector]
function is NaN, the returned result is NaN.
 * @throws NoSuchElementException if the array is empty.
 * \n
 * \n @SinceKotlin("1.4") \n @OptIn(kotlin.experimental.ExperimentalTypeInference::class) \n @OverloadResolution
ByLambdaReturnType \n @ExperimentalUnsignedTypes \n @kotlin.internal.InlineOnly \n public inline fun
UByteArray.maxOf(selector: (UByte) -> Float): Float {
    if (isEmpty()) throw NoSuchElementException()
    var
maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue =
maxOf(maxValue, v)
    }
    return maxValue}

 * Returns the largest value among all values produced
by [selector] function * applied to each element in the array.
 * If any of values produced by [selector]
function is NaN, the returned result is NaN.
 * @throws NoSuchElementException if the array is empty.
 * \n
 * \n @SinceKotlin("1.4") \n @OptIn(kotlin.experimental.ExperimentalTypeInference::class) \n @OverloadResolution
ByLambdaReturnType \n @ExperimentalUnsignedTypes \n @kotlin.internal.InlineOnly \n public inline fun
UByteArray.maxOf(selector: (UByte) -> Float): Float {
    if (isEmpty()) throw NoSuchElementException()
    var
maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue =
maxOf(maxValue, v)
    }
    return maxValue}

 * Returns the largest value among all values produced
by [selector] function * applied to each element in the array.
 * If any of values produced by [selector]
function is NaN, the returned result is NaN.
 * @throws NoSuchElementException if the array is empty.
 * \n
 * \n @SinceKotlin("1.4") \n @OptIn(kotlin.experimental.ExperimentalTypeInference::class) \n @OverloadResolution
ByLambdaReturnType \n @ExperimentalUnsignedTypes \n @kotlin.internal.InlineOnly \n public inline fun

```

```

UShortArray.maxOf(selector: (UShort) -> Float): Float {
    if (isEmpty()) throw NoSuchElementException()
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue, v)
    }
    return maxValue
}

```

Returns the largest value among all values produced by [selector] function applied to each element in the array. @throws NoSuchElementException if the array is empty.

```

*\/@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution
ByLambdaReturnType@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UIntArray.maxOf(selector: (UInt) -> R): R {
    if (isEmpty()) throw
    NoSuchElementException()
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v =
        selector(this[i])
        if (maxValue < v) {
            maxValue = v
        }
    }
    return maxValue
}

```

Returns the largest value among all values produced by [selector] function applied to each element in the array. @throws NoSuchElementException if the array is empty.

```

*\/@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution
ByLambdaReturnType@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> ULongArray.maxOf(selector: (ULong) -> R): R {
    if (isEmpty()) throw
    NoSuchElementException()
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v =
        selector(this[i])
        if (maxValue < v) {
            maxValue = v
        }
    }
    return maxValue
}

```

Returns the largest value among all values produced by [selector] function applied to each element in the array. @throws NoSuchElementException if the array is empty.

```

*\/@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution
ByLambdaReturnType@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UByteArray.maxOf(selector: (UByte) -> R): R {
    if (isEmpty()) throw
    NoSuchElementException()
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v =
        selector(this[i])
        if (maxValue < v) {
            maxValue = v
        }
    }
    return maxValue
}

```

Returns the largest value among all values produced by [selector] function applied to each element in the array. @throws NoSuchElementException if the array is empty.

```

*\/@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution
ByLambdaReturnType@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UShortArray.maxOf(selector: (UShort) -> R): R {
    if (isEmpty()) throw
    NoSuchElementException()
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v =
        selector(this[i])
        if (maxValue < v) {
            maxValue = v
        }
    }
    return maxValue
}

```

Returns the largest value among all values produced by [selector] function applied to each element in the array or `null` if there are no elements. If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.

```

*\/@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution
ByLambdaReturnType@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.maxOfOrNull(selector: (UInt) -> Double): Double? {
    if (isEmpty()) return null
    var maxValue =
    selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue, v)
    }
    return maxValue
}

```

Returns the largest value among all values produced by [selector] function applied to each element in the array or `null` if there are no elements. If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.

```

*\/@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution
ByLambdaReturnType@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.maxOfOrNull(selector: (ULong) -> Double): Double? {
    if (isEmpty()) return null
    var
    maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue =
        maxOf(maxValue, v)
    }
    return maxValue
}

```

Returns the largest value among all values produced by [selector] function applied to each element in the array or `null` if there are no elements. If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.maxOfOrNull(selector: (UByte) -> Double): Double? {\n if (isEmpty()) return null\n var maxValue
= selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue,
v)\n }\n return maxValue\n}\n\n**\n * Returns the largest value among all values produced by [selector]
function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced
by [selector] function is `NaN`, the returned result is `NaN`.\n

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.maxOfOrNull(selector: (UShort) -> Double): Double? {\n if (isEmpty()) return null\n var
maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue =
maxOf(maxValue, v)\n }\n return maxValue\n}\n\n**\n * Returns the largest value among all values produced
by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of
values produced by [selector] function is `NaN`, the returned result is `NaN`.\n

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.maxOfOrNull(selector: (UInt) -> Float): Float? {\n if (isEmpty()) return null\n var maxValue =
selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n
}\n return maxValue\n}\n\n**\n * Returns the largest value among all values produced by [selector] function\n *
applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector]
function is `NaN`, the returned result is `NaN`.\n

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.maxOfOrNull(selector: (ULong) -> Float): Float? {\n if (isEmpty()) return null\n var maxValue =
selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n
}\n return maxValue\n}\n\n**\n * Returns the largest value among all values produced by [selector] function\n *
applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector]
function is `NaN`, the returned result is `NaN`.\n

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.maxOfOrNull(selector: (UByte) -> Float): Float? {\n if (isEmpty()) return null\n var maxValue =
selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n
}\n return maxValue\n}\n\n**\n * Returns the largest value among all values produced by [selector] function\n *
applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector]
function is `NaN`, the returned result is `NaN`.\n

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.maxOfOrNull(selector: (UShort) -> Float): Float? {\n if (isEmpty()) return null\n var maxValue =
selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n
}\n return maxValue\n}\n\n**\n * Returns the largest value among all values produced by [selector] function\n *
applied to each element in the array or `null` if there are no elements.\n

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UIntArray.maxOfOrNull(selector: (UInt) -> R): R? {\n if (isEmpty()) return null\n var
maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (maxValue < v) {\n
maxValue = v\n }\n }\n return maxValue\n}\n\n**\n * Returns the largest value among all values
produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution

```

```

ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> ULongArray.maxOfOrNull(selector: (ULong) -> R): R? {\n  if (isEmpty()) return null\n  var
maxValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if (maxValue < v) {\n
      maxValue = v\n    }\n  }\n  return maxValue\n}\n\n/**\n * Returns the largest value among all values
produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UByteArray.maxOfOrNull(selector: (UByte) -> R): R? {\n  if (isEmpty()) return null\n  var
maxValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if (maxValue < v) {\n
      maxValue = v\n    }\n  }\n  return maxValue\n}\n\n/**\n * Returns the largest value among all values
produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UShortArray.maxOfOrNull(selector: (UShort) -> R): R? {\n  if (isEmpty()) return null\n  var
maxValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if (maxValue < v) {\n
      maxValue = v\n    }\n  }\n  return maxValue\n}\n\n/**\n * Returns the largest value according to the
provided [comparator]\n * among all values produced by [selector] function applied to each element in the array.\n *
*\n@throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UIntArray.maxOfWith(comparator: Comparator<in R>, selector: (UInt) -> R): R {\n  if (isEmpty()) throw
NoSuchElementException()\n  var maxValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v =
selector(this[i])\n    if (comparator.compare(maxValue, v) < 0) {\n      maxValue = v\n    }\n  }\n  return
maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values
produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if
the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
ULongArray.maxOfWith(comparator: Comparator<in R>, selector: (ULong) -> R): R {\n  if (isEmpty()) throw
NoSuchElementException()\n  var maxValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v =
selector(this[i])\n    if (comparator.compare(maxValue, v) < 0) {\n      maxValue = v\n    }\n  }\n  return
maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values
produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if
the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UByteArray.maxOfWith(comparator: Comparator<in R>, selector: (UByte) -> R): R {\n  if (isEmpty()) throw
NoSuchElementException()\n  var maxValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v =
selector(this[i])\n    if (comparator.compare(maxValue, v) < 0) {\n      maxValue = v\n    }\n  }\n  return
maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values
produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if
the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UShortArray.maxOfWith(comparator: Comparator<in R>, selector: (UShort) -> R): R {\n  if (isEmpty()) throw
NoSuchElementException()\n  var maxValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v =
selector(this[i])\n    if (comparator.compare(maxValue, v) < 0) {\n      maxValue = v\n    }\n  }\n  return
maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values

```

produced by [selector] function applied to each element in the array or `null` if there are no elements.

```

*\/n@SinceKotlin("1.4")\/n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\/n@OverloadResolution
ByLambdaReturnType\/n@ExperimentalUnsignedTypes\/n@kotlin.internal.InlineOnly\/npublic inline fun <R>
UIntArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (UInt) -> R): R? {\/n if (isEmpty()) return
null\/n var maxValue = selector(this[0])\/n for (i in 1..lastIndex) {\/n val v = selector(this[i])\/n if
(comparator.compare(maxValue, v) < 0) {\/n maxValue = v\/n }\/n }\/n return maxValue\/n}\/n\/n**\/n *
Returns the largest value according to the provided [comparator]\/n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.
*\/n@SinceKotlin("1.4")\/n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\/n@OverloadResolution
ByLambdaReturnType\/n@ExperimentalUnsignedTypes\/n@kotlin.internal.InlineOnly\/npublic inline fun <R>
ULongArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (ULong) -> R): R? {\/n if (isEmpty())
return null\/n var maxValue = selector(this[0])\/n for (i in 1..lastIndex) {\/n val v = selector(this[i])\/n if
(comparator.compare(maxValue, v) < 0) {\/n maxValue = v\/n }\/n }\/n return maxValue\/n}\/n\/n**\/n *
Returns the largest value according to the provided [comparator]\/n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.
*\/n@SinceKotlin("1.4")\/n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\/n@OverloadResolution
ByLambdaReturnType\/n@ExperimentalUnsignedTypes\/n@kotlin.internal.InlineOnly\/npublic inline fun <R>
UByteArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (UByte) -> R): R? {\/n if (isEmpty())
return null\/n var maxValue = selector(this[0])\/n for (i in 1..lastIndex) {\/n val v = selector(this[i])\/n if
(comparator.compare(maxValue, v) < 0) {\/n maxValue = v\/n }\/n }\/n return maxValue\/n}\/n\/n**\/n *
Returns the largest value according to the provided [comparator]\/n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.
*\/n@SinceKotlin("1.4")\/n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\/n@OverloadResolution
ByLambdaReturnType\/n@ExperimentalUnsignedTypes\/n@kotlin.internal.InlineOnly\/npublic inline fun <R>
UShortArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (UShort) -> R): R? {\/n if (isEmpty())
return null\/n var maxValue = selector(this[0])\/n for (i in 1..lastIndex) {\/n val v = selector(this[i])\/n if
(comparator.compare(maxValue, v) < 0) {\/n maxValue = v\/n }\/n }\/n return maxValue\/n}\/n\/n**\/n *
Returns the largest element or `null` if there are no elements.
*\/n@SinceKotlin("1.4")\/n@ExperimentalUnsignedTypes\/npublic fun UIntArray.maxOrNull(): UInt? {\/n if
(isEmpty()) return null\/n var max = this[0]\/n for (i in 1..lastIndex) {\/n val e = this[i]\/n if (max < e) max
= e\/n }\/n return max\/n}\/n\/n**\/n * Returns the largest element or `null` if there are no elements.
*\/n@SinceKotlin("1.4")\/n@ExperimentalUnsignedTypes\/npublic fun ULongArray.maxOrNull(): ULong? {\/n if
(isEmpty()) return null\/n var max = this[0]\/n for (i in 1..lastIndex) {\/n val e = this[i]\/n if (max < e) max
= e\/n }\/n return max\/n}\/n\/n**\/n * Returns the largest element or `null` if there are no elements.
*\/n@SinceKotlin("1.4")\/n@ExperimentalUnsignedTypes\/npublic fun UByteArray.maxOrNull(): UByte? {\/n if
(isEmpty()) return null\/n var max = this[0]\/n for (i in 1..lastIndex) {\/n val e = this[i]\/n if (max < e) max
= e\/n }\/n return max\/n}\/n\/n**\/n * Returns the largest element or `null` if there are no elements.
*\/n@SinceKotlin("1.4")\/n@ExperimentalUnsignedTypes\/npublic fun UShortArray.maxOrNull(): UShort? {\/n if
(isEmpty()) return null\/n var max = this[0]\/n for (i in 1..lastIndex) {\/n val e = this[i]\/n if (max < e) max
= e\/n }\/n return max\/n}\/n@Deprecated("Use maxWithOrNull instead.",
ReplaceWith("this.maxWithOrNull(comparator)"))\/n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\/n@SinceKotlin("1.3")\/n@ExperimentalUnsignedTypes\/npublic fun
UIntArray.maxWith(comparator: Comparator<in UInt>): UInt? {\/n return
maxWithOrNull(comparator)\/n}\/n@Deprecated("Use maxWithOrNull instead.",
ReplaceWith("this.maxWithOrNull(comparator)"))\/n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\/n@SinceKotlin("1.3")\/n@ExperimentalUnsignedTypes\/npublic fun
ULongArray.maxWith(comparator: Comparator<in ULong>): ULong? {\/n return
maxWithOrNull(comparator)\/n}\/n@Deprecated("Use maxWithOrNull instead.",

```



```

ReplaceWith("this.maxWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
ByteArray.maxWith(comparator: Comparator<in UByte>): UByte? {\n    return
maxWithOrNull(comparator)\n}\n\n@Deprecated("Use maxWithOrNull instead."),
ReplaceWith("this.maxWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UShortArray.maxWith(comparator: Comparator<in UShort>): UShort? {\n    return
maxWithOrNull(comparator)\n}\n\n/**\n * Returns the first element having the largest value according to the
provided [comparator] or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.maxWithOrNull(comparator:
Comparator<in UInt>): UInt? {\n    if (isEmpty()) return null\n    var max = this[0]\n    for (i in 1..lastIndex) {\n
val e = this[i]\n        if (comparator.compare(max, e) < 0) max = e\n    }\n    return max\n}\n\n/**\n * Returns the
first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.maxWithOrNull(comparator:
Comparator<in ULong>): ULong? {\n    if (isEmpty()) return null\n    var max = this[0]\n    for (i in 1..lastIndex) {\n
val e = this[i]\n        if (comparator.compare(max, e) < 0) max = e\n    }\n    return max\n}\n\n/**\n * Returns the
first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun ByteArray.maxWithOrNull(comparator:
Comparator<in UByte>): UByte? {\n    if (isEmpty()) return null\n    var max = this[0]\n    for (i in 1..lastIndex) {\n
val e = this[i]\n        if (comparator.compare(max, e) < 0) max = e\n    }\n    return max\n}\n\n/**\n * Returns the
first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.maxWithOrNull(comparator:
Comparator<in UShort>): UShort? {\n    if (isEmpty()) return null\n    var max = this[0]\n    for (i in 1..lastIndex) {\n
val e = this[i]\n        if (comparator.compare(max, e) < 0) max = e\n    }\n    return
max\n}\n\n@Deprecated("Use minOrNull instead."),
ReplaceWith("this.minOrNull()")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.min(): UInt?
{\n    return minOrNull()\n}\n\n@Deprecated("Use minOrNull instead."),
ReplaceWith("this.minOrNull()")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.min():
ULong? {\n    return minOrNull()\n}\n\n@Deprecated("Use minOrNull instead."),
ReplaceWith("this.minOrNull()")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ByteArray.min():
UByte? {\n    return minOrNull()\n}\n\n@Deprecated("Use minOrNull instead."),
ReplaceWith("this.minOrNull()")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.min():
UShort? {\n    return minOrNull()\n}\n\n@Deprecated("Use minByOrNull instead."),
ReplaceWith("this.minByOrNull(selector)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince =
"1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
<R : Comparable<R>> UIntArray.minBy(selector: (UInt) -> R): UInt? {\n    return
minByOrNull(selector)\n}\n\n@Deprecated("Use minByOrNull instead."),
ReplaceWith("this.minByOrNull(selector)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince =
"1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
<R : Comparable<R>> ULongArray.minBy(selector: (ULong) -> R): ULong? {\n    return
minByOrNull(selector)\n}\n\n@Deprecated("Use minByOrNull instead."),
ReplaceWith("this.minByOrNull(selector)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =

```

```

\"1.5\", hiddenSince =
\"1.6\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
<R : Comparable<R>> UByteArray.minBy(selector: (UByte) -> R): UByte? {\n return
minByOrNull(selector)\n}\n\n@Deprecated(\"Use minByOrNull instead.\",
ReplaceWith(\"this.minByOrNull(selector)\")\n)\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince =
\"1.5\", hiddenSince =
\"1.6\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
<R : Comparable<R>> UShortArray.minBy(selector: (UShort) -> R): UShort? {\n return
minByOrNull(selector)\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or
`null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minByOrNull\n
*/\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UIntArray.minByOrNull(selector: (UInt) -> R): UInt? {\n if (isEmpty()) return null\n var
minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue =
selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v)
{\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first
element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.minByOrNull\n
*/\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> ULongArray.minByOrNull(selector: (ULong) -> R): ULong? {\n if (isEmpty()) return null\n
var minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue =
selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v)
{\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first
element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.minByOrNull\n
*/\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UByteArray.minByOrNull(selector: (UByte) -> R): UByte? {\n if (isEmpty()) return null\n
var minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue =
selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v)
{\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first
element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.minByOrNull\n
*/\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UShortArray.minByOrNull(selector: (UShort) -> R): UShort? {\n if (isEmpty()) return null\n
var minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue =
selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v)
{\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the smallest
value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of
values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.minOf(selector: (UInt) -> Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n
var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue =
minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector]
function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun

```

```

ULongArray.minOf(selector: (ULong) -> Double): Double {\n  if (isEmpty()) throw NoSuchElementException()\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    minValue =\n    minOf(minValue, v)\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value among all values produced\n * by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector]\n * function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.minOf(selector: (UByte) -> Double): Double {\n  if (isEmpty()) throw NoSuchElementException()\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    minValue =\n    minOf(minValue, v)\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value among all values produced\n * by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector]\n * function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.minOf(selector: (UShort) -> Double): Double {\n  if (isEmpty()) throw NoSuchElementException()\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    minValue =\n    minOf(minValue, v)\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value among all values produced\n * by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector]\n * function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.minOf(selector: (UInt) -> Float): Float {\n  if (isEmpty()) throw NoSuchElementException()\n  var\n  minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    minValue =\n    minOf(minValue, v)\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value among all values produced\n * by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector]\n * function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.minOf(selector: (ULong) -> Float): Float {\n  if (isEmpty()) throw NoSuchElementException()\n  var\n  minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    minValue =\n    minOf(minValue, v)\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value among all values produced\n * by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector]\n * function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.minOf(selector: (UByte) -> Float): Float {\n  if (isEmpty()) throw NoSuchElementException()\n  var\n  minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    minValue =\n    minOf(minValue, v)\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value among all values produced\n * by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector]\n * function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.minOf(selector: (UShort) -> Float): Float {\n  if (isEmpty()) throw NoSuchElementException()\n  var\n  minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    minValue =\n    minOf(minValue, v)\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value among all values produced\n * by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the\n * array is empty.\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution

```

```

ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UIntArray.minOf(selector: (UInt) -> R): R {\n  if (isEmpty()) throw
NoSuchElementException()\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v =
selector(this[i])\n    if (minValue > v) {\n      minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the
array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> ULongArray.minOf(selector: (ULong) -> R): R {\n  if (isEmpty()) throw
NoSuchElementException()\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v =
selector(this[i])\n    if (minValue > v) {\n      minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the
array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UByteArray.minOf(selector: (UByte) -> R): R {\n  if (isEmpty()) throw
NoSuchElementException()\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v =
selector(this[i])\n    if (minValue > v) {\n      minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the
array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UShortArray.minOf(selector: (UShort) -> R): R {\n  if (isEmpty()) throw
NoSuchElementException()\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v =
selector(this[i])\n    if (minValue > v) {\n      minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array
or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned
result is `NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.minOfOrNull(selector: (UInt) -> Double): Double? {\n  if (isEmpty()) return null\n  var minValue =
selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    minValue = minOf(minValue, v)\n
  }\n  return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n *
applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector]
function is `NaN`, the returned result is `NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.minOfOrNull(selector: (ULong) -> Double): Double? {\n  if (isEmpty()) return null\n  var minValue
= selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    minValue = minOf(minValue, v)\n
  }\n  return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n *
applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by
[selector] function is `NaN`, the returned result is `NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.minOfOrNull(selector: (UByte) -> Double): Double? {\n  if (isEmpty()) return null\n  var minValue
= selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    minValue = minOf(minValue, v)\n
  }\n  return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n *
applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by

```

```

[selector] function is `NaN`, the returned result is `NaN`.
*/@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution
ByLambdaReturnType@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.minOfOrNull(selector: (UShort) -> Double): Double? {\n if (isEmpty()) return null\n var minValue
= selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n
}\n return minValue}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n
* applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector]
function is `NaN`, the returned result is `NaN`.
*/@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution
ByLambdaReturnType@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.minOfOrNull(selector: (UInt) -> Float): Float? {\n if (isEmpty()) return null\n var minValue =
selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n
}\n return minValue}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n
* applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector]
function is `NaN`, the returned result is `NaN`.
*/@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution
ByLambdaReturnType@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.minOfOrNull(selector: (ULong) -> Float): Float? {\n if (isEmpty()) return null\n var minValue =
selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n
}\n return minValue}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n
* applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector]
function is `NaN`, the returned result is `NaN`.
*/@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution
ByLambdaReturnType@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.minOfOrNull(selector: (UByte) -> Float): Float? {\n if (isEmpty()) return null\n var minValue =
selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n
}\n return minValue}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n
* applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector]
function is `NaN`, the returned result is `NaN`.
*/@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution
ByLambdaReturnType@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.minOfOrNull(selector: (UShort) -> Float): Float? {\n if (isEmpty()) return null\n var minValue =
selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n
}\n return minValue}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n
* applied to each element in the array or `null` if there are no elements.\n
*/@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution
ByLambdaReturnType@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UIntArray.minOfOrNull(selector: (UInt) -> R): R? {\n if (isEmpty()) return null\n var
minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n
minValue = v\n }\n }\n return minValue}\n\n/**\n * Returns the smallest value among all values
produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.
*/@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution
ByLambdaReturnType@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> ULongArray.minOfOrNull(selector: (ULong) -> R): R? {\n if (isEmpty()) return null\n var
minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n
minValue = v\n }\n }\n return minValue}\n\n/**\n * Returns the smallest value among all values
produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.
*/@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution

```

```

ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UByteArray.minOfOrNull(selector: (UByte) -> R): R? {\n if (isEmpty()) return null\n var
minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n
minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values
produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UShortArray.minOfOrNull(selector: (UShort) -> R): R? {\n if (isEmpty()) return null\n var
minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n
minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value according to the
provided [comparator]\n * among all values produced by [selector] function applied to each element in the array.\n
*\n * @throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UIntArray.minOfWith(comparator: Comparator<in R>, selector: (UInt) -> R): R {\n if (isEmpty()) throw
NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v =
selector(this[i])\n if (comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return
minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values
produced by [selector] function applied to each element in the array.\n *\n * @throws NoSuchElementException if
the array is empty.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
ULongArray.minOfWith(comparator: Comparator<in R>, selector: (ULong) -> R): R {\n if (isEmpty()) throw
NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v =
selector(this[i])\n if (comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return
minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values
produced by [selector] function applied to each element in the array.\n *\n * @throws NoSuchElementException if
the array is empty.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UByteArray.minOfWith(comparator: Comparator<in R>, selector: (UByte) -> R): R {\n if (isEmpty()) throw
NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v =
selector(this[i])\n if (comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return
minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values
produced by [selector] function applied to each element in the array.\n *\n * @throws NoSuchElementException if
the array is empty.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UShortArray.minOfWith(comparator: Comparator<in R>, selector: (UShort) -> R): R {\n if (isEmpty()) throw
NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v =
selector(this[i])\n if (comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return
minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values
produced by [selector] function applied to each element in the array or `null` if there are no elements.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UIntArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (UInt) -> R): R? {\n if (isEmpty()) return
null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if
(comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n

```

Returns the smallest value according to the provided [comparator] \* among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
ULongArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (ULong) -> R): R? {\n if (isEmpty())
return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if
(comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n *
Returns the smallest value according to the provided [comparator] * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UByteArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (UByte) -> R): R? {\n if (isEmpty())
return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if
(comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n *
Returns the smallest value according to the provided [comparator] * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UShortArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (UShort) -> R): R? {\n if (isEmpty())
return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if
(comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n *
Returns the smallest element or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.minOrNull(): UInt? {\n if
(isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min =
e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.minOrNull(): ULong? {\n if
(isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min =
e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.minOrNull(): UByte? {\n if
(isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min =
e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.minOrNull(): UShort? {\n if
(isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min =
e\n }\n return min\n}\n\n@Deprecated("Use minWithOrNull instead.")\n
ReplaceWith("this.minWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UIntArray.minWith(comparator: Comparator<in UInt>): UInt? {\n return
minWithOrNull(comparator)\n}\n\n@Deprecated("Use minWithOrNull instead.")\n
ReplaceWith("this.minWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
ULongArray.minWith(comparator: Comparator<in ULong>): ULong? {\n return
minWithOrNull(comparator)\n}\n\n@Deprecated("Use minWithOrNull instead.")\n
ReplaceWith("this.minWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UByteArray.minWith(comparator: Comparator<in UByte>): UByte? {\n return
minWithOrNull(comparator)\n}\n\n@Deprecated("Use minWithOrNull instead.")\n
ReplaceWith("this.minWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun

```

```

UShortArray.minWith(comparator: Comparator<in UShort>): UShort? {\n  return
minWithOrNull(comparator)\n}\n\n/**\n * Returns the first element having the smallest value according to the
provided [comparator] or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.minWithOrNull(comparator:
Comparator<in UInt>): UInt? {\n  if (isEmpty()) return null\n  var min = this[0]\n  for (i in 1..lastIndex) {\n
val e = this[i]\n    if (comparator.compare(min, e) > 0) min = e\n  }\n  return min\n}\n\n/**\n * Returns the first
element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.minWithOrNull(comparator:
Comparator<in ULong>): ULong? {\n  if (isEmpty()) return null\n  var min = this[0]\n  for (i in 1..lastIndex) {\n
val e = this[i]\n    if (comparator.compare(min, e) > 0) min = e\n  }\n  return min\n}\n\n/**\n * Returns the
first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.minWithOrNull(comparator:
Comparator<in UByte>): UByte? {\n  if (isEmpty()) return null\n  var min = this[0]\n  for (i in 1..lastIndex) {\n
val e = this[i]\n    if (comparator.compare(min, e) > 0) min = e\n  }\n  return min\n}\n\n/**\n * Returns the
first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.minWithOrNull(comparator:
Comparator<in UShort>): UShort? {\n  if (isEmpty()) return null\n  var min = this[0]\n  for (i in 1..lastIndex) {\n
val e = this[i]\n    if (comparator.compare(min, e) > 0) min = e\n  }\n  return min\n}\n\n/**\n * Returns
`true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.none(): Boolean {\n  return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n *
@sample samples.collections.Collections.Aggregates.none\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.none(): Boolean {\n  return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n *
@sample samples.collections.Collections.Aggregates.none\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.none(): Boolean {\n  return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n *
@sample samples.collections.Collections.Aggregates.none\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.none(): Boolean {\n  return isEmpty()\n}\n\n/**\n * Returns `true` if no elements match the given
[predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.none(predicate: (UInt) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return
false\n  return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.none(predicate: (ULong) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return
false\n  return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.none(predicate: (UByte) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return
false\n  return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.none(predicate: (UShort) -> Boolean): Boolean {\n  for (element in this) if (predicate(element))
return false\n  return true\n}\n\n/**\n * Performs the given [action] on each element and returns the array itself
afterwards.\n * \n *\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UIntArray.onEach(action: (UInt) -> Unit): UIntArray {\n  return apply { for (element in this)

```





accumulator value and each element.  
 \* Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceOrNull] instead. It returns `null` when its receiver is empty.  
 \* @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.  
 \* @sample samples.collections.Collections.Aggregates.reduce

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.reduce(operation: (acc: UByte, UByte) -> UByte): UByte {\n if (isEmpty())\n throw
UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator = this[0]\n for (index in
1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current
accumulator value and each element.\n * Throws an exception if this array is empty. If the array can be empty
in an expected way,\n * please use [reduceOrNull] instead. It returns `null` when its receiver is empty.\n *
@param [operation] function that takes current accumulator value and an element,\n * and calculates the next
accumulator value.\n * @sample samples.collections.Collections.Aggregates.reduce
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.reduce(operation: (acc: UShort, UShort) -> UShort): UShort {\n if (isEmpty())\n throw
UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator = this[0]\n for (index in
1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current
accumulator value and each element with its index in the original array.\n * Throws an exception if this array is
empty. If the array can be empty in an expected way,\n * please use [reduceIndexedOrNull] instead. It returns `null`
when its receiver is empty.\n * @param [operation] function that takes the index of an element, current
accumulator value and the element itself,\n * and calculates the next accumulator value.\n * @sample
samples.collections.Collections.Aggregates.reduce
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.reduceIndexed(operation: (index: Int, acc: UInt, UInt) -> UInt): UInt {\n if (isEmpty())\n throw
UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator = this[0]\n for (index in
1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * Throws an
exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceIndexedOrNull]
instead. It returns `null` when its receiver is empty.\n * @param [operation] function that takes the index of an
element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n *
@param [operation] function that takes the index of an element, current accumulator value and the element itself,\n *
and calculates the next accumulator value.\n * @sample samples.collections.Collections.Aggregates.reduce
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.reduceIndexed(operation: (index: Int, acc: ULong, ULong) -> ULong): ULong {\n if (isEmpty())\n
throw UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator = this[0]\n for
(index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * Throws an
exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceIndexedOrNull]
instead. It returns `null` when its receiver is empty.\n * @param [operation] function that takes the index of an
element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n *
@param [operation] function that takes the index of an element, current accumulator value and the element itself,\n *
and calculates the next accumulator value.\n * @sample samples.collections.Collections.Aggregates.reduce
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.reduceIndexed(operation: (index: Int, acc: UByte, UByte) -> UByte): UByte {\n if (isEmpty())\n
throw UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator = this[0]\n for
(index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to

```

right\n \* to current accumulator value and each element with its index in the original array.\n \* \n \* Throws an exception if this array is empty. If the array can be empty in an expected way,\n \* please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.\n \* \n \* @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n \* and calculates the next accumulator value.\n \* \n \* @sample samples.collections.Collections.Aggregates.reduce\n \*\n \* @SinceKotlin("1.3")\n \* @ExperimentalUnsignedTypes\n \* @kotlin.internal.InlineOnly\n \* public inline fun UShortArray.reduceIndexed(operation: (index: Int, acc: UShort, UShort) -> UShort): UShort {\n \* if (isEmpty())\n \* throw UnsupportedOperationException("Empty array can't be reduced.")\n \* var accumulator = this[0]\n \* for (index in 1..lastIndex) {\n \* accumulator = operation(index, accumulator, this[index])\n \* }\n \* return accumulator\n \* }\n \* \n \* Accumulates value starting with the first element and applying [operation] from left to right\n \* to current accumulator value and each element with its index in the original array.\n \* \n \* Returns `null` if the array is empty.\n \* \n \* @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n \* and calculates the next accumulator value.\n \* \n \* @sample samples.collections.Collections.Aggregates.reduceOrNull\n \*\n \* @SinceKotlin("1.4")\n \* @ExperimentalUnsignedTypes\n \* @kotlin.internal.InlineOnly\n \* public inline fun UIntArray.reduceIndexedOrNull(operation: (index: Int, acc: UInt, UInt) -> UInt): UInt? {\n \* if (isEmpty())\n \* return null\n \* var accumulator = this[0]\n \* for (index in 1..lastIndex) {\n \* accumulator = operation(index, accumulator, this[index])\n \* }\n \* return accumulator\n \* }\n \* \n \* Accumulates value starting with the first element and applying [operation] from left to right\n \* to current accumulator value and each element with its index in the original array.\n \* \n \* Returns `null` if the array is empty.\n \* \n \* @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n \* and calculates the next accumulator value.\n \* \n \* @sample samples.collections.Collections.Aggregates.reduceOrNull\n \*\n \* @SinceKotlin("1.4")\n \* @ExperimentalUnsignedTypes\n \* @kotlin.internal.InlineOnly\n \* public inline fun ULongArray.reduceIndexedOrNull(operation: (index: Int, acc: ULong, ULong) -> ULong): ULong? {\n \* if (isEmpty())\n \* return null\n \* var accumulator = this[0]\n \* for (index in 1..lastIndex) {\n \* accumulator = operation(index, accumulator, this[index])\n \* }\n \* return accumulator\n \* }\n \* \n \* Accumulates value starting with the first element and applying [operation] from left to right\n \* to current accumulator value and each element with its index in the original array.\n \* \n \* Returns `null` if the array is empty.\n \* \n \* @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n \* and calculates the next accumulator value.\n \* \n \* @sample samples.collections.Collections.Aggregates.reduceOrNull\n \*\n \* @SinceKotlin("1.4")\n \* @ExperimentalUnsignedTypes\n \* @kotlin.internal.InlineOnly\n \* public inline fun UByteArray.reduceIndexedOrNull(operation: (index: Int, acc: UByte, UByte) -> UByte): UByte? {\n \* if (isEmpty())\n \* return null\n \* var accumulator = this[0]\n \* for (index in 1..lastIndex) {\n \* accumulator = operation(index, accumulator, this[index])\n \* }\n \* return accumulator\n \* }\n \* \n \* Accumulates value starting with the first element and applying [operation] from left to right\n \* to current accumulator value and each element with its index in the original array.\n \* \n \* Returns `null` if the array is empty.\n \* \n \* @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n \* and calculates the next accumulator value.\n \* \n \* @sample samples.collections.Collections.Aggregates.reduceOrNull\n \*\n \* @SinceKotlin("1.4")\n \* @ExperimentalUnsignedTypes\n \* @kotlin.internal.InlineOnly\n \* public inline fun UShortArray.reduceIndexedOrNull(operation: (index: Int, acc: UShort, UShort) -> UShort): UShort? {\n \* if (isEmpty())\n \* return null\n \* var accumulator = this[0]\n \* for (index in 1..lastIndex) {\n \* accumulator = operation(index, accumulator, this[index])\n \* }\n \* return accumulator\n \* }\n \* \n \* Accumulates value starting with the first element and applying [operation] from left to right\n \* to current accumulator value and each element.\n \* \n \* Returns `null` if the array is empty.\n \* \n \* @param [operation] function that takes current accumulator value and an element,\n \* and calculates the next accumulator value.\n \* \n \* @sample samples.collections.Collections.Aggregates.reduceOrNull\n \*\n \* @SinceKotlin("1.4")\n \* @ExperimentalUnsignedTypes\n \* @WasExperimental(ExperimentalStdlibApi::class)\n \* @kotlin.internal.InlineOnly\n \* public inline fun UIntArray.reduceOrNull(operation: (acc: UInt, UInt) -> UInt): UInt?

```

{\n  if (isEmpty())\n    return null\n  var accumulator = this[0]\n  for (index in 1..lastIndex) {\n
accumulator = operation(accumulator, this[index])\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value
starting with the first element and applying [operation] from left to right\n * to current accumulator value and each
element.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes current
accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceOrNull\n
*/\n\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun ULongArray.reduceOrNull(operation: (acc: ULong, ULong) ->
ULong): ULong? {\n  if (isEmpty())\n    return null\n  var accumulator = this[0]\n  for (index in 1..lastIndex)
{\n    accumulator = operation(accumulator, this[index])\n  }\n  return accumulator\n}\n\n/**\n * Accumulates
value starting with the first element and applying [operation] from left to right\n * to current accumulator value and
each element.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes current
accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceOrNull\n
*/\n\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun UByteArray.reduceOrNull(operation: (acc: UByte, UByte) ->
UByte): UByte? {\n  if (isEmpty())\n    return null\n  var accumulator = this[0]\n  for (index in 1..lastIndex)
{\n    accumulator = operation(accumulator, this[index])\n  }\n  return accumulator\n}\n\n/**\n * Accumulates
value starting with the first element and applying [operation] from left to right\n * to current accumulator value and
each element.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes current
accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceOrNull\n
*/\n\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun UShortArray.reduceOrNull(operation: (acc: UShort, UShort) ->
UShort): UShort? {\n  if (isEmpty())\n    return null\n  var accumulator = this[0]\n  for (index in 1..lastIndex)
{\n    accumulator = operation(accumulator, this[index])\n  }\n  return accumulator\n}\n\n/**\n * Accumulates
value starting with the last element and applying [operation] from right to left\n * to each element and current
accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected
way,\n * please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param
[operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator
value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n
*/\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.reduceRight(operation: (UInt, acc: UInt) -> UInt): UInt {\n  var index = lastIndex\n  if (index < 0)
throw UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator = get(index--)\n  while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to
left\n * to each element and current accumulator value.\n * \n * Throws an exception if this array is empty. If the
array can be empty in an expected way,\n * please use [reduceRightOrNull] instead. It returns `null` when its
receiver is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n *
and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n
*/\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.reduceRight(operation: (ULong, acc: ULong) -> ULong): ULong {\n  var index = lastIndex\n  if (index < 0)
throw UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator =
get(index--)\n  while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to
left\n * to each element and current accumulator value.\n * \n * Throws an exception if this array is empty. If the
array can be empty in an expected way,\n * please use [reduceRightOrNull] instead. It returns `null` when its

```

```

receiver is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n *
and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.reduceRight(operation: (UByte, acc: UByte) -> UByte): UByte {\n  var index = lastIndex\n  if (index
< 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator = get(index--)\n
while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to
left\n * to each element and current accumulator value.\n * \n * Throws an exception if this array is empty. If the
array can be empty in an expected way,\n * please use [reduceRightOrNull] instead. It returns `null` when its
receiver is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n *
and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.reduceRight(operation: (UShort, acc: UShort) -> UShort): UShort {\n  var index = lastIndex\n  if
(index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator =
get(index--)\n  while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to
left\n * to each element with its index in the original array and current accumulator value.\n * \n * Throws an
exception if this array is empty. If the array can be empty in an expected way,\n * please use
[reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation]
function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.reduceRightIndexed(operation: (index: Int, UInt, acc: UInt) -> UInt): UInt {\n  var index = lastIndex\n
if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator =
get(index--)\n  while (index >= 0) {\n    accumulator = operation(index, get(index), accumulator)\n    --index\n
}\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation]
from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n *
Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use
[reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation]
function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.reduceRightIndexed(operation: (index: Int, ULong, acc: ULong) -> ULong): ULong {\n  var index =
lastIndex\n  if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n  var
accumulator = get(index--)\n  while (index >= 0) {\n    accumulator = operation(index, get(index),
accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the last
element and applying [operation] from right to left\n * to each element with its index in the original array and
current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an
expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n *
\n * @param [operation] function that takes the index of an element, the element itself and current accumulator
value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.reduceRightIndexed(operation: (index: Int, UByte, acc: UByte) -> UByte): UByte {\n  var index =
lastIndex\n  if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n  var
accumulator = get(index--)\n  while (index >= 0) {\n    accumulator = operation(index, get(index),

```

```

accumulator)\n    --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the last
element and applying [operation] from right to left\n * to each element with its index in the original array and
current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an
expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n *
@param [operation] function that takes the index of an element, the element itself and current accumulator
value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n
*/\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.reduceRightIndexed(operation: (index: Int, UShort, acc: UShort) -> UShort): UShort {\n    var index =
lastIndex\n    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n    var
accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(index, get(index),
accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the last
element and applying [operation] from right to left\n * to each element with its index in the original array and
current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that
takes the index of an element, the element itself and current accumulator value,\n * and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n
*/\n\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.reduceRightIndexedOrNull(operation: (index: Int, UInt, acc: UInt) -> UInt): UInt? {\n    var index =
lastIndex\n    if (index < 0) return null\n    var accumulator = get(index--)\n    while (index >= 0) {\n
accumulator = operation(index, get(index), accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with
its index in the original array and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n *
@param [operation] function that takes the index of an element, the element itself and current accumulator value,\n
* and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n
*/\n\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.reduceRightIndexedOrNull(operation: (index: Int, ULong, acc: ULong) -> ULong): ULong? {\n    var
index = lastIndex\n    if (index < 0) return null\n    var accumulator = get(index--)\n    while (index >= 0) {\n
accumulator = operation(index, get(index), accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with
its index in the original array and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n *
@param [operation] function that takes the index of an element, the element itself and current accumulator value,\n
* and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n
*/\n\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.reduceRightIndexedOrNull(operation: (index: Int, UByte, acc: UByte) -> UByte): UByte? {\n    var
index = lastIndex\n    if (index < 0) return null\n    var accumulator = get(index--)\n    while (index >= 0) {\n
accumulator = operation(index, get(index), accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with
its index in the original array and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n *
@param [operation] function that takes the index of an element, the element itself and current accumulator value,\n
* and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n
*/\n\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.reduceRightIndexedOrNull(operation: (index: Int, UShort, acc: UShort) -> UShort): UShort? {\n    var
index = lastIndex\n    if (index < 0) return null\n    var accumulator = get(index--)\n    while (index >= 0) {\n
accumulator = operation(index, get(index), accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and

```

current accumulator value.\n \* \n \* Returns `null` if the array is empty.\n \* \n \* @param [operation] function that takes an element and current accumulator value,\n \* and calculates the next accumulator value.\n \* \n \* @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n

```

*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.reduceRightOrNull(operation: (UInt, acc: UInt) -> UInt): UInt? {\n    var index = lastIndex\n    if (index < 0) return null\n    var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(get(index--), accumulator)\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n
```

```

*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.reduceRightOrNull(operation: (ULong, acc: ULong) -> ULong): ULong? {\n    var index = lastIndex\n    if (index < 0) return null\n    var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(get(index--), accumulator)\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n
```

```

*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.reduceRightOrNull(operation: (UByte, acc: UByte) -> UByte): UByte? {\n    var index = lastIndex\n    if (index < 0) return null\n    var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(get(index--), accumulator)\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n
```

```

*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.reduceRightOrNull(operation: (UShort, acc: UShort) -> UShort): UShort? {\n    var index = lastIndex\n    if (index < 0) return null\n    var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(get(index--), accumulator)\n    }\n    return accumulator\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n
```

```

*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.runningFold(initial: R, operation: (acc: R, UInt) -> R): List<R> {\n    if (isEmpty()) return listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\n    for (element in this) {\n        accumulator = operation(accumulator, element)\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n
```

```

*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>

```

```

ULongArray.runningFold(initial: R, operation: (acc: R, ULong) -> R): List<R> {
    if (isEmpty()) return listOf(initial)
    val result = ArrayList<R>(size + 1).apply { add(initial) }
    var accumulator = initial
    for (element in this) {
        accumulator = operation(accumulator, element)
        result.add(accumulator)
    }
    return result
}

/**
 * Returns a list containing successive accumulation values generated by applying
 [operation] from left to right to each element and current accumulator value that starts with [initial] value.
 * Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the
 previous value in resulting list.
 * @param [operation] function that takes current accumulator value and an
 element, and calculates the next accumulator value.
 * @sample
 samples.collections.Collections.Aggregates.runningFold
 */
@SinceKotlin("1.4")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun <R>
UByteArray.runningFold(initial: R, operation: (acc: R, UByte) -> R): List<R> {
    if (isEmpty()) return listOf(initial)
    val result = ArrayList<R>(size + 1).apply { add(initial) }
    var accumulator = initial
    for (element in this) {
        accumulator = operation(accumulator, element)
        result.add(accumulator)
    }
    return result
}

/**
 * Returns a list containing successive accumulation values generated by applying
 [operation] from left to right to each element and current accumulator value that starts with [initial] value.
 * Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the
 previous value in resulting list.
 * @param [operation] function that takes current accumulator value and an
 element, and calculates the next accumulator value.
 * @sample
 samples.collections.Collections.Aggregates.runningFold
 */
@SinceKotlin("1.4")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun <R>
UShortArray.runningFold(initial: R, operation: (acc: R, UShort) -> R): List<R> {
    if (isEmpty()) return listOf(initial)
    val result = ArrayList<R>(size + 1).apply { add(initial) }
    var accumulator = initial
    for (element in this) {
        accumulator = operation(accumulator, element)
        result.add(accumulator)
    }
    return result
}

/**
 * Returns a list containing successive accumulation values generated by applying
 [operation] from left to right to each element, its index in the original array and current accumulator value that
 starts with [initial] value.
 * Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the
 previous value in resulting list.
 * @param [operation] function that takes the
 index of an element, current accumulator value and the element itself, and calculates the next accumulator
 value.
 * @sample
 samples.collections.Collections.Aggregates.runningFold
 */
@SinceKotlin("1.4")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun <R>
UIntArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, UInt) -> R): List<R> {
    if (isEmpty()) return listOf(initial)
    val result = ArrayList<R>(size + 1).apply { add(initial) }
    var accumulator = initial
    for (index in indices) {
        accumulator = operation(index, accumulator, this[index])
        result.add(accumulator)
    }
    return result
}

/**
 * Returns a list containing successive accumulation
 values generated by applying [operation] from left to right to each element, its index in the original array and
 current accumulator value that starts with [initial] value.
 * Note that `acc` value passed to [operation] function
 should not be mutated; otherwise it would affect the previous value in resulting list.
 * @param [operation]
 function that takes the index of an element, current accumulator value and the element itself, and calculates the
 next accumulator value.
 * @sample
 samples.collections.Collections.Aggregates.runningFold
 */
@SinceKotlin("1.4")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun <R>
ULongArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, ULong) -> R): List<R> {
    if (isEmpty()) return listOf(initial)
    val result = ArrayList<R>(size + 1).apply { add(initial) }
    var accumulator = initial
    for (index in indices) {
        accumulator = operation(index, accumulator, this[index])
        result.add(accumulator)
    }
    return result
}

/**
 * Returns a list containing successive accumulation
 values generated by applying [operation] from left to right to each element, its index in the original array and
 current accumulator value that starts with [initial] value.
 * Note that `acc` value passed to [operation] function
 should not be mutated; otherwise it would affect the previous value in resulting list.
 * @param [operation]
 function that takes the index of an element, current accumulator value and the element itself, and calculates the
 */

```





affect the previous value in resulting list.\n \* \n \* @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n \* \n \* @sample samples.collections.Collections.Aggregates.runningReduce\n

```

*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.runningReduce(operation: (acc: UShort, UShort) -> UShort): List<UShort> {\n  if (isEmpty()) return
emptyList()\n  var accumulator = this[0]\n  val result = ArrayList<UShort>(size).apply { add(accumulator) }\n  for (index in 1 until size) {\n    accumulator = operation(accumulator, this[index])\n    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying
[operation] from left to right\n * to each element, its index in the original array and current accumulator value that
starts with the first element of this array.\n * \n * Note that `acc` value passed to [operation] function should not be
mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that
takes the index of an element, current accumulator value\n * and the element itself, and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.runningReduceIndexed(operation: (index: Int, acc: UInt, UInt) -> UInt): List<UInt> {\n  if (isEmpty())
return emptyList()\n  var accumulator = this[0]\n  val result = ArrayList<UInt>(size).apply { add(accumulator)
}\n  for (index in 1 until size) {\n    accumulator = operation(index, accumulator, this[index])\n    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element, its index in the original array and
current accumulator value that starts with the first element of this array.\n * \n * Note that `acc` value passed to
[operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n *
@param [operation] function that takes the index of an element, current accumulator value\n * and the element
itself, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.runningReduce\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.runningReduceIndexed(operation: (index: Int, acc: ULong, ULong) -> ULong): List<ULong> {\n  if
(isEmpty()) return emptyList()\n  var accumulator = this[0]\n  val result = ArrayList<ULong>(size).apply {
add(accumulator) }\n  for (index in 1 until size) {\n    accumulator = operation(index, accumulator, this[index])\n
    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element, its index in the original array and
current accumulator value that starts with the first element of this array.\n * \n * Note that `acc` value passed to
[operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n *
@param [operation] function that takes the index of an element, current accumulator value\n * and the element
itself, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.runningReduce\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.runningReduceIndexed(operation: (index: Int, acc: UByte, UByte) -> UByte): List<UByte> {\n  if
(isEmpty()) return emptyList()\n  var accumulator = this[0]\n  val result = ArrayList<UByte>(size).apply {
add(accumulator) }\n  for (index in 1 until size) {\n    accumulator = operation(index, accumulator, this[index])\n
    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element, its index in the original array and
current accumulator value that starts with the first element of this array.\n * \n * Note that `acc` value passed to
[operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n *
@param [operation] function that takes the index of an element, current accumulator value\n * and the element
itself, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.runningReduce\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.runningReduceIndexed(operation: (index: Int, acc: UShort, UShort) -> UShort): List<UShort> {\n  if

```

```

(isEmpty()) return emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<UShort>(size).apply {
add(accumulator) }\n    for (index in 1 until size) {\n        accumulator = operation(index, accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element and current accumulator value that
starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n *
otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current
accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.scan(initial: R, operation: (acc: R, UInt) -> R):
List<R> {\n    return runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element and current accumulator value that
starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n *
otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current
accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.scan(initial: R, operation: (acc: R, ULong) -> R):
List<R> {\n    return runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element and current accumulator value that
starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n *
otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current
accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.scan(initial: R, operation: (acc: R, UByte) -> R):
List<R> {\n    return runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element and current accumulator value that
starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n *
otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current
accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.scan(initial: R, operation: (acc: R, UShort) -> R):
List<R> {\n    return runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element, its index in the original array and
current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function
should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.scanIndexed(initial: R, operation: (index: Int, acc: R,
UInt) -> R): List<R> {\n    return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing
successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in
the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed
to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n *
\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element
itself, and calculates the next accumulator value.\n * \n * @sample

```

```

samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.scanIndexed(initial: R, operation: (index: Int, acc:
R, ULong) -> R): List<R> {\n    return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list
containing successive accumulation values generated by applying [operation] from left to right\n * to each element,
its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc`
value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in
resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n *
and the element itself, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.scanIndexed(initial: R, operation: (index: Int, acc:
R, UByte) -> R): List<R> {\n    return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing
successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in
the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed
to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n *
\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element
itself, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.scanIndexed(initial: R, operation: (index: Int, acc:
R, UShort) -> R): List<R> {\n    return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns the sum of all
values produced by [selector] function applied to each element in the array.\n * \n * @Deprecated("Use sumOf
instead.")\n * ReplaceWith("this.sumOf(selector)")\n * @DeprecatedSinceKotlin(warningSince =
"1.5")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.sumBy(selector: (UInt) -> UInt): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n        sum +=
selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n * \n * @Deprecated("Use sumOf instead.")\n * ReplaceWith("this.sumOf(selector)")\n *
@DeprecatedSinceKotlin(warningSince =
"1.5")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.sumBy(selector: (ULong) -> UInt): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n        sum
+= selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector]
function applied to each element in the array.\n * \n * @Deprecated("Use sumOf instead.")\n * ReplaceWith("this.sumOf(selector)")\n *
@DeprecatedSinceKotlin(warningSince =
"1.5")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.sumBy(selector: (UByte) -> UInt): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n        sum
+= selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector]
function applied to each element in the array.\n * \n * @Deprecated("Use sumOf instead.")\n * ReplaceWith("this.sumOf(selector)")\n *
@DeprecatedSinceKotlin(warningSince =
"1.5")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.sumBy(selector: (UShort) -> UInt): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n        sum
+= selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector]
function applied to each element in the array.\n * \n * @Deprecated("Use sumOf instead.")\n * ReplaceWith("this.sumOf(selector)")\n *
@DeprecatedSinceKotlin(warningSince =
"1.5")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.sumByDouble(selector: (UInt) -> Double): Double {\n    var sum: Double = 0.0\n    for (element in this)
{\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n * \n * @Deprecated("Use sumOf instead.")\n

```

```

ReplaceWith("this.sumOf(selector)")\n@DeprecatedSinceKotlin(warningSince =
\'1.5\')\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.sumByDouble(selector: (ULong) -> Double): Double {\n    var sum: Double = 0.0\n    for (element in
this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n */\n@Deprecated("Use sumOf instead.",
ReplaceWith("this.sumOf(selector)")\n@DeprecatedSinceKotlin(warningSince =
\'1.5\')\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.sumByDouble(selector: (UByte) -> Double): Double {\n    var sum: Double = 0.0\n    for (element in
this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n */\n@Deprecated("Use sumOf instead.",
ReplaceWith("this.sumOf(selector)")\n@DeprecatedSinceKotlin(warningSince =
\'1.5\')\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.sumByDouble(selector: (UShort) -> Double): Double {\n    var sum: Double = 0.0\n    for (element in
this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n */\n\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfDouble")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.sumOf(selector:
(UInt) -> Double): Double {\n    var sum: Double = 0.toDouble()\n    for (element in this) {\n        sum +=
selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n */\n\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfDouble")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.sumOf(selector:
(ULong) -> Double): Double {\n    var sum: Double = 0.toDouble()\n    for (element in this) {\n        sum +=
selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n */\n\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfDouble")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.sumOf(selector:
(UByte) -> Double): Double {\n    var sum: Double = 0.toDouble()\n    for (element in this) {\n        sum +=
selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n */\n\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfDouble")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.sumOf(selector:
(UShort) -> Double): Double {\n    var sum: Double = 0.toDouble()\n    for (element in this) {\n        sum +=
selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n */\n\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfInt")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.sumOf(selector: (UInt) -
> Int): Int {\n    var sum: Int = 0.toInt()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return
sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the
array.\n */\n\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfInt")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.sumOf(selector:

```

```

(ULong) -> Int): Int {
    var sum: Int = 0.toInt()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

```

\* Returns the sum of all values produced by [selector] function applied to each element in the array.

```

* Since Kotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@Suppress("INAPPLICABLE_JVM_NAME")
kotlin.jvm.JvmName("sumOfInt")
@ExperimentalUnsignedTypes
kotlin.internal.InlineOnly
public inline fun UByteArray.sumOf(selector:
(UByte) -> Int): Int {
    var sum: Int = 0.toInt()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

```

\* Returns the sum of all values produced by [selector] function applied to each element in the array.

```

* Since Kotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@Suppress("INAPPLICABLE_JVM_NAME")
kotlin.jvm.JvmName("sumOfInt")
@ExperimentalUnsignedTypes
kotlin.internal.InlineOnly
public inline fun UShortArray.sumOf(selector:
(UShort) -> Int): Int {
    var sum: Int = 0.toInt()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

```

\* Returns the sum of all values produced by [selector] function applied to each element in the array.

```

* Since Kotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@Suppress("INAPPLICABLE_JVM_NAME")
kotlin.jvm.JvmName("sumOfLong")
@ExperimentalUnsignedTypes
kotlin.internal.InlineOnly
public inline fun UIntArray.sumOf(selector: (UInt)
-> Long): Long {
    var sum: Long = 0.toLong()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

```

\* Returns the sum of all values produced by [selector] function applied to each element in the array.

```

* Since Kotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@Suppress("INAPPLICABLE_JVM_NAME")
kotlin.jvm.JvmName("sumOfLong")
@ExperimentalUnsignedTypes
kotlin.internal.InlineOnly
public inline fun ULongArray.sumOf(selector:
(ULong) -> Long): Long {
    var sum: Long = 0.toLong()
    for (element in this) {
        sum +=
selector(element)
    }
    return sum
}

```

\* Returns the sum of all values produced by [selector] function applied to each element in the array.

```

* Since Kotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@Suppress("INAPPLICABLE_JVM_NAME")
kotlin.jvm.JvmName("sumOfLong")
@ExperimentalUnsignedTypes
kotlin.internal.InlineOnly
public inline fun UByteArray.sumOf(selector:
(UByte) -> Long): Long {
    var sum: Long = 0.toLong()
    for (element in this) {
        sum +=
selector(element)
    }
    return sum
}

```

\* Returns the sum of all values produced by [selector] function applied to each element in the array.

```

* Since Kotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@Suppress("INAPPLICABLE_JVM_NAME")
kotlin.jvm.JvmName("sumOfLong")
@ExperimentalUnsignedTypes
kotlin.internal.InlineOnly
public inline fun UShortArray.sumOf(selector:
(UShort) -> Long): Long {
    var sum: Long = 0.toLong()
    for (element in this) {
        sum +=
selector(element)
    }
    return sum
}

```

\* Returns the sum of all values produced by [selector] function applied to each element in the array.

```

* Since Kotlin("1.5")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@Suppress("INAPPLICABLE_JVM_NAME")
kotlin.jvm.JvmName("sumOfUInt")
@ExperimentalUnsignedTypes
@WasExperimental(ExperimentalUnsignedTypes::class)
kotlin.internal.InlineOnly
public inline fun UIntArray.sumOf(selector: (UInt) -> UInt): UInt {
    var sum: UInt = 0.toUInt()
    for
(element in this) {
        sum += selector(element)
    }
    return sum
}

```

\* Returns the sum of all values produced by [selector] function applied to each element in the array.

```

* Since Kotlin("1.5")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@Suppress("INAPPLICABLE_JVM_NAME")
kotlin.jvm.JvmName("sumOfUInt")
@ExperimentalUnsignedTypes
@WasExperimental(ExperimentalUnsignedTypes::class)
kotlin.internal.Inline

```

```

Only\npublic inline fun ULongArray.sumOf(selector: (ULong) -> UInt): UInt {\n    var sum: UInt = 0.toUInt()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n *\n * @SinceKotlin("1.5")\n * @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n * @OverloadResolutionByLambdaReturnType\n * @Suppress("INAPPLICABLE_JVM_NAME")\n * @kotlin.jvm.JvmName("sumOfUInt")\n * @ExperimentalUnsignedTypes\n * @WasExperimental(ExperimentalUnsignedTypes::class)\n * @kotlin.internal.InlineOnly\n\npublic inline fun UByteArray.sumOf(selector: (UByte) -> UInt): UInt {\n    var sum: UInt = 0.toUInt()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n *\n * @SinceKotlin("1.5")\n * @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n * @OverloadResolutionByLambdaReturnType\n * @Suppress("INAPPLICABLE_JVM_NAME")\n * @kotlin.jvm.JvmName("sumOfUInt")\n * @ExperimentalUnsignedTypes\n * @WasExperimental(ExperimentalUnsignedTypes::class)\n * @kotlin.internal.InlineOnly\n\npublic inline fun UShortArray.sumOf(selector: (UShort) -> UInt): UInt {\n    var sum: UInt = 0.toUInt()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n *\n * @SinceKotlin("1.5")\n * @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n * @OverloadResolutionByLambdaReturnType\n * @Suppress("INAPPLICABLE_JVM_NAME")\n * @kotlin.jvm.JvmName("sumOfULong")\n * @ExperimentalUnsignedTypes\n * @WasExperimental(ExperimentalUnsignedTypes::class)\n * @kotlin.internal.InlineOnly\n\npublic inline fun UIntArray.sumOf(selector: (UInt) -> ULong): ULong {\n    var sum: ULong = 0.toULong()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n *\n * @SinceKotlin("1.5")\n * @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n * @OverloadResolutionByLambdaReturnType\n * @Suppress("INAPPLICABLE_JVM_NAME")\n * @kotlin.jvm.JvmName("sumOfULong")\n * @ExperimentalUnsignedTypes\n * @WasExperimental(ExperimentalUnsignedTypes::class)\n * @kotlin.internal.InlineOnly\n\npublic inline fun ULongArray.sumOf(selector: (ULong) -> ULong): ULong {\n    var sum: ULong = 0.toULong()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n *\n * @SinceKotlin("1.5")\n * @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n * @OverloadResolutionByLambdaReturnType\n * @Suppress("INAPPLICABLE_JVM_NAME")\n * @kotlin.jvm.JvmName("sumOfULong")\n * @ExperimentalUnsignedTypes\n * @WasExperimental(ExperimentalUnsignedTypes::class)\n * @kotlin.internal.InlineOnly\n\npublic inline fun UByteArray.sumOf(selector: (UByte) -> ULong): ULong {\n    var sum: ULong = 0.toULong()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n *\n * @SinceKotlin("1.5")\n * @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n * @OverloadResolutionByLambdaReturnType\n * @Suppress("INAPPLICABLE_JVM_NAME")\n * @kotlin.jvm.JvmName("sumOfULong")\n * @ExperimentalUnsignedTypes\n * @WasExperimental(ExperimentalUnsignedTypes::class)\n * @kotlin.internal.InlineOnly\n\npublic inline fun UShortArray.sumOf(selector: (UShort) -> ULong): ULong {\n    var sum: ULong = 0.toULong()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n *\n * @SinceKotlin("1.3")\n * @ExperimentalUnsignedTypes\n\npublic infix fun <R> UIntArray.zip(other: Array<out R>): List<Pair<UInt, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n *\n * @SinceKotlin("1.3")\n * @ExperimentalUnsignedTypes\n\npublic infix fun <R> ULongArray.zip(other: Array<out R>): List<Pair<ULong, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UByteArray.zip(other: Array<out R>): List<Pair<UByte, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UShortArray.zip(other: Array<out R>): List<Pair<UShort, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V> UIntArray.zip(other: Array<out R>, transform: (a: UInt, b: R) -> V): List<V> {\n    val size = minOf(size, other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V> ULongArray.zip(other: Array<out R>, transform: (a: ULong, b: R) -> V): List<V> {\n    val size = minOf(size, other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V> UByteArray.zip(other: Array<out R>, transform: (a: UByte, b: R) -> V): List<V> {\n    val size = minOf(size, other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V> UShortArray.zip(other: Array<out R>, transform: (a: UShort, b: R) -> V): List<V> {\n    val size = minOf(size, other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UIntArray.zip(other: Iterable<R>): List<Pair<UInt, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun <R> ULongArray.zip(other: Iterable<R>): List<Pair<ULong, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UByteArray.zip(other: Iterable<R>): List<Pair<UByte, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n

```



```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UShortArray.zip(other:
Iterable<R>): List<Pair<UShort, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of
values built from the elements of `this` array and the [other] collection with the same index\n * using the provided
[transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n *
\n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V>
UIntArray.zip(other: Iterable<R>, transform: (a: UInt, b: R) -> V): List<V> {\n    val arraySize = size\n    val list =
ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element in other) {\n
if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n    return list\n}\n\n/**\n * Returns a
list of values built from the elements of `this` array and the [other] collection with the same index\n * using the
provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V>
ULongArray.zip(other: Iterable<R>, transform: (a: ULong, b: R) -> V): List<V> {\n    val arraySize = size\n    val
list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element in other)
{\n        if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n    return list\n}\n\n/**\n *
Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n *
using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the
shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V>
UByteArray.zip(other: Iterable<R>, transform: (a: UByte, b: R) -> V): List<V> {\n    val arraySize = size\n    val list
= ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element in other) {\n
if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n    return list\n}\n\n/**\n * Returns a
list of values built from the elements of `this` array and the [other] collection with the same index\n * using the
provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V>
UShortArray.zip(other: Iterable<R>, transform: (a: UShort, b: R) -> V): List<V> {\n    val arraySize = size\n    val
list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element in other)
{\n        if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n    return list\n}\n\n/**\n *
Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The
returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun UIntArray.zip(other: UIntArray):
List<Pair<UInt, UInt>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from
the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun ULongArray.zip(other: ULongArray):
List<Pair<ULong, ULong>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built
from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the
shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun UByteArray.zip(other: UByteArray):
List<Pair<UByte, UByte>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built
from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the
shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun UShortArray.zip(other: UShortArray):
List<Pair<UShort, UShort>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built
from the elements of `this` array and the [other] array with the same index\n * using the provided [transform]

```

```

function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V>
UIntArray.zip(other: UIntArray, transform: (a: UInt, b: UInt) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V>
ULongArray.zip(other: ULongArray, transform: (a: ULong, b: ULong) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V>
UByteArray.zip(other: UByteArray, transform: (a: UByte, b: UByte) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V>
UShortArray.zip(other: UShortArray, transform: (a: UShort, b: UShort) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns the sum of all elements in the array.\n
*\n@kotlin.jvm.JvmName("sumOfUInt")\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedT
ypes::class)\npublic fun Array<out UInt>.sum(): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n        sum
+= element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n
*\n@kotlin.jvm.JvmName("sumOfULong")\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsigned
Types::class)\npublic fun Array<out ULong>.sum(): ULong {\n    var sum: ULong = 0uL\n    for (element in this)
{\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n
*\n@kotlin.jvm.JvmName("sumOfUByte")\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsigned
Types::class)\npublic fun Array<out UByte>.sum(): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n
sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n
*\n@kotlin.jvm.JvmName("sumOfUShort")\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsigned
Types::class)\npublic fun Array<out UShort>.sum(): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n
sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.sum(): UInt {\n    return storage.sum().toUInt()\n}\n\n/**\n * Returns the sum of all elements in the
array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.sum(): ULong {\n    return storage.sum().toULong()\n}\n\n/**\n * Returns the sum of all elements in
the array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun UByteArray.sum(): UInt {\n    return sumOf { it.toUInt() }\n}\n\n/**\n * Returns the sum of all elements in the
array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.sum(): UInt {\n    return sumOf { it.toUInt() }\n}\n\n"/\n * Copyright 2010-2021 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that

```

can be found in the license/LICENSE.txt file.\n

```
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"UCollectionsKt\")\n\npackage\nkotlin.collections\n\n\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:\nhttps://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n\nimport kotlin.random.*\nimport\nkotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n\n/**\n * Returns an array of UByte containing all of the\n elements of this collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun\nCollection<UByte>.toUByteArray(): UByteArray {\n    val result = UByteArray(size)\n    var index = 0\n    for\n(element in this)\n        result[index++] = element\n    return result\n}\n\n\n/**\n * Returns an array of UInt containing\n all of the elements of this collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun\nCollection<UInt>.toUIntArray(): UIntArray {\n    val result = UIntArray(size)\n    var index = 0\n    for (element in\nthis)\n        result[index++] = element\n    return result\n}\n\n\n/**\n * Returns an array of ULong containing all of the\n elements of this collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun\nCollection<ULong>.toULongArray(): ULongArray {\n    val result = ULongArray(size)\n    var index = 0\n    for\n(element in this)\n        result[index++] = element\n    return result\n}\n\n\n/**\n * Returns an array of UShort\n containing all of the elements of this collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Collection<UShort>.toUShortArray():\nUShortArray {\n    val result = UShortArray(size)\n    var index = 0\n    for (element in this)\n        result[index++] =\n        element\n    return result\n}\n\n\n/**\n * Returns the sum of all elements in the collection.\n */\n@kotlin.jvm.JvmName(\"sumOfUInt\")\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedT\nypes::class)\npublic fun Iterable<UInt>.sum(): UInt {\n    var sum: UInt = 0\n    for (element in this) {\n        sum\n        += element\n    }\n    return sum\n}\n\n\n/**\n * Returns the sum of all elements in the collection.\n */\n@kotlin.jvm.JvmName(\"sumOfULong\")\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsigned\nTypes::class)\npublic fun Iterable<ULong>.sum(): ULong {\n    var sum: ULong = 0\n    for (element in this) {\n        sum\n        += element\n    }\n    return sum\n}\n\n\n/**\n * Returns the sum of all elements in the collection.\n */\n@kotlin.jvm.JvmName(\"sumOfUByte\")\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsigned\nTypes::class)\npublic fun Iterable<UByte>.sum(): UInt {\n    var sum: UInt = 0\n    for (element in this) {\n        sum\n        += element\n    }\n    return sum\n}\n\n\n/**\n * Returns the sum of all elements in the collection.\n */\n@kotlin.jvm.JvmName(\"sumOfUShort\")\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsigned\nTypes::class)\npublic fun Iterable<UShort>.sum(): UInt {\n    var sum: UInt = 0\n    for (element in this) {\n        sum\n        += element\n    }\n    return sum\n}\n\n\n\"/>\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming\nLanguage contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the\nlicense/LICENSE.txt file.\n\n\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"UComparisonsKt\")\n\npackage\nkotlin.comparisons\n\n\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:\nhttps://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n\nimport kotlin.random.*\n\n\n/**\n * Returns the\n greater of two values.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun maxOf(a: UInt, b:\nUInt): UInt {\n    return if (a >= b) a else b\n}\n\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun maxOf(a: ULong,\nb: ULong): ULong {\n    return if (a >= b) a else b\n}\n\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun maxOf(a: UByte,\nb: UByte): UByte {\n    return if (a >= b) a else b\n}\n\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun maxOf(a: UShort,\nb: UShort): UShort {\n    return if (a >= b) a else b\n}\n\n\n/**\n * Returns\n the greater of three values.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun maxOf(a: UInt, b: UInt, c: UInt): UInt {\n    return maxOf(a, maxOf(b, c))\n}\n\n\n/**\n * Returns\n the greater of three values.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly
```

```

public inline fun maxOf(a: ULong, b: ULong, c: ULong): ULong {
    return maxOf(a, maxOf(b, c))
}

Returns the greater of three values.

@SinceKotlin("1.5")@WasExperimental(ExperimentalUnsignedTypes::class)@kotlin.internal.InlineOnly
public inline fun maxOf(a: UByte, b: UByte, c: UByte): UByte {
    return maxOf(a, maxOf(b, c))
}

Returns the greater of three values.

@SinceKotlin("1.5")@WasExperimental(ExperimentalUnsignedTypes::class)@kotlin.internal.InlineOnly
public inline fun maxOf(a: UShort, b: UShort, c: UShort): UShort {
    return maxOf(a, maxOf(b, c))
}

Returns the greater of the given values.

@SinceKotlin("1.4")@ExperimentalUnsignedTypes
public fun
maxOf(a: UInt, vararg other: UInt): UInt {
    var max = a
    for (e in other) max = maxOf(max, e)
    return
    max
}

Returns the greater of the given values.

@SinceKotlin("1.4")@ExperimentalUnsignedTypes
public fun maxOf(a: ULong, vararg other: ULong):
    ULong {
    var max = a
    for (e in other) max = maxOf(max, e)
    return max
}

Returns the greater
of the given values.

@SinceKotlin("1.4")@ExperimentalUnsignedTypes
public fun maxOf(a: UByte,
    vararg other: UByte): UByte {
    var max = a
    for (e in other) max = maxOf(max, e)
    return max
}

Returns the greater of the given values.

@SinceKotlin("1.4")@ExperimentalUnsignedTypes
public fun
maxOf(a: UShort, vararg other: UShort): UShort {
    var max = a
    for (e in other) max = maxOf(max, e)
    return
    max
}

Returns the smaller of two values.

@SinceKotlin("1.5")@WasExperimental(ExperimentalUnsignedTypes::class)
public fun minOf(a: UInt, b:
    UInt): UInt {
    return if (a <= b) a else b
}

Returns the smaller of two values.

@SinceKotlin("1.5")@WasExperimental(ExperimentalUnsignedTypes::class)
public fun minOf(a: ULong,
    b: ULong): ULong {
    return if (a <= b) a else b
}

Returns the smaller of two values.

@SinceKotlin("1.5")@WasExperimental(ExperimentalUnsignedTypes::class)
public fun minOf(a: UByte,
    b: UByte): UByte {
    return if (a <= b) a else b
}

Returns the smaller of two values.

@SinceKotlin("1.5")@WasExperimental(ExperimentalUnsignedTypes::class)
public fun minOf(a: UShort,
    b: UShort): UShort {
    return if (a <= b) a else b
}

Returns the smaller of three values.

@SinceKotlin("1.5")@WasExperimental(ExperimentalUnsignedTypes::class)@kotlin.internal.InlineOnly
public inline fun minOf(a: UInt, b: UInt, c: UInt): UInt {
    return minOf(a, minOf(b, c))
}

Returns
the smaller of three values.

@SinceKotlin("1.5")@WasExperimental(ExperimentalUnsignedTypes::class)@kotlin.internal.InlineOnly
public inline fun minOf(a: ULong, b: ULong, c: ULong): ULong {
    return minOf(a, minOf(b, c))
}

Returns the smaller of three values.

@SinceKotlin("1.5")@WasExperimental(ExperimentalUnsignedTypes::class)@kotlin.internal.InlineOnly
public inline fun minOf(a: UByte, b: UByte, c: UByte): UByte {
    return minOf(a, minOf(b, c))
}

Returns the smaller of three values.

@SinceKotlin("1.5")@WasExperimental(ExperimentalUnsignedTypes::class)@kotlin.internal.InlineOnly
public inline fun minOf(a: UShort, b: UShort, c: UShort): UShort {
    return minOf(a, minOf(b, c))
}

Returns the smaller of the given values.

@SinceKotlin("1.4")@ExperimentalUnsignedTypes
public fun
minOf(a: UInt, vararg other: UInt): UInt {
    var min = a
    for (e in other) min = minOf(min, e)
    return
    min
}

Returns the smaller of the given values.

@SinceKotlin("1.4")@ExperimentalUnsignedTypes
public fun minOf(a: ULong, vararg other: ULong):
    ULong {
    var min = a
    for (e in other) min = minOf(min, e)
    return min
}

Returns the smaller
of the given values.

@SinceKotlin("1.4")@ExperimentalUnsignedTypes
public fun minOf(a: UByte,
    vararg other: UByte): UByte {
    var min = a
    for (e in other) min = minOf(min, e)
    return min
}

Returns the smaller of the given values.

@SinceKotlin("1.4")@ExperimentalUnsignedTypes
public fun
minOf(a: UShort, vararg other: UShort): UShort {
    var min = a
    for (e in other) min = minOf(min, e)
    return
    min
}

/* Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.
Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

@file:kotlin.jvm.JvmMultifileClass
@file:kotlin.jvm.JvmName("URangesKt")
package

```

```

kotlin.ranges\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n\nimport kotlin.random.*\n\n/**\n * Returns a
random element from this range.\n * \n * @throws IllegalArgumentException if this range is empty.\n
*\n*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\
npublic inline fun UIntRange.random(): UInt {\n    return random(Random)\n}\n\n/**\n * Returns a random element
from this range.\n * \n * @throws IllegalArgumentException if this range is empty.\n
*\n*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\
npublic inline fun ULongRange.random(): ULong {\n    return random(Random)\n}\n\n/**\n * Returns a random
element from this range using the specified source of randomness.\n * \n * @throws IllegalArgumentException if
this range is empty.\n * \n *\n*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic
fun UIntRange.random(random: Random): UInt {\n    try {\n        return random.nextUInt(this)\n    } catch(e:
IllegalArgumentException) {\n        throw NoSuchElementException(e.message)\n    }\n}\n\n/**\n * Returns a
random element from this range using the specified source of randomness.\n * \n * @throws
IllegalArgument\nException if this range is empty.\n
*\n*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
ULongRange.random(random: Random): ULong {\n    try {\n        return random.nextULong(this)\n    } catch(e:
IllegalArgumentException) {\n        throw NoSuchElementException(e.message)\n    }\n}\n\n/**\n * Returns a
random element from this range, or `null` if this range is empty.\n
*\n*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class,
ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun UIntRange.randomOrNull():
UInt? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this range, or `null` if this
range is empty.\n * \n *\n*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class,
ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULongRange.randomOrNull():
ULong? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this range using the
specified source of randomness, or `null` if this range is empty.\n
*\n*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class,
ExperimentalUnsignedTypes::class)\npublic fun UIntRange.randomOrNull(random: Random): UInt? {\n    if
(isEmpty())\n        return null\n    return random.nextUInt(this)\n}\n\n/**\n * Returns a random element from this
range using the specified source of randomness, or `null` if this range is empty.\n
*\n*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class,
ExperimentalUnsignedTypes::class)\npublic fun ULongRange.randomOrNull(random: Random): ULong? {\n    if
(isEmpty())\n        return null\n    return random.nextULong(this)\n}\n\n/**\n * Returns `true` if this range contains
the specified [element].\n * \n * Always returns `false` if the [element] is `null`.\n
*\n*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\
npublic inline operator fun UIntRange.contains(element: UInt?): Boolean {\n    return element != null &&
contains(element)\n}\n\n/**\n * Returns `true` if this range contains the specified [element].\n * \n * Always returns
`false` if the [element] is `null`.\n
*\n*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\
npublic inline operator fun ULongRange.contains(element: ULong?): Boolean {\n    return element != null &&
contains(element)\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n
*\n*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic operator fun
UIntRange.contains(value: UByte): Boolean {\n    return contains(value.toUInt())\n}\n\n/**\n * Checks if the
specified [value] belongs to this range.\n
*\n*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic operator fun
ULongRange.contains(value: UByte): Boolean {\n    return contains(value.toULong())\n}\n\n/**\n * Checks if the
specified [value] belongs to this range.\n
*\n*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic operator fun
ULongRange.contains(value: UInt): Boolean {\n    return contains(value.toULong())\n}\n\n/**\n * Checks if the

```

specified [value] belongs to this range.\n

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic operator fun\nUIntRange.contains(value: ULong): Boolean {\n    return (value shr UInt.SIZE_BITS) == 0uL &&\n    contains(value.toUInt())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n
```

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic operator fun\nUIntRange.contains(value: UShort): Boolean {\n    return contains(value.toUInt())\n}\n\n/**\n * Checks if the\n specified [value] belongs to this range.\n
```

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic operator fun\nULongRange.contains(value: UShort): Boolean {\n    return contains(value.toULong())\n}\n\n/**\n * Returns a\n progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less\n than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n
```

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic infix fun\nUByte.downTo(to: UByte): UIntProgression {\n    return UIntProgression.fromClosedRange(this.toUInt(),\n    to.toUInt(), -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -\n 1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value\n the returned progression is empty.\n
```

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic infix fun\nUInt.downTo(to: UInt): UIntProgression {\n    return UIntProgression.fromClosedRange(this, to, -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should\n be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is\n empty.\n
```

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic infix fun\nULong.downTo(to: ULong): ULongProgression {\n    return ULongProgression.fromClosedRange(this, to, -\n    1L)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the\n returned progression is empty.\n
```

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic infix fun\nUShort.downTo(to: UShort): UIntProgression {\n    return UIntProgression.fromClosedRange(this.toUInt(),\n    to.toUInt(), -1)\n}\n\n/**\n * Returns a progression that goes over the same range in the opposite direction with the\n same step.\n
```

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun\nUIntProgression.reversed(): UIntProgression {\n    return UIntProgression.fromClosedRange(last, first, -\n    step)\n}\n\n/**\n * Returns a progression that goes over the same range in the opposite direction with the same\n step.\n
```

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun\nULongProgression.reversed(): ULongProgression {\n    return ULongProgression.fromClosedRange(last, first, -\n    step)\n}\n\n/**\n * Returns a progression that goes over the same range with the given step.\n
```

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic infix fun\nUIntProgression.step(step: Int): UIntProgression {\n    checkStepIsPositive(step > 0, step)\n    return\n    UIntProgression.fromClosedRange(first, last, if (this.step > 0) step else -step)\n}\n\n/**\n * Returns a progression\n that goes over the same range with the given step.\n
```

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic infix fun\nUByte.until(to: UByte): UIntRange {\n    if (to <= UByte.MIN_VALUE) return UIntRange.EMPTY\n    return\n    this.toUInt() .. (to - 1u).toUInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to]\n value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n
```

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic infix fun UInt.until(to:
```

```

UInt): UIntRange {
    if (to <= UInt.MIN_VALUE) return UIntRange.EMPTY
    return this .. (to - 1u).toUInt()
}

/**
 * Returns a range from this value up to but excluding the specified [to] value.
 * If the [to] value is less than or equal to `this` value, then the returned range is empty.
 */
@SinceKotlin("1.5")
@WasExperimental(ExperimentalUnsignedTypes::class)
public infix fun
ULong.until(to: ULong): ULongRange {
    if (to <= ULong.MIN_VALUE) return ULongRange.EMPTY
    return this .. (to - 1u).toULong()
}

/**
 * Returns a range from this value up to but excluding the specified [to]
 * value.
 * If the [to] value is less than or equal to `this` value, then the returned range is empty.
 */
@SinceKotlin("1.5")
@WasExperimental(ExperimentalUnsignedTypes::class)
public infix fun
UShort.until(to: UShort): UIntRange {
    if (to <= UShort.MIN_VALUE) return UIntRange.EMPTY
    return this.toUInt() .. (to - 1u).toUInt()
}

/**
 * Ensures that this value is not less than the specified
 * [minimumValue].
 * @return this value if it's greater than or equal to the [minimumValue] or the
 * [minimumValue] otherwise.
 * @sample samples.comparisons.ComparableOps.coerceAtLeastUnsigned
 */
@SinceKotlin("1.5")
@WasExperimental(ExperimentalUnsignedTypes::class)
public fun
UInt.coerceAtLeast(minimumValue: UInt): UInt {
    return if (this < minimumValue) minimumValue else
    this
}

/**
 * Ensures that this value is not less than the specified [minimumValue].
 * @return this value
 * if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.
 * @sample
 * samples.comparisons.ComparableOps.coerceAtLeastUnsigned
 */
@SinceKotlin("1.5")
@WasExperimental(ExperimentalUnsignedTypes::class)
public fun
ULong.coerceAtLeast(minimumValue: ULong): ULong {
    return if (this < minimumValue) minimumValue else
    this
}

/**
 * Ensures that this value is not less than the specified [minimumValue].
 * @return this value
 * if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.
 * @sample
 * samples.comparisons.ComparableOps.coerceAtLeastUnsigned
 */
@SinceKotlin("1.5")
@WasExperimental(ExperimentalUnsignedTypes::class)
public fun
UByte.coerceAtLeast(minimumValue: UByte): UByte {
    return if (this < minimumValue) minimumValue else
    this
}

/**
 * Ensures that this value is not less than the specified [minimumValue].
 * @return this value
 * if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.
 * @sample
 * samples.comparisons.ComparableOps.coerceAtLeastUnsigned
 */
@SinceKotlin("1.5")
@WasExperimental(ExperimentalUnsignedTypes::class)
public fun
UShort.coerceAtLeast(minimumValue: UShort): UShort {
    return if (this < minimumValue) minimumValue else
    this
}

/**
 * Ensures that this value is not greater than the specified [maximumValue].
 * @return this
 * value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.
 * @sample
 * samples.comparisons.ComparableOps.coerceAtMostUnsigned
 */
@SinceKotlin("1.5")
@WasExperimental(ExperimentalUnsignedTypes::class)
public fun
UInt.coerceAtMost(maximumValue: UInt): UInt {
    return if (this > maximumValue) maximumValue else
    this
}

/**
 * Ensures that this value is not greater than the specified [maximumValue].
 * @return this
 * value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.
 * @sample
 * samples.comparisons.ComparableOps.coerceAtMostUnsigned
 */
@SinceKotlin("1.5")
@WasExperimental(ExperimentalUnsignedTypes::class)
public fun
ULong.coerceAtMost(maximumValue: ULong): ULong {
    return if (this > maximumValue) maximumValue else
    this
}

/**
 * Ensures that this value is not greater than the specified [maximumValue].
 * @return this
 * value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.
 * @sample
 * samples.comparisons.ComparableOps.coerceAtMostUnsigned
 */
@SinceKotlin("1.5")
@WasExperimental(ExperimentalUnsignedTypes::class)
public fun
UByte.coerceAtMost(maximumValue: UByte): UByte {
    return if (this > maximumValue) maximumValue else
    this
}

/**
 * Ensures that this value is not greater than the specified [maximumValue].
 * @return this
 * value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.
 * @sample
 * samples.comparisons.ComparableOps.coerceAtMostUnsigned
 */
@SinceKotlin("1.5")
@WasExperimental(ExperimentalUnsignedTypes::class)
public fun

```

```

UShort.coerceAtMost(maximumValue: UShort): UShort {
    return if (this > maximumValue) maximumValue
    else this
}

/** Ensures that this value lies in the specified range [minimumValue]..[maximumValue].
 * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or
 * [maximumValue] if this value is greater than [maximumValue].
 */
@sample
samples.comparisons.ComparableOps.coerceInUnsigned

*\/n@SinceKotlin("1.5")\/n@WasExperimental(ExperimentalUnsignedTypes::class)\/npublic fun
UInt.coerceIn(minimumValue: UInt, maximumValue: UInt): UInt {
    if (minimumValue > maximumValue)
        throw IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than
        minimum $minimumValue.")
    if (this < minimumValue) return minimumValue
    if (this > maximumValue)
        return maximumValue
    return this
}

/** Ensures that this value lies in the specified range
 * [minimumValue]..[maximumValue].
 * @return this value if it's in the range, or [minimumValue] if this value
 * is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].
 */
@sample
samples.comparisons.ComparableOps.coerceInUnsigned

*\/n@SinceKotlin("1.5")\/n@WasExperimental(ExperimentalUnsignedTypes::class)\/npublic fun
ULong.coerceIn(minimumValue: ULong, maximumValue: ULong): ULong {
    if (minimumValue >
        maximumValue) throw IllegalArgumentException("Cannot coerce value to an empty range: maximum
        $maximumValue is less than minimum $minimumValue.")
    if (this < minimumValue) return minimumValue
    if (this > maximumValue) return maximumValue
    return this
}

/** Ensures that this value lies in the
 * specified range [minimumValue]..[maximumValue].
 * @return this value if it's in the range, or
 * [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than
 * [maximumValue].
 */
@sample
samples.comparisons.ComparableOps.coerceInUnsigned

*\/n@SinceKotlin("1.5")\/n@WasExperimental(ExperimentalUnsignedTypes::class)\/npublic fun
UByte.coerceIn(minimumValue: UByte, maximumValue: UByte): UByte {
    if (minimumValue >
        maximumValue) throw IllegalArgumentException("Cannot coerce value to an empty range: maximum
        $maximumValue is less than minimum $minimumValue.")
    if (this < minimumValue) return minimumValue
    if (this > maximumValue) return maximumValue
    return this
}

/** Ensures that this value lies in the
 * specified range [minimumValue]..[maximumValue].
 * @return this value if it's in the range, or
 * [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than
 * [maximumValue].
 */
@sample
samples.comparisons.ComparableOps.coerceInUnsigned

*\/n@SinceKotlin("1.5")\/n@WasExperimental(ExperimentalUnsignedTypes::class)\/npublic fun
UShort.coerceIn(minimumValue: UShort, maximumValue: UShort): UShort {
    if (minimumValue >
        maximumValue) throw IllegalArgumentException("Cannot coerce value to an empty range: maximum
        $maximumValue is less than minimum $minimumValue.")
    if (this < minimumValue) return minimumValue
    if (this > maximumValue) return maximumValue
    return this
}

/** Ensures that this value lies in the
 * specified [range].
 * @return this value if it's in the [range], or `range.start` if this value is less than
 * `range.start`, or `range.endInclusive` if this value is greater than `range.endInclusive`.
 */
@sample
samples.comparisons.ComparableOps.coerceInUnsigned

*\/n@SinceKotlin("1.5")\/n@WasExperimental(ExperimentalUnsignedTypes::class)\/npublic fun
UInt.coerceIn(range: ClosedRange<UInt>): UInt {
    if (range is ClosedFloatingPointRange) {
        return
        this.coerceIn<UInt>(range)
    }
    if (range.isEmpty()) throw IllegalArgumentException("Cannot coerce value to
    an empty range: $range.")
    return when {
        this < range.start -> range.start
        this > range.endInclusive -
        > range.endInclusive
        else -> this
    }
}

/** Ensures that this value lies in the specified [range].
 * @return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or
 * `range.endInclusive` if this value is greater than `range.endInclusive`.
 */
@sample
samples.comparisons.ComparableOps.coerceInUnsigned

*\/n@SinceKotlin("1.5")\/n@WasExperimental(ExperimentalUnsignedTypes::class)\/npublic fun
ULong.coerceIn(range: ClosedRange<ULong>): ULong {
    if (range is ClosedFloatingPointRange) {
        return
        this.coerceIn<ULong>(range)
    }
    if (range.isEmpty()) throw IllegalArgumentException("Cannot coerce value

```



```

to an empty range: $range.)\n    return when {\n        this < range.start -> range.start\n        this >
range.endInclusive -> range.endInclusive\n        else -> this\n    }\n}\n\n",/*\n * Copyright 2010-2021 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("USequencesKt")\n\npackage
kotlin.sequences\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.random.*\n\n/**\n * Returns the
sum of all elements in the sequence.\n * \n * The operation is _terminal_.\n
*\n\n@kotlin.jvm.JvmName("sumOfUInt")\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedT
ypes::class)\npublic fun Sequence<UInt>.sum(): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n        sum
+= element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n * \n * The
operation is _terminal_.\n
*\n\n@kotlin.jvm.JvmName("sumOfULong")\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsigned
Types::class)\npublic fun Sequence<ULong>.sum(): ULong {\n    var sum: ULong = 0uL\n    for (element in this)
{\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n * \n *
The operation is _terminal_.\n
*\n\n@kotlin.jvm.JvmName("sumOfUByte")\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsigned
Types::class)\npublic fun Sequence<UByte>.sum(): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n
sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n * \n * The
operation is _terminal_.\n
*\n\n@kotlin.jvm.JvmName("sumOfUShort")\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsigned
Types::class)\npublic fun Sequence<UShort>.sum(): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n
sum += element\n    }\n    return sum\n}\n\n",/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n *\n\npackage kotlin\n\npublic expect open class Error : Throwable {\n
    constructor()\n    constructor(message: String?)\n    constructor(message: String?, cause: Throwable?)\n
    constructor(cause: Throwable?)\n}\n\npublic expect open class Exception : Throwable {\n    constructor()\n
    constructor(message: String?)\n    constructor(message: String?, cause: Throwable?)\n    constructor(cause:
Throwable?)\n}\n\npublic expect open class RuntimeException : Exception {\n    constructor()\n    constructor(message:
String?)\n    constructor(message: String?, cause: Throwable?)\n    constructor(cause: Throwable?)\n}\n\npublic
expect open class IllegalArgumentException : RuntimeException {\n    constructor()\n    constructor(message: String?)\n
    constructor(message: String?, cause: Throwable?)\n    constructor(cause: Throwable?)\n}\n\npublic expect open
class IllegalStateException : RuntimeException {\n    constructor()\n    constructor(message: String?)\n    constructor(message:
String?, cause: Throwable?)\n    constructor(cause: Throwable?)\n}\n\npublic expect open class IndexOutOfBoundsException :
RuntimeException {\n    constructor()\n    constructor(message: String?)\n}\n\npublic expect open class ConcurrentModificationException :
RuntimeException {\n    constructor()\n    constructor(message: String?)\n    @Deprecated("The constructor is not
supported on all platforms and will be removed from kotlin-stdlib-common soon.", level =
DeprecationLevel.ERROR)\n    constructor(message: String?, cause: Throwable?)\n    @Deprecated("The
constructor is not supported on all platforms and will be removed from kotlin-stdlib-common soon.", level =
DeprecationLevel.ERROR)\n    constructor(cause: Throwable?)\n}\n\npublic expect open class
UnsupportedOperationException : RuntimeException {\n    constructor()\n    constructor(message: String?)\n
    constructor(message: String?, cause: Throwable?)\n    constructor(cause: Throwable?)\n}\n\npublic expect open
class NumberFormatException : IllegalArgumentException {\n    constructor()\n    constructor(message:
String?)\n}\n\npublic expect open class NullPointerException : RuntimeException {\n    constructor()\n
    constructor(message: String?)\n}\n\npublic expect open class ClassCastException : RuntimeException {\n
    constructor()\n    constructor(message: String?)\n}\n\npublic expect open class AssertionError : Error {\n
    constructor()\n    constructor(message: Any?)\n}\n\npublic expect open class NoSuchElementException :

```

```

RuntimeException {\n  constructor()\n  constructor(message: String?)\n}\n\n@SinceKotlin("1.3")\npublic expect open class ArithmeticException : RuntimeException {\n  constructor()\n  constructor(message: String?)\n}\n\n@Deprecated("This exception type is not supposed to be thrown or caught in common code and will be removed from kotlin-stdlib-common soon.")\nlevel = DeprecationLevel.ERROR)\npublic expect open class NoWhenBranchMatchedException : RuntimeException {\n  constructor()\n  constructor(message: String?)\n  constructor(message: String?, cause: Throwable?)\n  constructor(cause: Throwable?)\n}\n\n@Deprecated("This exception type is not supposed to be thrown or caught in common code and will be removed from kotlin-stdlib-common soon.")\nlevel = DeprecationLevel.ERROR)\npublic expect class UninitializedPropertyAccessException : RuntimeException {\n  constructor()\n  constructor(message: String?)\n  constructor(message: String?, cause: Throwable?)\n  constructor(cause: Throwable?)\n}\n\n/**\n * Thrown after invocation of a function or property that was expected to return `Nothing`, but returned something instead.\n *\n */\n\n@SinceKotlin("1.4")\n@PublishedApi\ninternal class KotlinNothingValueException : RuntimeException {\n  constructor() : super()\n  constructor(message: String?) : super(message)\n  constructor(message: String?, cause: Throwable?) : super(message, cause)\n  constructor(cause: Throwable?) : super(cause)\n}\n\n/**\n * Returns the detailed description of this throwable with its stack trace.\n * \n * The detailed description includes:\n * - the short description (see [Throwable.toString]) of this throwable;\n * - the complete stack trace;\n * - detailed descriptions of the exceptions that were [suppressed][suppressedExceptions] in order to deliver this exception;\n * - the detailed description of each throwable in the [Throwable.cause] chain.\n *\n */\n\n@SinceKotlin("1.4")\npublic expect fun Throwable.stackTraceToString(): String\n\n/**\n * Prints the [detailed description][Throwable.stackTraceToString] of this throwable to the standard output or standard error output.\n *\n */\n\n@SinceKotlin("1.4")\n@Suppress("EXTENSION_SHADOWED_BY_MEMBER")\npublic expect fun Throwable.printStackTrace(): Unit\n\n/**\n * When supported by the platform, adds the specified exception to the list of exceptions that were\n * suppressed in order to deliver this exception.\n *\n */\n\n@SinceKotlin("1.4")\n@Suppress("EXTENSION_SHADOWED_BY_MEMBER")\npublic expect fun Throwable.addSuppressed(exception: Throwable)\n\n/**\n * Returns a list of all exceptions that were suppressed in order to deliver this exception.\n * \n * The list can be empty:\n * - if no exceptions were suppressed;\n * - if the platform doesn't support suppressed exceptions;\n * - if this [Throwable] instance has disabled the suppression.\n *\n */\n\n@SinceKotlin("1.4")\npublic expect val Throwable.suppressedExceptions: List<Throwable>\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\nimport kotlin.annotation.AnnotationTarget.*\n\n/**\n * Gives a declaration (a function, a property or a class) specific name in JavaScript.\n *\n */\n@Target(CLASS, FUNCTION, PROPERTY, CONSTRUCTOR, PROPERTY_GETTER, PROPERTY_SETTER)\n@OptionalExpectation\npublic expect annotation class JsName(val name: String)\n\n/**\n * Marks experimental JS export annotations.\n * \n * Note that behavior of these annotations will likely be changed in the future.\n * \n * Usages of such annotations will be reported as warnings unless an explicit opt-in with\n * the [OptIn] annotation, e.g. `@OptIn(ExperimentalJsExport::class)`,\n * or with the `-Xopt-in=kotlin.js.ExperimentalJsExport` compiler option is given.\n *\n */\n\n@Suppress("DEPRECATION")\n@Experimental(level = Experimental.Level.WARNING)\n@RequiresOptIn(level = RequiresOptIn.Level.WARNING)\n@MustBeDocumented\n@Retention(AnnotationRetention.BINARY)\n@SinceKotlin("1.4")\npublic annotation class ExperimentalJsExport\n\n/**\n * Exports top-level declaration on JS platform.\n * \n * Compiled module exposes declarations that are marked with this annotation without name mangling.\n * \n * This annotation can be applied to either files or top-level declarations.\n * \n * It is currently prohibited to export the following kinds of declarations:\n * - `expect` declarations\n * - inline functions with reified type parameters\n * - suspend functions\n * - secondary constructors without `@JsName`\n * - extension properties\n * - enum classes\n * - annotation classes\n * \n * Signatures of exported declarations must only contain "exportable" types:\n * - `dynamic`, `Any`, `String`, `Boolean`, `Byte`, `Short`, `Int`, `Float`, `Double`\n * - `BooleanArray`, `ByteArray`, `ShortArray`, `IntArray`, `FloatArray`, `DoubleArray`\n * \n */

```

```

`Array<exportable-type>` \n * * Function types with exportable parameters and return types \n * * `external` or
`@JsExport` classes and interfaces \n * * Nullable counterparts of types above \n * * Unit return type. Must not be
nullable \n * \n * This annotation is experimental, meaning that restrictions mentioned above are subject to change. \n
*/ \n @ExperimentalJsExport \n @Retention(AnnotationRetention.BINARY) \n @Target(CLASS, PROPERTY,
FUNCTION, FILE) \n @SinceKotlin("1.4") \n @OptionalExpectation \n public expect annotation class
JsExport() { \n * * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors. \n * * Use
of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file. \n
*/ \n \n package kotlin.io \n \n /** Prints the line separator to the standard output stream. \n */ \n public expect fun
println() \n \n /** Prints the given [message] and the line separator to the standard output stream. \n */ \n public expect fun
println(message: Any?) \n \n /** Prints the given [message] to the standard output stream. \n */ \n public expect fun
print(message: Any?) \n \n /** \n * Reads a line of input from the standard input stream and returns it, \n * or throws a
[RuntimeException] if EOF has already been reached when [readln] is called. \n * \n * LF or CRLF is treated as the
line terminator. Line terminator is not included in the returned string. \n * \n * Currently this function is not supported
in Kotlin/JS and throws [UnsupportedOperationException]. \n */ \n @SinceKotlin("1.6") \n public expect fun
readln(): String \n \n /** \n * Reads a line of input from the standard input stream and returns it, \n * or return `null` if
EOF has already been reached when [readlnOrNull] is called. \n * \n * LF or CRLF is treated as the line terminator.
Line terminator is not included in the returned string. \n * \n * Currently this function is not supported in Kotlin/JS
and throws [UnsupportedOperationException]. \n */ \n @SinceKotlin("1.6") \n public expect fun readlnOrNull():
String? \n \n internal class ReadAfterEOFException(message: String?) : RuntimeException(message) \n \n \n internal
expect interface Serializable \n \n /** \n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language
contributors. \n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file. \n */ \n \n package kotlin.collections \n \n import kotlin.internal.PlatformDependent \n \n /** \n *
Classes that inherit from this interface can be represented as a sequence of elements that can \n * be iterated over. \n *
@param T the type of element being iterated over. The iterator is covariant in its element type. \n */ \n public interface
Iterable<out T> { \n /** \n * Returns an iterator over the elements of this object. \n */ \n public operator fun
iterator(): Iterator<T> \n \n /** \n * Classes that inherit from this interface can be represented as a sequence of
elements that can \n * be iterated over and that supports removing elements during iteration. \n * @param T the type
of element being iterated over. The mutable iterator is invariant in its element type. \n */ \n public interface
MutableIterable<out T> : Iterable<T> { \n /** \n * Returns an iterator over the elements of this sequence that
supports removing elements during iteration. \n */ \n override fun iterator(): MutableIterator<T> \n \n /** \n * A
generic collection of elements. Methods in this interface support only read-only access to the collection; \n *
read/write access is supported through the [MutableCollection] interface. \n * @param E the type of elements
contained in the collection. The collection is covariant in its element type. \n */ \n public interface Collection<out E> :
Iterable<E> { \n // Query Operations \n /** \n * Returns the size of the collection. \n */ \n public val size:
Int \n \n /** \n * Returns `true` if the collection is empty (contains no elements), `false` otherwise. \n */ \n
public fun isEmpty(): Boolean \n \n /** \n * Checks if the specified element is contained in this collection. \n */ \n
public operator fun contains(element: @UnsafeVariance E): Boolean \n \n override fun iterator():
Iterator<E> \n \n // Bulk Operations \n /** \n * Checks if all elements in the specified collection are contained in
this collection. \n */ \n public fun containsAll(elements: Collection<@UnsafeVariance E>): Boolean \n \n /** \n *
A generic collection of elements that supports adding and removing elements. \n * \n * @param E the type of
elements contained in the collection. The mutable collection is invariant in its element type. \n */ \n public interface
MutableCollection<E> : Collection<E>, MutableIterable<E> { \n // Query Operations \n override fun iterator():
MutableIterator<E> \n \n // Modification Operations \n /** \n * Adds the specified element to the collection. \n */ \n
*/ \n * @return `true` if the element has been added, `false` if the collection does not support duplicates \n * and
the element is already contained in the collection. \n */ \n public fun add(element: E): Boolean \n \n /** \n *
Removes a single instance of the specified element from this \n * collection, if it is present. \n */ \n * @return
`true` if the element has been successfully removed; `false` if it was not present in the collection. \n */ \n public
fun remove(element: E): Boolean \n \n // Bulk Modification Operations \n /** \n * Adds all of the elements of

```

```

the specified collection to this collection.\n * \n * @return `true` if any of the specified elements was added to
the collection, `false` if the collection was not modified.\n * \n public fun addAll(elements: Collection<E>):
Boolean\n\n /**\n * Removes all of this collection's elements that are also contained in the specified
collection.\n * \n * @return `true` if any of the specified elements was removed from the collection, `false` if
the collection was not modified.\n * \n public fun removeAll(elements: Collection<E>): Boolean\n\n /**\n * Retains only the elements in this collection that are contained in the specified collection.\n * \n * @return
`true` if any element was removed from the collection, `false` if the collection was not modified.\n * \n public
fun retainAll(elements: Collection<E>): Boolean\n\n /**\n * Removes all elements from this collection.\n
*\n public fun clear(): Unit\n}\n\n/**\n * A generic ordered collection of elements. Methods in this interface
support only read-only access to the list;\n * read/write access is supported through the [MutableList] interface.\n
*\n @param E the type of elements contained in the list. The list is covariant in its element type.\n *\n\npublic interface
List<out E> : Collection<E> {\n // Query Operations\n\n override val size: Int\n override fun isEmpty():
Boolean\n override fun contains(element: @UnsafeVariance E): Boolean\n override fun iterator():
Iterator<E>\n\n // Bulk Operations\n override fun containsAll(elements: Collection<@UnsafeVariance E>):
Boolean\n\n // Positional Access Operations\n /**\n * Returns the element at the specified index in the list.\n
*\n public operator fun get(index: Int): E\n\n // Search Operations\n /**\n * Returns the index of the first
occurrence of the specified element in the list, or -1 if the specified\n * element is not contained in the list.\n
*\n public fun indexOf(element: @UnsafeVariance E): Int\n\n /**\n * Returns the index of the last
occurrence of the specified element in the list, or -1 if the specified\n * element is not contained in the list.\n
*\n public fun lastIndexOf(element: @UnsafeVariance E): Int\n\n // List Iterators\n /**\n * Returns a list
iterator over the elements in this list (in proper sequence).\n * \n public fun listIterator(): ListIterator<E>\n\n
/**\n * Returns a list iterator over the elements in this list (in proper sequence), starting at the specified [index].\n
*\n public fun listIterator(index: Int): ListIterator<E>\n\n // View\n /**\n * Returns a view of the portion
of this list between the specified [fromIndex] (inclusive) and [toIndex] (exclusive).\n * The returned list is backed
by this list, so non-structural changes in the returned list are reflected in this list, and vice-versa.\n * \n *
Structural changes in the base list make the behavior of the view undefined.\n * \n public fun
subList(fromIndex: Int, toIndex: Int): List<E>\n}\n\n/**\n * A generic ordered collection of elements that supports
adding and removing elements.\n * @param E the type of elements contained in the list. The mutable list is invariant
in its element type.\n *\n\npublic interface MutableList<E> : List<E>, MutableCollection<E> {\n // Modification
Operations\n /**\n * Adds the specified element to the end of this list.\n * \n * @return `true` because the
list is always modified as the result of this operation.\n * \n override fun add(element: E): Boolean\n\n
override fun remove(element: E): Boolean\n\n // Bulk Modification Operations\n /**\n * Adds all of the
elements of the specified collection to the end of this list.\n * \n * The elements are appended in the order they
appear in the [elements] collection.\n * \n * @return `true` if the list was changed as the result of the
operation.\n * \n override fun addAll(elements: Collection<E>): Boolean\n\n /**\n * Inserts all of the
elements of the specified collection [elements] into this list at the specified [index].\n * \n * @return `true` if the
list was changed as the result of the operation.\n * \n public fun addAll(index: Int, elements: Collection<E>):
Boolean\n\n override fun removeAll(elements: Collection<E>): Boolean\n override fun retainAll(elements:
Collection<E>): Boolean\n override fun clear(): Unit\n\n // Positional Access Operations\n /**\n * Replaces
the element at the specified position in this list with the specified element.\n * \n * @return the element
previously at the specified position.\n * \n public operator fun set(index: Int, element: E): E\n\n /**\n *
Inserts an element into the list at the specified [index].\n * \n public fun add(index: Int, element: E): Unit\n\n
/**\n * Removes an element at the specified [index] from the list.\n * \n * @return the element that has been
removed.\n * \n public fun removeAt(index: Int): E\n\n // List Iterators\n override fun listIterator():
MutableListIterator<E>\n\n override fun listIterator(index: Int): MutableListIterator<E>\n\n // View\n override
fun subList(fromIndex: Int, toIndex: Int): MutableList<E>\n}\n\n/**\n * A generic unordered collection of elements
that does not support duplicate elements.\n * Methods in this interface support only read-only access to the set;\n *
read/write access is supported through the [MutableSet] interface.\n * @param E the type of elements contained in

```

the set. The set is covariant in its element type.

```

public interface Set<out E> : Collection<E> {
    // Query Operations
    override val size: Int
    override fun isEmpty(): Boolean
    override fun contains(element: @UnsafeVariance E): Boolean
    override fun iterator(): Iterator<E>
    // Bulk Operations
    override fun containsAll(elements: Collection<@UnsafeVariance E>): Boolean
}

```

\* A generic unordered collection of elements that does not support duplicate elements, and supports adding and removing elements.

\* @param E the type of elements contained in the set. The mutable set is invariant in its element type.

```

public interface MutableSet<E> : Set<E>, MutableCollection<E> {
    // Query Operations
    override fun iterator(): MutableIterator<E>
    // Modification Operations
    /**
     * Adds the specified element to the set.
     * @return `true` if the element has been added, `false` if the element is already contained in the set.
     */
    override fun add(element: E): Boolean
    override fun remove(element: E): Boolean
    // Bulk Modification Operations
    override fun addAll(elements: Collection<E>): Boolean
    override fun removeAll(elements: Collection<E>): Boolean
    override fun retainAll(elements: Collection<E>): Boolean
    override fun clear(): Unit
}

```

\* A collection that holds pairs of objects (keys and values) and supports efficiently retrieving the value corresponding to each key. Map keys are unique; the map holds only one value for each key.

\* Methods in this interface support only read-only access to the map; read-write access is supported through the [MutableMap] interface.

\* @param K the type of map keys. The map is invariant in its key type, as it can accept key as a parameter (of [containsKey] for example) and return it in [keys] set.

\* @param V the type of map values. The map is covariant in its value type.

```

public interface Map<K, out V> {
    // Query Operations
    /**
     * Returns the number of key/value pairs in the map.
     */
    public val size: Int
    /**
     * Returns `true` if the map is empty (contains no elements), `false` otherwise.
     */
    public fun isEmpty(): Boolean
    /**
     * Returns `true` if the map contains the specified [key].
     */
    public fun containsKey(key: K): Boolean
    /**
     * Returns `true` if the map maps one or more keys to the specified [value].
     */
    public fun containsValue(value: @UnsafeVariance V): Boolean
    /**
     * Returns the value corresponding to the given [key], or `null` if such a key is not present in the map.
     */
    public operator fun get(key: K): V?
    /**
     * Returns the value corresponding to the given [key], or [defaultValue] if such a key is not present in the map.
     * @since JDK 1.8
     * @SinceKotlin("1.1")
     * @PlatformDependent
     */
    public fun getOrDefault(key: K, defaultValue: @UnsafeVariance V): V {
        // See default implementation in JDK sources
        throw NotImplementedError()
    }
    // Views
    /**
     * Returns a read-only [Set] of all keys in this map.
     */
    public val keys: Set<K>
    /**
     * Returns a read-only [Collection] of all values in this map. Note that this collection may contain duplicate values.
     */
    public val values: Collection<V>
    /**
     * Returns a read-only [Set] of all key/value pairs in this map.
     */
    public val entries: Set<Map.Entry<K, V>>
}

```

\* Represents a key/value pair held by a [Map].

```

public interface Entry<out K, out V> {
    /**
     * Returns the key of this key/value pair.
     */
    public val key: K
    /**
     * Returns the value of this key/value pair.
     */
    public val value: V
}

```

\* A modifiable collection that holds pairs of objects (keys and values) and supports efficiently retrieving the value corresponding to each key. Map keys are unique; the map holds only one value for each key.

\* @param K the type of map keys. The map is invariant in its key type.

\* @param V the type of map values. The mutable map is invariant in its value type.

```

public interface MutableMap<K, V> : Map<K, V> {
    // Modification Operations
    /**
     * Associates the specified [value] with the specified [key] in the map.
     * @return the previous value associated with the key, or `null` if the key was not present in the map.
     */
    public fun put(key: K, value: V): V?
    /**
     * Removes the specified key and its corresponding value from this map.
     * @return the previous value associated with the key, or `null` if the key was not present in the map.
     */
    public fun remove(key: K): V?
    /**
     * Removes the entry for the specified key only if it is mapped to the specified value.
     * @return true if entry was removed
     * @SinceKotlin("1.1")
     * @PlatformDependent
     */
    public fun remove(key: K, value: V): Boolean {
        // See default implementation in JDK sources
        return true
    }
    // Bulk Modification Operations
    /**
     * Updates this map with key/value pairs from the specified map [from].
     */
    public fun putAll(from: Map<out K, V>): Unit
    /**
     * Removes all elements from this map.
     */
    public fun clear(): Unit
    // Views
    /**
     * Returns a

```

```

[MutableSet] of all keys in this map.\n    */\n    override val keys: MutableSet<K>\n\n    /**\n     * Returns a [MutableCollection] of all values in this map. Note that this collection may contain duplicate values.\n     */\n    override val values: MutableCollection<V>\n\n    /**\n     * Returns a [MutableSet] of all key/value pairs in this map.\n     */\n    override val entries: MutableSet<MutableMap.MutableEntry<K, V>>\n\n    /**\n     * Represents a key/value pair held by a [MutableMap].\n     */\n    public interface MutableEntry<K, V> : Map.Entry<K, V> {\n        /**\n         * Changes the value associated with the key of this entry.\n         */\n        * @return the previous value corresponding to the key.\n        */\n        public fun setValue(newValue: V): V\n    }\n\n    /**\n     * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n     * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n     */\n\n    // Auto-generated file. DO NOT EDIT!\n\n    package kotlin.collections\n\n    /**\n     * An iterator over a sequence of values of type `Byte`.\n     */\n    public abstract class ByteIterator : Iterator<Byte> {\n        /**\n         * Returns the next value in the sequence without boxing.\n         */\n        public abstract fun nextByte(): Byte\n    }\n\n    /**\n     * An iterator over a sequence of values of type `Char`.\n     */\n    public abstract class CharIterator : Iterator<Char> {\n        /**\n         * Returns the next value in the sequence without boxing.\n         */\n        public abstract fun nextChar(): Char\n    }\n\n    /**\n     * An iterator over a sequence of values of type `Short`.\n     */\n    public abstract class ShortIterator : Iterator<Short> {\n        /**\n         * Returns the next value in the sequence without boxing.\n         */\n        public abstract fun nextShort(): Short\n    }\n\n    /**\n     * An iterator over a sequence of values of type `Int`.\n     */\n    public abstract class IntIterator : Iterator<Int> {\n        /**\n         * Returns the next value in the sequence without boxing.\n         */\n        public abstract fun nextInt(): Int\n    }\n\n    /**\n     * An iterator over a sequence of values of type `Long`.\n     */\n    public abstract class LongIterator : Iterator<Long> {\n        /**\n         * Returns the next value in the sequence without boxing.\n         */\n        public abstract fun nextLong(): Long\n    }\n\n    /**\n     * An iterator over a sequence of values of type `Float`.\n     */\n    public abstract class FloatIterator : Iterator<Float> {\n        /**\n         * Returns the next value in the sequence without boxing.\n         */\n        public abstract fun nextFloat(): Float\n    }\n\n    /**\n     * An iterator over a sequence of values of type `Double`.\n     */\n    public abstract class DoubleIterator : Iterator<Double> {\n        /**\n         * Returns the next value in the sequence without boxing.\n         */\n        public abstract fun nextDouble(): Double\n    }\n\n    /**\n     * An iterator over a sequence of values of type `Boolean`.\n     */\n    public abstract class BooleanIterator : Iterator<Boolean> {\n        /**\n         * Returns the next value in the sequence without boxing.\n         */\n        public abstract fun nextBoolean(): Boolean\n    }\n\n    /**\n     * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n     * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n     */\n\n    // Auto-generated file. DO NOT EDIT!\n\n    package kotlin.ranges\n\n    /**\n     * An iterator over a progression of values of type `Char`.\n     */\n    * @property step the number by which the value is incremented on each step.\n    */\n    internal class CharProgressionIterator(first: Char, last: Char, val step: Int) : CharIterator() {\n        private val finalElement: Int = last.code\n        private var hasNext: Boolean = if (step > 0) first <= last else first >= last\n        private var next: Int = if (hasNext) first.code else finalElement\n\n        override fun hasNext(): Boolean = hasNext\n\n        override fun nextChar(): Char {\n            val value = next\n            if (value == finalElement) {\n                if (!hasNext) throw kotlin.NoSuchElementException()\n                hasNext = false\n            } else {\n                next += step\n            }\n            return value.toChar()\n        }\n    }\n\n    /**\n     * An iterator over a progression of values of type `Int`.\n     */\n    * @property step the number by which the value is incremented on each step.\n    */\n    internal class IntProgressionIterator(first: Int, last: Int, val step: Int) : IntIterator() {\n        private val finalElement: Int = last\n        private var hasNext: Boolean = if (step > 0) first <= last else first >= last\n        private var next: Int = if (hasNext) first else finalElement\n\n        override fun hasNext(): Boolean = hasNext\n\n        override fun nextInt(): Int {\n            val value = next\n            if (value == finalElement) {\n                if (!hasNext) throw kotlin.NoSuchElementException()\n                hasNext = false\n            } else {\n                next += step\n            }\n            return value\n        }\n    }\n\n    /**\n     * An iterator over a progression of values of type `Long`.\n     */\n    * @property step the number by which the value is incremented on each step.\n    */\n    internal class LongProgressionIterator(first: Long, last: Long, val step: Long) : LongIterator() {\n        private val finalElement: Long = last\n        private var hasNext: Boolean = if (step > 0) first <= last else first >= last\n        private var next: Long = if

```

```

(hasNext) first else finalElement\n\n override fun hasNext(): Boolean = hasNext\n\n override fun nextLong():
Long {\n val value = next\n if (value == finalElement) {\n if (!hasNext) throw
kotlin.NoSuchElementException()\n hasNext = false\n }\n else {\n next += step\n }\n
return value\n }\n}\n\n",/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin.ranges\n\nimport
kotlin.internal.getProgressionLastElement\n\n/**\n * A progression of values of type `Char`.\n */\npublic open class
CharProgression\n internal constructor\n (\n start: Char,\n endInclusive: Char,\n step: Int\n
): Iterable<Char> {\n init {\n if (step == 0) throw kotlin.IllegalArgumentException("\u201cStep must be non-
zero.\u201c")\n if (step == Int.MIN_VALUE) throw kotlin.IllegalArgumentException("\u201cStep must be greater than
Int.MIN_VALUE to avoid overflow on negation.\u201c")\n }\n\n /**\n * The first element in the progression.\n
*/\n public val first: Char = start\n\n /**\n * The last element in the progression.\n */\n public val last:
Char = getProgressionLastElement(start.code, endInclusive.code, step).toChar()\n\n /**\n * The step of the
progression.\n */\n public val step: Int = step\n\n override fun iterator(): CharIterator =
CharProgressionIterator(first, last, step)\n\n /**\n * Checks if the progression is empty.\n */\n * Progression
with a positive step is empty if its first element is greater than the last element.\n * Progression with a negative
step is empty if its first element is less than the last element.\n */\n public open fun isEmpty(): Boolean = if
(step > 0) first > last else first < last\n\n override fun equals(other: Any?): Boolean =\n other is
CharProgression && (isEmpty() && other.isEmpty()) ||\n first == other.first && last == other.last && step ==
other.step)\n\n override fun hashCode(): Int =\n if (isEmpty()) -1 else (31 * (31 * first.code + last.code) +
step)\n\n override fun toString(): String = if (step > 0) "\u201c$first..$last step $step\u201c" else "\u201c$first
downTo $last step ${-step}\u201c"\n\n companion object {\n /**\n * Creates CharProgression within the specified bounds of a
closed range.\n */\n * The progression starts with the [rangeStart] value and goes toward the [rangeEnd]
value not excluding it, with the specified [step].\n * In order to go backwards the [step] must be negative.\n
*/\n * [step] must be greater than `Int.MIN_VALUE` and not equal to zero.\n */\n public fun
fromClosedRange(rangeStart: Char, rangeEnd: Char, step: Int): CharProgression = CharProgression(rangeStart,
rangeEnd, step)\n }\n}\n\n/**\n * A progression of values of type `Int`.\n */\npublic open class IntProgression\n
internal constructor\n (\n start: Int,\n endInclusive: Int,\n step: Int\n ): Iterable<Int> {\n
init {\n if (step == 0) throw kotlin.IllegalArgumentException("\u201cStep must be non-zero.\u201c")\n if (step ==
Int.MIN_VALUE) throw kotlin.IllegalArgumentException("\u201cStep must be greater than Int.MIN_VALUE to avoid
overflow on negation.\u201c")\n }\n\n /**\n * The first element in the progression.\n */\n public val first: Int =
start\n\n /**\n * The last element in the progression.\n */\n public val last: Int =
getProgressionLastElement(start, endInclusive, step)\n\n /**\n * The step of the progression.\n */\n public
val step: Int = step\n\n override fun iterator(): IntIterator = IntProgressionIterator(first, last, step)\n\n /**\n
* Checks if the progression is empty.\n */\n * Progression with a positive step is empty if its first element is
greater than the last element.\n * Progression with a negative step is empty if its first element is less than the last
element.\n */\n public open fun isEmpty(): Boolean = if (step > 0) first > last else first < last\n\n override fun
equals(other: Any?): Boolean =\n other is IntProgression && (isEmpty() && other.isEmpty()) ||\n first ==
other.first && last == other.last && step == other.step)\n\n override fun hashCode(): Int =\n if (isEmpty()) -1
else (31 * (31 * first + last) + step)\n\n override fun toString(): String = if (step > 0) "\u201c$first..$last
step $step\u201c" else "\u201c$first downTo $last step ${-step}\u201c"\n\n companion object {\n /**\n * Creates
IntProgression within the specified bounds of a closed range.\n */\n * The progression starts with the [rangeStart]
value and goes toward the [rangeEnd] value not excluding it, with the specified [step].\n * In order to go backwards
the [step] must be negative.\n */\n * [step] must be greater than `Int.MIN_VALUE` and not equal to zero.\n */\n
public fun fromClosedRange(rangeStart: Int, rangeEnd: Int, step: Int): IntProgression =
IntProgression(rangeStart, rangeEnd, step)\n }\n}\n\n/**\n * A progression of values of type `Long`.\n */\npublic
open class LongProgression\n internal constructor\n (\n start: Long,\n endInclusive: Long,\n
step: Long\n ): Iterable<Long> {\n init {\n if (step == 0L) throw kotlin.IllegalArgumentException("\u201cStep

```

```

must be non-zero.})\n    if (step == Long.MIN_VALUE) throw kotlin.IllegalArgumentException("Step must be
greater than Long.MIN_VALUE to avoid overflow on negation.")\n    }\n\n    /**\n     * The first element in the
progression.\n     *\n     * public val first: Long = start\n     *\n     * The last element in the progression.\n     *\n     *
public val last: Long = getProgressionLastElement(start, endInclusive, step)\n     *\n     * The step of the
progression.\n     *\n     * public val step: Long = step\n     *\n     * override fun iterator(): LongIterator =
LongProgressionIterator(first, last, step)\n     *\n     * Checks if the progression is empty.\n     *\n     *
Progression with a positive step is empty if its first element is greater than the last element.\n     * Progression with a
negative step is empty if its first element is less than the last element.\n     *\n     * public open fun isEmpty(): Boolean
= if (step > 0) first > last else first < last\n     *\n     * override fun equals(other: Any?): Boolean =\n     * other is
LongProgression && (isEmpty() && other.isEmpty()) ||\n     * first == other.first && last == other.last && step ==
other.step)\n     *\n     * override fun hashCode(): Int =\n     * if (isEmpty()) -1 else (31 * (31 * (first xor (first ushr 32)) +
(last xor (last ushr 32))) + (step xor (step ushr 32))).toInt()\n     *\n     * override fun toString(): String = if (step > 0)
"$first..$last step $step" else "$first downTo $last step ${-step}"\n     *\n     * companion object {\n     *\n     *
Creates LongProgression within the specified bounds of a closed range.\n     *\n     * The progression starts
with the [rangeStart] value and goes toward the [rangeEnd] value not excluding it, with the specified [step].\n     *
In order to go backwards the [step] must be negative.\n     *\n     * [step] must be greater than
`Long.MIN_VALUE` and not equal to zero.\n     *\n     * public fun fromClosedRange(rangeStart: Long,
rangeEnd: Long, step: Long): LongProgression = LongProgression(rangeStart, rangeEnd, step)\n     * }\n\n    "/**\n     *
Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n     * Use of this source code is
governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n     */\n\n    package
kotlin.ranges\n\n    /**\n     * Represents a range of values (for example, numbers or characters).\n     * See the [Kotlin
language documentation](https://kotlinlang.org/docs/reference/ranges.html) for more information.\n     */\n\n    public
interface ClosedRange<T>: Comparable<T> {\n     *\n     * The minimum value in the range.\n     *\n     * public val
start: T\n     *\n     * The maximum value in the range (inclusive).\n     *\n     * public val endInclusive: T\n     *\n     *
Checks whether the specified [value] belongs to the range.\n     *\n     * public operator fun contains(value:
T): Boolean = value >= start && value <= endInclusive\n     *\n     * Checks whether the range is empty.\n     *\n     *
The range is empty if its start value is greater than the end value.\n     *\n     * public fun isEmpty(): Boolean = start
> endInclusive\n     * }\n\n    "/**\n     * Copyright 2010-2015 JetBrains s.r.o.\n     * Licensed under the Apache License,
Version 2.0 (the "License");\n     * you may not use this file except in compliance with the License.\n     * You may
obtain a copy of the License at\n     * http://www.apache.org/licenses/LICENSE-2.0\n     * Unless required by
applicable law or agreed to in writing, software\n     * distributed under the License is distributed on an "AS IS"
BASIS,\n     * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.\n     * See the
License for the specific language governing permissions and\n     * limitations under the License.\n     */\n\n    package
kotlin\n\n    /**\n     * The type with only one value: the `Unit` object. This type corresponds to the `void` type in Java.\n     */\n\n    public object Unit {\n     *\n     * override fun toString() = "kotlin.Unit{\n     * }\n     * "\n     * Copyright 2010-2015 JetBrains
s.r.o.\n     * Licensed under the Apache License, Version 2.0 (the "License");\n     * you may not use this file except
in compliance with the License.\n     * You may obtain a copy of the License at\n     *
http://www.apache.org/licenses/LICENSE-2.0\n     * Unless required by applicable law or agreed to in writing,
software\n     * distributed under the License is distributed on an "AS IS" BASIS,\n     * WITHOUT WARRANTIES
OR CONDITIONS OF ANY KIND, either express or implied.\n     * See the License for the specific language
governing permissions and\n     * limitations under the License.\n     */\n\n    package kotlin.annotation\n\n    import
kotlin.annotation.AnnotationTarget.*\n\n    /**\n     * Contains the list of code elements which are the possible annotation
targets\n     */\n\n    public enum class AnnotationTarget {\n     *\n     * Class, interface or object, annotation class is also
included\n     * CLASS,\n     * Annotation class only\n     * ANNOTATION_CLASS,\n     * Generic type
parameter\n     * TYPE_PARAMETER,\n     * Property\n     * PROPERTY,\n     * Field, including property's
backing field\n     * FIELD,\n     * Local variable\n     * LOCAL_VARIABLE,\n     * Value parameter of a
function or a constructor\n     * VALUE_PARAMETER,\n     * Constructor only (primary or secondary)\n     *
CONSTRUCTOR,\n     * Function (constructors are not included)\n     * FUNCTION,\n     * Property getter only

```



```

*^n PROPERTY_GETTER,\n /** Property setter only */^n PROPERTY_SETTER,\n /** Type usage */^n
TYPE,\n /** Any expression */^n EXPRESSION,\n /** File */^n FILE,\n /** Type alias */^n
@SinceKotlin("1.1")\n TYPEALIAS\n}\n\n/**\n * Contains the list of possible annotation's retentions.\n */^n *
Determines how an annotation is stored in binary output.\n */^n public enum class AnnotationRetention {\n /**
Annotation isn't stored in binary output */^n SOURCE,\n /** Annotation is stored in binary output, but invisible
for reflection */^n BINARY,\n /** Annotation is stored in binary output and visible for reflection (default
retention) */^n RUNTIME\n}\n\n/**\n * This meta-annotation indicates the kinds of code elements which are
possible targets of an annotation.\n */^n * If the target meta-annotation is not present on an annotation declaration,
the annotation is applicable to the following elements:\n * [CLASS], [PROPERTY], [FIELD],
[LOCAL_VARIABLE], [VALUE_PARAMETER], [CONSTRUCTOR], [FUNCTION], [PROPERTY_GETTER],
[PROPERTY_SETTER].\n */^n * @property allowedTargets list of allowed annotation targets\n
*/^n @Target(AnnotationTarget.ANNOTATION_CLASS)\n @MustBeDocumented\n public annotation class
Target(vararg val allowedTargets: AnnotationTarget)\n\n/**\n * This meta-annotation determines whether an
annotation is stored in binary output and visible for reflection. By default, both are true.\n */^n * @property value
necessary annotation retention (RUNTIME, BINARY or SOURCE)\n
*/^n @Target(AnnotationTarget.ANNOTATION_CLASS)\n public annotation class Retention(val value:
AnnotationRetention = AnnotationRetention.RUNTIME)\n\n/**\n * This meta-annotation determines that an
annotation is applicable twice or more on a single code element\n
*/^n @Target(AnnotationTarget.ANNOTATION_CLASS)\n public annotation class Repeatable\n\n/**\n * This
meta-annotation determines that an annotation is a part of public API and therefore should be included in the
generated\n * documentation for the element to which the annotation is applied.\n
*/^n @Target(AnnotationTarget.ANNOTATION_CLASS)\n public annotation class MustBeDocumented\n","/*\n *
Copyright 2010-2016 JetBrains s.r.o.\n */^n * Licensed under the Apache License, Version 2.0 (the "License");\n */^n *
you may not use this file except in compliance with the License.\n */^n * You may obtain a copy of the License at\n */^n *
http://www.apache.org/licenses/LICENSE-2.0\n */^n * Unless required by applicable law or agreed to in writing,
software\n */^n * distributed under the License is distributed on an "AS IS" BASIS,\n */^n * WITHOUT WARRANTIES
OR CONDITIONS OF ANY KIND, either express or implied.\n */^n * See the License for the specific language
governing permissions and\n */^n * limitations under the License.\n */^n\npackage kotlin.internal\n\n/**\n * Specifies
that the corresponding type parameter is not used for unsafe operations such as casts or 'is' checks\n */^n * That means
it's completely safe to use generic types as argument for such parameter.\n
*/^n @Target(AnnotationTarget.TYPE_PARAMETER)\n @Retention(AnnotationRetention.BINARY)\n internal
annotation class PureReifiable\n\n/**\n * Specifies that the corresponding built-in method exists depending on
platform.\n */^n * Current implementation for JVM looks whether method with same JVM descriptor exists in the
module JDK.\n */^n * For example MutableMap.remove(K, V) available only if corresponding\n */^n * method
'java/util/Map.remove(Ljava/lang/Object;Ljava/lang/Object;)Z' is defined in JDK (i.e. for major versions >= 8)\n
*/^n @Target(AnnotationTarget.FUNCTION)\n @Retention(AnnotationRetention.BINARY)\n internal annotation
class PlatformDependent\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n */^n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */^n\npackage kotlin.internal\n\n// a mod b (in arithmetical sense)\nprivate fun mod(a:
Int, b: Int): Int {\n val mod = a % b\n return if (mod >= 0) mod else mod + b\n}\n\nprivate fun mod(a: Long, b:
Long): Long {\n val mod = a % b\n return if (mod >= 0) mod else mod + b\n}\n\n// (a - b) mod c\nprivate fun
differenceModulo(a: Int, b: Int, c: Int): Int {\n return mod(mod(a, c) - mod(b, c), c)\n}\n\nprivate fun
differenceModulo(a: Long, b: Long, c: Long): Long {\n return mod(mod(a, c) - mod(b, c), c)\n}\n\n/**\n *
Calculates the final element of a bounded arithmetic progression, i.e. the last element of the progression which is in
the range\n */^n * from [start] to [end] in case of a positive [step], or from [end] to [start] in case of a negative\n */^n *
[step].\n */^n * No validation on passed parameters is performed. The given parameters should satisfy the
condition:\n */^n * - either `step > 0` and `start <= end`,\n */^n * - or `step < 0` and `start >= end`.\n */^n * @param start
first element of the progression\n */^n * @param end ending bound for the progression\n */^n * @param step increment, or

```

```

difference of successive elements in the progression\n * @return the final element of the progression\n *
@suppress\n */\n@PublishedApi\ninternal fun getProgressionLastElement(start: Int, end: Int, step: Int): Int = when
{\n step > 0 -> if (start >= end) end else end - differenceModulo(end, start, step)\n step < 0 -> if (start <= end)
end else end + differenceModulo(start, end, -step)\n else -> throw kotlin.IllegalArgumentException("Step is
zero.\")\n}\n\n/*\n * Calculates the final element of a bounded arithmetic progression, i.e. the last element of the
progression which is in the range\n * from [start] to [end] in case of a positive [step], or from [end] to [start] in case
of a negative\n * [step].\n * No validation on passed parameters is performed. The given parameters should
satisfy the condition:\n *\n * - either `step > 0` and `start <= end`,\n *\n * - or `step < 0` and `start >= end`.\n *\n *
@param start first element of the progression\n * @param end ending bound for the progression\n * @param step
increment, or difference of successive elements in the progression\n * @return the final element of the progression\n
* @suppress\n */\n@PublishedApi\ninternal fun getProgressionLastElement(start: Long, end: Long, step: Long):
Long = when {\n step > 0 -> if (start >= end) end else end - differenceModulo(end, start, step)\n step < 0 -> if
(start <= end) end else end + differenceModulo(start, end, -step)\n else -> throw
kotlin.IllegalArgumentException("Step is zero.\")\n}\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\n\n@JsName("arrayIterator")\ninternal fun arrayIterator(array:
dynamic, type: String?) = when (type) {\n null -> {\n val arr: Array<dynamic> = array\n object :
Iterator<dynamic> {\n var index = 0\n override fun hasNext() = index < arr.size\n override fun
next() = if (index < arr.size) arr[index++] else throw NoSuchElementException("$index")\n }\n }\n
\n "BooleanArray" -> booleanArrayIterator(array)\n "ByteArray" -> byteArrayIterator(array)\n "ShortArray" -
-> shortArrayIterator(array)\n "CharArray" -> charArrayIterator(array)\n "IntArray" ->
intArrayIterator(array)\n "LongArray" -> longArrayIterator(array)\n "FloatArray" ->
floatArrayIterator(array)\n "DoubleArray" -> doubleArrayIterator(array)\n else -> throw
IllegalStateException("Unsupported type argument for arrayIterator:
$type")\n}\n\n@JsName("booleanArrayIterator")\ninternal fun booleanArrayIterator(array: BooleanArray) =
object : BooleanIterator() {\n var index = 0\n override fun hasNext() = index < array.size\n override fun
nextBoolean() = if (index < array.size) array[index++] else throw
NoSuchElementException("$index")\n}\n\n@JsName("byteArrayIterator")\ninternal fun byteArrayIterator(array:
ByteArray) = object : ByteIterator() {\n var index = 0\n override fun hasNext() = index < array.size\n override
fun nextByte() = if (index < array.size) array[index++] else throw
NoSuchElementException("$index")\n}\n\n@JsName("shortArrayIterator")\ninternal fun
shortArrayIterator(array: ShortArray) = object : ShortIterator() {\n var index = 0\n override fun hasNext() =
index < array.size\n override fun nextShort() = if (index < array.size) array[index++] else throw
NoSuchElementException("$index")\n}\n\n@JsName("charArrayIterator")\ninternal fun charArrayIterator(array:
CharArray) = object : CharIterator() {\n var index = 0\n override fun hasNext() = index < array.size\n override
fun nextChar() = if (index < array.size) array[index++] else throw
NoSuchElementException("$index")\n}\n\n@JsName("intArrayIterator")\ninternal fun intArrayIterator(array:
IntArray) = object : IntIterator() {\n var index = 0\n override fun hasNext() = index < array.size\n override fun
nextInt() = if (index < array.size) array[index++] else throw
NoSuchElementException("$index")\n}\n\n@JsName("floatArrayIterator")\ninternal fun
floatArrayIterator(array: FloatArray) = object : FloatIterator() {\n var index = 0\n override fun hasNext() = index
< array.size\n override fun nextFloat() = if (index < array.size) array[index++] else throw
NoSuchElementException("$index")\n}\n\n@JsName("doubleArrayIterator")\ninternal fun
doubleArrayIterator(array: DoubleArray) = object : DoubleIterator() {\n var index = 0\n override fun hasNext()
= index < array.size\n override fun nextDouble() = if (index < array.size) array[index++] else throw
NoSuchElementException("$index")\n}\n\n@JsName("longArrayIterator")\ninternal fun longArrayIterator(array:
LongArray) = object : LongIterator() {\n var index = 0\n override fun hasNext() = index < array.size\n
override fun nextLong() = if (index < array.size) array[index++] else throw

```

```

NoSuchElementException("$index")\n}\n\n@JsName("PropertyMetadata")\ninternal class
PropertyMetadata(@JsName("callableName") val name:
String)\n\n@JsName("noWhenBranchMatched")\ninternal fun noWhenBranchMatched(): Nothing = throw
NoWhenBranchMatchedException()\n\n@JsName("subSequence")\ninternal fun subSequence(c: CharSequence,
startIndex: Int, endIndex: Int): CharSequence {\n    if (c is String) {\n        return c.substring(startIndex, endIndex)\n
    } else {\n        return c.asDynamic().`subSequence_vux9f0` (startIndex, endIndex)\n
    }\n}\n\n@JsName("captureStack")\ninternal fun captureStack(@Suppress("UNUSED_PARAMETER")
baseClass: JsClass<in Throwable>, instance: Throwable) {\n    if (js("Error").captureStackTrace) {\n        // Using
uncropped stack traces due to KT-37563.\n        // Precise stack traces are implemented in JS IR compiler and
stdlib\n        js("Error").captureStackTrace(instance);\n    } else {\n        instance.asDynamic().stack = js("new
Error()").stack;\n    }\n}\n\n@JsName("newThrowable")\ninternal fun newThrowable(message: String?, cause:
Throwable?): Throwable {\n    val throwable = js("new Error()")\n    throwable.message = if (jsTypeOf(message)
== "undefined") {\n        if (cause != null) cause.toString() else null\n    } else {\n        message\n    }\n
throwable.cause = cause\n    throwable.name = "Throwable"\n    return
throwable\n}\n\n@JsName("BoxedChar")\ninternal class BoxedChar(val c: Int) : Comparable<Int> {\n    override
fun equals(other: Any?): Boolean {\n        return other is BoxedChar && c == other.c\n    }\n\n    override fun
hashCode(): Int {\n        return c\n    }\n\n    override fun toString(): String {\n        return
js("this.c").unsafeCast<Char>().toString()\n    }\n\n    override fun compareTo(other: Int): Int {\n        return
js("this.c - other").unsafeCast<Int>()\n    }\n\n    @JsName("valueOf")\n    public fun valueOf(): Int {\n
return c\n    }\n}\n\n@kotlin.internal.InlineOnly\ninternal inline fun <T> concat(args: Array<T>): T {\n    val typed
= js("Array")(args.size)\n    for (i in args.indices) {\n        val arr = args[i]\n        if (arr !is Array<*>) {\n
typed[i] = js("[]").slice.call(arr)\n        } else {\n            typed[i] = arr\n        }\n    }\n    return
js("[]").concat.apply(js("[]", typed);\n}\n\n/** Concat regular Array's and TypedArray's into an Array.\n
*/\n\n@PublishedApi\n@JsName("arrayConcat")\n@Suppress("UNUSED_PARAMETER")\ninternal fun <T>
arrayConcat(a: T, b: T): T {\n    return concat(js("arguments"))\n}\n\n/** Concat primitive arrays. Main use:
prepare vararg arguments.\n
* For compatibility with 1.1.0 the arguments may be a mixture of Array's and
TypedArray's.\n
* If the first argument is TypedArray (Byte-, Short-, Char-, Int-, Float-, and DoubleArray)
returns a TypedArray, otherwise an Array.\n
* If the first argument has the $type$ property (Boolean-, Char-, and
LongArray) copy its value to result.$type$.\n
* If the first argument is a regular Array without the $type$ property
default to arrayConcat.\n
*/\n\n@PublishedApi\n@JsName("primitiveArrayConcat")\n@Suppress("UNUSED_PARAMETER")\ninternal
fun <T> primitiveArrayConcat(a: T, b: T): T {\n    val args: Array<T> = js("arguments")\n    if (a is Array<*> &&
a.asDynamic().`$type$` === undefined) {\n        return concat(args)\n    } else {\n        var size = 0\n        for (i in
args.indices) {\n            size += args[i].asDynamic().length as Int\n        }\n        val result = js("new
a.constructor(size)")\n        kotlin.copyArrayType(a, result)\n        size = 0\n        for (i in args.indices) {\n            val
arr = args[i].asDynamic()\n            for (j in 0 until arr.length) {\n                result[size++] = arr[j]\n            }\n
        }\n        return result\n    }\n}\n\n@JsName("booleanArrayOf")\ninternal fun booleanArrayOf() =
withType("BooleanArray", js("[].slice.call(arguments)"))\n\n@JsName("charArrayOf") // The arguments have
to be slice'd here because of Rhino (see KT-16974)\ninternal fun charArrayOf() = withType("CharArray", js("new
Uint16Array([].slice.call(arguments)")))\n\n@JsName("longArrayOf")\ninternal fun longArrayOf() =
withType("LongArray",
js("[].slice.call(arguments)"))\n\n@JsName("withType")\n@kotlin.internal.InlineOnly\ninternal inline fun
withType(type: String, array: dynamic): dynamic {\n    array.`$type$` = type\n    return array\n}"/*\n
* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n
* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\npackage kotlin.js\n\n/**\n
* Function corresponding to JavaScript's `typeof` operator\n
*/\n\n@kotlin.internal.InlineOnly\n@Suppress("UNUSED_PARAMETER")\npublic inline fun jsTypeOf(a: Any?):
String = js("typeof a")\n}"/*\n
* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language

```

```

contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n *\/\n@file:Suppress(\\"UNUSED_PARAMETER\"),
\\"NOTHING_TO_INLINE\"")\n\npackage kotlin\n\n/**\n * Returns an empty array of the specified type [T].\n *\npublic inline fun <T> emptyArray(): Array<T> = js(\\"[]\")\n\n@library\npublic fun <T> arrayOf(vararg
elements: T): Array<T> = definedExternally\n\n@library\npublic fun doubleArrayOf(vararg elements: Double):
DoubleArray = definedExternally\n\n@library\npublic fun floatArrayOf(vararg elements: Float): FloatArray =
definedExternally\n\n@library\npublic fun longArrayOf(vararg elements: Long): LongArray =
definedExternally\n\n@library\npublic fun intArrayOf(vararg elements: Int): IntArray =
definedExternally\n\n@library\npublic fun charArrayOf(vararg elements: Char): CharArray =
definedExternally\n\n@library\npublic fun shortArrayOf(vararg elements: Short): ShortArray =
definedExternally\n\n@library\npublic fun byteArrayOf(vararg elements: Byte): ByteArray =
definedExternally\n\n@library\npublic fun booleanArrayOf(vararg elements: Boolean): BooleanArray =
definedExternally\n\n/**\n * Creates a new instance of the [Lazy] that uses the specified initialization function
[initializer].\n *\npublic actual fun <T> lazy(initializer: () -> T): Lazy<T> = UnsafeLazyImpl(initializer)\n\n/**\n * Creates a new instance of the [Lazy] that uses the specified initialization function [initializer].\n *\n * The [mode]
parameter is ignored. *\npublic actual fun <T> lazy(mode: LazyThreadSafetyMode, initializer: () -> T): Lazy<T> =
UnsafeLazyImpl(initializer)\n\n/**\n * Creates a new instance of the [Lazy] that uses the specified initialization
function [initializer].\n *\n * The [lock] parameter is ignored.\n *\npublic actual fun <T> lazy(lock: Any?,
initializer: () -> T): Lazy<T> = UnsafeLazyImpl(initializer)\n\n\ninternal fun fillFrom(src: dynamic, dst: dynamic):
dynamic {\n    val srcLen: Int = src.length\n    val dstLen: Int = dst.length\n    var index: Int = 0\n    while (index <
srcLen && index < dstLen) dst[index] = src[index++]\n    return dst\n}\n\n\ninternal fun arrayCopyResize(source:
dynamic, newSize: Int, defaultValue: Any?): dynamic {\n    val result = source.slice(0, newSize)\n\n    copyArrayType(source, result)\n    var index: Int = source.length\n    if (newSize > index) {\n        result.length =
newSize\n        while (index < newSize) result[index++] = defaultValue\n    }\n    return result\n}\n\n\ninternal fun
<T> arrayPlusCollection(array: dynamic, collection: Collection<T>): dynamic {\n    val result = array.slice()\n    result.length += collection.size\n    copyArrayType(array, result)\n    var index: Int = array.length\n    for (element in
collection) result[index++] = element\n    return result\n}\n\n\ninternal fun <T> fillFromCollection(dst: dynamic,
startIndex: Int, collection: Collection<T>): dynamic {\n    var index = startIndex\n    for (element in collection)
dst[index++] = element\n    return dst\n}\n\n\ninternal inline fun copyArrayType(from: dynamic, to: dynamic) {\n    if
(from.`$type$` != undefined) {\n        to.`$type$` = from.`$type$`\n    }\n}\n\n\ninternal inline fun jsIsType(obj:
dynamic, jsClass: dynamic) = js(\\"Kotlin\").isType(obj, jsClass)","*\n * Copyright 2010-2021 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n *\/\n\npackage kotlin\n\n/**\n * Creates a Char with the specified
[code].\n *\n * @sample samples.text.Chars.charFromCode\n
*\n\n@SinceKotlin(\\"1.5\")\n\n@WasExperimental(ExperimentalStdlibApi::class)\n\n@kotlin.internal.InlineOnly\n\npublic
actual inline fun Char(code: UShort): Char {\n    return code.toInt().toChar()\n}\n\n","*\n * Copyright 2010-2018
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *\/\n\npackage kotlin.coroutines\n\nimport
kotlin.coroutines.intrinsics.COROUTINE_SUSPENDED\n\n@SinceKotlin(\\"1.3\")\n\n@JsName(\\"CoroutineImpl\")\n\ninternal
abstract class CoroutineImpl(private val resultContinuation: Continuation<Any?>) : Continuation<Any?>
{\n    protected var state = 0\n    protected var exceptionState = 0\n    protected var result: Any? = null\n    protected
var exception: Throwable? = null\n    protected var finallyPath: Array<Int>? = null\n\n    public override val context:
CoroutineContext = resultContinuation.context\n\n    private var intercepted_: Continuation<Any?>? = null\n\n    public
fun intercepted(): Continuation<Any?> =\n        intercepted_\n        ?:\n        (context[ContinuationInterceptor]?.interceptContinuation(this) ?: this)\n        .also { intercepted_ = it }\n\n    override fun resumeWith(result: Result<Any?>) {\n        var current = this\n        var currentResult: Any? =
result.getOrNull()\n        var currentException: Throwable? = result.exceptionOrNull()\n        // This loop unrolls
recursion in current.resumeWith(param) to make saner and shorter stack traces on resume\n        while (true) {\n

```

```

        with(current) { \n                val completion = resultContinuation \n \n                // Set result and exception fields in
the current continuation \n                if (currentException == null) { \n                    this.result = currentResult \n
    } else { \n                    state = exceptionState \n                    exception = currentException \n                    } \n \n
try { \n                    val outcome = doResume() \n                    if (outcome === COROUTINE_SUSPENDED)
return \n                    currentResult = outcome \n                    currentException = null \n                    } catch (exception:
dynamic) { // Catch all exceptions \n                    currentResult = null \n                    currentException =
exception.unsafeCast<Throwable>() \n                    } \n \n                    releaseIntercepted() // this state machine instance is
terminating \n \n                    if (completion is CoroutineImpl) { \n                        // unrolling recursion via loop \n
current = completion \n                    } else { \n                        // top-level completion reached -- invoke and return \n
currentException?.let { \n                            completion.resumeWithException(it) \n                            } ?:
completion.resume(currentResult) \n                    return \n                    } \n                    } \n                    } \n \n private fun
releaseIntercepted() { \n        val intercepted = intercepted_ \n        if (intercepted != null && intercepted !== this) { \n
            context[ContinuationInterceptor]!!.releaseInterceptedContinuation(intercepted) \n        } \n        this.intercepted_
= CompletedContinuation // just in case \n    } \n \n    protected abstract fun doResume(): Any? \n } \n \n internal object
CompletedContinuation : Continuation<Any?> { \n        override val context: CoroutineContext \n        get() =
error("This continuation is already complete") \n \n        override fun resumeWith(result: Result<Any?>) { \n
error("This continuation is already complete") \n        } \n \n        override fun toString(): String = "This continuation is
already complete" \n \n    } \n \n    /* \n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors. \n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file. \n */ \n \n @file:Suppress("UNCHECKED_CAST",
"RedundantVisibilityModifier") \n \n package kotlin \n \n import kotlin.contracts.* \n import
kotlin.internal.InlineOnly \n import kotlin.jvm.JvmField \n import kotlin.jvm.JvmInline \n import
kotlin.jvm.JvmName \n \n /** \n * A discriminated union that encapsulates a successful outcome with a value of type
[T] \n * or a failure with an arbitrary [Throwable] exception. \n */ \n @SinceKotlin("1.3") \n @JvmInline \n public
value class Result<out T> @PublishedApi internal constructor( \n        @PublishedApi \n        internal val value: Any? \n ) :
Serializable { \n        // discovery \n        /** \n         * Returns `true` if this instance represents a successful outcome. \n
* In this case [isFailure] returns `false`. \n         */ \n        public val isSuccess: Boolean get() = value !is Failure \n \n        /** \n
* Returns `true` if this instance represents a failed outcome. \n * In this case [isSuccess] returns `false`. \n         */ \n
public val isFailure: Boolean get() = value is Failure \n \n        // value & exception retrieval \n \n        /** \n
* Returns the encapsulated value if this instance represents [success][Result.isSuccess] or `null` \n * if it is
[failure][Result.isFailure]. \n         */ \n        * This function is a shorthand for `getOrNull` (see [getOrNull]) or \n
* `fold(onSuccess = { it }, onFailure = { null })` (see [fold]). \n         */ \n        @InlineOnly \n        public inline fun
getOrNull(): T? = \n            when { \n                isFailure -> null \n                else -> value as T \n            } \n \n        /** \n
* Returns the encapsulated [Throwable] exception if this instance represents [failure][isFailure] or `null` \n * if it is
[success][isSuccess]. \n         */ \n        * This function is a shorthand for `fold(onSuccess = { null }, onFailure = { it })`
(see [fold]). \n         */ \n        public fun exceptionOrNull(): Throwable? = \n            when (value) { \n                is Failure ->
value.exception \n                else -> null \n            } \n \n        /** \n         * Returns a string `Success(v)` if this instance represents
[success][Result.isSuccess] \n         * where `v` is a string representation of the value or a string `Failure(x)` if \n         * it
is [failure][isFailure] where `x` is a string representation of the exception. \n         */ \n        public override fun toString():
String = \n            when (value) { \n                is Failure -> value.toString() // "Failure($exception)" \n                else ->
"Success($value)" \n            } \n \n        // companion with constructors \n \n        /** \n         * Companion object for [Result]
class that contains its constructor functions \n         * [success] and [failure]. \n         */ \n        public companion object { \n
            /** \n             * Returns an instance that encapsulates the given [value] as successful value. \n             */ \n
            @Suppress("INAPPLICABLE_JVM_NAME") \n            @InlineOnly \n            @JvmName("success") \n            public
inline fun <T> success(value: T): Result<T> = \n                Result(value) \n \n            /** \n             * Returns an instance that
encapsulates the given [Throwable] [exception] as failure. \n             */ \n            @Suppress("INAPPLICABLE_JVM_NAME") \n
            @InlineOnly \n            @JvmName("failure") \n            public
inline fun <T> failure(exception: Throwable): Result<T> = \n                Result(createFailure(exception)) \n        } \n \n

```

```

internal class Failure(@JvmField val exception: Throwable): Serializable {
    override fun equals(other: Any?): Boolean = other is Failure && exception == other.exception
    override fun hashCode(): Int = exception.hashCode()
    override fun toString(): String = "Failure($exception)"
}

Creates an instance of internal marker [Result.Failure] class
* make sure that this class is not exposed in ABI.

@PublishedApi@SinceKotlin("1.3")
internal fun createFailure(exception: Throwable): Any =
    Result.Failure(exception)

* Throws exception if the result is failure. This internal function minimizes
    inlined bytecode for [getOrThrow] and makes sure that in the future we can
    add some exception-augmenting logic here (if needed).

@PublishedApi@SinceKotlin("1.3")
internal fun Result<*>.throwOnFailure() {
    if (value is Result.Failure) throw value.exception
}

* Calls the specified function [block] and returns its encapsulated result if invocation was successful,
    catching any [Throwable] exception that was thrown from the [block] function execution and encapsulating it as a failure.

@InlineOnly@SinceKotlin("1.3")
public inline fun <R> runCatching(block: () -> R): Result<R> {
    return try {
        Result.success(block())
    } catch (e: Throwable) {
        Result.failure(e)
    }
}

* Calls the specified function [block] with `this` value as its receiver and returns its encapsulated result if invocation was successful,
    catching any [Throwable] exception that was thrown from the [block] function execution and encapsulating it as a failure.

@InlineOnly@SinceKotlin("1.3")
public inline fun <T, R> T.runCatching(block: T() -> R): Result<R> {
    return try {
        Result.success(block())
    } catch (e: Throwable) {
        Result.failure(e)
    }
}

-- extensions --
* Returns the encapsulated value if this instance represents [success][Result.isSuccess] or
    throws the encapsulated [Throwable] exception
    * if it is [failure][Result.isFailure].
    * This function is a shorthand for `getOrNull { throw it }` (see [getOrNull]).

@InlineOnly@SinceKotlin("1.3")
public inline fun <T> Result<T>.getOrThrow(): T {
    throwOnFailure()
    return value as T
}

* Returns the encapsulated value if this instance represents [success][Result.isSuccess] or the
    result of [onFailure] function for the encapsulated [Throwable] exception if it is [failure][Result.isFailure].
    * Note, that this function rethrows any [Throwable] exception thrown by [onFailure] function.
    * This function is a shorthand for `fold(onSuccess = { it }, onFailure = onFailure)` (see [fold]).

@InlineOnly@SinceKotlin("1.3")
public inline fun <R, T : R> Result<T>.getOrNull(onFailure: (exception: Throwable) -> R): R {
    contract {
        callsInPlace(onFailure, InvocationKind.AT_MOST_ONCE)
    }
    return when (val exception = exceptionOrNull()) {
        null -> value as T
        else -> onFailure(exception)
    }
}

* Returns the encapsulated value if this instance represents [success][Result.isSuccess] or the
    [defaultValue] if it is [failure][Result.isFailure].
    * This function is a shorthand for `getOrNull { defaultValue }` (see [getOrNull]).

@InlineOnly@SinceKotlin("1.3")
public inline fun <R, T : R> Result<T>.getOrDefault(defaultValue: R): R {
    if (isFailure) return defaultValue
    return value as T
}

* Returns the result of [onSuccess] for the encapsulated value if this instance represents [success][Result.isSuccess]
    or the result of [onFailure] function for the encapsulated [Throwable] exception if it is [failure][Result.isFailure].
    * Note, that this function rethrows any [Throwable] exception thrown by [onSuccess] or by [onFailure] function.

@InlineOnly@SinceKotlin("1.3")
public inline fun <R, T> Result<T>.fold(
    onSuccess: (value: T) -> R,
    onFailure: (exception: Throwable) -> R): R {
    contract {
        callsInPlace(onSuccess, InvocationKind.AT_MOST_ONCE)
        callsInPlace(onFailure, InvocationKind.AT_MOST_ONCE)
    }
    return when (val exception = exceptionOrNull()) {
        null -> onSuccess(value as T)
        else -> onFailure(exception)
    }
}

// transformation
* Returns the encapsulated result of the given [transform] function applied to the encapsulated value
    if this instance represents [success][Result.isSuccess] or the
    original encapsulated [Throwable] exception if it is [failure][Result.isFailure].
    * Note, that this function rethrows any [Throwable] exception thrown by [transform] function.
    * See [mapCatching] for an alternative that encapsulates exceptions.

@InlineOnly@SinceKotlin("1.3")
public inline fun <R, T> Result<T>.map(transform: (value: T) -> R): Result<R> {
    contract {
        callsInPlace(transform, InvocationKind.AT_MOST_ONCE)
    }
    return when {
        isSuccess -> Result.success(transform(value as T))
        else -> Result(value)
    }
}

* Returns the encapsulated result of the given [transform] function applied to the encapsulated value
    if this instance represents [success][Result.isSuccess] or the
    original

```

encapsulated [Throwable] exception if it is [failure][Result.isFailure].\n \* This function catches any [Throwable] exception thrown by [transform] function and encapsulates it as a failure.\n \* See [map] for an alternative that rethrows exceptions from `transform` function.\n \*/\n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <R, T> Result<T>.mapCatching(transform: (value: T) -> R): Result<R> {\n return when {\n isSuccess -> runCatching { transform(value as T) }\n else -> Result(value)\n }\n}\n\n/\*\*\n \* Returns the encapsulated result of the given [transform] function applied to the encapsulated [Throwable] exception\n \* if this instance represents [failure][Result.isFailure] or the\n \* original encapsulated value if it is [success][Result.isSuccess].\n \*/\n \* Note, that this function rethrows any [Throwable] exception thrown by [transform] function.\n \* See [recoverCatching] for an alternative that encapsulates exceptions.\n \*/\n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <R, T : R> Result<T>.recover(transform: (exception: Throwable) -> R): Result<R> {\n contract {\n callsInPlace(transform, InvocationKind.AT\_MOST\_ONCE)\n }\n return when (val exception = exceptionOrNull()) {\n null -> this\n else -> Result.success(transform(exception))\n }\n}\n\n/\*\*\n \* Returns the encapsulated result of the given [transform] function applied to the encapsulated [Throwable] exception\n \* if this instance represents [failure][Result.isFailure] or the\n \* original encapsulated value if it is [success][Result.isSuccess].\n \*/\n \* This function catches any [Throwable] exception thrown by [transform] function and encapsulates it as a failure.\n \* See [recover] for an alternative that rethrows exceptions.\n \*/\n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <R, T : R> Result<T>.recoverCatching(transform: (exception: Throwable) -> R): Result<R> {\n return when (val exception = exceptionOrNull()) {\n null -> this\n else -> runCatching { transform(exception) }\n }\n}\n\n/\*\*\n \* Performs the given [action] on the encapsulated [Throwable] exception if this instance represents [failure][Result.isFailure].\n \* Returns the original `Result` unchanged.\n \*/\n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <T> Result<T>.onFailure(action: (exception: Throwable) -> Unit): Result<T> {\n contract {\n callsInPlace(action, InvocationKind.AT\_MOST\_ONCE)\n }\n exceptionOrNull()?.let { action(it) }\n return this\n}\n\n/\*\*\n \* Performs the given [action] on the encapsulated value if this instance represents [success][Result.isSuccess].\n \* Returns the original `Result` unchanged.\n \*/\n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <T> Result<T>.onSuccess(action: (value: T) -> Unit): Result<T> {\n contract {\n callsInPlace(action, InvocationKind.AT\_MOST\_ONCE)\n }\n if (isSuccess) action(value as T)\n return this\n}\n\n-----\n"/\n \* Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n \* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n \*/\n\npackage kotlin.coroutines\n\nimport kotlin.contracts.\*\nimport kotlin.coroutines.intrinsics.\*\nimport kotlin.internal.InlineOnly\n\n/\*\*\n \* Interface representing a continuation after a suspension point that returns a value of type `T`.\n \*/\n@SinceKotlin("1.3")\npublic interface Continuation<in T> {\n /\*\*\n \* The context of the coroutine that corresponds to this continuation.\n \*/\n public val context: CoroutineContext\n /\*\*\n \* Resumes the execution of the corresponding coroutine passing a successful or failed [result] as the\n \* return value of the last suspension point.\n \*/\n public fun resumeWith(result: Result<T>)\n}\n\n/\*\*\n \* Classes and interfaces marked with this annotation are restricted when used as receivers for extension\n \* `suspend` functions. These `suspend` extensions can only invoke other member or extension `suspend` functions on this particular\n \* receiver and are restricted from calling arbitrary suspension functions.\n \*/\n@SinceKotlin("1.3")\n@Target(AnnotationTarget.CLASS)\n@Retention(AnnotationRetention.BINARY)\npublic annotation class RestrictsSuspension\n\n/\*\*\n \* Resumes the execution of the corresponding coroutine passing [value] as the return value of the last suspension point.\n \*/\n@SinceKotlin("1.3")\n@InlineOnly\npublic inline fun <T> Continuation<T>.resume(value: T): Unit =\n resumeWith(Result.success(value))\n\n/\*\*\n \* Resumes the execution of the corresponding coroutine so that the [exception] is re-thrown right after the\n \* last suspension point.\n \*/\n@SinceKotlin("1.3")\n@InlineOnly\npublic inline fun <T> Continuation<T>.resumeWithException(exception: Throwable): Unit =\n resumeWith(Result.failure(exception))\n\n/\*\*\n \* Creates a [Continuation] instance with the given [context] and implementation of [resumeWith] method.\n \*/\n@SinceKotlin("1.3")\n@InlineOnly\npublic inline fun <T>

```

Continuation(\n context: CoroutineContext,\n crossinline resumeWith: (Result<T>) -> Unit\n): Continuation<T>
= \n object : Continuation<T> { \n override val context: CoroutineContext\n get() = context\n\n
override fun resumeWith(result: Result<T>) = \n resumeWith(result)\n } \n\n/**\n * Creates a coroutine
without a receiver and with result type [T].\n * This function creates a new, fresh instance of suspendable
computation every time it is invoked.\n * To start executing the created coroutine, invoke `resume(Unit)` on the
returned [Continuation] instance.\n * The [completion] continuation is invoked when the coroutine completes with a
result or an exception.\n * Subsequent invocation of any resume function on the resulting continuation will produce
an [IllegalStateException].\n */\n\n@SinceKotlin("1.3")\n@Suppress("UNCHECKED_CAST")\npublic fun <T>
(suspend () -> T).createCoroutine(\n completion: Continuation<T>\n): Continuation<Unit> = \n
SafeContinuation(createCoroutineUnintercepted(completion).intercepted(), COROUTINE_SUSPENDED)\n\n/**\n
* Creates a coroutine with receiver type [R] and result type [T].\n * This function creates a new, fresh instance of
suspendable computation every time it is invoked.\n * To start executing the created coroutine, invoke
`resume(Unit)` on the returned [Continuation] instance.\n * The [completion] continuation is invoked when the
coroutine completes with a result or an exception.\n * Subsequent invocation of any resume function on the resulting
continuation will produce an [IllegalStateException].\n
*/\n\n@SinceKotlin("1.3")\n@Suppress("UNCHECKED_CAST")\npublic fun <R, T> (suspend R.() ->
T).createCoroutine(\n receiver: R,\n completion: Continuation<T>\n): Continuation<Unit> = \n
SafeContinuation(createCoroutineUnintercepted(receiver, completion).intercepted(),
COROUTINE_SUSPENDED)\n\n/**\n * Starts a coroutine without a receiver and with result type [T].\n * This
function creates and starts a new, fresh instance of suspendable computation every time it is invoked.\n * The
[completion] continuation is invoked when the coroutine completes with a result or an exception.\n
*/\n\n@SinceKotlin("1.3")\n@Suppress("UNCHECKED_CAST")\npublic fun <T> (suspend () ->
T).startCoroutine(\n completion: Continuation<T>\n) {\n
createCoroutineUnintercepted(completion).intercepted().resume(Unit)\n}\n\n/**\n * Starts a coroutine with receiver
type [R] and result type [T].\n * This function creates and starts a new, fresh instance of suspendable computation
every time it is invoked.\n * The [completion] continuation is invoked when the coroutine completes with a result or
an exception.\n */\n\n@SinceKotlin("1.3")\n@Suppress("UNCHECKED_CAST")\npublic fun <R, T> (suspend
R.() -> T).startCoroutine(\n receiver: R,\n completion: Continuation<T>\n) {\n
createCoroutineUnintercepted(receiver, completion).intercepted().resume(Unit)\n}\n\n/**\n * Obtains the current
continuation instance inside suspend functions and suspends\n * the currently running coroutine.\n * In this
function both [Continuation.resume] and [Continuation.resumeWithException] can be used either synchronously
in\n * the same stack-frame where the suspension function is run or asynchronously later in the same thread or\n *
from a different thread of execution. Subsequent invocation of any resume function will produce an
[IllegalStateException].\n */\n\n@SinceKotlin("1.3")\n@InlineOnly\npublic suspend inline fun <T>
suspendCoroutine(crossinline block: (Continuation<T>) -> Unit): T {\n contract { callsInPlace(block,
InvocationKind.EXACTLY_ONCE) }\n return suspendCoroutineUninterceptedOrReturn { c: Continuation<T> -
>\n val safe = SafeContinuation(c.intercepted())\n block(safe)\n safe.getOrThrow()\n }\n}\n\n/**\n
* Returns the context of the current coroutine.\n
*/\n\n@SinceKotlin("1.3")\n@Suppress("WRONG_MODIFIER_TARGET")\n@InlineOnly\npublic suspend inline
val coroutineContext: CoroutineContext\n get() {\n throw NotImplementedError("Implemented as
intrinsic")\n }\n\n"/**\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n
* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\npackage kotlin.coroutines.intrinsics\n\nimport kotlin.coroutines.*\nimport kotlin.internal.InlineOnly\n\n/**\n
* Starts an unintercepted coroutine without a receiver and with result type [T] and executes it until its first
suspension.\n * Returns the result of the coroutine or throws its exception if it does not suspend or
[COROUTINE_SUSPENDED] if it suspends.\n * In the latter case, the [completion] continuation is invoked when
the coroutine completes with a result or an exception.\n * The coroutine is started directly in the invoker's thread
without going through the [ContinuationInterceptor] that might\n * be present in the completion's

```



[CoroutineContext]. It is the invoker's responsibility to ensure that a proper invocation context is established.

\* This function is designed to be used from inside of [suspendCoroutineUninterceptedOrReturn] to resume the execution of the suspended coroutine using a reference to the suspending function.

```

* \n @SinceKotlin("1.3") \n @InlineOnly \n public actual inline fun <T> (suspend () ->
T).startCoroutineUninterceptedOrReturn(\n completion: Continuation<T>\n): Any? =
this.asDynamic()(completion, false) \n \n /** \n * Starts an unintercepted coroutine with receiver type [R] and result
type [T] and executes it until its first suspension. \n * Returns the result of the coroutine or throws its exception if it
does not suspend or [COROUTINE_SUSPENDED] if it suspends. \n * In the latter case, the [completion]
continuation is invoked when the coroutine completes with a result or an exception. \n * \n * The coroutine is started
directly in the invoker's thread without going through the [ContinuationInterceptor] that might \n * be present in the
completion's [CoroutineContext]. It is the invoker's responsibility to ensure that a proper invocation \n * context is
established. \n * \n * This function is designed to be used from inside of [suspendCoroutineUninterceptedOrReturn]
to resume the execution of the suspended \n * coroutine using a reference to the suspending function. \n
* \n @SinceKotlin("1.3") \n @InlineOnly \n public actual inline fun <R, T> (suspend R.() ->
T).startCoroutineUninterceptedOrReturn(\n receiver: R, \n completion: Continuation<T>\n): Any? =
this.asDynamic()(receiver, completion, false) \n \n @InlineOnly \n internal actual inline fun <R, P, T> (suspend R.(P) ->
T).startCoroutineUninterceptedOrReturn(\n receiver: R, \n param: P, \n completion: Continuation<T>\n):
Any? = this.asDynamic()(receiver, param, completion, false) \n \n /** \n * Creates unintercepted coroutine without
receiver and with result type [T]. \n * This function creates a new, fresh instance of suspendable computation every
time it is invoked. \n * \n * To start executing the created coroutine, invoke `resume(Unit)` on the returned
[Continuation] instance. \n * The [completion] continuation is invoked when coroutine completes with result or
exception. \n * \n * This function returns unintercepted continuation. \n * Invocation of `resume(Unit)` starts
coroutine immediately in the invoker's call stack without going through the \n * [ContinuationInterceptor] that might
be present in the completion's [CoroutineContext]. \n * It is the invoker's responsibility to ensure that a proper
invocation context is established. \n * Note that [completion] of this function may get invoked in an arbitrary
context. \n * \n * [Continuation.intercepted] can be used to acquire the intercepted continuation. \n * Invocation
of `resume(Unit)` on intercepted continuation guarantees that execution of \n * both the coroutine and [completion]
happens in the invocation context established by \n * [ContinuationInterceptor]. \n * \n * Repeated invocation of any
resume function on the resulting continuation corrupts the \n * state machine of the coroutine and may result in
arbitrary behaviour or exception. \n
* \n @SinceKotlin("1.3") \n public actual fun <T> (suspend () -> T).createCoroutineUnintercepted(\n
completion: Continuation<T>\n): Continuation<Unit> = \n // Kotlin/JS suspend lambdas have an extra parameter
`suspended` \n if (this.asDynamic().length == 2) { \n // When `suspended` is true the continuation is created,
but not executed \n this.asDynamic()(completion, true) \n } else { \n
createCoroutineFromSuspendFunction(completion) { \n this.asDynamic()(completion) \n } \n } \n \n /** \n *
Creates unintercepted coroutine with receiver type [R] and result type [T]. \n * This function creates a new, fresh
instance of suspendable computation every time it is invoked. \n * \n * To start executing the created coroutine,
invoke `resume(Unit)` on the returned [Continuation] instance. \n * The [completion] continuation is invoked when
coroutine completes with result or exception. \n * \n * This function returns unintercepted continuation. \n *
Invocation of `resume(Unit)` starts coroutine immediately in the invoker's call stack without going through the \n *
[ContinuationInterceptor] that might be present in the completion's [CoroutineContext]. \n * It is the invoker's
responsibility to ensure that a proper invocation context is established. \n * Note that [completion] of this function
may get invoked in an arbitrary context. \n * \n * [Continuation.intercepted] can be used to acquire the
intercepted continuation. \n * Invocation of `resume(Unit)` on intercepted continuation guarantees that execution of \n *
both the coroutine and [completion] happens in the invocation context established by \n * [ContinuationInterceptor]. \n * \n *
Repeated invocation of any resume function on the resulting continuation corrupts the \n * state machine of the
coroutine and may result in arbitrary behaviour or exception. \n
* \n @SinceKotlin("1.3") \n public actual fun <R, T>
(suspend R.() -> T).createCoroutineUnintercepted(\n receiver: R, \n completion: Continuation<T>\n):
Continuation<Unit> = \n // Kotlin/JS suspend lambdas have an extra parameter `suspended` \n if

```

```

(this.asDynamic().length == 3) {\n    // When `suspended` is true the continuation is created, but not executed\n
    this.asDynamic()(receiver, completion, true)\n } else {\n    createCoroutineFromSuspendFunction(completion)\n
{\n    this.asDynamic()(receiver, completion)\n    }\n }\n\n/*\n * Intercepts this continuation with\n
[ContinuationInterceptor].\n *\n * This function shall be used on the immediate result of\n
[createCoroutineUnintercepted] or [suspendCoroutineUninterceptedOrReturn],\n *\n * in which case it checks for\n
[ContinuationInterceptor] in the continuation's [context][Continuation.context],\n *\n * invokes\n
[ContinuationInterceptor.interceptContinuation], caches and returns the result.\n *\n * If this function is invoked on\n
other [Continuation] instances it returns `this` continuation unchanged.\n */\n\n@SinceKotlin("1.3")\n\npublic actual\n
fun <T> Continuation<T>.intercepted(): Continuation<T> =\n (this as? CoroutineImpl)?.intercepted() ?:  

this\n\n\nprivate inline fun <T> createCoroutineFromSuspendFunction(\n    completion: Continuation<T>,\n
crossinline block: () -> Any?): Continuation<Unit> {\n    @Suppress("UNCHECKED_CAST")\n    return object  

: CoroutineImpl(completion as Continuation<Any?>) {\n        override fun doResume(): Any? {\n
exception?.let { throw it }\n            return block()\n        }\n    }\n}\n\n", /*\n * Copyright 2010-2018 JetBrains s.r.o.  

and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license  

that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\n// Mirrors signature from JS IR  

BE\n\n// Used for  

js.translator/testData/box/number/mulInt32.kt\n\n@library\n\n@JsName("imulEmulated")\n\n@Suppress("UNUSED_P  

ARAMETER")\n\ninternal fun imul(x: Int, y: Int): Int =  

definedExternally\n\n\n@Suppress("NOTHING_TO_INLINE")\n\ninternal inline fun isArrayish(o: dynamic) =  

js("Kotlin").isArrayish(o)\n\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language  

contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the  

license/LICENSE.txt file.\n */\n\npackage kotlin\n\n// NOTE: Do not author your exceptions as they are written in  

this file, instead use this template:\n\n*\n\npublic open class MyException : Exception {\n    constructor() : super()\n
constructor(message: String?) : super(message)\n    constructor(message: String?, cause: Throwable?) :  

super(message, cause)\n    constructor(cause: Throwable?) : super(cause)\n}\n\n*\n\n\n// TODO: remove primary  

constructors, make all secondary\n\nKT-22055\n\n@Suppress("USELESS_ELVIS_RIGHT_IS_NULL")\n\npublic  

actual open class Error actual constructor(message: String?, cause: Throwable?) : Throwable(message, cause ?: null)  

{\n    actual constructor() : this(null, null)\n    actual constructor(message: String?) : this(message, null)\n    actual  

constructor(cause: Throwable?) : this(undefin  

ed, cause)\n}\n\n\n@Suppress("USELESS_ELVIS_RIGHT_IS_NULL")\n\npublic actual open class Exception actual  

constructor(message: String?, cause: Throwable?) : Throwable(message, cause ?: null) {\n    actual constructor() :  

this(null, null)\n    actual constructor(message: String?) : this(message, null)\n    actual constructor(cause:  

Throwable?) : this(undefin  

ed, cause)\n}\n\n\npublic actual open class RuntimeException actual constructor(message:  

String?, cause: Throwable?) : Exception(message, cause) {\n    actual constructor() : this(null, null)\n    actual  

constructor(message: String?) : this(message, null)\n    actual constructor(cause: Throwable?) : this(undefin  

ed, cause)\n}\n\n\npublic actual open class IllegalArgumentException actual constructor(message: String?, cause:  

Throwable?) : RuntimeException(message, cause) {\n    actual constructor() : this(null, null)\n    actual  

constructor(message: String?) : this(message, null)\n    actual constructor(cause: Throwable?) : this(undefin  

ed, cause)\n}\n\n\npublic actual open class IllegalStateException actual constructor(message: String?, cause: Throwable?)  

: RuntimeException(message, cause) {\n    actual constructor() : this(null, null)\n    actual constructor(message:  

String?) : this(message, null)\n    actual constructor(cause: Throwable?) : this(undefin  

ed, cause)\n}\n\n\npublic actual open class IndexOutOfBoundsException actual constructor(message: String?) : RuntimeException(message) {\n
actual constructor() : this(null)\n}\n\n\npublic actual open class ConcurrentModificationException actual  

constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\n    actual constructor() :  

this(null, null)\n    actual constructor(message: String?) : this(message, null)\n    actual constructor(cause:  

Throwable?) : this(undefin  

ed, cause)\n}\n\n\npublic actual open class UnsupportedOperationException actual  

constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\n    actual constructor() :  

this(null, null)\n    actual constructor(message: String?) : this(message, null)\n    actual constructor(cause:  

}

```

```

Throwable?) : this(undefine, cause)\n}\n\npublic actual open class NumberFormatException actual
constructor(message: String?) : IllegalArgumentException(message) {\n  actual constructor() :
this(null)\n}\n\npublic actual open class NullPointerException actual constructor(message: String?) :
RuntimeException(message) {\n  actual constructor() : this(null)\n}\n\npublic actual open class
ClassCastException actual constructor(message: String?) : RuntimeException(message) {\n  actual constructor() :
this(null)\n}\n\npublic actual open class AssertionError\n@SinceKotlin("1.4")\nconstructor(message: String?,
cause: Throwable?) : Error(message, cause) {\n  actual constructor() : this(null)\n  constructor(message: String?) :
this(message, null)\n  actual constructor(message: Any?) : this(message.toString(), message as?
Throwable)\n}\n\npublic actual open class NoSuchElementException actual constructor(message: String?) :
RuntimeException(message) {\n  actual constructor() : this(null)\n}\n\n@SinceKotlin("1.3")\npublic actual open
class ArithmeticException actual constructor(message: String?) : RuntimeException(message) {\n  actual
constructor() : this(null)\n}\n\npublic actual open class NoWhenBranchMatchedException actual
constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\n  actual constructor() :
this(null, null)\n  actual constructor(message: String?) : this(message, null)\n  actual constructor(cause:
Throwable?) : this(undefine, cause)\n}\n\npublic actual open class UninitializedPropertyAccessException actual
constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\n  actual constructor() :
this(null, null)\n  actual constructor(message: String?) : this(message, null)\n  actual constructor(cause:
Throwable?) : this(undefine, cause)\n}\n\n"/*\n * Copyright 2010-2019 JetBrains s.r.o. Use of this source code is
governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:Suppress("UNUSED_PARAMETER")\n\npackage kotlin.js\n\n@kotlin.internal.InlineOnly\n\ninternal
inline fun jsDeleteProperty(obj: Any, property: Any) {\n  js("delete
obj[property]")\n}\n\n@kotlin.internal.InlineOnly\n\ninternal inline fun jsBitwiseOr(lhs: Any?, rhs: Any?): Int =\n
js("lhs | rhs").unsafeCast<Int>()"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.math\n\n/**\n * Returns this value with the sign bit same as of the
[sign] value.\n * If [sign] is `NaN` the sign of the result is undefined.\n */\n\n@SinceKotlin("1.2")\n\npublic actual
fun Double.withSign(sign: Double): Double {\n  val thisSignBit =
js("Kotlin").doubleSignBit(this).unsafeCast<Int>()\n  val newSignBit =
js("Kotlin").doubleSignBit(sign).unsafeCast<Int>()\n  return if (thisSignBit == newSignBit) this else -
this\n}\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of
this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\npackage kotlin\n\n/**\n * Returns a bit representation of the specified floating-point value as [Long]\n *
according to the IEEE 754 floating-point "double format" bit layout.\n
*/\n\n@SinceKotlin("1.2")\n\n@library("doubleToBits")\n\npublic actual fun Double.toBits(): Long =
definedExternally\n\n/**\n * Returns a bit representation of the specified floating-point value as [Long]\n *
according to the IEEE 754 floating-point "double format" bit layout,\n * preserving `NaN` values exact layout.\n
*/\n\n@SinceKotlin("1.2")\n\n@library("doubleToRawBits")\n\npublic actual fun Double.toRawBits(): Long =
definedExternally\n\n/**\n * Returns the [Double] value corresponding to a given bit representation.\n
*/\n\n@SinceKotlin("1.2")\n\n@kotlin.internal.InlineOnly\n\npublic actual inline fun Double.Companion.fromBits(bits:
Long): Double = js("Kotlin").doubleFromBits(bits).unsafeCast<Double>()\n\n/**\n * Returns a bit representation
of the specified floating-point value as [Int]\n * according to the IEEE 754 floating-point "single format" bit
layout.\n * Note that in Kotlin/JS [Float] range is wider than "single format" bit layout can represent,\n * so
some [Float] values may overflow, underflow or loose their accuracy after conversion to bits and back.\n
*/\n\n@SinceKotlin("1.2")\n\n@library("floatToBits")\n\npublic actual fun Float.toBits(): Int =
definedExternally\n\n/**\n * Returns a bit representation of the specified floating-point value as [Int]\n * according
to the IEEE 754 floating-point "single format" bit layout,\n * preserving `NaN` values exact layout.\n * Note
that in Kotlin/JS [Float] range is wider than "single format" bit layout can represent,\n * so some [Float] values
may overflow, underflow or loose their accuracy after conversion to bits and back.\n
*/

```

```

*\n@SinceKotlin("1.2")\n@library("floatToRawBits")\npublic actual fun Float.toRawBits(): Int =
definedExternally\n\n/**\n * Returns the [Float] value corresponding to a given bit representation.\n
*\n@SinceKotlin("1.2")\n@kotlin.internal.InlineOnly\npublic actual inline fun Float.Companion.fromBits(bits:
Int): Float =
js("Kotlin").floatFromBits(bits).unsafeCast<Float>()\n\n@Suppress("NOTHING_TO_INLINE")\ninternal
inline fun Long(low: Int, high: Int) = js("Kotlin").Long.fromBits(low, high).unsafeCast<Long>()\ninternal inline
val Long.low: Int get() = this.asDynamic().getLowBits().unsafeCast<Int>()\ninternal inline val Long.high: Int get()
= this.asDynamic().getHighBits().unsafeCast<Int>()\n", /*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n *\nimport kotlin.reflect.KClass\n@PublishedApi\ninternal fun <T :
Annotation> KClass<*>.findAssociatedObject(@Suppress("UNUSED_PARAMETER") annotationClass:
KClass<T>): Any? {\n // This API is not supported in js-v1. Return `null` to be source-compatible with js-ir.\n
return null\n}\n", /*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n *
Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\npackage kotlin.text\n/**\n * Returns a string representation of this [Long] value in the specified [radix].\n
*\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\n
*\n@SinceKotlin("1.2")\npublic actual fun Long.toString(radix: Int): String =
asDynamic().toString(checkRadix(radix))", /*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n *\npackage kotlin.text\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the
GenerateUnicodeData.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n/\n/\n1343 ranges
totally\nprivate object Category {\n val decodedRangeStart: IntArray\n val decodedRangeCategory: IntArray\n
\n init {\n val toBase64 =
"\n val fromBase64 =
IntArray(128)\n for (i in toBase64.indices) {\n fromBase64[toBase64[i].code] = i\n }\n \n //
rangeStartDiff.length = 1482\n val rangeStartDiff =
"\ngBCFEDCKCDCaDDaDBhBCEEDDDDDDEDXBHYBH5BRwBGDCHDCIDFDHCHFDCDEIRTEE7BGHDDJI
CBbSEMOFGERwDEDDDDDECEFCRBjHBFDCYFFCCzBvBjBBFC3B0hDBmBDGpBDDcTBjIbEECLGDFC
LDCgBBKVKEDiDDHCFECECKCEODBebC5CLBOKhBJDDDDWEBHFCFCPBZDEL1BVBSLPBgBB2BDB
DICFBHKCKCPDBHEDWBHEDDDDEDEDIBDGDCCKCGDDDCGECWBFMDDCDEDDCHDDHKDDDBK
DBHFCWBFGBDDDFEDBPDDKCHBGDCHEDWBFGBDCEDEDBHDDGDCKCGJEGDBFDDFDDEDDME
FDBFDCGBOKDFDFDCGFCXBQDDDDDBEGEDFDDKHBHDDGFCXBKBFCEFCFCHCHECKDNCCFC
oBEDECFDDDDHDCKJBGDCSDYBJEHBFDDEBIGKDCMuBFHEBGBIBKcKBFBFBXEIFJDFDGCKCEgB
BDPEDGKKGECIBkBEODFFLkBBIBEFFECIBrBCEBEGDBKGGDDDDDDCHDENDCFEKDDIBDDFrBCD
pKBECGEECPBBEChBBECGEECPB5BBECjCCDJUDQKG2CCGDsTCRbaCDrCDDIHNBEDLSDCJSCMLFC
CM0BDHGFLLBFDDKKGKGFDDDBKjBB1BHfChBDFmCKfDDDDDDCGDCFDKcFLsBEaGKBDiBXDDD1
BDGDEIGJEKGGHGBGCMF/BEBvBCEDDFHEKHKJJDDDeDDGDkSBFEDCIEkBIICCFKDDKeGCJHrBCDI
IDBNBHEBEFDBFsB/BNBiBIB6BBF1EiIJJGCGCIIIIGCGCIIIIOCIIIIIIDFEDDBFEDDDDEBDIFDDFEDBLF
GCEEICFBjCDEDCLDKBFBKCCGDDKDDNDgBQNEBDMPPFFDEDEBFHECEBEEDFBEDDQjBCEDEFFC
CJHBeEEfsIIEUCHCxCBeZoBGICZLV8BuCW3FBjB2BIvDB4HOesBFCfKQgJjEW/BEgBCiWbVCGnBCgBBp
DvBBuBEDBHEFGCCjDCGEDCFcFIBDDF4BHCObXJHBHBHBHBHBHBHBgBCECGHGEDI FBKCEDM
EtBaB5CM2GaMEDDCKCGFCJEDFDDDC2CDDDB6CDCFrBB+CDEKgBkBMQfBkEIBPgBKnBPgKguGgC9
vUDVB3jBD3BJoBGCsIBDQKCUuBDDKcCCmCKCGIXJCNC/BBHGKDECEVFBEMCEEbqBDDGDFDXD
CEBDGEG0BEICyBQCICKGSGDEBKcICXLCLbDDBvBDECCDNCKECFCJKFBpBFEDCJDBICCKCEQBG
DDBByBEDCEFBYDCELDCKGCGGJHBHBrBBEJDEwCjBIDCKGk9KMxExBEggCgoGuLCqDmBHMFFC
KBNBFBIIsDQRrLCQgCC2BoBMCCQGEGQDCQDDDDDFDGDECEEFBnEEBFEDCKCDCaDDaDBFCKBtBCf
DGCGCFEDDDDCHECKDC\n val diff = decodeVarLenBase64(rangeStartDiff, fromBase64, 1342)\n val
start = IntArray(diff.size + 1)\n for (i in diff.indices) {\n start[i + 1] = start[i] + diff[i]\n }\n

```

```

decodedRangeStart = start\n    \n    // rangeCategory.length = 2033\n    val rangeCategory =
\"PsY44a41W54UYJZYB14W7XC15WZPsYa84bl9Zw8b85Lr7C44brlerrYBZBCZCiBiBiBhCiiBhChiBhiCBhh
ChiCihBhChCChiBhChiCIBCFhjCiBiBihDhiBhCCihBiBhCCFCEbEbEb7EbGhCk7BixRkiCi4BRbh4BhRhCBR
BCiiBBciBChiZBCBCiBcGHhChCiBRBxxEYC40Rx8c6RGUm4GRFRFYRQZ44acG4wRYFEFGJYIIGFIYGwc
GmkEmcGFJF18cYxwFGFGRFGFRJFGkkcYkxRm6aFGEgmmEmEGRYRFGxxYFRFRFRGQGIFmIFIGIooGF
GFGYJ4EFmoIRFlxRlxRFRFxIRxIFIRxmfIGxxIoxRomFRIRxIFlmGRJFaL86F4mRxmGoRFRFRFRFIRxGIGR
xmGxmGmxRxGRFIRRJmmFIIgyRmmIRFIRIRFRFIRFxxGFIGmmRoxImxRFRIFGmxRJ4aRFGxmIoRFlxRlxR
FRFIRFxxGIIImoGmmRxoIxoIGRmmIRxIFlmGRJ8FLRxmFFRFRIRIRxxFIRlxRxlFRFRFRooGRIooRomRxFRIR
JLc8aRmoIoGFIIIRFRFRImGmoIooRGRGRxmGFRIFGmxRJRYL8IGooYFIIIRFRFRFRmIIxGooRGRIRlxFG
RJxIFRGIIFIRIFImGIGxIooRomF8xRxxFIIILFGRJLcFxmIoRFRFRFxIRFRxxGxxIooGmmRRIRJxxIoYRfIIG
RaFEGYJYRxlFRFRFIRFIIIGlxRFxEGRJRFRFcY84c8mGcJL8G1WIFRFRGIGmmYFGRGRcGc88RYcYRFIGI
GmmIomGFJYFooGmIFIIIGmmFIFIFGFmoIGIomFJIm8cBhRRxxBC4ECFRFRFIRFRFRFRFRFRFRFIRFRFRFR
FRGYLRFcRBRCxxUF8YFMF1WRFYKFRFRFGFRGYRFRGFRFIIIRGRFmmIGIooGGY44E46FmxRJRLRY44
U44GmmQRJRFEFRFGFGRFRFxGmoIooGmoIoxRxxIoGIGRxxcx4YJFRFRFRFRJLRcFmmIomRx4YFoGG
mRomIGIGmxRJRJRYEYRGmmHRGIFmIGmIooGFRJYcGcRmmIFomGmmIomGmIFJFmoGooGGIRYFIFIG
RYJRfJFEYCRBRBYRGYGIGFGFIIIGomGFRCECECEGRGHCCiBCBCBRBCBCBRBCxBCBCRCDCDCD
CiiRBj7CbCiiRBj7b7iCiiRxiCBRbCBbxxCiiRBj7bRMQUY9+V9+VYtOQMY9eY43X44Z1WY54XYMQRQrER
LZ12ELZ12RERaRGHGHR88B88BihBhiChhC8hcZbC8BB8CBCFi8cihBZBC8Z8CLKhCKr8cRZcZc88ZcZc85
Z8ZcZc1WcZc1WcZcZcZcRcRLcLcZcZcZcZc1WLcZ1WZ1WZcZ1WZ1WZ1WZcZcZcRcRcBRCixBBCiBBihC
CEBhCCChCGhCRY44LCiRRxxCFRkYRGFRFRFRFRFRFRFRFRFRFRGY9eY49eY44U49e49e1WYEU04VY
48cRcRcRcRs4Y48EIK1Wc1W12U2cKGooUE88KqqEl4c8RFxxGm7bkkFUF4kEkFRFRFx8cLcFcRfRcLcLc
LcLcLcFcFRFEFRcRFEYFEYFJFRhCImHnnYG4EhCEGFKGYRbEbhbCCiBECiBhCk7bhCIBihCibBBCBhCRhiBh
hCCRhiFkkCFIIGIIGIFooGmIcGRL88aRFYRIFIGRYJRGFY14FGJFGYFGIRYFRGIFmoIGIGIYxEJRYFmEFJ
FRFGmoImoIGRFGFmIRJRYFEFcloGIFmIgmIFGFImGFRIIIEYFomGo4YlkEoGRFRFRFRFRFRFCbECK7bRCFo
oG4oGRJRFRFRFRFRTSFRFRFCRCRIGFZFRFRlxFFbRF2VRFRFRF6cRGY41WRG40UX1W44V24Y44X33Y44R
44U1WY50Z5R46YRFRFxQY44a41W54UYJZYB14W7XC15WZ12YYFEFEFRFRFRFlxRIIRxxa65b86axcZc
RQcR\"\\n    decodedRangeCategory = decodeVarLenBase64(rangeCategory, fromBase64, 1343)\n
}\n}\n\nprivate fun categoryValueFrom(code: Int, ch: Int): Int {\n    return when {\n        code < 0x20 -> code\n        code < 0x400 -> if ((ch and 1) == 1) code shr 5 else code and 0x1f\n        else ->\n            when (ch % 3) {\n                2 -> code shr 10\n                1 -> (code shr 5) and 0x1f\n                else -> code and 0x1f\n            }\n    }\n}\n\n/*
 * Returns the Unicode general category of this character as an Int.\n */\ninternal fun Char.getCategoryValue(): Int
{\n    val ch = this.code\n    val index = binarySearchRange(Category.decodedRangeStart, ch)\n    val start =
Category.decodedRangeStart[index]\n    val code = Category.decodedRangeCategory[index]\n    val value =
categoryValueFrom(code, ch - start)\n    return if (value == 17) CharCategory.UNASSIGNED.value else
value\n}\n\ninternal fun decodeVarLenBase64(base64: String, fromBase64: IntArray, resultLength: Int): IntArray
{\n    val result = IntArray(resultLength)\n    var index = 0\n    var int = 0\n    var shift = 0\n    for (char in base64)
{\n        val sixBit = fromBase64[char.code]\n        int = int or ((sixBit and 0x1f) shl shift)\n        if (sixBit < 0x20)
{\n            result[index++] = int\n            int = 0\n            shift = 0\n        } else {\n            shift += 5\n        }\n    }\n}
return result\n}\n\n/*
 * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n *
Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\npackage kotlin.collections\n\n/\n\n// NOTE: THIS FILE IS AUTO-GENERATED by the
GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport
kotlin.js.*\nimport kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/*
 * Reverses elements in the list in-
place.\n */\npublic actual fun <T> MutableList<T>.reverse(): Unit {\n    val midPoint = (size / 2) - 1\n    if
(midPoint < 0) return\n    var reverseIndex = lastIndex\n    for (index in 0..midPoint) {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/*
 * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is
governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage

```

```

kotlin.text\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateUnicodeData.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n/\n// 37 ranges totally\nprivate object Digit {\n
internal val rangeStart = intArrayOf(\n    0x0030, 0x0660, 0x06f0, 0x07c0, 0x0966, 0x09e6, 0x0a66, 0x0ae6,\n    0x0b66, 0x0be6, 0x0c66, 0x0ce6, 0x0d66, 0x0de6, 0x0e50, 0x0ed0, 0x0f20, 0x1040, 0x1090, 0x17e0, \n
    0x1810, 0x1946, 0x19d0, 0x1a80, 0x1a90, 0x1b50, 0x1bb0, 0x1c40, 0x1c50, 0xa620, 0xa8d0, 0xa900, 0xa9d0,\n    0xa9f0, 0xaa50, 0xabf0, 0xff10, \n    )\n}\n\n/**\n * Returns the index of the largest element in [array] smaller or
equal to the specified [needle],\n * or -1 if [needle] is smaller than the smallest element in [array].\n *\ninternal fun
binarySearchRange(array: IntArray, needle: Int): Int {\n    var bottom = 0\n    var top = array.size - 1\n    var middle
= -1\n    var value = 0\n    while (bottom <= top) {\n        middle = (bottom + top) / 2\n        value = array[middle]\n
        if (needle > value)\n            bottom = middle + 1\n        else if (needle == value)\n            return middle\n
        else\n            top = middle - 1\n    }\n    return middle - (if (needle < value) 1 else 0)\n}\n\n/**\n * Returns an integer
from 0..9 indicating the digit this character represents,\n * or -1 if this character is not a digit.\n *\ninternal fun
Char.digitToIntImpl(): Int {\n    val ch = this.code\n    val index = binarySearchRange(Digit.rangeStart, ch)\n    val
diff = ch - Digit.rangeStart[index]\n    return if (diff < 10) diff else -1\n}\n\n/**\n * Returns `true` if this character
is a digit.\n *\ninternal fun Char.isDigitImpl(): Boolean {\n    return digitToIntImpl() >= 0\n}\n",*/\n * Copyright
2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed
by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *\npackage kotlin.text\n\n/\n//
NOTE: THIS FILE IS AUTO-GENERATED by the GenerateUnicodeData.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n/\n// 222 ranges totally\nprivate object Letter {\n
val decodedRangeStart: IntArray\n    val decodedRangeLength: IntArray\n    val decodedRangeCategory: IntArray\n
\n    init {\n        val toBase64 =
\n        \"ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789+/\n        val fromBase64 =
\n        IntArray(128)\n        for (i in toBase64.indices) {\n            fromBase64[toBase64[i].code] = i\n        }\n        \n        //
rangeStartDiff.length = 356\n        val rangeStartDiff =
\n        \"hCgBpCQGYHZH5BRpBPPPPPRMP5BPPICPP6BkEPPPPcPXPzBvBrB3BOiDoBHwD+E3DauCnFmBmB2D
6E1BIBTiBmBIBP5BhBiBrBvBjBqBnBPRtBiCmCtBIB0BmB5BiB7BmBgEmChBzGCoEoGVpBsFrhBPqKQ2B
wBYoFgB4CJuTiEvBuCuDrF5DgEgFIJ1DgFmBQtBsBRGsB+BPiBID1EIJdPRPPPPPPPPPGQSQS/DxENVNU+
B9zCwBwBPPCkDPNnBPqDYY1R8B7FkFgTgwGgwUwmBgKwBuBScmEP/BPPPPPRpB8B7F1B/ErBqC6B7B
iBmBfQsBUwCw/KwqIwLwETPcPjQgJxFgBIBsD\"\n        val diff = decodeVarLenBase64(rangeStartDiff,
fromBase64, 222)\n        val start = IntArray(diff.size)\n        for (i in diff.indices) {\n            if (i == 0) start[i] =
diff[i]\n            else start[i] = start[i - 1] + diff[i]\n        }\n        decodedRangeStart = start\n        \n        //
rangeLength.length = 328\n        val rangeLength =
\n        \"aaMBXHYH5BRpBPPPPPRMP5BPPICPPzBDOOPPcPXPzBvBjB3BOhDmBBpB7DoDYxB+EiBP1DoExBkB
QhBekBPmBgBhBctBiBMWOOXhCsBpBkBUV3Ba4BkB0D1CgBXgBtD4FSdBfPhBPpKP0BvBXjEQ2CGsT8Dh
BtCqDpFvD1D3E0rD2EkBjRBDObS+B+BPiBIB1EIJdPPPPPPPPPPPGPPMNLsBNPNPKCvBvBPPCkDPBmBPh
DXXgD4B6FzEgDguG9vUtkB9JcuBSckEP/BPPPPPPBPf4FrBjEhBpC3B5BKaWPrBOWck/KsCuLqDHPbPxPsFt
EaaqDL\"\n        decodedRangeLength = decodeVarLenBase64(rangeLength, fromBase64, 222)\n        \n        //
rangeCategory.length = 959\n        val rangeCategory =
\n        \"GFjgggUHGGFFZZmzpz5qB6s6020B60ptltB6smt2sB60mz22B1+vv+8BZZ5s2850BW5q1ymtB506smzBF3q1
q1qB1q1q1+Bgi4wDTm74g3KigxqM60q1q1Bq1o1q1BF1qlrqrBZ2q5wprBGFZWWZGHFsjiioLowgmOowjkw
CkgoiIk7ligGogioBkwkiYkzj2oNoi+sbkwj04DghhkQ8wgiYkgoioDsgnkWC4gikQ//v+85BkwvoIsgoyI4yguI0whiw
Eowri4CoghsJowgqYowgm4DkwgsY/nwnzPowhmYkg6wI8yggZswikwHgXgmIoxgqYkwgk4DkxgmIkgoioBsgsso
BgzyI8g9gL8g9ki0wGwJoxgkoC0wgioFkw/wI0w53iF4gioYowjmgBHGq1qkgwBF1q1q8qBHwghuIwghyKk0go
QkwgoQk3goQHGFHky0pBgxj6IoinkxDswno7Ikwhz9Bo0gioB8z48Rwli0xN0mpjoX8w78pDwltoqKHFggwGw
siHFH3q1q16BFHWFZ1q10q1B2qlwq1B1q10q1B2q1yq1B6q1gq1Biq1qhxBir1qp1Bqt1q1q1B1g1q1+B//3q16B///q
1qBH/qlq9Bholq9B1i00a1q10qD1op1HkwmigEigiy6Cptogq1Bixo1kDq7/j00B2qgoBwGFm1lz50B6s5q1+B
GWhggzhwBFFhgk4//Bo2jigE8wguI8wguI8wguUog1qoB4qjmIwwi2KkgYHHH4IBgiFWkgIwoghssMmz5smrBZ
3q1y50B5sm7gzBtz1smzB5smz50BqzqtzmB5sgzqzBF2/9//5BowgoIwmnkzPkwgk4C8ys65BkgoqI0wgy6FghquZo

```

```

2giY0ghiIsgH24B4ghsQ8QF/v1q1OFs0O8iCHHF1qggz/B8wg6Iznv+//B08QgohsjK0QGfK7hsQ4gB\
decodedRangeCategory = decodeVarLenBase64(rangeCategory, fromBase64, 222)\n    }\n}\n\n/**\n * Returns
`true` if this character is a letter.\n */\ninternal fun Char.isLetterImpl(): Boolean {\n    return getLetterType() !=
0\n}\n}\n\n/**\n * Returns `true` if this character is a lower case letter, or it has contributory property
Other_Lowercase.\n */\ninternal fun Char.isLowerCaseImpl(): Boolean {\n    return getLetterType() == 1 ||
code.isOtherLowercase()\n}\n}\n\n/**\n * Returns `true` if this character is an upper case letter, or it has contributory
property Other_Uppercase.\n */\ninternal fun Char.isUpperCaseImpl(): Boolean {\n    return getLetterType() == 2 ||
code.isOtherUppercase()\n}\n}\n\n/**\n * Returns\n * - `1` if the character is a lower case letter,\n * - `2` if the
character is an upper case letter,\n * - `3` if the character is a letter but not a lower or upper case letter,\n * - `0`
otherwise.\n */\nprivate fun Char.getLetterType(): Int {\n    val ch = this.code\n    val index =
binarySearchRange(Letter.decodedRangeStart, ch)\n    val rangeStart = Letter.decodedRangeStart[index]\n    val
rangeEnd = rangeStart + Letter.decodedRangeLength[index] - 1\n    val code =
Letter.decodedRangeCategory[index]\n    if (ch > rangeEnd) {\n        return 0\n    }\n    val lastTwoBits = code
and 0x3\n    if (lastTwoBits == 0) { // gap pattern\n        var shift = 2\n        var threshold = rangeStart\n        for (i
in 0..1) {\n            threshold += (code shr shift) and 0x7f\n            if (threshold > ch) {\n                return 3\n
}\n            shift += 7\n            threshold += (code shr shift) and 0x7f\n            if (threshold > ch) {\n                return
0\n            }\n            shift += 7\n        }\n        return 3\n    }\n    if (code <= 0x7) {\n        return lastTwoBits\n
}\n    val distance = (ch - rangeStart)\n    val shift = if (code <= 0x1F) distance % 2 else distance\n    return (code
shr (2 * shift)) and 0x3\n}\n}\n\n"/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n/\n\nNOTE: THIS FILE IS AUTO-GENERATED by the
GenerateUnicodeData.kt\n\nSee: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n/\n\nprivate object
OtherLowercase {\n    internal val otherLowerStart = intArrayOf(\n        0x00aa, 0x00ba, 0x02b0, 0x02c0, 0x02e0,
0x0345, 0x037a, 0x1d2c, 0x1d78, 0x1d9b, 0x2071, 0x207f, 0x2090, 0x2170, 0x24d0, 0x2c7c, 0xa69c, 0xa770,
0xa7f8, 0xab5c, \n    )\n    internal val otherLowerLength = intArrayOf(\n        1, 1, 9, 2, 5, 1, 1, 63, 1, 37, 1, 1, 13,
16, 26, 2, 2, 1, 2, 4, \n    )\n}\n}\n\ninternal fun Int.isOtherLowercase(): Boolean {\n    val index =
binarySearchRange(OtherLowercase.otherLowerStart, this)\n    return index >= 0 && this <
OtherLowercase.otherLowerStart[index] + OtherLowercase.otherLowerLength[index]\n}\n}\n\n"/*\n * Copyright
2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed
by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n/\n\nNOTE: THIS FILE IS AUTO-GENERATED by the GenerateUnicodeData.kt\n\nSee:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n/\n\ninternal fun Int.isOtherUppercase(): Boolean
{\n    return this in 0x2160..0x216f\n        || this in 0x24b6..0x24cf\n}\n}\n\n"/*\n * Copyright 2010-2021 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n/\n\nNOTE: THIS FILE IS
AUTO-GENERATED by the GenerateStandardLib.kt\n\nSee:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n/\n\nimport kotlin.js.*\n\n/**\n * Returns a
character at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this char
sequence.\n * \n * @sample samples.collections.Collections.elements.elementAt\n */\npublic actual fun
CharSequence.elementAt(index: Int): Char {\n    return elementAtOrElse(index) { throw
IndexOutOfBoundsException("index: $index, length: $length") }\n}\n}\n\n"/*\n * Copyright 2010-2021 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n/\n\nNOTE: THIS FILE IS
AUTO-GENERATED by the GenerateUnicodeData.kt\n\nSee:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n/\n\n4 ranges totally\n\ninternal fun
Char.titlecaseCharImpl(): Char {\n    val code = this.code\n    // Letters repeating <Lu, Lt, Ll> sequence and code of
the Lt is a multiple of 3, e.g. <u01c4, u01c5, u01c6>\n    if (code in 0x01c4..0x01cc || code in 0x01f1..0x01f3) {\n
        return (3 * ((code + 1) / 3)).toChar()\n    }\n    // Lower case letters whose title case mapping equivalent is equal

```

```

to the original letter\n if (code in 0x10d0..0x10fa || code in 0x10fd..0x10ff) {\n return this\n }\n return
uppercaseChar()\n}"/**\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n/\n\n// NOTE: THIS FILE IS AUTO-GENERATED
by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport
kotlin.js.*\nimport kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns an element at the given
[index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAt\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic actual fun UIntArray.elementAt(index: Int):
UInt {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException("index: $index, size: $size") }\n
}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is
out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic actual fun ULongArray.elementAt(index: Int):
ULong {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException("index: $index, size: $size") }\n
}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is
out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic actual fun UByteArray.elementAt(index: Int):
UByte {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException("index: $index, size: $size") }\n
}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is
out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic actual fun UShortArray.elementAt(index: Int):
UShort {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException("index: $index, size: $size") }\n
}\n\n/**\n * Returns a [List] that wraps the original array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic actual fun UIntArray.asList(): List<UInt> {\n
return object : AbstractList<UInt>(), RandomAccess {\n override val size: Int get() = this@asList.size\n
override fun isEmpty(): Boolean = this@asList.isEmpty()\n override fun contains(element: UInt): Boolean =
this@asList.contains(element)\n override fun get(index: Int): UInt {\n
AbstractList.checkElementIndex(index, size)\n return this@asList[index]\n }\n override fun
indexOf(element: UInt): Int {\n @Suppress("USELESS_CAST")\n if ((element as Any?) !is UInt)
return -1\n return this@asList.indexOf(element)\n }\n override fun lastIndexOf(element: UInt): Int
{\n @Suppress("USELESS_CAST")\n if ((element as Any?) !is UInt) return -1\n return
this@asList.lastIndexOf(element)\n }\n }\n\n/**\n * Returns a [List] that wraps the original array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic actual fun ULongArray.asList(): List<ULong>
{\n return object : AbstractList<ULong>(), RandomAccess {\n override val size: Int get() = this@asList.size\n
override fun isEmpty(): Boolean = this@asList.isEmpty()\n override fun contains(element: ULong):
Boolean = this@asList.contains(element)\n override fun get(index: Int): ULong {\n
AbstractList.checkElementIndex(index, size)\n return this@asList[index]\n }\n override fun
indexOf(element: ULong): Int {\n @Suppress("USELESS_CAST")\n if ((element as Any?) !is
ULong) return -1\n return this@asList.indexOf(element)\n }\n override fun lastIndexOf(element:
ULong): Int {\n @Suppress("USELESS_CAST")\n if ((element as Any?) !is ULong) return -1\n
return this@asList.lastIndexOf(element)\n }\n }\n\n/**\n * Returns a [List] that wraps the original
array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic actual fun UByteArray.asList():
List<UByte> {\n return object : AbstractList<UByte>(), RandomAccess {\n override val size: Int get() =
this@asList.size\n override fun isEmpty(): Boolean = this@asList.isEmpty()\n override fun
contains(element: UByte): Boolean = this@asList.contains(element)\n override fun get(index: Int): UByte {\n
AbstractList.checkElementIndex(index, size)\n return this@asList[index]\n }\n override fun
indexOf(element: UByte): Int {\n @Suppress("USELESS_CAST")\n if ((element as Any?) !is
UByte) return -1\n return this@asList.indexOf(element)\n }\n override fun lastIndexOf(element:

```



```

UByte): Int {
    @Suppress("USELESS_CAST")
    if ((element as Any?) !is UByte) return -1
    return this@asList.lastIndexOf(element)
}
}

/** Returns a [List] that wraps the original array.
 *
 * @SinceKotlin("1.3")
 * ExperimentalUnsignedTypes
 * public actual fun UShortArray.asList(): List<UShort>
 * {
 *     return object : AbstractList<UShort>(), RandomAccess {
 *         override val size: Int get() = this@asList.size
 *         override fun isEmpty(): Boolean = this@asList.isEmpty()
 *         override fun contains(element: UShort):
 * Boolean = this@asList.contains(element)
 *         override fun get(index: Int): UShort {
 * AbstractList.checkElementIndex(index, size)
 *         return this@asList[index]
 *     }
 *     override fun
 * indexOf(element: UShort): Int {
 *         @Suppress("USELESS_CAST")
 *         if ((element as Any?) !is
 * UShort) return -1
 *         return this@asList.indexOf(element)
 *     }
 *     override fun lastIndexOf(element:
 * UShort): Int {
 *         @Suppress("USELESS_CAST")
 *         if ((element as Any?) !is UShort) return -1
 *         return this@asList.lastIndexOf(element)
 *     }
 * }
 * }
 *
 * Copyright 2010-2021 JetBrains s.r.o. and
 * Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that
 * can be found in the license/LICENSE.txt file.
 *
 * \npackage kotlin.text
 * \n// NOTE: THIS FILE IS AUTO-
 * GENERATED by the GenerateUnicodeData.kt
 * See:
 * https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib
 * \n// 9 ranges totally
 *
 * Returns `true` if this
 * character is a whitespace.
 *
 * internal fun Char.isWhitespaceImpl(): Boolean {
 *     val ch = this.code
 *     return ch
 * in 0x0009..0x000d
 *     || ch in 0x001c..0x0020
 *     || ch == 0x00a0
 *     || ch > 0x1000 && (
 * ch == 0x1680
 *     || ch in 0x2000..0x200a
 *     || ch == 0x2028
 *     || ch == 0x2029
 *     || ch == 0x202f
 *     || ch == 0x205f
 *     || ch == 0x3000
 *     )
 * }
 *
 * Copyright 2010-2020
 * JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the
 * Apache 2.0 license that can be found in the license/LICENSE.txt file.
 *
 * \npackage kotlin
 * \npublic actual fun
 * interface Comparator<T> {
 *     @JsName("compare")
 *     public actual fun compare(a: T, b: T): Int
 * }
 *
 * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 *
 * \npackage
 * kotlin.js
 * \nimport kotlin.annotation.AnnotationTarget.*
 * \n@Target(FUNCTION)
 * \n@Deprecated("Use inline
 * extension function with body using dynamic")
 * public annotation class
 * nativeGetter
 * \n@Target(FUNCTION)
 * \n@Deprecated("Use inline extension function with body using
 * dynamic")
 * public annotation class nativeSetter
 * \n@Target(FUNCTION)
 * \n@Deprecated("Use inline extension
 * function with body using dynamic")
 * public annotation class nativeInvoke
 * \n@Target(CLASS, FUNCTION,
 * PROPERTY)
 * internal annotation class library(public val name: String = "")
 * \n@Target(CLASS)
 * internal
 * annotation class marker
 * \n/** Gives a declaration (a function, a property or a class) specific name in
 * JavaScript.
 *
 * This may be useful in the following cases:
 *
 * * There are two functions for which the
 * compiler gives same name in JavaScript, you can
 * mark one with `@JsName(...)` to prevent the compiler from
 * reporting error.
 *
 * * You are writing a JavaScript library in Kotlin. The compiler produces mangled names
 * for functions with parameters, which is unnatural for usual JavaScript developer.
 *
 * You can put `@JsName(...)`
 * on functions you want to be available from JavaScript.
 *
 * * For some reason you want to rename declaration, e.g.
 * there's common term in JavaScript
 * for a concept provided by the declaration, which is uncommon in Kotlin.
 *
 * Example:
 *
 * ``` kotlin
 * class Person(val name: String) {
 *     fun hello() {
 *         println("Hello
 * $name!")
 *     }
 *     @JsName("helloWithGreeting")
 *     fun hello(greeting: String) {
 *         println("$greeting $name!")
 *     }
 * }
 *
 * @property name the name which compiler uses both for
 * declaration itself and for all references to the declaration.
 *
 * It's required to denote a valid JavaScript
 * identifier.
 *
 * \n@Retention(AnnotationRetention.BINARY)
 * \n@Target(CLASS, FUNCTION, PROPERTY,
 * CONSTRUCTOR, PROPERTY_GETTER, PROPERTY_SETTER)
 * public actual annotation class JsName(actual
 * val name: String)
 * \n/** Denotes an `external` declaration that must be imported from native JavaScript
 * library.
 *
 * The compiler produces the code relevant for the target module system, for example, in case of
 * CommonJS,
 * it will import the declaration via the `require(...)` function.
 *
 * The annotation can be used on
 * top-level external declarations (classes, properties, functions) and files.
 *
 * In case of file (which can't be `external`)
 * the following rule applies: all the declarations in
 * the file must be `external`. By applying `@JsModule(...)` on a

```

file you tell the compiler to import a JavaScript object that contain all the declarations from the file.

Example:

```

kotlin @JsModule("jquery") external abstract class JQuery() {
    // some declarations here
}
kotlin @JsModule("jquery") external fun JQuery(element: Element): JQuery
@property import name of a module to import declaration from. It is not interpreted by the Kotlin compiler, it's passed as is directly to the target module system.
@see JsNonModule
@Retention(AnnotationRetention.BINARY) @Target(CLASS, PROPERTY, FUNCTION, FILE) public annotation class JsModule(val import: String) {
    Denotes an `external` declaration that can be used without module system.
    By default, an `external` declaration is available regardless your target module system.
    However, by applying [JsModule] annotation you can make a declaration unavailable to `plain` module system.
    Some JavaScript libraries are distributed both as a standalone downloadable piece of JavaScript and as a module available as an npm package.
    To tell the Kotlin compiler to accept both cases, you can augment [JsModule] with the `@JsNonModule` annotation.
    For example:
kotlin @JsModule("jquery") @JsNonModule @JsName("$") external abstract class JQuery() {
    // some declarations here
}
kotlin @JsModule("jquery") @JsNonModule @JsName("$") external fun JQuery(element: Element): JQuery
@see JsModule
@Retention(AnnotationRetention.BINARY) @Target(CLASS, PROPERTY, FUNCTION, FILE) public annotation class JsNonModule {
    Adds prefix to `external` declarations in a source file.
    JavaScript does not have concept of packages (namespaces). They are usually emulated by nested objects.
    The compiler turns references to `external` declarations either to plain unprefix names (in case of `plain` modules) or to plain imports.
    However, if a JavaScript library provides its declarations in packages, you won't be satisfied with this.
    You can tell the compiler to generate additional prefix before references to `external` declarations using the `@JsQualifier(...)` annotation.
    Note that a file marked with the `@JsQualifier(...)` annotation can't contain non-`external` declarations.
    Example:
kotlin @file:JsQualifier("my.jsPackageName") package some.kotlinPackage external fun foo(x: Int)
kotlin external fun bar(): String
@property value the qualifier to add to the declarations in the generated code.
    It must be a sequence of valid JavaScript identifiers separated by the `.` character.
    Examples of valid qualifiers are: `foo`, `bar.Baz`, `_.$.f`.
@see JsModule
@Retention(AnnotationRetention.BINARY) @Target(AnnotationTarget.FILE) public annotation class JsQualifier(val value: String) {
    Exports top-level declaration on JS platform.
    Compiled module exposes declarations that are marked with this annotation without name mangling.
    This annotation can be applied to either files or top-level declarations.
    It is currently prohibited to export the following kinds of declarations:
    * `expect` declarations
    * inline functions with reified type parameters
    * suspend functions
    * secondary constructors without `@JsName`
    * extension properties
    * enum classes
    * annotation classes
    Signatures of exported declarations must only contain `exportable` types:
    * `dynamic`, `Any`, `String`, `Boolean`, `Byte`, `Short`, `Int`, `Float`, `Double`, `BooleanArray`, `ByteArray`, `ShortArray`, `IntArray`, `FloatArray`, `DoubleArray`
    * `Array<exportable-type>`
    * Function types with exportable parameters and return types
    * `external` or `@JsExport` classes and interfaces
    * Nullable counterparts of types above
    * Unit return type. Must not be nullable
    This annotation is experimental, meaning that restrictions mentioned above are subject to change.
@ExperimentalJsExport @Retention(AnnotationRetention.BINARY) @Target(CLASS, PROPERTY, FUNCTION, FILE) @SinceKotlin("1.3") public actual annotation class JsExport("/* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors. Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.*/") {
    package kotlin.jvm
    // these are used in common generated code in stdlib
    // TODO: find how to deprecate these ones
@Target(AnnotationTarget.FIELD) @Retention(AnnotationRetention.SOURCE) public actual annotation class Volatile
@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY_GETTER, AnnotationTarget.PROPERTY_SETTER) @Retention(AnnotationRetention.SOURCE) public actual annotation class Synchronized
/* Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors. Use of this source code is governed by the Apache 2.0 license that can be found in the

```

```

license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n/**\n * Provides a skeletal implementation of the
[MutableCollection] interface.\n *\n * @param E the type of elements contained in the collection. The collection is
invariant in its element type.\n */\npublic actual abstract class AbstractMutableCollection<E> protected actual
constructor() : AbstractCollection<E>(), MutableCollection<E> {\n\n    actual abstract override fun add(element: E):
Boolean\n\n    actual override fun remove(element: E): Boolean {\n        checkIsMutable()\n        val iterator =
iterator()\n        while (iterator.hasNext()) {\n            if (iterator.next() == element) {\n                iterator.remove()\n                return true\n            }\n        }\n        return false\n    }\n\n    actual override fun addAll(elements:
Collection<E>): Boolean {\n        checkIsMutable()\n        var modified = false\n        for (element in elements) {\n            if (add(element)) modified = true\n        }\n        return modified\n    }\n\n    actual override fun
removeAll(elements: Collection<E>): Boolean {\n        checkIsMutable()\n        return (this as
MutableIterable<E>).removeAll { it in elements }\n    }\n\n    actual override fun retainAll(elements:
Collection<E>): Boolean {\n        checkIsMutable()\n        return (this as MutableIterable<E>).removeAll { it !in
elements }\n    }\n\n    actual override fun clear(): Unit {\n        checkIsMutable()\n        val iterator = this.iterator()\n        while (iterator.hasNext()) {\n            iterator.next()\n            iterator.remove()\n        }\n    }\n\n    @Deprecated("Provided so that subclasses inherit this function", level = DeprecationLevel.HIDDEN)\n    @JsName("toJSON")\n    protected fun toJSON(): Any = this.toArray()\n\n\n    /**\n     * This method is called
every time when a mutating method is called on this mutable collection.\n     * Mutable collections that are built
(frozen) must throw `UnsupportedOperationException`.\n     */\n    internal open fun checkIsMutable(): Unit {\n    }\n\n\n    /*\n     * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n     * Use of
this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n     */\n\n\n    /*\n     * Based on GWT AbstractList\n     * Copyright 2007 Google Inc.\n     */\n\n\npackage
kotlin.collections\n\n/**\n * Provides a skeletal implementation of the [MutableList] interface.\n *\n * @param E
the type of elements contained in the list. The list is invariant in its element type.\n */\npublic actual abstract class
AbstractMutableList<E> protected actual constructor() : AbstractMutableCollection<E>(), MutableList<E> {\n\n    protected
var modCount: Int = 0\n\n    abstract override fun add(index: Int, element: E): Unit\n    abstract override
fun removeAt(index: Int): E\n    abstract override fun set(index: Int, element: E): E\n\n\n    /**\n     * Adds the
specified element to the end of this list.\n     * @return `true` because the list is always modified as the result
of this operation.\n     */\n    actual override fun add(element: E): Boolean {\n        checkIsMutable()\n        add(size,
element)\n        return true\n    }\n\n    actual override fun addAll(index: Int, elements: Collection<E>): Boolean {\n
        AbstractList.checkPositionIndex(index, size)\n        checkIsMutable()\n        var _index = index\n        var
changed = false\n        for (e in elements) {\n            add(_index++, e)\n            changed = true\n        }\n        return
changed\n    }\n\n    actual override fun clear() {\n        checkIsMutable()\n        removeRange(0, size)\n    }\n\n    actual
override fun removeAll(elements: Collection<E>): Boolean {\n        checkIsMutable()\n        return
removeAll { it in elements }\n    }\n\n    actual override fun retainAll(elements: Collection<E>): Boolean {\n
        checkIsMutable()\n        return removeAll { it !in elements }\n    }\n\n\n    actual override fun iterator():
MutableIterator<E> = IteratorImpl()\n\n    actual override fun contains(element: E): Boolean = indexOf(element) >=
0\n\n    actual override fun indexOf(element: E): Int {\n        for (index in 0..lastIndex) {\n            if (get(index) ==
element) {\n                return index\n            }\n        }\n        return -1\n    }\n\n    actual override fun
lastIndexOf(element: E): Int {\n        for (index in lastIndex downTo 0) {\n            if (get(index) == element) {\n
                return index\n            }\n        }\n        return -1\n    }\n\n    actual override fun listIterator():
MutableListIterator<E> = listIterator(0)\n\n    actual override fun listIterator(index: Int): MutableListIterator<E> =
ListIteratorImpl(index)\n\n\n    actual override fun subList(fromIndex: Int, toIndex: Int): MutableList<E> =
SubList(this, fromIndex, toIndex)\n\n\n    /**\n     * Removes the range of elements from this list starting from
[fromIndex] and ending with but not including [toIndex].\n     */\n    protected open fun removeRange(fromIndex:
Int, toIndex: Int) {\n        val iterator = listIterator(fromIndex)\n        repeat(toIndex - fromIndex) {\n            iterator.next()\n            iterator.remove()\n        }\n    }\n\n\n    /**\n     * Compares this list with another list instance
with the ordered structural equality.\n     * @return true, if [other] instance is a [List] of the same size, which
contains the same elements in the same order.\n     */\n    override fun equals(other: Any?): Boolean {\n        if (other

```



```

V>): Boolean\n    final override fun remove(element: E): Boolean = removeEntry(element)\n    abstract fun
removeEntry(element: Map.Entry<K, V>): Boolean\n    }\n\n    actual override fun clear() {\n    entries.clear()\n
}\n\n    private var _keys: MutableSet<K>? = null\n    actual override val keys: MutableSet<K>\n    get() {\n
if (_keys == null) {\n        _keys = object : AbstractMutableSet<K>() {\n            override fun
add(element: K): Boolean = throw UnsupportedOperationException("Add is not supported on keys")\n
override fun clear() {\n                this@AbstractMutableMap.clear()\n            }\n            override
operator fun contains(element: K): Boolean = containsKey(element)\n            override operator fun iterator():
MutableIterator<K> {\n                val entryIterator = entries.iterator()\n                return object :
MutableIterator<K> {\n                    override fun hasNext(): Boolean = entryIterator.hasNext()\n
override fun next(): K = entryIterator.next().key\n                    override fun remove() =
entryIterator.remove()\n                }\n            }\n        }\n        override fun remove(element: K): Boolean
{\n            checkIsMutable()\n            if (containsKey(element)) {\n                this@AbstractMutableMap.remove(element)\n                return true\n            }\n            return
false\n        }\n        override val size: Int get() = this@AbstractMutableMap.size\n
override fun checkIsMutable(): Unit = this@AbstractMutableMap.checkIsMutable()\n    }\n    }\n
return _keys!!\n    }\n\n    actual abstract override fun put(key: K, value: V): V?\n    actual override fun
putAll(from: Map<out K, V>) {\n    checkIsMutable()\n    for ((key, value) in from) {\n        put(key,
value)\n    }\n    }\n\n    private var _values: MutableCollection<V>? = null\n    actual override val values:
MutableCollection<V>\n    get() {\n        if (_values == null) {\n            _values = object :
AbstractMutableCollection<V>() {\n                override fun add(element: V): Boolean = throw
UnsupportedOperationException("Add is not supported on values")\n                override fun clear() =
this@AbstractMutableMap.clear()\n                override operator fun contains(element: V): Boolean =
containsValue(element)\n                override operator fun iterator(): MutableIterator<V> {\n                    val
entryIterator = entries.iterator()\n                    return object : MutableIterator<V> {\n                        override fun
hasNext(): Boolean = entryIterator.hasNext()\n                        override fun next(): V = entryIterator.next().value\n
                        override fun remove() = entryIterator.remove()\n                    }\n                }\n            }\n            override val size: Int get() = this@AbstractMutableMap.size\n
override fun checkIsMutable(): Unit =
this@AbstractMutableMap.checkIsMutable()\n        }\n        }\n        return _values!!\n    }\n\n    actual
override fun remove(key: K): V? {\n    checkIsMutable()\n    val iter = entries.iterator()\n    while
(iter.hasNext()) {\n        val entry = iter.next()\n        val k = entry.key\n        if (key == k) {\n            val
value = entry.value\n            iter.remove()\n            return value\n        }\n    }\n    return null\n    }\n\n
/**\n * This method is called every time when a mutating method is called on this mutable map.\n * Mutable
maps that are built (frozen) must throw `UnsupportedOperationException`.\n */\n    internal open fun
checkIsMutable(): Unit {\n    }\n\n    /**\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\npackage kotlin.collections\n\n/**\n * Provides a skeletal implementation of the
[MutableSet] interface.\n */\n * @param E the type of elements contained in the set. The set is invariant in its
element type.\n */\npublic actual abstract class AbstractMutableSet<E> protected actual constructor() :
AbstractMutableCollection<E>(), MutableSet<E> {\n\n    /**\n * Compares this set with another set instance with
the unordered structural equality.\n */\n * @return `true`, if [other] instance is a [Set] of the same size, all
elements of which are contained in this set.\n */\n    override fun equals(other: Any?): Boolean {\n        if (other
=== this) return true\n        if (other !is Set<*>) return false\n        return AbstractSet.setEquals(this, other)\n    }\n\n
/**\n * Returns the hash code value for this set.\n */\n    override fun hashCode(): Int =
AbstractSet.unorderedHashCode(this)\n\n    /**\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\npackage kotlin.collections\n\n/**\n * Provides a [MutableList] implementation,
which uses a resizable array as its backing storage.\n */\n * This implementation doesn't provide a way to manage
capacity, as backing JS array is resizeable itself.\n * There is no speed advantage to pre-allocating array sizes in

```

```

JavaScript, so this implementation does not include any of the
 * capacity and "growth increment" concepts.
 * public actual open class ArrayList<E> internal constructor(private var array: Array<Any?>) :
AbstractMutableList<E>(), MutableList<E>, RandomAccess {
 private var isReadOnly: Boolean = false
 /**
 * Creates an empty [ArrayList].
 * public actual constructor() : this(emptyArray()) {}
 /**
 * Creates an empty [ArrayList].
 * @param initialCapacity initial capacity (ignored)
 * public actual
 constructor(initialCapacity: Int) : this(emptyArray()) {}
 /**
 * Creates an [ArrayList] filled from the
 [elements] collection.
 * public actual constructor(elements: Collection<E>) :
this(elements.toArray<Any?>()) {}
 @PublishedApi
 internal fun build(): List<E> {
 checkIsMutable()
 isReadOnly = true
 return this
 }
 /** Does nothing in this ArrayList
 implementation.
 * public actual fun trimToSize() {}
 /** Does nothing in this ArrayList implementation.
 * public actual fun ensureCapacity(minCapacity: Int) {}
 actual override val size: Int get() = array.size
 @Suppress("UNCHECKED_CAST")
 actual override fun get(index: Int): E = array[rangeCheck(index)] as E
 actual override fun set(index: Int, element: E): E {
 checkIsMutable()
 rangeCheck(index)
 @Suppress("UNCHECKED_CAST")
 return array[index].apply { array[index] = element } as E
 }
 actual override fun add(element: E): Boolean {
 checkIsMutable()
 array.asDynamic().push(element)
 modCount++
 return true
 }
 actual override fun add(index: Int, element: E): Unit {
 checkIsMutable()
 array.asDynamic().splice(insertionRangeCheck(index), 0, element)
 modCount++
 }
 actual override fun addAll(elements: Collection<E>): Boolean {
 checkIsMutable()
 if
 (elements.isEmpty()) return false
 array += elements.toArray<Any?>()
 modCount++
 return true
 }
 actual override fun addAll(index: Int, elements: Collection<E>): Boolean {
 checkIsMutable()
 insertionRangeCheck(index)
 if (index == size) return addAll(elements)
 if
 (elements.isEmpty()) return false
 when (index) {
 size -> return addAll(elements)
 0 -> array
 = elements.toArray<Any?>() + array
 else -> array = array.copyOfRange(0,
 index).asDynamic().concat(elements.toArray<Any?>(), array.copyOfRange(index, size))
 }
 modCount++
 return true
 }
 actual override fun removeAt(index: Int): E {
 checkIsMutable()
 rangeCheck(index)
 modCount++
 return if (index == lastIndex)
 array.asDynamic().pop()
 else
 array.asDynamic().splice(index, 1)[0]
 }
 actual override fun remove(element: E): Boolean {
 checkIsMutable()
 for (index in array.indices) {
 if (array[index] == element) {
 array.asDynamic().splice(index, 1)
 modCount++
 return true
 }
 }
 return
 false
 }
 override fun removeRange(fromIndex: Int, toIndex: Int) {
 checkIsMutable()
 modCount++
 array.asDynamic().splice(fromIndex, toIndex - fromIndex)
 }
 actual override fun
 clear() {
 checkIsMutable()
 array = emptyArray()
 modCount++
 }
 actual override fun
 indexOf(element: E): Int = array.indexOf(element)
 actual override fun lastIndexOf(element: E): Int =
 array.lastIndexOf(element)
 override fun toString() = arrayToString(array)
 @Suppress("UNCHECKED_CAST")
 override fun <T> toArray(array: Array<T>): Array<T> {
 if
 (array.size < size) {
 return toArray() as Array<T>
 }
 (this.array as
 Array<T>).copyInto(array)
 if (array.size > size) {
 array[size] = null as T // null-terminate
 }
 return array
 }
 override fun toArray(): Array<Any?> {
 return js("[]").slice.call(array)
 }
 internal override fun checkIsMutable() {
 if (isReadOnly) throw UnsupportedOperationException()
 }
 private fun rangeCheck(index: Int) = index.apply {
 AbstractList.checkElementIndex(index, size)
 }
 private fun insertionRangeCheck(index: Int) = index.apply {
 AbstractList.checkPositionIndex(index,
 size)
 }
 }
 /**
 * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
 * public package kotlin.collections
 * internal fun <T> sortArrayWith(array: Array<out T>, comparison: (T, T) -> Int)
 {
 if (getStableSortingIsSupported())
 array.asDynamic().sort(comparison)
 }
 else {
 mergeSort(array.unsafeCast<Array<T>>(), 0, array.lastIndex, Comparator(comparison))
 }
 }
 * internal fun
 <T> sortArrayWith(array: Array<out T>, comparator: Comparator<in T>) {
 if (getStableSortingIsSupported())
 {
 val comparison = { a: T, b: T -> comparator.compare(a, b)
 }
 array.asDynamic().sort(comparison)
 }
 }

```

```

} else {\n    mergeSort(array.unsafeCast<Array<T>>(), 0, array.lastIndex, comparator)\n } }\n\ninternal fun
<T> sortArrayWith(array: Array<out T>, fromIndex: Int, toIndex: Int, comparator: Comparator<in T>) {\n if
(fromIndex < toIndex - 1) {\n    mergeSort(array.unsafeCast<Array<T>>(), fromIndex, toIndex - 1, comparator)\n
}\n }\n\ninternal fun <T : Comparable<T>> sortArray(array: Array<out T>) {\n if
(getStableSortingIsSupported()) {\n    val comparison = { a: T, b: T -> a.compareTo(b) }\n
array.asDynamic().sort(comparison)\n } else {\n    mergeSort(array.unsafeCast<Array<T>>(), 0,
array.lastIndex, naturalOrder())\n } }\n\nprivate var _stableSortingIsSupported: Boolean? = null\nprivate fun
getStableSortingIsSupported(): Boolean {\n    _stableSortingIsSupported?.let { return it }\n
_stableSortingIsSupported = false\n    val array = js("[]").unsafeCast<Array<Int>>()\n // known
implementations may use stable sort for arrays of up to 512 elements\n // so we create slightly more elements to
test stability\n for (index in 0 until 600) array.asDynamic().push(index)\n    val comparison = { a: Int, b: Int -> (a
and 3) - (b and 3) }\n    array.asDynamic().sort(comparison)\n for (index in 1 until array.size) {\n    val a =
array[index - 1]\n    val b = array[index]\n    if ((a and 3) == (b and 3) && a >= b) return false\n } \n
_stableSortingIsSupported = true\n return true }\n }\n\nprivate fun <T> mergeSort(array: Array<T>, start: Int,
endInclusive: Int, comparator: Comparator<in T>) {\n    val buffer =
arrayOfNulls<Any?>(array.size).unsafeCast<Array<T>>()\n    val result = mergeSort(array, buffer, start,
endInclusive, comparator)\n    if (result !== array) {\n        for (i in start..endInclusive) array[i] = result[i]\n
}\n }\n\n// Both start and end are inclusive indices.\nprivate fun <T> mergeSort(array: Array<T>, buffer: Array<T>,
start: Int, end: Int, comparator: Comparator<in T>): Array<T> {\n    if (start == end) {\n        return array\n } \n
val median = (start + end) / 2\n    val left = mergeSort(array, buffer, start, median, comparator)\n    val right =
mergeSort(array, buffer, median + 1, end, comparator)\n    val target = if (left === buffer) array else buffer\n //
Merge.\n    var leftIndex = start\n    var rightIndex = median + 1\n    for (i in start..end) {\n        when {\n
leftIndex <= median && rightIndex <= end -> {\n            val leftValue = left[leftIndex]\n            val rightValue
= right[rightIndex]\n            if (comparator.compare(leftValue, rightValue) <= 0) {\n                target[i] =
leftValue\n                leftIndex++\n            } else {\n                target[i] = rightValue\n
rightIndex++\n            }\n        }\n        leftIndex <= median -> {\n            target[i] = left[leftIndex]\n
leftIndex++\n        }\n        else /* rightIndex <= end */ -> {\n            target[i] = right[rightIndex]\n
rightIndex++\n        }\n        Unit // TODO: Fix KT-31506\n    }\n }\n }\n return target\n }", /*\n *
Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is
governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.collections\n\n@OptIn(ExperimentalUnsignedTypes::class)\n@SinceKotlin("1.3")\n@kotlin.js.JsName("
contentDeepHashCodeImpl")\ninternal fun <T> Array<out T>?.contentDeepHashCodeImpl(): Int {\n    if (this ==
null) return 0\n    var result = 1\n    for (element in this) {\n        val elementHash = when {\n            element == null
-> 0\n            isArrayish(element) -> (element.unsafeCast<Array<*>>()).contentDeepHashCodeImpl()\n
element is UByteArray -> element.contentHashCode()\n            element is UShortArray ->
element.contentHashCode()\n            element is UIntArray -> element.contentHashCode()\n            element is
ULongArray -> element.contentHashCode()\n            else -> element.hashCode()\n        }\n        result = 31 * result + elementHash\n    }\n    return result\n }", /*\n * Copyright 2010-2018 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\ninternal interface
EqualityComparator {\n    /*\n * Subclasses must override to return a value indicating\n * whether or not two
keys or values are equal.\n */\n    abstract fun equals(value1: Any?, value2: Any?): Boolean\n\n    /*\n *
Subclasses must override to return the hash code of a given key.\n */\n    abstract fun getHashCode(value: Any?):
Int\n\n    object HashCode : EqualityComparator {\n        override fun equals(value1: Any?, value2: Any?):
Boolean = value1 == value2\n        override fun getHashCode(value: Any?): Int = value?.hashCode() ?: 0\n
}\n }", /*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this
source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n *
Based on GWT AbstractHashMap\n * Copyright 2008 Google Inc.\n */\n\npackage kotlin.collections\n\nimport

```





```

the initial capacity or load factor are negative\n    */\n    actual constructor(initialCapacity: Int, loadFactor: Float)
{\n    map = HashMap<E, Any>(initialCapacity, loadFactor)\n } \n\n actual constructor(initialCapacity: Int) :
this(initialCapacity, 0.0f)\n\n /**\n * Protected constructor to specify the underlying map. This is used by\n *
LinkedHashSet.\n\n * @param map underlying map to use.\n */\n internal constructor(map: HashMap<E,
Any>) {\n    this.map = map\n } \n\n actual override fun add(element: E): Boolean {\n    val old =
map.put(element, this)\n    return old == null\n } \n\n actual override fun clear() {\n    map.clear()\n } \n\n//
public override fun clone(): Any {\n//    return HashSet<E>(this)\n// } \n\n actual override operator fun
contains(element: E): Boolean = map.containsKey(element)\n\n actual override fun isEmpty(): Boolean =
map.isEmpty()\n\n actual override fun iterator(): MutableIterator<E> = map.keys.iterator()\n\n actual override
fun remove(element: E): Boolean = map.remove(element) != null\n\n actual override val size: Int get() =
map.size\n\n}\n\n/**\n * Creates a new instance of the specialized implementation of [HashSet] with the specified
[String] elements,\n * which elements the keys as properties of JS object without hashing them.\n */\n\npublic fun
stringSetOf(vararg elements: String): HashSet<String> {\n    return HashSet(stringMapOf<Any>()).apply {
addAll(elements) }\n}\n\n"/\n\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\n * Based on GWT InternalHashCodeMap\n * Copyright 2008 Google Inc.\n\n
*/\n\npackage kotlin.collections\n\nimport kotlin.collections.MutableMap.MutableEntry\nimport
kotlin.collections.AbstractMutableMap.SimpleEntry\n\n/**\n * A simple wrapper around JavaScriptObject to
provide [java.util.Map]-like semantics for any\n * key type.\n * *\n * Implementation notes:\n * *\n * A key's
hashCode is the index in backingMap which should contain that key. Since several keys may\n * have the same
hash, each value in hashCodeMap is actually an array containing all entries whose\n * keys share the same hash.\n
*/\n\ninternal class InternalHashCodeMap<K, V>(override val equality: EqualityComparator) : InternalMap<K, V>
{\n\n    private var backingMap: dynamic = createJsMap()\n    override var size: Int = 0\n    private set\n\n    override fun put(key: K, value: V): V? {\n        val hashCode = equality.getHashCode(key)\n        val chainOrEntry
= getChainOrEntryOrNull(hashCode)\n        if (chainOrEntry == null) {\n            // This is a new chain, put it to the
map.\n            backingMap[hashCode] = SimpleEntry(key, value)\n        } else {\n            if (chainOrEntry !is
Array<*>) {\n                // It is an entry\n                val entry: SimpleEntry<K, V> = chainOrEntry\n                if
(equality.equals(entry.key, key)) {\n                    return entry.setValue(value)\n                } else {\n
backingMap[hashCode] = arrayOf(entry, SimpleEntry(key, value))\n                    size++\n                    return null\n
                }\n            } else {\n                // Chain already exists, perhaps key also exists.\n                val chain:
Array<MutableEntry<K, V>> = chainOrEntry\n                val entry = chain.findEntryInChain(key)\n                if
(entry != null) {\n                    return entry.setValue(value)\n                }\n                chain.asDynamic().push(SimpleEntry(key, value))\n                }\n            }\n            size++\n\n// structureChanged(host)\n
return null\n        }\n\n    override fun remove(key: K): V? {\n        val hashCode = equality.getHashCode(key)\n        val chainOrEntry = getChainOrEntryOrNull(hashCode) ?: return null\n        if (chainOrEntry !is Array<*>) {\n            val entry: MutableEntry<K, V> = chainOrEntry\n            if (equality.equals(entry.key, key)) {\n                jsDeleteProperty(backingMap, hashCode)\n                size--\n                return entry.value\n            } else {\n                return null\n            }\n        } else {\n            val chain: Array<MutableEntry<K, V>> = chainOrEntry\n            for
(index in chain.indices) {\n                val entry = chain[index]\n                if (equality.equals(key, entry.key)) {\n                    if (chain.size == 1) {\n                        chain.asDynamic().length = 0\n                        // remove the whole
array\n                        jsDeleteProperty(backingMap, hashCode)\n                    } else {\n                        // splice out
the entry we're removing\n                        chain.asDynamic().splice(index, 1)\n                    }\n                    size--\n\n// structureChanged(host)\n
return entry.value\n                }\n            }\n            return null\n        }\n\n    override fun clear() {\n        backingMap = createJsMap()\n        size = 0\n    }\n\n    override fun
contains(key: K): Boolean = getEntry(key) != null\n\n    override fun get(key: K): V? = getEntry(key)?.value\n\n    private fun getEntry(key: K): MutableEntry<K, V>? {\n        val chainOrEntry =
getChainOrEntryOrNull(equality.getHashCode(key)) ?: return null\n        if (chainOrEntry !is Array<*>) {\n            val entry: MutableEntry<K, V> = chainOrEntry\n            if (equality.equals(entry.key, key)) {\n                return

```



```

oldValue.unsafeCast<V>()\n    }\n }\n\n override fun remove(key: K): V? {\n    if (key !is String) return\n    null\n    val value = backingMap[key]\n    if (value !== undefined) {\n        jsDeleteProperty(backingMap,\n        key)\n        size--\n//        structureChanged(host)\n        return value.unsafeCast<V>()\n    } else {\n//\n    valueMod++\n    return null\n    }\n }\n\n\n override fun clear() {\n    backingMap = createJsMap()\n    size = 0\n }\n\n\n override fun iterator(): MutableIterator<MutableEntry<K, V>> {\n    return object :\n    MutableIterator<MutableEntry<K, V>> {\n        private val keys: Array<String> =\n        js("Object").keys(backingMap)\n        private val iterator = keys.iterator()\n        private var lastKey: String? =\n        null\n\n        override fun hasNext(): Boolean = iterator.hasNext()\n\n        override fun next():\n        MutableEntry<K, V> {\n            val key = iterator.next()\n            lastKey = key\n            @Suppress("UNCHECKED_CAST")\n            return newMapEntry(key as K)\n        }\n\n        override\n        fun remove() {\n            @Suppress("UNCHECKED_CAST")\n            this@InternalStringMap.remove(checkNotNull(lastKey) as K)\n        }\n    }\n\n\n private fun\n    newMapEntry(key: K): MutableEntry<K, V> = object : MutableEntry<K, V> {\n        override val key: K get() =\n        key\n        override val value: V get() = this@InternalStringMap[key].unsafeCast<V>()\n\n        override fun\n        setValue(newValue: V): V = this@InternalStringMap.put(key, newValue).unsafeCast<V>()\n\n        override fun\n        hashCode(): Int = AbstractMap.entryHashCode(this)\n\n        override fun toString(): String =\n        AbstractMap.entryToString(this)\n\n        override fun equals(other: Any?): Boolean = AbstractMap.entryEquals(this,\n        other)\n    }\n}\n\n", /*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n * Based on GWT LinkedHashMap\n * Copyright 2008 Google Inc.\n */\n\npackage\n    kotlin.collections\n\nimport kotlin.collections.MutableMap.MutableEntry\n\n/**\n * Hash table based\n    implementation of the [MutableMap] interface, which additionally preserves the insertion order\n * of entries during\n    the iteration.\n * The insertion order is preserved by maintaining a doubly-linked list of all of its entries.\n */\n\npublic actual open class LinkedHashMap<K, V> : HashMap<K, V>, MutableMap<K, V> {\n\n    /**\n     * The\n        entry we use includes next/prev pointers for a doubly-linked circular\n     * list with a head node. This reduces the\n        special cases we have to deal with\n     * in the list operations.\n     * Note that we duplicate the key from the\n        underlying hash map so we can find\n     * the eldest entry. The alternative would have been to modify HashMap so\n        more\n     * of the code was directly usable here, but this would have added some\n     * overhead to HashMap, or to\n        reimplement most of the HashMap code here with\n     * small modifications. Paying a small storage cost only if\n        you use\n     * LinkedHashMap and minimizing code size seemed like a better tradeoff\n     */\n\n    private inner class\n        ChainEntry<K, V>(key: K, value: V) : AbstractMutableMap.SimpleEntry<K, V>(key, value) {\n        internal var\n        next: ChainEntry<K, V>? = null\n        internal var prev: ChainEntry<K, V>? = null\n\n        override fun\n        setValue(newValue: V): V {\n            this@LinkedHashMap.checkIsMutable()\n            return\n            super.setValue(newValue)\n        }\n    }\n\n    private inner class\n        EntrySet : AbstractEntrySet<MutableEntry<K,\n        V>, K, V>() {\n        private inner class\n            EntryIterator : MutableIterator<MutableEntry<K, V>> {\n                // The\n                last entry that was returned from this iterator.\n                private var last: ChainEntry<K, V>? = null\n                // The\n                next entry to return from this iterator.\n                private var next: ChainEntry<K, V>? = null\n\n                init {\n                    next = head\n//                    recordLastKnownStructure(map, this)\n                }\n\n                override fun\n                hasNext():\n                Boolean {\n                    return next !== null\n                }\n\n                override fun\n                next():\n                MutableEntry<K, V> {\n//                    checkStructuralChange(map, this)\n                    if (!hasNext()) throw NoSuchElementException()\n\n                    val\n                    current = next!!\n                    last = current\n                    next = current.next.takeIf { it !== head }\n                    return\n                    current\n                }\n\n                override fun\n                remove() {\n                    check(last != null)\n                    this@EntrySet.checkIsMutable()\n//                    checkStructuralChange(map, this)\n                    last!!.remove()\n                    map.remove(last!!.key)\n//                    recordLastKnownStructure(map, this)\n                    last = null\n                }\n            }\n\n            override fun\n                add(element: MutableEntry<K, V>): Boolean = throw\n                UnsupportedOperationException("Add is not supported on entries")\n\n            override fun\n                clear() {\n                    this@LinkedHashMap.clear()\n                }\n\n            override fun\n                containsEntry(element: Map.Entry<K, V>): Boolean =\n                this@LinkedHashMap.containsEntry(element)\n\n            override operator fun\n                iterator():

```

```

MutableIterator<MutableEntry<K, V>> = EntryIterator()\n\n    override fun removeEntry(element: Map.Entry<K,
V>): Boolean {\n        checkIsMutable()\n        if (contains(element)) {\n
this@LinkedHashMap.remove(element.key)\n            return true\n        }\n        return false\n    }\n\n    override val size: Int get() = this@LinkedHashMap.size\n\n    override fun checkIsMutable(): Unit =
this@LinkedHashMap.checkIsMutable()\n    }\n\n\n    /*\n     * The head of the insert order chain, which is a doubly-
linked circular\n     * list.\n     * \n     * The most recently inserted node is at the end of the chain, ie.\n     * chain.prev.\n     *\n     * private var head: ChainEntry<K, V>? = null\n     * \n     * Add this node to the end of the chain.\n     * \n     *\n     private fun ChainEntry<K, V>.addToEnd() {\n        // This entry is not in the list.\n        check(next == null && prev
== null)\n\n        val _head = head\n        if (_head == null) {\n            head = this\n            next = this\n            prev =
this\n        } else {\n            // Chain is valid.\n            val _tail = checkNotNull(_head.prev)\n            // Update me.\n            prev = _tail\n            next = _head\n            // Update my new siblings: current head and old tail\n            _head.prev = this\n            _tail.next = this\n        }\n    }\n\n\n    /*\n     * Remove this node from the chain it is a part
of.\n     * \n     * private fun ChainEntry<K, V>.remove() {\n        if (this.next === this) {\n            // if this is single
element, remove head\n            head = null\n        } else {\n            if (head === this) {\n                // if this is first
element, move head to next\n                head = next\n            }\n            next!!.prev = prev\n            prev!!.next =
next\n        }\n        next = null\n        prev = null\n    }\n\n\n    /*\n     * The hashmap that keeps track of our entries and
the chain. Note that we\n     * duplicate the key here to eliminate changes to HashMap and minimize the\n     * code
here, at the expense of additional space.\n     * \n     * private val map: HashMap<K, ChainEntry<K, V>>\n     * \n     * private
var isReadOnly: Boolean = false\n     * \n     * Constructs an empty [LinkedHashMap] instance.\n     * \n     * actual
constructor() : super() {\n        map = HashMap<K, ChainEntry<K, V>>()\n    }\n\n    internal
constructor(backingMap: HashMap<K, Any>) : super() {\n        @Suppress("UNCHECKED_CAST") // expected
to work due to erasure\n        map = backingMap as HashMap<K, ChainEntry<K, V>>\n    }\n\n\n    /*\n     *
Constructs an empty [LinkedHashMap] instance.\n     * \n     * @param initialCapacity the initial capacity
(ignored)\n     * @param loadFactor the load factor (ignored)\n     * \n     * @throws IllegalArgumentException if
the initial capacity or load factor are negative\n     * \n     * actual constructor(initialCapacity: Int, loadFactor: Float) :
super(initialCapacity, loadFactor) {\n        map = HashMap<K, ChainEntry<K, V>>()\n    }\n\n    actual
constructor(initialCapacity: Int) : this(initialCapacity, 0.0f)\n\n\n    /*\n     * Constructs an instance of
[LinkedHashMap] filled with the contents of the specified [original] map.\n     * \n     * actual constructor(original:
Map<out K, V>) {\n        map = HashMap<K, ChainEntry<K, V>>()\n        this.putAll(original)\n    }\n\n    @PublishedApi\n    internal fun build(): Map<K, V> {\n        checkIsMutable()\n        isReadOnly = true\n        return this\n    }\n\n\n    actual override fun clear() {\n        checkIsMutable()\n        map.clear()\n        head = null\n    }\n\n\n    // override fun clone(): Any {\n    //    return LinkedHashMap(this)\n    // }\n\n\n    actual override fun
containsKey(key: K): Boolean = map.containsKey(key)\n\n\n    actual override fun containsValue(value: V): Boolean
{\n        var node: ChainEntry<K, V> = head ?: return false\n        do {\n            if (node.value == value) {\n                return true\n            }\n            node = node.next!!\n        } while (node != head)\n        return false\n    }\n\n\n    internal override fun createEntrySet(): MutableSet<MutableMap.MutableEntry<K, V>> = EntrySet()\n\n\n    actual
override operator fun get(key: K): V? = map.get(key)?.value\n\n\n    actual override fun put(key: K, value: V): V? {\n        checkIsMutable()\n\n        val old = map.get(key)\n        if (old == null) {\n            val newEntry =
ChainEntry(key, value)\n            map.put(key, newEntry)\n            newEntry.addToEnd()\n            return null\n        } else {\n            return old.setValue(value)\n        }\n    }\n\n\n    actual override fun remove(key: K): V? {\n        checkIsMutable()\n\n        val entry = map.remove(key)\n        if (entry != null) {\n            entry.remove()\n            return entry.value\n        }\n        return null\n    }\n\n\n    actual override val size: Int get() = map.size\n\n\n    internal
override fun checkIsMutable() {\n        if (isReadOnly) throw UnsupportedOperationException()\n    }\n\n\n\n    /*\n     * Constructs the specialized implementation of [LinkedHashMap] with [String] keys, which stores the keys as
properties of\n     * JS object without hashing them.\n     * \n     * \n     * public fun <V> linkedStringMapOf(vararg pairs:
Pair<String, V>): LinkedHashMap<String, V> {\n        return LinkedHashMap<String,
V>(stringMapOf<Any>()).apply { putAll(pairs) }\n    }\n\n\n    /*\n     * Copyright 2010-2018 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n     * Use of this source code is governed by the Apache 2.0 license that can be

```

```

found in the license/LICENSE.txt file.\n */\n */\n * Based on GWT LinkedHashSet\n * Copyright 2008 Google
Inc.\n */\n\npackage kotlin.collections\n\n/**\n * The implementation of the [MutableSet] interface, backed by a
[LinkedHashMap] instance.\n */\n * This implementation preserves the insertion order of elements during the
iteration.\n */\n\npublic actual open class LinkedHashSet<E> : HashSet<E>, MutableSet<E> {\n\n    internal
constructor(map: LinkedHashMap<E, Any>) : super(map)\n\n    /**\n     * Constructs a new empty
[LinkedHashSet].\n     */\n    actual constructor() : super(LinkedHashMap<E, Any>())\n\n    /**\n     * Constructs a
new [LinkedHashSet] filled with the elements of the specified collection.\n     */\n    actual constructor(elements:
Collection<E>) : super(LinkedHashMap<E, Any>()) {\n        addAll(elements)\n    }\n\n    /**\n     * Constructs a
new empty [LinkedHashSet].\n     */\n    @param initialCapacity the initial capacity (ignored)\n     * @param
loadFactor the load factor (ignored)\n     */\n    @throws IllegalArgumentException if the initial capacity or
load factor are negative\n     */\n    actual constructor(initialCapacity: Int, loadFactor: Float) :
super(LinkedHashMap<E, Any>(initialCapacity, loadFactor))\n\n    actual constructor(initialCapacity: Int) :
this(initialCapacity, 0.0f)\n\n    @PublishedApi\n    internal fun build(): Set<E> {\n        (map as
LinkedHashMap<E, Any>).build()\n        return this\n    }\n\n    internal override fun checkIsMutable(): Unit =
map.checkIsMutable()\n\n    // public override fun clone(): Any {\n    //     return LinkedHashSet(this)\n    // }\n\n}\n\n\n/**\n * Creates a new instance of the specialized implementation of [LinkedHashSet] with the specified
[String] elements,\n * which elements the keys as properties of JS object without hashing them.\n */\n\npublic fun
linkedStringSetOf(vararg elements: String): LinkedHashSet<String> {\n    return
LinkedHashSet(linkedStringMapOf<Any>()).apply { addAll(elements) }\n}\n\n", "/*\n * Copyright 2010-2020
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\nimport
kotlin.contracts.*\n\n@DeprecatedSinceKotlin(warningSince = \"1.6\")\n@Deprecated(\"Synchronization on any
object is not supported in Kotlin/JS\")\n\nReplaceWith(\"run(block)\")\n\n@kotlin.internal.InlineOnly\n@Suppress(\"UNUSED_PARAMETER\")\n\npublic
inline fun <R> synchronized(lock: Any, block: () -> R): R {\n    contract {\n        callsInPlace(block,
InvocationKind.EXACTLY_ONCE)\n    }\n    return block()\n}\n\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.io\n\ninternal abstract class BaseOutput {\n
open fun println() {\n    print(\"\\n\")\n }\n\n    open fun println(message: Any?) {\n        print(message)\n
println()\n    }\n\n    abstract fun print(message: Any?)\n\n    open fun flush() {\n    }\n\n}\n\n\n/** JsName used to make the
declaration available outside of module to test it */\n\n@JsName(\"NodeJsOutput\")\n\ninternal class NodeJsOutput(val
outputStream: dynamic) : BaseOutput() {\n    override fun print(message: Any?) {\n        // TODO: Using local
variable because of bug in block decomposition lowering in IR backend\n        val messageString =
String(message)\n        outputStream.write(messageString)\n    }\n\n}\n\n\n/** JsName used to make the declaration
available outside of module to test it */\n\n@JsName(\"OutputToConsoleLog\")\n\ninternal class OutputToConsoleLog
: BaseOutput() {\n    override fun print(message: Any?) {\n        console.log(message)\n    }\n\n    override fun
println(message: Any?) {\n        console.log(message)\n    }\n\n    override fun println() {\n        console.log(\"\\n\")\n
}\n\n}\n\n\n/** JsName used to make the declaration available outside of module to test it and use at try.kotl.in
*/\n\n@JsName(\"BufferedOutput\")\n\ninternal open class BufferedOutput : BaseOutput() {\n    var buffer = \"\"\n\n    override fun print(message: Any?) {\n        buffer += String(message)\n    }\n\n    override fun flush() {\n        buffer
= \"\"\n    }\n\n}\n\n\n/** JsName used to make the declaration available outside of module to test it
*/\n\n@JsName(\"BufferedOutputToConsoleLog\")\n\ninternal class BufferedOutputToConsoleLog : BufferedOutput()
{\n    override fun print(message: Any?) {\n        var s = String(message)\n        val i = s.nativeLastIndexOf(\"\\n\",
0)\n        if (i >= 0) {\n            buffer += s.substring(0, i)\n            flush()\n            s = s.substring(i + 1)\n        }\n        buffer += s\n    }\n\n    override fun flush() {\n        console.log(buffer)\n        buffer = \"\"\n    }\n\n}\n\n\n/** JsName
used to make the declaration available outside of module to test it and use at try.kotl.in
*/\n\n@JsName(\"output\")\n\ninternal var output = run {\n    val isNode: Boolean = js(\"typeof process !== 'undefined'
&& process.versions && !!process.versions.node\")\n    if (isNode) NodeJsOutput(js(\"process.stdout\")) else

```

```

BufferedOutputToConsoleLog()\n\n@kotlin.internal.InlineOnly\nprivate inline fun String(value: Any?): String =
js("String")(value)\n\n/** Prints the line separator to the standard output stream. */\npublic actual fun println() {\n    output.println()\n}\n\n/** Prints the given [message] and the line separator to the standard output stream. */\npublic actual fun println(message: Any?) {\n    output.println(message)\n}\n\n/** Prints the given [message] to the standard output stream. */\npublic actual fun print(message: Any?) {\n    output.print(message)\n}\n\n@SinceKotlin("1.6")\npublic actual fun readln(): String = throw
UnsupportedOperationException("readln is not supported in Kotlin/JS")\n\n@SinceKotlin("1.6")\npublic actual fun readlnOrNull(): String? = throw UnsupportedOperationException("readlnOrNull is not supported in Kotlin/JS"), /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines\nimport kotlin.coroutines.intrinsics.CoroutineSingletons.*\nimport kotlin.coroutines.intrinsics.COROUTINE_SUSPENDED\n\n@PublishedApi\n@SinceKotlin("1.3")\ninternal actual class SafeContinuation<in T>\ninternal actual constructor(\n    private val delegate: Continuation<T>,\n    initialResult: Any?\n) : Continuation<T> {\n    @PublishedApi\n    internal actual constructor(delegate: Continuation<T>) : this(delegate, UNDECIDED)\n\n    public actual override val context: CoroutineContext\n    get() = delegate.context\n\n    private var result: Any? = initialResult\n\n    public actual override fun resumeWith(result: Result<T>) {\n        val cur = this.result\n        when {\n            cur === UNDECIDED -> {\n                this.result = result.value\n            }\n            cur === COROUTINE_SUSPENDED -> {\n                this.result = RESUMED\n                delegate.resumeWith(result)\n            }\n            else -> throw
IllegalStateException("Already resumed")\n        }\n    }\n\n    @PublishedApi\n    internal actual fun getOrThrow(): Any? {\n        if (result === UNDECIDED) {\n            result = COROUTINE_SUSPENDED\n            return COROUTINE_SUSPENDED\n        }\n        val result = this.result\n        return when {\n            result === RESUMED -> COROUTINE_SUSPENDED // already called continuation, indicate COROUTINE_SUSPENDED upstream\n            result is Result.Failure -> throw result.exception\n            else -> result // either COROUTINE_SUSPENDED or data\n        }\n    }\n}\n\n", /*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines.cancellation\n\n@SinceKotlin("1.4")\npublic actual open class CancellationException :
IllegalStateException {\n    actual constructor() : super()\n    actual constructor(message: String?) : super(message)\n    constructor(message: String?, cause: Throwable?) : super(message, cause)\n    constructor(cause: Throwable?) : super(cause)\n}\n\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines.js.internal\nimport kotlin.coroutines.Continuation\nimport kotlin.coroutines.EmptyCoroutineContext\n\n@PublishedApi\n@SinceKotlin("1.3")\ninternal val EmptyContinuation = Continuation<Any?>(EmptyCoroutineContext) { result -> result.getOrThrow() }\n\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\n/**\n * Exposes the [Date API](https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/Date) to Kotlin.\n */\n\n@Suppress("NOT_DOCUMENTED")\npublic external class Date() {\n    public constructor(milliseconds: Number)\n    public constructor(dateString: String)\n    public constructor(year: Int, month: Int)\n    public constructor(year: Int, month: Int, day: Int)\n    public constructor(year: Int, month: Int, day: Int, hour: Int)\n    public constructor(year: Int, month: Int, day: Int, hour: Int, minute: Int)\n    public constructor(year: Int, month: Int, day: Int, hour: Int, minute: Int, second: Int)\n    public constructor(year: Int, month: Int, day: Int, hour: Int, minute: Int, second: Int, millisecond: Number)\n\n    public fun getDate(): Int\n    public fun getDay(): Int\n    public fun getFullYear(): Int\n    public fun getHours(): Int\n    public fun getMilliseconds(): Int\n    public fun getMinutes(): Int\n    public fun getMonth(): Int\n    public fun getSeconds(): Int\n    public fun getTime(): Double\n    public fun getTimezoneOffset(): Int\n    public fun getUTCDate(): Int\n    public fun

```

```

getUTCDay(): Int\n\n public fun getUTCFullYear(): Int\n\n public fun getUTCHours(): Int\n\n public fun
getUTCMilliseconds(): Int\n\n public fun getUTCMinutes(): Int\n\n public fun getUTCMonth(): Int\n\n public
fun getUTCSeconds(): Int\n\n public fun toDateString(): String\n\n public fun toISOString(): String\n\n public
fun toJSON(): Json\n\n public fun toLocaleDateString(locales: Array<String> = definedExternally, options:
LocaleOptions = definedExternally): String\n\n public fun toLocaleDateString(locales: String, options:
LocaleOptions = definedExternally): String\n\n public fun toLocaleString(locales: Array<String> =
definedExternally, options: LocaleOptions = definedExternally): String\n\n public fun toLocaleString(locales:
String, options: LocaleOptions = definedExternally): String\n\n public fun toLocaleTimeString(locales:
Array<String> = definedExternally, options: LocaleOptions = definedExternally): String\n\n public fun
toLocaleTimeString(locales: String, options: LocaleOptions = definedExternally): String\n\n public fun
toTimeString(): String\n\n public fun toUTCString(): String\n\n public companion object {\n public fun
now(): Double\n\n public fun parse(dateString: String): Double\n\n public fun UTC(year: Int, month: Int):
Double\n\n public fun UTC(year: Int, month: Int, day: Int): Double\n\n public fun UTC(year: Int, month:
Int, day: Int, hour: Int): Double\n\n public fun UTC(year: Int, month: Int, day: Int, hour: Int, minute: Int):
Double\n\n public fun UTC(year: Int, month: Int, day: Int, hour: Int, minute: Int, second: Int): Double\n\n
public fun UTC(year: Int, month: Int, day: Int, hour: Int, minute: Int, second: Int, millisecond: Number): Double\n
}\n\n public interface LocaleOptions {\n public var localeMatcher: String?\n\n public var timeZone:
String?\n\n public var hour12: Boolean?\n\n public var formatMatcher: String?\n\n public var weekday:
String?\n\n public var era: String?\n\n public var year: String?\n\n public var month: String?\n\n
public var day: String?\n\n public var hour: String?\n\n public var minute: String?\n\n public var
second: String?\n\n public var timeZoneName: String?\n }\n}\n\npublic inline fun dateLocaleOptions(init:
Date.LocaleOptions.() -> Unit): Date.LocaleOptions {\n val result = js("new
Object()\n\n).unsafeCast<Date.LocaleOptions>()\n\n init(result)\n\n return result\n\n"},"/*\n * Copyright 2010-2020
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.dom\n\nimport
org.w3c.dom.Document\n\nimport org.w3c.dom.Element\n\nimport
kotlin.internal.LowPriorityInOverloadResolution\n\nimport kotlinx.dom.appendElement as
newAppendElement\n\nimport kotlinx.dom.createElement as newCreateElement\n\n/**\n * Creates a new element
with the specified [name].\n * The element is initialized with the specified [init] function.\n
*\n * @LowPriorityInOverloadResolution\n * @Deprecated(\n message = "This API is moved to another package,
use 'kotlinx.dom.createElement' instead.",\n\n replaceWith = ReplaceWith("this.createElement(name, init)",
"kotlinx.dom.createElement")\n)\n * @DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.6")\n\npublic
inline fun Document.createElement(name: String, noinline init: Element.() -> Unit): Element =
this.newCreateElement(name, init)\n\n/**\n * Appends a newly created element with the specified [name] to this
element.\n * The element is initialized with the specified [init] function.\n
*\n * @LowPriorityInOverloadResolution\n * @Deprecated(\n message = "This API is moved to another package,
use 'kotlinx.dom.appendElement' instead.",\n\n replaceWith = ReplaceWith("this.appendElement(name, init)",
"kotlinx.dom.appendElement")\n)\n * @DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.6")\n\npublic
inline fun Element.appendElement(name: String, noinline init: Element.() -> Unit): Element =
this.newAppendElement(name, init)\n\n"},"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.dom\n\nimport org.w3c.dom.Element\n\nimport
kotlin.internal.LowPriorityInOverloadResolution\n\nimport kotlinx.dom.addClass as newAddClass\n\nimport
kotlinx.dom.hasClass as newHasClass\n\nimport kotlinx.dom.removeClass as newRemoveClass\n\n/** Returns true if
the element has the given CSS class style in its 'class' attribute
*\n * @LowPriorityInOverloadResolution\n * @Deprecated(\n message = "This API is moved to another package,
use 'kotlinx.dom.hasClass' instead.",\n\n replaceWith = ReplaceWith("this.hasClass(cssClass)",
"kotlinx.dom.hasClass")\n)\n * @DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.6")\n\ninline fun

```

```

Element.hasClass(cssClass: String): Boolean = this.newHasClass(cssClass)\n\n/**\n * Adds CSS class to element.
Has no effect if all specified classes are already in class attribute of the element\n *\n * @return true if at least one
class has been added\n */\n@LowPriorityInOverloadResolution\n@Deprecated(\n    message = \"This API is moved
to another package, use 'kotlinx.dom.addClass' instead.\",\n    replaceWith =
ReplaceWith(\"this.addClass(cssClasses)\", \"kotlinx.dom.addClass\")\n)\n@DeprecatedSinceKotlin(warningSince
= \"1.4\", errorSince = \"1.6\")\ninline fun Element.addClass(vararg cssClasses: String): Boolean =
this.newAddClass(*cssClasses)\n\n/**\n * Removes all [cssClasses] from element. Has no effect if all specified
classes are missing in class attribute of the element\n *\n * @return true if at least one class has been removed\n
*/\n@LowPriorityInOverloadResolution\n@Deprecated(\n    message = \"This API is moved to another package,
use 'kotlinx.dom.removeClass' instead.\",\n    replaceWith = ReplaceWith(\"this.removeClass(cssClasses)\",
\"kotlinx.dom.removeClass\")\n)\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.6\")\ninline
fun Element.removeClass(vararg cssClasses: String): Boolean = this.newRemoveClass(*cssClasses), /*\n *
Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is
governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.dom\nimport org.w3c.dom.Element\nimport org.w3c.dom.Node\nimport
kotlin.internal.LowPriorityInOverloadResolution\nimport kotlinx.dom.isElement as newIsElement\nimport
kotlin.dom.isText as newIsText\n\n/**\n * Gets a value indicating whether this node is a TEXT_NODE or a
CDATA_SECTION_NODE.\n */\n@LowPriorityInOverloadResolution\n@Deprecated(\n    message = \"This API
is moved to another package, use 'kotlinx.dom.isText' instead.\",\n    replaceWith = ReplaceWith(\"this.isText\",
\"kotlinx.dom.isText\")\n)\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.6\")\npublic val
Node.isText: Boolean\n    inline get() = this.newIsText\n\n/**\n * Gets a value indicating whether this node is an
[Element].\n */\n@LowPriorityInOverloadResolution\n@Deprecated(\n    message = \"This API is moved to
another package, use 'kotlinx.dom.isElement' instead.\",\n    replaceWith = ReplaceWith(\"this.isElement\",
\"kotlinx.dom.isElement\")\n)\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.6\")\npublic val
Node.isElement: Boolean\n    inline get() = this.newIsElement\n\", /*\n * Copyright 2010-2018 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n */\n\npackage org.w3c.dom.events\n\npublic fun
EventListener(handler: (Event) -> Unit): EventListener = EventListenerHandler(handler)\n\nprivate class
EventListenerHandler(private val handler: (Event) -> Unit) : EventListener {\n    public override fun
handleEvent(event: Event) {\n        handler(event)\n    }\n    public override fun toString(): String =
\"EventListenerHandler($handler)\"\n}\n\", /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage org.w3c.dom\n\npublic external interface ItemArrayLike<out T> {\n
val length: Int\n    fun item(index: Int): T?\n}\n\n/**\n * Returns the view of this `ItemArrayLike<T>` collection as
`List<T>`\n */\n@public fun <T> ItemArrayLike<T>.asList(): List<T> = object : AbstractList<T>() {\n    override val
size: Int get() = this@asList.length\n\n    override fun get(index: Int): T = when (index) {\n        in 0..lastIndex ->
this@asList.item(index).unsafeCast<T>()\n        else -> throw IndexOutOfBoundsException(\"index $index is not in
range [0..$lastIndex]\")\n    }\n}\n\", /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.dom\nimport org.w3c.dom.Element\nimport
org.w3c.dom.Node\nimport kotlin.internal.LowPriorityInOverloadResolution\nimport kotlinx.dom.appendText as
newAppendText\nimport kotlinx.dom.clear as newClear\n\n/**\n * Removes all the children from this node.
*/\n@LowPriorityInOverloadResolution\n@Deprecated(\n    message = \"This API is moved to another package,
use 'kotlinx.dom.clear' instead.\",\n    replaceWith = ReplaceWith(\"this.clear()\",
\"kotlinx.dom.clear\")\n)\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.6\")\npublic inline fun
Node.clear() = this.newClear()\n\n/**\n * Creates text node and append it to the element.\n */\n@LowPriorityInOverloadResolution\n@Deprecated(\n    message = \"This API is moved to another
package, use 'kotlinx.dom.appendText' instead.\",\n    replaceWith = ReplaceWith(\"this.appendText(text)\",

```



```

@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.6")
inline fun Element.appendText(text: String): Element = this.newAppendText(text)
"/**
 * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
package kotlin.js
/**
 * Reinterprets this value as a value of the [dynamic type](/docs/reference/dynamic-type.html).
 */
@kotlin.internal.InlineOnly
public inline fun Any?.asDynamic(): dynamic = this
/**
 * Reinterprets this value as a value of the specified type [T] without any actual type checking.
 */
@kotlin.internal.InlineOnly
public inline fun <T> Any?.unsafeCast(): @kotlin.internal.NoInfer T = this.asDynamic()
/**
 * Reinterprets this `dynamic` value as a value of the specified type [T] without any actual type checking.
 */
@kotlin.internal.DynamicExtension
@JsName("unsafeCastDynamic")
@kotlin.internal.InlineOnly
public inline fun <T> dynamic.unsafeCast(): @kotlin.internal.NoInfer T = this
/**
 * Allows to iterate this `dynamic` object in the following cases:
 * - when it has an `iterator` function,
 * - when it is an array
 * - when it is an instance of [kotlin.collections.Iterable]
 */
@kotlin.internal.DynamicExtension
public operator fun dynamic.iterator(): Iterator<dynamic> {
    val r: Any? = this
    return when {
        this["iterator"] != null -> this["iterator]()
        isArrayish(r) -> r.unsafeCast<Array<*>>().iterator()
        else -> (r as Iterable<*>).iterator()
    }
}
"/**
 * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
package kotlin.collections
/**
 * Groups elements from the [Grouping] source by key and counts elements in each group.
 */
@return a [Map] associating the key of each group with the count of elements in the group.
/**
 * @sample samples.collections.Grouping.groupingByEachCount
 */
@SinceKotlin("1.1")
public actual fun <T, K> Grouping<T, K>.eachCount(): Map<K, Int> = fold(0) { acc, _ -> acc + 1 }
/**
 * Groups elements from the [Grouping] source by key and sums values provided by the [valueSelector] function for elements in each group.
 */
@return a [Map] associating the key of each group with the count of element in the group.
/**
 * @sample samples.collections.Grouping.groupingByEachSum
 */
@SinceKotlin("1.1")
public inline fun <T, K> Grouping<T, K>.eachSumOf(valueSelector: (T) -> Int): Map<K, Int> = fold(0) { acc, e -> acc + valueSelector(e) }
"/**
 * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
@file:kotlin.jvm.JvmName("GroupingKt")
@file:kotlin.jvm.JvmMultifileClass
package kotlin.collections
/**
 * Represents a source of elements with a [keyOf] function, which can be applied to each element to get its key.
 */
/**
 * A [Grouping] structure serves as an intermediate step in group-and-fold operations:
 * - they group elements by their keys and then fold each group with some aggregating operation.
 * - It is created by attaching `keySelector: (T) -> K` function to a source of elements.
 * - To get an instance of [Grouping] use one of `groupingBy` extension functions:
 * - [Iterable.groupingBy]
 * - [Sequence.groupingBy]
 * - [Array.groupingBy]
 * - [CharSequence.groupingBy]
 */
/**
 * For the list of group-and-fold operations available, see the [extension functions](#extension-functions) for `Grouping`.
 */
@SinceKotlin("1.1")
public interface Grouping<T, out K> {
    /**
     * Returns an [Iterator] over the elements of the source of this grouping.
     */
    fun sourceIterator(): Iterator<T>
    /**
     * Extracts the key of an [element].
     */
    fun keyOf(element: T): K
}
/**
 * Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially,
 * - passing the previously accumulated value and the current element as arguments, and stores the results in a new map.
 * - The key for each element is provided by the [Grouping.keyOf] function.
 */

```

@param operation function is invoked on each element with the following parameters:

- \* - `key`: the key of the group this element belongs to;
- \* - `accumulator`: the current value of the accumulator of the group, can be `null` if it's the first `element` encountered in the group;
- \* - `element`: the element from the source being aggregated;
- \* - `first`: indicates whether it's the first `element` encountered in the group.

\* @return a [Map] associating the key of each group with the result of aggregation of the group elements.

\* @sample

```
samples.collections.Grouping.aggregateByRadix
```

\* @SinceKotlin("1.1")

```
public inline fun <T, K, R> Grouping<T, K>.aggregate(\n    operation: (key: K, accumulator: R?, element: T, first: Boolean) -> R\n): Map<K, R> {\n    return aggregateTo(mutableMapOf<K, R>(), operation)\n}\n\n/**\n * Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially,\n * passing the previously accumulated value and the current element as arguments,\n * and stores the results in the given [destination] map.\n * The key for each element is provided by the [Grouping.keyOf] function.\n * @param operation a function that is invoked on each element with the following parameters:\n * - `key`: the key of the group this element belongs to;\n * - `accumulator`: the current value of the accumulator of the group, can be `null` if it's the first `element` encountered in the group;\n * - `element`: the element from the source being aggregated;\n * - `first`: indicates whether it's the first `element` encountered in the group.\n * If the [destination] map already has a value corresponding to some key,\n * then the elements being aggregated for that key are never considered as `first`.\n * @return the [destination] map associating the key of each group with the result of aggregation of the group elements.\n * @sample samples.collections.Grouping.aggregateByRadixTo
```

\* @SinceKotlin("1.1")

```
public inline fun <T, K, R, M : MutableMap<in K, R>> Grouping<T, K>.aggregateTo(\n    destination: M,\n    operation: (key: K, accumulator: R?, element: T, first: Boolean) -> R\n): M {\n    for (e in this.sourceIterator()) {\n        val key = keyOf(e)\n        val accumulator = destination[key]\n        destination[key] = operation(key, accumulator, e, accumulator == null && !destination.containsKey(key))\n    }\n    return destination\n}\n\n/**\n * Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially,\n * passing the previously accumulated value and the current element as arguments, and stores the results in a new map.\n * An initial value of accumulator is provided by [initialValueSelector] function.\n * @param initialValueSelector a function that provides an initial value of accumulator for each group.\n * It's invoked with parameters:\n * - `key`: the key of the group;\n * - `element`: the first element being encountered in that group.\n * @param operation a function that is invoked on each element with the following parameters:\n * - `key`: the key of the group this element belongs to;\n * - `accumulator`: the current value of the accumulator of the group;\n * - `element`: the element from the source being accumulated.\n * @return a [Map] associating the key of each group with the result of accumulating the group elements.\n * @sample samples.collections.Grouping.foldByEvenLengthWithComputedInitialValue
```

\* @SinceKotlin("1.1")

```
public inline fun <T, K, R> Grouping<T, K>.fold(\n    initialValueSelector: (key: K, element: T) -> R,\n    operation: (key: K, accumulator: R, element: T) -> R\n): Map<K, R> =\n    @Suppress("UNCHECKED_CAST")\n    aggregate { key, acc, e, first -> operation(key, if (first)\n        initialValueSelector(key, e) else acc as R, e) }\n\n/**\n * Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially,\n * passing the previously accumulated value and the current element as arguments,\n * and stores the results in the given [destination] map.\n * An initial value of accumulator is provided by [initialValueSelector] function.\n * @param initialValueSelector a function that provides an initial value of accumulator for each group.\n * It's invoked with parameters:\n * - `key`: the key of the group;\n * - `element`: the first element being encountered in that group.\n * If the [destination] map already has a value corresponding to some key, that value is used as an initial value of\n * the accumulator for that group and the [initialValueSelector] function is not called for that group.\n * @param operation a function that is invoked on each element with the following parameters:\n * - `key`: the key of the group this element belongs to;\n * - `accumulator`: the current value of the accumulator of the group;\n * - `element`: the element from the source being accumulated.\n * @return the [destination] map associating the key of each group with the result of accumulating the group elements.\n * @sample
```

\* @sample

```
samples.collections.Grouping.foldByEvenLengthWithComputedInitialValueTo
```

\* @SinceKotlin("1.1")

```
public
```



```

@Suppress("UNCHECKED_CAST")\n    if (first) e else operation(key, acc as S, e)\n    }\n\n/**\n * Groups
elements from the [Grouping] source by key and counts elements in each group to the given [destination] map.\n *\n * If the [destination] map already has a value corresponding to the key of some group,\n * that value is used as an
initial value of the counter for that group.\n *\n * @return the [destination] map associating the key of each group
with the count of elements in the group.\n *\n * @sample samples.collections.Grouping.groupingByEachCount\n
*\n*\n@SinceKotlin("1.1")\npublic fun <T, K, M : MutableMap<in K, Int>> Grouping<T,
K>.eachCountTo(destination: M): M =\n    foldTo(destination, 0) { acc, _ -> acc + 1 }\n\n/**\n * Groups
elements from the [Grouping] source by key and sums values provided by the [valueSelector] function for elements
in each group\n * to the given [destination] map.\n *\n * If the [destination] map already has a value
corresponding to the key of some group,\n * that value is used as an initial value of the sum for that group.\n *\n *
@return the [destination] map associating the key of each group with the sum of elements in the group.\n
*\n*\n@SinceKotlin("1.1")\npublic inline fun <T, K, M : MutableMap<in K, Int>> Grouping<T,
K>.eachSumOfTo(destination: M, valueSelector: (T) -> Int): M =\n    foldTo(destination, 0) { acc, e -> acc +
valueSelector(e)}\n\n*\n*\n// TODO: sum by long and by double overloads\n\npublic inline fun <T, K, M :
MutableMap<in K, Long>> Grouping<T, K>.sumEachByLongTo(destination: M, valueSelector: (T) -> Long): M
=\n    foldTo(destination, 0L) { acc, e -> acc + valueSelector(e)}\n\npublic inline fun <T, K> Grouping<T,
K>.sumEachByLong(valueSelector: (T) -> Long): Map<K, Long> =\n    fold(0L) { acc, e -> acc +
valueSelector(e)}\n\npublic inline fun <T, K, M : MutableMap<in K, Double>> Grouping<T,
K>.sumEachByDoubleTo(destination: M, valueSelector: (T) -> Double): M =\n    foldTo(destination, 0.0) { acc, e
-> acc + valueSelector(e)}\n\npublic inline fun <T, K> Grouping<T, K>.sumEachByDouble(valueSelector: (T) ->
Double): Map<K, Double> =\n    fold(0.0) { acc, e -> acc + valueSelector(e)}\n\n*/\n * Copyright 2010-2018
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *\n*\npackage kotlin.js\n\n/**\n * An
interface for indexing access to a collection of key-value pairs, where type of key is [String] and type of value is
[Any?][Any].\n *\n*\npublic external interface Json {\n    /**\n     * Calls to the function will be translated to indexing
operation (square brackets) on the receiver with [propertyName] as the argument.\n     *\n     * E.g. for next code:\n
     * ```kotlin\n     * fun test(j: Json, p: String) = j["prop"] + j.get(p)\n     * ```\n     *\n     * will be generated:\n
     * ```js\n     * function test(j, p) {\n     *     return j["prop"] + j[p];\n     * }\n     * ```\n     *\n     * \n
operator fun
get(propertyName: String): Any?\n\n     */\n     * Calls of the function will be translated to an assignment of [value]
to the receiver indexed (with square brackets/index operation) with [propertyName].\n     *\n     * E.g. for the
following code:\n     * ```kotlin\n     * fun test(j: Json, p: String, newValue: Any) {\n     *     j["prop"] = 1\n     *
j.set(p, newValue)\n     * }\n     * ```\n     *\n     * will be generated:\n     * ```js\n     * function test(j, p, newValue)
{\n     *     j["prop"] = 1;\n     *     j[p] = newValue;\n     * }\n     * }\n     * ```\n     *\n     * \n
operator fun
set(propertyName: String, value: Any?): Unit\n}\n\n/**\n * Returns a simple JavaScript object (as [Json]) using
provided key-value pairs as names and values of its properties.\n *\n*\npublic fun json(vararg pairs: Pair<String,
Any?>): Json {\n    val res: dynamic = js("{}")\n    for ((name, value) in pairs) {\n        res[name] = value\n    }\n
return res\n}\n\n/**\n * Adds key-value pairs from [other] to [this].\n * Returns the original receiver.\n *\n*\npublic
fun Json.add(other: Json): Json {\n    val keys: Array<String> = js("Object").keys(other)\n    for (key in keys) {\n
        if (other.asDynamic().hasOwnProperty(key)) {\n            this[key] = other[key];\n        }\n    }\n    return
this\n}\n\n/**\n * Exposes the JavaScript [JSON object](https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/JSON) to Kotlin.\n
*\n*\n@Suppress("NOT_DOCUMENTED")\npublic external object JSON {\n    public fun stringify(o: Any?):
String\n    public fun stringify(o: Any?, replacer: ((key: String, value: Any?) -> Any?): String\n    public fun
stringify(o: Any?, replacer: ((key: String, value: Any?) -> Any?)? = definedExternally, space: Int): String\n    public
fun stringify(o: Any?, replacer: ((key: String, value: Any?) -> Any?)? = definedExternally, space: String): String\n
    public fun stringify(o: Any?, replacer: Array<String>): String\n    public fun stringify(o: Any?, replacer:
Array<String>, space: Int): String\n    public fun stringify(o: Any?, replacer: Array<String>, space: String):
String\n\n    public fun <T> parse(text: String): T\n    public fun <T> parse(text: String, reviver: ((key: String, value:

```

Any?) -> Any?)): T\n}\n", /\*\n \* Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n \* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n \*/\npackage kotlin.math\n\nimport kotlin.internal.InlineOnly\nimport kotlin.js.JsMath as nativeMath\n\n// region ===== Double Math

===== \n\n/\*\* Computes the sine of the angle [x] given in radians.\n \* \n \* Special cases:\n \* - `sin(NaN|+Inf|-Inf)` is `NaN`\n \*/\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun sin(x: Double): Double = nativeMath.sin(x)\n\n/\*\* Computes the cosine of the angle [x] given in radians.\n \* \n \* Special cases:\n \* - `cos(NaN|+Inf|-Inf)` is `NaN`\n \*/\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun cos(x: Double): Double = nativeMath.cos(x)\n\n/\*\* Computes the tangent of the angle [x] given in radians.\n \* \n \* Special cases:\n \* - `tan(NaN|+Inf|-Inf)` is `NaN`\n \*/\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun tan(x: Double): Double = nativeMath.tan(x)\n\n/\*\* Computes the arc sine of the value [x];\n \* the returned value is an angle in the range from  $-\pi/2$  to  $\pi/2$  radians.\n \* \n \* Special cases:\n \* - `asin(x)` is `NaN`, when  $abs(x) > 1$  or x is `NaN`\n \*/\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun asin(x: Double): Double = nativeMath.asin(x)\n\n/\*\* Computes the arc cosine of the value [x];\n \* the returned value is an angle in the range from  $0.0$  to  $\pi$  radians.\n \* \n \* Special cases:\n \* - `acos(x)` is `NaN`, when  $abs(x) > 1$  or x is `NaN`\n \*/\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun acos(x: Double): Double = nativeMath.acos(x)\n\n/\*\* Computes the arc tangent of the value [x];\n \* the returned value is an angle in the range from  $-\pi/2$  to  $\pi/2$  radians.\n \* \n \* Special cases:\n \* - `atan(NaN)` is `NaN`\n \*/\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun atan(x: Double): Double = nativeMath.atan(x)\n\n/\*\* Returns the angle  $\theta$  of the polar coordinates  $(r, \theta)$  that correspond\n \* to the rectangular coordinates  $(x, y)$  by computing the arc tangent of the value  $y / x$ ;\n \* the returned value is an angle in the range from  $-\pi$  to  $\pi$  radians.\n \* \n \* Special cases:\n \* - `atan2(0.0, 0.0)` is  $0.0$ \n \* - `atan2(0.0, x)` is  $0.0$  for  $x > 0$  and  $\pi$  for  $x < 0$ \n \* - `atan2(-0.0, x)` is  $-0.0$  for  $x > 0$  and  $-\pi$  for  $x < 0$ \n \* - `atan2(y, +Inf)` is  $0.0$  for  $0 < y < +Inf$  and  $-0.0$  for  $-\infty < y < 0$ \n \* - `atan2(y, -Inf)` is  $\pi$  for  $0 < y < +Inf$  and  $-\pi$  for  $-\infty < y < 0$ \n \* - `atan2(y, 0.0)` is  $\pi/2$  for  $y > 0$  and  $-\pi/2$  for  $y < 0$ \n \* - `atan2(+Inf, x)` is  $\pi/2$  for finite  $x$ \n \* - `atan2(-Inf, x)` is  $-\pi/2$  for finite  $x$ \n \* - `atan2(NaN, x)` and `atan2(y, NaN)` is `NaN`\n \*/\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun atan2(y: Double, x: Double): Double = nativeMath.atan2(y, x)\n\n/\*\* Computes the hyperbolic sine of the value [x].\n \* \n \* Special cases:\n \* - `sinh(NaN)` is `NaN`\n \* - `sinh(+Inf)` is  $+\infty$ \n \* - `sinh(-Inf)` is  $-\infty$ \n \*/\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun sinh(x: Double): Double = nativeMath.sinh(x)\n\n/\*\* Computes the hyperbolic cosine of the value [x].\n \* \n \* Special cases:\n \* - `cosh(NaN)` is `NaN`\n \* - `cosh(+Inf|-Inf)` is  $+\infty$ \n \*/\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun cosh(x: Double): Double = nativeMath.cosh(x)\n\n/\*\* Computes the hyperbolic tangent of the value [x].\n \* \n \* Special cases:\n \* - `tanh(NaN)` is `NaN`\n \* - `tanh(+Inf)` is  $1.0$ \n \* - `tanh(-Inf)` is  $-1.0$ \n \*/\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun tanh(x: Double): Double = nativeMath.tanh(x)\n\n/\*\* Computes the inverse hyperbolic sine of the value [x].\n \* The returned value is  $y$  such that  $\sinh(y) == x$ .\n \* \n \* Special cases:\n \* - `asinh(NaN)` is `NaN`\n \* - `asinh(+Inf)` is  $+\infty$ \n \* - `asinh(-Inf)` is  $-\infty$ \n \*/\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun asinh(x: Double): Double = nativeMath.asinh(x)\n\n/\*\* Computes the inverse hyperbolic cosine of the value [x].\n \* The returned value is positive  $y$  such that  $\cosh(y) == x$ .\n \* \n \* Special cases:\n \* - `acosh(NaN)` is `NaN`\n \* - `acosh(x)` is `NaN` when  $x < 1$ \n \* - `acosh(+Inf)` is  $+\infty$ \n \*/\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun acosh(x: Double): Double = nativeMath.acosh(x)\n\n/\*\* Computes the inverse hyperbolic tangent of the value [x].\n \* The returned value is  $y$  such that  $\tanh(y) == x$ .\n \* \n \* Special cases:\n \* - `atanh(NaN)` is `NaN`\n \* - `atanh(x)` is `NaN` when  $x > 1$  or  $x < -1$ \n \* - `atanh(1.0)` is  $+\infty$ \n \* - `atanh(-1.0)` is  $-\infty$ \n \*/\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun atanh(x: Double): Double = nativeMath.atanh(x)\n\n/\*\* Computes  $\sqrt{x^2 + y^2}$  without intermediate overflow or underflow.\n \* \n \* Special cases:\n \* - returns  $+\infty$  if any of arguments is infinite\n \* - returns `NaN` if any of arguments is `NaN`

and the other is not infinite

```

@SinceKotlin("1.2")@InlineOnly
public actual inline fun hypot(x: Double, y: Double): Double = nativeMath.hypot(x, y)
* Computes the positive square root of the value [x].
Special cases:
* - `sqrt(x)` is `NaN` when `x < 0` or `x` is `NaN`

@SinceKotlin("1.2")@InlineOnly
public actual inline fun sqrt(x: Double): Double = nativeMath.sqrt(x)
* Computes Euler's number `e` raised to the power of the value [x].
Special cases:
* - `exp(NaN)` is `NaN`
* - `exp(+Inf)` is `+Inf`
* - `exp(-Inf)` is `0.0`

@SinceKotlin("1.2")@InlineOnly
public actual inline fun exp(x: Double): Double = nativeMath.exp(x)
* Computes `exp(x) - 1`.
* This function can be implemented to produce more precise result for [x] near zero.
Special cases:
* - `expm1(NaN)` is `NaN`
* - `expm1(+Inf)` is `+Inf`
* - `expm1(-Inf)` is `-1.0`
* @see [exp] function.

@SinceKotlin("1.2")@InlineOnly
public actual inline fun expm1(x: Double): Double = nativeMath.expm1(x)
* Computes the logarithm of the value [x] to the given [base].
Special cases:
* - `log(x, b)` is `NaN` if either `x` or `b` are `NaN`
* - `log(x, b)` is `NaN` when `x < 0` or `b <= 0` or `b == 1.0`
* - `log(+Inf, +Inf)` is `NaN`
* - `log(+Inf, b)` is `+Inf` for `b > 1` and `-Inf` for `b < 1`
* - `log(0.0, b)` is `-Inf` for `b > 1` and `+Inf` for `b > 1`
* See also logarithm functions for common fixed bases: [ln], [log10] and [log2].

@SinceKotlin("1.2")@InlineOnly
public actual fun log(x: Double, base: Double): Double {
    if (base <= 0.0 || base == 1.0) return Double.NaN
    return nativeMath.log(x) / nativeMath.log(base)
}
* Computes the natural logarithm (base `E`) of the value [x].
Special cases:
* - `ln(NaN)` is `NaN`
* - `ln(x)` is `NaN` when `x < 0.0`
* - `ln(+Inf)` is `+Inf`
* - `ln(0.0)` is `-Inf`

@SinceKotlin("1.2")@InlineOnly
public actual inline fun ln(x: Double): Double = nativeMath.log(x)
* Computes the common logarithm (base 10) of the value [x].
* @see [ln] function for special cases.

@SinceKotlin("1.2")@InlineOnly
public actual inline fun log10(x: Double): Double = nativeMath.log10(x)
* Computes the binary logarithm (base 2) of the value [x].
* @see [ln] function for special cases.

@SinceKotlin("1.2")@InlineOnly
public actual inline fun log2(x: Double): Double = nativeMath.log2(x)
* Computes `ln(x + 1)`.
* This function can be implemented to produce more precise result for [x] near zero.
Special cases:
* - `ln1p(NaN)` is `NaN`
* - `ln1p(x)` is `NaN` where `x < -1.0`
* - `ln1p(-1.0)` is `-Inf`
* - `ln1p(+Inf)` is `+Inf`
* @see [ln] function
* @see [expm1] function

@SinceKotlin("1.2")@InlineOnly
public actual inline fun ln1p(x: Double): Double = nativeMath.log1p(x)
* Rounds the given value [x] to an integer towards positive infinity.
* @return the smallest double value that is greater than or equal to the given value [x] and is a mathematical integer.
Special cases:
* - `ceil(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.

@SinceKotlin("1.2")@InlineOnly
public actual inline fun ceil(x: Double): Double = nativeMath.ceil(x)
* Rounds the given value [x] to an integer towards negative infinity.
* @return the largest double value that is smaller than or equal to the given value [x] and is a mathematical integer.
Special cases:
* - `floor(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.

@SinceKotlin("1.2")@InlineOnly
public actual inline fun floor(x: Double): Double = nativeMath.floor(x)
* Rounds the given value [x] to an integer towards zero.
* @return the value [x] having its fractional part truncated.
Special cases:
* - `truncate(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.

@SinceKotlin("1.2")@InlineOnly
public actual inline fun truncate(x: Double): Double = nativeMath.trunc(x)
* Rounds the given value [x] towards the closest integer with ties rounded towards even integer.
Special cases:
* - `round(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.

@SinceKotlin("1.2")@InlineOnly
public actual fun round(x: Double): Double {
    if (x % 0.5 != 0.0) {
        return nativeMath.round(x)
    }
    val floor = floor(x)
    return if (floor % 2 == 0.0) floor else ceil(x)
}
* Returns the absolute value of the given value [x].
Special cases:
* - `abs(NaN)` is `NaN`
* @see absoluteValue extension property for [Double]

@SinceKotlin("1.2")@InlineOnly
public actual inline fun abs(x: Double): Double = nativeMath.abs(x)
* Returns the sign of the given value [x]:
* - `-1.0` if the value is negative,
* - zero if the value is zero,
* - `1.0` if the value is positive
Special case:
* - `sign(NaN)` is `NaN`

@SinceKotlin("1.2")@InlineOnly
public actual inline fun sign(x: Double): Double =

```

`nativeMath.sign(x)` Returns the smaller of two values. If either value is `NaN`, then the result is `NaN`.
   
`@SinceKotlin("1.2")@InlineOnly@public actual inline fun min(a: Double, b: Double): Double = nativeMath.min(a, b)` Returns the greater of two values. If either value is `NaN`, then the result is `NaN`.
   
`@SinceKotlin("1.2")@InlineOnly@public actual inline fun max(a: Double, b: Double): Double = nativeMath.max(a, b)` // extensions
   
`nativeMath.pow(x)` Raises this value to the power [x]. Special cases: `b.pow(0.0)` is `1.0`, `b.pow(1.0) == b`, `b.pow(NaN)` is `NaN`, `NaN.pow(x)` is `NaN` for `x != 0.0`, `b.pow(Inf)` is `NaN` for `abs(b) == 1.0`, `b.pow(x)` is `NaN` for `b < 0` and `x` is finite and not an integer.
   
`@SinceKotlin("1.2")@InlineOnly@public actual inline fun Double.pow(x: Double): Double = nativeMath.pow(this, x)` // extensions
   
`nativeMath.pow(this, x)` Raises this value to the integer power [n]. See the other overload of [pow] for details.
   
`@SinceKotlin("1.2")@InlineOnly@public actual inline fun Double.pow(n: Int): Double = nativeMath.pow(this, n.toDouble())` Returns the absolute value of this value. Special cases: `NaN.absoluteValue` is `NaN`.
   
`@see abs function`
  
`@SinceKotlin("1.2")@InlineOnly@public actual inline val Double.absoluteValue: Double get() = nativeMath.abs(this)` Returns the sign of this value: `-1.0` if the value is negative, `0` if the value is zero, `1.0` if the value is positive.
   
`Special case: NaN.sign` is `NaN`.
   
`@SinceKotlin("1.2")@InlineOnly@public actual inline val Double.sign: Double get() = nativeMath.sign(this)` Returns this value with the sign bit same as of the [sign] value.
   
`@SinceKotlin("1.2")@InlineOnly@public actual inline fun Double.withSign(sign: Int): Double = this.withSign(sign.toDouble())` Returns the ulp (unit in the last place) of this value. An ulp is a positive distance between this value and the next nearest [Double] value larger in magnitude.
   
`Special Cases: NaN.ulp` is `NaN`, `x.ulp` is `+Inf` when `x` is `+Inf` or `-Inf`, `0.0.ulp` is `Double.MIN_VALUE`.
   
`@SinceKotlin("1.2")@public actual val Double.ulp: Double get() = when { this < 0 -> (-this).ulp | this.isNaN() || this == Double.POSITIVE_INFINITY -> this | this == Double.MAX_VALUE -> this - this.nextDown() | else -> this.nextUp() - this }` Returns the [Double] value nearest to this value in direction of positive infinity.
   
`@SinceKotlin("1.2")@public actual fun Double.nextUp(): Double = when { this.isNaN() || this == Double.POSITIVE_INFINITY -> this | this == 0.0 -> Double.MIN_VALUE | else -> Double.fromBits(this.toRawBits() + if (this > 0) 1 else -1) }` Returns the [Double] value nearest to this value in direction of negative infinity.
   
`@SinceKotlin("1.2")@public actual fun Double.nextDown(): Double = when { this.isNaN() || this == Double.NEGATIVE_INFINITY -> this | this == 0.0 -> -Double.MIN_VALUE | else -> Double.fromBits(this.toRawBits() + if (this > 0) -1 else 1) }` Returns the [Double] value nearest to this value in direction from this value towards the value [to].
   
`Special cases: x.nextTowards(y)` is `NaN` if either `x` or `y` are `NaN`.
   
`x.nextTowards(x) == x`
  
`@SinceKotlin("1.2")@public actual fun Double.nextTowards(to: Double): Double = when { this.isNaN() || to.isNaN() -> Double.NaN | to == this -> to | to > this -> this.nextUp() | else /* to < this */ -> this.nextDown() }` Rounds this [Double] value to the nearest integer and converts the result to [Int]. Ties are rounded towards positive infinity.
   
`Special cases: x.roundToInt() == Int.MAX_VALUE` when `x > Int.MAX_VALUE`, `x.roundToInt() == Int.MIN_VALUE` when `x < Int.MIN_VALUE`.
   
`@throws IllegalArgumentException` when this value is `NaN`.
   
`@SinceKotlin("1.2")@public actual fun Double.roundToInt(): Int = when { this.isNaN() -> throw IllegalArgumentException("Cannot round NaN value.") | this > Int.MAX_VALUE -> Int.MAX_VALUE | this < Int.MIN_VALUE -> Int.MIN_VALUE | else -> nativeMath.round(this).toInt() }` Rounds this [Double] value to the nearest integer and converts the result to [Long]. Ties are rounded towards positive infinity.
   
`Special cases: x.roundToLong() == Long.MAX_VALUE` when `x > Long.MAX_VALUE`, `x.roundToLong() == Long.MIN_VALUE` when `x < Long.MIN_VALUE`.
   
`@throws IllegalArgumentException` when this value is `NaN`.
   
`@SinceKotlin("1.2")@public actual fun Double.roundToLong(): Long = when { this.isNaN() -> throw IllegalArgumentException("Cannot round NaN value.") | this > Long.MAX_VALUE -> Long.MAX_VALUE | this < Long.MIN_VALUE -> Long.MIN_VALUE | else -> nativeMath.round(this).toLong() }` // endregion
   
 ===== Float Math =====
   
 ===== Computes the

sine of the angle [x] given in radians.  
`*\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun sin(x: Float): Float = nativeMath.sin(x.toDouble()).toFloat()\n\n/** Computes the cosine of the angle [x] given in radians.  
Special cases:  
- `cos(NaN|+Inf|-Inf)` is `NaN`  
*\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun cos(x: Float): Float = nativeMath.cos(x.toDouble()).toFloat()\n\n/** Computes the tangent of the angle [x] given in radians.  
Special cases:  
- `tan(NaN|+Inf|-Inf)` is `NaN`  
*\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun tan(x: Float): Float = nativeMath.tan(x.toDouble()).toFloat()\n\n/**  
* Computes the arc sine of the value [x];  
* the returned value is an angle in the range from  $-\pi/2$  to  $\pi/2$  radians.  
Special cases:  
- `asin(x)` is `NaN`, when  $abs(x) > 1$  or x is `NaN`  
*\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun asin(x: Float): Float = nativeMath.asin(x.toDouble()).toFloat()\n\n/**  
* Computes the arc cosine of the value [x];  
* the returned value is an angle in the range from  $0.0$  to  $\pi$  radians.  
Special cases:  
- `acos(x)` is `NaN`, when  $abs(x) > 1$  or x is `NaN`  
*\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun acos(x: Float): Float = nativeMath.acos(x.toDouble()).toFloat()\n\n/**  
* Computes the arc tangent of the value [x];  
* the returned value is an angle in the range from  $-\pi/2$  to  $\pi/2$  radians.  
Special cases:  
- `atan(NaN)` is `NaN`  
*\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun atan(x: Float): Float = nativeMath.atan(x.toDouble()).toFloat()\n\n/**  
* Returns the angle `theta` of the polar coordinates `(r, theta)` that correspond  
* to the rectangular coordinates `(x, y)` by computing the arc tangent of the value  $y / x$ ;  
* the returned value is an angle in the range from  $-\pi$  to  $\pi$  radians.  
Special cases:  
- `atan2(0.0, 0.0)` is  $0.0$   
- `atan2(0.0, x)` is  $0.0$  for  $x > 0$  and  $\pi$  for  $x < 0$   
- `atan2(-0.0, x)` is  $-0.0$  for  $x > 0$  and  $-\pi$  for  $x < 0$   
- `atan2(y, +Inf)` is  $0.0$  for  $0 < y < +Inf$  and  $-0.0$  for  $-Inf < y < 0$   
- `atan2(y, -Inf)` is  $\pi$  for  $0 < y < +Inf$  and  $-\pi$  for  $-Inf < y < 0$   
- `atan2(y, 0.0)` is  $\pi/2$  for  $y > 0$  and  $-\pi/2$  for  $y < 0$   
- `atan2(+Inf, x)` is  $\pi/2$  for finite  $x$   
- `atan2(-Inf, x)` is  $-\pi/2$  for finite  $x$   
- `atan2(NaN, x)` and `atan2(y, NaN)` is `NaN`  
*\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun atan2(y: Float, x: Float): Float = nativeMath.atan2(y.toDouble(), x.toDouble()).toFloat()\n\n/**  
* Computes the hyperbolic sine of the value [x].  
Special cases:  
- `sinh(NaN)` is `NaN`  
- `sinh(+Inf)` is  $+Inf$   
- `sinh(-Inf)` is  $-Inf$   
*\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun sinh(x: Float): Float = nativeMath.sinh(x.toDouble()).toFloat()\n\n/**  
* Computes the hyperbolic cosine of the value [x].  
Special cases:  
- `cosh(NaN)` is `NaN`  
- `cosh(+Inf|-Inf)` is  $+Inf$   
*\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun cosh(x: Float): Float = nativeMath.cosh(x.toDouble()).toFloat()\n\n/**  
* Computes the hyperbolic tangent of the value [x].  
Special cases:  
- `tanh(NaN)` is `NaN`  
- `tanh(+Inf)` is  $1.0$   
- `tanh(-Inf)` is  $-1.0$   
*\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun tanh(x: Float): Float = nativeMath.tanh(x.toDouble()).toFloat()\n\n/**  
* Computes the inverse hyperbolic sine of the value [x].  
The returned value is `y` such that  $\sinh(y) == x$ .  
Special cases:  
- `asinh(NaN)` is `NaN`  
- `asinh(+Inf)` is  $+Inf$   
- `asinh(-Inf)` is  $-Inf$   
*\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun asinh(x: Float): Float = nativeMath.asinh(x.toDouble()).toFloat()\n\n/**  
* Computes the inverse hyperbolic cosine of the value [x].  
The returned value is positive `y` such that  $\cosh(y) == x$ .  
Special cases:  
- `acosh(NaN)` is `NaN`  
- `acosh(x)` is `NaN` when  $x < 1$   
- `acosh(+Inf)` is  $+Inf$   
*\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun acosh(x: Float): Float = nativeMath.acosh(x.toDouble()).toFloat()\n\n/**  
* Computes the inverse hyperbolic tangent of the value [x].  
The returned value is `y` such that  $\tanh(y) == x$ .  
Special cases:  
- `tanh(NaN)` is `NaN`  
- `tanh(x)` is `NaN` when  $x > 1$  or  $x < -1$   
- `tanh(1.0)` is  $+Inf$   
- `tanh(-1.0)` is  $-Inf$   
*\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun atanh(x: Float): Float = nativeMath.atanh(x.toDouble()).toFloat()\n\n/**  
* Computes  $\sqrt{x^2 + y^2}$  without intermediate overflow or underflow.  
Special cases:  
- returns  $+Inf$  if any of arguments is infinite  
- returns `NaN` if any of arguments is `NaN` and the other is not infinite  
*\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun hypot(x: Float, y: Float): Float = nativeMath.hypot(x.toDouble(), y.toDouble()).toFloat()\n\n/**  
* Computes the`



positive square root of the value [x].  
Special cases:  $\sqrt{x}$  is NaN when  $x < 0$  or  $x$  is NaN  
@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun sqrt(x: Float): Float =  
nativeMath.sqrt(x.toDouble()).toFloat()  
Computes Euler's number  $e$  raised to the power of the value [x].  
Special cases:  $\exp(\text{NaN})$  is NaN  $\exp(+\text{Inf})$  is  $+\text{Inf}$   $\exp(-\text{Inf})$  is  $0.0$   
@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun exp(x: Float): Float =  
nativeMath.exp(x.toDouble()).toFloat()  
Computes  $\exp(x) - 1$ .  
This function can be implemented to produce more precise result for [x] near zero.  
Special cases:  $\expm1(\text{NaN})$  is NaN  $\expm1(+\text{Inf})$  is  $+\text{Inf}$   $\expm1(-\text{Inf})$  is  $-1.0$   
@see [exp] function.  
@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun expm1(x: Float): Float =  
nativeMath.expm1(x.toDouble()).toFloat()  
Computes the logarithm of the value [x] to the given [base].  
Special cases:  $\log(x, b)$  is NaN if either  $x$  or  $b$  are NaN  $\log(x, b)$  is NaN when  $x < 0$  or  $b \leq 0$  or  $b = 1.0$   $\log(+\text{Inf}, +\text{Inf})$  is NaN  $\log(+\text{Inf}, b)$  is  $+\text{Inf}$  for  $b > 1$  and  $-\text{Inf}$  for  $b < 1$   $\log(0.0, b)$  is  $-\text{Inf}$  for  $b > 1$  and  $+\text{Inf}$  for  $b > 1$   
See also logarithm functions for common fixed bases: [ln], [log10] and [log2].  
@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun log(x: Float, base: Float): Float = log(x.toDouble(), base.toDouble()).toFloat()  
Computes the natural logarithm (base  $E$ ) of the value [x].  
Special cases:  $\ln(\text{NaN})$  is NaN  $\ln(x)$  is NaN when  $x < 0.0$   $\ln(+\text{Inf})$  is  $+\text{Inf}$   $\ln(0.0)$  is  $-\text{Inf}$   
@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun ln(x: Float): Float = nativeMath.log(x.toDouble()).toFloat()  
Computes the common logarithm (base 10) of the value [x].  
@see [ln] function for special cases.  
@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun log10(x: Float): Float = nativeMath.log10(x.toDouble()).toFloat()  
Computes the binary logarithm (base 2) of the value [x].  
@see [ln] function for special cases.  
@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun log2(x: Float): Float =  
nativeMath.log2(x.toDouble()).toFloat()  
Computes  $\ln(a + 1)$ .  
This function can be implemented to produce more precise result for [x] near zero.  
Special cases:  $\ln1p(\text{NaN})$  is NaN  $\ln1p(x)$  is NaN where  $x < -1.0$   $\ln1p(-1.0)$  is  $-\text{Inf}$   $\ln1p(+\text{Inf})$  is  $+\text{Inf}$   
@see [ln] function  
@see [expm1] function  
@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun ln1p(x: Float): Float =  
nativeMath.log1p(x.toDouble()).toFloat()  
Rounds the given value [x] to an integer towards positive infinity.  
@return the smallest Float value that is greater than or equal to the given value [x] and is a mathematical integer.  
Special cases:  $\text{ceil}(x)$  is  $x$  where  $x$  is NaN or  $+\text{Inf}$  or  $-\text{Inf}$  or already a mathematical integer.  
@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun ceil(x: Float): Float =  
nativeMath.ceil(x.toDouble()).toFloat()  
Rounds the given value [x] to an integer towards negative infinity.  
@return the largest Float value that is smaller than or equal to the given value [x] and is a mathematical integer.  
Special cases:  $\text{floor}(x)$  is  $x$  where  $x$  is NaN or  $+\text{Inf}$  or  $-\text{Inf}$  or already a mathematical integer.  
@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun floor(x: Float): Float =  
nativeMath.floor(x.toDouble()).toFloat()  
Rounds the given value [x] to an integer towards zero.  
@return the value [x] having its fractional part truncated.  
Special cases:  $\text{truncate}(x)$  is  $x$  where  $x$  is NaN or  $+\text{Inf}$  or  $-\text{Inf}$  or already a mathematical integer.  
@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun truncate(x: Float): Float =  
truncate(x.toDouble()).toFloat()  
Rounds the given value [x] towards the closest integer with ties rounded towards even integer.  
Special cases:  $\text{round}(x)$  is  $x$  where  $x$  is NaN or  $+\text{Inf}$  or  $-\text{Inf}$  or already a mathematical integer.  
@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun round(x: Float): Float =  
round(x.toDouble()).toFloat()  
Returns the absolute value of the given value [x].  
Special cases:  $\text{abs}(\text{NaN})$  is NaN  
@see absoluteValue extension property for [Float]  
@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun abs(x: Float): Float =  
nativeMath.abs(x.toDouble()).toFloat()  
Returns the sign of the given value [x]:  $-1.0$  if the value is negative, zero if the value is zero,  $1.0$  if the value is positive  
Special case:  $\text{sign}(\text{NaN})$  is NaN  
@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun sign(x: Float): Float =  
nativeMath.sign(x.toDouble()).toFloat()  
Returns the smaller of two values.  
If either value is

`NaN`, then the result is `NaN`.  
`SinceKotlin("1.2")@InlineOnly@public actual inline fun min(a: Float, b: Float): Float = nativeMath.min(a, b)`  
`min(a, b)` Returns the greater of two values.  
 If either value is `NaN`, then the result is `NaN`.  
`SinceKotlin("1.2")@InlineOnly@public actual inline fun max(a: Float, b: Float): Float = nativeMath.max(a, b)`  
`max(a, b)` Returns the greater of two values.  
`pow(x)` Raises this value to the power [x].  
 Special cases:  
`b.pow(0.0)` is `1.0`  
`b.pow(1.0)` is `b`  
`b.pow(NaN)` is `NaN`  
`NaN.pow(x)` is `NaN` for `x != 0.0`  
`b.pow(Inf)` is `NaN` for `abs(b) == 1.0`  
`b.pow(x)` is `NaN` for `b < 0` and `x` is finite and not an integer.  
`SinceKotlin("1.2")@InlineOnly@public actual inline fun Float.pow(x: Float): Float = nativeMath.pow(this.toDouble(), x.toDouble()).toFloat()`  
`pow(x)` Raises this value to the integer power [n].  
 See the other overload of [pow] for details.  
`SinceKotlin("1.2")@InlineOnly@public actual inline fun Float.pow(n: Int): Float = nativeMath.pow(this.toDouble(), n.toDouble()).toFloat()`  
`pow(n)` Returns the absolute value of this value.  
 Special cases:  
`NaN.absoluteValue` is `NaN`  
`@see abs function`  
`SinceKotlin("1.2")@InlineOnly@public actual inline val Float.absoluteValue: Float get() = nativeMath.abs(this.toDouble()).toFloat()`  
`absoluteValue` Returns the sign of this value:  
`-1.0` if the value is negative,  
`0` if the value is zero,  
`1.0` if the value is positive.  
 Special case:  
`NaN.sign` is `NaN`.  
`SinceKotlin("1.2")@InlineOnly@public actual inline val Float.sign: Float get() = nativeMath.sign(this.toDouble()).toFloat()`  
`sign` Returns this value with the sign bit same as of the [sign] value.  
 If [sign] is `NaN` the sign of the result is undefined.  
`SinceKotlin("1.2")@InlineOnly@public actual inline fun Float.withSign(sign: Float): Float = this.toDouble().withSign(sign.toDouble()).toFloat()`  
`withSign(sign)` Returns this value with the sign bit same as of the [sign] value.  
`SinceKotlin("1.2")@InlineOnly@public actual inline fun Float.withSign(sign: Int): Float = this.toDouble().withSign(sign.toDouble()).toFloat()`  
`withSign(sign)` Rounds this [Float] value to the nearest integer and converts the result to [Int].  
 Ties are rounded towards positive infinity.  
 Special cases:  
`x.roundToInt() == Int.MAX_VALUE` when `x > Int.MAX_VALUE`  
`x.roundToInt() == Int.MIN_VALUE` when `x < Int.MIN_VALUE`  
`@throws IllegalArgumentException` when this value is `NaN`.  
`SinceKotlin("1.2")@InlineOnly@public actual inline fun Float.roundToInt(): Int = toDouble().roundToInt()`  
`roundToInt()` Rounds this [Float] value to the nearest integer and converts the result to [Long].  
 Ties are rounded towards positive infinity.  
 Special cases:  
`x.roundToLong() == Long.MAX_VALUE` when `x > Long.MAX_VALUE`  
`x.roundToLong() == Long.MIN_VALUE` when `x < Long.MIN_VALUE`  
`@throws IllegalArgumentException` when this value is `NaN`.  
`SinceKotlin("1.2")@InlineOnly@public actual inline fun Float.roundToLong(): Long = toDouble().roundToLong()`  
`roundToLong()` Returns the absolute value of the given value [n].  
 Special cases:  
`abs(Int.MIN_VALUE)` is `Int.MIN_VALUE` due to an overflow  
`@see absoluteValue extension property for [Int]`  
`TODO: remove manual 'or' when KT-19290 is fixed`  
`SinceKotlin("1.2")@public actual fun abs(n: Int): Int = if (n < 0) (-n or 0) else n`  
`abs(n)` Returns the smaller of two values.  
`SinceKotlin("1.2")@InlineOnly@public actual inline fun min(a: Int, b: Int): Int = nativeMath.min(a, b)`  
`min(a, b)` Returns the greater of two values.  
`SinceKotlin("1.2")@InlineOnly@public actual inline fun max(a: Int, b: Int): Int = nativeMath.max(a, b)`  
`max(a, b)` Returns the absolute value of this value.  
 Special cases:  
`Int.MIN_VALUE.absoluteValue` is `Int.MIN_VALUE` due to an overflow  
`@see abs function`  
`SinceKotlin("1.2")@InlineOnly@public actual inline val Int.absoluteValue: Int get() = abs(this)`  
`absoluteValue` Returns the sign of this value:  
`-1` if the value is negative,  
`0` if the value is zero,  
`1` if the value is positive.  
`SinceKotlin("1.2")@public actual val Int.sign: Int get() = when { this < 0 -> -1 this > 0 -> 1 else -> 0 }`  
`sign` Returns the absolute value of the given value [n].  
 Special cases:  
`abs(Long.MIN_VALUE)` is `Long.MIN_VALUE` due to an overflow  
`@see absoluteValue extension property for [Long]`  
`SinceKotlin("1.2")@public actual fun abs(n: Long): Long = if (n < 0) -n else n`  
`abs(n)` Returns the smaller of two values.  
`SinceKotlin("1.2")@Suppress("NOTHING_TO_INLINE")@public actual inline fun min(a: Long, b:`

Long): Long = if (a <= b) a else b\n\n/\*\*\n \* Returns the greater of two values.\n

```
*\n@SinceKotlin("1.2")\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline fun max(a: Long, b: Long): Long = if (a >= b) a else b\n\n/**\n * Returns the absolute value of this value.\n * \n * Special cases:\n * - `Long.MIN_VALUE.absoluteValue` is `Long.MIN_VALUE` due to an overflow\n * \n * @see abs function\n\n*/\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline val Long.absoluteValue: Long get() = abs(this)\n\n/**\n * Returns the sign of this value:\n * - `-1` if the value is negative,\n * - `0` if the value is zero,\n * - `1` if the value is positive\n\n*/\n@SinceKotlin("1.2")\npublic actual val Long.sign: Int get() = when {\n this < 0 -> -1\n this > 0 -> 1\n else -> 0\n}\n\n// endregion\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n\n*/\n\npackage kotlin\n\n/**\n * Returns `true` if the specified number is a\n * Not-a-Number (NaN) value, `false` otherwise.\n\n*/\npublic actual fun Double.isNaN(): Boolean = this != this\n\n/**\n * Returns `true` if the specified number is a\n * Not-a-Number (NaN) value, `false` otherwise.\n\n*/\npublic actual fun Float.isNaN(): Boolean = this != this\n\n/**\n * Returns `true` if this value is infinitely large in magnitude.\n\n*/\npublic actual fun Double.isInfinite(): Boolean = this == Double.POSITIVE_INFINITY || this == Double.NEGATIVE_INFINITY\n\n/**\n * Returns `true` if this value is infinitely large in magnitude.\n\n*/\npublic actual fun Float.isInfinite(): Boolean = this == Float.POSITIVE_INFINITY || this == Float.NEGATIVE_INFINITY\n\n/**\n * Returns `true` if the argument is a finite floating-point value; returns `false` otherwise (for `NaN` and infinity arguments).\n\n*/\npublic actual fun Double.isFinite(): Boolean = !isInfinite() && !isNaN()\n\n/**\n * Returns `true` if the argument is a finite floating-point value; returns `false` otherwise (for `NaN` and infinity arguments).\n\n*/\npublic actual fun Float.isFinite(): Boolean = !isInfinite() && !isNaN()\n\n/**\n * Counts the number of set bits in the binary representation of this [Int] number.\n\n*/\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun Int.countOneBits(): Int {\n // Hacker's Delight 5-1 algorithm\n var v = this\n v = (v and 0x55555555) + (v.ushr(1) and 0x55555555)\n v = (v and 0x33333333) + (v.ushr(2) and 0x33333333)\n v = (v and 0x0F0F0F0F) + (v.ushr(4) and 0x0F0F0F0F)\n v = (v and 0x00FF00FF) + (v.ushr(8) and 0x00FF00FF)\n v = (v and 0x0000FFFF) + (v.ushr(16))\n return v\n}\n\n/**\n * Counts the number of consecutive most significant bits that are zero in the binary representation of this [Int] number.\n\n*/\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic actual inline fun Int.countLeadingZeroBits(): Int = JsMath.clz32(this)\n\n/**\n * Counts the number of consecutive least significant bits that are zero in the binary representation of this [Int] number.\n\n*/\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun Int.countTrailingZeroBits(): Int =\n // Hacker's Delight 5-4 algorithm for expressing countTrailingZeroBits with countLeadingZeroBits\n Int.SIZE_BITS - (this or -this).inv().countLeadingZeroBits()\n\n/**\n * Returns a number having a single bit set in the position of the most significant set bit of this [Int] number,\n * or zero, if this number is zero.\n\n*/\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun Int.takeHighestOneBit(): Int =\n if (this == 0) 0 else 1.shl(Int.SIZE_BITS - 1 - countLeadingZeroBits())\n\n/**\n * Returns a number having a single bit set in the position of the least significant set bit of this [Int] number,\n * or zero, if this number is zero.\n\n*/\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun Int.takeLowestOneBit(): Int =\n // Hacker's Delight 2-1 algorithm for isolating rightmost 1-bit\n this and -this\n\n/**\n * Rotates the binary representation of this [Int] number left by the specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the number as the least significant bits on the right side.\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n * Rotating by a multiple of [Int.SIZE_BITS] (32) returns the same number, or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 32)`\n\n*/\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun Int.rotateLeft(bitCount: Int): Int =\n shl(bitCount) or ushr(Int.SIZE_BITS - bitCount)\n\n/**\n * Rotates the binary representation of this [Int] number right by the specified [bitCount] number of bits.\n * The least significant

```

```

bits pushed out from the right side reenter the number as the most significant bits on the left side.\n * Rotating
the number right by a negative bit count is the same as rotating it left by the negated bit count:\n *
`number.rotateRight(-n) == number.rotateLeft(n)`\n * Rotating by a multiple of [Int.SIZE_BITS] (32) returns
the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 32)`\n
*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
Int.rotateRight(bitCount: Int): Int =\n    shl(Int.SIZE_BITS - bitCount) or ushr(bitCount)\n\n/>\n * Counts the
number of set bits in the binary representation of this [Long] number.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
Long.countOneBits(): Int =\n    high.countOneBits() + low.countOneBits()\n\n/>\n * Counts the number of
consecutive most significant bits that are zero in the binary representation of this [Long] number.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
Long.countLeadingZeroBits(): Int =\n    when (val high = this.high) {\n        0 -> Int.SIZE_BITS +
low.countLeadingZeroBits()\n        else -> high.countLeadingZeroBits()\n    }\n\n/>\n * Counts the number of
consecutive least significant bits that are zero in the binary representation of this [Long] number.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
Long.countTrailingZeroBits(): Int =\n    when (val low = this.low) {\n        0 -> Int.SIZE_BITS +
high.countTrailingZeroBits()\n        else -> low.countTrailingZeroBits()\n    }\n\n/>\n * Returns a number having a
single bit set in the position of the most significant set bit of this [Long] number,\n * or zero, if this number is
zero.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
Long.takeHighestOneBit(): Long =\n    when (val high = this.high) {\n        0 -> Long(low.takeHighestOneBit(),
0)\n        else -> Long(0, high.takeHighestOneBit())\n    }\n\n/>\n * Returns a number having a single bit set in the
position of the least significant set bit of this [Long] number,\n * or zero, if this number is zero.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
Long.takeLowestOneBit(): Long =\n    when (val low = this.low) {\n        0 -> Long(0, high.takeLowestOneBit())\n
        else -> Long(low.takeLowestOneBit(), 0)\n    }\n\n/>\n * Rotates the binary representation of this [Long]
number left by the specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side
reenter the number as the least significant bits on the right side.\n * Rotating the number left by a negative bit
count is the same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) ==
number.rotateRight(n)`\n * Rotating by a multiple of [Long.SIZE_BITS] (64) returns the same number, or more
generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 64)`\n
*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
Long.rotateLeft(bitCount: Int): Long {\n    if ((bitCount and 31) != 0) {\n        val low = this.low\n        val high =
this.high\n        val newLow = low.shl(bitCount) or high.ushr(-bitCount)\n        val newHigh = high.shl(bitCount) or
low.ushr(-bitCount)\n        return if ((bitCount and 32) == 0) Long(newLow, newHigh) else Long(newHigh,
newLow)\n    } else {\n        return if ((bitCount and 32) == 0) this else Long(high, low)\n    }\n\n/>\n *
Rotates the binary representation of this [Long] number right by the specified [bitCount] number of bits.\n * The
least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n
*\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n *
`number.rotateRight(-n) == number.rotateLeft(n)`\n * Rotating by a multiple of [Long.SIZE_BITS] (64) returns
the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 64)`\n
*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
inline fun Long.rotateRight(bitCount: Int): Long = rotateLeft(-bitCount)\n\n/>\n * Copyright 2010-2018
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n\npackage kotlin.js\nimport
kotlin.internal.LowPriorityInOverloadResolution\n\n/>\n * Exposes the JavaScript [Promise
object](https://developer.mozilla.org/en/docs/Web/JavaScript/Reference/Global_Objects/Promise) to Kotlin.\n
*\n@Suppress("NOT_DOCUMENTED")\npublic open external class Promise<out T>(executor: (resolve: (T) ->
Unit, reject: (Throwable) -> Unit) -> Unit) {\n    @LowPriorityInOverloadResolution\n    public open fun <S>

```

```

then(onFulfilled: ((T) -> S)?): Promise<S>\n\n @LowPriorityInOverloadResolution\n public open fun <S>
then(onFulfilled: ((T) -> S)?, onRejected: ((Throwable) -> S)?): Promise<S>\n\n public open fun <S>
catch(onRejected: (Throwable) -> S): Promise<S>\n\n companion object {\n public fun <S> all(promise:
Array<out Promise<S>>): Promise<Array<out S>>\n\n public fun <S> race(promise: Array<out
Promise<S>>): Promise<S>\n\n public fun reject(e: Throwable): Promise<Nothing>\n\n public fun <S>
resolve(e: S): Promise<S>\n\n public fun <S> resolve(e: Promise<S>): Promise<S>\n\n }\n}\n\n// It's workaround
for KT-19672 since we can fix it properly until KT-11265 isn't fixed.\ninline fun <T, S>
Promise<Promise<T>>.then(\n\n noinline onFulfilled: ((T) -> S)?\n): Promise<S> {\n\n return
this.unsafeCast<Promise<T>>().then(onFulfilled)\n}\n\ninline fun <T, S> Promise<Promise<T>>.then(\n\n noinline
onFulfilled: ((T) -> S)?,\n\n noinline onRejected: ((Throwable) -> S)?\n): Promise<S> {\n\n return
this.unsafeCast<Promise<T>>().then(onFulfilled, onRejected)\n}\n}\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.random\n\nimport
kotlin.math.pow\n\ninternal actual fun defaultPlatformRandom(): Random =\n\n Random(js(\n\n(Math.random() *
Math.pow(2, 32)) | 0\n\n)).unsafeCast<Int>())\n\nprivate val INV_2_26: Double = 2.0.pow(-26)\n\nprivate val
INV_2_53: Double = 2.0.pow(-53)\n\ninternal actual fun doubleFromParts(hi26: Int, low27: Int): Double =\n\n hi26 *
INV_2_26 + low27 * INV_2_53\n\n"/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.reflect\n\nimport findAssociatedObject\n\n/**\n * The
experimental marker for associated objects API.\n * Any usage of a declaration annotated with
`@ExperimentalAssociatedObjects` must be accepted either by\n * annotating that usage with the [OptIn]
annotation, e.g. `@OptIn(ExperimentalAssociatedObjects::class)`,\n * or by using the compiler argument
`-Xopt-in=kotlin.reflect.ExperimentalAssociatedObjects`.\n * \n\n @RequiresOptIn(level =
RequiresOptIn.Level.ERROR)\n\n @Retention(value = AnnotationRetention.BINARY)\n\n public annotation class
ExperimentalAssociatedObjects\n\n /**\n * Makes the annotated annotation class an associated object key.\n * \n\n *
An associated object key annotation should have single [KClass] parameter.\n * When applied to a class with
reference to an object declaration as an argument, it binds\n * the object to the class, making this binding
discoverable at runtime using [findAssociatedObject].\n\n */\n\n @ExperimentalAssociatedObjects\n\n @Retention(AnnotationRetention.BINARY)\n\n @Target(AnnotationTarget.A
NNOTATION_CLASS)\n\n public annotation class AssociatedObjectKey\n\n /**\n * If [T] is an
@[AssociatedObjectKey]-annotated annotation class and [this] class is annotated with @[T] (`S::class`),\n * returns
object `S`. \n\n * Otherwise returns `null`.\n\n */\n\n @ExperimentalAssociatedObjects\n\n public inline fun <reified T :
Annotation> KClass<*>.findAssociatedObject(): Any? =\n\n this.findAssociatedObject(T::class)\n\n"/*\n * Copyright
2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed
by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\nimport
getKClass\n\nimport kotlin.reflect.KClass\n\nimport kotlin.reflect.js.internal.KClassImpl\n\n/**\n * Represents the
constructor of a class. Instances of `JsClass` can be passed to JavaScript APIs that expect a constructor reference.\n\n */\n\n external interface JsClass<T : Any> {\n\n /**\n * Returns the unqualified name of the class represented by
this instance.\n\n */\n\n val name: String\n\n}\n\n /**\n * Obtains a constructor reference for the given `KClass`.\n\n */\n\n nval <T : Any> KClass<T>.js: JsClass<T>\n\n get() = (this as KClassImpl<T>).jClass\n\n /**\n * Obtains a
`KClass` instance for the given constructor reference.\n\n */\n\n nval <T : Any> JsClass<T>.kotlin: KClass<T>\n\n get()
= getKClass(this)\n\n"/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.reflect.js.internal\n\nimport kotlin.reflect.*\n\ninternal abstract
class KClassImpl<T : Any>(\n\n internal open val jClass: JsClass<T>\n\n) : KClass<T> {\n\n\n override val
qualifiedName: String?\n\n get() = TODO()\n\n\n override fun equals(other: Any?): Boolean {\n\n\n return other
is KClassImpl<*> && jClass == other.jClass\n\n }\n\n\n // TODO: use FQN\n\n override fun hashCode(): Int =
simpleName?.hashCode() ?: 0\n\n\n override fun toString(): String {\n\n\n // TODO: use FQN\n\n return `class

```

```

$simpleName\n } \n\ninternal class SimpleKClassImpl<T : Any>(jClass: JsClass<T>) :
KClassImpl<T>(jClass) {\n  override val simpleName: String? =
jClass.asDynamic().`$metadata$`.simpleName.unsafeCast<String?>()\n\n  override fun isInstance(value: Any?):
Boolean {\n    return jsIsType(value, jClass)\n  }\n}\n\ninternal class PrimitiveKClassImpl<T : Any>(\n
jClass: JsClass<T>,\n  private val givenSimpleName: String,\n  private val isInstanceFunction: (Any?) ->
Boolean)\n) : KClassImpl<T>(jClass) {\n  override fun equals(other: Any?): Boolean {\n    if (other !is
PrimitiveKClassImpl<*>) return false\n    return super.equals(other) && givenSimpleName ==
other.givenSimpleName\n  }\n\n  override val simpleName: String? get() = givenSimpleName\n\n  override fun
isInstance(value: Any?): Boolean {\n    return isInstanceFunction(value)\n  }\n}\n\ninternal object
NothingKClassImpl : KClassImpl<Nothing>(js("Object")) {\n  override val simpleName: String =
`"Nothing`\n\n  override fun isInstance(value: Any?): Boolean = false\n\n  override val jClass:
JsClass<Nothing>\n    get() = throw UnsupportedOperationException("There's no native JS class for Nothing
type")\n\n  override fun equals(other: Any?): Boolean = other === this\n\n  override fun hashCode(): Int =
0\n}\n\ninternal class ErrorKClass : KClass<Nothing> {\n  override val simpleName: String? get() =
error("Unknown simpleName for ErrorKClass")\n\n  override val qualifiedName: String? get() = error("Unknown
qualifiedName for ErrorKClass")\n\n  override fun isInstance(value: Any?): Boolean = error("Can't check
isInstance on ErrorKClass")\n\n  override fun equals(other: Any?): Boolean = other === this\n\n  override fun
hashCode(): Int = 0\n},"/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.reflect\n\ninternal actual inline val
KClass<*>.qualifiedOrSimpleName: String?\n  get() = simpleName", "/*\n * Copyright 2010-2018 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.\n */\n\n// a package is omitted to get declarations directly under
the module\n\n// TODO: Remove once JsReflectionAPIChecker supports more reflection
types\n@file:Suppress("Unsupported")\n\nimport kotlin.reflect.*\nimport
kotlin.reflect.js.internal.*\n\n@JsName("createKType")\n\ninternal fun createKType(\n  classifier: KClassifier,\n
arguments: Array<KTypeProjection>,\n  isMarkedNullable: Boolean)\n) =\n  KTypeImpl(classifier,
arguments.asList(), isMarkedNullable)\n\n@JsName("createDynamicKType")\n\ninternal fun
createDynamicKType(): KType = DynamicKType\n\n@JsName("markKTypeNullable")\n\ninternal fun
markKTypeNullable(kType: KType) = KTypeImpl(kType.classifier!!, kType.arguments,
true)\n\n@JsName("createKTypeParameter")\n\ninternal fun createKTypeParameter(\n  name: String,\n
upperBounds: Array<KType>,\n  variance: String)\n) : KTypeParameter {\n  val kVariance = when (variance) {\n
  "in" -> KVariance.IN\n  "out" -> KVariance.OUT\n  else -> KVariance.INVARIANT\n  }\n\n  return
KTypeParameterImpl(name, upperBounds.asList(), kVariance,
false)\n}\n\n@JsName("getStarKTypeProjection")\n\ninternal fun getStarKTypeProjection(): KTypeProjection =\n
KTypeProjection.STAR\n\n@JsName("createCovariantKTypeProjection")\n\ninternal fun
createCovariantKTypeProjection(type: KType): KTypeProjection =\n
KTypeProjection.covariant(type)\n\n@JsName("createInvariantKTypeProjection")\n\ninternal fun
createInvariantKTypeProjection(type: KType): KTypeProjection =\n
KTypeProjection.invariant(type)\n\n@JsName("createContravariantKTypeProjection")\n\ninternal fun
createContravariantKTypeProjection(type: KType): KTypeProjection =\n
KTypeProjection.contravariant(type)\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.reflect.js.internal\n\nimport kotlin.reflect.*\n\ninternal class
KTypeImpl(\n  override val classifier: KClassifier,\n  override val arguments: List<KTypeProjection>,\n
override val isMarkedNullable: Boolean)\n) : KType {\n  override fun equals(other: Any?): Boolean =\n  other
is KTypeImpl &&\n    classifier == other.classifier && arguments == other.arguments &&
isMarkedNullable == other.isMarkedNullable\n\n  override fun hashCode(): Int =\n    (classifier.hashCode() * 31

```

```

+ arguments.hashCode()) * 31 + isMarkedNullable.hashCode()\n\n override fun toString(): String {\n    val
kClass = (classifier as? KClass<*>)\n    val classifierName = when {\n        kClass == null ->
classifier.toString()\n        kClass.simpleName != null -> kClass.simpleName\n        else -> \"(non-denotable
type)\"\n    }\n\n    val args =\n        if (arguments.isEmpty()) \"\"\n        else arguments.joinToString(\" \", \"
\", \"<\", \">\") { it.asString() }\n    val nullable = if (isMarkedNullable) \"?\" else \"\"\n\n    return classifierName
+ args + nullable\n    }\n\n // TODO: this should be the implementation of KTypeProjection.toString, see KT-
30071\n private fun KTypeProjection.asString(): String {\n    if (variance == null) return \"*\n    return
variance.prefixString() + type.toString()\n    }\n\n\ninternal object DynamicKType : KType {\n override val
classifier: KClassifier? = null\n override val arguments: List<KTypeProjection> = emptyList()\n override val
isMarkedNullable: Boolean = false\n override fun toString(): String = \"dynamic\"\n\n\ninternal fun
KVariance.prefixString() =\n when (this) {\n    KVariance.INVARIANT -> \"\"\n    KVariance.IN -> \"in \"\n
KVariance.OUT -> \"out \"\n    }\n,\"/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.reflect.js.internal\n\nimport kotlin.reflect.*\n\ninternal data class
KTypeParameterImpl(\n override val name: String,\n override val upperBounds: List<KType>,\n override val
variance: KVariance,\n override val isReified: Boolean)\n) : KTypeParameter {\n override fun toString(): String
= name\n},\"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use
of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\npackage kotlin.reflect.js.internal\n\nimport kotlin.js.JsClass\n\n@JsName(\"PrimitiveClasses\")\n\ninternal
object PrimitiveClasses {\n @JsName(\"anyClass\")\n val anyClass =
PrimitiveKClassImpl(js(\"Object\").unsafeCast<JsClass<Any>>(), \"Any\", { it is Any })\n\n
@JsName(\"numberClass\")\n val numberClass =
PrimitiveKClassImpl(js(\"Number\").unsafeCast<JsClass<Number>>(), \"Number\", { it is Number })\n\n
@JsName(\"nothingClass\")\n val nothingClass = NothingKClassImpl\n\n @JsName(\"booleanClass\")\n val
booleanClass = PrimitiveKClassImpl(js(\"Boolean\").unsafeCast<JsClass<Boolean>>(), \"Boolean\", { it is Boolean
})\n\n @JsName(\"byteClass\")\n val byteClass =
PrimitiveKClassImpl(js(\"Number\").unsafeCast<JsClass<Byte>>(), \"Byte\", { it is Byte })\n\n
@JsName(\"shortClass\")\n val shortClass = PrimitiveKClassImpl(js(\"Number\").unsafeCast<JsClass<Short>>(),
\"Short\", { it is Short })\n\n @JsName(\"intClass\")\n val intClass =
PrimitiveKClassImpl(js(\"Number\").unsafeCast<JsClass<Int>>(), \"Int\", { it is Int })\n\n
@JsName(\"floatClass\")\n val floatClass = PrimitiveKClassImpl(js(\"Number\").unsafeCast<JsClass<Float>>(),
\"Float\", { it is Float })\n\n @JsName(\"doubleClass\")\n val doubleClass =
PrimitiveKClassImpl(js(\"Number\").unsafeCast<JsClass<Double>>(), \"Double\", { it is Double })\n\n
@JsName(\"arrayClass\")\n val arrayClass =
PrimitiveKClassImpl(js(\"Array\").unsafeCast<JsClass<Array<*>>>(), \"Array\", { it is Array<*> })\n\n
@JsName(\"stringClass\")\n val stringClass = PrimitiveKClassImpl(js(\"String\").unsafeCast<JsClass<String>>(),
\"String\", { it is String })\n\n @JsName(\"throwableClass\")\n val throwableClass =
PrimitiveKClassImpl(js(\"Error\").unsafeCast<JsClass<Throwable>>(), \"Throwable\", { it is Throwable })\n\n
@JsName(\"booleanArrayClass\")\n val booleanArrayClass =
PrimitiveKClassImpl(js(\"Array\").unsafeCast<JsClass<BooleanArray>>(), \"BooleanArray\", { it is BooleanArray
})\n\n @JsName(\"charArrayClass\")\n val charArrayClass =
PrimitiveKClassImpl(js(\"Uint16Array\").unsafeCast<JsClass<CharArray>>(), \"CharArray\", { it is CharArray
})\n\n @JsName(\"byteArrayClass\")\n val byteArrayClass =
PrimitiveKClassImpl(js(\"Int8Array\").unsafeCast<JsClass<ByteArray>>(), \"ByteArray\", { it is ByteArray })\n\n
@JsName(\"shortArrayClass\")\n val shortArrayClass =
PrimitiveKClassImpl(js(\"Int16Array\").unsafeCast<JsClass<ShortArray>>(), \"ShortArray\", { it is ShortArray
})\n\n @JsName(\"intArrayClass\")\n val intArrayClass =
PrimitiveKClassImpl(js(\"Int32Array\").unsafeCast<JsClass<IntArray>>(), \"IntArray\", { it is IntArray })\n\n

```

```

@JsName("longArrayClass")\n val longArrayClass =
PrimitiveKClassImpl(js("Array").unsafeCast<JsClass<LongArray>>(), "LongArray", { it is LongArray })\n\n
@JsName("floatArrayClass")\n val floatArrayClass =
PrimitiveKClassImpl(js("Float32Array").unsafeCast<JsClass<FloatArray>>(), "FloatArray", { it is FloatArray
})\n\n @JsName("doubleArrayClass")\n val doubleArrayClass =
PrimitiveKClassImpl(js("Float64Array").unsafeCast<JsClass<DoubleArray>>(), "DoubleArray", { it is
DoubleArray })\n\n @JsName("functionClass")\n fun functionClass(arity: Int): KClassImpl<Any> {\n
return functionClasses.get(arity) ?: run {\n val result =
PrimitiveKClassImpl(js("Function").unsafeCast<JsClass<Any>>(), "Function$arity",\n
{ jsTypeOf(it) === "function" && it.asDynamic().length === arity })\n functionClasses.asDynamic()[arity]
= result\n result\n }\n }\n\nprivate val functionClasses =
arrayOfNulls<KClassImpl<Any>>(0),"/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\n a package is omitted to get declarations directly under the module\n\nimport
kotlin.reflect.*\nimport kotlin.reflect.js.internal.*\n\n@JsName("getKClass")\ninternal fun <T : Any>
getKClass(jClass: Any /* JsClass<T> | Array<JsClass<T>> */): KClass<T> {\n return if
(js("Array").isArray(jClass)) {\n getKClassM(jClass.unsafeCast<Array<JsClass<T>>>())\n } else {\n
getKClass1(jClass.unsafeCast<JsClass<T>>())\n }\n }\n\n@JsName("getKClassM")\ninternal fun <T : Any>
getKClassM(jClasses: Array<JsClass<T>>): KClass<T> = when (jClasses.size) {\n 1 ->
getKClass1(jClasses[0])\n 0 -> NothingKClassImpl.unsafeCast<KClass<T>>()\n else ->
ErrorKClass().unsafeCast<KClass<T>>()\n }\n\n@JsName("getKClassFromExpression")\ninternal fun <T : Any>
getKClassFromExpression(e: T): KClass<T> =\n when (jsTypeOf(e)) {\n "string" ->
PrimitiveClasses.stringClass\n "number" -> if (jsBitwiseOr(e, 0).asDynamic() === e)
PrimitiveClasses.intClass else PrimitiveClasses.doubleClass\n "boolean" -> PrimitiveClasses.booleanClass\n
"function" -> PrimitiveClasses.functionClass(e.asDynamic().length)\n else -> {\n when {\n e
is BooleanArray -> PrimitiveClasses.booleanArrayClass\n e is CharArray ->
PrimitiveClasses.charArrayClass\n e is ByteArray -> PrimitiveClasses.byteArrayClass\n e is
ShortArray -> PrimitiveClasses.shortArrayClass\n e is IntArray -> PrimitiveClasses.intArrayClass\n
e is LongArray -> PrimitiveClasses.longArrayClass\n e is FloatArray ->
PrimitiveClasses.floatArrayClass\n e is DoubleArray -> PrimitiveClasses.doubleArrayClass\n e is
KClass<*> -> KClass::class\n e is Array<*> -> PrimitiveClasses.arrayClass\n else -> {\n
val constructor = js("Object").getPrototypeOf(e).constructor\n when {\n constructor
=== js("Object") -> PrimitiveClasses.anyClass\n constructor === js("Error") ->
PrimitiveClasses.throwableClass\n else -> {\n val jsClass: JsClass<T> =
constructor\n getKClass1(jsClass)\n }\n }\n }\n }\n\n@JsName("getKClass1")\ninternal fun <T : Any> getKClass1(jClass:
JsClass<T>): KClass<T> {\n if (jClass === js("String")) return
PrimitiveClasses.stringClass.unsafeCast<KClass<T>>()\n val metadata = jClass.asDynamic().`$metadata$\`\n\n
return if (metadata != null) {\n if (metadata.`$kClass$` == null) {\n val kClass =
SimpleKClassImpl(jClass)\n metadata.`$kClass$` = kClass\n kClass\n } else {\n
metadata.`$kClass$`\n }\n } else {\n SimpleKClassImpl(jClass)\n }\n }"/*\n * Copyright 2010-2018
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\n/**\n * Exposes
the JavaScript [RegExp
object](https://developer.mozilla.org/en/docs/Web/JavaScript/Reference/Global_Objects/RegExp) to Kotlin.\n
*/\n\n@Suppress("NOT_DOCUMENTED")\npublic external class RegExp(pattern: String, flags: String? =
definedExternally) {\n\n public fun test(str: String): Boolean\n\n public fun exec(str: String): RegExpMatch?\n\n
public override fun toString(): String\n\n /**\n * The lastIndex is a read/write integer property of regular

```



```

expressions that specifies the index at which to start the next match.\n    *\n    public var lastIndex: Int\n\n    public
val global: Boolean\n    public val ignoreCase: Boolean\n    public val multiline: Boolean\n}\n\n**\n * Resets the
regular expression so that subsequent [RegExp.test] and [RegExp.exec] calls will match starting with the beginning
of the input string.\n *\npublic fun RegExp.reset() {\n    lastIndex = 0\n}\n\n// TODO: Inherit from array or
introduce asArray() extension\n**\n * Represents the return value of [RegExp.exec].\n
*\n@Suppress("NOT_DOCUMENTED")\npublic external interface RegExpMatch {\n    public val index: Int\n
public val input: String\n    public val length: Int\n}\n\n**\n * Returns the entire text matched by [RegExp.exec] if
the [index] parameter is 0, or the text matched by the capturing parenthesis\n * at the given index.\n *\npublic inline
operator fun RegExpMatch.get(index: Int): String? = asDynamic()[index]\n\n**\n * Converts the result of
[RegExp.exec] to an array where the first element contains the entire matched text and each subsequent\n * element
is the text matched by each capturing parenthesis.\n *\npublic inline fun RegExpMatch.asArray(): Array<out
String?> = unsafeCast<Array<out String?>>()\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n *\n\npackage kotlin.sequences\n\ninternal actual class
ConstrainedOnceSequence<T> actual constructor(sequence: Sequence<T>) : Sequence<T> {\n    private var
sequenceRef: Sequence<T>? = sequence\n\n    actual override fun iterator(): Iterator<T> {\n        val sequence =
sequenceRef ?: throw IllegalStateException("This sequence can be consumed only once.")\n        sequenceRef =
null\n        return sequence.iterator()\n    }\n}\n", /*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n *\n\npackage kotlin.text\n\n@SinceKotlin("1.5")\npublic actual enum
class CharCategory(internal val value: Int, public actual val code: String) {\n    /**\n     * General category "Cn" in
the Unicode specification.\n     *\n     * UNASSIGNED(0, "Cn"),\n     *\n     * General category "Lu" in the
Unicode specification.\n     *\n     * UPPERCASE_LETTER(1, "Lu"),\n     *\n     * General category "Ll" in the
Unicode specification.\n     *\n     * LOWERCASE_LETTER(2, "Ll"),\n     *\n     * General category "Lt" in the
Unicode specification.\n     *\n     * TITLECASE_LETTER(3, "Lt"),\n     *\n     * General category "Lm" in the
Unicode specification.\n     *\n     * MODIFIER_LETTER(4, "Lm"),\n     *\n     * General category "Lo" in the
Unicode specification.\n     *\n     * OTHER_LETTER(5, "Lo"),\n     *\n     * General category "Mn" in the
Unicode specification.\n     *\n     * NON_SPACING_MARK(6, "Mn"),\n     *\n     * General category "Me" in
the Unicode specification.\n     *\n     * ENCLOSING_MARK(7, "Me"),\n     *\n     * General category "Mc" in
the Unicode specification.\n     *\n     * COMBINING_SPACING_MARK(8, "Mc"),\n     *\n     * General
category "Nd" in the Unicode specification.\n     *\n     * DECIMAL_DIGIT_NUMBER(9, "Nd"),\n     *\n     *
General category "Nl" in the Unicode specification.\n     *\n     * LETTER_NUMBER(10, "Nl"),\n     *\n     *
General category "No" in the Unicode specification.\n     *\n     * OTHER_NUMBER(11, "No"),\n     *\n     *
General category "Zs" in the Unicode specification.\n     *\n     * SPACE_SEPARATOR(12, "Zs"),\n     *\n     *
General category "Zl" in the Unicode specification.\n     *\n     * LINE_SEPARATOR(13, "Zl"),\n     *\n     *
General category "Zp" in the Unicode specification.\n     *\n     * PARAGRAPH_SEPARATOR(14, "Zp"),\n     *\n     *
General category "Cc" in the Unicode specification.\n     *\n     * CONTROL(15, "Cc"),\n     *\n     *
General category "Cf" in the Unicode specification.\n     *\n     * FORMAT(16, "Cf"),\n     *\n     * General
category "Co" in the Unicode specification.\n     *\n     * PRIVATE_USE(18, "Co"),\n     *\n     * General
category "Cs" in the Unicode specification.\n     *\n     * SURROGATE(19, "Cs"),\n     *\n     * General category
"Pd" in the Unicode specification.\n     *\n     * DASH_PUNCTUATION(20, "Pd"),\n     *\n     * General
category "Ps" in the Unicode specification.\n     *\n     * START_PUNCTUATION(21, "Ps"),\n     *\n     *
General category "Pe" in the Unicode specification.\n     *\n     * END_PUNCTUATION(22, "Pe"),\n     *\n     *
General category "Pc" in the Unicode specification.\n     *\n     * CONNECTOR_PUNCTUATION(23, "Pc"),\n     *\n     *
General category "Po" in the Unicode specification.\n     *\n     * OTHER_PUNCTUATION(24,
"Po"),\n     *\n     * General category "Sm" in the Unicode specification.\n     *\n     * MATH_SYMBOL(25,
"Sm"),\n     *\n     * General category "Sc" in the Unicode specification.\n     *\n     *
CURRENCY_SYMBOL(26, "Sc"),\n     *\n     * General category "Sk" in the Unicode specification.\n     *\n

```

```

MODIFIER_SYMBOL(27, \"Sk\"),\n\n /**\n * General category \"So\" in the Unicode specification.\n */\n
OTHER_SYMBOL(28, \"So\"),\n\n /**\n * General category \"Pi\" in the Unicode specification.\n */\n
INITIAL_QUOTE_PUNCTUATION(29, \"Pi\"),\n\n /**\n * General category \"Pf\" in the Unicode
specification.\n */\n
FINAL_QUOTE_PUNCTUATION(30, \"Pf\");\n\n /**\n * Returns `true` if [char]
character belongs to this category.\n */\n
public actual operator fun contains(char: Char): Boolean =
char.getCategoryValue() == this.value\n\n companion object {\n
internal fun valueOf(category: Int):
CharCategory =\n
when (category) {\n
in 0..16 -> values()[category]\n
in 18..30 ->
values()[category - 1]\n
else -> throw IllegalArgumentException(\"Category #\$category is not defined.\")\n
}\n
}\n\n\", \"/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n
*/\n
* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\npackage kotlin.text\n\n/**\n * The exception thrown when a character encoding or decoding error occurs.\n
*/\n\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual open class
CharacterCodingException(message: String?) : Exception(message) {\n
actual constructor() : this(null)\n}\n\n\", \"/*\n
* Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n
* Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\npackage
kotlin.text\n\n/**\n * A mutable sequence of characters.\n
*/\n\n * String builder can be used to efficiently perform
multiple string manipulation operations.\n
*/\n\npublic actual class StringBuilder actual constructor(content: String) :
Appendable, CharSequence {\n
/**\n * Constructs an empty string builder with the specified initial [capacity].\n
*/\n
* In Kotlin/JS implementation of StringBuilder the initial capacity has no effect on the further performance
of operations.\n
*/\n
actual constructor(capacity: Int) : this() {\n
}\n\n /**\n * Constructs a string builder that
contains the same characters as the specified [content] char sequence.\n
*/\n
actual constructor(content:
CharSequence) : this(content.toString()) {\n
}\n\n /**\n * Constructs an empty string builder.\n
*/\n
actual constructor() :
this(\"\")\n\n private var string: String = if (content != undefined) content else \"\"\n\n actual override val
length: Int\n
get() = string.asDynamic().length\n\n actual override fun get(index: Int): Char =\n
string.getOrElse(index) { throw IndexOutOfBoundsException(\"index: \$index, length: \$length\") }\n\n actual
override fun subSequence(startIndex: Int, endIndex: Int): CharSequence = string.substring(startIndex, endIndex)\n\n
actual override fun append(value: Char): StringBuilder {\n
string += value\n
return this\n
}\n\n actual
override fun append(value: CharSequence?): StringBuilder {\n
string += value.toString()\n
return this\n
}\n\n actual
override fun append(value: CharSequence?, startIndex: Int, endIndex: Int): StringBuilder =\n
this.appendRange(value?: \"null\", startIndex, endIndex)\n\n /**\n * Reverses the contents of this string builder
and returns this instance.\n
*/\n
* Surrogate pairs included in this string builder are treated as single
characters.\n
* Therefore, the order of the high-low surrogates is never reversed.\n
*/\n
* Note that the reverse
operation may produce new surrogate pairs that were unpaired low-surrogates and high-surrogates before the
operation.\n
* For example, reversing `\"\\uD800\\uD800\"` produces `\"\\uD800\\uD800\"` which is a valid
surrogate pair.\n
*/\n
actual fun reverse(): StringBuilder {\n
var reversed = \"\"\n
var index =
string.length - 1\n
while (index >= 0) {\n
val low = string[index--]\n
if (low.isLowSurrogate() &&
index >= 0) {\n
val high = string[index--]\n
if (high.isHighSurrogate()) {\n
reversed =
reversed + high + low\n
} else {\n
reversed = reversed + low + high\n
}\n
}\n
else {\n
reversed += low\n
}\n
}\n
string = reversed\n
return this\n
}\n\n /**\n
* Appends the string representation of the specified object [value] to this string builder and returns this instance.\n
*/\n
* The overall effect is exactly as if the [value] were converted to a string by the `value.toString()` method,\n
* and then that string was appended to this string builder.\n
*/\n
actual fun append(value: Any?): StringBuilder
{\n
string += value.toString()\n
return this\n
}\n\n /**\n
* Appends the string representation of the
specified boolean [value] to this string builder and returns this instance.\n
*/\n
* The overall effect is exactly as
if the [value] were converted to a string by the `value.toString()` method,\n
* and then that string was appended to
this string builder.\n
*/\n
@SinceKotlin(\"1.3\")\nactual fun append(value: Boolean): StringBuilder {\n
string += value\n
return this\n
}\n\n /**\n
* Appends characters in the specified character array [value] to
this string builder and returns this instance.\n
*/\n
* Characters are appended in order, starting at the index 0.\n
}

```

```

*  

@SinceKotlin("1.4")  

@WasExperimental(ExperimentalStdlibApi::class)  

actual fun append(value: CharArray): String Builder {  

    string += value.concatToString()  

    return this  

}  

@Deprecated("Provided for binary compatibility.", level = DeprecationLevel.HIDDEN)  

fun append(value: String): String Builder = append(value)  

/**  

 * Appends the specified string [value] to this string builder and returns this instance.  

 * If [value] is `null`, then the four characters `"\null"` are appended.  

*/  

@SinceKotlin("1.3")  

actual fun append(value: String?): String Builder {  

    this.string += value ?: "\null"  

    return this  

}  

/**  

 * Returns the current capacity of this string builder.  

 * The capacity is the maximum length this string builder can have before an allocation occurs.  

 * In Kotlin/JS implementation of String Builder the value returned from this method may not indicate the actual size of the backing storage.  

*/  

@SinceKotlin("1.3")  

// @ExperimentalStdlibApi  

@Deprecated("Obtaining String Builder capacity is not supported in JS and common code.", level = DeprecationLevel.ERROR)  

actual fun capacity(): Int = length  

/**  

 * Ensures that the capacity of this string builder is at least equal to the specified [minimumCapacity].  

 * If the current capacity is less than the [minimumCapacity], a new backing storage is allocated with greater capacity.  

 * Otherwise, this method takes no action and simply returns.  

 * In Kotlin/JS implementation of String Builder the size of the backing storage is not extended to comply the given [minimumCapacity],  

 * thus calling this method has no effect on the further performance of operations.  

*/  

@SinceKotlin("1.4")  

@WasExperimental(ExperimentalStdlibApi::class)  

actual fun ensureCapacity(minimumCapacity: Int) {  

}  

/**  

 * Returns the index within this string builder of the first occurrence of the specified [string].  

 * Returns -1 if the specified [string] does not occur in this string builder.  

*/  

@SinceKotlin("1.4")  

@WasExperimental(ExperimentalStdlibApi::class)  

actual fun indexOf(string: String): Int = this.string.asDynamic().indexOf(string)  

/**  

 * Returns the index within this string builder of the first occurrence of the specified [string],  

 * starting at the specified [startIndex].  

 * Returns -1 if the specified [string] does not occur in this string builder starting at the specified [startIndex].  

*/  

@SinceKotlin("1.4")  

@WasExperimental(ExperimentalStdlibApi::class)  

actual fun indexOf(string: String, startIndex: Int): Int = this.string.asDynamic().indexOf(string, startIndex)  

/**  

 * Returns the index within this string builder of the last occurrence of the specified [string].  

 * The last occurrence of empty string "" is considered to be at the index equal to `this.length`.  

 * Returns -1 if the specified [string] does not occur in this string builder.  

*/  

@SinceKotlin("1.4")  

@WasExperimental(ExperimentalStdlibApi::class)  

actual fun lastIndexOf(string: String): Int = this.string.asDynamic().lastIndexOf(string)  

/**  

 * Returns the index within this string builder of the last occurrence of the specified [string],  

 * starting from the specified [startIndex] toward the beginning.  

 * Returns -1 if the specified [string] does not occur in this string builder starting at the specified [startIndex].  

*/  

@SinceKotlin("1.4")  

@WasExperimental(ExperimentalStdlibApi::class)  

actual fun lastIndexOf(string: String, startIndex: Int): Int {  

    if (string.isEmpty() && startIndex < 0) return -1  

    return this.string.asDynamic().lastIndexOf(string, startIndex)  

}  

/**  

 * Inserts the string representation of the specified boolean [value] into this string builder at the specified [index] and returns this instance.  

 * The overall effect is exactly as if the [value] were converted to a string by the `value.toString()` method,  

 * and then that string was inserted into this string builder at the specified [index].  

 * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.  

*/  

@SinceKotlin("1.4")  

@WasExperimental(ExperimentalStdlibApi::class)  

actual fun insert(index: Int, value: Boolean): String Builder {  

    AbstractList.checkPositionIndex(index, length)  

    string = string.substring(0, index) + value + string.substring(index)  

    return this  

}  

/**  

 * Inserts the specified character [value] into this string builder at the specified [index] and returns this instance.  

 * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.  

*/  

@SinceKotlin("1.4")  

@WasExperimental(ExperimentalStdlibApi::class)  

actual fun insert(index: Int, value: Char): String Builder {  

    AbstractList.checkPositionIndex(index, length)  

    string = string.substring(0, index) + value + string.substring(index)  

    return this  

}  

/**  

 * Inserts characters in the specified character array [value] into this string builder at the specified [index] and returns this instance.  

 * The

```

```

inserted characters go in same order as in the [value] character array, starting at [index].\n
 * \n * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n
 * \n
@SinceKotlin("1.4")\n
 @WasExperimental(ExperimentalStdlibApi::class)\n
 actual fun insert(index: Int, value: CharArray): String {
    AbstractList.checkPositionIndex(index, length)\n
    string = string.substring(0, index) + value.concatToString() + string.substring(index)\n
    return this\n
 } \n \n /** \n
 * Inserts characters in the specified character sequence [value] into this string builder at the specified [index] and returns this instance.\n
 * \n * The inserted characters go in the same order as in the [value] character sequence, starting at [index].\n
 * \n * @param index the position in this string builder to insert at.\n
 * @param value the character sequence from which characters are inserted. If [value] is `null`, then the four characters `"\null"` are inserted.\n
 * \n * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n
 * \n * \n
 @SinceKotlin("1.4")\n
 @WasExperimental(ExperimentalStdlibApi::class)\n
 actual fun insert(index: Int, value: CharSequence?): String {
    AbstractList.checkPositionIndex(index, length)\n
    string = string.substring(0, index) + value.toString() + string.substring(index)\n
    return this\n
 } \n \n /** \n
 * Inserts the string representation of the specified object [value] into this string builder at the specified [index] and returns this instance.\n
 * \n * The overall effect is exactly as if the [value] were converted to a string by the `value.toString()` method,\n
 * and then that string was inserted into this string builder at the specified [index].\n
 * \n * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n
 * \n * \n
 @SinceKotlin("1.4")\n
 @WasExperimental(ExperimentalStdlibApi::class)\n
 actual fun insert(index: Int, value: Any?): String {
    AbstractList.checkPositionIndex(index, length)\n
    string = string.substring(0, index) + value.toString() + string.substring(index)\n
    return this\n
 } \n \n @Deprecated("Provided for binary compatibility.", level = DeprecationLevel.HIDDEN)\n
 fun insert(index: Int, value: String): String = insert(index, value)\n
 \n \n /** \n
 * Inserts the string [value] into this string builder at the specified [index] and returns this instance.\n
 * \n * If [value] is `null`, then the four characters `"\null"` are inserted.\n
 * \n * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n
 * \n * \n
 @SinceKotlin("1.4")\n
 @WasExperimental(ExperimentalStdlibApi::class)\n
 actual fun insert(index: Int, value: String?): String {
    AbstractList.checkPositionIndex(index, length)\n
    val toInsert = value ?: "\null"\n
    this.string = this.string.substring(0, index) + toInsert + this.string.substring(index)\n
    return this\n
 } \n \n /** \n
 * Sets the length of this string builder to the specified [newLength].\n
 * \n * If the [newLength] is less than the current length, it is changed to the specified [newLength].\n
 * \n * Otherwise, null characters '\u0000' are appended to this string builder until its length is less than the [newLength].\n
 * \n * Note that in Kotlin/JS [set] operator function has non-constant execution time complexity.\n
 * \n * Therefore, increasing length of this string builder and then updating each character by index may slow down your program.\n
 * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] if [newLength] is less than zero.\n
 * \n * \n
 @SinceKotlin("1.4")\n
 @WasExperimental(ExperimentalStdlibApi::class)\n
 actual fun setLength(newLength: Int) {
    if (newLength < 0) {\n
        throw IllegalArgumentException("Negative new length: $newLength.")\n
    }\n
    if (newLength <= length) {\n
        string = string.substring(0, newLength)\n
    } else {\n
        for (i in length until newLength) {\n
            string += "\u0000"\n
        }\n
    }\n
 } \n \n /** \n
 * Returns a new [String] that contains characters in this string builder at [startIndex] (inclusive) and up to the [length] (exclusive).\n
 * \n * @throws IndexOutOfBoundsException if [startIndex] is less than zero or greater than the length of this string builder.\n
 * \n * \n
 @SinceKotlin("1.4")\n
 @WasExperimental(ExperimentalStdlibApi::class)\n
 actual fun substring(startIndex: Int): String {
    AbstractList.checkPositionIndex(startIndex, length)\n
    return string.substring(startIndex)\n
 } \n \n /** \n
 * Returns a new [String] that contains characters in this string builder at [startIndex] (inclusive) and up to the [endIndex] (exclusive).\n
 * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this string builder indices or when `startIndex > endIndex`.\n
 * \n * \n
 @SinceKotlin("1.4")\n
 @WasExperimental(ExperimentalStdlibApi::class)\n
 actual fun substring(startIndex: Int, endIndex: Int): String {
    AbstractList.checkBoundsIndexes(startIndex, endIndex, length)\n
    return

```

```

string.substring(startIndex, endIndex)\n } \n\n /**\n * Attempts to reduce storage used for this string builder.\n *\n * If the backing storage of this string builder is larger than necessary to hold its current contents,\n * then it may be resized to become more space efficient.\n * Calling this method may, but is not required to, affect the value of the [capacity] property.\n *\n * In Kotlin/JS implementation of StringBuilder the size of the backing storage is always equal to the length of the string builder.\n */\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n actual fun trimToSize() {\n }\n\n override fun toString(): String = string\n\n /**\n * Clears the content of this string builder making it empty and returns this instance.\n *\n * @sample samples.text.Strings.clearStringBuilder\n */\n @SinceKotlin("1.3")\n public fun clear(): StringBuilder {\n string = ""\n return this\n }\n\n /**\n * Sets the character at the specified [index] to the specified [value].\n *\n * @throws IndexOutOfBoundsException if [index] is out of bounds of this string builder.\n */\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n public operator fun set(index: Int, value: Char) {\n AbstractList.checkElementIndex(index, length)\n\n string = string.substring(0, index) + value + string.substring(index + 1)\n }\n\n /**\n * Replaces characters in the specified range of this string builder with characters in the specified string [value] and returns this instance.\n *\n * @param startIndex the beginning (inclusive) of the range to replace.\n * @param endIndex the end (exclusive) of the range to replace.\n * @param value the string to replace with.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] if [startIndex] is less than zero, greater than the length of this string builder, or `startIndex > endIndex`.\n */\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n public fun setRange(startIndex: Int, endIndex: Int, value: String): StringBuilder {\n checkReplaceRange(startIndex, endIndex, length)\n\n this.string = this.string.substring(0, startIndex) + value + this.string.substring(endIndex)\n return this\n }\n\n private fun checkReplaceRange(startIndex: Int, endIndex: Int, length: Int) {\n if (startIndex < 0 || startIndex > length) {\n throw IndexOutOfBoundsException("`startIndex: $startIndex, length: $length`")\n }\n\n if (startIndex > endIndex) {\n throw IllegalArgumentException("`startIndex($startIndex) > endIndex($endIndex)`")\n }\n }\n\n /**\n * Removes the character at the specified [index] from this string builder and returns this instance.\n *\n * If the `Char` at the specified [index] is part of a supplementary code point, this method does not remove the entire supplementary character.\n *\n * @param index the index of `Char` to remove.\n *\n * @throws IndexOutOfBoundsException if [index] is out of bounds of this string builder.\n */\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n public fun deleteAt(index: Int): StringBuilder {\n AbstractList.checkElementIndex(index, length)\n\n string = string.substring(0, index) + string.substring(index + 1)\n return this\n }\n\n /**\n * Removes characters in the specified range from this string builder and returns this instance.\n *\n * @param startIndex the beginning (inclusive) of the range to remove.\n * @param endIndex the end (exclusive) of the range to remove.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] is out of range of this string builder indices or when `startIndex > endIndex`.\n */\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n public fun deleteRange(startIndex: Int, endIndex: Int): StringBuilder {\n checkReplaceRange(startIndex, endIndex, length)\n\n string = string.substring(0, startIndex) + string.substring(endIndex)\n return this\n }\n\n /**\n * Copies characters from this string builder into the [destination] character array.\n *\n * @param destination the array to copy to.\n * @param destinationOffset the position in the array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the range to copy, 0 by default.\n * @param endIndex the end (exclusive) of the range to copy, length of this string builder by default.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this string builder indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n */\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n public fun toCharArray(destination: CharArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = this.length) {\n AbstractList.checkBoundsIndexes(startIndex, endIndex, length)\n

```

```

AbstractList.checkBoundsIndexes(destinationOffset, destinationOffset + endIndex - startIndex, destination.size)\n\n
    var dstIndex = destinationOffset\n    for (index in startIndex until endIndex) {\n        destination[dstIndex++]
= string[index]\n    }\n\n    /**\n     * Appends characters in a subarray of the specified character array
[value] to this string builder and returns this instance.\n     *\n     * Characters are appended in order, starting at
specified [startIndex].\n     *\n     * @param value the array from which characters are appended.\n     * @param
startIndex the beginning (inclusive) of the subarray to append.\n     * @param endIndex the end (exclusive) of the
subarray to append.\n     *\n     * @throws IndexOutOfBoundsException or [IllegalArgumentException] when
[startIndex] or [endIndex] is out of range of the [value] array indices or when `startIndex > endIndex`.\n     */\n
@SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n public fun appendRange(value:
CharArray, startIndex: Int, endIndex: Int): String Builder {\n    string += value.concatToString(startIndex,
endIndex)\n    return this\n }\n\n    /**\n     * Appends a subsequence of the specified character sequence [value]
to this string builder and returns this instance.\n     *\n     * @param value the character sequence from which a
subsequence is appended.\n     * @param startIndex the beginning (inclusive) of the subsequence to append.\n     *
@param endIndex the end (exclusive) of the subsequence to append.\n     *\n     * @throws
IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the
[value] character sequence indices or when `startIndex > endIndex`.\n     */\n
@SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n public fun appendRange(value: CharSequence,
startIndex: Int, endIndex: Int): String Builder {\n    val stringCsq = value.toString()\n
AbstractList.checkBoundsIndexes(startIndex, endIndex, stringCsq.length)\n    string +=
stringCsq.substring(startIndex, endIndex)\n    return this\n }\n\n    /**\n     * Inserts characters in a subarray of
the specified character array [value] into this string builder at the specified [index] and returns this instance.\n     *
*\n     * The inserted characters go in same order as in the [value] array, starting at [index].\n     *\n     * @param
index the position in this string builder to insert at.\n     * @param value the array from which characters are inserted.\n
     * @param startIndex the beginning (inclusive) of the subarray to insert.\n     * @param endIndex the end (exclusive)
of the subarray to insert.\n     *\n     * @throws IndexOutOfBoundsException or [IllegalArgumentException] when
[startIndex] or [endIndex] is out of range of the [value] array indices or when `startIndex > endIndex`.\n     *
@throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n
     */\n
@SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n public fun
insertRange(index: Int, value: CharArray, startIndex: Int, endIndex: Int): String Builder {\n
AbstractList.checkPositionIndex(index, this.length)\n    string = string.substring(0, index) +
value.concatToString(startIndex, endIndex) + string.substring(index)\n    return this\n }\n\n    /**\n     * Inserts
characters in a subsequence of the specified character sequence [value] into this string builder at the specified
[index] and returns this instance.\n     *\n     * The inserted characters go in the same order as in the [value] character
sequence, starting at [index].\n     *\n     * @param index the position in this string builder to insert at.\n     *
@param value the character sequence from which a subsequence is inserted.\n     * @param startIndex the beginning
(inclusive) of the subsequence to insert.\n     * @param endIndex the end (exclusive) of the subsequence to insert.\n
     *\n     * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is
out of range of the [value] character sequence indices or when `startIndex > endIndex`.\n     * @throws
IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n     */\n
@SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n public fun insertRange(index: Int,
value: CharSequence, startIndex: Int, endIndex: Int): String Builder {\n    AbstractList.checkPositionIndex(index,
length)\n\n    val stringCsq = value.toString()\n    AbstractList.checkBoundsIndexes(startIndex, endIndex,
stringCsq.length)\n\n    string = string.substring(0, index) + stringCsq.substring(startIndex, endIndex) +
string.substring(index)\n    return this\n }\n\n    /**\n     * Clears the content of this string builder making it
empty and returns this instance.\n     *\n     * @sample samples.text.Strings.clearStringBuilder\n     */\n
@SinceKotlin("1.3")\n @Suppress("EXTENSION_SHADOWED_BY_MEMBER",
"NOTHING_TO_INLINE")\n public actual inline fun String Builder.clear(): String Builder = this.clear()\n\n    /**\n     *
Sets the character at the specified [index] to the specified [value].\n     *\n     * @throws IndexOutOfBoundsException if

```

[index] is out of bounds of this string builder.\n

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress("EXTENSION_SHA  
DOWED_BY_MEMBER", "NOTHING_TO_INLINE")\npublic actual inline operator fun  
StringBuilder.set(index: Int, value: Char) = this.set(index, value)\n\n/**\n * Replaces characters in the specified  
range of this string builder with characters in the specified string [value] and returns this instance.\n *\n * @param  
startIndex the beginning (inclusive) of the range to replace.\n *\n * @param endIndex the end (exclusive) of the range to  
replace.\n *\n * @param value the string to replace with.\n *\n * @throws IndexOutOfBoundsException or  
[IllegalArgumentException] if [startIndex] is less than zero, greater than the length of this string builder, or  
`startIndex > endIndex`.\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress("EXTENSION_SHA  
DOWED_BY_MEMBER", "NOTHING_TO_INLINE")\npublic actual inline fun  
StringBuilder.setRange(startIndex: Int, endIndex: Int, value: String): StringBuilder =\n    this.setRange(startIndex,  
endIndex, value)\n\n/**\n * Removes the character at the specified [index] from this string builder and returns this  
instance.\n *\n * If the `Char` at the specified [index] is part of a supplementary code point, this method does not  
remove the entire supplementary character.\n *\n * @param index the index of `Char` to remove.\n *\n * @throws  
IndexOutOfBoundsException if [index] is out of bounds of this string builder.\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress("EXTENSION_SHA  
DOWED_BY_MEMBER", "NOTHING_TO_INLINE")\npublic actual inline fun StringBuilder.deleteAt(index:  
Int): StringBuilder = this.deleteAt(index)\n\n/**\n * Removes characters in the specified range from this string  
builder and returns this instance.\n *\n * @param startIndex the beginning (inclusive) of the range to remove.\n *\n * @param endIndex the end (exclusive) of the range to remove.\n *\n * @throws IndexOutOfBoundsException or  
[IllegalArgumentException] when [startIndex] is out of range of this string builder indices or when `startIndex >  
endIndex`.\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress("EXTENSION_SHA  
DOWED_BY_MEMBER", "NOTHING_TO_INLINE")\npublic actual inline fun  
StringBuilder.deleteRange(startIndex: Int, endIndex: Int): StringBuilder = this.deleteRange(startIndex,  
endIndex)\n\n/**\n * Copies characters from this string builder into the [destination] character array.\n *\n * @param destination the array to copy to.\n *\n * @param destinationOffset the position in the array to copy to, 0 by  
default.\n *\n * @param startIndex the beginning (inclusive) of the range to copy, 0 by default.\n *\n * @param endIndex the end (exclusive) of the range to copy, length of this string builder by default.\n *\n * @throws  
IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this  
string builder indices or when `startIndex > endIndex`.\n *\n * @throws IndexOutOfBoundsException when the  
subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n *\n * or when that index is  
out of the [destination] array indices range.\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress("EXTENSION_SHA  
DOWED_BY_MEMBER", "NOTHING_TO_INLINE",  
"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun  
StringBuilder.toCharArray(destination: CharArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int =  
this.length) =\n    this.toCharArray(destination, destinationOffset, startIndex, endIndex)\n\n/**\n * Appends  
characters in a subarray of the specified character array [value] to this string builder and returns this instance.\n *\n * Characters are appended in order, starting at specified [startIndex].\n *\n * @param value the array from which  
characters are appended.\n *\n * @param startIndex the beginning (inclusive) of the subarray to append.\n *\n * @param  
endIndex the end (exclusive) of the subarray to append.\n *\n * @throws IndexOutOfBoundsException or  
[IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] array indices or when  
`startIndex > endIndex`.\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress("EXTENSION_SHA  
DOWED_BY_MEMBER", "NOTHING_TO_INLINE")\npublic actual inline fun  
StringBuilder.appendRange(value: CharArray, startIndex: Int, endIndex: Int): StringBuilder =\n
```

```

this.appendRange(value, startIndex, endIndex)\n\n/**\n * Appends a subsequence of the specified character
sequence [value] to this string builder and returns this instance.\n *\n * @param value the character sequence from
which a subsequence is appended.\n * @param startIndex the beginning (inclusive) of the subsequence to append.\n
* @param endIndex the end (exclusive) of the subsequence to append.\n *\n * @throws
IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the
[value] character sequence indices or when `startIndex > endIndex`.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress("EXTENSION_SHA
DOWED_BY_MEMBER", "NOTHING_TO_INLINE")\npublic actual inline fun
StringBuilder.appendRange(value: CharSequence, startIndex: Int, endIndex: Int): StringBuilder =\n
this.appendRange(value, startIndex, endIndex)\n\n/**\n * Inserts characters in a subarray of the specified character
array [value] into this string builder at the specified [index] and returns this instance.\n *\n * The inserted characters
go in same order as in the [value] array, starting at [index].\n *\n * @param index the position in this string builder
to insert at.\n * @param value the array from which characters are inserted.\n * @param startIndex the beginning
(inclusive) of the subarray to insert.\n * @param endIndex the end (exclusive) of the subarray to insert.\n *\n *
@throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of
range of the [value] array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException if
[index] is less than zero or greater than the length of this string builder.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress("EXTENSION_SHA
DOWED_BY_MEMBER", "NOTHING_TO_INLINE")\npublic actual inline fun
StringBuilder.insertRange(index: Int, value: CharArray, startIndex: Int, endIndex: Int): StringBuilder =\n
this.insertRange(index, value, startIndex, endIndex)\n\n/**\n * Inserts characters in a subsequence of the specified
character sequence [value] into this string builder at the specified [index] and returns this instance.\n *\n * The
inserted characters go in the same order as in the [value] character sequence, starting at [index].\n *\n * @param
index the position in this string builder to insert at.\n * @param value the character sequence from which a
subsequence is inserted.\n * @param startIndex the beginning (inclusive) of the subsequence to insert.\n * @param
endIndex the end (exclusive) of the subsequence to insert.\n *\n * @throws IndexOutOfBoundsException or
[IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] character sequence
indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException if [index] is less than zero or
greater than the length of this string builder.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress("EXTENSION_SHA
DOWED_BY_MEMBER", "NOTHING_TO_INLINE")\npublic actual inline fun
StringBuilder.insertRange(index: Int, value: CharSequence, startIndex: Int, endIndex: Int): StringBuilder =\n
this.insertRange(index, value, startIndex, endIndex)\n\n"/**\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n *\n@package kotlin.text\n\n/**\n * Returns `true` if the content of this
string is equal to the word `true`, ignoring case, and `false` otherwise.\n *\n@Deprecated("Use Kotlin compiler
1.4 to avoid deprecation warning.")\n@DeprecatedSinceKotlin(hiddenSince =
"1.4")\n@kotlin.internal.InlineOnly\npublic actual inline fun String.toBoolean(): Boolean =
this.toBoolean()\n\n/**\n * Returns `true` if this string is not `null` and its content is equal to the word `true`,
ignoring case, and `false` otherwise.\n *\n * There are also strict versions of the function available on non-nullable
String, [toBooleanStrict] and [toBooleanStrictOrNull].\n *\n@SinceKotlin("1.4")\npublic actual fun
String?.toBoolean(): Boolean = this != null && this.lowercase() == "true"\n\n/**\n * Parses the string as a signed
[Byte] number and returns the result.\n * @throws NumberFormatException if the string is not a valid
representation of a number.\n *\n@public actual fun String.toByte(): Byte = toByteOrNull() ?:
numberFormatError(this)\n\n/**\n * Parses the string as a signed [Byte] number and returns the result.\n * @throws
NumberFormatException if the string is not a valid representation of a number.\n * @throws
IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n *\n@public actual fun
String.toByte(radix: Int): Byte = toByteOrNull(radix) ?: numberFormatError(this)\n\n\n/**\n * Parses the string as a

```



```

[Short] number and returns the result.\n * @throws NumberFormatException if the string is not a valid
representation of a number.\n */\npublic actual fun String.toShort(): Short = toShortOrNull() ?:
numberFormatError(this)\n\n/**\n * Parses the string as a [Short] number and returns the result.\n * @throws
NumberFormatException if the string is not a valid representation of a number.\n * @throws
IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\npublic actual fun
String.toShort(radix: Int): Short = toShortOrNull(radix) ?: numberFormatError(this)\n\n/**\n * Parses the string as
an [Int] number and returns the result.\n * @throws NumberFormatException if the string is not a valid
representation of a number.\n */\npublic actual fun String.toInt(): Int = toIntOrNull() ?:
numberFormatError(this)\n\n/**\n * Parses the string as an [Int] number and returns the result.\n * @throws
NumberFormatException if the string is not a valid representation of a number.\n * @throws
IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\npublic actual fun
String.toInt(radix: Int): Int = toIntOrNull(radix) ?: numberFormatError(this)\n\n/**\n * Parses the string as a [Long]
number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a
number.\n */\npublic actual fun String.toLong(): Long = toLongOrNull() ?: numberFormatError(this)\n\n/**\n *
Parses the string as a [Long] number and returns the result.\n * @throws NumberFormatException if the string is not
a valid representation of a number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for
string to number conversion.\n */\npublic actual fun String.toLong(radix: Int): Long = toLongOrNull(radix) ?:
numberFormatError(this)\n\n/**\n * Parses the string as a [Double] number and returns the result.\n * @throws
NumberFormatException if the string is not a valid representation of a number.\n */\npublic actual fun
String.toDouble(): Double = (+this.asDynamic()).unsafeCast<Double>().also {\n    if (it.isNaN() && !this.isNaN())
|| it == 0.0 && this.isBlank())\n        numberFormatError(this)\n}\n\n/**\n * Parses the string as a [Float] number
and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a
number.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun String.toFloat(): Float =
toDouble().unsafeCast<Float>()\n\n/**\n * Parses the string as a [Double] number and returns the result.\n * or `null`
if the string is not a valid representation of a number.\n */\npublic actual fun String.toDoubleOrNull(): Double? =
(+this.asDynamic()).unsafeCast<Double>().takeIf {\n    !(it.isNaN() && !this.isNaN() || it == 0.0 &&
this.isBlank())\n}\n\n/**\n * Parses the string as a [Float] number and returns the result.\n * or `null` if the string is
not a valid representation of a number.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun
String.toFloatOrNull(): Float? = toDoubleOrNull().unsafeCast<Float?>()\n\n/**\n * Returns a string representation
of this [Byte] value in the specified [radix].\n * @throws IllegalArgumentException when [radix] is not a valid
radix for number to string conversion.\n */\n@SinceKotlin("1.2")\n@kotlin.internal.InlineOnly\npublic actual
inline fun Byte.toString(radix: Int): String = this.toInt().toString(radix)\n\n/**\n * Returns a string representation of
this [Short] value in the specified [radix].\n * @throws IllegalArgumentException when [radix] is not a valid
radix for number to string conversion.\n */\n@SinceKotlin("1.2")\n@kotlin.internal.InlineOnly\npublic actual
inline fun Short.toString(radix: Int): String = this.toInt().toString(radix)\n\n/**\n * Returns a string representation of
this [Int] value in the specified [radix].\n * @throws IllegalArgumentException when [radix] is not a valid radix
for number to string conversion.\n */\n@SinceKotlin("1.2")\npublic actual fun Int.toString(radix: Int): String =
asDynamic().toString(checkRadix(radix))\n\nprivate fun String.isNaN(): Boolean = when (this.lowercase()) {\n
"nan", "+nan", "-nan" -> true\n    else -> false\n}\n\n/**\n * Checks whether the given [radix] is valid radix for
string to number and number to string conversion.\n */\n@PublishedApi\ninternal actual fun checkRadix(radix: Int):
Int {\n    if (radix !in 2..36) {\n        throw IllegalArgumentException("radix $radix was not in valid range 2..36")\n    }\n    return radix\n}\n\ninternal actual fun digitOf(char: Char, radix: Int): Int = when {\n    char >= '0' && char <=
'9' -> char - '0'\n    char >= 'A' && char <= 'Z' -> char - 'A' + 10\n    char >= 'a' && char <= 'z' -> char - 'a' + 10\n    char < "\u0080" -> -1\n    char >= "\uFF21" && char <= "\uFF3A" -> char - "\uFF21" + 10 // full-width latin capital
letter\n    char >= "\uFF41" && char <= "\uFF5A" -> char - "\uFF41" + 10 // full-width latin small letter\n    else ->
char.digitToIntImpl()\n}.let { if (it >= radix) -1 else it }\n\n", "/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\nimport kotlin.js.RegExp\n\n/**\n * Provides

```

enumeration values to use to set regular expression options.

```

public actual enum class RegexOptions(val value:
String) {
    /** Enables case-insensitive matching. */
    IGNORE_CASE("i"),
    /** Enables multiline
mode.
    * In multiline mode the expressions `^` and `$` match just after or just before,
    * respectively, a
line terminator or the end of the input sequence. */
    MULTILINE("m")}
private fun
Iterable<RegexOption>.toFlags(prepend: String): String = joinToString("\", prefix = prepend) { it.value
}
/** Represents the results from a single capturing group within a [MatchResult] of [Regex].
    *
    * @param value The value of captured group. */
public actual data class MatchGroup(actual val value:
String)
/** Represents a compiled regular expression.
    * Provides functions to match strings in text with a
pattern, replace the found occurrences and split text around matches.
    * For pattern syntax reference see [MDN
RegExp](https://developer.mozilla.org/en-
US/docs/Web/JavaScript/Reference/Global_Objects/RegExp#Special_characters_meaning_in_regular_expressions)
    * and
[http://www.w3schools.com/jsref/jsref_obj_regexp.asp](https://www.w3schools.com/jsref/jsref_obj_regexp.asp).
    * Note that `RegExp` objects under the hood are constructed with [the `u`
flag](https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/RegExp/unicode)
    * that
enables Unicode-related features in regular expressions. This also makes the pattern syntax more strict,
    * for
example, prohibiting unnecessary escape sequences.
    *
    * @constructor Creates a regular expression from the
specified [pattern] string and the specified set of [options].
    *
    * public actual class Regex actual
constructor(pattern: String, options: Set<RegexOption>) {
    /** Creates a regular expression from the specified
[pattern] string and the specified single [option].
    *
    * public actual constructor(pattern: String, option:
RegexOption) : this(pattern, setOf(option))
    /** Creates a regular expression from the specified [pattern] string
and the default options.
    *
    * public actual constructor(pattern: String) : this(pattern, emptySet())
    /** The
pattern string of this regular expression.
    *
    * public actual val pattern: String = pattern
    /** The set of options
that were used to create this regular expression.
    *
    * public actual val options: Set<RegexOption> =
options.toSet()
    private val nativePattern: RegExp = RegExp(pattern, options.toFlags("gu"))
    private var
nativeStickyPattern: RegExp? = null
    private fun initStickyPattern(): RegExp =
        nativeStickyPattern ?:
        RegExp(pattern, options.toFlags("yu")).also { nativeStickyPattern = it }
    private var
nativeMatchesEntirePattern: RegExp? = null
    private fun initMatchesEntirePattern(): RegExp =
        nativeMatchesEntirePattern ?: run {
            if (pattern.startsWith('^') && pattern.endsWith('$'))
                nativePattern
            else
                return RegExp("${pattern.trimStart('^').trimEnd('$')}\$"),
                options.toFlags("gu"))
        }.also { nativeMatchesEntirePattern = it }
    /** Indicates whether the regular
expression matches the entire [input].
    *
    * public actual infix fun matches(input: CharSequence): Boolean {
        nativePattern.reset()
        val match = nativePattern.exec(input.toString())
        return match != null &&
        match.index == 0 && nativePattern.lastIndex == input.length
    }
    /** Indicates whether the regular
expression can find at least one match in the specified [input].
    *
    * public actual fun containsMatchIn(input:
CharSequence): Boolean {
        nativePattern.reset()
        return nativePattern.test(input.toString())
    }
    @SinceKotlin("1.5")
    @ExperimentalStdlibApi
    public actual fun matchesAt(input: CharSequence, index:
Int): Boolean {
        if (index < 0 || index > input.length)
            throw IndexOutOfBoundsException("index
out of bounds: $index, input length: ${input.length}")
        val pattern = initStickyPattern()
        pattern.lastIndex = index
        return pattern.test(input.toString())
    }
    /** Returns the first match of a
regular expression in the [input], beginning at the specified [startIndex].
    *
    * @param startIndex An index to
start search with, by default 0. Must be not less than zero and not greater than `input.length()`.
    * @return An
instance of [MatchResult] if match was found or `null` otherwise.
    * @throws IndexOutOfBoundsException if
[startIndex] is less than zero or greater than the length of the [input] char sequence.
    * @sample
samples.text.Regexp.find
    *
    * @Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")
    public actual fun find(input:
CharSequence, startIndex: Int = 0): MatchResult? {
        if (startIndex < 0 || startIndex > input.length)
            throw IndexOutOfBoundsException("Start index out of bounds: $startIndex, input length: ${input.length}")

```

```

}\n    return nativePattern.findNext(input.toString(), startIndex, nativePattern)\n }\n\n /**\n  * Returns a
sequence of all occurrences of a regular expression within the [input] string, beginning at the specified
[startIndex].\n  *\n  * @throws IndexOutOfBoundsException if [startIndex] is less than zero or greater than the
length of the [input] char sequence.\n  *\n  * @sample samples.text.Regexp.findAll\n  */\n
@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n public actual fun findAll(input:
CharSequence, startIndex: Int = 0): Sequence<MatchResult> {\n    if (startIndex < 0 || startIndex > input.length)
{\n        throw IndexOutOfBoundsException("Start index out of bounds: $startIndex, input length:
${input.length}")\n    }\n    return generateSequence({ find(input, startIndex) }, { match -> match.next() })\n
}\n\n /**\n  * Attempts to match the entire [input] CharSequence against the pattern.\n  *\n  * @return An
instance of [MatchResult] if the entire input matches or `null` otherwise.\n  */\n public actual fun
matchEntire(input: CharSequence): MatchResult? =\n    initMatchesEntirePattern().findNext(input.toString(), 0,
nativePattern)\n\n @SinceKotlin("1.5")\n @ExperimentalStdlibApi\n public actual fun matchAt(input:
CharSequence, index: Int): MatchResult? {\n    if (index < 0 || index > input.length) {\n        throw
IndexOutOfBoundsException("index out of bounds: $index, input length: ${input.length}")\n    }\n    return
initStickyPattern().findNext(input.toString(), index, nativePattern)\n }\n\n\n /**\n  * Replaces all occurrences
of this regular expression in the specified [input] string with specified [replacement] expression.\n  *\n  * The
replacement string may contain references to the captured groups during a match. Occurrences of `index`\n  * in
the replacement string will be substituted with the subsequences corresponding to the captured groups with the
specified index.\n  * The first digit after '$' is always treated as part of group reference. Subsequent digits are
incorporated\n  * into `index` only if they would form a valid group reference. Only the digits '0'..'9' are considered
as potential components\n  * of the group reference. Note that indexes of captured groups start from 1, and the
group with index 0 is the whole match.\n  *\n  * Backslash character '\\' can be used to include the succeeding
character as a literal in the replacement string, e.g. `\\$` or `\\\\`. \n  * [Regex.escapeReplacement] can be used if
[replacement] have to be treated as a literal string.\n  *\n  * Note that referring named capturing groups by name
is currently not supported in Kotlin/JS.\n  * However, you can still refer them by index.\n  *\n  * @param input
the char sequence to find matches of this regular expression in\n  * @param replacement the expression to replace
found matches with\n  * @return the result of replacing each occurrence of this regular expression in [input] with
the result of evaluating the [replacement] expression\n  * @throws RuntimeException if [replacement] expression
is malformed, or capturing group with specified `name` or `index` does not exist\n  */\n public actual fun
replace(input: CharSequence, replacement: String): String {\n    if (!replacement.contains("\\\\") &&
!replacement.contains('$')) {\n        return input.toString().nativeReplace(nativePattern, replacement)\n    }\n
return replace(input) { substituteGroupRefs(it, replacement) }\n }\n\n\n /**\n  * Replaces all occurrences of this
regular expression in the specified [input] string with the result of\n  * the given function [transform] that takes
[MatchResult] and returns a string to be used as a\n  * replacement for that match.\n  */\n public actual fun
replace(input: CharSequence, transform: (MatchResult) -> CharSequence): String {\n    var match = find(input)\n
    if (match == null) return input.toString()\n    var lastStart = 0\n    val length = input.length\n    val sb =
StringBuilder(length)\n    do {\n        val foundMatch = match!!\n        sb.append(input, lastStart,
foundMatch.range.start)\n        sb.append(transform(foundMatch))\n        lastStart =
foundMatch.range.endInclusive + 1\n        match = foundMatch.next()\n    } while (lastStart < length && match
!= null)\n    if (lastStart < length) {\n        sb.append(input, lastStart, length)\n    }\n    return
sb.toString()\n }\n\n\n /**\n  * Replaces the first occurrence of this regular expression in the specified [input]
string with specified [replacement] expression.\n  *\n  * The replacement string may contain references to the
captured groups during a match. Occurrences of `index`\n  * in the replacement string will be substituted with the
subsequences corresponding to the captured groups with the specified index.\n  * The first digit after '$' is always
treated as part of group reference. Subsequent digits are incorporated\n  * into `index` only if they would form a
valid group reference. Only the digits '0'..'9' are considered as potential components\n  * of the group reference.
Note that indexes of captured groups start from 1, and the group with index 0 is the whole match.\n  *\n  *
Backslash character '\\' can be used to include the succeeding character as a literal in the replacement string, e.g. `\\$`

```

```

or `\\`.\n * [Regex.escapeReplacement] can be used if [replacement] have to be treated as a literal string.\n *\n
* Note that referring named capturing groups by name is not supported currently in Kotlin/JS.\n * However, you
can still refer them by index.\n *\n * @param input the char sequence to find a match of this regular expression
in\n * @param replacement the expression to replace the found match with\n * @return the result of replacing
the first occurrence of this regular expression in [input] with the result of evaluating the [replacement] expression\n
* @throws RuntimeException if [replacement] expression is malformed, or capturing group with specified `name`
or `index` does not exist\n *\n public actual fun replaceFirst(input: CharSequence, replacement: String): String
{\n if (!replacement.contains("\\\\") && !replacement.contains('$')) {\n val nonGlobalOptions =
options.toFlags("\\u")\n return input.toString().nativeReplace(RegExp(pattern, nonGlobalOptions),
replacement)\n }\n val match = find(input) ?: return input.toString()\n return buildString {\n
append(input.substring(0, match.range.first))\n append(substituteGroupRefs(match, replacement))\n
append(input.substring(match.range.last + 1, input.length))\n }\n }\n\n /**\n * Splits the [input]
CharSequence to a list of strings around matches of this regular expression.\n *\n * @param limit Non-negative
value specifying the maximum number of substrings the string can be split to.\n * Zero by default means no limit
is set.\n *\n @Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n public actual fun
split(input: CharSequence, limit: Int = 0): List<String> {\n requireNonNegativeLimit(limit)\n val matches =
findAll(input).let { if (limit == 0) it else it.take(limit - 1) }\n val result = mutableListOf<String>()\n var
lastStart = 0\n for (match in matches) {\n result.add(input.subSequence(lastStart,
match.range.start).toString())\n lastStart = match.range.endInclusive + 1\n }\n
result.add(input.subSequence(lastStart, input.length).toString())\n return result\n }\n\n /**\n * Splits the
[input] CharSequence to a sequence of strings around matches of this regular expression.\n *\n * @param limit
Non-negative value specifying the maximum number of substrings the string can be split to.\n * Zero by default
means no limit is set.\n * @sample samples.text.Regexps.splitToSequence\n *\n @SinceKotlin("1.6")\n
@WasExperimental(ExperimentalStdlibApi::class)\n
@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n public actual fun
splitToSequence(input: CharSequence, limit: Int = 0): Sequence<String> {\n
requireNonNegativeLimit(limit)\n\n return sequence {\n var match = find(input)\n if (match ==
null || limit == 1) {\n yield(input.toString())\n return@sequence\n }\n\n var
nextStart = 0\n var splitCount = 0\n do {\n val foundMatch = match!!\n
yield(input.substring(nextStart, foundMatch.range.first))\n nextStart = foundMatch.range.endInclusive +
1\n match = foundMatch.next()\n } while (++splitCount != limit - 1 && match != null)\n
yield(input.substring(nextStart, input.length))\n }\n }\n\n /**\n * Returns the string representation of
this regular expression, namely the [pattern] of this regular expression.\n *\n * Note that another regular
expression constructed from the same pattern string may have different [options]\n * and may match strings
differently.\n *\n public override fun toString(): String = nativePattern.toString()\n\n actual companion object
{\n /**\n * Returns a regular expression that matches the specified [literal] string literally.\n * No
characters of that string will have special meaning when searching for an occurrence of the regular expression.\n
*\n *\n public actual fun fromLiteral(literal: String): Regex = Regex(escape(literal))\n\n /**\n * Returns a
regular expression pattern string that matches the specified [literal] string literally.\n * No characters of that
string will have special meaning when searching for an occurrence of the regular expression.\n *\n *\n public
actual fun escape(literal: String): String = literal.nativeReplace(patternEscape, "\\\\\$&")\n\n /**\n *
Returns a literal replacement expression for the specified [literal] string.\n * No characters of that string will
have special meaning when it is used as a replacement string in [Regex.replace] function.\n *\n *\n public
actual fun escapeReplacement(literal: String): String = literal.nativeReplace(replacementEscape, "\\\\\$&")\n\n
private val patternEscape = RegExp("\\\\\\"["^$*+?.()|\\{\\}"]\\"|\\\"|'\"|'g')\n private val replacementEscape =
RegExp("\\\\\\"["\\$"]\\"|'\"|'g')\n\n internal fun nativeEscapeReplacement(literal: String): String =
literal.nativeReplace(nativeReplacementEscape, "\\$$$")\n\n private val nativeReplacementEscape =
RegExp("\\\\\\"["\\$"]\\"|'\"|'g')\n }\n\n private fun RegExp.findNext(input: String, from: Int, nextPattern:

```

```

RegExp): MatchResult? {
    this.lastIndex = from
    val match = exec(input)
    if (match == null) return null
    val range = match.index..lastIndex - 1
    return object : MatchResult {
        override val range: IntRange = range
        override val value: String = match[0]
        override val groups: MatchGroupCollection = object : MatchGroupCollection, AbstractCollection<MatchGroup?>() {
            override val size: Int = match.length
            override fun iterator(): Iterator<MatchGroup?> = indices.asSequence().map { this[it] }.iterator()
            override fun get(index: Int): MatchGroup? = match[index]?.let { MatchGroup(it) }
        }
        private var groupValues_: List<String?> = null
        override val groupValues: List<String?> = groupValues_
        get() {
            if (groupValues_ == null) {
                groupValues_ = object : AbstractList<String?>() {
                    override val size: Int = match.length
                    override fun get(index: Int): String? = match[index]
                }
            }
            groupValues_!!
        }
        override fun next(): MatchResult? = nextPattern.findNext(input, if (range.isEmpty()) range.start + 1 else range.endInclusive + 1, nextPattern)
    }
}
// The same code from Kt
Regex.kt
private fun substituteGroupRefs(match: MatchResult, replacement: String): String {
    var index = 0
    val result = StringBuilder(replacement.length)
    while (index < replacement.length) {
        val char = replacement[index++]
        if (char == "\\") {
            if (index == replacement.length) throw
                IllegalArgumentException("The Char to be escaped is missing")
            result.append(replacement[index++])
        } else if (char == '$') {
            if (index == replacement.length) throw
                IllegalArgumentException("Capturing group index is missing")
            if (replacement[index] == '{')
                throw IllegalArgumentException("Named capturing group reference currently is not supported")
            if (replacement[index] !in '0'..'9')
                throw IllegalArgumentException("Invalid capturing group reference")
            val endIndex = replacement.readGroupIndex(index, match.groupValues.size)
            val groupIndex = replacement.substring(index, endIndex).toInt()
            if (groupIndex >= match.groupValues.size)
                throw IndexOutOfBoundsException("Group with index $groupIndex does not exist")
            result.append(match.groupValues[groupIndex])
            index = endIndex
        } else {
            result.append(char)
        }
    }
    return result.toString()
}
private fun String.readGroupIndex(startIndex: Int, groupCount: Int): Int {
    // at least one digit after '$' is always captured
    var index = startIndex + 1
    var groupIndex = this[startIndex] - '0'
    // capture the largest valid group index
    while (index < length && this[index] in '0'..'9') {
        val newGroupIndex = (groupIndex * 10) + (this[index] - '0')
        if (newGroupIndex in 0 until groupCount) {
            groupIndex = newGroupIndex
            index++
        } else {
            break
        }
    }
    return index
}
}
/*
 * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
@file:kotlin.jvm.JvmMultifileClass
@file:kotlin.jvm.JvmName("StringsKt")
@file:Suppress("EXTENSION_SHADOWED_BY_MEMBER")
package kotlin.text
import kotlin.contracts.*
/**
 * A mutable sequence of characters.
 * String builder can be used to efficiently perform multiple string manipulation operations.
 */
expect class StringBuilder : Appendable, CharSequence {
    /** Constructs an empty string builder. */
    constructor()
    /** Constructs an empty string builder with the specified initial [capacity]. */
    constructor(capacity: Int)
    /** Constructs a string builder that contains the same characters as the specified [content] char sequence. */
    constructor(content: CharSequence)
    /** Constructs a string builder that contains the same characters as the specified [content] string. */
    @SinceKotlin("1.3")
    @ExperimentalStdlibApi
    constructor(content: String)
    override val length: Int
    override operator fun get(index: Int): Char
    override fun subSequence(startIndex: Int, endIndex: Int): CharSequence
    override fun append(value: Char): StringBuilder
    override fun append(value: CharSequence?): StringBuilder
    override fun append(value: CharSequence?, startIndex: Int, endIndex: Int): StringBuilder
    /**
     * Reverses the contents of this string builder and returns this instance.
     * Surrogate pairs included in this string builder are treated as single characters.
     * Therefore, the order of the high-low surrogates is never reversed.
     * Note that the reverse operation may produce new surrogate pairs that were unpaired low-surrogates and high-surrogates before the operation.
     * For example, reversing "\uDC00\uD800" produces "\uD800\uDC00"
     */
}

```

which is a valid surrogate pair.

```

fun reverse(): StringBuilder {
    /** Appends the string representation of the specified object [value] to this string builder and returns this instance.
     * The overall effect is exactly as if the [value] were converted to a string by the `value.toString()` method,
     * and then that string was appended to this string builder.
     */
    fun append(value: Any?): StringBuilder {
        /** Appends the string representation of the specified boolean [value] to this string builder and returns this instance.
         * The overall effect is exactly as if the [value] were converted to a string by the `value.toString()` method,
         * and then that string was appended to this string builder.
         */
        @SinceKotlin("1.3") fun append(value: Boolean): StringBuilder {
            /** Appends characters in the specified character array [value] to this string builder and returns this instance.
             * Characters are appended in order, starting at the index 0.
             */
            @SinceKotlin("1.4") @WasExperimental(ExperimentalStdlibApi::class) fun append(value: CharArray):
                StringBuilder {
                    /** Appends the specified string [value] to this string builder and returns this instance.
                     * If [value] is `null`, then the four characters `"\u0000\u0000\u0000\u0000"` are appended.
                     */
                    @SinceKotlin("1.3") fun append(value: String?): StringBuilder {
                        /** Returns the current capacity of this string builder.
                         * The capacity is the maximum length this string builder can have before an allocation occurs.
                         */
                        @SinceKotlin("1.3") // @ExperimentalStdlibApi @Deprecated("Obtaining StringBuilder capacity is not supported in JS and common code.", level = DeprecationLevel.ERROR) fun capacity(): Int {
                            /** Ensures that the capacity of this string builder is at least equal to the specified [minimumCapacity].
                             * If the current capacity is less than the [minimumCapacity], a new backing storage is allocated with greater capacity.
                             * Otherwise, this method takes no action and simply returns.
                             */
                            @SinceKotlin("1.4") @WasExperimental(ExperimentalStdlibApi::class) fun ensureCapacity(minimumCapacity: Int) {
                                /** Returns the index within this string builder of the first occurrence of the specified [string].
                                 * Returns -1 if the specified [string] does not occur in this string builder.
                                 */
                                @SinceKotlin("1.4") @WasExperimental(ExperimentalStdlibApi::class) fun indexOf(string: String): Int {
                                    /** Returns the index within this string builder of the first occurrence of the specified [string],
                                     * starting at the specified [startIndex].
                                     * Returns -1 if the specified [string] does not occur in this string builder starting at the specified [startIndex].
                                     */
                                    @SinceKotlin("1.4") @WasExperimental(ExperimentalStdlibApi::class) fun indexOf(string: String, startIndex: Int): Int {
                                        /** Returns the index within this string builder of the last occurrence of the specified [string].
                                         * The last occurrence of empty string `""` is considered to be at the index equal to `this.length`.
                                         * Returns -1 if the specified [string] does not occur in this string builder.
                                         */
                                        @SinceKotlin("1.4") @WasExperimental(ExperimentalStdlibApi::class) fun lastIndexOf(string: String): Int {
                                            /** Returns the index within this string builder of the last occurrence of the specified [string],
                                             * starting from the specified [startIndex] toward the beginning.
                                             * Returns -1 if the specified [string] does not occur in this string builder starting at the specified [startIndex].
                                             */
                                            @SinceKotlin("1.4") @WasExperimental(ExperimentalStdlibApi::class) fun lastIndexOf(string: String, startIndex: Int): Int {
                                                /** Inserts the string representation of the specified boolean [value] into this string builder at the specified [index] and returns this instance.
                                                 * The overall effect is exactly as if the [value] were converted to a string by the `value.toString()` method,
                                                 * and then that string was inserted into this string builder at the specified [index].
                                                 * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.
                                                 */
                                                @SinceKotlin("1.4") @WasExperimental(ExperimentalStdlibApi::class) fun insert(index: Int, value: Boolean): StringBuilder {
                                                    /** Inserts the specified character [value] into this string builder at the specified [index] and returns this instance.
                                                     * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.
                                                     */
                                                    @SinceKotlin("1.4") @WasExperimental(ExperimentalStdlibApi::class) fun insert(index: Int, value: Char): StringBuilder {
                                                        /** Inserts characters in the specified character array [value] into this string builder at the specified [index] and returns this instance.
                                                         * The inserted characters go in same order as in the [value] character array, starting at [index].
                                                         * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.
                                                         */
                                                        @SinceKotlin("1.4") @WasExperimental(ExperimentalStdlibApi::class) fun insert(index: Int, value: CharArray): StringBuilder {
                                                            /** Inserts characters in the specified character

```

sequence [value] into this string builder at the specified [index] and returns this instance.\n \* The inserted characters go in the same order as in the [value] character sequence, starting at [index].\n \* @param index the position in this string builder to insert at.\n \* @param value the character sequence from which characters are inserted. If [value] is `null`, then the four characters `"\null"` are inserted.\n \* @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n \*/\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n fun insert(index: Int, value: CharSequence?): StringBuilder\n\n /\*\*\n \* Inserts the string representation of the specified object [value] into this string builder at the specified [index] and returns this instance.\n \* The overall effect is exactly as if the [value] were converted to a string by the `value.toString()` method,\n \* and then that string was inserted into this string builder at the specified [index].\n \* @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n \*/\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n fun insert(index: Int, value: Any?): StringBuilder\n\n /\*\*\n \* Inserts the string [value] into this string builder at the specified [index] and returns this instance.\n \* If [value] is `null`, then the four characters `"\null"` are inserted.\n \* @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n \*/\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n fun insert(index: Int, value: String?): StringBuilder\n\n /\*\*\n \* Sets the length of this string builder to the specified [newLength].\n \* If the [newLength] is less than the current length, it is changed to the specified [newLength].\n \* Otherwise, null characters `'\u0000'` are appended to this string builder until its length is less than the [newLength].\n \* Note that in Kotlin/JS [set] operator function has non-constant execution time complexity.\n \* Therefore, increasing length of this string builder and then updating each character by index may slow down your program.\n \* @throws IndexOutOfBoundsException or [IllegalArgumentException] if [newLength] is less than zero.\n \*/\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n fun setLength(newLength: Int)\n\n /\*\*\n \* Returns a new [String] that contains characters in this string builder at [startIndex] (inclusive) and up to the [length] (exclusive).\n \* @throws IndexOutOfBoundsException if [startIndex] is less than zero or greater than the length of this string builder.\n \*/\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n fun substring(startIndex: Int): String\n\n /\*\*\n \* Returns a new [String] that contains characters in this string builder at [startIndex] (inclusive) and up to the [endIndex] (exclusive).\n \* @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this string builder indices or when `startIndex > endIndex`.\n \*/\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n fun substring(startIndex: Int, endIndex: Int): String\n\n /\*\*\n \* Attempts to reduce storage used for this string builder.\n \* If the backing storage of this string builder is larger than necessary to hold its current contents,\n \* then it may be resized to become more space efficient.\n \* Calling this method may, but is not required to, affect the value of the [capacity] property.\n \*/\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n fun trimToSize()\n\n /\*\*\n \* Clears the content of this string builder making it empty and returns this instance.\n \*/\n @sample samples.text.Strings.clearStringBuilder\n \*/\n @SinceKotlin("1.3")\n public expect fun StringBuilder.clear(): StringBuilder\n\n /\*\*\n \* Sets the character at the specified [index] to the specified [value].\n \* @throws IndexOutOfBoundsException if [index] is out of bounds of this string builder.\n \*/\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n public expect operator fun StringBuilder.set(index: Int, value: Char)\n\n /\*\*\n \* Replaces characters in the specified range of this string builder with characters in the specified string [value] and returns this instance.\n \* @param startIndex the beginning (inclusive) of the range to replace.\n \* @param endIndex the end (exclusive) of the range to replace.\n \* @param value the string to replace with.\n \* @throws IndexOutOfBoundsException or [IllegalArgumentException] if [startIndex] is less than zero, greater than the length of this string builder, or `startIndex > endIndex`.\n \*/\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n public expect fun StringBuilder.setRange(startIndex: Int, endIndex: Int, value: String): StringBuilder\n\n /\*\*\n \* Removes the character at the specified [index] from this string builder and returns this instance.\n \* If the `Char` at the

specified [index] is part of a supplementary code point, this method does not remove the entire supplementary character.  
@param index the index of `Char` to remove.  
@throws IndexOutOfBoundsException if [index] is out of bounds of this string builder.

```
@SinceKotlin("1.4")@WasExperimental(ExperimentalStdlibApi::class)public expect fun  
StringBuilder.deleteAt(index: Int): StringBuilder  
Removes characters in the specified range from this string builder and returns this instance.  
@param startIndex the beginning (inclusive) of the range to remove.  
@param endIndex the end (exclusive) of the range to remove.  
@throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] is out of range of this string builder indices or when `startIndex > endIndex`.
```

```
@SinceKotlin("1.4")@WasExperimental(ExperimentalStdlibApi::class)public expect fun  
StringBuilder.deleteRange(startIndex: Int, endIndex: Int): StringBuilder  
Copies characters from this string builder into the [destination] character array.  
@param destination the array to copy to.  
@param destinationOffset the position in the array to copy to, 0 by default.  
@param startIndex the beginning (inclusive) of the range to copy, 0 by default.  
@param endIndex the end (exclusive) of the range to copy, length of this string builder by default.  
@throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this string builder indices or when `startIndex > endIndex`.  
@throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],  
or when that index is out of the [destination] array indices range.
```

```
@SinceKotlin("1.4")@WasExperimental(ExperimentalStdlibApi::class)public expect fun  
StringBuilder.toCharArray(destination: CharArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = this.length)  
Appends characters in a subarray of the specified character array [value] to this string builder and returns this instance.  
Characters are appended in order, starting at specified [startIndex].  
@param value the array from which characters are appended.  
@param startIndex the beginning (inclusive) of the subarray to append.  
@param endIndex the end (exclusive) of the subarray to append.  
@throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] array indices or when `startIndex > endIndex`.
```

```
@SinceKotlin("1.4")@WasExperimental(ExperimentalStdlibApi::class)public expect fun  
StringBuilder.appendRange(value: CharArray, startIndex: Int, endIndex: Int): StringBuilder  
Appends a subsequence of the specified character sequence [value] to this string builder and returns this instance.  
@param value the character sequence from which a subsequence is appended.  
@param startIndex the beginning (inclusive) of the subsequence to append.  
@param endIndex the end (exclusive) of the subsequence to append.  
@throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] character sequence indices or when `startIndex > endIndex`.
```

```
@SinceKotlin("1.4")@WasExperimental(ExperimentalStdlibApi::class)public expect fun  
StringBuilder.appendRange(value: CharSequence, startIndex: Int, endIndex: Int): StringBuilder  
Inserts characters in a subarray of the specified character array [value] into this string builder at the specified [index] and returns this instance.  
The inserted characters go in same order as in the [value] array, starting at [index].  
@param index the position in this string builder to insert at.  
@param value the array from which characters are inserted.  
@param startIndex the beginning (inclusive) of the subarray to insert.  
@param endIndex the end (exclusive) of the subarray to insert.  
@throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] array indices or when `startIndex > endIndex`.  
@throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.
```

```
@SinceKotlin("1.4")@WasExperimental(ExperimentalStdlibApi::class)public expect fun  
StringBuilder.insertRange(index: Int, value: CharArray, startIndex: Int, endIndex: Int): StringBuilder  
Inserts characters in a subsequence of the specified character sequence [value] into this string builder at the specified [index] and returns this instance.  
The inserted characters go in the same order as in the [value] character sequence, starting at [index].  
@param index the position in this string builder to insert at.  
@param value
```



the character sequence from which a subsequence is inserted.\n \* @param startIndex the beginning (inclusive) of the subsequence to insert.\n \* @param endIndex the end (exclusive) of the subsequence to insert.\n \* @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] character sequence indices or when `startIndex > endIndex`.\n \* @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun
```

```
StringBuilder.insertRange(index: Int, value: CharSequence, startIndex: Int, endIndex: Int):
```

```
StringBuilder\n\n@Suppress("EXTENSION_SHADOWED_BY_MEMBER")\n@Deprecated("Use\nappend(value: Any?) instead", ReplaceWith("append(value = obj)"),
```

```
DeprecationLevel.WARNING)\n@kotlin.internal.InlineOnly\npublic inline fun StringBuilder.append(obj: Any?):
```

```
StringBuilder = this.append(obj)\n\n/**\n * Builds new string by populating newly created [StringBuilder] using\n provided [builderAction]\n * and then converting it to [String].\n */\n@kotlin.internal.InlineOnly\npublic inline fun
```

```
buildString(builderAction: String Builder.() -> Unit): String {\n    contract { callsInPlace(builderAction,
```

```
InvocationKind.EXACTLY_ONCE) }\n    return StringBuilder().apply(builderAction).toString()\n}\n\n/**\n * Builds new string by populating newly created [StringBuilder] initialized with the given [capacity]\n * using
```

```
provided [builderAction] and then converting it to [String].\n */\n@kotlin.internal.InlineOnly\npublic inline fun buildString(capacity: Int, builderAction:
```

```
String Builder.() -> Unit): String {\n    contract { callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE)\n }\n    return StringBuilder(capacity).apply(builderAction).toString()\n}\n\n/**\n * Appends all arguments to the
```

```
given String Builder.\n */\npublic fun StringBuilder.append(vararg value: String?): String Builder {\n    for (item in
```

```
value)\n        append(item)\n    return this\n}\n\n/**\n * Appends all arguments to the given String Builder.\n */\npublic fun StringBuilder.append(vararg value: Any?): String Builder {\n    for (item in value)\n        append(item)\n    return this\n}\n\n/**\n * Appends a line feed character (`\n`) to this String Builder.
```

```
 */\n@kotlin.internal.InlineOnly\npublic inline fun StringBuilder.appendLine():
```

```
String Builder = append("\n")\n\n/**\n * Appends [value] to this [String Builder], followed by a line feed character
```

```
(`\n`).\n */\n@kotlin.internal.InlineOnly\npublic inline fun StringBuilder.appendLine(value:
```

```
CharSequence?): String Builder = append(value).appendLine()\n\n/**\n * Appends [value] to this [String Builder],\n followed by a line feed character (`\n`).\n */\n@kotlin.internal.InlineOnly\npublic inline fun
```

```
StringBuilder.appendLine(value: String?): String Builder = append(value).appendLine()\n\n/**\n * Appends [value] to
```

```
this [String Builder], followed by a line feed character (`\n`).\n */\n@kotlin.internal.InlineOnly\npublic inline fun StringBuilder.appendLine(value: Any?):
```

```
String Builder = append(value).appendLine()\n\n/**\n * Appends [value] to this [String Builder], followed by a line feed
```

```
character (`\n`).\n */\n@kotlin.internal.InlineOnly\npublic inline fun
```

```
StringBuilder.appendLine(value: CharArray): String Builder = append(value).appendLine()\n\n/**\n * Appends [value]
```

```
to this [String Builder], followed by a line feed character (`\n`).\n */\n@kotlin.internal.InlineOnly\npublic inline fun
```

```
StringBuilder.appendLine(value: Char):
```

```
String Builder = append(value).appendLine()\n\n/**\n * Appends [value] to this [String Builder], followed by a line feed
```

```
character (`\n`).\n */\n@kotlin.internal.InlineOnly\npublic inline fun
```

```
StringBuilder.appendLine(value: Boolean): String Builder = append(value).appendLine()\n\n/**\n * Copyright 2010-
```

```
2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
```

```
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\nimport
```

```
kotlin.js.RegExp\n\n@kotlin.internal.InlineOnly\ninternal actual inline fun String.nativeIndexOf(ch: Char,
```

```
fromIndex: Int): Int = nativeIndexOf(ch.toString(), fromIndex)\n\n@kotlin.internal.InlineOnly\ninternal actual
```

```
inline fun String.nativeLastIndexOf(ch: Char, fromIndex: Int): Int = nativeLastIndexOf(ch.toString(),
```

```
fromIndex)\n\n/**\n * Returns `true` if this string starts with the specified prefix.\n */\n@kotlin.internal.InlineOnly\npublic actual fun
```

```
String.startsWith(prefix: String, ignoreCase: Boolean = false): Boolean {\n    if (!ignoreCase)\n        return
```

```
nativeStartsWith(prefix, 0)\n    else\n        return regionMatches(0, prefix, 0, prefix.length, ignoreCase)\n}\n\n/**\n * Returns `true` if this string starts with the specified prefix.\n */\n@kotlin.internal.InlineOnly\npublic actual fun
```

```
String.startsWith(prefix: String, ignoreCase: Boolean = false): Boolean {\n    if (!ignoreCase)\n        return
```

```
nativeStartsWith(prefix, 0)\n    else\n        return regionMatches(0, prefix, 0, prefix.length, ignoreCase)\n}\n\n/**\n * Returns `true` if this string starts with the specified prefix.\n */\n@kotlin.internal.InlineOnly\npublic actual fun
```

```
String.startsWith(prefix: String, ignoreCase: Boolean = false): Boolean {\n    if (!ignoreCase)\n        return
```

```
nativeStartsWith(prefix, 0)\n    else\n        return regionMatches(0, prefix, 0, prefix.length, ignoreCase)\n}\n\n/**\n * Returns `true` if this string starts with the specified prefix.\n */\n@kotlin.internal.InlineOnly\npublic actual fun
```

```
String.startsWith(prefix: String, ignoreCase: Boolean = false): Boolean {\n    if (!ignoreCase)\n        return
```

```
nativeStartsWith(prefix, 0)\n    else\n        return regionMatches(0, prefix, 0, prefix.length, ignoreCase)\n}\n\n/**\n * Returns `true` if this string starts with the specified prefix.\n */\n@kotlin.internal.InlineOnly\npublic actual fun
```

```
String.startsWith(prefix: String, ignoreCase: Boolean = false): Boolean {\n    if (!ignoreCase)\n        return
```

```
nativeStartsWith(prefix, 0)\n    else\n        return regionMatches(0, prefix, 0, prefix.length, ignoreCase)\n}\n\n/**\n * Returns `true` if this string starts with the specified prefix.\n */\n@kotlin.internal.InlineOnly\npublic actual fun
```

```
String.startsWith(prefix: String, ignoreCase: Boolean = false): Boolean {\n    if (!ignoreCase)\n        return
```

```
nativeStartsWith(prefix, 0)\n    else\n        return regionMatches(0, prefix, 0, prefix.length, ignoreCase)\n}\n\n/**\n * Returns `true` if this string starts with the specified prefix.\n */\n@kotlin.internal.InlineOnly\npublic actual fun
```

```

Returns `true` if a substring of this string starting at the specified offset [startIndex] starts with the specified prefix.
*\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual fun
String.startsWith(prefix: String, startIndex: Int, ignoreCase: Boolean = false): Boolean {\n    if (!ignoreCase)\n        return nativeStartsWith(prefix, startIndex)\n    else\n        return regionMatches(startIndex, prefix, 0, prefix.length,
ignoreCase)\n}\n\n/**\n * Returns `true` if this string ends with the specified suffix.
*\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual fun
String.endsWith(suffix: String, ignoreCase: Boolean = false): Boolean {\n    if (!ignoreCase)\n        return
nativeEndsWith(suffix)\n    else\n        return regionMatches(length - suffix.length, suffix, 0, suffix.length,
ignoreCase)\n}\n\n@Deprecated("Use Regex.matches() instead",
ReplaceWith("regex.toRegex().matches(this)"))\n@DeprecatedSinceKotlin(warningSince = "1.6")\npublic fun
String.matches(regex: String): Boolean {\n    @Suppress("DEPRECATION")\n    val result = this.match(regex)\n    return result != null && result.size != 0\n}\n\n/**\n * Returns `true` if this string is empty or consists solely of
whitespace characters.
*\n * @sample samples.text.Strings.stringIsBlank\n */\npublic actual fun
CharSequence.isBlank(): Boolean = length == 0 || indices.all { this[it].isWhitespace() }\n\n/**\n * Returns `true` if
this string is equal to [other], optionally ignoring character case.
*\n * Two strings are considered to be equal if
they have the same length and the same character at the same index.
*\n * If [ignoreCase] is true, the result of
`Char.toUpperCaseChar().toLowerCaseChar()` on each character is compared.
*\n * @param ignoreCase `true` to ignore
character case when comparing strings. By default `false`.
*\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual fun
String?.equals(other: String?, ignoreCase: Boolean = false): Boolean {\n    if (this == null) return other == null\n    if
(other == null) return false\n    if (!ignoreCase) return this == other\n    if (this.length != other.length) return
false\n\n    for (index in 0 until this.length) {\n        val thisChar = this[index]\n        val otherChar = other[index]\n
        if (!thisChar.equals(otherChar, ignoreCase)) {\n            return false\n        }\n    }\n\n    return
true\n}\n\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual fun
CharSequence.regionMatches(thisOffset: Int, other: CharSequence, otherOffset: Int, length: Int, ignoreCase:
Boolean = false): Boolean =\n    regionMatchesImpl(thisOffset, other, otherOffset, length, ignoreCase)\n\n/**\n * Returns a copy of this string having its first letter titlecased using the rules of the default locale,
*\n * or the original
string if it's empty or already starts with a title case letter.
*\n * The title case of a character is usually the same as
its upper case with several exceptions.
*\n * The particular list of characters with the special title case form depends
on the underlying platform.
*\n * @sample samples.text.Strings.capitalize\n */\n@Deprecated("Use
replaceFirstChar instead.", ReplaceWith("replaceFirstChar { if (it.isLowerCase()) it.titlecase() else it.toString()
}"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic actual fun String.capitalize(): String {\n    return if
(isNotEmpty()) substring(0, 1).uppercase() + substring(1) else this\n}\n\n/**\n * Returns a copy of this string having
its first letter lowercased using the rules of the default locale,
*\n * or the original string if it's empty or already starts
with a lower case letter.
*\n * @sample samples.text.Strings.decapsialize\n */\n@Deprecated("Use
replaceFirstChar instead.", ReplaceWith("replaceFirstChar { it.lowercase()
}"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic actual fun String.decapsialize(): String {\n    return
if (isNotEmpty()) substring(0, 1).lowercase() + substring(1) else this\n}\n\n/**\n * Returns a string containing this
char sequence repeated [n] times.
*\n * @throws [IllegalArgumentException] when n < 0.
*\n * @sample
samples.text.Strings.repeat\n */\npublic actual fun CharSequence.repeat(n: Int): String {\n    require(n >= 0) {\n
"Count 'n' must be non-negative, but was $n.\n"}\n    return when (n) {\n        0 -> ""\n        1 -> this.toString()\n
        else -> {\n            var result = ""\n            if (!isEmpty()) {\n                var s = this.toString()\n                var count =
n\n                while (true) {\n                    if ((count and 1) == 1) {\n                        result += s\n                    }\n
                    count = count ushr 1\n                    if (count == 0) {\n                        break\n                    }\n
                    s +=
s\n                }\n            }\n            return result\n        }\n    }\n}\n\n/**\n * Returns a new string obtained by
replacing all occurrences of the [oldValue] substring in this string
*\n * with the specified [newValue] string.
*\n * @sample samples.text.Strings.replace\n
*\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual fun

```

```

String.replace(oldValue: String, newValue: String, ignoreCase: Boolean = false): String =\n
nativeReplace(RegExp(Regex.escape(oldValue), if (ignoreCase) \"gui\" else \"gu\"),\n
Regex.nativeEscapeReplacement(newValue))\n\n/**\n * Returns a new string with all occurrences of [oldChar]\n
replaced with [newChar].\n\n * @sample samples.text.Strings.replace\n
*\n\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\n\npublic actual fun\n
String.replace(oldChar: Char, newChar: Char, ignoreCase: Boolean = false): String =\n
nativeReplace(RegExp(Regex.escape(oldChar.toString()), if (ignoreCase) \"gui\" else \"gu\"),\n
newChar.toString())\n\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\n\npublic actual\n
fun String.replaceFirst(oldValue: String, newValue: String, ignoreCase: Boolean = false): String =\n
nativeReplace(RegExp(Regex.escape(oldValue), if (ignoreCase) \"ui\" else \"u\"),\n
Regex.nativeEscapeReplacement(newValue))\n\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGU\n
MENTS\")\n\npublic actual fun String.replaceFirst(oldChar: Char, newChar: Char, ignoreCase: Boolean = false):\n
String =\n\n nativeReplace(RegExp(Regex.escape(oldChar.toString()), if (ignoreCase) \"ui\" else \"u\"),\n
newChar.toString())\n\n\", /*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language\n
contributors.\n\n * Use of this source code is governed by the Apache 2.0 license that can be found in the\n
license/LICENSE.txt file.\n\n */\n\npackage kotlin.text\n\n\n/** Returns the negative [size] if [throwOnMalformed] is\n
false, throws [CharacterCodingException] otherwise. *\n\nprivate fun malformed(size: Int, index: Int,\n
throwOnMalformed: Boolean): Int {\n\n if (throwOnMalformed) throw CharacterCodingException(\"Malformed\n
sequence starting at ${index - 1}\")\n\n return -size\n}\n\n\n/** Returns code point corresponding to UTF-16\n
surrogate pair,\n\n * where the first of the pair is the [high] and the second is in the [string] at the [index].\n\n * Returns\n
zero if the pair is malformed and [throwOnMalformed] is false.\n\n *\n\n * @throws CharacterCodingException if the\n
pair is malformed and [throwOnMalformed] is true.\n\n\n\nprivate fun codePointFromSurrogate(string: String, high:\n
Int, index: Int, endIndex: Int, throwOnMalformed: Boolean): Int {\n\n if (high !in 0xD800..0xDBFF || index >=\n
endIndex) {\n\n return malformed(0, index, throwOnMalformed)\n\n }\n\n val low = string[index].code\n\n if\n
(low !in 0xDC00..0xDFFF) {\n\n return malformed(0, index, throwOnMalformed)\n\n }\n\n return 0x10000 +\n
((high and 0x3FF) shl 10) or (low and 0x3FF)\n}\n\n\n\n/** Returns code point corresponding to UTF-8 sequence of\n
two bytes,\n\n * where the first byte of the sequence is the [byte1] and the second byte is in the [bytes] array at the\n
[index].\n\n * Returns zero if the sequence is malformed and [throwOnMalformed] is false.\n\n *\n\n * @throws\n
CharacterCodingException if the sequence of two bytes is malformed and [throwOnMalformed] is true.\n\n\n\nprivate fun codePointFrom2(bytes: ByteArray, byte1: Int, index: Int, endIndex: Int, throwOnMalformed:\n
Boolean): Int {\n\n if (byte1 and 0x1E == 0 || index >= endIndex) {\n\n return malformed(0, index,\n
throwOnMalformed)\n\n }\n\n val byte2 = bytes[index].toInt()\n\n if (byte2 and 0xC0 != 0x80) {\n\n return\n
malformed(0, index, throwOnMalformed)\n\n }\n\n return (byte1 shl 6) xor byte2 xor 0xF80\n}\n\n\n\n/** Returns\n
code point corresponding to UTF-8 sequence of three bytes,\n\n * where the first byte of the sequence is the [byte1]\n
and the others are in the [bytes] array starting from the [index].\n\n * Returns a non-positive value indicating number\n
of bytes from [bytes] included in malformed sequence\n\n * if the sequence is malformed and [throwOnMalformed] is\n
false.\n\n *\n\n * @throws CharacterCodingException if the sequence of three bytes is malformed and\n
[throwOnMalformed] is true.\n\n\n\nprivate fun codePointFrom3(bytes: ByteArray, byte1: Int, index: Int, endIndex:\n
Int, throwOnMalformed: Boolean): Int {\n\n if (index >= endIndex) {\n\n return malformed(0, index,\n
throwOnMalformed)\n\n }\n\n\n val byte2 = bytes[index].toInt()\n\n if (byte1 and 0xF == 0) {\n\n if (byte2 and\n
0xE0 != 0xA0) {\n\n // Non-shortest form\n\n return malformed(0, index, throwOnMalformed)\n\n }\n\n\n }\n
else if (byte1 and 0xF == 0xD) {\n\n if (byte2 and 0xE0 != 0x80) {\n\n // Surrogate code point\n\n\n\n return\n
malformed(0, index, throwOnMalformed)\n\n }\n\n }\n\n else if (byte2 and 0xC0 != 0x80) {\n\n return\n
malformed(0, index, throwOnMalformed)\n\n }\n\n\n\n if (index + 1 == endIndex) {\n\n return malformed(1, index,\n
throwOnMalformed)\n\n }\n\n\n val byte3 = bytes[index + 1].toInt()\n\n if (byte3 and 0xC0 != 0x80) {\n\n return\n
malformed(1, index, throwOnMalformed)\n\n }\n\n\n return (byte1 shl 12) xor (byte2 shl 6) xor byte3 xor -\n
0x1E080\n}\n\n\n\n\n/** Returns code point corresponding to UTF-8 sequence of four bytes,\n\n * where the first byte\n
of the sequence is the [byte1] and the others are in the [bytes] array starting from the [index].\n\n * Returns a non-

```

```

positive value indicating number of bytes from [bytes] included in malformed sequence\n * if the sequence is
malformed and [throwOnMalformed] is false.\n *\n * @throws CharacterCodingException if the sequence of four
bytes is malformed and [throwOnMalformed] is true.\n *\nprivate fun codePointFrom4(bytes: ByteArray, byte1:
Int, index: Int, endIndex: Int, throwOnMalformed: Boolean): Int {\n    if (index >= endIndex) {\n        malformed(0,
index, throwOnMalformed)\n    }\n    val byte2 = bytes[index].toInt()\n    if (byte1 and 0xF == 0x0) {\n        if
(byte2 and 0xF0 <= 0x80) {\n            // Non-shortest form\n            return malformed(0, index,
throwOnMalformed)\n        }\n    } else if (byte1 and 0xF == 0x4) {\n        if (byte2 and 0xF0 != 0x80) {\n            //
Out of Unicode code points domain (larger than U+10FFFF)\n            return malformed(0, index,
throwOnMalformed)\n        }\n    } else if (byte1 and 0xF > 0x4) {\n        return malformed(0, index,
throwOnMalformed)\n    } else if (byte2 and 0xC0 != 0x80) {\n        return malformed(0, index,
throwOnMalformed)\n    }\n    if (index + 1 == endIndex) {\n        return malformed(1, index,
throwOnMalformed)\n    }\n    val byte3 = bytes[index + 1].toInt()\n    if (byte3 and 0xC0 != 0x80) {\n        return
malformed(1, index, throwOnMalformed)\n    }\n    if (index + 2 == endIndex) {\n        return malformed(2, index,
throwOnMalformed)\n    }\n    val byte4 = bytes[index + 2].toInt()\n    if (byte4 and 0xC0 != 0x80) {\n        return
malformed(2, index, throwOnMalformed)\n    }\n    return (byte1 shl 18) xor (byte2 shl 12) xor (byte3 shl 6) xor
byte4 xor 0x381F80)\n}\n\n**\n * Maximum number of bytes needed to encode a single char.\n *\n * Code points in
`0..0x7F` are encoded in a single byte.\n * Code points in `0x80..0x7FF` are encoded in two bytes.\n * Code points
in `0x800..0xD7FF` or in `0xE000..0xFFFF` are encoded in three bytes.\n * Surrogate code points in
`0xD800..0xDFFF` are not Unicode scalar values, therefore aren't encoded.\n * Code points in
`0x10000..0x10FFFF` are represented by a pair of surrogate `Char`s and are encoded in four bytes.\n *\nprivate
const val MAX_BYTES_PER_CHAR = 3\n\n**\n * The byte sequence a malformed UTF-16 char sequence is
replaced by.\n *\nprivate val REPLACEMENT_BYTE_SEQUENCE: ByteArray = byteArrayOf(0xEF.toByte(),
0xBF.toByte(), 0xBD.toByte())\n\n**\n * Encodes the [string] using UTF-8 and returns the resulting [ByteArray].\n
*\n * @param string the string to encode.\n * @param startIndex the start offset (inclusive) of the substring to
encode.\n * @param endIndex the end offset (exclusive) of the substring to encode.\n * @param
throwOnMalformed whether to throw on malformed char sequence or replace by the
[REPLACEMENT_BYTE_SEQUENCE].\n *\n * @throws CharacterCodingException if the char sequence is
malformed and [throwOnMalformed] is true.\n *\ninternal fun encodeUtf8(string: String, startIndex: Int, endIndex:
Int, throwOnMalformed: Boolean): ByteArray {\n    require(startIndex >= 0 && endIndex <= string.length &&
startIndex <= endIndex)\n    val bytes = ByteArray((endIndex - startIndex) * MAX_BYTES_PER_CHAR)\n    var
byteIndex = 0\n    var charIndex = startIndex\n    while (charIndex < endIndex) {\n        val code =
string[charIndex++].code\n        when {\n            code < 0x80 -> bytes[byteIndex++] = code.toByte()\n
            code < 0x800 -> {\n                bytes[byteIndex++] = ((code shr 6) or 0xC0).toByte()\n
                bytes[byteIndex++] = ((code and 0x3F) or 0x80).toByte()\n            }\n            code < 0xD800 || code >= 0xE000 ->
{\n                bytes[byteIndex++] = ((code shr 12) or 0xE0).toByte()\n                bytes[byteIndex++] = (((code shr 6)
and 0x3F) or 0x80).toByte()\n                bytes[byteIndex++] = ((code and 0x3F) or 0x80).toByte()\n            }\n
            else -> { // Surrogate char value\n                val codePoint = codePointFromSurrogate(string, code, charIndex,
endIndex, throwOnMalformed)\n                if (codePoint <= 0) {\n                    bytes[byteIndex++] =
REPLACEMENT_BYTE_SEQUENCE[0]\n                    bytes[byteIndex++] =
REPLACEMENT_BYTE_SEQUENCE[1]\n                    bytes[byteIndex++] =
REPLACEMENT_BYTE_SEQUENCE[2]\n                } else {\n                    bytes[byteIndex++] = ((codePoint shr
18) or 0xF0).toByte()\n                    bytes[byteIndex++] = (((codePoint shr 12) and 0x3F) or 0x80).toByte()\n
                    bytes[byteIndex++] = (((codePoint shr 6) and 0x3F) or 0x80).toByte()\n                    bytes[byteIndex++] =
(((codePoint and 0x3F) or 0x80).toByte()\n                    charIndex++\n                }\n            }\n        }\n    }\n    return if (bytes.size == byteIndex) bytes else bytes.copyOf(byteIndex)\n}\n\n**\n * The character a malformed
UTF-8 byte sequence is replaced by.\n *\nprivate const val REPLACEMENT_CHAR = "\\uFFFF"\n\n**\n *
Decodes the UTF-8 [bytes] array and returns the resulting [String].\n *\n * @param bytes the byte array to decode.\n
* @param startIndex the start offset (inclusive) of the array to be decoded.\n * @param endIndex the end offset

```

```

(exclusive) of the array to be encoded.\n * @param throwOnMalformed whether to throw on malformed byte
sequence or replace by the [REPLACEMENT_CHAR].\n * @throws CharacterCodingException if the array is
malformed UTF-8 byte sequence and [throwOnMalformed] is true.\n */\ninternal fun decodeUtf8(bytes: ByteArray,
startIndex: Int, endIndex: Int, throwOnMalformed: Boolean): String {\n    require(startIndex >= 0 && endIndex <=
bytes.size && startIndex <= endIndex)\n    var byteIndex = startIndex\n    val stringBuilder = StringBuilder()\n    while (byteIndex < endIndex) {\n        val byte = bytes[byteIndex++].toInt()\n        when {\n            byte >= 0 ->{\n                stringBuilder.append(byte.toChar())\n                byte shr 5 == -2 -> {\n                    val code =
codePointFrom2(bytes, byte, byteIndex, endIndex, throwOnMalformed)\n                    if (code <= 0) {\n
stringBuilder.append(REPLACEMENT_CHAR)\n                    byteIndex += -code\n                    } else {\n
stringBuilder.append(code.toChar())\n                    byteIndex += 1\n                    }\n                }\n                byte shr 4 == -2 -
> {\n                    val code = codePointFrom3(bytes, byte, byteIndex, endIndex, throwOnMalformed)\n                    if
(code <= 0) {\n                        stringBuilder.append(REPLACEMENT_CHAR)\n                        byteIndex += -code\n
                    } else {\n                        stringBuilder.append(code.toChar())\n                        byteIndex += 2\n                    }\n                }\n                byte shr 3 == -2 -> {\n                    val code = codePointFrom4(bytes, byte, byteIndex, endIndex,
throwOnMalformed)\n                    if (code <= 0) {\n                        stringBuilder.append(REPLACEMENT_CHAR)\n
byteIndex += -code\n                    } else {\n                        val high = (code - 0x10000) shr 10 or 0xD800\n
val low = (code and 0x3FF) or 0xDC00\n                        stringBuilder.append(high.toChar())\n
stringBuilder.append(low.toChar())\n                        byteIndex += 3\n                    }\n                }\n                else -> {\n
malformed(0, byteIndex, throwOnMalformed)\n                    stringBuilder.append(REPLACEMENT_CHAR)\n
                }\n            }\n        }\n    }\n    return stringBuilder.toString()\n}"/**\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\npackage kotlin\n/**\n * Returns the detailed description of this
throwable with its stack trace.\n * The detailed description includes:\n * - the short description (see
[Throwable.toString]) of this throwable;\n * - the complete stack trace;\n * - detailed descriptions of the exceptions
that were [suppressed][suppressedExceptions] in order to deliver this exception;\n * - the detailed description of
each throwable in the [Throwable.cause] chain.\n */\n@SinceKotlin("1.4")\npublic actual fun
Throwable.stackTraceToString(): String = ExceptionTraceBuilder().buildFor(this)\n/**\n * Prints the [detailed
description][Throwable.stackTraceToString] of this throwable to console error output.\n
*/\n@SinceKotlin("1.4")\npublic actual fun Throwable.printStackTrace() {\n
console.error(this.stackTraceToString())\n}\n/**\n * Adds the specified exception to the list of exceptions that
were\n * suppressed in order to deliver this exception.\n */\n@SinceKotlin("1.4")\npublic actual fun
Throwable.addSuppressed(exception: Throwable) {\n    if (this !== exception) {\n        val suppressed =
this.asDynamic()._suppressed.unsafeCast<MutableList<Throwable>?>()\n        if (suppressed == null) {\n
this.asDynamic()._suppressed = mutableListOf(exception)\n        } else {\n            suppressed.add(exception)\n
        }\n    }\n}\n/**\n * Returns a list of all exceptions that were suppressed in order to deliver this exception.\n
*/\n@SinceKotlin("1.4")\npublic actual val Throwable.suppressedExceptions: List<Throwable>\n    get() {\n
return this.asDynamic()._suppressed?.unsafeCast<List<Throwable>>() ?: emptyList()\n    }\n\nprivate class
ExceptionTraceBuilder {\n    private val target = StringBuilder()\n    private val visited = arrayOf<Throwable>()\n
private var topStack: String = ""\n    private var topStackStart: Int = 0\n    fun buildFor(exception: Throwable):
String {\n        exception.dumpFullTrace("\\", "\\")\n        return target.toString()\n    }\n    private fun
hasSeen(exception: Throwable): Boolean = visited.any { it === exception }\n    private fun
Throwable.dumpFullTrace(indent: String, qualifier: String) {\n        this.dumpSelfTrace(indent, qualifier) ||
return\n        var cause = this.cause\n        while (cause != null) {\n            cause.dumpSelfTrace(indent, "Caused
by: ") || return\n            cause = cause.cause\n        }\n    }\n    private fun Throwable.dumpSelfTrace(indent:
String, qualifier: String): Boolean {\n        target.append(indent).append(qualifier)\n        val shortInfo =
this.toString()\n        if (hasSeen(this)) {\n            target.append("[CIRCULAR REFERENCE, SEE ABOVE:
").append(shortInfo).append("\\n\\n")\n            return false\n        }\n        visited.asDynamic().push(this)\n        var
stack = this.asDynamic().stack as String?\n        if (stack != null) {\n            val stackStart =

```

```

stack.indexOf(shortInfo).let { if (it < 0) 0 else it + shortInfo.length } \n      if (stackStart == 0)
target.append(shortInfo).append("\\n") \n      if (topStack.isEmpty()) { \n          topStack = stack \n
topStackStart = stackStart \n          } else { \n          stack = dropCommonFrames(stack, stackStart) \n          } \n
    if (indent.isNotEmpty()) { \n          // indent stack, but avoid indenting exception message lines \n          val
messageLines = if (stackStart == 0) 0 else 1 + shortInfo.count { c -> c == '\\n' } \n
stack.lineSequence().forEachIndexed { index: Int, line: String -> \n          if (index >= messageLines)
target.append(indent) \n          target.append(line).append("\\n") \n          } \n          } else { \n
target.append(stack).append("\\n") \n          } \n          } else { \n          target.append(shortInfo).append("\\n") \n
} \n \n      val suppressed = suppressedExceptions \n      if (suppressed.isNotEmpty()) { \n          val
suppressedIndent = indent + \"  \" \n          for (s in suppressed) { \n          s.dumpFullTrace(suppressedIndent,
\"Suppressed: \") \n          } \n          } \n          return true \n          } \n          private fun dropCommonFrames(stack: String,
stackStart: Int): String { \n          var commonFrames: Int = 0 \n          var lastBreak: Int = 0 \n          var preLastBreak: Int
= 0 \n          for (pos in 0 until minOf(topStack.length - topStackStart, stack.length - stackStart)) { \n          val c =
stack[stack.lastIndex - pos] \n          if (c != topStack[topStack.lastIndex - pos]) break \n          if (c == '\\n') { \n
commonFrames += 1 \n          preLastBreak = lastBreak \n          lastBreak = pos \n          } \n          } \n
if (commonFrames <= 1) return stack \n          while (preLastBreak > 0 && stack[stack.lastIndex - (preLastBreak - 1)]
== '\\n') \n          preLastBreak -= 1 \n          // leave 1 common frame to ease matching with the top exception stack \n
return stack.dropLast(preLastBreak) + \"... and ${commonFrames - 1} more common stack frames skipped\" \n
} \n } \n \n /* \n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors. \n * Use of this
source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file. \n
*/ \n \n package kotlin.time \n \n import kotlin.js.json \n import kotlin.math.* \n \n internal actual inline val
durationAssertionsEnabled: Boolean get() = true \n \n internal actual fun formatToExactDecimals(value: Double,
decimals: Int): String { \n      val rounded = if (decimals == 0) { \n          value \n      } else { \n          val pow =
10.0.pow(decimals) \n          JsMath.round(abs(value) * pow) / pow * sign(value) \n      } \n      return if (abs(rounded) <
1e21) { \n          // toFixed switches to scientific format after 1e21 \n
rounded.asDynamic().toFixed(decimals).unsafeCast<String>() \n      } else { \n          // toPrecision outputs the specified
number of digits, but only for positive numbers \n          val positive = abs(rounded) \n          val positiveString =
positive.asDynamic().toPrecision(ceil(log10(positive)) + decimals).unsafeCast<String>() \n          if (rounded < 0) \"-
$positiveString\" else positiveString \n      } \n } \n \n internal actual fun formatUpToDecimals(value: Double, decimals:
Int): String { \n      return value.asDynamic().toLocaleString(\"en-us\", json(\"maximumFractionDigits\" to
decimals)).unsafeCast<String>() \n } \n \n /* \n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming
Language contributors. \n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file. \n */ \n \n package
kotlin.time \n \n @SinceKotlin(\"1.6\") \n @WasExperimental(ExperimentalTime::class) \n public actual enum class
DurationUnit(internal val scale: Double) { \n      /** \n      * Time unit representing one nanosecond, which is 1/1000
of a microsecond. \n      * \n      * NANOSECONDS(1e0), \n      /** \n      * Time unit representing one microsecond, which is
1/1000 of a millisecond. \n      * \n      * MICROSECONDS(1e3), \n      /** \n      * Time unit representing one millisecond,
which is 1/1000 of a second. \n      * \n      * MILLISECONDS(1e6), \n      /** \n      * Time unit representing one second. \n
      * \n      * SECONDS(1e9), \n      /** \n      * Time unit representing one minute. \n      * \n      * MINUTES(60e9), \n      /** \n
      * Time unit representing one hour. \n      * \n      * HOURS(3600e9), \n      /** \n      * Time unit representing one day,
which is always equal to 24 hours. \n      * \n      * DAYS(86400e9); \n } \n \n @SinceKotlin(\"1.3\") \n internal actual fun
convertDurationUnit(value: Double, sourceUnit: DurationUnit, targetUnit: DurationUnit): Double { \n      val
sourceCompareTarget = sourceUnit.scale.compareTo(targetUnit.scale) \n      return when { \n
sourceCompareTarget > 0 -> value * (sourceUnit.scale / targetUnit.scale) \n          sourceCompareTarget < 0 -> value /
(targetUnit.scale / sourceUnit.scale) \n          else -> value \n      } \n } \n \n @SinceKotlin(\"1.5\") \n internal actual fun
convertDurationUnitOverflow(value: Long, sourceUnit: DurationUnit, targetUnit: DurationUnit): Long { \n      val
sourceCompareTarget = sourceUnit.scale.compareTo(targetUnit.scale) \n      return when { \n
sourceCompareTarget > 0 -> value * (sourceUnit.scale / targetUnit.scale).toLong() \n          sourceCompareTarget < 0

```

```

-> value / (targetUnit.scale / sourceUnit.scale).toLong()\n    else -> value\n
}\n}\n\n@SinceKotlin("1.5")\n\ninternal actual fun convertDurationUnit(value: Long, sourceUnit: DurationUnit,
targetUnit: DurationUnit): Long {\n    val sourceCompareTarget = sourceUnit.scale.compareTo(targetUnit.scale)\n
return when {\n    sourceCompareTarget > 0 -> {\n        val scale = (sourceUnit.scale /
targetUnit.scale).toLong()\n        val result = value * scale\n        when {\n            result / scale == value ->
result\n            value > 0 -> Long.MAX_VALUE\n            else -> Long.MIN_VALUE\n        }\n    }\n
sourceCompareTarget < 0 -> value / (targetUnit.scale / sourceUnit.scale).toLong()\n    else -> value\n
}\n}\n\n\n", /*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of
this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\npackage kotlin.time\n\nimport org.w3c.performance.GlobalPerformance\n\nimport
org.w3c.performance.Performance\n\n@SinceKotlin("1.3")\n\n@ExperimentalTime\n\ninternal actual object
MonotonicTimeSource : TimeSource {\n\n    private val actualSource: TimeSource = run {\n        val isNode:
Boolean = js("typeof process !== 'undefined' && process.versions && !process.versions.node")\n\n        if
(isNode)\n            HrTimeSource(js("process").unsafeCast<Process>())\n        else\n
js("self").unsafeCast<GlobalPerformance?>()?.performance?.let(::PerformanceTimeSource)\n            ?:\n
DateNowTimeSource\n    }\n\n    override fun markNow(): TimeMark = actualSource.markNow()\n}\n\n\ninternal
external interface Process {\n    fun hrtime(time: Array<Double> = definedExternally):
Array<Double>\n}\n\n@SinceKotlin("1.3")\n\n@ExperimentalTime\n\ninternal class HrTimeSource(val process:
Process) : TimeSource {\n\n    override fun markNow(): TimeMark = object : TimeMark() {\n        val startedAt =
process.hrtime()\n        override fun elapsedNow(): Duration =\n            process.hrtime(startedAt).let { (seconds,
nanos) -> seconds.toDuration(DurationUnit.SECONDS) + nanos.toDuration(DurationUnit.NANOSECONDS) }\n
}\n\n    override fun toString(): String =
\n"TimeSource(process.hrtime())"\n}\n\n@SinceKotlin("1.3")\n\n@ExperimentalTime\n\ninternal class
PerformanceTimeSource(val performance: Performance) : AbstractDoubleTimeSource(unit =
DurationUnit.MILLISECONDS) {\n    override fun read(): Double = performance.now()\n    override fun toString():
String = \n"TimeSource(self.performance.now())"\n}\n\n@SinceKotlin("1.3")\n\n@ExperimentalTime\n\ninternal
object DateNowTimeSource : AbstractDoubleTimeSource(unit = DurationUnit.MILLISECONDS) {\n    override
fun read(): Double = kotlin.js.Date.now()\n    override fun toString(): String = \n"TimeSource(Date.now())"\n}\n\n", /*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlinx.dom\n\nimport org.w3c.dom.*\n\nimport kotlin.contracts.*\n\n\n/**\n * Creates a new element with the
specified [name].\n * The element is initialized with the specified [init] function.\n */\n\n@SinceKotlin("1.4")\n\npublic fun Document.createElement(name: String, init: Element.() -> Unit): Element {\n
    contract { callsInPlace(init, InvocationKind.EXACTLY_ONCE) }\n    return
createElement(name).apply(init)\n}\n\n\n/**\n * Appends a newly created element with the specified [name] to this
element.\n * The element is initialized with the specified [init] function.\n */\n\n@SinceKotlin("1.4")\n\npublic fun
Element.appendChild(name: String, init: Element.() -> Unit): Element {\n    contract { callsInPlace(init,
InvocationKind.EXACTLY_ONCE) }\n    return ownerDocument!!.createElement(name, init).also {
appendChild(it) }\n}\n\n\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlinx.dom\n\nimport org.w3c.dom.*\n\n\n/**\n * Returns true if the element
has the given CSS class style in its 'class' attribute\n */\n\n@SinceKotlin("1.4")\n\nfun Element.hasClass(cssClass:
String): Boolean = className.matches("\\\\\\"(\\^\\.\\*\\|s+)$cssClass(\\|s+\\.*)\\"\\\\".toRegex())\n\n\n/**\n * Adds CSS class
to element. Has no effect if all specified classes are already in class attribute of the element\n * @return true if at
least one class has been added\n */\n\n@SinceKotlin("1.4")\n\nfun Element.addClass(vararg cssClasses: String):
Boolean {\n    val missingClasses = cssClasses.filterNot { hasClass(it) }\n    if (missingClasses.isNotEmpty()) {\n
val presentClasses = className.trim()\n        className = buildString {\n            append(presentClasses)\n            if
(!presentClasses.isEmpty()) {\n                append(" ")\n            }\n            missingClasses.joinTo(this, " ")
}\n

```

```

    } return true
  } return false
}

/** Removes all [cssClasses] from element. Has no effect if all
specified classes are missing in class attribute of the element
*/
@SinceKotlin("1.4")
fun Element.removeClass(vararg cssClasses: String): Boolean {
  if (cssClasses.any { hasClass(it) }) {
    val toBeRemoved = cssClasses.toSet()
    className =
      className.trim().split("\\s+").toRegex().filter { it !in toBeRemoved }.joinToString(" ")
    return true
  }
  return false
}

/* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.
* Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.

@file:kotlin.jvm.JvmMultifileClass
@file:kotlin.jvm.JvmName("StringsKt")
package
kotlin.text

/** Converts the string into a regular expression [Regex] with the default options.
*/
@kotlin.internal.InlineOnly
public inline fun String.toRegex(): Regex = Regex(this)

/** Converts the string into a regular expression [Regex] with the specified single [option].
*/
@kotlin.internal.InlineOnly
public inline fun String.toRegex(option: RegexOption): Regex = Regex(this, option)

/** Converts the string into a regular expression [Regex] with the specified set of [options].
*/
@kotlin.internal.InlineOnly
public inline fun String.toRegex(options: Set<RegexOption>): Regex = Regex(this, options)

/* Copyright 2010-2018
JetBrains s.r.o. and Kotlin Programming Language contributors.
* Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.
*/
package kotlinx.dom
import org.w3c.dom.*

/** Gets a value indicating whether this node is a TEXT_NODE or a
CDATA_SECTION_NODE.
*/
@SinceKotlin("1.4")
public val Node.isText: Boolean
  get() = nodeType == Node.TEXT_NODE || nodeType == Node.CDATA_SECTION_NODE

/** Gets a value indicating whether this node is an [Element].
*/
@SinceKotlin("1.4")
public val Node.isElement: Boolean
  get() = nodeType == Node.ELEMENT_NODE

/* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors.
* Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.
*/
package kotlinx.dom
import org.w3c.dom.*

/** Removes all the children from this node.
*/
@SinceKotlin("1.4")
public fun Node.clear() {
  while (hasChildNodes()) {
    removeChild(firstChild!)
  }
}

/** Creates text node and append it to the element.
*/
@return this element
*/
@SinceKotlin("1.4")
fun Element.appendText(text: String): Element {
  appendChild(ownerDocument!!.createTextNode(text))
  return this
}

/* Copyright 2010-2019 JetBrains
s.r.o. and Kotlin Programming Language contributors.
* Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.
*/
package org.w3c.dom
@Deprecated("Use UnionMessagePortOrWindowProxy instead.", ReplaceWith("UnionMessagePortOrWindowProxy"))
typealias UnionMessagePortOrWindow = UnionMessagePortOrWindowProxy

@Deprecated("Use `as` instead.", ReplaceWith("`as`")),
nvar HTMLLinkElement.as_ get() = `as`
  set(value) { `as` = value }

@Deprecated("Use `is` instead.", ReplaceWith("`is`")),
nvar ElementCreationOptions.is_ get() = `is`
  set(value) { `is` = value }

/* Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming
Language contributors.
* Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.
*/
// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!
// See
github.com/kotlin/dukat for details
package org.khronos.webgl
import kotlin.js.*
import org.w3c.dom.*
import org.w3c.dom.events.*

public external interface WebGLContextAttributes {
  var alpha: Boolean? /* = true */
  get() = definedExternally
  set(value) = definedExternally
  var depth: Boolean? /* = true */
  get() = definedExternally
  set(value) = definedExternally
  var stencil: Boolean? /* = false */
  get() = definedExternally
  set(value) = definedExternally
  var antialias: Boolean? /* = true */
  get() = definedExternally
  set(value) = definedExternally
  var premultipliedAlpha: Boolean? /* = true */
  get() = definedExternally
  set(value) = definedExternally
  var preserveDrawingBuffer: Boolean? /* = false */
  get() = definedExternally
  set(value) = definedExternally
  var preferLowPowerToHighPerformance: Boolean? /* = false */
  get() = definedExternally
  set(value) = definedExternally
  var failIfMajorPerformanceCaveat: Boolean? /* = false */
  get() = definedExternally
  set(value) = definedExternally
}

@Suppress("INVISIBLE_REFERENCE",

```



```

\ "INVISIBLE_MEMBER"\n@kotlin.internal.InlineOnly\npublic inline fun WebGLContextAttributes(alpha:
Boolean? = true, depth: Boolean? = true, stencil: Boolean? = false, antialias: Boolean? = true, premultipliedAlpha:
Boolean? = true, preserveDrawingBuffer: Boolean? = false, preferLowPowerToHighPerformance: Boolean? = false,
failIfMajorPerformanceCaveat: Boolean? = false): WebGLContextAttributes {\n    val o = js("{}")\n
o["alpha"] = alpha\n    o["depth"] = depth\n    o["stencil"] = stencil\n    o["antialias"] = antialias\n
o["premultipliedAlpha"] = premultipliedAlpha\n    o["preserveDrawingBuffer"] = preserveDrawingBuffer\n
o["preferLowPowerToHighPerformance"] = preferLowPowerToHighPerformance\n
o["failIfMajorPerformanceCaveat"] = failIfMajorPerformanceCaveat\n    return o\n}\n\npublic external abstract
class WebGLObject\n\n/**\n * Exposes the JavaScript
[WebGLBuffer](https://developer.mozilla.org/en/docs/Web/API/WebGLBuffer) to Kotlin\n */\npublic external
abstract class WebGLBuffer : WebGLObject\n\n/**\n * Exposes the JavaScript
[WebGLFramebuffer](https://developer.mozilla.org/en/docs/Web/API/WebGLFramebuffer) to Kotlin\n */\npublic
external abstract class WebGLFramebuffer : WebGLObject\n\n/**\n * Exposes the JavaScript
[WebGLProgram](https://developer.mozilla.org/en/docs/Web/API/WebGLProgram) to Kotlin\n */\npublic external
abstract class WebGLProgram : WebGLObject\n\n/**\n * Exposes the JavaScript
[WebGLRenderbuffer](https://developer.mozilla.org/en/docs/Web/API/WebGLRenderbuffer) to Kotlin\n */\npublic
external abstract class WebGLRenderbuffer : WebGLObject\n\n/**\n * Exposes the JavaScript
[WebGLShader](https://developer.mozilla.org/en/docs/Web/API/WebGLShader) to Kotlin\n */\npublic external
abstract class WebGLShader : WebGLObject\n\n/**\n * Exposes the JavaScript
[WebGLTexture](https://developer.mozilla.org/en/docs/Web/API/WebGLTexture) to Kotlin\n */\npublic external
abstract class WebGLTexture : WebGLObject\n\n/**\n * Exposes the JavaScript
[WebGLUniformLocation](https://developer.mozilla.org/en/docs/Web/API/WebGLUniformLocation) to Kotlin\n
*/\npublic external abstract class WebGLUniformLocation\n\n/**\n * Exposes the JavaScript
[WebGLActiveInfo](https://developer.mozilla.org/en/docs/Web/API/WebGLActiveInfo) to Kotlin\n */\npublic
external abstract class WebGLActiveInfo {\n    open val size: Int\n    open val type: Int\n    open val name:
String\n}\n\n/**\n * Exposes the JavaScript
[WebGLShaderPrecisionFormat](https://developer.mozilla.org/en/docs/Web/API/WebGLShaderPrecisionFormat) to
Kotlin\n */\npublic external abstract class WebGLShaderPrecisionFormat {\n    open val rangeMin: Int\n    open val
rangeMax: Int\n    open val precision:
Int\n}\n\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external interface
WebGLRenderingContextBase {\n    val canvas: HTMLCanvasElement\n    val drawingBufferWidth: Int\n    val
drawingBufferHeight: Int\n    fun getContextAttributes(): WebGLContextAttributes?\n    fun isContextLost():
Boolean\n    fun getSupportedExtensions(): Array<String>?\n    fun getExtension(name: String): dynamic\n    fun
activeTexture(texture: Int)\n    fun attachShader(program: WebGLProgram?, shader: WebGLShader?)\n    fun
bindAttribLocation(program: WebGLProgram?, index: Int, name: String)\n    fun bindBuffer(target: Int, buffer:
WebGLBuffer?)\n    fun bindFramebuffer(target: Int, framebuffer: WebGLFramebuffer?)\n    fun
bindRenderbuffer(target: Int, renderbuffer: WebGLRenderbuffer?)\n    fun bindTexture(target: Int, texture:
WebGLTexture?)\n    fun blendColor(red: Float, green: Float, blue: Float, alpha: Float)\n    fun
blendEquation(mode: Int)\n    fun blendEquationSeparate(modeRGB: Int, modeAlpha: Int)\n    fun
blendFunc(sfactor: Int, dfactor: Int)\n    fun blendFuncSeparate(srcRGB: Int, dstRGB: Int, srcAlpha: Int, dstAlpha:
Int)\n    fun bufferData(target: Int, size: Int, usage: Int)\n    fun bufferData(target: Int, data: BufferDataSource?,
usage: Int)\n    fun bufferSubData(target: Int, offset: Int, data: BufferDataSource?)\n    fun
checkFramebufferStatus(target: Int): Int\n    fun clear(mask: Int)\n    fun clearColor(red: Float, green: Float, blue:
Float, alpha: Float)\n    fun clearDepth(depth: Float)\n    fun clearStencil(s: Int)\n    fun colorMask(red: Boolean,
green: Boolean, blue: Boolean, alpha: Boolean)\n    fun compileShader(shader: WebGLShader?)\n    fun
compressedTexImage2D(target: Int, level: Int, internalformat: Int, width: Int, height: Int, border: Int, data:
ArrayBufferView)\n    fun compressedTexSubImage2D(target: Int, level: Int, xoffset: Int, yoffset: Int, width: Int,
height: Int, format: Int, data: ArrayBufferView)\n    fun copyTexImage2D(target: Int, level: Int, internalformat: Int,

```

```

x: Int, y: Int, width: Int, height: Int, border: Int)\n fun copyTexSubImage2D(target: Int, level: Int, xoffset: Int,
yoffset: Int, x: Int, y: Int, width: Int, height: Int)\n fun createBuffer(): WebGLBuffer?\n fun createFramebuffer():
WebGLFramebuffer?\n fun createProgram(): WebGLProgram?\n fun createRenderbuffer():
WebGLRenderbuffer?\n fun createShader(type: Int): WebGLShader?\n fun createTexture(): WebGLTexture?\n
fun cullFace(mode: Int)\n fun deleteBuffer(buffer: WebGLBuffer?)\n fun deleteFramebuffer(framebuffer:
WebGLFramebuffer?)\n fun deleteProgram(program: WebGLProgram?)\n fun deleteRenderbuffer(renderbuffer:
WebGLRenderbuffer?)\n fun deleteShader(shader: WebGLShader?)\n fun deleteTexture(texture:
WebGLTexture?)\n fun depthFunc(func: Int)\n fun depthMask(flag: Boolean)\n fun depthRange(zNear: Float,
zFar: Float)\n fun detachShader(program: WebGLProgram?, shader: WebGLShader?)\n fun disable(cap: Int)\n
fun disableVertexArray(index: Int)\n fun drawArrays(mode: Int, first: Int, count: Int)\n fun
drawElements(mode: Int, count: Int, type: Int, offset: Int)\n fun enable(cap: Int)\n fun
enableVertexArray(index: Int)\n fun finish()\n fun flush()\n fun framebufferRenderbuffer(target: Int,
attachment: Int, renderbuffertarget: Int, renderbuffer: WebGLRenderbuffer?)\n fun framebufferTexture2D(target:
Int, attachment: Int, textarget: Int, texture: WebGLTexture?, level: Int)\n fun frontFace(mode: Int)\n fun
generateMipmap(target: Int)\n fun getActiveAttrib(program: WebGLProgram?, index: Int): WebGLActiveInfo?\n
fun getActiveUniform(program: WebGLProgram?, index: Int): WebGLActiveInfo?\n fun
getAttachedShaders(program: WebGLProgram?): Array<WebGLShader>?\n fun getAttribLocation(program:
WebGLProgram?, name: String): Int\n fun getBufferParameter(target: Int, pname: Int): Any?\n fun
getParameter(pname: Int): Any?\n fun getError(): Int\n fun getFramebufferAttachmentParameter(target: Int,
attachment: Int, pname: Int): Any?\n fun getProgramParameter(program: WebGLProgram?, pname: Int): Any?\n
fun getProgramInfoLog(program: WebGLProgram?): String?\n fun getRenderbufferParameter(target: Int, pname:
Int): Any?\n fun getShaderParameter(shader: WebGLShader?, pname: Int): Any?\n fun
getShaderPrecisionFormat(shadertype: Int, precisiontype: Int): WebGLShaderPrecisionFormat?\n fun
getShaderInfoLog(shader: WebGLShader?): String?\n fun getShaderSource(shader: WebGLShader?): String?\n
fun getTexParameter(target: Int, pname: Int): Any?\n fun getUniform(program: WebGLProgram?, location:
WebGLUniformLocation?): Any?\n fun getUniformLocation(program: WebGLProgram?, name: String):
WebGLUniformLocation?\n fun getVertexAttrib(index: Int, pname: Int): Any?\n fun
getVertexAttribOffset(index: Int, pname: Int): Int\n fun hint(target: Int, mode: Int)\n fun isBuffer(buffer:
WebGLBuffer?): Boolean\n fun isEnabled(cap: Int): Boolean\n fun isFramebuffer(framebuffer:
WebGLFramebuffer?): Boolean\n fun isProgram(program: WebGLProgram?): Boolean\n fun
isRenderbuffer(renderbuffer: WebGLRenderbuffer?): Boolean\n fun isShader(shader: WebGLShader?): Boolean\n
fun isTexture(texture: WebGLTexture?): Boolean\n fun lineWidth(width: Float)\n fun linkProgram(program:
WebGLProgram?)\n fun pixelStorei(pname: Int, param: Int)\n fun polygonOffset(factor: Float, units: Float)\n
fun readPixels(x: Int, y: Int, width: Int, height: Int, format: Int, type: Int, pixels: ArrayBufferView?)\n fun
renderbufferStorage(target: Int, internalformat: Int, width: Int, height: Int)\n fun sampleCoverage(value: Float,
invert: Boolean)\n fun scissor(x: Int, y: Int, width: Int, height: Int)\n fun shaderSource(shader: WebGLShader?,
source: String)\n fun stencilFunc(func: Int, ref: Int, mask: Int)\n fun stencilFuncSeparate(face: Int, func: Int, ref:
Int, mask: Int)\n fun stencilMask(mask: Int)\n fun stencilMaskSeparate(face: Int, mask: Int)\n fun
stencilOp(fail: Int, zfail: Int, zpass: Int)\n fun stencilOpSeparate(face: Int, fail: Int, zfail: Int, zpass: Int)\n fun
texImage2D(target: Int, level: Int, internalformat: Int, width: Int, height: Int, border: Int, format: Int, type: Int, pixels:
ArrayBufferView?)\n fun texImage2D(target: Int, level: Int, internalformat: Int, format: Int, type: Int, source:
TexImageSource?)\n fun texParameterf(target: Int, pname: Int, param: Float)\n fun texParameteri(target: Int,
pname: Int, param: Int)\n fun texSubImage2D(target: Int, level: Int, xoffset: Int, yoffset: Int, width: Int, height: Int,
format: Int, type: Int, pixels: ArrayBufferView?)\n fun texSubImage2D(target: Int, level: Int, xoffset: Int, yoffset:
Int, format: Int, type: Int, source: TexImageSource?)\n fun uniform1f(location: WebGLUniformLocation?, x:
Float)\n fun uniform1fv(location: WebGLUniformLocation?, v: Float32Array)\n fun uniform1fv(location:
WebGLUniformLocation?, v: Array<Float>)\n fun uniform1i(location: WebGLUniformLocation?, x: Int)\n fun
uniform1iv(location: WebGLUniformLocation?, v: Int32Array)\n fun uniform1iv(location:

```

```

WebGLUniformLocation?, v: Array<Int>)\n fun uniform2f(location: WebGLUniformLocation?, x: Float, y:
Float)\n fun uniform2fv(location: WebGLUniformLocation?, v: Float32Array)\n fun uniform2fv(location:
WebGLUniformLocation?, v: Array<Float>)\n fun uniform2i(location: WebGLUniformLocation?, x: Int, y: Int)\n
fun uniform2iv(location: WebGLUniformLocation?, v: Int32Array)\n fun uniform2iv(location:
WebGLUniformLocation?, v: Array<Int>)\n fun uniform3f(location: WebGLUniformLocation?, x: Float, y: Float,
z: Float)\n fun uniform3fv(location: WebGLUniformLocation?, v: Float32Array)\n fun uniform3fv(location:
WebGLUniformLocation?, v: Array<Float>)\n fun uniform3i(location: WebGLUniformLocation?, x: Int, y: Int, z:
Int)\n fun uniform3iv(location: WebGLUniformLocation?, v: Int32Array)\n fun uniform3iv(location:
WebGLUniformLocation?, v: Array<Int>)\n fun uniform4f(location: WebGLUniformLocation?, x: Float, y: Float,
z: Float, w: Float)\n fun uniform4fv(location: WebGLUniformLocation?, v: Float32Array)\n fun
uniform4fv(location: WebGLUniformLocation?, v: Array<Float>)\n fun uniform4i(location:
WebGLUniformLocation?, x: Int, y: Int, z: Int, w: Int)\n fun uniform4iv(location: WebGLUniformLocation?, v:
Int32Array)\n fun uniform4iv(location: WebGLUniformLocation?, v: Array<Int>)\n fun
uniformMatrix2fv(location: WebGLUniformLocation?, transpose: Boolean, value: Float32Array)\n fun
uniformMatrix2fv(location: WebGLUniformLocation?, transpose: Boolean, value: Array<Float>)\n fun
uniformMatrix3fv(location: WebGLUniformLocation?, transpose: Boolean, value: Float32Array)\n fun
uniformMatrix3fv(location: WebGLUniformLocation?, transpose: Boolean, value: Array<Float>)\n fun
uniformMatrix4fv(location: WebGLUniformLocation?, transpose: Boolean, value: Float32Array)\n fun
uniformMatrix4fv(location: WebGLUniformLocation?, transpose: Boolean, value: Array<Float>)\n fun
useProgram(program: WebGLProgram?)\n fun validateProgram(program: WebGLProgram?)\n fun
vertexAttrib1f(index: Int, x: Float)\n fun vertexAttrib1fv(index: Int, values: dynamic)\n fun
vertexAttrib2f(index: Int, x: Float, y: Float)\n fun vertexAttrib2fv(index: Int, values: dynamic)\n fun
vertexAttrib3f(index: Int, x: Float, y: Float, z: Float)\n fun vertexAttrib3fv(index: Int, values: dynamic)\n fun
vertexAttrib4f(index: Int, x: Float, y: Float, z: Float, w: Float)\n fun vertexAttrib4fv(index: Int, values: dynamic)\n
fun vertexAttribPointer(index: Int, size: Int, type: Int, normalized: Boolean, stride: Int, offset: Int)\n fun
viewport(x: Int, y: Int, width: Int, height: Int)\n\n companion object {\n val DEPTH_BUFFER_BIT: Int\n
val STENCIL_BUFFER_BIT: Int\n val COLOR_BUFFER_BIT: Int\n val POINTS: Int\n val LINES:
Int\n val LINE_LOOP: Int\n val LINE_STRIP: Int\n val TRIANGLES: Int\n val
TRIANGLE_STRIP: Int\n val TRIANGLE_FAN: Int\n val ZERO: Int\n val ONE: Int\n val
SRC_COLOR: Int\n val ONE_MINUS_SRC_COLOR: Int\n val SRC_ALPHA: Int\n val
ONE_MINUS_SRC_ALPHA: Int\n val DST_ALPHA: Int\n val ONE_MINUS_DST_ALPHA: Int\n
val DST_COLOR: Int\n val ONE_MINUS_DST_COLOR: Int\n val SRC_ALPHA_SATURATE: Int\n
val FUNC_ADD: Int\n val BLEND_EQUATION: Int\n val BLEND_EQUATION_RGB: Int\n val
BLEND_EQUATION_ALPHA: Int\n val FUNC_SUBTRACT: Int\n val FUNC_REVERSE_SUBTRACT:
Int\n val BLEND_DST_RGB: Int\n val BLEND_SRC_RGB: Int\n val BLEND_DST_ALPHA: Int\n
val BLEND_SRC_ALPHA: Int\n val CONSTANT_COLOR: Int\n val
ONE_MINUS_CONSTANT_COLOR: Int\n val CONSTANT_ALPHA: Int\n val
ONE_MINUS_CONSTANT_ALPHA: Int\n val BLEND_COLOR: Int\n val ARRAY_BUFFER: Int\n
val ELEMENT_ARRAY_BUFFER: Int\n val ARRAY_BUFFER_BINDING: Int\n val
ELEMENT_ARRAY_BUFFER_BINDING: Int\n val STREAM_DRAW: Int\n val STATIC_DRAW: Int\n
val DYNAMIC_DRAW: Int\n val BUFFER_SIZE: Int\n val BUFFER_USAGE: Int\n val
CURRENT_VERTEX_ATTRIB: Int\n val FRONT: Int\n val BACK: Int\n val FRONT_AND_BACK:
Int\n val CULL_FACE: Int\n val BLEND: Int\n val DITHER: Int\n val STENCIL_TEST: Int\n
val DEPTH_TEST: Int\n val SCISSOR_TEST: Int\n val POLYGON_OFFSET_FILL: Int\n val
SAMPLE_ALPHA_TO_COVERAGE: Int\n val SAMPLE_COVERAGE: Int\n val NO_ERROR: Int\n
val INVALID_ENUM: Int\n val INVALID_VALUE: Int\n val INVALID_OPERATION: Int\n val
OUT_OF_MEMORY: Int\n val CW: Int\n val CCW: Int\n val LINE_WIDTH: Int\n val
ALIASED_POINT_SIZE_RANGE: Int\n val ALIASED_LINE_WIDTH_RANGE: Int\n val

```

CULL\_FACE\_MODE: Int\n     val FRONT\_FACE: Int\n     val DEPTH\_RANGE: Int\n     val  
 DEPTH\_WRITEMASK: Int\n     val DEPTH\_CLEAR\_VALUE: Int\n     val DEPTH\_FUNC: Int\n     val  
 STENCIL\_CLEAR\_VALUE: Int\n     val STENCIL\_FUNC: Int\n     val STENCIL\_FAIL: Int\n     val  
 STENCIL\_PASS\_DEPTH\_FAIL: Int\n     val STENCIL\_PASS\_DEPTH\_PASS: Int\n     val STENCIL\_REF:  
 Int\n     val STENCIL\_VALUE\_MASK: Int\n     val STENCIL\_WRITEMASK: Int\n     val  
 STENCIL\_BACK\_FUNC: Int\n     val STENCIL\_BACK\_FAIL: Int\n     val  
 STENCIL\_BACK\_PASS\_DEPTH\_FAIL: Int\n     val STENCIL\_BACK\_PASS\_DEPTH\_PASS: Int\n     val  
 STENCIL\_BACK\_REF: Int\n     val STENCIL\_BACK\_VALUE\_MASK: Int\n     val  
 STENCIL\_BACK\_WRITEMASK: Int\n     val VIEWPORT: Int\n     val SCISSOR\_BOX: Int\n     val  
 COLOR\_CLEAR\_VALUE: Int\n     val COLOR\_WRITEMASK: Int\n     val UNPACK\_ALIGNMENT: Int\n  
 val PACK\_ALIGNMENT: Int\n     val MAX\_TEXTURE\_SIZE: Int\n     val MAX\_VIEWPORT\_DIMS: Int\n  
 val SUBPIXEL\_BITS: Int\n     val RED\_BITS: Int\n     val GREEN\_BITS: Int\n     val BLUE\_BITS: Int\n  
 val ALPHA\_BITS: Int\n     val DEPTH\_BITS: Int\n     val STENCIL\_BITS: Int\n     val  
 POLYGON\_OFFSET\_UNITS: Int\n     val POLYGON\_OFFSET\_FACTOR: Int\n     val  
 TEXTURE\_BINDING\_2D: Int\n     val SAMPLE\_BUFFERS: Int\n     val SAMPLES: Int\n     val  
 SAMPLE\_COVERAGE\_VALUE: Int\n     val SAMPLE\_COVERAGE\_INVERT: Int\n     val  
 COMPRESSED\_TEXTURE\_FORMATS: Int\n     val DONT\_CARE: Int\n     val FASTEST: Int\n     val  
 NICEST: Int\n     val GENERATE\_MIPMAP\_HINT: Int\n     val BYTE: Int\n     val UNSIGNED\_BYTE:  
 Int\n     val SHORT: Int\n     val UNSIGNED\_SHORT: Int\n     val INT: Int\n     val UNSIGNED\_INT: Int\n  
 val FLOAT: Int\n     val DEPTH\_COMPONENT: Int\n     val ALPHA: Int\n     val RGB: Int\n     val  
 RGBA: Int\n     val LUMINANCE: Int\n     val LUMINANCE\_ALPHA: Int\n     val  
 UNSIGNED\_SHORT\_4\_4\_4\_4: Int\n     val UNSIGNED\_SHORT\_5\_5\_5\_1: Int\n     val  
 UNSIGNED\_SHORT\_5\_6\_5: Int\n     val FRAGMENT\_SHADER: Int\n     val VERTEX\_SHADER: Int\n  
 val MAX\_VERTEX\_ATTRIBS: Int\n     val MAX\_VERTEX\_UNIFORM\_VECTORS: Int\n     val  
 MAX\_VARYING\_VECTORS: Int\n     val MAX\_COMBINED\_TEXTURE\_IMAGE\_UNITS: Int\n     val  
 MAX\_VERTEX\_TEXTURE\_IMAGE\_UNITS: Int\n     val MAX\_TEXTURE\_IMAGE\_UNITS: Int\n     val  
 MAX\_FRAGMENT\_UNIFORM\_VECTORS: Int\n     val SHADER\_TYPE: Int\n     val DELETE\_STATUS:  
 Int\n     val LINK\_STATUS: Int\n     val VALIDATE\_STATUS: Int\n     val ATTACHED\_SHADERS: Int\n  
 val ACTIVE\_UNIFORMS: Int\n     val ACTIVE\_ATTRIBUTES: Int\n     val  
 SHADING\_LANGUAGE\_VERSION: Int\n     val CURRENT\_PROGRAM: Int\n     val NEVER: Int\n     val  
 LESS: Int\n     val EQUAL: Int\n     val LEQUAL: Int\n     val GREATER: Int\n     val NOTEQUAL: Int\n  
 val GEQUAL: Int\n     val ALWAYS: Int\n     val KEEP: Int\n     val REPLACE: Int\n     val INCR: Int\n  
 val DECR: Int\n     val INVERT: Int\n     val INCR\_WRAP: Int\n     val DECR\_WRAP: Int\n     val  
 VENDOR: Int\n     val RENDERER: Int\n     val VERSION: Int\n     val NEAREST: Int\n     val LINEAR:  
 Int\n     val NEAREST\_MIPMAP\_NEAREST: Int\n     val LINEAR\_MIPMAP\_NEAREST: Int\n     val  
 NEAREST\_MIPMAP\_LINEAR: Int\n     val LINEAR\_MIPMAP\_LINEAR: Int\n     val  
 TEXTURE\_MAG\_FILTER: Int\n     val TEXTURE\_MIN\_FILTER: Int\n     val TEXTURE\_WRAP\_S: Int\n  
 val TEXTURE\_WRAP\_T: Int\n     val TEXTURE\_2D: Int\n     val TEXTURE: Int\n     val  
 TEXTURE\_CUBE\_MAP: Int\n     val TEXTURE\_BINDING\_CUBE\_MAP: Int\n     val  
 TEXTURE\_CUBE\_MAP\_POSITIVE\_X: Int\n     val TEXTURE\_CUBE\_MAP\_NEGATIVE\_X: Int\n     val  
 TEXTURE\_CUBE\_MAP\_POSITIVE\_Y: Int\n     val TEXTURE\_CUBE\_MAP\_NEGATIVE\_Y: Int\n     val  
 TEXTURE\_CUBE\_MAP\_POSITIVE\_Z: Int\n     val TEXTURE\_CUBE\_MAP\_NEGATIVE\_Z: Int\n     val  
 MAX\_CUBE\_MAP\_TEXTURE\_SIZE: Int\n     val TEXTURE0: Int\n     val TEXTURE1: Int\n     val  
 TEXTURE2: Int\n     val TEXTURE3: Int\n     val TEXTURE4: Int\n     val TEXTURE5: Int\n     val  
 TEXTURE6: Int\n     val TEXTURE7: Int\n     val TEXTURE8: Int\n     val TEXTURE9: Int\n     val  
 TEXTURE10: Int\n     val TEXTURE11: Int\n     val TEXTURE12: Int\n     val TEXTURE13: Int\n     val  
 TEXTURE14: Int\n     val TEXTURE15: Int\n     val TEXTURE16: Int\n     val TEXTURE17: Int\n     val  
 TEXTURE18: Int\n     val TEXTURE19: Int\n     val TEXTURE20: Int\n     val TEXTURE21: Int\n     val

TEXTURE22: Int\n val TEXTURE23: Int\n val TEXTURE24: Int\n val TEXTURE25: Int\n val  
TEXTURE26: Int\n val TEXTURE27: Int\n val TEXTURE28: Int\n val TEXTURE29: Int\n val  
TEXTURE30: Int\n val TEXTURE31: Int\n val ACTIVE\_TEXTURE: Int\n val REPEAT: Int\n  
val CLAMP\_TO\_EDGE: Int\n val MIRRORED\_REPEAT: Int\n val FLOAT\_VEC2: Int\n val  
FLOAT\_VEC3: Int\n val FLOAT\_VEC4: Int\n val INT\_VEC2: Int\n val INT\_VEC3: Int\n val  
INT\_VEC4: Int\n val BOOL: Int\n val BOOL\_VEC2: Int\n val BOOL\_VEC3: Int\n val  
BOOL\_VEC4: Int\n val FLOAT\_MAT2: Int\n val FLOAT\_MAT3: Int\n val FLOAT\_MAT4: Int\n  
val SAMPLER\_2D: Int\n val SAMPLER\_CUBE: Int\n val VERTEX\_ATTRIB\_ARRAY\_ENABLED:  
Int\n val VERTEX\_ATTRIB\_ARRAY\_SIZE: Int\n val VERTEX\_ATTRIB\_ARRAY\_STRIDE: Int\n  
val VERTEX\_ATTRIB\_ARRAY\_TYPE: Int\n val VERTEX\_ATTRIB\_ARRAY\_NORMALIZED: Int\n  
val VERTEX\_ATTRIB\_ARRAY\_POINTER: Int\n val VERTEX\_ATTRIB\_ARRAY\_BUFFER\_BINDING:  
Int\n val IMPLEMENTATION\_COLOR\_READ\_TYPE: Int\n val  
IMPLEMENTATION\_COLOR\_READ\_FORMAT: Int\n val COMPILE\_STATUS: Int\n val  
LOW\_FLOAT: Int\n val MEDIUM\_FLOAT: Int\n val HIGH\_FLOAT: Int\n val LOW\_INT: Int\n  
val MEDIUM\_INT: Int\n val HIGH\_INT: Int\n val FRAMEBUFFER: Int\n val RENDERBUFFER:  
Int\n val RGBA4: Int\n val RGB5\_A1: Int\n val RGB565: Int\n val DEPTH\_COMPONENT16:  
Int\n val STENCIL\_INDEX: Int\n val STENCIL\_INDEX8: Int\n val DEPTH\_STENCIL: Int\n val  
RENDERBUFFER\_WIDTH: Int\n val RENDERBUFFER\_HEIGHT: Int\n val  
RENDERBUFFER\_INTERNAL\_FORMAT: Int\n val RENDERBUFFER\_RED\_SIZE: Int\n val  
RENDERBUFFER\_GREEN\_SIZE: Int\n val RENDERBUFFER\_BLUE\_SIZE: Int\n val  
RENDERBUFFER\_ALPHA\_SIZE: Int\n val RENDERBUFFER\_DEPTH\_SIZE: Int\n val  
RENDERBUFFER\_STENCIL\_SIZE: Int\n val FRAMEBUFFER\_ATTACHMENT\_OBJECT\_TYPE: Int\n  
val FRAMEBUFFER\_ATTACHMENT\_OBJECT\_NAME: Int\n val  
FRAMEBUFFER\_ATTACHMENT\_TEXTURE\_LEVEL: Int\n val  
FRAMEBUFFER\_ATTACHMENT\_TEXTURE\_CUBE\_MAP\_FACE: Int\n val COLOR\_ATTACHMENT0:  
Int\n val DEPTH\_ATTACHMENT: Int\n val STENCIL\_ATTACHMENT: Int\n val  
DEPTH\_STENCIL\_ATTACHMENT: Int\n val NONE: Int\n val FRAMEBUFFER\_COMPLETE: Int\n  
val FRAMEBUFFER\_INCOMPLETE\_ATTACHMENT: Int\n val  
FRAMEBUFFER\_INCOMPLETE\_MISSING\_ATTACHMENT: Int\n val  
FRAMEBUFFER\_INCOMPLETE\_DIMENSIONS: Int\n val FRAMEBUFFER\_UNSUPPORTED: Int\n  
val FRAMEBUFFER\_BINDING: Int\n val RENDERBUFFER\_BINDING: Int\n val  
MAX\_RENDERBUFFER\_SIZE: Int\n val INVALID\_FRAMEBUFFER\_OPERATION: Int\n val  
UNPACK\_FLIP\_Y\_WEBGL: Int\n val UNPACK\_PREMULTIPLY\_ALPHA\_WEBGL: Int\n val  
CONTEXT\_LOST\_WEBGL: Int\n val UNPACK\_COLORSPACE\_CONVERSION\_WEBGL: Int\n val  
BROWSER\_DEFAULT\_WEBGL: Int\n }}\n\n/\*\*\n \* Exposes the JavaScript  
[WebGLRenderingContext](https://developer.mozilla.org/en/docs/Web/API/WebGLRenderingContext) to Kotlin\n
\*\n\npublic external abstract class WebGLRenderingContext : WebGLRenderingContextBase, RenderingContext {\n\n
companion object {\n val DEPTH\_BUFFER\_BIT: Int\n val STENCIL\_BUFFER\_BIT: Int\n val  
COLOR\_BUFFER\_BIT: Int\n val POINTS: Int\n val LINES: Int\n val LINE\_LOOP: Int\n val  
LINE\_STRIP: Int\n val TRIANGLES: Int\n val TRIANGLE\_STRIP: Int\n val TRIANGLE\_FAN:  
Int\n val ZERO: Int\n val ONE: Int\n val SRC\_COLOR: Int\n val ONE\_MINUS\_SRC\_COLOR:  
Int\n val SRC\_ALPHA: Int\n val ONE\_MINUS\_SRC\_ALPHA: Int\n val DST\_ALPHA: Int\n val  
ONE\_MINUS\_DST\_ALPHA: Int\n val DST\_COLOR: Int\n val ONE\_MINUS\_DST\_COLOR: Int\n  
val SRC\_ALPHA\_SATURATE: Int\n val FUNC\_ADD: Int\n val BLEND\_EQUATION: Int\n val  
BLEND\_EQUATION\_RGB: Int\n val BLEND\_EQUATION\_ALPHA: Int\n val FUNC\_SUBTRACT:  
Int\n val FUNC\_REVERSE\_SUBTRACT: Int\n val BLEND\_DST\_RGB: Int\n val  
BLEND\_SRC\_RGB: Int\n val BLEND\_DST\_ALPHA: Int\n val BLEND\_SRC\_ALPHA: Int\n val  
CONSTANT\_COLOR: Int\n val ONE\_MINUS\_CONSTANT\_COLOR: Int\n val CONSTANT\_ALPHA:

Int\n val ONE\_MINUS\_CONSTANT\_ALPHA: Int\n val BLEND\_COLOR: Int\n val  
 ARRAY\_BUFFER: Int\n val ELEMENT\_ARRAY\_BUFFER: Int\n val ARRAY\_BUFFER\_BINDING:  
 Int\n val ELEMENT\_ARRAY\_BUFFER\_BINDING: Int\n val STREAM\_DRAW: Int\n val  
 STATIC\_DRAW: Int\n val DYNAMIC\_DRAW: Int\n val BUFFER\_SIZE: Int\n val  
 BUFFER\_USAGE: Int\n val CURRENT\_VERTEX\_ATTRIB: Int\n val FRONT: Int\n val BACK:  
 Int\n val FRONT\_AND\_BACK: Int\n val CULL\_FACE: Int\n val BLEND: Int\n val DITHER:  
 Int\n val STENCIL\_TEST: Int\n val DEPTH\_TEST: Int\n val SCISSOR\_TEST: Int\n val  
 POLYGON\_OFFSET\_FILL: Int\n val SAMPLE\_ALPHA\_TO\_COVERAGE: Int\n val  
 SAMPLE\_COVERAGE: Int\n val NO\_ERROR: Int\n val INVALID\_ENUM: Int\n val  
 INVALID\_VALUE: Int\n val INVALID\_OPERATION: Int\n val OUT\_OF\_MEMORY: Int\n val CW:  
 Int\n val CCW: Int\n val LINE\_WIDTH: Int\n val ALIASED\_POINT\_SIZE\_RANGE: Int\n val  
 ALIASED\_LINE\_WIDTH\_RANGE: Int\n val CULL\_FACE\_MODE: Int\n val FRONT\_FACE: Int\n  
 val DEPTH\_RANGE: Int\n val DEPTH\_WRITEMASK: Int\n val DEPTH\_CLEAR\_VALUE: Int\n val  
 DEPTH\_FUNC: Int\n val STENCIL\_CLEAR\_VALUE: Int\n val STENCIL\_FUNC: Int\n val  
 STENCIL\_FAIL: Int\n val STENCIL\_PASS\_DEPTH\_FAIL: Int\n val STENCIL\_PASS\_DEPTH\_PASS:  
 Int\n val STENCIL\_REF: Int\n val STENCIL\_VALUE\_MASK: Int\n val STENCIL\_WRITEMASK:  
 Int\n val STENCIL\_BACK\_FUNC: Int\n val STENCIL\_BACK\_FAIL: Int\n val  
 STENCIL\_BACK\_PASS\_DEPTH\_FAIL: Int\n val STENCIL\_BACK\_PASS\_DEPTH\_PASS: Int\n val  
 STENCIL\_BACK\_REF: Int\n val STENCIL\_BACK\_VALUE\_MASK: Int\n val  
 STENCIL\_BACK\_WRITEMASK: Int\n val VIEWPORT: Int\n val SCISSOR\_BOX: Int\n val  
 COLOR\_CLEAR\_VALUE: Int\n val COLOR\_WRITEMASK: Int\n val UNPACK\_ALIGNMENT: Int\n  
 val PACK\_ALIGNMENT: Int\n val MAX\_TEXTURE\_SIZE: Int\n val MAX\_VIEWPORT\_DIMS: Int\n  
 val SUBPIXEL\_BITS: Int\n val RED\_BITS: Int\n val GREEN\_BITS: Int\n val BLUE\_BITS: Int\n  
 val ALPHA\_BITS: Int\n val DEPTH\_BITS: Int\n val STENCIL\_BITS: Int\n val  
 POLYGON\_OFFSET\_UNITS: Int\n val POLYGON\_OFFSET\_FACTOR: Int\n val  
 TEXTURE\_BINDING\_2D: Int\n val SAMPLE\_BUFFERS: Int\n val SAMPLES: Int\n val  
 SAMPLE\_COVERAGE\_VALUE: Int\n val SAMPLE\_COVERAGE\_INVERT: Int\n val  
 COMPRESSED\_TEXTURE\_FORMATS: Int\n val DONT\_CARE: Int\n val FASTEST: Int\n val  
 NICEST: Int\n val GENERATE\_MIPMAP\_HINT: Int\n val BYTE: Int\n val UNSIGNED\_BYTE:  
 Int\n val SHORT: Int\n val UNSIGNED\_SHORT: Int\n val INT: Int\n val UNSIGNED\_INT: Int\n  
 val FLOAT: Int\n val DEPTH\_COMPONENT: Int\n val ALPHA: Int\n val RGB: Int\n val  
 RGBA: Int\n val LUMINANCE: Int\n val LUMINANCE\_ALPHA: Int\n val  
 UNSIGNED\_SHORT\_4\_4\_4\_4: Int\n val UNSIGNED\_SHORT\_5\_5\_5\_1: Int\n val  
 UNSIGNED\_SHORT\_5\_6\_5: Int\n val FRAGMENT\_SHADER: Int\n val VERTEX\_SHADER: Int\n  
 val MAX\_VERTEX\_ATTRIBS: Int\n val MAX\_VERTEX\_UNIFORM\_VECTORS: Int\n val  
 MAX\_VARYING\_VECTORS: Int\n val MAX\_COMBINED\_TEXTURE\_IMAGE\_UNITS: Int\n val  
 MAX\_VERTEX\_TEXTURE\_IMAGE\_UNITS: Int\n val MAX\_TEXTURE\_IMAGE\_UNITS: Int\n val  
 MAX\_FRAGMENT\_UNIFORM\_VECTORS: Int\n val SHADER\_TYPE: Int\n val DELETE\_STATUS:  
 Int\n val LINK\_STATUS: Int\n val VALIDATE\_STATUS: Int\n val ATTACHED\_SHADERS: Int\n  
 val ACTIVE\_UNIFORMS: Int\n val ACTIVE\_ATTRIBUTES: Int\n val  
 SHADING\_LANGUAGE\_VERSION: Int\n val CURRENT\_PROGRAM: Int\n val NEVER: Int\n val  
 LESS: Int\n val EQUAL: Int\n val LEQUAL: Int\n val GREATER: Int\n val NOTEQUAL: Int\n  
 val GEQUAL: Int\n val ALWAYS: Int\n val KEEP: Int\n val REPLACE: Int\n val INCR: Int\n  
 val DECR: Int\n val INVERT: Int\n val INCR\_WRAP: Int\n val DECR\_WRAP: Int\n val  
 VENDOR: Int\n val RENDERER: Int\n val VERSION: Int\n val NEAREST: Int\n val LINEAR:  
 Int\n val NEAREST\_MIPMAP\_NEAREST: Int\n val LINEAR\_MIPMAP\_NEAREST: Int\n val  
 NEAREST\_MIPMAP\_LINEAR: Int\n val LINEAR\_MIPMAP\_LINEAR: Int\n val  
 TEXTURE\_MAG\_FILTER: Int\n val TEXTURE\_MIN\_FILTER: Int\n val TEXTURE\_WRAP\_S: Int\n

```

val TEXTURE_WRAP_T: Int\n    val TEXTURE_2D: Int\n    val TEXTURE: Int\n    val
TEXTURE_CUBE_MAP: Int\n    val TEXTURE_BINDING_CUBE_MAP: Int\n    val
TEXTURE_CUBE_MAP_POSITIVE_X: Int\n    val TEXTURE_CUBE_MAP_NEGATIVE_X: Int\n    val
TEXTURE_CUBE_MAP_POSITIVE_Y: Int\n    val TEXTURE_CUBE_MAP_NEGATIVE_Y: Int\n    val
TEXTURE_CUBE_MAP_POSITIVE_Z: Int\n    val TEXTURE_CUBE_MAP_NEGATIVE_Z: Int\n    val
MAX_CUBE_MAP_TEXTURE_SIZE: Int\n    val TEXTURE0: Int\n    val TEXTURE1: Int\n    val
TEXTURE2: Int\n    val TEXTURE3: Int\n    val TEXTURE4: Int\n    val TEXTURE5: Int\n    val
TEXTURE6: Int\n    val TEXTURE7: Int\n    val TEXTURE8: Int\n    val TEXTURE9: Int\n    val
TEXTURE10: Int\n    val TEXTURE11: Int\n    val TEXTURE12: Int\n    val TEXTURE13: Int\n    val
TEXTURE14: Int\n    val TEXTURE15: Int\n    val TEXTURE16: Int\n    val TEXTURE17: Int\n    val
TEXTURE18: Int\n    val TEXTURE19: Int\n    val TEXTURE20: Int\n    val TEXTURE21: Int\n    val
TEXTURE22: Int\n    val TEXTURE23: Int\n    val TEXTURE24: Int\n    val TEXTURE25: Int\n    val
TEXTURE26: Int\n    val TEXTURE27: Int\n    val TEXTURE28: Int\n    val TEXTURE29: Int\n    val
TEXTURE30: Int\n    val TEXTURE31: Int\n    val ACTIVE_TEXTURE: Int\n    val REPEAT: Int\n
val CLAMP_TO_EDGE: Int\n    val MIRRORED_REPEAT: Int\n    val FLOAT_VEC2: Int\n    val
FLOAT_VEC3: Int\n    val FLOAT_VEC4: Int\n    val INT_VEC2: Int\n    val INT_VEC3: Int\n    val
INT_VEC4: Int\n    val BOOL: Int\n    val BOOL_VEC2: Int\n    val BOOL_VEC3: Int\n    val
BOOL_VEC4: Int\n    val FLOAT_MAT2: Int\n    val FLOAT_MAT3: Int\n    val FLOAT_MAT4: Int\n
val SAMPLER_2D: Int\n    val SAMPLER_CUBE: Int\n    val VERTEX_ATTRIB_ARRAY_ENABLED:
Int\n    val VERTEX_ATTRIB_ARRAY_SIZE: Int\n    val VERTEX_ATTRIB_ARRAY_STRIDE: Int\n
val VERTEX_ATTRIB_ARRAY_TYPE: Int\n    val VERTEX_ATTRIB_ARRAY_NORMALIZED: Int\n
val VERTEX_ATTRIB_ARRAY_POINTER: Int\n    val VERTEX_ATTRIB_ARRAY_BUFFER_BINDING:
Int\n    val IMPLEMENTATION_COLOR_READ_TYPE: Int\n    val
IMPLEMENTATION_COLOR_READ_FORMAT: Int\n    val COMPILE_STATUS: Int\n    val
LOW_FLOAT: Int\n    val MEDIUM_FLOAT: Int\n    val HIGH_FLOAT: Int\n    val LOW_INT: Int\n
val MEDIUM_INT: Int\n    val HIGH_INT: Int\n    val FRAMEBUFFER: Int\n    val RENDERBUFFER:
Int\n    val RGBA4: Int\n    val RGB5_A1: Int\n    val RGB565: Int\n    val DEPTH_COMPONENT16:
Int\n    val STENCIL_INDEX: Int\n    val STENCIL_INDEX8: Int\n    val DEPTH_STENCIL: Int\n    val
RENDERBUFFER_WIDTH: Int\n    val RENDERBUFFER_HEIGHT: Int\n    val
RENDERBUFFER_INTERNAL_FORMAT: Int\n    val RENDERBUFFER_RED_SIZE: Int\n    val
RENDERBUFFER_GREEN_SIZE: Int\n    val RENDERBUFFER_BLUE_SIZE: Int\n    val
RENDERBUFFER_ALPHA_SIZE: Int\n    val RENDERBUFFER_DEPTH_SIZE: Int\n    val
RENDERBUFFER_STENCIL_SIZE: Int\n    val FRAMEBUFFER_ATTACHMENT_OBJECT_TYPE: Int\n
val FRAMEBUFFER_ATTACHMENT_OBJECT_NAME: Int\n    val
FRAMEBUFFER_ATTACHMENT_TEXTURE_LEVEL: Int\n    val
FRAMEBUFFER_ATTACHMENT_TEXTURE_CUBE_MAP_FACE: Int\n    val COLOR_ATTACHMENT0:
Int\n    val DEPTH_ATTACHMENT: Int\n    val STENCIL_ATTACHMENT: Int\n    val
DEPTH_STENCIL_ATTACHMENT: Int\n    val NONE: Int\n    val FRAMEBUFFER_COMPLETE: Int\n
val FRAMEBUFFER_INCOMPLETE_ATTACHMENT: Int\n    val
FRAMEBUFFER_INCOMPLETE_MISSING_ATTACHMENT: Int\n    val
FRAMEBUFFER_INCOMPLETE_DIMENSIONS: Int\n    val FRAMEBUFFER_UNSUPPORTED: Int\n
val FRAMEBUFFER_BINDING: Int\n    val RENDERBUFFER_BINDING: Int\n    val
MAX_RENDERBUFFER_SIZE: Int\n    val INVALID_FRAMEBUFFER_OPERATION: Int\n    val
UNPACK_FLIP_Y_WEBGL: Int\n    val UNPACK_PREMULTIPLY_ALPHA_WEBGL: Int\n    val
CONTEXT_LOST_WEBGL: Int\n    val UNPACK_COLORSPACE_CONVERSION_WEBGL: Int\n    val
BROWSER_DEFAULT_WEBGL: Int\n    }\n}\n\n**\n * Exposes the JavaScript
[WebGLContextEvent](https://developer.mozilla.org/en/docs/Web/API/WebGLContextEvent) to Kotlin\n
*/\npublic external open class WebGLContextEvent(type: String, eventInit: WebGLContextEventInit =

```

```

definedExternally) : Event {\n  open val statusMessage: String\n\n  companion object {\n    val NONE: Short\n    val CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val BUBBLING_PHASE: Short\n  }\n}\n\npublic external interface WebGLContextEventInit : EventInit {\n  var statusMessage: String? /* = \"\" */\n  get() = definedExternally\n  set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",  
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun  
WebGLContextEventInit(statusMessage: String? = \"\", bubbles: Boolean? = false, cancelable: Boolean? = false,  
composed: Boolean? = false): WebGLContextEventInit {\n  val o = js(\"({})\")\n  o[\"statusMessage\"] =  
statusMessage\n  o[\"bubbles\"] = bubbles\n  o[\"cancelable\"] = cancelable\n  o[\"composed\"] = composed\n  return o\n}\n\n/**\n * Exposes the JavaScript  
[ArrayBuffer](https://developer.mozilla.org/en/docs/Web/API/ArrayBuffer) to Kotlin\n */\npublic external open  
class ArrayBuffer(length: Int) : BufferDataSource {\n  open val byteLength: Int\n  fun slice(begin: Int, end: Int =  
definedExternally): ArrayBuffer\n\n  companion object {\n    fun isView(value: Any?): Boolean\n  }\n}\n\n/**\n * Exposes the JavaScript  
[ArrayBufferView](https://developer.mozilla.org/en/docs/Web/API/ArrayBufferView) to Kotlin\n */\npublic  
external interface ArrayBufferView : BufferDataSource {\n  val buffer: ArrayBuffer\n  val byteOffset: Int\n  val  
byteLength: Int\n}\n\n/**\n * Exposes the JavaScript  
[Int8Array](https://developer.mozilla.org/en/docs/Web/API/Int8Array) to Kotlin\n */\npublic external open class  
Int8Array : ArrayBufferView {\n  constructor(length: Int)\n  constructor(array: Int8Array)\n  constructor(array:  
Array<Byte>)\n  constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int =  
definedExternally)\n  open val length: Int\n  override val buffer: ArrayBuffer\n  override val byteOffset: Int\n  override val byteLength: Int\n  fun set(array: Int8Array, offset: Int = definedExternally)\n  fun set(array:  
Array<Byte>, offset: Int = definedExternally)\n  fun subarray(start: Int, end: Int): Int8Array\n\n  companion  
object {\n    val BYTES_PER_ELEMENT: Int\n  }\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",  
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Int8Array.get(index: Int):  
Byte = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\",  
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Int8Array.set(index: Int,  
value: Byte) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript  
[Uint8Array](https://developer.mozilla.org/en/docs/Web/API/Uint8Array) to Kotlin\n */\npublic external open class  
Uint8Array : ArrayBufferView {\n  constructor(length: Int)\n  constructor(array: Uint8Array)\n  constructor(array: Array<Byte>)\n  constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length:  
Int = definedExternally)\n  open val length: Int\n  override val buffer: ArrayBuffer\n  override val byteOffset:  
Int\n  override val byteLength: Int\n  fun set(array: Uint8Array, offset: Int = definedExternally)\n  fun set(array:  
Array<Byte>, offset: Int = definedExternally)\n  fun subarray(start: Int, end: Int): Uint8Array\n\n  companion  
object {\n    val BYTES_PER_ELEMENT: Int\n  }\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",  
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Uint8Array.get(index: Int):  
Byte = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\",  
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Uint8Array.set(index: Int,  
value: Byte) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript  
[Uint8ClampedArray](https://developer.mozilla.org/en/docs/Web/API/Uint8ClampedArray) to Kotlin\n */\npublic  
external open class Uint8ClampedArray : ArrayBufferView {\n  constructor(length: Int)\n  constructor(array:  
Uint8ClampedArray)\n  constructor(array: Array<Byte>)\n  constructor(buffer: ArrayBuffer, byteOffset: Int =  
definedExternally, length: Int = definedExternally)\n  open val length: Int\n  override val buffer: ArrayBuffer\n  override val byteOffset: Int\n  override val byteLength: Int\n  fun set(array: Uint8ClampedArray, offset: Int =  
definedExternally)\n  fun set(array: Array<Byte>, offset: Int = definedExternally)\n  fun subarray(start: Int, end:  
Int): Uint8ClampedArray\n\n  companion object {\n    val BYTES_PER_ELEMENT: Int\n  }\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",  
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun  
Uint8ClampedArray.get(index: Int): Byte = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\",

```



```

\ "INVISIBLE_MEMBER" ) \n @kotlin.internal.InlineOnly \n public inline operator fun
UInt8ClampedArray.set(index: Int, value: Byte) { asDynamic()[index] = value } \n \n /** \n * Exposes the JavaScript
[Int16Array](https://developer.mozilla.org/en/docs/Web/API/Int16Array) to Kotlin \n * \n \n public external open class
Int16Array : ArrayBufferView { \n    constructor(length: Int) \n    constructor(array: Int16Array) \n
constructor(array: Array<Short>) \n    constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length:
Int = definedExternally) \n    open val length: Int \n    override val buffer: ArrayBuffer \n    override val byteOffset:
Int \n    override val byteLength: Int \n    fun set(array: Int16Array, offset: Int = definedExternally) \n    fun set(array:
Array<Short>, offset: Int = definedExternally) \n    fun subarray(start: Int, end: Int): Int16Array \n \n    companion
object { \n        val BYTES_PER_ELEMENT: Int \n    } \n \n \n @Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER") \n @kotlin.internal.InlineOnly \n public inline operator fun Int16Array.get(index: Int):
Short = asDynamic()[index] \n \n @Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER") \n @kotlin.internal.InlineOnly \n public inline operator fun Int16Array.set(index: Int,
value: Short) { asDynamic()[index] = value } \n \n /** \n * Exposes the JavaScript
[UInt16Array](https://developer.mozilla.org/en/docs/Web/API/UInt16Array) to Kotlin \n * \n \n public external open
class UInt16Array : ArrayBufferView { \n    constructor(length: Int) \n    constructor(array: UInt16Array) \n
constructor(array: Array<Short>) \n    constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length:
Int = definedExternally) \n    open val length: Int \n    override val buffer: ArrayBuffer \n    override val byteOffset:
Int \n    override val byteLength: Int \n    fun set(array: UInt16Array, offset: Int = definedExternally) \n    fun set(array:
Array<Short>, offset: Int = definedExternally) \n    fun subarray(start: Int, end: Int): UInt16Array \n \n    companion
object { \n        val BYTES_PER_ELEMENT: Int \n    } \n \n \n @Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER") \n @kotlin.internal.InlineOnly \n public inline operator fun UInt16Array.get(index: Int):
Short = asDynamic()[index] \n \n @Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER") \n @kotlin.internal.InlineOnly \n public inline operator fun UInt16Array.set(index: Int,
value: Short) { asDynamic()[index] = value } \n \n /** \n * Exposes the JavaScript
[Int32Array](https://developer.mozilla.org/en/docs/Web/API/Int32Array) to Kotlin \n * \n \n public external open class
Int32Array : ArrayBufferView { \n    constructor(length: Int) \n    constructor(array: Int32Array) \n
constructor(array: Array<Int>) \n    constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int
= definedExternally) \n    open val length: Int \n    override val buffer: ArrayBuffer \n    override val byteOffset: Int \n
override val byteLength: Int \n    fun set(array: Int32Array, offset: Int = definedExternally) \n    fun set(array:
Array<Int>, offset: Int = definedExternally) \n    fun subarray(start: Int, end: Int): Int32Array \n \n    companion object
{ \n        val BYTES_PER_ELEMENT: Int \n    } \n \n \n @Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER") \n @kotlin.internal.InlineOnly \n public inline operator fun Int32Array.get(index: Int): Int
= asDynamic()[index] \n \n @Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER") \n @kotlin.internal.InlineOnly \n public inline operator fun Int32Array.set(index: Int,
value: Int) { asDynamic()[index] = value } \n \n /** \n * Exposes the JavaScript
[UInt32Array](https://developer.mozilla.org/en/docs/Web/API/UInt32Array) to Kotlin \n * \n \n public external open
class UInt32Array : ArrayBufferView { \n    constructor(length: Int) \n    constructor(array: UInt32Array) \n
constructor(array: Array<Int>) \n    constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int
= definedExternally) \n    open val length: Int \n    override val buffer: ArrayBuffer \n    override val byteOffset: Int \n
override val byteLength: Int \n    fun set(array: UInt32Array, offset: Int = definedExternally) \n    fun set(array:
Array<Int>, offset: Int = definedExternally) \n    fun subarray(start: Int, end: Int): UInt32Array \n \n    companion
object { \n        val BYTES_PER_ELEMENT: Int \n    } \n \n \n @Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER") \n @kotlin.internal.InlineOnly \n public inline operator fun UInt32Array.get(index: Int):
Int = asDynamic()[index] \n \n @Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER") \n @kotlin.internal.InlineOnly \n public inline operator fun UInt32Array.set(index: Int,
value: Int) { asDynamic()[index] = value } \n \n /** \n * Exposes the JavaScript
[Float32Array](https://developer.mozilla.org/en/docs/Web/API/Float32Array) to Kotlin \n * \n \n public external open
class Float32Array : ArrayBufferView { \n    constructor(length: Int) \n    constructor(array: Float32Array) \n

```

```

constructor(array: Array<Float>)\n  constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length:
Int = definedExternally)\n  open val length: Int\n  override val buffer: ArrayBuffer\n  override val byteOffset:
Int\n  override val byteLength: Int\n  fun set(array: Float32Array, offset: Int = definedExternally)\n  fun
set(array: Array<Float>, offset: Int = definedExternally)\n  fun subarray(start: Int, end: Int): Float32Array\n\n
companion object {\n    val BYTES_PER_ELEMENT: Int\n
}\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun Float32Array.get(index: Int):
Float = asDynamic()[index]\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun Float32Array.set(index: Int,
value: Float) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript
[Float64Array](https://developer.mozilla.org/en/docs/Web/API/Float64Array) to Kotlin\n */\npublic external open
class Float64Array : ArrayBufferView {\n  constructor(length: Int)\n  constructor(array: Float64Array)\n
constructor(array: Array<Double>)\n  constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length:
Int = definedExternally)\n  open val length: Int\n  override val buffer: ArrayBuffer\n  override val byteOffset:
Int\n  override val byteLength: Int\n  fun set(array: Float64Array, offset: Int = definedExternally)\n  fun
set(array: Array<Double>, offset: Int = definedExternally)\n  fun subarray(start: Int, end: Int): Float64Array\n\n
companion object {\n    val BYTES_PER_ELEMENT: Int\n
}\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun Float64Array.get(index: Int):
Double = asDynamic()[index]\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun Float64Array.set(index: Int,
value: Double) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript
[DataView](https://developer.mozilla.org/en/docs/Web/API/DataView) to Kotlin\n */\npublic external open class
DataView(buffer: ArrayBuffer, byteOffset: Int = definedExternally, byteLength: Int = definedExternally) :
ArrayBufferView {\n  override val buffer: ArrayBuffer\n  override val byteOffset: Int\n  override val
byteLength: Int\n  fun getInt8(byteOffset: Int): Byte\n  fun getUint8(byteOffset: Int): Byte\n  fun
getInt16(byteOffset: Int, littleEndian: Boolean = definedExternally): Short\n  fun getUint16(byteOffset: Int,
littleEndian: Boolean = definedExternally): Short\n  fun getInt32(byteOffset: Int, littleEndian: Boolean =
definedExternally): Int\n  fun getUint32(byteOffset: Int, littleEndian: Boolean = definedExternally): Int\n  fun
getFloat32(byteOffset: Int, littleEndian: Boolean = definedExternally): Float\n  fun getFloat64(byteOffset: Int,
littleEndian: Boolean = definedExternally): Double\n  fun setInt8(byteOffset: Int, value: Byte)\n  fun
setUint8(byteOffset: Int, value: Byte)\n  fun setInt16(byteOffset: Int, value: Short, littleEndian: Boolean =
definedExternally)\n  fun setUint16(byteOffset: Int, value: Short, littleEndian: Boolean = definedExternally)\n
fun setInt32(byteOffset: Int, value: Int, littleEndian: Boolean = definedExternally)\n  fun setUint32(byteOffset: Int,
value: Int, littleEndian: Boolean = definedExternally)\n  fun setFloat32(byteOffset: Int, value: Float, littleEndian:
Boolean = definedExternally)\n  fun setFloat64(byteOffset: Int, value: Double, littleEndian: Boolean =
definedExternally)\n}\n\npublic external interface BufferDataSource\n\npublic external interface
TexImageSource", /*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n *
Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for
details\n\npackage org.w3c.dom.clipboard\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport
org.w3c.dom.*\nimport org.w3c.dom.events.*\n\npublic external interface ClipboardEventInit : EventInit {\n  var
clipboardData: DataTransfer? /* = null */\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun ClipboardEventInit(clipboardData:
DataTransfer? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false):
ClipboardEventInit {\n  val o = js("{}")\n  o["clipboardData"] = clipboardData\n  o["bubbles"] = bubbles\n
o["cancelable"] = cancelable\n  o["composed"] = composed\n  return o\n}\n\n/**\n * Exposes the JavaScript

```

```

[ClipboardEvent](https://developer.mozilla.org/en/docs/Web/API/ClipboardEvent) to Kotlin\n */\npublic external
open class ClipboardEvent(type: String, eventInitDict: ClipboardEventInit = definedExternally) : Event {\n  open
val clipboardData: DataTransfer?\n\n  companion object {\n    val NONE: Short\n    val
CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val BUBBLING_PHASE: Short\n
}\n}\n\n/**\n * Exposes the JavaScript [Clipboard](https://developer.mozilla.org/en/docs/Web/API/Clipboard) to
Kotlin\n */\npublic external abstract class Clipboard : EventTarget {\n  fun read(): Promise<DataTransfer>\n  fun
readText(): Promise<String>\n  fun write(data: DataTransfer): Promise<Unit>\n  fun writeText(data: String):
Promise<Unit>\n}\n\npublic external interface ClipboardPermissionDescriptor {\n  var allowWithoutGesture:
Boolean? /* = false */\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n\n@kotlin.internal.InlineOnly\npublic inline fun
ClipboardPermissionDescriptor(allowWithoutGesture: Boolean? = false): ClipboardPermissionDescriptor {\n  val
o = js("{}")\n  o["allowWithoutGesture"] = allowWithoutGesture\n  return o\n}, /*\n * Copyright 2010-
2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-
GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.dom.css\n\nimport
kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\n\npublic external abstract class MediaList :
ItemArrayLike<String> {\n  open var mediaText: String\n  fun appendMedium(medium: String)\n  fun
deleteMedium(medium: String)\n  override fun item(index: Int):
String?\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n\n@kotlin.internal.InlineOnly\npublic inline operator fun MediaList.get(index: Int):
String? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[StyleSheet](https://developer.mozilla.org/en/docs/Web/API/StyleSheet) to Kotlin\n */\npublic external abstract
class StyleSheet {\n  open val type: String\n  open val href: String?\n  open val ownerNode:
UnionElementOrProcessingInstruction?\n  open val parentStyleSheet: StyleSheet?\n  open val title: String?\n
open val media: MediaList\n  open var disabled: Boolean\n}\n\n/**\n * Exposes the JavaScript
[CSSStyleSheet](https://developer.mozilla.org/en/docs/Web/API/CSSStyleSheet) to Kotlin\n */\npublic external
abstract class CSSStyleSheet : StyleSheet {\n  open val ownerRule: CSSRule?\n  open val cssRules:
CSSRuleList\n  fun insertRule(rule: String, index: Int): Int\n  fun deleteRule(index: Int)\n}\n\n/**\n * Exposes the
JavaScript [StyleSheetList](https://developer.mozilla.org/en/docs/Web/API/StyleSheetList) to Kotlin\n */\npublic
external abstract class StyleSheetList : ItemArrayLike<StyleSheet> {\n  override fun item(index: Int):
StyleSheet?\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n\n@kotlin.internal.InlineOnly\npublic inline operator fun StyleSheetList.get(index: Int):
StyleSheet? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[LinkStyle](https://developer.mozilla.org/en/docs/Web/API/LinkStyle) to Kotlin\n */\npublic external interface
LinkStyle {\n  val sheet: StyleSheet?\n  get() = definedExternally\n}\n\n/**\n * Exposes the JavaScript
[CSSRuleList](https://developer.mozilla.org/en/docs/Web/API/CSSRuleList) to Kotlin\n */\npublic external abstract
class CSSRuleList : ItemArrayLike<CSSRule> {\n  override fun item(index: Int):
CSSRule?\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n\n@kotlin.internal.InlineOnly\npublic inline operator fun CSSRuleList.get(index: Int):
CSSRule? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[CSSRule](https://developer.mozilla.org/en/docs/Web/API/CSSRule) to Kotlin\n */\npublic external abstract class
CSSRule {\n  open val type: Short\n  open var cssText: String\n  open val parentRule: CSSRule?\n  open val
parentStyleSheet: CSSStyleSheet?\n\n  companion object {\n    val STYLE_RULE: Short\n    val
CHARSET_RULE: Short\n    val IMPORT_RULE: Short\n    val MEDIA_RULE: Short\n    val
FONT_FACE_RULE: Short\n    val PAGE_RULE: Short\n    val MARGIN_RULE: Short\n    val
NAMESPACE_RULE: Short\n  }\n}\n\n/**\n * Exposes the JavaScript
[CSSStyleRule](https://developer.mozilla.org/en/docs/Web/API/CSSStyleRule) to Kotlin\n */\npublic external

```

```

abstract class CSSStyleRule : CSSRule {
    open var selectorText: String
    open val style:
    CSSStyleDeclaration
}
companion object {
    val STYLE_RULE: Short
    val CHARSET_RULE: Short
    val IMPORT_RULE: Short
    val MEDIA_RULE: Short
    val FONT_FACE_RULE: Short
    val PAGE_RULE: Short
    val MARGIN_RULE: Short
    val NAMESPACE_RULE: Short
}
}

public external abstract class CSSImportRule : CSSRule {
    open val href: String
    open val media:
    MediaList
    open val styleSheet: CSSStyleSheet
}
companion object {
    val STYLE_RULE: Short
    val CHARSET_RULE: Short
    val IMPORT_RULE: Short
    val MEDIA_RULE: Short
    val FONT_FACE_RULE: Short
    val PAGE_RULE: Short
    val MARGIN_RULE: Short
    val NAMESPACE_RULE: Short
}
}

Exposes the JavaScript
[CSSGroupingRule](https://developer.mozilla.org/en/docs/Web/API/CSSGroupingRule) to Kotlin

public external abstract class CSSGroupingRule : CSSRule {
    open val cssRules: CSSRuleList
    fun insertRule(rule:
    String, index: Int): Int
    fun deleteRule(index: Int)
}
companion object {
    val STYLE_RULE: Short
    val CHARSET_RULE: Short
    val IMPORT_RULE: Short
    val MEDIA_RULE: Short
    val FONT_FACE_RULE: Short
    val PAGE_RULE: Short
    val MARGIN_RULE: Short
    val NAMESPACE_RULE: Short
}
}

Exposes the JavaScript
[CSSMediaRule](https://developer.mozilla.org/en/docs/Web/API/CSSMediaRule) to Kotlin

public external abstract class CSSMediaRule : CSSGroupingRule {
    open val media: MediaList
}
companion object {
    val STYLE_RULE: Short
    val CHARSET_RULE: Short
    val IMPORT_RULE: Short
    val MEDIA_RULE: Short
    val FONT_FACE_RULE: Short
    val PAGE_RULE: Short
    val MARGIN_RULE: Short
    val NAMESPACE_RULE: Short
}
}

Exposes the JavaScript
[CSSPageRule](https://developer.mozilla.org/en/docs/Web/API/CSSPageRule) to Kotlin

public external abstract class CSSPageRule : CSSGroupingRule {
    open var selectorText: String
    open val style:
    CSSStyleDeclaration
}
companion object {
    val STYLE_RULE: Short
    val CHARSET_RULE: Short
    val IMPORT_RULE: Short
    val MEDIA_RULE: Short
    val FONT_FACE_RULE: Short
    val PAGE_RULE: Short
    val MARGIN_RULE: Short
    val NAMESPACE_RULE: Short
}
}

public external abstract class CSSMarginRule : CSSRule {
    open val name: String
    open val style:
    CSSStyleDeclaration
}
companion object {
    val STYLE_RULE: Short
    val CHARSET_RULE: Short
    val IMPORT_RULE: Short
    val MEDIA_RULE: Short
    val FONT_FACE_RULE: Short
    val PAGE_RULE: Short
    val MARGIN_RULE: Short
    val NAMESPACE_RULE: Short
}
}

Exposes the JavaScript
[CSSNamespaceRule](https://developer.mozilla.org/en/docs/Web/API/CSSNamespaceRule) to Kotlin

public external abstract class CSSNamespaceRule : CSSRule {
    open val namespaceURI: String
    open val prefix:
    String
}
companion object {
    val STYLE_RULE: Short
    val CHARSET_RULE: Short
    val IMPORT_RULE: Short
    val MEDIA_RULE: Short
    val FONT_FACE_RULE: Short
    val PAGE_RULE: Short
    val MARGIN_RULE: Short
    val NAMESPACE_RULE: Short
}
}

Exposes the JavaScript
[CSSStyleDeclaration](https://developer.mozilla.org/en/docs/Web/API/CSSStyleDeclaration) to Kotlin

public external abstract class CSSStyleDeclaration : ItemArrayLike<String> {
    open var cssText: String
    open val parentRule: CSSRule?
    open var cssFloat: String
    open var alignContent: String
    open var alignItems:
    String
    open var alignSelf: String
    open var animation: String
    open var animationDelay: String
    open var animationDirection: String
    open var animationDuration: String
    open var animationFillMode: String
    open var animationIterationCount: String
    open var animationName: String
    open var animationPlayState:
    String
    open var animationTimingFunction: String
    open var backfaceVisibility: String
    open var background: String
    open var backgroundAttachment: String
    open var backgroundClip: String
    open var backgroundColor: String
    open var backgroundImage: String
    open var backgroundOrigin: String
    open var backgroundPosition: String
    open var backgroundRepeat: String
    open var backgroundSize: String
    open var border: String
    open var borderBottom: String
    open var borderBottomColor: String
    open var
    borderBottomLeftRadius: String
    open var borderBottomRightRadius: String
    open var borderBottomStyle:

```

String\n open var borderBottomWidth: String\n open var borderCollapse: String\n open var borderColor: String\n open var borderImage: String\n open var borderImageOutset: String\n open var borderImageRepeat: String\n open var borderImageSlice: String\n open var borderImageSource: String\n open var borderImageWidth: String\n open var borderLeft: String\n open var borderLeftColor: String\n open var borderLeftStyle: String\n open var borderLeftWidth: String\n open var borderRadius: String\n open var borderRight: String\n open var borderRightColor: String\n open var borderRightStyle: String\n open var borderRightWidth: String\n open var borderSpacing: String\n open var borderStyle: String\n open var borderTop: String\n open var borderTopColor: String\n open var borderTopLeftRadius: String\n open var borderTopRightRadius: String\n open var borderTopStyle: String\n open var borderTopWidth: String\n open var borderWidth: String\n open var bottom: String\n open var boxDecorationBreak: String\n open var boxShadow: String\n open var boxSizing: String\n open var breakAfter: String\n open var breakBefore: String\n open var breakInside: String\n open var captionSide: String\n open var clear: String\n open var clip: String\n open var color: String\n open var columnCount: String\n open var columnFill: String\n open var columnGap: String\n open var columnRule: String\n open var columnRuleColor: String\n open var columnRuleStyle: String\n open var columnRuleWidth: String\n open var columnSpan: String\n open var columnWidth: String\n open var columns: String\n open var content: String\n open var counterIncrement: String\n open var counterReset: String\n open var cursor: String\n open var direction: String\n open var display: String\n open var emptyCells: String\n open var filter: String\n open var flex: String\n open var flexBasis: String\n open var flexDirection: String\n open var flexFlow: String\n open var flexGrow: String\n open var flexShrink: String\n open var flexWrap: String\n open var font: String\n open var fontFamily: String\n open var fontFeatureSettings: String\n open var fontKerning: String\n open var fontLanguageOverride: String\n open var fontSize: String\n open var fontSizeAdjust: String\n open var fontStretch: String\n open var fontStyle: String\n open var fontSynthesis: String\n open var fontVariant: String\n open var fontVariantAlternates: String\n open var fontVariantCaps: String\n open var fontVariantEastAsian: String\n open var fontVariantLigatures: String\n open var fontVariantNumeric: String\n open var fontVariantPosition: String\n open var fontWeight: String\n open var hangingPunctuation: String\n open var height: String\n open var hyphens: String\n open var imageOrientation: String\n open var imageRendering: String\n open var imageResolution: String\n open var imeMode: String\n open var justifyContent: String\n open var left: String\n open var letterSpacing: String\n open var lineBreak: String\n open var lineHeight: String\n open var listStyle: String\n open var listStyleImage: String\n open var listStylePosition: String\n open var listStyleType: String\n open var margin: String\n open var marginBottom: String\n open var marginLeft: String\n open var marginRight: String\n open var marginTop: String\n open var mark: String\n open var markAfter: String\n open var markBefore: String\n open var marks: String\n open var marqueeDirection: String\n open var marqueePlayCount: String\n open var marqueeSpeed: String\n open var marqueeStyle: String\n open var mask: String\n open var maskType: String\n open var maxHeight: String\n open var maxWidth: String\n open var minHeight: String\n open var minWidth: String\n open var navDown: String\n open var navIndex: String\n open var navLeft: String\n open var navRight: String\n open var navUp: String\n open var objectFit: String\n open var objectPosition: String\n open var opacity: String\n open var order: String\n open var orphans: String\n open var outline: String\n open var outlineColor: String\n open var outlineOffset: String\n open var outlineStyle: String\n open var outlineWidth: String\n open var overflowWrap: String\n open var overflowX: String\n open var overflowY: String\n open var padding: String\n open var paddingBottom: String\n open var paddingLeft: String\n open var paddingRight: String\n open var paddingTop: String\n open var pageBreakAfter: String\n open var pageBreakBefore: String\n open var pageBreakInside: String\n open var perspective: String\n open var perspectiveOrigin: String\n open var phonemes: String\n open var position: String\n open var quotes: String\n open var resize: String\n open var rest: String\n open var restAfter: String\n open var restBefore: String\n open var right: String\n open var tabSize: String\n open var tableLayout: String\n open var textAlign: String\n open var textAlignLast: String\n open var textCombineUpright: String\n open var textDecoration: String\n open var textDecorationColor:

```

String\n open var textDecorationLine: String\n open var textDecorationStyle: String\n open var textIndent:
String\n open var textJustify: String\n open var textOrientation: String\n open var textOverflow: String\n
open var textShadow: String\n open var textTransform: String\n open var textUnderlinePosition: String\n open
var top: String\n open var transform: String\n open var transformOrigin: String\n open var transformStyle:
String\n open var transition: String\n open var transitionDelay: String\n open var transitionDuration: String\n
open var transitionProperty: String\n open var transitionTimingFunction: String\n open var unicodeBidi:
String\n open var verticalAlign: String\n open var visibility: String\n open var voiceBalance: String\n open
var voiceDuration: String\n open var voicePitch: String\n open var voicePitchRange: String\n open var
voiceRate: String\n open var voiceStress: String\n open var voiceVolume: String\n open var whiteSpace:
String\n open var widows: String\n open var width: String\n open var wordBreak: String\n open var
wordSpacing: String\n open var wordWrap: String\n open var writingMode: String\n open var zIndex: String\n
open var _dashed_attribute: String\n open var _camel_cased_attribute: String\n open var
_webkit_cased_attribute: String\n fun getPropertyValue(property: String): String\n fun
getPropertyPriority(property: String): String\n fun setProperty(property: String, value: String, priority: String =
definedExternally)\n fun setPropertyValue(property: String, value: String)\n fun setPropertyPriority(property:
String, priority: String)\n fun removeProperty(property: String): String\n override fun item(index: Int):
String\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun
CSSStyleDeclaration.get(index: Int): String? = asDynamic()[index]\n\npublic external interface
ElementCSSInlineStyle {\n val style: CSSStyleDeclaration\n}\n\n/**\n * Exposes the JavaScript
[CSS](https://developer.mozilla.org/en/docs/Web/API/CSS) to Kotlin\n *\n\npublic external abstract class CSS {\n
companion object {\n fun escape(ident: String): String\n }\n}\n\npublic external interface
UnionElementOrProcessingInstruction\", \"/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n *\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n\n// See
github.com/kotlin/dukat for details\n\npackage org.w3c.dom.encryptedmedia\n\nimport kotlin.js.*\nimport
org.khronos.webgl.*\nimport org.w3c.dom.*\nimport org.w3c.dom.events.*\n\n/**\n * Exposes the JavaScript
[MediaKeySystemConfiguration](https://developer.mozilla.org/en/docs/Web/API/MediaKeySystemConfiguration)
to Kotlin\n *\n\npublic external interface MediaKeySystemConfiguration {\n var label: String? /* = \"\" *\n
get() = definedExternally\n set(value) = definedExternally\n var initDataTypes: Array<String>? /* = arrayOf()
*\n
get() = definedExternally\n set(value) = definedExternally\n var audioCapabilities:
Array<MediaKeySystemMediaCapability>? /* = arrayOf() *\n
get() = definedExternally\n set(value) = definedExternally\n var videoCapabilities: Array<MediaKeySystemMediaCapability>? /* = arrayOf() *\n
get() = definedExternally\n set(value) = definedExternally\n var distinctiveIdentifier:
MediaKeysRequirement? /* = MediaKeysRequirement.OPTIONAL *\n
get() = definedExternally\n
set(value) = definedExternally\n var persistentState: MediaKeysRequirement? /* =
MediaKeysRequirement.OPTIONAL *\n
get() = definedExternally\n set(value) = definedExternally\n
var sessionTypes: Array<String>?\n
get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun MediaKeySystemConfiguration(label:
String? = \"\", initDataTypes: Array<String>? = arrayOf(), audioCapabilities:
Array<MediaKeySystemMediaCapability>? = arrayOf(), videoCapabilities:
Array<MediaKeySystemMediaCapability>? = arrayOf(), distinctiveIdentifier: MediaKeysRequirement? =
MediaKeysRequirement.OPTIONAL, persistentState: MediaKeysRequirement? =
MediaKeysRequirement.OPTIONAL, sessionTypes: Array<String>? = undefined): MediaKeySystemConfiguration
{\n val o = js(\"({})\")\n o[\"label\"] = label\n o[\"initDataTypes\"] = initDataTypes\n
o[\"audioCapabilities\"] = audioCapabilities\n o[\"videoCapabilities\"] = videoCapabilities\n
o[\"distinctiveIdentifier\"] = distinctiveIdentifier\n o[\"persistentState\"] = persistentState\n o[\"sessionTypes\"]

```

```

= sessionTypes\n    return o\n}\n\npublic external interface MediaKeySystemMediaCapability {\n    var
contentType: String? /* = \"\" */\n        get() = definedExternally\n        set(value) = definedExternally\n    var
robustness: String? /* = \"\" */\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun
MediaKeySystemMediaCapability(contentType: String? = \"\", robustness: String? = \"\"):
MediaKeySystemMediaCapability {\n    val o = js(\"({})\")\n    o[\"contentType\"] = contentType\n
o[\"robustness\"] = robustness\n    return o\n}\n\n/**\n * Exposes the JavaScript
[MediaKeySystemAccess](https://developer.mozilla.org/en/docs/Web/API/MediaKeySystemAccess) to Kotlin\n
*/\n\npublic external abstract class MediaKeySystemAccess {\n    open val keySystem: String\n    fun
getConfiguration(): MediaKeySystemConfiguration\n    fun createMediaKeys(): Promise<MediaKeys>\n}\n\n/**\n
* Exposes the JavaScript [MediaKeys](https://developer.mozilla.org/en/docs/Web/API/MediaKeys) to Kotlin\n
*/\n\npublic external abstract class MediaKeys {\n    fun createSession(sessionType: MediaKeySessionType =
definedExternally): MediaKeySession\n    fun setServerCertificate(serverCertificate: dynamic):
Promise<Boolean>\n}\n\n/**\n * Exposes the JavaScript
[MediaKeySession](https://developer.mozilla.org/en/docs/Web/API/MediaKeySession) to Kotlin\n
*/\n\npublic
external abstract class MediaKeySession : EventTarget {\n    open val sessionId: String\n    open val expiration:
Double\n    open val closed: Promise<Unit>\n    open val keyStatuses: MediaKeyStatusMap\n    open var
onkeystatuschange: ((Event) -> dynamic)?\n    open var onmessage: ((MessageEvent) -> dynamic)?\n    fun
generateRequest(initDataType: String, initData: dynamic): Promise<Unit>\n    fun load(sessionId: String):
Promise<Boolean>\n    fun update(response: dynamic): Promise<Unit>\n    fun close(): Promise<Unit>\n    fun
remove(): Promise<Unit>\n}\n\n/**\n * Exposes the JavaScript
[MediaKeyStatusMap](https://developer.mozilla.org/en/docs/Web/API/MediaKeyStatusMap) to Kotlin\n
*/\n\npublic
external abstract class MediaKeyStatusMap {\n    open val size: Int\n    fun has(keyId: dynamic): Boolean\n    fun
get(keyId: dynamic): Any?\n}\n\n/**\n * Exposes the JavaScript
[MediaKeyMessageEvent](https://developer.mozilla.org/en/docs/Web/API/MediaKeyMessageEvent) to Kotlin\n
*/\n\npublic external open class MediaKeyMessageEvent(type: String, eventInitDict: MediaKeyMessageEventInit) :
Event {\n    open val messageType: MediaKeyMessageType\n    open val message: ArrayBuffer\n\n    companion
object {\n        val NONE: Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val
BUBBLING_PHASE: Short\n    }\n}\n\npublic external interface MediaKeyMessageEventInit : EventInit {\n    var
messageType: MediaKeyMessageType?\n    var message:
ArrayBuffer?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun
MediaKeyMessageEventInit(messageType: MediaKeyMessageType?, message: ArrayBuffer?, bubbles: Boolean? =
false, cancelable: Boolean? = false, composed: Boolean? = false): MediaKeyMessageEventInit {\n    val o =
js(\"({})\")\n    o[\"messageType\"] = messageType\n    o[\"message\"] = message\n    o[\"bubbles\"] = bubbles\n
o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n    return o\n}\n\npublic external open class
MediaEncryptedEvent(type: String, eventInitDict: MediaEncryptedEventInit = definedExternally) : Event {\n
open val initDataType: String\n    open val initData: ArrayBuffer?\n\n    companion object {\n        val NONE:
Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val BUBBLING_PHASE:
Short\n    }\n}\n\npublic external interface MediaEncryptedEventInit : EventInit {\n    var initDataType: String? /* =
\"\" */\n        get() = definedExternally\n        set(value) = definedExternally\n    var initData: ArrayBuffer? /* = null
*/\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun
MediaEncryptedEventInit(initDataType: String? = \"\", initData: ArrayBuffer? = null, bubbles: Boolean? = false,
cancelable: Boolean? = false, composed: Boolean? = false): MediaEncryptedEventInit {\n    val o = js(\"({})\")\n
o[\"initDataType\"] = initDataType\n    o[\"initData\"] = initData\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"]

```

```

= cancelable\n    o[\"composed\"] = composed\n    return o\n}\n\n/* please, don't implement this interface!
*\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external
interface MediaKeysRequirement {\n    companion object\n}\n\npublic inline val
MediaKeysRequirement.Companion.REQUIRED: MediaKeysRequirement get() =
\"required\".asDynamic().unsafeCast<MediaKeysRequirement>()\n\npublic inline val
MediaKeysRequirement.Companion.OPTIONAL: MediaKeysRequirement get() =
\"optional\".asDynamic().unsafeCast<MediaKeysRequirement>()\n\npublic inline val
MediaKeysRequirement.Companion.NOT_ALLOWED: MediaKeysRequirement get() = \"not-
allowed\".asDynamic().unsafeCast<MediaKeysRequirement>()\n\n/* please, don't implement this interface!
*\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external
interface MediaKeySessionType {\n    companion object\n}\n\npublic inline val
MediaKeySessionType.Companion.TEMPORARY: MediaKeySessionType get() =
\"temporary\".asDynamic().unsafeCast<MediaKeySessionType>()\n\npublic inline val
MediaKeySessionType.Companion.PERSISTENT_LICENSE: MediaKeySessionType get() = \"persistent-
license\".asDynamic().unsafeCast<MediaKeySessionType>()\n\n/* please, don't implement this interface!
*\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external
interface MediaKeyStatus {\n    companion object\n}\n\npublic inline val MediaKeyStatus.Companion.USABLE:
MediaKeyStatus get() = \"usable\".asDynamic().unsafeCast<MediaKeyStatus>()\n\npublic inline val
MediaKeyStatus.Companion.EXPIRED: MediaKeyStatus get() =
\"expired\".asDynamic().unsafeCast<MediaKeyStatus>()\n\npublic inline val
MediaKeyStatus.Companion.RELEASED: MediaKeyStatus get() =
\"released\".asDynamic().unsafeCast<MediaKeyStatus>()\n\npublic inline val
MediaKeyStatus.Companion.OUTPUT_RESTRICTED: MediaKeyStatus get() = \"output-
restricted\".asDynamic().unsafeCast<MediaKeyStatus>()\n\npublic inline val
MediaKeyStatus.Companion.OUTPUT_DOWNSCALED: MediaKeyStatus get() = \"output-
downscaled\".asDynamic().unsafeCast<MediaKeyStatus>()\n\npublic inline val
MediaKeyStatus.Companion.STATUS_PENDING: MediaKeyStatus get() = \"status-
pending\".asDynamic().unsafeCast<MediaKeyStatus>()\n\npublic inline val
MediaKeyStatus.Companion.INTERNAL_ERROR: MediaKeyStatus get() = \"internal-
error\".asDynamic().unsafeCast<MediaKeyStatus>()\n\n/* please, don't implement this interface!
*\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external
interface MediaKeyMessageType {\n    companion object\n}\n\npublic inline val
MediaKeyMessageType.Companion.LICENSE_REQUEST: MediaKeyMessageType get() = \"license-
request\".asDynamic().unsafeCast<MediaKeyMessageType>()\n\npublic inline val
MediaKeyMessageType.Companion.LICENSE_RENEWAL: MediaKeyMessageType get() = \"license-
renewal\".asDynamic().unsafeCast<MediaKeyMessageType>()\n\npublic inline val
MediaKeyMessageType.Companion.LICENSE_RELEASE: MediaKeyMessageType get() = \"license-
release\".asDynamic().unsafeCast<MediaKeyMessageType>()\n\npublic inline val
MediaKeyMessageType.Companion.INDIVIDUALIZATION_REQUEST: MediaKeyMessageType get() =
\"individualization-request\".asDynamic().unsafeCast<MediaKeyMessageType>()\", \"/*\n * Copyright 2010-2021
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *\n\n// NOTE: THIS FILE IS AUTO-
GENERATED, DO NOT EDIT!\n\n// See github.com/kotlin/dukat for details\n\npackage
org.w3c.dom.events\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\n\n/**\n * Exposes
the JavaScript [UIEvent](https://developer.mozilla.org/en/docs/Web/API/UIEvent) to Kotlin\n *\n\npublic external
open class UIEvent(type: String, eventInitDict: UIEventInit = definedExternally) : Event {\n    open val view:
Window?\n    open val detail: Int\n\n    companion object {\n        val NONE: Short\n        val
CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val BUBBLING_PHASE: Short\n

```



```

}\n}\n\npublic external interface UIEventInit : EventInit {\n    var view: Window? /* = null */\n        get() =
definedExternally\n        set(value) = definedExternally\n        var detail: Int? /* = 0 */\n        get() =
definedExternally\n        set(value) = definedExternally\n}\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun UIEventInit(view: Window? = null,
detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): UIEventInit
{\n    val o = js(\"({})\")\n    o[\"view\"] = view\n    o[\"detail\"] = detail\n    o[\"bubbles\"] = bubbles\n
o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n    return o\n}\n\n/**\n * Exposes the JavaScript
[FocusEvent](https://developer.mozilla.org/en/docs/Web/API/FocusEvent) to Kotlin\n */\npublic external open class
FocusEvent(type: String, eventInitDict: FocusEventInit = definedExternally) : UIEvent {\n    open val relatedTarget:
EventTarget?\n}\n\n    companion object {\n        val NONE: Short\n        val CAPTURING_PHASE: Short\n        val
AT_TARGET: Short\n        val BUBBLING_PHASE: Short\n    }\n}\n}\n\npublic external interface FocusEventInit :
UIEventInit {\n    var relatedTarget: EventTarget? /* = null */\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun FocusEventInit(relatedTarget:
EventTarget? = null, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? =
false, composed: Boolean? = false): FocusEventInit {\n    val o = js(\"({})\")\n    o[\"relatedTarget\"] =
relatedTarget\n    o[\"view\"] = view\n    o[\"detail\"] = detail\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] =
cancelable\n    o[\"composed\"] = composed\n    return o\n}\n\n/**\n * Exposes the JavaScript
[MouseEvent](https://developer.mozilla.org/en/docs/Web/API/MouseEvent) to Kotlin\n */\npublic external open
class MouseEvent(type: String, eventInitDict: MouseEventInit = definedExternally) : UIEvent,
UnionElementOrMouseEvent {\n    open val screenX: Int\n    open val screenY: Int\n    open val clientX: Int\n
open val clientY: Int\n    open val ctrlKey: Boolean\n    open val shiftKey: Boolean\n    open val altKey: Boolean\n
open val metaKey: Boolean\n    open val button: Short\n    open val buttons: Short\n    open val relatedTarget:
EventTarget?\n    open val region: String?\n    open val pageX: Double\n    open val pageY: Double\n    open val x:
Double\n    open val y: Double\n    open val offsetX: Double\n    open val offsetY: Double\n    fun
getModifierState(keyArg: String): Boolean\n}\n\n    companion object {\n        val NONE: Short\n        val
CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val BUBBLING_PHASE: Short\n    }\n}\n}\n\npublic external interface MouseEventInit : EventModifierInit {\n    var screenX: Int? /* = 0 */\n        get() =
definedExternally\n        set(value) = definedExternally\n        var screenY: Int? /* = 0 */\n        get() =
definedExternally\n        set(value) = definedExternally\n        var clientX: Int? /* = 0 */\n        get() =
definedExternally\n        set(value) = definedExternally\n        var clientY: Int? /* = 0 */\n        get() =
definedExternally\n        set(value) = definedExternally\n        var button: Short? /* = 0 */\n        get() =
definedExternally\n        set(value) = definedExternally\n        var buttons: Short? /* = 0 */\n        get() =
definedExternally\n        set(value) = definedExternally\n        var relatedTarget: EventTarget? /* = null */\n        get()
= definedExternally\n        set(value) = definedExternally\n        var region: String? /* = null */\n        get() =
definedExternally\n        set(value) = definedExternally\n}\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun MouseEventInit(screenX: Int? = 0,
screenY: Int? = 0, clientX: Int? = 0, clientY: Int? = 0, button: Short? = 0, buttons: Short? = 0, relatedTarget:
EventTarget? = null, region: String? = null, ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean?
= false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false,
modifierFn: Boolean? = false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false,
modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false,
modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0,
bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): MouseEventInit {\n    val o =
js(\"({})\")\n    o[\"screenX\"] = screenX\n    o[\"screenY\"] = screenY\n    o[\"clientX\"] = clientX\n    o[\"clientY\"]
= clientY\n    o[\"button\"] = button\n    o[\"buttons\"] = buttons\n    o[\"relatedTarget\"] = relatedTarget\n
o[\"region\"] = region\n    o[\"ctrlKey\"] = ctrlKey\n    o[\"shiftKey\"] = shiftKey\n    o[\"altKey\"] = altKey\n
o[\"metaKey\"] = metaKey\n    o[\"modifierAltGraph\"] = modifierAltGraph\n    o[\"modifierCapsLock\"] =

```

```

modifierCapsLock\n o["modifierFn"] = modifierFn\n o["modifierFnLock"] = modifierFnLock\n
o["modifierHyper"] = modifierHyper\n o["modifierNumLock"] = modifierNumLock\n
o["modifierScrollLock"] = modifierScrollLock\n o["modifierSuper"] = modifierSuper\n
o["modifierSymbol"] = modifierSymbol\n o["modifierSymbolLock"] = modifierSymbolLock\n o["view"] =
view\n o["detail"] = detail\n o["bubbles"] = bubbles\n o["cancelable"] = cancelable\n o["composed"] =
composed\n return o\n}\n\npublic external interface EventModifierInit : UIEventInit {\n var ctrlKey: Boolean?
/* = false */\n get() = definedExternally\n set(value) = definedExternally\n var shiftKey: Boolean? /* =
false */\n get() = definedExternally\n set(value) = definedExternally\n var altKey: Boolean? /* = false
*/\n get() = definedExternally\n set(value) = definedExternally\n var metaKey: Boolean? /* = false */\n
get() = definedExternally\n set(value) = definedExternally\n var modifierAltGraph: Boolean? /* = false */\n
get() = definedExternally\n set(value) = definedExternally\n var modifierCapsLock: Boolean? /* = false
*/\n get() = definedExternally\n set(value) = definedExternally\n var modifierFn: Boolean? /* = false */\n
get() = definedExternally\n set(value) = definedExternally\n var modifierFnLock: Boolean? /* = false */\n
get() = definedExternally\n set(value) = definedExternally\n var modifierHyper: Boolean? /* = false */\n
get() = definedExternally\n set(value) = definedExternally\n var modifierNumLock: Boolean? /* = false */\n
get() = definedExternally\n set(value) = definedExternally\n var modifierScrollLock: Boolean? /* = false
*/\n get() = definedExternally\n set(value) = definedExternally\n var modifierSuper: Boolean? /* = false
*/\n get() = definedExternally\n set(value) = definedExternally\n var modifierSymbol: Boolean? /* = false
*/\n get() = definedExternally\n set(value) = definedExternally\n var modifierSymbolLock: Boolean? /* =
false */\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun EventModifierInit(ctrlKey: Boolean? =
false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph:
Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? =
false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false,
modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view:
Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? =
false): EventModifierInit {\n val o = js("{}")\n o["ctrlKey"] = ctrlKey\n o["shiftKey"] = shiftKey\n
o["altKey"] = altKey\n o["metaKey"] = metaKey\n o["modifierAltGraph"] = modifierAltGraph\n
o["modifierCapsLock"] = modifierCapsLock\n o["modifierFn"] = modifierFn\n o["modifierFnLock"] =
modifierFnLock\n o["modifierHyper"] = modifierHyper\n o["modifierNumLock"] = modifierNumLock\n
o["modifierScrollLock"] = modifierScrollLock\n o["modifierSuper"] = modifierSuper\n
o["modifierSymbol"] = modifierSymbol\n o["modifierSymbolLock"] = modifierSymbolLock\n o["view"] =
view\n o["detail"] = detail\n o["bubbles"] = bubbles\n o["cancelable"] = cancelable\n o["composed"] =
composed\n return o\n}\n\n/**\n * Exposes the JavaScript
[WheelEvent](https://developer.mozilla.org/en/docs/Web/API/WheelEvent) to Kotlin\n */\n\npublic external open
class WheelEvent(type: String, eventInitDict: WheelEventInit = definedExternally) : MouseEvent {\n open val
deltaX: Double\n open val deltaY: Double\n open val deltaZ: Double\n open val deltaMode: Int\n\n companion
object {\n val DOM_DELTA_PIXEL: Int\n val DOM_DELTA_LINE: Int\n val
DOM_DELTA_PAGE: Int\n val NONE: Short\n val CAPTURING_PHASE: Short\n val
AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external interface WheelEventInit :
MouseEventInit {\n var deltaX: Double? /* = 0.0 */\n get() = definedExternally\n set(value) =
definedExternally\n var deltaY: Double? /* = 0.0 */\n get() = definedExternally\n set(value) =
definedExternally\n var deltaZ: Double? /* = 0.0 */\n get() = definedExternally\n set(value) =
definedExternally\n var deltaMode: Int? /* = 0 */\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun WheelEventInit(deltaX: Double? = 0.0,
deltaY: Double? = 0.0, deltaZ: Double? = 0.0, deltaMode: Int? = 0, screenX: Int? = 0, screenY: Int? = 0, clientX:

```

```

Int? = 0, clientY: Int? = 0, button: Short? = 0, buttons: Short? = 0, relatedTarget: EventTarget? = null, region:
String? = null, ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean?
= false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false,
modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false,
modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false,
modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false,
cancelable: Boolean? = false, composed: Boolean? = false): WheelEventInit {
    val o = js("{}")
    o["deltaX"] = deltaX
    o["deltaY"] = deltaY
    o["deltaZ"] = deltaZ
    o["deltaMode"] = deltaMode
    o["screenX"] = screenX
    o["screenY"] = screenY
    o["clientX"] = clientX
    o["clientY"] = clientY
    o["button"] = button
    o["buttons"] = buttons
    o["relatedTarget"] = relatedTarget
    o["region"] = region
    o["ctrlKey"] = ctrlKey
    o["shiftKey"] = shiftKey
    o["altKey"] = altKey
    o["metaKey"] = metaKey
    o["modifierAltGraph"] = modifierAltGraph
    o["modifierCapsLock"] = modifierCapsLock
    o["modifierFn"] = modifierFn
    o["modifierFnLock"] = modifierFnLock
    o["modifierHyper"] = modifierHyper
    o["modifierNumLock"] = modifierNumLock
    o["modifierScrollLock"] = modifierScrollLock
    o["modifierSuper"] = modifierSuper
    o["modifierSymbol"] = modifierSymbol
    o["modifierSymbolLock"] = modifierSymbolLock
    o["view"] = view
    o["detail"] = detail
    o["bubbles"] = bubbles
    o["cancelable"] = cancelable
    o["composed"] = composed
    return o
}

/** Exposes the JavaScript [InputEvent](https://developer.mozilla.org/en/docs/Web/API/InputEvent) to
Kotlin */
public external open class InputEvent(type: String, eventInitDict: InputEventInit = definedExternally) :
    UIEvent {
    open val data: String
    open val isComposing: Boolean
    companion object {
        val NONE: Short
        val CAPTURING_PHASE: Short
        val AT_TARGET: Short
        val BUBBLING_PHASE: Short
    }
}

public external interface InputEventInit : UIEventInit {
    var data: String? /* = "" */
    get() = definedExternally
    set(value) = definedExternally
    var isComposing: Boolean? /* = false */
    get() = definedExternally
    set(value) = definedExternally
}

@Suppress("INVISIBLE_REFERENCE", "INVISIBLE_MEMBER")
@kotlin.internal.InlineOnly
public inline fun InputEventInit(data: String? = "", isComposing: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): InputEventInit {
    val o = js("{}")
    o["data"] = data
    o["isComposing"] = isComposing
    o["view"] = view
    o["detail"] = detail
    o["bubbles"] = bubbles
    o["cancelable"] = cancelable
    o["composed"] = composed
    return o
}

/** Exposes the JavaScript [KeyboardEvent](https://developer.mozilla.org/en/docs/Web/API/KeyboardEvent) to
Kotlin */
public external open class KeyboardEvent(type: String, eventInitDict: KeyboardEventInit = definedExternally) : UIEvent {
    open val key: String
    open val code: String
    open val location: Int
    open val ctrlKey: Boolean
    open val shiftKey: Boolean
    open val altKey: Boolean
    open val metaKey: Boolean
    open val repeat: Boolean
    open val isComposing: Boolean
    open val charCode: Int
    open val keyCode: Int
    open val which: Int
    fun getModifierState(keyArg: String): Boolean
    companion object {
        val DOM_KEY_LOCATION_STANDARD: Int
        val DOM_KEY_LOCATION_LEFT: Int
        val DOM_KEY_LOCATION_RIGHT: Int
        val DOM_KEY_LOCATION_NUMPAD: Int
        val NONE: Short
        val CAPTURING_PHASE: Short
        val AT_TARGET: Short
        val BUBBLING_PHASE: Short
    }
}

public external interface KeyboardEventInit : EventModifierInit {
    var key: String? /* = "" */
    get() = definedExternally
    set(value) = definedExternally
    var code: String? /* = "" */
    get() = definedExternally
    set(value) = definedExternally
    var location: Int? /* = 0 */
    get() = definedExternally
    set(value) = definedExternally
    var repeat: Boolean? /* = false */
    get() = definedExternally
    set(value) = definedExternally
    var isComposing: Boolean? /* = false */
    get() = definedExternally
    set(value) = definedExternally
}

@Suppress("INVISIBLE_REFERENCE", "INVISIBLE_MEMBER")
@kotlin.internal.InlineOnly
public inline fun KeyboardEventInit(key: String? = "", code: String? = "", location: Int? = 0, repeat: Boolean? = false, isComposing: Boolean? = false, ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? =

```

```

false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false,
modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view:
Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? =
false): KeyEventInit {\n val o = js("{}")\n o["key"] = key\n o["code"] = code\n o["location"] =
location\n o["repeat"] = repeat\n o["isComposing"] = isComposing\n o["ctrlKey"] = ctrlKey\n
o["shiftKey"] = shiftKey\n o["altKey"] = altKey\n o["metaKey"] = metaKey\n o["modifierAltGraph"] =
modifierAltGraph\n o["modifierCapsLock"] = modifierCapsLock\n o["modifierFn"] = modifierFn\n
o["modifierFnLock"] = modifierFnLock\n o["modifierHyper"] = modifierHyper\n o["modifierNumLock"] =
modifierNumLock\n o["modifierScrollLock"] = modifierScrollLock\n o["modifierSuper"] = modifierSuper\n
o["modifierSymbol"] = modifierSymbol\n o["modifierSymbolLock"] = modifierSymbolLock\n o["view"] =
view\n o["detail"] = detail\n o["bubbles"] = bubbles\n o["cancelable"] = cancelable\n o["composed"] =
composed\n return o}\n\n/**\n * Exposes the JavaScript

```

```

[CompositionEvent](https://developer.mozilla.org/en/docs/Web/API/CompositionEvent) to Kotlin\n *\npublic
external open class CompositionEvent(type: String, eventInitDict: CompositionEventInit = definedExternally) :
UIEvent {\n open val data: String\n\n companion object {\n val NONE: Short\n val
CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n
}\n}\n\npublic external interface CompositionEventInit : UIEventInit {\n var data: String? /* = \"\" *\n get() =
definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun CompositionEventInit(data: String? =
\"\", view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed:
Boolean? = false): CompositionEventInit {\n val o = js("{}")\n o["data"] = data\n o["view"] = view\n
o["detail"] = detail\n o["bubbles"] = bubbles\n o["cancelable"] = cancelable\n o["composed"] =
composed\n return o}\n\n/**\n * Exposes the JavaScript

```

```

[Event](https://developer.mozilla.org/en/docs/Web/API/Event) to Kotlin\n *\npublic external open class
Event(type: String, eventInitDict: EventInit = definedExternally) {\n open val type: String\n open val target:
EventTarget?\n open val currentTarget: EventTarget?\n open val eventPhase: Short\n open val bubbles:
Boolean\n open val cancelable: Boolean\n open val defaultPrevented: Boolean\n open val composed:
Boolean\n open val isTrusted: Boolean\n open val timeStamp: Number\n fun composedPath():
Array<EventTarget>\n fun stopPropagation()\n fun stopImmediatePropagation()\n fun preventDefault()\n
fun initEvent(type: String, bubbles: Boolean, cancelable: Boolean)\n\n companion object {\n val NONE:
Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE:
Short\n }\n}\n\n/**\n * Exposes the JavaScript

```

```

[EventTarget](https://developer.mozilla.org/en/docs/Web/API/EventTarget) to Kotlin\n *\npublic external abstract
class EventTarget {\n fun addEventListener(type: String, callback: EventListener?, options: dynamic =
definedExternally)\n fun addEventListener(type: String, callback: ((Event) -> Unit)?, options: dynamic =
definedExternally)\n fun removeEventListener(type: String, callback: EventListener?, options: dynamic =
definedExternally)\n fun removeEventListener(type: String, callback: ((Event) -> Unit)?, options: dynamic =
definedExternally)\n fun dispatchEvent(event: Event): Boolean\n}\n\n/**\n * Exposes the JavaScript

```

```

[EventListener](https://developer.mozilla.org/en/docs/Web/API/EventListener) to Kotlin\n *\npublic external
interface EventListener {\n fun handleEvent(event: Event)\n}, /*\n * Copyright 2010-2021 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n *\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT
EDIT!\n\n See github.com/kotlin/dukat for details\n\npackage org.w3c.dom\n\nimport kotlin.js.*\nimport
org.khronos.webgl.*\nimport org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport
org.w3c.dom.encryptedmedia.*\nimport org.w3c.dom.events.*\nimport org.w3c.dom.mediacapture.*\nimport
org.w3c.dom.mediasource.*\nimport org.w3c.dom.pointerevents.*\nimport org.w3c.dom.svg.*\nimport
org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.performance.*\nimport org.w3c.workers.*\nimport
org.w3c.xhr.*\n\npublic external abstract class HTMLAllCollection {\n open val length: Int\n fun

```

```

item(nameOrIndex: String = definedExternally): UnionElementOrHTMLCollection? \n fun namedItem(name:
String): UnionElementOrHTMLCollection? \n} \n \n @ Suppress(\ "INVISIBLE_REFERENCE\ ",
\ "INVISIBLE_MEMBER\ ") \n @ kotlin.internal.InlineOnly \n public inline operator fun
HTMLAllCollection.get(index: Int): Element? =
asDynamic()[index] \n \n @ Suppress(\ "INVISIBLE_REFERENCE\ ",
\ "INVISIBLE_MEMBER\ ") \n @ kotlin.internal.InlineOnly \n public inline operator fun
HTMLAllCollection.get(name: String): UnionElementOrHTMLCollection? = asDynamic()[name] \n \n /** \n *
Exposes the JavaScript
[HTMLFormControlsCollection](https://developer.mozilla.org/en/docs/Web/API/HTMLFormControlsCollection)
to Kotlin \n * \n public external abstract class HTMLFormControlsCollection : HTMLCollection \n \n /** \n * Exposes
the JavaScript [RadioNodeList](https://developer.mozilla.org/en/docs/Web/API/RadioNodeList) to Kotlin \n
* \n public external abstract class RadioNodeList : NodeList, UnionElementOrRadioNodeList { \n open var value:
String \n } \n \n /** \n * Exposes the JavaScript
[HTMLOptionsCollection](https://developer.mozilla.org/en/docs/Web/API/HTMLOptionsCollection) to Kotlin \n
* \n public external abstract class HTMLOptionsCollection : HTMLCollection { \n override var length: Int \n open
var selectedIndex: Int \n fun add(element: UnionHTMLOptGroupElementOrHTMLOptionElement, before:
dynamic = definedExternally) \n fun remove(index: Int) \n } \n \n @ Suppress(\ "INVISIBLE_REFERENCE\ ",
\ "INVISIBLE_MEMBER\ ") \n @ kotlin.internal.InlineOnly \n public inline operator fun
HTMLOptionsCollection.set(index: Int, option: HTMLOptionElement?) { asDynamic()[index] = option } \n \n /** \n *
Exposes the JavaScript [HTMLElement](https://developer.mozilla.org/en/docs/Web/API/HTMLElement) to
Kotlin \n * \n public external abstract class HTMLElement : Element, GlobalEventHandlers,
DocumentAndElementEventHandlers, ElementContentEditable, ElementCSSInlineStyle { \n open var title:
String \n open var lang: String \n open var translate: Boolean \n open var dir: String \n open val dataset:
DOMStringMap \n open var hidden: Boolean \n open var tabIndex: Int \n open var accessKey: String \n open
val accessKeyLabel: String \n open var draggable: Boolean \n open val dropzone: DOMTokenList \n open var
contextMenu: HTMLMenuElement? \n open var spellcheck: Boolean \n open var innerText: String \n open val
offsetParent: Element? \n open val offsetTop: Int \n open val offsetLeft: Int \n open val offsetWidth: Int \n open
val offsetHeight: Int \n fun click() \n fun focus() \n fun blur() \n fun forceSpellCheck() \n \n companion object
{ \n val ELEMENT_NODE: Short \n val ATTRIBUTE_NODE: Short \n val TEXT_NODE: Short \n
val CDATA_SECTION_NODE: Short \n val ENTITY_REFERENCE_NODE: Short \n val
ENTITY_NODE: Short \n val PROCESSING_INSTRUCTION_NODE: Short \n val COMMENT_NODE:
Short \n val DOCUMENT_NODE: Short \n val DOCUMENT_TYPE_NODE: Short \n val
DOCUMENT_FRAGMENT_NODE: Short \n val NOTATION_NODE: Short \n val
DOCUMENT_POSITION_DISCONNECTED: Short \n val DOCUMENT_POSITION_PRECEDING: Short \n
val DOCUMENT_POSITION_FOLLOWING: Short \n val DOCUMENT_POSITION_CONTAINS: Short \n
val DOCUMENT_POSITION_CONTAINED_BY: Short \n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short \n } \n \n /** \n * Exposes the JavaScript
[HTMLUnknownElement](https://developer.mozilla.org/en/docs/Web/API/HTMLUnknownElement) to Kotlin \n
* \n public external abstract class HTMLUnknownElement : HTMLElement { \n companion object { \n val
ELEMENT_NODE: Short \n val ATTRIBUTE_NODE: Short \n val TEXT_NODE: Short \n val
CDATA_SECTION_NODE: Short \n val ENTITY_REFERENCE_NODE: Short \n val ENTITY_NODE:
Short \n val PROCESSING_INSTRUCTION_NODE: Short \n val COMMENT_NODE: Short \n val
DOCUMENT_NODE: Short \n val DOCUMENT_TYPE_NODE: Short \n val
DOCUMENT_FRAGMENT_NODE: Short \n val NOTATION_NODE: Short \n val
DOCUMENT_POSITION_DISCONNECTED: Short \n val DOCUMENT_POSITION_PRECEDING: Short \n
val DOCUMENT_POSITION_FOLLOWING: Short \n val DOCUMENT_POSITION_CONTAINS: Short \n
val DOCUMENT_POSITION_CONTAINED_BY: Short \n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short \n } \n \n /** \n * Exposes the JavaScript

```

```

[DOMStringMap](https://developer.mozilla.org/en/docs/Web/API/DOMStringMap) to Kotlin\n *\npublic external
abstract class DOMStringMap\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n\n@kotlin.internal.InlineOnly\n\npublic inline operator fun DOMStringMap.get(name:
String): String? = asDynamic()[name]\n\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n\n@kotlin.internal.InlineOnly\n\npublic inline operator fun DOMStringMap.set(name:
String, value: String) { asDynamic()[name] = value }\n\n\n**\n * Exposes the JavaScript
[HTMLHtmlElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHtmlElement) to Kotlin\n *\n\npublic
external abstract class HTMLHtmlElement : HTMLElement {\n open var version: String\n\n companion object
{\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n
val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val
ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE:
Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n\n\n**\n * Exposes the JavaScript
[HTMLHeadElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHeadElement) to Kotlin\n *\n\npublic
external abstract class HTMLHeadElement : HTMLElement {\n companion object {\n val
ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n\n\n**\n * Exposes the JavaScript
[HTMLTitleElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTitleElement) to Kotlin\n *\n\npublic
external abstract class HTMLTitleElement : HTMLElement {\n open var text: String\n\n companion object {\n
val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n\n\n**\n * Exposes the JavaScript
[HTMLBaseElement](https://developer.mozilla.org/en/docs/Web/API/HTMLBaseElement) to Kotlin\n *\n\npublic
external abstract class HTMLBaseElement : HTMLElement {\n open var href: String\n open var target:
String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n
val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE:
Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val
COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n
val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n

```

```

    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLLinkElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLinkElement) to Kotlin\n */\npublic
external abstract class HTMLLinkElement : HTMLElement, LinkStyle {\n    open var href: String\n    open var
crossOrigin: String?\n    open var rel: String\n    open var `as`: RequestDestination\n    open val relList:
DOMTokenList\n    open var media: String\n    open var nonce: String\n    open var hreflang: String\n    open var
type: String\n    open val sizes: DOMTokenList\n    open var referrerPolicy: String\n    open var charset: String\n
open var rev: String\n    open var target: String\n    open var scope: String\n    open var workerType:
WorkerType\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE:
Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLMetaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMetaElement) to Kotlin\n */\npublic
external abstract class HTMLMetaElement : HTMLElement {\n    open var name: String\n    open var httpEquiv:
String\n    open var content: String\n    open var scheme: String\n\n    companion object {\n        val
ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLStyleElement](https://developer.mozilla.org/en/docs/Web/API/HTMLStyleElement) to Kotlin\n */\npublic
external abstract class HTMLStyleElement : HTMLElement, LinkStyle {\n    open var media: String\n    open var
nonce: String\n    open var type: String\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLBodyElement](https://developer.mozilla.org/en/docs/Web/API/HTMLBodyElement) to Kotlin\n */\npublic
external abstract class HTMLBodyElement : HTMLElement, WindowEventHandlers {\n    open var text: String\n
open var link: String\n    open var vLink: String\n    open var aLink: String\n    open var bgColor: String\n
open var background: String\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val

```

```

PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLHeadingElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHeadingElement) to Kotlin\n
*/\npublic external abstract class HTMLHeadingElement : HTMLInputElement {\n    open var align: String\n\n
companion object {\n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val
TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE:
Short\n    val ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val
COMMENT_NODE: Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n
    val DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLParagraphElement](https://developer.mozilla.org/en/docs/Web/API/HTMLParagraphElement) to Kotlin\n
*/\npublic external abstract class HTMLParagraphElement : HTMLInputElement {\n    open var align: String\n\n
companion object {\n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val
TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE:
Short\n    val ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val
COMMENT_NODE: Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n
    val DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLHRElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHRElement) to Kotlin\n
*/\npublic external abstract class HTMLHRElement : HTMLInputElement {\n    open var align: String\n    open var color: String\n
    open var noShade: Boolean\n    open var size: String\n    open var width: String\n\n    companion object {\n    val
ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val
CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLPreElement](https://developer.mozilla.org/en/docs/Web/API/HTMLPreElement) to Kotlin\n
*/\npublic external abstract class HTMLPreElement : HTMLInputElement {\n    open var width: Int\n\n    companion object {\n
    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val
CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val

```



```

DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[HTMLQuoteElement](https://developer.mozilla.org/en/docs/Web/API/HTMLQuoteElement) to Kotlin \n * \n public
external abstract class HTMLQuoteElement : HTMLInputElement { \n    open var cite: String \n \n    companion object { \n
    val ELEMENT_NODE: Short \n    val ATTRIBUTE_NODE: Short \n    val TEXT_NODE: Short \n    val
CDATA_SECTION_NODE: Short \n    val ENTITY_REFERENCE_NODE: Short \n    val ENTITY_NODE:
Short \n    val PROCESSING_INSTRUCTION_NODE: Short \n    val COMMENT_NODE: Short \n    val
DOCUMENT_NODE: Short \n    val DOCUMENT_TYPE_NODE: Short \n    val
DOCUMENT_FRAGMENT_NODE: Short \n    val NOTATION_NODE: Short \n    val
DOCUMENT_POSITION_DISCONNECTED: Short \n    val DOCUMENT_POSITION_PRECEDING: Short \n
    val DOCUMENT_POSITION_FOLLOWING: Short \n    val DOCUMENT_POSITION_CONTAINS: Short \n
    val DOCUMENT_POSITION_CONTAINED_BY: Short \n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[HTMLLOListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLOListElement) to Kotlin \n * \n public
external abstract class HTMLLOListElement : HTMLInputElement { \n    open var reversed: Boolean \n    open var start:
Int \n    open var type: String \n    open var compact: Boolean \n \n    companion object { \n    val
ELEMENT_NODE: Short \n    val ATTRIBUTE_NODE: Short \n    val TEXT_NODE: Short \n    val
CDATA_SECTION_NODE: Short \n    val ENTITY_REFERENCE_NODE: Short \n    val ENTITY_NODE:
Short \n    val PROCESSING_INSTRUCTION_NODE: Short \n    val COMMENT_NODE: Short \n    val
DOCUMENT_NODE: Short \n    val DOCUMENT_TYPE_NODE: Short \n    val
DOCUMENT_FRAGMENT_NODE: Short \n    val NOTATION_NODE: Short \n    val
DOCUMENT_POSITION_DISCONNECTED: Short \n    val DOCUMENT_POSITION_PRECEDING: Short \n
    val DOCUMENT_POSITION_FOLLOWING: Short \n    val DOCUMENT_POSITION_CONTAINS: Short \n
    val DOCUMENT_POSITION_CONTAINED_BY: Short \n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[HTMLLUListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLUListElement) to Kotlin \n * \n public
external abstract class HTMLLUListElement : HTMLInputElement { \n    open var compact: Boolean \n    open var type:
String \n \n    companion object { \n    val ELEMENT_NODE: Short \n    val ATTRIBUTE_NODE: Short \n
    val TEXT_NODE: Short \n    val CDATA_SECTION_NODE: Short \n    val ENTITY_REFERENCE_NODE:
Short \n    val ENTITY_NODE: Short \n    val PROCESSING_INSTRUCTION_NODE: Short \n    val
COMMENT_NODE: Short \n    val DOCUMENT_NODE: Short \n    val DOCUMENT_TYPE_NODE: Short \n
    val DOCUMENT_FRAGMENT_NODE: Short \n    val NOTATION_NODE: Short \n    val
DOCUMENT_POSITION_DISCONNECTED: Short \n    val DOCUMENT_POSITION_PRECEDING: Short \n
    val DOCUMENT_POSITION_FOLLOWING: Short \n    val DOCUMENT_POSITION_CONTAINS: Short \n
    val DOCUMENT_POSITION_CONTAINED_BY: Short \n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[HTMLLIElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLIElement) to Kotlin \n * \n public
external abstract class HTMLLIElement : HTMLInputElement { \n    open var value: Int \n    open var type: String \n \n
    companion object { \n    val ELEMENT_NODE: Short \n    val ATTRIBUTE_NODE: Short \n    val
TEXT_NODE: Short \n    val CDATA_SECTION_NODE: Short \n    val ENTITY_REFERENCE_NODE:
Short \n    val ENTITY_NODE: Short \n    val PROCESSING_INSTRUCTION_NODE: Short \n    val
COMMENT_NODE: Short \n    val DOCUMENT_NODE: Short \n    val DOCUMENT_TYPE_NODE: Short \n
    val DOCUMENT_FRAGMENT_NODE: Short \n    val NOTATION_NODE: Short \n    val
DOCUMENT_POSITION_DISCONNECTED: Short \n    val DOCUMENT_POSITION_PRECEDING: Short \n
    val DOCUMENT_POSITION_FOLLOWING: Short \n    val DOCUMENT_POSITION_CONTAINS: Short \n
    val DOCUMENT_POSITION_CONTAINED_BY: Short \n    val

```

DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n } \n\n\n\n \* Exposes the JavaScript [HTMLDListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDListElement) to Kotlin\n \*\n\npublic external abstract class HTMLDListElement : HTMLElement {\n open var compact: Boolean\n\n companion object {\n val ELEMENT\_NODE: Short\n val ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val CDATA\_SECTION\_NODE: Short\n val ENTITY\_REFERENCE\_NODE: Short\n val ENTITY\_NODE: Short\n val PROCESSING\_INSTRUCTION\_NODE: Short\n val COMMENT\_NODE: Short\n val DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n val

DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n } \n\n\n\n \* Exposes the JavaScript [HTMLDivElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDivElement) to Kotlin\n \*\n\npublic external abstract class HTMLDivElement : HTMLElement {\n open var align: String\n\n companion object {\n val ELEMENT\_NODE: Short\n val ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val CDATA\_SECTION\_NODE: Short\n val ENTITY\_REFERENCE\_NODE: Short\n val ENTITY\_NODE: Short\n val PROCESSING\_INSTRUCTION\_NODE: Short\n val COMMENT\_NODE: Short\n val DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n val

DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n } \n\n\n\n \* Exposes the JavaScript [HTMLAnchorElement](https://developer.mozilla.org/en/docs/Web/API/HTMLAnchorElement) to Kotlin\n \*\n\npublic external abstract class HTMLAnchorElement : HTMLElement, HTMLHyperlinkElementUtils {\n open var target: String\n open var download: String\n open var ping: String\n open var rel: String\n open var relList: DOMTokenList\n open var hreflang: String\n open var type: String\n open var text: String\n open var referrerPolicy: String\n open var coords: String\n open var charset: String\n open var name: String\n open var rev: String\n open var shape: String\n\n companion object {\n val ELEMENT\_NODE: Short\n val ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val CDATA\_SECTION\_NODE: Short\n val ENTITY\_REFERENCE\_NODE: Short\n val ENTITY\_NODE: Short\n val PROCESSING\_INSTRUCTION\_NODE: Short\n val COMMENT\_NODE: Short\n val DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n val

DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n } \n\n\n\n \* Exposes the JavaScript [HTMLDataElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDataElement) to Kotlin\n \*\n\npublic external abstract class HTMLDataElement : HTMLElement {\n open var value: String\n\n companion object {\n val ELEMENT\_NODE: Short\n val ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val CDATA\_SECTION\_NODE: Short\n val ENTITY\_REFERENCE\_NODE: Short\n val ENTITY\_NODE: Short\n val PROCESSING\_INSTRUCTION\_NODE: Short\n val COMMENT\_NODE: Short\n val DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n val

DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n } \n\n\n\n \* Exposes the JavaScript [HTMLTimeElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTimeElement) to Kotlin\n \* \n\npublic external abstract class HTMLTimeElement : HTMLElement {\n open var dateTime: String\n\n companion object {\n val ELEMENT\_NODE: Short\n val ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val CDATA\_SECTION\_NODE: Short\n val ENTITY\_REFERENCE\_NODE: Short\n val ENTITY\_NODE: Short\n val PROCESSING\_INSTRUCTION\_NODE: Short\n val COMMENT\_NODE: Short\n val DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n val

DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n } \n\n\n\n \* Exposes the JavaScript [HTMLSpanElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSpanElement) to Kotlin\n \* \n\npublic external abstract class HTMLSpanElement : HTMLElement {\n companion object {\n val ELEMENT\_NODE: Short\n val ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val CDATA\_SECTION\_NODE: Short\n val ENTITY\_REFERENCE\_NODE: Short\n val ENTITY\_NODE: Short\n val PROCESSING\_INSTRUCTION\_NODE: Short\n val COMMENT\_NODE: Short\n val DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n val

DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n } \n\n\n\n \* Exposes the JavaScript [HTMLBRElement](https://developer.mozilla.org/en/docs/Web/API/HTMLBRElement) to Kotlin\n \* \n\npublic external abstract class HTMLBRElement : HTMLElement {\n open var clear: String\n\n companion object {\n val ELEMENT\_NODE: Short\n val ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val CDATA\_SECTION\_NODE: Short\n val ENTITY\_REFERENCE\_NODE: Short\n val ENTITY\_NODE: Short\n val PROCESSING\_INSTRUCTION\_NODE: Short\n val COMMENT\_NODE: Short\n val DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n val

DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n } \n\n\n\n \* Exposes the JavaScript [HTMLHyperlinkElementUtils](https://developer.mozilla.org/en/docs/Web/API/HTMLHyperlinkElementUtils) to Kotlin\n \* \n\npublic external interface HTMLHyperlinkElementUtils {\n var href: String\n val origin: String\n var protocol: String\n var username: String\n var password: String\n var host: String\n var hostname: String\n var port: String\n var pathname: String\n var search: String\n var hash: String\n } \n\n\n\n \* Exposes the JavaScript [HTMLModElement](https://developer.mozilla.org/en/docs/Web/API/HTMLModElement) to Kotlin\n \* \n\npublic external abstract class HTMLModElement : HTMLElement {\n open var cite: String\n open var dateTime: String\n\n companion object {\n val ELEMENT\_NODE: Short\n val ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val CDATA\_SECTION\_NODE: Short\n val ENTITY\_REFERENCE\_NODE: Short\n val ENTITY\_NODE: Short\n val PROCESSING\_INSTRUCTION\_NODE: Short\n val COMMENT\_NODE: Short\n val DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n

```

    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLPictureElement](https://developer.mozilla.org/en/docs/Web/API/HTMLPictureElement) to Kotlin\n
*\n\npublic external abstract class HTMLPictureElement : HTMLInputElement {\n    companion object {\n        val
ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLSourceElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSourceElement) to Kotlin\n
*\n\npublic external abstract class HTMLSourceElement : HTMLInputElement {\n    open var src: String\n    open var
type: String\n    open var srcset: String\n    open var sizes: String\n    open var media: String\n\n    companion object
{\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n
        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val
ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE:
Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLImageElement](https://developer.mozilla.org/en/docs/Web/API/HTMLImageElement) to Kotlin\n
*\n\npublic external abstract class HTMLImageElement : HTMLInputElement, HTMLCanvasImageElement,
TexImageSource {\n    open var alt: String\n    open var src: String\n    open var srcset: String\n    open var sizes:
String\n    open var crossOrigin: String?\n    open var useMap: String\n    open var isMap: Boolean\n    open var
width: Int\n    open var height: Int\n    open val naturalWidth: Int\n    open val naturalHeight: Int\n    open val
complete: Boolean\n    open val currentSrc: String\n    open var referrerPolicy: String\n    open var name: String\n
    open var lowsrc: String\n    open var align: String\n    open var hspace: Int\n    open var vspace: Int\n    open var
longDesc: String\n    open var border: String\n    open val x: Int\n    open val y: Int\n\n    companion object {\n
        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLIFrameElement](https://developer.mozilla.org/en/docs/Web/API/HTMLIFrameElement) to Kotlin\n
*\n\npublic external abstract class HTMLIFrameElement : HTMLInputElement {\n    open var src: String\n    open var
srcdoc: String\n    open var name: String\n    open val sandbox: DOMTokenList\n    open var allowFullscreen:
Boolean\n    open var allowUserMedia: Boolean\n    open var width: String\n    open var height: String\n    open var
referrerPolicy: String\n    open val contentDocument: Document?\n    open val contentWindow: Window?\n    open
var align: String\n    open var scrolling: String\n    open var frameborder: String\n    open var longDesc: String\n

```



```

DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLVideoElement](https://developer.mozilla.org/en/docs/Web/API/HTMLVideoElement) to Kotlin\n *\npublic
external abstract class HTMLVideoElement : HTMLMediaElement, CanvasImageSource, TexImageSource {\n
open var width: Int\n    open var height: Int\n    open val videoWidth: Int\n    open val videoHeight: Int\n    open var
poster: String\n    open var playsInline: Boolean\n\n    companion object {\n        val NETWORK_EMPTY: Short\n
        val NETWORK_IDLE: Short\n        val NETWORK_LOADING: Short\n        val NETWORK_NO_SOURCE:
Short\n        val HAVE_NOTHING: Short\n        val HAVE_METADATA: Short\n        val
HAVE_CURRENT_DATA: Short\n        val HAVE_FUTURE_DATA: Short\n        val HAVE_ENOUGH_DATA:
Short\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n
        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val
ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE:
Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLAudioElement](https://developer.mozilla.org/en/docs/Web/API/HTMLAudioElement) to Kotlin\n *\npublic
external abstract class HTMLAudioElement : HTMLMediaElement {\n    companion object {\n        val
NETWORK_EMPTY: Short\n        val NETWORK_IDLE: Short\n        val NETWORK_LOADING: Short\n
        val NETWORK_NO_SOURCE: Short\n        val HAVE_NOTHING: Short\n        val HAVE_METADATA:
Short\n        val HAVE_CURRENT_DATA: Short\n        val HAVE_FUTURE_DATA: Short\n        val
HAVE_ENOUGH_DATA: Short\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n
        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLTrackElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTrackElement) to Kotlin\n *\npublic
external abstract class HTMLTrackElement : HTMLMediaElement {\n    open var kind: String\n    open var src: String\n
open var srclang: String\n    open var label: String\n    open var default: Boolean\n    open val readyState: Short\n
open val track: TextTrack\n\n    companion object {\n        val NONE: Short\n        val LOADING: Short\n        val
LOADED: Short\n        val ERROR: Short\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE:
Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n

```

```

val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLMediaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMediaElement) to Kotlin\n
*\n\npublic external abstract class HTMLMediaElement : HTMLElement {\n    open val error: MediaError?\n    open
var src: String\n    open var srcObject: MediaProvider?\n    open val currentSrc: String\n    open var crossOrigin:
String?\n    open val networkState: Short\n    open var preload: String\n    open val buffered: TimeRanges\n    open
val readyState: Short\n    open val seeking: Boolean\n    open var currentTime: Double\n    open val duration:
Double\n    open val paused: Boolean\n    open var defaultPlaybackRate: Double\n    open var playbackRate:
Double\n    open val played: TimeRanges\n    open val seekable: TimeRanges\n    open val ended: Boolean\n    open
var autoplay: Boolean\n    open var loop: Boolean\n    open var controls: Boolean\n    open var volume: Double\n
open var muted: Boolean\n    open var defaultMuted: Boolean\n    open val audioTracks: AudioTrackList\n    open
val videoTracks: VideoTrackList\n    open val textTracks: TextTrackList\n    open val mediaKeys: MediaKeys?\n
open var onencrypted: ((Event) -> dynamic)?\n    open var onwaitingforkey: ((Event) -> dynamic)?\n    fun load()\n
fun canPlayType(type: String): CanPlayTypeResult\n    fun fastSeek(time: Double)\n    fun getStartDate():
dynamic\n    fun play(): Promise<Unit>\n    fun pause()\n    fun addTextTrack(kind: TextTrackKind, label: String =
definedExternally, language: String = definedExternally): TextTrack\n    fun setMediaKeys(mediaKeys:
MediaKeys?): Promise<Unit>\n\n    companion object {\n        val NETWORK_EMPTY: Short\n        val
NETWORK_IDLE: Short\n        val NETWORK_LOADING: Short\n        val NETWORK_NO_SOURCE: Short\n
        val HAVE_NOTHING: Short\n        val HAVE_METADATA: Short\n        val HAVE_CURRENT_DATA:
Short\n        val HAVE_FUTURE_DATA: Short\n        val HAVE_ENOUGH_DATA: Short\n        val
ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[MediaError](https://developer.mozilla.org/en/docs/Web/API/MediaError) to Kotlin\n
*\n\npublic external abstract
class MediaError {\n    open val code: Short\n\n    companion object {\n        val MEDIA_ERR_ABORTED: Short\n
        val MEDIA_ERR_NETWORK: Short\n        val MEDIA_ERR_DECODE: Short\n        val
MEDIA_ERR_SRC_NOT_SUPPORTED: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[AudioTrackList](https://developer.mozilla.org/en/docs/Web/API/AudioTrackList) to Kotlin\n
*\n\npublic external
abstract class AudioTrackList : EventTarget {\n    open val length: Int\n    open var onchange: ((Event) ->
dynamic)?\n    open var onaddtrack: ((TrackEvent) -> dynamic)?\n    open var onremovetrack: ((TrackEvent) ->
dynamic)?\n    fun getTrackById(id: String): AudioTrack?\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\n\npublic inline operator fun AudioTrackList.get(index:
Int): AudioTrack? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[AudioTrack](https://developer.mozilla.org/en/docs/Web/API/AudioTrack) to Kotlin\n
*\n\npublic external abstract
class AudioTrack : UnionAudioTrackOrTextTrackOrVideoTrack {\n    open val id: String\n    open val kind:
String\n    open val label: String\n    open val language: String\n    open var enabled: Boolean\n    open val
sourceBuffer: SourceBuffer?\n}\n\n/**\n * Exposes the JavaScript
[VideoTrackList](https://developer.mozilla.org/en/docs/Web/API/VideoTrackList) to Kotlin\n
*\n\npublic external
abstract class VideoTrackList : EventTarget {\n    open val length: Int\n    open val selectedIndex: Int\n    open var
onchange: ((Event) -> dynamic)?\n    open var onaddtrack: ((TrackEvent) -> dynamic)?\n    open var
onremovetrack: ((TrackEvent) -> dynamic)?\n    fun getTrackById(id: String):
VideoTrack?\n}\n\n@Suppress("INVISIBLE_REFERENCE",

```

```

\invisible_member\)\n@kotlin.internal.InlineOnly\npublic inline operator fun VideoTrackList.get(index:
Int): VideoTrack? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[VideoTrack](https://developer.mozilla.org/en/docs/Web/API/VideoTrack) to Kotlin\n */\npublic external abstract
class VideoTrack : UnionAudioTrackOrTextTrackOrVideoTrack {\n open val id: String\n open val kind:
String\n open val label: String\n open val language: String\n open var selected: Boolean\n open val
sourceBuffer: SourceBuffer?\n}\n\npublic external abstract class TextTrackList : EventTarget {\n open val length:
Int\n open var onchange: ((Event) -> dynamic)?\n open var onaddtrack: ((TrackEvent) -> dynamic)?\n open
var onremovetrack: ((TrackEvent) -> dynamic)?\n fun getTrackById(id: String):
TextTrack?\n}\n\n@Suppress(\invisible_reference\),
invisible_member\)\n@kotlin.internal.InlineOnly\npublic inline operator fun TextTrackList.get(index: Int):
TextTrack? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[TextTrack](https://developer.mozilla.org/en/docs/Web/API/TextTrack) to Kotlin\n */\npublic external abstract
class TextTrack : EventTarget, UnionAudioTrackOrTextTrackOrVideoTrack {\n open val kind: TextTrackKind\n
open val label: String\n open val language: String\n open val id: String\n open val
inBandMetadataTrackDispatchType: String\n open var mode: TextTrackMode\n open val cues:
TextTrackCueList?\n open val activeCues: TextTrackCueList?\n open var oncuechange: ((Event) ->
dynamic)?\n open val sourceBuffer: SourceBuffer?\n fun addCue(cue: TextTrackCue)\n fun removeCue(cue:
TextTrackCue)\n}\n\npublic external abstract class TextTrackCueList {\n open val length: Int\n fun
getCueById(id: String): TextTrackCue?\n}\n\n@Suppress(\invisible_reference\),
invisible_member\)\n@kotlin.internal.InlineOnly\npublic inline operator fun TextTrackCueList.get(index:
Int): TextTrackCue? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[TextTrackCue](https://developer.mozilla.org/en/docs/Web/API/TextTrackCue) to Kotlin\n */\npublic external
abstract class TextTrackCue : EventTarget {\n open val track: TextTrack?\n open var id: String\n open var
startTime: Double\n open var endTime: Double\n open var pauseOnExit: Boolean\n open var onenter: ((Event)
-> dynamic)?\n open var onexit: ((Event) -> dynamic)?\n}\n\n/**\n * Exposes the JavaScript
[TimeRanges](https://developer.mozilla.org/en/docs/Web/API/TimeRanges) to Kotlin\n */\npublic external abstract
class TimeRanges {\n open val length: Int\n fun start(index: Int): Double\n fun end(index: Int):
Double\n}\n\n/**\n * Exposes the JavaScript
[TrackEvent](https://developer.mozilla.org/en/docs/Web/API/TrackEvent) to Kotlin\n */\npublic external open class
TrackEvent(type: String, eventInitDict: TrackEventInit = definedExternally) : Event {\n open val track:
UnionAudioTrackOrTextTrackOrVideoTrack?\n\n companion object {\n val NONE: Short\n val
CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n
}\n}\n\npublic external interface TrackEventInit : EventInit {\n var track:
UnionAudioTrackOrTextTrackOrVideoTrack? /* = null */\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress(\invisible_reference\),
invisible_member\)\n@kotlin.internal.InlineOnly\npublic inline fun TrackEventInit(track:
UnionAudioTrackOrTextTrackOrVideoTrack? = null, bubbles: Boolean? = false, cancelable: Boolean? = false,
composed: Boolean? = false): TrackEventInit {\n val o = js("{}")\n o["track"] = track\n o["bubbles"] =
bubbles\n o["cancelable"] = cancelable\n o["composed"] = composed\n return o\n}\n\n/**\n * Exposes the
JavaScript [HTMLElement](https://developer.mozilla.org/en/docs/Web/API/HTMLElement) to Kotlin\n */\npublic external abstract class HTMLElement : HTMLCollection {\n open var name: String\n open val
areas: HTMLCollection\n\n companion object {\n val ELEMENT_NODE: Short\n val
ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n

```



```

    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n } \n \n /** \n * Exposes the JavaScript
[HTMLAreaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLAreaElement) to Kotlin \n * \n public
external abstract class HTMLAreaElement : HTMLInputElement, HTMLHyperlinkElementUtils { \n    open var alt:
String \n    open var coords: String \n    open var shape: String \n    open var target: String \n    open var download:
String \n    open var ping: String \n    open var rel: String \n    open val relList: DOMTokenList \n    open var
referrerPolicy: String \n    open var noHref: Boolean \n \n    companion object { \n        val ELEMENT_NODE:
Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE:
Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n } \n \n /** \n * Exposes the JavaScript
[HTMLTableElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableElement) to Kotlin \n * \n public
external abstract class HTMLTableElement : HTMLInputElement { \n    open var caption:
HTMLTableCaptionElement? \n    open var tHead: HTMLTableSectionElement? \n    open var tFoot:
HTMLTableSectionElement? \n    open val tBodies: HTMLCollection \n    open val rows: HTMLCollection \n    open
var align: String \n    open var border: String \n    open var frame: String \n    open var rules: String \n    open var
summary: String \n    open var width: String \n    open var bgColor: String \n    open var cellPadding: String \n    open
var cellSpacing: String \n    fun createCaption(): HTMLTableCaptionElement \n    fun deleteCaption() \n    fun
createTHead(): HTMLTableSectionElement \n    fun deleteTHead() \n    fun createTFoot():
HTMLTableSectionElement \n    fun deleteTFoot() \n    fun createTBody(): HTMLTableSectionElement \n    fun
insertRow(index: Int = definedExternally): HTMLTableRowElement \n    fun deleteRow(index: Int) \n \n
    companion object { \n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val
TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n } \n \n /** \n * Exposes the JavaScript
[HTMLTableCaptionElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableCaptionElement) to
Kotlin \n * \n public external abstract class HTMLTableCaptionElement : HTMLInputElement { \n    open var align:
String \n \n    companion object { \n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n
        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n } \n \n /** \n * Exposes the JavaScript
[HTMLTableColElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableColElement) to Kotlin \n

```

```

*\npublic external abstract class HTMLTableColElement : HTMLInputElement {\n  open var span: Int\n  open var align: String\n  open var ch: String\n  open var chOff: String\n  open var vAlign: String\n  open var width: String\n\n  companion object {\n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n  }\n}\n\n/**\n * Exposes the JavaScript [HTMLTableSectionElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableSectionElement) to Kotlin\n */\n\npublic external abstract class HTMLTableSectionElement : HTMLInputElement {\n  open val rows: HTMLCollection\n  open var align: String\n  open var ch: String\n  open var chOff: String\n  open var vAlign: String\n  fun insertRow(index: Int = definedExternally): HTMLInputElement\n  fun deleteRow(index: Int)\n\n  companion object {\n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n  }\n}\n\n/**\n * Exposes the JavaScript [HTMLTableRowElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableRowElement) to Kotlin\n */\n\npublic external abstract class HTMLTableRowElement : HTMLInputElement {\n  open val rowIndex: Int\n  open val sectionRowIndex: Int\n  open val cells: HTMLCollection\n  open var align: String\n  open var ch: String\n  open var chOff: String\n  open var vAlign: String\n  open var bgColor: String\n  fun insertCell(index: Int = definedExternally): HTMLInputElement\n  fun deleteCell(index: Int)\n\n  companion object {\n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n  }\n}\n\n/**\n * Exposes the JavaScript [HTMLTableCellElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableCellElement) to Kotlin\n */\n\npublic external abstract class HTMLTableCellElement : HTMLInputElement {\n  open var colSpan: Int\n  open var rowSpan: Int\n  open var headers: String\n  open val cellIndex: Int\n  open var scope: String\n  open var abbr: String\n  open var align: String\n  open var axis: String\n  open var height: String\n  open var width: String\n  open var ch: String\n  open var chOff: String\n  open var noWrap: Boolean\n  open var vAlign: String\n  open var bgColor: String\n\n  companion object {\n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n  }\n}

```

```

DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[HTMLFormElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFormElement) to Kotlin \n * \n public
external abstract class HTMLFormElement : HTMLInputElement { \n    open var acceptCharset: String \n    open var
action: String \n    open var autocomplete: String \n    open var enctype: String \n    open var encoding: String \n    open
var method: String \n    open var name: String \n    open var noValidate: Boolean \n    open var target: String \n    open
val elements: HTMLFormControlsCollection \n    open val length: Int \n    fun submit() \n    fun reset() \n    fun
checkValidity(): Boolean \n    fun reportValidity(): Boolean \n \n    companion object { \n        val ELEMENT_NODE:
Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE:
Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n
    } \n} \n \n @Suppress(\ "INVISIBLE_REFERENCE",
\ "INVISIBLE_MEMBER" ) \n @kotlin.internal.InlineOnly \n public inline operator fun
HTMLFormElement.get(index: Int): Element? =
asDynamic()[index] \n \n @Suppress(\ "INVISIBLE_REFERENCE",
\ "INVISIBLE_MEMBER" ) \n @kotlin.internal.InlineOnly \n public inline operator fun
HTMLFormElement.get(name: String): UnionElementOrRadioNodeList? = asDynamic()[name] \n \n /** \n * Exposes
the JavaScript [HTMLLabelElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLabelElement) to
Kotlin \n * \n public external abstract class HTMLLabelElement : HTMLInputElement { \n    open val form:
HTMLFormElement? \n    open var htmlFor: String \n    open val control: HTMLInputElement? \n \n    companion object
{ \n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n
        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val
ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE:
Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[HTMLInputElement](https://developer.mozilla.org/en/docs/Web/API/HTMLInputElement) to Kotlin \n * \n public
external abstract class HTMLInputElement : HTMLInputElement { \n    open var accept: String \n    open var alt: String \n
open var autocomplete: String \n    open var autofocus: Boolean \n    open var defaultChecked: Boolean \n    open var
checked: Boolean \n    open var dirName: String \n    open var disabled: Boolean \n    open val form:
HTMLFormElement? \n    open val files: FileList? \n    open var formAction: String \n    open var formEnctype:
String \n    open var formMethod: String \n    open var formNoValidate: Boolean \n    open var formTarget: String \n
open var height: Int \n    open var indeterminate: Boolean \n    open var inputMode: String \n    open val list:
HTMLInputElement? \n    open var max: String \n    open var maxLength: Int \n    open var min: String \n    open var
minLength: Int \n    open var multiple: Boolean \n    open var name: String \n    open var pattern: String \n    open var
placeholder: String \n    open var readOnly: Boolean \n    open var required: Boolean \n    open var size: Int \n    open

```

```

var src: String\n open var step: String\n open var type: String\n open var defaultValue: String\n open var
value: String\n open var valueAsDate: dynamic\n open var valueAsNumber: Double\n open var width: Int\n
open val willValidate: Boolean\n open val validity: ValidityState\n open val validationMessage: String\n open
val labels: NodeList\n open var selectionStart: Int?\n open var selectionEnd: Int?\n open var
selectionDirection: String?\n open var align: String\n open var useMap: String\n fun stepUp(n: Int =
definedExternally)\n fun stepDown(n: Int = definedExternally)\n fun checkValidity(): Boolean\n fun
reportValidity(): Boolean\n fun setCustomValidity(error: String)\n fun select()\n fun
setRangeText(replacement: String)\n fun setRangeText(replacement: String, start: Int, end: Int, selectionMode:
SelectionMode = definedExternally)\n fun setSelectionRange(start: Int, end: Int, direction: String =
definedExternally)\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE:
Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLButtonElement](https://developer.mozilla.org/en/docs/Web/API/HTMLButtonElement) to Kotlin\n
*\npublic external abstract class HTMLButtonElement : HTMLInputElement {\n open var autofocus: Boolean\n
open var disabled: Boolean\n open val form: HTMLFormElement?\n open var formAction: String\n open var
formEnctype: String\n open var formMethod: String\n open var formNoValidate: Boolean\n open var
formTarget: String\n open var name: String\n open var type: String\n open var value: String\n open var
menu: HTMLMenuElement?\n open val willValidate: Boolean\n open val validity: ValidityState\n open val
validationMessage: String\n open val labels: NodeList\n fun checkValidity(): Boolean\n fun reportValidity():
Boolean\n fun setCustomValidity(error: String)\n\n companion object {\n val ELEMENT_NODE: Short\n
val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n
val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLSelectElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSelectElement) to Kotlin\n
*\npublic external abstract class HTMLSelectElement : HTMLInputElement, ItemArrayLike<Element> {\n open var
autocomplete: String\n open var autofocus: Boolean\n open var disabled: Boolean\n open val form:
HTMLFormElement?\n open var multiple: Boolean\n open var name: String\n open var required: Boolean\n
open var size: Int\n open val type: String\n open val options: HTMLCollection\n override var length:
Int\n open val selectedOptions: HTMLCollection\n open var selectedIndex: Int\n open var value: String\n
open val willValidate: Boolean\n open val validity: ValidityState\n open val validationMessage: String\n open
val labels: NodeList\n fun namedItem(name: String): HTMLOptionElement?\n fun add(element:
UnionHTMLOptGroupElementOrHTMLOptionElement, before: dynamic = definedExternally)\n fun
remove(index: Int)\n fun checkValidity(): Boolean\n fun reportValidity(): Boolean\n fun
setCustomValidity(error: String)\n override fun item(index: Int): Element?\n\n companion object {\n val
ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val

```

```

CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n
}\n}\n\n@Suppress(\\"INVISIBLE_REFERENCE\",
\\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun
HTMLSelectElement.get(index: Int): Element? =
asDynamic()[index]\n\n@Suppress(\\"INVISIBLE_REFERENCE\",
\\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun
HTMLSelectElement.set(index: Int, option: HTMLOptionElement?) { asDynamic()[index] = option }\n\n/**\n *
Exposes the JavaScript
[HTMLDataListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDataListElement) to Kotlin\n
*/\npublic external abstract class HTMLDataListElement : HTMLElement {\n    open val options:
HTMLCollection\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE:
Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLOptGroupElement](https://developer.mozilla.org/en/docs/Web/API/HTMLOptGroupElement) to Kotlin\n
*/\npublic external abstract class HTMLOptGroupElement : HTMLElement,
UnionHTMLOptGroupElementOrHTMLOptionElement {\n    open var disabled: Boolean\n    open var label:
String\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n
        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLOptionElement](https://developer.mozilla.org/en/docs/Web/API/HTMLOptionElement) to Kotlin\n
*/\npublic external abstract class HTMLOptionElement : HTMLElement,
UnionHTMLOptGroupElementOrHTMLOptionElement {\n    open var disabled: Boolean\n    open val form:
HTMLFormElement?\n    open var label: String\n    open var defaultSelected: Boolean\n    open var selected:
Boolean\n    open var value: String\n    open var text: String\n    open val index: Int\n\n    companion object {\n
        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val

```

DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val

DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n val

DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n }n}n/n/\*\*\n \* Exposes the JavaScript [HTMLTextAreaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTextAreaElement) to Kotlin\n \*\npublic external abstract class HTMLTextAreaElement : HTMLInputElement {\n open var autocomplete: String\n open var autofocus: Boolean\n open var cols: Int\n open var dirName: String\n open var disabled: Boolean\n open val form: HTMLFormElement?\n open var inputMode: String\n open var maxLength: Int\n open var minLength: Int\n open var name: String\n open var placeholder: String\n open var readOnly: Boolean\n open var required: Boolean\n open var rows: Int\n open var wrap: String\n open val type: String\n open var defaultValue: String\n open var value: String\n open val textLength: Int\n open val willValidate: Boolean\n open val validity: ValidityState\n open val validationMessage: String\n open val labels: NodeList\n open var selectionStart: Int?\n open var selectionEnd: Int?\n open var selectionDirection: String?\n fun checkValidity(): Boolean\n fun reportValidity(): Boolean\n fun setCustomValidity(error: String)\n fun select()\n fun setRangeText(replacement: String)\n fun setRangeText(replacement: String, start: Int, end: Int, selectionMode: SelectionMode = definedExternally)\n fun setSelectionRange(start: Int, end: Int, direction: String = definedExternally)\n\n companion object {\n val ELEMENT\_NODE: Short\n val ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val CDATA\_SECTION\_NODE: Short\n val ENTITY\_REFERENCE\_NODE: Short\n val ENTITY\_NODE: Short\n val PROCESSING\_INSTRUCTION\_NODE: Short\n val COMMENT\_NODE: Short\n val DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n val DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n }n}n/n/\*\*\n \* Exposes the JavaScript [HTMLKeygenElement](https://developer.mozilla.org/en/docs/Web/API/HTMLKeygenElement) to Kotlin\n \*\npublic external abstract class HTMLKeygenElement : HTMLInputElement {\n open var autofocus: Boolean\n open var challenge: String\n open var disabled: Boolean\n open val form: HTMLFormElement?\n open var keytype: String\n open var name: String\n open val type: String\n open val willValidate: Boolean\n open val validity: ValidityState\n open val validationMessage: String\n open val labels: NodeList\n fun checkValidity(): Boolean\n fun reportValidity(): Boolean\n fun setCustomValidity(error: String)\n\n companion object {\n val ELEMENT\_NODE: Short\n val ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val CDATA\_SECTION\_NODE: Short\n val ENTITY\_REFERENCE\_NODE: Short\n val ENTITY\_NODE: Short\n val PROCESSING\_INSTRUCTION\_NODE: Short\n val COMMENT\_NODE: Short\n val DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n val DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n }n}n/n/\*\*\n \* Exposes the JavaScript [HTMLOutputElement](https://developer.mozilla.org/en/docs/Web/API/HTMLOutputElement) to Kotlin\n \*\npublic external abstract class HTMLOutputElement : HTMLInputElement {\n open val htmlFor: DOMTokenList\n open val form: HTMLFormElement?\n open var name: String\n open val type: String\n open var defaultValue: String\n open var value: String\n open val willValidate: Boolean\n open val validity: ValidityState\n open val validationMessage: String\n open val labels: NodeList\n fun checkValidity(): Boolean\n fun reportValidity(): Boolean\n fun setCustomValidity(error: String)\n\n companion object {\n

```

val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val
CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[HTMLProgressElement](https://developer.mozilla.org/en/docs/Web/API/HTMLProgressElement) to Kotlin \n
*/ \n public external abstract class HTMLProgressElement : HTMLElement { \n    open var value: Double \n    open
var max: Double \n    open val position: Double \n    open val labels: NodeList \n \n    companion object { \n    val
ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val
CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[HTMLMeterElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMeterElement) to Kotlin \n
*/ \n public external abstract class HTMLMeterElement : HTMLElement { \n    open var value: Double \n    open var min:
Double \n    open var max: Double \n    open var low: Double \n    open var high: Double \n    open var optimum:
Double \n    open val labels: NodeList \n \n    companion object { \n    val ELEMENT_NODE: Short\n    val
ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val
ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[HTMLFieldSetElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFieldSetElement) to Kotlin \n
*/ \n public external abstract class HTMLFieldSetElement : HTMLElement { \n    open var disabled: Boolean \n
open val form: HTMLFormElement? \n    open var name: String \n    open val type: String \n    open val elements:
HTMLCollection \n    open val willValidate: Boolean \n    open val validity: ValidityState \n    open val
validationMessage: String \n    fun checkValidity(): Boolean \n    fun reportValidity(): Boolean \n    fun
setCustomValidity(error: String) \n \n    companion object { \n    val ELEMENT_NODE: Short\n    val
ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val
ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val

```





```

    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external open class
RelatedEvent(type: String, eventInitDict: RelatedEventInit = definedExternally) : Event {\n    open val
relatedTarget: EventTarget?\n\n    companion object {\n        val NONE: Short\n        val CAPTURING_PHASE:
Short\n        val AT_TARGET: Short\n        val BUBBLING_PHASE: Short\n    }\n}\n\npublic external interface
RelatedEventInit : EventInit {\n    var relatedTarget: EventTarget? /* = null */\n        get() = definedExternally\n
set(value) = definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\n\npublic inline fun RelatedEventInit(relatedTarget:
EventTarget? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false):
RelatedEventInit {\n    val o = js("{}")\n    o["relatedTarget"] = relatedTarget\n    o["bubbles"] = bubbles\n
o["cancelable"] = cancelable\n    o["composed"] = composed\n    return o\n}\n\n/**\n * Exposes the JavaScript
[HTMLDialogElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDialogElement) to Kotlin\n
*/\n\npublic external abstract class HTMLDialogElement : HTMLInputElement {\n    open var open: Boolean\n    open var
returnValue: String\n    fun show(anchor: UnionElementOrMouseEvent = definedExternally)\n    fun
showModal(anchor: UnionElementOrMouseEvent = definedExternally)\n    fun close(returnValue: String =
definedExternally)\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE:
Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLScriptElement](https://developer.mozilla.org/en/docs/Web/API/HTMLScriptElement) to Kotlin\n
*/\n\npublic external abstract class HTMLScriptElement : HTMLInputElement, HTMLScriptElement {\n    open var src:
String\n    open var type: String\n    open var charset: String\n    open var async: Boolean\n    open var defer:
Boolean\n    open var crossOrigin: String?\n    open var text: String\n    open var nonce: String\n    open var event:
String\n    open var htmlFor: String\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLTemplateElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTemplateElement) to Kotlin\n
*/\n\npublic external abstract class HTMLTemplateElement : HTMLInputElement {\n    open val content:
DocumentFragment\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE:
Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n}

```

```

DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n\n/**\n * Exposes the JavaScript
[HTMLSlotElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSlotElement) to Kotlin\n\n *\n\npublic
external abstract class HTMLSlotElement : HTMLInputElement {\n    open var name: String\n    fun
assignedNodes(options: AssignedNodesOptions = definedExternally): Array<Node>\n\n    companion object {\n
val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val
CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n\npublic external interface
AssignedNodesOptions {\n    var flatten: Boolean? /* = false */\n    get() = definedExternally\n    set(value) =
definedExternally\n} \n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\n\npublic inline fun AssignedNodesOptions(flatten:
Boolean? = false): AssignedNodesOptions {\n    val o = js("{}")\n    o["flatten"] = flatten\n    return
o\n} \n\n/**\n * Exposes the JavaScript
[HTMLCanvasElement](https://developer.mozilla.org/en/docs/Web/API/HTMLCanvasElement) to Kotlin\n\n
*\n\npublic external abstract class HTMLCanvasElement : HTMLInputElement, CanvasImageSource, TexImageSource
{\n    open var width: Int\n    open var height: Int\n    fun getContext(contextId: String, vararg arguments: Any?):
RenderingContext?\n    fun toDataURL(type: String = definedExternally, quality: Any? = definedExternally):
String\n    fun toBlob(_callback: (Blob?) -> Unit, type: String = definedExternally, quality: Any? =
definedExternally)\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE:
Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n\npublic external interface
CanvasRenderingContext2DSettings {\n    var alpha: Boolean? /* = true */\n    get() = definedExternally\n
set(value) = definedExternally\n} \n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\n\npublic inline fun
CanvasRenderingContext2DSettings(alpha: Boolean? = true): CanvasRenderingContext2DSettings {\n    val o =
js("{}")\n    o["alpha"] = alpha\n    return o\n} \n\n/**\n * Exposes the JavaScript
[CanvasRenderingContext2D](https://developer.mozilla.org/en/docs/Web/API/CanvasRenderingContext2D) to
Kotlin\n\n *\n\npublic external abstract class CanvasRenderingContext2D : CanvasState, CanvasTransform,
CanvasCompositing, CanvasImageSmoothing, CanvasFillStrokeStyles, CanvasShadowStyles, CanvasFilters,
CanvasRect, CanvasDrawPath, CanvasUserInterface, CanvasText, CanvasDrawImage, CanvasHitRegion,
CanvasImageData, CanvasPathDrawingStyles, CanvasTextDrawingStyles, CanvasPath, RenderingContext {\n
open val canvas: HTMLCanvasElement\n} \n\npublic external interface CanvasState {\n    fun save()\n    fun
restore()\n} \n\npublic external interface CanvasTransform {\n    fun scale(x: Double, y: Double)\n    fun

```

```

rotate(angle: Double)\n fun translate(x: Double, y: Double)\n fun transform(a: Double, b: Double, c: Double, d:
Double, e: Double, f: Double)\n fun getTransform(): DOMMatrix\n fun setTransform(a: Double, b: Double, c:
Double, d: Double, e: Double, f: Double)\n fun setTransform(transform: dynamic = definedExternally)\n fun
resetTransform()\n\n\npublic external interface CanvasCompositing {\n var globalAlpha: Double\n var
globalCompositeOperation: String\n}\n\n\npublic external interface CanvasImageSmoothing {\n var
imageSmoothingEnabled: Boolean\n var imageSmoothingQuality: ImageSmoothingQuality\n}\n\n\npublic external
interface CanvasFillStrokeStyles {\n var strokeStyle: dynamic\n get() = definedExternally\n set(value) =
definedExternally\n var fillStyle: dynamic\n get() = definedExternally\n set(value) = definedExternally\n
fun createLinearGradient(x0: Double, y0: Double, x1: Double, y1: Double): CanvasGradient\n fun
createRadialGradient(x0: Double, y0: Double, r0: Double, x1: Double, y1: Double, r1: Double): CanvasGradient\n
fun createPattern(image: CanvasImageSource, repetition: String): CanvasPattern?\n}\n\n\npublic external interface
CanvasShadowStyles {\n var shadowOffsetX: Double\n var shadowOffsetY: Double\n var shadowBlur:
Double\n var shadowColor: String\n}\n\n\npublic external interface CanvasFilters {\n var filter:
String\n}\n\n\npublic external interface CanvasRect {\n fun clearRect(x: Double, y: Double, w: Double, h:
Double)\n fun fillRect(x: Double, y: Double, w: Double, h: Double)\n fun strokeRect(x: Double, y: Double, w:
Double, h: Double)\n}\n\n\npublic external interface CanvasDrawPath {\n fun beginPath()\n fun fill(fillRule:
CanvasFillRule = definedExternally)\n fun fill(path: Path2D, fillRule: CanvasFillRule = definedExternally)\n
fun stroke()\n fun stroke(path: Path2D)\n fun clip(fillRule: CanvasFillRule = definedExternally)\n fun
clip(path: Path2D, fillRule: CanvasFillRule = definedExternally)\n fun resetClip()\n fun isPointInPath(x:
Double, y: Double, fillRule: CanvasFillRule = definedExternally): Boolean\n fun isPointInPath(path: Path2D, x:
Double, y: Double, fillRule: CanvasFillRule = definedExternally): Boolean\n fun isPointInStroke(x: Double, y:
Double): Boolean\n fun isPointInStroke(path: Path2D, x: Double, y: Double): Boolean\n}\n\n\npublic external
interface CanvasUserInterface {\n fun drawFocusIfNeeded(element: Element)\n fun drawFocusIfNeeded(path:
Path2D, element: Element)\n fun scrollPathIntoView()\n fun scrollPathIntoView(path: Path2D)\n}\n\n\npublic
external interface CanvasText {\n fun fillText(text: String, x: Double, y: Double, maxWidth: Double =
definedExternally)\n fun strokeText(text: String, x: Double, y: Double, maxWidth: Double = definedExternally)\n
fun measureText(text: String): TextMetrics\n}\n\n\npublic external interface CanvasDrawImage {\n fun
drawImage(image: CanvasImageSource, dx: Double, dy: Double)\n fun drawImage(image: CanvasImageSource,
dx: Double, dy: Double, dw: Double, dh: Double)\n fun drawImage(image: CanvasImageSource, sx: Double, sy:
Double, sw: Double, sh: Double, dx: Double, dy: Double, dw: Double, dh: Double)\n}\n\n\npublic external interface
CanvasHitRegion {\n fun addHitRegion(options: HitRegionOptions = definedExternally)\n fun
removeHitRegion(id: String)\n fun clearHitRegions()\n}\n\n\npublic external interface CanvasImageData {\n fun
createImageData(sw: Double, sh: Double): ImageData\n fun createImageData(imagedata: ImageData):
ImageData\n fun getImageData(sx: Double, sy: Double, sw: Double, sh: Double): ImageData\n fun
putImageData(imagedata: ImageData, dx: Double, dy: Double)\n fun putImageData(imagedata: ImageData, dx:
Double, dy: Double, dirtyX: Double, dirtyY: Double, dirtyWidth: Double, dirtyHeight: Double)\n}\n\n\npublic
external interface CanvasPathDrawingStyles {\n var lineWidth: Double\n var lineCap: CanvasLineCap\n var
lineJoin: CanvasLineJoin\n var miterLimit: Double\n var lineDashOffset: Double\n fun setLineDash(segments:
Array<Double>)\n fun getLineDash(): Array<Double>\n}\n\n\npublic external interface CanvasTextDrawingStyles
{\n var font: String\n var textAlign: CanvasTextAlign\n var textBaseline: CanvasTextBaseline\n var
direction: CanvasDirection\n}\n\n\npublic external interface CanvasPath {\n fun closePath()\n fun moveTo(x:
Double, y: Double)\n fun lineTo(x: Double, y: Double)\n fun quadraticCurveTo(cpx: Double, cpy: Double, x:
Double, y: Double)\n fun bezierCurveTo(cp1x: Double, cp1y: Double, cp2x: Double, cp2y: Double, x: Double, y:
Double)\n fun arcTo(x1: Double, y1: Double, x2: Double, y2: Double, radius: Double)\n fun arcTo(x1: Double,
y1: Double, x2: Double, y2: Double, radiusX: Double, radiusY: Double, rotation: Double)\n fun rect(x: Double, y:
Double, w: Double, h: Double)\n fun arc(x: Double, y: Double, radius: Double, startAngle: Double, endAngle:
Double, anticlockwise: Boolean = definedExternally)\n fun ellipse(x: Double, y: Double, radiusX: Double,
radiusY: Double, rotation: Double, startAngle: Double, endAngle: Double, anticlockwise: Boolean =

```

```

definedExternally)\n}\n\n/**\n * Exposes the JavaScript
[CanvasGradient](https://developer.mozilla.org/en/docs/Web/API/CanvasGradient) to Kotlin\n */\npublic external
abstract class CanvasGradient {\n    fun addColorStop(offset: Double, color: String)\n}\n\n/**\n * Exposes the
JavaScript [CanvasPattern](https://developer.mozilla.org/en/docs/Web/API/CanvasPattern) to Kotlin\n */\npublic
external abstract class CanvasPattern {\n    fun setTransform(transform: dynamic = definedExternally)\n}\n\n/**\n *
Exposes the JavaScript [TextMetrics](https://developer.mozilla.org/en/docs/Web/API/TextMetrics) to Kotlin\n
*/\npublic external abstract class TextMetrics {\n    open val width: Double\n    open val actualBoundingBoxLeft:
Double\n    open val actualBoundingBoxRight: Double\n    open val fontBoundingBoxAscent: Double\n    open val
fontBoundingBoxDescent: Double\n    open val actualBoundingBoxAscent: Double\n    open val
actualBoundingBoxDescent: Double\n    open val emHeightAscent: Double\n    open val emHeightDescent:
Double\n    open val hangingBaseline: Double\n    open val alphabeticBaseline: Double\n    open val
ideographicBaseline: Double\n}\n\npublic external interface HitRegionOptions {\n    var path: Path2D? /* = null
*/\n    get() = definedExternally\n    set(value) = definedExternally\n    var fillRule: CanvasFillRule? /* =
CanvasFillRule.NONZERO */\n    get() = definedExternally\n    set(value) = definedExternally\n    var id:
String? /* = \"\" */\n    get() = definedExternally\n    set(value) = definedExternally\n    var parentID: String? /*
= null */\n    get() = definedExternally\n    set(value) = definedExternally\n    var cursor: String? /* = \"inherit\"
*/\n    get() = definedExternally\n    set(value) = definedExternally\n    var control: Element? /* = null */\n
get() = definedExternally\n    set(value) = definedExternally\n    var label: String? /* = null */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var role: String? /* = null */\n    get() =
definedExternally\n    set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun HitRegionOptions(path: Path2D? =
null, fillRule: CanvasFillRule? = CanvasFillRule.NONZERO, id: String? = \"\", parentID: String? = null, cursor:
String? = \"inherit\", control: Element? = null, label: String? = null, role: String? = null): HitRegionOptions {\n    val
o = js(\"({})\")\n    o[\"path\"] = path\n    o[\"fillRule\"] = fillRule\n    o[\"id\"] = id\n    o[\"parentID\"] = parentID\n
o[\"cursor\"] = cursor\n    o[\"control\"] = control\n    o[\"label\"] = label\n    o[\"role\"] = role\n    return
o\n}\n\n/**\n * Exposes the JavaScript [ImageData](https://developer.mozilla.org/en/docs/Web/API/ImageData) to
Kotlin\n */\npublic external open class ImageData : ImageBitmapSource, TexImageSource {\n    constructor(sw:
Int, sh: Int)\n    constructor(data: Uint8ClampedArray, sw: Int, sh: Int = definedExternally)\n    open val width: Int\n
open val height: Int\n    open val data: Uint8ClampedArray\n}\n\n/**\n * Exposes the JavaScript
[Path2D](https://developer.mozilla.org/en/docs/Web/API/Path2D) to Kotlin\n */\npublic external open class
Path2D() : CanvasPath {\n    constructor(path: Path2D)\n    constructor(paths: Array<Path2D>, fillRule:
CanvasFillRule = definedExternally)\n    constructor(d: String)\n    fun addPath(path: Path2D, transform: dynamic =
definedExternally)\n    override fun closePath()\n    override fun moveTo(x: Double, y: Double)\n    override fun
lineTo(x: Double, y: Double)\n    override fun quadraticCurveTo(cpx: Double, cpy: Double, x: Double, y: Double)\n
    override fun bezierCurveTo(cp1x: Double, cp1y: Double, cp2x: Double, cp2y: Double, x: Double, y: Double)\n
    override fun arcTo(x1: Double, y1: Double, x2: Double, y2: Double, radius: Double)\n    override fun arcTo(x1:
Double, y1: Double, x2: Double, y2: Double, radiusX: Double, radiusY: Double, rotation: Double)\n    override fun
rect(x: Double, y: Double, w: Double, h: Double)\n    override fun arc(x: Double, y: Double, radius: Double,
startAngle: Double, endAngle: Double, anticlockwise: Boolean /* = definedExternally */) \n    override fun ellipse(x:
Double, y: Double, radiusX: Double, radiusY: Double, rotation: Double, startAngle: Double, endAngle: Double,
anticlockwise: Boolean /* = definedExternally */) \n}\n\n/**\n * Exposes the JavaScript
[ImageBitmapRenderingContext](https://developer.mozilla.org/en/docs/Web/API/ImageBitmapRenderingContext)
to Kotlin\n */\npublic external abstract class ImageBitmapRenderingContext {\n    open val canvas:
HTMLCanvasElement\n    fun transferFromImageBitmap(bitmap: ImageBitmap?)\n}\n\npublic external interface
ImageBitmapRenderingContextSettings {\n    var alpha: Boolean? /* = true */\n    get() = definedExternally\n
set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun
ImageBitmapRenderingContextSettings(alpha: Boolean? = true): ImageBitmapRenderingContextSettings {\n    val o

```

```

= js("{}")\n  o["alpha"] = alpha\n  return o\n}\n\n/**\n * Exposes the JavaScript
[CustomElementRegistry](https://developer.mozilla.org/en/docs/Web/API/CustomElementRegistry) to Kotlin\n
*/\npublic external abstract class CustomElementRegistry {\n  fun define(name: String, constructor: () -> dynamic,
options: ElementDefinitionOptions = definedExternally)\n  fun get(name: String): Any?\n  fun
whenDefined(name: String): Promise<Unit>\n}\n\npublic external interface ElementDefinitionOptions {\n  var
extends: String?\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun ElementDefinitionOptions(extends:
String? = undefined): ElementDefinitionOptions {\n  val o = js("{}")\n  o["extends"] = extends\n  return
o\n}\n\npublic external interface ElementContentEditable {\n  var contentEditable: String\n  val
isContentEditable: Boolean\n}\n\n/**\n * Exposes the JavaScript
[DataTransfer](https://developer.mozilla.org/en/docs/Web/API/DataTransfer) to Kotlin\n
*/\npublic external
abstract class DataTransfer {\n  open var dropEffect: String\n  open var effectAllowed: String\n  open val items:
DataTransferItemList\n  open val types: Array<out String>\n  open val files: FileList\n  fun
setDragImage(image: Element, x: Int, y: Int)\n  fun getData(format: String): String\n  fun setData(format: String,
data: String)\n  fun clearData(format: String = definedExternally)\n}\n\n/**\n * Exposes the JavaScript
[DataTransferItemList](https://developer.mozilla.org/en/docs/Web/API/DataTransferItemList) to Kotlin\n
*/\npublic
external abstract class DataTransferItemList {\n  open val length: Int\n  fun add(data: String, type: String):
DataTransferItem?\n  fun add(data: File): DataTransferItem?\n  fun remove(index: Int)\n  fun
clear()\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun
DataTransferItemList.get(index: Int): DataTransferItem? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[DataTransferItem](https://developer.mozilla.org/en/docs/Web/API/DataTransferItem) to Kotlin\n
*/\npublic
external abstract class DataTransferItem {\n  open val kind: String\n  open val type: String\n  fun
getAsString(_callback: ((String) -> Unit)?)\n  fun getAsFile(): File?\n}\n\n/**\n * Exposes the JavaScript
[DragEvent](https://developer.mozilla.org/en/docs/Web/API/TouchEvent) to Kotlin\n
*/\npublic external open class
DragEvent(type: String, eventInitDict: DragEventInit = definedExternally) : MouseEvent {\n  open val
dataTransfer: DataTransfer?\n\n  companion object {\n    val NONE: Short\n    val CAPTURING_PHASE:
Short\n    val AT_TARGET: Short\n    val BUBBLING_PHASE: Short\n  }\n}\n\npublic external interface
DragEventInit : MouseEventInit {\n  var dataTransfer: DataTransfer? /* = null */\n  get() = definedExternally\n
  set(value) = definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun DragEventInit(dataTransfer:
DataTransfer? = null, screenX: Int? = 0, screenY: Int? = 0, clientX: Int? = 0, clientY: Int? = 0, button: Short? = 0,
buttons: Short? = 0, relatedTarget: EventTarget? = null, region: String? = null, ctrlKey: Boolean? = false, shiftKey:
Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false,
modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? = false,
modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false,
modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view:
Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? =
false): DragEventInit {\n  val o = js("{}")\n  o["dataTransfer"] = dataTransfer\n  o["screenX"] = screenX\n
  o["screenY"] = screenY\n  o["clientX"] = clientX\n  o["clientY"] = clientY\n  o["button"] = button\n
  o["buttons"] = buttons\n  o["relatedTarget"] = relatedTarget\n  o["region"] = region\n  o["ctrlKey"] =
ctrlKey\n  o["shiftKey"] = shiftKey\n  o["altKey"] = altKey\n  o["metaKey"] = metaKey\n
  o["modifierAltGraph"] = modifierAltGraph\n  o["modifierCapsLock"] = modifierCapsLock\n
  o["modifierFn"] = modifierFn\n  o["modifierFnLock"] = modifierFnLock\n  o["modifierHyper"] =
modifierHyper\n  o["modifierNumLock"] = modifierNumLock\n  o["modifierScrollLock"] =
modifierScrollLock\n  o["modifierSuper"] = modifierSuper\n  o["modifierSymbol"] = modifierSymbol\n
  o["modifierSymbolLock"] = modifierSymbolLock\n  o["view"] = view\n  o["detail"] = detail\n

```

```

o["bubbles"] = bubbles\n  o["cancelable"] = cancelable\n  o["composed"] = composed\n  return
o\n}\n\n/**\n * Exposes the JavaScript [Window](https://developer.mozilla.org/en/docs/Web/API/Window) to
Kotlin\n */\npublic external abstract class Window : EventTarget, GlobalEventHandlers, WindowEventHandlers,
WindowOrWorkerGlobalScope, WindowSessionStorage, WindowLocalStorage, GlobalPerformance,
UnionMessagePortOrWindowProxy {\n  open val window: Window\n  open val self: Window\n  open val
document: Document\n  open val name: String\n  open val location: Location\n  open val history: History\n
open val customElements: CustomElementRegistry\n  open val locationbar: BarProp\n  open val menubar:
BarProp\n  open val personalbar: BarProp\n  open val scrollbars: BarProp\n  open val statusbar: BarProp\n
open val toolbar: BarProp\n  open val status: String\n  open val closed: Boolean\n  open val frames: Window\n
open val length: Int\n  open val top: Window\n  open var opener: Any?\n  open val parent: Window\n  open val
frameElement: Element?\n  open val navigator: Navigator\n  open val applicationCache: ApplicationCache\n
open val external: External\n  open val screen: Screen\n  open val innerWidth: Int\n  open val innerHeight: Int\n
open val scrollX: Double\n  open val pageXOffset: Double\n  open val scrollY: Double\n  open val
pageYOffset: Double\n  open val screenX: Int\n  open val screenY: Int\n  open val outerWidth: Int\n  open val
outerHeight: Int\n  open val devicePixelRatio: Double\n  fun close()\n  fun stop()\n  fun focus()\n  fun blur()\n
fun open(url: String = definedExternally, target: String = definedExternally, features: String = definedExternally):
Window?\n  fun alert()\n  fun alert(message: String)\n  fun confirm(message: String = definedExternally):
Boolean\n  fun prompt(message: String = definedExternally, default: String = definedExternally): String?\n  fun
print()\n  fun requestAnimationFrame(callback: (Double) -> Unit): Int\n  fun cancelAnimationFrame(handle:
Int)\n  fun postMessage(message: Any?, targetOrigin: String, transfer: Array<dynamic> = definedExternally)\n
fun captureEvents()\n  fun releaseEvents()\n  fun matchMedia(query: String): MediaQueryList\n  fun moveTo(x:
Int, y: Int)\n  fun moveBy(x: Int, y: Int)\n  fun resizeTo(x: Int, y: Int)\n  fun resizeBy(x: Int, y: Int)\n  fun
scroll(options: ScrollToOptions = definedExternally)\n  fun scroll(x: Double, y: Double)\n  fun scrollTo(options:
ScrollToOptions = definedExternally)\n  fun scrollTo(x: Double, y: Double)\n  fun scrollBy(options:
ScrollToOptions = definedExternally)\n  fun scrollBy(x: Double, y: Double)\n  fun getComputedStyle(elt:
Element, pseudoElt: String? = definedExternally):
CSSStyleDeclaration\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun Window.get(name: String):
dynamic = asDynamic()[name]\n\npublic external abstract class BarProp {\n  open val visible: Boolean\n}\n\n/**\n * Exposes the JavaScript [History](https://developer.mozilla.org/en/docs/Web/API/History) to Kotlin\n */\npublic
external abstract class History {\n  open val length: Int\n  open var scrollRestoration: ScrollRestoration\n  open
val state: Any?\n  fun go(delta: Int = definedExternally)\n  fun back()\n  fun forward()\n  fun pushState(data:
Any?, title: String, url: String? = definedExternally)\n  fun replaceState(data: Any?, title: String, url: String? =
definedExternally)\n}\n\n/**\n * Exposes the JavaScript
[Location](https://developer.mozilla.org/en/docs/Web/API/Location) to Kotlin\n */\npublic external abstract class
Location {\n  open var href: String\n  open val origin: String\n  open var protocol: String\n  open var host:
String\n  open var hostname: String\n  open var port: String\n  open var pathname: String\n  open var search:
String\n  open var hash: String\n  open val ancestorOrigins: Array<out String>\n  fun assign(url: String)\n  fun
replace(url: String)\n  fun reload()\n}\n\n/**\n * Exposes the JavaScript
[PopStateEvent](https://developer.mozilla.org/en/docs/Web/API/PopStateEvent) to Kotlin\n */\npublic external
open class PopStateEvent(type: String, eventInitDict: PopStateEventInit = definedExternally) : Event {\n  open val
state: Any?\n\n  companion object {\n    val NONE: Short\n    val CAPTURING_PHASE: Short\n    val
AT_TARGET: Short\n    val BUBBLING_PHASE: Short\n  }\n}\n\npublic external interface PopStateEventInit
: EventInit {\n  var state: Any? /* = null */\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun PopStateEventInit(state: Any? = null,
bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): PopStateEventInit {\n  val o
= js("{}")\n  o["state"] = state\n  o["bubbles"] = bubbles\n  o["cancelable"] = cancelable\n

```

```

o["composed"] = composed\n    return o\n}\n\n/**\n * Exposes the JavaScript
[HashChangeEvent](https://developer.mozilla.org/en/docs/Web/API/HashChangeEvent) to Kotlin\n *\npublic
external open class HashChangeEvent(type: String, eventInitDict: HashChangeEventInit = definedExternally) :
Event {\n    open val oldURL: String\n    open val newURL: String\n\n    companion object {\n        val NONE:
Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val BUBBLING_PHASE:
Short\n    }\n}\n\npublic external interface HashChangeEventInit : EventInit {\n    var oldURL: String? /* = "" */\n
    get() = definedExternally\n    set(value) = definedExternally\n    var newURL: String? /* = "" */\n    get() =
definedExternally\n    set(value) = definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun HashChangeEventInit(oldURL:
String? = "", newURL: String? = "", bubbles: Boolean? = false, cancelable: Boolean? = false, composed:
Boolean? = false): HashChangeEventInit {\n    val o = js("{}")\n    o["oldURL"] = oldURL\n    o["newURL"]
= newURL\n    o["bubbles"] = bubbles\n    o["cancelable"] = cancelable\n    o["composed"] = composed\n
return o\n}\n\n/**\n * Exposes the JavaScript
[PageTransitionEvent](https://developer.mozilla.org/en/docs/Web/API/PageTransitionEvent) to Kotlin\n *\npublic
external open class PageTransitionEvent(type: String, eventInitDict: PageTransitionEventInit = definedExternally) :
Event {\n    open val persisted: Boolean\n\n    companion object {\n        val NONE: Short\n        val
CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val BUBBLING_PHASE: Short\n    }\n}\n\npublic external interface PageTransitionEventInit : EventInit {\n    var persisted: Boolean? /* = false */\n
    get() = definedExternally\n    set(value) = definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun PageTransitionEventInit(persisted:
Boolean? = false, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false):
PageTransitionEventInit {\n    val o = js("{}")\n    o["persisted"] = persisted\n    o["bubbles"] = bubbles\n
o["cancelable"] = cancelable\n    o["composed"] = composed\n    return o\n}\n\n/**\n * Exposes the JavaScript
[BeforeUnloadEvent](https://developer.mozilla.org/en/docs/Web/API/BeforeUnloadEvent) to Kotlin\n *\npublic
external open class BeforeUnloadEvent : Event {\n    var returnValue: String\n\n    companion object {\n        val
NONE: Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val
BUBBLING_PHASE: Short\n    }\n}\n\npublic external abstract class ApplicationCache : EventTarget {\n    open
val status: Short\n    open var onchecking: ((Event) -> dynamic)?\n    open var onerror: ((Event) -> dynamic)?\n
open var onnoupdate: ((Event) -> dynamic)?\n    open var ondownloading: ((Event) -> dynamic)?\n    open var
onprogress: ((ProgressEvent) -> dynamic)?\n    open var onupdateready: ((Event) -> dynamic)?\n    open var
oncached: ((Event) -> dynamic)?\n    open var onobsolete: ((Event) -> dynamic)?\n    fun update()\n    fun abort()\n
fun swapCache()\n\n    companion object {\n        val UNCACHED: Short\n        val IDLE: Short\n        val
CHECKING: Short\n        val DOWNLOADING: Short\n        val UPDATEREADY: Short\n        val OBSOLETE:
Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[NavigatorOnLine](https://developer.mozilla.org/en/docs/Web/API/NavigatorOnLine) to Kotlin\n *\npublic
external interface NavigatorOnLine {\n    val onLine: Boolean\n}\n\n/**\n * Exposes the JavaScript
[ErrorEvent](https://developer.mozilla.org/en/docs/Web/API/ErrorEvent) to Kotlin\n *\npublic external open class
ErrorEvent(type: String, eventInitDict: ErrorEventInit = definedExternally) : Event {\n    open val message: String\n
    open val filename: String\n    open val lineno: Int\n    open val colno: Int\n    open val error: Any?\n\n    companion
object {\n        val NONE: Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val
BUBBLING_PHASE: Short\n    }\n}\n\npublic external interface ErrorEventInit : EventInit {\n    var message:
String? /* = "" */\n    get() = definedExternally\n    set(value) = definedExternally\n    var filename: String? /*
= "" */\n    get() = definedExternally\n    set(value) = definedExternally\n    var lineno: Int? /* = 0 */\n
    get() = definedExternally\n    set(value) = definedExternally\n    var colno: Int? /* = 0 */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var error: Any? /* = null */\n    get() =
definedExternally\n    set(value) = definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun ErrorEventInit(message: String? = "",
filename: String? = "", lineno: Int? = 0, colno: Int? = 0, error: Any? = null, bubbles: Boolean? = false, cancelable:

```

```
Boolean? = false, composed: Boolean? = false): ErrorEventInit {\n  val o = js("{}")\n  o["message"] = message\n  o["filename"] = filename\n  o["lineno"] = lineno\n  o["colno"] = colno\n  o["error"] = error\n  o["bubbles"] = bubbles\n  o["cancelable"] = cancelable\n  o["composed"] = composed\n  return o\n}\n\n/**\n * Exposes the JavaScript
```

```
[PromiseRejectionEvent](https://developer.mozilla.org/en/docs/Web/API/PromiseRejectionEvent) to Kotlin\n*/\npublic external open class PromiseRejectionEvent(type: String, eventInitDict: PromiseRejectionEventInit) :
```

```
Event {\n  open val promise: Promise<Any?>\n  open val reason: Any?\n  companion object {\n    val NONE: Short\n    val CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val BUBBLING_PHASE: Short\n  }\n}\n\npublic external interface PromiseRejectionEventInit : EventInit {\n  var promise: Promise<Any?>?\n  var reason: Any?\n  get() = definedExternally\n  set(value) = definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
```

```
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun PromiseRejectionEventInit(promise: Promise<Any?>?, reason: Any? = undefined, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): PromiseRejectionEventInit {\n  val o = js("{}")\n  o["promise"] = promise\n  o["reason"] = reason\n  o["bubbles"] = bubbles\n  o["cancelable"] = cancelable\n  o["composed"] = composed\n  return o\n}\n\n/**\n * Exposes the JavaScript
```

```
[GlobalEventHandlers](https://developer.mozilla.org/en/docs/Web/API/GlobalEventHandlers) to Kotlin\n*/\npublic external interface GlobalEventHandlers {\n  var onabort: ((Event) -> dynamic)?\n  get() =
```

```
definedExternally\n  set(value) = definedExternally\n  var onblur: ((FocusEvent) -> dynamic)?\n  get() = definedExternally\n  set(value) = definedExternally\n  var oncancel: ((Event) -> dynamic)?\n  get() = definedExternally\n  set(value) = definedExternally\n  var oncanplay: ((Event) -> dynamic)?\n  get() = definedExternally\n  set(value) = definedExternally\n  var oncanplaythrough: ((Event) -> dynamic)?\n  get() = definedExternally\n  set(value) = definedExternally\n  var onchange: ((Event) -> dynamic)?\n  get() = definedExternally\n  set(value) = definedExternally\n  var onclick: ((MouseEvent) -> dynamic)?\n  get() = definedExternally\n  set(value) = definedExternally\n  var onclose: ((Event) -> dynamic)?\n  get() = definedExternally\n  set(value) = definedExternally\n  var oncontextmenu: ((MouseEvent) -> dynamic)?\n  get() = definedExternally\n  set(value) = definedExternally\n  var oncuechange: ((Event) -> dynamic)?\n  get() = definedExternally\n  set(value) = definedExternally\n  var ondblclick: ((MouseEvent) -> dynamic)?\n  get() = definedExternally\n  set(value) = definedExternally\n  var ondrag: ((DragEvent) -> dynamic)?\n  get() = definedExternally\n  set(value) = definedExternally\n  var ondragend: ((DragEvent) -> dynamic)?\n  get() = definedExternally\n  set(value) = definedExternally\n  var ondragenter: ((DragEvent) -> dynamic)?\n  get() = definedExternally\n  set(value) = definedExternally\n  var ondragexit: ((DragEvent) -> dynamic)?\n  get() = definedExternally\n  set(value) = definedExternally\n  var ondragleave: ((DragEvent) -> dynamic)?\n  get() = definedExternally\n  set(value) = definedExternally\n  var ondragover: ((DragEvent) -> dynamic)?\n  get() = definedExternally\n  set(value) = definedExternally\n  var ondragstart: ((DragEvent) -> dynamic)?\n  get() = definedExternally\n  set(value) = definedExternally\n  var ondrop: ((DragEvent) -> dynamic)?\n  get() = definedExternally\n  set(value) = definedExternally\n  var ondurationchange: ((Event) -> dynamic)?\n  get() = definedExternally\n  set(value) = definedExternally\n  var onemptied: ((Event) -> dynamic)?\n  get() = definedExternally\n  set(value) = definedExternally\n  var onended: ((Event) -> dynamic)?\n  get() = definedExternally\n  set(value) = definedExternally\n  var onerror: ((dynamic, String, Int, Int, Any?) -> dynamic)?\n  get() = definedExternally\n  set(value) = definedExternally\n  var onfocus: ((FocusEvent) -> dynamic)?\n  get() = definedExternally\n  set(value) = definedExternally\n  var oninput: ((InputEvent) -> dynamic)?\n  get() = definedExternally\n  set(value) = definedExternally\n  var oninvalid: ((Event) -> dynamic)?\n  get() = definedExternally\n  set(value) = definedExternally\n  var onkeydown: ((KeyboardEvent) -> dynamic)?\n  get() = definedExternally\n  set(value) = definedExternally\n  var onkeypress: ((KeyboardEvent) -> dynamic)?\n  get() = definedExternally\n  set(value) = definedExternally\n  var onkeyup: ((KeyboardEvent) -> dynamic)?\n  get() = definedExternally\n  set(value) = definedExternally\n  var onload: ((Event) -> dynamic)?\n  get() = definedExternally\n  set(value) =
```



```

definedExternally\n    var onloadeddata: ((Event) -> dynamic)?\n        get() = definedExternally\n        set(value) =
definedExternally\n    var onloadedmetadata: ((Event) -> dynamic)?\n        get() = definedExternally\n
set(value) = definedExternally\n    var onloadend: ((Event) -> dynamic)?\n        get() = definedExternally\n
set(value) = definedExternally\n    var onloadstart: ((ProgressEvent) -> dynamic)?\n        get() = definedExternally\n
        set(value) = definedExternally\n    var onmousedown: ((MouseEvent) -> dynamic)?\n        get() =
definedExternally\n        set(value) = definedExternally\n    var onmouseenter: ((MouseEvent) -> dynamic)?\n
get() = definedExternally\n        set(value) = definedExternally\n    var onmouseleave: ((MouseEvent) ->
dynamic)?\n        get() = definedExternally\n        set(value) = definedExternally\n    var onmousemove:
((MouseEvent) -> dynamic)?\n        get() = definedExternally\n        set(value) = definedExternally\n    var
onmouseout: ((MouseEvent) -> dynamic)?\n        get() = definedExternally\n        set(value) = definedExternally\n
var onmouseover: ((MouseEvent) -> dynamic)?\n        get() = definedExternally\n        set(value) =
definedExternally\n    var onmouseup: ((MouseEvent) -> dynamic)?\n        get() = definedExternally\n
set(value) = definedExternally\n    var onwheel: ((WheelEvent) -> dynamic)?\n        get() = definedExternally\n
set(value) = definedExternally\n    var onpause: ((Event) -> dynamic)?\n        get() = definedExternally\n
set(value) = definedExternally\n    var onplay: ((Event) -> dynamic)?\n        get() = definedExternally\n
set(value) = definedExternally\n    var onplaying: ((Event) -> dynamic)?\n        get() = definedExternally\n
set(value) = definedExternally\n    var onprogress: ((ProgressEvent) -> dynamic)?\n        get() = definedExternally\n
        set(value) = definedExternally\n    var onratechange: ((Event) -> dynamic)?\n        get() = definedExternally\n
set(value) = definedExternally\n    var onreset: ((Event) -> dynamic)?\n        get() = definedExternally\n
set(value) = definedExternally\n    var onresize: ((Event) -> dynamic)?\n        get() = definedExternally\n
set(value) = definedExternally\n    var onscroll: ((Event) -> dynamic)?\n        get() = definedExternally\n
set(value) = definedExternally\n    var onseeked: ((Event) -> dynamic)?\n        get() = definedExternally\n
set(value) = definedExternally\n    var onseeking: ((Event) -> dynamic)?\n        get() = definedExternally\n
set(value) = definedExternally\n    var onselect: ((Event) -> dynamic)?\n        get() = definedExternally\n
set(value) = definedExternally\n    var onshow: ((Event) -> dynamic)?\n        get() = definedExternally\n
set(value) = definedExternally\n    var onstalled: ((Event) -> dynamic)?\n        get() = definedExternally\n
set(value) = definedExternally\n    var onsubmit: ((Event) -> dynamic)?\n        get() = definedExternally\n
set(value) = definedExternally\n    var onsuspend: ((Event) -> dynamic)?\n        get() = definedExternally\n
set(value) = definedExternally\n    var ontimeupdate: ((Event) -> dynamic)?\n        get() = definedExternally\n
set(value) = definedExternally\n    var ontoggle: ((Event) -> dynamic)?\n        get() = definedExternally\n
set(value) = definedExternally\n    var onvolumechange: ((Event) -> dynamic)?\n        get() = definedExternally\n
        set(value) = definedExternally\n    var onwaiting: ((Event) -> dynamic)?\n        get() = definedExternally\n
set(value) = definedExternally\n    var ongotpointercapture: ((PointerEvent) -> dynamic)?\n        get() =
definedExternally\n        set(value) = definedExternally\n    var onlostpointercapture: ((PointerEvent) -> dynamic)?\n
        get() = definedExternally\n        set(value) = definedExternally\n    var onpointerdown: ((PointerEvent) ->
dynamic)?\n        get() = definedExternally\n        set(value) = definedExternally\n    var onpointermove:
((PointerEvent) -> dynamic)?\n        get() = definedExternally\n        set(value) = definedExternally\n    var
onpointerup: ((PointerEvent) -> dynamic)?\n        get() = definedExternally\n        set(value) = definedExternally\n
var onpointercancel: ((PointerEvent) -> dynamic)?\n        get() = definedExternally\n        set(value) =
definedExternally\n    var onpointerover: ((PointerEvent) -> dynamic)?\n        get() = definedExternally\n
set(value) = definedExternally\n    var onpointerout: ((PointerEvent) -> dynamic)?\n        get() = definedExternally\n
        set(value) = definedExternally\n    var onpointerenter: ((PointerEvent) -> dynamic)?\n        get() =
definedExternally\n        set(value) = definedExternally\n    var onpointerleave: ((PointerEvent) -> dynamic)?\n
get() = definedExternally\n        set(value) = definedExternally\n}\n\n**\n * Exposes the JavaScript
[WindowEventHandlers](https://developer.mozilla.org/en/docs/Web/API/WindowEventHandlers) to Kotlin\n
*\n\npublic external interface WindowEventHandlers {\n    var onafterprint: ((Event) -> dynamic)?\n        get() =
definedExternally\n        set(value) = definedExternally\n    var onbeforeprint: ((Event) -> dynamic)?\n        get() =
definedExternally\n        set(value) = definedExternally\n    var onbeforeunload: ((BeforeUnloadEvent) ->

```



```

cookieEnabled: Boolean\n}\n\n/**\n * Exposes the JavaScript
[NavigatorPlugins](https://developer.mozilla.org/en/docs/Web/API/NavigatorPlugins) to Kotlin\n *\npublic
external interface NavigatorPlugins {\n    val plugins: PluginArray\n    val mimeTypeArray: MimeTypeError\n    fun
javaEnabled(): Boolean\n}\n\n/**\n * Exposes the JavaScript
[PluginArray](https://developer.mozilla.org/en/docs/Web/API/PluginArray) to Kotlin\n *\npublic external abstract
class PluginArray : ItemArrayLike<Plugin> {\n    fun refresh(reload: Boolean = definedExternally)\n    override fun
item(index: Int): Plugin?\n    fun namedItem(name: String):
Plugin?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun PluginArray.get(index: Int):
Plugin? = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun PluginArray.get(name:
String): Plugin? = asDynamic()[name]\n\n/**\n * Exposes the JavaScript
[MimeTypeArray](https://developer.mozilla.org/en/docs/Web/API/MimeTypeArray) to Kotlin\n *\npublic external
abstract class MimeTypeArray : ItemArrayLike<MimeType> {\n    override fun item(index: Int): MimeType?\n    fun
namedItem(name: String): MimeType?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun MimeTypeArray.get(index:
Int): MimeType? = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun MimeTypeArray.get(name:
String): MimeType? = asDynamic()[name]\n\n/**\n * Exposes the JavaScript
[Plugin](https://developer.mozilla.org/en/docs/Web/API/Plugin) to Kotlin\n *\npublic external abstract class Plugin
: ItemArrayLike<MimeType> {\n    open val name: String\n    open val description: String\n    open val filename:
String\n    override fun item(index: Int): MimeType?\n    fun namedItem(name: String):
MimeType?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Plugin.get(index: Int):
MimeType? = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Plugin.get(name: String):
MimeType? = asDynamic()[name]\n\n/**\n * Exposes the JavaScript
[MimeType](https://developer.mozilla.org/en/docs/Web/API/MimeType) to Kotlin\n *\npublic external abstract
class MimeType {\n    open val type: String\n    open val description: String\n    open val suffixes: String\n    open
val enabledPlugin: Plugin\n}\n\n/**\n * Exposes the JavaScript
[ImageBitmap](https://developer.mozilla.org/en/docs/Web/API/ImageBitmap) to Kotlin\n *\npublic external
abstract class ImageBitmap : CanvasImageSource, TexImageSource {\n    open val width: Int\n    open val height:
Int\n    fun close()\n}\n\npublic external interface ImageBitmapOptions {\n    var imageOrientation:
ImageOrientation? /* = ImageOrientation.NONE */\n        get() = definedExternally\n        set(value) =
definedExternally\n    var premultiplyAlpha: PremultiplyAlpha? /* = PremultiplyAlpha.DEFAULT */\n        get() =
definedExternally\n        set(value) = definedExternally\n    var colorSpaceConversion: ColorSpaceConversion? /* =
ColorSpaceConversion.DEFAULT */\n        get() = definedExternally\n        set(value) = definedExternally\n    var
resizeWidth: Int?\n        get() = definedExternally\n        set(value) = definedExternally\n    var resizeHeight: Int?\n
        get() = definedExternally\n        set(value) = definedExternally\n    var resizeQuality: ResizeQuality? /* =
ResizeQuality.LOW */\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun
ImageBitmapOptions(imageOrientation: ImageOrientation? = ImageOrientation.NONE, premultiplyAlpha:
PremultiplyAlpha? = PremultiplyAlpha.DEFAULT, colorSpaceConversion: ColorSpaceConversion? =
ColorSpaceConversion.DEFAULT, resizeWidth: Int? = undefined, resizeHeight: Int? = undefined, resizeQuality:
ResizeQuality? = ResizeQuality.LOW): ImageBitmapOptions {\n    val o = js(\"{\}\")\n    o[\"imageOrientation\"]
= imageOrientation\n    o[\"premultiplyAlpha\"] = premultiplyAlpha\n    o[\"colorSpaceConversion\"] =
colorSpaceConversion\n    o[\"resizeWidth\"] = resizeWidth\n    o[\"resizeHeight\"] = resizeHeight\n}

```

```

o["resizeQuality"] = resizeQuality\n    return o\n}\n\n/**\n * Exposes the JavaScript
[MessageEvent](https://developer.mozilla.org/en/docs/Web/API/MessageEvent) to Kotlin\n */\npublic external open
class MessageEvent(type: String, eventInitDict: MessageEventInit = definedExternally) : Event {\n    open val data:
Any?\n    open val origin: String\n    open val lastEventId: String\n    open val source:
UnionMessagePortOrWindowProxy?\n    open val ports: Array<out MessagePort>\n    fun initMessageEvent(type:
String, bubbles: Boolean, cancelable: Boolean, data: Any?, origin: String, lastEventId: String, source:
UnionMessagePortOrWindowProxy?, ports: Array<MessagePort>)\n\n    companion object {\n        val NONE:
Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val BUBBLING_PHASE:
Short\n    }\n}\n\npublic external interface MessageEventInit : EventInit {\n    var data: Any? /* = null */\n    get()
= definedExternally\n    set(value) = definedExternally\n    var origin: String? /* = \"\" */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var lastEventId: String? /* = \"\" */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var source: UnionMessagePortOrWindowProxy? /* =
null */\n    get() = definedExternally\n    set(value) = definedExternally\n    var ports: Array<MessagePort>? /*
= arrayOf() */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun MessageEventInit(data: Any? = null,
origin: String? = \"\", lastEventId: String? = \"\", source: UnionMessagePortOrWindowProxy? = null, ports:
Array<MessagePort>? = arrayOf(), bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? =
false): MessageEventInit {\n    val o = js(\"({})\")\n    o[\"data\"] = data\n    o[\"origin\"] = origin\n    o[\"lastEventId\"] = lastEventId\n    o[\"source\"] = source\n    o[\"ports\"] = ports\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n    return o\n}\n\n/**\n * Exposes the JavaScript
[EventSource](https://developer.mozilla.org/en/docs/Web/API/EventSource) to Kotlin\n */\npublic external open
class EventSource(url: String, eventSourceInitDict: EventSourceInit = definedExternally) : EventTarget {\n    open
val url: String\n    open val withCredentials: Boolean\n    open val readyState: Short\n    var onopen: ((Event) ->
dynamic)?\n    var onmessage: ((MessageEvent) -> dynamic)?\n    var onerror: ((Event) -> dynamic)?\n    fun
close()\n\n    companion object {\n        val CONNECTING: Short\n        val OPEN: Short\n        val CLOSED:
Short\n    }\n}\n\npublic external interface EventSourceInit {\n    var withCredentials: Boolean? /* = false */\n    get()
= definedExternally\n    set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun EventSourceInit(withCredentials:
Boolean? = false): EventSourceInit {\n    val o = js(\"({})\")\n    o[\"withCredentials\"] = withCredentials\n    return
o\n}\n\n/**\n * Exposes the JavaScript [WebSocket](https://developer.mozilla.org/en/docs/Web/API/WebSocket) to
Kotlin\n */\npublic external open class WebSocket(url: String, protocols: dynamic = definedExternally) :
EventTarget {\n    open val url: String\n    open val readyState: Short\n    open val bufferedAmount: Number\n    var
onopen: ((Event) -> dynamic)?\n    var onerror: ((Event) -> dynamic)?\n    var onclose: ((Event) -> dynamic)?\n
open val extensions: String\n    open val protocol: String\n    var onmessage: ((MessageEvent) -> dynamic)?\n    var
binaryType: BinaryType\n    fun close(code: Short = definedExternally, reason: String = definedExternally)\n    fun
send(data: String)\n    fun send(data: Blob)\n    fun send(data: ArrayBuffer)\n    fun send(data:
ArrayBufferView)\n\n    companion object {\n        val CONNECTING: Short\n        val OPEN: Short\n        val
CLOSING: Short\n        val CLOSED: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[CloseEvent](https://developer.mozilla.org/en/docs/Web/API/CloseEvent) to Kotlin\n */\npublic external open class
CloseEvent(type: String, eventInitDict: CloseEventInit = definedExternally) : Event {\n    open val wasClean:
Boolean\n    open val code: Short\n    open val reason: String\n\n    companion object {\n        val NONE: Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val BUBBLING_PHASE: Short\n    }\n}\n\npublic external interface CloseEventInit : EventInit {\n    var wasClean: Boolean? /* = false */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var code: Short? /* = 0 */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var reason: String? /* = \"\" */\n    get() =
definedExternally\n    set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun CloseEventInit(wasClean: Boolean? =

```

```

false, code: Short? = 0, reason: String? = "", bubbles: Boolean? = false, cancelable: Boolean? = false, composed:
Boolean? = false): CloseEventInit {\n  val o = js("{}")\n  o["wasClean"] = wasClean\n  o["code"] = code\n  o["reason"] = reason\n  o["bubbles"] = bubbles\n  o["cancelable"] = cancelable\n  o["composed"] =
composed\n  return o\n}\n\n**\n * Exposes the JavaScript
[MessageChannel](https://developer.mozilla.org/en/docs/Web/API/MessageChannel) to Kotlin\n\n*public external
open class MessageChannel {\n  open val port1: MessagePort\n  open val port2: MessagePort\n}\n\n**\n *
Exposes the JavaScript [MessagePort](https://developer.mozilla.org/en/docs/Web/API/MessagePort) to Kotlin\n
*public external abstract class MessagePort : EventTarget, UnionMessagePortOrWindowProxy,
UnionMessagePortOrServiceWorker, UnionClientOrMessagePortOrServiceWorker {\n  open var onmessage:
((MessageEvent) -> dynamic)?\n  fun postMessage(message: Any?, transfer: Array<dynamic> =
definedExternally)\n  fun start()\n  fun close()\n}\n\n**\n * Exposes the JavaScript
[BroadcastChannel](https://developer.mozilla.org/en/docs/Web/API/BroadcastChannel) to Kotlin\n\n*public
external open class BroadcastChannel(name: String) : EventTarget {\n  open val name: String\n  var onmessage:
((MessageEvent) -> dynamic)?\n  fun postMessage(message: Any?)\n  fun close()\n}\n\n**\n * Exposes the
JavaScript [WorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/WorkerGlobalScope) to Kotlin\n
*public external abstract class WorkerGlobalScope : EventTarget, WindowOrWorkerGlobalScope,
GlobalPerformance {\n  open val self: WorkerGlobalScope\n  open val location: WorkerLocation\n  open val
navigator: WorkerNavigator\n  open var onerror: ((dynamic, String, Int, Int, Any?) -> dynamic)?\n  open var
onlanguagechange: ((Event) -> dynamic)?\n  open var onoffline: ((Event) -> dynamic)?\n  open var ononline:
((Event) -> dynamic)?\n  open var onrejectionhandled: ((Event) -> dynamic)?\n  open var onunhandledrejection:
((PromiseRejectionEvent) -> dynamic)?\n  fun importScripts(vararg urls: String)\n}\n\n**\n * Exposes the
JavaScript
[DedicatedWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/DedicatedWorkerGlobalScope) to
Kotlin\n\n*public external abstract class DedicatedWorkerGlobalScope : WorkerGlobalScope {\n  open var
onmessage: ((MessageEvent) -> dynamic)?\n  fun postMessage(message: Any?, transfer: Array<dynamic> =
definedExternally)\n  fun close()\n}\n\n**\n * Exposes the JavaScript
[SharedWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/SharedWorkerGlobalScope) to
Kotlin\n\n*public external abstract class SharedWorkerGlobalScope : WorkerGlobalScope {\n  open val name:
String\n  open val applicationCache: ApplicationCache\n  open var onconnect: ((Event) -> dynamic)?\n  fun
close()\n}\n\n**\n * Exposes the JavaScript
[AbstractWorker](https://developer.mozilla.org/en/docs/Web/API/AbstractWorker) to Kotlin\n\n*public external
interface AbstractWorker {\n  var onerror: ((Event) -> dynamic)?\n  get() = definedExternally\n  set(value)
= definedExternally\n}\n\n**\n * Exposes the JavaScript
[Worker](https://developer.mozilla.org/en/docs/Web/API/Worker) to Kotlin\n\n*public external open class
Worker(scriptURL: String, options: WorkerOptions = definedExternally) : EventTarget, AbstractWorker {\n  var
onmessage: ((MessageEvent) -> dynamic)?\n  override var onerror: ((Event) -> dynamic)?\n  fun terminate()\n
fun postMessage(message: Any?, transfer: Array<dynamic> = definedExternally)\n}\n\n*public external interface
WorkerOptions {\n  var type: WorkerType? /* = WorkerType.CLASSIC */\n  get() = definedExternally\n  set(value) =
definedExternally\n  var credentials: RequestCredentials? /* = RequestCredentials.OMIT */\n  get() =
definedExternally\n  set(value) = definedExternally\n}\n\n*public inline fun WorkerOptions(type: WorkerType? =
WorkerType.CLASSIC, credentials: RequestCredentials? = RequestCredentials.OMIT): WorkerOptions {\n  val o
= js("{}")\n  o["type"] = type\n  o["credentials"] = credentials\n  return o\n}\n\n**\n * Exposes the
JavaScript [SharedWorker](https://developer.mozilla.org/en/docs/Web/API/SharedWorker) to Kotlin\n\n*public
external open class SharedWorker(scriptURL: String, name: String = definedExternally, options: WorkerOptions =
definedExternally) : EventTarget, AbstractWorker {\n  open val port: MessagePort\n  override var onerror:
((Event) -> dynamic)?\n}\n\n**\n * Exposes the JavaScript
[NavigatorConcurrentHardware](https://developer.mozilla.org/en/docs/Web/API/NavigatorConcurrentHardware) to

```

```

Kotlin\n *\npublic external interface NavigatorConcurrentHardware {\n    val hardwareConcurrency:
Number\n}\n\n**\n * Exposes the JavaScript
[WorkerNavigator](https://developer.mozilla.org/en/docs/Web/API/WorkerNavigator) to Kotlin\n *\npublic
external abstract class WorkerNavigator : NavigatorID, NavigatorLanguage, NavigatorOnLine,
NavigatorConcurrentHardware {\n    open val serviceWorker: ServiceWorkerContainer\n}\n\n**\n * Exposes the
JavaScript [WorkerLocation](https://developer.mozilla.org/en/docs/Web/API/WorkerLocation) to Kotlin\n
*\npublic external abstract class WorkerLocation {\n    open val href: String\n    open val origin: String\n    open val
protocol: String\n    open val host: String\n    open val hostname: String\n    open val port: String\n    open val
pathname: String\n    open val search: String\n    open val hash: String\n}\n\n**\n * Exposes the JavaScript
[Storage](https://developer.mozilla.org/en/docs/Web/API/Storage) to Kotlin\n *\npublic external abstract class
Storage {\n    open val length: Int\n    fun key(index: Int): String?\n    fun removeItem(key: String)\n    fun clear()\n
fun getItem(key: String): String?\n    fun setItem(key: String, value:
String)\n}\n\n@Suppress(\n"INVISIBLE_REFERENCE",
\n"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun Storage.get(key: String):
String? = asDynamic()[key]\n\n@Suppress(\n"INVISIBLE_REFERENCE",
\n"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun Storage.set(key: String, value:
String) { asDynamic()[key] = value }\n\n**\n * Exposes the JavaScript
[WindowSessionStorage](https://developer.mozilla.org/en/docs/Web/API/WindowSessionStorage) to Kotlin\n
*\npublic external interface WindowSessionStorage {\n    val sessionStorage: Storage\n}\n\n**\n * Exposes the
JavaScript [WindowLocalStorage](https://developer.mozilla.org/en/docs/Web/API/WindowLocalStorage) to
Kotlin\n *\npublic external interface WindowLocalStorage {\n    val localStorage: Storage\n}\n\n**\n * Exposes
the JavaScript [StorageEvent](https://developer.mozilla.org/en/docs/Web/API/StorageEvent) to Kotlin\n *\npublic
external open class StorageEvent(type: String, eventInitDict: StorageEventInit = definedExternally) : Event {\n
    open val key: String?\n    open val oldValue: String?\n    open val newValue: String?\n    open val url: String\n
    open val storageArea: Storage?\n\n    companion object {\n        val NONE: Short\n        val CAPTURING_PHASE:
Short\n        val AT_TARGET: Short\n        val BUBBLING_PHASE: Short\n    }\n\n    public external interface
StorageEventInit : EventInit {\n        var key: String? /* = null */\n        get() = definedExternally\n        set(value) =
definedExternally\n        var oldValue: String? /* = null */\n        get() = definedExternally\n        set(value) =
definedExternally\n        var newValue: String? /* = null */\n        get() = definedExternally\n        set(value) =
definedExternally\n        var url: String? /* = \"\" */\n        get() = definedExternally\n        set(value) =
definedExternally\n        var storageArea: Storage? /* = null */\n        get() = definedExternally\n        set(value) =
definedExternally\n    }\n\n    @Suppress(\n"INVISIBLE_REFERENCE",
\n"INVISIBLE_MEMBER")\n    @kotlin.internal.InlineOnly\n    public inline fun StorageEventInit(key: String? = null,
oldValue: String? = null, newValue: String? = null, url: String? = \"\", storageArea: Storage? = null, bubbles:
Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): StorageEventInit {\n        val o =
js(\n"({})")\n        o["key"] = key\n        o["oldValue"] = oldValue\n        o["newValue"] = newValue\n        o["url"] =
url\n        o["storageArea"] = storageArea\n        o["bubbles"] = bubbles\n        o["cancelable"] = cancelable\n
        o["composed"] = composed\n        return o\n    }\n\n    public external abstract class HTMLAppletElement :
HTMLElement {\n        open var align: String\n        open var alt: String\n        open var archive: String\n        open var code:
String\n        open var codeBase: String\n        open var height: String\n        open var hspace: Int\n        open var name:
String\n        open var _object: String\n        open var vspace: Int\n        open var width: String\n\n        companion object {\n            val ELEMENT_NODE: Short\n            val ATTRIBUTE_NODE: Short\n            val TEXT_NODE: Short\n            val
CDATA_SECTION_NODE: Short\n            val ENTITY_REFERENCE_NODE: Short\n            val ENTITY_NODE: Short\n            val
PROCESSING_INSTRUCTION_NODE: Short\n            val COMMENT_NODE: Short\n            val
DOCUMENT_NODE: Short\n            val DOCUMENT_TYPE_NODE: Short\n            val
DOCUMENT_FRAGMENT_NODE: Short\n            val NOTATION_NODE: Short\n            val
DOCUMENT_POSITION_DISCONNECTED: Short\n            val DOCUMENT_POSITION_PRECEDING: Short\n            val
DOCUMENT_POSITION_FOLLOWING: Short\n            val DOCUMENT_POSITION_CONTAINS: Short\n

```



```

DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }n}\n\n/**\n * Exposes the JavaScript
[HTMLElement](https://developer.mozilla.org/en/docs/Web/API/HTMLElement) to Kotlin\n *\npublic
external abstract class HTMLElement : HTMLElement {\n    open var color: String\n    open var face: String\n
open var size: String\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }n}\n\npublic external interface External
{\n    fun AddSearchProvider()\n    fun IsSearchProviderInstalled()\n}\n\npublic external interface EventInit {\n
var bubbles: Boolean? /* = false */\n    get() = definedExternally\n    set(value) = definedExternally\n
var cancelable: Boolean? /* = false */\n    get() = definedExternally\n    set(value) = definedExternally\n
var composed: Boolean? /* = false */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun EventInit(bubbles: Boolean? = false,
cancelable: Boolean? = false, composed: Boolean? = false): EventInit {\n    val o = js("{}")\n    o["bubbles"] =
bubbles\n    o["cancelable"] = cancelable\n    o["composed"] = composed\n    return o\n}\n\n/**\n * Exposes the
JavaScript [CustomEvent](https://developer.mozilla.org/en/docs/Web/API/CustomEvent) to Kotlin\n *\npublic
external open class CustomEvent(type: String, eventInitDict: CustomEventInit = definedExternally) : Event {\n
open val detail: Any?\n    fun initCustomEvent(type: String, bubbles: Boolean, cancelable: Boolean, detail:
Any?)\n\n    companion object {\n        val NONE: Short\n        val CAPTURING_PHASE: Short\n        val
AT_TARGET: Short\n        val BUBBLING_PHASE: Short\n    }n}\n\npublic external interface CustomEventInit :
EventInit {\n    var detail: Any? /* = null */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun CustomEventInit(detail: Any? = null,
bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): CustomEventInit {\n    val o
= js("{}")\n    o["detail"] = detail\n    o["bubbles"] = bubbles\n    o["cancelable"] = cancelable\n
o["composed"] = composed\n    return o\n}\n\npublic external interface EventListenerOptions {\n    var capture:
Boolean? /* = false */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun EventListenerOptions(capture:
Boolean? = false): EventListenerOptions {\n    val o = js("{}")\n    o["capture"] = capture\n    return
o\n}\n\npublic external interface AddEventListenerOptions : EventListenerOptions {\n    var passive: Boolean? /* =
false */\n    get() = definedExternally\n    set(value) = definedExternally\n    var once: Boolean? /* = false */\n
get() = definedExternally\n    set(value) = definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun AddEventListenerOptions(passive:
Boolean? = false, once: Boolean? = false, capture: Boolean? = false): AddEventListenerOptions {\n    val o =
js("{}")\n    o["passive"] = passive\n    o["once"] = once\n    o["capture"] = capture\n    return o\n}\n\npublic
external interface NonElementParentNode {\n    fun getElementById(elementId: String): Element?\n}\n\n/**\n *
Exposes the JavaScript
[DocumentOrShadowRoot](https://developer.mozilla.org/en/docs/Web/API/DocumentOrShadowRoot) to Kotlin\n

```



```

*\npublic external interface DocumentOrShadowRoot {\n    val fullscreenElement: Element?\n        get() =
definedExternally\n}\n\n/**\n * Exposes the JavaScript
[ParentNode](https://developer.mozilla.org/en/docs/Web/API/ParentNode) to Kotlin\n
*\npublic external interface
ParentNode {\n    val children: HTMLCollection\n    val firstElementChild: Element?\n        get() =
definedExternally\n    val lastElementChild: Element?\n        get() = definedExternally\n    val childElementCount:
Int\n    fun prepend(vararg nodes: dynamic)\n    fun append(vararg nodes: dynamic)\n    fun querySelector(selectors:
String): Element?\n    fun querySelectorAll(selectors: String): NodeList\n}\n\n/**\n * Exposes the JavaScript
[NonDocumentTypeChildNode](https://developer.mozilla.org/en/docs/Web/API/NonDocumentTypeChildNode) to
Kotlin\n
*\npublic external interface NonDocumentTypeChildNode {\n    val previousElementSibling: Element?\n
        get() = definedExternally\n    val nextElementSibling: Element?\n        get() = definedExternally\n}\n\n/**\n *
Exposes the JavaScript [ChildNode](https://developer.mozilla.org/en/docs/Web/API/ChildNode) to Kotlin\n
*\npublic external interface ChildNode {\n    fun before(vararg nodes: dynamic)\n    fun after(vararg nodes:
dynamic)\n    fun replaceWith(vararg nodes: dynamic)\n    fun remove()\n}\n\n/**\n * Exposes the JavaScript
[Slotable](https://developer.mozilla.org/en/docs/Web/API/Slotable) to Kotlin\n
*\npublic external interface Slotable
{\n    val assignedSlot: HTMLSlotElement?\n        get() = definedExternally\n}\n\n/**\n * Exposes the JavaScript
[NodeList](https://developer.mozilla.org/en/docs/Web/API/NodeList) to Kotlin\n
*\npublic external abstract class
NodeList : ItemArrayLike<Node> {\n    override fun item(index: Int):
Node?\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun NodeList.get(index: Int):
Node? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[HTMLCollection](https://developer.mozilla.org/en/docs/Web/API/HTMLCollection) to Kotlin\n
*\npublic
external abstract class HTMLCollection : ItemArrayLike<Element>, UnionElementOrHTMLCollection {\n
    override fun item(index: Int): Element?\n    fun namedItem(name: String):
Element?\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun HTMLCollection.get(index:
Int): Element? = asDynamic()[index]\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun HTMLCollection.get(name:
String): Element? = asDynamic()[name]\n\n/**\n * Exposes the JavaScript
[MutationObserver](https://developer.mozilla.org/en/docs/Web/API/MutationObserver) to Kotlin\n
*\npublic
external open class MutationObserver(callback: (Array<MutationRecord>, MutationObserver) -> Unit) {\n    fun
observe(target: Node, options: MutationObserverInit = definedExternally)\n    fun disconnect()\n    fun
takeRecords(): Array<MutationRecord>\n}\n\n/**\n * Exposes the JavaScript
[MutationObserverInit](https://developer.mozilla.org/en/docs/Web/API/MutationObserverInit) to Kotlin\n
*\npublic external interface MutationObserverInit {\n    var childList: Boolean? /* = false */\n        get() =
definedExternally\n    set(value) = definedExternally\n    var attributes: Boolean?\n        get() =
definedExternally\n    set(value) = definedExternally\n    var characterData: Boolean?\n        get() =
definedExternally\n    set(value) = definedExternally\n    var subtree: Boolean? /* = false */\n        get() =
definedExternally\n    set(value) = definedExternally\n    var attributeOldValue: Boolean?\n        get() =
definedExternally\n    set(value) = definedExternally\n    var characterDataOldValue: Boolean?\n        get() =
definedExternally\n    set(value) = definedExternally\n    var attributeFilter: Array<String>?\n        get() =
definedExternally\n    set(value) = definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun MutationObserverInit(childList:
Boolean? = false, attributes: Boolean? = undefined, characterData: Boolean? = undefined, subtree: Boolean? = false,
attributeOldValue: Boolean? = undefined, characterDataOldValue: Boolean? = undefined, attributeFilter:
Array<String>? = undefined): MutationObserverInit {\n    val o = js("{}")\n    o["childList"] = childList\n
o["attributes"] = attributes\n    o["characterData"] = characterData\n    o["subtree"] = subtree\n
o["attributeOldValue"] = attributeOldValue\n    o["characterDataOldValue"] = characterDataOldValue\n
o["attributeFilter"] = attributeFilter\n    return o\n}\n\n/**\n * Exposes the JavaScript

```

```

[MutationRecord](https://developer.mozilla.org/en/docs/Web/API/MutationRecord) to Kotlin\n */\npublic external
abstract class MutationRecord {\n  open val type: String\n  open val target: Node\n  open val addedNodes:
NodeList\n  open val removedNodes: NodeList\n  open val previousSibling: Node?\n  open val nextSibling:
Node?\n  open val attributeName: String?\n  open val attributeNamespace: String?\n  open val oldValue:
String?\n}\n\n/**\n * Exposes the JavaScript [Node](https://developer.mozilla.org/en/docs/Web/API/Node) to
Kotlin\n */\npublic external abstract class Node : EventTarget {\n  open val nodeType: Short\n  open val
nodeName: String\n  open val baseURI: String\n  open val isConnected: Boolean\n  open val ownerDocument:
Document?\n  open val parentNode: Node?\n  open val parentElement: Element?\n  open val childNodes:
NodeList\n  open val firstChild: Node?\n  open val lastChild: Node?\n  open val previousSibling: Node?\n
open val nextSibling: Node?\n  open var nodeValue: String?\n  open var textContent: String?\n  fun
getRootNode(options: GetRootNodeOptions = definedExternally): Node\n  fun hasChildNodes(): Boolean\n  fun
normalize()\n  fun cloneNode(deep: Boolean = definedExternally): Node\n  fun isEqualNode(otherNode: Node?):
Boolean\n  fun isSameNode(otherNode: Node?): Boolean\n  fun compareDocumentPosition(other: Node): Short\n
fun contains(other: Node?): Boolean\n  fun lookupPrefix(namespace: String?): String?\n  fun
lookupNamespaceURI(prefix: String?): String?\n  fun isDefaultNamespace(namespace: String?): Boolean\n  fun
insertBefore(node: Node, child: Node?): Node\n  fun appendChild(node: Node): Node\n  fun replaceChild(node:
Node, child: Node): Node\n  fun removeChild(child: Node): Node\n\n  companion object {\n    val
ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val
CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n  }\n}\n\npublic external interface
GetRootNodeOptions {\n  var composed: Boolean? /* = false */\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun GetRootNodeOptions(composed:
Boolean? = false): GetRootNodeOptions {\n  val o = js(\"({})\")\n  o[\"composed\"] = composed\n  return
o\n}\n\n/**\n * Exposes the JavaScript [Document](https://developer.mozilla.org/en/docs/Web/API/Document) to
Kotlin\n */\npublic external open class Document : Node, GlobalEventHandlers,
DocumentAndElementEventHandlers, NonElementParentNode, DocumentOrShadowRoot, ParentNode,
GeometryUtils {\n  open val implementation: DOMImplementation\n  open val URL: String\n  open val
documentURI: String\n  open val origin: String\n  open val compatMode: String\n  open val characterSet:
String\n  open val charset: String\n  open val inputEncoding: String\n  open val contentType: String\n  open val
doctype: DocumentType?\n  open val documentElement: Element?\n  open val location: Location?\n  var
domain: String\n  open val referrer: String\n  var cookie: String\n  open val lastModified: String\n  open val
readyState: DocumentReadyState\n  var title: String\n  var dir: String\n  var body: HTMLElement?\n  open val
head: HTMLHeadElement?\n  open val images: HTMLCollection\n  open val embeds: HTMLCollection\n  open
val plugins: HTMLCollection\n  open val links: HTMLCollection\n  open val forms: HTMLCollection\n  open
val scripts: HTMLCollection\n  open val currentScript: HTMLScriptElement?\n  open val defaultView:
Window?\n  open val activeElement: Element?\n  var designMode: String\n  var onreadystatechange: ((Event) ->
dynamic)?\n  var fgColor: String\n  var linkColor: String\n  var vlinkColor: String\n  var alinkColor: String\n
var bgColor: String\n  open val anchors: HTMLCollection\n  open val applets: HTMLCollection\n  open val all:
HTMLAllCollection\n  open val scrollingElement: Element?\n  open val styleSheets: StyleSheetList\n  open val
rootElement: SVGSVGElement?\n  open val fullscreenEnabled: Boolean\n  open val fullscreen: Boolean\n  var
onfullscreenchange: ((Event) -> dynamic)?\n  var onfullscreenerror: ((Event) -> dynamic)?\n  override var

```

```

onabort: ((Event) -> dynamic)?\n  override var onBlur: ((FocusEvent) -> dynamic)?\n  override var onCancel:
((Event) -> dynamic)?\n  override var onCancelplay: ((Event) -> dynamic)?\n  override var onCancelplaythrough:
((Event) -> dynamic)?\n  override var onChange: ((Event) -> dynamic)?\n  override var onclick: ((MouseEvent) ->
dynamic)?\n  override var onClose: ((Event) -> dynamic)?\n  override var oncontextmenu: ((MouseEvent) ->
dynamic)?\n  override var oncuechange: ((Event) -> dynamic)?\n  override var ondblclick: ((MouseEvent) ->
dynamic)?\n  override var ondrag: ((DragEvent) -> dynamic)?\n  override var ondragend: ((DragEvent) ->
dynamic)?\n  override var ondragenter: ((DragEvent) -> dynamic)?\n  override var ondragexit: ((DragEvent) ->
dynamic)?\n  override var ondragleave: ((DragEvent) -> dynamic)?\n  override var ondragover: ((DragEvent) ->
dynamic)?\n  override var ondragstart: ((DragEvent) -> dynamic)?\n  override var ondrop: ((DragEvent) ->
dynamic)?\n  override var ondurationchange: ((Event) -> dynamic)?\n  override var onemptied: ((Event) ->
dynamic)?\n  override var onended: ((Event) -> dynamic)?\n  override var onerror: ((dynamic, String, Int, Int,
Any?) -> dynamic)?\n  override var onFocus: ((FocusEvent) -> dynamic)?\n  override var oninput: ((InputEvent) -
> dynamic)?\n  override var oninvalid: ((Event) -> dynamic)?\n  override var onkeydown: ((KeyboardEvent) ->
dynamic)?\n  override var onkeypress: ((KeyboardEvent) -> dynamic)?\n  override var onkeyup:
((KeyboardEvent) -> dynamic)?\n  override var onload: ((Event) -> dynamic)?\n  override var onloadeddata:
((Event) -> dynamic)?\n  override var onloadedmetadata: ((Event) -> dynamic)?\n  override var onloadend:
((Event) -> dynamic)?\n  override var onloadstart: ((ProgressEvent) -> dynamic)?\n  override var onmousedown:
((MouseEvent) -> dynamic)?\n  override var onmouseenter: ((MouseEvent) -> dynamic)?\n  override var
onmouseleave: ((MouseEvent) -> dynamic)?\n  override var onmousemove: ((MouseEvent) -> dynamic)?\n
override var onmouseout: ((MouseEvent) -> dynamic)?\n  override var onmouseover: ((MouseEvent) ->
dynamic)?\n  override var onmouseup: ((MouseEvent) -> dynamic)?\n  override var onwheel: ((WheelEvent) ->
dynamic)?\n  override var onpause: ((Event) -> dynamic)?\n  override var onplay: ((Event) -> dynamic)?\n
override var onplaying: ((Event) -> dynamic)?\n  override var onprogress: ((ProgressEvent) -> dynamic)?\n
override var onratechange: ((Event) -> dynamic)?\n  override var onreset: ((Event) -> dynamic)?\n  override var
onresize: ((Event) -> dynamic)?\n  override var onscroll: ((Event) -> dynamic)?\n  override var onseeked:
((Event) -> dynamic)?\n  override var onseeking: ((Event) -> dynamic)?\n  override var onselect: ((Event) ->
dynamic)?\n  override var onshow: ((Event) -> dynamic)?\n  override var onstalled: ((Event) -> dynamic)?\n
override var onsubmit: ((Event) -> dynamic)?\n  override var onsuspend: ((Event) -> dynamic)?\n  override var
ontimeupdate: ((Event) -> dynamic)?\n  override var ontoggle: ((Event) -> dynamic)?\n  override var
onvolumechange: ((Event) -> dynamic)?\n  override var onwaiting: ((Event) -> dynamic)?\n  override var
ongotpointercapture: ((PointerEvent) -> dynamic)?\n  override var onlostpointercapture: ((PointerEvent) ->
dynamic)?\n  override var onpointerdown: ((PointerEvent) -> dynamic)?\n  override var onpointermove:
((PointerEvent) -> dynamic)?\n  override var onpointerup: ((PointerEvent) -> dynamic)?\n  override var
onpointercancel: ((PointerEvent) -> dynamic)?\n  override var onpointerover: ((PointerEvent) -> dynamic)?\n
override var onpointerout: ((PointerEvent) -> dynamic)?\n  override var onpointerenter: ((PointerEvent) ->
dynamic)?\n  override var onpointerleave: ((PointerEvent) -> dynamic)?\n  override var oncopy:
((ClipboardEvent) -> dynamic)?\n  override var oncut: ((ClipboardEvent) -> dynamic)?\n  override var onpaste:
((ClipboardEvent) -> dynamic)?\n  override val fullscreenElement: Element?\n  override val children:
HTMLCollection\n  override val firstElementChild: Element?\n  override val lastElementChild: Element?\n
override val childElementCount: Int\n  fun getElementsByTagName(qualifiedName: String): HTMLCollection\n
fun getElementsByTagNameNS(namespace: String?, localName: String): HTMLCollection\n  fun
getElementsByTagNameNS(namespace: String?, localName: String, className: String): HTMLCollection\n  fun
createElement(localName: String, options: ElementCreationOptions = definedExternally): Element\n  fun
createElementNS(namespace: String?, qualifiedName: String, options: ElementCreationOptions = definedExternally): Element\n  fun
createDocumentFragment(): DocumentFragment\n  fun createTextNode(data: String): Text\n  fun
createCDATASection(data: String): CDATASection\n  fun createComment(data: String): Comment\n  fun
createProcessingInstruction(target: String, data: String): ProcessingInstruction\n  fun importNode(node: Node,
deep: Boolean = definedExternally): Node\n  fun adoptNode(node: Node): Node\n  fun

```

```

createAttribute(localName: String): Attr\n fun createAttributeNS(namespace: String?, qualifiedName: String):
Attr\n fun createEvent(`interface`: String): Event\n fun createRange(): Range\n fun createNodeIterator(root:
Node, whatToShow: Int = definedExternally, filter: NodeFilter? = definedExternally): NodeIterator\n fun
createNodeIterator(root: Node, whatToShow: Int = definedExternally, filter: ((Node) -> Short)? =
definedExternally): NodeIterator\n fun createTreeWalker(root: Node, whatToShow: Int = definedExternally, filter:
NodeFilter? = definedExternally): TreeWalker\n fun createTreeWalker(root: Node, whatToShow: Int =
definedExternally, filter: ((Node) -> Short)? = definedExternally): TreeWalker\n fun
getElementsByName(elementName: String): NodeList\n fun open(type: String = definedExternally, replace:
String = definedExternally): Document\n fun open(url: String, name: String, features: String): Window\n fun
close()\n fun write(vararg text: String)\n fun writeln(vararg text: String)\n fun hasFocus(): Boolean\n fun
execCommand(commandId: String, showUI: Boolean = definedExternally, value: String = definedExternally):
Boolean\n fun queryCommandEnabled(commandId: String): Boolean\n fun
queryCommandIndeterm(commandId: String): Boolean\n fun queryCommandState(commandId: String):
Boolean\n fun queryCommandSupported(commandId: String): Boolean\n fun
queryCommandValue(commandId: String): String\n fun clear()\n fun captureEvents()\n fun releaseEvents()\n
fun elementFromPoint(x: Double, y: Double): Element?\n fun elementsFromPoint(x: Double, y: Double):
Array<Element>\n fun caretPositionFromPoint(x: Double, y: Double): CaretPosition?\n fun createTouch(view:
Window, target: EventTarget, identifier: Int, pageX: Int, pageY: Int, screenX: Int, screenY: Int): Touch\n fun
createTouchList(vararg touches: Touch): TouchList\n fun exitFullscreen(): Promise<Unit>\n override fun
getElementById(elementId: String): Element?\n override fun prepend(vararg nodes: dynamic)\n override fun
append(vararg nodes: dynamic)\n override fun querySelector(selectors: String): Element?\n override fun
querySelectorAll(selectors: String): NodeList\n override fun getBoxQuads(options: BoxQuadOptions /* =
definedExternally */): Array<DOMQuad>\n override fun convertQuadFromNode(quad: dynamic, from: dynamic,
options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n override fun
convertRectFromNode(rect: DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMQuad\n override fun convertPointFromNode(point: DOMPointInit, from: dynamic,
options: ConvertCoordinateOptions /* = definedExternally */): DOMPoint\n\n companion object {\n val
ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n
}\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Document.get(name: String):
dynamic = asDynamic()[name]\n\n/**\n * Exposes the JavaScript
[XMLDocument](https://developer.mozilla.org/en/docs/Web/API/XMLDocument) to Kotlin\n */\npublic external
open class XMLDocument : Document {\n companion object {\n val ELEMENT_NODE: Short\n val
ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n

```

```

    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external interface
ElementCreationOptions {\n    var `is`: String?\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ElementCreationOptions(`is`: String?
= undefined): ElementCreationOptions {\n    val o = js(\"({})\")\n    o[\"is\"] = `is`\n    return o\n}\n\n/**\n *
Exposes the JavaScript
[DOMImplementation](https://developer.mozilla.org/en/docs/Web/API/DOMImplementation) to Kotlin\n
*/\n\npublic external abstract class DOMImplementation {\n    fun createDocumentType(qualifiedName: String,
publicId: String, systemId: String): DocumentType\n    fun createDocument(namespace: String?, qualifiedName:
String, doctype: DocumentType? = definedExternally): XMLDocument\n    fun createHTMLDocument(title: String
= definedExternally): Document\n    fun hasFeature(): Boolean\n}\n\n/**\n * Exposes the JavaScript
[DocumentType](https://developer.mozilla.org/en/docs/Web/API/DocumentType) to Kotlin\n
*/\n\npublic external
abstract class DocumentType : Node, ChildNode {\n    open val name: String\n    open val publicId: String\n    open
val systemId: String\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE:
Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[DocumentFragment](https://developer.mozilla.org/en/docs/Web/API/DocumentFragment) to Kotlin\n
*/\n\npublic
external open class DocumentFragment : Node, NonElementParentNode, ParentNode {\n    override val children:
HTMLCollection\n    override val firstElementChild: Element?\n    override val lastElementChild: Element?\n
    override val childElementCount: Int\n    override fun getElementById(elementId: String): Element?\n    override fun
prepend(vararg nodes: dynamic)\n    override fun append(vararg nodes: dynamic)\n    override fun
querySelector(selectors: String): Element?\n    override fun querySelectorAll(selectors: String): NodeList\n\n
    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val
TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[ShadowRoot](https://developer.mozilla.org/en/docs/Web/API/ShadowRoot) to Kotlin\n
*/\n\npublic external open
class ShadowRoot : DocumentFragment, DocumentOrShadowRoot {\n    open val mode: ShadowRootMode\n    open val host: Element\n    override val fullscreenElement: Element?\n\n    companion object {\n        val
ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n

```

```

    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[Element](https://developer.mozilla.org/en/docs/Web/API/Element) to Kotlin \n * \n public external abstract class
Element : Node, ParentNode, NonDocumentTypeChildNode, ChildNode, Slotable, GeometryUtils,
UnionElementOrHTMLCollection, UnionElementOrRadioNodeList, UnionElementOrMouseEvent,
UnionElementOrProcessingInstruction { \n    open val namespaceURI: String? \n    open val prefix: String? \n    open
val localName: String \n    open val tagName: String \n    open var id: String \n    open var className: String \n    open
val classList: DOMTokenList \n    open var slot: String \n    open val attributes: NamedNodeMap \n    open val
shadowRoot: ShadowRoot? \n    open var scrollTop: Double \n    open var scrollLeft: Double \n    open val
scrollWidth: Int \n    open val scrollHeight: Int \n    open val clientTop: Int \n    open val clientLeft: Int \n    open val
clientWidth: Int \n    open val clientHeight: Int \n    open var innerHTML: String \n    open var outerHTML: String \n
fun hasAttributes(): Boolean \n    fun getAttributeNames(): Array<String> \n    fun getAttribute(qualifiedName:
String): String? \n    fun getAttributeNS(namespace: String?, localName: String): String? \n    fun
setAttribute(qualifiedName: String, value: String) \n    fun setAttributeNS(namespace: String?, qualifiedName:
String, value: String) \n    fun removeAttribute(qualifiedName: String) \n    fun removeAttributeNS(namespace:
String?, localName: String) \n    fun hasAttribute(qualifiedName: String): Boolean \n    fun
hasAttributeNS(namespace: String?, localName: String): Boolean \n    fun getAttributeNode(qualifiedName: String):
Attr? \n    fun getAttributeNodeNS(namespace: String?, localName: String): Attr? \n    fun setAttributeNode(attr:
Attr): Attr? \n    fun setAttributeNodeNS(attr: Attr): Attr? \n    fun removeAttributeNode(attr: Attr): Attr \n    fun
attachShadow(init: ShadowRootInit): ShadowRoot \n    fun closest(selectors: String): Element? \n    fun
matches(selectors: String): Boolean \n    fun webkitMatchesSelector(selectors: String): Boolean \n    fun
getElementsByTagName(qualifiedName: String): HTMLCollection \n    fun
getElementsByTagNameNS(namespace: String?, localName: String): HTMLCollection \n    fun
getElementsByClassName(classNames: String): HTMLCollection \n    fun insertAdjacentElement(where: String,
element: Element): Element? \n    fun insertAdjacentText(where: String, data: String) \n    fun getClientRects():
Array<DOMRect> \n    fun getBoundingClientRect(): DOMRect \n    fun scrollIntoView() \n    fun
scrollIntoView(arg: dynamic) \n    fun scroll(options: ScrollToOptions = definedExternally) \n    fun scroll(x: Double,
y: Double) \n    fun scrollTo(options: ScrollToOptions = definedExternally) \n    fun scrollTo(x: Double, y: Double) \n
    fun scrollBy(options: ScrollToOptions = definedExternally) \n    fun scrollBy(x: Double, y: Double) \n    fun
insertAdjacentHTML(position: String, text: String) \n    fun setPointerCapture(pointerId: Int) \n    fun
releasePointerCapture(pointerId: Int) \n    fun hasPointerCapture(pointerId: Int): Boolean \n    fun requestFullscreen():
Promise<Unit> \n \n    companion object { \n        val ELEMENT_NODE: Short \n        val ATTRIBUTE_NODE:
Short \n        val TEXT_NODE: Short \n        val CDATA_SECTION_NODE: Short \n        val
ENTITY_REFERENCE_NODE: Short \n        val ENTITY_NODE: Short \n        val
PROCESSING_INSTRUCTION_NODE: Short \n        val COMMENT_NODE: Short \n        val
DOCUMENT_NODE: Short \n        val DOCUMENT_TYPE_NODE: Short \n        val
DOCUMENT_FRAGMENT_NODE: Short \n        val NOTATION_NODE: Short \n        val
DOCUMENT_POSITION_DISCONNECTED: Short \n        val DOCUMENT_POSITION_PRECEDING: Short \n
        val DOCUMENT_POSITION_FOLLOWING: Short \n        val DOCUMENT_POSITION_CONTAINS: Short \n
        val DOCUMENT_POSITION_CONTAINED_BY: Short \n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short \n    } \n} \n \n public external interface
ShadowRootInit { \n    var mode: ShadowRootMode? \n} \n \n @Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER") \n @kotlin.internal.InlineOnly \n public inline fun ShadowRootInit(mode:
ShadowRootMode?): ShadowRootInit { \n    val o = js("{}") \n    o["mode"] = mode \n    return o \n} \n \n /** \n *
Exposes the JavaScript [NamedNodeMap](https://developer.mozilla.org/en/docs/Web/API/NamedNodeMap) to
Kotlin \n * \n public external abstract class NamedNodeMap : ItemArrayLike<Attr> { \n    fun
getNamedItemNS(namespace: String?, localName: String): Attr? \n    fun setNamedItem(attr: Attr): Attr? \n    fun

```

```

setNamedItemNS(attr: Attr): Attr? \n fun removeNamedItem(qualifiedName: String): Attr \n fun
removeNamedItemNS(namespace: String?, localName: String): Attr \n override fun item(index: Int): Attr? \n fun
getNamedItem(qualifiedName: String): Attr? \n} \n \n @Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER") \n @kotlin.internal.InlineOnly \n public inline operator fun NamedNodeMap.get(index:
Int): Attr? = asDynamic()[index] \n \n @Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER") \n @kotlin.internal.InlineOnly \n public inline operator fun
NamedNodeMap.get(qualifiedName: String): Attr? = asDynamic()[qualifiedName] \n \n /** \n * Exposes the
JavaScript [Attr](https://developer.mozilla.org/en/docs/Web/API/Attr) to Kotlin \n * \n public external abstract class
Attr : Node { \n open val namespaceURI: String? \n open val prefix: String? \n open val localName: String \n
open val name: String \n open var value: String \n open val ownerElement: Element? \n open val specified:
Boolean \n \n companion object { \n val ELEMENT_NODE: Short \n val ATTRIBUTE_NODE: Short \n
val TEXT_NODE: Short \n val CDATA_SECTION_NODE: Short \n val ENTITY_REFERENCE_NODE:
Short \n val ENTITY_NODE: Short \n val PROCESSING_INSTRUCTION_NODE: Short \n val
COMMENT_NODE: Short \n val DOCUMENT_NODE: Short \n val DOCUMENT_TYPE_NODE: Short \n
val DOCUMENT_FRAGMENT_NODE: Short \n val NOTATION_NODE: Short \n val
DOCUMENT_POSITION_DISCONNECTED: Short \n val DOCUMENT_POSITION_PRECEDING: Short \n
val DOCUMENT_POSITION_FOLLOWING: Short \n val DOCUMENT_POSITION_CONTAINS: Short \n
val DOCUMENT_POSITION_CONTAINED_BY: Short \n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short \n } \n} \n \n /** \n * Exposes the JavaScript
[CharacterData](https://developer.mozilla.org/en/docs/Web/API/CharacterData) to Kotlin \n * \n public external
abstract class CharacterData : Node, NonDocumentTypeChildNode, ChildNode { \n open var data: String \n open
val length: Int \n fun substringData(offset: Int, count: Int): String \n fun appendData(data: String) \n fun
insertData(offset: Int, data: String) \n fun deleteData(offset: Int, count: Int) \n fun replaceData(offset: Int, count:
Int, data: String) \n \n companion object { \n val ELEMENT_NODE: Short \n val ATTRIBUTE_NODE:
Short \n val TEXT_NODE: Short \n val CDATA_SECTION_NODE: Short \n val
ENTITY_REFERENCE_NODE: Short \n val ENTITY_NODE: Short \n val
PROCESSING_INSTRUCTION_NODE: Short \n val COMMENT_NODE: Short \n val
DOCUMENT_NODE: Short \n val DOCUMENT_TYPE_NODE: Short \n val
DOCUMENT_FRAGMENT_NODE: Short \n val NOTATION_NODE: Short \n val
DOCUMENT_POSITION_DISCONNECTED: Short \n val DOCUMENT_POSITION_PRECEDING: Short \n
val DOCUMENT_POSITION_FOLLOWING: Short \n val DOCUMENT_POSITION_CONTAINS: Short \n
val DOCUMENT_POSITION_CONTAINED_BY: Short \n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short \n } \n} \n \n /** \n * Exposes the JavaScript
[Text](https://developer.mozilla.org/en/docs/Web/API/Text) to Kotlin \n * \n public external open class Text(data:
String = definedExternally) : CharacterData, Slotable, GeometryUtils { \n open val wholeText: String \n override
val assignedSlot: HTMLSlotElement? \n override val previousElementSibling: Element? \n override val
nextElementSibling: Element? \n fun splitText(offset: Int): Text \n override fun getBoxQuads(options:
BoxQuadOptions /* = definedExternally */): Array<DOMQuad> \n override fun convertQuadFromNode(quad:
dynamic, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad \n override
fun convertRectFromNode(rect: DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMQuad \n override fun convertPointFromNode(point: DOMPointInit, from: dynamic,
options: ConvertCoordinateOptions /* = definedExternally */): DOMPoint \n override fun before(vararg nodes:
dynamic) \n override fun after(vararg nodes: dynamic) \n override fun replaceWith(vararg nodes: dynamic) \n
override fun remove() \n \n companion object { \n val ELEMENT_NODE: Short \n val
ATTRIBUTE_NODE: Short \n val TEXT_NODE: Short \n val CDATA_SECTION_NODE: Short \n val
ENTITY_REFERENCE_NODE: Short \n val ENTITY_NODE: Short \n val
PROCESSING_INSTRUCTION_NODE: Short \n val COMMENT_NODE: Short \n val
DOCUMENT_NODE: Short \n val DOCUMENT_TYPE_NODE: Short \n val

```

DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val

DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n val

DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n }n}\n\n/\*\*\n \* Exposes the JavaScript [CDATASection](https://developer.mozilla.org/en/docs/Web/API/CDATASection) to Kotlin\n \*/\npublic external open class CDATASection : Text {\n companion object {\n val ELEMENT\_NODE: Short\n val ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val CDATA\_SECTION\_NODE: Short\n val ENTITY\_REFERENCE\_NODE: Short\n val ENTITY\_NODE: Short\n val PROCESSING\_INSTRUCTION\_NODE: Short\n val COMMENT\_NODE: Short\n val DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n val DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n }n}\n\n/\*\*\n \* Exposes the JavaScript [ProcessingInstruction](https://developer.mozilla.org/en/docs/Web/API/ProcessingInstruction) to Kotlin\n \*/\npublic external abstract class ProcessingInstruction : CharacterData, LinkStyle, UnionElementOrProcessingInstruction {\n open val target: String\n\n companion object {\n val ELEMENT\_NODE: Short\n val ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val CDATA\_SECTION\_NODE: Short\n val ENTITY\_REFERENCE\_NODE: Short\n val ENTITY\_NODE: Short\n val PROCESSING\_INSTRUCTION\_NODE: Short\n val COMMENT\_NODE: Short\n val DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n val DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n }n}\n\n/\*\*\n \* Exposes the JavaScript [Comment](https://developer.mozilla.org/en/docs/Web/API/Comment) to Kotlin\n \*/\npublic external open class Comment(data: String = definedExternally) : CharacterData {\n override val previousElementSibling: Element?\n override val nextElementSibling: Element?\n override fun before(vararg nodes: dynamic)\n override fun after(vararg nodes: dynamic)\n override fun replaceWith(vararg nodes: dynamic)\n override fun remove()\n\n companion object {\n val ELEMENT\_NODE: Short\n val ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val CDATA\_SECTION\_NODE: Short\n val ENTITY\_REFERENCE\_NODE: Short\n val ENTITY\_NODE: Short\n val PROCESSING\_INSTRUCTION\_NODE: Short\n val COMMENT\_NODE: Short\n val DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n val DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n }n}\n\n/\*\*\n \* Exposes the JavaScript [Range](https://developer.mozilla.org/en/docs/Web/API/Range) to Kotlin\n \*/\npublic external open class Range {\n open val startContainer: Node\n open val startOffset: Int\n open val endContainer: Node\n open val endOffset: Int\n open val collapsed: Boolean\n open val commonAncestorContainer: Node\n fun setStart(node: Node, offset: Int)\n fun setEnd(node: Node, offset: Int)\n fun setStartBefore(node: Node)\n fun setStartAfter(node: Node)\n fun setEndBefore(node: Node)\n fun setEndAfter(node: Node)\n fun collapse(toStart: Boolean = definedExternally)\n fun selectNode(node: Node)\n fun selectNodeContents(node: Node)\n fun compareBoundaryPoints(how: Short, sourceRange: Range): Short\n fun deleteContents()\n fun



```

extractContents(): DocumentFragment\n fun cloneContents(): DocumentFragment\n fun insertNode(node:
Node)\n fun surroundContents(newParent: Node)\n fun cloneRange(): Range\n fun detach()\n fun
isPointInRange(node: Node, offset: Int): Boolean\n fun comparePoint(node: Node, offset: Int): Short\n fun
intersectsNode(node: Node): Boolean\n fun getClientRects(): Array<DOMRect>\n fun
getBoundingClientRect(): DOMRect\n fun createContextualFragment(fragment: String): DocumentFragment\n\n
companion object {\n val START_TO_START: Short\n val START_TO_END: Short\n val
END_TO_END: Short\n val END_TO_START: Short\n }\n}\n\n**\n * Exposes the JavaScript
[NodeIterator](https://developer.mozilla.org/en/docs/Web/API/NodeIterator) to Kotlin\n *\n\npublic external abstract
class NodeIterator {\n open val root: Node\n open val referenceNode: Node\n open val
pointerBeforeReferenceNode: Boolean\n open val whatToShow: Int\n open val filter: NodeFilter?\n fun
nextNode(): Node?\n fun previousNode(): Node?\n fun detach()\n}\n}\n\n**\n * Exposes the JavaScript
[TreeWalker](https://developer.mozilla.org/en/docs/Web/API/TreeWalker) to Kotlin\n *\n\npublic external abstract
class TreeWalker {\n open val root: Node\n open val whatToShow: Int\n open val filter: NodeFilter?\n open
var currentNode: Node\n fun parentNode(): Node?\n fun firstChild(): Node?\n fun lastChild(): Node?\n fun
previousSibling(): Node?\n fun nextSibling(): Node?\n fun previousNode(): Node?\n fun nextNode():
Node?\n}\n}\n\n**\n * Exposes the JavaScript
[NodeFilter](https://developer.mozilla.org/en/docs/Web/API/NodeFilter) to Kotlin\n
*\n\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\n\npublic external interface NodeFilter {\n
fun acceptNode(node: Node): Short\n\n companion object {\n val FILTER_ACCEPT: Short\n val
FILTER_REJECT: Short\n val FILTER_SKIP: Short\n val SHOW_ALL: Int\n val
SHOW_ELEMENT: Int\n val SHOW_ATTRIBUTE: Int\n val SHOW_TEXT: Int\n val
SHOW_CDATA_SECTION: Int\n val SHOW_ENTITY_REFERENCE: Int\n val SHOW_ENTITY: Int\n
val SHOW_PROCESSING_INSTRUCTION: Int\n val SHOW_COMMENT: Int\n val
SHOW_DOCUMENT: Int\n val SHOW_DOCUMENT_TYPE: Int\n val
SHOW_DOCUMENT_FRAGMENT: Int\n val SHOW_NOTATION: Int\n }\n}\n}\n\n**\n * Exposes the
JavaScript [DOMTokenList](https://developer.mozilla.org/en/docs/Web/API/DOMTokenList) to Kotlin\n *\n\npublic
external abstract class DOMTokenList : ItemArrayLike<String> {\n open var value: String\n fun contains(token:
String): Boolean\n fun add(vararg tokens: String)\n fun remove(vararg tokens: String)\n fun toggle(token:
String, force: Boolean = definedExternally): Boolean\n fun replace(token: String, newToken: String)\n fun
supports(token: String): Boolean\n override fun item(index: Int):
String?\n}\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n\n@kotlin.internal.InlineOnly\n\npublic inline operator fun DOMTokenList.get(index:
Int): String? = asDynamic()[index]\n}\n}\n\n**\n * Exposes the JavaScript
[DOMPointReadOnly](https://developer.mozilla.org/en/docs/Web/API/DOMPointReadOnly) to Kotlin\n *\n\npublic
external open class DOMPointReadOnly(x: Double, y: Double, z: Double, w: Double) {\n open val x: Double\n
open val y: Double\n open val z: Double\n open val w: Double\n fun matrixTransform(matrix:
DOMMatrixReadOnly): DOMPoint\n}\n}\n\n**\n * Exposes the JavaScript
[DOMPoint](https://developer.mozilla.org/en/docs/Web/API/DOMPoint) to Kotlin\n *\n\npublic external open class
DOMPoint : DOMPointReadOnly {\n constructor(point: DOMPointInit)\n constructor(x: Double =
definedExternally, y: Double = definedExternally, z: Double = definedExternally, w: Double = definedExternally)\n
override var x: Double\n override var y: Double\n override var z: Double\n override var w:
Double\n}\n}\n\n**\n * Exposes the JavaScript
[DOMPointInit](https://developer.mozilla.org/en/docs/Web/API/DOMPointInit) to Kotlin\n *\n\npublic external
interface DOMPointInit {\n var x: Double? /* = 0.0 */\n get() = definedExternally\n set(value) =
definedExternally\n var y: Double? /* = 0.0 */\n get() = definedExternally\n set(value) =
definedExternally\n var z: Double? /* = 0.0 */\n get() = definedExternally\n set(value) =
definedExternally\n var w: Double? /* = 1.0 */\n get() = definedExternally\n set(value) =
definedExternally\n}\n}\n\n@Suppress("INVISIBLE_REFERENCE",

```

```

\`INVISIBLE_MEMBER\`)\n@kotlin.internal.InlineOnly\npublic inline fun DOMPointInit(x: Double? = 0.0, y:
Double? = 0.0, z: Double? = 0.0, w: Double? = 1.0): DOMPointInit {\n    val o = js("{}")\n    o["x"] = x\n
o["y"] = y\n    o["z"] = z\n    o["w"] = w\n    return o\n}\n\n/**\n * Exposes the JavaScript
[DOMRect](https://developer.mozilla.org/en/docs/Web/API/DOMRect) to Kotlin\n */\npublic external open class
DOMRect(x: Double = definedExternally, y: Double = definedExternally, width: Double = definedExternally,
height: Double = definedExternally) : DOMRectReadOnly {\n    override var x: Double\n    override var y: Double\n
    override var width: Double\n    override var height: Double\n}\n\n/**\n * Exposes the JavaScript
[DOMRectReadOnly](https://developer.mozilla.org/en/docs/Web/API/DOMRectReadOnly) to Kotlin\n */\npublic
external open class DOMRectReadOnly(x: Double, y: Double, width: Double, height: Double) {\n    open val x:
Double\n    open val y: Double\n    open val width: Double\n    open val height: Double\n    open val top: Double\n
open val right: Double\n    open val bottom: Double\n    open val left: Double\n}\n\npublic external interface
DOMRectInit {\n    var x: Double? /* = 0.0 */\n        get() = definedExternally\n        set(value) =
definedExternally\n    var y: Double? /* = 0.0 */\n        get() = definedExternally\n        set(value) =
definedExternally\n    var width: Double? /* = 0.0 */\n        get() = definedExternally\n        set(value) =
definedExternally\n    var height: Double? /* = 0.0 */\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@Suppress(\`INVISIBLE_REFERENCE\`,
\`INVISIBLE_MEMBER\`)\n@kotlin.internal.InlineOnly\npublic inline fun DOMRectInit(x: Double? = 0.0, y:
Double? = 0.0, width: Double? = 0.0, height: Double? = 0.0): DOMRectInit {\n    val o = js("{}")\n    o["x"] =
x\n    o["y"] = y\n    o["width"] = width\n    o["height"] = height\n    return o\n}\n\npublic external interface
DOMRectList : ItemArrayLike<DOMRect> {\n    override fun item(index: Int):
DOMRect?\n}\n\n@Suppress(\`INVISIBLE_REFERENCE\`,
\`INVISIBLE_MEMBER\`)\n@kotlin.internal.InlineOnly\npublic inline operator fun DOMRectList.get(index: Int):
DOMRect? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[DOMQuad](https://developer.mozilla.org/en/docs/Web/API/DOMQuad) to Kotlin\n */\npublic external open class
DOMQuad {\n    constructor(p1: DOMPointInit = definedExternally, p2: DOMPointInit = definedExternally, p3:
DOMPointInit = definedExternally, p4: DOMPointInit = definedExternally)\n    constructor(rect: DOMRectInit)\n
open val p1: DOMPoint\n    open val p2: DOMPoint\n    open val p3: DOMPoint\n    open val p4: DOMPoint\n
open val bounds: DOMRectReadOnly\n}\n\n/**\n * Exposes the JavaScript
[DOMMatrixReadOnly](https://developer.mozilla.org/en/docs/Web/API/DOMMatrixReadOnly) to Kotlin\n */\n
public external open class DOMMatrixReadOnly(numberSequence: Array<Double>) {\n    open val a: Double\n
open val b: Double\n    open val c: Double\n    open val d: Double\n    open val e: Double\n    open val f: Double\n
open val m11: Double\n    open val m12: Double\n    open val m13: Double\n    open val m14: Double\n    open val
m21: Double\n    open val m22: Double\n    open val m23: Double\n    open val m24: Double\n    open val m31:
Double\n    open val m32: Double\n    open val m33: Double\n    open val m34: Double\n    open val m41: Double\n
open val m42: Double\n    open val m43: Double\n    open val m44: Double\n    open val is2D: Boolean\n    open
val isIdentity: Boolean\n    fun translate(tx: Double, ty: Double, tz: Double = definedExternally): DOMMatrix\n
fun scale(scale: Double, originX: Double = definedExternally, originY: Double = definedExternally): DOMMatrix\n
fun scale3d(scale: Double, originX: Double = definedExternally, originY: Double = definedExternally, originZ:
Double = definedExternally): DOMMatrix\n    fun scaleNonUniform(scaleX: Double, scaleY: Double =
definedExternally, scaleZ: Double = definedExternally, originX: Double = definedExternally, originY: Double =
definedExternally, originZ: Double = definedExternally): DOMMatrix\n    fun rotate(angle: Double, originX:
Double = definedExternally, originY: Double = definedExternally): DOMMatrix\n    fun rotateFromVector(x:
Double, y: Double): DOMMatrix\n    fun rotateAxisAngle(x: Double, y: Double, z: Double, angle: Double):
DOMMatrix\n    fun skewX(sx: Double): DOMMatrix\n    fun skewY(sy: Double): DOMMatrix\n    fun
multiply(other: DOMMatrix): DOMMatrix\n    fun flipX(): DOMMatrix\n    fun flipY(): DOMMatrix\n    fun
inverse(): DOMMatrix\n    fun transformPoint(point: DOMPointInit = definedExternally): DOMPoint\n    fun
toFloat32Array(): Float32Array\n    fun toFloat64Array(): Float64Array\n}\n\n/**\n * Exposes the JavaScript
[DOMMatrix](https://developer.mozilla.org/en/docs/Web/API/DOMMatrix) to Kotlin\n */\npublic external open

```

```

class DOMMatrix() : DOMMatrixReadOnly {
    constructor(transformList: String)
    constructor(other: DOMMatrixReadOnly)
    constructor(array32: Float32Array)
    constructor(array64: Float64Array)
    constructor(numberSequence: Array<Double>)
    override var a: Double
    override var b: Double
    override var c: Double
    override var d: Double
    override var e: Double
    override var f: Double
    override var m11: Double
    override var m12: Double
    override var m13: Double
    override var m14: Double
    override var m21: Double
    override var m22: Double
    override var m23: Double
    override var m24: Double
    override var m31: Double
    override var m32: Double
    override var m33: Double
    override var m34: Double
    override var m41: Double
    override var m42: Double
    override var m43: Double
    override var m44: Double
    fun multiplySelf(other: DOMMatrix): DOMMatrix
    fun preMultiplySelf(other: DOMMatrix): DOMMatrix
    fun translateSelf(tx: Double, ty: Double, tz: Double = definedExternally): DOMMatrix
    fun scaleSelf(scale: Double, originX: Double = definedExternally, originY: Double = definedExternally): DOMMatrix
    fun scale3dSelf(scale: Double, originX: Double = definedExternally, originY: Double = definedExternally, originZ: Double = definedExternally): DOMMatrix
    fun scaleNonUniformSelf(scaleX: Double, scaleY: Double = definedExternally, scaleZ: Double = definedExternally, originX: Double = definedExternally, originY: Double = definedExternally, originZ: Double = definedExternally): DOMMatrix
    fun rotateSelf(angle: Double, originX: Double = definedExternally, originY: Double = definedExternally): DOMMatrix
    fun rotateFromVectorSelf(x: Double, y: Double): DOMMatrix
    fun rotateAxisAngleSelf(x: Double, y: Double, z: Double, angle: Double): DOMMatrix
    fun skewXSelf(sx: Double): DOMMatrix
    fun skewYSelf(sy: Double): DOMMatrix
    fun invertSelf(): DOMMatrix
    fun setMatrixValue(transformList: String): DOMMatrix
}

@public external interface ScrollOptions {
    var behavior: ScrollBehavior? /* = ScrollBehavior.AUTO */
    get() = definedExternally
    set(value) = definedExternally
}

@Suppress("INVISIBLE_REFERENCE", "INVISIBLE_MEMBER")
@kotlin.internal.InlineOnly
@public inline fun ScrollOptions(behavior: ScrollBehavior? = ScrollBehavior.AUTO): ScrollOptions {
    val o = js("{}")
    o["behavior"] = behavior
    return o
}

/**
 * Exposes the JavaScript [ScrollToOptions](https://developer.mozilla.org/en/docs/Web/API/ScrollToOptions) to Kotlin
 */
@public external interface ScrollToOptions : ScrollOptions {
    var left: Double?
    get() = definedExternally
    set(value) = definedExternally
    var top: Double?
    get() = definedExternally
    set(value) = definedExternally
}

@Suppress("INVISIBLE_REFERENCE", "INVISIBLE_MEMBER")
@kotlin.internal.InlineOnly
@public inline fun ScrollToOptions(left: Double? = undefined, top: Double? = undefined, behavior: ScrollBehavior? = ScrollBehavior.AUTO): ScrollToOptions {
    val o = js("{}")
    o["left"] = left
    o["top"] = top
    o["behavior"] = behavior
    return o
}

/**
 * Exposes the JavaScript [MediaQueryList](https://developer.mozilla.org/en/docs/Web/API/MediaQueryList) to Kotlin
 */
@public external abstract class MediaQueryList : EventTarget {
    open val media: String
    open val matches: Boolean
    open var onchange: ((Event) -> dynamic)?
    fun addListener(listener: EventListener?)
    fun addListener(listener: ((Event) -> Unit)?)
    fun removeListener(listener: EventListener?)
    fun removeListener(listener: ((Event) -> Unit)?)
}

/**
 * Exposes the JavaScript [MediaQueryListEvent](https://developer.mozilla.org/en/docs/Web/API/MediaQueryListEvent) to Kotlin
 */
@public external open class MediaQueryListEvent(type: String, eventInitDict: MediaQueryListEventInit = definedExternally) : Event {
    open val media: String
    open val matches: Boolean
}

companion object {
    val NONE: Short
    val CAPTURING_PHASE: Short
    val AT_TARGET: Short
    val BUBBLING_PHASE: Short
}

@public external interface MediaQueryListEventInit : EventInit {
    var media: String? /* = "" */
    get() = definedExternally
    set(value) = definedExternally
    var matches: Boolean? /* = false */
    get() = definedExternally
    set(value) = definedExternally
}

@Suppress("INVISIBLE_REFERENCE", "INVISIBLE_MEMBER")
@kotlin.internal.InlineOnly
@public inline fun MediaQueryListEventInit(media: String? = "", matches: Boolean? = false, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): MediaQueryListEventInit {
    val o = js("{}")
    o["media"] = media
    o["matches"] = matches
    o["bubbles"] = bubbles
    o["cancelable"] = cancelable
    o["composed"] = composed
    return o
}

```

```

o\n}\n\n/**\n * Exposes the JavaScript [Screen](https://developer.mozilla.org/en/docs/Web/API/Screen) to Kotlin\n *\n\npublic external abstract class Screen {\n    open val availWidth: Int\n    open val availHeight: Int\n    open val width: Int\n    open val height: Int\n    open val colorDepth: Int\n    open val pixelDepth: Int\n}\n\n/**\n * Exposes the JavaScript [CaretPosition](https://developer.mozilla.org/en/docs/Web/API/CaretPosition) to Kotlin\n *\n\npublic external abstract class CaretPosition {\n    open val offsetNode: Node\n    open val offset: Int\n    fun getClientRect(): DOMRect?\n}\n\n\npublic external interface ScrollIntoViewOptions : ScrollOptions {\n    var block: ScrollLogicalPosition? /* = ScrollLogicalPosition.CENTER */\n    get() = definedExternally\n    set(value) = definedExternally\n    var inline: ScrollLogicalPosition? /* = ScrollLogicalPosition.CENTER */\n    get() = definedExternally\n    set(value) = definedExternally\n}\n\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun ScrollIntoViewOptions(block: ScrollLogicalPosition? = ScrollLogicalPosition.CENTER, inline: ScrollLogicalPosition? = ScrollLogicalPosition.CENTER, behavior: ScrollBehavior? = ScrollBehavior.AUTO): ScrollIntoViewOptions {\n    val o = js(\"({})\")\n    o[\"block\"] = block\n    o[\"inline\"] = inline\n    o[\"behavior\"] = behavior\n    return o\n}\n\n\npublic external interface BoxQuadOptions {\n    var box: CSSBoxType? /* = CSSBoxType.BORDER */\n    get() = definedExternally\n    set(value) = definedExternally\n    var relativeTo: dynamic\n    get() = definedExternally\n    set(value) = definedExternally\n}\n\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun BoxQuadOptions(box: CSSBoxType? = CSSBoxType.BORDER, relativeTo: dynamic = undefined): BoxQuadOptions {\n    val o = js(\"({})\")\n    o[\"box\"] = box\n    o[\"relativeTo\"] = relativeTo\n    return o\n}\n\n\npublic external interface ConvertCoordinateOptions {\n    var fromBox: CSSBoxType? /* = CSSBoxType.BORDER */\n    get() = definedExternally\n    set(value) = definedExternally\n    var toBox: CSSBoxType? /* = CSSBoxType.BORDER */\n    get() = definedExternally\n    set(value) = definedExternally\n}\n\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun ConvertCoordinateOptions(fromBox: CSSBoxType? = CSSBoxType.BORDER, toBox: CSSBoxType? = CSSBoxType.BORDER): ConvertCoordinateOptions {\n    val o = js(\"({})\")\n    o[\"fromBox\"] = fromBox\n    o[\"toBox\"] = toBox\n    return o\n}\n\n\n/**\n * Exposes the JavaScript [GeometryUtils](https://developer.mozilla.org/en/docs/Web/API/GeometryUtils) to Kotlin\n *\n\n\npublic external interface GeometryUtils {\n    fun getBoxQuads(options: BoxQuadOptions = definedExternally): Array<DOMQuad>\n    fun convertQuadFromNode(quad: dynamic, from: dynamic, options: ConvertCoordinateOptions = definedExternally): DOMQuad\n    fun convertRectFromNode(rect: DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions = definedExternally): DOMQuad\n    fun convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions = definedExternally): DOMPoint\n}\n\n\n/**\n * Exposes the JavaScript [Touch](https://developer.mozilla.org/en/docs/Web/API/Touch) to Kotlin\n *\n\n\npublic external abstract class Touch {\n    open val identifier: Int\n    open val target: EventTarget\n    open val screenX: Int\n    open val screenY: Int\n    open val clientX: Int\n    open val clientY: Int\n    open val pageX: Int\n    open val pageY: Int\n    open val region: String?\n}\n\n\npublic external abstract class TouchList : ItemArrayLike<Touch> {\n    override fun item(index: Int): Touch?\n}\n\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n\n@kotlin.internal.InlineOnly\n\npublic inline operator fun TouchList.get(index: Int): Touch? = asDynamic()[index]\n\n\npublic external open class TouchEvent : UIEvent {\n    open val touches: TouchList\n    open val targetTouches: TouchList\n    open val changedTouches: TouchList\n    open val altKey: Boolean\n    open val metaKey: Boolean\n    open val ctrlKey: Boolean\n    open val shiftKey: Boolean\n}\n\n\ncompanion object {\n    val NONE: Short\n    val CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val BUBBLING_PHASE: Short\n}\n\n\n/**\n * Exposes the JavaScript [Image](https://developer.mozilla.org/en/docs/Web/API/Image) to Kotlin\n *\n\n\npublic external open class Image(width: Int = definedExternally, height: Int = definedExternally) : HTMLElement {\n    override var onabort: ((Event) -> dynamic)?\n    override var onblur: ((FocusEvent) -> dynamic)?\n    override var oncancel:

```

```

((Event) -> dynamic)?\n  override var oncanplay: ((Event) -> dynamic)?\n  override var oncanplaythrough:
((Event) -> dynamic)?\n  override var onchange: ((Event) -> dynamic)?\n  override var onclick: ((MouseEvent) ->
dynamic)?\n  override var onclose: ((Event) -> dynamic)?\n  override var oncontextmenu: ((MouseEvent) ->
dynamic)?\n  override var oncuechange: ((Event) -> dynamic)?\n  override var ondblclick: ((MouseEvent) ->
dynamic)?\n  override var ondrag: ((DragEvent) -> dynamic)?\n  override var ondragend: ((DragEvent) ->
dynamic)?\n  override var ondragenter: ((DragEvent) -> dynamic)?\n  override var ondragexit: ((DragEvent) ->
dynamic)?\n  override var ondragleave: ((DragEvent) -> dynamic)?\n  override var ondragover: ((DragEvent) ->
dynamic)?\n  override var ondragstart: ((DragEvent) -> dynamic)?\n  override var ondrop: ((DragEvent) ->
dynamic)?\n  override var ondurationchange: ((Event) -> dynamic)?\n  override var onemptied: ((Event) ->
dynamic)?\n  override var onended: ((Event) -> dynamic)?\n  override var onerror: ((dynamic, String, Int, Int,
Any?) -> dynamic)?\n  override var onfocus: ((FocusEvent) -> dynamic)?\n  override var oninput: ((InputEvent) -
> dynamic)?\n  override var oninvalid: ((Event) -> dynamic)?\n  override var onkeydown: ((KeyboardEvent) ->
dynamic)?\n  override var onkeypress: ((KeyboardEvent) -> dynamic)?\n  override var onkeyup:
((KeyboardEvent) -> dynamic)?\n  override var onload: ((Event) -> dynamic)?\n  override var onloadeddata:
((Event) -> dynamic)?\n  override var onloadedmetadata: ((Event) -> dynamic)?\n  override var onloadend:
((Event) -> dynamic)?\n  override var onloadstart: ((ProgressEvent) -> dynamic)?\n  override var onmousedown:
((MouseEvent) -> dynamic)?\n  override var onmouseenter: ((MouseEvent) -> dynamic)?\n  override var
onmouseleave: ((MouseEvent) -> dynamic)?\n  override var onmousemove: ((MouseEvent) -> dynamic)?\n
override var onmouseout: ((MouseEvent) -> dynamic)?\n  override var onmouseover: ((MouseEvent) ->
dynamic)?\n  override var onmouseup: ((MouseEvent) -> dynamic)?\n  override var onwheel: ((WheelEvent) ->
dynamic)?\n  override var onpause: ((Event) -> dynamic)?\n  override var onplay: ((Event) -> dynamic)?\n
override var onplaying: ((Event) -> dynamic)?\n  override var onprogress: ((ProgressEvent) -> dynamic)?\n
override var onratechange: ((Event) -> dynamic)?\n  override var onreset: ((Event) -> dynamic)?\n  override var
onresize: ((Event) -> dynamic)?\n  override var onscroll: ((Event) -> dynamic)?\n  override var onseeked:
((Event) -> dynamic)?\n  override var onseeking: ((Event) -> dynamic)?\n  override var onselect: ((Event) ->
dynamic)?\n  override var onshow: ((Event) -> dynamic)?\n  override var onstalled: ((Event) -> dynamic)?\n
override var onsubmit: ((Event) -> dynamic)?\n  override var onsuspend: ((Event) -> dynamic)?\n  override var
ontimeupdate: ((Event) -> dynamic)?\n  override var ontoggle: ((Event) -> dynamic)?\n  override var
onvolumechange: ((Event) -> dynamic)?\n  override var onwaiting: ((Event) -> dynamic)?\n  override var
ongotpointercapture: ((PointerEvent) -> dynamic)?\n  override var onlostpointercapture: ((PointerEvent) ->
dynamic)?\n  override var onpointerdown: ((PointerEvent) -> dynamic)?\n  override var onpointermove:
((PointerEvent) -> dynamic)?\n  override var onpointerup: ((PointerEvent) -> dynamic)?\n  override var
onpointercancel: ((PointerEvent) -> dynamic)?\n  override var onpointerover: ((PointerEvent) -> dynamic)?\n
override var onpointerout: ((PointerEvent) -> dynamic)?\n  override var onpointerenter: ((PointerEvent) ->
dynamic)?\n  override var onpointerleave: ((PointerEvent) -> dynamic)?\n  override var oncopy:
((ClipboardEvent) -> dynamic)?\n  override var oncut: ((ClipboardEvent) -> dynamic)?\n  override var onpaste:
((ClipboardEvent) -> dynamic)?\n  override var contentEditable: String\n  override val isContentEditable:
Boolean\n  override val style: CSSStyleDeclaration\n  override val children: HTMLCollection\n  override val
firstElementChild: Element?\n  override val lastElementChild: Element?\n  override val childElementCount: Int\n
  override val previousElementSibling: Element?\n  override val nextElementSibling: Element?\n  override val
assignedSlot: HTMLSlotElement?\n  override fun prepend(vararg nodes: dynamic)\n  override fun append(vararg
nodes: dynamic)\n  override fun querySelector(selectors: String): Element?\n  override fun
querySelectorAll(selectors: String): NodeList\n  override fun before(vararg nodes: dynamic)\n  override fun
after(vararg nodes: dynamic)\n  override fun replaceWith(vararg nodes: dynamic)\n  override fun remove()\n
override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\n  override
fun convertQuadFromNode(quad: dynamic, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMQuad\n  override fun convertRectFromNode(rect: DOMRectReadOnly, from:
dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n  override fun

```

```

convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMPoint\n\n companion object {\n    val ELEMENT_NODE: Short\n    val
ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val
ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n} \n\npublic external open class
Audio(src: String = definedExternally) : HTMLAudioElement {\n    override var onabort: ((Event) -> dynamic)?\n
override var onblur: ((FocusEvent) -> dynamic)?\n    override var oncancel: ((Event) -> dynamic)?\n    override var
oncanplay: ((Event) -> dynamic)?\n    override var oncanplaythrough: ((Event) -> dynamic)?\n    override var
onchange: ((Event) -> dynamic)?\n    override var onclick: ((MouseEvent) -> dynamic)?\n    override var onclose:
((Event) -> dynamic)?\n    override var oncontextmenu: ((MouseEvent) -> dynamic)?\n    override var oncuechange:
((Event) -> dynamic)?\n    override var ondblclick: ((MouseEvent) -> dynamic)?\n    override var ondrag:
((DragEvent) -> dynamic)?\n    override var ondragend: ((DragEvent) -> dynamic)?\n    override var ondragenter:
((DragEvent) -> dynamic)?\n    override var ondragexit: ((DragEvent) -> dynamic)?\n    override var ondragleave:
((DragEvent) -> dynamic)?\n    override var ondragover: ((DragEvent) -> dynamic)?\n    override var ondragstart:
((DragEvent) -> dynamic)?\n    override var ondrop: ((DragEvent) -> dynamic)?\n    override var ondurationchange:
((Event) -> dynamic)?\n    override var onemptied: ((Event) -> dynamic)?\n    override var onended: ((Event) ->
dynamic)?\n    override var onerror: ((dynamic, String, Int, Int, Any?) -> dynamic)?\n    override var onfocus:
((FocusEvent) -> dynamic)?\n    override var oninput: ((InputEvent) -> dynamic)?\n    override var oninvalid:
((Event) -> dynamic)?\n    override var onkeydown: ((KeyboardEvent) -> dynamic)?\n    override var onkeypress:
((KeyboardEvent) -> dynamic)?\n    override var onkeyup: ((KeyboardEvent) -> dynamic)?\n    override var onload:
((Event) -> dynamic)?\n    override var onloadeddata: ((Event) -> dynamic)?\n    override var onloadedmetadata:
((Event) -> dynamic)?\n    override var onloadend: ((Event) -> dynamic)?\n    override var onloadstart:
((ProgressEvent) -> dynamic)?\n    override var onmousedown: ((MouseEvent) -> dynamic)?\n    override var
onmouseenter: ((MouseEvent) -> dynamic)?\n    override var onmouseleave: ((MouseEvent) -> dynamic)?\n
override var onmousemove: ((MouseEvent) -> dynamic)?\n    override var onmouseout: ((MouseEvent) ->
dynamic)?\n    override var onmouseover: ((MouseEvent) -> dynamic)?\n    override var onmouseup: ((MouseEvent)
-> dynamic)?\n    override var onwheel: ((WheelEvent) -> dynamic)?\n    override var onpause: ((Event) ->
dynamic)?\n    override var onplay: ((Event) -> dynamic)?\n    override var onplaying: ((Event) -> dynamic)?\n
override var onprogress: ((ProgressEvent) -> dynamic)?\n    override var onratechange: ((Event) -> dynamic)?\n
override var onreset: ((Event) -> dynamic)?\n    override var onresize: ((Event) -> dynamic)?\n    override var
onscroll: ((Event) -> dynamic)?\n    override var onseeked: ((Event) -> dynamic)?\n    override var onseeking:
((Event) -> dynamic)?\n    override var onselect: ((Event) -> dynamic)?\n    override var onshow: ((Event) ->
dynamic)?\n    override var onstalled: ((Event) -> dynamic)?\n    override var onsubmit: ((Event) -> dynamic)?\n
override var onsuspend: ((Event) -> dynamic)?\n    override var ontimeupdate: ((Event) -> dynamic)?\n    override
var ontoggle: ((Event) -> dynamic)?\n    override var onvolumechange: ((Event) -> dynamic)?\n    override var
onwaiting: ((Event) -> dynamic)?\n    override var ongotpointercapture: ((PointerEvent) -> dynamic)?\n    override
var onlostpointercapture: ((PointerEvent) -> dynamic)?\n    override var onpointerdown: ((PointerEvent) ->
dynamic)?\n    override var onpointermove: ((PointerEvent) -> dynamic)?\n    override var onpointerup:
((PointerEvent) -> dynamic)?\n    override var onpointercancel: ((PointerEvent) -> dynamic)?\n    override var
onpointerover: ((PointerEvent) -> dynamic)?\n    override var onpointerout: ((PointerEvent) -> dynamic)?\n
override var onpointerenter: ((PointerEvent) -> dynamic)?\n    override var onpointerleave: ((PointerEvent) ->
dynamic)?\n    override var oncopy: ((ClipboardEvent) -> dynamic)?\n    override var oncut: ((ClipboardEvent) ->

```

```

dynamic)?\n  override var onpaste: ((ClipboardEvent) -> dynamic)?\n  override var contentEditable: String\n  override val isContentEditable: Boolean\n  override val style: CSSStyleDeclaration\n  override val children: HTMLCollection\n  override val firstElementChild: Element?\n  override val lastElementChild: Element?\n  override val childElementCount: Int\n  override val previousElementSibling: Element?\n  override val nextElementSibling: Element?\n  override val assignedSlot: HTMLSlotElement?\n  override fun prepend(vararg nodes: dynamic)\n  override fun append(vararg nodes: dynamic)\n  override fun querySelector(selectors: String): Element?\n  override fun querySelectorAll(selectors: String): NodeList\n  override fun before(vararg nodes: dynamic)\n  override fun after(vararg nodes: dynamic)\n  override fun replaceWith(vararg nodes: dynamic)\n  override fun remove()\n  override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\n  override fun convertQuadFromNode(quad: dynamic, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n  override fun convertRectFromNode(rect: DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n  override fun convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMPoint\n\n  companion object {\n    val NETWORK_EMPTY: Short\n    val NETWORK_IDLE: Short\n    val NETWORK_LOADING: Short\n    val NETWORK_NO_SOURCE: Short\n    val HAVE_NOTHING: Short\n    val HAVE_METADATA: Short\n    val HAVE_CURRENT_DATA: Short\n    val HAVE_FUTURE_DATA: Short\n    val HAVE_ENOUGH_DATA: Short\n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n  }\n}\n\n/**\n * Exposes the JavaScript [Option](https://developer.mozilla.org/en/docs/Web/API/Option) to Kotlin\n */\n\npublic external open class Option(text: String = definedExternally, value: String = definedExternally, defaultSelected: Boolean = definedExternally, selected: Boolean = definedExternally) : HTMLOptionElement {\n  override var onabort: ((Event) -> dynamic)?\n  override var onblur: ((FocusEvent) -> dynamic)?\n  override var onCancel: ((Event) -> dynamic)?\n  override var oncanplay: ((Event) -> dynamic)?\n  override var oncanplaythrough: ((Event) -> dynamic)?\n  override var onChange: ((Event) -> dynamic)?\n  override var onclick: ((MouseEvent) -> dynamic)?\n  override var onclose: ((Event) -> dynamic)?\n  override var oncontextmenu: ((MouseEvent) -> dynamic)?\n  override var oncuechange: ((Event) -> dynamic)?\n  override var ondblclick: ((MouseEvent) -> dynamic)?\n  override var ondrag: ((DragEvent) -> dynamic)?\n  override var ondragend: ((DragEvent) -> dynamic)?\n  override var ondragenter: ((DragEvent) -> dynamic)?\n  override var ondragexit: ((DragEvent) -> dynamic)?\n  override var ondragleave: ((DragEvent) -> dynamic)?\n  override var ondragover: ((DragEvent) -> dynamic)?\n  override var ondragstart: ((DragEvent) -> dynamic)?\n  override var ondrop: ((DragEvent) -> dynamic)?\n  override var ondurationchange: ((Event) -> dynamic)?\n  override var onemptied: ((Event) -> dynamic)?\n  override var onended: ((Event) -> dynamic)?\n  override var onerror: ((dynamic, String, Int, Int, Any?) -> dynamic)?\n  override var onfocus: ((FocusEvent) -> dynamic)?\n  override var oninput: ((InputEvent) -> dynamic)?\n  override var oninvalid: ((Event) -> dynamic)?\n  override var onkeydown: ((KeyboardEvent) -> dynamic)?\n  override var onkeypress: ((KeyboardEvent) -> dynamic)?\n  override var onkeyup: ((KeyboardEvent) -> dynamic)?\n  override var onkeypress: ((KeyboardEvent) -> dynamic)?\n  override var onkeyup: ((KeyboardEvent) -> dynamic)?\n  override var onload: ((Event) -> dynamic)?\n  override var onloadeddata: ((Event) -> dynamic)?\n  override var onloadedmetadata: ((Event) -> dynamic)?\n  override var onloadend: ((Event) -> dynamic)?\n  override var onloadstart: ((ProgressEvent) -> dynamic)?\n  override var onmousedown: ((MouseEvent) -> dynamic)?\n  override var onmouseenter: ((MouseEvent) -> dynamic)?\n  override var onmouseleave: ((MouseEvent) -> dynamic)?\n  override var onmousemove: ((MouseEvent) -> dynamic)?\n
```

```

override var onmouseout: ((MouseEvent) -> dynamic)?\n  override var onmouseover: ((MouseEvent) ->
dynamic)?\n  override var onmouseup: ((MouseEvent) -> dynamic)?\n  override var onwheel: ((WheelEvent) ->
dynamic)?\n  override var onpause: ((Event) -> dynamic)?\n  override var onplay: ((Event) -> dynamic)?\n
override var onplaying: ((Event) -> dynamic)?\n  override var onprogress: ((ProgressEvent) -> dynamic)?\n
override var onratechange: ((Event) -> dynamic)?\n  override var onreset: ((Event) -> dynamic)?\n  override var
onresize: ((Event) -> dynamic)?\n  override var onscroll: ((Event) -> dynamic)?\n  override var onseeked:
((Event) -> dynamic)?\n  override var onseeking: ((Event) -> dynamic)?\n  override var onselect: ((Event) ->
dynamic)?\n  override var onshow: ((Event) -> dynamic)?\n  override var onstalled: ((Event) -> dynamic)?\n
override var onsubmit: ((Event) -> dynamic)?\n  override var onsuspend: ((Event) -> dynamic)?\n  override var
ontimeupdate: ((Event) -> dynamic)?\n  override var ontoggle: ((Event) -> dynamic)?\n  override var
onvolumechange: ((Event) -> dynamic)?\n  override var onwaiting: ((Event) -> dynamic)?\n  override var
ongotpointercapture: ((PointerEvent) -> dynamic)?\n  override var onlostpointercapture: ((PointerEvent) ->
dynamic)?\n  override var onpointerdown: ((PointerEvent) -> dynamic)?\n  override var onpointermove:
((PointerEvent) -> dynamic)?\n  override var onpointerup: ((PointerEvent) -> dynamic)?\n  override var
onpointercancel: ((PointerEvent) -> dynamic)?\n  override var onpointerover: ((PointerEvent) -> dynamic)?\n
override var onpointerout: ((PointerEvent) -> dynamic)?\n  override var onpointerenter: ((PointerEvent) ->
dynamic)?\n  override var onpointerleave: ((PointerEvent) -> dynamic)?\n  override var oncopy:
((ClipboardEvent) -> dynamic)?\n  override var oncut: ((ClipboardEvent) -> dynamic)?\n  override var onpaste:
((ClipboardEvent) -> dynamic)?\n  override var contentEditable: String\n  override val isContentEditable:
Boolean\n  override val style: CSSStyleDeclaration\n  override val children: HTMLCollection\n  override val
firstElementChild: Element?\n  override val lastElementChild: Element?\n  override val childElementCount: Int\n
  override val previousElementSibling: Element?\n  override val nextElementSibling: Element?\n  override val
assignedSlot: HTMLSlotElement?\n  override fun prepend(vararg nodes: dynamic)\n  override fun append(vararg
nodes: dynamic)\n  override fun querySelector(selectors: String): Element?\n  override fun
querySelectorAll(selectors: String): NodeList\n  override fun before(vararg nodes: dynamic)\n  override fun
after(vararg nodes: dynamic)\n  override fun replaceWith(vararg nodes: dynamic)\n  override fun remove()\n
override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\n  override
fun convertQuadFromNode(quad: dynamic, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMQuad\n  override fun convertRectFromNode(rect: DOMRectReadOnly, from:
dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n  override fun
convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMPoint\n\n  companion object {\n    val ELEMENT_NODE: Short\n    val
ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val
ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n  }\n\n  public external interface
UnionElementOrHTMLCollection\n  public external interface UnionElementOrRadioNodeList\n  public external
interface UnionHTMLOptGroupElementOrHTMLOptionElement\n  public external interface
UnionAudioTrackOrTextTrackOrVideoTrack\n  public external interface UnionElementOrMouseEvent\n  public
external interface UnionMessagePortOrWindowProxy\n  public external interface MediaPlayer\n  public
external interface RenderingContext\n  public external interface HTMLOrSVGImageElement :
CanvasImageSource\n  public external interface CanvasImageSource : ImageBitmapSource\n  public external
interface ImageBitmapSource\n  public external interface HTMLOrSVGScriptElement\n  /* please, don't

```



implement this interface!

```
*\n@jsname("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external
interface DocumentReadyState {\n    companion object\n}\n\npublic inline val
DocumentReadyState.Companion.LOADING: DocumentReadyState get() =
"loading".asDynamic().unsafeCast<DocumentReadyState>()\n\npublic inline val
DocumentReadyState.Companion.INTERACTIVE: DocumentReadyState get() =
"interactive".asDynamic().unsafeCast<DocumentReadyState>()\n\npublic inline val
DocumentReadyState.Companion.COMPLETE: DocumentReadyState get() =
"complete".asDynamic().unsafeCast<DocumentReadyState>()\n\n/* please, don't implement this interface!
*\n@jsname("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external
interface CanPlayTypeResult {\n    companion object\n}\n\npublic inline val
CanPlayTypeResult.Companion.EMPTY: CanPlayTypeResult get() =
"".asDynamic().unsafeCast<CanPlayTypeResult>()\n\npublic inline val CanPlayTypeResult.Companion.MAYBE:
CanPlayTypeResult get() = "maybe".asDynamic().unsafeCast<CanPlayTypeResult>()\n\npublic inline val
CanPlayTypeResult.Companion.PROBABLY: CanPlayTypeResult get() =
"probably".asDynamic().unsafeCast<CanPlayTypeResult>()\n\n/* please, don't implement this interface!
*\n@jsname("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external
interface TextTrackMode {\n    companion object\n}\n\npublic inline val TextTrackMode.Companion.DISABLED:
TextTrackMode get() = "disabled".asDynamic().unsafeCast<TextTrackMode>()\n\npublic inline val
TextTrackMode.Companion.HIDDEN: TextTrackMode get() =
"hidden".asDynamic().unsafeCast<TextTrackMode>()\n\npublic inline val
TextTrackMode.Companion.SHOWING: TextTrackMode get() =
"showing".asDynamic().unsafeCast<TextTrackMode>()\n\n/* please, don't implement this interface!
*\n@jsname("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external
interface TextTrackKind {\n    companion object\n}\n\npublic inline val TextTrackKind.Companion.SUBTITLES:
TextTrackKind get() = "subtitles".asDynamic().unsafeCast<TextTrackKind>()\n\npublic inline val
TextTrackKind.Companion.CAPTIONS: TextTrackKind get() =
"captions".asDynamic().unsafeCast<TextTrackKind>()\n\npublic inline val
TextTrackKind.Companion.DESCRPTIONS: TextTrackKind get() =
"descriptions".asDynamic().unsafeCast<TextTrackKind>()\n\npublic inline val
TextTrackKind.Companion.CHAPTERS: TextTrackKind get() =
"chapters".asDynamic().unsafeCast<TextTrackKind>()\n\npublic inline val
TextTrackKind.Companion.METADATA: TextTrackKind get() =
"metadata".asDynamic().unsafeCast<TextTrackKind>()\n\n/* please, don't implement this interface!
*\n@jsname("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external
interface SelectionMode {\n    companion object\n}\n\npublic inline val SelectionMode.Companion.SELECT:
SelectionMode get() = "select".asDynamic().unsafeCast<SelectionMode>()\n\npublic inline val
SelectionMode.Companion.START: SelectionMode get() =
"start".asDynamic().unsafeCast<SelectionMode>()\n\npublic inline val SelectionMode.Companion.END:
SelectionMode get() = "end".asDynamic().unsafeCast<SelectionMode>()\n\npublic inline val
SelectionMode.Companion.PRESERVE: SelectionMode get() =
"preserve".asDynamic().unsafeCast<SelectionMode>()\n\n/* please, don't implement this interface!
*\n@jsname("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external
interface CanvasFillRule {\n    companion object\n}\n\npublic inline val CanvasFillRule.Companion.NONZERO:
CanvasFillRule get() = "nonzero".asDynamic().unsafeCast<CanvasFillRule>()\n\npublic inline val
CanvasFillRule.Companion.EVENODD: CanvasFillRule get() =
"evenodd".asDynamic().unsafeCast<CanvasFillRule>()\n\n/* please, don't implement this interface!
*\n@jsname("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external
```

```

interface ImageSmoothingQuality {
    companion object
}
public inline val
ImageSmoothingQuality.Companion.LOW: ImageSmoothingQuality get() =
    "low".asDynamic().unsafeCast<ImageSmoothingQuality>()
public inline val
ImageSmoothingQuality.Companion.MEDIUM: ImageSmoothingQuality get() =
    "medium".asDynamic().unsafeCast<ImageSmoothingQuality>()
public inline val
ImageSmoothingQuality.Companion.HIGH: ImageSmoothingQuality get() =
    "high".asDynamic().unsafeCast<ImageSmoothingQuality>()
/* please, don't implement this interface!
*/
@JsName("null")
@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")
public external
interface CanvasLineCap {
    companion object
}
public inline val CanvasLineCap.Companion.BUTT:
CanvasLineCap get() = "butt".asDynamic().unsafeCast<CanvasLineCap>()
public inline val
CanvasLineCap.Companion.ROUND: CanvasLineCap get() =
    "round".asDynamic().unsafeCast<CanvasLineCap>()
public inline val CanvasLineCap.Companion.SQUARE:
CanvasLineCap get() = "square".asDynamic().unsafeCast<CanvasLineCap>()
/* please, don't implement this
interface!
*/
@JsName("null")
@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")
public
external interface CanvasLineJoin {
    companion object
}
public inline val
CanvasLineJoin.Companion.ROUND: CanvasLineJoin get() =
    "round".asDynamic().unsafeCast<CanvasLineJoin>()
public inline val CanvasLineJoin.Companion.BEVEL:
CanvasLineJoin get() = "bevel".asDynamic().unsafeCast<CanvasLineJoin>()
public inline val
CanvasLineJoin.Companion.MITER: CanvasLineJoin get() =
    "miter".asDynamic().unsafeCast<CanvasLineJoin>()
/* please, don't implement this interface!
*/
@JsName("null")
@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")
public external
interface CanvasTextAlign {
    companion object
}
public inline val CanvasTextAlign.Companion.START:
CanvasTextAlign get() = "start".asDynamic().unsafeCast<CanvasTextAlign>()
public inline val
CanvasTextAlign.Companion.END: CanvasTextAlign get() =
    "end".asDynamic().unsafeCast<CanvasTextAlign>()
public inline val CanvasTextAlign.Companion.LEFT:
CanvasTextAlign get() = "left".asDynamic().unsafeCast<CanvasTextAlign>()
public inline val
CanvasTextAlign.Companion.RIGHT: CanvasTextAlign get() =
    "right".asDynamic().unsafeCast<CanvasTextAlign>()
public inline val
CanvasTextAlign.Companion.CENTER: CanvasTextAlign get() =
    "center".asDynamic().unsafeCast<CanvasTextAlign>()
/* please, don't implement this interface!
*/
@JsName("null")
@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")
public external
interface CanvasTextBaseline {
    companion object
}
public inline val CanvasTextBaseline.Companion.TOP:
CanvasTextBaseline get() = "top".asDynamic().unsafeCast<CanvasTextBaseline>()
public inline val
CanvasTextBaseline.Companion.HANGING: CanvasTextBaseline get() =
    "hanging".asDynamic().unsafeCast<CanvasTextBaseline>()
public inline val
CanvasTextBaseline.Companion.MIDDLE: CanvasTextBaseline get() =
    "middle".asDynamic().unsafeCast<CanvasTextBaseline>()
public inline val
CanvasTextBaseline.Companion.ALPHABETIC: CanvasTextBaseline get() =
    "alphabetic".asDynamic().unsafeCast<CanvasTextBaseline>()
public inline val
CanvasTextBaseline.Companion.IDEOGRAPHIC: CanvasTextBaseline get() =
    "ideographic".asDynamic().unsafeCast<CanvasTextBaseline>()
public inline val
CanvasTextBaseline.Companion.BOTTOM: CanvasTextBaseline get() =
    "bottom".asDynamic().unsafeCast<CanvasTextBaseline>()
/* please, don't implement this interface!
*/
@JsName("null")
@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")
public external
interface CanvasDirection {
    companion object
}
public inline val CanvasDirection.Companion.LTR:
CanvasDirection get() = "ltr".asDynamic().unsafeCast<CanvasDirection>()
public inline val
CanvasDirection.Companion.RTL: CanvasDirection get() =
    "rtl".asDynamic().unsafeCast<CanvasDirection>()
public inline val CanvasDirection.Companion.INHERIT:

```

```

CanvasDirection get() = "inherit".asDynamic().unsafeCast<CanvasDirection>()\n\n/* please, don't implement this
interface! *\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic
external interface ScrollRestoration {\n  companion object\n}\n\npublic inline val
ScrollRestoration.Companion.AUTO: ScrollRestoration get() =
"auto".asDynamic().unsafeCast<ScrollRestoration>()\n\npublic inline val
ScrollRestoration.Companion.MANUAL: ScrollRestoration get() =
"manual".asDynamic().unsafeCast<ScrollRestoration>()\n\n/* please, don't implement this interface!
*\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external
interface ImageOrientation {\n  companion object\n}\n\npublic inline val ImageOrientation.Companion.NONE:
ImageOrientation get() = "none".asDynamic().unsafeCast<ImageOrientation>()\n\npublic inline val
ImageOrientation.Companion.FLIPY: ImageOrientation get() =
"flipY".asDynamic().unsafeCast<ImageOrientation>()\n\n/* please, don't implement this interface!
*\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external
interface PremultiplyAlpha {\n  companion object\n}\n\npublic inline val PremultiplyAlpha.Companion.NONE:
PremultiplyAlpha get() = "none".asDynamic().unsafeCast<PremultiplyAlpha>()\n\npublic inline val
PremultiplyAlpha.Companion.PREMULTIPLY: PremultiplyAlpha get() =
"premultiply".asDynamic().unsafeCast<PremultiplyAlpha>()\n\npublic inline val
PremultiplyAlpha.Companion.DEFAULT: PremultiplyAlpha get() =
"default".asDynamic().unsafeCast<PremultiplyAlpha>()\n\n/* please, don't implement this interface!
*\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external
interface ColorSpaceConversion {\n  companion object\n}\n\npublic inline val
ColorSpaceConversion.Companion.NONE: ColorSpaceConversion get() =
"none".asDynamic().unsafeCast<ColorSpaceConversion>()\n\npublic inline val
ColorSpaceConversion.Companion.DEFAULT: ColorSpaceConversion get() =
"default".asDynamic().unsafeCast<ColorSpaceConversion>()\n\n/* please, don't implement this interface!
*\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external
interface ResizeQuality {\n  companion object\n}\n\npublic inline val ResizeQuality.Companion.PIXELATED:
ResizeQuality get() = "pixelated".asDynamic().unsafeCast<ResizeQuality>()\n\npublic inline val
ResizeQuality.Companion.LOW: ResizeQuality get() =
"low".asDynamic().unsafeCast<ResizeQuality>()\n\npublic inline val ResizeQuality.Companion.MEDIUM:
ResizeQuality get() = "medium".asDynamic().unsafeCast<ResizeQuality>()\n\npublic inline val
ResizeQuality.Companion.HIGH: ResizeQuality get() = "high".asDynamic().unsafeCast<ResizeQuality>()\n\n/*
please, don't implement this interface!
*\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external
interface BinaryType {\n  companion object\n}\n\npublic inline val BinaryType.Companion.BLOB: BinaryType
get() = "blob".asDynamic().unsafeCast<BinaryType>()\n\npublic inline val
BinaryType.Companion.ARRAYBUFFER: BinaryType get() =
"arraybuffer".asDynamic().unsafeCast<BinaryType>()\n\n/* please, don't implement this interface!
*\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external
interface WorkerType {\n  companion object\n}\n\npublic inline val WorkerType.Companion.CLASSIC:
WorkerType get() = "classic".asDynamic().unsafeCast<WorkerType>()\n\npublic inline val
WorkerType.Companion.MODULE: WorkerType get() =
"module".asDynamic().unsafeCast<WorkerType>()\n\n/* please, don't implement this interface!
*\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external
interface ShadowRootMode {\n  companion object\n}\n\npublic inline val ShadowRootMode.Companion.OPEN:
ShadowRootMode get() = "open".asDynamic().unsafeCast<ShadowRootMode>()\n\npublic inline val
ShadowRootMode.Companion.CLOSED: ShadowRootMode get() =
"closed".asDynamic().unsafeCast<ShadowRootMode>()\n\n/* please, don't implement this interface!

```

```

*\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external
interface ScrollBehavior {\n  companion object\n}\n\npublic inline val ScrollBehavior.Companion.AUTO:
ScrollBehavior get() = "auto".asDynamic().unsafeCast<ScrollBehavior>()\n\npublic inline val
ScrollBehavior.Companion.INSTANT: ScrollBehavior get() =
"instant".asDynamic().unsafeCast<ScrollBehavior>()\n\npublic inline val ScrollBehavior.Companion.SMOOTH:
ScrollBehavior get() = "smooth".asDynamic().unsafeCast<ScrollBehavior>()\n\n/* please, don't implement this
interface! */\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic
external interface ScrollLogicalPosition {\n  companion object\n}\n\npublic inline val
ScrollLogicalPosition.Companion.START: ScrollLogicalPosition get() =
"start".asDynamic().unsafeCast<ScrollLogicalPosition>()\n\npublic inline val
ScrollLogicalPosition.Companion.CENTER: ScrollLogicalPosition get() =
"center".asDynamic().unsafeCast<ScrollLogicalPosition>()\n\npublic inline val
ScrollLogicalPosition.Companion.END: ScrollLogicalPosition get() =
"end".asDynamic().unsafeCast<ScrollLogicalPosition>()\n\npublic inline val
ScrollLogicalPosition.Companion.NEAREST: ScrollLogicalPosition get() =
"nearest".asDynamic().unsafeCast<ScrollLogicalPosition>()\n\n/* please, don't implement this interface!
*/\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external
interface CSSBoxType {\n  companion object\n}\n\npublic inline val CSSBoxType.Companion.MARGIN:
CSSBoxType get() = "margin".asDynamic().unsafeCast<CSSBoxType>()\n\npublic inline val
CSSBoxType.Companion.BORDER: CSSBoxType get() =
"border".asDynamic().unsafeCast<CSSBoxType>()\n\npublic inline val CSSBoxType.Companion.PADDING:
CSSBoxType get() = "padding".asDynamic().unsafeCast<CSSBoxType>()\n\npublic inline val
CSSBoxType.Companion.CONTENT: CSSBoxType get() =
"content".asDynamic().unsafeCast<CSSBoxType>()"/**\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n\n//
See github.com/kotlin/dukat for details\n\npackage org.w3c.fetch\n\nimport kotlin.js.*\nimport
org.khronos.webgl.*\nimport org.w3c.files.*\nimport org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript
[Headers](https://developer.mozilla.org/en/docs/Web/API/Headers) to Kotlin\n */\n\npublic external open class
Headers(init: dynamic = definedExternally) {\n  fun append(name: String, value: String)\n  fun delete(name:
String)\n  fun get(name: String): String?\n  fun has(name: String): Boolean\n  fun set(name: String, value:
String)\n}\n\n/**\n * Exposes the JavaScript [Body](https://developer.mozilla.org/en/docs/Web/API/Body) to
Kotlin\n */\n\npublic external interface Body {\n  val bodyUsed: Boolean\n  fun arrayBuffer():
Promise<ArrayBuffer>\n  fun blob(): Promise<Blob>\n  fun formData(): Promise<FormData>\n  fun json():
Promise<Any?>\n  fun text(): Promise<String>\n}\n\n/**\n * Exposes the JavaScript
[Request](https://developer.mozilla.org/en/docs/Web/API/Request) to Kotlin\n */\n\npublic external open class
Request(input: dynamic, init: RequestInit = definedExternally) : Body {\n  open val method: String\n  open val
url: String\n  open val headers: Headers\n  open val type: RequestType\n  open val destination:
RequestDestination\n  open val referrer: String\n  open val referrerPolicy: dynamic\n  open val mode:
RequestMode\n  open val credentials: RequestCredentials\n  open val cache: RequestCache\n  open val redirect:
RequestRedirect\n  open val integrity: String\n  open val keepalive: Boolean\n  override val bodyUsed:
Boolean\n  fun clone(): Request\n  override fun arrayBuffer(): Promise<ArrayBuffer>\n  override fun blob():
Promise<Blob>\n  override fun formData(): Promise<FormData>\n  override fun json(): Promise<Any?>\n
  override fun text(): Promise<String>\n}\n\npublic external interface RequestInit {\n  var method: String?\n
get() = definedExternally\n  set(value) = definedExternally\n  var headers: dynamic\n  get() =
definedExternally\n  set(value) = definedExternally\n  var body: dynamic\n  get() = definedExternally\n
set(value) = definedExternally\n  var referrer: String?\n  get() = definedExternally\n  set(value) =
definedExternally\n  var referrerPolicy: dynamic\n  get() = definedExternally\n  set(value) =

```

```

definedExternally\n var mode: RequestMode?\n get() = definedExternally\n set(value) =
definedExternally\n var credentials: RequestCredentials?\n get() = definedExternally\n set(value) =
definedExternally\n var cache: RequestCache?\n get() = definedExternally\n set(value) =
definedExternally\n var redirect: RequestRedirect?\n get() = definedExternally\n set(value) =
definedExternally\n var integrity: String?\n get() = definedExternally\n set(value) = definedExternally\n
var keepalive: Boolean?\n get() = definedExternally\n set(value) = definedExternally\n var window:
Any?\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun RequestInit(method: String? =
undefined, headers: dynamic = undefined, body: dynamic = undefined, referrer: String? = undefined, referrerPolicy:
dynamic = undefined, mode: RequestMode? = undefined, credentials: RequestCredentials? = undefined, cache:
RequestCache? = undefined, redirect: RequestRedirect? = undefined, integrity: String? = undefined, keepalive:
Boolean? = undefined, window: Any? = undefined): RequestInit {\n val o = js(\"({})\")\n o[\"method\"] =
method\n o[\"headers\"] = headers\n o[\"body\"] = body\n o[\"referrer\"] = referrer\n o[\"referrerPolicy\"] =
referrerPolicy\n o[\"mode\"] = mode\n o[\"credentials\"] = credentials\n o[\"cache\"] = cache\n o[\"redirect\"]
= redirect\n o[\"integrity\"] = integrity\n o[\"keepalive\"] = keepalive\n o[\"window\"] = window\n return
o\n}\n\n/**\n * Exposes the JavaScript [Response](https://developer.mozilla.org/en/docs/Web/API/Response) to
Kotlin\n */\npublic external open class Response(body: dynamic = definedExternally, init: ResponseInit =
definedExternally) : Body {\n open val type: ResponseType\n open val url: String\n open val redirected:
Boolean\n open val status: Short\n open val ok: Boolean\n open val statusText: String\n open val headers:
Headers\n open val body: dynamic\n open val trailer: Promise<Headers>\n override val bodyUsed: Boolean\n
fun clone(): Response\n override fun arrayBuffer(): Promise<ArrayBuffer>\n override fun blob():
Promise<Blob>\n override fun formData(): Promise<FormData>\n override fun json(): Promise<Any?>\n
override fun text(): Promise<String>\n\n companion object {\n fun error(): Response\n fun redirect(url:
String, status: Short = definedExternally): Response\n }\n}\n\npublic external interface ResponseInit {\n var
status: Short? /* = 200 */\n get() = definedExternally\n set(value) = definedExternally\n var statusText:
String? /* = \"OK\" */\n get() = definedExternally\n set(value) = definedExternally\n var headers:
dynamic\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ResponseInit(status: Short? = 200,
statusText: String? = \"OK\", headers: dynamic = undefined): ResponseInit {\n val o = js(\"({})\")\n o[\"status\"]
= status\n o[\"statusText\"] = statusText\n o[\"headers\"] = headers\n return o\n}\n\n/* please, don't implement
this interface! */\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic
external interface RequestType {\n companion object\n}\n\npublic inline val RequestType.Companion.EMPTY:
RequestType get() = \"\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val
RequestType.Companion.AUDIO: RequestType get() =
\"audio\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val RequestType.Companion.FONT:
RequestType get() = \"font\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val
RequestType.Companion.IMAGE: RequestType get() =
\"image\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val RequestType.Companion.SCRIPT:
RequestType get() = \"script\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val
RequestType.Companion.STYLE: RequestType get() =
\"style\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val RequestType.Companion.TRACK:
RequestType get() = \"track\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val
RequestType.Companion.VIDEO: RequestType get() = \"video\".asDynamic().unsafeCast<RequestType>()\n\n/*
please, don't implement this interface!
*/\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external
interface RequestDestination {\n companion object\n}\n\npublic inline val

```

```

RequestDestination.Companion.EMPTY: RequestDestination get() =
    \"\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.DOCUMENT: RequestDestination get() =
    \"document\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.EMBED: RequestDestination get() =
    \"embed\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.FONT: RequestDestination get() =
    \"font\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.IMAGE: RequestDestination get() =
    \"image\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.MANIFEST: RequestDestination get() =
    \"manifest\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.MEDIA: RequestDestination get() =
    \"media\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.OBJECT: RequestDestination get() =
    \"object\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.REPORT: RequestDestination get() =
    \"report\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.SCRIPT: RequestDestination get() =
    \"script\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.SERVICEWORKER: RequestDestination get() =
    \"serviceworker\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.SHAREDWORKER: RequestDestination get() =
    \"sharedworker\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.STYLE: RequestDestination get() =
    \"style\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.WORKER: RequestDestination get() =
    \"worker\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.XSLT: RequestDestination get() =
    \"xslt\".asDynamic().unsafeCast<RequestDestination>()\n\n/* please, don't implement this interface!
*\n\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external
interface RequestMode {\n    companion object\n}\n\npublic inline val RequestMode.Companion.NAVIGATE:
RequestMode get() = \"navigate\".asDynamic().unsafeCast<RequestMode>()\n\npublic inline val
RequestMode.Companion.SAME_ORIGIN: RequestMode get() = \"same-
origin\".asDynamic().unsafeCast<RequestMode>()\n\npublic inline val RequestMode.Companion.NO_CORS:
RequestMode get() = \"no-cors\".asDynamic().unsafeCast<RequestMode>()\n\npublic inline val
RequestMode.Companion.CORS: RequestMode get() = \"cors\".asDynamic().unsafeCast<RequestMode>()\n\n/*
please, don't implement this interface!
*\n\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external
interface RequestCredentials {\n    companion object\n}\n\npublic inline val RequestCredentials.Companion.OMIT:
RequestCredentials get() = \"omit\".asDynamic().unsafeCast<RequestCredentials>()\n\npublic inline val
RequestCredentials.Companion.SAME_ORIGIN: RequestCredentials get() = \"same-
origin\".asDynamic().unsafeCast<RequestCredentials>()\n\npublic inline val
RequestCredentials.Companion.INCLUDE: RequestCredentials get() =
    \"include\".asDynamic().unsafeCast<RequestCredentials>()\n\n/* please, don't implement this interface!
*\n\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external
interface RequestCache {\n    companion object\n}\n\npublic inline val RequestCache.Companion.DEFAULT:
RequestCache get() = \"default\".asDynamic().unsafeCast<RequestCache>()\n\npublic inline val

```

```

RequestCache.Companion.NO_STORE: RequestCache get() = \"no-
store\".asDynamic().unsafeCast<RequestCache>()\n\npublic inline val RequestCache.Companion.RELOAD:
RequestCache get() = \"reload\".asDynamic().unsafeCast<RequestCache>()\n\npublic inline val
RequestCache.Companion.NO_CACHE: RequestCache get() = \"no-
cache\".asDynamic().unsafeCast<RequestCache>()\n\npublic inline val
RequestCache.Companion.FORCE_CACHE: RequestCache get() = \"force-
cache\".asDynamic().unsafeCast<RequestCache>()\n\npublic inline val
RequestCache.Companion.ONLY_IF_CACHED: RequestCache get() = \"only-if-
cached\".asDynamic().unsafeCast<RequestCache>()\n\n/* please, don't implement this interface!
*\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external
interface RequestRedirect {\n    companion object\n}\n\npublic inline val RequestRedirect.Companion.FOLLOW:
RequestRedirect get() = \"follow\".asDynamic().unsafeCast<RequestRedirect>()\n\npublic inline val
RequestRedirect.Companion.ERROR: RequestRedirect get() =
\"error\".asDynamic().unsafeCast<RequestRedirect>()\n\npublic inline val RequestRedirect.Companion.MANUAL:
RequestRedirect get() = \"manual\".asDynamic().unsafeCast<RequestRedirect>()\n\n/* please, don't implement this
interface! *\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic
external interface ResponseType {\n    companion object\n}\n\npublic inline val ResponseType.Companion.BASIC:
ResponseType get() = \"basic\".asDynamic().unsafeCast<ResponseType>()\n\npublic inline val
ResponseType.Companion.CORS: ResponseType get() =
\"cors\".asDynamic().unsafeCast<ResponseType>()\n\npublic inline val ResponseType.Companion.DEFAULT:
ResponseType get() = \"default\".asDynamic().unsafeCast<ResponseType>()\n\npublic inline val
ResponseType.Companion.ERROR: ResponseType get() =
\"error\".asDynamic().unsafeCast<ResponseType>()\n\npublic inline val ResponseType.Companion.OPAQUE:
ResponseType get() = \"opaque\".asDynamic().unsafeCast<ResponseType>()\n\npublic inline val
ResponseType.Companion.OPAQUEREDIRECT: ResponseType get() =
\"opaqueredirect\".asDynamic().unsafeCast<ResponseType>()", /*\n * Copyright 2010-2021 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n *\n@n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT
EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.dom.mediacapture\n\nimport
kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\nimport org.w3c.dom.events.*\n\n/**\n * Exposes
the JavaScript [MediaStream](https://developer.mozilla.org/en/docs/Web/API/MediaStream) to Kotlin\n *\n\npublic
external open class MediaStream() : EventTarget, MediaProvider {\n    constructor(stream: MediaStream)\n
constructor(tracks: Array<MediaStreamTrack>)\n    open val id: String\n    open val active: Boolean\n    var
onaddtrack: ((MediaStreamTrackEvent) -> dynamic)?\n    var onremovetrack: ((MediaStreamTrackEvent) ->
dynamic)?\n    fun getAudioTracks(): Array<MediaStreamTrack>\n    fun getVideoTracks():
Array<MediaStreamTrack>\n    fun getTracks(): Array<MediaStreamTrack>\n    fun getTrackById(trackId: String):
MediaStreamTrack?\n    fun addTrack(track: MediaStreamTrack)\n    fun removeTrack(track: MediaStreamTrack)\n
    fun clone(): MediaStream\n}\n\n/**\n * Exposes the JavaScript
[MediaStreamTrack](https://developer.mozilla.org/en/docs/Web/API/MediaStreamTrack) to Kotlin\n *\n\npublic
external abstract class MediaStreamTrack : EventTarget {\n    open val kind: String\n    open val id: String\n    open
val label: String\n    open var enabled: Boolean\n    open val muted: Boolean\n    open var onmute: ((Event) ->
dynamic)?\n    open var onunmute: ((Event) -> dynamic)?\n    open val readyState: MediaStreamTrackState\n
open var onended: ((Event) -> dynamic)?\n    open var onoverconstrained: ((Event) -> dynamic)?\n    fun clone():
MediaStreamTrack\n    fun stop()\n    fun getCapabilities(): MediaTrackCapabilities\n    fun getConstraints():
MediaTrackConstraints\n    fun getSettings(): MediaTrackSettings\n    fun applyConstraints(constraints:
MediaTrackConstraints = definedExternally): Promise<Unit>\n}\n\n/**\n * Exposes the JavaScript
[MediaTrackSupportedConstraints](https://developer.mozilla.org/en/docs/Web/API/MediaTrackSupportedConstrain
ts) to Kotlin\n *\n\npublic external interface MediaTrackSupportedConstraints {\n    var width: Boolean? /* = true

```

```

*^n    get() = definedExternally^n    set(value) = definedExternally^n    var height: Boolean? /* = true */^n
get() = definedExternally^n    set(value) = definedExternally^n    var aspectRatio: Boolean? /* = true */^n    get()
= definedExternally^n    set(value) = definedExternally^n    var frameRate: Boolean? /* = true */^n    get() =
definedExternally^n    set(value) = definedExternally^n    var facingMode: Boolean? /* = true */^n    get() =
definedExternally^n    set(value) = definedExternally^n    var resizeMode: Boolean? /* = true */^n    get() =
definedExternally^n    set(value) = definedExternally^n    var volume: Boolean? /* = true */^n    get() =
definedExternally^n    set(value) = definedExternally^n    var sampleRate: Boolean? /* = true */^n    get() =
definedExternally^n    set(value) = definedExternally^n    var sampleSize: Boolean? /* = true */^n    get() =
definedExternally^n    set(value) = definedExternally^n    var echoCancellation: Boolean? /* = true */^n    get()
= definedExternally^n    set(value) = definedExternally^n    var autoGainControl: Boolean? /* = true */^n    get()
= definedExternally^n    set(value) = definedExternally^n    var noiseSuppression: Boolean? /* = true */^n
get() = definedExternally^n    set(value) = definedExternally^n    var latency: Boolean? /* = true */^n    get() =
definedExternally^n    set(value) = definedExternally^n    var channelCount: Boolean? /* = true */^n    get() =
definedExternally^n    set(value) = definedExternally^n    var deviceId: Boolean? /* = true */^n    get() =
definedExternally^n    set(value) = definedExternally^n    var groupId: Boolean? /* = true */^n    get() =
definedExternally^n    set(value) = definedExternally^n }^n^n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")^n^n@kotlin.internal.InlineOnly^npublic inline fun
MediaTrackSupportedConstraints(width: Boolean? = true, height: Boolean? = true, aspectRatio: Boolean? = true,
frameRate: Boolean? = true, facingMode: Boolean? = true, resizeMode: Boolean? = true, volume: Boolean? = true,
sampleRate: Boolean? = true, sampleSize: Boolean? = true, echoCancellation: Boolean? = true, autoGainControl:
Boolean? = true, noiseSuppression: Boolean? = true, latency: Boolean? = true, channelCount: Boolean? = true,
deviceId: Boolean? = true, groupId: Boolean? = true): MediaTrackSupportedConstraints {^n    val o = js("{}")^n^n
o["width"] = width^n    o["height"] = height^n    o["aspectRatio"] = aspectRatio^n    o["frameRate"] =
frameRate^n    o["facingMode"] = facingMode^n    o["resizeMode"] = resizeMode^n    o["volume"] = volume^n
o["sampleRate"] = sampleRate^n    o["sampleSize"] = sampleSize^n    o["echoCancellation"] =
echoCancellation^n    o["autoGainControl"] = autoGainControl^n    o["noiseSuppression"] = noiseSuppression^n
o["latency"] = latency^n    o["channelCount"] = channelCount^n    o["deviceId"] = deviceId^n    o["groupId"] =
groupId^n    return o^n }^n^npublic external interface MediaTrackCapabilities {^n    var width: ULongRange?^n
get() = definedExternally^n    set(value) = definedExternally^n    var height: ULongRange?^n    get() =
definedExternally^n    set(value) = definedExternally^n    var aspectRatio: DoubleRange?^n    get() =
definedExternally^n    set(value) = definedExternally^n    var frameRate: DoubleRange?^n    get() =
definedExternally^n    set(value) = definedExternally^n    var facingMode: Array<String>?^n    get() =
definedExternally^n    set(value) = definedExternally^n    var resizeMode: Array<String>?^n    get() =
definedExternally^n    set(value) = definedExternally^n    var volume: DoubleRange?^n    get() =
definedExternally^n    set(value) = definedExternally^n    var sampleRate: ULongRange?^n    get() =
definedExternally^n    set(value) = definedExternally^n    var sampleSize: ULongRange?^n    get() =
definedExternally^n    set(value) = definedExternally^n    var echoCancellation: Array<Boolean>?^n    get() =
definedExternally^n    set(value) = definedExternally^n    var autoGainControl: Array<Boolean>?^n    get() =
definedExternally^n    set(value) = definedExternally^n    var noiseSuppression: Array<Boolean>?^n    get() =
definedExternally^n    set(value) = definedExternally^n    var latency: DoubleRange?^n    get() =
definedExternally^n    set(value) = definedExternally^n    var channelCount: ULongRange?^n    get() =
definedExternally^n    set(value) = definedExternally^n    var deviceId: String?^n    get() = definedExternally^n
set(value) = definedExternally^n    var groupId: String?^n    get() = definedExternally^n    set(value) =
definedExternally^n }^n^n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")^n^n@kotlin.internal.InlineOnly^npublic inline fun MediaTrackCapabilities(width:
ULongRange? = undefined, height: ULongRange? = undefined, aspectRatio: DoubleRange? = undefined,
frameRate: DoubleRange? = undefined, facingMode: Array<String>? = undefined, resizeMode: Array<String>? =
undefined, volume: DoubleRange? = undefined, sampleRate: ULongRange? = undefined, sampleSize:

```



```

ULongRange? = undefined, echoCancellation: Array<Boolean>? = undefined, autoGainControl: Array<Boolean>?
= undefined, noiseSuppression: Array<Boolean>? = undefined, latency: DoubleRange? = undefined, channelCount:
ULongRange? = undefined, deviceId: String? = undefined, groupId: String? = undefined): MediaTrackCapabilities
{
    val o = js("{}")
    o["width"] = width
    o["height"] = height
    o["aspectRatio"] = aspectRatio
    o["frameRate"] = frameRate
    o["facingMode"] = facingMode
    o["resizeMode"] = resizeMode
    o["volume"] = volume
    o["sampleRate"] = sampleRate
    o["sampleSize"] = sampleSize
    o["echoCancellation"] = echoCancellation
    o["autoGainControl"] = autoGainControl
    o["noiseSuppression"] = noiseSuppression
    o["latency"] = latency
    o["channelCount"] = channelCount
    o["deviceId"] = deviceId
    o["groupId"] = groupId
    return o
}

** Exposes the JavaScript
[MediaTrackConstraints](https://developer.mozilla.org/en/docs/Web/API/MediaTrackConstraints) to Kotlin

* public external interface MediaTrackConstraints : MediaTrackConstraintSet {
    var advanced:
    Array<MediaTrackConstraintSet>?
    get() = definedExternally
    set(value) =
    definedExternally
}

@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")
@kotlin.internal.InlineOnly
public inline fun MediaTrackConstraints(advanced:
Array<MediaTrackConstraintSet>? = undefined, width: dynamic = undefined, height: dynamic = undefined,
aspectRatio: dynamic = undefined, frameRate: dynamic = undefined, facingMode: dynamic = undefined,
resizeMode: dynamic = undefined, volume: dynamic = undefined, sampleRate: dynamic = undefined, sampleSize:
dynamic = undefined, echoCancellation: dynamic = undefined, autoGainControl: dynamic = undefined,
noiseSuppression: dynamic = undefined, latency: dynamic = undefined, channelCount: dynamic = undefined,
deviceId: dynamic = undefined, groupId: dynamic = undefined): MediaTrackConstraints {
    val o = js("{}")
    o["advanced"] = advanced
    o["width"] = width
    o["height"] = height
    o["aspectRatio"] =
    aspectRatio
    o["frameRate"] = frameRate
    o["facingMode"] = facingMode
    o["resizeMode"] =
    resizeMode
    o["volume"] = volume
    o["sampleRate"] = sampleRate
    o["sampleSize"] = sampleSize
    o["echoCancellation"] = echoCancellation
    o["autoGainControl"] = autoGainControl
    o["noiseSuppression"] = noiseSuppression
    o["latency"] = latency
    o["channelCount"] = channelCount
    o["deviceId"] = deviceId
    o["groupId"] = groupId
    return o
}

public external interface
MediaTrackConstraintSet {
    var width: dynamic
    get() = definedExternally
    set(value) =
    definedExternally
    var height: dynamic
    get() = definedExternally
    set(value) = definedExternally
    var aspectRatio: dynamic
    get() = definedExternally
    set(value) = definedExternally
    var frameRate:
    dynamic
    get() = definedExternally
    set(value) = definedExternally
    var facingMode: dynamic
    get() = definedExternally
    set(value) = definedExternally
    var resizeMode: dynamic
    get() =
    definedExternally
    set(value) = definedExternally
    var volume: dynamic
    get() = definedExternally
    set(value) =
    definedExternally
    var sampleRate: dynamic
    get() = definedExternally
    set(value) =
    definedExternally
    var sampleSize: dynamic
    get() = definedExternally
    set(value) =
    definedExternally
    var echoCancellation: dynamic
    get() = definedExternally
    set(value) =
    definedExternally
    var autoGainControl: dynamic
    get() = definedExternally
    set(value) =
    definedExternally
    var noiseSuppression: dynamic
    get() = definedExternally
    set(value) =
    definedExternally
    var latency: dynamic
    get() = definedExternally
    set(value) = definedExternally
    var channelCount: dynamic
    get() = definedExternally
    set(value) = definedExternally
    var deviceId:
    dynamic
    get() = definedExternally
    set(value) = definedExternally
    var groupId: dynamic
    get()
    = definedExternally
    set(value) = definedExternally
}

@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")
@kotlin.internal.InlineOnly
public inline fun MediaTrackConstraintSet(width:
dynamic = undefined, height: dynamic = undefined, aspectRatio: dynamic = undefined, frameRate: dynamic =
undefined, facingMode: dynamic = undefined, resizeMode: dynamic = undefined, volume: dynamic = undefined,
sampleRate: dynamic = undefined, sampleSize: dynamic = undefined, echoCancellation: dynamic = undefined,
autoGainControl: dynamic = undefined, noiseSuppression: dynamic = undefined, latency: dynamic = undefined,
channelCount: dynamic = undefined, deviceId: dynamic = undefined, groupId: dynamic = undefined):
MediaTrackConstraintSet {
    val o = js("{}")
    o["width"] = width
    o["height"] = height

```

```

o["aspectRatio"] = aspectRatio\n  o["frameRate"] = frameRate\n  o["facingMode"] = facingMode\n
o["resizeMode"] = resizeMode\n  o["volume"] = volume\n  o["sampleRate"] = sampleRate\n
o["sampleSize"] = sampleSize\n  o["echoCancellation"] = echoCancellation\n  o["autoGainControl"] =
autoGainControl\n  o["noiseSuppression"] = noiseSuppression\n  o["latency"] = latency\n
o["channelCount"] = channelCount\n  o["deviceId"] = deviceId\n  o["groupId"] = groupId\n  return
o\n}\n\n/**\n * Exposes the JavaScript
[MediaTrackSettings](https://developer.mozilla.org/en/docs/Web/API/MediaTrackSettings) to Kotlin\n
*\n\npublic external interface MediaTrackSettings {\n  var width: Int?\n    get() = definedExternally\n    set(value) =
definedExternally\n  var height: Int?\n    get() = definedExternally\n    set(value) = definedExternally\n  var
aspectRatio: Double?\n    get() = definedExternally\n    set(value) = definedExternally\n  var frameRate:
Double?\n    get() = definedExternally\n    set(value) = definedExternally\n  var facingMode: String?\n
get() = definedExternally\n    set(value) = definedExternally\n  var resizeMode: String?\n    get() =
definedExternally\n    set(value) = definedExternally\n  var volume: Double?\n    get() = definedExternally\n
set(value) = definedExternally\n  var sampleRate: Int?\n    get() = definedExternally\n    set(value) =
definedExternally\n  var sampleSize: Int?\n    get() = definedExternally\n    set(value) = definedExternally\n
var echoCancellation: Boolean?\n    get() = definedExternally\n    set(value) = definedExternally\n  var
autoGainControl: Boolean?\n    get() = definedExternally\n    set(value) = definedExternally\n  var
noiseSuppression: Boolean?\n    get() = definedExternally\n    set(value) = definedExternally\n  var latency:
Double?\n    get() = definedExternally\n    set(value) = definedExternally\n  var channelCount: Int?\n
get() = definedExternally\n    set(value) = definedExternally\n  var deviceId: String?\n    get() =
definedExternally\n    set(value) = definedExternally\n  var groupId: String?\n    get() = definedExternally\n
set(value) = definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun MediaTrackSettings(width: Int? =
undefined, height: Int? = undefined, aspectRatio: Double? = undefined, frameRate: Double? = undefined,
facingMode: String? = undefined, resizeMode: String? = undefined, volume: Double? = undefined, sampleRate: Int?
= undefined, sampleSize: Int? = undefined, echoCancellation: Boolean? = undefined, autoGainControl: Boolean? =
undefined, noiseSuppression: Boolean? = undefined, latency: Double? = undefined, channelCount: Int? = undefined,
deviceId: String? = undefined, groupId: String? = undefined): MediaTrackSettings {\n  val o = js("{}")\n
o["width"] = width\n  o["height"] = height\n  o["aspectRatio"] = aspectRatio\n  o["frameRate"] =
frameRate\n  o["facingMode"] = facingMode\n  o["resizeMode"] = resizeMode\n  o["volume"] = volume\n
o["sampleRate"] = sampleRate\n  o["sampleSize"] = sampleSize\n  o["echoCancellation"] =
echoCancellation\n  o["autoGainControl"] = autoGainControl\n  o["noiseSuppression"] = noiseSuppression\n
o["latency"] = latency\n  o["channelCount"] = channelCount\n  o["deviceId"] = deviceId\n  o["groupId"] =
groupId\n  return o\n}\n\n/**\n * Exposes the JavaScript
[MediaStreamTrackEvent](https://developer.mozilla.org/en/docs/Web/API/MediaStreamTrackEvent) to Kotlin\n
*\n\npublic external open class MediaStreamTrackEvent(type: String, eventInitDict: MediaStreamTrackEventInit) :
Event {\n  open val track: MediaStreamTrack\n\n  companion object {\n    val NONE: Short\n    val
CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val BUBBLING_PHASE: Short\n
}\n}\n\n\n\npublic external interface MediaStreamTrackEventInit : EventInit {\n  var track:
MediaStreamTrack?\n}\n\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun MediaStreamTrackEventInit(track:
MediaStreamTrack?, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false):
MediaStreamTrackEventInit {\n  val o = js("{}")\n  o["track"] = track\n  o["bubbles"] = bubbles\n
o["cancelable"] = cancelable\n  o["composed"] = composed\n  return o\n}\n\n\n\npublic external open class
OverconstrainedErrorEvent(type: String, eventInitDict: OverconstrainedErrorEventInit) : Event {\n  open val error:
dynamic\n\n  companion object {\n    val NONE: Short\n    val CAPTURING_PHASE: Short\n    val
AT_TARGET: Short\n    val BUBBLING_PHASE: Short\n  }\n}\n\n\n\npublic external interface
OverconstrainedErrorEventInit : EventInit {\n  var error: dynamic /* = null */\n    get() = definedExternally\n

```

```

set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun OverconstrainedErrorEventInit(error:
dynamic = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false):
OverconstrainedErrorEventInit {\n val o = js(\"({})\")\n o[\"error\"] = error\n o[\"bubbles\"] = bubbles\n
o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return o\n}\n\n/**\n * Exposes the JavaScript
[MediaDevices](https://developer.mozilla.org/en/docs/Web/API/MediaDevices) to Kotlin\n */\npublic external
abstract class MediaDevices : EventTarget {\n open var ondevicechange: ((Event) -> dynamic)?\n fun
enumerateDevices(): Promise<Array<MediaDeviceInfo>>\n fun getSupportedConstraints():
MediaTrackSupportedConstraints\n fun getUserMedia(constraints: MediaStreamConstraints = definedExternally):
Promise<MediaStream>\n}\n\n/**\n * Exposes the JavaScript
[MediaDeviceInfo](https://developer.mozilla.org/en/docs/Web/API/MediaDeviceInfo) to Kotlin\n */\npublic
external abstract class MediaDeviceInfo {\n open val deviceId: String\n open val kind: MediaDeviceKind\n
open val label: String\n open val groupId: String\n fun toJSON(): dynamic\n}\n\npublic external abstract class
InputDeviceInfo : MediaDeviceInfo {\n fun getCapabilities(): MediaTrackCapabilities\n}\n\n/**\n * Exposes the
JavaScript [MediaStreamConstraints](https://developer.mozilla.org/en/docs/Web/API/MediaStreamConstraints) to
Kotlin\n */\npublic external interface MediaStreamConstraints {\n var video: dynamic /* = false */\n get() =
definedExternally\n set(value) = definedExternally\n var audio: dynamic /* = false */\n get() =
definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun MediaStreamConstraints(video:
dynamic = false, audio: dynamic = false): MediaStreamConstraints {\n val o = js(\"({})\")\n o[\"video\"] =
video\n o[\"audio\"] = audio\n return o\n}\n\npublic external interface ConstrainingPattern {\n var
onoverconstrained: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n
fun getCapabilities(): Capabilities\n fun getConstraints(): Constraints\n fun getSettings(): Settings\n fun
applyConstraints(constraints: Constraints = definedExternally): Promise<Unit>\n}\n\n/**\n * Exposes the
JavaScript [DoubleRange](https://developer.mozilla.org/en/docs/Web/API/DoubleRange) to Kotlin\n */\npublic
external interface DoubleRange {\n var max: Double?\n get() = definedExternally\n set(value) =
definedExternally\n var min: Double?\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun DoubleRange(max: Double? =
undefined, min: Double? = undefined): DoubleRange {\n val o = js(\"({})\")\n o[\"max\"] = max\n o[\"min\"] =
min\n return o\n}\n\npublic external interface ConstrainDoubleRange : DoubleRange {\n var exact: Double?\n
get() = definedExternally\n set(value) = definedExternally\n var ideal: Double?\n get() =
definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ConstrainDoubleRange(exact: Double?
= undefined, ideal: Double? = undefined, max: Double? = undefined, min: Double? = undefined):
ConstrainDoubleRange {\n val o = js(\"({})\")\n o[\"exact\"] = exact\n o[\"ideal\"] = ideal\n o[\"max\"] =
max\n o[\"min\"] = min\n return o\n}\n\npublic external interface ULongRange {\n var max: Int?\n get() =
definedExternally\n set(value) = definedExternally\n var min: Int?\n get() = definedExternally\n
set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ULongRange(max: Int? = undefined,
min: Int? = undefined): ULongRange {\n val o = js(\"({})\")\n o[\"max\"] = max\n o[\"min\"] = min\n return
o\n}\n\npublic external interface ConstrainULongRange : ULongRange {\n var exact: Int?\n get() =
definedExternally\n set(value) = definedExternally\n var ideal: Int?\n get() = definedExternally\n
set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ConstrainULongRange(exact: Int? =
undefined, ideal: Int? = undefined, max: Int? = undefined, min: Int? = undefined): ConstrainULongRange {\n
val o = js(\"({})\")\n o[\"exact\"] = exact\n o[\"ideal\"] = ideal\n o[\"max\"] = max\n o[\"min\"] = min\n
return o\n}\n\n/**\n * Exposes the JavaScript

```

```

[ConstrainBooleanParameters](https://developer.mozilla.org/en/docs/Web/API/ConstrainBooleanParameters) to
Kotlin\n *^\\npublic external interface ConstrainBooleanParameters {\n  var exact: Boolean?\n  get() =
definedExternally\n  set(value) = definedExternally\n  var ideal: Boolean?\n  get() = definedExternally\n
set(value) = definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun ConstrainBooleanParameters(exact:
Boolean? = undefined, ideal: Boolean? = undefined): ConstrainBooleanParameters {\n  val o = js("{}")\n
o["exact"] = exact\n  o["ideal"] = ideal\n  return o\n}\n\n/**\n * Exposes the JavaScript
[ConstrainDOMStringParameters](https://developer.mozilla.org/en/docs/Web/API/ConstrainDOMStringParameters)
to Kotlin\n *^\\npublic external interface ConstrainDOMStringParameters {\n  var exact: dynamic\n  get() =
definedExternally\n  set(value) = definedExternally\n  var ideal: dynamic\n  get() = definedExternally\n
set(value) = definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun
ConstrainDOMStringParameters(exact: dynamic = undefined, ideal: dynamic = undefined):
ConstrainDOMStringParameters {\n  val o = js("{}")\n  o["exact"] = exact\n  o["ideal"] = ideal\n  return
o\n}\n\npublic external interface Capabilities\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun Capabilities(): Capabilities {\n  val o
= js("{}")\n  return o\n}\n\npublic external interface Settings\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun Settings(): Settings {\n  val o =
js("{}")\n  return o\n}\n\npublic external interface ConstraintSet\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun ConstraintSet(): ConstraintSet {\n
val o = js("{}")\n  return o\n}\n\npublic external interface Constraints : ConstraintSet {\n  var advanced:
Array<ConstraintSet>?\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun Constraints(advanced:
Array<ConstraintSet>? = undefined): Constraints {\n  val o = js("{}")\n  o["advanced"] = advanced\n
return o\n}\n\n/* please, don't implement this interface!
*\n\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external
interface MediaStreamTrackState {\n  companion object\n}\n\npublic inline val
MediaStreamTrackState.Companion.LIVE: MediaStreamTrackState get() =
"live".asDynamic().unsafeCast<MediaStreamTrackState>()\n\npublic inline val
MediaStreamTrackState.Companion.ENDED: MediaStreamTrackState get() =
"ended".asDynamic().unsafeCast<MediaStreamTrackState>()\n\n/* please, don't implement this interface!
*\n\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external
interface VideoFacingModeEnum {\n  companion object\n}\n\npublic inline val
VideoFacingModeEnum.Companion.USER: VideoFacingModeEnum get() =
"user".asDynamic().unsafeCast<VideoFacingModeEnum>()\n\npublic inline val
VideoFacingModeEnum.Companion.ENVIRONMENT: VideoFacingModeEnum get() =
"environment".asDynamic().unsafeCast<VideoFacingModeEnum>()\n\npublic inline val
VideoFacingModeEnum.Companion.LEFT: VideoFacingModeEnum get() =
"left".asDynamic().unsafeCast<VideoFacingModeEnum>()\n\npublic inline val
VideoFacingModeEnum.Companion.RIGHT: VideoFacingModeEnum get() =
"right".asDynamic().unsafeCast<VideoFacingModeEnum>()\n\n/* please, don't implement this interface!
*\n\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external
interface VideoResizeModeEnum {\n  companion object\n}\n\npublic inline val
VideoResizeModeEnum.Companion.NONE: VideoResizeModeEnum get() =
"none".asDynamic().unsafeCast<VideoResizeModeEnum>()\n\npublic inline val
VideoResizeModeEnum.Companion.CROP_AND_SCALE: VideoResizeModeEnum get() = "crop-and-
scale".asDynamic().unsafeCast<VideoResizeModeEnum>()\n\n/* please, don't implement this interface!

```

```

*\n@jsName("\null")\n@Suppress("\NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external
interface MediaDeviceKind {\n  companion object\n}\n\npublic inline val
MediaDeviceKind.Companion.AUDIOINPUT: MediaDeviceKind get() =
"audioinput".asDynamic().unsafeCast<MediaDeviceKind>()\n\npublic inline val
MediaDeviceKind.Companion.AUDIOOUTPUT: MediaDeviceKind get() =
"audiooutput".asDynamic().unsafeCast<MediaDeviceKind>()\n\npublic inline val
MediaDeviceKind.Companion.VIDEOINPUT: MediaDeviceKind get() =
"videoinput".asDynamic().unsafeCast<MediaDeviceKind>()"/*\n * Copyright 2010-2021 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT
EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.dom.mediasource\n\nimport
kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\nimport org.w3c.dom.events.*\n\n/**\n * Exposes
the JavaScript [MediaSource](https://developer.mozilla.org/en/docs/Web/API/MediaSource) to Kotlin\n */\n\npublic
external open class MediaSource : EventTarget, MediaProvider {\n  open val sourceBuffers: SourceBufferList\n
open val activeSourceBuffers: SourceBufferList\n  open val readyState: ReadyState\n  var duration: Double\n
var onsourceopen: ((Event) -> dynamic)?\n  var onsourceended: ((Event) -> dynamic)?\n  var onsourceclose:
((Event) -> dynamic)?\n  fun addSourceBuffer(type: String): SourceBuffer\n  fun
removeSourceBuffer(sourceBuffer: SourceBuffer)\n  fun endOfStream(error: EndOfStreamError =
definedExternally)\n  fun setLiveSeekableRange(start: Double, end: Double)\n  fun clearLiveSeekableRange()\n\n
companion object {\n  fun isTypeSupported(type: String): Boolean\n  }\n}\n\n/**\n * Exposes the JavaScript
[SourceBuffer](https://developer.mozilla.org/en/docs/Web/API/SourceBuffer) to Kotlin\n */\n\npublic external
abstract class SourceBuffer : EventTarget {\n  open var mode: AppendMode\n  open val updating: Boolean\n
open val buffered: TimeRanges\n  open var timestampOffset: Double\n  open val audioTracks: AudioTrackList\n
open val videoTracks: VideoTrackList\n  open val textTracks: TextTrackList\n  open var appendWindowStart:
Double\n  open var appendWindowEnd: Double\n  open var onupdatestart: ((Event) -> dynamic)?\n  open var
onupdate: ((Event) -> dynamic)?\n  open var onupdateend: ((Event) -> dynamic)?\n  open var onerror: ((Event) ->
dynamic)?\n  open var onabort: ((Event) -> dynamic)?\n  fun appendBuffer(data: dynamic)\n  fun abort()\n  fun
remove(start: Double, end: Double)\n}\n\n/**\n * Exposes the JavaScript
[SourceBufferList](https://developer.mozilla.org/en/docs/Web/API/SourceBufferList) to Kotlin\n */\n\npublic
external abstract class SourceBufferList : EventTarget {\n  open val length: Int\n  open var onaddsourcebuffer:
((Event) -> dynamic)?\n  open var onremovesourcebuffer: ((Event) ->
dynamic)?\n}\n\n@Suppress("\INVISIBLE_REFERENCE",
"\INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun SourceBufferList.get(index:
Int): SourceBuffer? = asDynamic()[index]\n\n/* please, don't implement this interface!
*\n */\n\n*\n@jsName("\null")\n@Suppress("\NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external
interface ReadyState {\n  companion object\n}\n\npublic inline val ReadyState.Companion.CLOSED: ReadyState
get() = "closed".asDynamic().unsafeCast<ReadyState>()\n\npublic inline val ReadyState.Companion.OPEN:
ReadyState get() = "open".asDynamic().unsafeCast<ReadyState>()\n\npublic inline val
ReadyState.Companion.ENDED: ReadyState get() = "ended".asDynamic().unsafeCast<ReadyState>()\n\n/*
please, don't implement this interface!
*\n */\n\n*\n@jsName("\null")\n@Suppress("\NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external
interface EndOfStreamError {\n  companion object\n}\n\npublic inline val
EndOfStreamError.Companion.NETWORK: EndOfStreamError get() =
"network".asDynamic().unsafeCast<EndOfStreamError>()\n\npublic inline val
EndOfStreamError.Companion.DECODE: EndOfStreamError get() =
"decode".asDynamic().unsafeCast<EndOfStreamError>()\n\n/* please, don't implement this interface!
*\n */\n\n*\n@jsName("\null")\n@Suppress("\NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external
interface AppendMode {\n  companion object\n}\n\npublic inline val AppendMode.Companion.SEGMENTS:

```

```

AppendMode get() = \"segments\".asDynamic().unsafeCast<AppendMode>()\n\npublic inline val
AppendMode.Companion.SEQUENCE: AppendMode get() =
\"sequence\".asDynamic().unsafeCast<AppendMode>()\"/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n\n//
See github.com/kotlin/dukat for details\n\npackage org.w3c.dom.pointerevents\n\nimport kotlin.js.*\nimport
org.khronos.webgl.*\nimport org.w3c.dom.*\nimport org.w3c.dom.events.*\n\npublic external interface
PointerEventInit : MouseEventInit {\n    var pointerId: Int? /* = 0 */\n        get() = definedExternally\n
set(value) = definedExternally\n    var width: Double? /* = 1.0 */\n        get() = definedExternally\n
set(value) = definedExternally\n    var height: Double? /* = 1.0 */\n        get() = definedExternally\n
set(value) = definedExternally\n    var pressure: Float? /* = 0f */\n        get() = definedExternally\n
set(value) = definedExternally\n    var tangentialPressure: Float? /* = 0f */\n        get() = definedExternally\n
set(value) = definedExternally\n    var tiltX: Int? /* = 0 */\n        get() = definedExternally\n
set(value) = definedExternally\n    var tiltY: Int? /* = 0 */\n        get() = definedExternally\n
set(value) = definedExternally\n    var twist: Int? /* =
0 */\n        get() = definedExternally\n        set(value) = definedExternally\n    var pointerType: String? /* = \"\" */\n
        get() = definedExternally\n        set(value) = definedExternally\n    var isPrimary: Boolean? /* = false */\n
        get() = definedExternally\n        set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun PointerEventInit(pointerId: Int? = 0,
width: Double? = 1.0, height: Double? = 1.0, pressure: Float? = 0f, tangentialPressure: Float? = 0f, tiltX: Int? = 0,
tiltY: Int? = 0, twist: Int? = 0, pointerType: String? = \"\", isPrimary: Boolean? = false, screenX: Int? = 0, screenY:
Int? = 0, clientX: Int? = 0, clientY: Int? = 0, button: Short? = 0, buttons: Short? = 0, relatedTarget: EventTarget? =
null, region: String? = null, ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? = false,
metaKey: Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn:
Boolean? = false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false, modifierNumLock:
Boolean? = false, modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false, modifierSymbol:
Boolean? = false, modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles:
Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): PointerEventInit {\n    val o =
js(\"({})\")\n    o[\"pointerId\"] = pointerId\n    o[\"width\"] = width\n    o[\"height\"] = height\n    o[\"pressure\"] =
pressure\n    o[\"tangentialPressure\"] = tangentialPressure\n    o[\"tiltX\"] = tiltX\n    o[\"tiltY\"] = tiltY\n
o[\"twist\"] = twist\n    o[\"pointerType\"] = pointerType\n    o[\"isPrimary\"] = isPrimary\n    o[\"screenX\"] =
screenX\n    o[\"screenY\"] = screenY\n    o[\"clientX\"] = clientX\n    o[\"clientY\"] = clientY\n    o[\"button\"] =
button\n    o[\"buttons\"] = buttons\n    o[\"relatedTarget\"] = relatedTarget\n    o[\"region\"] = region\n
o[\"ctrlKey\"] = ctrlKey\n    o[\"shiftKey\"] = shiftKey\n    o[\"altKey\"] = altKey\n    o[\"metaKey\"] = metaKey\n
o[\"modifierAltGraph\"] = modifierAltGraph\n    o[\"modifierCapsLock\"] = modifierCapsLock\n
o[\"modifierFn\"] = modifierFn\n    o[\"modifierFnLock\"] = modifierFnLock\n    o[\"modifierHyper\"] =
modifierHyper\n    o[\"modifierNumLock\"] = modifierNumLock\n    o[\"modifierScrollLock\"] =
modifierScrollLock\n    o[\"modifierSuper\"] = modifierSuper\n    o[\"modifierSymbol\"] = modifierSymbol\n
o[\"modifierSymbolLock\"] = modifierSymbolLock\n    o[\"view\"] = view\n    o[\"detail\"] = detail\n
o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n    return
o\n}\n\n/*\n * Exposes the JavaScript
[PointerEvent](https://developer.mozilla.org/en/docs/Web/API/PointerEvent) to Kotlin\n */\n\npublic external open
class PointerEvent(type: String, eventInitDict: PointerEventInit = definedExternally) : MouseEvent {\n    open val
pointerId: Int\n    open val width: Double\n    open val height: Double\n    open val pressure: Float\n    open val
tangentialPressure: Float\n    open val tiltX: Int\n    open val tiltY: Int\n    open val twist: Int\n    open val
pointerType: String\n    open val isPrimary: Boolean\n\n    companion object {\n        val NONE: Short\n        val
CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val BUBBLING_PHASE: Short\n    }\n}\n\n/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS

```

```

FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage
org.w3c.dom.svg\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\nimport
org.w3c.dom.css.*\n\n/**\n * Exposes the JavaScript
[SVGElement](https://developer.mozilla.org/en/docs/Web/API/SVGElement) to Kotlin\n\n\npublic external
abstract class SVGElement : Element, ElementCSSInlineStyle, GlobalEventHandlers, SVGElementInstance {\n
open val dataset: DOMStringMap\n open val ownerSVGElement: SVGSVGElement?\n open val
viewportElement: SVGElement?\n open var tabIndex: Int\n fun focus()\n fun blur()\n\n companion object
{\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n
val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val
ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE:
Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external interface
SVGBoundingBoxOptions {\n var fill: Boolean? /* = true */\n get() = definedExternally\n set(value) =
definedExternally\n var stroke: Boolean? /* = false */\n get() = definedExternally\n set(value) =
definedExternally\n var markers: Boolean? /* = false */\n get() = definedExternally\n set(value) =
definedExternally\n var clipped: Boolean? /* = false */\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun SVGBoundingBoxOptions(fill:
Boolean? = true, stroke: Boolean? = false, markers: Boolean? = false, clipped: Boolean? = false):
SVGBoundingBoxOptions {\n val o = js(\"({})\")\n o[\"fill\"] = fill\n o[\"stroke\"] = stroke\n o[\"markers\"]
= markers\n o[\"clipped\"] = clipped\n return o\n}\n\n/**\n * Exposes the JavaScript
[SVGGraphicsElement](https://developer.mozilla.org/en/docs/Web/API/SVGGraphicsElement) to Kotlin\n\n\npublic external abstract class SVGGraphicsElement : SVGElement, SVGTests {\n open val transform:
SVGAnimatedTransformList\n fun getBBox(options: SVGBoundingBoxOptions = definedExternally):
DOMRect\n fun getCTM(): DOMMatrix?\n fun getScreenCTM(): DOMMatrix?\n\n companion object {\n
val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[SVGGeometryElement](https://developer.mozilla.org/en/docs/Web/API/SVGGeometryElement) to Kotlin\n\n\npublic external abstract class SVGGeometryElement : SVGGraphicsElement {\n open val pathLength:
SVGAnimatedNumber\n fun isPointInFill(point: DOMPoint): Boolean\n fun isPointInStroke(point: DOMPoint):
Boolean\n fun getTotalLength(): Float\n fun getPointAtLength(distance: Float): DOMPoint\n\n companion
object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE:
Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val
ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE:
Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n

```

```

    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[SVGNumber](https://developer.mozilla.org/en/docs/Web/API/SVGNumber) to Kotlin \n * \n public external
abstract class SVGNumber { \n    open var value: Float \n} \n \n /** \n * Exposes the JavaScript
[SVGLength](https://developer.mozilla.org/en/docs/Web/API/SVGLength) to Kotlin \n * \n public external
abstract class SVGLength { \n    open val unitType: Short\n    open var value: Float\n    open var valueInSpecifiedUnits:
Float\n    open var valueAsString: String\n    fun newValueSpecifiedUnits(unitType: Short, valueInSpecifiedUnits:
Float)\n    fun convertToSpecifiedUnits(unitType: Short)\n\n    companion object { \n        val
SVG_LENGTHTYPE_UNKNOWN: Short\n        val SVG_LENGTHTYPE_NUMBER: Short\n        val
SVG_LENGTHTYPE_PERCENTAGE: Short\n        val SVG_LENGTHTYPE_EMS: Short\n        val
SVG_LENGTHTYPE_EXS: Short\n        val SVG_LENGTHTYPE_PX: Short\n        val
SVG_LENGTHTYPE_CM: Short\n        val SVG_LENGTHTYPE_MM: Short\n        val
SVG_LENGTHTYPE_IN: Short\n        val SVG_LENGTHTYPE_PT: Short\n        val SVG_LENGTHTYPE_PC:
Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[SVGAngle](https://developer.mozilla.org/en/docs/Web/API/SVGAngle) to Kotlin \n * \n public external
abstract class SVGAngle { \n    open val unitType: Short\n    open var value: Float\n    open var valueInSpecifiedUnits:
Float\n    open var valueAsString: String\n    fun newValueSpecifiedUnits(unitType: Short, valueInSpecifiedUnits:
Float)\n    fun convertToSpecifiedUnits(unitType: Short)\n\n    companion object { \n        val
SVG_ANGLETYPE_UNKNOWN: Short\n        val SVG_ANGLETYPE_UNSPECIFIED: Short\n        val
SVG_ANGLETYPE_DEG: Short\n        val SVG_ANGLETYPE_RAD: Short\n        val
SVG_ANGLETYPE_GRAD: Short\n    } \n} \n \n public external abstract class SVGNameList { \n    open val length:
Int\n    open val numberOfItems: Int\n    fun clear()\n    fun initialize(newItem: dynamic): dynamic\n    fun
insertItemBefore(newItem: dynamic, index: Int): dynamic\n    fun replaceItem(newItem: dynamic, index: Int):
dynamic\n    fun removeItem(index: Int): dynamic\n    fun appendItem(newItem: dynamic): dynamic\n    fun
getItem(index: Int): dynamic\n} \n \n @Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER") \n @kotlin.internal.InlineOnly \n public inline operator fun SVGNameList.get(index: Int):
dynamic = asDynamic()[index] \n \n @Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER") \n @kotlin.internal.InlineOnly \n public inline operator fun SVGNameList.set(index: Int,
newItem: dynamic) { asDynamic()[index] = newItem } \n \n /** \n * Exposes the JavaScript
[SVGNumberList](https://developer.mozilla.org/en/docs/Web/API/SVGNumberList) to Kotlin \n * \n public external
abstract class SVGNumberList { \n    open val length: Int\n    open val numberOfItems: Int\n    fun clear()\n    fun
initialize(newItem: SVGNumber): SVGNumber\n    fun insertItemBefore(newItem: SVGNumber, index: Int):
SVGNumber\n    fun replaceItem(newItem: SVGNumber, index: Int): SVGNumber\n    fun removeItem(index: Int):
SVGNumber\n    fun appendItem(newItem: SVGNumber): SVGNumber\n    fun getItem(index: Int):
SVGNumber\n} \n \n @Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER") \n @kotlin.internal.InlineOnly \n public inline operator fun SVGNumberList.get(index:
Int): SVGNumber? = asDynamic()[index] \n \n @Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER") \n @kotlin.internal.InlineOnly \n public inline operator fun SVGNumberList.set(index:
Int, newItem: SVGNumber) { asDynamic()[index] = newItem } \n \n /** \n * Exposes the JavaScript
[SVGLengthList](https://developer.mozilla.org/en/docs/Web/API/SVGLengthList) to Kotlin \n * \n public external
abstract class SVGLengthList { \n    open val length: Int\n    open val numberOfItems: Int\n    fun clear()\n    fun
initialize(newItem: SVGLength): SVGLength\n    fun insertItemBefore(newItem: SVGLength, index: Int):
SVGLength\n    fun replaceItem(newItem: SVGLength, index: Int): SVGLength\n    fun removeItem(index: Int):
SVGLength\n    fun appendItem(newItem: SVGLength): SVGLength\n    fun getItem(index: Int):
SVGLength\n} \n \n @Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER") \n @kotlin.internal.InlineOnly \n public inline operator fun SVGLengthList.get(index:
Int): SVGLength? = asDynamic()[index] \n \n @Suppress("INVISIBLE_REFERENCE",

```



```

\@kotlin.internal.InlineOnly\npublic inline operator fun SVGLengthList.set(index: Int,
newItem: SVGLength) { asDynamic()[index] = newItem }\n\n/**\n * Exposes the JavaScript
[SVGAnimatedBoolean](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedBoolean) to Kotlin\n
*\npublic external abstract class SVGAnimatedBoolean {\n  open var baseVal: Boolean\n  open val animVal:
Boolean\n}\n\n/**\n * Exposes the JavaScript
[SVGAnimatedEnumeration](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedEnumeration) to
Kotlin\n *\npublic external abstract class SVGAnimatedEnumeration {\n  open var baseVal: Short\n  open val
animVal: Short\n}\n\n/**\n * Exposes the JavaScript
[SVGAnimatedInteger](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedInteger) to Kotlin\n
*\npublic external abstract class SVGAnimatedInteger {\n  open var baseVal: Int\n  open val animVal:
Int\n}\n\n/**\n * Exposes the JavaScript
[SVGAnimatedNumber](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedNumber) to Kotlin\n
*\npublic external abstract class SVGAnimatedNumber {\n  open var baseVal: Float\n  open val animVal:
Float\n}\n\n/**\n * Exposes the JavaScript
[SVGAnimatedLength](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedLength) to Kotlin\n
*\npublic external abstract class SVGAnimatedLength {\n  open val baseVal: SVGLength\n  open val animVal:
SVGLength\n}\n\n/**\n * Exposes the JavaScript
[SVGAnimatedAngle](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedAngle) to Kotlin\n *\npublic
external abstract class SVGAnimatedAngle {\n  open val baseVal: SVGAngle\n  open val animVal:
SVGAngle\n}\n\n/**\n * Exposes the JavaScript
[SVGAnimatedString](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedString) to Kotlin\n *\npublic
external abstract class SVGAnimatedString {\n  open var baseVal: String\n  open val animVal: String\n}\n\n/**\n
 * Exposes the JavaScript [SVGAnimatedRect](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedRect)
to Kotlin\n *\npublic external abstract class SVGAnimatedRect {\n  open val baseVal: DOMRect\n  open val
animVal: DOMRectReadOnly\n}\n\n/**\n * Exposes the JavaScript
[SVGAnimatedNumberList](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedNumberList) to Kotlin\n
*\npublic external abstract class SVGAnimatedNumberList {\n  open val baseVal: SVGNumberList\n  open val
animVal: SVGNumberList\n}\n\n/**\n * Exposes the JavaScript
[SVGAnimatedLengthList](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedLengthList) to Kotlin\n
*\npublic external abstract class SVGAnimatedLengthList {\n  open val baseVal: SVGLengthList\n  open val
animVal: SVGLengthList\n}\n\n/**\n * Exposes the JavaScript
[SVGStringList](https://developer.mozilla.org/en/docs/Web/API/SVGStringList) to Kotlin\n *\npublic external
abstract class SVGStringList {\n  open val length: Int\n  open val numberOfItems: Int\n  fun clear()\n  fun
initialize(newItem: String): String\n  fun insertItemBefore(newItem: String, index: Int): String\n  fun
replaceItem(newItem: String, index: Int): String\n  fun removeItem(index: Int): String\n  fun
appendItem(newItem: String): String\n  fun getItem(index: Int):
String\n}\n\n@Suppress(\\"INVISIBLE_REFERENCE\",
\\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGStringList.get(index:
Int): String? = asDynamic()[index]\n\n@Suppress(\\"INVISIBLE_REFERENCE\",
\\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGStringList.set(index: Int,
newItem: String) { asDynamic()[index] = newItem }\n\n/**\n * Exposes the JavaScript
[SVGUnitTypes](https://developer.mozilla.org/en/docs/Web/API/SVGUnitTypes) to Kotlin\n
*\n@Suppress(\\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface SVGUnitTypes
{\n  companion object {\n    val SVG_UNIT_TYPE_UNKNOWN: Short\n    val
SVG_UNIT_TYPE_USERSPACEONUSE: Short\n    val SVG_UNIT_TYPE_OBJECTBOUNDINGBOX:
Short\n  }\n}\n\n/**\n * Exposes the JavaScript
[SVGTTests](https://developer.mozilla.org/en/docs/Web/API/SVGTTests) to Kotlin\n *\npublic external interface
SVGTTests {\n  val requiredExtensions: SVGStringList\n  val systemLanguage: SVGStringList\n}\n\npublic

```

```

external interface SVGFitToViewBox {\n  val viewBox: SVGAnimatedRect\n  val preserveAspectRatio:
SVGAnimatedPreserveAspectRatio}\n\n/**\n * Exposes the JavaScript
[SVGZoomAndPan](https://developer.mozilla.org/en/docs/Web/API/SVGZoomAndPan) to Kotlin\n
*/\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external interface
SVGZoomAndPan {\n  var zoomAndPan: Short\n\n  companion object {\n    val
SVG_ZOOMANDPAN_UNKNOWN: Short\n    val SVG_ZOOMANDPAN_DISABLE: Short\n    val
SVG_ZOOMANDPAN_MAGNIFY: Short\n  }\n}\n\n/**\n * Exposes the JavaScript
[SVGURIReference](https://developer.mozilla.org/en/docs/Web/API/SVGURIReference) to Kotlin\n
*/\npublic
external interface SVGURIReference {\n  val href: SVGAnimatedString\n}\n\n/**\n * Exposes the JavaScript
[SVGSVGElement](https://developer.mozilla.org/en/docs/Web/API/SVGSVGElement) to Kotlin\n
*/\npublic
external abstract class SVGSVGElement : SVGGraphicsElement, SVGFitToViewBox, SVGZoomAndPan,
WindowEventHandlers {\n  open val x: SVGAnimatedLength\n  open val y: SVGAnimatedLength\n  open val
width: SVGAnimatedLength\n  open val height: SVGAnimatedLength\n  open var currentScale: Float\n  open
val currentTranslate: DOMPointReadOnly\n  fun getIntersectionList(rect: DOMRectReadOnly, referenceElement:
SVGElement?): NodeList\n  fun getEnclosureList(rect: DOMRectReadOnly, referenceElement: SVGElement?):
NodeList\n  fun checkIntersection(element: SVGElement, rect: DOMRectReadOnly): Boolean\n  fun
checkEnclosure(element: SVGElement, rect: DOMRectReadOnly): Boolean\n  fun deselectAll()\n  fun
createSVGNumber(): SVGNumber\n  fun createSVGLength(): SVGLength\n  fun createSVGAngle():
SVGAngle\n  fun createSVGPoint(): DOMPoint\n  fun createSVGMatrix(): DOMMatrix\n  fun
createSVGRect(): DOMRect\n  fun createSVGTransform(): SVGTransform\n  fun
createSVGTransformFromMatrix(matrix: DOMMatrixReadOnly): SVGTransform\n  fun
getElementById(elementId: String): Element\n  fun suspendRedraw(maxWaitMilliseconds: Int): Int\n  fun
unsuspendRedraw(suspendHandleID: Int)\n  fun unsuspendRedrawAll()\n  fun forceRedraw()\n\n  companion
object {\n    val SVG_ZOOMANDPAN_UNKNOWN: Short\n    val SVG_ZOOMANDPAN_DISABLE:
Short\n    val SVG_ZOOMANDPAN_MAGNIFY: Short\n    val ELEMENT_NODE: Short\n    val
ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val
ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n  }\n}\n\n/**\n * Exposes the JavaScript
[SVGGElement](https://developer.mozilla.org/en/docs/Web/API/SVGGElement) to Kotlin\n
*/\npublic external
abstract class SVGGElement : SVGGraphicsElement {\n  companion object {\n    val ELEMENT_NODE:
Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE:
Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n  }\n}\n\npublic external abstract class
SVGUnknownElement : SVGGraphicsElement {\n  companion object {\n    val ELEMENT_NODE: Short\n
val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n
val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val

```

```

PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGDefsElement](https://developer.mozilla.org/en/docs/Web/API/SVGDefsElement) to Kotlin\n */\npublic
external abstract class SVGDefsElement : SVGGraphicsElement {\n    companion object {\n    val
ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val
CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGDescElement](https://developer.mozilla.org/en/docs/Web/API/SVGDescElement) to Kotlin\n */\npublic
external abstract class SVGDescElement : SVGElement {\n    companion object {\n    val ELEMENT_NODE:
Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE:
Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGMetadataElement](https://developer.mozilla.org/en/docs/Web/API/SVGMetadataElement) to Kotlin\n
*/\npublic external abstract class SVGMetadataElement : SVGElement {\n    companion object {\n    val
ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val
CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGTitleElement](https://developer.mozilla.org/en/docs/Web/API/SVGTitleElement) to Kotlin\n */\npublic
external abstract class SVGTitleElement : SVGElement {\n    companion object {\n    val ELEMENT_NODE:
Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE:
Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n

```



```

DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n} \n\npublic external interface
GetSVGDocument { \n    fun getSVGDocument(): Document\n} \n\n/** \n * Exposes the JavaScript
[SVGStyleElement](https://developer.mozilla.org/en/docs/Web/API/SVGStyleElement) to Kotlin\n */ \n\npublic
external abstract class SVGStyleElement : SVGElement, LinkStyle { \n    open var type: String\n    open var media:
String\n    open var title: String\n\n    companion object { \n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n\n/** \n * Exposes the JavaScript
[SVGTransform](https://developer.mozilla.org/en/docs/Web/API/SVGTransform) to Kotlin\n */ \n\npublic external
abstract class SVGTransform { \n    open val type: Short\n    open val matrix: DOMMatrix\n    open val angle:
Float\n    fun setMatrix(matrix: DOMMatrixReadOnly)\n    fun setTranslate(tx: Float, ty: Float)\n    fun setScale(sx:
Float, sy: Float)\n    fun setRotate(angle: Float, cx: Float, cy: Float)\n    fun setSkewX(angle: Float)\n    fun
setSkewY(angle: Float)\n\n    companion object { \n        val SVG_TRANSFORM_UNKNOWN: Short\n        val
SVG_TRANSFORM_MATRIX: Short\n        val SVG_TRANSFORM_TRANSLATE: Short\n        val
SVG_TRANSFORM_SCALE: Short\n        val SVG_TRANSFORM_ROTATE: Short\n        val
SVG_TRANSFORM_SKEWX: Short\n        val SVG_TRANSFORM_SKEWY: Short\n    } \n} \n\n/** \n * Exposes
the JavaScript [SVGTransformList](https://developer.mozilla.org/en/docs/Web/API/SVGTransformList) to Kotlin\n
*/ \n\npublic external abstract class SVGTransformList { \n    open val length: Int\n    open val numberOfItems: Int\n
fun clear()\n    fun initialize(newItem: SVGTransform): SVGTransform\n    fun insertItemBefore(newItem:
SVGTransform, index: Int): SVGTransform\n    fun replaceItem(newItem: SVGTransform, index: Int):
SVGTransform\n    fun removeItem(index: Int): SVGTransform\n    fun appendItem(newItem: SVGTransform):
SVGTransform\n    fun createSVGTransformFromMatrix(matrix: DOMMatrixReadOnly): SVGTransform\n    fun
consolidate(): SVGTransform?\n    fun getItem(index: Int):
SVGTransform\n} \n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER") \n\n@kotlin.internal.InlineOnly \n\npublic inline operator fun SVGTransformList.get(index:
Int): SVGTransform? = asDynamic()[index] \n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER") \n\n@kotlin.internal.InlineOnly \n\npublic inline operator fun SVGTransformList.set(index:
Int, newItem: SVGTransform) { asDynamic()[index] = newItem } \n\n/** \n * Exposes the JavaScript
[SVGAnimatedTransformList](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedTransformList) to
Kotlin\n */ \n\npublic external abstract class SVGAnimatedTransformList { \n    open val baseVal:
SVGTransformList\n    open val animVal: SVGTransformList\n} \n\n/** \n * Exposes the JavaScript
[SVGPreserveAspectRatio](https://developer.mozilla.org/en/docs/Web/API/SVGPreserveAspectRatio) to Kotlin\n
*/ \n\npublic external abstract class SVGPreserveAspectRatio { \n    open var align: Short\n    open var meetOrSlice:
Short\n\n    companion object { \n        val SVG_PRESERVEASPECTRATIO_UNKNOWN: Short\n        val
SVG_PRESERVEASPECTRATIO_NONE: Short\n        val SVG_PRESERVEASPECTRATIO_XMINYMIN:
Short\n        val SVG_PRESERVEASPECTRATIO_XMIDYMIN: Short\n        val
SVG_PRESERVEASPECTRATIO_XMAXYMIN: Short\n        val
SVG_PRESERVEASPECTRATIO_XMINYMID: Short\n        val
SVG_PRESERVEASPECTRATIO_XMIDYMID: Short\n        val

```

```

SVG_PRESERVEASPECTRATIO_XMAXYMID: Short\n    val
SVG_PRESERVEASPECTRATIO_XMINYMAX: Short\n    val
SVG_PRESERVEASPECTRATIO_XMIDYMAX: Short\n    val
SVG_PRESERVEASPECTRATIO_XMAXYMAX: Short\n    val SVG_MEETORSLICE_UNKNOWN: Short\n
    val SVG_MEETORSLICE_MEET: Short\n    val SVG_MEETORSLICE_SLICE: Short\n    }\n}\n\n/**\n *
Exposes the JavaScript
[SVGAnimatedPreserveAspectRatio](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedPreserveAspect
Ratio) to Kotlin\n */\npublic external abstract class SVGAnimatedPreserveAspectRatio {\n    open val baseVal:
SVGPreserveAspectRatio\n    open val animVal: SVGPreserveAspectRatio\n}\n\n/**\n * Exposes the JavaScript
[SVGPathElement](https://developer.mozilla.org/en/docs/Web/API/SVGPathElement) to Kotlin\n */\npublic
external abstract class SVGPathElement : SVGGeometryElement {\n    companion object {\n        val
ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGRectElement](https://developer.mozilla.org/en/docs/Web/API/SVGRectElement) to Kotlin\n */\npublic
external abstract class SVGRectElement : SVGGeometryElement {\n    open val x: SVGAnimatedLength\n    open
val y: SVGAnimatedLength\n    open val width: SVGAnimatedLength\n    open val height: SVGAnimatedLength\n
    open val rx: SVGAnimatedLength\n    open val ry: SVGAnimatedLength\n\n    companion object {\n        val
ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGCircleElement](https://developer.mozilla.org/en/docs/Web/API/SVGCircleElement) to Kotlin\n */\npublic
external abstract class SVGCircleElement : SVGGeometryElement {\n    open val cx: SVGAnimatedLength\n
    open val cy: SVGAnimatedLength\n    open val r: SVGAnimatedLength\n\n    companion object {\n        val
ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGEllipseElement](https://developer.mozilla.org/en/docs/Web/API/SVGEllipseElement) to Kotlin\n */\npublic
external abstract class SVGEllipseElement : SVGGeometryElement {\n    open val cx: SVGAnimatedLength\n
    open val cy: SVGAnimatedLength\n    open val rx: SVGAnimatedLength\n    open val ry: SVGAnimatedLength\n}

```

```

companion object {
    val ELEMENT_NODE: Short
    val ATTRIBUTE_NODE: Short
    val TEXT_NODE: Short
    val CDATA_SECTION_NODE: Short
    val ENTITY_REFERENCE_NODE: Short
    val ENTITY_NODE: Short
    val PROCESSING_INSTRUCTION_NODE: Short
    val COMMENT_NODE: Short
    val DOCUMENT_NODE: Short
    val DOCUMENT_TYPE_NODE: Short
    val DOCUMENT_FRAGMENT_NODE: Short
    val NOTATION_NODE: Short
    val DOCUMENT_POSITION_DISCONNECTED: Short
    val DOCUMENT_POSITION_PRECEDING: Short
    val DOCUMENT_POSITION_FOLLOWING: Short
    val DOCUMENT_POSITION_CONTAINS: Short
    val DOCUMENT_POSITION_CONTAINED_BY: Short
}

DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short }
}

/** Exposes the JavaScript [SVGLineElement](https://developer.mozilla.org/en/docs/Web/API/SVGLineElement) to Kotlin
 */
@public external abstract class SVGLineElement : SVGGeometryElement {
    open val x1: SVGAnimatedLength
    open val y1: SVGAnimatedLength
    open val x2: SVGAnimatedLength
    open val y2: SVGAnimatedLength
}

companion object {
    val ELEMENT_NODE: Short
    val ATTRIBUTE_NODE: Short
    val TEXT_NODE: Short
    val CDATA_SECTION_NODE: Short
    val ENTITY_REFERENCE_NODE: Short
    val ENTITY_NODE: Short
    val PROCESSING_INSTRUCTION_NODE: Short
    val COMMENT_NODE: Short
    val DOCUMENT_NODE: Short
    val DOCUMENT_TYPE_NODE: Short
    val DOCUMENT_FRAGMENT_NODE: Short
    val NOTATION_NODE: Short
    val DOCUMENT_POSITION_DISCONNECTED: Short
    val DOCUMENT_POSITION_PRECEDING: Short
    val DOCUMENT_POSITION_FOLLOWING: Short
    val DOCUMENT_POSITION_CONTAINS: Short
    val DOCUMENT_POSITION_CONTAINED_BY: Short
}

DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short }
}

/** Exposes the JavaScript [SVGMeshElement](https://developer.mozilla.org/en/docs/Web/API/SVGMeshElement) to Kotlin
 */
@public external abstract class SVGMeshElement : SVGGeometryElement, SVGURIReference {
    companion object {
        val ELEMENT_NODE: Short
        val ATTRIBUTE_NODE: Short
        val TEXT_NODE: Short
        val CDATA_SECTION_NODE: Short
        val ENTITY_REFERENCE_NODE: Short
        val ENTITY_NODE: Short
        val PROCESSING_INSTRUCTION_NODE: Short
        val COMMENT_NODE: Short
        val DOCUMENT_NODE: Short
        val DOCUMENT_TYPE_NODE: Short
        val DOCUMENT_FRAGMENT_NODE: Short
        val NOTATION_NODE: Short
        val DOCUMENT_POSITION_DISCONNECTED: Short
        val DOCUMENT_POSITION_PRECEDING: Short
        val DOCUMENT_POSITION_FOLLOWING: Short
        val DOCUMENT_POSITION_CONTAINS: Short
        val DOCUMENT_POSITION_CONTAINED_BY: Short
    }

    DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short }
}

/** Exposes the JavaScript [SVGAnimatedPoints](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedPoints) to Kotlin
 */
@public external interface SVGAnimatedPoints {
    val points: SVGPointList
    val animatedPoints: SVGPointList
}

@public external abstract class SVGPointList {
    open val length: Int
    open val numberOfItems: Int
    fun clear()
    fun initialize(newItem: DOMPoint): DOMPoint
    fun insertItemBefore(newItem: DOMPoint, index: Int): DOMPoint
    fun replaceItem(newItem: DOMPoint, index: Int): DOMPoint
    fun removeItem(index: Int): DOMPoint
    fun appendItem(newItem: DOMPoint): DOMPoint
    fun getItem(index: Int): DOMPoint
}

@Suppress("INVISIBLE_REFERENCE", "INVISIBLE_MEMBER")
@kotlin.internal.InlineOnly
@public inline operator fun SVGPointList.get(index: Int): DOMPoint? = asDynamic()[index]

@Suppress("INVISIBLE_REFERENCE", "INVISIBLE_MEMBER")
@kotlin.internal.InlineOnly
@public inline operator fun SVGPointList.set(index: Int, newItem: DOMPoint) { asDynamic()[index] = newItem }

/** Exposes the JavaScript [SVGPolylineElement](https://developer.mozilla.org/en/docs/Web/API/SVGPolylineElement) to Kotlin
 */
@public external abstract class SVGPolylineElement : SVGGeometryElement, SVGAnimatedPoints {
    companion object {
        val ELEMENT_NODE: Short
        val ATTRIBUTE_NODE: Short
        val TEXT_NODE: Short
        val CDATA_SECTION_NODE: Short
        val ENTITY_REFERENCE_NODE: Short
        val ENTITY_NODE: Short
        val PROCESSING_INSTRUCTION_NODE: Short
        val COMMENT_NODE: Short
        val DOCUMENT_NODE: Short
        val DOCUMENT_TYPE_NODE: Short
        val DOCUMENT_FRAGMENT_NODE: Short
        val NOTATION_NODE: Short
        val DOCUMENT_POSITION_DISCONNECTED: Short
        val DOCUMENT_POSITION_PRECEDING: Short
        val DOCUMENT_POSITION_FOLLOWING: Short
        val DOCUMENT_POSITION_CONTAINS: Short
        val DOCUMENT_POSITION_CONTAINED_BY: Short
    }
}

```

```

COMMENT_NODE: Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n
    val DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGPolygonElement](https://developer.mozilla.org/en/docs/Web/API/SVGPolygonElement) to Kotlin\n
*\npublic external abstract class SVGPolygonElement : SVGGeometryElement, SVGAnimatedPoints {\n
companion object {\n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val
TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE:
Short\n    val ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val
COMMENT_NODE: Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n
    val DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGTextContentElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextContentElement) to Kotlin\n
*\npublic external abstract class SVGTextContentElement : SVGGraphicsElement {\n    open val textLength:
SVGAnimatedLength\n    open val lengthAdjust: SVGAnimatedEnumeration\n    fun getNumberOfChars(): Int\n
fun getComputedTextLength(): Float\n    fun getSubStringLength(charnum: Int, nchars: Int): Float\n    fun
getStartPositionOfChar(charnum: Int): DOMPoint\n    fun getEndPositionOfChar(charnum: Int): DOMPoint\n    fun
getExtentOfChar(charnum: Int): DOMRect\n    fun getRotationOfChar(charnum: Int): Float\n    fun
getCharNumAtPosition(point: DOMPoint): Int\n    fun selectSubString(charnum: Int, nchars: Int)\n\n    companion
object {\n    val LENGTHADJUST_UNKNOWN: Short\n    val LENGTHADJUST_SPACING: Short\n
    val LENGTHADJUST_SPACINGANDGLYPHS: Short\n    val ELEMENT_NODE: Short\n    val
ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val
ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGTextPositioningElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextPositioningElement) to
Kotlin\n
*\npublic external abstract class SVGTextPositioningElement : SVGTextContentElement {\n    open val x:
SVGAnimatedLengthList\n    open val y: SVGAnimatedLengthList\n    open val dx: SVGAnimatedLengthList\n
open val dy: SVGAnimatedLengthList\n    open val rotate: SVGAnimatedNumberList\n\n    companion object {\n
    val LENGTHADJUST_UNKNOWN: Short\n    val LENGTHADJUST_SPACING: Short\n    val
LENGTHADJUST_SPACINGANDGLYPHS: Short\n    val ELEMENT_NODE: Short\n    val
ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val
ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n

```



```

    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGTextElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextElement) to Kotlin\n *\npublic
external abstract class SVGTextElement : SVGTextPositioningElement {\n    companion object {\n        val
LENGTHADJUST_UNKNOWN: Short\n        val LENGTHADJUST_SPACING: Short\n        val
LENGTHADJUST_SPACINGANDGLYPHS: Short\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGTSpanElement](https://developer.mozilla.org/en/docs/Web/API/SVGTSpanElement) to Kotlin\n *\npublic
external abstract class SVGTSpanElement : SVGTextPositioningElement {\n    companion object {\n        val
LENGTHADJUST_UNKNOWN: Short\n        val LENGTHADJUST_SPACING: Short\n        val
LENGTHADJUST_SPACINGANDGLYPHS: Short\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGTextPathElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextPathElement) to Kotlin\n
*\npublic external abstract class SVGTextPathElement : SVGTextContentElement, SVGURIReference {\n    open
val startOffset: SVGAnimatedLength\n    open val method: SVGAnimatedEnumeration\n    open val spacing:
SVGAnimatedEnumeration\n\n    companion object {\n        val TEXTPATH_METHODTYPE_UNKNOWN:
Short\n        val TEXTPATH_METHODTYPE_ALIGN: Short\n        val
TEXTPATH_METHODTYPE_STRETCH: Short\n        val TEXTPATH_SPACINGTYPE_UNKNOWN: Short\n
        val TEXTPATH_SPACINGTYPE_AUTO: Short\n        val TEXTPATH_SPACINGTYPE_EXACT: Short\n
        val LENGTHADJUST_UNKNOWN: Short\n        val LENGTHADJUST_SPACING: Short\n        val
LENGTHADJUST_SPACINGANDGLYPHS: Short\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGImageElement](https://developer.mozilla.org/en/docs/Web/API/SVGImageElement) to Kotlin\n *\npublic
external abstract class SVGImageElement : SVGGraphicsElement, SVGURIReference,

```

```

HTMLorSVGImageElement {
    open val x: SVGAnimatedLength
    open val y: SVGAnimatedLength
    open val width: SVGAnimatedLength
    open val height: SVGAnimatedLength
    open val preserveAspectRatio: SVGAnimatedPreserveAspectRatio
    open var crossOrigin: String?
    companion object {
        val ELEMENT_NODE: Short
        val ATTRIBUTE_NODE: Short
        val TEXT_NODE: Short
        val CDATA_SECTION_NODE: Short
        val ENTITY_REFERENCE_NODE: Short
        val ENTITY_NODE: Short
        val PROCESSING_INSTRUCTION_NODE: Short
        val COMMENT_NODE: Short
        val DOCUMENT_NODE: Short
        val DOCUMENT_TYPE_NODE: Short
        val DOCUMENT_FRAGMENT_NODE: Short
        val NOTATION_NODE: Short
        val DOCUMENT_POSITION_DISCONNECTED: Short
        val DOCUMENT_POSITION_PRECEDING: Short
        val DOCUMENT_POSITION_FOLLOWING: Short
        val DOCUMENT_POSITION_CONTAINS: Short
        val DOCUMENT_POSITION_CONTAINED_BY: Short
        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short
    }
}

/**
 * Exposes the JavaScript [SVGForeignObjectElement](https://developer.mozilla.org/en/docs/Web/API/SVGForeignObjectElement) to Kotlin
 */
public external abstract class SVGForeignObjectElement : SVGGraphicsElement {
    open val x: SVGAnimatedLength
    open val y: SVGAnimatedLength
    open val width: SVGAnimatedLength
    open val height: SVGAnimatedLength
    companion object {
        val ELEMENT_NODE: Short
        val ATTRIBUTE_NODE: Short
        val TEXT_NODE: Short
        val CDATA_SECTION_NODE: Short
        val ENTITY_REFERENCE_NODE: Short
        val ENTITY_NODE: Short
        val PROCESSING_INSTRUCTION_NODE: Short
        val COMMENT_NODE: Short
        val DOCUMENT_NODE: Short
        val DOCUMENT_TYPE_NODE: Short
        val DOCUMENT_FRAGMENT_NODE: Short
        val NOTATION_NODE: Short
        val DOCUMENT_POSITION_DISCONNECTED: Short
        val DOCUMENT_POSITION_PRECEDING: Short
        val DOCUMENT_POSITION_FOLLOWING: Short
        val DOCUMENT_POSITION_CONTAINS: Short
        val DOCUMENT_POSITION_CONTAINED_BY: Short
        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short
    }
}

public external abstract class SVGMarkerElement : SVGElement, SVGFitToViewBox {
    open val refX: SVGAnimatedLength
    open val refY: SVGAnimatedLength
    open val markerUnits: SVGAnimatedEnumeration
    open val markerWidth: SVGAnimatedLength
    open val markerHeight: SVGAnimatedLength
    open val orientType: SVGAnimatedEnumeration
    open val orientAngle: SVGAnimatedAngle
    open var orient: String
    fun setOrientToAuto()
    fun setOrientToAngle(angle: SVGAngle)
    companion object {
        val SVG_MARKERUNITS_UNKNOWN: Short
        val SVG_MARKERUNITS_USERSPACEONUSE: Short
        val SVG_MARKERUNITS_STROKEWIDTH: Short
        val SVG_MARKER_ORIENT_UNKNOWN: Short
        val SVG_MARKER_ORIENT_AUTO: Short
        val SVG_MARKER_ORIENT_ANGLE: Short
        val ELEMENT_NODE: Short
        val ATTRIBUTE_NODE: Short
        val TEXT_NODE: Short
        val CDATA_SECTION_NODE: Short
        val ENTITY_REFERENCE_NODE: Short
        val ENTITY_NODE: Short
        val PROCESSING_INSTRUCTION_NODE: Short
        val COMMENT_NODE: Short
        val DOCUMENT_NODE: Short
        val DOCUMENT_TYPE_NODE: Short
        val DOCUMENT_FRAGMENT_NODE: Short
        val NOTATION_NODE: Short
        val DOCUMENT_POSITION_DISCONNECTED: Short
        val DOCUMENT_POSITION_PRECEDING: Short
        val DOCUMENT_POSITION_FOLLOWING: Short
        val DOCUMENT_POSITION_CONTAINS: Short
        val DOCUMENT_POSITION_CONTAINED_BY: Short
        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short
    }
}

/**
 * Exposes the JavaScript [SVGSolidcolorElement](https://developer.mozilla.org/en/docs/Web/API/SVGSolidcolorElement) to Kotlin
 */
public external abstract class SVGSolidcolorElement : SVGElement {
    companion object {
        val ELEMENT_NODE: Short
        val ATTRIBUTE_NODE: Short
        val TEXT_NODE: Short
        val CDATA_SECTION_NODE: Short
        val ENTITY_REFERENCE_NODE: Short
        val ENTITY_NODE: Short
        val PROCESSING_INSTRUCTION_NODE: Short
        val COMMENT_NODE: Short
        val DOCUMENT_NODE: Short
        val DOCUMENT_TYPE_NODE: Short
    }
}

```

```

DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[SVGGradientElement](https://developer.mozilla.org/en/docs/Web/API/SVGGradientElement) to Kotlin \n
*\npublic external abstract class SVGGradientElement : SVGElement, SVGURIReference, SVGUnitTypes { \n
open val gradientUnits: SVGAnimatedEnumeration \n    open val gradientTransform: SVGAnimatedTransformList \n
open val spreadMethod: SVGAnimatedEnumeration \n \n    companion object { \n        val
SVG_SPREADMETHOD_UNKNOWN: Short\n            val SVG_SPREADMETHOD_PAD: Short\n                val
SVG_SPREADMETHOD_REFLECT: Short\n                    val SVG_SPREADMETHOD_REPEAT: Short\n                        val
SVG_UNIT_TYPE_UNKNOWN: Short\n                            val SVG_UNIT_TYPE_USERSPACEONUSE: Short\n                                val
SVG_UNIT_TYPE_OBJECTBOUNDINGBOX: Short\n                                    val ELEMENT_NODE: Short\n                                        val
ATTRIBUTE_NODE: Short\n                                            val TEXT_NODE: Short\n                                                val CDATA_SECTION_NODE: Short\n                                                    val
ENTITY_REFERENCE_NODE: Short\n                                                        val ENTITY_NODE: Short\n                                                            val
PROCESSING_INSTRUCTION_NODE: Short\n                                                                val COMMENT_NODE: Short\n                                                                    val
DOCUMENT_NODE: Short\n                                                                        val DOCUMENT_TYPE_NODE: Short\n                                                                            val
DOCUMENT_FRAGMENT_NODE: Short\n                                                                                val NOTATION_NODE: Short\n                                                                                    val
DOCUMENT_POSITION_DISCONNECTED: Short\n                                                                                        val DOCUMENT_POSITION_PRECEDING: Short\n
                                                                                            val DOCUMENT_POSITION_FOLLOWING: Short\n
                                                                                                val DOCUMENT_POSITION_CONTAINS: Short\n
                                                                                                    val DOCUMENT_POSITION_CONTAINED_BY: Short\n
                                                                                                        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[SVGLinearGradientElement](https://developer.mozilla.org/en/docs/Web/API/SVGLinearGradientElement) to
Kotlin \n *\npublic external abstract class SVGLinearGradientElement : SVGGradientElement { \n    open val x1:
SVGAnimatedLength \n    open val y1: SVGAnimatedLength \n    open val x2: SVGAnimatedLength \n    open val
y2: SVGAnimatedLength \n \n    companion object { \n        val SVG_SPREADMETHOD_UNKNOWN: Short\n
            val SVG_SPREADMETHOD_PAD: Short\n                val SVG_SPREADMETHOD_REFLECT: Short\n                    val
SVG_SPREADMETHOD_REPEAT: Short\n                        val SVG_UNIT_TYPE_UNKNOWN: Short\n                            val
SVG_UNIT_TYPE_USERSPACEONUSE: Short\n                                val SVG_UNIT_TYPE_OBJECTBOUNDINGBOX:
Short\n                                    val ELEMENT_NODE: Short\n                                        val ATTRIBUTE_NODE: Short\n                                            val TEXT_NODE: Short\n                                                val CDATA_SECTION_NODE: Short\n                                                    val
ENTITY_REFERENCE_NODE: Short\n                                                        val ENTITY_NODE: Short\n                                                            val
PROCESSING_INSTRUCTION_NODE: Short\n                                                                val COMMENT_NODE:
Short\n                                                                    val DOCUMENT_NODE: Short\n                                                                        val DOCUMENT_TYPE_NODE: Short\n                                                                            val
DOCUMENT_FRAGMENT_NODE: Short\n                                                                                val NOTATION_NODE: Short\n                                                                                    val
DOCUMENT_POSITION_DISCONNECTED: Short\n                                                                                        val DOCUMENT_POSITION_PRECEDING: Short\n
                                                                                            val DOCUMENT_POSITION_FOLLOWING: Short\n
                                                                                                val DOCUMENT_POSITION_CONTAINS: Short\n
                                                                                                    val DOCUMENT_POSITION_CONTAINED_BY: Short\n
                                                                                                        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[SVGRadialGradientElement](https://developer.mozilla.org/en/docs/Web/API/SVGRadialGradientElement) to
Kotlin \n *\npublic external abstract class SVGRadialGradientElement : SVGGradientElement { \n    open val cx:
SVGAnimatedLength \n    open val cy: SVGAnimatedLength \n    open val r: SVGAnimatedLength \n    open val fx:
SVGAnimatedLength \n    open val fy: SVGAnimatedLength \n    open val fr: SVGAnimatedLength \n \n    companion
object { \n        val SVG_SPREADMETHOD_UNKNOWN: Short\n            val SVG_SPREADMETHOD_PAD:
Short\n                val SVG_SPREADMETHOD_REFLECT: Short\n                    val SVG_SPREADMETHOD_REPEAT:
Short\n                        val SVG_UNIT_TYPE_UNKNOWN: Short\n                            val SVG_UNIT_TYPE_USERSPACEONUSE:
Short\n                                val SVG_UNIT_TYPE_OBJECTBOUNDINGBOX: Short\n                                    val ELEMENT_NODE: Short\n                                        val ATTRIBUTE_NODE: Short\n                                            val TEXT_NODE: Short\n                                                val CDATA_SECTION_NODE: Short\n                                                    val
ENTITY_REFERENCE_NODE: Short\n                                                        val ENTITY_NODE: Short\n                                                            val

```

```

PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external abstract class
SVGMeshGradientElement : SVGGradientElement {\n    companion object {\n    val
SVG_SPREADMETHOD_UNKNOWN: Short\n    val SVG_SPREADMETHOD_PAD: Short\n    val
SVG_SPREADMETHOD_REFLECT: Short\n    val SVG_SPREADMETHOD_REPEAT: Short\n    val
SVG_UNIT_TYPE_UNKNOWN: Short\n    val SVG_UNIT_TYPE_USERSPACEONUSE: Short\n    val
SVG_UNIT_TYPE_OBJECTBOUNDINGBOX: Short\n    val ELEMENT_NODE: Short\n    val
ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val
ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external abstract class
SVGMeshrowElement : SVGElement {\n    companion object {\n    val ELEMENT_NODE: Short\n    val
ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val
ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external abstract class
SVGMeshpatchElement : SVGElement {\n    companion object {\n    val ELEMENT_NODE: Short\n    val
ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val
ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGStopElement](https://developer.mozilla.org/en/docs/Web/API/SVGStopElement) to Kotlin\n */\n\npublic
external abstract class SVGStopElement : SVGElement {\n    open val offset: SVGAnimatedNumber\n\n    companion object {\n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val
TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE:
Short\n    val ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val
COMMENT_NODE: Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n
    val DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val

```

```

DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGPatternElement](https://developer.mozilla.org/en/docs/Web/API/SVGPatternElement) to Kotlin\n *\npublic
external abstract class SVGPatternElement : SVGElement, SVGFitToViewBox, SVGURIReference,
SVGUnitTypes {\n    open val patternUnits: SVGAnimatedEnumeration\n    open val patternContentUnits:
SVGAnimatedEnumeration\n    open val patternTransform: SVGAnimatedTransformList\n    open val x:
SVGAnimatedLength\n    open val y: SVGAnimatedLength\n    open val width: SVGAnimatedLength\n    open val
height: SVGAnimatedLength\n\n    companion object {\n        val SVG_UNIT_TYPE_UNKNOWN: Short\n
val SVG_UNIT_TYPE_USERSPACEONUSE: Short\n        val SVG_UNIT_TYPE_OBJECTBOUNDINGBOX:
Short\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n
        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val
ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE:
Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external abstract class
SVGHatchElement : SVGElement {\n    companion object {\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external abstract class
SVGHatchpathElement : SVGElement {\n    companion object {\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGCursorElement](https://developer.mozilla.org/en/docs/Web/API/SVGCursorElement) to Kotlin\n *\npublic
external abstract class SVGCursorElement : SVGElement, SVGURIReference {\n    open val x:
SVGAnimatedLength\n    open val y: SVGAnimatedLength\n\n    companion object {\n        val
ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val

```

```

DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[SVGScriptElement](https://developer.mozilla.org/en/docs/Web/API/SVGScriptElement) to Kotlin \n * \n public
external abstract class SVGScriptElement : SVGElement, SVGURIReference, HTMLOrSVGScriptElement { \n
open var type: String \n    open var crossOrigin: String? \n \n    companion object { \n        val ELEMENT_NODE:
Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE:
Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[SVGElement](https://developer.mozilla.org/en/docs/Web/API/SVGElement) to Kotlin \n * \n public external
abstract class SVGElement : SVGGraphicsElement, SVGURIReference { \n    open val target:
SVGAnimatedString \n    open val download: SVGAnimatedString \n    open val rel: SVGAnimatedString \n    open
val relList: SVGAnimatedString \n    open val hreflang: SVGAnimatedString \n    open val type:
SVGAnimatedString \n \n    companion object { \n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[SVGViewElement](https://developer.mozilla.org/en/docs/Web/API/SVGViewElement) to Kotlin \n * \n public
external abstract class SVGViewElement : SVGElement, SVGFitToViewBox, SVGZoomAndPan { \n    companion
object { \n        val SVG_ZOOMANDPAN_UNKNOWN: Short\n        val SVG_ZOOMANDPAN_DISABLE:
Short\n        val SVG_ZOOMANDPAN_MAGNIFY: Short\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Copyright 2010-2021
JetBrains s.r.o. and Kotlin Programming Language contributors. \n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file. \n * \n \n // NOTE: THIS FILE IS AUTO-
GENERATED, DO NOT EDIT! \n // See github.com/kotlin/dukat for details \n \n package org.w3c.files \n \n import
kotlin.js.* \n import org.khronos.webgl.* \n import org.w3c.dom.* \n import org.w3c.dom.events.* \n import
org.w3c.xhr.* \n \n /** \n * Exposes the JavaScript [Blob](https://developer.mozilla.org/en/docs/Web/API/Blob) to

```

```

Kotlin\n *\npublic external open class Blob(blobParts: Array<dynamic> = definedExternally, options:
BlobPropertyBag = definedExternally) : MediaPlayer, ImageBitmapSource {\n  open val size: Number\n  open
val type: String\n  open val isClosed: Boolean\n  fun slice(start: Int = definedExternally, end: Int =
definedExternally, contentType: String = definedExternally): Blob\n  fun close()\n}\n\npublic external interface
BlobPropertyBag {\n  var type: String? /* = \"\" */\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun BlobPropertyBag(type: String? = \"\"):
BlobPropertyBag {\n  val o = js(\"({})\")\n  o[\"type\"] = type\n  return o\n}\n\n/**\n * Exposes the JavaScript
[File](https://developer.mozilla.org/en/docs/Web/API/File) to Kotlin\n *\npublic external open class File(fileBits:
Array<dynamic>, fileName: String, options: FilePropertyBag = definedExternally) : Blob {\n  open val name:
String\n  open val lastModified: Int\n}\n\npublic external interface FilePropertyBag : BlobPropertyBag {\n  var
lastModified: Int?\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun FilePropertyBag(lastModified: Int? =
undefined, type: String? = \"\"): FilePropertyBag {\n  val o = js(\"({})\")\n  o[\"lastModified\"] = lastModified\n
o[\"type\"] = type\n  return o\n}\n\n/**\n * Exposes the JavaScript
[FileList](https://developer.mozilla.org/en/docs/Web/API/FileList) to Kotlin\n *\npublic external abstract class
FileList : ItemArrayLike<File> {\n  override fun item(index: Int):
File?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun FileList.get(index: Int): File?
= asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[FileReader](https://developer.mozilla.org/en/docs/Web/API/FileReader) to Kotlin\n *\npublic external open class
FileReader : EventTarget {\n  open val readyState: Short\n  open val result: dynamic\n  open val error:
dynamic\n  var onloadstart: ((ProgressEvent) -> dynamic)?\n  var onprogress: ((ProgressEvent) -> dynamic)?\n
var onload: ((Event) -> dynamic)?\n  var onabort: ((Event) -> dynamic)?\n  var onerror: ((Event) -> dynamic)?\n
var onloadend: ((Event) -> dynamic)?\n  fun readAsArrayBuffer(blob: Blob)\n  fun readAsBinaryString(blob:
Blob)\n  fun readAsText(blob: Blob, label: String = definedExternally)\n  fun readAsDataURL(blob: Blob)\n
fun abort()\n\n  companion object {\n    val EMPTY: Short\n    val LOADING: Short\n    val DONE:
Short\n  }\n}\n\n/**\n * Exposes the JavaScript
[FileReaderSync](https://developer.mozilla.org/en/docs/Web/API/FileReaderSync) to Kotlin\n *\npublic external
open class FileReaderSync {\n  fun readAsArrayBuffer(blob: Blob): ArrayBuffer\n  fun readAsBinaryString(blob:
Blob): String\n  fun readAsText(blob: Blob, label: String = definedExternally): String\n  fun
readAsDataURL(blob: Blob): String\n}\n\n/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n *\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See
github.com/kotlin/dukat for details\n\npackage org.w3c.notifications\n\nimport kotlin.js.*\nimport
org.khronos.webgl.*\nimport org.w3c.dom.events.*\nimport org.w3c.workers.*\n\n/**\n * Exposes the JavaScript
[Notification](https://developer.mozilla.org/en/docs/Web/API/Notification) to Kotlin\n *\npublic external open
class Notification(title: String, options: NotificationOptions = definedExternally) : EventTarget {\n  var onclick:
((MouseEvent) -> dynamic)?\n  var onerror: ((Event) -> dynamic)?\n  open val title: String\n  open val dir:
NotificationDirection\n  open val lang: String\n  open val body: String\n  open val tag: String\n  open val
image: String\n  open val icon: String\n  open val badge: String\n  open val sound: String\n  open val vibrate:
Array<out Int>\n  open val timestamp: Number\n  open val renotify: Boolean\n  open val silent: Boolean\n
open val noscreen: Boolean\n  open val requireInteraction: Boolean\n  open val sticky: Boolean\n  open val data:
Any?\n  open val actions: Array<out NotificationAction>\n  fun close()\n\n  companion object {\n    val
permission: NotificationPermission\n    val maxActions: Int\n    fun requestPermission(deprecatedCallback:
(NotificationPermission) -> Unit = definedExternally): Promise<NotificationPermission>\n  }\n}\n\npublic
external interface NotificationOptions {\n  var dir: NotificationDirection? /* = NotificationDirection.AUTO */\n

```

```

get() = definedExternally\n    set(value) = definedExternally\n    var lang: String? /* = \"\" */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var body: String? /* = \"\" */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var tag: String? /* = \"\" */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var image: String?\n    get() = definedExternally\n
set(value) = definedExternally\n    var icon: String?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var badge: String?\n    get() = definedExternally\n    set(value) = definedExternally\n
var sound: String?\n    get() = definedExternally\n    set(value) = definedExternally\n    var vibrate: dynamic\n
get() = definedExternally\n    set(value) = definedExternally\n    var timestamp: Number?\n    get() =
definedExternally\n    set(value) = definedExternally\n    var renotify: Boolean? /* = false */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var silent: Boolean? /* = false */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var noscreen: Boolean? /* = false */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var requireInteraction: Boolean? /* = false */\n    get()
= definedExternally\n    set(value) = definedExternally\n    var sticky: Boolean? /* = false */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var data: Any? /* = null */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var actions: Array<NotificationAction>? /* = arrayOf()
*/\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun NotificationOptions(dir:
NotificationDirection? = NotificationDirection.AUTO, lang: String? = \"\", body: String? = \"\", tag: String? = \"\",
image: String? = undefined, icon: String? = undefined, badge: String? = undefined, sound: String? = undefined,
vibrate: dynamic = undefined, timestamp: Number? = undefined, renotify: Boolean? = false, silent: Boolean? =
false, noscreen: Boolean? = false, requireInteraction: Boolean? = false, sticky: Boolean? = false, data: Any? = null,
actions: Array<NotificationAction>? = arrayOf()): NotificationOptions {\n    val o = js(\"({})\")\n    o[\"dir\"] = dir\n
o[\"lang\"] = lang\n    o[\"body\"] = body\n    o[\"tag\"] = tag\n    o[\"image\"] = image\n    o[\"icon\"] = icon\n
o[\"badge\"] = badge\n    o[\"sound\"] = sound\n    o[\"vibrate\"] = vibrate\n    o[\"timestamp\"] = timestamp\n
o[\"renotify\"] = renotify\n    o[\"silent\"] = silent\n    o[\"noscreen\"] = noscreen\n    o[\"requireInteraction\"] =
requireInteraction\n    o[\"sticky\"] = sticky\n    o[\"data\"] = data\n    o[\"actions\"] = actions\n    return
o\n}\n\npublic external interface NotificationAction {\n    var action: String?\n    var title: String?\n    var icon:
String?\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun NotificationAction(action: String?,
title: String?, icon: String? = undefined): NotificationAction {\n    val o = js(\"({})\")\n    o[\"action\"] = action\n
o[\"title\"] = title\n    o[\"icon\"] = icon\n    return o\n}\n\npublic external interface GetNotificationOptions {\n    var
tag: String? /* = \"\" */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun GetNotificationOptions(tag: String? =
\" \"): GetNotificationOptions {\n    val o = js(\"({})\")\n    o[\"tag\"] = tag\n    return o\n}\n\n/**\n * Exposes the
JavaScript [NotificationEvent](https://developer.mozilla.org/en/docs/Web/API/NotificationEvent) to Kotlin\n
*/\n\npublic external open class NotificationEvent(type: String, eventInitDict: NotificationEventInit) :
ExtendableEvent {\n    open val notification: Notification\n    open val action: String\n\n    companion object {\n
val NONE: Short\n    val CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val
BUBBLING_PHASE: Short\n    }\n}\n\npublic external interface NotificationEventInit : ExtendableEventInit {\n
var notification: Notification?\n    var action: String? /* = \"\" */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun NotificationEventInit(notification:
Notification?, action: String? = \"\", bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? =
false): NotificationEventInit {\n    val o = js(\"({})\")\n    o[\"notification\"] = notification\n    o[\"action\"] =
action\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n    return

```



```

o\n}\n\n/* please, don't implement this interface!
*\n@JsName("\null")\n@Suppress("\NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external
interface NotificationPermission {\n    companion object\n}\n\npublic inline val
NotificationPermission.Companion.DEFAULT: NotificationPermission get() =
"\default".asDynamic().unsafeCast<NotificationPermission>()\n\npublic inline val
NotificationPermission.Companion.DENIED: NotificationPermission get() =
"\denied".asDynamic().unsafeCast<NotificationPermission>()\n\npublic inline val
NotificationPermission.Companion.GRANTED: NotificationPermission get() =
"\granted".asDynamic().unsafeCast<NotificationPermission>()\n\n/* please, don't implement this interface!
*\n@JsName("\null")\n@Suppress("\NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external
interface NotificationDirection {\n    companion object\n}\n\npublic inline val
NotificationDirection.Companion.AUTO: NotificationDirection get() =
"\auto".asDynamic().unsafeCast<NotificationDirection>()\n\npublic inline val
NotificationDirection.Companion.LTR: NotificationDirection get() =
"\ltr".asDynamic().unsafeCast<NotificationDirection>()\n\npublic inline val
NotificationDirection.Companion.RTL: NotificationDirection get() =
"\rtl".asDynamic().unsafeCast<NotificationDirection>()"}\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n *\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n\n//
See github.com/kotlin/dukat for details\n\npackage org.w3c.workers\n\nimport kotlin.js.*\nimport
org.khronos.webgl.*\nimport org.w3c.dom.*\nimport org.w3c.dom.events.*\nimport org.w3c.fetch.*\nimport
org.w3c.notifications.*\n\n/**\n * Exposes the JavaScript
[ServiceWorker](https://developer.mozilla.org/en/docs/Web/API/ServiceWorker) to Kotlin\n *\n\npublic external
abstract class ServiceWorker : EventTarget, AbstractWorker, UnionMessagePortOrServiceWorker,
UnionClientOrMessagePortOrServiceWorker {\n    open val scriptURL: String\n    open val state:
ServiceWorkerState\n    open var onstatechange: ((Event) -> dynamic)?\n    fun postMessage(message: Any?,
transfer: Array<dynamic> = definedExternally)\n}\n\n/**\n * Exposes the JavaScript
[ServiceWorkerRegistration](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerRegistration) to
Kotlin\n *\n\npublic external abstract class ServiceWorkerRegistration : EventTarget {\n    open val installing:
ServiceWorker?\n    open val waiting: ServiceWorker?\n    open val active: ServiceWorker?\n    open val scope:
String\n    open var onupdatefound: ((Event) -> dynamic)?\n    open val APISpace: dynamic\n    fun update():
Promise<Unit>\n    fun unregister(): Promise<Boolean>\n    fun showNotification(title: String, options:
NotificationOptions = definedExternally): Promise<Unit>\n    fun getNotifications(filter: GetNotificationOptions =
definedExternally): Promise<Array<Notification>>\n    fun methodName(): Promise<dynamic>\n}\n\n/**\n *
Exposes the JavaScript
[ServiceWorkerContainer](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerContainer) to Kotlin\n
*\n\npublic external abstract class ServiceWorkerContainer : EventTarget {\n    open val controller:
ServiceWorker?\n    open val ready: Promise<ServiceWorkerRegistration>\n    open var oncontrollerchange:
((Event) -> dynamic)?\n    open var onmessage: ((MessageEvent) -> dynamic)?\n    fun register(scriptURL: String,
options: RegistrationOptions = definedExternally): Promise<ServiceWorkerRegistration>\n    fun
getRegistration(clientURL: String = definedExternally): Promise<Any?>\n    fun getRegistrations():
Promise<Array<ServiceWorkerRegistration>>\n    fun startMessages()\n}\n\npublic external interface
RegistrationOptions {\n    var scope: String?\n    get() = definedExternally\n    set(value) = definedExternally\n
var type: WorkerType? /* = WorkerType.CLASSIC *\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@Suppress("\INVISIBLE_REFERENCE",
"\INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun RegistrationOptions(scope: String? =
undefined, type: WorkerType? = WorkerType.CLASSIC): RegistrationOptions {\n    val o = js("\{\}\")\n
o["scope"] = scope\n    o["type"] = type\n    return o\n}\n\n/**\n * Exposes the JavaScript

```

[ServiceWorkerMessageEvent](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerMessageEvent) to Kotlin

```

public external open class ServiceWorkerMessageEvent(type: String, eventInitDict: ServiceWorkerMessageEventInit = definedExternally) : Event {
    open val data: Any?
    open val origin: String
    open val lastEventId: String
    open val source: UnionMessagePortOrServiceWorker?
    open val ports: Array<out MessagePort>?
    companion object {
        val NONE: Short
        val CAPTURING_PHASE: Short
        val AT_TARGET: Short
        val BUBBLING_PHASE: Short
    }
    public external interface ServiceWorkerMessageEventInit : EventInit {
        var data: Any?
        get() = definedExternally
        set(value) = definedExternally
        var origin: String?
        get() = definedExternally
        set(value) = definedExternally
        var lastEventId: String?
        get() = definedExternally
        set(value) = definedExternally
        var source: UnionMessagePortOrServiceWorker?
        get() = definedExternally
        set(value) = definedExternally
        var ports: Array<MessagePort>?
        get() = definedExternally
        set(value) = definedExternally
    }
}
@Suppress("INVISIBLE_REFERENCE", "INVISIBLE_MEMBER")
@kotlin.internal.InlineOnly
public inline fun ServiceWorkerMessageEventInit(data: Any? = undefined, origin: String? = undefined, lastEventId: String? = undefined, source: UnionMessagePortOrServiceWorker? = undefined, ports: Array<MessagePort>? = undefined, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ServiceWorkerMessageEventInit {
    val o = js("{}")
    o["data"] = data
    o["origin"] = origin
    o["lastEventId"] = lastEventId
    o["source"] = source
    o["ports"] = ports
    o["bubbles"] = bubbles
    o["cancelable"] = cancelable
    o["composed"] = composed
    return o
}

```

\* Exposes the JavaScript

[ServiceWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerGlobalScope) to Kotlin

```

public external abstract class ServiceWorkerGlobalScope : WorkerGlobalScope {
    open val clients: Clients
    open val registration: ServiceWorkerRegistration
    open var oninstall: ((Event) -> dynamic)?
    open var onactivate: ((Event) -> dynamic)?
    open var onfetch: ((FetchEvent) -> dynamic)?
    open var onforeignfetch: ((Event) -> dynamic)?
    open var onmessage: ((MessageEvent) -> dynamic)?
    open var onnotificationclick: ((NotificationEvent) -> dynamic)?
    open var onnotificationclose: ((NotificationEvent) -> dynamic)?
    open var onfunctionalevent: ((Event) -> dynamic)?
    fun skipWaiting(): Promise<Unit>
}

```

\* Exposes the JavaScript

[Client](https://developer.mozilla.org/en/docs/Web/API/Client) to Kotlin

```

public external abstract class Client : UnionClientOrMessagePortOrServiceWorker {
    open val url: String
    open val frameType: FrameType
    open val id: String
    fun postMessage(message: Any?, transfer: Array<dynamic> = definedExternally)
}

```

\* Exposes the JavaScript

[WindowClient](https://developer.mozilla.org/en/docs/Web/API/WindowClient) to Kotlin

```

public external abstract class WindowClient : Client {
    open val visibilityState: dynamic
    open val focused: Boolean
    fun focus(): Promise<WindowClient>
    fun navigate(url: String): Promise<WindowClient>
}

```

\* Exposes the JavaScript

[Clients](https://developer.mozilla.org/en/docs/Web/API/Clients) to Kotlin

```

public external abstract class Clients {
    fun get(id: String): Promise<Any?>
    fun matchAll(options: ClientQueryOptions = definedExternally): Promise<Array<Client>>
    fun openWindow(url: String): Promise<WindowClient?>
    fun claim(): Promise<Unit>
}
public external interface ClientQueryOptions {
    var includeUncontrolled: Boolean?
    /* = false */
    get() = definedExternally
    set(value) = definedExternally
    var type: ClientType?
    /* = ClientType.WINDOW */
    get() = definedExternally
    set(value) = definedExternally
}
@Suppress("INVISIBLE_REFERENCE", "INVISIBLE_MEMBER")
@kotlin.internal.InlineOnly
public inline fun ClientQueryOptions(includeUncontrolled: Boolean? = false, type: ClientType? = ClientType.WINDOW): ClientQueryOptions {
    val o = js("{}")
    o["includeUncontrolled"] = includeUncontrolled
    o["type"] = type
    return o
}

```

\* Exposes the JavaScript

[ExtendableEvent](https://developer.mozilla.org/en/docs/Web/API/ExtendableEvent) to Kotlin

```

public external open class ExtendableEvent(type: String, eventInitDict: ExtendableEventInit = definedExternally) : Event {
    fun waitUntil(f: Promise<Any?>)
}
companion object {
    val NONE: Short
    val CAPTURING_PHASE:
}

```

```

Short\n    val AT_TARGET: Short\n    val BUBBLING_PHASE: Short\n    }\n}\n\npublic external interface
ExtendableEventInit : EventInit\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun ExtendableEventInit(bubbles:
Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ExtendableEventInit {\n    val o =
js(\"({})\")\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n    return o\n}\n\n/**\n * Exposes the JavaScript
[InstallEvent](https://developer.mozilla.org/en/docs/Web/API/InstallEvent) to Kotlin\n *\n\npublic external open
class InstallEvent(type: String, eventInitDict: ExtendableEventInit = definedExternally) : ExtendableEvent {\n    fun
registerForeignFetch(options: ForeignFetchOptions)\n\n    companion object {\n        val NONE: Short\n        val
CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val BUBBLING_PHASE: Short\n    }\n}\n\npublic external interface ForeignFetchOptions {\n    var scopes: Array<String>?\n    var origins:
Array<String>?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun ForeignFetchOptions(scopes:
Array<String>?, origins: Array<String>?): ForeignFetchOptions {\n    val o = js(\"({})\")\n    o[\"scopes\"] =
scopes\n    o[\"origins\"] = origins\n    return o\n}\n\n/**\n * Exposes the JavaScript
[FetchEvent](https://developer.mozilla.org/en/docs/Web/API/FetchEvent) to Kotlin\n *\n\npublic external open class
FetchEvent(type: String, eventInitDict: FetchEventInit) : ExtendableEvent {\n    open val request: Request\n    open
val clientId: String?\n    open val isReload: Boolean\n    fun respondWith(r: Promise<Response>)\n\n    companion
object {\n        val NONE: Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val
BUBBLING_PHASE: Short\n    }\n}\n\npublic external interface FetchEventInit : ExtendableEventInit {\n    var
request: Request?\n    var clientId: String? /* = null */\n    get() = definedExternally\n    set(value) =
definedExternally\n    var isReload: Boolean? /* = false */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun FetchEventInit(request: Request?,
clientId: String? = null, isReload: Boolean? = false, bubbles: Boolean? = false, cancelable: Boolean? = false,
composed: Boolean? = false): FetchEventInit {\n    val o = js(\"({})\")\n    o[\"request\"] = request\n    o[\"clientId\"]
= clientId\n    o[\"isReload\"] = isReload\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n    return o\n}\n\npublic external open class ForeignFetchEvent(type: String,
eventInitDict: ForeignFetchEventInit) : ExtendableEvent {\n    open val request: Request\n    open val origin:
String\n    fun respondWith(r: Promise<ForeignFetchResponse>)\n\n    companion object {\n        val NONE:
Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val BUBBLING_PHASE:
Short\n    }\n}\n\npublic external interface ForeignFetchEventInit : ExtendableEventInit {\n    var request:
Request?\n    var origin: String? /* = \"null\" */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun ForeignFetchEventInit(request:
Request?, origin: String? = \"null\", bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? =
false): ForeignFetchEventInit {\n    val o = js(\"({})\")\n    o[\"request\"] = request\n    o[\"origin\"] = origin\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n    return
o\n}\n\npublic external interface ForeignFetchResponse {\n    var response: Response?\n    var origin: String?\n    get() = definedExternally\n    set(value) = definedExternally\n    var headers: Array<String>?\n    get() =
definedExternally\n    set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun ForeignFetchResponse(response:
Response?, origin: String? = undefined, headers: Array<String>? = undefined): ForeignFetchResponse {\n    val o =
js(\"({})\")\n    o[\"response\"] = response\n    o[\"origin\"] = origin\n    o[\"headers\"] = headers\n    return
o\n}\n\n/**\n * Exposes the JavaScript
[ExtendableMessageEvent](https://developer.mozilla.org/en/docs/Web/API/ExtendableMessageEvent) to Kotlin\n *\n\npublic external open class ExtendableMessageEvent(type: String, eventInitDict: ExtendableMessageEventInit =
definedExternally) : ExtendableEvent {\n    open val data: Any?\n    open val origin: String\n    open val lastEventId:

```

```

String\n open val source: UnionClientOrMessagePortOrServiceWorker?\n open val ports: Array<out
MessagePort>?\n\n companion object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val
AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external interface
ExtendableMessageEventInit : ExtendableEventInit {\n var data: Any?\n get() = definedExternally\n
set(value) = definedExternally\n var origin: String?\n get() = definedExternally\n set(value) =
definedExternally\n var lastEventId: String?\n get() = definedExternally\n set(value) =
definedExternally\n var source: UnionClientOrMessagePortOrServiceWorker?\n get() = definedExternally\n
set(value) = definedExternally\n var ports: Array<MessagePort>?\n get() = definedExternally\n
set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ExtendableMessageEventInit(data:
Any? = undefined, origin: String? = undefined, lastEventId: String? = undefined, source:
UnionClientOrMessagePortOrServiceWorker? = undefined, ports: Array<MessagePort>? = undefined, bubbles:
Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ExtendableMessageEventInit {\n
val o = js(\"({})\")\n o[\"data\"] = data\n o[\"origin\"] = origin\n o[\"lastEventId\"] = lastEventId\n
o[\"source\"] = source\n o[\"ports\"] = ports\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n
o[\"composed\"] = composed\n return o\n}\n\n/**\n * Exposes the JavaScript
[Cache](https://developer.mozilla.org/en/docs/Web/API/Cache) to Kotlin\n */\npublic external abstract class Cache
{\n fun match(request: dynamic, options: CacheQueryOptions = definedExternally): Promise<Any?>\n fun
matchAll(request: dynamic = definedExternally, options: CacheQueryOptions = definedExternally):
Promise<Array<Response>>\n fun add(request: dynamic): Promise<Unit>\n fun addAll(requests:
Array<dynamic>): Promise<Unit>\n fun put(request: dynamic, response: Response): Promise<Unit>\n fun
delete(request: dynamic, options: CacheQueryOptions = definedExternally): Promise<Boolean>\n fun
keys(request: dynamic = definedExternally, options: CacheQueryOptions = definedExternally):
Promise<Array<Request>>\n}\n\npublic external interface CacheQueryOptions {\n var ignoreSearch: Boolean? /*
= false */\n get() = definedExternally\n set(value) = definedExternally\n var ignoreMethod: Boolean? /*
= false */\n get() = definedExternally\n set(value) = definedExternally\n var ignoreVary: Boolean? /*
= false */\n get() = definedExternally\n set(value) = definedExternally\n var cacheName: String?\n
get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun CacheQueryOptions(ignoreSearch:
Boolean? = false, ignoreMethod: Boolean? = false, ignoreVary: Boolean? = false, cacheName: String? = undefined):
CacheQueryOptions {\n val o = js(\"({})\")\n o[\"ignoreSearch\"] = ignoreSearch\n o[\"ignoreMethod\"] =
ignoreMethod\n o[\"ignoreVary\"] = ignoreVary\n o[\"cacheName\"] = cacheName\n return o\n}\n\npublic
external interface CacheBatchOperation {\n var type: String?\n get() = definedExternally\n set(value) =
definedExternally\n var request: Request?\n get() = definedExternally\n set(value) = definedExternally\n
var response: Response?\n get() = definedExternally\n set(value) = definedExternally\n var options:
CacheQueryOptions?\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun CacheBatchOperation(type: String? =
undefined, request: Request? = undefined, response: Response? = undefined, options: CacheQueryOptions? =
undefined): CacheBatchOperation {\n val o = js(\"({})\")\n o[\"type\"] = type\n o[\"request\"] = request\n
o[\"response\"] = response\n o[\"options\"] = options\n return o\n}\n\n/**\n * Exposes the JavaScript
[CacheStorage](https://developer.mozilla.org/en/docs/Web/API/CacheStorage) to Kotlin\n */\npublic external
abstract class CacheStorage {\n fun match(request: dynamic, options: CacheQueryOptions = definedExternally):
Promise<Any?>\n fun has(cacheName: String): Promise<Boolean>\n fun open(cacheName: String):
Promise<Cache>\n fun delete(cacheName: String): Promise<Boolean>\n fun keys():
Promise<Array<String>>\n}\n\npublic external open class FunctionalEvent : ExtendableEvent {\n companion
object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val
BUBBLING_PHASE: Short\n }\n}\n\npublic external interface UnionMessagePortOrServiceWorker\n\npublic

```

```

external interface UnionClientOrMessagePortOrServiceWorker\n\n/* please, don't implement this interface!
*\n@JsName("\null")\n@Suppress("\NESTED_CLASS_IN_EXTERNAL_INTERFACE")\n\npublic external
interface ServiceWorkerState {\n    companion object\n}\n\npublic inline val
ServiceWorkerState.Companion.INSTALLING: ServiceWorkerState get() =
"\installing".asDynamic().unsafeCast<ServiceWorkerState>()\n\npublic inline val
ServiceWorkerState.Companion.INSTALLED: ServiceWorkerState get() =
"\installed".asDynamic().unsafeCast<ServiceWorkerState>()\n\npublic inline val
ServiceWorkerState.Companion.ACTIVATING: ServiceWorkerState get() =
"\activating".asDynamic().unsafeCast<ServiceWorkerState>()\n\npublic inline val
ServiceWorkerState.Companion.ACTIVATED: ServiceWorkerState get() =
"\activated".asDynamic().unsafeCast<ServiceWorkerState>()\n\npublic inline val
ServiceWorkerState.Companion.REDUNDANT: ServiceWorkerState get() =
"\redundant".asDynamic().unsafeCast<ServiceWorkerState>()\n\n/* please, don't implement this interface!
*\n@JsName("\null")\n@Suppress("\NESTED_CLASS_IN_EXTERNAL_INTERFACE")\n\npublic external
interface FrameType {\n    companion object\n}\n\npublic inline val FrameType.Companion.AUXILIARY:
FrameType get() = "\auxiliary".asDynamic().unsafeCast<FrameType>()\n\npublic inline val
FrameType.Companion.TOP_LEVEL: FrameType get() = "\top-
level".asDynamic().unsafeCast<FrameType>()\n\npublic inline val FrameType.Companion.NESTED: FrameType
get() = "\nested".asDynamic().unsafeCast<FrameType>()\n\npublic inline val FrameType.Companion.NONE:
FrameType get() = "\none".asDynamic().unsafeCast<FrameType>()\n\n/* please, don't implement this interface!
*\n@JsName("\null")\n@Suppress("\NESTED_CLASS_IN_EXTERNAL_INTERFACE")\n\npublic external
interface ClientType {\n    companion object\n}\n\npublic inline val ClientType.Companion.WINDOW: ClientType
get() = "\window".asDynamic().unsafeCast<ClientType>()\n\npublic inline val ClientType.Companion.WORKER:
ClientType get() = "\worker".asDynamic().unsafeCast<ClientType>()\n\npublic inline val
ClientType.Companion.SHAREDWORKER: ClientType get() =
"\sharedworker".asDynamic().unsafeCast<ClientType>()\n\npublic inline val ClientType.Companion.ALL:
ClientType get() = "\all".asDynamic().unsafeCast<ClientType>()"}\n\n/*\n * Copyright 2010-2021 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n *\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT
EDIT!\n\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.xhr\n\nimport kotlin.js.*\nimport
org.khronos.webgl.*\nimport org.w3c.dom.*\nimport org.w3c.dom.events.*\nimport org.w3c.files.*\n\n/**\n *
Exposes the JavaScript
[XMLHttpRequestEventTarget](https://developer.mozilla.org/en/docs/Web/API/XMLHttpRequestEventTarget) to
Kotlin\n *\n\npublic external abstract class XMLHttpRequestEventTarget : EventTarget {\n    open var onloadstart:
((ProgressEvent) -> dynamic)?\n    open var onprogress: ((ProgressEvent) -> dynamic)?\n    open var onabort:
((Event) -> dynamic)?\n    open var onerror: ((Event) -> dynamic)?\n    open var onload: ((Event) -> dynamic)?\n
open var ontimeout: ((Event) -> dynamic)?\n    open var onloadend: ((Event) -> dynamic)?\n}\n\n\npublic external
abstract class XMLHttpRequestUpload : XMLHttpRequestEventTarget\n\n/**\n * Exposes the JavaScript
[XMLHttpRequest](https://developer.mozilla.org/en/docs/Web/API/XMLHttpRequest) to Kotlin\n *\n\npublic
external open class XMLHttpRequest : XMLHttpRequestEventTarget {\n    var onreadystatechange: ((Event) ->
dynamic)?\n    open val readyState: Short\n    var timeout: Int\n    var withCredentials: Boolean\n    open val upload:
XMLHttpRequestUpload\n    open val responseURL: String\n    open val status: Short\n    open val statusText:
String\n    var responseType: XMLHttpRequestResponseType\n    open val response: Any?\n    open val
responseText: String\n    open val responseXML: Document?\n    fun open(method: String, url: String)\n    fun
open(method: String, url: String, async: Boolean, username: String? = definedExternally, password: String? =
definedExternally)\n    fun setRequestHeader(name: String, value: String)\n    fun send(body: dynamic =
definedExternally)\n    fun abort()\n    fun getResponseHeader(name: String): String?\n    fun
getAllResponseHeaders(): String\n    fun overrideMimeType(mime: String)\n}\n\n    companion object {\n        val

```

```

UNSENT: Short\n    val OPENED: Short\n    val HEADERS_RECEIVED: Short\n    val LOADING:
Short\n    val DONE: Short\n } \n \n /** \n * Exposes the JavaScript
[FormData](https://developer.mozilla.org/en/docs/Web/API/FormData) to Kotlin \n * \n public external open class
FormData(form: HTMLFormElement = definedExternally) { \n    fun append(name: String, value: String) \n    fun
append(name: String, value: Blob, filename: String = definedExternally) \n    fun delete(name: String) \n    fun
get(name: String): dynamic \n    fun getAll(name: String): Array<dynamic> \n    fun has(name: String): Boolean \n
fun set(name: String, value: String) \n    fun set(name: String, value: Blob, filename: String =
definedExternally) \n } \n \n /** \n * Exposes the JavaScript
[ProgressEvent](https://developer.mozilla.org/en/docs/Web/API/ProgressEvent) to Kotlin \n * \n public external open
class ProgressEvent(type: String, eventInitDict: ProgressEventInit = definedExternally) : Event { \n    open val
lengthComputable: Boolean \n    open val loaded: Number \n    open val total: Number \n \n    companion object { \n
val NONE: Short\n    val CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val
BUBBLING_PHASE: Short\n } \n } \n \n public external interface ProgressEventInit : EventInit { \n    var
lengthComputable: Boolean? /* = false */ \n    get() = definedExternally \n    set(value) = definedExternally \n
var loaded: Number? /* = 0 */ \n    get() = definedExternally \n    set(value) = definedExternally \n    var total:
Number? /* = 0 */ \n    get() = definedExternally \n    set(value) =
definedExternally \n } \n \n @Suppress("\INVISIBLE_REFERENCE",
\INVISIBLE_MEMBER") \n @kotlin.internal.InlineOnly \n public inline fun ProgressEventInit(lengthComputable:
Boolean? = false, loaded: Number? = 0, total: Number? = 0, bubbles: Boolean? = false, cancelable: Boolean? =
false, composed: Boolean? = false): ProgressEventInit { \n    val o = js("{}") \n    o["lengthComputable"] =
lengthComputable \n    o["loaded"] = loaded \n    o["total"] = total \n    o["bubbles"] = bubbles \n
o["cancelable"] = cancelable \n    o["composed"] = composed \n    return o \n } \n \n /* please, don't implement this
interface! */ \n @JsName("\null") \n @Suppress("\NESTED_CLASS_IN_EXTERNAL_INTERFACE") \n public
external interface XMLHttpRequestResponseType { \n    companion object \n } \n \n public inline val
XMLHttpRequestResponseType.Companion.EMPTY: XMLHttpRequestResponseType get() =
\`\`\`.asDynamic().unsafeCast<XMLHttpRequestResponseType>() \n \n public inline val
XMLHttpRequestResponseType.Companion.ARRAYBUFFER: XMLHttpRequestResponseType get() =
\`arraybuffer\`.asDynamic().unsafeCast<XMLHttpRequestResponseType>() \n \n public inline val
XMLHttpRequestResponseType.Companion.BLOB: XMLHttpRequestResponseType get() =
\`blob\`.asDynamic().unsafeCast<XMLHttpRequestResponseType>() \n \n public inline val
XMLHttpRequestResponseType.Companion.DOCUMENT: XMLHttpRequestResponseType get() =
\`document\`.asDynamic().unsafeCast<XMLHttpRequestResponseType>() \n \n public inline val
XMLHttpRequestResponseType.Companion.JSON: XMLHttpRequestResponseType get() =
\`json\`.asDynamic().unsafeCast<XMLHttpRequestResponseType>() \n \n public inline val
XMLHttpRequestResponseType.Companion.TEXT: XMLHttpRequestResponseType get() =
\`text\`.asDynamic().unsafeCast<XMLHttpRequestResponseType>() \n \n /* \n * Copyright 2010-2018 JetBrains s.r.o.
and Kotlin Programming Language contributors. \n * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file. \n * \n \n package kotlin \n \n import
kotlin.annotation.AnnotationRetention.BINARY \n import kotlin.annotation.AnnotationRetention.SOURCE \n import
kotlin.annotation.AnnotationTarget.* \n import kotlin.internal.RequireKotlin \n import
kotlin.internal.RequireKotlinVersionKind \n import kotlin.reflect.KClass \n \n /** \n * Signals that the annotated
annotation class is a marker of an experimental API. \n * \n * Any declaration annotated with that marker is
considered an experimental declaration \n * and its call sites should accept the experimental aspect of it either by
using [UseExperimental], \n * or by being annotated with that marker themselves, effectively causing further
propagation of that experimental aspect. \n * \n * This class is deprecated in favor of a more general approach
provided by [RequiresOptIn]/[OptIn]. \n
*/ \n @Target(ANNOTATION_CLASS) \n @Retention(BINARY) \n @SinceKotlin("1.2") \n @RequireKotlin("1.2.50
\`, versionKind = RequireKotlinVersionKind.COMPILER_VERSION) \n @Deprecated("\Please use RequiresOptIn

```

```

instead.)\npublic annotation class Experimental(val level: Level = Level.ERROR) {\n    /**\n     * Severity of the diagnostic that should be reported on usages of experimental API which did not explicitly accept the experimental aspect\n     * of that API either by using [UseExperimental] or by being annotated with the corresponding marker annotation.\n     */\n    public enum class Level {\n        /** Specifies that a warning should be reported on incorrect usages of this experimental API. */\n        WARNING,\n        /** Specifies that an error should be reported on incorrect usages of this experimental API. */\n        ERROR,\n    }\n}\n/**\n * Allows to use experimental API denoted by the given markers in the annotated file, declaration, or expression.\n * If a declaration is annotated with [UseExperimental], its usages are not required to opt-in to that experimental API.\n * This class is deprecated in favor of a more general approach provided by [RequiresOptIn]/[OptIn].\n */\n@Target(\n    CLASS,\n    PROPERTY, LOCAL_VARIABLE, VALUE_PARAMETER, CONSTRUCTOR, FUNCTION,\n    PROPERTY_GETTER, PROPERTY_SETTER, EXPRESSION, FILE,\n    TYPEALIAS)\n@Retention(SOURCE)\n@SinceKotlin("1.2")\n@RequireKotlin("1.2.50", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\n@Deprecated("Please use OptIn instead.", ReplaceWith("OptIn(*markerClass)", "kotlin.OptIn"))\npublic annotation class UseExperimental(\n    vararg val markerClass: KClass<out Annotation>)\n\n@Target(CLASS, PROPERTY, CONSTRUCTOR, FUNCTION, TYPEALIAS)\n@Retention(BINARY)\ninternal annotation class WasExperimental(\n    vararg val markerClass: KClass<out Annotation>)\n\n", "package kotlin\n\nimport kotlin.annotation.AnnotationTarget.*\n\n/**\n * This annotation marks the standard library API that is considered experimental and is not subject to the\n * [general compatibility guarantees](https://kotlinlang.org/docs/reference/evolution/components-stability.html) given for the standard library:\n * the behavior of such API may be changed or the API may be removed completely in any further release.\n * > Beware using the annotated API especially if you're developing a library, since your library might become binary incompatible\n * with the future versions of the standard library.\n * Any usage of a declaration annotated with `@ExperimentalStdlibApi` must be accepted either by\n * annotating that usage with the [OptIn] annotation, e.g. `@OptIn(ExperimentalStdlibApi::class)`,\n * or by using the compiler argument `-Xopt-in=kotlin.ExperimentalStdlibApi`.\n */\n@Suppress("DEPRECATION")\n@Experimental(level = Experimental.Level.ERROR)\n@RequiresOptIn(level = RequiresOptIn.Level.ERROR)\n@Retention(AnnotationRetention.BINARY)\n@Target(\n    CLASS,\n    ANNOTATION_CLASS,\n    PROPERTY,\n    FIELD,\n    LOCAL_VARIABLE,\n    VALUE_PARAMETER,\n    CONSTRUCTOR,\n    FUNCTION,\n    PROPERTY_GETTER,\n    PROPERTY_SETTER,\n    TYPEALIAS)\n@MustBeDocumented\n@SinceKotlin("1.3")\npublic annotation class ExperimentalStdlibApi\n", "/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\npackage kotlin\n\nimport kotlin.annotation.AnnotationTarget.*\nimport kotlin.experimental.ExperimentalTypeInference\n\n/**\n * Allows to infer generic type arguments of a function from the calls in the annotated function parameter of that function.\n * When this annotation is placed on a generic function parameter of a function,\n * it enables to infer the type arguments of that generic function from the lambda body passed to that parameter.\n * The calls that affect inference are either members of the receiver type of an annotated function parameter or\n * extensions for that type. The extensions must be themselves annotated with `@BuilderInference`.\n * Example: we declare\n * ```\n * fun <T> sequence(@BuilderInference block: suspend SequenceScope<T>().-> Unit): Sequence<T>\n * ```\n * and use it like\n * ```\n * val result = sequence { yield("result") }\n * ```\n * Here the type argument of the resulting sequence is inferred to `String` from\n * the argument of the [SequenceScope.yield] function, that is called inside the lambda passed to [sequence].\n * Note: this annotation is experimental, see [ExperimentalTypeInference] on how to opt-in for it.\n */\n@Target(VALUE_PARAMETER, FUNCTION, PROPERTY)\n@Retention(AnnotationRetention.BINARY)\n@SinceKotlin("1.3")\n@ExperimentalTypeInference\npublic annotation class BuilderInference\n\n/**\n * Enables overload selection based on the type of the value returned from lambda argument.\n * When two or more function overloads have otherwise the same parameter lists that differ only in the return type\n * of a functional parameter, this annotation enables overload selection by the

```

type of the value returned from the lambda function passed to this functional parameter. Example: `@OverloadResolutionByLambdaReturnType fun create(intProducer: () -> Int): Int { fun create(doubleProducer: () -> Double): Double { val newValue = create { 3.14 } } }` The annotation being applied to one of overloads allows to resolve this ambiguity by analyzing what value is returned from the lambda function. This annotation is also used to discriminate the annotated overloads in case if overload selection still cannot choose one of them even taking in account the result of lambda parameter analysis. In that case a warning is reported. Note: this annotation is experimental, see [ExperimentalTypeInference] on how to opt-in for it.

```
*/@Target(FUNCTION)@Retention(AnnotationRetention.BINARY)@SinceKotlin("1.4")@ExperimentalTypeInference\npublic annotation class OverloadResolutionByLambdaReturnType", "/*\n * Copyright 2010-2018\n * JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the\n * Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\npackage kotlin\n\nimport\nkotlin.annotation.AnnotationTarget.*\nimport kotlin.internal.RequireKotlin\nimport\nkotlin.internal.RequireKotlinVersionKind\n\n/*\n * The experimental multiplatform support API marker.\n * Any usage of a declaration annotated with `@ExperimentalMultiplatform` must be accepted either by\n * annotating that usage with the [OptIn] annotation, e.g. `@OptIn(ExperimentalMultiplatform::class)`,\n * or by using the compiler argument `-Xopt-in=kotlin.ExperimentalMultiplatform`.
```

```
*/@Suppress("DEPRECATION")@Experimental@RequiresOptIn@MustBeDocumented@Target(\nCLASS,\n ANNOTATION_CLASS,\n PROPERTY,\n FIELD,\n LOCAL_VARIABLE,\n VALUE_PARAMETER,\n CONSTRUCTOR,\n FUNCTION,\n PROPERTY_GETTER,\n PROPERTY_SETTER,\n TYPEALIAS)\n@Retention(AnnotationRetention.BINARY)@RequireKotlin("1.2.50", versionKind =\nRequireKotlinVersionKind.COMPILER_VERSION)\npublic annotation class ExperimentalMultiplatform\n\n/*\n * Marks an expected annotation class that it isn't required to have actual counterparts in all platforms.\n * This annotation is only applicable to `expect` annotation classes in multi-platform projects and marks that class as\n * `optional`. Optional expected class is allowed to have no corresponding actual class on the platform. Optional\n * annotations can only be used to annotate something, not as types in signatures. If an optional annotation has no\n * corresponding actual class on a platform, the annotation entries where it's used are simply erased when\n * compiling code on that platform. Note: this annotation is experimental, see [ExperimentalMultiplatform] on\n * how to opt-in for it.
```

```
*/@Target(ANNOTATION_CLASS)@Retention(AnnotationRetention.BINARY)@ExperimentalMultiplatform\n@RequireKotlin("1.2.50", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\npublic\nannotation class OptionalExpectation\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming\n * Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the\n * license/LICENSE.txt file.\n */\npackage kotlin\n\nimport\nkotlin.annotation.AnnotationRetention.BINARY\nimport kotlin.annotation.AnnotationRetention.SOURCE\nimport\nkotlin.annotation.AnnotationTarget.*\nimport kotlin.internal.RequireKotlin\nimport\nkotlin.internal.RequireKotlinVersionKind\nimport kotlin.reflect.KClass\n\n/*\n * Signals that the annotated\n * annotation class is a marker of an API that requires an explicit opt-in.\n * Call sites of any declaration annotated\n * with that marker should opt in to the API either by using [OptIn],\n * or by being annotated with that marker\n * themselves, effectively causing further propagation of the opt-in requirement.\n * This class requires opt-in itself\n * and can only be used with the compiler argument `-Xopt-in=kotlin.RequiresOptIn`.\n * @property message\n * message to be reported on usages of API without an explicit opt-in, or empty string for the default message.
```

The default message is: "This declaration is experimental and its usage should be marked with 'Marker' or '@OptIn(Marker::class)', where 'Marker' is the opt-in requirement marker. @property level specifies how usages of API without an explicit opt-in are reported in code.

```
*/@Target(ANNOTATION_CLASS)@Retention(BINARY)@SinceKotlin("1.3")@RequireKotlin("1.3.70",\nversionKind = RequireKotlinVersionKind.COMPILER_VERSION)\npublic annotation class RequiresOptIn(\n
```



```

val message: String = "\",\n    val level: Level = Level.ERROR\n) {\n    /**\n     * Severity of the diagnostic that
should be reported on usages which did not explicitly opted into\n     * the API either by using [OptIn] or by being
annotated with the corresponding marker annotation.\n     */\n    public enum class Level {\n        /** Specifies that a
warning should be reported on incorrect usages of this API. */\n        WARNING,\n\n        /** Specifies that an error
should be reported on incorrect usages of this API. */\n        ERROR,\n    }\n}\n\n/**\n * Allows to use the API
denoted by the given markers in the annotated file, declaration, or expression.\n * If a declaration is annotated with
[OptIn], its usages are **not** required to opt in to that API.\n * This class requires opt-in itself and can only be
used with the compiler argument `Xopt-in=kotlin.RequiresOptIn`. */\n@Target(\n    CLASS, PROPERTY,
LOCAL_VARIABLE, VALUE_PARAMETER, CONSTRUCTOR, FUNCTION, PROPERTY_GETTER,
PROPERTY_SETTER, EXPRESSION, FILE,
TYPEALIAS\n)\n@Retention(SOURCE)\n@SinceKotlin("1.3")\n@RequireKotlin("1.3.70", versionKind =
RequireKotlinVersionKind.COMPILER_VERSION)\npublic annotation class OptIn(\n    vararg val markerClass:
KClass<out Annotation>\n)\n"/**\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\npackage kotlin.collections\n\nimport kotlin.js.JsName\n\n/**\n * Provides a skeletal
implementation of the read-only [Collection] interface.\n * @param E the type of elements contained in the
collection. The collection is covariant in its element type.\n */\n@SinceKotlin("1.1")\npublic abstract class
AbstractCollection<out E> protected constructor() : Collection<E> {\n    abstract override val size: Int\n    abstract
override fun iterator(): Iterator<E>\n\n    override fun contains(element: @UnsafeVariance E): Boolean = any { it
== element }\n\n    override fun containsAll(elements: Collection<@UnsafeVariance E>): Boolean =\n        elements.all { contains(it) } // use when js will support bound refs: elements.all(this::contains)\n\n    override fun
isEmpty(): Boolean = size == 0\n\n    override fun toString(): String = joinToString(", ", "[", "]") {\n        if (it
=== this) \"(this Collection)\" else it.toString()\n    }\n\n    /**\n     * Returns new array of type `Array<Any?>` with
the elements of this collection.\n     */\n    @JsName("toArray")\n    protected open fun toArray(): Array<Any?> =
copyToArrayImpl(this)\n\n    /**\n     * Fills the provided [array] or creates new array of the same type\n     * and
fills it with the elements of this collection.\n     */\n    protected open fun <T> toArray(array: Array<T>): Array<T>
= copyToArrayImpl(this, array)\n}\n"/**\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\nprivate enum class State {\n    Ready,\n    NotReady,\n    Done,\n    Failed\n}\n\n/**\n * A base class to simplify implementing iterators so that
implementations only have to implement [computeNext]\n * to implement the iterator, calling [done] when the
iteration is complete.\n */\npublic abstract class AbstractIterator<T> : Iterator<T> {\n    private var state =
State.NotReady\n    private var nextValue: T? = null\n\n    override fun hasNext(): Boolean {\n        require(state !=
State.Failed)\n        return when (state) {\n            State.Done -> false\n            State.Ready -> true\n            else ->
tryToComputeNext()\n        }\n    }\n\n    override fun next(): T {\n        if (!hasNext()) throw
NoSuchElementException()\n        state = State.NotReady\n        @Suppress("UNCHECKED_CAST")\n        return nextValue as T\n    }\n\n    private fun tryToComputeNext(): Boolean {\n        state = State.Failed\n        computeNext()\n        return state == State.Ready\n    }\n\n    /**\n     * Computes the next item in the iterator.\n     */\n    /**\n     * This callback method should call one of these two methods:\n     * * [setNext] with the next value of
the iteration\n     * * [done] to indicate there are no more elements\n     * * Failure to call either method will
result in the iteration terminating with a failed state\n     */\n    abstract protected fun computeNext(): Unit\n\n    /**\n     * Sets the next value in the iteration, called from the [computeNext] function\n     */\n    protected fun
setNext(value: T): Unit {\n        nextValue = value\n        state = State.Ready\n    }\n\n    /**\n     * Sets the state to
done so that the iteration terminates.\n     */\n    protected fun done() {\n        state = State.Done\n    }\n}\n\n"/**\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n/**\n * Based on
GWT AbstractList\n * Copyright 2007 Google Inc.\n */\npackage kotlin.collections\n\n/**\n * Provides a skeletal
implementation of the read-only [List] interface.\n * This class is intended to help implementing read-only lists

```

so it doesn't support concurrent modification tracking.

```

    @param E the type of elements contained in the list.
    The list is covariant in its element type.
    @SinceKotlin("1.1")
    public abstract class AbstractList<out E>
    protected constructor() : AbstractCollection<E>(), List<E> {
        abstract override val size: Int
        abstract override fun get(index: Int): E
        override fun iterator(): Iterator<E> = IteratorImpl()
        override fun indexOf(element: @UnsafeVariance E): Int = indexOfFirst { it == element }
        override fun lastIndexOf(element: @UnsafeVariance E): Int = indexOfLast { it == element }
        override fun listIterator(): ListIterator<E> = ListIteratorImpl()
        override fun listIterator(index: Int): ListIterator<E> = ListIteratorImpl(index)
        override fun subList(fromIndex: Int, toIndex: Int): List<E> = SubList(this, fromIndex, toIndex)
        private class SubList<out E>(private val list: AbstractList<E>, private val fromIndex: Int, toIndex: Int) : AbstractList<E>(),
        RandomAccess {
            private var _size: Int = 0
            init {
                checkRangeIndexes(fromIndex, toIndex, list.size)
                this._size = toIndex - fromIndex
            }
            override fun get(index: Int): E {
                checkElementIndex(index, _size)
                return list[fromIndex + index]
            }
            override val size: Int get() = _size
        }
        /**
         * Compares this list with other list instance with the ordered structural equality.
         * @return true, if [other] instance is a [List] of the same size, which contains the same elements in the same order.
         */
        override fun equals(other: Any?): Boolean {
            if (other === this) return true
            if (other !is List<*>) return false
            return orderedEquals(this, other)
        }
        /**
         * Returns the hash code value for this list.
         */
        override fun hashCode(): Int = orderedHashCode(this)
        private open inner class IteratorImpl : Iterator<E> {
            /** the index of the item that will be returned on the next call to [next]() */
            protected var index = 0
            override fun hasNext(): Boolean = index < size
            override fun next(): E {
                if (!hasNext()) throw NoSuchElementException()
                return get(index++)
            }
        }
        /**
         * Implementation of [ListIterator] for abstract lists.
         */
        private open inner class ListIteratorImpl(index: Int) : IteratorImpl(), ListIterator<E> {
            init {
                checkPositionIndex(index, this@AbstractList.size)
                this.index = index
            }
            override fun hasNext(): Boolean = index > 0
            override fun nextIndex(): Int = index
            override fun previous(): E {
                if (!hasPrevious()) throw NoSuchElementException()
                return get(--index)
            }
            override fun previousIndex(): Int = index - 1
        }
        internal companion object {
            internal fun checkElementIndex(index: Int, size: Int) {
                if (index < 0 || index >= size) {
                    throw IndexOutOfBoundsException("index: $index, size: $size")
                }
            }
            internal fun checkPositionIndex(index: Int, size: Int) {
                if (index < 0 || index > size) {
                    throw IndexOutOfBoundsException("index: $index, size: $size")
                }
            }
            internal fun checkRangeIndexes(fromIndex: Int, toIndex: Int, size: Int) {
                if (fromIndex < 0 || toIndex > size) {
                    throw IndexOutOfBoundsException("fromIndex: $fromIndex, toIndex: $toIndex, size: $size")
                }
                if (fromIndex > toIndex) {
                    throw IllegalArgumentException("fromIndex: $fromIndex > toIndex: $toIndex")
                }
            }
            internal fun checkBoundsIndexes(startIndex: Int, endIndex: Int, size: Int) {
                if (startIndex < 0 || endIndex > size) {
                    throw IndexOutOfBoundsException("startIndex: $startIndex, endIndex: $endIndex, size: $size")
                }
                if (startIndex > endIndex) {
                    throw IllegalArgumentException("startIndex: $startIndex > endIndex: $endIndex")
                }
            }
            internal fun orderedHashCode(c: Collection<*>): Int {
                var hashCode = 1
                for (e in c) {
                    hashCode = 31 * hashCode + (e?.hashCode() ?: 0)
                }
                return hashCode
            }
            internal fun orderedEquals(c: Collection<*>, other: Collection<*>): Boolean {
                if (c.size != other.size) return false
                val otherIterator = other.iterator()
                for (elem in c) {
                    val elemOther = otherIterator.next()
                    if (elem != elemOther) {
                        return false
                    }
                }
                return true
            }
        }
    }
}

```

/\*
 \* Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.
 \* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 \*/
 Based on GWT AbstractMap
 Copyright 2007 Google Inc.
 package kotlin.collections
 Provides a skeletal implementation of the read-only [Map] interface.
 The implementor is required to implement [entries] property, which should return read-only set of map entries.
 @param K the type of map keys. The map is invariant in its key type.
 @param V the type of map values. The map is covariant in its value type.
 @SinceKotlin("1.1")
 public abstract class AbstractMap<K, out V> protected constructor() : Map<K, V>

```

{\n\n  override fun containsKey(key: K): Boolean {\n      return implFindEntry(key) != null\n  }\n\n  override
fun containsValue(value: @UnsafeVariance V): Boolean = entries.any { it.value == value }\n\n  internal fun
containsEntry(entry: Map.Entry<*, *>?): Boolean {\n      // since entry comes from @UnsafeVariance parameters it
can be virtually anything\n      if (entry !is Map.Entry<*, *>) return false\n      val key = entry.key\n      val value
= entry.value\n      val ourValue = get(key)\n      if (value != ourValue) {\n          return false\n      }\n\n      //
Perhaps it was null and we don't contain the key?\n      if (ourValue == null && !containsKey(key)) {\n
return false\n      }\n\n      return true\n  }\n\n\n  /**\n   * Compares this map with other instance with the
ordered structural equality.\n   * @return true, if [other] instance is a [Map] of the same size, all entries of
which are contained in the [entries] set of this map.\n   */\n  override fun equals(other: Any?): Boolean {\n      if
(other === this) return true\n      if (other !is Map<*, *>) return false\n      if (size != other.size) return false\n\n
return other.entries.all { containsEntry(it) }\n  }\n\n  override operator fun get(key: K): V? =
implFindEntry(key)?.value\n\n\n  /**\n   * Returns the hash code value for this map.\n   * It is the same as
the hashCode of [entries] set.\n   */\n  override fun hashCode(): Int = entries.hashCode()\n\n  override fun
isEmpty(): Boolean = size == 0\n  override val size: Int get() = entries.size\n\n  /**\n   * Returns a read-only
[Set] of all keys in this map.\n   * Accessing this property first time creates a keys view from [entries].\n   *
All subsequent accesses just return the created instance.\n   */\n  override val keys: Set<K>\n      get() {\n
if (_keys == null) {\n          _keys = object : AbstractSet<K>() {\n              override operator fun
contains(element: K): Boolean = containsKey(element)\n              override operator fun iterator(): Iterator<K>
{\n                  val entryIterator = entries.iterator()\n                  return object : Iterator<K> {\n
override fun hasNext(): Boolean = entryIterator.hasNext()\n                  override fun next(): K =
entryIterator.next().key\n                  }\n              }\n              override val size: Int get() =
this@AbstractMap.size\n          }\n          return _keys!!\n      }\n      @kotlin.jvm.Volatile\n  private var _keys: Set<K>? = null\n\n  override fun toString(): String = entries.joinToString(", ", "\n", "\n") {
toString(it) }\n\n  private fun toString(entry: Map.Entry<K, V>): String = toString(entry.key) + "=" +
toString(entry.value)\n\n  private fun toString(o: Any?): String = if (o === this) "(this Map)" else o.toString()\n\n
/**\n   * Returns a read-only [Collection] of all values in this map.\n   * Accessing this property first time
creates a values view from [entries].\n   * All subsequent accesses just return the created instance.\n   */\n
override val values: Collection<V>\n      get() {\n          if (_values == null) {\n              _values = object :
AbstractCollection<V>() {\n                  override operator fun contains(element: @UnsafeVariance V): Boolean =
containsValue(element)\n                  override operator fun iterator(): Iterator<V> {\n                      val
entryIterator = entries.iterator()\n                      return object : Iterator<V> {\n                          override fun
hasNext(): Boolean = entryIterator.hasNext()\n                          override fun next(): V = entryIterator.next().value\n
                      }\n                  }\n                  override val size: Int get() = this@AbstractMap.size\n              }\n
              return _values!!\n          }\n          @kotlin.jvm.Volatile\n  private var _values: Collection<V>? = null\n\n
private fun implFindEntry(key: K): Map.Entry<K, V>? = entries.firstOrNull { it.key == key }\n\n  internal
companion object {\n      internal fun entryHashCode(e: Map.Entry<*, *>): Int = with(e) { (key?.hashCode() ?:
0) xor (value?.hashCode() ?: 0) }\n      internal fun entryToString(e: Map.Entry<*, *>): String = with(e) {
"\$key=\$value" }\n      internal fun entryEquals(e: Map.Entry<*, *>, other: Any?): Boolean {\n          if (other !is
Map.Entry<*, *>) return false\n          return e.key == other.key && e.value == other.value\n      }\n  }\n\n\n
"/**\n   * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n   * Use of
this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n   */\n
*\npackage kotlin.collections\n\n/**\n   * Provides a skeletal implementation of the read-only [Set] interface.\n   */\n
*\nThis class is intended to help implementing read-only sets so it doesn't support concurrent modification tracking.\n
*\n   * @param E the type of elements contained in the set. The set is covariant in its element type.\n   */\n
*\n   * @SinceKotlin("1.1")\n   */\npublic abstract class AbstractSet<out E> protected constructor() :
AbstractCollection<E>(), Set<E> {\n\n    /**\n     * Compares this set with other set instance with the unordered
structural equality.\n     * @return true, if [other] instance is a [Set] of the same size, all elements of which are
contained in this set.\n     */\n    override fun equals(other: Any?): Boolean {\n        if (other === this) return true\n

```

```

    if (other !is Set<*>) return false\n    return setEquals(this, other)\n  }\n\n  /**\n   * Returns the hash code value for this set.\n   */\n  override fun hashCode(): Int = unorderedHashCode(this)\n\n  internal companion object {\n    internal fun unorderedHashCode(c: Collection<*>): Int {\n      var hashCode = 0\n      for (element in c) {\n        hashCode += (element?.hashCode() ?: 0)\n      }\n      return hashCode\n    }\n\n    internal fun setEquals(c: Set<*>, other: Set<*>): Boolean {\n      if (c.size != other.size) return false\n      return c.containsAll(other)\n    }\n  }\n\n  }", "/**\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n/**\n * Resizable-array implementation of the deque data structure.\n *\n * The name deque is short for "double ended queue" and is usually pronounced "deck".\n *\n * The collection provide methods for convenient access to the both ends.\n * It also implements [MutableList] interface and supports efficient get/set operations by index.\n */\n\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic class ArrayDeque<E> : AbstractMutableList<E> {\n  private var head: Int = 0\n  private var elementData: Array<Any?>\n\n  override var size: Int = 0\n  private set\n\n  /**\n   * Constructs an empty deque with specified [initialCapacity], or throws [IllegalArgumentException] if [initialCapacity] is negative.\n   */\n  public constructor(initialCapacity: Int) {\n    elementData = when {\n      initialCapacity == 0 -> emptyElementData\n      initialCapacity > 0 -> arrayOfNulls(initialCapacity)\n      else -> throw IllegalArgumentException("Illegal Capacity: $initialCapacity")\n    }\n  }\n\n  /**\n   * Constructs an empty deque.\n   */\n  public constructor() {\n    elementData = emptyElementData\n  }\n\n  /**\n   * Constructs a deque that contains the same elements as the specified [elements] collection in the same order.\n   */\n  public constructor(elements: Collection<E>) {\n    elementData = elements.toArray()\n    size = elementData.size\n    if (elementData.isEmpty())\n      elementData = emptyElementData\n  }\n\n  /**\n   * Ensures that the capacity of this deque is at least equal to the specified [minCapacity].\n   *\n   * If the current capacity is less than the [minCapacity], a new backing storage is allocated with greater capacity.\n   * Otherwise, this method takes no action and simply returns.\n   */\n  private fun ensureCapacity(minCapacity: Int) {\n    if (minCapacity < 0) throw IllegalStateException("Deque is too big.") // overflow\n    if (minCapacity <= elementData.size) return\n    if (elementData === emptyElementData) {\n      elementData = arrayOfNulls(minCapacity.coerceAtLeast(defaultMinCapacity))\n      return\n    }\n    val newCapacity = newCapacity(elementData.size, minCapacity)\n    copyElements(newCapacity)\n  }\n\n  /**\n   * Creates a new array with the specified [newCapacity] size and copies elements in the [elementData] array to it.\n   */\n  private fun copyElements(newCapacity: Int) {\n    val newElements = arrayOfNulls<Any?>(newCapacity)\n    elementData.copyInto(newElements, 0, head, elementData.size)\n    elementData.copyInto(newElements, elementData.size - head, 0, head)\n    head = 0\n    elementData = newElements\n  }\n\n  @kotlin.internal.InlineOnly\n  private inline fun internalGet(internalIndex: Int): E {\n    @Suppress("UNCHECKED_CAST")\n    return elementData[internalIndex] as E\n  }\n\n  private fun positiveMod(index: Int): Int = if (index >= elementData.size) index - elementData.size else index\n\n  private fun negativeMod(index: Int): Int = if (index < 0) index + elementData.size else index\n\n  @kotlin.internal.InlineOnly\n  private inline fun internalIndex(index: Int): Int = positiveMod(head + index)\n\n  private fun incremented(index: Int): Int = if (index == elementData.lastIndex) 0 else index + 1\n\n  private fun decremented(index: Int): Int = if (index == 0) elementData.lastIndex else index - 1\n\n  override fun isEmpty(): Boolean = size == 0\n\n  /**\n   * Returns the first element, or throws [NoSuchElementException] if this deque is empty.\n   */\n  public fun first(): E = if (isEmpty()) throw NoSuchElementException("ArrayDeque is empty.") else internalGet(head)\n\n  /**\n   * Returns the first element, or `null` if this deque is empty.\n   */\n  public fun firstOrNull(): E? = if (isEmpty()) null else internalGet(head)\n\n  /**\n   * Returns the last element, or throws [NoSuchElementException] if this deque is empty.\n   */\n  public fun last(): E = if (isEmpty()) throw NoSuchElementException("ArrayDeque is empty.") else internalGet(internalIndex(lastIndex))\n\n  /**\n   * Returns the last element, or `null` if this deque is empty.\n   */\n  public fun lastOrNull(): E? = if (isEmpty()) null else internalGet(internalIndex(lastIndex))\n\n  /**\n   * Prepends the specified [element] to this deque.\n   */\n  public fun addFirst(element: E) {\n

```

```

ensureCapacity(size + 1)\n\n    head = decremented(head)\n    elementData[head] = element\n    size += 1\n}\n\n /**\n * Appends the specified [element] to this deque.\n */\n public fun addLast(element: E) {\n
ensureCapacity(size + 1)\n\n    elementData[internalIndex(size)] = element\n    size += 1\n }\n\n /**\n *
Removes the first element from this deque and returns that removed element, or throws [NoSuchElementException]
if this deque is empty.\n */\n public fun removeFirst(): E {\n    if (isEmpty()) throw
NoSuchElementException("ArrayDeque is empty.")\n\n    val element = internalGet(head)\n
elementData[head] = null\n    head = incremented(head)\n    size -= 1\n    return element\n }\n\n /**\n *
Removes the first element from this deque and returns that removed element, or returns `null` if this deque is
empty.\n */\n public fun removeFirstOrNull(): E? = if (isEmpty()) null else removeFirst()\n\n /**\n *
Removes the last element from this deque and returns that removed element, or throws [NoSuchElementException]
if this deque is empty.\n */\n public fun removeLast(): E {\n    if (isEmpty()) throw
NoSuchElementException("ArrayDeque is empty.")\n\n    val internalLastIndex = internalIndex(lastIndex)\n
val element = internalGet(internalLastIndex)\n    elementData[internalLastIndex] = null\n    size -= 1\n
return element\n }\n\n /**\n * Removes the last element from this deque and returns that removed element, or
returns `null` if this deque is empty.\n */\n public fun removeLastOrNull(): E? = if (isEmpty()) null else
removeLast()\n\n // MutableList, MutableCollection\n public override fun add(element: E): Boolean {\n
addLast(element)\n    return true\n }\n\n public override fun add(index: Int, element: E) {\n
AbstractList.checkPositionIndex(index, size)\n\n    if (index == size) {\n        addLast(element)\n
return\n    } else if (index == 0) {\n        addFirst(element)\n        return\n    }\n\n    ensureCapacity(size
+ 1)\n\n    // Elements in circular array lay in 2 ways:\n    // 1. `head` is less than `tail`:    [#, #, e1, e2, e3,
#]\n    // 2. `head` is greater than `tail`:    [e3, #, #, #, e1, e2]\n    // where head is the index of the first element
in the circular array,\n    // and tail is the index following the last element.\n    // At this point the
insertion index is not equal to head or tail.\n    // Also the circular array can store at least one more element.\n
// Depending on where the given element must be inserted the preceding or the succeeding\n    // elements
will be shifted to make room for the element to be inserted.\n    // In case the preceding elements are
shifted:\n    // * if the insertion index is greater than the head (regardless of circular array form)\n    // ->
shift the preceding elements\n    // * otherwise, the circular array has (2) form and the insertion index is less than
tail\n    // -> shift all elements in the back of the array\n    // -> shift preceding elements in the front of the
array\n    // In case the succeeding elements are shifted:\n    // * if the insertion index is less than the tail
(regardless of circular array form)\n    // -> shift the succeeding elements\n    // * otherwise, the circular
array has (2) form and the insertion index is greater than head\n    // -> shift all elements in the front of the
array\n    // -> shift succeeding elements in the back of the array\n\n    val internalIndex =
internalIndex(index)\n\n    if (index < (size + 1) shr 1) {\n        // closer to the first element -> shift preceding
elements\n        val decrementedInternalIndex = decremented(internalIndex)\n        val decrementedHead =
decremented(head)\n\n        if (decrementedInternalIndex >= head) {\n            elementData[decrementedHead]
= elementData[head] // head can be zero\n            elementData.copyInto(elementData, head, head + 1,
decrementedInternalIndex + 1)\n        } else { // head > tail\n            elementData.copyInto(elementData, head -
1, head, elementData.size) // head can't be zero\n            elementData[elementData.size - 1] = elementData[0]\n
            elementData.copyInto(elementData, 0, 1, decrementedInternalIndex + 1)\n        }\n\n        elementData[decrementedInternalIndex] = element\n        head = decrementedHead\n    } else {\n        //
closer to the last element -> shift succeeding elements\n        val tail = internalIndex(size)\n\n        if
(internalIndex < tail) {\n            elementData.copyInto(elementData, internalIndex + 1, internalIndex, tail)\n
        } else { // head > tail\n            elementData.copyInto(elementData, 1, 0, tail)\n            elementData[0] =
elementData[elementData.size - 1]\n            elementData.copyInto(elementData, internalIndex + 1, internalIndex,
elementData.size - 1)\n        }\n\n        elementData[internalIndex] = element\n    }\n    size += 1\n }\n\n
private fun copyCollectionElements(internalIndex: Int, elements: Collection<E>) {\n    val iterator =
elements.iterator()\n\n    for (index in internalIndex until elementData.size) {\n        if (!iterator.hasNext())
break\n        elementData[index] = iterator.next()\n    }\n\n    for (index in 0 until head) {\n        if

```

```

(!iterator.hasNext()) break\n        elementData[index] = iterator.next()\n    }\n\n    size += elements.size\n}\n\n    public override fun addAll(elements: Collection<E>): Boolean {\n        if (elements.isEmpty()) return false\n        ensureCapacity(this.size + elements.size)\n        copyCollectionElements(internalIndex(size), elements)\n        return true\n    }\n\n    public override fun addAll(index: Int, elements: Collection<E>): Boolean {\n        AbstractList.checkPositionIndex(index, size)\n        if (elements.isEmpty()) {\n            return false\n        } else if (index == size) {\n            return addAll(elements)\n        }\n        ensureCapacity(this.size + elements.size)\n        val tail = internalIndex(size)\n        val internalIndex = internalIndex(index)\n        val elementsSize = elements.size\n        if (index < (size + 1) shr 1) {\n            // closer to the first element -> shift preceding elements\n            var shiftedHead = head - elementsSize\n            if (internalIndex >= head) {\n                if (shiftedHead >= 0) {\n                    elementData.copyInto(elementData, shiftedHead, head, internalIndex)\n                } else { // head < tail, insertion leads to head >= tail\n                    shiftedHead += elementData.size\n                    val elementsToShift = internalIndex - head\n                    val shiftToBack = elementData.size - shiftedHead\n                    if (shiftToBack >= elementsToShift) {\n                        elementData.copyInto(elementData, shiftedHead, head, internalIndex)\n                    } else {\n                        elementData.copyInto(elementData, shiftedHead, head, head + shiftToBack)\n                    }\n                } else { // head > tail, internalIndex < tail\n                    elementData.copyInto(elementData, shiftedHead, head, elementData.size)\n                    if (elementsSize >= internalIndex) {\n                        elementData.copyInto(elementData, elementData.size - elementsSize, 0, internalIndex)\n                    } else {\n                        elementData.copyInto(elementData, elementData.size - elementsSize, 0, elementsSize)\n                        elementData.copyInto(elementData, 0, elementsSize, internalIndex)\n                    }\n                }\n                head = shiftedHead\n                copyCollectionElements(negativeMod(internalIndex - elementsSize), elements)\n            } else {\n                // closer to the last element -> shift succeeding elements\n                val shiftedInternalIndex = internalIndex + elementsSize\n                if (internalIndex < tail) {\n                    if (tail + elementsSize <= elementData.size) {\n                        elementData.copyInto(elementData, shiftedInternalIndex, internalIndex, tail)\n                    } else { // head < tail, insertion leads to head >= tail\n                        if (shiftedInternalIndex >= elementData.size) {\n                            elementData.copyInto(elementData, shiftedInternalIndex - elementData.size, internalIndex, tail)\n                        } else {\n                            val shiftToFront = tail + elementsSize - elementData.size\n                            elementData.copyInto(elementData, 0, tail - shiftToFront, tail)\n                            elementData.copyInto(elementData, shiftedInternalIndex, internalIndex, tail - shiftToFront)\n                        }\n                    }\n                } else { // head > tail, internalIndex > head\n                    elementData.copyInto(elementData, elementsSize, 0, tail)\n                    if (shiftedInternalIndex >= elementData.size) {\n                        elementData.copyInto(elementData, shiftedInternalIndex - elementData.size, internalIndex, elementData.size)\n                    } else {\n                        elementData.copyInto(elementData, 0, elementData.size - elementsSize, elementData.size)\n                        elementData.copyInto(elementData, shiftedInternalIndex, internalIndex, elementData.size - elementsSize)\n                    }\n                }\n            }\n            copyCollectionElements(internalIndex, elements)\n        }\n        return true\n    }\n\n    public override fun get(index: Int): E {\n        AbstractList.checkElementIndex(index, size)\n        return internalGet(internalIndex(index))\n    }\n\n    public override fun set(index: Int, element: E): E {\n        AbstractList.checkElementIndex(index, size)\n        val internalIndex = internalIndex(index)\n        val oldElement = internalGet(internalIndex)\n        elementData[internalIndex] = element\n        return oldElement\n    }\n\n    public override fun contains(element: E): Boolean = indexOf(element) != -1\n\n    public override fun indexOf(element: E): Int {\n        val tail = internalIndex(size)\n        if (head < tail) {\n            for (index in head until tail) {\n                if (element == elementData[index]) return index - head\n            }\n        } else if (head >= tail) {\n            for (index in head until elementData.size) {\n                if (element == elementData[index]) return index - head\n            }\n        }\n        for (index in 0 until tail) {\n            if (element == elementData[index]) return index + elementData.size - head\n        }\n        return -1\n    }\n\n    public override fun lastIndexOf(element: E): Int {\n        val tail = internalIndex(size)\n        if (head < tail) {\n            for (index in tail - 1 downTo head) {\n                if (element == elementData[index]) return index - head\n            }\n        } else if (head > tail) {\n            for (index in tail - 1 downTo 0) {\n                if (element == elementData[index]) return

```

```

index + elementData.size - head\n        }\n        for (index in elementData.lastIndex downTo head) {\n
if (element == elementData[index]) return index - head\n        }\n        }\n\n        return -1\n    }\n\n    public
override fun remove(element: E): Boolean {\n        val index = indexOf(element)\n        if (index == -1) return
false\n        removeAt(index)\n        return true\n    }\n\n    public override fun removeAt(index: Int): E {\n
AbstractList.checkElementIndex(index, size)\n\n        if (index == lastIndex) {\n            return removeLast()\n        }
else if (index == 0) {\n            return removeFirst()\n        }\n\n        val internalIndex = internalIndex(index)\n
val element = internalGet(internalIndex)\n\n        if (index < size shr 1) {\n            // closer to the first element ->
shift preceding elements\n            if (internalIndex >= head) {\n                elementData.copyInto(elementData, head
+ 1, head, internalIndex)\n            } else { // head > tail, internalIndex < head\n
elementData.copyInto(elementData, 1, 0, internalIndex)\n                elementData[0] = elementData[elementData.size
- 1]\n                elementData.copyInto(elementData, head + 1, head, elementData.size - 1)\n            }\n\n
elementData[head] = null\n            head = incremented(head)\n        } else {\n            // closer to the last element ->
shift succeeding elements\n            val internalLastIndex = internalIndex(lastIndex)\n\n            if (internalIndex <=
internalLastIndex) {\n                elementData.copyInto(elementData, internalIndex, internalIndex + 1,
internalLastIndex + 1)\n            } else { // head > tail, internalIndex > head\n
elementData.copyInto(elementData, internalIndex, internalIndex + 1, elementData.size)\n
elementData[elementData.size - 1] = elementData[0]\n                elementData.copyInto(elementData, 0, 1,
internalLastIndex + 1)\n            }\n\n            elementData[internalLastIndex] = null\n        }\n        size -= 1\n\n
return element\n    }\n\n    public override fun removeAll(elements: Collection<E>): Boolean = filterInPlace {
!elements.contains(it) }\n\n    public override fun retainAll(elements: Collection<E>): Boolean = filterInPlace {
elements.contains(it) }\n\n    private inline fun filterInPlace(predicate: (E) -> Boolean): Boolean {\n        if
(this.isEmpty() || elementData.isEmpty())\n            return false\n\n        val tail = internalIndex(size)\n        var
newTail = head\n        var modified = false\n\n        if (head < tail) {\n            for (index in head until tail) {\n
val element = elementData[index]\n                @Suppress("UNCHECKED_CAST")\n                if
(predicate(element as E))\n                    elementData[newTail++] = element\n                    else\n                        modified =
true\n            }\n\n            elementData.fill(null, newTail, tail)\n        } else {\n            for (index in head until
elementData.size) {\n                val element = elementData[index]\n                elementData[index] = null\n\n
@Suppress("UNCHECKED_CAST")\n                if (predicate(element as E))\n                    elementData[newTail++] = element\n                    else\n                        modified = true\n            }\n\n            newTail =
positiveMod(newTail)\n\n            for (index in 0 until tail) {\n                val element = elementData[index]\n
elementData[index] = null\n\n                @Suppress("UNCHECKED_CAST")\n                if (predicate(element as
E)) {\n                    elementData[newTail] = element\n                    newTail = incremented(newTail)\n                }
else {\n                    modified = true\n                }\n            }\n\n            if (modified)\n                size =
negativeMod(newTail - head)\n\n            return modified\n        }\n\n        public override fun clear() {\n            val tail =
internalIndex(size)\n            if (head < tail) {\n                elementData.fill(null, head, tail)\n            } else if (isEmpty())
{\n                elementData.fill(null, head, elementData.size)\n                elementData.fill(null, 0, tail)\n            }\n
head = 0\n            size = 0\n        }\n\n        @Suppress("NOTHING_TO_OVERRIDE")\n        override fun <T> toArray(array:
Array<T>): Array<T> {\n            @Suppress("UNCHECKED_CAST")\n            val dest = (if (array.size >= size) array
else arrayOfNulls(array, size)) as Array<Any?>\n\n            val tail = internalIndex(size)\n            if (head < tail) {\n
elementData.copyInto(dest, startIndex = head, endIndex = tail)\n            } else if (isEmpty()) {\n
elementData.copyInto(dest, destinationOffset = 0, startIndex = head, endIndex = elementData.size)\n
elementData.copyInto(dest, destinationOffset = elementData.size - head, startIndex = 0, endIndex = tail)\n        }\n\n
if (dest.size > size) {\n            dest[size] = null // null-terminate\n        }\n\n        @Suppress("UNCHECKED_CAST")\n        return dest as Array<T>\n    }\n\n
@Suppress("NOTHING_TO_OVERRIDE")\n    override fun toArray(): Array<Any?> {\n        return
toArray(arrayOfNulls<Any?>(size))\n    }\n\n    // for testing\n    internal fun <T> testToArray(array: Array<T>):
Array<T> = toArray(array)\n    internal fun testToArray(): Array<Any?> = toArray()\n\n    internal companion
object {\n        private val emptyElementData = emptyArray<Any?>()\n        private const val maxArraySize =

```

```

Int.MAX_VALUE - 8\n    private const val defaultMinCapacity = 10\n\n    internal fun
newCapacity(oldCapacity: Int, minCapacity: Int): Int {\n        // overflow-conscious\n        var newCapacity =
oldCapacity + (oldCapacity shr 1)\n        if (newCapacity - minCapacity < 0)\n            newCapacity =
minCapacity\n        if (newCapacity - maxArraySize > 0)\n            newCapacity = if (minCapacity >
maxArraySize) Int.MAX_VALUE else maxArraySize\n        return newCapacity\n    }\n }\n\n // For testing
only\n    internal fun internalStructure(structure: (head: Int, elements: Array<Any?>) -> Unit) {\n        val tail =
internalIndex(size)\n        val head = if (isEmpty() || head < tail) head else head - elementData.size\n
structure(head, toArray())\n    }\n }", /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("ArraysKt")\n\npackage
kotlin.collections\n\nimport kotlin.contracts.*\n\n/**\n * Returns a single list of all elements from all arrays in the
given array.\n * @sample samples.collections.Arrays.Transformations.flattenArray\n */\npublic fun <T> Array<out
Array<out T>>.flatten(): List<T> {\n    val result = ArrayList<T>(sumOf { it.size })\n    for (element in this) {\n
result.addAll(element)\n    }\n    return result\n }\n\n/**\n * Returns a pair of lists, where\n * *first* list is built from
the first values of each pair from this array,\n * *second* list is built from the second values of each pair from this
array.\n * @sample samples.collections.Arrays.Transformations.unzipArray\n */\npublic fun <T, R> Array<out
Pair<T, R>>.unzip(): Pair<List<T>, List<R>> {\n    val listT = ArrayList<T>(size)\n    val listR =
ArrayList<R>(size)\n    for (pair in this) {\n        listT.add(pair.first)\n        listR.add(pair.second)\n    }\n    return
listT to listR\n }\n\n/**\n * Returns `true` if this nullable array is either null or empty.\n * @sample
samples.collections.Arrays.Usage.arrayIsNullOrEmpty\n
*/\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun Array<*>?.isNullOrEmpty(): Boolean
{\n    contract {\n        returns(false) implies (this@isNullOrEmpty != null)\n    }\n    return this == null ||
this.isEmpty()\n }\n\n/**\n * Returns this array if it's not empty\n * or the result of calling [defaultValue] function if
the array is empty.\n * @sample samples.collections.Arrays.Usage.arrayIfEmpty\n
*/\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("UPPER_BOUND_CANNOT_BE_ARRAY")\npublic inline fun <C, R> C.ifEmpty(defaultValue: () -> R): R where C : Array<*>, C : R =\n    if (isEmpty())
defaultValue() else
this\n\n\n@OptIn(ExperimentalUnsignedTypes::class)\n@SinceKotlin("1.3")\n@PublishedApi\n@kotlin.jvm.Jvm
Name("contentDeepEquals")\n@kotlin.js.JsName("contentDeepEqualsImpl")\ninternal fun <T> Array<out
T>?.contentDeepEqualsImpl(other: Array<out T>?): Boolean {\n    if (this === other) return true\n    if (this == null
|| other == null || this.size != other.size) return false\n\n    for (i in indices) {\n        val v1 = this[i]\n        val v2 =
other[i]\n\n        if (v1 === v2) {\n            continue\n        } else if (v1 == null || v2 == null) {\n            return false\n
        }\n        when {\n            v1 is Array<*> && v2 is Array<*> -> if (!v1.contentDeepEquals(v2)) return
false\n            v1 is ByteArray && v2 is ByteArray -> if (!v1.contentEquals(v2)) return false\n            v1 is
ShortArray && v2 is ShortArray -> if (!v1.contentEquals(v2)) return false\n            v1 is IntArray && v2 is
IntArray -> if (!v1.contentEquals(v2)) return false\n            v1 is LongArray && v2 is LongArray -> if
(!v1.contentEquals(v2)) return false\n            v1 is FloatArray && v2 is FloatArray -> if (!v1.contentEquals(v2))
return false\n            v1 is DoubleArray && v2 is DoubleArray -> if (!v1.contentEquals(v2)) return false\n
            v1 is CharArray && v2 is CharArray -> if (!v1.contentEquals(v2)) return false\n            v1 is BooleanArray &&
v2 is BooleanArray -> if (!v1.contentEquals(v2)) return false\n\n            v1 is UByteArray && v2 is UByteArray
-> if (!v1.contentEquals(v2)) return false\n            v1 is UShortArray && v2 is UShortArray -> if
(!v1.contentEquals(v2)) return false\n            v1 is UIntArray && v2 is UIntArray -> if (!v1.contentEquals(v2))
return false\n            v1 is ULongArray && v2 is ULongArray -> if (!v1.contentEquals(v2)) return false\n\n
        else -> if (v1 != v2) return false\n        }\n    }\n    return
true\n }\n\n@SinceKotlin("1.3")\n@PublishedApi\n@kotlin.jvm.JvmName("contentDeepToString")\n@kotlin.js.
JsName("contentDeepToStringImpl")\ninternal fun <T> Array<out T>?.contentDeepToStringImpl(): String {\n    if (this == null) return "null"\n    val length = size.coerceAtMost((Int.MAX_VALUE - 2) / 5) * 5 + 2 // in order not

```



```

to overflow Int.MAX_VALUE\n    return buildString(length) {\n        contentDeepToStringInternal(this,
mutableListOf())\n    }\n}\n\n@OptIn(ExperimentalUnsignedTypes::class)\nprivate fun <T> Array<out
T>.contentDeepToStringInternal(result: StringBuilder, processed: MutableList<Array<*>>) {\n    if (this in
processed) {\n        result.append("[...]")\n        return\n    }\n    processed.add(this)\n    result.append('[')\n    for (i
in indices) {\n        if (i != 0) {\n            result.append(", ")\n        }\n        val element = this[i]\n        when
(element) {\n            null -> result.append("null")\n            is Array<*> ->
element.contentDeepToStringInternal(result, processed)\n            is ByteArray ->
result.append(element.contentToString())\n            is ShortArray -> result.append(element.contentToString())\n
            is IntArray -> result.append(element.contentToString())\n            is LongArray ->
result.append(element.contentToString())\n            is FloatArray -> result.append(element.contentToString())\n
            is DoubleArray -> result.append(element.contentToString())\n            is CharArray ->
result.append(element.contentToString())\n            is BooleanArray -> result.append(element.contentToString())\n
            is UByteArray -> result.append(element.contentToString())\n            is UShortArray ->
result.append(element.contentToString())\n            is UIntArray -> result.append(element.contentToString())\n
            is ULongArray -> result.append(element.contentToString())\n            else ->
result.append(element.toString())\n        }\n    }\n    result.append(''])\n
processed.removeAt(processed.lastIndex)\n}"/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n/** Returns true if the brittle contains optimization
is enabled. See KT-45438. */\n\ninternal expect fun brittleContainsOptimizationEnabled(): Boolean\n\n/**\n * Returns true if [brittleContainsOptimizationEnabled] is true\n * and it's safe to convert this collection to a set
without changing contains method behavior.\n */\n\nprivate fun <T> Collection<T>.safeToConvertToSet() =
brittleContainsOptimizationEnabled() && size > 2 && this is ArrayList\n\n/**\n * When [brittleContainsOptimizationEnabled] is true:\n * - Converts this [Iterable] to a set if it is not a [Collection].\n * -
Converts this [Collection] to a set, when it's worth so and it doesn't change contains method behavior.\n * -
Otherwise returns this.\n * When [brittleContainsOptimizationEnabled] is false:\n * - Converts this [Iterable] to a
list if it is not a [Collection].\n * - Otherwise returns this.\n */\n\ninternal fun <T>
Iterable<T>.convertToSetForSetOperationWith(source: Iterable<T>): Collection<T> =\n    when (this) {\n        is
Set -> this\n        is Collection -> when {\n            source is Collection && source.size < 2 -> this\n
            else -> if (this.safeToConvertToSet()) toHashSet() else this\n        }\n        else -> if
(brittleContainsOptimizationEnabled()) toHashSet() else toList()\n    }\n\n/**\n * When [brittleContainsOptimizationEnabled] is true:\n * - Converts this [Iterable] to a set if it is not a [Collection].\n * -
Converts this [Collection] to a set, when it's worth so and it doesn't change contains method behavior.\n * -
Otherwise returns this.\n * When [brittleContainsOptimizationEnabled] is false:\n * - Converts this [Iterable] to a
list if it is not a [Collection].\n * - Otherwise returns this.\n */\n\ninternal fun <T>
Iterable<T>.convertToSetForSetOperation(): Collection<T> =\n    when (this) {\n        is Set -> this\n        is
Collection -> if (this.safeToConvertToSet()) toHashSet() else this\n        else -> if
(brittleContainsOptimizationEnabled()) toHashSet() else toList()\n    }\n\n/**\n * Converts this sequence to a set if
[brittleContainsOptimizationEnabled] is true,\n * otherwise converts it to a list.\n */\n\ninternal fun <T>
Sequence<T>.convertToSetForSetOperation(): Collection<T> =\n    if (brittleContainsOptimizationEnabled())
toHashSet() else toList()\n\n/**\n * Converts this array to a set if [brittleContainsOptimizationEnabled] is true,\n *
otherwise converts it to a list.\n */\n\ninternal fun <T> Array<T>.convertToSetForSetOperation(): Collection<T> =\n
    if (brittleContainsOptimizationEnabled()) toHashSet() else asList()"/*\n * Copyright 2010-2018 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n/**\n * Data class
representing a value from a collection or sequence, along with its index in that collection or sequence.\n */\n\n@property value the underlying value.\n * @property index the index of the value in the collection or sequence.\n
*/\n\npublic data class IndexedValue<out T>(public val index: Int, public val value: T)\n}"/*\n * Copyright 2010-

```

2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n \* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n

```
*\n\n@file:kotlin.jvm.JvmName("\nMapAccessorsKt")\n\npackage kotlin.collections\n\nimport\nkotlin.reflect.KProperty\nimport kotlin.internal.Exact\n\n/**\n * Returns the value of the property for the given\n * object from this read-only map.\n * @param thisRef the object for which the value is requested (not used).\n * @param property the metadata for the property, used to get the name of property and lookup the value\n * corresponding to this name in the map.\n * @return the property value.\n * @throws NoSuchElementException\n * when the map doesn't contain value for the property name and doesn't provide an implicit default (see\n * [withDefault]).\n */\n\n@kotlin.internal.InlineOnly\npublic inline operator fun <V, V1 : V> Map<in String, @Exact\nV>.getValue(thisRef: Any?, property: KProperty<*>): V1 =\n    @Suppress("\nUNCHECKED_CAST")\n    (getOrNull(thisRef, property.name) as V1)\n\n/**\n * Returns the value of the property for the given object from\n * this mutable map.\n * @param thisRef the object for which the value is requested (not used).\n * @param property the metadata for the property, used to get the name of property and lookup the value\n * corresponding to this name in\n * the map.\n * @return the property value.\n * @throws NoSuchElementException\n * when the map doesn't contain\n * value for the property name and doesn't provide an implicit default (see [withDefault]).\n */\n\n@kotlin.jvm.JvmName("\ngetVar")\n\n@kotlin.internal.InlineOnly\npublic inline operator fun <V, V1 : V>\nMutableMap<in String, out @Exact V>.getValue(thisRef: Any?, property: KProperty<*>): V1 =\n    @Suppress("\nUNCHECKED_CAST")\n    (getOrNull(thisRef, property.name) as V1)\n\n/**\n * Stores the value of\n * the property for the given object in this mutable map.\n * @param thisRef the object for which the value is\n * requested (not used).\n * @param property the metadata for the property, used to get the name of property and store\n * the value associated with that name in the map.\n * @param value the value to set.\n */\n\n@kotlin.internal.InlineOnly\npublic inline operator fun <V> MutableMap<in String, in V>.setValue(thisRef:\nAny?, property: KProperty<*>, value: V) {\n    this.put(property.name, value)\n}\n\n/*\n * Copyright 2010-2018\n * JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the\n * Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
```

```
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("\nMapsKt")\n\npackage\nkotlin.collections\n\n/**\n * Returns the value for the given key, or the implicit default value for this map.\n * By\n * default no implicit value is provided for maps and a [NoSuchElementException] is thrown.\n * To create a map with\n * implicit default value use [withDefault] method.\n * @throws NoSuchElementException\n * when the map doesn't\n * contain a value for the specified key and no implicit default was provided for that map.\n */\n\n@kotlin.jvm.JvmName("\ngetOrNull")\n\n@PublishedApi\ninternal fun <K, V> Map<K,\nV>.getOrNull(key: K): V {\n    if (this is MapWithDefault)\n        return\n        this.getOrNull(key)\n    return getOrNull(key, { throw NoSuchElementException("\nKey $key\nis missing in the map.") })\n}\n\n/**\n * Returns a wrapper of this read-only map, having the implicit default value\n * provided with the specified function [defaultValue].\n * This implicit default value is used when the original\n * map doesn't contain a value for the key specified\n * and a value is obtained with [Map.getValue] function, for\n * example when properties are delegated to the map.\n * When this map already has an implicit default value\n * provided with a former call to [withDefault], it is being replaced by this call.\n */\n\npublic fun <K, V> Map<K,\nV>.withDefault(defaultValue: (key: K) -> V): Map<K, V> =\n    when (this) {\n        is MapWithDefault ->\n        this.withDefault(defaultValue)\n        else -> MapWithDefaultImpl(this, defaultValue)\n    }\n\n/**\n * Returns\n * a wrapper of this mutable map, having the implicit default value provided with the specified function\n * [defaultValue].\n * This implicit default value is used when the original map doesn't contain a value for the key\n * specified\n * and a value is obtained with [Map.getValue] function, for example when properties are delegated to the\n * map.\n * When this map already has an implicit default value provided with a former call to [withDefault], it is\n * being replaced by this call.\n */\n\n@kotlin.jvm.JvmName("\nwithDefaultMutable")\n\npublic fun <K, V>\nMutableMap<K, V>.withDefault(defaultValue: (key: K) -> V): MutableMap<K, V> =\n    when (this) {\n        is\n        MutableMapWithDefault -> this.withDefault(defaultValue)\n        else -> MutableMapWithDefaultImpl(this,\n        defaultValue)\n    }\n\nprivate interface MapWithDefault<K, out V> : Map<K, V> {\n    public val map: Map<K,
```

```

V>\n public fun getOrImplicitDefault(key: K): V\n}\n\nprivate interface MutableMapWithDefault<K, V> :
MutableMap<K, V>, MapWithDefault<K, V> {\n public override val map: MutableMap<K, V>\n}\n\nprivate
class MapWithDefaultImpl<K, out V>(public override val map: Map<K, V>, private val default: (key: K) -> V) :
MapWithDefault<K, V> {\n override fun equals(other: Any?): Boolean = map.equals(other)\n override fun
hashCode(): Int = map.hashCode()\n override fun toString(): String = map.toString()\n override val size: Int get()
= map.size\n override fun isEmpty(): Boolean = map.isEmpty()\n override fun containsKey(key: K): Boolean =
map.containsKey(key)\n override fun containsValue(value: @UnsafeVariance V): Boolean =
map.containsValue(value)\n override fun get(key: K): V? = map.get(key)\n override val keys: Set<K> get() =
map.keys\n override val values: Collection<V> get() = map.values\n override val entries: Set<Map.Entry<K,
V>> get() = map.entries\n\n override fun getOrImplicitDefault(key: K): V = map.getOrNull(key, {
default(key) })\n}\n\nprivate class MutableMapWithDefaultImpl<K, V>(public override val map: MutableMap<K,
V>, private val default: (key: K) -> V) : MutableMapWithDefault<K, V> {\n override fun equals(other: Any?):
Boolean = map.equals(other)\n override fun hashCode(): Int = map.hashCode()\n override fun toString(): String
= map.toString()\n override val size: Int get() = map.size\n override fun isEmpty(): Boolean = map.isEmpty()\n
override fun containsKey(key: K): Boolean = map.containsKey(key)\n override fun containsValue(value:
@UnsafeVariance V): Boolean = map.containsValue(value)\n override fun get(key: K): V? = map.get(key)\n
override val keys: MutableSet<K> get() = map.keys\n override val values: MutableCollection<V> get() =
map.values\n override val entries: MutableSet<MutableMap.MutableEntry<K, V>> get() = map.entries\n\n
override fun put(key: K, value: V): V? = map.put(key, value)\n override fun remove(key: K): V? =
map.remove(key)\n override fun putAll(from: Map<out K, V>) = map.putAll(from)\n override fun clear() =
map.clear()\n\n override fun getOrImplicitDefault(key: K): V = map.getOrNull(key, { default(key)
})\n}\n}\n\n", "/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of
this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n *\n * @file: kotlin.jvm.JvmMultifileClass\n * @file: kotlin.jvm.JvmName("CollectionsKt")\n *\n package
kotlin.collections\n\nimport kotlin.random.Random\n\n/**\n * Removes a single instance of the specified element
from this\n * collection, if it is present.\n * \n * Allows to overcome type-safety restriction of `remove` that requires
to pass an element of type `E`.\n * \n * @return `true` if the element has been successfully removed; `false` if it was
not present in the collection.\n * \n */\n @kotlin.internal.InlineOnly\n public inline fun <@kotlin.internal.OnlyInputTypes
T> MutableCollection<out T>.remove(element: T): Boolean =\n @Suppress("UNCHECKED_CAST") (this as
MutableCollection<T>).remove(element)\n\n /**\n * Removes all of this collection's elements that are also
contained in the specified collection.\n * \n * Allows to overcome type-safety restriction of `removeAll` that requires
to pass a collection of type `Collection<E>`.\n * \n * @return `true` if any of the specified elements was removed
from the collection, `false` if the collection was not modified.\n * \n */\n @kotlin.internal.InlineOnly\n public inline fun
<@kotlin.internal.OnlyInputTypes T> MutableCollection<out T>.removeAll(elements: Collection<T>): Boolean
=\n @Suppress("UNCHECKED_CAST") (this as MutableCollection<T>).removeAll(elements)\n\n /**\n * Retains only the
elements in this collection that are contained in the specified collection.\n * \n * Allows to overcome type-safety
restriction of `retainAll` that requires to pass a collection of type `Collection<E>`.\n * \n * @return `true` if any
element was removed from the collection, `false` if the collection was not modified.\n * \n */\n @kotlin.internal.InlineOnly\n public inline fun
<@kotlin.internal.OnlyInputTypes T> MutableCollection<out
T>.retainAll(elements: Collection<T>): Boolean =\n @Suppress("UNCHECKED_CAST") (this as
MutableCollection<T>).retainAll(elements)\n\n /**\n * Adds the specified [element] to this mutable collection.\n *
*\n * @kotlin.internal.InlineOnly\n public inline operator fun <T> MutableCollection<in T>.plusAssign(element: T)
{\n this.add(element)\n}\n\n /**\n * Adds all elements of the given [elements] collection to this mutable
collection.\n * \n * @kotlin.internal.InlineOnly\n public inline operator fun <T> MutableCollection<in
T>.plusAssign(elements: Iterable<T>) {\n this.addAll(elements)\n}\n\n /**\n * Adds all elements of the given
[elements] array to this mutable collection.\n * \n * @kotlin.internal.InlineOnly\n public inline operator fun <T>
MutableCollection<in T>.plusAssign(elements: Array<T>) {\n this.addAll(elements)\n}\n\n /**\n * Adds all
elements of the given [elements] sequence to this mutable collection.\n * \n * @kotlin.internal.InlineOnly\n public

```

```

inline operator fun <T> MutableCollection<in T>.plusAssign(elements: Sequence<T>) {\n
this.addAll(elements)\n}\n\n/**\n * Removes a single instance of the specified [element] from this mutable
collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in
T>.minusAssign(element: T) {\n  this.remove(element)\n}\n\n/**\n * Removes all elements contained in the given
[elements] collection from this mutable collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun
<T> MutableCollection<in T>.minusAssign(elements: Iterable<T>) {\n  this.removeAll(elements)\n}\n\n/**\n *
Removes all elements contained in the given [elements] array from this mutable collection.\n
*/\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.minusAssign(elements:
Array<T>) {\n  this.removeAll(elements)\n}\n\n/**\n * Removes all elements contained in the given [elements]
sequence from this mutable collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T>
MutableCollection<in T>.minusAssign(elements: Sequence<T>) {\n  this.removeAll(elements)\n}\n\n/**\n * Adds
all elements of the given [elements] collection to this [MutableCollection].\n */\npublic fun <T>
MutableCollection<in T>.addAll(elements: Iterable<T>): Boolean {\n  when (elements) {\n    is Collection ->
return addAll(elements)\n    else -> {\n      var result: Boolean = false\n      for (item in elements)\n
if (add(item)) result = true\n      return result\n    }\n  }\n}\n\n/**\n * Adds all elements of the given
[elements] sequence to this [MutableCollection].\n */\npublic fun <T> MutableCollection<in T>.addAll(elements:
Sequence<T>): Boolean {\n  var result: Boolean = false\n  for (item in elements) {\n    if (add(item)) result =
true\n  }\n  return result\n}\n\n/**\n * Adds all elements of the given [elements] array to this
[MutableCollection].\n */\npublic fun <T> MutableCollection<in T>.addAll(elements: Array<out T>): Boolean {\n
return addAll(elements.asList())\n}\n\n/**\n * Removes all elements from this [MutableCollection] that are also
contained in the given [elements] collection.\n */\npublic fun <T> MutableCollection<in T>.removeAll(elements:
Iterable<T>): Boolean {\n  return removeAll(elements.convertToSetForSetOperationWith(this))\n}\n\n/**\n *
Removes all elements from this [MutableCollection] that are also contained in the given [elements] sequence.\n
*/\npublic fun <T> MutableCollection<in T>.removeAll(elements: Sequence<T>): Boolean {\n  val set =
elements.convertToSetForSetOperation()\n  return set.isNotEmpty() && removeAll(set)\n}\n\n/**\n * Removes all
elements from this [MutableCollection] that are also contained in the given [elements] array.\n */\npublic fun <T>
MutableCollection<in T>.removeAll(elements: Array<out T>): Boolean {\n  return elements.isNotEmpty() &&
removeAll(elements.convertToSetForSetOperation())\n}\n\n/**\n * Retains only elements of this
[MutableCollection] that are contained in the given [elements] collection.\n */\npublic fun <T>
MutableCollection<in T>.retainAll(elements: Iterable<T>): Boolean {\n  return
retainAll(elements.convertToSetForSetOperationWith(this))\n}\n\n/**\n * Retains only elements of this
[MutableCollection] that are contained in the given [elements] array.\n */\npublic fun <T> MutableCollection<in
T>.retainAll(elements: Array<out T>): Boolean {\n  if (elements.isNotEmpty())\n    return
retainAll(elements.convertToSetForSetOperation())\n  else\n    return retainNothing()\n}\n\n/**\n * Retains only
elements of this [MutableCollection] that are contained in the given [elements] sequence.\n */\npublic fun <T>
MutableCollection<in T>.retainAll(elements: Sequence<T>): Boolean {\n  val set =
elements.convertToSetForSetOperation()\n  if (set.isNotEmpty())\n    return retainAll(set)\n  else\n    return
retainNothing()\n}\n\nprivate fun MutableCollection<*>.retainNothing(): Boolean {\n  val result = isEmpty()\n
clear()\n  return result\n}\n\n/**\n * Removes all elements from this [MutableIterable] that match the given
[predicate].\n */\n * @return `true` if any element was removed from this collection, or `false` when no elements
were removed and collection was not modified.\n */\npublic fun <T> MutableIterable<T>.removeAll(predicate: (T)
-> Boolean): Boolean = filterInPlace(predicate, true)\n\n/**\n * Retains only elements of this [MutableIterable] that
match the given [predicate].\n */\n * @return `true` if any element was removed from this collection, or `false` when
all elements were retained and collection was not modified.\n */\npublic fun <T>
MutableIterable<T>.retainAll(predicate: (T) -> Boolean): Boolean = filterInPlace(predicate, false)\n\nprivate fun
<T> MutableIterable<T>.filterInPlace(predicate: (T) -> Boolean, predicateResultToRemove: Boolean): Boolean {\n
var result = false\n  with(iterator()) {\n    while (hasNext())\n      if (predicate(next()) ==
predicateResultToRemove) {\n        remove()\n        result = true\n      }\n  }\n  return

```

```

result\n}\n\n/**\n * Removes the element at the specified [index] from this list.\n * In Kotlin one should use the
[MutableList.removeAt] function instead.\n *\n@Deprecated("Use removeAt(index) instead.",
ReplaceWith("removeAt(index)"), level = DeprecationLevel.ERROR)\n@kotlin.internal.InlineOnly\npublic inline
fun <T> MutableList<T>.remove(index: Int): T = removeAt(index)\n\n/**\n * Removes the first element from this
mutable list and returns that removed element, or throws [NoSuchElementException] if this list is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun <T>
MutableList<T>.removeFirst(): T = if (isEmpty()) throw NoSuchElementException("List is empty.") else
removeAt(0)\n\n/**\n * Removes the first element from this mutable list and returns that removed element, or
returns `null` if this list is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun <T>
MutableList<T>.removeFirstOrNull(): T? = if (isEmpty()) null else removeAt(0)\n\n/**\n * Removes the last
element from this mutable list and returns that removed element, or throws [NoSuchElementException] if this list is
empty.\n *\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun <T>
MutableList<T>.removeLast(): T = if (isEmpty()) throw NoSuchElementException("List is empty.") else
removeAt(lastIndex)\n\n/**\n * Removes the last element from this mutable list and returns that removed element,
or returns `null` if this list is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun <T>
MutableList<T>.removeLastOrNull(): T? = if (isEmpty()) null else removeAt(lastIndex)\n\n/**\n * Removes all
elements from this [MutableList] that match the given [predicate].\n *\n * @return `true` if any element was
removed from this collection, or `false` when no elements were removed and collection was not modified.\n
*\npublic fun <T> MutableList<T>.removeAll(predicate: (T) -> Boolean): Boolean = filterInPlace(predicate,
true)\n\n/**\n * Retains only elements of this [MutableList] that match the given [predicate].\n *\n * @return `true`
if any element was removed from this collection, or `false` when all elements were retained and collection was not
modified.\n *\npublic fun <T> MutableList<T>.retainAll(predicate: (T) -> Boolean): Boolean =
filterInPlace(predicate, false)\n\nprivate fun <T> MutableList<T>.filterInPlace(predicate: (T) -> Boolean,
predicateResultToRemove: Boolean): Boolean {\n    if (this is RandomAccess)\n        return (this as
MutableIterable<T>).filterInPlace(predicate, predicateResultToRemove)\n\n    var writeIndex: Int = 0\n    for
(readIndex in 0..lastIndex) {\n        val element = this[readIndex]\n        if (predicate(element) ==
predicateResultToRemove)\n            continue\n\n        if (writeIndex != readIndex)\n            this[writeIndex] =
element\n        writeIndex++\n    }\n    if (writeIndex < size) {\n        for (removeIndex in lastIndex downTo
writeIndex)\n            removeAt(removeIndex)\n        return true\n    } else {\n        return false\n    }\n}\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is
governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("CollectionsKt")\n\npackage
kotlin.collections\n\nprivate open class ReversedListReadOnly<out T>(private val delegate: List<T>) :
AbstractList<T>() {\n    override val size: Int get() = delegate.size\n    override fun get(index: Int): T =
delegate[reverseElementIndex(index)]\n}\n\nprivate class ReversedList<T>(private val delegate: MutableList<T>) :
AbstractMutableList<T>() {\n    override val size: Int get() = delegate.size\n    override fun get(index: Int): T =
delegate[reverseElementIndex(index)]\n    override fun clear() = delegate.clear()\n    override fun removeAt(index:
Int): T = delegate.removeAt(reverseElementIndex(index))\n    override fun set(index: Int, element: T): T =
delegate.set(reverseElementIndex(index), element)\n    override fun add(index: Int, element: T) {\n        delegate.add(reversePositionIndex(index), element)\n    }\n}\n\nprivate fun List<*>.reverseElementIndex(index:
Int) =\n    if (index in 0..lastIndex) lastIndex - index else throw IndexOutOfBoundsException("Element index
$index must be in range [0..lastIndex].")\n\nprivate fun List<*>.reversePositionIndex(index: Int) =\n    if (index
in 0..size) size - index else throw IndexOutOfBoundsException("Position index $index must be in range
[0..size].")\n\n/**\n * Returns a reversed read-only view of the original List.\n * All changes made in the
original list will be reflected in the reversed one.\n * @sample samples.collections.ReversedViews.asReversedList\n
*\npublic fun <T> List<T>.asReversed(): List<T> = ReversedListReadOnly(this)\n\n/**\n * Returns a reversed

```

```

mutable view of the original mutable List.\n * All changes made in the original list will be reflected in the reversed
one and vice versa.\n * @sample samples.collections.ReversedViews.asReversedMutableList\n
*/\n@kotlin.jvm.JvmName("asReversedMutable")\npublic fun <T> MutableList<T>.asReversed():
MutableList<T> = ReversedList(this)\n\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("SequencesKt")\n@file:OptIn(Experimenta
lTypeInference::class)\n\npackage kotlin.sequences\n\nimport kotlin.coroutines.*\nimport
kotlin.coroutines.intrinsics.*\nimport kotlin.experimental.ExperimentalTypeInference\n\n/**\n * Builds a
[Sequence] lazily yielding values one by one.\n *\n * @see kotlin.sequences.generateSequence\n *\n * @sample
samples.collections.Sequences.Building.buildSequenceYieldAll\n * @sample
samples.collections.Sequences.Building.buildFibonacciSequence\n */\n@SinceKotlin("1.3")\npublic fun <T>
sequence(@BuilderInference block: suspend SequenceScope<T>().->Unit): Sequence<T> = Sequence {
iterator(block) }\n\n@SinceKotlin("1.3")\n@Deprecated("Use 'sequence { }' function instead.",
ReplaceWith("sequence(builderAction)"), level =
DeprecationLevel.ERROR)\n@kotlin.internal.InlineOnly\npublic inline fun <T> buildSequence(@BuilderInference
noinline builderAction: suspend SequenceScope<T>().->Unit): Sequence<T> = Sequence { iterator(builderAction)
}\n\n/**\n * Builds an [Iterator] lazily yielding values one by one.\n *\n * @sample
samples.collections.Sequences.Building.buildIterator\n * @sample samples.collections.Iterables.Building.iterable\n
*/\n@SinceKotlin("1.3")\npublic fun <T> iterator(@BuilderInference block: suspend SequenceScope<T>().->
Unit): Iterator<T> { \n    val iterator = SequenceBuilderIterator<T>()\n    iterator.nextStep =
block.createCoroutineUnintercepted(receiver = iterator, completion = iterator)\n    return
iterator\n}\n\n@SinceKotlin("1.3")\n@Deprecated("Use 'iterator { }' function instead.",
ReplaceWith("iterator(builderAction)"), level = DeprecationLevel.ERROR)\n@kotlin.internal.InlineOnly\npublic
inline fun <T> buildIterator(@BuilderInference noinline builderAction: suspend SequenceScope<T>().->Unit):
Iterator<T> = iterator(builderAction)\n\n/**\n * The scope for yielding values of a [Sequence] or an [Iterator],
provides [yield] and [yieldAll] suspension functions.\n *\n * @see sequence\n * @see iterator\n *\n * @sample
samples.collections.Sequences.Building.buildSequenceYieldAll\n * @sample
samples.collections.Sequences.Building.buildFibonacciSequence\n
*/\n@RestrictsSuspension\n@SinceKotlin("1.3")\npublic abstract class SequenceScope<in T> internal
constructor() {\n    /**\n     * Yields a value to the [Iterator] being built and suspends\n     * until the next value is
requested.\n     *\n     * @sample samples.collections.Sequences.Building.buildSequenceYieldAll\n     * @sample
samples.collections.Sequences.Building.buildFibonacciSequence\n     */\n    public abstract suspend fun yield(value:
T)\n\n    /**\n     * Yields all values from the `iterator` to the [Iterator] being built\n     * and suspends until all these
values are iterated and the next one is requested.\n     *\n     * The sequence of values returned by the given iterator
can be potentially infinite.\n     *\n     * @sample samples.collections.Sequences.Building.buildSequenceYieldAll\n
*/\n    public abstract suspend fun yieldAll(iterator: Iterator<T>)\n\n    /**\n     * Yields a collections of values to
the [Iterator] being built\n     * and suspends until all these values are iterated and the next one is requested.\n
*/\n    * @sample samples.collections.Sequences.Building.buildSequenceYieldAll\n     */\n    public suspend fun
yieldAll(elements: Iterable<T>) {\n        if (elements is Collection && elements.isEmpty()) return\n        return
yieldAll(elements.iterator())\n    }\n\n    /**\n     * Yields potentially infinite sequence of values to the [Iterator]
being built\n     * and suspends until all these values are iterated and the next one is requested.\n     *\n     * The
sequence can be potentially infinite.\n     *\n     * @sample
samples.collections.Sequences.Building.buildSequenceYieldAll\n     */\n    public suspend fun yieldAll(sequence:
Sequence<T>) = yieldAll(sequence.iterator())\n}\n\n@Deprecated("Use SequenceScope class instead.",
ReplaceWith("SequenceScope<T>"), level = DeprecationLevel.ERROR)\npublic typealias SequenceBuilder<T> =
SequenceScope<T>\n\nprivate typealias State = Int\nprivate const val State_NotReady: State = 0\nprivate const
val State_ManyNotReady: State = 1\nprivate const val State_ManyReady: State = 2\nprivate const val State_Ready:

```

```

State = 3\nprivate const val State_Done: State = 4\nprivate const val State_Failed: State = 5\n\nprivate class
SequenceBuilderIterator<T> : SequenceScope<T>(), Iterator<T>, Continuation<Unit> {\n  private var state =
State_NotReady\n  private var nextValue: T? = null\n  private var nextIterator: Iterator<T>? = null\n  var
nextStep: Continuation<Unit>? = null\n\n  override fun hasNext(): Boolean {\n    while (true) {\n      when
(state) {\n        State_NotReady -> {}\n        State_ManyNotReady ->\n          if
(nextIterator!!.hasNext()) {\n            state = State_ManyReady\n            return true\n          }
else {\n            nextIterator = null\n          }\n        State_Done -> return false\n        State_Ready, State_ManyReady -> return true\n        else -> throw exceptionalState()\n      }\n      state
= State_Failed\n      val step = nextStep!!\n      nextStep = null\n      step.resume(Unit)\n    }\n  }\n\n  override fun next(): T {\n    when (state) {\n      State_NotReady, State_ManyNotReady -> return
nextNotReady()\n      State_ManyReady -> {\n        state = State_ManyNotReady\n        return
nextIterator!!.next()\n      }\n      State_Ready -> {\n        state = State_NotReady\n        @Suppress("UNCHECKED_CAST")\n        val result = nextValue as T\n        nextValue = null\n        return result\n      }\n      else -> throw exceptionalState()\n    }\n  }\n\n  private fun nextNotReady(): T
{\n    if (!hasNext()) throw NoSuchElementException() else return next()\n  }\n\n  private fun
exceptionalState(): Throwable = when (state) {\n    State_Done -> NoSuchElementException()\n    State_Failed
-> IllegalStateException("Iterator has failed.")\n    else -> IllegalStateException("Unexpected state of the
iterator: $state")\n  }\n\n  override suspend fun yield(value: T) {\n    nextValue = value\n    state =
State_Ready\n    return suspendCoroutineUninterceptedOrReturn { c ->\n      nextStep = c\n      COROUTINE_SUSPENDED\n    }\n  }\n\n  override suspend fun yieldAll(iterator: Iterator<T>) {\n    if
(!iterator.hasNext()) return\n    nextIterator = iterator\n    state = State_ManyReady\n    return
suspendCoroutineUninterceptedOrReturn { c ->\n      nextStep = c\n      COROUTINE_SUSPENDED\n    }\n  }\n\n  // Completion continuation implementation\n  override fun resumeWith(result: Result<Unit>) {\n
result.getOrThrow() // just rethrow exception if it is there\n    state = State_Done\n  }\n\n  override val context:
CoroutineContext\n    get() = EmptyCoroutineContext\n  }\n\n  /*\n  * Copyright 2010-2018 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n  * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n  */\n\n  @npackage kotlin.collections\n  @ninternal fun
checkWindowSizeStep(size: Int, step: Int) {\n    require(size > 0 && step > 0) {\n      if (size != step)\n        "Both size $size and step $step must be greater than zero.\n      else\n        "size $size must be greater than
zero.\n    }\n  }\n\n  @ninternal fun <T> Sequence<T>.windowedSequence(size: Int, step: Int, partialWindows: Boolean,
reuseBuffer: Boolean): Sequence<List<T>> {\n    checkWindowSizeStep(size, step)\n    return Sequence {\n
windowedIterator(iterator(), size, step, partialWindows, reuseBuffer) }\n  }\n\n  @ninternal fun <T>
windowedIterator(iterator: Iterator<T>, size: Int, step: Int, partialWindows: Boolean, reuseBuffer: Boolean):
Iterator<List<T>> {\n    if (!iterator.hasNext()) return EmptyIterator\n    return iterator<List<T>> {\n      val
bufferInitialCapacity = size.coerceAtMost(1024)\n      val gap = step - size\n      if (gap >= 0) {\n        var buffer
= ArrayList<T>(bufferInitialCapacity)\n        var skip = 0\n        for (e in iterator) {\n          if (skip > 0) {\n
skip -= 1; continue }\n          buffer.add(e)\n          if (buffer.size == size) {\n            yield(buffer)\n
            if (reuseBuffer) buffer.clear() else buffer = ArrayList(size)\n            skip = gap\n          }\n          }\n          if (buffer.isNotEmpty()) {\n            if (partialWindows || buffer.size == size) yield(buffer)\n          }\n        }\n      } else {\n        var buffer = RingBuffer<T>(bufferInitialCapacity)\n        for (e in iterator) {\n
buffer.add(e)\n          if (buffer.isFull()) {\n            if (buffer.size < size) { buffer =
buffer.expanded(maxCapacity = size); continue }\n            yield(if (reuseBuffer) buffer else
ArrayList(buffer))\n            buffer.removeFirst(step)\n          }\n          }\n          if (partialWindows) {\n
while (buffer.size > step) {\n            yield(if (reuseBuffer) buffer else ArrayList(buffer))\n
            buffer.removeFirst(step)\n          }\n          if (buffer.isNotEmpty()) yield(buffer)\n        }\n      }\n    }\n  }\n\n  @ninternal class MovingSubList<out E>(private val list: List<E>) : AbstractList<E>(), RandomAccess {\n
private var fromIndex: Int = 0\n  private var _size: Int = 0\n  fun move(fromIndex: Int, toIndex: Int) {\n
checkRangeIndexes(fromIndex, toIndex, list.size)\n    this.fromIndex = fromIndex\n    this._size = toIndex -

```

```

fromIndex\n } \n\n override fun get(index: Int): E {\n    checkElementIndex(index, _size)\n\n    return
list[fromIndex + index]\n } \n\n override val size: Int get() = _size\n}\n\n/**\n * Provides ring buffer
implementation.\n *\n * Buffer overflow is not allowed so [add] doesn't overwrite tail but raises an exception.\n
*\nprivate class RingBuffer<T>(private val buffer: Array<Any?>, filledSize: Int) : AbstractList<T>(),
RandomAccess {\n    init {\n        require(filledSize >= 0) { \"ring buffer filled size should not be negative but it is
$filledSize\" }\n        require(filledSize <= buffer.size) { \"ring buffer filled size: $filledSize cannot be larger than
the buffer size: ${buffer.size}\" }\n    }\n\n    constructor(capacity: Int) : this(arrayOfNulls<Any?>(capacity), 0)\n\n    private val capacity = buffer.size\n    private var startIndex: Int = 0\n\n    override var size: Int = filledSize\n\n    private set\n\n    override fun get(index: Int): T {\n        checkElementIndex(index, size)\n\n        @Suppress(\"UNCHECKED_CAST\")\n        return buffer[startIndex.forward(index)] as T\n    }\n\n    fun isFull() =
size == capacity\n\n    override fun iterator(): Iterator<T> = object : AbstractIterator<T>() {\n        private var count
= size\n        private var index = startIndex\n\n        override fun computeNext() {\n            if (count == 0) {\n
                done()\n            } else {\n                @Suppress(\"UNCHECKED_CAST\")\n                setNext(buffer[index] as
T)\n                index = index.forward(1)\n                count--\n            }\n        }\n    }\n\n    @Suppress(\"UNCHECKED_CAST\")\n    override fun <T> toArray(array: Array<T>): Array<T> {\n        val
result: Array<T?> =\n        if (array.size < this.size) array.copyOf(this.size) else array as Array<T?>\n\n        val
size = this.size\n\n        var widx = 0\n        var idx = startIndex\n\n        while (widx < size && idx < capacity) {\n
            result[widx] = buffer[idx] as T\n            widx++\n            idx++\n        }\n\n        idx = 0\n        while (widx <
size) {\n            result[widx] = buffer[idx] as T\n            widx++\n            idx++\n        }\n\n        if (result.size >
this.size) result[this.size] = null\n\n        return result as Array<T>\n    }\n\n    override fun toArray(): Array<Any?>
{\n        return toArray(arrayOfNulls(size))\n    }\n\n    /**\n     * Creates a new ring buffer with the capacity equal to
the minimum of [maxCapacity] and 1.5 * [capacity].\n     * The returned ring buffer contains the same elements as
this ring buffer.\n     *\n     fun expanded(maxCapacity: Int): RingBuffer<T> {\n        val newCapacity = (capacity +
(capacity shr 1) + 1).coerceAtMost(maxCapacity)\n        val newBuffer = if (startIndex == 0)
buffer.copyOf(newCapacity) else toArray(arrayOfNulls(newCapacity))\n        return RingBuffer(newBuffer, size)\n    }\n\n    /**\n     * Add [element] to the buffer or fail with [IllegalStateException] if no free space available in the
buffer.\n     *\n     fun add(element: T) {\n        if (isFull()) {\n            throw IllegalStateException(\"ring buffer is
full\")\n        }\n\n        buffer[startIndex.forward(size)] = element\n        size++\n    }\n\n    /**\n     * Removes [n]
first elements from the buffer or fails with [IllegalArgumentException] if not enough elements in the buffer to
remove.\n     *\n     fun removeFirst(n: Int) {\n        require(n >= 0) { \"n shouldn't be negative but it is $n\" }\n\n        require(n <= size) { \"n shouldn't be greater than the buffer size: n = $n, size = $size\" }\n\n        if (n > 0) {\n            val start = startIndex\n            val end = start.forward(n)\n\n            if (start > end) {\n                buffer.fill(null, start,
capacity)\n                buffer.fill(null, 0, end)\n            } else {\n                buffer.fill(null, start, end)\n            }\n\n            startIndex = end\n            size -= n\n        }\n    }\n\n    @Suppress(\"NOTHING_TO_INLINE\")\n    private
inline fun Int.forward(n: Int): Int = (this + n) % capacity\n}\n\n\"/*\n * Copyright 2010-2019 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n// UByteArray

```

```

=====\n@Exp
erimentalUnsignedTypes\nprivate fun partition(\n    array: UByteArray, left: Int, right: Int): Int {\n    var i = left\n    var j = right\n    val pivot = array[(left + right) / 2]\n    while (i <= j) {\n        while (array[i] < pivot)\n            i++\n        while (array[j] > pivot)\n            j--\n        if (i <= j) {\n            val tmp = array[i]\n            array[i] = array[j]\n            array[j] = tmp\n            i++\n            j--\n        }\n    }\n    return i\n}\n\n@ExperimentalUnsignedTypes\nprivate fun
quickSort(\n    array: UByteArray, left: Int, right: Int) {\n    val index = partition(array, left, right)\n    if (left < index
- 1)\n        quickSort(array, left, index - 1)\n    if (index < right)\n        quickSort(array, index, right)\n}\n\n//
UShortArray

```

```

=====\n@Exp
erimentalUnsignedTypes\nprivate fun partition(\n    array: UShortArray, left: Int, right: Int): Int {\n    var i = left\n    var j = right\n    val pivot = array[(left + right) / 2]\n    while (i <= j) {\n        while (array[i] < pivot)\n            i++\n

```



```

    while (array[j] > pivot)\n        j--\n        if (i <= j) {\n            val tmp = array[i]\n            array[i] = array[j]\n            array[j] = tmp\n            i++\n            j--\n        }\n    }\n    return i\n}\n\n@ExperimentalUnsignedTypes\nprivate fun quickSort(\n    array: UShortArray, left: Int, right: Int) {\n    val index = partition(array, left, right)\n    if (left < index - 1)\n        quickSort(array, left, index - 1)\n    if (index < right)\n        quickSort(array, index, right)\n}\n\n// UIntArray

```

```

=====
@ExperimentalUnsignedTypes\nprivate fun partition(\n    array: UIntArray, left: Int, right: Int): Int {\n    var i = left\n    var j = right\n    val pivot = array[(left + right) / 2]\n    while (i <= j) {\n        while (array[i] < pivot)\n            i++\n        while (array[j] > pivot)\n            j--\n        if (i <= j) {\n            val tmp = array[i]\n            array[i] = array[j]\n            array[j] = tmp\n            i++\n            j--\n        }\n    }\n    return i\n}\n\n@ExperimentalUnsignedTypes\nprivate fun quickSort(\n    array: UIntArray, left: Int, right: Int) {\n    val index = partition(array, left, right)\n    if (left < index - 1)\n        quickSort(array, left, index - 1)\n    if (index < right)\n        quickSort(array, index, right)\n}\n\n// ULongArray

```

```

=====
@ExperimentalUnsignedTypes\nprivate fun partition(\n    array: ULongArray, left: Int, right: Int): Int {\n    var i = left\n    var j = right\n    val pivot = array[(left + right) / 2]\n    while (i <= j) {\n        while (array[i] < pivot)\n            i++\n        while (array[j] > pivot)\n            j--\n        if (i <= j) {\n            val tmp = array[i]\n            array[i] = array[j]\n            array[j] = tmp\n            i++\n            j--\n        }\n    }\n    return i\n}\n\n@ExperimentalUnsignedTypes\nprivate fun quickSort(\n    array: ULongArray, left: Int, right: Int) {\n    val index = partition(array, left, right)\n    if (left < index - 1)\n        quickSort(array, left, index - 1)\n    if (index < right)\n        quickSort(array, index, right)\n}\n\n// Interfaces

```

```

=====
\n/**\n * Sorts the given array using qsort algorithm.\n */\n@ExperimentalUnsignedTypes\ninternal fun sortArray(array: UByteArray, fromIndex: Int, toIndex: Int) = quickSort(array, fromIndex, toIndex - 1)\n@ExperimentalUnsignedTypes\ninternal fun sortArray(array: UShortArray, fromIndex: Int, toIndex: Int) = quickSort(array, fromIndex, toIndex - 1)\n@ExperimentalUnsignedTypes\ninternal fun sortArray(array: UIntArray, fromIndex: Int, toIndex: Int) = quickSort(array, fromIndex, toIndex - 1)\n@ExperimentalUnsignedTypes\ninternal fun sortArray(array: ULongArray, fromIndex: Int, toIndex: Int) = quickSort(array, fromIndex, toIndex - 1),"/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\nimport kotlin.internal.InlineOnly\n\n/**\n * Compares this object with the specified object for order. Returns zero if this object is equal\n * to the specified [other] object, a negative number if it's less than [other], or a positive number\n * if it's greater than [other].\n */\n * This function delegates to [Comparable.compareTo] and allows to call it in infix form.\n\n*/\n@InlineOnly\n@SinceKotlin("1.6")\npublic inline infix fun <T> Comparable<T>.compareTo(other: T): Int =\n    this.compareTo(other)\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.contracts\n\nimport kotlin.internal.ContractsDsl\nimport kotlin.internal.InlineOnly\n\n/**\n * This marker distinguishes the experimental contract declaration API and is used to opt-in for that feature\n * when declaring contracts of user functions.\n */\n * Any usage of a declaration annotated with `@ExperimentalContracts` must be accepted either by\n * annotating that usage with the [OptIn] annotation, e.g. `@OptIn(ExperimentalContracts::class)`,\n * or by using the compiler argument `-Xopt-in=kotlin.contracts.ExperimentalContracts`.\n\n*/\n@Suppress("DEPRECATION")\n@Retention(AnnotationRetention.BINARY)\n@SinceKotlin("1.3")\n@Experimental\n@RequiresOptIn\n@MustBeDocumented\npublic annotation class ExperimentalContracts\n\n/**\n * Provides a scope, where the functions of the contract DSL, such as [returns], [callsInPlace], etc.,\n * can be used to describe the contract of a function.\n */\n * This type is used as a receiver type of the lambda function passed to the [contract] function.\n */\n * @see contract\n
```

```

*\n@ContractsDsl\n@ExperimentalContracts\n@SinceKotlin("1.3")\npublic interface ContractBuilder {\n
  /**\n
   * Describes a situation when a function returns normally, without any exceptions thrown.\n
   * Use [SimpleEffect.implies] function to describe a conditional effect that happens in such case.\n
   * \n
   * \n
   * \n //
   @sample samples.contracts.returnsContract\n
   @ContractsDsl public fun returns(): Returns\n\n
   /**\n
   * Describes a situation when a function returns normally with the specified return [value].\n
   * The possible values of [value] are limited to `true`, `false` or `null`.\n
   * Use [SimpleEffect.implies] function to describe a conditional effect that happens in such case.\n
   * \n
   * \n // @sample samples.contracts.returnsTrueContract\n
   // @sample samples.contracts.returnsFalseContract\n
   // @sample samples.contracts.returnsNullContract\n
   @ContractsDsl public fun returns(value: Any?): Returns\n\n
   /**\n
   * Describes a situation when a function returns normally with any value that is not `null`.\n
   * Use [SimpleEffect.implies] function to describe a conditional effect that happens in such case.\n
   * \n
   * \n // @sample
   samples.contracts.returnsNotNullContract\n
   @ContractsDsl public fun returnsNotNull(): ReturnsNotNull\n\n
   /**\n
   * Specifies that the function parameter [lambda] is invoked in place.\n
   * This contract specifies that:\n
   * 1. the function [lambda] can only be invoked during the call of the owner function,\n
   * and it won't be invoked after that owner function call is completed;\n
   * 2. _(optionally)_ the function [lambda] is invoked the amount of times specified by the [kind] parameter.\n
   * see the [InvocationKind] enum for possible values.\n
   * \n
   * A function declaring the `callsInPlace` effect must be _inline_.\n
   * \n
   * \n // @sample
   samples.contracts.callsInPlaceAtMostOnceContract\n
   * @sample
   samples.contracts.callsInPlaceAtLeastOnceContract\n
   * @sample
   samples.contracts.callsInPlaceExactlyOnceContract\n
   * @sample
   samples.contracts.callsInPlaceUnknownContract\n
   *\n
   @ContractsDsl public fun <R> callsInPlace(lambda: Function<R>, kind: InvocationKind = InvocationKind.UNKNOWN): CallsInPlace\n}\n\n
   /**\n
   * Specifies how many times a function invokes its function parameter in place.\n
   * See [ContractBuilder.callsInPlace] for the details of the call-in-place function contract.\n
   \n
   *\n@ContractsDsl\n@ExperimentalContracts\n@SinceKotlin("1.3")\npublic enum class InvocationKind {\n
  /**\n
   * A function parameter will be invoked one time or not invoked at all.\n
   * \n
   * \n // @sample
   samples.contracts.callsInPlaceAtMostOnceContract\n
   @ContractsDsl AT_MOST_ONCE,\n\n
   /**\n
   * A function parameter will be invoked one or more times.\n
   * \n
   * \n // @sample
   samples.contracts.callsInPlaceAtLeastOnceContract\n
   @ContractsDsl AT_LEAST_ONCE,\n\n
   /**\n
   * A function parameter will be invoked exactly one time.\n
   * \n
   * \n // @sample
   samples.contracts.callsInPlaceExactlyOnceContract\n
   @ContractsDsl EXACTLY_ONCE,\n\n
   /**\n
   * A function parameter is called in place, but it's unknown how many times it can be called.\n
   * \n
   * \n // @sample
   samples.contracts.callsInPlaceUnknownContract\n
   @ContractsDsl UNKNOWN\n}\n\n
   /**\n
   * Specifies the contract of a function.\n
   * The contract description must be at the beginning of a function and have at least one effect.\n
   * Only the top-level functions can have a contract for now.\n
   * @param builder the lambda where the contract of a function is described with the help of the [ContractBuilder] members.\n
   * \n
   * \n // @sample
   samples.contracts.returnsContract\n* @sample samples.contracts.returnsTrueContract\n* @sample
   samples.contracts.returnsFalseContract\n* @sample samples.contracts.returnsNullContract\n* @sample
   samples.contracts.returnsNotNullContract\n* @sample samples.contracts.callsInPlaceAtMostOnceContract\n*
   @sample samples.contracts.callsInPlaceAtLeastOnceContract\n* @sample
   samples.contracts.callsInPlaceExactlyOnceContract\n* @sample
   samples.contracts.callsInPlaceUnknownContract\n*\n@ContractsDsl\n@ExperimentalContracts\n@InlineOnly\n@
   SinceKotlin("1.3")\n@Suppress("UNUSED_PARAMETER")\npublic inline fun contract(builder:
   ContractBuilder.() -> Unit) { }\n", "/*\n
   * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n
   * Use of this source code is governed by the Apache 2.0 license that can be found in the
   license/LICENSE.txt file.\n
   *\n\npackage kotlin.coroutines\n\n/**\n
   * Marks coroutine context element that intercepts coroutine continuations.\n
   * The coroutines framework uses [ContinuationInterceptor.Key] to retrieve the
   interceptor and\n
   * intercepts all coroutine continuations with [interceptContinuation] invocations.\n
   * \n
   * \n

```

[ContinuationInterceptor] behaves like a [polymorphic element][AbstractCoroutineContextKey], meaning that its implementation delegates [get][CoroutineContext.Element.get] and [minusKey][CoroutineContext.Element.minusKey] to [getPolymorphicElement] and [minusPolymorphicKey] respectively.

[ContinuationInterceptor] subtypes can be extracted from the coroutine context using either [ContinuationInterceptor.Key] or subtype key if it extends [AbstractCoroutineContextKey].

```

@SinceKotlin("1.3")
public interface ContinuationInterceptor : CoroutineContext.Element {
    // The key that defines the context interceptor.
    companion object Key :
        CoroutineContext.Key<ContinuationInterceptor> {
        // Returns continuation that wraps the original
        // [continuation], thus intercepting all resumptions.
        // This function is invoked by coroutines framework when
        // needed and the resulting continuations are
        // cached internally per each instance of the original [continuation].
        // This function may simply return original [continuation] if it does not want to intercept this particular
        // continuation.
        // When the original [continuation] completes, coroutine framework invokes
        // [releaseInterceptedContinuation] with the resulting continuation if it was intercepted, that is if
        // `interceptContinuation` had previously returned a different continuation instance.
        public fun <T>
            interceptContinuation(continuation: Continuation<T>): Continuation<T> {
            // Invoked for the
            // continuation instance returned by [interceptContinuation] when the original
            // continuation completes and will
            // not be used anymore. This function is invoked only if [interceptContinuation]
            // had returned a different
            // continuation instance from the one it was invoked with.
            // Default implementation does nothing.
            // @param continuation Continuation instance returned by this interceptor's [interceptContinuation] invocation.
            public fun releaseInterceptedContinuation(continuation: Continuation<*>) {
            // do nothing by default
            }
            public override operator fun <E : CoroutineContext.Element> get(key: CoroutineContext.Key<E>):
                E? {
            // getPolymorphicKey specialized for ContinuationInterceptor key
            @OptIn(ExperimentalStdlibApi::class)
            if (key is AbstractCoroutineContextKey<*, *>) {
            @Suppress("UNCHECKED_CAST")
            return if (key.isSubKey(this.key)) key.tryCast(this) as? E else
                null
            }
            @Suppress("UNCHECKED_CAST")
            return if (ContinuationInterceptor === key) this as
                E else null
            }
            public override fun minusKey(key: CoroutineContext.Key<*>): CoroutineContext {
            // minusPolymorphicKey specialized for ContinuationInterceptor key
            @OptIn(ExperimentalStdlibApi::class)
            if (key is AbstractCoroutineContextKey<*, *>) {
            return if
                (key.isSubKey(this.key) && key.tryCast(this) != null) EmptyCoroutineContext else this
            }
            return if
                (ContinuationInterceptor === key) EmptyCoroutineContext else this
            }
        }
    }
}
// Copyright 2010-2018
// JetBrains s.r.o. and Kotlin Programming Language contributors.
// Use of this source code is governed by the
// Apache 2.0 license that can be found in the license/LICENSE.txt file.
package kotlin.coroutines
/**
 * Persistent context for the coroutine. It is an indexed set of [Element] instances.
 * An indexed set is a mix between
 * a set and a map.
 * Every element in this set has a unique [Key].
 */
@SinceKotlin("1.3")
public interface
    CoroutineContext {
    // Returns the element with the given [key] from this context or `null`.
    public operator fun <E : Element> get(key: Key<E>): E?
    // Accumulates entries of this context
    // starting with [initial] value and applying [operation]
    // from left to right to current accumulator value and each
    // element of this context.
    public fun <R> fold(initial: R, operation: (R, Element) -> R): R
    // Returns a context containing elements from this context and elements from other [context].
    // The elements
    // from this context with the same key as in the other one are dropped.
    public operator fun plus(context:
        CoroutineContext): CoroutineContext =
        if (context === EmptyCoroutineContext) this else // fast path -- avoid
        lambda creation
        context.fold(this) { acc, element ->
            val removed =
                acc.minusKey(element.key)
            if (removed === EmptyCoroutineContext) element else {
            //
            // make sure interceptor is always last in the context (and thus is fast to get when present)
            val interceptor
                = removed[ContinuationInterceptor]
            if (interceptor == null) CombinedContext(removed, element) else
                {
                val left = removed.minusKey(ContinuationInterceptor)
                if (left ===
                    EmptyCoroutineContext) CombinedContext(element, interceptor) else
                    CombinedContext(CombinedContext(left, element), interceptor)
                }
            }
        }
    }
}

```

```

* Returns a context containing elements from this context, but without an element with
 * the specified [key].
 *
 * public fun minusKey(key: Key<*>): CoroutineContext {
 *     if (this.key == key) EmptyCoroutineContext else this
 * }
 *
 * An element of the [CoroutineContext]. An element of the coroutine context is a singleton context by itself.
 *
 * public interface Element : CoroutineContext {
 *     val key: Key<*>
 *     public override operator fun <E : Element> get(key: Key<E>): E? =
 *         if (this.key == key) this as E else null
 *     public override
 *     fun <R> fold(initial: R, operation: (R, Element) -> R): R =
 *         operation(initial, this)
 *     public override
 *     fun minusKey(key: Key<*>): CoroutineContext =
 *         if (this.key == key) EmptyCoroutineContext else this
 * }
 *
 * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 *
 * package kotlin.coroutines
 * import kotlin.coroutines.CoroutineContext.Element
 * import kotlin.coroutines.CoroutineContext.Key
 *
 * Base class for [CoroutineContext.Element] implementations.
 *
 * @SinceKotlin("1.3")
 * public abstract class AbstractCoroutineContextElement(public override val key:
 * Key<*>) : Element {
 *
 * Base class for [CoroutineContext.Key] associated with polymorphic
 * [CoroutineContext.Element] implementation.
 * Polymorphic element implementation implies delegating its
 * [get][Element.get] and [minusKey][Element.minusKey] to [getPolymorphicElement] and
 * [minusPolymorphicKey] respectively.
 * Polymorphic elements can be extracted from the coroutine context
 * using both element key and its supertype key.
 * Example of polymorphic elements:
 *
 * open class
 * BaseElement : CoroutineContext.Element {
 *     companion object Key : CoroutineContext.Key<BaseElement>
 *
 *     override val key: CoroutineContext.Key<*> get() = Key
 *     // It is important to use getPolymorphicKey and
 *     minusPolymorphicKey
 *     override fun <E : CoroutineContext.Element> get(key: CoroutineContext.Key<E>):
 * E? = getPolymorphicElement(key)
 *     override fun minusKey(key: CoroutineContext.Key<*>):
 * CoroutineContext = minusPolymorphicKey(key)
 * }
 *
 * class DerivedElement : BaseElement() {
 *     companion object Key : AbstractCoroutineContextKey<BaseElement, DerivedElement>(BaseElement, { it as?
 * DerivedElement })
 *
 * // Now it is possible to query both `BaseElement` and `DerivedElement`
 * someContext[BaseElement] // Returns BaseElement?, non-null both for BaseElement and DerivedElement
 * instances
 * someContext[DerivedElement] // Returns DerivedElement?, non-null only for DerivedElement
 * instance
 *
 * @param B base class of a polymorphic element
 * @param baseKey an instance of base key
 * @param E element type associated with the current key
 * @param safeCast a function that can safely cast
 * abstract [CoroutineContext.Element] to the concrete [E] type
 * and return the element if it is a subtype
 * of [E] or `null` otherwise.
 *
 * @ExperimentalStdlibApi
 * public abstract class
 * AbstractCoroutineContextKey<B : Element, E : B>(
 *     baseKey: Key<B>,
 *     private val safeCast: (element:
 * Element) -> E?) : Key<E> {
 *     private val topmostKey: Key<*> = if (baseKey is
 * AbstractCoroutineContextKey<*, *>) baseKey.topmostKey else baseKey
 *
 *     internal fun tryCast(element:
 * Element): E? = safeCast(element)
 *     internal fun isSubKey(key: Key<*>): Boolean = key === this || topmostKey
 * === key
 * }
 *
 * Returns the current element if it is associated with the given [key] in a polymorphic manner
 * or `null` otherwise.
 * This method returns non-null value if either [Element.key] is equal to the given [key] or if
 * the [key] is associated
 * with [Element.key] via [AbstractCoroutineContextKey].
 * See
 * [AbstractCoroutineContextKey] for the example of usage.
 *
 * @ExperimentalStdlibApi
 * public fun <E : Element>
 * Element.getPolymorphicElement(key: Key<E>): E? {
 *     if (key is AbstractCoroutineContextKey<*, *>) {
 *         @Suppress("UNCHECKED_CAST")
 *         return if (key.isSubKey(this.key)) key.tryCast(this) as? E else null
 *     }
 *     @Suppress("UNCHECKED_CAST")
 *     return if (this.key === key) this as E else null
 * }
 *
 * Returns empty coroutine context if the element is associated with the given [key] in a polymorphic manner
 * or
 * `null` otherwise.
 * This method returns empty context if either [Element.key] is equal to the given [key] or if the
 * [key] is associated
 * with [Element.key] via [AbstractCoroutineContextKey].
 * See
 * [AbstractCoroutineContextKey] for the example of usage.

```

```

*/\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic fun Element.minusPolymorphicKey(key: Key<*>):
CoroutineContext {\n    if (key is AbstractCoroutineContextKey<*, *>) {\n        return if (key.isSubKey(this.key)
&& key.tryCast(this) != null) EmptyCoroutineContext else this\n    }\n    return if (this.key === key)
EmptyCoroutineContext else this\n}\n\n/*\n * An empty coroutine context.\n */\n@SinceKotlin("1.3")\npublic
object EmptyCoroutineContext : CoroutineContext, Serializable {\n    private const val serialVersionUID: Long =
0\n    private fun readResolve(): Any = EmptyCoroutineContext\n\n    public override fun <E : Element> get(key:
Key<E>): E? = null\n    public override fun <R> fold(initial: R, operation: (R, Element) -> R): R = initial\n    public
override fun plus(context: CoroutineContext): CoroutineContext = context\n    public override fun minusKey(key:
Key<*>): CoroutineContext = this\n    public override fun hashCode(): Int = 0\n    public override fun toString():
String = "EmptyCoroutineContext"\n}\n\n//----- internal impl -----\n\n// this class is not
exposed, but is hidden inside implementations\n// this is a left-biased list, so that `plus` works
naturally\n@SinceKotlin("1.3")\ninternal class CombinedContext(\n    private val left: CoroutineContext,\n    private val element: Element\n) : CoroutineContext, Serializable {\n\n    override fun <E : Element> get(key:
Key<E>): E? {\n        var cur = this\n        while (true) {\n            cur.element[key]?.let { return it }\n            val next
= cur.left\n            if (next is CombinedContext) {\n                cur = next\n            } else {\n                return
next[key]\n            }\n        }\n\n        public override fun <R> fold(initial: R, operation: (R, Element) -> R): R =\n            operation(left.fold(initial, operation), element)\n\n        public override fun minusKey(key: Key<*>):
CoroutineContext {\n            element[key]?.let { return left }\n            val newLeft = left.minusKey(key)\n            return
when {\n                newLeft === left -> this\n                newLeft === EmptyCoroutineContext -> element\n            } else ->
CombinedContext(newLeft, element)\n        }\n\n        private fun size(): Int {\n            var cur = this\n            var size
= 2\n            while (true) {\n                cur = cur.left as? CombinedContext ?: return size\n                size++\n            }\n        }\n\n        private fun contains(element: Element): Boolean =\n            get(element.key) == element\n\n        private fun
containsAll(context: CombinedContext): Boolean {\n            var cur = context\n            while (true) {\n                if
(!contains(cur.element)) return false\n                val next = cur.left\n                if (next is CombinedContext) {\n                    cur = next\n                } else {\n                    return contains(next as Element)\n                }\n            }\n        }\n\n        override fun
equals(other: Any?): Boolean =\n            this === other || other is CombinedContext && other.size() == size() &&
other.containsAll(this)\n\n        override fun hashCode(): Int = left.hashCode() + element.hashCode()\n\n        override
fun toString(): String = "\n    [" + fold("") { acc, element ->\n        if (acc.isEmpty()) element.toString() else
"$acc, $element"\n    } + "]" + "\n\n        private fun writeReplace(): Any {\n            val n = size()\n            val elements =
arrayOfNulls<CoroutineContext>(n)\n            var index = 0\n            fold(Unit) { _, element -> elements[index++] =
element }\n            check(index == n)\n            @Suppress("UNCHECKED_CAST")\n            return Serialized(elements
as Array<CoroutineContext>)\n        }\n\n        private class Serialized(val elements: Array<CoroutineContext>) :
Serializable {\n            companion object {\n                private const val serialVersionUID: Long = 0L\n            }\n\n            private fun readResolve(): Any = elements.fold(EmptyCoroutineContext, CoroutineContext::plus)\n        }\n}\n\n"/\n
*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmName("IntrinsicsKt")\n@file:kotlin.jvm.JvmMultifileClass\n\npackage
kotlin.coroutines.intrinsics\n\nimport kotlin.contracts.*\nimport kotlin.coroutines.*\nimport
kotlin.internal.InlineOnly\n\n/*\n * Obtains the current continuation instance inside suspend functions and either
suspends\n * currently running coroutine or returns result immediately without suspension.\n * If the [block]
returns the special [COROUTINE_SUSPENDED] value, it means that suspend function did suspend the execution
and will\n * not return any result immediately. In this case, the [Continuation] provided to the [block] shall be\n *
resumed by invoking [Continuation.resumeWith] at some moment in the\n * future when the result becomes
available to resume the computation.\n * Otherwise, the return value of the [block] must have a type assignable
to [T] and represents the result of this suspend function.\n * It means that the execution was not suspended and the
[Continuation] provided to the [block] shall not be invoked.\n * As the result type of the [block] is declared as
`Any?` and cannot be correctly type-checked,\n * its proper return type remains on the conscience of the suspend
function's author.\n * Invocation of [Continuation.resumeWith] resumes coroutine directly in the invoker's

```

thread without going through the `[ContinuationInterceptor]` that might be present in the coroutine's `[CoroutineContext]`. It is the invoker's responsibility to ensure that a proper invocation context is established. `[Continuation.intercepted]` can be used to acquire the intercepted continuation. Note that it is not recommended to call either `[Continuation.resume]` nor `[Continuation.resumeWithException]` functions synchronously in the same stackframe where suspension function is run. Use `[suspendCoroutine]` as a safer way to obtain current continuation instance.

```
*\n@SinceKotlin("1.3")\n@InlineOnly\n@Suppress("UNUSED_PARAMETER",  
"RedundantSuspendModifier")\npublic suspend inline fun <T>  
suspendCoroutineUninterceptedOrReturn(crossinline block: (Continuation<T>) -> Any?): T {\n    contract {  
        callsInPlace(block, InvocationKind.EXACTLY_ONCE) \n    } \n    throw NotImplementedError("Implementation of  
suspendCoroutineUninterceptedOrReturn is intrinsic") \n} \n\n/* This value is used as a return value of  
[suspendCoroutineUninterceptedOrReturn] `block` argument to state that  
the execution was suspended and will  
not return any result immediately. \n\n**Note: this value should not be used in general code.** Using it outside  
of the context of `suspendCoroutineUninterceptedOrReturn` function return value (including, but not limited  
to, storing this value in other properties, returning it from other functions, etc) can lead to unspecified  
behavior of the code. \n\n// It is implemented as property with getter to avoid ProGuard <clinit> problem with  
multifile IntrinsicKt class \n@SinceKotlin("1.3") \npublic val COROUTINE_SUSPENDED: Any get() =  
CoroutineSingletons.COROUTINE_SUSPENDED \n\n// Using enum here ensures two important properties: \n\n// 1.  
It makes SafeContinuation serializable with all kinds of serialization frameworks (since all of them natively support  
enums) \n\n// 2. It improves debugging experience, since you clearly see toString() value of those objects and what  
package they come from \n@SinceKotlin("1.3") \n@PublishedApi // This class is Published API via serialized  
representation of SafeContinuation, don't rename/move \ninternal enum class CoroutineSingletons {  
    COROUTINE_SUSPENDED, UNDECIDED, RESUMED } \n\n"/ \n\n/* Copyright 2010-2018 JetBrains s.r.o. and  
Kotlin Programming Language contributors. \n\n* Use of this source code is governed by the Apache 2.0 license that  
can be found in the license/LICENSE.txt file. \n\n\npackage kotlin.experimental \n\n** Performs a bitwise AND  
operation between the two values. \n@SinceKotlin("1.1") \n@kotlin.internal.InlineOnly \npublic inline infix fun  
Byte.and(other: Byte): Byte = (this.toInt() and other.toInt()).toByte() \n\n** Performs a bitwise OR operation  
between the two values. \n@SinceKotlin("1.1") \n@kotlin.internal.InlineOnly \npublic inline infix fun  
Byte.or(other: Byte): Byte = (this.toInt() or other.toInt()).toByte() \n\n** Performs a bitwise XOR operation  
between the two values. \n@SinceKotlin("1.1") \n@kotlin.internal.InlineOnly \npublic inline infix fun  
Byte.xor(other: Byte): Byte = (this.toInt() xor other.toInt()).toByte() \n\n** Inverts the bits in this value.  
\n@SinceKotlin("1.1") \n@kotlin.internal.InlineOnly \npublic inline fun Byte.inv(): Byte =  
(this.toInt().inv()).toByte() \n\n** Performs a bitwise AND operation between the two values.  
\n@SinceKotlin("1.1") \n@kotlin.internal.InlineOnly \npublic inline infix fun Short.and(other: Short): Short =  
(this.toInt() and other.toInt()).toShort() \n\n** Performs a bitwise OR operation between the two values.  
\n@SinceKotlin("1.1") \n@kotlin.internal.InlineOnly \npublic inline infix fun Short.or(other: Short): Short =  
(this.toInt() or other.toInt()).toShort() \n\n** Performs a bitwise XOR operation between the two values.  
\n@SinceKotlin("1.1") \n@kotlin.internal.InlineOnly \npublic inline infix fun Short.xor(other: Short): Short =  
(this.toInt() xor other.toInt()).toShort() \n\n** Inverts the bits in this value.  
\n@SinceKotlin("1.1") \n@kotlin.internal.InlineOnly \npublic inline fun Short.inv(): Short =  
(this.toInt().inv()).toShort() \n\n"/ \n\n/* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language  
contributors. \n\n* Use of this source code is governed by the Apache 2.0 license that can be found in the  
license/LICENSE.txt file. \n\n\npackage kotlin.experimental \n\n** \n\n* The experimental marker for type  
inference augmenting annotations. \n\n* Any usage of a declaration annotated with  
`@ExperimentalTypeInference` must be accepted either by \n\n* annotating that usage with the [OptIn] annotation,  
e.g. `@OptIn(ExperimentalTypeInference::class)` \n\n* or by using the compiler argument `-Xopt-  
in=kotlin.experimental.ExperimentalTypeInference` \n\n*\n@Suppress("DEPRECATION") \n@Experimental(level  
= Experimental.Level.ERROR) \n@RequiresOptIn(level =
```

RequiresOptIn.Level.ERROR)\n@MustBeDocumented\n@Retention(AnnotationRetention.BINARY)\n@Target(AnnotationTarget.ANNOTATION\_CLASS)\n@SinceKotlin("1.3")\npublic annotation class ExperimentalTypeInference\n"/\n \* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n \* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n \*/\npackage kotlin.internal\n/\*\*\n \* Specifies that the corresponding type should be ignored during type inference.\n \*\n \*/\n@Target(AnnotationTarget.TYPE)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class NoInfer\n/\*\*\n \* Specifies that the constraint built for the type during type inference should be an equality one.\n \*\n \*/\n@Target(AnnotationTarget.TYPE)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class Exact\n/\*\*\n \* Specifies that a corresponding member has the lowest priority in overload resolution.\n \*\n \*/\n@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class LowPriorityInOverloadResolution\n/\*\*\n \* Specifies that the corresponding member has the highest priority in overload resolution. Effectively this means that\n \* an extension annotated with this annotation will win in overload resolution over a member with the same signature.\n \*/\n@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class HidesMembers\n/\*\*\n \* The value of this type parameter should be mentioned in input types (argument types, receiver type or expected type).\n \*\n \*/\n@Target(AnnotationTarget.TYPE\_PARAMETER)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class OnlyInputTypes\n/\*\*\n \* Specifies that this function should not be called directly without inlining\n \*/\n@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY, AnnotationTarget.PROPERTY\_GETTER, AnnotationTarget.PROPERTY\_SETTER)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class InlineOnly\n/\*\*\n \* Specifies that this declaration can have dynamic receiver type.\n \*\n \*/\n@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class DynamicExtension\n/\*\*\n \* The value of this parameter should be a property reference expression ( `this::foo` ), referencing a `lateinit` property,\n \* the backing field of which is accessible at the point where the corresponding argument is passed.\n \*\n \*/\n@Target(AnnotationTarget.VALUE\_PARAMETER)\n@Retention(AnnotationRetention.BINARY)\n@SinceKotlin("1.2")\ninternal annotation class AccessibleLateinitPropertyLiteral\n/\*\*\n \* Specifies that this declaration is only completely supported since the specified version.\n \*/\n \* The Kotlin compiler of an earlier version is going to report a diagnostic on usages of this declaration.\n \* The diagnostic message can be specified with [message], or via [errorCode] (takes less space, but might not be immediately clear\n \* to the user). The diagnostic severity can be specified with [level]: WARNING/ERROR mean that either a warning or an error\n \* is going to be reported, HIDDEN means that the declaration is going to be removed from resolution completely.\n \*/\n \* [versionKind] specifies which version should be compared with the [version] value, when compiling the usage of the annotated declaration.\n \* Note that prior to 1.2, only [RequireKotlinVersionKind.LANGUAGE\_VERSION] was supported, so the Kotlin compiler before 1.2 is going to\n \* treat any [RequireKotlin] as if it requires the language version. Since 1.2, the Kotlin compiler supports\n \* [RequireKotlinVersionKind.LANGUAGE\_VERSION], [RequireKotlinVersionKind.COMPILER\_VERSION] and [RequireKotlinVersionKind.API\_VERSION].\n \* If the actual value of [versionKind] is something different (e.g. a new version kind, added in future versions of Kotlin),\n \* Kotlin 1.2 is going to ignore this [RequireKotlin] altogether, where as Kotlin before 1.2 is going to treat this as a requirement\n \* on the language version.\n \*/\n \* This annotation is erased at compile time; its arguments are stored in a more compact form in the Kotlin metadata.\n \*/\n@Target(AnnotationTarget.CLASS, AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY, AnnotationTarget.CONSTRUCTOR, AnnotationTarget.TYPE\_ALIAS)\n@Retention(AnnotationRetention.SOURCE)\n@Repeatable\n@SinceKotlin("1.2")\ninternal annotation class RequireKotlin(\n val version: String,\n val message: String = "",\n val level:

```

DeprecationLevel = DeprecationLevel.ERROR,\n  val versionKind: RequireKotlinVersionKind =
RequireKotlinVersionKind.LANGUAGE_VERSION,\n  val errorCode: Int = -1)\n\n/**\n * The kind of the
version that is required by [RequireKotlin].\n */\n@SinceKotlin("1.2")\ninternal enum class
RequireKotlinVersionKind {\n  LANGUAGE_VERSION,\n  COMPILER_VERSION,\n  API_VERSION,\n}\n\n/**\n * Specifies that this declaration is a part of special DSL, used for constructing
function's contract.\n */\n@Retention(AnnotationRetention.BINARY)\n@SinceKotlin("1.2")\ninternal annotation
class ContractsDsl\n\n/**\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.properties\n\nimport kotlin.reflect.KProperty\n\n/**\n * Standard
property delegates.\n */\npublic object Delegates {\n  /**\n   * Returns a property delegate for a read/write
property with a non-`null` value that is initialized not during\n   * object construction time but at a later time.
Trying to read the property before the initial value has been\n   * assigned results in an exception.\n   */\n   *
@sample samples.properties.Delegates.notNullDelegate\n   */\n   public fun <T : Any> notNull():
ReadWriteProperty<Any?, T> = NotNullVar()\n\n   /**\n   * Returns a property delegate for a read/write property
that calls a specified callback function when changed.\n   * @param initialValue the initial value of the property.\n
   * @param onChange the callback which is called after the change of the property is made. The value of the
property\n   * has already been changed when this callback is invoked.\n   */\n   * @sample
samples.properties.Delegates.observableDelegate\n   */\n   public inline fun <T> observable(initialValue: T,
crossinline onChange: (property: KProperty<*>, oldValue: T, newValue: T) -> Unit):\n
ReadWriteProperty<Any?, T> =\n   object : ObservableProperty<T>(initialValue) {\n   override fun
afterChange(property: KProperty<*>, oldValue: T, newValue: T) = onChange(property, oldValue, newValue)\n
   }\n\n   /**\n   * Returns a property delegate for a read/write property that calls a specified callback function when
changed,\n   * allowing the callback to veto the modification.\n   * @param initialValue the initial value of the
property.\n   * @param onChange the callback which is called before a change to the property value is attempted.\n
   * The value of the property hasn't been changed yet, when this callback is invoked.\n   * If the callback returns
`true` the value of the property is being set to the new value,\n   * and if the callback returns `false` the new value
is discarded and the property remains its old value.\n   */\n   * @sample
samples.properties.Delegates.vetoableDelegate\n   * @sample
samples.properties.Delegates.throwVetoableDelegate\n   */\n   public inline fun <T> vetoable(initialValue: T,
crossinline onChange: (property: KProperty<*>, oldValue: T, newValue: T) -> Boolean):\n
ReadWriteProperty<Any?, T> =\n   object : ObservableProperty<T>(initialValue) {\n   override fun
beforeChange(property: KProperty<*>, oldValue: T, newValue: T): Boolean = onChange(property, oldValue,
newValue)\n   }\n\n}\n\nprivate class NotNullVar<T : Any>() : ReadWriteProperty<Any?, T> {\n  private var
value: T? = null\n  public override fun getValue(thisRef: Any?, property: KProperty<*>): T {\n    return value
?: throw IllegalStateException("Property ${property.name} should be initialized before get.")\n  }\n  public
override fun setValue(thisRef: Any?, property: KProperty<*>, value: T) {\n    this.value = value\n  }\n}\n\n"/**\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of
this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.properties\n\nimport kotlin.reflect.KProperty\n\n/**\n * Base interface that can be used for
implementing property delegates of read-only properties.\n */\n * This is provided only for convenience; you don't
have to extend this interface\n * as long as your property delegate has methods with the same signatures.\n */\n *
@param T the type of object which owns the delegated property.\n * @param V the type of the property value.\n
*/\n\npublic fun interface ReadOnlyProperty<in T, out V> {\n  /**\n   * Returns the value of the property for the
given object.\n   * @param thisRef the object for which the value is requested.\n   * @param property the
metadata for the property.\n   * @return the property value.\n   */\n   public operator fun getValue(thisRef: T,
property: KProperty<*>): V\n}\n\n/**\n * Base interface that can be used for implementing property delegates of
read-write properties.\n */\n * This is provided only for convenience; you don't have to extend this interface\n * as
long as your property delegate has methods with the same signatures.\n */\n * @param T the type of object which

```



```

owns the delegated property.\n * @param V the type of the property value.\n */\npublic interface
ReadWriteProperty<in T, V> : ReadOnlyProperty<T, V> {\n    /**\n     * Returns the value of the property for the
given object.\n     * @param thisRef the object for which the value is requested.\n     * @param property the
metadata for the property.\n     * @return the property value.\n     */\n    public override operator fun
getValue(thisRef: T, property: KProperty<*>): V\n\n    /**\n     * Sets the value of the property for the given
object.\n     * @param thisRef the object for which the value is requested.\n     * @param property the metadata for
the property.\n     * @param value the value to set.\n     */\n    public operator fun setValue(thisRef: T, property:
KProperty<*>, value: V)\n}\n\n/**\n * Base interface that can be used for implementing property delegate
providers.\n * This is provided only for convenience; you don't have to extend this interface\n * as long as your
delegate provider has a method with the same signature.\n * @param T the type of object which owns the
delegated property.\n * @param D the type of property delegates this provider provides.\n\n*/\n@SinceKotlin("1.4")\npublic fun interface PropertyDelegateProvider<in T, out D> {\n    /**\n     * Returns the
delegate of the property for the given object.\n     * This function can be used to extend the logic of creating
the object (e.g. perform validation checks)\n     * to which the property implementation is delegated.\n     * @param thisRef the object for which property delegate is requested.\n     * @param property the metadata for the
property.\n     * @return the property delegate.\n     */\n    public operator fun provideDelegate(thisRef: T, property:
KProperty<*>): D\n}\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.properties\n\nimport kotlin.reflect.KProperty\n\n/**\n * Implements the core logic of a property delegate for a read/write property that calls callback functions when
changed.\n * @param initialValue the initial value of the property.\n */\npublic abstract class
ObservableProperty<V>(initialValue: V) : ReadWriteProperty<Any?, V> {\n    private var value = initialValue\n\n    /**\n     * The callback which is called before a change to the property value is attempted.\n     * The value of the
property hasn't been changed yet, when this callback is invoked.\n     * If the callback returns `true` the value of the
property is being set to the new value,\n     * and if the callback returns `false` the new value is discarded and the
property remains its old value.\n     */\n    protected open fun beforeChange(property: KProperty<*>, oldValue: V,
newValue: V): Boolean = true\n\n    /**\n     * The callback which is called after the change of the property is made.
The value of the property\n     * has already been changed when this callback is invoked.\n     */\n    protected open
fun afterChange(property: KProperty<*>, oldValue: V, newValue: V): Unit {}\n\n    public override fun
getValue(thisRef: Any?, property: KProperty<*>): V {\n        return value\n    }\n\n    public override fun
setValue(thisRef: Any?, property: KProperty<*>, value: V) {\n        val oldValue = this.value\n        if
(!beforeChange(property, oldValue, value)) {\n            return\n        }\n        this.value = value\n        afterChange(property, oldValue, value)\n    }\n}\n\n"/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\n\n@file:Suppress("PackageDirectoryMismatch")\npackage
kotlin\n\nimport kotlin.reflect.*\n\n/**\n * An extension operator that allows delegating a read-only property of type
[V]\n * to a property reference to a property of type [V] or its subtype.\n * @receiver A property reference to a
read-only or mutable property of type [V] or its subtype.\n * The reference is without a receiver, i.e. it either
references a top-level property or\n * has the receiver bound to it.\n * Example:\n * ```\n * class Login(val
username: String)\n * val defaultLogin = Login("Admin")\n * val defaultUsername by defaultLogin::username\n *
// equivalent to\n * val defaultUserName get() = defaultLogin.username\n * ```\n\n*/\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline operator fun <V>
KProperty0<V>.getValue(thisRef: Any?, property: KProperty<*>): V {\n    return get()\n}\n\n/**\n * An extension
operator that allows delegating a mutable property of type [V]\n * to a property reference to a mutable property of
the same type [V].\n * @receiver A property reference to a mutable property of type [V].\n * The reference is
without a receiver, i.e. it either references a top-level property or\n * has the receiver bound to it.\n * Example:\n * ```\n * class Login(val username: String, var incorrectAttemptCounter: Int = 0)\n * val defaultLogin =
Login("Admin")\n * var defaultLoginAttempts by defaultLogin::incorrectAttemptCounter\n * // equivalent to\n *

```

```

var defaultLoginAttempts: Int? = defaultLogin.incorrectAttemptCounter
    set(value) {
        defaultLogin.incorrectAttemptCounter = value
    }
}

@SinceKotlin("1.4")@kotlin.internal.InlineOnly
public inline operator fun <V>
KMutableProperty0<V>.setValue(thisRef: Any?, property: KProperty<*>, value: V) {
    set(value)
}

* An extension operator that allows delegating a read-only member or extension property of type [V]
* to a property reference to a member or extension property of type [V] or its subtype.
* @receiver A property reference to a read-only or mutable property of type [V] or its subtype.
* The reference has an unbound receiver of type [T].
* Example:
* class Login(val username: String)
* val Login.user by
Login::username
* // equivalent to
* val Login.user get() = this.username

@SinceKotlin("1.4")@kotlin.internal.InlineOnly
public inline operator fun <T, V> KProperty1<T,
V>.getValue(thisRef: T, property: KProperty<*>): V {
    return get(thisRef)
}

* An extension operator
that allows delegating a mutable member or extension property of type [V]
* to a property reference to a member
or extension mutable property of the same type [V].
* @receiver A property reference to a read-only or
mutable property of type [V] or its subtype.
* The reference has an unbound receiver of type [T].
* Example:
* class Login(val username: String, var incorrectAttemptCounter: Int)
* var Login.attempts
by Login::incorrectAttemptCounter
* // equivalent to
* var Login.attempts: Int
    get() =
this.incorrectAttemptCounter
    set(value) { this.incorrectAttemptCounter = value }

@SinceKotlin("1.4")@kotlin.internal.InlineOnly
public inline operator fun <T, V> KMutableProperty1<T,
V>.setValue(thisRef: T, property: KProperty<*>, value: V) {
    set(thisRef, value)
}

* Copyright 2010-
2021 JetBrains s.r.o. and Kotlin Programming Language contributors.
* Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.
package kotlin.random
import
kotlin.math.nextDown

* An abstract class that is implemented by random number generator algorithms.
* The companion object [Random.Default] is the default instance of [Random].
* To get a seeded instance
of random generator use [Random] function.
* @sample samples.random.Randoms.defaultRandom

@SinceKotlin("1.3")
public abstract class Random {
    /**
     * Gets the next random [bitCount] number
of bits.
     * Generates an `Int` whose lower [bitCount] bits are filled with random values and the remaining
upper bits are zero.
     * @param bitCount number of bits to generate, must be in range 0..32, otherwise the
behavior is unspecified.
     * @sample samples.random.Randoms.nextBits

    public abstract fun
nextBits(bitCount: Int): Int

    /**
     * Gets the next random `Int` from the random number generator.
     * Generates an `Int` random value uniformly distributed between `Int.MIN_VALUE` and `Int.MAX_VALUE`
(inclusive).
     * @sample samples.random.Randoms.nextInt

    public open fun nextInt(): Int =
nextBits(32)

    /**
     * Gets the next random non-negative `Int` from the random number generator less than
the specified [until] bound.
     * Generates an `Int` random value uniformly distributed between `0`
(inclusive) and the specified [until] bound (exclusive).
     * @param until must be positive.
     * @throws IllegalArgumentException if [until] is negative or zero.
     * @sample
samples.random.Randoms.nextIntFromUntil

    public open fun nextInt(until: Int): Int = nextInt(0, until)

    /**
     * Gets the next random `Int` from the random number generator in the specified range.
     * Generates an `Int` random value uniformly distributed between the specified [from] (inclusive) and [until]
(exclusive) bounds.
     * @throws IllegalArgumentException if [from] is greater than or equal to [until].
     * @sample samples.random.Randoms.nextIntFromUntil

    public open fun nextInt(from: Int, until:
Int): Int {
        checkRangeBounds(from, until)
        val n = until - from
        if (n > 0 || n == Int.MIN_VALUE)
        {
            val rnd = if (n and -n == n) {
                val bitCount = fastLog2(n)
                nextBits(bitCount)
            } else {
                var v: Int
                do {
                    val bits = nextInt().ushr(1)
                    v = bits % n
                } while (bits - v + (n - 1) < 0)
                v
            }
            return from + rnd
        } else {
            while
(true) {
                val rnd = nextInt()
                if (rnd in from until until) return rnd
            }
        }
    }

    /**
     * Gets the next random `Long` from the random number generator.
     * Generates a `Long` random
value uniformly distributed between `Long.MIN_VALUE` and `Long.MAX_VALUE` (inclusive).
     * @sample samples.random.Randoms.nextLong

    public open fun nextLong(): Long =

```

```

nextInt().toLong().shl(32) + nextInt()\n\n /**\n * Gets the next random non-negative `Long` from the random
number generator less than the specified [until] bound.\n *\n * Generates a `Long` random value uniformly
distributed between `0` (inclusive) and the specified [until] bound (exclusive).\n *\n * @param until must be
positive.\n *\n * @throws IllegalArgumentException if [until] is negative or zero.\n *\n * @sample
samples.random.Randoms.nextLongFromUntil\n *\n public open fun nextLong(until: Long): Long =
nextLong(0, until)\n\n /**\n * Gets the next random `Long` from the random number generator in the specified
range.\n *\n * Generates a `Long` random value uniformly distributed between the specified [from] (inclusive)
and [until] (exclusive) bounds.\n *\n * @throws IllegalArgumentException if [from] is greater than or equal to
[until].\n *\n * @sample samples.random.Randoms.nextLongFromUntil\n *\n public open fun
nextLong(from: Long, until: Long): Long {\n    checkRangeBounds(from, until)\n    val n = until - from\n
if (n > 0) {\n        val rnd: Long\n        if (n and -n == n) {\n            val nLow = n.toInt()\n            val nHigh
= (n ushr 32).toInt()\n            rnd = when {\n                nLow != 0 -> {\n                    val bitCount =
fastLog2(nLow)\n                    // toUInt().toLong()\n                    nextBits(bitCount).toLong() and
0xFFFF_FFFF\n                }\n                nHigh == 1 ->{\n                    // toUInt().toLong()\n
nextInt().toLong() and 0xFFFF_FFFF\n                } else -> {\n                    val bitCount = fastLog2(nHigh)\n
                    nextBits(bitCount).toLong().shl(32) + (nextInt().toLong() and 0xFFFF_FFFF)\n                }\n
}\n    } else {\n        var v: Long\n        do {\n            val bits = nextLong().ushr(1)\n
v = bits % n\n        } while (bits - v + (n - 1) < 0)\n        rnd = v\n    }\n    return from + rnd\n
}\n\n } else {\n    while (true) {\n        val rnd = nextLong()\n        if (rnd in from until until) return rnd\n
}\n    }\n}\n\n /**\n * Gets the next random [Boolean] value.\n *\n * @sample
samples.random.Randoms.nextBoolean\n *\n public open fun nextBoolean(): Boolean = nextBits(1) != 0\n\n
/**\n * Gets the next random [Double] value uniformly distributed between 0 (inclusive) and 1 (exclusive).\n
*\n * @sample samples.random.Randoms.nextDouble\n *\n public open fun nextDouble(): Double =
doubleFromParts(nextBits(26), nextBits(27))\n\n /**\n * Gets the next random non-negative `Double` from the
random number generator less than the specified [until] bound.\n *\n * Generates a `Double` random value
uniformly distributed between 0 (inclusive) and [until] (exclusive).\n *\n * @throws IllegalArgumentException
if [until] is negative or zero.\n *\n * @sample samples.random.Randoms.nextDoubleFromUntil\n *\n
public open fun nextDouble(until: Double): Double = nextDouble(0.0, until)\n\n /**\n * Gets the next random
`Double` from the random number generator in the specified range.\n *\n * Generates a `Double` random value
uniformly distributed between the specified [from] (inclusive) and [until] (exclusive) bounds.\n *\n * [from]
and [until] must be finite otherwise the behavior is unspecified.\n *\n * @throws IllegalArgumentException if
[from] is greater than or equal to [until].\n *\n * @sample samples.random.Randoms.nextDoubleFromUntil\n
*\n public open fun nextDouble(from: Double, until: Double): Double {\n    checkRangeBounds(from, until)\n
val size = until - from\n    val r = if (size.isInfinite() && from.isFinite() && until.isFinite()) {\n        val r1 =
nextDouble() * (until / 2 - from / 2)\n        from + r1 + r1\n    } else {\n        from + nextDouble() * size\n
}\n    return if (r >= until) until.nextDown() else r\n}\n\n /**\n * Gets the next random [Float] value
uniformly distributed between 0 (inclusive) and 1 (exclusive).\n *\n * @sample
samples.random.Randoms.nextFloat\n *\n public open fun nextFloat(): Float = nextBits(24) / (1 shl
24).toFloat()\n\n /**\n * Fills a subrange of the specified byte [array] starting from [fromIndex] inclusive and
ending [toIndex] exclusive\n * with random bytes.\n *\n * @return [array] with the subrange filled with
random bytes.\n *\n * @sample samples.random.Randoms.nextBytes\n *\n public open fun
nextBytes(array: ByteArray, fromIndex: Int = 0, toIndex: Int = array.size): ByteArray {\n    require(fromIndex in
0..array.size && toIndex in 0..array.size) { \"fromIndex ($fromIndex) or toIndex ($toIndex) are out of range:
0..${array.size}.\" }\n    require(fromIndex <= toIndex) { \"fromIndex ($fromIndex) must be not greater than
toIndex ($toIndex).\" }\n    val steps = (toIndex - fromIndex) / 4\n    var position = fromIndex\n
repeat(steps) {\n        val v = nextInt()\n        array[position] = v.toByte()\n        array[position + 1] =
v.ushr(8).toByte()\n        array[position + 2] = v.ushr(16).toByte()\n        array[position + 3] =
v.ushr(24).toByte()\n        position += 4\n    }\n    val remainder = toIndex - position\n    val vr =

```

```

nextBits(remainder * 8)\n    for (i in 0 until remainder) {\n        array[position + i] = vr.ushr(i * 8).toByte()\n    }\n    return array\n }\n\n /**\n  * Fills the specified byte [array] with random bytes and returns it.\n  *\n  * @return [array] filled with random bytes.\n  *\n  * @sample samples.random.Randoms.nextBytes\n  */\n\n public open fun nextBytes(array: ByteArray): ByteArray = nextBytes(array, 0, array.size)\n\n /**\n  * Creates a byte array of the specified [size], filled with random bytes.\n  *\n  * @sample samples.random.Randoms.nextBytes\n  */\n\n public open fun nextBytes(size: Int): ByteArray = nextBytes(ByteArray(size))\n\n /**\n  * The default random number generator.\n  *\n  * On JVM this generator is thread-safe, its methods can be invoked from multiple threads.\n  *\n  * @sample samples.random.Randoms.defaultRandom\n  */\n\n companion object Default : Random(), Serializable {\n    private val defaultRandom: Random = defaultPlatformRandom()\n    private object Serialized : Serializable {\n        private const val serialVersionUID = 0L\n        private fun readResolve(): Any = Random()\n    }\n\n    private fun writeReplace(): Any = Serialized\n\n    override fun nextBits(bitCount: Int): Int = defaultRandom.nextBits(bitCount)\n\n    override fun nextInt(): Int = defaultRandom.nextInt()\n\n    override fun nextInt(until: Int): Int = defaultRandom.nextInt(until)\n\n    override fun nextInt(from: Int, until: Int): Int = defaultRandom.nextInt(from, until)\n\n    override fun nextLong(): Long = defaultRandom.nextLong()\n\n    override fun nextLong(until: Long): Long = defaultRandom.nextLong(until)\n\n    override fun nextLong(from: Long, until: Long): Long = defaultRandom.nextLong(from, until)\n\n    override fun nextBoolean(): Boolean = defaultRandom.nextBoolean()\n\n    override fun nextDouble(): Double = defaultRandom.nextDouble()\n\n    override fun nextDouble(until: Double): Double = defaultRandom.nextDouble(until)\n\n    override fun nextDouble(from: Double, until: Double): Double = defaultRandom.nextDouble(from, until)\n\n    override fun nextFloat(): Float = defaultRandom.nextFloat()\n\n    override fun nextBytes(array: ByteArray): ByteArray = defaultRandom.nextBytes(array)\n\n    override fun nextBytes(size: Int): ByteArray = defaultRandom.nextBytes(size)\n\n    override fun nextBytes(array: ByteArray, fromIndex: Int, toIndex: Int): ByteArray =\n        defaultRandom.nextBytes(array, fromIndex, toIndex)\n    }\n}\n\n /**\n  * Returns a repeatable random number generator seeded with the given [seed] `Int` value.\n  *\n  * Two generators with the same seed produce the same sequence of values within the same version of Kotlin runtime.\n  *\n  * *Note:* Future versions of Kotlin may change the algorithm of this seeded number generator so that it will return\n  * a sequence of values different from the current one for a given seed.\n  *\n  * On JVM the returned generator is NOT thread-safe. Do not invoke it from multiple threads without proper synchronization.\n  *\n  * @sample samples.random.Randoms.seededRandom\n  */\n\n @SinceKotlin("1.3")\n\n public fun Random(seed: Int): Random = XorWowRandom(seed, seed.shr(31))\n\n /**\n  * Returns a repeatable random number generator seeded with the given [seed] `Long` value.\n  *\n  * Two generators with the same seed produce the same sequence of values within the same version of Kotlin runtime.\n  *\n  * *Note:* Future versions of Kotlin may change the algorithm of this seeded number generator so that it will return\n  * a sequence of values different from the current one for a given seed.\n  *\n  * On JVM the returned generator is NOT thread-safe. Do not invoke it from multiple threads without proper synchronization.\n  *\n  * @sample samples.random.Randoms.seededRandom\n  */\n\n @SinceKotlin("1.3")\n\n public fun Random(seed: Long): Random = XorWowRandom(seed.toInt(), seed.shr(32).toInt())\n\n /**\n  * Gets the next random `Int` from the random number generator in the specified [range].\n  *\n  * Generates an `Int` random value uniformly distributed in the specified [range]:\n  * from `range.start` inclusive to `range.endInclusive` inclusive.\n  *\n  * @throws IllegalArgumentException if [range] is empty.\n  */\n\n @SinceKotlin("1.3")\n\n public fun Random.nextInt(range: IntRange): Int = when {\n    range.isEmpty() -> throw IllegalArgumentException("Cannot get random in empty range: $range")\n    range.last < Int.MAX_VALUE -> nextInt(range.first, range.last + 1)\n    range.first > Int.MIN_VALUE -> nextInt(range.first - 1, range.last) + 1\n    else -> nextInt()\n }\n\n /**\n  * Gets the next random `Long` from the random number generator in the specified [range].\n  *\n  * Generates a `Long` random value uniformly distributed in the specified [range]:\n  * from `range.start` inclusive to `range.endInclusive` inclusive.\n  *\n  * @throws IllegalArgumentException if [range] is empty.\n  */\n\n @SinceKotlin("1.3")\n\n public fun Random.nextLong(range: LongRange): Long = when {\n    range.isEmpty() -> throw IllegalArgumentException("Cannot get random in empty range: $range")\n    range.last <

```

```

Long.MAX_VALUE -> nextLong(range.first, range.last + 1)\n  range.first > Long.MIN_VALUE ->
nextLong(range.first - 1, range.last) + 1\n  else -> nextLong()\n}\n\n\ninternal expect fun
defaultPlatformRandom(): Random\n\ninternal expect fun doubleFromParts(hi26: Int, low27: Int): Double\n\n\ninternal
fun fastLog2(value: Int): Int = 31 - value.countLeadingZeroBits()\n\n\n/** Takes upper [bitCount] bits (0..32) from
this number. *\n\ninternal fun Int.takeUpperBits(bitCount: Int): Int =\n  this.ushr(32 - bitCount) and (-
bitCount).shr(31)\n\n\ninternal fun checkRangeBounds(from: Int, until: Int) = require(until > from) {
boundsErrorMessage(from, until) }\n\ninternal fun checkRangeBounds(from: Long, until: Long) = require(until >
from) { boundsErrorMessage(from, until) }\n\ninternal fun checkRangeBounds(from: Double, until: Double) =
require(until > from) { boundsErrorMessage(from, until) }\n\n\ninternal fun boundsErrorMessage(from: Any, until:
Any) = "\nRandom range is empty: [$from, $until].\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n *\n\npackage kotlin.random\n\n\n\n/**\n * Gets the next random [UInt]
from the random number generator.\n *\n * Generates a [UInt] random value uniformly distributed between
[UInt.MIN_VALUE] and [UInt.MAX_VALUE] (inclusive).\n\n\n*\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
Random.nextUInt(): UInt = nextInt().toUInt()\n\n\n\n/**\n * Gets the next random [UInt] from the random number
generator less than the specified [until] bound.\n *\n * Generates a [UInt] random value uniformly distributed
between `0` (inclusive) and the specified [until] bound (exclusive).\n *\n * @throws IllegalArgumentException if
[until] is zero.\n\n\n*\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
Random.nextUInt(until: UInt): UInt = nextUInt(0u, until)\n\n\n\n/**\n * Gets the next random [UInt] from the random
number generator in the specified range.\n *\n * Generates a [UInt] random value uniformly distributed between the
specified [from] (inclusive) and [until] (exclusive) bounds.\n *\n * @throws IllegalArgumentException if [from] is
greater than or equal to [until].\n\n\n*\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
Random.nextUInt(from: UInt, until: UInt): UInt {\n  checkUIntRangeBounds(from, until)\n\n  val signedFrom =
from.toInt() xor Int.MIN_VALUE\n  val signedUntil = until.toInt() xor Int.MIN_VALUE\n\n  val signedResult =
nextInt(signedFrom, signedUntil) xor Int.MIN_VALUE\n  return signedResult.toUInt()\n}\n\n\n\n/**\n * Gets the next
random [UInt] from the random number generator in the specified [range].\n *\n * Generates a [UInt] random value
uniformly distributed in the specified [range]:\n *\n * from `range.start` inclusive to `range.endInclusive` inclusive.\n
*\n * @throws IllegalArgumentException if [range] is empty.\n\n\n*\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
Random.nextUInt(range: UIntRange): UInt = when {\n  range.isEmpty() -> throw
IllegalArgumentException("Cannot get random in empty range: $range")\n  range.last < UInt.MAX_VALUE ->
nextUInt(range.first, range.last + 1u)\n  range.first > UInt.MIN_VALUE -> nextUInt(range.first - 1u, range.last) +
1u\n  else -> nextUInt()\n}\n\n\n\n/**\n * Gets the next random [ULong] from the random number generator.\n *\n *
Generates a [ULong] random value uniformly distributed between [ULong.MIN_VALUE] and
[ULong.MAX_VALUE] (inclusive).\n\n\n*\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
Random.nextULong(): ULong = nextLong().toULong()\n\n\n\n/**\n * Gets the next random [ULong] from the random
number generator less than the specified [until] bound.\n *\n * Generates a [ULong] random value uniformly
distributed between `0` (inclusive) and the specified [until] bound (exclusive).\n *\n * @throws
IllegalArgumentException if [until] is zero.\n\n\n*\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
Random.nextULong(until: ULong): ULong = nextULong(0uL, until)\n\n\n\n/**\n * Gets the next random [ULong] from
the random number generator in the specified range.\n *\n * Generates a [ULong] random value uniformly
distributed between the specified [from] (inclusive) and [until] (exclusive) bounds.\n *\n * @throws
IllegalArgumentException if [from] is greater than or equal to [until].\n\n\n*\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun

```

```

Random.nextULong(from: ULong, until: ULong): ULong {
    checkULongRangeBounds(from, until)
    val signedFrom = from.toLong() xor Long.MIN_VALUE
    val signedUntil = until.toLong() xor Long.MIN_VALUE
    val signedResult = nextLong(signedFrom, signedUntil) xor Long.MIN_VALUE
    return signedResult.toULong()
}

/**
 * Gets the next random [ULong] from the random number generator in the specified [range].
 * Generates a [ULong] random value uniformly distributed in the specified [range]:
 * from `range.start` inclusive to `range.endInclusive` inclusive.
 * @throws IllegalArgumentException if [range] is empty.
 */
@SinceKotlin("1.5")
@WasExperimental(ExperimentalUnsignedTypes::class)
public fun Random.nextULong(range: ULongRange): ULong = when {
    range.isEmpty() -> throw IllegalArgumentException("Cannot get random in empty range: $range")
    range.last < ULong.MAX_VALUE -> nextULong(range.first, range.last + 1u)
    range.first > ULong.MIN_VALUE -> nextULong(range.first - 1u, range.last) + 1u
    else -> nextULong()
}

/**
 * Fills the specified unsigned byte [array] with random bytes and returns it.
 * @return [array] filled with random bytes.
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun Random.nextUBytes(array: UByteArray): UByteArray {
    nextBytes(array.asByteArray())
    return array
}

/**
 * Creates an unsigned byte array of the specified [size], filled with random bytes.
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun Random.nextUBytes(size: Int): UByteArray = nextBytes(size).asUByteArray()

/**
 * Fills a subrange of the specified `UByte` [array] starting from [fromIndex] inclusive and ending [toIndex] exclusive with random UBytes.
 * @return [array] with the subrange filled with random bytes.
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun Random.nextUBytes(array: UByteArray, fromIndex: Int = 0, toIndex: Int = array.size): UByteArray {
    nextBytes(array.asByteArray(), fromIndex, toIndex)
    return array
}

internal fun checkUIntRangeBounds(from: UInt, until: UInt) = require(until > from) {
    boundsErrorMessage(from, until)
}
internal fun checkULongRangeBounds(from: ULong, until: ULong) = require(until > from) {
    boundsErrorMessage(from, until)
}

/**
 * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
package kotlin.random

/**
 * Random number generator, using Marsaglia's "xorwow" algorithm
 * Cycles after 2192 - 232 repetitions.
 * For more details, see Marsaglia, George (July 2003). "Xorshift RNGs". Journal of Statistical Software. 8 (14). doi:10.18637/jss.v008.i14
 * Available at https://www.jstatsoft.org/v08/i14/paper
 */
internal class XorWowRandom(
    private var x: Int,
    private var y: Int,
    private var z: Int,
    private var w: Int,
    private var v: Int,
    private var addend: Int
) : Random(), Serializable {
    internal constructor(seed1: Int, seed2: Int) : this(
        seed1, seed2, 0, 0, seed1.inv(), (seed1 shl 10) xor (seed2 ushr 4)
    )
    init {
        require((x or y or z or w or v) != 0) { "Initial state must have at least one non-zero element." }
        // some trivial seeds can produce several values with zeroes in upper bits, so we discard first 64
        repeat(64) { nextInt() }
    }
    override fun nextInt(): Int {
        // Equivalent to the xorwow algorithm
        // From Marsaglia, G. 2003. Xorshift RNGs. J. Statis. Soft. 8, 14, p. 5
        var t = x
        t = t xor (t ushr 2)
        x = y
        y = z
        z = w
        val v0 = v
        w = v0
        t = (t xor (t shl 1)) xor v0 xor (v0 shl 4)
        v = t
        addend += 362437
        return t + addend
    }
    override fun nextBits(bitCount: Int): Int =
        nextInt().takeUpperBits(bitCount)
    private companion object {
        private const val serialVersionUID: Long = 0L
    }
}

/**
 * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
@file:kotlin.jvm.JvmMultifileClass
@file:kotlin.jvm.JvmName("RangesKt")
package kotlin.ranges

/**
 * Represents a range of [Comparable] values.
 */
private open class ComparableRange<T> : Comparable<T>, ClosedRange<T> {
    override fun equals(other: Any?): Boolean {
        return other is ComparableRange<*> && (isEmpty() && other.isEmpty() || start == other.start && endInclusive == other.endInclusive)
    }
    override fun hashCode(): Int {
        return if (isEmpty()) -1 else 31 * start.hashCode() + endInclusive.hashCode()
    }
    override fun toString(): String = "$start..$endInclusive"
}

/**
 * Creates a range from this [Comparable] value to the specified [that] value.
 * This value needs to be smaller than or equal to [that] value, otherwise the returned
 */

```

```

range will be empty.\n * @sample samples.ranges.Ranges.rangeFromComparable\n */\npublic operator fun <T : Comparable<T>> T.rangeTo(that: T): ClosedRange<T> = ComparableRange(this, that)\n\n/**\n * Represents a range of floating point numbers.\n * Extends [ClosedRange] interface providing custom operation [lessThanOrEquals] for comparing values of range domain type.\n */\n * This interface is implemented by floating point ranges returned by [Float.rangeTo] and [Double.rangeTo] operators to\n * achieve IEEE-754 comparison order instead of total order of floating point numbers.\n */\n@SinceKotlin("1.1")\npublic interface ClosedFloatingPointRange<T : Comparable<T>> : ClosedRange<T> {\n    override fun contains(value: T): Boolean = lessThanOrEquals(start, value) && lessThanOrEquals(value, endInclusive)\n    override fun isEmpty(): Boolean = !lessThanOrEquals(start, endInclusive)\n\n    /**\n     * Compares two values of range domain type and returns true if first is less than or equal to second.\n     */\n    fun lessThanOrEquals(a: T, b: T): Boolean\n}\n\n/**\n * A closed range of values of type `Double`.\n * Numbers are compared with the ends of this range according to IEEE-754.\n */\nprivate class ClosedDoubleRange(\n    start: Double,\n    endInclusive: Double\n) : ClosedFloatingPointRange<Double> {\n    private val _start = start\n    private val _endInclusive = endInclusive\n    override val start: Double get() = _start\n    override val endInclusive: Double get() = _endInclusive\n\n    override fun lessThanOrEquals(a: Double, b: Double): Boolean = a <= b\n    override fun contains(value: Double): Boolean = value >= _start && value <= _endInclusive\n    override fun isEmpty(): Boolean = !(_start <= _endInclusive)\n\n    override fun equals(other: Any?): Boolean {\n        return other is ClosedDoubleRange && (isEmpty() && other.isEmpty() ||\n            _start == other._start && _endInclusive == other._endInclusive)\n    }\n\n    override fun hashCode(): Int {\n        return if (isEmpty()) -1 else 31 * _start.hashCode() + _endInclusive.hashCode()\n    }\n\n    override fun toString(): String = "$_start..$_endInclusive"\n}\n\n/**\n * Creates a range from this [Double] value to the specified [that] value.\n * Numbers are compared with the ends of this range according to IEEE-754.\n */\n@sample samples.ranges.Ranges.rangeFromDouble\n */\n@SinceKotlin("1.1")\npublic operator fun Double.rangeTo(that: Double): ClosedFloatingPointRange<Double> = ClosedDoubleRange(this, that)\n\n/**\n * A closed range of values of type `Float`.\n * Numbers are compared with the ends of this range according to IEEE-754.\n */\nprivate class ClosedFloatRange(\n    start: Float,\n    endInclusive: Float\n) : ClosedFloatingPointRange<Float> {\n    private val _start = start\n    private val _endInclusive = endInclusive\n    override val start: Float get() = _start\n    override val endInclusive: Float get() = _endInclusive\n\n    override fun lessThanOrEquals(a: Float, b: Float): Boolean = a <= b\n    override fun contains(value: Float): Boolean = value >= _start && value <= _endInclusive\n    override fun isEmpty(): Boolean = !(_start <= _endInclusive)\n\n    override fun equals(other: Any?): Boolean {\n        return other is ClosedFloatRange && (isEmpty() && other.isEmpty() ||\n            _start == other._start && _endInclusive == other._endInclusive)\n    }\n\n    override fun hashCode(): Int {\n        return if (isEmpty()) -1 else 31 * _start.hashCode() + _endInclusive.hashCode()\n    }\n\n    override fun toString(): String = "$_start..$_endInclusive"\n}\n\n/**\n * Creates a range from this [Float] value to the specified [that] value.\n * Numbers are compared with the ends of this range according to IEEE-754.\n */\n@sample samples.ranges.Ranges.rangeFromFloat\n */\n@SinceKotlin("1.1")\npublic operator fun Float.rangeTo(that: Float): ClosedFloatingPointRange<Float> = ClosedFloatRange(this, that)\n\n/**\n * Returns `true` if this iterable range contains the specified [element].\n * Always returns `false` if the [element] is `null`.\n */\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline operator fun <T, R> R.contains(element: T?): Boolean where T : Any, R : Iterable<T>, R : ClosedRange<T> =\n    element != null && contains(element)\n\ninternal fun checkStepIsPositive(isPositive: Boolean, step: Number) {\n    if (!isPositive)\n        throw IllegalArgumentException("Step must be positive, was: $step.")\n}\n\n/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n@file:kotlin.jvm.JvmName("KClasses")\n@file:Suppress("UNCHECKED_CAST")\npackage kotlin.reflect\nimport kotlin.internal.LowPriorityInOverloadResolution\n\n/**\n * Casts the given [value] to the class represented by this [KClass] object.\n * Throws an exception if the value is `null` or if it is not an instance of this class.\n * This is an experimental function that behaves as a similar function from kotlin.reflect.full on JVM.\n * @see [KClass.isInstance]\n * @see [KClass.safeCast]\n */

```

```

*^@SinceKotlin("1.4")^@WasExperimental(ExperimentalStdlibApi::class)^@LowPriorityInOverloadResoluti
on\nfun <T : Any> KClass<T>.cast(value: Any?): T {\n  if (!isInstance(value)) throw ClassCastException("Value
cannot be cast to $qualifiedOrSimpleName")\n  return value as T\n}\n// TODO: replace with qualifiedName
when it is fully supported in K/JS\ninternal expect val KClass<*>.qualifiedOrSimpleName: String?\n/**\n * Casts
the given [value] to the class represented by this [KClass] object.\n * Returns `null` if the value is `null` or if it is not
an instance of this class.\n *\n * This is an experimental function that behaves as a similar function from
kotlin.reflect.full on JVM.\n *\n * @see [KClass.isInstance]\n * @see [KClass.cast]\n
*^@SinceKotlin("1.4")^@WasExperimental(ExperimentalStdlibApi::class)^@LowPriorityInOverloadResoluti
on\nfun <T : Any> KClass<T>.safeCast(value: Any?): T? {\n  return if (isInstance(value)) value as T else
null\n}\n"/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of
this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*^@package kotlin.reflect\nimport kotlin.jvm.JvmField\nimport kotlin.jvm.JvmStatic\n\n/**\n * Represents
a type projection. Type projection is usually the argument to another type in a type usage.\n * For example, in the
type `Array<out Number>`, `out Number` is the covariant projection of the type represented by the class
`Number`.\n *\n * Type projection is either the star projection, or an entity consisting of a specific type plus optional
variance.\n *\n * See the [Kotlin language documentation](https://kotlinlang.org/docs/reference/generics.html#type-
projections)\n * for more information.\n *^@SinceKotlin("1.1")\npublic data class KTypeProjection
constructor(\n  /**\n   * The use-site variance specified in the projection, or `null` if this is a star projection.\n
*\n   * The type specified in the projection, or `null` if this is a star
projection.\n   *\n   * public val variance: KVariance?,\n   /**\n   * The type specified in the projection, or `null` if this is a star
projection.\n   *\n   * public val type: KType?) {\n\n  init {\n    require((variance == null) == (type == null))\n
\n    if (variance == null)\n      "Star projection must have no type specified.\n" else\n
"The projection variance $variance requires type to be specified.\n" }\n\n  override fun toString():
String = when (variance) {\n    null -> "*" \n    KVariance.INVARIANT -> type.toString()\n    KVariance.IN -> "in $type"\n    KVariance.OUT -> "out $type"\n  }\n\n  public companion object {\n    //
provided for compiler access\n    @JvmField\n    @PublishedApi\n    internal val star: KTypeProjection =
KTypeProjection(null, null)\n\n    /**\n     * Star projection, denoted by the `*` character.\n     * For example,
in the type `KClass<*>`, `*` is the star projection.\n     * See the [Kotlin language
documentation](https://kotlinlang.org/docs/reference/generics.html#star-projections)\n     * for more
information.\n     *\n     * public val STAR: KTypeProjection get() = star\n     /**\n     * Creates an
invariant projection of a given type. Invariant projection is just the type itself,\n     * without any use-site variance
modifiers applied to it.\n     * For example, in the type `Set<String>`, `String` is an invariant projection of the type
represented by the class `String`.\n     *\n     * @JvmStatic\n     public fun invariant(type: KType):
KTypeProjection =\n     KTypeProjection(KVariance.INVARIANT, type)\n     /**\n     * Creates a
contravariant projection of a given type, denoted by the `in` modifier applied to a type.\n     * For example, in the
type `MutableList<in Number>`, `in Number` is a contravariant projection of the type of class `Number`.\n     *\n     *^@
    @JvmStatic\n     public fun contravariant(type: KType): KTypeProjection =\n     KTypeProjection(KVariance.IN, type)\n     /**\n     * Creates a covariant projection of a given type, denoted
by the `out` modifier applied to a type.\n     * For example, in the type `Array<out Number>`, `out Number` is a
covariant projection of the type of class `Number`.\n     *\n     * @JvmStatic\n     public fun covariant(type:
KType): KTypeProjection =\n     KTypeProjection(KVariance.OUT, type)\n  }\n}"/*\n * Copyright 2010-
2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *^@package kotlin.reflect\n/**\n *
Represents variance applied to a type parameter on the declaration site (*declaration-site variance*),\n * or to a type
in a projection (*use-site variance*).\n *\n * See the [Kotlin language
documentation](https://kotlinlang.org/docs/reference/generics.html#variance)\n * for more information.\n *\n *
@see [KTypeParameter.variance]\n * @see [KTypeProjection]\n *^@SinceKotlin("1.1")\nenum class KVariance
{\n  /**\n   * The affected type parameter or type is *invariant*, which means it has no variance applied to it.\n
*\n   * INVARIANT,\n   /**\n   * The affected type parameter or type is *contravariant*. Denoted by the `in`

```



modifier in the source code.\n \*^n IN,\n\n /\*\*\n \* The affected type parameter or type is \*covariant\*.  
Denoted by the `out` modifier in the source code.\n \*^n OUT,\n\n",/\*\n \* Copyright 2010-2019 JetBrains s.r.o.  
and Kotlin Programming Language contributors.\n \* Use of this source code is governed by the Apache 2.0 license  
that can be found in the license/LICENSE.txt file.\n \*/\n\npackage kotlin.reflect\n\n/\*\*\n \* Returns a runtime  
representation of the given reified type [T] as an instance of [KType].\n \*\n \* Note that on JVM, the created type has  
no annotations ([KType.annotations] returns an empty list)\n \* even if the type in the source code is annotated.  
Support for type annotations might be added in a future version.\n

```
*^n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <reified T>
typeOf(): KType =\n    throw UnsupportedOperationException("This function is implemented as an intrinsic on all
supported platforms.")\n",/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n
```

```
*^n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("StringsKt")\n\npackage
kotlin.text\n\n/**\n * An object to which char sequences and values can be appended.\n */\nexpect interface
Appendable {\n    /**\n     * Appends the specified character [value] to this Appendable and returns this instance.\n     *\n     * @param value the character to append.\n     */\n    fun append(value: Char): Appendable\n\n    /**\n     * Appends the specified character sequence [value] to this Appendable and returns this instance.\n     *\n     * @param value the character sequence to append. If [value] is `null`, then the four characters `"\n\n\n\n"` are appended to this
Appendable.\n     */\n    fun append(value: CharSequence?): Appendable\n\n    /**\n     * Appends a subsequence of
the specified character sequence [value] to this Appendable and returns this instance.\n     *\n     * @param value the character sequence from which a subsequence is appended. If [value] is `null`,\n     * then characters are appended as if [value] contained the four characters `"\n\n\n\n"`. \n     * @param startIndex the beginning (inclusive) of the
subsequence to append.\n     * @param endIndex the end (exclusive) of the subsequence to append.\n     *\n     * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of
range of the [value] character sequence indices or when `startIndex > endIndex`.\n     */\n    fun append(value:
CharSequence?, startIndex: Int, endIndex: Int): Appendable\n\n    /**\n     * Appends a subsequence of the specified
character sequence [value] to this Appendable and returns this instance.\n     *\n     * @param value the character
sequence from which a subsequence is appended.\n     * @param startIndex the beginning (inclusive) of the
subsequence to append.\n     * @param endIndex the end (exclusive) of the subsequence to append.\n     *\n     * @throws
IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the
[value] character sequence indices or when `startIndex > endIndex`.\n
```

```
*^n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun <T : Appendable>
T.appendRange(value: CharSequence, startIndex: Int, endIndex: Int): T {\n
    @Suppress("UNCHECKED_CAST")\n    return append(value, startIndex, endIndex) as T\n}\n\n/**\n * Appends
all arguments to the given [Appendable].\n */\npublic fun <T : Appendable> T.append(vararg value:
CharSequence?): T {\n    for (item in value)\n        append(item)\n    return this\n}\n\n/**\n * Appends a line feed
character (`\n`) to this Appendable. *\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun
Appendable.appendLine(): Appendable = append("\n")\n\n/**\n * Appends value to the given Appendable and a line
feed character (`\n`) after it. *\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun
Appendable.appendLine(value: CharSequence?): Appendable = append(value).appendLine()\n\n/**\n * Appends value
to the given Appendable and a line feed character (`\n`) after it.
```

```
*^n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun Appendable.appendLine(value: Char):
Appendable = append(value).appendLine()\n\ninternal fun <T> Appendable.appendElement(element: T,
transform: ((T) -> CharSequence)?) {\n    when {\n        transform != null -> append(transform(element))\n        element is CharSequence? -> append(element)\n        element is Char -> append(element)\n        else ->
append(element.toString())\n    }\n}\n",/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n
```

```

*^@file:kotlin.jvm.JvmMultifileClass^@file:kotlin.jvm.JvmName("\\StringsKt\\")^\\npackage
kotlin.text^\\n/**^\\n * Trims leading whitespace characters followed by [marginPrefix] from every line of a source
string and removes^\\n * the first and the last lines if they are blank (notice difference blank vs empty).^\\n *^\\n * Doesn't
affect a line if it doesn't contain [marginPrefix] except the first and the last blank lines.^\\n *^\\n * Doesn't preserve the
original line endings.^\\n *^\\n * @param marginPrefix non-blank string, which is used as a margin delimiter. Default is
`|` (pipe character).^\\n *^\\n * @sample samples.text.Strings.trimMargin^\\n * @see trimIndent^\\n * @see
kotlin.text.isWhitespace^\\n *^\\npublic fun String.trimMargin(marginPrefix: String = "\\|"): String =^\\n
replaceIndentByMargin("\\|", marginPrefix)^\\n/**^\\n * Detects indent by [marginPrefix] as it does [trimMargin] and
replace it with [newIndent].^\\n *^\\n * @param marginPrefix non-blank string, which is used as a margin delimiter.
Default is `|` (pipe character).^\\n *^\\npublic fun String.replaceIndentByMargin(newIndent: String = "\\|",
marginPrefix: String = "\\|"): String {^\\n    require(marginPrefix.isNotBlank()) { "marginPrefix must be non-blank
string." }^\\n    val lines = lines()^\\n    return lines.reindent(length + newIndent.length * lines.size,
getIndentFunction(newIndent), { line ->^\\n        val firstNonWhitespaceIndex = line.indexOfFirst { !it.isWhitespace()
}^\\n        when {^\\n            firstNonWhitespaceIndex == -1 -> null^\\n            line.startsWith(marginPrefix,
firstNonWhitespaceIndex) -> line.substring(firstNonWhitespaceIndex + marginPrefix.length)^\\n            else -> null^\\n
        }^\\n    })^\\n}^\\n/**^\\n * Detects a common minimal indent of all the input lines, removes it from every line and
also removes the first and the last^\\n * lines if they are blank (notice difference blank vs empty).^\\n *^\\n * Note that
blank lines do not affect the detected indent level.^\\n *^\\n * In case if there are non-blank lines with no leading
whitespace characters (no indent at all) then the^\\n * common indent is 0, and therefore this function doesn't change
the indentation.^\\n *^\\n * Doesn't preserve the original line endings.^\\n *^\\n * @sample
samples.text.Strings.trimIndent^\\n * @see trimMargin^\\n * @see kotlin.text.isBlank^\\n *^\\npublic fun
String.trimIndent(): String = replaceIndent("\\|")^\\n/**^\\n * Detects a common minimal indent like it does
[trimIndent] and replaces it with the specified [newIndent].^\\n *^\\npublic fun String.replaceIndent(newIndent: String
= "\\|"): String {^\\n    val lines = lines()^\\n    val minCommonIndent = lines^\\n        .filter(String::isNotBlank)^\\n
        .map(String::indentWidth)^\\n        .minOrNull() ?: 0^\\n    return lines.reindent(length + newIndent.length *
lines.size, getIndentFunction(newIndent), { line -> line.drop(minCommonIndent) })^\\n}^\\n/**^\\n * Prepends [indent]
to every line of the original string.^\\n *^\\n * Doesn't preserve the original line endings.^\\n *^\\npublic fun
String.prependIndent(indent: String = "\\|"): String =^\\n    lineSequence()^\\n        .map {^\\n            when {^\\n
it.isBlank() -> {^\\n                when {^\\n                    it.length < indent.length -> indent^\\n                    else -> it^\\n
                }^\\n            }^\\n            else -> indent + it^\\n        }^\\n        .joinToString("\\n")^\\n}^\\nprivate fun
String.indentWidth(): Int = indexOfFirst { !it.isWhitespace() }.let { if (it == -1) length else it }^\\nprivate fun
getIndentFunction(indent: String) = when {^\\n    indent.isEmpty() -> { line: String -> line }^\\n    else -> { line: String -
> indent + line }^\\n}^\\nprivate inline fun List<String>.reindent(^\\n    resultSizeEstimate: Int,^\\n    indentAddFunction:
(String) -> String,^\\n    indentCutFunction: (String) -> String?)^\\n): String {^\\n    val lastIndex = lastIndex^\\n    return
mapIndexedNotNull { index, value ->^\\n        if ((index == 0 || index == lastIndex) && value.isBlank())^\\n            null^\\n
        else^\\n            indentCutFunction(value)?.let(indentAddFunction) ?: value^\\n    }^\\n    .joinTo(StringBuilder(resultSizeEstimate), "\\n")^\\n    .toString()^\\n}^\\n"/**^\\n * Copyright 2010-2018 JetBrains
s.r.o. and Kotlin Programming Language contributors.^\\n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.^\\n *^\\npackage kotlin.text^\\n/**^\\n * Defines names for
Unicode symbols used in proper Typography.^\\n *^\\npublic object Typography {^\\n    /** The character &#x22;
\u2013 quotation mark */^\\n    public const val quote: Char = "\\u0022"^\\n    /** The character &#x24; \u2013 dollar
sign */^\\n    public const val dollar: Char = "\\u0024"^\\n    /** The character &#x26; \u2013 ampersand */^\\n    public
const val amp: Char = "\\u0026"^\\n    /** The character &#x3C; \u2013 less-than sign */^\\n    public const val less:
Char = "\\u003C"^\\n    /** The character &#x3E; \u2013 greater-than sign */^\\n    public const val greater: Char =
 "\\u003E"^\\n    /** The non-breaking space character */^\\n    public const val nbsp: Char = "\\u00A0"^\\n    /** The
character &#xD7; */^\\n    public const val times: Char = "\\u00D7"^\\n    /** The character &#xA2; */^\\n    public const
val cent: Char = "\\u00A2"^\\n    /** The character &#xA3; */^\\n    public const val pound: Char = "\\u00A3"^\\n    /** The
character &#xA7; */^\\n    public const val section: Char = "\\u00A7"^\\n    /** The character &#xA9; */^\\n    public const

```



```

1` where `groupCount` is the count of groups in the regular expression.\n
`groupCount` and group with the index 0 corresponds to the entire match.\n
public val groups: MatchGroupCollection\n
/**\n
 * A list of matched indexed group values.\n
 * This list has size of `groupCount + 1` where `groupCount` is the count of groups in the regular expression.\n
 * Groups are indexed from 1 to `groupCount` and group with the index 0 corresponds to the entire match.\n
 * If the group in the regular expression is optional and there were no match captured by that group,\n
 * corresponding item in [groupValues] is an empty string.\n
 * @sample
samples.text.Regexps.matchDestructuringToGroupValues\n
*/\n
public val groupValues: List<String>\n
/**\n
 * An instance of [MatchResult.Destructured] wrapper providing components for destructuring assignment of group values.\n
 * component1 corresponds to the value of the first group, component2 \u2014 of the second, and so on.\n
 * @sample samples.text.Regexps.matchDestructuringToGroupValues\n
*/\n
public val destructured: Destructured get() = Destructured(this)\n
/** Returns a new [MatchResult] with the results for the next match, starting at the position\n
 * at which the last match ended (at the character after the last matched character).\n
*/\n
public fun next(): MatchResult?\n
/**\n
 * Provides components for destructuring assignment of group values.\n
 * [component1] corresponds to the value of the first group, [component2] \u2014 of the second, and so on.\n
 * If the group in the regular expression is optional and there were no match captured by that group,\n
 * corresponding component value is an empty string.\n
 * @sample samples.text.Regexps.matchDestructuringToGroupValues\n
*/\n
public class Destructured internal constructor(public val match: MatchResult) {\n
 @kotlin.internal.InlineOnly\n
 public operator inline fun component1(): String = match.groupValues[1]\n
 @kotlin.internal.InlineOnly\n
 public operator inline fun component2(): String = match.groupValues[2]\n
 @kotlin.internal.InlineOnly\n
 public operator inline fun component3(): String = match.groupValues[3]\n
 @kotlin.internal.InlineOnly\n
 public operator inline fun component4(): String = match.groupValues[4]\n
 @kotlin.internal.InlineOnly\n
 public operator inline fun component5(): String = match.groupValues[5]\n
 @kotlin.internal.InlineOnly\n
 public operator inline fun component6(): String = match.groupValues[6]\n
 @kotlin.internal.InlineOnly\n
 public operator inline fun component7(): String = match.groupValues[7]\n
 @kotlin.internal.InlineOnly\n
 public operator inline fun component8(): String = match.groupValues[8]\n
 @kotlin.internal.InlineOnly\n
 public operator inline fun component9(): String = match.groupValues[9]\n
 @kotlin.internal.InlineOnly\n
 public operator inline fun component10(): String = match.groupValues[10]\n
 /**\n
 * Returns destructured group values as a list of strings.\n
 * First value in the returned list corresponds to the value of the first group, and so on.\n
 */\n
 * @sample samples.text.Regexps.matchDestructuringToGroupValues\n
*/\n
public fun toList(): List<String> = match.groupValues.subList(1, match.groupValues.size)\n
}\n
}"/\n
 * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n
@file:kotlin.jvm.JvmMultifileClass()\n
@file:kotlin.jvm.JvmName("DurationUnitKt")\n
package kotlin.time\n
/**\n
 * The list of possible time measurement units, in which a duration can be expressed.\n
 * The smallest time unit is [NANOSECONDS] and the largest is [DAYS], which corresponds to exactly 24 [HOURS].\n
 */\n
@SinceKotlin("1.6")\n
@WasExperimental(ExperimentalTime::class)\n
public expect enum class DurationUnit {\n
 /**\n
 * Time unit representing one nanosecond, which is 1/1000 of a microsecond.\n
 */\n
 NANOSECONDS,\n
 /**\n
 * Time unit representing one microsecond, which is 1/1000 of a millisecond.\n
 */\n
 MICROSECONDS,\n
 /**\n
 * Time unit representing one millisecond, which is 1/1000 of a second.\n
 */\n
 MILLISECONDS,\n
 /**\n
 * Time unit representing one second.\n
 */\n
 SECONDS,\n
 /**\n
 * Time unit representing one minute.\n
 */\n
 MINUTES,\n
 /**\n
 * Time unit representing one hour.\n
 */\n
 HOURS,\n
 /**\n
 * Time unit representing one day, which is always equal to 24 hours.\n
 */\n
 DAYS;\n
}\n
/** Converts the given time duration [value] expressed in the specified [sourceUnit] into the specified [targetUnit].\n
 */\n
@SinceKotlin("1.3")\n
internal expect fun convertDurationUnit(value: Double, sourceUnit: DurationUnit, targetUnit: DurationUnit): Double\n
// overflown result is unspecified\n
@SinceKotlin("1.5")\n
internal expect fun convertDurationUnitOverflow(value: Long, sourceUnit:

```

```

DurationUnit, targetUnit: DurationUnit): Long\n\n// overflown result is coerced in the Long range
boundaries\n@SinceKotlin("1.5")\ninternal expect fun convertDurationUnit(value: Long, sourceUnit:
DurationUnit, targetUnit: DurationUnit):
Long\n\n\n@SinceKotlin("1.3")\n@Suppress("REDUNDANT_ELSE_IN_WHEN")\ninternal fun
DurationUnit.shortName(): String = when (this) {\n    DurationUnit.NANOSECONDS -> "ns"\n
DurationUnit.MICROSECONDS -> "us"\n    DurationUnit.MILLISECONDS -> "ms"\n
DurationUnit.SECONDS -> "s"\n    DurationUnit.MINUTES -> "m"\n    DurationUnit.HOURS -> "h"\n
DurationUnit.DAYS -> "d"\n    else -> error("Unknown unit: $this")\n}\n\n@SinceKotlin("1.5")\ninternal fun
durationUnitByShortName(shortName: String): DurationUnit = when (shortName) {\n    "ns" ->
DurationUnit.NANOSECONDS\n    "us" -> DurationUnit.MICROSECONDS\n    "ms" ->
DurationUnit.MILLISECONDS\n    "s" -> DurationUnit.SECONDS\n    "m" -> DurationUnit.MINUTES\n
"h" -> DurationUnit.HOURS\n    "d" -> DurationUnit.DAYS\n    else -> throw
IllegalArgumentException("Unknown duration unit short name:
$shortName")\n}\n\n@SinceKotlin("1.5")\ninternal fun durationUnitByIsoChar(isoChar: Char,
isTimeComponent: Boolean): DurationUnit =\n    when {\n        !isTimeComponent -> {\n            when (isoChar)
{\n                'D' -> DurationUnit.DAYS\n                else -> throw IllegalArgumentException("Invalid or
unsupported duration ISO non-time unit: $isoChar")\n            }\n        }\n        else -> {\n            when (isoChar) {\n
                'H' -> DurationUnit.HOURS\n                'M' -> DurationUnit.MINUTES\n                'S' ->
DurationUnit.SECONDS\n                else -> throw IllegalArgumentException("Invalid duration ISO time unit:
$isoChar")\n            }\n        }\n    },"/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.time\n\nimport kotlin.annotation.AnnotationTarget.*\n\n *
This annotation marks the experimental preview of the standard library API for measuring time and working with
durations.\n * > Note that this API is in a preview state and has a very high chance of being changed in the
future.\n * Do not use it if you develop a library since your library will become binary incompatible\n * with the
future versions of the standard library.\n * Any usage of a declaration annotated with `@ExperimentalTime`
must be accepted either by\n * annotating that usage with the [OptIn] annotation, e.g.
`@OptIn(ExperimentalTime::class)`,\n * or by using the compiler argument `-Xopt-in=kotlin.time.ExperimentalTime`.
\n */\n\n@SinceKotlin("1.5")\n@Experimental(level =
Experimental.Level.ERROR)\n@RequiresOptIn(level =
RequiresOptIn.Level.ERROR)\n@MustBeDocumented\n@Retention(AnnotationRetention.BINARY)\n@Target(\n    CLASS,\n    ANNOTATION_CLASS,\n    PROPERTY,\n    FIELD,\n    LOCAL_VARIABLE,\n    VALUE_PARAMETER,\n    CONSTRUCTOR,\n    FUNCTION,\n    PROPERTY_GETTER,\n    PROPERTY_SETTER,\n    TYPEALIAS)\n\n@SinceKotlin("1.3")\npublic annotation class
ExperimentalTime\n\n"/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.time\n\n/**\n * A source of time for measuring time intervals.\n
*\n * The only operation provided by the time source is [markNow]. It returns a [TimeMark], which can be used to
query the elapsed time later.\n * @see [measureTime]\n * @see [measureTimedValue]\n
*/\n\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic interface TimeSource {\n    /**\n     * Marks a point in
time on this time source.\n     * The returned [TimeMark] instance encapsulates the captured time point and
allows querying\n     * the duration of time interval [elapsed][TimeMark.elapsedNow] from that point.\n     */\n
    public fun markNow(): TimeMark\n\n    /**\n     * The most precise time source available in the platform.\n     *
This time source returns its readings from a source of monotonic time when it is available in a target platform,\n
* and resorts to a non-monotonic time source otherwise.\n     */\n    public object Monotonic : TimeSource by
MonotonicTimeSource {\n        override fun toString(): String = MonotonicTimeSource.toString()\n    }\n\n    public
companion object {\n        /**\n         * Represents a time point notched on a particular [TimeSource].
Remains bound to the time source it was taken from\n         * and allows querying for the duration of time elapsed from

```

```

that point (see the function [elapsedNow]).\n *^@SinceKotlin("1.3")\n@ExperimentalTime\npublic abstract class
TimeMark {\n /**\n * Returns the amount of time passed from this mark measured with the time source from
which this mark was taken.\n * \n * Note that the value returned by this function can change on subsequent
invocations.\n *^ \n public abstract fun elapsedNow(): Duration\n\n /**\n * Returns a time mark on the same
time source that is ahead of this time mark by the specified [duration].\n * \n * The returned time mark is more
_late_ when the [duration] is positive, and more _early_ when the [duration] is negative.\n *^ \n public open
operator fun plus(duration: Duration): TimeMark = AdjustedTimeMark(this, duration)\n\n /**\n * Returns a
time mark on the same time source that is behind this time mark by the specified [duration].\n * \n * The
returned time mark is more _early_ when the [duration] is positive, and more _late_ when the [duration] is
negative.\n *^ \n public open operator fun minus(duration: Duration): TimeMark = plus(-duration)\n\n\n /**\n
* Returns true if this time mark has passed according to the time source from which this mark was taken.\n * \n
* Note that the value returned by this function can change on subsequent invocations.\n * If the time source is
monotonic, it can change only from `false` to `true`, namely, when the time mark becomes behind the current point
of the time source.\n *^ \n public fun hasPassedNow(): Boolean = !elapsedNow().isNegative()\n\n\n /**\n
* Returns false if this time mark has not passed according to the time source from which this mark was taken.\n * \n
* Note that the value returned by this function can change on subsequent invocations.\n * If the time source is
monotonic, it can change only from `true` to `false`, namely, when the time mark becomes behind the current point
of the time source.\n *^ \n public fun hasNotPassedNow(): Boolean =
elapsedNow().isNegative()\n}\n\n\n@ExperimentalTime\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@
Deprecated(\n "\Subtracting one TimeMark from another is not a well defined operation because these time marks
could have been obtained from the different time sources.\",\n level =
DeprecationLevel.ERROR\n)\n\n@Suppress("UNUSED_PARAMETER")\npublic inline operator fun
TimeMark.minus(other: TimeMark): Duration = throw Error("Operation is
disallowed.")\n\n\n@ExperimentalTime\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Deprecated(\n
"\Comparing one TimeMark to another is not a well defined operation because these time marks could have been
obtained from the different time sources.\",\n level =
DeprecationLevel.ERROR\n)\n\n@Suppress("UNUSED_PARAMETER")\npublic inline operator fun
TimeMark.compareTo(other: TimeMark): Int = throw Error("Operation is
disallowed.")\n\n\n@ExperimentalTime\nprivate class AdjustedTimeMark(val mark: TimeMark, val adjustment:
Duration) : TimeMark() {\n override fun elapsedNow(): Duration = mark.elapsedNow() - adjustment\n\n
override fun plus(duration: Duration): TimeMark = AdjustedTimeMark(mark, adjustment + duration)\n}\n\n"/\n *
Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is
governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *^ \n\npackage
kotlin.time\n\n@SinceKotlin("1.3")\n@ExperimentalTime\ninternal expect object MonotonicTimeSource :
TimeSource\n\n/**\n * An abstract class used to implement time sources that return their readings as [Long] values
in the specified [unit].\n * \n * @property unit The unit in which this time source's readings are expressed.\n
*^ \n\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic abstract class AbstractLongTimeSource(protected val
unit: DurationUnit) : TimeSource {\n /**\n * This protected method should be overridden to return the current
reading of the time source expressed as a [Long] number\n * in the unit specified by the [unit] property.\n *^ \n
protected abstract fun read(): Long\n\n private class LongTimeMark(private val startedAt: Long, private val
timeSource: AbstractLongTimeSource, private val offset: Duration) : TimeMark() {\n override fun
elapsedNow(): Duration = (timeSource.read() - startedAt).toDuration(timeSource.unit) - offset\n override fun
plus(duration: Duration): TimeMark = LongTimeMark(startedAt, timeSource, offset + duration)\n } \n\n override
fun markNow(): TimeMark = LongTimeMark(read(), this, Duration.ZERO)\n}\n\n\n/**\n * An abstract class used to
implement time sources that return their readings as [Double] values in the specified [unit].\n * \n * @property unit
The unit in which this time source's readings are expressed.\n
*^ \n\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic abstract class AbstractDoubleTimeSource(protected val
unit: DurationUnit) : TimeSource {\n /**\n * This protected method should be overridden to return the current

```

reading of the time source expressed as a [Double] number\n \* in the unit specified by the [unit] property.\n

```

*^ protected abstract fun read(): Double\n
private class DoubleTimeMark(private val startedAt: Double,
private val timeSource: AbstractDoubleTimeSource, private val offset: Duration) : TimeMark() {\n
override fun
elapsedNow(): Duration = (timeSource.read() - startedAt).toDuration(timeSource.unit) - offset\n
override fun
plus(duration: Duration): TimeMark = DoubleTimeMark(startedAt, timeSource, offset + duration)\n
}\n
override fun markNow(): TimeMark = DoubleTimeMark(read(), this, Duration.ZERO)\n
}\n

```

\* A time source that has programmatically updatable readings. It is useful as a predictable source of time in tests.\n

\* The current reading value can be advanced by the specified duration amount with the operator [plusAssign]:\n \* val timeSource = TestTimeSource()\n \* timeSource += 10.seconds\n \* Implementation note: the current reading value is stored as a [Long] number of nanoseconds,\n \* thus it's capable to represent a time range of approximately 1292 years.\n \* Should the reading value overflow as the result of [plusAssign] operation, an [IllegalStateException] is thrown.\n

```

@SinceKotlin("1.3")\n@ExperimentalTime\npublic class TestTimeSource
: AbstractLongTimeSource(unit = DurationUnit.NANOSECONDS) {\n
private var reading: Long = 0L\n
override fun read(): Long = reading\n
/**\n
* Advances the current reading value of this time source by the
specified [duration].\n
* [duration] value is rounded down towards zero when converting it to a [Long]
number of nanoseconds.\n
* For example, if the duration being added is `0.6.nanoseconds`, the reading doesn't
advance because\n
* the duration value is rounded to zero nanoseconds.\n
* @throws
IllegalStateException when the reading value overflows as the result of this operation.\n
*/\n
public operator fun
plusAssign(duration: Duration) {\n
val longDelta = duration.toLong(unit)\n
reading = if (longDelta !=
Long.MIN_VALUE && longDelta != Long.MAX_VALUE) {\n
// when delta fits in long, add it as long\n
val newReading = reading + longDelta\n
if (reading xor longDelta >= 0 && reading xor newReading < 0)\n
overflow(duration)\n
newReading\n
} else {\n
val delta = duration.toDouble(unit)\n
// when
delta is greater than long, add it as double\n
val newReading = reading + delta\n
if (newReading >
Long.MAX_VALUE || newReading < Long.MIN_VALUE) overflow(duration)\n
newReading.toLong()\n
}\n
}\n
private fun overflow(duration: Duration) {\n
throw IllegalStateException("TestTimeSource will
overflow if its reading ${reading}ns is advanced by $duration.")\n
}\n
}\n

```

\* Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n \* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n

```

package kotlin.time\n
import
kotlin.contracts.*\n
/**\n
* Executes the given function [block] and returns the duration of elapsed time interval.\n
* The elapsed time is measured with [TimeSource.Monotonic].\n
*/\n
@SinceKotlin("1.3")\n@ExperimentalTime\npublic inline fun measureTime(block: () -> Unit): Duration {\n
contract {\n
callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n
}\n
return
TimeSource.Monotonic.measureTime(block)\n
}\n

```

\* Executes the given function [block] and returns the duration of elapsed time interval.\n \* The elapsed time is measured with the specified `this` [TimeSource] instance.\n

```

@SinceKotlin("1.3")\n@ExperimentalTime\npublic inline fun TimeSource.measureTime(block: ()
-> Unit): Duration {\n
contract {\n
callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n
}\n
val
mark = markNow()\n
block()\n
return mark.elapsedNow()\n
}\n

```

\* Data class representing a result of executing an action, along with the duration of elapsed time interval.\n \* @property value the result of the action.\n \* @property duration the time elapsed to execute the action.\n

```

@SinceKotlin("1.3")\n@ExperimentalTime\npublic data class TimedValue<T>(val value: T, val duration:
Duration)\n
/**\n
* Executes the given function [block] and returns an instance of [TimedValue] class, containing
both\n
* the result of the function execution and the duration of elapsed time interval.\n
* The elapsed time is
measured with [TimeSource.Monotonic].\n
*/\n
@SinceKotlin("1.3")\n@ExperimentalTime\npublic inline fun <T>
measureTimedValue(block: () -> T): TimedValue<T> {\n
contract {\n
callsInPlace(block,
InvocationKind.EXACTLY_ONCE)\n
}\n
return
TimeSource.Monotonic.measureTimedValue(block)\n
}\n

```

\* Executes the given [block] and returns an instance of [TimedValue] class, containing both\n \* the result of function execution and the duration of elapsed time interval.\n \* The elapsed time is measured with the specified `this` [TimeSource] instance.\n

```

*\\n@SinceKotlin("1.3\\")\\n@ExperimentalTime\\npublic inline fun <T> TimeSource.measureTimedValue(block: ()
-> T): TimedValue<T> {\\n    contract {\\n        callsInPlace(block, InvocationKind.EXACTLY_ONCE)\\n    }\\n\\n
val mark = markNow()\\n    val result = block()\\n    return TimedValue(result, mark.elapsedNow())\\n}\\n"/\\n *
Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\\n * Use of this source code is
governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\\n *\\n\\npackage
kotlin\\n\\nimport kotlin.coroutines.*\\nimport kotlin.coroutines.intrinsics.*\\nimport
kotlin.native.concurrent.SharedImmutable\\n\\n/**\\n * Defines deep recursive function that keeps its stack on the
heap,\\n * which allows very deep recursive computations that do not use the actual call stack.\\n * To initiate a call to
this deep recursive function use its [invoke] function.\\n * As a rule of thumb, it should be used if recursion goes
deeper than a thousand calls.\\n *\\n * The [DeepRecursiveFunction] takes one parameter of type [T] and returns a
result of type [R].\\n * The [block] of code defines the body of a recursive function. In this block\\n *
[callRecursive][DeepRecursiveScope.callRecursive] function can be used to make a recursive call\\n * to the
declared function. Other instances of [DeepRecursiveFunction] can be called\\n * in this scope with `callRecursive`
extension, too.\\n *\\n * For example, take a look at the following recursive tree class and a deeply\\n * recursive
instance of this tree with 100K nodes:\\n *\\n * ```\\n * class Tree(val left: Tree? = null, val right: Tree? = null)\\n * val
deepTree = generateSequence(Tree()) { Tree(it) }.take(100_000).last()\\n * ```\\n *\\n * A regular recursive function
can be defined to compute a depth of a tree:\\n *\\n * ```\\n * fun depth(t: Tree?): Int =\\n *     if (t == null) 0 else
max(depth(t.left), depth(t.right)) + 1\\n * println(depth(deepTree)) // StackOverflowError\\n * ```\\n *\\n * If this
`depth` function is called for a `deepTree` it produces [StackOverflowError] because of deep recursion.\\n *
However, the `depth` function can be rewritten using `DeepRecursiveFunction` in the following way, and then\\n * it
successfully computes [depth(deepTree)][DeepRecursiveFunction.invoke] expression:\\n *\\n * ```\\n * val depth =
DeepRecursiveFunction<Tree?, Int> { t ->\\n *     if (t == null) 0 else max(callRecursive(t.left),
callRecursive(t.right)) + 1\\n * }\\n * println(depth(deepTree)) // Ok\\n * ```\\n *\\n * Deep recursive functions can also
mutually call each other using a heap for the stack via\\n * [callRecursive][DeepRecursiveScope.callRecursive]
extension. For example, the\\n * following pair of mutually recursive functions computes the number of tree nodes at
even depth in the tree.\\n *\\n * ```\\n * val mutualRecursion = object {\\n *     val even:
DeepRecursiveFunction<Tree?, Int> = DeepRecursiveFunction { t ->\\n *         if (t == null) 0 else
odd.callRecursive(t.left) + odd.callRecursive(t.right) + 1\\n *     }\\n *     val odd: DeepRecursiveFunction<Tree?,
Int> = DeepRecursiveFunction { t ->\\n *         if (t == null) 0 else even.callRecursive(t.left) +
even.callRecursive(t.right)\\n *     }\\n * }\\n * ```\\n *\\n * @param [T] the function parameter type.\\n * @param [R]
the function result type.\\n * @param block the function body.\\n
*\\n@SinceKotlin("1.4\\")\\n@ExperimentalStdlibApi\\npublic class DeepRecursiveFunction<T, R>(\\n    internal val
block: suspend DeepRecursiveScope<T, R>.(T) -> R)\\n\\n/**\\n * Initiates a call to this deep recursive function,
forming a root of the call tree.\\n *\\n * This operator should not be used from inside of [DeepRecursiveScope] as it
uses the call stack slot for\\n * initial recursive invocation. From inside of [DeepRecursiveScope] use\\n *
[callRecursive][DeepRecursiveScope.callRecursive].\\n
*\\n@SinceKotlin("1.4\\")\\n@ExperimentalStdlibApi\\npublic operator fun <T, R> DeepRecursiveFunction<T,
R>.invoke(value: T): R =\\n    DeepRecursiveScopeImpl<T, R>(block, value).runCallLoop()\\n\\n/**\\n * A scope
class for [DeepRecursiveFunction] function declaration that defines [callRecursive] methods to\\n * recursively call
this function or another [DeepRecursiveFunction] putting the call activation frame on the heap.\\n *\\n * @param [T]
function parameter type.\\n * @param [R] function result type.\\n
*\\n@RestrictsSuspension\\n@SinceKotlin("1.4\\")\\n@ExperimentalStdlibApi\\npublic sealed class
DeepRecursiveScope<T, R> {\\n    /**\\n     * Makes recursive call to this [DeepRecursiveFunction] function putting
the call activation frame on the heap,\\n     * as opposed to the actual call stack that is used by a regular recursive
call.\\n     *\\n     * public abstract suspend fun callRecursive(value: T): R\\n     */\\n     /**\\n     * Makes call to the specified
[DeepRecursiveFunction] function putting the call activation frame on the heap,\\n     * as opposed to the actual call
stack that is used by a regular call.\\n     *\\n     * public abstract suspend fun <U, S> DeepRecursiveFunction<U,
S>.callRecursive(value: U): S\\n     * @Deprecated(\\n         level = DeprecationLevel.ERROR,\\n         message =\\n

```



```

\'invoke\' should not be called from DeepRecursiveScope. \' +\n          \'Use \'callRecursive\' to do recursion in
the heap instead of the call stack.\',\n      replaceWith = ReplaceWith(\'this.callRecursive(value)\')\n  )\n  @Suppress(\'UNUSED_PARAMETER\')\n  public operator fun DeepRecursiveFunction<*, *>.invoke(value:
Any?): Nothing =\n      throw UnsupportedOperationException(\'Should not be called from
DeepRecursiveScope\')\n}\n\n// ===== Implementation
=====
\n\n@ExperimentalStdlibApi\nprivate typealias DeepRecursiveFunctionBlock = suspend
DeepRecursiveScope<*, *>.(Any?) -> Any?\n\n@SharedImmutable\nprivate val UNDEFINED_RESULT =
Result.success(COROUTINE_SUSPENDED)\n\n@Suppress(\'UNCHECKED_CAST\')\n@ExperimentalStdlibApi\nprivate class DeepRecursiveScopeImpl<T, R>(\n    block: suspend DeepRecursiveScope<T, R>.(T) -> R,\n    value: T\n) : DeepRecursiveScope<T, R>(), Continuation<R> {\n    // Active function block\n    private var
function: DeepRecursiveFunctionBlock = block as DeepRecursiveFunctionBlock\n    // Value to call function
with\n    private var value: Any? = value\n    // Continuation of the current call\n    private var cont:
Continuation<Any?>? = this as Continuation<Any?>\n    // Completion result (completion of the whole call
stack)\n    private var result: Result<Any?> = UNDEFINED_RESULT\n    override val context:
CoroutineContext\n        get() = EmptyCoroutineContext\n    override fun resumeWith(result: Result<R>) {\n
this.cont = null\n        this.result = result\n    }\n    override suspend fun callRecursive(value: T): R =
suspendCoroutineUninterceptedOrReturn { cont ->\n        // calling the same function that is currently active\n
this.cont = cont as Continuation<Any?>\n        this.value = value\n        COROUTINE_SUSPENDED\n    }\n    override suspend fun <U, S> DeepRecursiveFunction<U, S>.callRecursive(value: U): S =
suspendCoroutineUninterceptedOrReturn { cont ->\n        // calling another recursive function\n        val function =
block as DeepRecursiveFunctionBlock\n        with(this@DeepRecursiveScopeImpl) {\n            val currentFunction
= this.function\n            if (function !== currentFunction) {\n                // calling a different function -- create a
trampoline to restore function ref\n                this.function = function\n                this.cont =
crossFunctionCompletion(currentFunction, cont as Continuation<Any?>)\n            } else {\n                // calling the
same function -- direct\n                this.cont = cont as Continuation<Any?>\n            }\n            this.value = value\n
        }\n        COROUTINE_SUSPENDED\n    }\n    private fun crossFunctionCompletion(\n        currentFunction:
DeepRecursiveFunctionBlock,\n        cont: Continuation<Any?>\n    ): Continuation<Any?> =
Continuation(EmptyCoroutineContext) {\n        this.function = currentFunction\n        // When going back from a
trampoline we cannot just call cont.resume (stack usage!)\n        // We delegate the cont.resumeWith(it) call to
runCallLoop\n        this.cont = cont\n        this.result = it\n    }\n    @Suppress(\'UNCHECKED_CAST\')\n    fun
runCallLoop(): R {\n        while (true) {\n            // Note: cont is set to null in DeepRecursiveScopeImpl.resumeWith
when the whole computation completes\n            val result = this.result\n            val cont = this.cont\n            ?:
return (result as Result<R>).getOrThrow() // done -- final result\n            // The order of comparison is important
here for that case of rogue class with broken equals\n            if (UNDEFINED_RESULT == result) {\n                //
call \'function\' with \'value\' using \'cont\' as completion\n                val r = try {\n                    // This is
block.startCoroutine(this, value, cont)\n                    function.startCoroutineUninterceptedOrReturn(this, value,
cont)\n                } catch (e: Throwable) {\n                    cont.resumeWithException(e)\n                    continue\n
                }\n                // If the function returns without suspension -- calls its continuation immediately\n                if (r !==
COROUTINE_SUSPENDED)\n                    cont.resume(r as R)\n            } else {\n                // we returned from a
crossFunctionCompletion trampoline -- call resume here\n                this.result = UNDEFINED_RESULT // reset
result back\n                cont.resumeWith(result)\n            }\n        }\n    }\n}\n\n"/*\n * Copyright 2010-2021
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT
EDIT!\n\n@file:kotlin.jvm.JvmName(\'NumbersKt\')\n@file:kotlin.jvm.JvmMultifileClass\npackage
kotlin\nimport kotlin.math.sign\n/** Divides this value by the other value, flooring the result to an integer that is
closer to negative infinity. *\n@SinceKotlin(\'1.5\')\n@kotlin.internal.InlineOnly\npublic inline fun
Byte.floorDiv(other: Byte): Int =\n    this.toInt().floorDiv(other.toInt())\n/**\n * Calculates the remainder of
flooring division of this value by the other value.\n * *\n * The result is either zero or has the same sign as the

```

`_divisor_` and has the absolute value less than the absolute value of the divisor.

```

*^@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun Byte.mod(other: Byte): Byte = \n
this.toInt().mod(other.toInt()).toByte()\n\n** Divides this value by the other value, flooring the result to an integer
that is closer to negative infinity.
*^@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun
Byte.floorDiv(other: Short): Int = \n  this.toInt().floorDiv(other.toInt())\n\n**\n * Calculates the remainder of
flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the
_divisor_ and has the absolute value less than the absolute value of the divisor.\n
*^@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun Byte.mod(other: Short): Short = \n
this.toInt().mod(other.toInt()).toShort()\n\n** Divides this value by the other value, flooring the result to an integer
that is closer to negative infinity.
*^@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun
Byte.floorDiv(other: Int): Int = \n  this.toInt().floorDiv(other)\n\n**\n * Calculates the remainder of flooring
division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and
has the absolute value less than the absolute value of the divisor.\n
*^@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun Byte.mod(other: Int): Int = \n
this.toInt().mod(other)\n\n** Divides this value by the other value, flooring the result to an integer that is closer to
negative infinity.
*^@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun Byte.floorDiv(other:
Long): Long = \n  this.toLong().floorDiv(other)\n\n**\n * Calculates the remainder of flooring division of this
value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute
value less than the absolute value of the divisor.\n
*^@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic
inline fun Byte.mod(other: Long): Long = \n  this.toLong().mod(other)\n\n** Divides this value by the other
value, flooring the result to an integer that is closer to negative infinity.
*^@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun Short.floorDiv(other: Byte): Int = \n
this.toInt().floorDiv(other.toInt())\n\n**\n * Calculates the remainder of flooring division of this value by the other
value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the
absolute value of the divisor.\n
*^@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun
Short.mod(other: Byte): Byte = \n  this.toInt().mod(other.toInt()).toByte()\n\n** Divides this value by the other
value, flooring the result to an integer that is closer to negative infinity.
*^@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun Short.floorDiv(other: Short): Int = \n
this.toInt().floorDiv(other.toInt())\n\n**\n * Calculates the remainder of flooring division of this value by the other
value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the
absolute value of the divisor.\n
*^@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun
Short.mod(other: Short): Short = \n  this.toInt().mod(other.toInt()).toShort()\n\n** Divides this value by the other
value, flooring the result to an integer that is closer to negative infinity.
*^@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun Short.floorDiv(other: Int): Int = \n
this.toInt().floorDiv(other)\n\n**\n * Calculates the remainder of flooring division of this value by the other
value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the
absolute value of the divisor.\n
*^@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun
Short.mod(other: Int): Int = \n  this.toInt().mod(other)\n\n** Divides this value by the other value, flooring the
result to an integer that is closer to negative infinity.
*^@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun Short.floorDiv(other: Long): Long = \n
this.toLong().floorDiv(other)\n\n**\n * Calculates the remainder of flooring division of this value by the other
value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the
absolute value of the divisor.\n
*^@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun
Short.mod(other: Long): Long = \n  this.toLong().mod(other)\n\n** Divides this value by the other value, flooring
the result to an integer that is closer to negative infinity.
*^@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun Int.floorDiv(other: Byte): Int = \n
this.floorDiv(other.toInt())\n\n**\n * Calculates the remainder of flooring division of this value by the other
value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the

```

absolute value of the divisor.

```

@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun
Int.mod(other: Byte): Byte = \n    this.mod(other.toInt()).toByte()\n\n/** Divides this value by the other value,
flooring the result to an integer that is closer to negative infinity.
*/\n@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun Int.floorDiv(other: Short): Int = \n
this.floorDiv(other.toInt())\n\n/**\n * Calculates the remainder of flooring division of this value by the other
value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the
absolute value of the divisor.\n */\n@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun
Int.mod(other: Short): Short = \n    this.mod(other.toInt()).toShort()\n\n/** Divides this value by the other value,
flooring the result to an integer that is closer to negative infinity.
*/\n@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun Int.floorDiv(other: Int): Int {\n    var q =
this / other\n    if (this xor other < 0 && q * other != this) q--\n    return q}\n\n/**\n * Calculates the remainder of
flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the
_divisor_ and has the absolute value less than the absolute value of the divisor.\n */\n@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun Int.mod(other: Int): Int {\n    val r = this
% other\n    return r + (other and (((r xor other) and (r or -r)) shr 31))\n}\n\n/** Divides this value by the other value,
flooring the result to an integer that is closer to negative infinity.
*/\n@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun Int.floorDiv(other: Long): Long = \n
this.toLong().floorDiv(other)\n\n/**\n * Calculates the remainder of flooring division of this value by the other
value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the
absolute value of the divisor.\n */\n@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun
Int.mod(other: Long): Long = \n    this.toLong().mod(other)\n\n/** Divides this value by the other value, flooring
the result to an integer that is closer to negative infinity.
*/\n@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun Long.floorDiv(other: Byte): Long = \n
this.floorDiv(other.toLong())\n\n/**\n * Calculates the remainder of flooring division of this value by the other
value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the
absolute value of the divisor.\n */\n@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun
Long.mod(other: Byte): Byte = \n    this.mod(other.toLong()).toByte()\n\n/** Divides this value by the other value,
flooring the result to an integer that is closer to negative infinity.
*/\n@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun Long.floorDiv(other: Short): Long = \n
this.floorDiv(other.toLong())\n\n/**\n * Calculates the remainder of flooring division of this value by the other
value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the
absolute value of the divisor.\n */\n@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun
Long.mod(other: Short): Short = \n    this.mod(other.toLong()).toShort()\n\n/** Divides this value by the other
value, flooring the result to an integer that is closer to negative infinity.
*/\n@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun Long.floorDiv(other: Int): Long = \n
this.floorDiv(other.toLong())\n\n/**\n * Calculates the remainder of flooring division of this value by the other
value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the
absolute value of the divisor.\n */\n@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun
Long.mod(other: Int): Int = \n    this.mod(other.toLong()).toInt()\n\n/** Divides this value by the other value,
flooring the result to an integer that is closer to negative infinity.
*/\n@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun Long.floorDiv(other: Long): Long {\n    var q = this / other\n    if (this xor other < 0 && q * other != this) q--\n    return q}\n\n/**\n * Calculates the
remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign
as the _divisor_ and has the absolute value less than the absolute value of the divisor.\n */\n@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun Long.mod(other: Long): Long {\n    val r = this
% other\n    return r + (other and (((r xor other) and (r or -r)) shr 63))\n}\n\n/**\n * Calculates the remainder
of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the
_divisor_ and has the absolute value less than the absolute value of the divisor.\n * \n * If the result cannot be


```

represented exactly, it is rounded to the nearest representable number. In this case the absolute value of the result can be less than or \_equal to\_ the absolute value of the divisor.\n

```
*\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun Float.mod(other: Float): Float {\n    val r = this % other\n    return if (r != 0.0.toFloat() && r.sign != other.sign) r + other else r\n}\n\n/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.\n * \n * If the result cannot be represented exactly, it is rounded to the nearest representable number. In this case the absolute value of the result can be less than or _equal to_ the absolute value of the divisor.\n
```

```
*\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun Float.mod(other: Double): Double = \n    this.toDouble().mod(other)\n\n/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.\n * \n * If the result cannot be represented exactly, it is rounded to the nearest representable number. In this case the absolute value of the result can be less than or _equal to_ the absolute value of the divisor.\n
```

```
*\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun Double.mod(other: Float): Double = \n    this.mod(other.toDouble())\n\n/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.\n * \n * If the result cannot be represented exactly, it is rounded to the nearest representable number. In this case the absolute value of the result can be less than or _equal to_ the absolute value of the divisor.\n
```

```
*\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun Double.mod(other: Double): Double {\n    val r = this % other\n    return if (r != 0.0 && r.sign != other.sign) r + other else r\n}\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
```

```
*\n\npackage kotlin\n\nimport kotlin.internal.InlineOnly\n\n/**\n * Returns a hash code value for the object or zero if the object is `null`.\n * \n * @see Any.hashCode\n */\n@SinceKotlin("1.3")\n@InlineOnly\npublic inline fun Any?.hashCode(): Int = this?.hashCode() ?: 0\n\n"/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
```

```
*\n\npackage kotlin\n\n/**\n * Represents a version of the Kotlin standard library.\n * \n * [major], [minor] and [patch] are integer components of a version,\n * they must be non-negative and not greater than 255 ([MAX_COMPONENT_VALUE]).\n * \n * @constructor Creates a version from all three components.\n
```

```
*\n@SinceKotlin("1.1")\npublic class KotlinVersion(val major: Int, val minor: Int, val patch: Int) : Comparable<KotlinVersion> {\n    /**\n     * Creates a version from [major] and [minor] components, leaving [patch] component zero.\n     *\n     * @param major public constructor(major: Int, minor: Int) : this(major, minor, 0)\n     *\n     * private val version = versionOf(major, minor, patch)\n     *\n     * private fun versionOf(major: Int, minor: Int, patch: Int): Int {\n     *     require(major in 0..MAX_COMPONENT_VALUE && minor in 0..MAX_COMPONENT_VALUE && patch in 0..MAX_COMPONENT_VALUE) {\n     *         "Version components are out of range: $major.$minor.$patch"\n     *     }\n     *     return major.shl(16) + minor.shl(8) + patch\n     * }\n     *\n     */\n
```

```
/**\n * Returns the string representation of this version\n */\n override fun toString(): String = "$major.$minor.$patch"\n\n override fun equals(other: Any?): Boolean {\n     if (this === other) return true\n     val otherVersion = (other as? KotlinVersion) ?: return false\n     return this.version == otherVersion.version\n }\n\n override fun hashCode(): Int = version\n\n override fun compareTo(other: KotlinVersion): Int = version - other.version\n\n /**\n * Returns `true` if this version is not less than the version specified\n * with the provided [major] and [minor] components.\n */\n public fun isAtLeast(major: Int, minor: Int): Boolean = // this.version >= versionOf(major, minor, 0)\n    this.major > major || (this.major == major &&\n        this.minor >= minor)\n\n /**\n * Returns `true` if this version is not less than the version specified\n * with the provided [major], [minor] and [patch] components.\n
```

```
*\n public fun isAtLeast(major: Int, minor: Int, patch: Int): Boolean = // this.version >= versionOf(major, minor, patch)\n    this.major > major || (this.major == major &&\n        (this.minor > minor || this.minor == minor &&\n            this.patch >= patch))\n\n companion object {\n    /**\n     * Maximum value a version component can have, a constant value 255.\n     *\n     * // NOTE: Must be placed before CURRENT because its
```

```

initialization requires this field being initialized in JS\n    public const val MAX_COMPONENT_VALUE =
255\n\n    /**\n     * Returns the current version of the Kotlin standard library.\n     */\n
@kotlin.jvm.JvmField\n    public val CURRENT: KotlinVersion = KotlinVersionCurrentValue.get()\n
}\n}\n\n// this class is ignored during classpath normalization when considering whether to recompile dependencies
in Kotlin build\nprivate object KotlinVersionCurrentValue {\n    @kotlin.jvm.JvmStatic\n    fun get():
KotlinVersion = KotlinVersion(1, 6, 10) // value is written here automatically during build\n},"/*\n * Copyright
2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed
by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmName("LateinitKt")\n@file:Suppress("unused")\n\npackage kotlin\n\nimport
kotlin.internal.InlineOnly\nimport kotlin.internal.AccessibleLateinitPropertyLiteral\nimport
kotlin.reflect.KProperty0\n\n/**\n * Returns `true` if this lateinit property has been assigned a value, and `false`
otherwise.\n */\n * Cannot be used in an inline function, to avoid binary compatibility issues.\n
*/\n\n@SinceKotlin("1.2")\n@InlineOnly\ninline val @receiver:AccessibleLateinitPropertyLiteral
KProperty0<*>.isInitialized: Boolean\n    get() = throw NotImplementedError("Implementation is
intrinsic")\n},"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use
of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmName("LazyKt")\n@file:kotlin.jvm.JvmMultifileClass\n\npackage kotlin\n\nimport
kotlin.reflect.KProperty\n\n/**\n * Represents a value with lazy initialization.\n */\n * To create an instance of
[Lazy] use the [lazy] function.\n */\n\npublic interface Lazy<out T> {\n    /**\n     * Gets the lazily initialized value of
the current Lazy instance.\n     * Once the value was initialized it must not change during the rest of lifetime of this
Lazy instance.\n     */\n    public val value: T\n\n    /**\n     * Returns `true` if a value for this Lazy instance has been
already initialized, and `false` otherwise.\n     * Once this function has returned `true` it stays `true` for the rest of
lifetime of this Lazy instance.\n     */\n    public fun isInitialized(): Boolean\n}\n\n/**\n * Creates a new instance of
the [Lazy] that is already initialized with the specified [value].\n */\n\npublic fun <T> lazyOf(value: T): Lazy<T> =
InitializedLazyImpl(value)\n\n/**\n * An extension to delegate a read-only property of type [T] to an instance of
[Lazy].\n */\n * This extension allows to use instances of Lazy for property delegation:\n * `val property: String by
lazy { initializer }`\n */\n\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Lazy<T>.getValue(thisRef:
Any?, property: KProperty<*>): T = value\n\n/**\n * Specifies how a [Lazy] instance synchronizes initialization
among multiple threads.\n */\n\npublic enum class LazyThreadSafetyMode {\n\n    /**\n     * Locks are used to ensure
that only a single thread can initialize the [Lazy] instance.\n     */\n    SYNCHRONIZED,\n\n    /**\n     * Initializer
function can be called several times on concurrent access to uninitialized [Lazy] instance value,\n     * but only the
first returned value will be used as the value of [Lazy] instance.\n     */\n    PUBLICATION,\n\n    /**\n     * No
locks are used to synchronize an access to the [Lazy] instance value; if the instance is accessed from multiple
threads, its behavior is undefined.\n     */\n    NONE,\n}\n\ninternal object
UNINITIALIZED_VALUE\n\n// internal to be called from lazy in JS\ninternal class UnsafeLazyImpl<out
T>(initializer: () -> T) : Lazy<T>, Serializable {\n    private var initializer: (() -> T)? = initializer\n    private var
_value: Any? = UNINITIALIZED_VALUE\n\n    override val value: T\n        get() {\n            if (_value ===
UNINITIALIZED_VALUE) {\n                _value = initializer!!()\n                initializer = null\n            }\n
}\n\n    @Suppress("UNCHECKED_CAST")\n        return _value as T\n    }\n\n    override fun isInitialized():
Boolean = _value !== UNINITIALIZED_VALUE\n\n    override fun toString(): String = if (isInitialized())
value.toString() else "Lazy value not initialized yet."\n\n    private fun writeReplace(): Any =
InitializedLazyImpl(value)\n}\n\ninternal class InitializedLazyImpl<out T>(override val value: T) : Lazy<T>,
Serializable {\n\n    override fun isInitialized(): Boolean = true\n\n    override fun toString(): String =
value.toString()\n}\n},"/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("NumbersKt")\n\npackage kotlin\n\n/**\n *

```

Counts the number of set bits in the binary representation of this [Int] number.\n

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun
Int.countOneBits(): Int\n\n/**\n * Counts the number of consecutive most significant bits that are zero in the binary
representation of this [Int] number.\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun
Int.countLeadingZeroBits(): Int\n\n/**\n * Counts the number of consecutive least significant bits that are zero in
the binary representation of this [Int] number.\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun
Int.countTrailingZeroBits(): Int\n\n/**\n * Returns a number having a single bit set in the position of the most
significant set bit of this [Int] number,\n * or zero, if this number is zero.\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun
Int.takeHighestOneBit(): Int\n\n/**\n * Returns a number having a single bit set in the position of the least
significant set bit of this [Int] number,\n * or zero, if this number is zero.\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun
Int.takeLowestOneBit(): Int\n\n/**\n * Rotates the binary representation of this [Int] number left by the specified
[bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the number as the least
significant bits on the right side.\n * Rotating the number left by a negative bit count is the same as rotating it
right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n * Rotating by a multiple
of [Int.SIZE_BITS] (32) returns the same number, or more generally\n * `number.rotateLeft(n) ==
number.rotateLeft(n % 32)`\n
```

```
*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun
Int.rotateLeft(bitCount: Int): Int\n\n/**\n * Rotates the binary representation of this [Int] number right by the
specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side reenter the number
as the most significant bits on the left side.\n * Rotating the number right by a negative bit count is the same as
rotating it left by the negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n * Rotating by a
multiple of [Int.SIZE_BITS] (32) returns the same number, or more generally\n * `number.rotateRight(n) ==
number.rotateRight(n % 32)`\n
```

```
*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun
Int.rotateRight(bitCount: Int): Int\n\n/**\n * Counts the number of set bits in the binary representation of this
[Long] number.\n *\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect
fun Long.countOneBits(): Int\n\n/**\n * Counts the number of consecutive most significant bits that are zero in the
binary representation of this [Long] number.\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun
Long.countLeadingZeroBits(): Int\n\n/**\n * Counts the number of consecutive least significant bits that are zero in
the binary representation of this [Long] number.\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun
Long.countTrailingZeroBits(): Int\n\n/**\n * Returns a number having a single bit set in the position of the most
significant set bit of this [Long] number,\n * or zero, if this number is zero.\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun
Long.takeHighestOneBit(): Long\n\n/**\n * Returns a number having a single bit set in the position of the least
significant set bit of this [Long] number,\n * or zero, if this number is zero.\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun
Long.takeLowestOneBit(): Long\n\n/**\n * Rotates the binary representation of this [Long] number left by the
specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the number as
the least significant bits on the right side.\n * Rotating the number left by a negative bit count is the same as
rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n * Rotating by a
multiple of [Long.SIZE_BITS] (64) returns the same number, or more generally\n * `number.rotateLeft(n) ==
number.rotateLeft(n % 64)`\n
```

```

*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun
Long.rotateLeft(bitCount: Int): Long\n\n/**\n * Rotates the binary representation of this [Long] number right by the
specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side reenter the number
as the most significant bits on the left side.\n *\n * Rotating the number right by a negative bit count is the same as
rotating it left by the negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n *\n * Rotating by a
multiple of [Long.SIZE_BITS] (64) returns the same number, or more generally\n * `number.rotateRight(n) ==
number.rotateRight(n % 64)`\n
*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun
Long.rotateRight(bitCount: Int): Long\n\n/**\n * Counts the number of set bits in the binary representation of this
[Byte] number.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun Byte.countOneBits(): Int = (toInt() and 0xFF).countOneBits()\n\n/**\n * Counts the number of
consecutive most significant bits that are zero in the binary representation of this [Byte] number.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun Byte.countLeadingZeroBits(): Int = (toInt() and 0xFF).countLeadingZeroBits() - (Int.SIZE_BITS -
Byte.SIZE_BITS)\n\n/**\n * Counts the number of consecutive least significant bits that are zero in the binary
representation of this [Byte] number.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun Byte.countTrailingZeroBits(): Int = (toInt() or 0x100).countTrailingZeroBits()\n\n/**\n * Returns a
number having a single bit set in the position of the most significant set bit of this [Byte] number,\n * or zero, if this
number is zero.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun Byte.takeHighestOneBit(): Byte = (toInt() and 0xFF).takeHighestOneBit().toByte()\n\n/**\n * Returns a
number having a single bit set in the position of the least significant set bit of this [Byte] number,\n * or zero, if this
number is zero.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun Byte.takeLowestOneBit(): Byte = toInt().takeLowestOneBit().toByte()\n\n/**\n * Rotates the binary
representation of this [Byte] number left by the specified [bitCount] number of bits.\n * The most significant bits
pushed out from the left side reenter the number as the least significant bits on the right side.\n *\n * Rotating the
number left by a negative bit count is the same as rotating it right by the negated bit count:\n * `number.rotateLeft(-
n) == number.rotateRight(n)`\n *\n * Rotating by a multiple of [Byte.SIZE_BITS] (8) returns the same number, or
more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 8)`\n
*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
Byte.rotateLeft(bitCount: Int): Byte =\n    (toInt().shl(bitCount and 7) or (toInt() and 0xFF).ushr(8 - (bitCount and
7))).toByte()\n\n/**\n * Rotates the binary representation of this [Byte] number right by the specified [bitCount]
number of bits.\n * The least significant bits pushed out from the right side reenter the number as the most
significant bits on the left side.\n *\n * Rotating the number right by a negative bit count is the same as rotating it
left by the negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n *\n * Rotating by a multiple of
[Byte.SIZE_BITS] (8) returns the same number, or more generally\n * `number.rotateRight(n) ==
number.rotateRight(n % 8)`\n
*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
Byte.rotateRight(bitCount: Int): Byte =\n    (toInt().shl(8 - (bitCount and 7)) or (toInt() and 0xFF).ushr(bitCount and
7)).toByte()\n\n/**\n * Counts the number of set bits in the binary representation of this [Short] number.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun Short.countOneBits(): Int = (toInt() and 0xFFFF).countOneBits()\n\n/**\n * Counts the number of
consecutive most significant bits that are zero in the binary representation of this [Short] number.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun Short.countLeadingZeroBits(): Int =\n    (toInt() and 0xFFFF).countLeadingZeroBits() - (Int.SIZE_BITS

```

- Short.SIZE\_BITS) Counts the number of consecutive least significant bits that are zero in the binary representation of this [Short] number.

```

*\/n@SinceKotlin("1.4")n@WasExperimental(ExperimentalStdlibApi::class)n@kotlin.internal.InlineOnlynpublic inline fun Short.countTrailingZeroBits(): Int = (toInt() or 0x10000).countTrailingZeroBits()n/n/**n * Returns a number having a single bit set in the position of the most significant set bit of this [Short] number,n * or zero, if this number is zero.n
*\/n@SinceKotlin("1.4")n@WasExperimental(ExperimentalStdlibApi::class)n@kotlin.internal.InlineOnlynpublic inline fun Short.takeHighestOneBit(): Short = (toInt() and 0xFFFF).takeHighestOneBit().toShort()n/n/**n * Returns a number having a single bit set in the position of the least significant set bit of this [Short] number,n * or zero, if this number is zero.n
*\/n@SinceKotlin("1.4")n@WasExperimental(ExperimentalStdlibApi::class)n@kotlin.internal.InlineOnlynpublic inline fun Short.takeLowestOneBit(): Short = toInt().takeLowestOneBit().toShort()n/n/**n * Rotates the binary representation of this [Short] number left by the specified [bitCount] number of bits.n * The most significant bits pushed out from the left side reenter the number as the least significant bits on the right side.n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:n * `number.rotateLeft(-n) == number.rotateRight(n)`n * Rotating by a multiple of [Short.SIZE_BITS] (16) returns the same number, or more generallyn * `number.rotateLeft(n) == number.rotateLeft(n % 16)`n
*\/n@SinceKotlin("1.6")n@WasExperimental(ExperimentalStdlibApi::class)npublic fun Short.rotateLeft(bitCount: Int): Short =n (toInt().shl(bitCount and 15) or (toInt() and 0xFFFF).ushr(16 - (bitCount and 15))).toShort()n/n/**n * Rotates the binary representation of this [Short] number right by the specified [bitCount] number of bits.n * The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:n * `number.rotateRight(-n) == number.rotateLeft(n)`n * Rotating by a multiple of [Short.SIZE_BITS] (16) returns the same number, or more generallyn * `number.rotateRight(n) == number.rotateRight(n % 16)`n
*\/n@SinceKotlin("1.6")n@WasExperimental(ExperimentalStdlibApi::class)npublic fun Short.rotateRight(bitCount: Int): Short =n (toInt().shl(16 - (bitCount and 15)) or (toInt() and 0xFFFF).ushr(bitCount and 15)).toShort()n"/**n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.n *\/npackage kotlin.nimport kotlin.internal.RequireKotlinnimport kotlin.internal.RequireKotlinVersionKindn@kotlin.internal.InlineOnlyn@SinceKotlin("1.2")n@Suppress("INVISIBLE_MEMBER", "INVISIBLE_REFERENCE")n@RequireKotlin("1.2.30", level = DeprecationLevel.HIDDEN, versionKind = RequireKotlinVersionKind.COMPILER_VERSION)npublic inline fun <R> suspend(noinline block: suspend () -> R): suspend () -> R = blockn"/**n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.n
*\/n@file:kotlin.jvm.JvmName("TuplesKt")npackage kotlin.n/n/**n * Represents a generic pair of two values.n * There is no meaning attached to values in this class, it can be used for any purpose.n * Pair exhibits value semantics, i.e. two pairs are equal if both components are equal.n * An example of decomposing it into values:n * @sample samples.misc.Tuples.pairDestructuringn * @param A type of the first value.n * @param B type of the second value.n * @property first First value.n * @property second Second value.n * @constructor Creates a new instance of Pair.n *\/npublic data class Pair<out A, out B>(n public val first: A,n public val second: B)n : Serializable {n/n /**n * Returns string representation of the [Pair] including its [first] and [second] values.n *\/n public override fun toString(): String = \"($first, $second)\"n/n/**n * Creates a tuple of type [Pair] from this and [that].n * This can be useful for creating [Map] literals with less noise, for example:n * @sample samples.collections.Maps.instantiation.mapFromPairsn *\/npublic infix fun <A, B> A.to(that: B): Pair<A, B> = Pair(this, that)n/n/**n * Converts this pair into a list.n * @sample samples.misc.Tuples.pairToListn *\/npublic fun <T> Pair<T, T>.toList(): List<T> = listOf(first, second)n/n/**n *

```



Represents a triad of values. There is no meaning attached to values in this class, it can be used for any purpose. Triple exhibits value semantics, i.e. two triples are equal if all three components are equal. An example of decomposing it into values: @sample samples.misc.Tuples.tripleDestructuring. @param A type of the first value. @param B type of the second value. @param C type of the third value. @property first First value. @property second Second value. @property third Third value.

```

public data class Triple<out A, out B, out C>(\n    public val first: A,\n    public val second: B,\n    public val third: C\n) : Serializable {
    /**\n     * Returns string representation of the [Triple] including its [first], [second] and [third] values.\n     */\n    public override fun toString(): String = \"(\n    \"$first, $second, $third\n    )\n\"
}

/**\n * Converts this triple into a list.\n * @sample samples.misc.Tuples.tripleToList\n */\npublic fun <T> Triple<T, T, T>.toList(): List<T> = listOf(first, second, third)
}

/**\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n// Auto-generated file. DO NOT EDIT!
\npackage kotlin.ranges
\nimport kotlin.internal.*

/**\n * A range of values of type `UInt`.\n */\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic class UIntRange(start: UInt, endInclusive: UInt) : UIntProgression(start, endInclusive, 1), ClosedRange<UInt> {
    override val start: UInt get() = first
    override val endInclusive: UInt get() = last
    override fun contains(value: UInt): Boolean = first <= value && value <= last
    /**\n     * Checks if the range is empty.\n     *\n     * The range is empty if its start value is greater than the end value.\n     */\n    override fun isEmpty(): Boolean = first > last
    override fun equals(other: Any?): Boolean =\n        other is UIntRange && (isEmpty() && other.isEmpty()) ||\n        first == other.first && last == other.last
    override fun hashCode(): Int =\n        if (isEmpty()) -1 else (31 * first.toInt() + last.toInt())
    override fun toString(): String = \"$first..$last\"
    companion object {
        /**\n         * An empty range of values of type UInt.
        */\n        public val EMPTY: UIntRange = UIntRange(UInt.MAX_VALUE, UInt.MIN_VALUE)
    }
}

/**\n * A progression of values of type `UInt`.\n */\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic open class UIntProgression(\n    internal constructor(\n        start: UInt,\n        endInclusive: UInt,\n        step: Int\n) : Iterable<UInt> {
    init {
        if (step == 0.toInt()) throw kotlin.IllegalArgumentException("Step must be non-zero.")
        if (step == Int.MIN_VALUE) throw kotlin.IllegalArgumentException("Step must be greater than Int.MIN_VALUE to avoid overflow on negation.")
    }
    /**\n     * The first element in the progression.
    */\n    public val first: UInt = start
    /**\n     * The last element in the progression.
    */\n    public val last: UInt = getProgressionLastElement(start, endInclusive, step)
    /**\n     * The step of the progression.
    */\n    public val step: Int = step
    final override fun iterator(): Iterator<UInt> = UIntProgressionIterator(first, last, step)
    /**\n     * Checks if the progression is empty.\n     *\n     * Progression with a positive step is empty if its first element is greater than the last element.\n     * Progression with a negative step is empty if its first element is less than the last element.
    */\n    public open fun isEmpty(): Boolean = if (step > 0) first > last else first < last
    override fun equals(other: Any?): Boolean =\n        other is UIntProgression && (isEmpty() && other.isEmpty()) ||\n        first == other.first && last == other.last && step == other.step
    override fun hashCode(): Int =\n        if (isEmpty()) -1 else (31 * (31 * first.toInt() + last.toInt()) + step.toInt())
    override fun toString(): String =\n        if (step > 0) \"$first..$last step $step\" else \"$first downTo $last step ${-step}\"
    companion object {
        /**\n         * Creates UIntProgression within the specified bounds of a closed range.\n         *\n         * The progression starts with the [rangeStart] value and goes toward the [rangeEnd] value not excluding it, with the specified [step].\n         *\n         * In order to go backwards the [step] must be negative.\n         *\n         * [step] must be greater than `Int.MIN_VALUE` and not equal to zero.
        */\n        public fun fromClosedRange(rangeStart: UInt, rangeEnd: UInt, step: Int): UIntProgression = UIntProgression(rangeStart, rangeEnd, step)
    }
}

/**\n * An iterator over a progression of values of type `UInt`.\n * @property step the number by which the value is incremented on each step.\n */\n@SinceKotlin("1.3")\n@Suppress("DEPRECATION_ERROR")\nprivate class UIntProgressionIterator(first: UInt, last: UInt, step: Int) : UIntIterator() {
    private val finalElement = last
    private var hasNext: Boolean = if (step > 0) first <= last else first >= last
    private val step = step.toUInt() // use 2-complement math for negative steps
    private var next = if (hasNext) first else finalElement
    override fun hasNext(): Boolean = hasNext
}

```

```

    override fun nextUInt(): UInt {
        val value = next
        if (value == finalElement) {
            if (!hasNext)
                throw kotlin.NoSuchElementException()
            hasNext = false
        } else {
            next += step
        }
        return value
    }
}
"/**
 * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language
 contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the
 license/LICENSE.txt file.
 */
@Deprecated("This class is not going to be stabilized and is
 to be removed soon.", level = DeprecationLevel.ERROR)
@SinceKotlin("1.3")
public abstract class
UByteIterator : Iterator<UByte> {
    final override fun next() = nextUByte()
    /** Returns the next value in the
 sequence without boxing.
 */
    public abstract fun nextUByte(): UByte
}
"/**
 * Copyright 2010-2021 JetBrains s.r.o. and Kotlin
 Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be
 found in the license/LICENSE.txt file.
 */
@Deprecated("This class is not going to be stabilized and is to be removed soon.",
 level = DeprecationLevel.ERROR)
@SinceKotlin("1.3")
public abstract class UShortIterator : Iterator<UShort> {
    final override fun next() = nextUShort()
    /** Returns the next value in the sequence without boxing.
 */
    public abstract fun nextUShort(): UShort
}
"/**
 * Copyright 2010-2021 JetBrains s.r.o. and Kotlin
 Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be
 found in the license/LICENSE.txt file.
 */
@Deprecated("This class is not going to be stabilized and is to be removed soon.",
 level =
 DeprecationLevel.ERROR)
@SinceKotlin("1.3")
public abstract class UIntIterator : Iterator<UInt> {
    final
 override fun next() = nextUInt()
    /** Returns the next value in the sequence without boxing.
 */
    public
 abstract fun nextUInt(): UInt
}
"/**
 * Copyright 2010-2021 JetBrains s.r.o. and Kotlin
 Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be
 found in the license/LICENSE.txt file.
 */
@Deprecated("This class is not going to be stabilized and is to be removed soon.",
 level =
 DeprecationLevel.ERROR)
@SinceKotlin("1.3")
public abstract class ULongIterator : Iterator<ULong> {
    final
 override fun next() = nextULong()
    /** Returns the next value in the sequence without boxing.
 */
    public
 abstract fun nextULong(): ULong
}
"/**
 * Copyright 2010-2021 JetBrains s.r.o. and Kotlin
 Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be
 found in the license/LICENSE.txt file.
 */
@Deprecated("This class is not going to be stabilized and is to be removed soon.",
 level =
 DeprecationLevel.ERROR)
@SinceKotlin("1.3")
public abstract class ULongRange(start: ULong, endInclusive: ULong) :
 ULongProgression(start, endInclusive, 1),
 ClosedRange<ULong> {
    override val start: ULong get() = first
    override val endInclusive: ULong get() =
 last
    override fun contains(value: ULong): Boolean = first <= value && value <= last
    /**
     * Checks if the range is empty.
     * The range is empty if its start value is greater than the end value.
     */
    override fun isEmpty(): Boolean = first > last
    override fun equals(other: Any?): Boolean =
        other is
 ULongRange && (isEmpty() && other.isEmpty()) ||
        first == other.first && last == other.last
    override fun hashCode(): Int =
        if (isEmpty()) -1 else (31 * (first xor (first shr 32)).toInt() + (last xor (last shr
 32)).toInt())
    override fun toString(): String = "$first..$last"
    companion object {
        /** An empty
 range of values of type ULong.
 */
        public val EMPTY: ULongRange = ULongRange(ULong.MAX_VALUE,
 ULong.MIN_VALUE)
    }
}
"/**
 * A progression of values of type `ULong`.
 */
@SinceKotlin("1.5")
@WasExperimental(ExperimentalUnsignedTypes::class)
public open class
ULongProgression(
    start: ULong,
    endInclusive: ULong,
    step: Long
) :
 Iterable<ULong> {
    init {
        if (step == 0.toLong()) throw kotlin.IllegalArgumentException("Step must be
 non-zero.")
        if (step == Long.MIN_VALUE) throw kotlin.IllegalArgumentException("Step must be greater
 than Long.MIN_VALUE to avoid overflow on negation.")
    }
    /**
     * The first element in the
 progression.
 */
    public val first: ULong = start
    /**
     * The last element in the progression.
 */
    public val last: ULong = getProgressionLastElement(start, endInclusive, step)
    /**
     * The step of the
 progression.
 */
    public val step: Long = step
    final override fun iterator(): Iterator<ULong> =
 ULongProgressionIterator(first, last, step)
    /**
     * Checks if the progression is empty.
     * Progression with a positive step is empty if its first element is greater than the last
 element.
     * Progression with a negative step is empty if its first element is less than the last
 element.
     */
    public open fun isEmpty(): Boolean =
        if (step > 0) first > last else first < last
    override fun equals(other: Any?): Boolean =
        other is
 ULongProgression && (isEmpty() && other.isEmpty()) ||
        first == other.first && last == other.last &&

```

```

step == other.step)\n\n    override fun hashCode(): Int =\n        if (isEmpty()) -1 else (31 * (31 * (first xor (first shr 32)).toInt() + (last xor (last shr 32)).toInt()) + (step xor (step ushr 32)).toInt())\n\n    override fun toString(): String =\n        if (step > 0) \"$first..$last step $step\" else \"$first downTo $last step ${-step}\"\n\n    companion object {\n\n        /**\n         * Creates ULongProgression within the specified bounds of a closed range.\n         * The progression starts with the [rangeStart] value and goes toward the [rangeEnd] value not excluding it, with the specified [step].\n         * In order to go backwards the [step] must be negative.\n         * [step] must be greater than `Long.MIN_VALUE` and not equal to zero.\n         */\n        public fun fromClosedRange(rangeStart: ULong, rangeEnd: ULong, step: Long): ULongProgression = ULongProgression(rangeStart, rangeEnd, step)\n    }\n\n    /**\n     * An iterator over a progression of values of type `ULong`.\n     * @property step the number by which the value is incremented on each step.\n     */\n\n    @SinceKotlin("1.3")\n    @Suppress("DEPRECATION_ERROR")\n    private class ULongProgressionIterator(first: ULong, last: ULong, step: Long) : ULongIterator() {\n        private val finalElement = last\n        private var hasNext: Boolean = if (step > 0) first <= last else first >= last\n        private val step = step.toULong() // use 2-complement math for negative steps\n        private var next = if (hasNext) first else finalElement\n\n        override fun hasNext(): Boolean = hasNext\n\n        override fun nextULong(): ULong {\n            val value = next\n            if (value == finalElement) {\n                if (!hasNext) throw kotlin.NoSuchElementException\n                hasNext = false\n            } else {\n                next += step\n            }\n            return value\n        }\n    }\n\n    /**\n     * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n     * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n     */\n    @package kotlin.math\n\n    /**\n     * Returns the smaller of two values.\n     */\n\n    @SinceKotlin("1.5")\n    @WasExperimental(ExperimentalUnsignedTypes::class)\n    @kotlin.internal.InlineOnly\n    public inline fun min(a: UInt, b: UInt): UInt {\n        return minOf(a, b)\n    }\n\n    /**\n     * Returns the smaller of two values.\n     */\n\n    @SinceKotlin("1.5")\n    @WasExperimental(ExperimentalUnsignedTypes::class)\n    @kotlin.internal.InlineOnly\n    public inline fun min(a: ULong, b: ULong): ULong {\n        return minOf(a, b)\n    }\n\n    /**\n     * Returns the greater of two values.\n     */\n\n    @SinceKotlin("1.5")\n    @WasExperimental(ExperimentalUnsignedTypes::class)\n    @kotlin.internal.InlineOnly\n    public inline fun max(a: UInt, b: UInt): UInt {\n        return maxOf(a, b)\n    }\n\n    /**\n     * Returns the greater of two values.\n     */\n\n    @SinceKotlin("1.5")\n    @WasExperimental(ExperimentalUnsignedTypes::class)\n    @kotlin.internal.InlineOnly\n    public inline fun max(a: ULong, b: ULong): ULong {\n        return maxOf(a, b)\n    }\n\n    /**\n     * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n     * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n     */\n\n    @file:kotlin.jvm.JvmName("UNumbersKt")\n    @package kotlin\n\n    /**\n     * Counts the number of set bits in the binary representation of this [UInt] number.\n     */\n\n    @SinceKotlin("1.5")\n    @WasExperimental(ExperimentalUnsignedTypes::class, ExperimentalStdlibApi::class)\n    @kotlin.internal.InlineOnly\n    public inline fun UInt.countOneBits(): Int = toInt().countOneBits()\n\n    /**\n     * Counts the number of consecutive most significant bits that are zero in the binary representation of this [UInt] number.\n     */\n\n    @SinceKotlin("1.5")\n    @WasExperimental(ExperimentalUnsignedTypes::class, ExperimentalStdlibApi::class)\n    @kotlin.internal.InlineOnly\n    public inline fun UInt.countLeadingZeroBits(): Int = toInt().countLeadingZeroBits()\n\n    /**\n     * Counts the number of consecutive least significant bits that are zero in the binary representation of this [UInt] number.\n     */\n\n    @SinceKotlin("1.5")\n    @WasExperimental(ExperimentalUnsignedTypes::class, ExperimentalStdlibApi::class)\n    @kotlin.internal.InlineOnly\n    public inline fun UInt.countTrailingZeroBits(): Int = toInt().countTrailingZeroBits()\n\n    /**\n     * Returns a number having a single bit set in the position of the most significant set bit of this [UInt] number,\n     * or zero, if this number is zero.\n     */\n\n    @SinceKotlin("1.5")\n    @WasExperimental(ExperimentalUnsignedTypes::class,

```

```

ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UInt.takeHighestOneBit(): UInt =
toInt().takeHighestOneBit().toUInt()\n\n/**\n * Returns a number having a single bit set in the position of the least
significant set bit of this [UInt] number,\n * or zero, if this number is zero.\n
*/\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UInt.takeLowestOneBit(): UInt =
toInt().takeLowestOneBit().toUInt()\n\n/**\n * Rotates the binary representation of this [UInt] number left by the
specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the number as
the least significant bits on the right side.\n * Rotating the number left by a negative bit count is the same as
rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n * Rotating by a
multiple of [UInt.SIZE_BITS] (32) returns the same number, or more generally\n * `number.rotateLeft(n) ==
number.rotateLeft(n % 32)`\n */\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class,
ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun UInt.rotateLeft(bitCount: Int):
UInt = toInt().rotateLeft(bitCount).toUInt()\n\n/**\n * Rotates the binary representation of this [UInt] number
right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side reenter
the number as the most significant bits on the left side.\n * Rotating the number right by a negative bit count is
the same as rotating it left by the negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n *
Rotating by a multiple of [UInt.SIZE_BITS] (32) returns the same number, or more generally\n *
`number.rotateRight(n) == number.rotateRight(n % 32)`\n
*/\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class,
ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun UInt.rotateRight(bitCount: Int):
UInt = toInt().rotateRight(bitCount).toUInt()\n\n/**\n * Counts the number of set bits in the binary representation
of this [ULong] number.\n */\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULong.countOneBits(): Int =
toLong().countOneBits()\n\n/**\n * Counts the number of consecutive most significant bits that are zero in the
binary representation of this [ULong] number.\n
*/\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULong.countLeadingZeroBits(): Int =
toLong().countLeadingZeroBits()\n\n/**\n * Counts the number of consecutive least significant bits that are zero
in the binary representation of this [ULong] number.\n
*/\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULong.countTrailingZeroBits(): Int =
toLong().countTrailingZeroBits()\n\n/**\n * Returns a number having a single bit set in the position of the most
significant set bit of this [ULong] number,\n * or zero, if this number is zero.\n
*/\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULong.takeHighestOneBit(): ULong =
toLong().takeHighestOneBit().toULong()\n\n/**\n * Returns a number having a single bit set in the position of the
least significant set bit of this [ULong] number,\n * or zero, if this number is zero.\n
*/\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULong.takeLowestOneBit(): ULong =
toLong().takeLowestOneBit().toULong()\n\n/**\n * Rotates the binary representation of this [ULong] number left
by the specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the
number as the least significant bits on the right side.\n * Rotating the number left by a negative bit count is the
same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n *
Rotating by a multiple of [ULong.SIZE_BITS] (64) returns the same number, or more generally\n *
`number.rotateLeft(n) == number.rotateLeft(n % 64)`\n
*/\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class,
ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULong.rotateLeft(bitCount:
Int): ULong = toLong().rotateLeft(bitCount).toULong()\n\n/**\n * Rotates the binary representation of this [ULong]

```

number right by the specified [bitCount] number of bits.\n \* The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n \* Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n \* `number.rotateRight(-n) == number.rotateLeft(n)`\n \* Rotating by a multiple of [ULong.SIZE\_BITS] (64) returns the same number, or more generally\n \* `number.rotateRight(n) == number.rotateRight(n % 64)`\n

\*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class,  
ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULong.rotateRight(bitCount: Int): ULong = toLong().rotateRight(bitCount).toULong()\n/\*\*\n \* Counts the number of set bits in the binary representation of this [UByte] number.\n

\*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,  
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UByte.countOneBits(): Int = toUInt().countOneBits()\n/\*\*\n \* Counts the number of consecutive most significant bits that are zero in the binary representation of this [UByte] number.\n

\*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,  
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UByte.countLeadingZeroBits(): Int = toByte().countLeadingZeroBits()\n/\*\*\n \* Counts the number of consecutive least significant bits that are zero in the binary representation of this [UByte] number.\n

\*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,  
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UByte.countTrailingZeroBits(): Int = toByte().countTrailingZeroBits()\n/\*\*\n \* Returns a number having a single bit set in the position of the most significant set bit of this [UByte] number,\n \* or zero, if this number is zero.\n

\*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,  
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UByte.takeHighestOneBit(): UByte = toInt().takeHighestOneBit().toUByte()\n/\*\*\n \* Returns a number having a single bit set in the position of the least significant set bit of this [UByte] number,\n \* or zero, if this number is zero.\n

\*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,  
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UByte.takeLowestOneBit(): UByte = toInt().takeLowestOneBit().toUByte()\n/\*\*\n \* Rotates the binary representation of this [UByte] number left by the specified [bitCount] number of bits.\n \* The most significant bits pushed out from the left side reenter the number as the least significant bits on the right side.\n \* Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\n \* `number.rotateLeft(-n) == number.rotateRight(n)`\n \* Rotating by a multiple of [UByte.SIZE\_BITS] (8) returns the same number, or more generally\n \* `number.rotateLeft(n) == number.rotateLeft(n % 8)`\n

\*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class,  
ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun UByte.rotateLeft(bitCount: Int): UByte = toByte().rotateLeft(bitCount).toUByte()\n/\*\*\n \* Rotates the binary representation of this [UByte] number right by the specified [bitCount] number of bits.\n \* The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n \* Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n \* `number.rotateRight(-n) == number.rotateLeft(n)`\n \* Rotating by a multiple of [UByte.SIZE\_BITS] (8) returns the same number, or more generally\n \* `number.rotateRight(n) == number.rotateRight(n % 8)`\n

\*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class,  
ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun UByte.rotateRight(bitCount: Int): UByte = toByte().rotateRight(bitCount).toUByte()\n/\*\*\n \* Counts the number of set bits in the binary representation of this [UShort] number.\n

\*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,  
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UShort.countOneBits(): Int = toUInt().countOneBits()\n/\*\*\n \* Counts the number of consecutive most significant bits that are zero in the

binary representation of this [UShort] number.\n

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,  
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UShort.countLeadingZeroBits(): Int  
= toShort().countLeadingZeroBits()\n\n/**\n * Counts the number of consecutive least significant bits that are zero  
in the binary representation of this [UShort] number.\n */\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,  
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UShort.countTrailingZeroBits(): Int  
= toShort().countTrailingZeroBits()\n\n/**\n * Returns a number having a single bit set in the position of the most  
significant set bit of this [UShort] number, or zero, if this number is zero.\n */\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,  
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UShort.takeHighestOneBit(): UShort  
= toInt().takeHighestOneBit().toUShort()\n\n/**\n * Returns a number having a single bit set in the position of the  
least significant set bit of this [UShort] number, or zero, if this number is zero.\n */\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,  
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UShort.takeLowestOneBit(): UShort  
= toInt().takeLowestOneBit().toUShort()\n\n/**\n * Rotates the binary representation of this [UShort] number left  
by the specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the  
number as the least significant bits on the right side.\n * Rotating the number left by a negative bit count is the  
same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n * Rotating by a multiple of [UShort.SIZE_BITS] (16) returns the same number, or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 16)`\n */\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class,  
ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun UShort.rotateLeft(bitCount:  
Int): UShort = toShort().rotateLeft(bitCount).toUShort()\n\n/**\n * Rotates the binary representation of this  
[UShort] number right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the  
right side reenter the number as the most significant bits on the left side.\n * Rotating the number right by a  
negative bit count is the same as rotating it left by the negated bit count:\n * `number.rotateRight(-n) ==  
number.rotateLeft(n)`\n * Rotating by a multiple of [UShort.SIZE_BITS] (16) returns the same number, or more  
generally\n * `number.rotateRight(n) == number.rotateRight(n % 16)`\n */\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class,  
ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun UShort.rotateRight(bitCount:  
Int): UShort = toShort().rotateRight(bitCount).toUShort()\n\n"/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin  
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be  
found in the license/LICENSE.txt file.\n */\n@kotlin.internal\nprivate fun  
differenceModulo(a: UInt, b: UInt, c: UInt): UInt {\n    val ac = a % c\n    val bc = b % c\n    return if (ac >= bc) ac -  
bc else ac - bc + c\n}\n\nprivate fun differenceModulo(a: ULong, b: ULong, c: ULong): ULong {\n    val ac = a %  
c\n    val bc = b % c\n    return if (ac >= bc) ac - bc else ac - bc + c\n}\n\n/**\n * Calculates the final element of a  
bounded arithmetic progression, i.e. the last element of the progression which is in the range\n * from [start] to [end]  
in case of a positive [step], or from [end] to [start] in case of a negative\n * [step].\n * No validation on passed  
parameters is performed. The given parameters should satisfy the condition:\n * - either `step > 0` and `start <=  
end`,\n * - or `step < 0` and `start >= end`.\n * @param start first element of the progression\n * @param end  
ending bound for the progression\n * @param step increment, or difference of successive elements in the  
progression\n * @return the final element of the progression\n * @suppress\n */\n@PublishedApi\n@SinceKotlin("1.3")\ninternal fun getProgressionLastElement(start: UInt, end: UInt, step:  
Int): UInt = when {\n    step > 0 -> if (start >= end) end else end - differenceModulo(end, start, step.toUInt())\n    step < 0 -> if (start <= end) end else end + differenceModulo(start, end, (-step).toUInt())\n    else -> throw  
kotlin.IllegalArgumentException("Step is zero.")\n}\n\n/**\n * Calculates the final element of a bounded  
arithmetic progression, i.e. the last element of the progression which is in the range\n * from [start] to [end] in case
```

of a positive [step], or from [end] to [start] in case of a negative\n \* [step].\n \* No validation on passed parameters is performed. The given parameters should satisfy the condition:\n \* - either `step > 0` and `start <= end`,\n \* - or `step < 0` and `start >= end`.\n \* @param start first element of the progression\n \* @param end ending bound for the progression\n \* @param step increment, or difference of successive elements in the progression\n \* @return the final element of the progression\n \* @suppress

```

*\n@PublishedApi\n@SinceKotlin("1.3")\ninternal fun getProgressionLastElement(start: ULong, end: ULong,
step: Long): ULong = when {\n    step > 0 -> if (start >= end) end else end - differenceModulo(end, start,
step.toULong())\n    step < 0 -> if (start <= end) end else end + differenceModulo(start, end, (-step).toULong())\n    else -> throw kotlin.IllegalArgumentException("Step is zero.")\n}\n"/\n * Copyright 2010-2021 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.\n */\n@file:kotlin.jvm.JvmName("UStringsKt") // string
representation of unsigned numbers\n\npackage kotlin.text\n\n/**\n * Returns a string representation of this [Byte]
value in the specified [radix].\n * @throws IllegalArgumentException when [radix] is not a valid radix for
number to string conversion.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly
\npublic /*inline*/ fun UByte.toString(radix: Int): String = this.toInt().toString(radix)\n\n/**\n * Returns a string
representation of this [Short] value in the specified [radix].\n * @throws IllegalArgumentException when [radix]
is not a valid radix for number to string conversion.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly
\npublic /*inline*/ fun UShort.toString(radix: Int): String = this.toInt().toString(radix)\n\n/**\n * Returns a string
representation of this [Int] value in the specified [radix].\n * @throws IllegalArgumentException when [radix] is
not a valid radix for number to string conversion.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly
\npublic /*inline*/ fun UInt.toString(radix: Int): String = this.toLong().toString(radix)\n\n/**\n * Returns a string
representation of this [Long] value in the specified [radix].\n * @throws IllegalArgumentException when [radix]
is not a valid radix for number to string conversion.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
\nULong.toString(radix: Int): String = ulongToString(this.toLong(), checkRadix(radix))\n\n/**\n * Parses the string
as a signed [UByte] number and returns the result.\n * @throws NumberFormatException if the string is not a valid
representation of a number.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun String.toUByte():
\nUByte = toUByteOrNull() ?: numberFormatException(this)\n\n/**\n * Parses the string as a signed [UByte] number and
returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n *
@throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
\nString.toUByte(radix: Int): UByte = toUByteOrNull(radix) ?: numberFormatException(this)\n\n/**\n * Parses the
string as a [UShort] number and returns the result.\n * @throws NumberFormatException if the string is not a valid
representation of a number.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun String.toUShort():
\nUShort = toUShortOrNull() ?: numberFormatException(this)\n\n/**\n * Parses the string as a [UShort] number and
returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n *
@throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
\nString.toUShort(radix: Int): UShort = toUShortOrNull(radix) ?: numberFormatException(this)\n\n/**\n * Parses the
string as an [UInt] number and returns the result.\n * @throws NumberFormatException if the string is not a valid
representation of a number.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun String.toUInt():
\nUInt = toUIntOrNull() ?: numberFormatException(this)\n\n/**\n * Parses the string as an [UInt] number and returns the

```





```

IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
String.toULongOrNull(radix: Int): ULong? {\n    checkRadix(radix)\n\n    val length = this.length\n    if (length ==
0) return null\n\n    val limit: ULong = ULong.MAX_VALUE\n    val start: Int\n\n    val firstChar = this[0]\n    if
(firstChar < '0') {\n        if (length == 1 || firstChar != '+') return null\n        start = 1\n    } else {\n        start = 0\n
}\n\n    val limitForMaxRadix = 512409557603043100uL // limit / 36\n\n    var limitBeforeMul =
limitForMaxRadix\n    val uradix = radix.toULong()\n    var result = 0uL\n    for (i in start until length) {\n        val
digit = digitOf(this[i], radix)\n\n        if (digit < 0) return null\n        if (result > limitBeforeMul) {\n            if
(limitBeforeMul == limitForMaxRadix) {\n                limitBeforeMul = limit / uradix\n\n                if (result >
limitBeforeMul) {\n                    return null\n                }\n            } else {\n                return null\n            }\n
}\n\n        result *= uradix\n\n        val beforeAdding = result\n        result += digit.toUInt()\n        if (result <
beforeAdding) return null // overflow has happened\n    }\n\n    return result\n}\n\n"/*\n * Copyright 2010-2018
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n\n@file:Suppress("INVISIBLE_REFERENCE", "INVISIBLE_MEMBER")\npackage kotlin\n\nimport
kotlin.annotation.AnnotationTarget.*\nimport kotlin.internal.RequireKotlin\nimport
kotlin.internal.RequireKotlinVersionKind\n\n/**\n * Marks the API that is dependent on the experimental unsigned
types, including those types themselves.\n * Usages of such API will be reported as warnings unless an explicit
opt-in with\n * the [OptIn] annotation, e.g. `@OptIn(ExperimentalUnsignedTypes::class)`,\n * or with the `-Xopt-
in=kotlin.ExperimentalUnsignedTypes` compiler option is given.\n * It's recommended to propagate the
experimental status to the API that depends on unsigned types by annotating it with this annotation.\n
*\n\n@Suppress("DEPRECATION")\n@Experimental(level =
Experimental.Level.WARNING)\n@RequiresOptIn(level =
RequiresOptIn.Level.WARNING)\n@MustBeDocumented\n@Target(CLASS, ANNOTATION_CLASS,
PROPERTY, FIELD, LOCAL_VARIABLE, VALUE_PARAMETER, CONSTRUCTOR, FUNCTION,
PROPERTY_GETTER, PROPERTY_SETTER,
TYPEALIAS)\n@Retention(AnnotationRetention.BINARY)\n@RequireKotlin("1.2.50", versionKind =
RequireKotlinVersionKind.COMPILER_VERSION)\n\npublic annotation class ExperimentalUnsignedTypes\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("MathKt")\n\npackage
kotlin.math\n\n\n// constants, can't use them from nativeMath as they are not constants there\n\n/** Ratio of the
circumference of a circle to its diameter, approximately 3.14159. *\n@SinceKotlin("1.2")\n\npublic const val PI:
Double = 3.141592653589793\n\n/** Base of the natural logarithms, approximately 2.71828.\n*\n@SinceKotlin("1.2")\n\npublic const val E: Double = 2.718281828459045\n\n// region =====\n
Double Math =====\n\n/** Computes the sine of the angle [x]
given in radians.\n * Special cases:\n * - `sin(NaN|+Inf|-Inf)` is `NaN`\n *\n@SinceKotlin("1.2")\n\npublic
expect fun sin(x: Double): Double\n\n/** Computes the cosine of the angle [x] given in radians.\n * Special
cases:\n * - `cos(NaN|+Inf|-Inf)` is `NaN`\n *\n@SinceKotlin("1.2")\n\npublic expect fun cos(x: Double):
Double\n\n/** Computes the tangent of the angle [x] given in radians.\n * Special cases:\n * - `tan(NaN|+Inf|-
Inf)` is `NaN`\n *\n@SinceKotlin("1.2")\n\npublic expect fun tan(x: Double): Double\n\n/** Computes the arc
sine of the value [x];\n * the returned value is an angle in the range from `-PI/2` to `PI/2` radians.\n * Special
cases:\n * - `asin(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\n *\n@SinceKotlin("1.2")\n\npublic expect fun
asin(x: Double): Double\n\n/** Computes the arc cosine of the value [x];\n * the returned value is an angle in
the range from `0.0` to `PI` radians.\n * Special cases:\n * - `acos(x)` is `NaN`, when `abs(x) > 1` or x is
`NaN`\n *\n@SinceKotlin("1.2")\n\npublic expect fun acos(x: Double): Double\n\n/** Computes the arc tangent
of the value [x];\n * the returned value is an angle in the range from `-PI/2` to `PI/2` radians.\n * Special
cases:\n * - `atan(NaN)` is `NaN`\n *\n@SinceKotlin("1.2")\n\npublic expect fun atan(x: Double): Double\n\n/**\n

```

Returns the angle  $\theta$  of the polar coordinates  $(r, \theta)$  that correspond to the rectangular coordinates  $(x, y)$  by computing the arc tangent of the value  $y / x$ ; the returned value is an angle in the range from  $-\pi$  to  $\pi$  radians.

**Special cases:**

- $\text{atan2}(0.0, 0.0)$  is  $0.0$
- $\text{atan2}(0.0, x)$  is  $0.0$  for  $x > 0$  and  $\pi$  for  $x < 0$
- $\text{atan2}(-0.0, x)$  is  $-0.0$  for  $x > 0$  and  $-\pi$  for  $x < 0$
- $\text{atan2}(y, +\text{Inf})$  is  $0.0$  for  $0 < y < +\text{Inf}$  and  $-0.0$  for  $-\text{Inf} < y < 0$
- $\text{atan2}(y, -\text{Inf})$  is  $\pi$  for  $0 < y < +\text{Inf}$  and  $-\pi$  for  $-\text{Inf} < y < 0$
- $\text{atan2}(y, 0.0)$  is  $\pi/2$  for  $y > 0$  and  $-\pi/2$  for  $y < 0$
- $\text{atan2}(+\text{Inf}, x)$  is  $\pi/2$  for finite  $x$
- $\text{atan2}(-\text{Inf}, x)$  is  $-\pi/2$  for finite  $x$
- $\text{atan2}(\text{NaN}, x)$  and  $\text{atan2}(y, \text{NaN})$  is  $\text{NaN}$

```

* /n @SinceKotlin("1.2") /n public expect fun atan2(y: Double, x: Double): Double /n /n * /n * Computes the
hyperbolic sine of the value [x]. /n * /n * Special cases: /n * - `sinh(NaN)` is `NaN` /n * - `sinh(+Inf)` is `+Inf` /n *
- `sinh(-Inf)` is `-Inf` /n * /n @SinceKotlin("1.2") /n public expect fun sinh(x: Double): Double /n /n * /n * Computes
the hyperbolic cosine of the value [x]. /n * /n * Special cases: /n * - `cosh(NaN)` is `NaN` /n * - `cosh(+Inf)` is
`+Inf` /n * /n @SinceKotlin("1.2") /n public expect fun cosh(x: Double): Double /n /n * /n * Computes the hyperbolic
tangent of the value [x]. /n * /n * Special cases: /n * - `tanh(NaN)` is `NaN` /n * - `tanh(+Inf)` is `1.0` /n * - `tanh(-
Inf)` is `-1.0` /n * /n @SinceKotlin("1.2") /n public expect fun tanh(x: Double): Double /n /n * /n * Computes the
inverse hyperbolic sine of the value [x]. /n * /n * The returned value is `y` such that `sinh(y) == x`. /n * /n * Special
cases: /n * - `asinh(NaN)` is `NaN` /n * - `asinh(+Inf)` is `+Inf` /n * - `asinh(-Inf)` is `-Inf` /n
* /n @SinceKotlin("1.2") /n public expect fun asinh(x: Double): Double /n /n * /n * Computes the inverse hyperbolic
cosine of the value [x]. /n * /n * The returned value is positive `y` such that `cosh(y) == x`. /n * /n * Special cases: /n *
- `acosh(NaN)` is `NaN` /n * - `acosh(x)` is `NaN` when `x < 1` /n * - `acosh(+Inf)` is `+Inf` /n
* /n @SinceKotlin("1.2") /n public expect fun acosh(x: Double): Double /n /n * /n * Computes the inverse hyperbolic
tangent of the value [x]. /n * /n * The returned value is `y` such that `tanh(y) == x`. /n * /n * Special cases: /n * -
`tanh(NaN)` is `NaN` /n * - `tanh(x)` is `NaN` when `x > 1` or `x < -1` /n * - `tanh(1.0)` is `+Inf` /n * - `tanh(-
1.0)` is `-Inf` /n * /n @SinceKotlin("1.2") /n public expect fun atanh(x: Double): Double /n /n * /n * Computes
`sqrt(x^2 + y^2)` without intermediate overflow or underflow. /n * /n * Special cases: /n * - returns `+Inf` if any of
arguments is infinite /n * - returns `NaN` if any of arguments is `NaN` and the other is not infinite /n
* /n @SinceKotlin("1.2") /n public expect fun hypot(x: Double, y: Double): Double /n /n * /n * Computes the
positive square root of the value [x]. /n * /n * Special cases: /n * - `sqrt(x)` is `NaN` when `x < 0` or `x` is `NaN` /n
* /n @SinceKotlin("1.2") /n public expect fun sqrt(x: Double): Double /n /n * /n * Computes Euler's number `e`
raised to the power of the value [x]. /n * /n * Special cases: /n * - `exp(NaN)` is `NaN` /n * - `exp(+Inf)` is `+Inf` /n
* - `exp(-Inf)` is `0.0` /n * /n @SinceKotlin("1.2") /n public expect fun exp(x: Double): Double /n /n * /n *
Computes `exp(x) - 1`. /n * /n * This function can be implemented to produce more precise result for [x] near zero. /n
* /n * Special cases: /n * - `expm1(NaN)` is `NaN` /n * - `expm1(+Inf)` is `+Inf` /n * - `expm1(-Inf)` is `-1.0` /n * /n
* @see [exp] function. /n * /n @SinceKotlin("1.2") /n public expect fun expm1(x: Double): Double /n /n * /n *
Computes the logarithm of the value [x] to the given [base]. /n * /n * Special cases: /n * - `log(x, b)` is `NaN` if
either `x` or `b` are `NaN` /n * - `log(x, b)` is `NaN` when `x < 0` or `b <= 0` or `b == 1.0` /n * - `log(+Inf, +Inf)`
is `NaN` /n * - `log(+Inf, b)` is `+Inf` for `b > 1` and `-Inf` for `b < 1` /n * - `log(0.0, b)` is `-Inf` for `b > 1` and
`+Inf` for `b < 1` /n * See also logarithm functions for common fixed bases: [ln], [log10] and [log2]. /n
* /n @SinceKotlin("1.2") /n public expect fun log(x: Double, base: Double): Double /n /n * /n * Computes the
natural logarithm (base `E`) of the value [x]. /n * /n * Special cases: /n * - `ln(NaN)` is `NaN` /n * - `ln(x)` is `NaN`
when `x < 0.0` /n * - `ln(+Inf)` is `+Inf` /n * - `ln(0.0)` is `-Inf` /n * /n @SinceKotlin("1.2") /n public expect fun
ln(x: Double): Double /n /n * /n * Computes the common logarithm (base 10) of the value [x]. /n * /n * @see [ln]
function for special cases. /n * /n @SinceKotlin("1.2") /n public expect fun log10(x: Double): Double /n /n * /n *
Computes the binary logarithm (base 2) of the value [x]. /n * /n * @see [ln] function for special cases. /n
* /n @SinceKotlin("1.2") /n public expect fun log2(x: Double): Double /n /n * /n * Computes `ln(x + 1)`. /n * /n *
This function can be implemented to produce more precise result for [x] near zero. /n * /n * Special cases: /n * -
`ln1p(NaN)` is `NaN` /n * - `ln1p(x)` is `NaN` where `x < -1.0` /n * - `ln1p(-1.0)` is `-Inf` /n * - `ln1p(+Inf)` is
`+Inf` /n * @see [ln] function /n * @see [expm1] function /n * /n @SinceKotlin("1.2") /n public expect fun
ln1p(x: Double): Double /n /n * /n * Rounds the given value [x] to an integer towards positive infinity. /n * /n * @return

```

the smallest double value that is greater than or equal to the given value [x] and is a mathematical integer.

Special cases: `ceil(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.

```
@SinceKotlin("1.2")\npublic expect fun ceil(x: Double): Double
```

Rounds the given value [x] to an integer towards negative infinity.

@return the largest double value that is smaller than or equal to the given value [x] and is a mathematical integer.

Special cases: `floor(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.

```
@SinceKotlin("1.2")\npublic expect fun floor(x: Double): Double
```

Rounds the given value [x] to an integer towards zero.

@return the value [x] having its fractional part truncated.

Special cases: `truncate(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.

```
@SinceKotlin("1.2")\npublic expect fun truncate(x: Double): Double
```

Rounds the given value [x] towards the closest integer with ties rounded towards even integer.

Special cases: `round(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.

```
@SinceKotlin("1.2")\npublic expect fun round(x: Double): Double
```

Returns the absolute value of the given value [x].

Special cases: `abs(NaN)` is `NaN`

@see `absoluteValue` extension property for `[Double]`

```
@SinceKotlin("1.2")\npublic expect fun abs(x: Double): Double
```

Returns the sign of the given value [x]: `-1.0` if the value is negative, `0` if the value is zero, `1.0` if the value is positive

Special case: `sign(NaN)` is `NaN`

```
@SinceKotlin("1.2")\npublic expect fun sign(x: Double): Double
```

Returns the smaller of two values.

If either value is `NaN`, then the result is `NaN`.

```
@SinceKotlin("1.2")\npublic expect fun min(a: Double, b: Double): Double
```

Returns the greater of two values.

If either value is `NaN`, then the result is `NaN`.

```
@SinceKotlin("1.2")\npublic expect fun max(a: Double, b: Double): Double
```

Raises this value to the power [x].

Special cases: `b.pow(0.0)` is `1.0`, `b.pow(1.0) == b`, `b.pow(NaN)` is `NaN`, `NaN.pow(x)` is `NaN` for `x != 0.0`, `b.pow(Inf)` is `NaN` for `abs(b) == 1.0`, `b.pow(x)` is `NaN` for `b < 0` and `x` is finite and not an integer

```
@SinceKotlin("1.2")\npublic expect fun Double.pow(x: Double): Double
```

Raises this value to the integer power [n].

See the other overload of `[pow]` for details.

```
@SinceKotlin("1.2")\npublic expect fun Double.pow(n: Int): Double
```

Returns the absolute value of this value.

Special cases: `NaN.absoluteValue` is `NaN`

@see `abs` function

```
@SinceKotlin("1.2")\npublic expect val Double.absoluteValue: Double
```

Returns the sign of this value: `-1.0` if the value is negative, `0` if the value is zero, `1.0` if the value is positive

Special case: `NaN.sign` is `NaN`

```
@SinceKotlin("1.2")\npublic expect val Double.sign: Double
```

Returns this value with the sign bit same as of the `[sign]` value.

If `[sign]` is `NaN` the sign of the result is undefined.

```
@SinceKotlin("1.2")\npublic expect fun Double.withSign(sign: Double): Double
```

Returns this value with the sign bit same as of the `[sign]` value.

```
@SinceKotlin("1.2")\npublic expect fun Double.withSign(sign: Int): Double
```

Returns the ulp (unit in the last place) of this value.

An ulp is a positive distance between this value and the next nearest `[Double]` value larger in magnitude.

Special Cases: `NaN.ulp` is `NaN`, `x.ulp` is `+Inf` when `x` is `+Inf` or `-Inf`, `0.0.ulp` is `Double.MIN_VALUE`

```
@SinceKotlin("1.2")\npublic expect val Double.ulp: Double
```

Returns the `[Double]` value nearest to this value in direction of positive infinity.

```
@SinceKotlin("1.2")\npublic expect fun Double.nextUp(): Double
```

Returns the `[Double]` value nearest to this value in direction of negative infinity.

```
@SinceKotlin("1.2")\npublic expect fun Double.nextDown(): Double
```

Returns the `[Double]` value nearest to this value in direction from this value towards the value `[to]`.

Special cases: `x.nextTowards(y)` is `NaN` if either `x` or `y` are `NaN`, `x.nextTowards(x) == x`

```
@SinceKotlin("1.2")\npublic expect fun Double.nextTowards(to: Double): Double
```

Rounds this `[Double]` value to the nearest integer and converts the result to `[Int]`.

Ties are rounded towards positive infinity.

Special cases: `x.roundToInt() == Int.MAX_VALUE` when `x > Int.MAX_VALUE`, `x.roundToInt() == Int.MIN_VALUE` when `x < Int.MIN_VALUE`

@throws `IllegalArgumentException` when this value is `NaN`

```
@SinceKotlin("1.2")\npublic expect fun Double.roundToInt(): Int
```

Rounds this `[Double]` value to the nearest integer and converts the result to `[Long]`.

Ties are rounded towards

positive infinity.  
Special cases:  $x.\text{roundToLong}() == \text{Long.MAX\_VALUE}$  when  $x > \text{Long.MAX\_VALUE}$   
 $x.\text{roundToLong}() == \text{Long.MIN\_VALUE}$  when  $x < \text{Long.MIN\_VALUE}$   
@throws IllegalArgumentException when this value is NaN  
@SinceKotlin("1.2")  
public expect fun Double.roundToLong(): Long // endregion  
// region =====  
Float Math  
=====

Computes the sine of the angle [x] given in radians.  
Special cases:  $\sin(\text{NaN}|\text{+Inf}|\text{-Inf})$  is NaN  
@SinceKotlin("1.2")  
public expect fun sin(x: Float): Float // \*\*  
Computes the cosine of the angle [x] given in radians.  
Special cases:  $\cos(\text{NaN}|\text{+Inf}|\text{-Inf})$  is NaN  
@SinceKotlin("1.2")  
public expect fun cos(x: Float): Float // \*\*  
Computes the tangent of the angle [x] given in radians.  
Special cases:  $\tan(\text{NaN}|\text{+Inf}|\text{-Inf})$  is NaN  
@SinceKotlin("1.2")  
public expect fun tan(x: Float): Float // \*\*  
Computes the arc sine of the value [x];  
the returned value is an angle in the range from  $-\text{PI}/2$  to  $\text{PI}/2$  radians.  
Special cases:  $\text{asin}(x)$  is NaN, when  $|\text{abs}(x)| > 1$  or x is NaN  
@SinceKotlin("1.2")  
public expect fun asin(x: Float): Float // \*\*  
Computes the arc cosine of the value [x];  
the returned value is an angle in the range from  $0.0$  to  $\text{PI}$  radians.  
Special cases:  $\text{acos}(x)$  is NaN, when  $|\text{abs}(x)| > 1$  or x is NaN  
@SinceKotlin("1.2")  
public expect fun acos(x: Float): Float // \*\*  
Computes the arc tangent of the value [x];  
the returned value is an angle in the range from  $-\text{PI}/2$  to  $\text{PI}/2$  radians.  
Special cases:  $\text{atan}(\text{NaN})$  is NaN  
@SinceKotlin("1.2")  
public expect fun atan(x: Float): Float // \*\*  
Returns the angle  $\theta$  of the polar coordinates (r, theta) that correspond  
to the rectangular coordinates (x, y) by computing the arc tangent of the value  $[y] / [x]$ ;  
the returned value is an angle in the range from  $-\text{PI}$  to  $\text{PI}$  radians.  
Special cases:  $\text{atan2}(0.0, 0.0)$  is  $0.0$   
 $\text{atan2}(0.0, x)$  is  $0.0$  for  $x > 0$  and  $\text{PI}$  for  $x < 0$   
 $\text{atan2}(-0.0, x)$  is  $-0.0$  for  $x > 0$  and  $-\text{PI}$  for  $x < 0$   
 $\text{atan2}(y, \text{+Inf})$  is  $0.0$  for  $0 < y < \text{+Inf}$  and  $-0.0$  for  $-\text{Inf} < y < 0$   
 $\text{atan2}(y, \text{-Inf})$  is  $\text{PI}$  for  $0 < y < \text{+Inf}$  and  $-\text{PI}$  for  $-\text{Inf} < y < 0$   
 $\text{atan2}(y, 0.0)$  is  $\text{PI}/2$  for  $y > 0$  and  $-\text{PI}/2$  for  $y < 0$   
 $\text{atan2}(\text{+Inf}, x)$  is  $\text{PI}/2$  for finite  $x$   
 $\text{atan2}(\text{-Inf}, x)$  is  $-\text{PI}/2$  for finite  $x$   
 $\text{atan2}(\text{NaN}, x)$  and  $\text{atan2}(y, \text{NaN})$  is NaN  
@SinceKotlin("1.2")  
public expect fun atan2(y: Float, x: Float): Float // \*\*  
Computes the hyperbolic sine of the value [x].  
Special cases:  $\sinh(\text{NaN})$  is NaN  
 $\sinh(\text{+Inf})$  is  $\text{+Inf}$   
 $\sinh(\text{-Inf})$  is  $-\text{Inf}$   
@SinceKotlin("1.2")  
public expect fun sinh(x: Float): Float // \*\*  
Computes the hyperbolic cosine of the value [x].  
Special cases:  $\cosh(\text{NaN})$  is NaN  
 $\cosh(\text{+Inf}|\text{-Inf})$  is  $\text{+Inf}$   
@SinceKotlin("1.2")  
public expect fun cosh(x: Float): Float // \*\*  
Computes the hyperbolic tangent of the value [x].  
Special cases:  $\tanh(\text{NaN})$  is NaN  
 $\tanh(\text{+Inf})$  is  $1.0$   
 $\tanh(\text{-Inf})$  is  $-1.0$   
@SinceKotlin("1.2")  
public expect fun tanh(x: Float): Float // \*\*  
Computes the inverse hyperbolic sine of the value [x].  
The returned value is  $y$  such that  $\sinh(y) == x$ .  
Special cases:  $\text{asinh}(\text{NaN})$  is NaN  
 $\text{asinh}(\text{+Inf})$  is  $\text{+Inf}$   
 $\text{asinh}(\text{-Inf})$  is  $-\text{Inf}$   
@SinceKotlin("1.2")  
public expect fun asinh(x: Float): Float // \*\*  
Computes the inverse hyperbolic cosine of the value [x].  
The returned value is positive  $y$  such that  $\cosh(y) == x$ .  
Special cases:  $\text{acosh}(\text{NaN})$  is NaN  
 $\text{acosh}(x)$  is NaN when  $x < 1$   
 $\text{acosh}(\text{+Inf})$  is  $\text{+Inf}$   
@SinceKotlin("1.2")  
public expect fun acosh(x: Float): Float // \*\*  
Computes the inverse hyperbolic tangent of the value [x].  
The returned value is  $y$  such that  $\tanh(y) == x$ .  
Special cases:  $\text{atanh}(\text{NaN})$  is NaN  
 $\text{atanh}(x)$  is NaN when  $x > 1$  or  $x < -1$   
 $\text{atanh}(1.0)$  is  $\text{+Inf}$   
 $\text{atanh}(-1.0)$  is  $-\text{Inf}$   
@SinceKotlin("1.2")  
public expect fun atanh(x: Float): Float // \*\*  
Computes  $\sqrt{x^2 + y^2}$  without intermediate overflow or underflow.  
Special cases: returns  $\text{+Inf}$  if any of arguments is infinite  
returns NaN if any of arguments is NaN and the other is not infinite  
@SinceKotlin("1.2")  
public expect fun hypot(x: Float, y: Float): Float // \*\*  
Computes the positive square root of the value [x].  
Special cases:  $\sqrt{x}$  is NaN when  $x < 0$  or  $x$  is NaN  
@SinceKotlin("1.2")  
public expect fun sqrt(x: Float): Float // \*\*  
Computes Euler's number  $e$  raised to the power of the value [x].  
Special cases:  $\exp(\text{NaN})$  is NaN  
 $\exp(\text{+Inf})$  is  $\text{+Inf}$   
 $\exp(\text{-Inf})$  is  $0.0$   
@SinceKotlin("1.2")  
public expect fun exp(x: Float): Float // \*\*  
Computes  $\exp(x) - 1$ .  
This function can be implemented to produce more precise result for [x] near zero.  
Special

cases:  $\text{expm1}(\text{NaN})$  is  $\text{NaN}$   $\text{expm1}(+\text{Inf})$  is  $+\text{Inf}$   $\text{expm1}(-\text{Inf})$  is  $-1.0$   $\text{@see}$  [exp] function.

`public expect fun expm1(x: Float): Float` Computes the logarithm of the value [x] to the given [base].  
Special cases:  $\log(x, b)$  is  $\text{NaN}$  if either  $x$  or  $b$  are  $\text{NaN}$   $\log(x, b)$  is  $\text{NaN}$  when  $x < 0$  or  $b \leq 0$  or  $b == 1.0$   $\log(+\text{Inf}, +\text{Inf})$  is  $\text{NaN}$   $\log(+\text{Inf}, b)$  is  $+\text{Inf}$  for  $b > 1$  and  $-\text{Inf}$  for  $b < 1$   $\log(0.0, b)$  is  $-\text{Inf}$  for  $b > 1$  and  $+\text{Inf}$  for  $b > 1$   
See also logarithm functions for common fixed bases: [ln], [log10] and [log2].

`public expect fun log(x: Float, base: Float): Float` Computes the natural logarithm (base 'E') of the value [x].  
Special cases:  $\ln(\text{NaN})$  is  $\text{NaN}$   $\ln(x)$  is  $\text{NaN}$  when  $x < 0.0$   $\ln(+\text{Inf})$  is  $+\text{Inf}$   $\ln(0.0)$  is  $-\text{Inf}$

`public expect fun ln(x: Float): Float` Computes the common logarithm (base 10) of the value [x].  
 $\text{@see}$  [ln] function for special cases.

`public expect fun log10(x: Float): Float` Computes the binary logarithm (base 2) of the value [x].  
 $\text{@see}$  [ln] function for special cases.

`public expect fun log2(x: Float): Float` Computes  $\ln(a + 1)$ .  
This function can be implemented to produce more precise result for [x] near zero.  
Special cases:  $\ln1p(\text{NaN})$  is  $\text{NaN}$   $\ln1p(x)$  is  $\text{NaN}$  where  $x < -1.0$   $\ln1p(-1.0)$  is  $-\text{Inf}$   $\ln1p(+\text{Inf})$  is  $+\text{Inf}$   
 $\text{@see}$  [ln] function  $\text{@see}$  [expm1] function

`public expect fun ln1p(x: Float): Float` Rounds the given value [x] to an integer towards positive infinity.  
 $\text{@return}$  the smallest Float value that is greater than or equal to the given value [x] and is a mathematical integer.  
Special cases:  $\text{ceil}(x)$  is  $x$  where  $x$  is  $\text{NaN}$  or  $+\text{Inf}$  or  $-\text{Inf}$  or already a mathematical integer.

`public expect fun ceil(x: Float): Float` Rounds the given value [x] to an integer towards negative infinity.  
 $\text{@return}$  the largest Float value that is smaller than or equal to the given value [x] and is a mathematical integer.  
Special cases:  $\text{floor}(x)$  is  $x$  where  $x$  is  $\text{NaN}$  or  $+\text{Inf}$  or  $-\text{Inf}$  or already a mathematical integer.

`public expect fun floor(x: Float): Float` Rounds the given value [x] to an integer towards zero.  
 $\text{@return}$  the value [x] having its fractional part truncated.  
Special cases:  $\text{truncate}(x)$  is  $x$  where  $x$  is  $\text{NaN}$  or  $+\text{Inf}$  or  $-\text{Inf}$  or already a mathematical integer.

`public expect fun truncate(x: Float): Float` Rounds the given value [x] towards the closest integer with ties rounded towards even integer.  
Special cases:  $\text{round}(x)$  is  $x$  where  $x$  is  $\text{NaN}$  or  $+\text{Inf}$  or  $-\text{Inf}$  or already a mathematical integer.

`public expect fun round(x: Float): Float` Returns the absolute value of the given value [x].  
Special cases:  $\text{abs}(\text{NaN})$  is  $\text{NaN}$   
 $\text{@see}$  absoluteValue extension property for [Float]

`public expect fun abs(x: Float): Float` Returns the sign of the given value [x]:  $-1.0$  if the value is negative, zero if the value is zero,  $1.0$  if the value is positive  
Special case:  $\text{sign}(\text{NaN})$  is  $\text{NaN}$

`public expect fun sign(x: Float): Float` Returns the smaller of two values.  
If either value is  $\text{NaN}$ , then the result is  $\text{NaN}$ .

`public expect fun min(a: Float, b: Float): Float` Returns the greater of two values.  
If either value is  $\text{NaN}$ , then the result is  $\text{NaN}$ .

`public expect fun max(a: Float, b: Float): Float` Raises this value to the power [x].  
Special cases:  $b.\text{pow}(0.0)$  is  $1.0$   $b.\text{pow}(1.0) == b$   $b.\text{pow}(\text{NaN})$  is  $\text{NaN}$   $\text{NaN}.\text{pow}(x)$  is  $\text{NaN}$  for  $x \neq 0.0$   $b.\text{pow}(\text{Inf})$  is  $\text{NaN}$  for  $\text{abs}(b) == 1.0$   $b.\text{pow}(x)$  is  $\text{NaN}$  for  $b < 0$  and  $x$  is finite and not an integer

`public expect fun Float.pow(x: Float): Float` Raises this value to the integer power [n].  
See the other overload of [pow] for details.

`public expect fun Float.pow(n: Int): Float` Returns the absolute value of this value.  
Special cases:  $\text{NaN}.\text{absoluteValue}$  is  $\text{NaN}$   
 $\text{@see}$  abs function

`public expect val Float.absoluteValue: Float` Returns the sign of this value:  $-1.0$  if the value is negative, zero if the value is zero,  $1.0$  if the value is positive  
Special case:  $\text{NaN}.\text{sign}$  is  $\text{NaN}$

`public expect val Float.sign: Float` Returns this value with the sign bit same as of the [sign] value.  
If [sign] is  $\text{NaN}$  the sign of the result is undefined.

`public expect fun Float.withSign(sign: Float): Float` Returns this value with

the sign bit same as of the [sign] value.

```

*^@SinceKotlin("1.2")\npublic expect fun Float.withSign(sign: Int):
Float\n\n/**\n * Rounds this [Float] value to the nearest integer and converts the result to [Int].\n * Ties are
rounded towards positive infinity.\n * Special cases:\n * - `x.roundToInt() == Int.MAX_VALUE` when `x >
Int.MAX_VALUE`\n * - `x.roundToInt() == Int.MIN_VALUE` when `x < Int.MIN_VALUE`\n * @throws
IllegalArgumentException when this value is `NaN`\n *^@SinceKotlin("1.2")\npublic expect fun
Float.roundToInt(): Int\n\n/**\n * Rounds this [Float] value to the nearest integer and converts the result to
[Long].\n * Ties are rounded towards positive infinity.\n * Special cases:\n * - `x.roundToLong() ==
Long.MAX_VALUE` when `x > Long.MAX_VALUE`\n * - `x.roundToLong() == Long.MIN_VALUE` when `x
< Long.MIN_VALUE`\n * @throws IllegalArgumentException when this value is `NaN`\n
*^@SinceKotlin("1.2")\npublic expect fun Float.roundToLong(): Long\n\n// endregion\n\n// region
===== Integer Math =====\n\n/**\n * Returns
the absolute value of the given value [n].\n * Special cases:\n * - `abs(Int.MIN_VALUE)` is
`Int.MIN_VALUE` due to an overflow\n * @see absoluteValue extension property for [Int]\n
*^@SinceKotlin("1.2")\npublic expect fun abs(n: Int): Int\n\n/**\n * Returns the smaller of two values.\n
*^@SinceKotlin("1.2")\npublic expect fun min(a: Int, b: Int): Int\n\n/**\n * Returns the greater of two values.\n
*^@SinceKotlin("1.2")\npublic expect fun max(a: Int, b: Int): Int\n\n/**\n * Returns the absolute value of this
value.\n * Special cases:\n * - `Int.MIN_VALUE.absoluteValue` is `Int.MIN_VALUE` due to an overflow\n
* @see abs function\n *^@SinceKotlin("1.2")\npublic expect val Int.absoluteValue: Int\n\n/**\n * Returns
the sign of this value:\n * - `-1` if the value is negative,\n * - `0` if the value is zero,\n * - `1` if the value is
positive\n *^@SinceKotlin("1.2")\npublic expect val Int.sign: Int\n\n/**\n * Returns the absolute value of the
given value [n].\n * Special cases:\n * - `abs(Long.MIN_VALUE)` is `Long.MIN_VALUE` due to an
overflow\n * @see absoluteValue extension property for [Long]\n *^@SinceKotlin("1.2")\npublic expect fun
abs(n: Long): Long\n\n/**\n * Returns the smaller of two values.\n *^@SinceKotlin("1.2")\npublic expect fun
min(a: Long, b: Long): Long\n\n/**\n * Returns the greater of two values.\n *^@SinceKotlin("1.2")\npublic
expect fun max(a: Long, b: Long): Long\n\n/**\n * Returns the absolute value of this value.\n * Special cases:\n
* - `Long.MIN_VALUE.absoluteValue` is `Long.MIN_VALUE` due to an overflow\n * @see abs function\n
*^@SinceKotlin("1.2")\npublic expect val Long.absoluteValue: Long\n\n/**\n * Returns the sign of this value:\n
* - `-1` if the value is negative,\n * - `0` if the value is zero,\n * - `1` if the value is positive\n
*^@SinceKotlin("1.2")\npublic expect val Long.sign: Int\n\n//
endregion\n"], "names": [], "mappings": "AAWC,CAXA,yB;EACG,IAAI,OAAO,MAAO,KAAI,UAAW,IAAG,MAA
M,IAA1C,C;IACI,MAAM,CAAC,QAAD,EA AW,CAAC,SAAD,CAAX,EA AwB,OAAxB,C;SAEL,IAAI,OAAO,O
AAQ,KAAI,QAAvB,C;IACD,OAAO,CAAC,MAAM,QAAP,C;;IAGP,IAAI,OAAQ,GAAE,E;IACd,OAAO,CAAC
,IAAI,OAAL,C;;CAEd,CAAC,IAAD,EA AO,kB;EACJ,IAAI,IAAI,M;ECPZ,MAAM,eAAgB,GAAE,a;IACpB,OA
AoD,CAA5C,KAAK,QAAQ,CAAC,CAAD,CAAI,IAAG,CAAE,YAAW,SAAW,KAA G,CAAC,OAAQ,KAAI,c;G
;EAGxE,MAAM,YAAa,GAAE,a;IACjB,OAAO,CAAE,YAAW,SAAU,IAAG,CAAC,OAAQ,KAAI,c;G;EAGID,M
AAM,aAAc,GAAE,a;IACIB,OAAO,CAAE,YAAW,U;G;EAGxB,MAAM,YAAa,GAAE,a;IACjB,OAAO,CAAE,Y
AAW,WAAY,IAAG,CAAC,OAAQ,KAAI,W;G;EAGpD,MAAM,WAAY,GAAE,a;IACbB,OAAO,CAAE,YAAW,
U;G;EAGxB,MAAM,aAAc,GAAE,a;IACIB,OAAO,CAAE,YAAW,Y;G;EAGxB,MAAM,cAAe,GAAE,a;IACnB,O
AAO,CAAE,YAAW,Y;G;EAGxB,MAAM,YAAa,GAAE,a;IACjB,OAAO,KAAK,QAAQ,CAAC,CAAD,CAAI,IA
AG,CAAC,OAAQ,KAAI,W;G;EAG5C,MAAM,QAAS,GAAE,a;IACb,OAAO,KAAK,QAAQ,CAAC,CAAD,CAA
I,IAAG,CAAC,CAAC,O;G;EAGjC,MAAM,WAAY,GAAE,a;IACb,OAAO,KAAK,QAAQ,CAAC,CAAD,CAAI,
IAAG,WA AW,OAAO,CAAC,CAAD,C;G;EAGjD,MAAM,cAAe,GAAE,a;IACnB,IAAI,CAAE,KAAI,IAAV,C;M
AAgB,OAAO,M;IACvB,IAAI,WA AW,MAAM,YAAY,CAAC,CAAD,CAAI,GAAE,MAAM,aAAR,GAAwB,MA
AM,S;IACnE,OAAO,GA AI,GAAE,KAAK,UAAU,IAAI,KAAK,CAAC,CAAD,EA AI,a;MAAc,OAAO,QAAQ,CA
AC,CAAD,C;KAAjC,CAAwC,KAAK,CAAC,IAAD,CAA O,GAAE,G;G;EAG/F,MAAM,kBAAmB,GAAE,e;IACv
B,OAAO,MAAM,OAAO,YAAY,wBA AwB,CAAC,GAAD,C;G;EAG5D,MAAM,YAAa,GAAE,gB;IACjB,IAAI,C
AAE,KAAI,CAAV,C;MACI,OAAO,I;KAEX,IAAI,CAAE,KAAI,IAAK,IAAG,CAAE,KAAI,IAAK,IAAG,CAAC,
MAAM,WA AW,CAAC,CAAD,CAAI,IAAG,CAAC,OAAQ,KAAI,CAAC,OAAvE,C;MACI,OAAO,K;KAGX,KA

```

AK,IAAI,IAAI,CAAR,EA AW,IAAI,CAAC,OAArB,EAA8B,CAA E,GAAE,CAAIC,EAAqC,CAAC,EAAtC,C;MA  
CI,IAAI,CAAC,MAAM,OAAO,CAAC,CAAC,CAAC,CAAD,CAAF,EAAO,CAAC,CAAC,CAAD,CAAR,CAAIB  
,C;QACI,OAAO,K;;IAGf,OAAO,I;G;EAGX,MAAM,gBAAiB,GAAE,gB;IACrB,OAAO,MAAM,OAAO,YAAY,s  
BAAsB,CAAC,CAAD,EA AI,CAAJ,C;G;EAG1D,MAAM,cAAe,GAAE,e;IACnB,IAAI,GA AI,KAAI,IAAZ,C;MA  
AkB,OAAO,C;IACzB,IAAI,SAAS,C;IACb,KAAK,IAAI,IAAI,CAAR,EA AW,IAAI,GAAG,OAAvB,EAAgC,CAA  
E,GAAE,CAApC,EAAuC,CAAC,EAAxC,C;MACI,MAAO,GAAqB,CAAjB,EAAG,GAAE,MAAO,GAAE,CAAG  
,IAAE,MAAM,SAAS,CAAC,GAAG,CAAC,CAAD,CAAJ,CAAU,GAAE,C;;IAE7D,OAAO,M;G;EAGX,MAAM,  
kBAAmB,GAAE,e;IACvB,OAAO,MAAM,OAAO,YAAY,wBAAwB,CAAC,GAAD,C;G;EAG5D,MAAM,mBAA  
oB,GAAE,iB;IACxB,KAAK,KAAK,CAAC,MAAM,gBAAP,C;G;ECpFd,MAAM,eAAgB,GAAE,mB;IACpB,CA  
AC,aAAc,GAAE,I;IACjB,OAAO,C;G;EAGX,MAAM,uBAAwB,GAAE,4C;IAC5B,MAAM,IAAK,GAAE,M;IAC  
b,MAAM,IAAK,GAAE,M;IACb,MAAM,aAAc,GAAE,I;IACtB,OAAO,mBAAmB,CAAC,MAAD,EAAS,MAAT,  
EAAiB,6BAA6B,CAAC,UAAD,CAA9C,C;G;EAG9B,iD;IACI,GAAG,WAAY,GAAE,sBAAsB,CAAC,OAAO,M  
AAO,KAAI,UAAW,GAAE,KAAK,QAAP,GAakB,KAAK,UAArD,C;IACvC,GAAG,YAAa,GAAE,G;IACIB,OA  
AO,G;G;EAGX,IAAI,gCAAgC,CAChC,UACa,QAAS,IAAT,wBAAqC,Y;IAC1C,OAAO,MAAM,OAAO,QAAQ,k  
B;GADvB,CADb,aAIe,QAAS,IAAT,wBAAqC,Y;IAC5C,OAAO,MAAM,OAAO,QAAQ,W;GADrB,CAJf,CADgC  
,EAShC,UACa,QAAS,IAAT,wBAAqC,Y;IAC1C,OAAO,MAAM,OAAO,QAAQ,kB;GADvB,CADb,aAIe,QAAS,I  
AAT,wBAAqC,Y;IAC5C,OAAO,MAAM,OAAO,QAAQ,W;GADrB,CAJf,CATgC,C;EAmBpC,uC;IACI,IAAI,KA  
AK,MAAO,KAAI,IAApB,C;MACI,KAAK,MAAO,GAAE,aACE,CAAC,KAAK,qBAAqB,EAA3B,CADF,aAEC,I  
AFD,aAGC,EAHD,cAIE,EAJF,SAKH,EALG,iBAMK,EANL,C;KASIB,OAAO,KAAK,M;G;EChDhB,MAAM,QA  
AS,GAAE,a;IACb,OAAoB,CAAZ,CAA E,GAAE,KAAQ,KAAG,EAAG,IAAG,E;G;EAGjC,MAAM,OAAQ,GAA  
E,a;IACZ,OAAkB,CAAV,CAA E,GAAE,GAAM,KAAQ,EAAG,IAAG,E;G;EAG/B,MAAM,OAAQ,GAAE,a;IAC  
Z,OAAO,CAA E,GAAE,K;G;EAGf,MAAM,aAAc,GAAE,a;IACIB,OAAO,CAA E,YAAW,MAAM,KAAM,GAAE,  
CAAF,GAAM,MAAM,KAAK,WA AW,CAAC,CAAD,C;G;EAGhE,MAAM,YAAa,GAAE,a;IACjB,OAAO,CAA E  
,YAAW,MAAM,KAAM,GAAE,CAAC,MAAM,EAAT,GAAC,MAAM,YAAY,CAAC,CAAD,C;G;EAGpE,MAA  
M,cAAe,GAAE,a;IACnB,OAAO,MAAM,QAAQ,CAAC,MAAM,YAAY,CAAC,CAAD,CAAnB,C;G;EAGzB,MA  
AM,aAAc,GAAE,a;IACIB,OAAO,MAAM,OAAO,CAAC,MAAM,YAAY,CAAC,CAAD,CAAnB,C;G;EAGxB,M  
AAM,eAAgB,GAAE,a;IACpB,OAAO,CAAC,C;G;EAGZ,MAAM,aAAc,GAAE,a;IACIB,OAAO,MAAM,OAAO,  
CAAC,MAAM,YAAY,CAAC,CAAD,CAAnB,C;G;EAGxB,MAAM,YAAa,GAAE,a;IACjB,IAAI,CAA E,GAAE,U  
AAR,C;MAAoB,OAAO,U;IAC3B,IAAI,CAA E,GAAE,WAAR,C;MAAqB,OAAO,W;IAC5B,OAAO,CAA E,GAA  
E,C;G;EAGf,MAAM,YAAa,GAAE,a;IACjB,IAAI,CAA E,IAAG,IAAT,C;MAAe,OAAO,C;IACtB,IAAI,CAA E,Y  
AAW,MAAM,UAAvB,C;MAAmC,OAAO,C;IAC1C,OAAO,IAAI,MAAM,UAAV,CAAqB,CAArB,C;G;EAGX,M  
AAM,UAAW,GAAE,a;IACf,IAAI,CAA E,IAAG,IAAT,C;MAAe,OAAO,C;IACtB,OAAO,MAAM,OAAO,CAAC,  
CAAD,C;G;ECIDxB,MAAM,OAAQ,GAAE,sB;IACZ,IAAI,IAAK,IAAG,IAAZ,C;MACI,OAAO,IAAK,IAAG,I;K  
AGnB,IAAI,IAAK,IAAG,IAAZ,C;MACI,OAAO,K;KAGX,IAAI,IAAK,KAAI,IAAb,C;MACI,OAAO,IAAK,KAA  
LI;KAGpB,IAAI,OAAO,IAAK,KAAI,QAAS,IAAG,OAAO,IAAI,OAAQ,KAAI,UAAvD,C;MACI,OAAO,IAAI,O  
AAO,CAAC,IAAD,C;KAGtB,IAAI,OAAO,IAAK,KAAI,QAAS,IAAG,OAAO,IAAK,KAAI,QAAhD,C;MACI,OA  
AO,IAAK,KAAI,IAAK,KAAI,IAAK,KAAI,CAA E,IAAG,CAA E,GAAE,IAAK,KAAI,CAA E,GAAE,IAAnC,C;K  
AGzB,OAAO,IAAK,KAAI,I;G;EAGpB,MAAM,SAAU,GAAE,e;IACd,IAAI,GA AI,IAAG,IAAX,C;MACI,OAAO,  
C;KAEX,IAAI,UAAU,OAAO,G;IACrB,IAAI,QAAS,KAAI,OAAjB,C;MACI,OAAO,UAAW,KAAI,OAAO,GAA  
G,SAAU,GAAE,GAAG,SAAS,EAAd,GAAMb,iBAAiB,CAAC,GAAD,C;KAEIF,IAAI,UAAW,KAAI,OAAnB,C;  
MACI,OAAO,iBAAiB,CAAC,GAAD,C;KAE5B,IAAI,QAAS,KAAI,OAAjB,C;MACI,OAAO,MAAM,eAAe,CAA  
C,GAAD,C;KAEhC,IAAI,SAAU,KAAI,OAAlB,C;MACI,OAAO,MAAM,CAAC,GAAD,C;KAGjB,IAAI,MAAM,  
MAAM,CAAC,GAAD,C;IACHb,OAAO,iBAAiB,CAAC,GAAD,C;G;EAI5B,MAAM,SAAU,GAAE,a;IACd,IAAI,  
CAA E,IAAG,IAAT,C;MACI,OAAO,M;WAEN,IAAI,MAAM,WA AW,CAAC,CAAD,CAArB,C;MACD,OAAO,O  
;;MAGP,OAAO,CAAC,SAAS,E;;G;EAKzB,IAAI,WA AW,a;EAGf,IAAI,iCAAiC,sB;EAErC,gC;IACI,IAAI,EA AE  
,8BAA+B,IAAG,GAAPC,CAAJ,C;MACI,IAAI,OAAQ,IAAI,OAAO,EAAG,GAAE,QAAU,GAAE,C;MACxC,MA  
AM,eAAe,CAAC,GAAD,EAAM,8BAAN,EAAsC,QAAU,IAAV,cAA4B,KAA5B,CAAtC,C;KAEzB,OAAO,GAA  
G,CAAC,8BAAD,C;G;EAGd,gC;IACI,IAAI,OAAO,C;IACX,KAAK,IAAI,IAAI,CAA b,EAAGB,CAA E,GAAE,G

AAG,OAAvB,EAAGC,CAAC,EAAjC,C;MACI,IAAI,OAAQ,GAAG,WAAW,CAAC,CAAD,C;MAC1B,IAAM,G  
AAG,IAAK,GAAE,EAAG,GAAE,IAAM,GAAE,C;;IAEjC,OAAO,I;G;EAGX,MAAM,iBAakB,GAAE,iB;EC9C1  
B,MAAM,KAAM,GAAE,qB;IAKZ,IAAI,KAAM,GAAE,GAAl,GAAE,C;IAMIB,IAAI,MAAO,GAAE,IAAK,GA  
AE,C;G;EAGtB,MAAM,KAAK,WAAy,GAAE,OACf,OADe,cAET,MAFS,cAGV,EAHU,C;EAgBzB,MAAM,KA  
AK,UAAW,GAAE,E;EAQxB,MAAM,KAAK,QAAS,GAAE,iB;IACpB,IAAI,IAAK,IAAG,KAAM,IAAG,KAAM,  
GAAE,GAA7B,C;MACE,IAAI,YAAy,MAAM,KAAK,UAAU,CAAC,KAAD,C;MACrC,IAAI,SAAJ,C;QACE,O  
AAO,S;QAIX,IAAI,MAAM,IAAI,MAAM,KAaV,CAAgB,KAAM,GAAE,CAAxB,EAa2B,KAAM,GAAE,CAAE  
,GAAE,EAaF,GAAO,CAA5C,C;IACV,IAAI,IAAK,IAAG,KAAM,IAAG,KAAM,GAAE,GAA7B,C;MACE,MAA  
M,KAAK,UAAU,CAAC,KAAD,CAAQ,GAAE,G;KAEjC,OAAO,G;G;EAYT,MAAM,KAAK,WAAy,GAAE,iB;I  
ACvB,IAAI,KAAK,CAAC,KAAD,CAAT,C;MACE,OAAO,MAAM,KAAK,K;WACb,IAAI,KAAM,IAAG,CAAC,  
MAAM,KAAK,gBAAzB,C;MACL,OAAO,MAAM,KAAK,U;WACb,IAAI,KAAM,GAAE,CAAE,IAAG,MAAM,  
KAAK,gBAA5B,C;MACL,OAAO,MAAM,KAAK,U;WACb,IAAI,KAAM,GAAE,CAAZ,C;MACL,OAAO,MAA  
M,KAAK,WAAW,CAAC,CAAC,KAaF,CAAQ,OAAO,E;;MAE5C,OAAO,IAAI,MAAM,KAaV,CACf,KAAM,  
GAAE,MAAM,KAAK,gBAakB,GAAE,CADrC,EAeF,KAAM,GAAE,MAAM,KAAK,gBAakB,GAAE,CAFrC,C  
;;G;EAcX,MAAM,KAAK,SAAU,GAAE,6B;IACrB,OAAO,IAAI,MAAM,KAaV,CAAgB,OAaHb,EAaYb,QAaZ  
B,C;G;EAWT,MAAM,KAAK,WAAy,GAAE,0B;IACvB,IAAI,GAAG,OAAQ,IAAG,CAaIB,C;MACE,MAAM,K  
AAK,CAAC,mCAAD,C;KAGb,IAAI,QAAQ,SAAU,IAAG,E;IACzB,IAAI,KAAM,GAAE,CAAE,IAAG,EAAG,G  
AAE,KAAtB,C;MACE,MAAM,KAAK,CAAC,sBAaUB,GAAE,KAA1B,C;KAGb,IAAI,GAAG,OAAO,CAAC,C  
AAD,CAAI,IAAG,GAaRb,C;MACE,OAAO,MAAM,KAAK,WAAW,CAAC,GAAG,UAAU,CAAC,CAAD,CAAd  
,EAaMB,KAaNB,CAaYb,OAAO,E;WACxD,IAAI,GAAG,QAAQ,CAAC,GAAD,CAAM,IAAG,CAAxB,C;MAC  
L,MAAM,KAAK,CAAC,+CAAgD,GAAE,GAaND,C;KAKb,IAAI,eAAe,MAAM,KAAK,WAAW,CAAC,IAAI,IA  
AI,CAAC,KAAD,EAaQ,CAAR,CAAT,C;IAEzC,IAAI,SAAS,MAAM,KAAK,K;IACxB,KAAK,IAAI,IAAI,CAA  
b,EAaGB,CAAE,GAAE,GAAG,OAAvB,EAAGC,CAAE,IAAG,CAArC,C;MACE,IAAI,OAAO,IAAI,IAAI,CAAC  
,CAAD,EAaI,GAAG,OAAQ,GAAE,CAAjB,C;MACnB,IAAI,QAAQ,QAAQ,CAAC,GAAG,UAAU,CAAC,CAA  
D,EAaI,CAAE,GAAE,IAAR,CAAd,EAa6B,KAA7B,C;MACpB,IAAI,IAAK,GAAE,CAAX,C;QACE,IAAI,QAA  
Q,MAAM,KAAK,WAAW,CAAC,IAAI,IAAI,CAAC,KAAD,EAaQ,IAAR,CAAT,C;QACIC,MAAO,GAAE,MAA  
M,SAAS,CAAC,KAAD,CAAO,IAAI,CAAC,MAAM,KAAK,WAAW,CAAC,KAAD,CAAvB,C;;QAEnC,MAAO,  
GAAE,MAAM,SAAS,CAAC,YAAD,C;QACxB,MAAO,GAAE,MAAM,IAAI,CAAC,MAAM,KAAK,WAAW,CA  
AC,KAAD,CAAvB,C;;IAGvB,OAAO,M;G;EAcT,MAAM,KAAK,gBAAiB,GAAE,CAAE,IAAG,E;EAOnC,MA  
AM,KAAK,gBAAiB,GAAE,CAAE,IAAG,E;EAOnC,MAAM,KAAK,gBAAiB,GACxB,MAAM,KAAK,gBAAiB,  
GAAE,MAAM,KAAK,gB;EA07C,MAAM,KAAK,gBAAiB,GACxB,MAAM,KAAK,gBAAiB,GAAE,C;EA0IC,  
MAAM,KAAK,gBAAiB,GACxB,MAAM,KAAK,gBAAiB,GAAE,MAAM,KAAK,gB;EA07C,MAAM,KAAK,gB  
AAiB,GACxB,MAAM,KAAK,gBAAiB,GAAE,MAAM,KAAK,gB;EA07C,MAAM,KAAK,gBAAiB,GACxB,MA  
AM,KAAK,gBAAiB,GAAE,C;EAIIC,MAAM,KAAK,KAAM,GAAE,MAAM,KAAK,QAAQ,CAAC,CAAD,C;EA  
IIC,MAAM,KAAK,IAAK,GAAE,MAAM,KAAK,QAAQ,CAAC,CAAD,C;EAIrC,MAAM,KAAK,QAAS,GAAE,  
MAAM,KAAK,QAAQ,CAAC,EAAD,C;EAIzC,MAAM,KAAK,UAAW,GACIB,MAAM,KAAK,SAAS,CAAC,aA  
AW,GAAE,CAAd,EAaIB,UAAW,GAAE,CAA9B,C;EAIxB,MAAM,KAAK,UAAW,GAAE,MAAM,KAAK,SA  
AS,CAAC,CAAD,EAaI,aAAW,GAAE,CAAjB,C;EA05C,MAAM,KAAK,YAAa,GAAE,MAAM,KAAK,QAAQ,C  
AAC,CAAE,IAAG,EAAN,C;EAI7C,MAAM,KAAK,UAAU,MAAO,GAAE,Y;IAC5B,OAAO,IAAI,K;G;EAKb,M  
AAM,KAAK,UAAU,SAAU,GAAE,Y;IAC/B,OAAO,IAAI,MAAO,GAAE,MAAM,KAAK,gBAAiB,GACzC,IAAI  
,mBAaMB,E;G;EAIhC,MAAM,KAAK,UAAU,SAAU,GAAE,Y;IAC/B,OAAO,IAAI,MAAO,GAAE,IAAI,K;G;E  
AQ1B,MAAM,KAAK,UAAU,SAAU,GAAE,qB;IAC/B,IAAI,QAAQ,SAAU,IAAG,E;IACzB,IAAI,KAAM,GAAE  
,CAAE,IAAG,EAAG,GAAE,KAAtB,C;MACE,MAAM,KAAK,CAAC,sBAaUB,GAAE,KAA1B,C;KAGb,IAAI,I  
AAI,OAAO,EAaF,C;MACE,OAAO,G;KAGT,IAAI,IAAI,WAAW,EAaNB,C;MACE,IAAI,IAAI,WAAW,CAAC,  
MAAM,KAAK,UAAZ,CAaNB,C;QAGE,IAAI,YAAy,MAAM,KAAK,WAAW,CAAC,KAAD,C;QACIC,IAAI,M  
AAM,IAAI,IAAI,CAAC,SAAD,C;QACIB,IAAI,MAAM,GAAG,SAAS,CAAC,SAAD,CAAW,SAAS,CAAC,IAA  
D,C;QACIC,OAAO,GAAG,SAAS,CAAC,KAAD,CAAQ,GAAE,GAAG,MAAM,EAaE,SAAS,CAAC,KAAD,C;;  
QAEjD,OAAO,GAAl,GAAE,IAAI,OAAO,EAaE,SAAS,CAAC,KAAD,C;;KAMvC,IAAI,eAAe,MAAM,KAAK,



WAAW,CAAC,IAAI,IAAI,CAAC,KAAD,EAAQ,CAAR,CAAT,C;IAEzC,IAAI,MAAM,I;IACV,IAAI,SAAS,E;IA  
Cb,OAAO,IAAP,C;MACE,IAAI,SAAS,GAAG,IAAI,CAAC,YAAD,C;MACpB,IAAI,SAAS,GAAG,SAAS,CAAC  
,MAAM,SAAS,CAAC,YAAD,CAAhB,CAA+B,MAAM,E;MAC9D,IAAI,SAAS,MAAM,SAAS,CAAC,KAAD,C;  
MAE5B,GAAl,GAAE,M;MACN,IAAI,GAAG,OAAO,EAAc,C;QACE,OAAO,MAAO,GAAE,M;;QAEhB,OAAO,  
MAAM,OAAQ,GAAE,CAA+B,C;UACE,MAAO,GAAE,GAAl,GAAE,M;;QAEjB,MAAO,GAAE,EAAG,GAAE,  
MAAO,GAAE,M;;G;EAO7B,MAAM,KAAK,UAAU,YAAa,GAAE,Y;IACIC,OAAO,IAAI,M;G;EAKb,MAAM,K  
AAK,UAAU,WAAY,GAAE,Y;IACjC,OAAO,IAAI,K;G;EAKb,MAAM,KAAK,UAAU,mBAAoB,GAAE,Y;IACz  
C,OAAQ,IAAI,KAAM,IAAG,CAAG,GACpB,IAAI,KADgB,GACR,MAAM,KAAK,gBAAiB,GAAE,IAAI,K;G;E  
AQpD,MAAM,KAAK,UAAU,cAAe,GAAE,Y;IACpC,IAAI,IAAI,WAAW,EAAnB,C;MACE,IAAI,IAAI,WAAW,  
CAAC,MAAM,KAAK,UAAZ,CAAnB,C;QACE,OAAO,E;;QAEp,OAAO,IAAI,OAAO,EAAE,cAAc,E;;MAGpC,  
IAAI,MAAM,IAAI,MAAO,IAAG,CAAE,GAAE,IAAI,MAAN,GAAe,IAAI,K;MAC7C,KAAK,IAAI,MAAM,EA  
Af,EAAMB,GAAl,GAAE,CAAzB,EAA4B,GAAG,EAA/B,C;QACE,IAAuB,CAAlB,GAAl,GAAG,CAAE,IAAG,  
GAAM,KAAg,CAAiB,C;UACE,K;;MAGJ,OAAO,IAAI,MAAO,IAAG,CAAE,GAAE,GAAl,GAAE,EAAR,GAA  
a,GAAl,GAAE,C;;G;EAM9C,MAAM,KAAK,UAAU,OAAQ,GAAE,Y;IAC7B,OAAO,IAAI,MAAO,IAAG,CAAE  
,IAAG,IAAI,KAAM,IAAG,C;G;EAKzC,MAAM,KAAK,UAAU,WAAY,GAAE,Y;IACjC,OAAO,IAAI,MAAO,G  
AAE,C;G;EAKiB,MAAM,KAAK,UAAU,MAAO,GAAE,Y;IAC5B,OAAuB,CAAf,IAAI,KAAM,GAAE,CAAG,K  
AAG,C;G;EAQ5B,MAAM,KAAK,UAAU,WAAY,GAAE,iB;IACjC,OAAQ,IAAI,MAAO,IAAG,KAAK,MAAQ,I  
AAI,IAAI,KAAM,IAAG,KAAK,K;G;EAQ3D,MAAM,KAAK,UAAU,cAAe,GAAE,iB;IACpC,OAAQ,IAAI,MAA  
O,IAAG,KAAK,MAAQ,IAAI,IAAI,KAAM,IAAG,KAAK,K;G;EAQ3D,MAAM,KAAK,UAAU,SAAU,GAAE,iB;  
IAC/B,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,GAAE,C;G;EAQ/B,MAAM,KAAK,UAAU,gBAAiB,GAAE,iB  
;IACtC,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,IAAG,C;G;EAQhC,MAAM,KAAK,UAAU,YAAa,GAAE,iB;I  
ACIC,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,GAAE,C;G;EAQ/B,MAAM,KAAK,UAAU,mBAAoB,GAAE,iB  
;IACzC,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,IAAG,C;G;EAUhC,MAAM,KAAK,UAAU,QAAS,GAAE,iB;I  
AC9B,IAAI,IAAI,WAAW,CAAC,KAAD,CAAnB,C;MACE,OAAO,C;KAGT,IAAI,UAAU,IAAI,WAAW,E;IAC7  
B,IAAI,WAAW,KAAK,WAAW,E;IAC/B,IAAI,OAAQ,IAAG,CAAC,QAAhB,C;MACE,OAAO,E;KAET,IAAI,C  
AAC,OAAQ,IAAG,QAAhB,C;MACE,OAAO,C;KAIT,IAAI,IAAI,SAAS,CAAC,KAAD,CAAO,WAAW,EAAnC,  
C;MACE,OAAO,E;;MAEP,OAAO,C;;G;EAMX,MAAM,KAAK,UAAU,OAAQ,GAAE,Y;IAC7B,IAAI,IAAI,WA  
AW,CAAC,MAAM,KAAK,UAAZ,CAAnB,C;MACE,OAAO,MAAM,KAAK,U;;MAEiB,OAAO,IAAI,IAAI,EA  
E,IAAI,CAAC,MAAM,KAAK,IAAZ,C;;G;EAUzB,MAAM,KAAK,UAAU,IAAK,GAAE,iB;IAGiB,IAAI,MAAM  
,IAAI,MAAO,KAAI,E;IACzB,IAAI,MAAM,IAAI,MAAO,GAAE,K;IACvB,IAAI,MAAM,IAAI,KAAM,KAAI,E;I  
ACxB,IAAI,MAAM,IAAI,KAAM,GAAE,K;IAEtB,IAAI,MAAM,KAAK,MAAO,KAAI,E;IACiB,IAAI,MAAM,K  
AAK,MAAO,GAAE,K;IACxB,IAAI,MAAM,KAAK,KAAM,KAAI,E;IACzB,IAAI,MAAM,KAAK,KAAM,GAA  
E,K;IAEvB,IAAI,MAAM,CAAV,EAAa,MAAM,CAAnB,EAAsB,MAAM,CAA5B,EAA+B,MAAM,C;IACrC,GA  
Al,IAAG,GAAl,GAAE,G;IACb,GAAl,IAAG,GAAl,KAAI,E;IACf,GAAl,IAAG,K;IACP,GAAl,IAAG,GAAl,GA  
AE,G;IACb,GAAl,IAAG,GAAl,KAAI,E;IACf,GAAl,IAAG,K;IACP,GAAl,IAAG,GAAl,GAAE,G;IACb,GAAl,I  
AAG,GAAl,KAAI,E;IACf,GAAl,IAAG,K;IACP,GAAl,IAAG,GAAl,GAAE,G;IACb,GAAl,IAAG,K;IACP,OAAO  
,MAAM,KAAK,SAAS,CAAE,GAAl,IAAG,EAAl,GAAE,GAaf,EAAqB,GAAl,IAAG,EAAl,GAAE,GAAlC,C;G;  
EAS7B,MAAM,KAAK,UAAU,SAAU,GAAE,iB;IAC/B,OAAO,IAAI,IAAI,CAAC,KAAK,OAAO,EAAb,C;G;EA  
SjB,MAAM,KAAK,UAAU,SAAU,GAAE,iB;IAC/B,IAAI,IAAI,OAAO,EAaf,C;MACE,OAAO,MAAM,KAAK,K  
;WAcB,IAAI,KAAK,OAAO,EAAhB,C;MACL,OAAO,MAAM,KAAK,K;KAGpB,IAAI,IAAI,WAAW,CAAC,M  
AAM,KAAK,UAAZ,CAAnB,C;MACE,OAAO,KAAK,MAAM,EAAG,GAAE,MAAM,KAAK,UAAb,GAA0B,M  
AAM,KAAK,K;WACrD,IAAI,KAAK,WAAW,CAAC,MAAM,KAAK,UAAZ,CAApB,C;MACL,OAAO,IAAI,M  
AAM,EAAG,GAAE,MAAM,KAAK,UAAb,GAA0B,MAAM,KAAK,K;KAG3D,IAAI,IAAI,WAAW,EAAnB,C;M  
ACE,IAAI,KAAK,WAAW,EAAPB,C;QACE,OAAO,IAAI,OAAO,EAAE,SAAS,CAAC,KAAK,OAAO,EAAb,C;;  
QAE7B,OAAO,IAAI,OAAO,EAAE,SAAS,CAAC,KAAD,CAAO,OAAO,E;;WAExC,IAAI,KAAK,WAAW,EAAP  
B,C;MACL,OAAO,IAAI,SAAS,CAAC,KAAK,OAAO,EAAb,CAAgB,OAAO,E;KAI7C,IAAI,IAAI,SAAS,CAAC,  
MAAM,KAAK,YAAZ,CAA0B,IACvC,KAAK,SAAS,CAAC,MAAM,KAAK,YAAZ,CADiB,C;MAEE,OAAO,M  
AAM,KAAK,WAAW,CAAC,IAAI,SAAS,EAAG,GAAE,KAAK,SAAS,EAajC,C;KAM/B,IAAI,MAAM,IAAI,M

AAO,KAAl,E;IACzB,IAAI,MAAM,IAAI,MAAO,GAAE,K;IACvB,IAAI,MAAM,IAAI,KAAM,KAAl,E;IACxB,IAAI,MAAM,IAAI,KAAM,GAAE,K;IAEtB,IAAI,MAAM,KAAK,MAAO,KAAl,E;IAC1B,IAAI,MAAM,KAAK,MAAO,GAAE,K;IACxB,IAAI,MAAM,KAAK,KAAM,KAAl,E;IACzB,IAAI,MAAM,KAAK,KAAM,GAAE,K;IAEvB,IAAI,MAAM,CAAV,EAAa,MAAM,CAAnB,EAAaB,MAAM,CAA5B,EAA+B,MAAM,C;IACrC,GAAl,IAAG,GAAl,GAAE,G;IACb,GAAl,IAAG,GAAl,KAAl,E;IACf,GAAl,IAAG,K;IACP,GAAl,IAAG,GAAl,GAAE,G;IACb,GAAl,IAAG,GAAl,KAAl,E;IACf,GAAl,IAAG,K;IACP,GAAl,IAAG,GAAl,GAAE,G;IACb,GAAl,IAAG,GAAl,KAAl,E;IACf,GAAl,IAAG,K;IACP,GAAl,IAAG,GAAl,GAAE,G;IACb,GAAl,IAAG,GAAl,KAAl,E;IACf,GAAl,IAAG,K;IACP,GAAl,IAAG,GAAl,GAAE,G;IACb,GAAl,IAAG,GAAl,KAAl,E;IACf,GAAl,IAAG,K;IACP,GAAl,IAAG,GAAl,GAAE,G;IACb,GAAl,IAAG,GAAl,KAAl,E;IACf,GAAl,IAAG,K;IACP,GAAl,IAAG,GAAl,GAAE,G;IACb,GAAl,IAAG,GAAl,KAAl,E;IACf,GAAl,IAAG,K;IACP,GAAl,IAAG,GAAl,GAAE,G;IACjD,GAAl,IAAG,K;IACP,OAAO,MAAM,KAAK,SAAS,CAAE,GAAl,IAAG,EAAl,GAAE,GAaf,EAaqB,GAAl,IAAG,EAAl,GAAE,GAAl,C;G;EAS7B,MAAM,KAAK,UAAU,IAAK,GAAE,iB;IAC1B,IAAI,KAAK,OAAO,EAaB,C;MACE,MAAM,KAAK,CAAC,kBAAD,C;WACN,IAAI,IAAI,OAAO,EAaf,C;MACL,OAAO,MAAM,KAAK,K;KAGpB,IAAI,IAAI,WAAW,CAAC,MAAM,KAAK,UAAZ,CAAnB,C;MACE,IAAI,KAAK,WAAW,CAAC,MAAM,KAAK,IAAZ,CAakB,IACIC,KAAK,WAAW,CAAC,MAAM,KAAK,QAAZ,CADpB,C;QAEe,OAAO,MAAM,KAAK,U;aACb,IAAI,KAAK,WAAW,CAAC,MAAM,KAAK,UAAZ,CAApB,C;QACL,OAAO,MAAM,KAAK,I;QAGIB,IAAI,WAAW,IAAI,WAAW,CAAC,CAAD,C;QAC9B,IAAI,SAAS,QAAQ,IAAI,CAAC,KAAD,CAAO,UAAU,CAAC,CAAD,C;QAC1C,IAAI,MAAM,WAAW,CAAC,MAAM,KAAK,KAAZ,CAArB,C;UACE,OAAO,KAAK,WAAW,EAAG,GAAE,MAAM,KAAK,IAAb,GAAoB,MAAM,KAAK,Q;UAEzD,IAAI,MAAM,IAAI,SAAS,CAAC,KAAK,SAAS,CAAC,MAAD,CAaf,C;UACvB,IAAI,SAAS,MAAM,IAAI,CAAC,GAAG,IAAI,CAAC,KAAD,CAAR,C;UACvB,OAAO,M;WAGN,IAAI,KAAK,WAAW,CAAC,MAAM,KAAK,UAAZ,CAApB,C;MACL,OAAO,MAAM,KAAK,K;KAGpB,IAAI,IAAI,WAAW,EAAnB,C;MACE,IAAI,KAAK,WAAW,EAAPB,C;QACE,OAAO,IAAI,OAAO,EAae,IAAI,CAAC,KAAK,OAAO,EAAb,C;QAExB,OAAO,IAAI,OAAO,EAae,IAAI,CAAC,KAAD,CAAO,OAAO,E;WAEnc,IAAI,KAAK,WAAW,EAAPB,C;MACL,OAAO,IAAI,IAAI,CAAC,KAAK,OAAO,EAAb,CAAgB,OAAO,E;KAQxC,IAAI,MAAM,MAAM,KAAK,K;IACrB,IAAI,MAAM,I;IACV,OAAO,GAAG,mBAAmB,CAAC,KAAD,CAA7B,C;MAGE,IAAI,SAAS,IAAI,IAAI,CAAC,CAAD,EAAl,IAAI,MAAM,CAAC,GAAG,SAAS,EAAG,GAAE,KAAK,SAAS,EAaB,C,CAAd,C;MAIrB,IAAI,OAAO,IAAI,KAAK,CAAC,IAAI,IAAI,CAAC,MAAD,CAAS,GAAE,IAAI,IAAxB,C;MACpB,IAAI,QAAS,IAAK,IAAG,EAAl,GAAE,CAAF,GAAM,IAAI,IAAI,CAAC,CAAD,EAAl,IAAK,GAAE,EAAX,C;MAIvC,IAAI,YAAY,MAAM,KAAK,WAAW,CAAC,MAAD,C;MACtC,IAAI,YAAY,SAAS,SAAS,CAAC,KAAD,C;MACIC,OAAO,SAAS,WAAW,EAAG,IAAG,SAAS,YAAY,CAAC,GAAD,CAAtD,C;QACE,MAAO,IAAG,K;QACV,SAAU,GAAE,MAAM,KAAK,WAAW,CAAC,MAAD,C;QACIC,SAAU,GAAE,SAAS,SAAS,CAAC,KAAD,C;MAKhC,IAAI,SAAS,OAAO,EAAPB,C;QACE,SAAU,GAAE,MAAM,KAAK,I;OAGzB,GAAl,GAAE,GAAG,IAAI,CAAC,SAAD,C;MACb,GAAl,GAAE,GAAG,SAAS,CAAC,SAAD,C;IAEPB,OAAO,G;G;EAST,MAAM,KAAK,UAAU,OAAQ,GAAE,iB;IAC7B,OAAO,IAAI,SAAS,CAAC,IAAI,IAAI,CAAC,KAAD,CAAO,SAAS,CAAC,KAAD,CAAzB,C;G;EAKtB,MAAM,KAAK,UAAU,IAAK,GAAE,Y;IAC1B,OAAO,MAAM,KAAK,SAAS,CAAC,CAAC,IAAI,KAAK,EAaA,CAAC,IAAI,MAAIB,C;G;EAS7B,MAAM,KAAK,UAAU,IAAK,GAAE,iB;IAC1B,OAAO,MAAM,KAAK,SAAS,CAAC,IAAI,KAAM,GAAE,KAAK,KAaIB,EACI,IAAI,MAAO,GAAE,KAAK,MADtB,C;G;EAU7B,MAAM,KAAK,UAAU,GAAl,GAAE,iB;IACzB,OAAO,MAAM,KAAK,SAAS,CAAC,IAAI,KAAM,GAAE,KAAK,KAaIB,EACI,IAAI,MAAO,GAAE,KAAK,MADtB,C;G;EAU7B,MAAM,KAAK,UAAU,GAAl,GAAE,mB;IAChC,OAAQ,IAAG,E;IACX,IAAI,OAAQ,IAAG,CAaf,C;MACE,OAAO,I;MAEP,IAAI,MAAM,IAAI,K;MACd,IAAI,OAAQ,GAAE,EAAd,C;QACE,IAAI,OAAO,IAAI,M;QACf,OAAO,MAAM,KAAK,SAAS,CACvB,GAAl,IAAG,OADgB,EAEtB,IAAK,IAAG,OAAS,GAAG,GAAl,KAAK,EAAG,GAAE,OAFZ,C;QAI3B,OAAO,MAAM,KAAK,SAAS,CAAC,CAAD,EAAl,GAAl,IAAI,OAAQ,GAAE,EAAtB,C;G;EAWjC,MAAM,KAAK,UAAU,WAAW,GAAE,mB;IACjC,OAAQ,IAAG,E;IACX,IAAI,OAAQ,IAAG,CAaf,C;MACE,OAAO,I;MAEP,IAAI,OAAO,IAAI,M;MACf,IAAI,OAAQ,GAAE,EAAd,C;QACE,IAAI,MAAM,IAAI,K;QACd,OAAO,MAAM,KAAK,SAAS,CACtB,GAAl,KAAl,OAAS,GAAG,IAAK,IAAI,EAAG,GAAE,OADZ,EAEvB,IAAK,I

AAG,OAFc,C;;QAI3B,OAAO,MAAM,KAAK,SAAS,CACvB,IAAK,IAAI,OAAQ,GAAE,EADI,EAevB,IAAK,IAAG,CAAE,GAAE,CAAF,GAAM,EAFO,C;;;G;EAejC,MAAM,KAAK,UAAU,mBAAoB,GAAE,mB;IACzC,OAAQ,IAAG,E;IACX,IAAI,OAAQ,IAAG,CAAf,C;MACE,OAAO,I;;MAEP,IAAI,OAAO,IAAI,M;MACf,IAAI,OAAQ,GAAE,EAAd,C;QACE,IAAI,MAAM,IAAI,K;QACd,OAAO,MAAM,KAAK,SAAS,CACtB,GAAI,KAAl,OAAS,GAAE,IAAK,IAAI,EAAG,GAAE,OADZ,EAevB,IAAK,KAAl,OAFc,C;aAGtB,IAAI,OAAQ,IAAG,EAaf,C;QACL,OAAO,MAAM,KAAK,SAAS,CAAC,IAAD,EAAO,CAAP,C;;QAE3B,OAAO,MAAM,KAAK,SAAS,CAAC,IAAK,KAAK,OAAQ,GAAE,EAARb,EAAOb,CAA1B,C;;;G;EAMjC,MAAM,KAAK,UAAU,OAAQ,GAAE,iB;IAC3B,OAAO,KAAM,YAAW,MAAM,KAAM,IAAG,IAAI,WAAW,CAAC,KAAD,C;G;EAG1D,MAAM,KAAK,UAAU,gBAAiB,GAAE,MAAM,KAAK,UAAU,Q;EAE7D,MAAM,KAAK,UAAU,IAAK,GAAE,Y;IACxB,OAAO,IAAI,IAAI,CAAC,MAAM,KAAK,IAAZ,C;G;EAGnB,MAAM,KAAK,UAAU,IAAK,GAAE,Y;IACxB,OAAO,IAAI,IAAI,CAAC,MAAM,KAAK,QAAZ,C;G;EAGnB,MAAM,KAAK,UAAU,QAAS,GAAE,Y;IAC5B,OAAO,IAAI,SAAS,E;G;EAGxB,MAAM,KAAK,UAAU,UAAW,GAAE,Y;IAC9B,OAAO,I;G;EAGX,MAAM,KAAK,UAAU,WAAW,GAAE,MAAM,KAAK,UAAU,O;EACxD,MAAM,KAAK,UAAU,IAAK,GAAE,MAAM,KAAK,UAAU,I;EAEjD,MAAM,KAAK,UAAU,QAAS,GAAE,iB;IAC5B,OAAO,IAAI,MAAM,OAAO,OAAO,UAAxB,CAAmC,IAAnC,EAAYc,KAAzC,C;G;EC1zBX,MAAM,aAAc,GAAE,2B;G;EAGtB,MAAM,qBAAsB,GAAE,oB;IAC1B,OAAO,G;G;EAGX,MAAM,aAAc,GAAE,e;IACIB,IAAI,IAAI,Y;MACJ,CAAE,GAAE,GAAG,E;MACP,OAAO,CAAC,MAAM,CAAC,IAAD,EAAO,SAAP,C;K;IAEIB,OAAO,Y;MACH,OAAO,CAAC,MAAM,CAAC,IAAD,EAAO,SAAP,C;K;G;EAItB,MAAM,SAAU,GAAE,gB;IACd,OAAO,kB;MACH,OAAO,OAAO,MAAO,KAAl,I;K;G;EAIjC,MAAM,aAAc,GAAE,iB;IACIB,OAAO,kB;MACH,OAAO,MAAM,OAAO,CAAC,MAAD,EAAS,KAAT,C;K;G;EAI5B,MAAM,OAAQ,GAAE,c;IACZ,OAAO,kB;MACH,OAAO,MAAO,IAAG,IAAK,IAAG,EAAE,CAAC,MAAD,C;K;G;EAIc,MAAM,aAAc,GAAE,gB;IACIB,OAAO,kB;MACH,OAAO,CAAC,CAAC,MAAD,CAAS,IAAG,CAAC,CAAC,MAAD,C;K;G;EAI7B,MAAM,qBAAsB,GAAE,wC;G;EAG9B,MAAM,YAAa,GAAE,iB;IACjB,OAAO,K;G;EAGX,MAAM,gBAAiB,GAAE,qB;IACrB,gBAAgB,E;G;EAGpB,MAAM,oBAAqB,GAAE,qB;IACzB,gBAAgB,E;G;EAGpB,MAAM,kBAAmB,GAAE,qB;IACvB,gBAAgB,E;G;EAGpB,MAAM,mBAAoB,GAAE,4B;IACxB,gBAAgB,E;G;EAGpB,MAAM,6BAA8B,GAAE,yB;IACIC,gBAAgB,E;G;EAGpB,4B;IACI,MAAM,IAAI,KAAl,CACf,iDAAKD,GACID,qDAAsD,GACtD,uDAHE,C;G;EAMV,MAAM,gBAAiB,GAAE,4B;IACrB,OAAO,Y;MACH,OAAO,Y;K;G;ECJff,MAAM,UAAW,GAAE,gB;IACf,IAAI,QAAQ,OAAO,C;IACnB,IAAI,KAAM,KAAl,QAAd,C;MACI,IAAI,OAAO,CAAE,KAAl,QAAjB,C;QACI,OAAO,MAAM,gBAAgB,CAAC,CAAD,EAAI,CAAJ,C;OAEjC,OAAO,MAAM,mBAAmB,CAAC,CAAD,EAAI,CAAJ,C;KAEpC,IAAI,KAAM,KAAl,QAAS,IAAG,KAAAM,KAAl,SAApC,C;MACI,OAAO,MAAM,mBAAmB,CAAC,CAAD,EAAI,CAAJ,C;KAEpC,OAAO,CAAC,gBAAgB,CAAC,CAAD,C;G;EAG5B,MAAM,mBAAoB,GAAE,gB;IACxB,OAAO,CAAE,GAAE,CAAE,GAAE,EAaf,GA AO,CAAE,GAAE,CAAE,GAAE,CAAF,GAAM,C;G;EAGpC,MAAM,gBAAiB,GAAE,gB;IACrB,IAAI,CAAE,GAAE,CAAR,C;MAAW,OAAO,E;IACIB,IAAI,CAAE,GAAE,CAAR,C;MAAW,OAAO,C;IAEIB,IAAI,CAAE,KAAl,CAAV,C;MACI,IAAI,CAAE,KAAl,CAAV,C;QAAa,OAAO,C;MAEPB,IAAI,KAAK,CAAE,GAAE,C;MACb,OAAO,EAAG,KAAl,CAAE,GAAE,CAAE,GAAE,CAAF,GA AO,EAAG,GAAE,CAAE,GAAE,EAaf,GA AO,C;KAG7C,OAAO,CAAE,KAAl,CAAE,GAAG,CAAE,KAAl,CAAE,GAAE,CAAF,GAAM,CAAjB,GAAsB,E;G;EAGzC,MAAM,QAAS,GAAE,iB;IACb,OAAO,MAAM,OAAO,CAAC,KAAK,GAAC,CAAP,C;G;EAGxB,MAAM,QAAS,GAAE,iB;IACb,OAAO,MAAM,OAAO,CAAC,KAAK,GAAC,CAAP,C;G;EAGxB,MAAM,KAAM,GAAE,IAAI,KAAM,IAAG,I;EAE3B,MAAM,aAAc,GAAE,I;EAEtB,oB;IACI,OAAyB,CAAhB,CAAE,GAAE,YAAY,KAAG,CAAE,GAAE,KAAP,CAAE,GAAE,CAAZ,CAAE,GAAE,KAAQ,KAAG,CAAE,GAAE,CAAP,CAAW,GAAE,C;G;EA6DtE,CA1DD,Y;IACG,IAAI,MAAM,IAAI,WAAJ,CAAgB,CAAhB,C;IACV,IAAI,aAAa,IAAI,YAAJ,CAAiB,GAAjB,C;IACjB,IAAI,aAAa,IAAI,YAAJ,CAAiB,GAAjB,C;IACjB,IAAI,WAAW,IAAI,UAAJ,CAAe,GAaf,C;IACf,IAAI,WAAW,C;IACf,IAAI,YAAy,C;IAEHb,UAAU,CAAC,CAAD,CAAI,GAAE,E;IACHb,IAAI,QAAQ,CAAC,QAAD,CAAW,KAAl,CAA3B,C;MACI,QAAS,GAAE,C;MACX,SAAU,GAAE,C;KAGhB,MAAM,aAAc,GAAE,iB;MACIB,OAAO,MAAM,gBAAgB,CAAC,KAAK,CAAC,KAAD,CAAQ,GAAE,GAaf,GAAQ,KAAtB,C;K;IAGjC,MAAM,gBAAiB,GAAE,iB;MACrB,UAAU,CAAC,CAAD,CAAI,GAAE,K;MACHb,OAAO,MAAM,KAAK,SAAS,CAAC,QAAQ,CAAC,QAAD,CAAT,EAAqB,QAAQ,CAAC,SAAD,CAA7B,C;K;IAG/B,MAAM,eAAgB,GAAE,iB;MACpB,QAAQ,CAAC,QAAD,CAAW,GAAE,KAAK,K;MAC1B,QAAQ,CAAC,SAAD,C

AAy,GAAE,KAAK,M;MAC3B,OAAO,UAAU,CAAC,CAAD,C;K;IAGrB,MAAM,YAAa,GAAE,iB;MACjB,OA  
AO,MAAM,eAAe,CAAC,KAAK,CAAC,KAAD,CAAQ,GAAE,GAAF,GAAQ,KAAtB,C;K;IAGhC,MAAM,eAAg  
B,GAAE,iB;MACpB,UAAU,CAAC,CAAD,CAAI,GAAE,K;MACHb,OAAO,QAAQ,CAAC,CAAD,C;K;IAGnB,  
MAAM,cAAe,GAAE,iB;MACnB,QAAQ,CAAC,CAAD,CAAI,GAAE,K;MACd,OAAO,UAAU,CAAC,CAAD,C;  
K;IAIrB,MAAM,cAAe,GAAE,iB;MACnB,UAAU,CAAC,CAAD,CAAI,GAAE,K;MACHb,OAAO,QAAQ,CAAC,  
SAAD,CAAY,GAAE,a;K;IAGjC,MAAM,eAAgB,GAAE,e;MACpB,IAAc,CAAT,GAAl,GAAE,CAAG,MAAI,GA  
AIB,C;QACI,OAAO,GAAl,GAAE,C;;QAGb,UAAU,CAAC,CAAD,CAAI,GAAE,G;QACHb,OAAc,CAA9B,QA  
AQ,CAAC,SAAD,CAAY,GAAE,EAAG,GAAE,CAAG,IAAE,QAAQ,CAAC,QAAD,CAAW,GAAE,C;;K;GAGvE  
,G;EAEF,MAAM,cAAe,GAAE,a;IACnB,OAAO,CAAE,IAAG,IAAK,GAAE,CAAF,GAAM,MAAM,SAAS,E;G;E  
C7G1C,IAAI,OAAO,MAAM,UAAU,WAAY,KAAI,WAA3C,C;IACI,MAAM,eAAe,CAAC,MAAM,UAAP,EAA  
mB,YAAnB,EAAiC,QAC3C,kC;MACH,QAAS,GAAE,QAAS,IAAG,C;MACvB,OAAO,IAAI,YAAY,CAAC,YA  
AD,EAAe,QAaf,CAAYB,KAAI,Q;KAHN,CAAjC,C;GAOzB,IAAI,OAAO,MAAM,UAAU,SAAU,KAAI,WAAzC  
,C;IACI,MAAM,eAAe,CAAC,MAAM,UAAP,EAAmB,UAnB,EAA+B,QACzC,kC;MACH,IAAI,gBAAGB,IAAI  
,SAAS,E;MACjC,IAAI,QAAS,KAAI,SAAU,IAAG,QAAS,GAAE,aAAa,OAAtD,C;QACI,QAAS,GAAE,aAAa,O;  
OAE5B,QAAS,IAAG,YAAY,O;MACxB,IAAI,YAAY,aAAa,QAAQ,CAAC,YAAD,EAAe,QAaf,C;MACrC,OAA  
O,SAAU,KAAI,EAAG,IAAG,SAAU,KAAI,Q;KARG,CAA/B,C;GAazB,IAAI,OAAO,IAAI,KAAM,KAAI,WAAz  
B,C;IACI,IAAI,KAAM,GAAE,a;MACR,CAAE,GAAE,CAAC,C;MACL,IAAI,CAAE,KAAI,CAAE,IAAG,KAAK  
,CAAC,CAAD,CAApB,C;QACI,OAAO,MAAM,CAAC,CAAD,C;OAEjB,OAAO,CAAE,GAAE,CAAE,GAAE,C  
AAF,GAAM,E;K;GAG3B,IAAI,OAAO,IAAI,MAAO,KAAI,WAA1B,C;IACI,IAAI,MAAO,GAAE,a;MACT,IAAI  
,KAAK,CAAC,CAAD,CAAT,C;QACI,OAAO,G;OAEEX,IAAI,CAAE,GAAE,CAAR,C;QACI,OAAO,IAAI,MAA  
M,CAAC,CAAD,C;OAErB,OAAO,IAAI,KAAK,CAAC,CAAD,C;K;GAuKtB,CAnKD,Y;IACG,IAAI,UAAU,qB;I  
ACd,IAAI,iBAaIB,IAAI,KAAK,CAAC,OAAD,C;IAC9B,IAAI,iBAaIB,IAAI,KAAK,CAAC,cAAD,C;IAC9B,IA  
AI,uBAAuB,CAAC,GAAC,c;IAC7B,IAAI,uBAAuB,CAAC,GAAC,c;IAE7B,IAAI,OAAO,IAAI,KAAM,KAAI,W  
AAzB,C;MACI,IAAI,KAAM,GAAE,a;QACR,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;UACI,IAAI  
,SAAS,C;UACb,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;YACI,MAAO,IAAI,CAAE,GAAE,CAA  
E,GAAE,CAAG,GAAE,C;WAE5B,OAAO,M;;UAEP,IAAI,IAAI,IAAI,IAAI,CAAC,CAAD,C;UACHb,IAAI,KAA  
K,CAAE,GAAE,C;UACb,IAAI,CAAC,QAAQ,CAAC,CAAD,CAAb,C;YAakB,OAAO,IAAI,IAAI,CAAC,CAAE,  
GAAE,IAAI,IAAT,C;UACjC,IAAI,CAAC,QAAQ,CAAC,EAAD,CAAb,C;YAAmB,OAAO,CAAC,IAAI,IAAI,CA  
AC,CAAC,CAAE,GAAE,IAAI,IAAV,C;UACnC,OAAgB,CAAR,CAAE,GAAE,EAAl,IAAE,C;;O;KAI9B,IAAI,O  
AAO,IAAI,KAAM,KAAI,WAAzB,C;MACI,IAAI,KAAM,GAAE,a;QACR,IAAI,IAAI,IAAI,IAAI,CAAC,CAAD,  
C;QACHb,IAAI,KAAK,CAAE,GAAE,C;QACb,IAAI,CAAC,QAAQ,CAAC,CAAD,CAAI,IAAG,CAAC,QAAQ,C  
AAC,EAAD,CAA7B,C;UAAmC,OAAO,IAAI,IAAI,CAAC,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,IAAI,IAAnB,  
C;QACID,OAAgB,CAAR,CAAE,GAAE,EAAl,IAAE,C;O;KAIIB,IAAI,OAAO,IAAI,KAAM,KAAI,WAAzB,C;  
MACI,IAAI,KAAM,GAAE,a;QACR,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;UACI,IAAI,SAAS,C  
;UACb,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;YACI,MAAO,IAAI,CAAE,GAAE,CAAE,GAAE,  
CAAG,GAAE,C;WAE5B,OAAO,M;;UAGP,IAAI,IAAI,IAAI,IAAI,CAAC,CAAC,CAAF,CAAhB,EAASB,IAAI,I  
AAI,IAAI,CAAC,CAAC,CAAF,C;UACIC,OAAO,CAAE,KAAI,QAAS,GAAE,CAAF,GAAM,CAAE,KAAI,QAAS,  
GAAE,EAaf,GAAe,CAAP,CAAE,GAAE,CAAG,KAAG,CAAE,GAAE,CAAP,C;;O;KAQtE,IAAI,OAAO,IAAI  
,MAAO,KAAI,WAA1B,C;MACI,IAAI,QAAQ,a;QACR,IAAI,CAAE,IAAG,CAAC,cAAV,C;UAEI,IAAI,CAAE,G  
AAE,oBAAR,C;YAEI,IAAI,CAAE,GAAE,oBAAR,C;cAGI,OAAO,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,IAAI,  
I;;cAKzB,OAAO,IAAI,IAAI,CAAC,CAAE,GAAE,CAAE,GAAG,CAAE,IAAG,CAAE,GAAE,CAAP,CAAZ,C;;;  
YAKnB,OAAO,IAAI,IAAI,CAAC,CAAE,GAAE,IAAI,KAAK,CAAC,CAAE,GAAE,CAAE,GAAE,CAAT,CAAD  
,C;;eAGIB,IAAI,CAAE,IAAG,CAAC,cAAV,C;UAED,OAAO,CAAC,KAAK,CAAC,CAAC,CAAF,C;;UAKb,IAA  
I,SAAS,C;UACb,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,IAAG,cAAnB,C;YAEI,IAAI,KAAK,CAAE,GAAE,CAA  
E,GAAE,C;YAEjB,MAAO,IAAG,EAAG,GAAE,C;WAEhB,OAAO,M;;O;MAGf,IAAI,MAAO,GAAE,K;KAEjB,I  
AAI,OAAO,IAAI,MAAO,KAAI,WAA1B,C;MACI,IAAI,MAAO,GAAE,a;QACT,IAAI,CAAE,GAAE,CAAR,C;U  
AEI,OAAO,G;eAEN,IAAI,CAAE,GAAE,CAAE,IAAG,cAAb,C;UAED,IAAI,CAAE,GAAE,oBAAR,C;YAGI,OA  
AO,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,IAAI,I;;YAIzB,OAAO,IAAI,IAAI,CAAC,CAAE,GAAE,IAAI,KAAK

,CAAC,CAAE,GAAE,CAAE,GAAE,CAAT,CAAd,C;;;UAKnB,IAAI,IAAI,IAAI,KAAK,CAAC,CAAE,GAAE,C  
AAL,C;UAEjB,IAAI,SAAS,C;UACb,IAAI,CAAE,IAAG,cAAT,C;YAEI,IAAI,KAAK,CAAE,GAAE,CAAE,GAA  
E,C;YAEjB,MAAO,IAAG,EAAG,GAAE,E;WAGnB,OAAO,IAAI,KAAK,CAAC,CAAD,CAAI,GAAE,M;;O;KAI  
IC,IAAI,OAAO,IAAI,MAAO,KAAI,WAA1B,C;MACI,IAAI,MAAO,GAAE,a;QACT,IAAI,IAAI,IAAI,CAAC,CA  
AD,CAAI,GAAE,cAAIB,C;UACI,IAAI,SAAS,C;UACb,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;Y  
ACI,MAAO,IAAI,CAAE,GAAE,CAAE,GAAE,CAAG,GAAE,C;WAE5B,OAAO,M;SAEX,OAAO,IAAI,IAAI,CA  
AS,CAAP,CAAE,GAAE,CAAG,KAAG,CAAE,GAAE,CAAP,CAAT,CAAoB,GAAE,C;O;KAG7C,IAAI,OAAO,I  
AAI,MAAO,KAAI,WAA1B,C;MACI,IAAI,MAAO,GAAE,a;QACT,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE  
,cAAIB,C;UACI,IAAI,KAAK,CAAE,GAAE,C;UACb,IAAI,KAAK,EAAG,GAAE,C;UACd,IAAI,KAAK,EAAG,  
GAAE,C;UAEd,OAAQ,CAAC,EAAG,GAAE,CAAE,GAAE,EAAG,GAAE,CAAE,GAAE,EAAG,GAAE,CAAE,G  
AAE,C;SAExC,OAAO,IAAI,IAAI,CAAC,CAAE,GAAE,CAAL,C;O;KAGvB,IAAI,OAAO,IAAI,MAAO,KAAI,W  
AA1B,C;MACI,IAAI,MAAO,GAAE,a;QACT,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;UACI,IAAI  
,KAAK,CAAE,GAAE,C;UACb,IAAI,KAAK,EAAG,GAAE,C;UACd,IAAI,KAAK,EAAG,GAAE,C;UAEd,OAAQ  
,EAAG,GAAE,EAAG,GAAE,EAAG,GAAE,CAAE,GAAE,EAAG,GAAE,CAAE,GAAE,C;SAExC,OAAO,IAAI,I  
AAI,CAAC,CAAD,CAAI,GAAE,C;O;MAG/B,G;EACF,IAAI,OAAO,IAAI,MAAO,KAAI,WAA1B,C;IACI,IAAI,  
MAAO,GAAE,Y;MACT,IAAI,IAAI,C;MACR,IAAI,SAAS,SAAS,O;MAEtB,KAAK,IAAI,IAAI,CAAAb,EAAGB,C  
AAE,GAAE,MAApB,EAA4B,CAAC,EAA7B,C;QACI,IAAI,SAAS,CAAC,CAAD,CAAI,KAAI,QAAS,IAAG,SA  
AS,CAAC,CAAD,CAAI,KAAI,CAAC,QAAnD,C;UACI,OAAO,Q;SAEX,CAAE,IAAG,SAAS,CAAC,CAAD,CA  
AI,GAAE,SAAS,CAAC,CAAD,C;;MAEjC,OAAO,IAAI,KAAK,CAAC,CAAD,C;K;GAGxB,IAAI,OAAO,IAAI,  
MAAO,KAAI,WAA1B,C;IACI,IAAI,MAAO,GAAE,a;MACT,OAAO,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,IA  
AI,O;K;GAGjC,IAAI,OAAO,IAAI,KAAM,KAAI,WAAzB,C;IACI,IAAI,KAAM,GAAE,a;MACR,OAAO,IAAI,IA  
AI,CAAC,CAAD,CAAI,GAAE,IAAI,M;K;GAGjC,IAAI,OAAO,IAAI,MAAO,KAAI,WAA1B,C;IACI,IAAI,MAA  
O,GAAG,oB;MACV,OAAO,a;QACH,IAAI,SAAS,CAAE,KAAI,C;QACnB,IAAI,MAAO,KAAI,CAAf,C;UACI,O  
AAO,E;SAEX,OAAO,EAAG,IAAG,GAAG,CAAC,MAAD,CAAS,GAAE,GAAL,GAAE,CAAvB,CAA0B,GAAE,  
C;O;KAE5C,CAAC,IAAI,IAAL,EAAW,IAAI,IAAf,C;GAIN,IAAI,OAAO,WAAW,OAAQ,KAAI,WAAIC,C;IACI  
,WAAW,OAAQ,GAAE,a;MACjB,OAAO,CAAE,IAAG,IAAK,IAAG,CAAC,UAAW,IAAG,IAAK,IAAG,CAAC,  
UAAU,UAAW,KAAI,SAAS,UAAU,U;K;GAIhG,IAAI,OAAO,KAAK,UAAU,KAAM,KAAI,WAApC,C;IAEI,M  
AAM,eAAe,CAAC,KAAK,UAAAN,EAakB,MAAlB,EAA0B,QACpC,iB;MAGH,IAAI,IAAK,IAAG,IAAZ,C;QAC  
I,MAAM,IAAI,SAAJ,CAAc,6BAAd,C;OAGV,IAAI,IAAI,MAAM,CAAC,IAAD,C;MAGd,IAAI,MAAM,CAAC,  
OAAQ,KAAI,C;MAGvB,IAAI,QAAQ,SAAS,CAAC,CAAD,C;MACrB,IAAI,gBAAgB,KAAM,IAAG,C;MAG7B,  
IAAI,IAAI,aAAc,GAAE,CAAE,GACIB,IAAI,IAAI,CAAC,GAAL,GAAE,aAAP,EAASB,CAAtB,CADU,GAEIB,I  
AAI,IAAI,CAAC,aAAD,EAAGB,GAAhB,C;MAGhB,IAAI,MAAM,SAAS,CAAC,CAAD,C;MACnB,IAAI,cAAc,  
GAAL,KAAI,SAAU,GACIB,GADkB,GACZ,GAAL,IAAG,C;MAG/B,IAAI,aAAa,WAAy,GAAE,CAAE,GACHB,I  
AAI,IAAI,CAAC,GAAL,GAAE,WAAp,EAAsB,CAApB,CADQ,GAehB,IAAI,IAAI,CAAC,WAAD,EAAC,GAAD,  
C;MAGzB,OAAO,CAAE,GAAE,UAAx,C;QACI,CAAC,CAAC,CAAD,CAAI,GAAE,K;QACP,CAAC,E;;MAIL,  
OAAO,C;KAvcGc,CAA1B,C;GA4HvB,CahFD,Y;IACG,yC;MACI,IAAI,MAAO,GAAE,CAAAb,C;QAAgB,OAA  
O,IAAI,IAAI,CAAC,CAAD,EAAL,MAAO,GAAE,MAAb,C;MAC/B,OAAO,IAAI,IAAI,CAAC,MAAD,EAAS,M  
AAT,C;K;IAEnB,qC;MACI,IAAI,OAAO,GAAL,KAAI,WAAAnB,C;QACI,GAAL,GAAE,IAAI,O;OAEd,KAAM,GA  
AE,eAAe,CAAC,KAAM,IAAG,CAAV,EAaA,IAAI,OAAjB,C;MACvB,GAAL,GAAE,IAAI,IAAI,CAAC,KAAD,E  
AAQ,eAAe,CAAC,GAAD,EAAM,IAAI,OAAV,CAAvB,C;MACd,OAAO,IAAI,IAAI,YAAR,CAAqB,IAAI,SAAS  
,CAAC,KAAD,EAAG,GAAR,CAAIC,C;K;IAGX,IAAI,SAAS,CAAC,SAAD,EAAY,UAAZ,EAawB,WAAxB,EA  
AqC,UAArC,EAAdD,YAAjD,EAA+D,YAA/D,C;IACb,KAAK,IAAI,IAAI,CAAAb,EAAGB,CAAE,GAAE,MAAM,  
OAA1B,EAAMC,EAAG,CAArC,C;MACI,IAAI,aAAa,MAAM,CAAC,CAAD,C;MACvB,IAAI,OAAO,UAAU,UA  
AU,KAAM,KAAI,WAAzC,C;QACI,MAAM,eAAe,CAAC,UAAU,UAAx,EAauB,MAAvB,EAA+B,QACzC,KA  
AK,UAAU,KAD0B,CAA/B,C;OAIzB,IAAI,OAAO,UAAU,UAAU,MAAO,KAAI,WAA1C,C;QACI,MAAM,eAA  
e,CAAC,UAAU,UAAx,EAauB,OAAvB,EAAGC,QAC1C,eAD0C,CAAhC,C;;MAQJ,CAApB,Y;OAAc,MAAM,  
CAAC,IAAD,EAAG,IAAI,UAAJ,CAAe,CAAf,CAAP,E;;MAErB,IAAI,QAAQ,QAAQ,UAAU,M;MAC9B,MAA  
M,eAAe,CAAC,QAAQ,UAAAT,EAAGB,OAARb,EAA8B,QACxC,uB;QACH,OAAO,KAAK,KAAK,CAAC,IAAD,

EAAO,IAAP,EAAa,EAAE,MAAM,KAAK,CAAC,KAAD,CAA1B,C;OAF0B,CAA9B,C;;IASzB,KAAK,IAAI,IAAI,CAAb,EAAGB,CAAE,GAAE,MAAM,OAA1B,EAAmC,EAAE,CAArC,C;MACI,IAAI,aAAa,MAAM,CAAC,CAAD,C;MACvB,IAAI,OAAO,UAAU,UAAU,IAAK,KAAl,WAAxC,C;QACI,MAAM,eAAe,CAAC,UAAU,UAA X,EAAuB,KAAvB,EAA8B,QACxC,0B;UACH,OAAO,EAAE,MAAM,KAAK,CAAC,IAAD,CAAM,IAAI,CAAC,QAAD,EAAW,IAAX,C;SAFa,CAA9B,C;;IAU7B,IAAI,uBAAuB.gB;MACvB,IAAI,CAAE,GAAE,CAAR,C;QAA W,OAAO,E;MACIB,IAAI,CAAE,GAAE,CAAR,C;QAAW,OAAO,C;MAEIB,IAAI,CAAE,KAAl,CAAV,C;QACI,IAAI,CAAE,KAAl,CAAV,C;UAAa,OAAO,C;QAEpB,IAAI,KAAK,CAAE,GAAE,C;QACb,OAAO,EAAG,KAAl,CAAE,GAAE,CAAE,GAAE,CAAF,GAAO,EAAG,GAAE,CAAE,GAAE,EAAG,GAAO,C;OAG7C,OAAO,CAAE,KAAl,CAAE,GAAG,CAAE,KAAl,CAAE,GAAE,CAAF,GAAM,CAAjB,GAAsB,E;K;IAGzC,KAAK,IAAI,IAAI,CAAb,EAAGB,CAAE,GAAE,MAAM,OAA1B,EAAmC,EAAE,CAArC,C;MACI,IAAI,aAAa,MAAM,CAAC,CAAD,C;MACvB,IAAI,OAAO,UAAU,UAAU,KAAM,KAAl,WAAzC,C;QACI,MAAM,eAAe,CAAC,UAAU,UAA X,EAAuB,MAAvB,EAA+B,QACzC,2B;UACH,OAAO,KAAK,UAAU,KAAl,KAAl,CAAC,IAAD,EAAO,eAAGB,IAAG,oBAA1B,C;SAFY,CAA/B,C;;GAO/B,G;ECxXF,MAAM,KAAM,GAAE,QACH,OADG,aAEC,WAFD,UAG F,QAHE,C;EAMd,MAAM,WAA Y,GAAE,2C;IACHb,IAAI,qBAAqB,MAAM,yBAAyB,CAAC,KAAD,EAAQ,YA AR,C;IACxD,IAAI,kBAAmB,IAAG,IAAK,IAAG,kBAAkB,IAAK,IAAG,IAA5D,C;MACI,OAAO,kBAAkB,IAAI,KAAl,CAAC,UAAD,C;KAGtC,kBAAmB,GAAE,MAAM,yBAAyB,CAAC,UAAD,EAAa,YAAb,C;IACpD,IAAI,kBAAmB,IAAG,IAAK,IAAG,OAAQ,IAAG,kBAA7C,C;MACI,OAAO,UAAU,CAAC,YAAD,C;KAGrB,OAAO,MAAM,WAAW,CAAC,UAAD,EAAa,MAAM,eAAe,CAAC,KAAD,CAAIC,EAA2C,YAA3C,C;G;EAG5B,MAA M,WAA Y,GAAE,kD;IACHb,IAAI,qBAAqB,MAAM,yBAAyB,CAAC,KAAD,EAAQ,YAAR,C;IACxD,IAAI,kBAA mB,IAAG,IAAK,IAAG,kBAAkB,IAAK,IAAG,IAA5D,C;MACI,kBAAkB,IAAI,KAAl,CAAC,UAAD,EAAa,K AAb,C;MAC3B,M;KAGJ,kBAAmB,GAAE,MAAM,yBAAyB,CAAC,UAAD,EAAa,YAAb,C;IACpD,IAAI,kBAA mB,IAAG,IAAK,IAAG,OAAQ,IAAG,kBAA7C,C;MACI,UAAU,CAAC,YAAD,CAAE,GAAE,K;MAC3B,M;KA GJ,MAAM,WAAW,CAAC,UAAD,EAAa,MAAM,eAAe,CAAC,KAAD,CAAIC,EAA2C,YAA3C,EAAYD,KAAzD ,C;G;EAGrB,iD;IACI,IAAI,IAAK,KAAl,KAAb,C;MAAoB,OAAO,I;IAE3B,IAAI,WAAW,IAAI,W;IACnB,IAAI,QAAS,IAAG,IAAhB,C;MACI,IAAI,aAAa,QAAQ,W;MACzB,KAAK,IAAI,IAAI,CAAb,EAAGB,CAAE,GAAE,U AAU,OAA9B,EAAuC,CAAC,EAAxC,C;QACI,IAAI,0BAA0B,CAAC,UAAU,CAAC,CAAD,CAAX,EAAGB,KA AhB,CAA9B,C;UACI,OAAO,I;;KAKnB,IAAI,iBAAiB,IAAI,UAAW,IAAG,IAAK,GAAE,MAAM,eAAe,CAAC,IA AI,UAAAL,CAA vB,GAA0C,I;IACtF,IAAI,mBAAmB,cAAe,IAAG,IAAK,GAAE,cAAc,YAAhB,GAA+B,I;IAC7 E,OAAO,gBAAiB,IAAG,IAAK,IAAG,0BAA0B,CAAC,gBAAD,EAAmB,KAA nB,C;G;EASjE,MAAM,OAAQ,G AA E,yB;IACZ,IAAI,KAAM,KAAl,MAAd,C;MACI,QAAQ,OAAO,MAAf,C;aACS,Q;aACA,Q;aACA,S;aACA,U; UACD,OAAO,I;gBAEP,OAAO,MAAO,YAAW,M;;KAiRc,IAAI,MAAO,IAAG,IAAK,IAAG,KAAM,IAAG,IAA K,KAAl,OAAO,MAAO,KAAl,QAAS,IAAG,OAAO,MAAO,KAAl,UAApD,CAApC,C;MACI,OAAO,K;KAGX,IA AI,OAAO,KAAM,KAAl,UAAW,IAAG,MAAO,YAAW,KAArD,C;MACI,OAAO,I;KAGX,IAAI,QAAQ,MAA M,eAAe,CAAC,KAAD,C;IACjC,IAAI,cAAc,KAAM,IAAG,IAAK,GAAE,KAAl,YAAP,GAAsB,I;IACtD,IAAI, WAA Y,IAAG,IAAK,IAAG,YAAa,IAAG,WAA3C,C;MACI,IAAI,WAAW,WAAW,W;MAC1B,IAAI,QAAQ,KA AM,KAAl,MAAM,KAAl,OAAjC,C;QACI,OAAO,MAAO,KAAl,K;QAI1B,IAAI,gBAAgB,KAAK,W;IAGzB,IA AI,aAAc,IAAG,IAArB,C;MACI,OAAO,MAAO,YAAW,K;KAG7B,IAAI,aAAa,KAAM,KAAl,MAAM,KAAl,U AA W,IAAG,MAAM,YAAa,IAAG,IAA1E,C;MACI,OAAO,0BAA0B,CAAC,MAAM,YAAP,EAAGB,KAArB,C;K AGrC,OAAO,K;G;EAGX,MAAM,SAAU,GAAE,a;IACd,OAAO,OAAO,CAAE,IAAG,QAAS,IAAG,CAAE,YAA W,MAAM,K;G;EAGtD,MAAM,OAAQ,GAAE,iB;IACZ,OAAO,KAAM,YAAW,MAAM,U;G;EAGIC,MAAM,aA Ac,GAAE,iB;IACIB,IAAI,OAAO,OAAO,K;IAEIB,OAAO,IAAK,KAAl,QAAS,IACIB,IAAK,KAAl,SAAU,IACn B,MAAM,SAAS,CAAC,KAAD,CAAQ,IACvB,MAAM,OAAO,CAAC,KAAD,EAAQ,MAAM,OAAO,WAArB,C; G;EAGxB,MAAM,eAAGB,GAAE,iB;IACpB,OAAO,OAAO,KAAM,KAAl,QAAS,IAAG,MAAM,OAAO,CAAC, KAAD,EAAQ,MAAM,OAAO,aAArB,C;G;;;;aCnDV.gB;;;ICrE3C.gB;MAkBI,4B;MAjBA,aAA6C,E;MAC7C, gBAAgD,C;K;4EAG5C,Y;MAAQ,iB;K;+EAGR,Y;MAAQ,oB;K;qCAEZ,iB;MAAYC,OAAQ,0BAAR,YAAQ,EA AU,KAAM,QAAb,C;K;4BAEjD,iB;MAAmC,gBAAS,K;K;8BAE5C,Y;MAA+B,OAA nC,MAAmC,kBAA8B,IA A9B,C;K;8BAE/B,Y;MAA0B.gB;K;IAE1B,0B;MAAA,8B;K;;;IAAA,sC;MAAA,qC;QAAA,oB;OAAA,8B;K;;IDf J,mC;MAC4C,oBAAa,MAAS,IAAT,CAAb,EAA6B,SAA7B,C;K;gEAE5C,yB;MAAA,mB;MAAA,6B;QAC2D,Y

AAa,QAAS,IAAT,C;QAIvD,Q;QAAA,OAAA,KAAM,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,iB;UACI,MAAM,CAAN,IALgF,IAKrE,CAAK,CAAL,C;;QALwC,OAOhD,K;O;KARX,C;gEAGA,uB;MAEiB,Q;MAAA,OAA A,KAAM,OAAN,GAAa,CAAb,I;MAAb,aAAU,CAAV,iB;QACI,MAAM,CAAN,IAAW,KAak,CAAL,C;;MAEf, OAAO,K;K;IAGX,kC;MAliB,IAAN,I;MAFP,aAAsB,MAAe,IAAf,C;MACtB,gBAakB,c;MAEd,IADS,IACT,mB ADS,IACT,EAAM,IAAN,E;QAAC,oBAAa,MAAb,EAAqB,KAArB,C;WACd,WAFS,IAET,S;QAAS,a;;QAZA,U; QAAA,SAaqB,MAbf,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,mB;UAakC,MAZ9B,CAAM,CAAN,IAysC,IA Z3B,CAAK,CAAL,C;;QAYH,OAAsB,M;;MAHIC,W;K;2EAOJ,yB;MAAA,iC;MAAA,6B;QACoF,YAAa,aAAa,I AAb,EAAMb,KAAAnB,C;QAlBhF,Q;QAAA,OAAA,KAAM,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,iB;UACI ,MAAM,CAAN,IAiBoH,IAjBzG,CAAK,CAAL,C;;QAIbIE,OafzE,K;O;KAcX,C;IAGA,+B;MAKiB,IAAN,I;MAF P,aAAa,IAAb,WAAa,CAAD,IAAC,C;MACb,gBAakB,W;MAEd,IADS,IACT,mBADs,IACT,EAAM,IAAN,YAD S,IACT,EAAY,KAAZ,E;QAAqB,a;;QA1BZ,U;QAAA,SA2BkB,MA3BZ,OAAN,GAAa,CAAb,I;QAAb,aAAU,CA AV,mB;UA2B+B,MA1B3B,CAAM,CAAN,IA0BmC,IA1BxB,CAAK,CAAL,C;;QA0BH,OAAMb,M;;MAF/B,W; K;qEAMJ,yB;MAAA,2B;MAAA,gC;MAAA,6B;QAGiB,Q;QADb,YAAY,UAAU,IAAV,EAAGB,IAAhB,C;QACC ,OAAA,KAAM,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,iB;UACI,YACY,eAAK,CAAL,E;UACpB,KAAK,CA AC,CAAD,CAAG,GAAG,K;;QAEP,OAAO,K;O;KARX,C;mFAWA,yB;MAAA,mB;MAAA,gC;MAAA,6B;QAGi B,Q;QADb,YAAY,QAAY,IAAZ,C;QACC,OAAA,KAAM,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,iB;UACI, YACY,eAAK,CAAL,E;UACpB,KAAK,CAAC,CAAD,CAAG,GAAG,K;;QAEP,OAAO,K;O;KARX,C;IAWA,+B; MAliB,IAAN,I;MAFP,aAAsB,MAAY,IAAZ,C;MACtB,gBAakB,W;MAEd,IADS,IACT,mBADs,IACT,EAAM,I AAN,E;QAAC,oBAAa,MAAb,K;WACd,WAFS,IAET,S;QAAS,a;;QA3DA,U;QAAA,SA4DkB,MA5DZ,OAAN,G AAa,CAAb,I;QAAb,aAAU,CAAV,mB;UA4D+B,MA3D3B,CAAM,CAAN,IA2DmC,IA3DxB,CAAK,CAAL,C;;Q A2DH,OAAMb,M;;MAH/B,W;K;qEAOJ,yB;MAAA,2B;MAAA,6B;QAC2E,YAAa,UAAU,IAAV,EAAGB,KAAh B,C;QAjEvE,Q;QAAA,OAAA,KAAM,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,iB;UACI,MAAM,CAAN,IAg EwG,IAhE7F,CAAK,CAAL,C;;QAgEwD,OA9DhE,K;O;KA6DX,C;IAGA,wC;MACiB,Q;MAAA,OAAA,KAAM, OAAN,GAAa,CAAb,I;MAAb,aAAU,CAAV,iB;QACI,MAAM,CAAN,IAAW,S;;MAEf,OAAO,K;K;IEIFX,iC;MA AA,qC;MAEI,iBAC8B,Q;MAE9B,iBAC8B,sB;MAE9B,yBAEsC,MAAM,G;MAE5C,yBAEsC,CAAC,GAAD,GA AO,G;MAE7C,WAEwB,EAAE,MAAM,GAAR,C;MAExB,kBACuB,C;MAEvB,iBACsB,E;K;;IAxB1B,6C;MAA A,4C;QAAA,2B;OAAA,qC;K;IA2BA,gC;MAAA,oC;MAEI,iBAC6B,O;MAE7B,iBAC6B,Y;MAE7B,yBAEqC,M AAO,G;MAE5C,yBAEqC,CAAC,GAAD,GAAQ,G;MAE7C,WAEuB,EAAE,MAAO,GAAT,C;MAEvB,kBACuB, C;MAEvB,iBACsB,E;K;;IAxB1B,4C;MAAA,2C;QAAA,0B;OAAA,oC;K;IA2BA,8B;MAAA,kC;MAEI,iBACqB, W;MAErB,iBACqB,U;MAErB,kBACuB,C;MAEvB,iBACsB,E;K;;IAZ1B,0C;MAAA,yC;QAAA,wB;OAAA,kC; K;IAeA,+B;MAAA,mC;MAEI,iBACJ,MAAM,KAAoB,U;MAEtB,iBACJ,MAAM,KAAoB,U;MAEtB,kBACuB,C; MAEvB,iBACsB,E;K;;IAZ1B,2C;MAAA,0C;QAAA,yB;OAAA,mC;K;IAeA,gC;MAAA,oC;MAEI,iBACuB,U;M AEvB,iBACuB,K;MAEvB,kBACuB,C;MAEvB,iBACsB,E;K;;IAZ1B,4C;MAAA,2C;QAAA,0B;OAAA,oC;K;IAe A,+B;MAAA,mC;MAEI,iBACsB,Q;MAEtB,iBACsB,G;MAEtB,kBACuB,C;MAEvB,iBACsB,C;K;;IAZ1B,2C;M AAA,0C;QAAA,yB;OAAA,mC;K;IAeA,+B;MAAA,mC;MAEI,iBACmC,C;MAEnC,iBACmC,K;MAEnC,0BAC4 C,K;MAE5C,0BAC4C,K;MAE5C,yBAC2C,K;MAE3C,yBAC2C,K;MAE3C,qBACuC,uB;MAEvC,qBACuC,sB;M AEvC,kBACuB,C;MAEvB,iBACsB,E;K;;IA9B1B,2C;MAAA,0C;QAAA,yB;OAAA,mC;K;IAiCA,iC;MAAA,qC; K;;IAAA,6C;MAAA,4C;QAAA,2B;OAAA,qC;K;IAEA,kC;MAAA,sC;K;;IAAA,8C;MAAA,6C;QAAA,4B;OAA A,sC;K;;aCkkuBoB,gB;;cC/ntB0C,mB;;gBAyEvC,yB;eAAyB,wB;;uBAGbZB,gC;sBAA wB,+B;mCA4JjC,qB;mCA5ImC,qB;;kBAQ1B,2B;iBAA0B,0B;;eC3YgB,wB;sBCoBA,sB;iBCnBA,0B;;aC5P8 B,e;;gCCIDhD,yC;+BCVA,uC;+BCAA,sC;;gCCyJ/B,+B;+BAIW,sC;gCCqwCc,+B;0BAHvB,kC;uBAr6B O,gC;yBA8WD,iC;0BACA,mC;yBA4JA,iC;gCAmZP,oC;+BAbc,oC;+BAEC,+B;yBAEQ,kC;;gBCr0C6C,yB;; IC/ErF,kD;MAMuF,wC;K;IANvF,4CAOI,Y;MAAuC,8B;K;IAP3C,8E;ICGA,k D;MAQuF,wC;K;IARvF,4CASI,Y;MAAuC,8B;K;IAT3C,8E;0FbOA,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX, qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAA I,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB ;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,C

AAJ,C;K;0FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;M  
AQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CA  
AJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MA  
QI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;0FAGX,qB;MAQI,OAAO,UAAI,CAAJ,  
C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,  
OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;  
K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,O  
AAO,UAAI,CAAJ,C;K;0FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;  
4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OA  
AO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4  
FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;0FAGX,qB;MAQI,OAA  
O,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4F  
AGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,  
UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAG  
X,qB;MAQI,OAAO,UAAI,CAAJ,C;K;IAGX,sC;MAII,OAAO,mBAAQ,OAAR,KAAoB,C;K;IAG/B,wC;MAII,OA  
AO,qBAAQ,OAAR,KAAoB,C;K;IAG/B,wC;MAII,OAAO,qBAAQ,OAAR,KAAoB,C;K;IAG/B,wC;MAII,OAAO,  
qBAAQ,OAAR,KAAoB,C;K;IAG/B,wC;MAII,OAAO,qBAAQ,OAAR,KAAoB,C;K;IAG/B,wC;MAOI,OAAO,qB  
AAQ,OAAR,KAAoB,C;K;IAG/B,wC;MAOI,OAAO,qBAAQ,OAAR,KAAoB,C;K;IAG/B,wC;MAII,OAAO,qB  
AAQ,OAAR,KAAoB,C;K;IAG/B,wC;MAII,OAAO,qBAAQ,OAAR,KAAoB,C;K;oGAKe/B,yB;MAAA,8D;MAAA,  
iD;QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KAAJ,CAATC,GAAsD,aAAa,KAAb,C;O;K  
APjE,C;sGAUA,yB;MAAA,8D;MAAA,iD;QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,K  
AAJ,CAATC,GAAsD,aAAa,KAAb,C;O;KAPjE,C;sGAUA,yB;MAAA,8D;MAAA,iD;QAOI,OAAW,SAAS,CAAT,  
IAAc,SAAS,wBAA3B,GAAsC,UAAI,KAAJ,CAATC,GAAsD,aAAa,KAAb,C;O;KAPjE,C;sGAUA,yB;MAAA,8D;  
MAAA,iD;QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KAAJ,CAATC,GAAsD,aAAa,KAA  
b,C;O;KAPjE,C;sGAUA,yB;MAAA,8D;MAAA,iD;QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,U  
AAI,KAAJ,CAATC,GAAsD,aAAa,KAAb,C;O;KAPjE,C;sGAUA,yB;MAAA,8D;MAAA,iD;QAOI,OAAW,SAAS,  
CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KAAJ,CAATC,GAAsD,aAAa,KAAb,C;O;KAPjE,C;sGAUA,yB;MA  
AA,8D;MAAA,iD;QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KAAJ,CAATC,GAAsD,aA  
Aa,KAAb,C;O;KAPjE,C;sGAUA,yB;MAAA,8D;MAAA,iD;QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,  
GAAsC,UAAI,KAAJ,CAATC,GAAsD,aAAa,KAAb,C;O;KAPjE,C;sGAUA,yB;MAAA,8D;MAAA,gC;MAAA,iD;  
QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KAAJ,CAATC,GAAsD,uBAAa,KAAb,E;O;K  
APjE,C;oGAUA,yB;MAAA,sD;MAAA,mC;QAOI,OAAY,UAAL,SAAK,EAAU,KAAV,C;O;KAPhB,C;qGAUA,y  
B;MAAA,qD;MAAA,mC;QAOI,OAAY,UAAL,SAAK,EAAU,KAAV,C;O;KAPhB,C;sGAUA,yB;MAAA,sD;MA  
AA,mC;QAOI,OAAY,UAAL,SAAK,EAAU,KAAV,C;O;KAPhB,C;sGAUA,yB;MAAA,sD;MAAA,mC;QAOI,OA  
AY,UAAL,SAAK,EAAU,KAAV,C;O;KAPhB,C;sGAUA,yB;MAAA,sD;MAAA,mC;QAOI,OAAY,UAAL,SAAK,  
EAAU,KAAV,C;O;KAPhB,C;sGAUA,yB;MAAA,sD;MAAA,mC;QAOI,OAAY,UAAL,SAAK,EAAU,KAAV,C;  
O;KAPhB,C;sGAUA,yB;MAAA,sD;MAAA,mC;QAOI,OAAY,UAAL,SAAK,EAAU,KAAV,C;O;KAPhB,C;sGA  
UA,yB;MAAA,sD;MAAA,mC;QAOI,OAAY,UAAL,SAAK,EAAU,KAAV,C;O;KAPhB,C;sGAUA,yB;MAAA,sD  
;MAAA,mC;QAOI,OAAY,UAAL,SAAK,EAAU,KAAV,C;O;KAPhB,C;8EAUA,gC;MAOW,sB;;QAYbS,Q;QAaH  
B,iD;UAAgB,cAAhB,e;UAAsB,IAzbH,SAybO,CAAU,OAAY,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,q  
BAAO,I;;MA1bP,yB;K;gFAGJ,gC;MAOW,sB;;QAubS,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAvbH,SAubO,  
CAAU,OAAY,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;MAXbP,yB;K;gFAGJ,gC;MAOW,sB;  
;QAqbS,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IArbH,SAqbO,CAAU,OAAY,CAAJ,C;YAAwB,qBAAO,O;YA  
AP,uB;;QAC9C,qBAAO,I;;MATbP,yB;K;gFAGJ,gC;MAOW,sB;;QAmbS,Q;QAaHb,iD;UAAgB,cAAhB,e;UAA  
sB,IAvbH,SAmbO,CAAU,OAAY,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;MApbP,yB;K;gFA  
GJ,gC;MAOW,sB;;QAibS,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAjbH,SAibO,CAAU,OAAY,CAAJ,C;YAA  
wB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;MA1bP,yB;K;gFAGJ,gC;MAOW,sB;;QA+aS,Q;QAaHb,iD;UAAgB,  
cAAhB,e;UAAsB,IA/aH,SA+aO,CAAU,OAAY,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;MA



hbP,yB;K;gFAGJ,gC;MAOW,sB;;QA6aS,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAaB,IA7aH,SA6aO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MA9aP,yB;K;gFAGJ,gC;MAOW,sB;;QA2aS,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAaB,IA3aH,SA2aO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MA5aP,yB;K;gFAGJ,yB;MA4aA,oC;MAAA,gC;MA5aA,uC;QAOW,sB;;UAYaS,Q;UAaHb,iD;YAaGb,cAAhB,0B;YAAaB,IAzaH,SAyaO,CAAU,oBAAV,CAAJ,C;cAAwB,qBAAO,O;cAAP,uB;;UAC9C,qBAAO,I;;;QA1aP,yB;O;KAPJ,C;sFAUA,yB;MAw1CA,0D;MAAA,+C;MAx1CA,uC;QAOW,qB;;UAu1CO,Q;UAAA,OAaA,SAAR,sBAAQ,CAAb,W;UAAAd,OAAC,cAAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAz1Cc,SAy1CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;UAE5B,oBAAO,I;;;QA31CP,wB;O;KAPJ,C;wFAUA,yB;MA21CA,0D;MAAA,+C;MA31CA,uC;QAOW,qB;;UA01CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAAd,OAAC,cAAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA51Cc,SA41CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;UAE5B,oBAAO,I;;;QA91CP,wB;O;KAPJ,C;wFAUA,yB;MA81CA,0D;MAAA,+C;MA91CA,uC;QAOW,qB;;UA61CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAAd,OAAC,cAAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA1CC,SA+1CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;UAE5B,oBAAO,I;;;QAj2CP,wB;O;KAPJ,C;wFAUA,yB;MAi2CA,0D;MAAA,+C;MAj2CA,uC;QAOW,qB;;UAg2CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAAd,OAAC,cAAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAI2Cc,SAk2CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;UAE5B,oBAAO,I;;;QAp2CP,wB;O;KAPJ,C;wFAUA,yB;MAo2CA,0D;MAAA,+C;MAp2CA,uC;QAOW,qB;;UAm2CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAAd,OAAC,cAAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAr2Cc,SAq2CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;UAE5B,oBAAO,I;;;QAv2CP,wB;O;KAPJ,C;wFAUA,yB;MAu2CA,0D;MAAA,+C;MAv2CA,uC;QAOW,qB;;UAs2CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAAd,OAAC,cAAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAx2Cc,SAw2CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;UAE5B,oBAAO,I;;;QA12CP,wB;O;KAPJ,C;wFAUA,yB;MA02CA,0D;MAAA,+C;MA12CA,uC;QAOW,qB;;UAY2CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAAd,OAAC,cAAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA32Cc,SA22CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;UAE5B,oBAAO,I;;;QA72CP,wB;O;KAPJ,C;wFAUA,yB;MA62CA,0D;MAAA,+C;MA72CA,uC;QAOW,qB;;UA42CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAAd,OAAC,cAAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA92Cc,SA82CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;UAE5B,oBAAO,I;;;QAh3CP,wB;O;KAPJ,C;wFAUA,yB;MAg3CA,0D;MAAA,+C;MAAA,oC;MAh3CA,uC;QAOW,qB;;UA+2CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAAd,OAAC,cAAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAj3Cc,SAi3CV,CAAU,oBAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;UAE5B,oBAAO,I;;;QAn3CP,wB;O;KAPJ,C;IAUA,0B;MAKI,IA4uNO,qBAAQ,CA5uNf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,CAAL,C;K;IAGX,4B;MAKI,IA0uNO,qBAAQ,CA1uNf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,CAAL,C;K;IAGX,4B;MAKI,IAwuNO,qBAAQ,CAxuNf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,CAAL,C;K;IAGX,4B;MAKI,IASuNO,qBAAQ,CAtuNf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,CAAL,C;K;IAGX,4B;MAKI,IAouNO,qBAAQ,CApuNf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,CAAL,C;K;IAGX,4B;MAKI,IAkuNO,qBAAQ,CAluNf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,CAAL,C;K;IAGX,4B;MAKI,IAguNO,qBAAQ,CAhuNf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,CAAL,C;K;IAGX,4B;MAKI,IA8tNO,qBAAQ,CA9tNf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,CAAL,C;K;IAGX,4B;MAKI,IA4tNO,qBAAQ,CA5tNf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,CAAL,C;K;kFAGX,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAaHb,wBAAGB,SAaHb,gB;UAAgB,cAAA,SAaHb,M;UAAaB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAAvB,C;O;KANV,C;kFASA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAaHb,wBAAGB,SAaHb,gB;UAAgB,cAAA,SAaHb,M;UAAaB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAAvB,C;O;KANV,C;mFASA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAaHb,wBAAGB,SAaHb,gB;UAAgB,cAAA,SAaHb,M;UAAaB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAAvB,C;O;KANV,C;mFASA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAaHb,wBAAGB,SAaHb,gB;UAAgB,cAAA,SAaHb,M;UAAaB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD

,MAAM,gCAAuB,mDAAvB,C;O;KANV,C;mFASA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAaHb,wBAAgB,SA  
AhB,gB;UAAgB,cAAA,SAAhB,M;UAAAsB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gC  
AAuB,mDAAvB,C;O;KANV,C;mFASA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAaHb,wBAAgB,SAAhB,gB;UA  
AgB,cAAA,SAAhB,M;UAAAsB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDA  
AvB,C;O;KANV,C;mFASA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAaHb,wBAAgB,SAAhB,gB;UAAgB,cAAA,S  
AAhB,M;UAAAsB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAAvB,C;O;KA  
NV,C;mFASA,yB;MAAA,oC;MAAA,gC;MAAA,iE;MAAA,uC;QAKoB,Q;QAaHb,wBAAgB,SAAhB,gB;UAAg  
B,cAAhB,UAAgB,SAAhB,O;UAAAsB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAu  
B,mDAAvB,C;O;KANV,C;kGASA,yB;MAAA,iE;MAAA,uC;QASW,Q;QAAA,+B;;UAYS,U;UAaHb,uD;YAAg  
B,cAAhB,iB;YACI,aAbwB,SAaX,CAAU,OAAV,C;YACb,IAAI,cAAJ,C;cACI,8BAAO,M;cAAP,gC;;UAGR,8BA  
AO,I,;;QAIBA,kC;QAAA,iB;UAAmC,MAAM,gCAAuB,8DAAvB,C;SAAhD,OAAO,I;O;KATX,C;8GAYA,gC;M  
ASoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,aAAa,UAAU,OAAV,C;QACb,IAAI,cA  
AJ,C;UACI,OAAO,M;;MAGf,OAAO,I;K;IAGX,gC;MAII,OAoiNO,qBAAQ,CApiNR,GAAe,IAAf,GAAyB,UAA  
K,CAAL,C;K;IAGpC,kC;MAII,OAqiNO,qBAAQ,CAriNR,GAAe,IAAf,GAAyB,UAAK,CAAL,C;K;IAGpC,kC;M  
AII,OAsiNO,qBAAQ,CAtiNR,GAAe,IAAf,GAAyB,UAAK,CAAL,C;K;IAGpC,kC;MAII,OAuiNO,qBAAQ,CAvi  
NR,GAAe,IAAf,GAAyB,UAAK,CAAL,C;K;IAGpC,kC;MAII,OAwiNO,qBAAQ,CAXiNR,GAAe,IAAf,GAAyB,U  
AAK,CAAL,C;K;IAGpC,kC;MAII,OAYiNO,qBAAQ,CAziNR,GAAe,IAAf,GAAyB,UAAK,CAAL,C;K;IAGpC,k  
C;MAII,OA0iNO,qBAAQ,CA1iNR,GAAe,IAAf,GAAyB,UAAK,CAAL,C;K;IAGpC,kC;MAII,OA2iNO,qBAAQ,  
CA3iNR,GAAe,IAAf,GAAyB,UAAK,CAAL,C;K;IAGpC,kC;MAII,OA4iNO,qBAAQ,CA5iNR,GAAe,IAAf,GAA  
yB,UAAK,CAAL,C;K;8FAGpC,gC;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,  
IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;8FAGX,gC;MAIoB,Q;MAAhB,wBAAgB,S  
AAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;  
K;+FAGX,gC;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,  
CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;+FAGX,gC;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,c  
AAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;+FAGX,gC;MAIo  
B,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,O  
AAO,O;;MACrD,OAAO,I;K;+FAGX,gC;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QA  
AsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;+FAGX,gC;MAIoB,Q;MAAhB,wBA  
AgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,O  
AAO,I;K;+FAGX,gC;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,  
OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;+FAGX,yB;MAAA,oC;MAAA,gC;MAAA,uC;QAIoB,Q  
;QAaHb,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UAAAsB,IAAI,UAAU,oBAAV,CAAJ,C;YAA  
wB,OAAO,O;;QACrD,OAAO,I;O;KALX,C;wFAQA,yB;MAAA,8D;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAA  
c,SAAS,wBAA3B,GAAsC,UAAI,KAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KALjE,C;0FAQA,yB;MAAA,8D;MA  
AA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KAJ,CAAtC,GAAsD,aAAa,KAAb,C;  
O;KALjE,C;0FAQA,yB;MAAA,8D;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAA  
I,KAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KALjE,C;0FAQA,yB;MAAA,8D;MAAA,iD;QAKI,OAAW,SAAS,CA  
AT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KALjE,C;0FAQA,yB;MAAA,  
8D;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KAJ,CAAtC,GAAsD,aAAa,K  
AAb,C;O;KALjE,C;0FAQA,yB;MAAA,8D;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAs  
C,UAAI,KAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KALjE,C;0FAQA,yB;MAAA,8D;MAAA,iD;QAKI,OAAW,SA  
AS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KAJ,CAAtC,GAAsD,uBAAa,KAAb,E;O;KALjE,C;IAQA,qC;MAMI,OAAW,SA  
S,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KAJ,CAAtC,GAAsD,I;K;IAGjE,uC;MAMI,OAAW,SAAS,CAA  
T,IAAc,SAAS,0BAA3B,GAAsC,UAAI,KAJ,CAAtC,GAAsD,I;K;IAGjE,uC;MAMI,OAAW,SAAS,CAAT,IAAc,  
SAAS,0BAA3B,GAAsC,UAAI,KAJ,CAAtC,GAAsD,I;K;IAGjE,uC;MAMI,OAAW,SAAS,CAAT,IAAc,SAAS,0

BAA3B,GAAcC,UAAI,KAAJ,CAAtC,GAAcD,I;K;IAGjE,uC;MAMI,OAAW,SAAS,CAAT,IAAc,SAAS,0BAA3B ,GAAcC,UAAI,KAAJ,CAAtC,GAAcD,I;K;IAGjE,uC;MAMI,OAAW,SAAS,CAAT,IAAc,SAAS,0BAA3B,GAAc C,UAAI,KAAJ,CAAtC,GAAcD,I;K;IAGjE,uC;MAMI,OAAW,SAAS,CAAT,IAAc,SAAS,0BAA3B,GAAcC,UAAI ,KAAJ,CAAtC,GAAcD,I;K;IAGjE,uC;MAMI,OAAW,SAAS,CAAT,IAAc,SAAS,0BAA3B,GAAcC,UAAI,KAAJ, CAAtC,GAAcD,I;K;IAGjE,uC;MAMI,OAAW,SAAS,CAAT,IAAc,SAAS,0BAA3B,GAAcC,UAAI,KAAJ,CAAtC, GAAcD,I;K;IAGjE,qC;MAII,IAAI,eAAJ,C;QACI,wD;UACI,IAAI,UAAK,KAAL,SAAJ,C;YACI,OAAO,K;;;QAIf ,8D;UACI,IAAI,gBAAW,UAAK,OAAL,CAAX,CAAJ,C;YACI,OAAO,O;;;MAInB,OAAO,E;K;IAGX,uC;MAII,w D;QACI,IAAI,YAAW,UAAK,KAAL,CAAf,C;UACI,OAAO,K;;MAGf,OAAO,E;K;IAGX,uC;MAII,wD;QACI,IA AI,YAAW,UAAK,KAAL,CAAf,C;UACI,OAAO,K;;MAGf,OAAO,E;K;IAGX,uC;MAII,wD;QACI,IAAI,YAAW, UAAK,KAAL,CAAf,C;UACI,OAAO,K;;MAGf,OAAO,E;K;IAGX,uC;MAII,wD;QACI,IAAI,gBAAW,UAAK,KA AL,CAAX,CAAJ,C;UACI,OAAO,K;;MAGf,OAAO,E;K;IAGX,uC;MAMI,wD;QACI,IAAI,YAAW,UAAK,KAAL ,CAAf,C;UACI,OAAO,K;;MAGf,OAAO,E;K;IAGX,uC;MAMI,wD;QACI,IAAI,YAAW,UAAK,KAAL,CAAf,C; UACI,OAAO,K;;MAGf,OAAO,E;K;IAGX,uC;MAII,wD;QACI,IAAI,YAAW,UAAK,KAAL,CAAf,C;UACI,OAA O,K;;MAGf,OAAO,E;K;IAGX,uC;MAII,wD;QACI,IAAI,YAAW,UAAK,KAAL,CAAf,C;UACI,OAAO,K;;MAGf ,OAAO,E;K;8FAGX,gC;MAII,wD;QACI,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;UACI,OAAO,K;;MAGf,O AAO,E;K;gGAGX,gC;MAII,wD;QACI,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;UACI,OAAO,K;;MAGf,OA AO,E;K;gGAGX,gC;MAII,wD;QACI,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;UACI,OAAO,K;;MAGf,OAA O,E;K;gGAGX,gC;MAII,wD;QACI,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;UACI,OAAO,K;;MAGf,OAAO, E;K;gGAGX,gC;MAII,wD;QACI,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;UACI,OAAO,K;;MAGf,OAAO,E; K;gGAGX,gC;MAII,wD;QACI,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;UACI,OAAO,K;;MAGf,OAAO,E;K; gGAGX,gC;MAII,wD;QACI,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;UACI,OAAO,K;;MAGf,OAAO,E;K;gG AGX,gC;MAII,wD;QACI,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;UACI,OAAO,K;;MAGf,OAAO,E;K;gGA GX,yB;MAAA,oC;MAAA,uC;QAII,wD;UACI,IAAI,UAAU,sBAAK,KAAL,EA AV,CAAJ,C;YACI,OAAO,K;;QA Gf,OAAO,E;O;KATX,C;8FAYA,yB;MAAA,0D;MAAA,+C;MAAA,uC;QAIB,Q;QAAA,OAAQ,SAAR,sBAAQ, CAAR,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;; QAGf,OAAO,E;O;KATX,C;8FAYA,yB;MAAA,0D;MAAA,+C;MAAA,uC;QAIB,Q;QAAA,OAAQ,SAAR,sBA AQ,CAAR,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;YACI,OAAO ,K;;QAGf,OAAO,E;O;KATX,C;8FAYA,yB;MAAA,0D;MAAA,+C;MAAA,uC;QAIB,Q;QAAA,OAAQ,SAAR,sB AAQ,CAAR,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;YACI,OA AO,K;;QAGf,OAAO,E;O;KATX,C;8FAYA,yB;MAAA,0D;MAAA,+C;MAAA,uC;QAIB,Q;QAAA,OAAQ,SAA R,sBAAQ,CAAR,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;YACI, OAAO,K;;QAGf,OAAO,E;O;KATX,C;8FAYA,yB;MAAA,0D;MAAA,+C;MAAA,uC;QAIB,Q;QAAA,OAAQ,S AAAR,sBAAQ,CAAR,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;YA CI,OAAO,K;;QAGf,OAAO,E;O;KATX,C;8FAYA,yB;MAAA,0D;MAAA,+C;MAAA,uC;QAIB,Q;QAAA,OAA Q,SAAR,sBAAQ,CAAR,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,IAAI,UAAU,UAAK,KAAL,CAAV,CAA J,C;YACI,OAAO,K;;QAGf,OAAO,E;O;KATX,C;8FAYA,yB;MAAA,0D;MAAA,+C;MAAA,oC;MAAA,uC; QAIB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,IAAI,UAAU,sBAAK ,KAAL,EA AV,CAAJ,C;YACI,OAAO,K;;QAGf,OAAO,E;O;KATX,C;IAYA,yB;MAQI,IAg7LO,qBAAQ,CAh7Lf, C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C;K;IAGX,2B;MAQI,IA26LO,qBAAQ,CA 36Lf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C;K;IAGX,2B;MAQI,IA56LO,qBAA Q,CAt6Lf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C;K;IAGX,2B;MAQI,IAi6LO,q BAAQ,CAj6Lf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C;K;IAGX,2B;MAQI,IA45 LO,qBAAQ,CA55Lf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C;K;IAGX,2B;MAQI, IAu5LO,qBAAQ,CAv5Lf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C;K;IAGX,2B;M

AQI,IAk5LO,qBAAQ,CA15Lf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C;K;IAGX,2  
B;MAQI,IA64LO,qBAAQ,CA74Lf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C;K;IA  
GX,2B;MAQI,IAw4LO,qBAAQ,CAX4Lf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C  
;K;gFAGX,yB;MAAA,0D;MAAA,+C;MAAA,iE;MAAA,uC;QAQkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAA  
Q,CAAb,W;QAAd,OAAc,cAAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;  
YAAwB,OAAO,O;;QAEEnC,MAAM,gCAAuB,mDAAvB,C;O;KAZV,C;gFAeA,yB;MAAA,0D;MAAA,+C;MAAA  
,iE;MAAA,uC;QAQkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAAd,C;UAAc,uB;  
UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,MAAM,gCAAu  
B,mDAAvB,C;O;KAZV,C;iFAeA,yB;MAAA,0D;MAAA,+C;MAAA,iE;MAAA,uC;QAQkB,Q;QAAA,OAAa,SA  
AR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,  
UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,MAAM,gCAAuB,mDAAvB,C;O;KAZV,C;iFAeA,yB;MAA  
A,0D;MAAA,+C;MAAA,iE;MAAA,uC;QAQkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,  
OAAc,cAAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;  
;QAEEnC,MAAM,gCAAuB,mDAAvB,C;O;KAZV,C;iFAeA,yB;MAAA,0D;MAAA,+C;MAAA,iE;MAAA,uC;QA  
QkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAAd,C;UAAc,uB;UACV,cAAc,UAA  
K,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,MAAM,gCAAuB,mDAAvB,C;O;K  
AZV,C;iFAeA,yB;MAAA,0D;MAAA,+C;MAAA,iE;MAAA,uC;QAQkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,C  
AAQ,CAAb,W;QAAd,OAAc,cAAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAA  
J,C;YAAwB,OAAO,O;;QAEEnC,MAAM,gCAAuB,mDAAvB,C;O;KAZV,C;iFAeA,yB;MAAA,0D;MAAA,+C;MA  
AA,iE;MAAA,uC;QAQkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAAd,C;UAAc,  
uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,MAAM,gCA  
AuB,mDAAvB,C;O;KAZV,C;iFAeA,yB;MAAA,0D;MAAA,+C;MAAA,iE;MAAA,uC;QAQkB,Q;QAAA,OAAa,  
SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IA  
AI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,MAAM,gCAAuB,mDAAvB,C;O;KAZV,C;iFAeA,yB;MA  
AA,0D;MAAA,+C;MAAA,oC;MAAA,iE;MAAA,uC;QAQkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAA  
b,W;QAAd,OAAc,cAAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,oBAAV,CAAJ,C;YAA  
wB,OAAO,O;;QAEEnC,MAAM,gCAAuB,mDAAvB,C;O;KAZV,C;IAeA,yC;MAKsB,UAMA,M;MAPIB,IAAI,eA  
AJ,C;QACKB,OAAQ,WAAR,sBAAQ,CAAR,W;QAAd,OAAc,cAAAd,C;UAAc,uB;UACV,IAAI,UAAK,KAAL,SA  
AJ,C;YACI,OAAO,K;;QAID,SAAQ,WAAR,sBAAQ,CAAR,W;QAAd,OAAc,gBAAd,C;UAAc,2B;UACV,IAAI,g  
BAAW,UAAK,OAAL,CAAX,CAAJ,C;YACI,OAAO,O;;MAlnB,OAAO,E;K;IAGX,2C;MAIkB,Q;MAAA,OAAQ  
,WAAR,wBAAQ,CAAR,W;MAAd,OAAc,cAAAd,C;QAAC,uB;QACV,IAAI,YAAW,UAAK,KAAL,CAAf,C;UACI,  
OAAO,K;;MAGf,OAAO,E;K;IAGX,2C;MAIkB,Q;MAAA,OAAQ,WAAR,wBAAQ,CAAR,W;MAAd,OAAc,cAA  
d,C;QAAC,uB;QACV,IAAI,YAAW,UAAK,KAAL,CAAf,C;UACI,OAAO,K;;MAGf,OAAO,E;K;IAGX,2C;MAIk  
B,Q;MAAA,OAAQ,WAAR,wBAAQ,CAAR,W;MAAd,OAAc,cAAAd,C;QAAC,uB;QACV,IAAI,YAAW,UAAK,K  
AAL,CAAf,C;UACI,OAAO,K;;MAGf,OAAO,E;K;IAGX,2C;MAIkB,Q;MAAA,OAAQ,WAAR,wBAAQ,CAAR,  
W;MAAd,OAAc,cAAAd,C;QAAC,uB;QACV,IAAI,gBAAW,UAAK,KAAL,CAAX,CAAJ,C;UACI,OAAO,K;;MAG  
f,OAAO,E;K;IAGX,2C;MAMkB,Q;MAAA,OAAQ,WAAR,wBAAQ,CAAR,W;MAAd,OAAc,cAAAd,C;QAAC,uB;  
QACV,IAAI,YAAW,UAAK,KAAL,CAAf,C;UACI,OAAO,K;;MAGf,OAAO,E;K;IAGX,2C;MAMkB,Q;MAAA,O  
AAQ,WAAR,wBAAQ,CAAR,W;MAAd,OAAc,cAAAd,C;QAAC,uB;QACV,IAAI,YAAW,UAAK,KAAL,CAAf,C;  
UACI,OAAO,K;;MAGf,OAAO,E;K;IAGX,2C;MAIkB,Q;MAAA,OAAQ,WAAR,wBAAQ,CAAR,W;MAAd,OAA  
c,cAAAd,C;QAAC,uB;QACV,IAAI,YAAW,UAAK,KAAL,CAAf,C;UACI,OAAO,K;;MAGf,OAAO,E;K;IAGX,2C;  
MAIkB,Q;MAAA,OAAQ,WAAR,wBAAQ,CAAR,W;MAAd,OAAc,cAAAd,C;QAAC,uB;QACV,IAAI,YAAW,UA  
AK,KAAL,CAAf,C;UACI,OAAO,K;;MAGf,OAAO,E;K;IAGX,+B;MAMI,OA8jLO,qBAAQ,CA9jLR,GAAe,IAA  
f,GAAyB,UAAK,mBAAO,CAAP,IAAL,C;K;IAGpC,iC;MAMI,OA6jLO,qBAAQ,CA7jLR,GAAe,IAAf,GAAyB,U  
AAK,mBAAO,CAAP,IAAL,C;K;IAGpC,iC;MAMI,OA4jLO,qBAAQ,CA5jLR,GAAe,IAAf,GAAyB,UAAK,mBA  
AO,CAAP,IAAL,C;K;IAGpC,iC;MAMI,OA2jLO,qBAAQ,CA3jLR,GAAe,IAAf,GAAyB,UAAK,mBAAO,CAAP,  
IAAL,C;K;IAGpC,iC;MAMI,OA0jLO,qBAAQ,CA1jLR,GAAe,IAAf,GAAyB,UAAK,mBAAO,CAAP,IAAL,C;K;  
IAGpC,iC;MAMI,OAYjLO,qBAAQ,CAzjLR,GAAe,IAAf,GAAyB,UAAK,mBAAO,CAAP,IAAL,C;K;IAGpC,iC;

MAMI,OAwjLO,qBAAQ,CxjLR,GAAe,IAAf,GAAYB,UAAK,mBAAO,CAAP,IAAL,C;K;IAGpC,iC;MAMI,OA  
ujLO,qBAAQ,CavjLR,GAAe,IAAf,GAAYB,UAAK,mBAAO,CAAP,IAAL,C;K;IAGpC,iC;MAMI,OAsjLO,qBAA  
Q,CAtjLR,GAAe,IAAf,GAAYB,UAAK,mBAAO,CAAP,IAAL,C;K;4FAGpC,yB;MAAA,0D;MAAA,+C;MAAA,u  
C;QAMkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAA  
c,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,OAAO,I;O;KAVX,C;6FAaA,  
yB;MAAA,0D;MAAA,+C;MAAA,uC;QAMkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,O  
AAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;  
QAEEnC,OAAO,I;O;KAVX,C;6FAaA,yB;MAAA,0D;MAAA,+C;MAAA,uC;QAMkB,Q;QAAA,OAAa,SAAR,YA  
AL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,  
OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,OAAO,I;O;KAVX,C;6FAaA,yB;MAAA,0D;MAAA,+C;MAAA,uC;  
QAMkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,  
UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,OAAO,I;O;KAVX,C;6FAaA,y  
B;MAAA,0D;MAAA,+C;MAAA,uC;QAMkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OA  
Ac,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;Q  
AEEnC,OAAO,I;O;KAVX,C;6FAaA,yB;MAAA,0D;MAAA,+C;MAAA,uC;QAMkB,Q;QAAA,OAAa,SAAR,YAA  
L,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,O  
AAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,OAAO,I;O;KAVX,C;6FAaA,yB;MAAA,0D;MAAA,+C;MAAA,uC;Q  
AMkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,U  
AAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,OAAO,I;O;KAVX,C;6FAaA,yB;  
MAAA,0D;MAAA,+C;MAAA,uC;QAMkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc  
cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAE  
nC,OAAO,I;O;KAVX,C;6FAaA,yB;MAAA,0D;MAAA,+C;MAAA,oC;MAAA,uC;QAMkB,Q;QAAA,OAAa,SA  
AR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,U  
AAU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,OAAO,I;O;KAVX,C;kFAaA,yB;MAAA,mC;MAAA,gD;MA  
AA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KARX,C;oFAWA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QAQI,OAAO  
kBAAO,cAAP,C;O;KARX,C;oFAWA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;  
KARX,C;oFAWA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KARX,C;oFAWA,yB;  
MAAA,mC;MAAA,gD;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KARX,C;oFAWA,yB;MAAA,mC;MAAA,  
gD;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KARX,C;oFAWA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QAQI  
,OAAO,kBAAO,cAAP,C;O;KARX,C;oFAWA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QAQI,OAAO,kBAAO,cAA  
P,C;O;KARX,C;oFAWA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KARX,C;IAW  
A,qC;MAOI,IAoxKO,qBAAQ,CAPxKf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MAAO,iBA  
AQ,gBAAR,CAAX,C;K;IAGX,qC;MAOI,IAgxKO,qBAAQ,CAhxKf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MAC  
V,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,sC;MAOI,IA4wKO,qBAAQ,CA5wKf,C;QACI,MAA  
M,2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,sC;MAOI,IAwwKO,qB  
AAQ,CAXwKf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;  
IAGX,sC;MAOI,IAowKO,qBAAQ,CAPwKf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MAAO  
,iBAAQ,gBAAR,CAAX,C;K;IAGX,sC;MAOI,IAgwKO,qBAAQ,CAhwKf,C;QACI,MAAM,2BAAuB,iBAAvB,C;  
MACV,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,sC;MAOI,IA4vKO,qBAAQ,CA5vKf,C;QACI,  
MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,sC;MAOI,IAwwK  
O,qBAAQ,CAXvKf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,  
C;K;IAGX,sC;MAOI,IAovKO,qBAAQ,CAPvKf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MA  
AO,iBAAQ,gBAAR,CAAX,C;K;8FAGX,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAQI,OAAO,wBAAa,cAAb,C;  
O;KAPX,C;gGAUA,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAQI,OAAO,wBAAa,cAAb,C;O;KAPX,C;gGAUA,y  
B;MAAA,mC;MAAA,4D;MAAA,4B;QAQI,OAAO,wBAAa,cAAb,C;O;KAPX,C;gGAUA,yB;MAAA,mC;MAAA  
,4D;MAAA,4B;QAQI,OAAO,wBAAa,cAAb,C;O;KAPX,C;gGAUA,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAQI  
,OAAO,wBAAa,cAAb,C;O;KAPX,C;gGAUA,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAQI,OAAO,wBAAa,cAA  
b,C;O;KAPX,C;gGAUA,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAQI,OAAO,wBAAa,cAAb,C;O;KAPX,C;gGA

UA,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;gGAUA,yB;MAAA,mC;M  
AAA,4D;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;IAUA,2C;MAMI,IA+kKO,qBAAQ,CA/kKf,C;Q  
ACI,OAAO,I;MACX,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,2C;MAMI,IA4kKO,qBAAQ,CA5  
kKf,C;QACI,OAAO,I;MACX,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,4C;MAMI,IAykKO,qBA  
AQ,CAzkKf,C;QACI,OAAO,I;MACX,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,4C;MAMI,IAsk  
KO,qBAAQ,CAtkKf,C;QACI,OAAO,I;MACX,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,4C;MA  
MI,IAmkKO,qBAAQ,CAnkKf,C;QACI,OAAO,I;MACX,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAG  
X,4C;MAMI,IAgkKO,qBAAQ,CAhkKf,C;QACI,OAAO,I;MACX,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,  
C;K;IAGX,4C;MAMI,IA6jKO,qBAAQ,CA7jKf,C;QACI,OAAO,I;MACX,OAAO,UAAI,MAAO,iBAAQ,gBAAR,  
CAAX,C;K;IAGX,4C;MAMI,IA0jKO,qBAAQ,CA1jKf,C;QACI,OAAO,I;MACX,OAAO,UAAI,MAAO,iBAAQ,g  
BAAR,CAAX,C;K;IAGX,4C;MAMI,IAujKO,qBAAQ,CAvjKf,C;QACI,OAAO,I;MACX,OAAO,UAAI,MAAO,iB  
AAQ,gBAAR,CAAX,C;K;IAGX,2B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAu  
B,iBAAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAyB,kCAAzB,C;;MAHIB,W;K;I  
AOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAA  
K,iBAAK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAyB,kCAAzB,C;;MAHIB,W;K;IAOJ,6B;MAIiB,IAAN,I;MA  
AA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K  
;gBACQ,MAAM,gCAAyB,kCAAzB,C;;MAHIB,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,  
C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAyB,kC  
AAzB,C;;MAHIB,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iB  
AAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAyB,kCAAzB,C;;MAHIB,W;K;IAOJ,  
6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBA  
AK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAyB,kCAAzB,C;;MAHIB,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QA  
AM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;gBAC  
Q,MAAM,gCAAyB,kCAAzB,C;;MAHIB,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UA  
AK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAyB,kCAAz  
B,C;;MAHIB,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAv  
B,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAyB,kCAAzB,C;;MAHIB,W;K;oFAOJ,yB;  
MAAA,kF;MAAA,iE;MAAA,gB;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAiB,I;QACjB,YAAY,K;QA  
CZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KA AJ,C;cA  
AW,MAAM,8BAAYB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAA Y,MA  
AM,gCAAuB,mDAAvB,C;QAEIB,OAAO,6E;O;KafX,C;oFakBA,yB;MAAA,kF;MAAA,iE;MAAA,8B;MAAA,u  
C;QAMoB,UAST,M;QAXP,aAAoB,I;QACpB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;  
UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KA AJ,C;cAAW,MAAM,8BAAYB,gDAAzB,C;YACjB,SAAS,O;  
YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAA Y,MAAM,gCAAuB,mDAAvB,C;QAEIB,OAAO,2D;O;Kaf  
X,C;qFakBA,yB;MAAA,kF;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAqB,I;QACrB,YAA  
Y,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KA  
AJ,C;cAAW,MAAM,8BAAYB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UA  
AY,MAAM,gCAAuB,mDAAvB,C;QAEIB,OAAO,2D;O;KafX,C;qFakBA,yB;MAAA,kF;MAAA,iE;MAAA,8B;  
MAAA,uC;QAMoB,UAST,M;QAXP,aAAmB,I;QACnB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,S  
AAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KA AJ,C;cAAW,MAAM,8BAAYB,gDAAzB,C;YACjB,  
SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAA Y,MAAM,gCAAuB,mDAAvB,C;QAEIB,OAAO,2  
D;O;KafX,C;qFakBA,yB;MAAA,kF;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAoB,I;QAC  
pB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IA  
AI,KA AJ,C;cAAW,MAAM,8BAAYB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KA  
AL,C;UAA Y,MAAM,gCAAuB,mDAAvB,C;QAEIB,OAAO,iE;O;KafX,C;qFakBA,yB;MAAA,kF;MAAA,iE;MA  
AA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAqB,I;QACrB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,c  
AAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KA AJ,C;cAAW,MAAM,8BAAYB,gDAAzB,C;  
YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAA Y,MAAM,gCAAuB,mDAAvB,C;QAEIB,

OAAO,2D;O;KafX,C;qFakBA,yB;MAAA,kF;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAs  
B,I;QACtB,YAAY,K;QACZ,wBAAGB,SAAhB,gB;UAGB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,  
C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAYB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CA  
AC,KAAL,C;UAAAY,MAAM,gCAAUb,mDAAvB,C;QAEIB,OAAO,2D;O;KafX,C;qFakBA,yB;MAAA,kF;MAA  
A,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAuB,I;QACvB,YAAY,K;QACZ,wBAAGB,SAAhB,gB;U  
AAGB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAYB,gDA  
AzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAAY,MAAM,gCAAUb,mDAAvB,C;Q  
AEIB,OAAO,4D;O;KafX,C;qFakBA,yB;MAAA,oC;MAAA,kF;MAAA,gC;MAAA,iE;MAAA,8B;MAAA,uC;QA  
MoB,UAST,M;QAXP,aAAoB,I;QACpB,YAAY,K;QACZ,wBAAGB,SAAhB,gB;UAGB,cAAhB,UAGB,SAAhB  
,O;UACI,IAAI,UAAU,oBAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAYB,gDAAzB,C;YACjB,SAA  
S,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAAY,MAAM,gCAAUb,mDAAvB,C;QAEIB,OAAO,4E;O;  
KafX,C;IakBA,iC;MAII,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;K;IAGvC,mC;MAII,OA  
AW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;K;IAGvC,mC;MAII,OAAW,qBAAQ,CAAZ,GAAe,U  
AAK,CAAL,CAAf,GAA4B,I;K;IAGvC,mC;MAII,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;  
K;IAGvC,mC;MAII,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;K;IAGvC,mC;MAII,OAAW,q  
BAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;K;IAGvC,mC;MAII,OAAW,qBAAQ,CAAZ,GAAe,UAAK,  
CAAL,CAAf,GAA4B,I;K;IAGvC,mC;MAII,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;K;IA  
GvC,mC;MAII,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;K;gGAGvC,gC;MAMoB,Q;MAFh  
B,aAAiB,I;MACjB,YAAY,K;MACZ,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV  
,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,  
C;QAAY,OAAO,I;MACnB,OAAO,M;K;gGAGX,gC;MAMoB,Q;MAFhB,aAAoB,I;MACpB,YAAY,K;MACZ,wB  
AAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,O  
AAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;i  
GAGX,gC;MAMoB,Q;MAFhB,aAAqB,I;MACrB,YAAY,K;MACZ,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,  
M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;  
MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;iGAGX,gC;MAMoB,Q;MAFhB,aAAmB,I;  
MACnB,YAAY,K;MACZ,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;  
UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,  
OAAO,I;MACnB,OAAO,M;K;iGAGX,gC;MAMoB,Q;MAFhB,aAAoB,I;MACpB,YAAY,K;MACZ,wBAAGB,SA  
AhB,gB;QAAGB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;U  
ACIB,SAAS,O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;iGAGX,g  
C;MAMoB,Q;MAFhB,aAAqB,I;MACrB,YAAY,K;MACZ,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI  
,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;MAGhB,I  
AAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;iGAGX,gC;MAMoB,Q;MAFhB,aAAsB,I;MACiB,Y  
AAY,K;MACZ,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,  
KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MA  
CnB,OAAO,M;K;iGAGX,gC;MAMoB,Q;MAFhB,aAAuB,I;MACvB,YAAY,K;MACZ,wBAAGB,SAAhB,gB;QA  
AGB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,  
O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;iGAGX,yB;MAAA,oC;  
MAAA,gC;MAAA,uC;QAMoB,Q;QAFhB,aAAoB,I;QACpB,YAAY,K;QACZ,wBAAGB,SAAhB,gB;UAGB,cA  
AhB,UAGB,SAAhB,O;UACI,IAAI,UAAU,oBAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,OAAO,I;YACIB,SAA  
S,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAAY,OAAO,I;QACnB,OAAO,M;O;KAdX,C;IAiBA,4B;M  
cvqGI,IAAI,Ed+qGI,KAAK,Cc/qGT,CAAJ,C;QACI,cd8qGc,sD;Qc7qGd,MAAM,gCAAYB,OAAQ,WAAjC,C;Od  
8qGV,OAAO,oBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;K;IAGX,8B;McnrGI,IAAI,Ed2rG  
I,KAAK,Cc3rGT,CAAJ,C;QACI,cd0rGc,sD;QczrGd,MAAM,gCAAYB,OAAQ,WAAjC,C;Od0rGV,OAAO,sBAAo  
B,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;K;IAGX,8B;Mc/rGI,IAAI,EdusGI,KAAK,CcvsGT,CA  
AJ,C;QACI,cdssGc,sD;QcrsGd,MAAM,gCAAYB,OAAQ,WAAjC,C;OdssGV,OAAO,sBAAoB,gBAAV,mBAAO,  
CAAP,IAAU,EAAC,CAAd,CAApB,C;K;IAGX,8B;Mc3sGI,IAAI,EdmtGI,KAAK,CcntGT,CAAJ,C;QACI,cdktGc,





WAAI,IAAJ,C;YAACL,WAAW,I;;QAEEnB,OAAO,I;O;KAFx,C;0FAkBA,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QA Fb,eAAe,K;QACf,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,QAAJ,C;YACI,IA AK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YAACL,WAAW,I;;QA EnB,OAAO,I;O;KAFx,C;0FAkBA,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACX ,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC, UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YAACL,WAAW,I;;QAEEnB,OAAO,I;O;KAFx,C;0FAkBA,yB; MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SA Ab,M;UACI,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK, WAAI,IAAJ,C;YAACL,WAAW,I;;QAEEnB,OAAO,I;O;KAFx,C;0FAkBA,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QA Fb,eAAe,K;QACf,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,QAAJ,C;YACI,IA AK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YAACL,WAAW,I;;QA EnB,OAAO,I;O;KAFx,C;0FAkBA,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACX ,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC, UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YAACL,WAAW,I;;QAEEnB,OAAO,I;O;KAFx,C;0FAkBA,yB; MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SA Ab,M;UACI,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK, WAAI,IAAJ,C;YAACL,WAAW,I;;QAEEnB,OAAO,I;O;KAFx,C;0FAkBA,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QA Fb,eAAe,K;QACf,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,QAAJ,C;YACI,IA AK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YAACL,WAAW,I;;QA EnB,OAAO,I;O;KAFx,C;0FAkBA,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,O;UACI,IAAI,QAAJ,C;YACI,IAAK,WA AI,iBAAJ,C;eACJ,IAAI,CAAC,UAAU,iBAAV,CAAL,C;YACD,IAAK,WAAI,iBAAJ,C;YAACL,WAAW,I;;QAEEn B,OAAO,I;O;KAFx,C;kFAkBA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAMgBA,Q;QAaHb,iD;UAAgB, cAAhB,e;UAAsB,IAngBU,SAMgBN,CAAU,OAAV,CAAJ,C;YAAwB,WAAy,WAAI,OAAJ,C;;QAngB1D,OAog BO,W;O;KA1gBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAogBA,Q;QAaHb,iD;UAAgB,cA AhB,e;UAAsB,IApgBa,SAogBT,CAAU,OAAV,CAAJ,C;YAAwB,WAAy,WAAI,OAAJ,C;;QApGB1D,OAqgBO, W;O;KA3gBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAqgBA,Q;QAaHb,iD;UAAgB,cAAhB ,e;UAAsB,IArgBc,SAqgBV,CAAU,OAAV,CAAJ,C;YAAwB,WAAy,WAAI,OAAJ,C;;QArgB1D,OAsgBO,W;O; KA5gBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAsgBA,Q;QAaHb,iD;UAAgB,cAAhB,e;UA AsB,IAtgBY,SAsgBR,CAAU,OAAV,CAAJ,C;YAAwB,WAAy,WAAI,OAAJ,C;;QAtgB1D,OAogBO,W;O;KA7g BX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAogBA,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,I AvgBa,SAugBT,CAAU,OAAV,CAAJ,C;YAAwB,WAAy,WAAI,OAAJ,C;;QAvGB1D,OAwgBO,W;O;KA9gBX, C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAwgBA,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAx gBc,SAwgBV,CAAU,OAAV,CAAJ,C;YAAwB,WAAy,WAAI,OAAJ,C;;QAxgB1D,OAygBO,W;O;KA/gBX,C;o FASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAYgBA,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAzgBe, SAygBX,CAAU,OAAV,CAAJ,C;YAAwB,WAAy,WAAI,OAAJ,C;;QAzgB1D,OA0gBO,W;O;KAhhBX,C;oFAS A,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA0gBA,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IA1gBgB,S A0gBZ,CAAU,OAAV,CAAJ,C;YAAwB,WAAy,WAAI,OAAJ,C;;QA1gB1D,OA2gBO,W;O;KAjhBX,C;oFASA, yB;MAAA,+D;MA2gBA,oC;MAAA,gC;MA3gBA,uC;QAMW,kBAAS,gB;QA2gBA,Q;QAaHb,iD;UAAgB,cAAh B,0B;UAAsB,IA3gBa,SA2gBT,CAAU,oBAAV,CAAJ,C;YAAwB,WAAy,WAAI,oBAAJ,C;;QA3gB1D,OA4gBO, W;O;KAhhBX,C;gGASA,yB;MAAA,+D;MAAA,uC;QAQW,kBAAGB,gB;QASgTV,gB;QADb,YAAY,C;QACZ,iD ;UAAa,WAAb,e;UA16SI,IApGmC,SAoG/B,EAk6SkB,cAl6SIB,EAk6SkB,sBA16SIB,Wak6S2B,IA16S3B,CAAJ,C; YAA2C,sBAk6SZ,IA16SY,C;;QApG/C,OASGO,W;O;KA9GX,C;kGAWA,yB;MAAA,+D;MAAA,uC;QAQW,kBA AgB,gB;QAqgTV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UA95SI,IAvGsC,SAuGIC,EA85SkB,cA95SIB,E A85SkB,sBA95SIB,WA85S2B,IA95S3B,CAAJ,C;YAA2C,sBA85SZ,IA95SY,C;;QAvG/C,OAYGO,W;O;KAjHX, C;kGAWA,yB;MAAA,+D;MAAA,uC;QAQW,kBAAGB,gB;QAogTV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAA b,e;UA15SI,IA1GuC,SA0GnC,EA05SkB,cA15SIB,EA05SkB,sBA15SIB,WA05S2B,IA15S3B,CAAJ,C;YAA2C,sB A05SZ,IA15SY,C;;QA1G/C,OA4GO,W;O;KApHX,C;kGAWA,yB;MAAA,+D;MAAA,uC;QAQW,kBAAGB,gB;Q

AmgTV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UAt5SI,IA7GqC,SA6GjC,EAs5SkB,cAt5SIB,EAs5SkB,sBA5SIB,WAs5S2B,IAt5S3B,CAAJ,C;YAA2C,sBA5S5Z,IAt5SY,C;;QA7G/C,OA+GO,W;O;KAvHX,C;kGAWA,yB;MAAA,+D;MAAA,uC;QAQW,kBAAGB,gB;QAkgTV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UA15SI,IAhHsC,SAgHIC,Eak5SkB,cAl5SIB,Eak5SkB,sBA15SIB,Wak5S2B,IA15S3B,CAAJ,C;YAA2C,sBAk5SZ,IA15SY,C;;QAhH/C,OakHO,W;O;KA1HX,C;kGAWA,yB;MAAA,+D;MAAA,uC;QAQW,kBAAGB,gB;QAigTV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UA94SI,IANuHc,SAmHnC,EA84SkB,cA94SIB,EA84SkB,sBA94SIB,WA84S2B,IA94S3B,CAAJ,C;YAA2C,sBA84SZ,IA94SY,C;;QAnH/C,OAqHO,W;O;KA7HX,C;kGAWA,yB;MAAA,+D;MAAA,uC;QAQW,kBAAGB,gB;QAaggTV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UA14SI,IAtHwC,SAsHpC,EA04SkB,cA14SIB,EA04SkB,sBA14SIB,WA04S2B,IA14S3B,CAAJ,C;YAA2C,sBA04SZ,IA14SY,C;;QAtH/C,OAwhO,W;O;KAhIX,C;kGAWA,yB;MAAA,+D;MAAA,uC;QAQW,kBAAGB,gB;QA+/SV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UAt4SI,IAzHyC,SAyHrC,EAs4SkB,cAt4SIB,EAs4SkB,sBA4SIB,WAs4S2B,IAt4S3B,CAAJ,C;YAA2C,sBA4S4SZ,IAt4SY,C;;QAZH/C,OA2HO,W;O;KANIX,C;kGAWA,yB;MAAA,+D;MA2HA,gC;MAo4SA,oC;MA//SA,uC;QAQW,kBAAGB,gB;QA8/SV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,0B;UAAmB,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAGB,iB;UA14S/B,IA5HsC,SA4HIC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YAA2C,sBAAI,OAAJ,C;;QA5H/C,OA8HO,W;O;KatIX,C;oGAWA,6C;MA26SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA16SI,IAAI,Wak6SkB,cAl6SIB,Eak6SkB,sBA16SIB,Wak6S2B,IA16S3B,CAAJ,C;UAA2C,sBAk6SZ,IA16SY,C;;MAE/C,OAAO,W;K;qGAGX,6C;MAu6SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA95SI,IAAI,WA85SkB,cA95SIB,EA85SkB,sBA95SIB,WA85S2B,IA95S3B,CAAJ,C;UAA2C,sBA85SZ,IA95SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAM6SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA15SI,IAAI,WA05SkB,cA15SIB,EA05SkB,sBA15SIB,WA05S2B,IA15S3B,CAAJ,C;UAA2C,sBA05SZ,IA15SY,C;;MAE/C,OAAO,W;K;qGAGX,6C;MA+5SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA5SI,IAAI,WAs5SkB,cAt5SIB,EAs5SkB,sBA5SIB,WAs5S2B,IAt5S3B,CAAJ,C;UAA2C,sBA5S5Z,IAt5SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA25SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA15SI,IAAI,Wak5SkB,cAl5SIB,Eak5SkB,sBA15SIB,Wak5S2B,IA15S3B,CAAJ,C;UAA2C,sBAk5SZ,IA15SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAu5SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA94SI,IAAI,WA84SkB,cA94SIB,EA84SkB,sBA94SIB,WA84S2B,IA94S3B,CAAJ,C;UAA2C,sBA84SZ,IA94SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAM5SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA14SI,IAAI,WA04SkB,cA14SIB,EA04SkB,sBA14SIB,WA04S2B,IA14S3B,CAAJ,C;UAA2C,sBA04SZ,IA14SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA+4SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA5SI,IAAI,WAs4SkB,cAt4SIB,EAs4SkB,sBA4SIB,WAs4S2B,IAt4S3B,CAAJ,C;UAA2C,sBA4S4SZ,IAt4SY,C;;MAE/C,OAAO,W;K;sGAGX,yB;MAAA,gC;MAo4SA,oC;MAp4SA,oD;QA24SiB,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,0B;UAAmB,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAGB,iB;UA14S/B,IAAI,UA AU,OAAV,EAAiB,OAAjB,CAAJ,C;YAA2C,sBAAI,OAAJ,C;;QAE/C,OAAO,W;O;KAXX,C;sGAcA,yB;MAAA,+D;MAAA,sC;QAMW,kBAAmB,gB;QASV,Q;QAahB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,YAAJ,C;YAAkB,WAAY,WAAI,OAAJ,C;;QATpD,OAuO,W;O;KAhBX,C;0GASA,4C;MAMoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,YAAJ,C;UAAkB,WAAY,WAAI,OAAJ,C;;MACpD,OAAO,W;K;wFAGX,yB;MAAA,+D;MAAA,uC;QAMW,kBAAY,gB;QAoGH,Q;QAahB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAPGS,SAoGR,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QApG3D,OAqGO,W;O;KA3GX,C;0FASA,yB;MAAAA,+D;MAAA,uC;QAMW,kBAAY,gB;QAqGH,Q;QAahB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CARGY,SAqGX,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QArG3D,OAsGO,W;O;KA5GX,C;0FASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAY,gB;QAsGH,Q;QAahB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAtGa,SAsGZ,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAtG3D,OAuGO,W;O;KA7GX,C;0FASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAY,gB;QAUgh,Q;QAahB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAvGW,SAuGV,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAvG3D,OAwGO,W;O;KA9GX,C;0FASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAY,gB;QAwGH,Q;QAahB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAXGY,SAwGX,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAZG3D,OA0GO,W;O;KAhHX,C;0FASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAY,gB;QA0GH,Q;QAahB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA1Gc,SA0Gb,CAAU,OAAV,CAA

L,C;YAAyB,WAAY,WAAl,OAAJ,C;QA1G3D,OA2GO,W;O;KAjHX,C;0FASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAY,gB;QA2GH,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA3Ge,SA2Gd,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAl,OAAJ,C;QA3G3D,OA4GO,W;O;KAiHX,C;0FASA,yB;MAAA,+D;MA4GA,oC;MAAA,gC;MA5GA,uC;QAMW,kBAAY,gB;QA4GH,Q;QAAhB,iD;UAAgB,cAAhB,0B;UAAsB,IAAI,CA5GY,SA4GX,C AAU,oBAAV,CAAL,C;YAAyB,WAAY,WAAl,oBAAJ,C;QA5G3D,OA6GO,W;O;KAnHX,C;IASA,kC;MAMI,O AAO,2BAAgB,gBAAhB,C;K;IAGX,iD;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QA AsB,IAAI,eAAJ,C;UAAqB,WAAY,WAAl,OAAJ,C;MACvD,OOAO,W;K;4FAGX,6C;MAMoB,Q;MAAhB,wBA AgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAY,WAAl ,OAAJ,C;MAC3D,OOAO,W;K;8FAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB, M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAY,WAAl,OAAJ,C;MAC3D,OOAO,W;K;8FAGX, 6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CA AL,C;UAAyB,WAAY,WAAl,OAAJ,C;MAC3D,OOAO,W;K;8FAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB ,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAY,WAAl,OAAJ,C;MAC3D,OOAO,W;K;8FAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CA AL,C;UAAyB,WAAY,WAAl,OAAJ,C;MAC3D,OOAO,W;K;8FAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB ,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAY,WAAl,OAAJ,C;M AC3D,OOAO,W;K;8FAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IA AI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAY,WAAl,OAAJ,C;MAC3D,OOAO,W;K;8FAGX,6C;MAMoB, Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAy B,WAAY,WAAl,OAAJ,C;MAC3D,OOAO,W;K;8FAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB, cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAY,WAAl,OAAJ,C;MAC3D,OOAO,W;K;8FAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,U AAU,OAAV,CAAL,C;UAAyB,WAAY,WAAl,OAAJ,C;MAC3D,OOAO,W;K;8FAGX,yB;MAAA,oC;MAAA,gC ;MAAA,oD;QAMoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UAAsB,IAAI,CAAC, UAAU,oBAAV,CAAL,C;YAAyB,WAAY,WAAl,oBAAJ,C;QAC3D,OOAO,W;O;KAPX,C;sFAUA,6C;MAMoB, Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WA AY,WAAl,OAAJ,C;MAC1D,OOAO,W;K;wFAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAA A,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAY,WAAl,OAAJ,C;MAC1D,OOAO,W;K;wFA GX,6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAA J,C;UAAwB,WAAY,WAAl,OAAJ,C;MAC1D,OOAO,W;K;wFAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,g B;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAY,WAAl,OAAJ,C;MAC1D,O OAO,W;K;wFAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UA AU,OAAV,CAAJ,C;UAAwB,WAAY,WAAl,OAAJ,C;MAC1D,OOAO,W;K;wFAGX,6C;MAMoB,Q;MAAhB,wB AAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAY,WAAl,OA AJ,C;MAC1D,OOAO,W;K;wFAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;Q AAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAY,WAAl,OAAJ,C;MAC1D,OOAO,W;K;wFAGX,6C;MAMo B,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,W AAY,WAAl,OAAJ,C;MAC1D,OOAO,W;K;wFAGX,yB;MAAA,oC;MAAA,gC;MAAA,oD;QAMoB,Q;QAAhB, wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UAAsB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,WAA Y,WAAl,oBAAJ,C;QAC1D,OOAO,W;O;KAPX,C;IAUA,mC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OMhtIe,W;O NiItC,OAA4D,OAARd,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,CAAqD,C;K;IA GhE,qC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OMxtIe,W;ONyItC,Oe7rIsC,Of6rI/B,yBAAY,OAAQ,MAApB,EA A2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,Ce7rI+B,C;K;IfgsI1C,qC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OMh uIe,W;ONiultC,Oe7rIuC,Of6rIhC,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,Ce7rI gC,C;K;IfgsI3C,qC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OMxuIe,W;ONyultC,Oe7rIqC,Of6rI9B,yBAAY,OAAQ, MAAPB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,Ce7rI8B,C;K;IfgsIzC,qC;MAII,IAAI,OAAQ,UAAZ,C;Q AAuB,OMhVIe,W;ONiVItC,Oe7rIsC,Of6rI/B,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IA A3B,Ce7rI+B,C;K;IfgsI1C,qC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OMxVIe,W;ONyVItC,Oe7rIuC,Of6rIhC,yBA AY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,Ce7rIgC,C;K;IfgsI3C,qC;MAII,IAAI,OAAQ, UAAZ,C;QAAuB,OMhwIe,W;ONiWItC,Oe7rIwC,Of6rIjC,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAu B,CAAvB,IAA3B,Ce7rIfC,C;K;IfgsI5C,qC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OMxwIe,W;ONyWItC,Oe7rIyC,

Of6rIIc,0BAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,Ce7rIkC,C;K;IfgsI7C,qC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OMhxIe,W;ONixItC,OAA4D,SAArD,0BAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,CAAqD,C;K;IAGhE,qC;MAOkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EA AxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACTb,WAAW,iBAaA,IAAb,C;MACG,yB;MAAd,OA Ac,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;MAET,OAAO,I;K;IAGX,qC;MAOkB,Q;MAH d,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACTb,WAA W,iBAAgB,IAAhB,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;; MAET,OAAO,I;K;IAGX,sC;MAOkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SA AQ,CAAZ,C;QAAe,OAAO,W;MACTb,WAAW,iBAAiB,IAAjB,C;MACG,yB;MAAd,OAAC,cAAd,C;QAAc,uB;Q ACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;MAET,OAAO,I;K;IAGX,sC;MAOkB,Q;MAHd,WAAmB,wBAAR,OA AQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACTb,WAAW,iBAaE,IAAf,C;MACG, yB;MAAd,OAAC,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;MAET,OAAO,I;K;IAGX,sC;M AOkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W; MACTb,WAAW,iBAAgB,IAAhB,C;MACG,yB;MAAd,OAAC,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KA AJ,CAAJ,C;MAET,OAAO,I;K;IAGX,sC;MAOkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MAC nB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACTb,WAAW,iBAAiB,IAAjB,C;MACG,yB;MAAd,OAAC,cAAd,C; QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;MAET,OAAO,I;K;IAGX,sC;MAOkB,Q;MAHd,WAAmB, wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACTb,WAAW,iBAaKB,I AAIB,C;MACG,yB;MAAd,OAAC,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;MAET,OAAO, I;K;IAGX,sC;MAOkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;Q AAe,OAAO,W;MACTb,WAAW,iBAAmB,IAAnB,C;MACG,yB;MAAd,OAAC,cAAd,C;QAAc,uB;QACV,IAAK, WAAI,UAAI,KAAJ,CAAJ,C;MAET,OAAO,I;K;IAGX,sC;MAOkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB ,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACTb,WAAW,iBAAgB,IAAhB,C;MACG,yB;MA Ad,OAAC,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,sBAI,KAAJ,EAJ,C;MAET,OAAO,I;K;IAGX,wC;MAMw B,UACT,M;MAHX,aAAa,aAAa,SAAb,EAAmB,OAAQ,KAA3B,C;MACb,kBAaKB,C;MACE,yB;MAApB,OAAo B,cAApB,C;QAAoB,6B;QChB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;MAE5B,OAAO,M; K;IAGX,0C;MAMwB,UACT,M;MAHX,aAAa,cAAU,OAAQ,KAAIB,C;MACb,kBAaKB,C;MACE,yB;MAApB,O AAoB,cAApB,C;QAAoB,6B;QChB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;MAE5B,OAAO ,M;K;IAGX,0C;MAMwB,UACT,M;MAHX,aAAa,eAAW,OAAQ,KAAIB,C;MACb,kBAaKB,C;MACE,yB;MAA pB,OAAoB,cAApB,C;QAAoB,6B;QChB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;MAE5B,O AAoB,cAApB,C;QAAoB,6B;QChB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;MAE5B,O AAoB,cAApB,C;QAAoB,6B;QChB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;MAE5B,OAAO,M;K;IAGX,0C;MAMwB,UACT,M;MAHX,aAAa,iBAAU,OAAQ,KAAIB,C;MACb,kBAaKB,C;MACE, yB;MAApB,OAAoB,cAApB,C;QAAoB,6B;QChB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;; MAE5B,OAAO,M;K;IAGX,0C;MAMwB,UACT,M;MAHX,aAAa,iBAAW,OAAQ,KAAIB,C;MACb,kBAaKB,C; MACE,yB;MAApB,OAAoB,cAApB,C;QAAoB,6B;QChB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WA AL,C;MAE5B,OAAO,M;K;IAGX,0C;MAMwB,UACT,M;MAHX,aAAa,iBAAY,OAAQ,KAApB,C;MACb,kBAA kB,C;MACE,yB;MAApB,OAAoB,cAApB,C;QAAoB,6B;QChB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK ,WAAL,C;MAE5B,OAAO,M;K;IAGX,0C;MAMwB,UACT,M;MAHX,aAAa,oBAaA,OAAQ,KAArB,C;MACb,k BAaKB,C;MACE,yB;MAApB,OAAoB,cAApB,C;QAAoB,6B;QChB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,U AAK,WAAL,C;MAE5B,OAAO,M;K;IAGX,0C;MAMwB,UACT,M;MAHX,aAAa,iBAAU,OAAQ,KAAIB,C;MA Cb,kBAaKB,C;MACE,yB;MAApB,OAAoB,cAApB,C;QAAoB,6B;QChB,OAAO,oBAAP,EAAO,4BAAP,YAA wB,UAAK,WAAL,C;MAE5B,OAAO,M;K;IAGX,0C;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,yBAAY,CAA Z,EAAe,CAAF,C;MAC9B,OAAO,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C;K;I AGX,0C;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,eAA W,CAAX,C;MAC9B,OAAO,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C;K;IAGX ,2C;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,eAAS,CAAT,C;MAC9B,OAAO,yBAAY,OAAQ,MAApB,EAA

2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C;K;IAGX,2C;MAIL,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,iBAAU,C  
AAV,C;MAC9B,OAAO,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C;K;IAGX,2C;  
MAIL,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,iBAAW,CAAX,C;MAC9B,OAAO,yBAAY,OAAQ,MAApB,EAA2  
B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C;K;IAGX,2C;MAIL,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,iBAAY,CA  
AZ,C;MAC9B,OAAO,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C;K;IAGX,2C;M  
AII,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,oBAAa,CAAb,C;MAC9B,OAAO,0BAAY,OAAQ,MAApB,EAA2B,O  
AAQ,aAAR,GAAuB,CAAvB,IAA3B,C;K;IAGX,2C;MAIL,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,iBAAU,CAAV  
,C;MAC9B,OAAO,0BAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C;K;IAGX,4B;MAci  
B,Q;Mc3nJb,IAAI,EdqnJI,KAAK,CcrnJT,CAAJ,C;QACI,cdonJc,sD;QcnnJd,MAAM,gCAAYB,OAAQ,WAAjC,C;  
OdonJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QA Ae,OAAO,iB;MAcTb,IAA  
I,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAa,CA  
Ab,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CA  
Af,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;MAciB,Q;McyjB,IAAI,Ed2oJI,KAAK,Cc3oJT,CAAJ,C;QACI,cd0oJ  
c,sD;QczoJd,MAAM,gCAAYB,OAAQ,WAAjC,C;Od0oJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAA  
I,KAAK,gBAAT,C;QA Ae,OAAO,mB;MAcTb,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAA  
P,C;MACnB,YAAY,C;MACZ,WAAW,iBAAgB,CAAhB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;Q  
ACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;MAciB,Q;Mcvq  
Jb,IAAI,EdiqJI,KAAK,CcjqtJT,CAAJ,C;QACI,cdgqJc,sD;Qc/pJd,MAAM,gCAAYB,OAAQ,WAAjC,C;OdgqJV,IA  
AI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QA Ae,OAAO,mB;MAcTb,IAAI,MAAK,  
CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;M  
ACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UA  
CI,K;;MAER,OAAO,I;K;IAGX,8B;MAciB,Q;McvqJb,IAAI,Ed6sJI,KAAK,Cc7sJT,CAAJ,C;QACI,cdsrJc,sD;QcrrJ  
d,MAAM,gCAAYB,OAAQ,WAAjC,C;OdsrJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gB  
AAT,C;QA Ae,OAAO,mB;MAcTb,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACn  
B,YAAY,C;MACZ,WAAW,iBA Ae,CAAf,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WA  
AI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;MAciB,Q;McntJb,IAAI,Ed6sJI,  
KAAK,Cc7sJT,CAAJ,C;QACI,cd4sJc,sD;Qc3sJd,MAAM,gCAAYB,OAAQ,WAAjC,C;Od4sJV,IAAI,MAAK,CAA  
T,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QA Ae,OAAO,mB;MAcTb,IAAI,MAAK,CAAT,C;QAAY  
,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAgB,CAAhB,C;MACX,wBAAa,S  
AAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,O  
AAO,I;K;IAGX,8B;MAciB,Q;MczuJb,IAAI,EdmuJI,KAAK,CcnuJT,CAAJ,C;QACI,cdkuJc,sD;QcjuJd,MAAM,gC  
AAyB,OAAQ,WAAjC,C;OdkuJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QA  
Ae,OAAO,mB;MAcTb,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;  
MACZ,WAAW,iBAAiB,CAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,  
C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;MAciB,Q;Mcv/vJb,IAAI,EdyvJI,KAAK,  
CczvJT,CAAJ,C;QACI,cdwvJc,sD;QcvvJd,MAAM,gCAAYB,OAAQ,WAAjC,C;OdwwJV,IAAI,MAAK,CAAT,C;  
QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QA Ae,OAAO,mB;MAcTb,IAAI,MAAK,CAAT,C;QAAY,OA  
AO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAkB,CAAlB,C;MACX,wBAAa,SAAb  
,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO  
,I;K;IAGX,8B;MAciB,Q;McrxJb,IAAI,Ed+wJI,KAAK,Cc/wJT,CAAJ,C;QACI,cd8wJc,sD;Qc7wJd,MAAM,gCAA  
yB,OAAQ,WAAjC,C;Od8wJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QA Ae,  
OAAO,mB;MAcTb,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MA  
CZ,WAAW,iBAAmB,CAAnB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;  
QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;MAciB,Q;Mc3yJb,IAAI,EdqyJI,KAAK,Cc  
ryJT,CAAJ,C;QACI,cdoyJc,sD;QcnyJd,MAAM,gCAAYB,OAAQ,WAAjC,C;OdoyJV,IAAI,MAAK,CAAT,C;QAA  
Y,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QA Ae,OAAO,mB;MAcTb,IAAI,MAAK,CAAT,C;QAAY,OAAO,O  
AAO,sBAAK,CAAL,EAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAgB,CAAhB,C;MACX,wBAAa,SAAb,gB;  
QAAa,WAAb,UAAa,SAAb,O;QACI,IAAK,WAAI,iBAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OA

AO,I;K;IAGX,gC;McnzJI,IAAI,Ed2zJI,KAAK,Cc3zJT,CAAJ,C;QACI,cd0zJc,sD;QczzJd,MAAM,gCAAYB,OAAQ,WAAjC,C;Od0zJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QA Ae,OAAO,iB;MACTB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAa,CAAb,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mct0JI,IAAI,Ed80JI,KAAK,Cc90JT,CAAJ,C;QACI,cd60Jc,sD;Qc50Jd,MAAM,gCAAYB,OAAQ,WAAjC,C;Od60JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QA Ae,OAAO,mB;MACTB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mcz1JI,IAAI,Edi2JI,KAAK,Ccj2JT,CAAJ,C;QACI,cdg2Jc,sD;Qc/1Jd,MAAM,gCAAYB,OAAQ,WAAjC,C;Odg2JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QA Ae,OAAO,mB;MACTB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mc52JI,IAAI,Edo3JI,KAAK,Ccp3JT,CAAJ,C;QACI,cdm3Jc,sD;Qcl3Jd,MAAM,gCAAYB,OAAQ,WAAjC,C;Odm3JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QA Ae,OAAO,mB;MACTB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAe,CAAf,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mc/3JI,IAAI,Edu4JI,KAAK,Ccv4JT,CAAJ,C;QACI,cds4Jc,sD;Qcr4Jd,MAAM,gCAAYB,OAAQ,WAAjC,C;Ods4JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QA Ae,OAAO,mB;MACTB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mc r6JI,IAAI,Ed66JI,KAAK,Cc76JT,CAAJ,C;QACI,cd46Jc,sD;Qc36Jd,MAAM,gCAAYB,OAAQ,WAAjC,C;Od46JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QA Ae,OAAO,mB;MACTB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBA AkB,CAAIB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mcx7JI,IAAI,Edg8JI,KAAK,Cch8JT,CAAJ,C;QACI,cd+7Jc,sD;Qc97Jd,MAAM,gCAAYB,OAAQ,WAAjC,C;Od+7JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QA Ae,OAAO,mB;MACTB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAmB,CAAnB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mc38JI,IAAI,Edm9JI,KAAK,Ccn9JT,CAAJ,C;QACI,cdk9Jc,sD;Qcj9Jd,MAAM,gCAAYB,OAAQ,WAAjC,C;Odk9JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QA Ae,OAAO,mB;MACTB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,EAAP,C;MACnB,WAAW,iBAAgB,CAAhB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,EAAP,C;MACT,OAAO,I;K;gGAGX,yB;MAAAA,8D;MAAAA,4C;MAAAA,gD;MAAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;O;KAXX,C;kGAcA,yB;MAAAA,8D;MAAAA,2C;MAAAA,gD;MAAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;O;KAXX,C;kGAcA,yB;MAAAA,8D;MAAAA,4C;MAAAA,gD;MAAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;O;KAXX,C;kGAcA,yB;MAAAA,8D;MAAAA,4C;MAAAA,gD;MAAAA,uC;QAMI,iBAAc,wBAAd







AAgB,0B;MACHb,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OAAO,M;K;IAGX,oC;MAIL,IA6hEO,qBAAQ,CA7hEf,C;QAAe,OAAO,S;MACtB,aAAa,eAAW,gBAAX,C;MACb,gBAAgB,0B;MACHb,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OAAO,M;K;IAGX,oC;MAIL,IAyhEO,qBAAQ,CAzhEf,C;QAAe,OAAO,S;MACtB,aAAa,eAA S,gBAAT,C;MACb,gBAAgB,0B;MACHb,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OAAO,M;K;IAGX,oC;MAIL,IAqhEO,qBAAQ,CArhEf,C;QAAe,OAAO,S;MACtB,a AAa,iBAAU,gBAAV,C;MACb,gBAAgB,0B;MACHb,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAAY,CAAZ ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OAAO,M;K;IAGX,oC;MAIL,IAihEO,qBAAQ,CAjhEf,C;QAAe,OAAO, S;MACtB,aAAa,iBAAW,gBAAX,C;MACb,gBAAgB,0B;MACHb,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,Y AAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OAAO,M;K;IAGX,oC;MAIL,IA6gEO,qBAAQ,CA7gEf,C;Q AAe,OAAO,S;MACtB,aAAa,iBAAAY,gBAAZ,C;MACb,gBAAgB,0B;MACHb,aAAU,CAAV,OAAa,SAAb,M;QA CI,OAAO,YAAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OAAO,M;K;IAGX,oC;MAIL,IAygEO,qBAAQ, CAzgEf,C;QAAe,OAAO,S;MACtB,aAAa,oBAAa,gBAAb,C;MACb,gBAAgB,0B;MACHb,aAAU,CAAV,OAAa,S AAb,M;QACI,OAAO,YAAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OAAO,M;K;IAGX,oC;MAIL,IAqgE O,qBAAQ,CArgEf,C;QAAe,OAAO,S;MACtB,aAAa,iBAAU,gBAAV,C;MACb,gBAAgB,0B;MACHb,aAAU,CA AV,OAAa,SAAb,M;QACI,OAAO,YAAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OAAO,M;K;IAGX,4B; MAKI,qBAAQ,4BAAR,C;K;IAGJ,8B;MAKI,qBAAQ,4BAAR,C;K;IAGJ,8B;MAKI,sBAAQ,4BAAR,C;K;IAGJ,8 B;MAKI,sBAAQ,4BAAR,C;K;IAGJ,8B;MAKI,sBAAQ,4BAAR,C;K;IAGJ,8B;MAKI,sBAAQ,4BAAR,C;K;IAG J,8B;MAKI,sBAAQ,4BAAR,C;K;IAGJ,8B;MAKI,sBAAQ,4BAAR,C;K;IAGJ,8B;MAKI,sBAAQ,4BAAR,C;K;IAG J,sC;MAOI,aAAU,wBAAV,OAA2B,CAA3B,M;QACI,QAAQ,MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,WAA W,UAAK,CAAL,C;QACX,UAAK,CAAL,IAAU,UAAK,CAAL,C;QACV,UAAK,CAAL,IAAU,I;;K;IAIIB,sC;MA OI,aAAU,0BAAV,OAA2B,CAA3B,M;QACI,QAAQ,MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,WAAW,UAAK, CAAL,C;QACX,UAAK,CAAL,IAAU,UAAK,CAAL,C;QACV,UAAK,CAAL,IAAU,I;;K;IAIIB,uC;MAOI,aAAU, 0BAAV,OAA2B,CAA3B,M;QACI,QAAQ,MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,WAAW,UAAK,CAAL,C; QACX,UAAK,CAAL,IAAU,UAAK,CAAL,C;QACV,UAAK,CAAL,IAAU,I;;K;IAIIB,uC;MAOI,aAAU,0BAAV, OAA2B,CAA3B,M;QACI,QAAQ,MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,WAAW,UAAK,CAAL,C;QACX,U AAK,CAAL,IAAU,UAAK,CAAL,C;QACV,UAAK,CAAL,IAAU,I;;K;IAIIB,uC;MAOI,aAAU,0BAAV,OAA2B,C AA3B,M;QACI,QAAQ,MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,WAAW,UAAK,CAAL,C;QACX,UAAK,CA AL,IAAU,UAAK,CAAL,C;QACV,UAAK,CAAL,IAAU,I;;K;IAIIB,uC;MAOI,aAAU,0BAAV,OAA2B,CAA3B,M ;QACI,QAAQ,MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,WAAW,UAAK,CAAL,C;QACX,UAAK,CAAL,IAAU, UAAK,CAAL,C;QACV,UAAK,CAAL,IAAU,I;;K;IAIIB,uC;MAOI,aAAU,0BAAV,OAA2B,CAA3B,M;QACI,QA AQ,MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,WAAW,UAAK,CAAL,C;QACX,UAAK,CAAL,IAAU,UAAK,C AAL,C;QACV,UAAK,CAAL,IAAU,I;;K;IAIIB,uC;MAOI,aAAU,0BAAV,OAA2B,CAA3B,M;QACI,QAAQ,MA AO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,WAAW,UAAK,CAAL,C;QACX,UAAK,CAAL,IAAU,UAAK,CAAL,C; QACV,UAAK,CAAL,IAAU,I;;K;IAIIB,uC;MAOI,aAAU,0BAAV,OAA2B,CAA3B,M;QACI,QAAQ,MAAO,iB AAQ,IAAI,CAAJ,IAAR,C;QACf,WAAW,UAAK,CAAL,C;QACX,UAAK,CAAL,IAAU,UAAK,CAAL,C; QACV,UAAK,CAAL,IAAU,I;;K;IAIIB,uC;MAOI,aAAU,0BAAV,OAA2B,CAA3B,M;QACI,QAAQ,MAAO,iBAA Q,IAAI,CAAJ,IAAR,C;QACf,WAAW,UAAK,CAAL,C;QACX,UAAK,CAAL,IAAU,UAAK,CAAL,C;QACV,U AAK,CAAL,IAAU,I;;K;IAIIB,yB;MAAA,oD;MgBn5LA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4 B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3 B,C;W;S;OA4DI,C;MhB44Lf,sC;QAMI,IAAI,mBAAO,CAAX,C;UAAc,oBgB15Ld,eAAW,iBhBk5LsB,QgB15LtB, CAAX,ChBk5Lc,C;U;KANIB,C;sGASA,yB;MAAA,oD;MgBz4LA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;e AwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN, CAA3B,C;W;S;OA+EI,C;MhBk4Lf,sC;QAMI,IAAI,mBAAO,CAAX,C;UAAc,oBgBx4Ld,eAAW,2BhBw4LgC,Q gBx4LhC,CAAX,ChBw4Lc,C;U;KANIB,C;IASA,mC;MAMI,oBAAS,cAAT,C;K;IAGJ,qC;MAIL,IAAI,mBAAO,C AAX,C;QACI,e;QACA,oB;Q;IAIR,qC;MAIL,IAAI,mBAAO,CAAX,C;QACI,e;QACA,oB;Q;IAIR,qC;MAIL,IAAI, mBAAO,CAAX,C;QACI,e;QACA,oB;Q;IAIR,qC;MAIL,IAAI,mBAAO,CAAX,C;QACI,iB;QACA,oB;Q;IAIR,qC; MAIL,IAAI,mBAAO,CAAX,C;QACI,e;QACA,oB;Q;IAIR,qC;MAIL,IAAI,mBAAO,CAAX,C;QACI,e;QACA,oB; Q;IAIR,qC;MAIL,IAAI,mBAAO,CAAX,C;QACI,e;QACA,oB;Q;IAIR,2B;MAMI,OAAqB,OAAd,sBAAc,C;K;IAG zB,6B;MAI0B,kBAAf,yB;MAAuB,mB;MAA9B,OAAuC,OiB5gMhC,WjB4gMgC,C;K;IAG3C,6B;MAI0B,kBAAf

,yB;MAAuB,mB;MAA9B,OAAuC,OiBnhMhC,WjBmhMgC,C;K;IAG3C,6B;MAI0B,kBAAf,yB;MAAuB,mB;MAA9B,OAAuC,OiB1hMhC,WjB0hMgC,C;K;IAG3C,6B;MAI0B,kBAAf,yB;MAAuB,mB;MAA9B,OAAuC,OiBjIMhC,WjBiiMgC,C;K;IAG3C,6B;MAI0B,kBAAf,yB;MAAuB,mB;MAA9B,OAAuC,OiBxiMhC,WjBwiMgC,C;K;IAG3C,6B;MAI0B,kBAAf,yB;MAAuB,mB;MAA9B,OAAuC,OiB/iMhC,WjB+iMgC,C;K;IAG3C,6B;MAI0B,kBAAf,0B;MAAuB,mB;MAA9B,OAAuC,OiBtjMhC,WjBsjMgC,C;K;IAG3C,gC;MAMI,IA6kDO,qBAAQ,CA7kDf,C;QAAe,OAAO,S;MACD,kBAAd,SejKiB,Q;MfojKK,mB;MAA7B,OiBhkMO,W;K;IjBmkMX,kC;MAII,IA6kDO,qBAAQ,CA7kDf,C;QAAe,OAAO,S;MACD,kBAAd,SejKiB,Q;MfgjKK,iB;MAA7B,OiBhlMO,W;K;IjBmlMX,kC;MAII,IA6kDO,qBAAQ,CA7kDf,C;QAAe,OAAO,S;MACD,kBAAd,Se9iKiB,Q;Mf8iKK,iB;MAA7B,OiBxlMO,W;K;IjB2IMX,kC;MAII,IA6kDO,qBAAQ,CA7kDf,C;QAAe,OAAO,S;MACD,kBAAT,UAAL,SAAK,C;MAAiB,mB;MAA7B,OiBhmMO,W;K;IjBmmMX,kC;MAII,IA6kDO,qBAAQ,CA7kDf,C;QAAe,OAAO,S;MACD,kBAAd,Se3iKiB,Q;Mf2iKK,iB;MAA7B,OiBxmMO,W;K;IjB2mMX,kC;MAII,IA6kDO,qBAAQ,CA7kDf,C;QAAe,OAAO,S;MACD,kBAAd,SeziKiB,Q;MfyiKK,iB;MAA7B,OiBhnMO,W;K;IjBmnMX,kC;MAII,IAqIDO,qBAAQ,CArIdf,C;QAAe,OAAO,S;MACD,kBAAT,UAAL,SAAK,C;MAAiB,iB;MAA7B,OiBxnMO,W;K;IjB2nMX,0C;MAMI,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SetnKiB,Q;MfsnKK,sBAAS,cAAT,C;MAA7B,OiBloMO,W;K;IjBqoMX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SejnKiB,Q;MfonKK,6B;MAA7B,OiB1oMO,W;K;IjB6oMX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SelnKiB,Q;MfknKK,6B;MAA7B,OiBlpMO,W;K;IjBqpMX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SehnKiB,Q;MfgnKK,6B;MAA7B,OiB1pMO,W;K;IjB6pMX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAT,UAAL,SAAK,C;MAAiB,6B;MAA7B,OiBlqMO,W;K;IjBqqMX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,Se7mKiB,Q;Mf6mKK,6B;MAA7B,OiB1qMO,W;K;IjB6qMX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,Se3mKiB,Q;Mf2mKK,6B;MAA7B,OiBlrMO,W;K;IjBqrMX,4C;MAII,IAmhDO,qBAAQ,CAnhDf,C;QAAe,OAAO,S;MACD,kBAAT,UAAL,SAAK,C;MAAiB,6B;MAA7B,OiB1rMO,W;K;IjB6rMX,gD;MAMI,IAy8CO,qBAAQ,CAz8Cf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,iC;MAA7B,OiBpsMO,W;K;sfjBusMX,yB;MAAA,wD;MgB5rMA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBqrMf,sC;QAQI,OAAO,sBgB7rMP,eAAW,iBhB6rMiB,QgB7rMjB,CAAX,ChB6rMO,C;O;KANX,C;wFASA,yB;MAAA,wD;MgBvsMA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBgsMf,sC;QAMI,OAAO,sBgBtsMP,eAAW,iBhBssMiB,QgBtsMjB,CAAX,ChBssMO,C;O;KANX,C;wFASA,yB;MAAA,wD;MgBhtMA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBysMf,sC;QAMI,OAAO,sBgB/sMP,eAAW,iBhB+sMiB,QgB/sMjB,CAAX,ChB+sMO,C;O;KANX,C;wFASA,yB;MAAA,wD;MgBztMA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBktMf,sC;QAMI,OAAO,sBgBxtMP,eAAW,iBhBwtMiB,QgBxtMjB,CAAX,ChBwtMO,C;O;KANX,C;wFASA,yB;MAAA,wD;MgBluMA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhB2tMf,sC;QAMI,OAAO,sBgBjuMP,eAAW,iBhBiuMiB,QgBjuMjB,CAAX,ChBiuMO,C;O;KANX,C;wFASA,yB;MAAA,wD;MgB3uMA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBouMf,sC;QAMI,OAAO,sBgB1uMP,eAAW,iBhB0uMiB,QgB1uMjB,CAAX,ChB0uMO,C;O;KANX,C;wFASA,yB;MAAA,wD;MgBpvMA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhB6uMf,sC;QAMI,OAAO,sBgBnvMP,eAAW,iBhBmvMiB,QgBnvMjB,CAAX,ChBmvMO,C;O;KANX,C;wFASA,yB;MAAA,wD;MgB7vMA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBsvMf,sC;QAMI,OAAO,sBgB5vMP,eAAW,iBhB4vMiB,QgB5vMjB,CAAX,ChB4vMO,C;O;KANX,C;wFASA



MAKI,OAAO,qBAAQ,C;K;sFAGnB,qB;MAKI,OAAO,qBAAQ,C;K;sFAGnB,qB;MAKI,OAAO,qBAAQ,C;K;sFAGnB,qB;MAKI,OAAO,qBAAQ,C;K;0FAGnB,qB;MAKI,OAAO,EAxE A,qBAAQ,CAwER,C;K;4FAGX,qB;MAKI,OAAO,EAxEA,qBAAQ,CAwER,C;K;4FAGX,qB;MAKI,OAAO,EAxEA,qBAAQ,CAwER,C;K;4FAGX,qB;MAKI,OAAO,EA xEA,qBAAQ,CAwER,C;K;4FAGX,qB;MAKI,OAAO,EAxEA,qBAAQ,CAwER,C;K;4FAGX,qB;MAKI,OAAO,EAxEA,qBAAQ,CAwER,C;K;4FAGX,qB;MAKI,OAAO, EAxEA,qBAAQ,CAwER,C;K;IAOP,kC;MAAQ,0BAAO,CAAP,I;K;IAMR,oC;MAAQ,0BAAO,CAAP,I;K;IAMR,oC;MAAQ,0BAAO,CAAP,I;K;IAMR,oC;MAAQ,0BAAO,CAAP,I;K;IAM R,oC;MAAQ,0BAAO,CAAP,I;K;IAMR,oC;MAAQ,0BAAO,CAAP,I;K;IAMR,oC;MAAQ,0BAAO,CAAP,I;K;IA8TZ,yD;MAcI,sBAAS,cAAT,EAAYB,SAAZB,EAAoC,OAApC,C;K;IAGJ,y D;MAYI,mBAAK,SAAL,EAAGB,OAAhB,C;MACA,qBAAQ,SAAR,EAAMB,OAAnB,C;K;IAGJ,yD;MAYI,mBA AK,SAAL,EAAGB,OAAhB,C;MACA,sBAAQ,SAAR,EAAMB,OAAnB,C;K;IAGJ,0D;MAYI,mBAAK,SAAL,EA AgB,OAAhB,C;MACA,sBAAQ,SAAR,EAAMB,OAAnB,C;K;IAGJ,0D;MAYI,mBAAK,SAAL,EAAGB,OA AhB,C;MACA,sBAAQ,SAAR,EAAMB,OAAnB,C;K;IAGJ,0D;MAYI,mBAAK,SAAL,EAAGB,OAAhB,C;MACA,sBA AQ,SAAR,EAAMB,OAAnB,C;K;IAGJ,0D;MAYI,mBAAK,SAAL,EAAGB,OAAhB,C;MACA,sBAAQ,SAAR,EA AmB,OAAnB,C;K;IAGJ,0D;MAYI,mBAAK,SAAL,EAAGB,OAAhB,C;MACA,sBAAQ,SAAR,EAAMB,OAAnB, C;K;IA2B0B,oD;MAAA,wB;QAAW,2BAAK,KAAL,C;O;K;IAJzC,mC;MAII,OAAO,qBAAa,gBAAb,EAAMB,gC AAnB,C;K;IAOgB,8C;MAAA,wB;QAAW,wBAAK,KAAL,C;O;K;IAJtC,gC;MAII,OAAO,+BAAU,gBAAV,GAA gB,6BAAhB,C;K;IAOgB,8C;MAAA,wB;QAAW,wBAAK,KAAL,C;O;K;IAJtC,gC;MAII,OAAO,kBAAU,gBAA V,EAAGB,6BAAhB,C;K;IAOkB,kD;MAAA,wB;QAAW,0BAAK,KAAL,C;O;K;IAJxC,kC;MAII,OAAO,kCAAY, gBAAZ,GAAkB,+BAAIB,C;K;IAOiB,gD;MAAA,wB;QAAW,yBAAK,KAAL,C;O;K;IAJvC,iC;MAII,OAAO,kC AAW,gBAAX,GAAiB,8BAAjB,C;K;IAOe,4C;MAAA,wB;QAAW,uBAAK,KAAL,C;O;K;IAJrC,+B;MAII,OAAO ,gCAAS,gBAAT,GAAe,4BAAf,C;K;IAOgB,8C;MAAA,wB;QAAW,wBAAK,KAAL,C;O;K;IAJtC,gC;MAII,OAA O,kBAAU,gBAAV,EAAGB,6BAAhB,C;K;IAOiB,gD;MAAA,wB;QAAW,yBAAK,KAAL,C;O;K;IAJvC,iC;MAII, OAAO,gCAAW,gBAAX,GAAiB,8BAAjB,C;K;wFA2CX,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAW I,eAAiC,cAAIB,YAAY,gBAAZ,CAAKB,EAAC,EAAD,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAYqBH,Q;QAA hB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UOX+QnB,wBAAI,IAAK,MAAT,EAAGB, IAAK,OAARb,C;;QP8zPA,OA4qBO,W;O;KAXrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;Q AWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAKB,EAAC,EAAD,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAYqBH,Q; QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UOV/QnB,wBAAI,IAAK,MAAT,EA AgB,IAAK,OAARb,C;;QP60PA,OA4qBO,W;O;KAXrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA, uC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAKB,EAAC,EAAD,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAYqB H,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UOTgRnB,wBAAI,IAAK,MAAT ,EAAGB,IAAK,OAARb,C;;QP41PA,OA4qBO,W;O;KAXrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MA AA,uC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAKB,EAAC,EAAD,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA YqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UORhRnB,wBAAI,IAAK,M AAT,EAAGB,IAAK,OAARb,C;;QP22PA,OA4qBO,W;O;KAXrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,u E;MAAA,uC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAKB,EAAC,EAAD,C;QAC1B,kBAAY,mBAAoB,QAApB, C;QAYqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UOPiRnB,wBAAI,IAA K,MAAT,EAAGB,IAAK,OAARb,C;;QP03PA,OA4qBO,W;O;KAXrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAA A,uE;MAAA,uC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAKB,EAAC,EAAD,C;QAC1B,kBAAY,mBAAoB,QAA pB,C;QAYqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UONjRnB,wBAAI, IAAK,MAAT,EAAGB,IAAK,OAARb,C;;QP4PA,OA4qBO,W;O;KAXrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;M AAA,uE;MAAA,uC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAKB,EAAC,EAAD,C;QAC1B,kBAAY,mBAAoB,Q AAAPB,C;QAYqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UOLkRnB,wBA AI,IAAK,MAAT,EAAGB,IAAK,OAARb,C;;QP5PA,OA4qBO,W;O;KAXrBX,C;0FAeA,yB;MAAA,0D;MAAA,y D;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAKB,EAAC,EAAD,C;QAC1B,kBAAY,mBAAo B,QAAAPB,C;QAYqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UOjlRnB,w

BAAI,IAAK,MAAT,EAAGB,IAAK,OAARb,C;;QPu6PA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAA  
A,yD;MAAA,uE;MA4qBA,oC;MAAA,gC;MA5qBA,uC;QAWI,eAAiC,cAAIB,YAAy,gBAAZ,CAAKB,EAAC,EA  
Ad,C;QAC1B,kBAAY,mBAAoB,QAAPB,C;QAYqBH,Q;QAAhB,iD;UAAgB,cAAhB,0B;UACI,WA1qB8C,SA0q  
B/B,CAAU,oBAAV,C;UOhmRnB,wBAAI,IAAK,MAAT,EAAGB,IAAK,OAARb,C;;QPs7PA,OA4qBO,W;O;KAxr  
BX,C;4FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAIB,YAAy,gBAAZ,CAAKB,E  
AAc,EAAd,C;QAC1B,kBAAc,mBAAoB,QAAPB,C;QAmQL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAp  
QoC,WAoQhC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QApQhB,OAsQO,W;O;KAIRX,C;8FAeA,yB;MAAA,0  
D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAIB,YAAy,gBAAZ,CAAKB,EAAC,EAAd,C;QAC1B,kBA  
Ac,mBAAuB,QAAvB,C;QAoQL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aArQuC,WAqQnC,CAAY,OAA  
Z,CAAJ,EAA0B,OAA1B,C;;QArQhB,OAuQO,W;O;KANRX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MA  
AA,yC;QAWI,eAAiC,cAAIB,YAAy,gBAAZ,CAAKB,EAAC,EAAd,C;QAC1B,kBAAc,mBAAwB,QAAXB,C;QAq  
QL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAtQwC,WAsQpC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;  
QAtQhB,OAwQO,W;O;KApRX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAI  
B,YAAy,gBAAZ,CAAKB,EAAC,EAAd,C;QAC1B,kBAAc,mBAAbB,QAAtB,C;QAsQL,Q;QAAhB,iD;UAAgB,c  
AAhB,e;UACI,WAAY,aAvQsC,WAuQIC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QAvQhB,OAyQO,W;O;KAr  
RX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAIB,YAAy,gBAAZ,CAAKB,E  
AAc,EAAd,C;QAC1B,kBAAc,mBAAuB,QAAvB,C;QAuQL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAx  
QuC,WAwQnC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QAxQhB,OA0QO,W;O;KATRX,C;8FAeA,yB;MAAA,0  
D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAIB,YAAy,gBAAZ,CAAKB,EAAC,EAAd,C;QAC1B,kBA  
Ac,mBAAwB,QAAXB,C;QAwQL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAzQwC,WAyQpC,CAAY,OA  
AZ,CAAJ,EAA0B,OAA1B,C;;QAZhB,OA2QO,W;O;KAvRX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;  
MAAA,yC;QAWI,eAAiC,cAAIB,YAAy,gBAAZ,CAAKB,EAAC,EAAd,C;QAC1B,kBAAc,mBAAyB,QAazB,C;  
QAYQL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA1QyC,WA0QrC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B  
,C;;QA1QhB,OA4QO,W;O;KAxRX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,c  
AAIB,YAAy,gBAAZ,CAAKB,EAAC,EAAd,C;QAC1B,kBAAc,mBAA0B,QAa1B,C;QA0QL,Q;QAAhB,iD;UAA  
gB,cAAhB,e;UACI,WAAY,aA3Q0C,WA2QtC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QA3QhB,OA6QO,W;O;  
KAzRX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MA6QA,oC;MAAA,gC;MA7QA,yC;QAWI,eAAiC,cAA  
IB,YAAy,gBAAZ,CAAKB,EAAC,EAAd,C;QAC1B,kBAAc,mBAAuB,QAAvB,C;QA2QL,Q;QAAhB,iD;UAAgB,  
cAAhB,0B;UACI,WAAY,aA5QuC,WA4QnC,CAAY,oBAAZ,CAAJ,EAA0B,oBAA1B,C;;QA5QhB,OA8QO,W;O  
;KAIRX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAIB,YAAy,gBAAZ,CAAK  
B,EAAC,EAAd,C;QAC1B,kBAAc,mBAAoB,QAAPB,C;QA6QL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,a  
A9QoC,WA8QhC,CAAY,OAAZ,CAAJ,EA9QiD,cA8QvB,CAAe,OAaf,CAA1B,C;;QA9QhB,OAgrO,W;O;KA3  
RX,C;8FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAIB,YAAy,gBAAZ,CAAKB,EA  
Ac,EAAd,C;QAC1B,kBAAc,mBAAoB,QAAPB,C;QA+QL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAhRo  
C,WAgRhC,CAAY,OAAZ,CAAJ,EAhRiD,cAgRvB,CAAe,OAaf,CAA1B,C;;QAhRhB,OAkRO,W;O;KA7RX,C;+  
FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAIB,YAAy,gBAAZ,CAAKB,EAAC,EA  
Ad,C;QAC1B,kBAAc,mBAAoB,QAAPB,C;QAiRL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAIrOC,Wak  
RhC,CAAY,OAAZ,CAAJ,EAIRiD,cAkRvB,CAAe,OAaf,CAA1B,C;;QAIRhB,OAoRO,W;O;KA/RX,C;+FAcA,y  
B;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAIB,YAAy,gBAAZ,CAAKB,EAAC,EAAd,C;Q  
AC1B,kBAAc,mBAAoB,QAAPB,C;QAmRL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aApRoC,WAoRhC,  
CAAY,OAAZ,CAAJ,EApRiD,cAoRvB,CAAe,OAaf,CAA1B,C;;QApRhB,OAsoRO,W;O;KAjSX,C;+FAcA,yB;M  
AAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAIB,YAAy,gBAAZ,CAAKB,EAAC,EAAd,C;QAC1  
B,kBAAc,mBAAoB,QAAPB,C;QAqRL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAtRoC,WAsRhC,CAAY  
,OAAZ,CAAJ,EAtrID,cAsRvB,CAAe,OAaf,CAA1B,C;;QAtRhB,OAwoRO,W;O;KANsX,C;+FAcA,yB;MAAA,0  
D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAIB,YAAy,gBAAZ,CAAKB,EAAC,EAAd,C;QAC1B,kBA  
Ac,mBAAoB,QAAPB,C;QAuRL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAxRoC,WAwRhC,CAAY,OAA  
Z,CAAJ,EAxRiD,cAwRvB,CAAe,OAaf,CAA1B,C;;QAxRhB,OA0RO,W;O;KArSX,C;+FAcA,yB;MAAA,0D;M  
AAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAIB,YAAy,gBAAZ,CAAKB,EAAC,EAAd,C;QAC1B,kBAAc,m



MAAT,EAAGB,IAAK,OAArB,C;;MPokRA,OAAO,W;K;8FAGX,6C;MASoB,Q;MAAhB,wBAAGB,SAAhB,gB;Q  
AAGB,cAAA,SAAhB,M;QACI,WAAE,UAAU,OAAV,C;QOjIRnB,wBAAI,IAAK,MAAT,EAAGB,IAAK,OAArB,  
C;;MPmlRA,OAAO,W;K;8FAGX,yB;MAAA,oC;MAAA,gC;MAAA,oD;QASoB,Q;QAAhB,wBAAGB,SAAhB,gB  
;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,WAAE,UAAU,oBAAV,C;UOhmRnB,wBAAI,IAAK,MAAT,EAAGB,I  
AAK,OAArB,C;;QPkmRA,OAAO,W;O;KAZX,C;gGAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAY  
I,aAAa,mBAAc,cAAIB,YAAY,gBAAZ,CAAKB,EAAC,EAAD,CAATC,C;QAsJG,Q;QAAhB,iD;UAAgB,cAAhB,e  
;UArJuB,MAsJP,aAAI,OAAJ,EATJe,aAsJF,CAAC,OAAD,CAAB,C;;QATJhB,OAAuB,M;O;KAd3B,C;kGAgBA,yB;  
MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAaI,aAAa,mBAAyC,cAAIB,YAAY,gBAAZ,CAAKB,EAAC,EAAD,  
CAAzC,C;QAsJG,Q;QAAhB,iD;UAAgB,cAAhB,e;UArJuB,MAsJP,aAAI,OAAJ,EATJe,aAsJF,CAAC,OAAD,CA  
Ab,C;;QATJhB,OAAuB,M;O;KAd3B,C;kGAIbA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAaI,aAAa,m  
BAA0C,cAAIB,YAAY,gBAAZ,CAAKB,EAAC,EAAD,CAA1C,C;QAsJG,Q;QAAhB,iD;UAAgB,cAAhB,e;UArJuB  
,MAsJP,aAAI,OAAJ,EATJe,aAsJF,CAAC,OAAD,CAAB,C;;QATJhB,OAAuB,M;O;KAd3B,C;kGAIbA,yB;MAAA,0  
D;MAAA,yD;MAAA,uE;MAAA,2C;QAaI,aAAa,mBAAwC,cAAIB,YAAY,gBAAZ,CAAKB,EAAC,EAAD,CAAx  
C,C;QAsJG,Q;QAAhB,iD;UAAgB,cAAhB,e;UArJuB,MAsJP,aAAI,OAAJ,EATJe,aAsJF,CAAC,OAAD,CAAB,C;;Q  
ATJhB,OAAuB,M;O;KAd3B,C;kGAIbA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAaI,aAAa,mBAAyC,  
cAAIB,YAAY,gBAAZ,CAAKB,EAAC,EAAD,CAAzC,C;QAsJG,Q;QAAhB,iD;UAAgB,cAAhB,e;UArJuB,MAsJP,  
aAAI,OAAJ,EATJe,aAsJF,CAAC,OAAD,CAAB,C;;QATJhB,OAAuB,M;O;KAd3B,C;kGAIbA,yB;MAAA,0D;MAA  
A,yD;MAAA,uE;MAAA,2C;QAaI,aAAa,mBAA0C,cAAIB,YAAY,gBAAZ,CAAKB,EAAC,EAAD,CAA1C,C;QAsJ  
G,Q;QAAhB,iD;UAAgB,cAAhB,e;UArJuB,MAsJP,aAAI,OAAJ,EATJe,aAsJF,CAAC,OAAD,CAAB,C;;QATJhB,OA  
AuB,M;O;KAd3B,C;kGAIbA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAaI,aAAa,mBAA2C,cAAIB,Y  
AAY,gBAAZ,CAAKB,EAAC,EAAD,CAA3C,C;QAsJG,Q;QAAhB,iD;UAAgB,cAAhB,e;UArJuB,MAsJP,aAAI,O  
AAJ,EATJe,aAsJF,CAAC,OAAD,CAAB,C;;QATJhB,OAAuB,M;O;KAd3B,C;kGAIbA,yB;MAAA,0D;MAAA,yD;M  
AAA,uE;MAAA,2C;QAaI,aAAa,mBAA4C,cAAIB,YAAY,gBAAZ,CAAKB,EAAC,EAAD,CAA5C,C;QAsJG,Q;Q  
AAhB,iD;UAAgB,cAAhB,e;UArJuB,MAsJP,aAAI,OAAJ,EATJe,aAsJF,CAAC,OAAD,CAAB,C;;QATJhB,OAAuB,  
M;O;KAd3B,C;kGAIbA,yB;MAAA,uD;MAAA,0D;MAAA,yD;MAAA,uE;MAwJA,oC;MAAA,gC;MAxJA,2C;Q  
AaI,aAAa,mBAA2D,cAApC,YAAiB,aAAL,gBAAK,EAAa,GAAb,CAAjB,CAAoC,EAAC,EAAD,CAA3D,C;QAsJ  
G,Q;QAAhB,iD;UAAgB,cAAhB,0B;UArJuB,MAsJP,aAAI,oBAAJ,EATJe,aAsJF,CAAC,oBAAAd,CAAB,C;;QATJhB  
,OAAuB,M;O;KAd3B,C;oGAIbA,iD;MAUoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,  
WAAy,aAAI,OAAJ,EAAa,cAAc,OAAD,CAAB,C;;MAEhB,OAAO,W;K;sGAGX,iD;MAWoB,Q;MAAhB,wBAA  
gB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,WAAy,aAAI,OAAJ,EAAa,cAAc,OAAD,CAAB,C;;MAEhB,OAA  
O,W;K;sGAGX,iD;MAWoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,WAAy,aAAI,O  
AAJ,EAAa,cAAc,OAAD,CAAB,C;;MAEhB,OAAO,W;K;sGAGX,iD;MAWoB,Q;MAAhB,wBAAGB,SAAhB,gB;Q  
AAGB,cAAA,SAAhB,M;QACI,WAAy,aAAI,OAAJ,EAAa,cAAc,OAAD,CAAB,C;;MAEhB,OAAO,W;K;sGAGX,i  
D;MAWoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,WAAy,aAAI,OAAJ,EAAa,cAAc,  
OAAD,CAAB,C;;MAEhB,OAAO,W;K;sGAGX,iD;MAWoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SA  
AhB,M;QACI,WAAy,aAAI,OAAJ,EAAa,cAAc,OAAD,CAAB,C;;MAEhB,OAAO,W;K;sGAGX,iD;MAWoB,Q;M  
AAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,WAAy,aAAI,OAAJ,EAAa,cAAc,OAAD,CAAB,C;;  
MAEhB,OAAO,W;K;sGAGX,iD;MAWoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,W  
AAY,aAAI,OAAJ,EAAa,cAAc,OAAD,CAAB,C;;MAEhB,OAAO,W;K;sGAGX,yB;MAAA,oC;MAAA,gC;MAAA,  
wD;QAWoB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,WAAy,aAAI,oBAAJ,E  
AAa,cAAc,oBAAAd,CAAB,C;;QAEhB,OAAO,W;O;KAdX,C;IAiBA,8C;MAIiB,Q;MAAb,wBAAa,SAAb,gB;QAA  
a,WAAA,SAAb,M;QACI,WAAy,WAAI,IAAJ,C;;MAEhB,OAAO,W;K;IAGX,gD;MAIiB,Q;MAAb,wBAAa,SA  
Ab,gB;QAAa,WAAA,SAAb,M;QACI,WAAy,WAAI,IAAJ,C;;MAEhB,OAAO,W;K;IAGX,gD;MAIiB,Q;MAAb,w  
BAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAy,WAAI,IAAJ,C;;MAEhB,OAAO,W;K;IAGX,gD;MAIiB,  
Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAy,WAAI,IAAJ,C;;MAEhB,OAAO,W;K;IAGX,  
gD;MAIiB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAy,WAAI,IAAJ,C;;MAEhB,OAAO,  
W;K;IAGX,gD;MAIiB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAy,WAAI,IAAJ,C;;MAE  
hB,OAAO,W;K;IAGX,gD;MAIiB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAy,WAAI,IA

AJ,C;;MAEhB,OAAO,W;K;IAGX,gD;MAIiB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAA Y ,WAAI,IAAJ,C;;MAEhB,OAAO,W;K;IAGX,gD;MAIiB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAb,UAAa,SAAb, O;QACI,WAA Y ,WAAI,iBAAJ,C;;MAEhB,OAAO,W;K;IAGX,8B;MAII,OAAO,wBAAa,eAAW,YAA Y ,gBAAZ, CAAX,CAAb,C;K;IAGX,gC;MAII,OAAO,0BAAa,eAAc,YAA Y ,gBAAZ,CAAd,CAAb,C;K;IAGX,gC;MAII,OAA O,0BAAa,eAAe,YAA Y ,gBAAZ,CAAf,CAAb,C;K;IAGX,gC;MAII,OAAO,0BAAa,eAAa,YAA Y ,gBAAZ,CAAb, CAAb,C;K;IAGX,gC;MAII,OAAO,0BAAa,eAAc,YAA Y ,gBAAZ,CAAd,CAAb,C;K;IAGX,gC;MAII,OAAO,0BA Aa,eAAe,YAA Y ,gBAAZ,CAAf,CAAb,C;K;IAGX,gC;MAII,OAAO,0BAAa,eAAgB,YAA Y ,gBAAZ,CAAhB,CA Ab,C;K;IAGX,gC;MAII,OAAO,0BAAa,eAAiB,YAA Y ,gBAAZ,CAAjB,CAAb,C;K;IAGX,gC;MAII,OAAO,0BA Aa,eAAc,YAAiB,eAAL,gBAAK,EAAa,GAAb,CAAjB,CAAd,CAAb,C;K;IAGX,2B;MAIiB,IAAN,I;MAAA,QAA M,gBAAN,C;aACH,C;UAAK,kB;UAAL,K;aACA,C;UAAK,cAAO,UAAK,CAAL,CAAP,C;UAAL,K;gBACa,qB AAL,SAAK,C;UAHV,K;;MAAP,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,kB;U AAL,K;aACA,C;UAAK,cAAO,UAAK,CAAL,CAAP,C;UAAL,K;gBACa,uBAAL,SAAK,C;UAHV,K;;MAAP,W; K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,kB;UAAL,K;aACA,C;UAAK,cAAO,UAA K,CAAL,CAAP,C;UAAL,K;gBACa,uBAAL,SAAK,C;UAHV,K;;MAAP,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,Q AAM,gBAAN,C;aACH,C;UAAK,kB;UAAL,K;aACA,C;UAAK,cAAO,UAAK,CAAL,CAAP,C;UAAL,K;gBACa, uBAAL,SAAK,C;UAHV,K;;MAAP,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,kB ;UAAL,K;aACA,C;UAAK,cAAO,UAAK,CAAL,CAAP,C;UAAL,K;gBACa,uBAAL,SAAK,C;UAHV,K;;MAAP, W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,kB;UAAL,K;aACA,C;UAAK,cAAO,UAA K,CAAL,CAAP,C;UAAL,K;gBACa,uBAAL,SAAK,C;UAHV,K;;MAAP,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,Q AAM,gBAAN,C;aACH,C;UAAK,kB;UAAL,K;aACA,C;UAAK,cAAO,UAAK,CAAL,CAAP,C;UAAL,K;gBACa, uBAAL,SAAK,C;UAHV,K;;MAAP,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,kB ;UAAL,K;aACA,C;UAAK,cAAO,UAAK,CAAL,CAAP,C;UAAL,K;gBACa,uBAAL,SAAK,C;UAHV,K;;MAAP, W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,kB;UAAL,K;aACA,C;UAAK,cAAO,U AAK,CAAL,CAAP,C;UAAL,K;gBACa,uBAAL,SAAK,C;UAHV,K;;MAAP,W;K;IAOJ,6B;MAIiB,IAAN,I;MAA A,QAAM,gBAAN,C;aACH,C;UAAK,kB;UAAL,K;aACA,C;UAAK,cAAO,UAAK,CAAL,CAAP,C;UAAL,K;gB ACa,uBAAL,SAAK,C;UAHV,K;;MAAP,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAA K,kB;UAAL,K;aACA,C;UAAK,cAAO,UAAK,CAAL,CAAP,C;UAAL,K;gBACa,uBAAL,SAAK,C;UAHV,K;;M AAP,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,kB;UAAL,K;aACA,C;UAAK,cA AO,sBAAK,CAAL,EAAP,C;UAAL,K;gBACa,uBAAL,SAAK,C;UAHV,K;;MAAP,W;K;IAOJ,kC;MAII,OAAO,i BA Ae,aAAL,SAAK,CAAf,C;K;IAGX,oC;MAKiB,Q;MADb,WAAW,iBAAgB,gBAAhB,C;MACX,wBAAa,SAAb ,gB;QAAa,WAAA,SAAb,M;QAAMB,IAAK,WAAI,IAAJ,C;;MACxB,OAAO,I;K;IAGX,oC;MAKiB,Q;MADb,W AAW,iBAAiB,gBAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAMB,IAAK,WAAI,IAAJ,C;;M ACxB,OAAO,I;K;IAGX,oC;MAKiB,Q;MADb,WAAW,iBA Ae,gBAAf,C;MACX,wBAAa,SAAb,gB;QAAa,WAA A,SAAb,M;QAAMB,IAAK,WAAI,IAAJ,C;;MACxB,OAAO,I;K;IAGX,oC;MAKiB,Q;MADb,WAAW,iBAAgB,g BAAhB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAMB,IAAK,WAAI,IAAJ,C;;MACxB,OAAO,I; K;IAGX,oC;MAKiB,Q;MADb,WAAW,iBAAiB,gBAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;Q AAMB,IAAK,WAAI,IAAJ,C;;MACxB,OAAO,I;K;IAGX,oC;MAKiB,Q;MADb,WAAW,iBAAKB,gBAAIB,C;MA CX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAMB,IAAK,WAAI,IAAJ,C;;MACxB,OAAO,I;K;IAGX,oC;M AKiB,Q;MADb,WAAW,iBAAmB,gBAAnB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAMB,IAA K,WAAI,IAAJ,C;;MACxB,OAAO,I;K;IAGX,oC;MAKiB,Q;MADb,WAAW,iBAAgB,gBAAhB,C;MACX,wBAAa ,SAAb,gB;QAAa,WAAb,UAAa,SAAb,O;QAAMB,IAAK,WAAI,iBAAJ,C;;MACxB,OAAO,I;K;IAGX,0B;MAMi B,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,UAAK,CAAL,CAAN, C;UAAL,K;gBACQ,+BAAa,qBAAiB,YAA Y ,gBAAZ,CAAjB,CAAb,C;UAHL,K;;MAAP,W;K;IAOJ,4B;MAMiB, IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,UAAK,CAAL,CAAN,C; UAAL,K;gBACQ,iCAAA,qBAAoB,YAA Y ,gBAAZ,CAApB,CAAb,C;UAHL,K;;MAAP,W;K;IAOJ,4B;MAMiB,I AAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,UAAK,CAAL,CAAN,C; UAAL,K;gBACQ,iCAAA,qBAAqB,YAA Y ,gBAAZ,CAArB,CAAb,C;UAHL,K;;MAAP,W;K;IAOJ,4B;MAMiB,IA AN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,UAAK,CAAL,CAAN,C;U AAL,K;gBACQ,iCAAA,qBAAoB,YAA Y ,gBAAZ,CAApB,CAAb,C;UAHL,K;;MAAP,W;K;IAOJ,4B;MAMiB,IA AN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,UAAK,CAAL,CAAN,C;U AAL,K;gBACQ,iCAAA,qBAAqB,YAA Y ,gBAAZ,CAArB,CAAb,C;UAHL,K;;MAAP,W;K;IAOJ,4B;MAMiB,IAA



N,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,UAAK,CAAL,CAAN,C;UAAL,K;gBACQ,iCAAA,qBAAsB,YAAY,gBAAZ,CAAtB,CAAb,C;UAHL,K;;MAAP,W;K;IAOJ,4B;MAMiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,UAAK,CAAL,CAAN,C;UAA L,K;gBACQ,iCAAA,qBAAuB,YAAY,gBAAZ,CAAvB,CAAb,C;UAHL,K;;MAAP,W;K;IAOJ,4B;MAMiB,IAAN,I ;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,sBAAK,CAAL,EAAN,C;UAAL ,K;gBACQ,iCAAA,qBAAoB,YAAiB,eAAL,gBAAK,EAAa,GAAb,CAAjB,CAApB,CAAb,C;UAHL,K;;MAAP,W; K;oFAOJ,yB;MAAA,+D;MAwaA,gD;MAxaA,uC;QAMW,kBAAU,gB;QAsaD,Q;QAaHb,iD;UAAgB,cAAhB,e;U ACI,WaVa6B,SAualB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAxahB,OA0aO,W;O;KAhbX,C; sFASA,yB;MAAA,+D;MA0aA,gD;MA1aA,uC;QAMW,kBAAU,gB;QAwaD,Q;QAaHb,iD;UAAgB,cAAhB,e;UA CI,WaZa6B,SAyalB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1ahB,OA4aO,W;O;KAlbX,C;sF ASA,yB;MAAA,+D;MA4aA,gD;MA5aA,uC;QAMW,kBAAU,gB;QA0aD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI, WA3a6B,SA2alB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA5ahB,OA8aO,W;O;KApbX,C;sFA SA,yB;MAAA,+D;MA8aA,gD;MA9aA,uC;QAMW,kBAAU,gB;QA4aD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI, WA7a6B,SA6alB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9ahB,OAgbO,W;O;KAtbX,C;sFAS A,yB;MAAA,+D;MAGbA,gD;MAhbA,uC;QAMW,kBAAU,gB;QA8aD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,W A/a6B,SA+alB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAhhbB,OAKbO,W;O;KaxbX,C;sFASA ,yB;MAAA,+D;MAkbA,gD;MAlbA,uC;QAMW,kBAAU,gB;QAgbD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,Waj b6B,SAibLB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1bhB,OAobO,W;O;KA1bX,C;sFASA,yB ;MAAA,+D;MAobA,gD;MApbA,uC;QAMW,kBAAU,gB;QAkbD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,WAnb6 B,SAmbLB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QApbhB,OAsbO,W;O;KA5bX,C;sFASA,yB; MAAA,+D;MAsbA,gD;MATbA,uC;QAMW,kBAAU,gB;QAobD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,WArb6B, SAqblB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtbhB,OAwbO,W;O;KA9bX,C;sFASA,yB;M AAA,+D;MAwbA,oC;MAAA,gD;MAAA,gC;MAxbA,uC;QAMW,kBAAU,gB;QAsbD,Q;QAaHb,iD;UAAgB,cA AhB,0B;UACI,WAvb6B,SAublB,CAAU,oBAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAxhbB,OA0bO,W; O;KAhcX,C;sFASA,yB;MAAA,+D;MA0bA,gD;MA1bA,uC;QAUW,kBAAU,gB;QAwbD,Q;QAaHb,iD;UAAgB, cAAhB,e;UACI,Wazb6B,SAyblB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1bhB,OA4bO,W; O;KAtcX,C;KgAaA,yB;MAAA,+D;MA5JA,gD;MATJA,uC;QAYW,kBAAiB,gB;QAqJR,gB;QADhB,YAAY,C;QA CZ,iD;UAAgB,cAAhB,e;UACI,WAtJoC,SA5JzB,EAAU,cAAV,EAAU,sBAAV,WAAMb,OAAnB,C;UACC,OAA Z,WAAY,EAAO,IAAP,C;;QAvJhB,OAyJO,W;O;KArKX,C;oGAeA,yB;MAAA,+D;MAyJA,gD;MAzJA,uC;QAY W,kBAAiB,gB;QAwJR,gB;QADhB,YAAY,C;QACZ,iD;UAAgB,cAAhB,e;UACI,WazJoC,SAyJzB,EAAU,cAAV ,EAAU,sBAAV,WAAMb,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1JhB,OA4JO,W;O;KAxKX,C;oG AeA,yB;MAAA,+D;MA4JA,gD;MA5JA,uC;QAYW,kBAAiB,gB;QA2JR,gB;QADhB,YAAY,C;QACZ,iD;UAAg B,cAAhB,e;UACI,WA5JoC,SA4JzB,EAAU,cAAV,EAAU,sBAAV,WAAMb,OAAnB,C;UACC,OAAZ,WAAY,E AAO,IAAP,C;;QA7JhB,OA+JO,W;O;KA3KX,C;oGAeA,yB;MAAA,+D;MA+JA,gD;MA/JA,uC;QAYW,kBAAiB, gB;QA8JR,gB;QADhB,YAAY,C;QACZ,iD;UAAgB,cAAhB,e;UACI,WA/JoC,SA+JzB,EAAU,cAAV,EAAU,sBA AV,WAAMb,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAhKhB,OAkKO,W;O;KA9KX,C;oGAeA,yB;M AAA,+D;MAkKA,gD;MAIKa,uC;QAYW,kBAAiB,gB;QAiKR,gB;QADhB,YAAY,C;QACZ,iD;UAAgB,cAAhB, e;UACI,WAIKoC,SakKzB,EAAU,cAAV,EAAU,sBAAV,WAAMb,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAA P,C;;QAnKhB,OAqKO,W;O;KAjLX,C;oGAeA,yB;MAAA,+D;MAqKA,gD;MArKA,uC;QAYW,kBAAiB,gB;QA oKR,gB;QADhB,YAAY,C;QACZ,iD;UAAgB,cAAhB,e;UACI,WArKoC,SAqKzB,EAAU,cAAV,EAAU,sBAAV, WAAMb,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtKhB,OAwKO,W;O;KApLX,C;oGAeA,yB;MAA A,+D;MAwKA,gD;MAxKA,uC;QAYW,kBAAiB,gB;QAuKR,gB;QADhB,YAAY,C;QACZ,iD;UAAgB,cAAhB,e; UACI,WaxKoC,SAwKzB,EAAU,cAAV,EAAU,sBAAV,WAAMb,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAA P,C;;QAzKhB,OA2KO,W;O;KAvLX,C;oGAeA,yB;MAAA,+D;MA2KA,gD;MA3KA,uC;QAYW,kBAAiB,gB;QA 0KR,gB;QADhB,YAAY,C;QACZ,iD;UAAgB,cAAhB,e;UACI,WA3KoC,SA2KzB,EAAU,cAAV,EAAU,sBAAV, WAAMb,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA5KhB,OA8KO,W;O;KA1LX,C;oGAeA,yB;MAA A,+D;MA8KA,oC;MAAA,gD;MAAA,gC;MA9KA,uC;QAYW,kBAAiB,gB;QA6KR,gB;QADhB,YAAY,C;QACZ ,iD;UAAgB,cAAhB,0B;UACI,WA9KoC,SA8KzB,EAAU,cAAV,EAAU,sBAAV,WAAMb,oBAAnB,C;UACC,OA



On5UX,aPm5UgC,GOn5UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPg5UA,iB;UACA,IAAK,WAAI,OAAJ,C;;Q  
ApOT,OAsOO,W;O;KA/OX,C;sFAYA,yB;MAAA,wE;MASOA,+D;MAtOA,yC;QASW,kBAAU,oB;QAsOD,Q;Q  
AAhB,iD;UAAgB,cAAhB,e;UACI,UAvOoD,WAuO1C,CAAY,OAAZ,C;UOr6UP,U;UADP,YPu6Ue,Wov6UH,W  
Pu6UwB,GOv6UxB,C;UACL,IAAI,aAAJ,C;YACH,aPq6UuC,gB;YAA5B,WOp6UX,aPo6UgC,GOp6UhC,EAAS,  
MAAT,C;YACA,e;;YAEA,c;;UPi6UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAzOT,OA2OO,W;O;KApPX,C;sFAY  
A,yB;MAAA,wE;MA2OA,+D;MA3OA,yC;QASW,kBAAU,oB;QA2OD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,U  
A5OqD,WA4O3C,CAAY,OAAZ,C;UOt7UP,U;UADP,YPw7Ue,Wox7UH,WPw7UwB,GOx7UxB,C;UACL,IAAI,  
aAAJ,C;YACH,aPs7UuC,gB;YAA5B,WOr7UX,aPq7UgC,GOr7UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPk7U  
A,iB;UACA,IAAK,WAAI,OAAJ,C;;QA9OT,OAgPO,W;O;KazPX,C;sFAYA,yB;MAAA,wE;MAgPA,+D;MAhP  
A,yC;QASW,kBAAU,oB;QAgPD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UajPmD,WaiPzC,CAAY,OAAZ,C;UO  
v8UP,U;UADP,YPy8Ue,Woz8UH,WPY8UwB,GOz8UxB,C;UACL,IAAI,aAAJ,C;YACH,aPu8UuC,gB;YAA5B,  
Wot8UX,aPs8UgC,Got8UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPm8UA,iB;UACA,IAAK,WAAI,OAAJ,C;;Q  
AnPT,OAqPO,W;O;KA9PX,C;sFAYA,yB;MAAA,wE;MAqPA,+D;MArPA,yC;QASW,kBAAU,oB;QAqPD,Q;QA  
AhB,iD;UAAgB,cAAhB,e;UACI,UAtPoD,WAsP1C,CAAY,OAAZ,C;Uox9UP,U;UADP,YP09Ue,Wo19UH,WP0  
9UwB,GO19UxB,C;UACL,IAAI,aAAJ,C;YACH,aPw9UuC,gB;YAA5B,Wov9UX,aPu9UgC,GOv9UhC,EAAS,M  
AAT,C;YACA,e;;YAEA,c;;UPo9UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAxPT,OA0PO,W;O;KAnQX,C;sFAYA,  
yB;MAAA,wE;MA0PA,+D;MA1PA,yC;QASW,kBAAU,oB;QA0PD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA3  
PqD,WA2P3C,CAAY,OAAZ,C;UOz+UP,U;UADP,YP2+Ue,Wo3+UH,WP2+UwB,GO3+UxB,C;UACL,IAAI,aA  
AJ,C;YACH,aPy+UuC,gB;YAA5B,Wox+UX,aPw+UgC,GOx+UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPq+U  
A,iB;UACA,IAAK,WAAI,OAAJ,C;;QA7PT,OA+PO,W;O;KaxQX,C;sFAYA,yB;MAAA,wE;MA+PA,+D;MA/P  
A,yC;QASW,kBAAU,oB;QA+PD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAhQsD,WagQ5C,CAAY,OAAZ,C;U  
O1/UP,U;UADP,YP4/Ue,Wo5/UH,WP4/UwB,GO5/UxB,C;UACL,IAAI,aAAJ,C;YACH,aP0/UuC,gB;YAA5B,W  
Oz/UX,aPy/UgC,GOz/UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPs/UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAIQ  
T,OAoQO,W;O;KA7QX,C;sFAYA,yB;MAAA,wE;MAoQA,+D;MApQA,yC;QASW,kBAAU,oB;QAoQD,Q;QAA  
hB,iD;UAAgB,cAAhB,e;UACI,UArQuD,WAqQ7C,CAAY,OAAZ,C;UO3gVP,U;UADP,YP6gVe,Wo7gVH,WP6  
gVwB,GO7gVxB,C;UACL,IAAI,aAAJ,C;YACH,aP2gVuC,gB;YAA5B,Wo1gVX,aP0gVgC,GO1gVhC,EAAS,M  
AAT,C;YACA,e;;YAEA,c;;UPugVA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAvQT,OAyQO,W;O;KAIRX,C;sFAYA,  
yB;MAAA,wE;MAyQA,oC;MAAA,+D;MAAA,gC;MAzQA,yC;QASW,kBAAU,oB;QAYQD,Q;QAAhB,iD;UAA  
gB,cAAhB,oB;UACI,UA1QoD,WA0Q1C,CAAY,oBAAZ,C;UO5hVP,U;UADP,YP8hVe,Wo9hVH,WP8hVwB,G  
O9hVxB,C;UACL,IAAI,aAAJ,C;YACH,aP4hVuC,gB;YAA5B,Wo3hVX,aP2hVgC,GO3hVhC,EAAS,MAAT,C;Y  
ACA,e;;YAEA,c;;UPwhVA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QA5QT,OA8QO,W;O;KAvRX,C;sFAYA,yB;MA  
AA,wE;MA8QA,+D;MA9QA,yD;QAUW,kBAAU,oB;QA8QD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA/QiD,  
WA+QvC,CAAY,OAAZ,C;UO9iVP,U;UADP,YPgjVe,WohjVH,WPgjVwB,GOhjVxB,C;UACL,IAAI,aAAJ,C;Y  
ACH,aP8iVuC,gB;YAA5B,Wo7iVX,aP6iVgC,GO7iVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP0iVA,iB;UACA  
,IAAK,WajRyD,cAiRrD,CAAE,OAaf,CAAJ,C;;QajRT,OAmRO,W;O;KA7RX,C;sFAaA,yB;MAAA,wE;MAmR  
A,+D;MAAnRA,yD;QAUW,kBAAU,oB;QAmRD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UApRiD,WArVc,CAA  
Y,OAAZ,C;UOhkVP,U;UADP,YPkkVe,WolkVH,WPkkVwB,GOlkVxB,C;UACL,IAAI,aAAJ,C;YACH,aPkgVuC  
,gB;YAA5B,Wo/jVX,aP+jVgC,GO/jVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP4jVA,iB;UACA,IAAK,WatRy  
D,cAsRrD,CAAE,OAaf,CAAJ,C;;QatRT,OAwRO,W;O;KAISX,C;uFAaA,yB;MAAA,wE;MAwRA,+D;MAxRA,  
yD;QAUW,kBAAU,oB;QAwRD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UazRiD,WaYrVc,CAAY,OAAZ,C;UOI  
IVP,U;UADP,YPolVe,WoplVH,WPolVwB,GOplVxB,C;UACL,IAAI,aAAJ,C;YACH,aPklVuC,gB;YAA5B,WoJl  
VX,aPilVgC,GOjIVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP8kVA,iB;UACA,IAAK,WA3RyD,cA2RrD,CAAE,  
OAaf,CAAJ,C;;QA3RT,OA6RO,W;O;KAvSX,C;uFAaA,yB;MAAA,wE;MA6RA,+D;MA7RA,yD;QAUW,kBAA  
U,oB;QA6RD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA9RiD,Wa8RvC,CAAY,OAAZ,C;UOpMVP,U;UADP,Y  
PsmVe,WotmVH,WPsmVwB,GOtmVxB,C;UACL,IAAI,aAAJ,C;YACH,aPomVuC,gB;YAA5B,WOnmVX,aPmm  
VgC,GOnmVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPgmVA,iB;UACA,IAAK,WahSyD,cAgSrD,CAAE,OAaf,  
CAAJ,C;;QAhST,OAkSO,W;O;KA5SX,C;uFAaA,yB;MAAA,wE;MAkSA,+D;MAISA,yD;QAUW,kBAAU,oB;Q  
AkSD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAnSiD,WAmSvC,CAAY,OAAZ,C;UOtnVP,U;UADP,YPwnVe,W

OxnVH,WPwnVwB,GOxnVxB,C;UACL,IAAI,AAAJ,C;YACH,aPsnVuC,gB;YAA5B,WOrnVX,aPqnVgC,GOrnVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPknVA,iB;UACA,IAAK,WArSyD,cAqSrD,CAAE,OAAf,CAAJ,C;;QArST,OAuSO,W;O;KAjTX,C;uFAaA,yB;MAAA,wE;MAuSA,+D;MAvSA,yD;QAUW,kBAAU,oB;QAUdSD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAXSiD,WAWSvC,CAAY,OAAZ,C;UOXoVP,U;UADP,YP0oVe,WO1oVH,WP0oVwB,GO1oVxB,C;UACL,IAAI,AAAJ,C;YACH,aPwoVuC,gB;YAA5B,WovoVX,aPuoVgC,GOvoVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPooVA,iB;UACA,IAAK,WA1SyD,cA0SrD,CAAE,OAAf,CAAJ,C;;QA1ST,OA4SO,W;O;KAiTX,C;uFAaA,yB;MAAA,wE;MA4SA,+D;MA5SA,yD;QAUW,kBAAU,oB;QA4SD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA7SiD,WA6SvC,CAAY,OAAZ,C;UO1pVP,U;UADP,YP4pVe,WO5pVH,WP4pVwB,GO5pVxB,C;UACL,IAAI,AAAJ,C;YACH,aP0pVuC,gB;YAA5B,WozpVX,aPypVgC,GOzpVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPspVA,iB;UACA,IAAK,WA/SyD,cA+SrD,CAAE,OAAf,CAAJ,C;;QA/ST,OAiTO,W;O;KA3TX,C;uFAaA,yB;MAAA,wE;MAiTA,+D;MAjTA,yD;QAUW,kBAAU,oB;QAItd,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAITiD,WAKtVc,CAAY,OAAZ,C;UO5qVP,U;UADP,YP8qVe,WO9qVH,WP8qVwB,GO9qVxB,C;UACL,IAAI,AAAJ,C;YACH,aP4qVuC,gB;YAA5B,WO3qVX,aP2qVgC,GO3qVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPwqVA,iB;UACA,IAAK,WApTyD,cAoTrD,CAAE,OAAf,CAAJ,C;;QApTT,OAsTO,W;O;KAhUX,C;uFAaA,yB;MAAA,wE;MAStA,oC;MAAA,+D;MAAA,gC;MAiTA,yD;QAUW,kBAAU,oB;QAsTD,Q;QAAhB,iD;UAAgB,cAAhB,0B;UACI,UAvTiD,WAuTvC,CAAY,oBAAZ,C;UO9rVP,U;UADP,YPgsVe,WOhsVH,WPgsVwB,GOhsVxB,C;UACL,IAAI,AAAJ,C;YACH,aP8rVuC,gB;YAA5B,WO7rVX,aP6rVgC,GO7rVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPOrVA,iB;UACA,IAAK,WazTyD,cAyTrD,CAAE,oBAaf,CAAJ,C;;QazTT,OA2TO,W;O;KArUX,C;uFAaA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOp5UP,U;UADP,YPs5Ue,WOt5UH,WP5UwB,GOt5UxB,C;UACL,IAAI,AAAJ,C;YACH,aP5UuC,gB;YAA5B,WOn5UX,aPm5UgC,GOm5UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPg5UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOr6UP,U;UADP,YPu6Ue,WOv6UH,WPu6UwB,GOv6UxB,C;UACL,IAAI,AAAJ,C;YACH,aPq6UuC,gB;YAA5B,WOp6UX,aPo6UgC,GOp6UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPI6UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOt7UP,U;UADP,YPw7Ue,WOx7UH,WPw7UwB,GOx7UxB,C;UACL,IAAI,AAAJ,C;YACH,aPs7UuC,gB;YAA5B,WOr7UX,aPq7UgC,GO7UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPk7UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOv8UP,U;UADP,YPy8Ue,WOz8UH,WPy8UwB,GOz8UxB,C;UACL,IAAI,AAAJ,C;YACH,aPu8UuC,gB;YAA5B,WOt8UX,aPs8UgC,GOt8UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPm8UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOx9UP,U;UADP,YP09Ue,WO19UH,WP09UwB,GO19UxB,C;UACL,IAAI,AAAJ,C;YACH,aPw9UuC,gB;YAA5B,Wov9UX,aPu9UgC,GOv9UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPo9UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOz+UP,U;UADP,YP2+Ue,WO3+UH,WP2+UwB,GO3+UxB,C;UACL,IAAI,AAAJ,C;YACH,aPy+UuC,gB;YAA5B,WOx+UX,aPw+UgC,GOx+UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPq+UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO1/UP,U;UADP,YP4/Ue,WO5/UH,WP4/UwB,GO5/UxB,C;UACL,IAAI,AAAJ,C;YACH,aP0/UuC,gB;YAA5B,Woz/UX,aPy/UgC,GOz/UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPs/UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO3gVP,U;UADP,YP6gVe,WO7gVH,WP6gVwB,GO7gVxB,C;UACL,IAAI,AAAJ,C;YACH,aP2gVuC,gB;YAA5B,WO1gVX,aP0gVgC,GO1gVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPugVA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,UAAU,YAAY,oBAAZ,C;UO5hVP,U;UADP,YP8hVe,WO9hVH,WP8hVwB,GO9hVxB,C;UACL,IAAI,AAAJ,C;YACH,aP4

hVuC,gB;YAA5B,WO3hVX,aP2hVgC,GO3hVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPwhVA,iB;UACA,IAA  
K,WAAI,oBAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAg  
B,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO9iVP,U;UADP,YPgjVe,WOhjVH,WP  
gjVwB,GOHjVxB,C;UACL,IAAI,aAAJ,C;YACH,aP8iVuC,gB;YAA5B,WO7iVX,aP6iVgC,GO7iVhC,EAAS,MA  
AT,C;YACA,e;;YAEA,c;;UP0iVA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KafX,C;0F  
AkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UA  
AU,YAAY,OAAZ,C;UOhkVP,U;UADP,YPkkVe,WOlkVH,WPkkVwB,GOlkVxB,C;UACL,IAAI,aAAJ,C;YACH,  
aPgkVuC,gB;YAA5B,WOjVX,aP+jVgC,GOjVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP4jVA,iB;UACA,IAA  
K,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KafX,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAA  
hB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOIlVP,U;UADP,YPolVe,W  
OplVH,WPolVwB,GOplVxB,C;UACL,IAAI,aAAJ,C;YACH,aPkiVuC,gB;YAA5B,WOjIVX,aPilVgC,GOjIVhC,E  
AAS,MAAT,C;YACA,e;;YAEA,c;;UP8kVA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;K  
AfX,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;  
UACI,UAAU,YAAY,OAAZ,C;UOpmVP,U;UADP,YPsmVe,WotmVH,WPsmVwB,GotmVxB,C;UACL,IAAI,aA  
AJ,C;YACH,aPomVuC,gB;YAA5B,WOnmVX,aPmmVgC,GOnmVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPgm  
VA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KafX,C;2FAkBA,yB;MAAA,+D;MAAA,  
sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOtnVP,  
U;UADP,YPwnVe,WOnxVH,WPwnVwB,GOxnVxB,C;UACL,IAAI,aAAJ,C;YACH,aPsnVuC,gB;YAA5B,WOrn  
VX,aPqnVgC,GOrnVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPknVA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAA  
J,C;;QAET,OAAO,W;O;KafX,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;U  
AAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOxoVP,U;UADP,YP0oVe,W01oVH,WP0oVwB,GO1o  
VxB,C;UACL,IAAI,aAAJ,C;YACH,aPwoVuC,gB;YAA5B,W0voVX,aPuoVgC,GOvoVhC,EAAS,MAAT,C;YAC  
A,e;;YAEA,c;;UPooVA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KafX,C;2FAkBA,yB;  
MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,  
OAAZ,C;UO1pVP,U;UADP,YP4pVe,W05pVH,WP4pVwB,GO5pVxB,C;UACL,IAAI,aAAJ,C;YACH,aP0pVuC,  
gB;YAA5B,W0zpVX,aPypVgC,GOzpVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPspVA,iB;UACA,IAAK,WAAI  
,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KafX,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBA  
AgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO5qVP,U;UADP,YP8qVe,W09qVH  
,WP8qVwB,GO9qVxB,C;UACL,IAAI,aAAJ,C;YACH,aP4qVuC,gB;YAA5B,WO3qVX,aP2qVgC,GO3qVhC,EA  
AS,MAAT,C;YACA,e;;YAEA,c;;UPwqVA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;K  
AfX,C;2FAkBA,yB;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAA  
gB,cAAhB,UAAgB,SAAhB,O;UACI,UAAU,YAAY,oBAAZ,C;UO9rVP,U;UADP,YPgsVe,W0hsVH,WPgsVwB,  
GOhsVxB,C;UACL,IAAI,aAAJ,C;YACH,aP8rVuC,gB;YAA5B,WO7rVX,aP6rVgC,GO7rVhC,EAAS,MAAT,C;Y  
ACA,e;;YAEA,c;;UP0rVA,iB;UACA,IAAK,WAAI,eAAe,oBAAf,CAAJ,C;;QAET,OAAO,W;O;KafX,C;0FAkBA  
,yB;MAAA,kC;MAAA,4C;MAAA,wE;QAQW,sC;QAAA,8C;O;MARX,oDASQ,Y;QAA6C,OAAgB,qBAAhB,oB  
AAgB,C;O;MATrE,iDAUQ,mB;QAAoC,gCAAY,OAAZ,C;O;MAV5C,gF;MAAA,yC;QAQI,2D;O;KARJ,C;4EA  
AcA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA+UA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAA  
Y,WAhViB,SAgVb,CAAU,IAAV,CAAJ,C;;QAhVhB,OaiVO,W;O;KaxVX,C;8EAUA,yB;MAAA,gE;MAAA,uC  
;QAOW,kBAAM,eAAa,gBAAb,C;QA+UA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAy,WAhViB,SAgVb,CAAU,I  
AAV,CAAJ,C;;QAhVhB,OaiVO,W;O;KaxVX,C;8EAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBA  
Ab,C;QA+UA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAy,WAhViB,SAgVb,CAAU,IAAV,CAAJ,C;;QAhVhB,O  
aiVO,W;O;KaxVX,C;8EAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA+UA,Q;QAAb,iD;  
UAAa,WAAb,e;UACI,WAAy,WAhViB,SAgVb,CAAU,IAAV,CAAJ,C;;QAhVhB,OaiVO,W;O;KaxVX,C;8EA  
UA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA+UA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAA  
Y,WAhViB,SAgVb,CAAU,IAAV,CAAJ,C;;QAhVhB,OaiVO,W;O;KaxVX,C;8EAUA,yB;MAAA,gE;MAAA,uC  
;QAOW,kBAAM,eAAa,gBAAb,C;QA+UA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAy,WAhViB,SAgVb,CAAU,I  
AAV,CAAJ,C;;QAhVhB,OaiVO,W;O;KaxVX,C;8EAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBA  
Ab,C;QA+UA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAy,WAhViB,SAgVb,CAAU,IAAV,CAAJ,C;;QAhVhB,OA

iVO,W;O;KAxVX,C;8EAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA+UA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAhViB,SAgVb,CAAU,IAAV,CAAJ,C;;QAhVhB,OaiVO,W;O;KAxVX,C;8EAUA,yB;MAAA,gE;MAiVA,oC;MAAA,gC;MAjVA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA+UA,Q;QAAb,iD;UAAa,WAAb,0B;UACI,WAAY,WAhViB,SAgVb,CAAU,iBAAV,CAAJ,C;;QAhVhB,OaiVO,W;O;KAxVX,C;0FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAaA,eAAa,gBAAb,C;QAghP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WajHwB,SAiHpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QajHhB,OAkHO,W;O;KAzHX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAaA,eAAa,gBAAb,C;QAmHP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WApHwB,SAoHpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QApHhB,OAqHO,W;O;KA5HX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAaA,eAAa,gBAAb,C;QAsHP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAvHwB,SAuHpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAvHhB,OAwhO,W;O;KA/HX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAaA,eAAa,gBAAb,C;QAYHP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA1HwB,SA0HpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA1HhB,OA2HO,W;O;KAiIX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAaA,eAAa,gBAAb,C;QA4HP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA7HwB,SA6HpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA7HhB,OA8HO,W;O;KARlX,C;2FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAaA,eAAa,gBAAb,C;QA+HP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAhIwB,SAgIpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAhIhB,OaiIO,W;O;KAxIX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAaA,eAAa,gBAAb,C;QakIP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAnIwB,SAmIpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAnIhB,OAoIO,W;O;KA3IX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAaA,eAAa,gBAAb,C;QAqIP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAtIwB,SAsIpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAtIhB,OAuIO,W;O;KA9IX,C;4FAUA,yB;MAAA,gE;MAuIA,oC;MAAA,gC;MAvIA,uC;QAOW,kBAaA,eAAa,gBAAb,C;QAwIP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,0B;UACI,WAAY,WAzIwB,SAyIpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,iBAAnB,CAAJ,C;;QazIhB,OA0IO,W;O;KAjJX,C;wGAUA,yB;MAAA,+D;MAAA,uC;QAOW,kBAaOb,gB;QA8iEd,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UApiEmC,U;UAAA,cAVQ,SAUR,EAoiET,cApiES,EAoiET,sBApiES,WaoiEA,IApiEA,W;YAA6C,6B;;QAVhF,OAwo,W;O;KAIBX,C;4GAUA,yB;MAAA,oD;QA2iEiB,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UApiEmC,U;UAAA,yBAoiET,cApiES,EAoiET,sBApiES,WaoiEA,IApiEA,W;YAA6C,6B;;QACHf,OAAO,W;O;KARX,C;8FAWA,6C;MAQiB,UACiB,M;MAF9B,YAAY,C;MACZ,wBAaA,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MACHb,OAAO,W;K;gGAGX,6C;MAQiB,UACiB,M;MAF9B,YAAY,C;MACZ,wBAaA,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MACHb,OAAO,W;K;gGAGX,6C;MAQiB,UACiB,M;MAF9B,YAAY,C;MACZ,wBAaA,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MACHb,OAAO,W;K;gGAGX,6C;MAQiB,UACiB,M;MAF9B,YAAY,C;MACZ,wBAaA,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MACHb,OAAO,W;K;gGAGX,6C;MAQiB,UACiB,M;MAF9B,YAAY,C;MACZ,wBAaA,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MACHb,OAAO,W;K;+FAGX,6C;MAQiB,UACiB,M;MAF9B,YAAY,C;MACZ,wBAaA,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MACHb,OAAO,W;K;gGAGX,yB;MAAA,oC;MAAA,gC;MAAA,oD;QAQiB,UACiB,M;QAF9B,YAAY,C;QACZ,wBAaA,SAAb,gB;UAAa,WAAb,UAAa,SAAb,O;UACI,WAAY,WAAI,WAAU,cAAV,EAUAU,sBAAV,WAAmB,iBAAnB,CAAJ,C;;QACHb,OAAO,W;O;KAVX,C;0FAaA,yB;MAAA,+D;MAAA,uC;QAOW,kBAaA,gB;QAK2DJ,Q;QAaHb,iD;UAAgB,cAAhB,e;UA11DqB,U;UAAA,cARe,SAQf,CA01DQ,OA11DR,W;YAA6C,6B;;QAR3D,OASO,W;O;KAhBX,C;8FAUA,yB;MAAA,oD;QA+1DoB,Q;QAaHb,iD;UAAgB,cAAhB,e;UA11DqB,U;UAAA,wBA01DQ,OA11DR,W;YAA6C,6B;;QAC3D,OAAO,W;O;KANX,C;gFASA,6C;MAKiB,Q;

MAAb,wBAaA,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAl,UAAU,IAAV,CAAJ,C;;MACHb,OAAO,  
W;K;kFAGX,6C;MAKiB,Q;MAAb,wBAaA,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAl,UAAU,IAA  
V,CAAJ,C;;MACHb,OAAO,W;K;kFAGX,6C;MAKiB,Q;MAAb,wBAaA,SAAb,gB;QAAa,WAAA,SAAb,M;QAC  
I,WAAY,WAAl,UAAU,IAAV,CAAJ,C;;MACHb,OAAO,W;K;kFAGX,6C;MAKiB,Q;MAAb,wBAaA,SAAb,gB;  
QAAa,WAAA,SAAb,M;QACI,WAAY,WAAl,UAAU,IAAV,CAAJ,C;;MACHb,OAAO,W;K;kFAGX,6C;MAKiB,  
Q;MAAb,wBAaA,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAl,UAAU,IAAV,CAAJ,C;;MACHb,OAA  
O,W;K;kFAGX,6C;MAKiB,Q;MAAb,wBAaA,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAl,UAAU,IA  
AV,CAAJ,C;;MACHb,OAAO,W;K;kFAGX,6C;MAKiB,Q;MAAb,wBAaA,SAAb,gB;QAAa,WAAA,SAAb,M;QA  
CI,WAAY,WAAl,UAAU,IAAV,CAAJ,C;;MACHb,OAAO,W;K;kFAGX,6C;MAKiB,Q;MAAb,wBAaA,SAAb,gB;  
QAAa,WAAA,SAAb,M;QACI,WAAY,WAAl,UAAU,IAAV,CAAJ,C;;MACHb,OAAO,W;K;kFAGX,yB;MAAA,o  
C;MAAA,gC;MAAA,oD;QAKiB,Q;QAAb,wBAaA,SAAb,gB;UAAa,WAAb,UAAa,SAAb,O;UACI,WAAY,WAA  
I,UAAU,iBAAV,CAAJ,C;;QACHb,OAAO,W;O;KAPX,C;IAe4B,0C;MAAA,mB;QAAE,2C;O;K;IAL9B,8B;MAK  
I,OAAO,qBAAiB,2BAAjB,C;K;IAQiB,4C;MAAA,mB;QAAE,+C;O;K;IAL9B,gC;MAKI,OAAO,qBAAiB,6BAAj  
B,C;K;IAQiB,4C;MAAA,mB;QAAE,gD;O;K;IAL9B,gC;MAKI,OAAO,qBAAiB,6BAAjB,C;K;IAQiB,4C;MAAA,  
mB;QAAE,8C;O;K;IAL9B,gC;MAKI,OAAO,qBAAiB,6BAAjB,C;K;IAQiB,4C;MAAA,mB;QAAE,+C;O;K;IAL9  
B,gC;MAKI,OAAO,qBAAiB,6BAAjB,C;K;IAQiB,4C;MAAA,mB;QAAE,gD;O;K;IAL9B,gC;MAKI,OAAO,qBA  
AiB,6BAAjB,C;K;IAQiB,4C;MAAA,mB;QAAE,iD;O;K;IAL9B,gC;MAKI,OAAO,qBAAiB,6BAAjB,C;K;IAQiB,  
4C;MAAA,mB;QAAE,kD;O;K;IAL9B,gC;MAKI,OAAO,qBAAiB,6BAAjB,C;K;IAQiB,4C;MAAA,mB;QAAE,+  
C;O;K;IAL9B,gC;MAKI,OAAO,qBAAiB,6BAAjB,C;K;IAGX,6B;MASI,OAA2B,SAAf,aAAL,SAAK,CAAe,C;K;  
IAG/B,+B;MAQI,OAA2B,SAAf,eAAL,SAAK,CAAe,C;K;IAG/B,+B;MAQI,OAA2B,SAAf,eAAL,SAAK,CAAe,C  
;K;IAG/B,+B;MAQI,OAA2B,SAAf,eAAL,SAAK,CAAe,C;K;IAG/B,+B;MAQI,OAA2B,SAAf,eAAL,SAAK,CAA  
e,C;K;IAG/B,+B;MAQI,OAA2B,SAAf,eAAL,SAAK,CAAe,C;K;IAG/B,+B;MAQI,OAA2B,SAAf,eAAL,SAAK,C  
AAe,C;K;IAG/B,+B;MAQI,OAA2B,SAAf,eAAL,SAAK,CAAe,C;K;IAG/B,+B;MAQI,OAA2B,SAAf,eAAL,SA  
AK,CAAe,C;K;0FAG/B,yB;MAAA,2D;MAAA,+D;MAAA,sC;QAYc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QAC  
X,wBAAU,SAAV,gB;UAAU,QAAA,SAAV,M;UACI,UAAU,SAAS,CAAT,C;UACV,IAAI,GAAl,WAAl,GAAl,C  
AAR,C;YACI,IAAK,WAAl,CAAJ,C;;QAEb,OAAO,I;O;KAjBX,C;4FAoBA,yB;MAAA,2D;MAAA,+D;MAAA,s  
C;QAWc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QACX,wBAAU,SAAV,gB;UAAU,QAAA,SAAV,M;UACI,UAA  
U,SAAS,CAAT,C;UACV,IAAI,GAAl,WAAl,GAAl,CAAR,C;YACI,IAAK,WAAl,CAAJ,C;;QAEb,OAAO,I;O;K  
AhBX,C;4FAmBA,yB;MAAA,2D;MAAA,+D;MAAA,sC;QAWc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QACX,w  
BAAU,SAAV,gB;UAAU,QAAA,SAAV,M;UACI,UAAU,SAAS,CAAT,C;UACV,IAAI,GAAl,WAAl,GAAl,CAAR,C  
;YACI,IAAK,WAAl,CAAJ,C;;QAEb,OAAO,I;O;KAhBX,C;4FAmBA,yB;MAAA,2D;MAAA,+D;MAAA,sC;  
QAWc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QACX,wBAAU,SAAV,gB;UAAU,QAAA,SAAV,M;UACI,UAAU,  
SAAS,CAAT,C;UACV,IAAI,GAAl,WAAl,GAAl,CAAR,C;YACI,IAAK,WAAl,CAAJ,C;;QAEb,OAAO,I;O;KAh  
BX,C;4FAmBA,yB;MAAA,2D;MAAA,+D;MAAA,sC;QAWc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QACX,wBA  
AU,SAAV,gB;UAAU,QAAA,SAAV,M;UACI,UAAU,SAAS,CAAT,C;UACV,IAAI,GAAl,WAAl,GAAl,CAAR,C  
;YACI,IAAK,WAAl,CAAJ,C;;QAEb,OAAO,I;O;KAhBX,C;4FAmBA,yB;MAAA,2D;MAAA,+D;MAAA,sC;QA  
Wc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QACX,wBAAU,SAAV,gB;UAAU,QAAA,SAAV,M;UACI,UAAU,SA  
AS,CAAT,C;UACV,IAAI,GAAl,WAAl,GAAl,CAAR,C;YACI,IAAK,WAAl,CAAJ,C;;QAEb,OAAO,I;O;KAhBX  
,C;4FAmBA,yB;MAAA,2D;MAAA,+D;MAAA,sC;QAWc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QACX,wBAA  
U,SAAV,gB;UAAU,QAAA,SAAV,M;UACI,UAAU,SAAS,CAAT,C;UACV,IAAI,GAAl,WAAl,GAAl,CAAR,C;  
YACI,IAAK,WAAl,CAAJ,C;;QAEb,OAAO,I;O;KAhBX,C;4FAmBA,yB;MAAA,2D;MAAA,+D;MAAA,sC;QA  
Wc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QACX,wBAAU,SAAV,gB;UAAU,QAAA,SAAV,M;UACI,UAAU,SA  
AS,CAAT,C;UACV,IAAI,GAAl,WAAl,GAAl,CAAR,C;YACI,IAAK,WAAl,CAAJ,C;;QAEb,OAAO,I;O;KAhBX  
,C;4FAmBA,yB;MAAA,2D;MAAA,+D;MAAA,oC;MAAA,gC;MAAA,sC;QAWc,Q;QAFV,UAAU,c;QACV,WA  
AW,gB;QACX,wBAAU,SAAV,gB;UAAU,QAAV,UAAU,SAAV,O;UACI,UAAU,SAAS,cAAT,C;UACV,IAAI,G  
AAI,WAAl,GAAl,CAAR,C;YACI,IAAK,WAAl,cAAJ,C;;QAEb,OAAO,I;O;KAhBX,C;IAmBA,qC;MAQI,UAAe,  
aAAL,SAAK,C;MACX,YAAJ,GAAl,EAAU,KAaV,C;MACJ,OAAO,G;K;IAGX,uC;MAQI,UAAe,eAAL,SAAK,  
C;MACX,YAAJ,GAAl,EAAU,KAaV,C;MACJ,OAAO,G;K;IAGX,uC;MAQI,UAAe,eAAL,SAAK,C;MACX,YA







BAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAAnB,EA  
AAgC,OAAhC,C;;MACpC,OAAO,W;K;8FAGX,yC;MAYoB,UAA8B,M;MAF9C,YAAy,C;MACZ,kBAAkB,O;  
MACIB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,  
WAAAnB,EAAGC,OAAhC,C;;MACpC,OAAO,W;K;8FAGX,yC;MAYoB,UAA8B,M;MAF9C,YAAy,C;MACZ,kB  
AAkB,O;MACIB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,cAAc,WAAU,cAAV,EAAU,sBAAV,  
WAAmB,WAAAnB,EAAGC,OAAhC,C;;MACpC,OAAO,W;K;8FAGX,yC;MAYoB,UAA8B,M;MAF9C,YAAy,C;  
MACZ,kBAAkB,O;MACIB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,cAAc,WAAU,cAAV,EAA  
U,sBAAV,WAAmB,WAAAnB,EAAGC,OAAhC,C;;MACpC,OAAO,W;K;8FAGX,yC;MAYoB,UAA8B,M;MAF9C,  
YAAy,C;MACZ,kBAAkB,O;MACIB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,cAAc,WAAU,cA  
AV,EAAU,sBAAV,WAAmB,WAAAnB,EAAGC,OAAhC,C;;MACpC,OAAO,W;K;8FAGX,yC;MAYoB,UAA8B,M  
;MAF9C,YAAy,C;MACZ,kBAAkB,O;MACIB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,cAAc,W  
AAU,cAAV,EAAU,sBAAV,WAAmB,WAAAnB,EAAGC,OAAhC,C;;MACpC,OAAO,W;K;8FAGX,yB;MAAA,oC;  
MAAA,gC;MAAA,gD;QAYoB,UAA8B,M;QAF9C,YAAy,C;QACZ,kBAAkB,O;QACIB,wBAAgB,SAAhB,gB;U  
AAgB,cAAhB,UAAgB,SAAhB,O;UAAsB,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAAnB,EAAGC,oBA  
AhC,C;;QACpC,OAAO,W;O;KAbX,C;wFAGBA,yB;MAAA,8D;MAAA,gD;QAYoC,Q;QAHhC,YAAy,wB;QAC  
Z,kBAAkB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,YAAJ,EAAL,oBAAJ,OAAV,EAawB,  
WAAxB,C;;QAEIB,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,8D;MAAA,gD;QAYoC,Q;QAHhC,YAAy,wB;QA  
CZ,kBAAkB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,YAAJ,EAAL,oBAAJ,OAAV,EAaw  
B,WAAxB,C;;QAEIB,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,8D;MAAA,gD;QAYoC,Q;QAHhC,YAAy,wB;Q  
ACZ,kBAAkB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,YAAJ,EAAL,oBAAJ,OAAV,EAaw  
B,WAAxB,C;;QAEIB,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,8D;MAAA,gD;QAYoC,Q;QAHhC,YAAy,wB;  
QACZ,kBAAkB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,YAAJ,EAAL,oBAAJ,OAAV,EA  
AwB,WAAxB,C;;QAEIB,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,8D;MAAA,gD;QAYoC,Q;QAHhC,YAAy,wB  
;QACZ,kBAAkB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,YAAJ,EAAL,oBAAJ,OAAV,EA  
AwB,WAAxB,C;;QAEIB,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,8D;MAAA,gD;QAYoC,Q;QAHhC,YAAy,  
wB;QACZ,kBAAkB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,YAAJ,EAAL,oBAAJ,OAAV,  
EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,8D;MAAA,gD;QAYoC,Q;QAHhC,YAA  
Y,wB;QACZ,kBAAkB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,YAAJ,EAAL,oBAAJ,OAA  
V,EAawB,WAAxB,C;;QAEIB,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,8D;MAAA,oC;MAAA,gD;QAYoC,Q;  
QAHhC,YAAy,wB;QACZ,kBAAkB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,sBAAL,YAAJ,EA  
AL,oBAAJ,QAAV,EAawB,WAAxB,C;;QAEIB,OAAO,W;O;KAdX,C;sGAiBA,yB;MAAA,8D;MAAA,gD;QAUI,Y  
AAy,wB;QACZ,kBAAkB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KA AV,EAaiB,UAAI,KA  
AJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;wGAmBA,yB;MAAA,8D;MAAA,gD;QA  
UI,YAAy,wB;QACZ,kBAAkB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KA AV,EAaiB,UAAI,KA  
AJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;wGAmBA,yB;MAAA,8D;MAAA,g  
D;QAUI,YAAy,wB;QACZ,kBAAkB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KA AV,EAaiB,UA  
AI,KA AJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;wGAmBA,yB;MAAA,8D;MAA  
A,gD;QAUI,YAAy,wB;QACZ,kBAAkB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KA AV,EAaiB,  
UAAI,KA AJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;wGAmBA,yB;MAAA,8D;MA  
AA,gD;QAUI,YAAy,wB;QACZ,kBAAkB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KA AV,EAai  
B,UAAI,KA AJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;wGAmBA,yB;MAAA,8D;  
MAAA,gD;QAUI,YAAy,wB;QACZ,kBAAkB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KA AV,E

AAiB,UAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;wGAmBA,yB;MAAA,8  
D;MAAA,oC;MAAA,gD;QAUI,YAAy,wB;QACZ,kBAaKb,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UA  
AU,KAAV,EAAiB,sBAAI,KAAJ,EAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;oFAMBA  
,6B;MAIoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,OAAO,OAAP,C;;K;sFAG1B,6B  
;MAIoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,OAAO,OAAP,C;;K;sFAG1B,6B;M  
AIoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,OAAO,OAAP,C;;K;sFAG1B,6B;MAI  
oB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,OAAO,OAAP,C;;K;sFAG1B,6B;MAIoB,  
Q;MAAhB,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,OAAO,OAAP,C;;K;sFAG1B,6B;MAIoB,Q;  
MAAhB,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,OAAO,OAAP,C;;K;sFAG1B,6B;MAIoB,Q;M  
AAhB,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,OAAO,OAAP,C;;K;sFAG1B,6B;MAIoB,Q;M  
AAhB,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,OAAO,OAAP,C;;K;sFAG1B,6B;MAIoB,Q;M  
AAhB,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,OAAO,OAAP,C;;K;sFAG1B,yB;MAAA,oC;MAAA,  
gC;MAAA,oC;QAIoB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UAAsB,OAAO,oBA  
AP,C;;O;KAJ1B,C;kGAOA,6B;MAOiB,UAAa,M;MAD1B,YAAy,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SA  
Ab,M;QAAMB,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;K;oGAGvB,6B;MAOiB,UAAa,M;MAD1B,YA  
AY,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAMB,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,  
C;;K;oGAGvB,6B;MAOiB,UAAa,M;MAD1B,YAAy,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAA  
mB,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;K;oGAGvB,6B;MAOiB,UAAa,M;MAD1B,YAAy,C;MAC  
Z,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAMB,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;K;oGAG  
vB,6B;MAOiB,UAAa,M;MAD1B,YAAy,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAMB,QAAO,c  
AAP,EAAO,sBAAP,WAAgB,IAAhB,C;;K;oGAGvB,6B;MAOiB,UAAa,M;MAD1B,YAAy,C;MACZ,wBAAa,SA  
Ab,gB;QAAa,WAAA,SAAb,M;QAAMB,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;K;oGAGvB,6B;MAOi  
B,UAAa,M;MAD1B,YAAy,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAMB,QAAO,cAAP,EAAO,  
sBAAP,WAAgB,IAAhB,C;;K;oGAGvB,6B;MAOiB,UAAa,M;MAD1B,YAAy,C;MACZ,wBAAa,SAAb,gB;QAA  
a,WAAA,SAAb,M;QAAMB,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;K;oGAGvB,yB;MAAA,oC;MAAA  
,gC;MAAA,oC;QAOiB,UAAa,M;QAD1B,YAAy,C;QACZ,wBAAa,SAAb,gB;UAAa,WAAb,UAAa,SAAb,O;UA  
AmB,QAAO,cAAP,EAAO,sBAAP,WAAgB,iBAAhB,C;;O;KAPvB,C;IAUA,wB;MAIL,OAAO,oB;K;IAGX,0B;M  
AII,OAAO,sB;K;IAGX,0B;MAGI,OAAO,sB;K;IAGX,0B;MAGI,OAAO,sB;K;IAGX,0B;MAGI,OAAO,sB;K;IAG  
X,0B;MAGI,OAAO,sB;K;IAGX,0B;MAGI,OAAO,sB;K;IAGX,0B;MAGI,OAAO,sB;K;IAGX,0B;MAGI,OAAO,s  
B;K;IAGX,0B;MAGI,OAAO,sB;K;gFAGX,yB;MAsDA,8D;MAtdA,sC;QAGW,sB;;UA0DP,IAhxLO,qBAAQ,CA  
gxLf,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAj  
B,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eA9DmB,QA8DJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,  
M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAJe,QAIeP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;c  
ACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QAvEP,yB;O;KAHJ,C;kFAMA,yB;MAuEA,8D;MAvEA,s  
C;QAGW,sB;;UA2EP,IA/xLO,qBAAQ,CA+xLf,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,UAAK,CAAL,C;UA  
Cd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eA/EmB,QA+EJ,CAAS,O  
AAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAIfe,QakFP,CAAS,CAAT,  
C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QAxFP,yB;O;K  
AHJ,C;kFAMA,yB;MAwFA,8D;MAxFA,sC;QAGW,sB;;UA4FP,IA9yLO,qBAAQ,CA8yLf,C;YAAe,qBAAO,I;Y  
AAP,uB;WACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;Y  
AAP,uB;WACpB,eAhGmB,QAgGJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,C  
AAL,C;YACR,QAnGe,QAmGP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,W  
AAW,C;;UAGnB,qBAAO,O;;;QAzGP,yB;O;KAHJ,C;kFAMA,yB;MAyGA,8D;MAzGA,sC;QAGW,sB;;UA6GP,I  
A7zLO,qBAAQ,CA6zLf,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACr  
B,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eAjHmB,QAIHJ,CAAS,OAAT,C;UACf,aAAU,C  
AAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QApHe,QAoHP,CAAS,CAAT,C;YACR,IAAI,2BAA  
W,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QAIHP,yB;O;KAHJ,C;kFAMA,yB;M  
A0HA,8D;MA1HA,sC;QAGW,sB;;UA8HP,IA50LO,qBAAQ,CA40Lf,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,  
UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eAII

mB,QaKIJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QArIe,Q AqIP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO, O;;;QA3IP,yB;O;KAHJ,C;kFAMA,yB;MA2IA,8D;MA3IA,sC;QAGW,sB;;UA+IP,IA31LO,qBAAQ,CA21Lf,C;Y AAe,qBAAO,I;YAAP,uB;WACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAA oB,qBAAO,O;YAAP,uB;WACpB,eAnJmB,QAmJJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI, QAAQ,UAAK,CAAL,C;YACR,QATJe,QAsJP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAA U,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QA5JP,yB;O;KAHJ,C;kFAMA,yB;MA4JA,8D;MA5JA,sC;QAGW,s B;;UAgKP,IA12LO,qBAAQ,CA02Lf,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,UAAK,CAAL,C;UACd,gBAAq B,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eApKmB,QAoKJ,CAAS,OAAT,C;U ACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAvKe,QAuKP,CAAS,CAAT,C;YAC R,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QA7KP,yB;O;KAHJ,C; kFAMA,yB;MA6KA,8D;MA7KA,sC;QAGW,sB;;UAI LP,IAz3LO,qBAAQ,CAy3Lf,C;YAAe,qBAAO,I;YAAP,uB ;WACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB; WACpB,eArLmB,QAqLJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;Y ACR,QAxLe,QAwLP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;; UAGnB,qBAAO,O;;;QA9LP,yB;O;KAHJ,C;kFAMA,yB;MA8LA,8D;MAAA,oC;MA9LA,sC;QAGW,sB;;UAKMP ,IAx4LO,qBAAQ,CAw4Lf,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UA CrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eAtMmB,QAsMJ,CAAS,oBAAT,C;UACf,aAA U,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAzMe,QAyMP,CAAS,cAAT,C;YACR,IAAI,2 BA AW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QA/MP,yB;O;KAHJ,C;4FAMA,y B;MAAA,8D;MAAA,sC;QAOL,IAhxLO,qBAAQ,CAGxLf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QAC d,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QAC f,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BA AW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D ;MAAA,sC;QAOL,IA/xLO,qBAAQ,CA+xLf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,c AAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CA AV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX, KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC; QAOL,IA9yLO,qBAAQ,CA8yLf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK, C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,S AAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YA CI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOL,IA7zL O,qBAAQ,CA6zLf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IA AI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI ,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C; YACV,WAAW,C;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOL,IA50LO,qBAAQ,C A40Lf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CA AjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UA AK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAA W,C;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOL,IA31LO,qBAAQ,CA21Lf,C;UA Ae,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAA oB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C; UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGn B,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOL,IA12LO,qBAAQ,CA02Lf,C;UAAe,OAAO,I; QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O; QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAA Q,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O; O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOL,IAz3LO,qBAAQ,CAy3Lf,C;UAAe,OAAO,I;QACtB,cAA

c,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eA Ae,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,C AAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KApBX, C;8FAuBA,yB;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAx4LO,qBAAQ,CAw4Lf,C;UAAe,OAAO,I;QACtB,cA Ac,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,e AAe,SAAS,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS, cAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KApBX, C;gFAuBA,yB;MAAA,sE;MAAA,8D;MkBhnbA,iB;MIBgnbA,sC;QAeiB,Q;QAFb,IAr+LO,qBAAQ,CAq+Lf,C;U AAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,S AAS,UAAK,CAAL,CAAT,C;UACR,WkBznbG,MAAO,KIBynbO,QkBznbP,ElBynbiB,CkBznbjB,C;;QIB2nbd,OA AO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBtobA,iB;MIBsobA,sC;QAeiB,Q;QAFb,IAr/LO,qBAA Q,CAM/Lf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB; UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB/obG,MAAO,KIB+obO,QkB/obP,ElB+obiB,CkB/objB, C;;QIBipbd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkB5pbA,iB;MIB4pbA,sC;QAeiB,Q;QAF b,IAjgMO,qBAAQ,CAigMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb, aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBqrbG,MAAO,KIBqqbO,QkBqrbP,ElB qqbiB,CkBqrbjB,C;;QIBuqbd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBlrbA,iB;MIBkrbA,s C;QAeiB,Q;QAFb,IA/gMO,qBAAQ,CA+gMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C; QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB3rbG,MAAO,KIB2r bO,QkB3rbP,ElB2rbiB,CkB3rbjB,C;;QIB6rbd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBxsb A,iB;MIBwsbA,sC;QAeiB,Q;QAFb,IA7hMO,qBAAQ,CA6hMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK, CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBjtb G,MAAO,KIBitbO,QkBjtbP,ElBitbiB,CkBjtbjB,C;;QIBmtbd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAA A,8D;MkB9tbA,iB;MIB8tbA,sC;QAeiB,Q;QAFb,IA3iMO,qBAAQ,CA2iMf,C;UAAe,MAAM,6B;QACrB,eAAe,S AAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;U ACr,WkBvubG,MAAO,KIBuubO,QkBvubP,ElBuubiB,CkBvubjB,C;;QIByubd,OAAO,Q;O;KAnBX,C;kFAsBA,y B;MAAA,sE;MAAA,8D;MkBpvaA,iB;MIBovbA,sC;QAeiB,Q;QAFb,IAzjMO,qBAAQ,CayjMf,C;UAAe,MAAM, 6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK, CAAL,CAAT,C;UACR,WkB7vbG,MAAO,KIB6vbO,QkB7vbP,ElB6vbiB,CkB7vbjB,C;;QIB+vbd,OAAO,Q;O;KA nBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkB1wbA,iB;MIB0wbA,sC;QAeiB,Q;QAFb,IAvkMO,qBAAQ,CAuk Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI, QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBnxbG,MAAO,KIBmxbO,QkBnxbP,ElBmxbiB,CkBnxbjB,C;;QI Bqxbd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,oC;MAAA,8D;MkBhybA,iB;MIBgybA,sC;QAeiB, Q;QAFb,IArlMO,qBAAQ,CAqlMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAK,CAAL,EAAT,C;QACF,+B; QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAK,CAAL,EAAT,C;UACR,WkBzybG,MAAO,KIByybO,QkBz ybP,ElByybiB,CkBzybjB,C;;QIB2ybd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBj0bA,iB;MI Bi0bA,sC;QAeiB,Q;QAFb,IA3qMO,qBAAQ,CA2qMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,C AAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB10bG,MAA O,KIB00bO,QkB10bP,ElB00biB,CkB10bjB,C;;QIB40bd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8 D;MkBv1bA,iB;MIBu1bA,sC;QAeiB,Q;QAFb,IAzrMO,qBAAQ,CayrMf,C;UAAe,MAAM,6B;QACrB,eAAe,SA AS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UA CR,WkBh2bG,MAAO,KIBg2bO,QkBh2bP,ElBg2biB,CkBh2bjB,C;;QIBk2bd,OAAO,Q;O;KAnBX,C;mFAsBA,yB ;MAAA,sE;MAAA,8D;MkB72bA,iB;MIB62bA,sC;QAeiB,Q;QAFb,IAvsMO,qBAAQ,CAusMf,C;UAAe,MAAM, 6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK, CAAL,CAAT,C;UACR,WkBt3bG,MAAO,KIBs3bO,QkBt3bP,ElBs3biB,CkBt3bjB,C;;QIBw3bd,OAAO,Q;O;KA nBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MkBn4bA,iB;MIBm4bA,sC;QAeiB,Q;QAFb,IArtMO,qBAAQ,CAqtMf, C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QA AQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB54bG,MAAO,KIB44bO,QkB54bP,ElB44biB,CkB54bjB,C;;QIB84

bd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MkBz5bA,iB;MIBy5bA,sC;QAeiB,Q;QAFb,IAnu  
MO,qBAAQ,CAMuMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAA  
U,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBl6bG,MAAO,KIBk6bO,QkBl6bP,ElBk6biB  
,CkBl6bjB,C;;QlBo6bd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MkB/6bA,iB;MIB+6bA,sC;Q  
AeiB,Q;QAFb,IAjvMO,qBAAQ,CAivMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QAC  
F,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBx7bG,MAAO,KIBw7bO,  
QkBx7bP,ElBw7biB,CkBx7bjB,C;;QlB07bd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MkBr8b  
A,iB;MIBq8bA,sC;QAeiB,Q;QAFb,IA/vMO,qBAAQ,CA+vMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,  
CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB98b  
G,MAAO,KIB88bO,QkB98bP,ElB88biB,CkB98bjB,C;;QlB9bd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;  
MAAA,8D;MkB39bA,iB;MIB29bA,sC;QAeiB,Q;QAFb,IA7wMO,qBAAQ,CA6wMf,C;UAAe,MAAM,6B;QACrB  
,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CA  
AT,C;UACR,WkBp+bG,MAAO,KIBo+bO,QkBp+bP,ElBo+biB,CkBp+bjB,C;;QlBs+bd,OAAO,Q;O;KAnBX,C;m  
FAsBA,yB;MAAA,sE;MAAA,oC;MAAA,8D;MkBj/bA,iB;MIBi/bA,sC;QAeiB,Q;QAFb,IA3xMO,qBAAQ,CA2x  
Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,  
QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,WkB1/bG,MAAO,KIB0/bO,QkB1/bP,ElB0/biB,CkB1/bjB,C;;QlB4  
/bd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IA/2MO,qBAAQ,CA  
+2Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UAC  
I,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO  
,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IA73MO,qBAAQ,CA63Mf,C;U  
AAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,S  
AAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAn  
BX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IA34MO,qBAAQ,CA24Mf,C;UAAe,MAA  
M,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAA  
K,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;mFA  
sBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IAz5MO,qBAAQ,CAy5Mf,C;UAAe,MAAM,6B;QAC  
rB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,C  
AAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;M  
AAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IAv6MO,qBAAQ,CAu6Mf,C;UAAe,MAAM,6B;QACrB,eAAe,S  
AAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;U  
ACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;  
MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IAr7MO,qBAAQ,CAq7Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UA  
AK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAA  
I,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D  
;MAAA,sC;QAaiB,Q;QAFb,IA8MO,qBAAQ,CAM8Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL  
,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,  
CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,s  
C;QAaiB,Q;QAFb,IAj9MO,qBAAQ,CAi9Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;  
QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K  
AAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,oC;MAAA,8D;MAAA,  
sC;QAaiB,Q;QAFb,IA/9MO,qBAAQ,CA+9Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,EAAT,  
C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,IAAI,2BAAW,CAAX,  
KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;4FAsBA,yB;MAAA,8D;MkBlscA,iB;MIBkscA,sC;Q  
AaiB,Q;QAFb,IArjNO,qBAAQ,CAqjNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+  
B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBzscG,MAAO,KIByscO,QkBz  
scP,ElBysciB,CkBzscjB,C;;QlB2scd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBttcA,iB;MIBstcA,sC;QA  
aiB,Q;QAFb,IAjkNO,qBAAQ,CAikNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;  
QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB7tcG,MAAO,KIB6tcO,QkB7tc

P,ElB6tciB,CkB7tcjB,C;;QIB+td,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB1ucA,iB;MIB0ucA,sC;QAa  
iB,Q;QAFb,IA7kNO,qBAAQ,CA6kNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;  
QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBjvcG,MAAO,KIBivcO,QkBjvc  
P,ElBivciB,CkBjvcjB,C;;QIBmvcd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB9vcA,iB;MIB8vcA,sC;QA  
aiB,Q;QAFb,IAziNO,qBAAQ,CAyInf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;  
QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBrcwG,MAAO,KIBqwcO,QkBr  
wcP,ElBqwcB,CkBrcwjB,C;;QIBuwcd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB1xcA,iB;MIBkxcA,sC  
;QAaiB,Q;QAFb,IArmNO,qBAAQ,CAqmNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QA  
CF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBzxcG,MAAO,KIByxcO,  
QkBzxcP,ElByxcB,CkBzxcjB,C;;QIB2xcd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBtycA,iB;MIBsycA  
,sC;QAaiB,Q;QAFb,IAjnNO,qBAAQ,CAinNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QA  
CF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB7ycG,MAAO,KIB6ycO,  
QkB7ycP,ElB6ycB,CkB7ycjB,C;;QIB+ycd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB1zcA,iB;MIB0zc  
A,sC;QAaiB,Q;QAFb,IA7nNO,qBAAQ,CA6nNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;  
QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBj0cG,MAAO,KIBi0c  
O,QkBj0cP,ElBi0ciB,CkBj0cjB,C;;QIBm0cd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB90cA,iB;MIB80  
cA,sC;QAaiB,Q;QAFb,IAzoNO,qBAAQ,CAyoNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C  
;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBrlcG,MAAO,KIBq  
lcO,QkBrlcP,ElBqlciB,CkBrlcjB,C;;QIBu1cd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,oC;MAAA,8D;MkB12  
cA,iB;MIBk2cA,sC;QAaiB,Q;QAFb,IArpNO,qBAAQ,CAqpNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,C  
AAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,WkBz2c  
G,MAAO,KIBy2cO,QkBz2cP,ElBy2ciB,CkBz2cjB,C;;QIB22cd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;M  
kBj4cA,iB;MIBi4cA,sC;QAaiB,Q;QAFb,IAzuNO,qBAAQ,CAyuNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAA  
K,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBx  
4cG,MAAO,KIBw4cO,QkBx4cP,ElBw4ciB,CkBx4cjB,C;;QIB04cd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8  
D;MkB5cA,iB;MIBq5cA,sC;QAaiB,Q;QAFb,IArvNO,qBAAQ,CAqvNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,U  
AAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,W  
kB55cG,MAAO,KIB45cO,QkB55cP,ElB45ciB,CkB55cjB,C;;QIB85cd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA  
,8D;MkBz6cA,iB;MIBy6cA,sC;QAaiB,Q;QAFb,IAjwNO,qBAAQ,CAiwNf,C;UAAe,OAAO,I;QACtB,eAAe,SAA  
S,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR  
,WkBh7cG,MAAO,KIBg7cO,QkBh7cP,ElBg7ciB,CkBh7cjB,C;;QIBk7cd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MA  
AA,8D;MkB77cA,iB;MIB67cA,sC;QAaiB,Q;QAFb,IA7wNO,qBAAQ,CA6wNf,C;UAAe,OAAO,I;QACtB,eAAe,S  
AAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;U  
ACR,WkBp8cG,MAAO,KIBo8cO,QkBp8cP,ElBo8ciB,CkBp8cjB,C;;QIBs8cd,OAAO,Q;O;KAjBX,C;+FAoBA,yB  
;MAAA,8D;MkBj9cA,iB;MIBi9cA,sC;QAaiB,Q;QAFb,IAzxNO,qBAAQ,CAyxNf,C;UAAe,OAAO,I;QACtB,eAA  
e,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;  
UACR,WkBx9cG,MAAO,KIBw9cO,QkBx9cP,ElBw9ciB,CkBx9cjB,C;;QIB09cd,OAAO,Q;O;KAjBX,C;+FAoBA,  
yB;MAAA,8D;MkBrcA,iB;MIBq+cA,sC;QAaiB,Q;QAFb,IAryNO,qBAAQ,CAqyNf,C;UAAe,OAAO,I;QACtB,e  
AAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAA  
T,C;UACR,WkB5+cG,MAAO,KIB4+cO,QkB5+cP,ElB4+ciB,CkB5+cjB,C;;QIB8+cd,OAAO,Q;O;KAjBX,C;+FA  
oBA,yB;MAAA,8D;MkBz/cA,iB;MIBy/cA,sC;QAaiB,Q;QAFb,IAjzNO,qBAAQ,CAizNf,C;UAAe,OAAO,I;QACt  
B,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,C  
AAT,C;UACR,WkBhgdG,MAAO,KIBggdO,QkBhgdP,ElBggdiB,CkBhgdjB,C;;QIBkgdd,OAAO,Q;O;KAjBX,C;+  
FAoBA,yB;MAAA,8D;MkB7gdA,iB;MIB6gdA,sC;QAaiB,Q;QAFb,IA7zNO,qBAAQ,CA6zNf,C;UAAe,OAAO,I;  
QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CA  
AL,CAAT,C;UACR,WkBphdG,MAAO,KIBohdO,QkBphdP,ElBohdiB,CkBphdjB,C;;QIBshdd,OAAO,Q;O;KAjB  
X,C;+FAoBA,yB;MAAA,oC;MAAA,8D;MkBjidA,iB;MIBiidA,sC;QAaiB,Q;QAFb,IAz0NO,qBAAQ,CAy0Nf,C;  
UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,S

AAS,sBAAK,CAAL,EAAT,C;UACR,WkBxidG,MAAO,KIBwidO,QkBxidP,ElBwidiB,CkBxidjB,C;;QIB0idd,OA  
AO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA35NO,qBAAQ,CA25Nf,C;UAAe,OA  
AO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAA  
K,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAo  
BA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAv6NO,qBAAQ,CAu6Nf,C;UAAe,OAAO,I;QACtB,eAAe,SA  
S,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR  
,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAA  
A,sC;QAWiB,Q;QAFb,IAN7NO,qBAAQ,CAm7Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,  
C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,  
KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,  
IA/7NO,qBAAQ,CA+7Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAA  
U,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,  
C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA38NO,qBAAQ,CA28  
Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QA  
AQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;  
KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAv9NO,qBAAQ,CAu9Nf,C;UAAe,OAAO,I;QA  
CtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,  
CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;M  
AAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAN+NO,qBAAQ,CAm+Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,  
CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2B  
AAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QA  
WiB,Q;QAFb,IA/+NO,qBAAQ,CA++Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+  
B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;Y  
ACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,oC;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,  
IA3/NO,qBAAQ,CA2/Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAA  
U,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,  
C;;QAGnB,OAAO,Q;O;KAjBX,C;wFAoBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IAjloo,qBAA  
Q,CAiIoF,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;  
UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC  
,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAa  
iB,Q;QAFb,IA/100,qBAAQ,CA+10f,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+  
B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EA  
akB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;  
MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IA7mOO,qBAAQ,CA6mOf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,U  
AAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IA  
AI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAn  
BX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IA3nOO,qBAAQ,CA2nOf,C;UAAe,MAA  
M,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAA  
K,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,  
C;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IAzoOO,qBA  
AQ,CAyoOf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,i  
B;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAA  
kC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;Q  
AaiB,Q;QAFb,IAvpOO,qBAAQ,CAupOf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QAC  
F,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EA  
akB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,s  
E;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IArqOO,qBAAQ,CAqqOf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,U  
AAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IA



AI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAn  
BX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IAnrOO,qBAAQ,CAMrOf,C;UAAe,MAA  
M,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAA  
K,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,  
C;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,oC;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IA  
jsOO,qBAAQ,CAisOf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAA  
U,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,C  
AAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;oGAsBA,yB;MAAA,8D;MAAA,kD;Q  
AWiB,Q;QAFb,IARxOO,qBAAQ,CAqxOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,  
+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EA  
AkB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,8  
D;MAAA,kD;QAWiB,Q;QAFb,IAjyOO,qBAAQ,CAiyOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,C  
AAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SA  
AQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA  
,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IA7yOO,qBAAQ,CA6yOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,U  
AAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IA  
AI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAj  
BX,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IAzzOO,qBAAQ,CAyzOf,C;UAAe,OAAO,I;QACtB,  
eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAA  
T,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,O  
AAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IAr0OO,qBAAQ,CAq0Of,C;UAAe,O  
AAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UA  
AK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAA  
W,C;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IAj1OO,qBAAQ,CAi  
1Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QA  
AQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C  
;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IA71OO  
,qBAAQ,CA61Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAA  
V,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,G  
AAkC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,  
Q;QAFb,IAz2OO,qBAAQ,CAy2Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;Q  
AAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,  
CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,oC;MA  
AA,8D;MAAA,kD;QAWiB,Q;QAFb,IAr3OO,qBAAQ,CAq3Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,C  
AAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,IAAI,UA  
AW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;I  
AoBA,8B;MASiB,Q;MAFb,IAv8OO,qBAAQ,CAu8Of,C;QAae,OAAO,I;MActB,UAAU,UAAK,CAAL,C;MAC  
G,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,MkB3leG,MAAO,KIB2leE,GkB3leF,EIB2le  
O,CkB3leP,C;;MIB6led,OAAO,G;K;IAGX,gC;MASiB,Q;MAFb,IAv9OO,qBAAQ,CAu9Of,C;QAae,OAAO,I;MA  
CtB,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,MkBtne  
G,MAAO,KIBsneE,GkBtneF,EIBsneO,CkBtneP,C;;MIBwned,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAr+OO,q  
BAAQ,CAq+Of,C;QAae,OAAO,I;MActB,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,Q  
AAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gC;M  
AOiB,Q;MAFb,IA3+OO,qBAAQ,CA2+Of,C;QAae,OAAO,I;MActB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,  
aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAA  
O,G;K;IAGX,gC;MAOiB,Q;MAFb,IAj/OO,qBAAQ,CAi/Of,C;QAae,OAAO,I;MActB,UAAU,UAAK,CAAL,C;  
MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM  
,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAv/OO,qBAAQ,CAu/Of,C;QAae,OAAO,I;MActB,UAAU,



AAW,C;;UAGnB,qBAAO,O;;;QAxFP,yB;O;KAHJ,C;kFAMA,yB;MAwFA,8D;MAxFA,sC;QAGW,sB;;UA4FP,I  
Aj6PO,qBAAQ,CAi6Pf,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB  
,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eAhGmB,QAgGJ,CAAS,OAAT,C;UACf,aAAU,C  
AAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAnGe,QAmGP,CAAS,CAAT,C;YACR,IAAI,2BA  
AW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QAzGP,yB;O;KAHJ,C;kFAMA,yB;  
MAyGA,8D;MAzGA,sC;QAGW,sB;;UA6GP,IAh7PO,qBAAQ,CAg7Pf,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAA  
c,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eAj  
HmB,QAiHJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QApH  
e,QAoHP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBA  
AO,O;;;QA1HP,yB;O;KAHJ,C;kFAMA,yB;MA0HA,8D;MA1HA,sC;QAGW,sB;;UA8HP,IA/7PO,qBAAQ,CA+7  
Pf,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,  
C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eAlImB,QAkIJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;Y  
ACI,QAAQ,UAAK,CAAL,C;YACR,QArIe,QaQIP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,  
UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QA3IP,yB;O;KAHJ,C;kFAMA,yB;MA2IA,8D;MA3IA,sC;QAG  
W,sB;;UA+IP,IA98PO,qBAAQ,CA88Pf,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,UAAK,CAAL,C;UACd,gBA  
AqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eAnJmB,QAmJJ,CAAS,OAAT,C;  
UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAtJe,QAsJP,CAAS,CAAT,C;YACR  
,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QA5JP,yB;O;KAHJ,C;kF  
AMA,yB;MA4JA,8D;MA5JA,sC;QAGW,sB;;UAgKP,IA79PO,qBAAQ,CA69Pf,C;YAAe,qBAAO,I;YAAP,uB;W  
ACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;W  
ACpB,eApKmB,QAoKJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;Y  
ACR,QAvKe,QAuKP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;  
UAGnB,qBAAO,O;;;QA7KP,yB;O;KAHJ,C;kFAMA,yB;MA6KA,8D;MA7KA,sC;QAGW,sB;;UAI LP,IA5+PO,q  
BAAQ,CA4+Pf,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,c  
AAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eArLmB,QAqLJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OA  
Aa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAxLe,QAwLP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAA  
X,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QA9LP,yB;O;KAHJ,C;kFAMA,yB;MA8LA,8  
D;MAAA,oC;MA9LA,sC;QAGW,sB;;UAKMP,IA3/PO,qBAAQ,CA2/Pf,C;YAAe,qBAAO,I;YAAP,uB;WACf,cA  
Ac,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,e  
AtMmB,QAsMJ,CAAS,oBAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,Q  
AzMe,QAyMP,CAAS,cAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,  
qBAAO,O;;;QAMP,yB;O;KAHJ,C;4FAMA,yB;MAAA,8D;MAAA,sC;QAOI,IA4PO,qBAAQ,CAM4Pf,C;UAAe  
,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,  
OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UA  
CR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,O  
AAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOI,IA15PO,qBAAQ,Cak5Pf,C;UAAe,OAAO,I;QAC  
tB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC  
3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SA  
AS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KA  
pBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOI,IAj6PO,qBAAQ,CAi6Pf,C;UAAe,OAAO,I;QACtB,cAAc,UAA  
K,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SA  
AS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;  
UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KApBX,C;8FAu  
BA,yB;MAAA,8D;MAAA,sC;QAOI,IAh7PO,qBAAQ,CAg7Pf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;  
QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;  
QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,  
2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAA  
A,8D;MAAA,sC;QAOI,IA/7PO,qBAAQ,CA+7Pf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAA

qB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOI,IA98PO,qBAAQ,CA88Pf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOI,IA79PO,qBAAQ,CA69Pf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOI,IA5+PO,qBAAQ,CA4+Pf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOI,IA3/PO,qBAAQ,CA2/Pf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,cAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;KApBX,C;8FAuBA,yB;MAAA,sE;MAAA,8D;MkB/gfA,iB;MIB+gfA,sC;QAeiB,Q;QAFb,IAxlQO,qBAAQ,CAwlQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBxhfG,MAAO,KIBwhfO,QkBxhfp,ElBwhfiB,CkBxhfjB,C;;QIB0hfd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBrifA,iB;MIBqifA,sC;QAeiB,Q;QAFb,IAtmQO,qBAAQ,CAsmQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB9ifG,MAAO,KIB8ifO,QkB9ifP,ElB8ifiB,CkB9ifjB,C;;QIBgofd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkB3jfA,iB;MIB2jfA,sC;QAeiB,Q;QAFb,IApnQO,qBAAQ,CAonQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBpkfG,MAAO,KIBokfO,QkBpkfP,ElBokfiB,CkBpkfjB,C;;QIBskfd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBjlfA,iB;MIBilfA,sC;QAeiB,Q;QAFb,IAloQO,qBAAQ,CAkoQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB1lfG,MAAO,KIB0lfo,QkB1lfp,ElB0lfiB,CkB1lfjB,C;;QIB4lfd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBvmfA,iB;MIBumfA,sC;QAeiB,Q;QAFb,IAhpQO,qBAAQ,CAGpQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBhfnG,MAAO,KIBgnfo,QkBhfnP,ElBgnfiB,CkBhfnjB,C;;QIBknfd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkB7nfA,iB;MIB6nfA,sC;QAeiB,Q;QAFb,IA9pQO,qBAAQ,CA8pQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBtofG,MAAO,KIBsofo,QkBtofp,ElBsofiB,CkBtofjB,C;;QIBwofd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBnfpA,iB;MIBmpfA,sC;QAeiB,Q;QAFb,IA5qQO,qBAAQ,CA4qQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB5pfG,MAAO,KIB4pfo,QkB5pfp,ElB4pfiB,CkB5pfjB,C;;QIB8pfd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBzqfA,iB;MIByqfA,sC;QAeiB,Q;QAFb,IA1rQO,qBAAQ,CA0rQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB1rfG,MAAO,KIBkrfo,QkB1rfP,ElBkrfiB,CkB1rfjB,C;;QIBorfd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,oC;MAAA,8D;MkB/rfA,iB;MIB+rfA,sC;QAeiB,Q;QAFb,IAxsQO,qBAAQ,CAwsQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,WkBxsfG,MAAO,KIBwsfo,QkBxsfP,ElBwsfiB,CkBxsfjB,C;;QIB0sfd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBhufA,iB;MIBgufA,sC;QAeiB,Q;QAFb,IA9xQO,qBAAQ,CA8xQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,C

AAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBzufG,MAAO,KIByufO,QkBzufP,ElByufiB,CkBzufjB,C;;QIB2ufd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBtvfA,iB;MIBsvfA,sC;QAeiB,Q;QAFb,IA5yQO,qBAAQ,CA4yQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB/vfG,MAAO,KIB+vfO,QkB/vfP,ElB+vfB,CkB/vfjB,C;;QIBiwfd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MkB5wfA,iB;MIB4wfA,sC;QAeiB,Q;QAFb,IA1zQO,qBAAQ,CA0zQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBrxfG,MAAO,KIBqxfO,QkBrxfP,ElBqxfB,CkBBrxfjB,C;;QIBuxfd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MkBlyfA,iB;MIBkyfA,sC;QAeiB,Q;QAFb,IAx0QO,qBAAQ,CAw0Qf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB3yfG,MAAO,KIB2yfO,QkB3yfP,ElB2yfB,CkB3yjfjB,C;;QIB6yfd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MkBxzfA,iB;MIBwzfA,sC;QAeiB,Q;QAFb,IA1zQO,qBAAQ,CA1zQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBj0fG,MAAO,KIBi0fO,QkBj0fP,ElBi0fB,CkBj0fjB,C;;QIBm0fd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MkB90fA,iB;MIB80fA,sC;QAeiB,Q;QAFb,IAp2QO,qBAAQ,CAo2Qf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBv1fG,MAAO,KIBu1fO,QkBv1fP,ElBu1fB,CkBv1fjB,C;;QIBy1fd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MkBp2fA,iB;MIBo2fA,sC;QAeiB,Q;QAFb,IA13QO,qBAAQ,CAk3Qf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB72fG,MAAO,KIB62fO,QkB72fP,ElB62fB,CkB72fjB,C;;QIB+2fd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MkB13fA,iB;MIB03fA,sC;QAeiB,Q;QAFb,IAh4QO,qBAAQ,CAg4Qf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBn4fG,MAAO,KIBm4fO,QkBn4fP,ElBm4fB,CkBn4fjB,C;;QIBq4fd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,oC;MAAA,8D;MkBh5fA,iB;MIBg5fA,sC;QAeiB,Q;QAFb,IA94QO,qBAAQ,CA84Qf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,WkBz5fG,MAAO,KIBy5fO,QkBz5fP,ElBy5fB,CkBz5fjB,C;;QIB25fd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IAL+QO,qBAAQ,CAk+Qf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IAh/QO,qBAAQ,CAg/Qf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IA5gRO,qBAAQ,CA4gRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IA1hRO,qBAAQ,CA0hRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IAxiRO,qBAAQ,CAwiRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IA1jRO,qBAAQ,CA1jRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IApkRO,qBAAQ,

CAokRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;U  
ACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OA  
AO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,oC;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IAIIRO,qBAAQ,  
CAkIRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;U  
ACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OA  
AO,Q;O;KAnBX,C;4FAsBA,yB;MAAA,8D;MkBjmgBA,iB;MIBimgBA,sC;QAaiB,Q;QAFb,IAxqRO,qBAAQ,CA  
wqRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,Q  
AAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBxmgBG,MAAO,KIBwmgBO,QkBxmgBP,ElBwmgBiB,CkBxmg  
BjB,C;;QIB0mgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBrngBA,iB;MIBqngBA,sC;QAaiB,Q;QAFb  
,IAprRO,qBAAQ,CAorRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAA  
U,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB5ngBG,MAAO,KIB4ngBO,QkB5ngBP,ElB  
4ngBiB,CkB5ngBjB,C;;QIB8ngBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBzogBA,iB;MIByogBA,sC;  
QAaiB,Q;QAFb,IAhsRO,qBAAQ,CAGsRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,  
+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBhpgBG,MAAO,KIBgpgBO,  
QkBhpgBP,ElBgpgBiB,CkBhpgBjB,C;;QIBkpgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB7pgBA,iB  
;MIB6pgBA,sC;QAaiB,Q;QAFb,IA5sRO,qBAAQ,CA4sRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,  
CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBppgBG,M  
AAO,KIBoqgBO,QkBppgBP,ElBoqgBiB,CkBppgBjB,C;;QIBsqgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8  
D;MkBjrgBA,iB;MIBirgBA,sC;QAaiB,Q;QAFb,IAxtRO,qBAAQ,CAwtRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,  
UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,  
WkBxrgBG,MAAO,KIBwrgBO,QkBxrgBP,ElBwrgBiB,CkBxrgBjB,C;;QIB0rgBd,OAAO,Q;O;KAjBX,C;8FAoBA  
,yB;MAAA,8D;MkBrsqBA,iB;MIBqsgBA,sC;QAaiB,Q;QAFb,IApuRO,qBAAQ,CAouRf,C;UAAe,OAAO,I;QACt  
B,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,C  
AAT,C;UACR,WkB5sgBG,MAAO,KIB4sgBO,QkB5sgBP,ElB4sgBiB,CkB5sgBjB,C;;QIB8sgBd,OAAO,Q;O;KAj  
BX,C;8FAoBA,yB;MAAA,8D;MkBztgBA,iB;MIBytgBA,sC;QAaiB,Q;QAFb,IAhvRO,qBAAQ,CAGvRf,C;UAAe,  
OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,U  
AAK,CAAL,CAAT,C;UACR,WkBhugBG,MAAO,KIBgugBO,QkBhugBP,ElBgugBiB,CkBhugBjB,C;;QIBkugBd,  
OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB7ugBA,iB;MIB6ugBA,sC;QAaiB,Q;QAFb,IA5vRO,qBAAQ,  
CA4vRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UAC  
I,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBpvgBG,MAAO,KIBovgBO,QkBpvgBP,ElBovgBiB,CkBpvgB  
jB,C;;QIBsvgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,oC;MAAA,8D;MkBjwgBA,iB;MIBiwgBA,sC;QAai  
B,Q;QAFb,IAxwRO,qBAAQ,CAwwRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+  
B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,WkBxwgBG,MAAO,KIBwwgBO  
,QkBxwgBP,ElBwwgBiB,CkBxwgBjB,C;;QIB0wgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBhygBA  
,iB;MIBgygBA,sC;QAaiB,Q;QAFb,IA51RO,qBAAQ,CA41Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CA  
AL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBvvgBG  
,MAAO,KIBuygBO,QkBvvgBP,ElBuygBiB,CkBvvgBjB,C;;QIByygBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAA  
A,8D;MkBpzgBA,iB;MIBozgBA,sC;QAaiB,Q;QAFb,IAx2RO,qBAAQ,CAw2Rf,C;UAAe,OAAO,I;QACtB,eAAe,  
SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;U  
ACR,WkB3zgBG,MAAO,KIB2zgBO,QkB3zgBP,ElB2zgBiB,CkB3zgBjB,C;;QIB6zgBd,OAAO,Q;O;KAjBX,C;+F  
AoBA,yB;MAAA,8D;MkBx0gBA,iB;MIBw0gBA,sC;QAaiB,Q;QAFb,IAp3RO,qBAAQ,CAo3Rf,C;UAAe,OAAO,  
I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,C  
AAL,CAAT,C;UACR,WkB/0gBG,MAAO,KIB+0gBO,QkB/0gBP,ElB+0gBiB,CkB/0gBjB,C;;QIB1gBd,OAAO,Q;  
O;KAjBX,C;+FAoBA,yB;MAAA,8D;MkB51gBA,iB;MIB41gBA,sC;QAaiB,Q;QAFb,IAh4RO,qBAAQ,CAG4Rf,C  
;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,S  
AAS,UAAK,CAAL,CAAT,C;UACR,WkBn2gBG,MAAO,KIBm2gBO,QkBn2gBP,ElBm2gBiB,CkBn2gBjB,C;;QI  
Bq2gBd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MkBh3gBA,iB;MIBg3gBA,sC;QAaiB,Q;QAFb,IA54RO,  
qBAAQ,CA44Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,

iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBv3gBG,MAAO,KlBu3gBO,QkBv3gBP,ElBu3gBiB,CkBv3gBjB,C;;QlBy3gBd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MkBP4gBA,iB;MlBo4gBA,sC;QAaiB,Q;QAFb,IAx5RO,qBAAQ,CAw5Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB34gBG,MAAO,KlB24gBO,QkB34gBP,ElB24gBiB,CkB34gBjB,C;;QlB64gBd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MkBX5gBA,iB;MlBw5gBA,sC;QAaiB,Q;QAFb,IAp6RO,qBAAQ,CAo6Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB/5gBG,MAAO,KlB+5gBO,QkB/5gBP,ElB+5gBiB,CkB/5gBjB,C;;QlBi6gBd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MkB56gBA,iB;MlB46gBA,sC;QAaiB,Q;QAFb,IAh7RO,qBAAQ,Cag7Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBn7gBG,MAAO,KlBm7gBO,QkBn7gBP,ElBm7gBiB,CkBn7gBjB,C;;QlBq7gBd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,oC;MAAA,8D;MkBh8gBA,iB;MlBg8gBA,sC;QAaiB,Q;QAFb,IA57RO,qBAAQ,CA47Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,WkBv8gBG,MAAO,KlBu8gBO,QkBv8gBP,ElBu8gBiB,CkBv8gBjB,C;;QlBy8gBd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA9gSO,qBAAQ,CA8gSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA1hSO,qBAAQ,CA0hSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAIjSO,qBAAQ,CAkjSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAIjSO,qBAAQ,CAkjSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAIjSO,qBAAQ,CAkmSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAImSO,qBAAQ,CAkmSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAImSO,qBAAQ,CAkmSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,oC;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA9mSO,qBAAQ,CA8mSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;wFAoBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IApsSO,qBAAQ,CAosSf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IAItSO,qBAAQ,CAktSf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IAhuSO,qBAAQ,CAguSf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,U

AAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IA9uSO,qBAAQ,CA8uSf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IA5vSO,qBAAQ,CA4vSf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IA1wSO,qBAAQ,CA0wSf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IAxxSO,qBAAQ,CAwxSf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IAtySO,qBAAQ,CAsySf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;oGAsBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IAx4SO,qBAAQ,CAw4Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAgjBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IAp5SO,qBAAQ,CAo5Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAgjBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IAh6SO,qBAAQ,CAg6Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAgjBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IA56SO,qBAAQ,CA46Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAgjBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IAx7SO,qBAAQ,CAw7Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAgjBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IAp8SO,qBAAQ,CAo8Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAgjBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IAh9SO,qBAAQ,CAg9Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAgjBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IA59SO,qBAAQ,CA49Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAgjBX,C;sGAoBA,yB;MAAA,oC;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IAx+SO,qBAAQ,CAw+Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,IAAI,UAA



W,SAAQ,QAAR,EAAkB,CAAIB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;IA  
oBA,8B;MASiB,Q;MAFb,IA1jTO,qBAAQ,CA0jTf,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;MACG,+  
B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,MkB1/hBG,MAAO,KIB0/hBE,GkB1/hBF,EIB0  
/hBO,CkB1/hBP,C;;MIB4/hBd,OAAO,G;K;IAGX,gC;MASiB,Q;MAFb,IA1kTO,qBAAQ,CA0kTf,C;QAAe,OAA  
O,I;MAcTb,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,  
MkBrhiBG,MAAO,KIBqhiBE,GkBrhiBF,EIBqhiBO,CkBrihiBP,C;;MIBuhiBd,OAAO,G;K;IAGX,gC;MAOiB,Q;M  
AFb,IAxlTO,qBAAQ,CAwlTf,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAA  
V,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;  
K;IAGX,gC;MAOiB,Q;MAFb,IA9lTO,qBAAQ,CA8lTf,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;MAC  
G,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;M  
AEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IApmTO,qBAAQ,CAomTf,C;QAAe,OAAO,I;MAcTb,UAAU,UA  
AK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;  
UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA1mTO,qBAAQ,CA0mTf,C;QAAe,OAAO,I  
;MAcTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI  
,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAhnTO,qBAAQ,CagnTf,  
C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CA  
AL,C;QACR,IAAI,oBAAM,CAAN,KAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gC;MASiB,Q;MAFb,I  
AxnTO,qBAAQ,CAwnTf,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;  
QACI,QAAQ,UAAK,CAAL,C;QACR,MkB3miBG,MAAO,KIB2miBE,GkB3miBF,EIB2miBO,CkB3miBP,C;;MI  
B6miBd,OAAO,G;K;IAGX,gC;MASiB,Q;MAFb,IAhoTO,qBAAQ,CagoTf,C;QAAe,OAAO,I;MAcTb,UAAU,UA  
AK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,MkBhniBG,MAAO,KIBg  
niBE,GkBhniBF,EIBgniBO,CkBhniBP,C;;MIBkniBd,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA9nTO,qBAAQ,C  
A8nTf,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UA  
AK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,wC;MAGI,OAAO,yB  
AAc,UAAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAAd,C;K;IAGX,  
0C;MAGI,OAAO,2BAAc,UAAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAAd,C;K;IAGX,0C;MAGI,OAAO,2BA  
Ac,UAAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAAd,C;K;IAGX,0  
C;MAGI,OAAO,2BAAc,UAAAd,C;K;IAGX,8C;MAOiB,Q;MAFb,IAlwTO,qBAAQ,CAkwTf,C;QAAe,OAAO,I;M  
AcTb,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,U  
AAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;  
MAOiB,Q;MAFb,IAxwTO,qBAAQ,CAwwTf,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;MACG,iC;MA  
Ab,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GA  
A6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA9wTO,qBAAQ,CA8wTf,  
C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CA  
AL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,O  
AAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IApxTO,qBAAQ,CAoxTf,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAA  
L,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa  
,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA1xTO,  
qBAAQ,CA0xTf,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,Q  
AAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAA  
M,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAhyTO,qBAAQ,CagyTf,C;QAAe,OAAO,I;MAcTb,UA  
AU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SA  
AQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,  
Q;MAFb,IAtyTO,qBAAQ,CAsyTf,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,C  
AAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC  
,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA5yTO,qBAAQ,CA4yTf,C;QAAe,OAA  
O,I;MAcTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IA  
AAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IA

GX,gD;MAOiB,Q;MAFb,IAIzTO,qBAAQ,CAkzTf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC ;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,gBAAR,EAAa,cAAb,CAA X,GAA6B,CAAJ,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,yB;MAMI,OAj4TO,qBAAQ,C;K;IAo4TnB, 2B;MAMI,OA14TO,qBAAQ,C;K;IAq4TnB,2B;MAMI,OAn4TO,qBAAQ,C;K;IAS4TnB,2B;MAMI,OAp4TO,qBA AQ,C;K;IAu4TnB,2B;MAMI,OAr4TO,qBAAQ,C;K;IAw4TnB,2B;MAMI,OAt4TO,qBAAQ,C;K;IAY4TnB,2B;M AMI,OAv4TO,qBAAQ,C;K;IA04TnB,2B;MAMI,OAx4TO,qBAAQ,C;K;IA24TnB,2B;MAMI,OAz4TO,qBAAQ,C ;K;gFA44TnB,gC;MAMoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OA AV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;gFAGX,gC;MAMoB,Q;MAAhB,wBAAGB,SAAhB,gB;QA AgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;iFAGX,gC; MAMoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAA wB,OAAO,K;;MACrD,OAAO,I;K;iFAGX,gC;MAMoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB, M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;iFAGX,gC;MAMoB,Q;MAAhB ,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MAC rD,OAAO,I;K;iFAGX,gC;MAMoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,U AAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;iFAGX,gC;MAMoB,Q;MAAhB,wBAAGB,SAAhB ,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;iFA GX,gC;MAMoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;iFAGX,yB;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAhB,wB AAGB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UAAsB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,K ;;QACrD,OAAO,I;O;KAPX,C;kFAUA,6B;MAMmC,Q;MAAhB,iD;QAAgB,cAAhB,e;QAAsB,OAAO,OAAP,C;; MAArC,gB;K;oFAGJ,6B;MAMmC,Q;MAAhB,iD;QAAgB,cAAhB,e;QAAsB,OAAO,OAAP,C;;MAArC,gB;K;oF AGJ,6B;MAMmC,Q;MAAhB,iD;QAAgB,cAAhB,e;QAAsB,OAAO,OAAP,C;;MAArC,gB;K;oFAGJ,6B;MAMmC ,Q;MAAhB,iD;QAAgB,cAAhB,e;QAAsB,OAAO,OAAP,C;;MAArC,gB;K;oFAGJ,6B;MAMmC,Q;MAAhB,iD;Q AAAGB,cAAhB,e;QAAsB,OAAO,OAAP,C;;MAArC,gB;K;oFAGJ,6B;MAMmC,Q;MAAhB,iD;QAAgB,cAAhB,e; QAAsB,OAAO,OAAP,C;;MAArC,gB;K;oFAGJ,6B;MAMmC,Q;MAAhB,iD;QAAgB,cAAhB,e;QAAsB,OAAO,OA AP,C;;MAArC,gB;K;oFAGJ,6B;MAMmC,Q;MAAhB,iD;QAAgB,cAAhB,e;QAAsB,OAAO,OAAP,C;;MAArC, gB;K;oFAGJ,yB;MAAA,oC;MAAA,gC;MAAA,oC;QAMmC,Q;QAAhB,iD;UAAgB,cAAhB,0B;UAAsB,OAAO,o BAAP,C;;QAArC,gB;O;KANJ,C;gGASA,6B;MARjJiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAAMb, QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;MA8jJnB,gB;K;kGAGJ,6B;MAvjJiB,gB;MADb,YAAY,C;MAC Z,iD;QAAa,WAAb,e;QAAMb,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;MAGkJnB,gB;K;kGAGJ,6B;MAz jJiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAAMb,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;M AkkJnB,gB;K;kGAGJ,6B;MA3jJiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAAMb,QAAO,cAAP,EAA O,sBAAP,WAAgB,IAAhB,C;;MAokJnB,gB;K;kGAGJ,6B;MA7jJiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAA b,e;QAAMb,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;MAskJnB,gB;K;kGAGJ,6B;MAjJiB,gB;MADb,Y AAY,C;MACZ,iD;QAAa,WAAb,e;QAAMb,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;MAwkJnB,gB;K;k GAGJ,6B;MAjkJiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAAMb,QAAO,cAAP,EAAO,sBAAP,WAA gB,IAAhB,C;;MA0kJnB,gB;K;kGAGJ,6B;MANkJiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAAMb,QA AO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;MA4kJnB,gB;K;kGAGJ,yB;MAAA,6B;MAAA,sC;MA5kJA,oC;M AAA,gC;MA4kJA,2BASiB,yB;QArLjB,oC;QAAA,gC;eAqLjB,0B;UAAA,4B;YAAE,aAAe,c;YA9kJjB,gB;YADb ,YAAY,C;YACZ,iD;cAAa,WAAb,0B;cAAmB,QAAO,cAAP,EAAO,sBAAP,WAAgB,iBAAhB,C;;YA8kJmB,W; W;S;OAAzB,C;MATjB,oC;QArkJiB,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,0B;UAAmB,QAAO,cAAP,EA AO,sBAAP,WAAgB,iBAAhB,C;;QA8kJnB,gB;O;KATJ,C;kFAYA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB ,Q;QAHjB,IAhvUO,qBAAQ,CAGvUf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C ;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OA AO,W;O;KANBX,C;oFAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA9vUO,qBAAQ,CA8vU f,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB; UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KANBX,C;oFAsBA,yB;MA AA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA5wUO,qBAAQ,CA4wUf,C;UACI,MAAM,mCAA8B,+BAA

9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;oFAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA1xUO,qBAAQ,CA0xUf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;oFAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAxyUO,qBAAQ,CAwyUf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;oFAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAtzUO,qBAAQ,CAszUf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;oFAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA11UO,qBAAQ,CAk1Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;oFAsBA,yB;MAAA,4F;MAAA,8D;MAAA,oC;MAAA,gC;MAAA,uC;QAgBqB,Q;QAHjB,IAh2UO,qBAAQ,Cag2Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,oBAAU,wBAAV,EAAuB,sBAAK,KAAL,EAAvB,E;;QAEIB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA7UO,qBAAQ,CAs7Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAaqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAHV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAp8UO,qBAAQ,CAo8Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAHV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA19UO,qBAAQ,CAk9Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAHV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAh+UO,qBAAQ,Cag+Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAHV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA9+UO,qBAAQ,CA8+Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAHV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA5/UO,qBAAQ,CA4/Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAHV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA1gVO,qBAAQ,CA0gVf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAHV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAxhVO,qBAAQ,CAwhVf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAHV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,oC;MAAA,gC;MAAA,uC;QAgBqB,Q;QAHjB,IAtiVO,qBAAQ,CAsiVf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,oBAAU,KAHV,EAAiB,wBAAjB,EAA8B,sBAAK,KAAL,EAA9B,E;;QAEIB,OAAO,W;O;KAnBX,C;4GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA5nVO,qBAAQ,CA4nVf,C;UACI,OAAO,I;QACX,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAHV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA1oVO,qBAAQ,CA0oVf,C;UACI,OAAO,I;QACX,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAHV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,

CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAxpVO,qB  
AAQ,CAwpVf,C;UACI,OAAO,I;QACX,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,c  
AAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;8GAsBA,  
yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA tqVO,qBAAQ,CAsqVf,C;UACI,OAAO,I;QACX,kBAakB,UAA  
K,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KA  
AL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAprVO,  
qBAAQ,CAorVf,C;UACI,OAAO,I;QACX,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,  
cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;8GAsB  
A,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAIsVO,qBAAQ,CAksVf,C;UACI,OAAO,I;QACX,kBAakB,U  
AAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,  
KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAht  
VO,qBAAQ,CAgtVf,C;UACI,OAAO,I;QACX,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;U  
ACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;8G  
AsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA9tVO,qBAAQ,CA8tVf,C;UACI,OAAO,I;QACX,kBAak  
B,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UA  
AK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,oC;MAAA,gC;MAAA,u  
C;QAgBqB,Q;QAHjB,IA5uVO,qBAAQ,CA4uVf,C;UACI,OAAO,I;QACX,kBAakB,UAAK,CAAL,C;QACD,+B;  
QAAjB,iBAAc,CAAd,yB;UACI,cAAc,oBAAU,KAAV,EAAiB,wBAAjB,EAA8B,sBAAK,KAAL,EAA9B,E;;QAE  
IB,OAAO,W;O;KAnBX,C;8FAsBA,yB;MAAA,8D;MAAA,uC;QAIbqB,Q;QAHjB,IAN0VO,qBAAQ,CAM0Vf,C;  
UACI,OAAO,I;QACX,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAA  
V,EAAuB,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KApBX,C;gGAuBA,yB;MAAA,8D;MAAA,uC;QAIbq  
B,Q;QAHjB,IAL1VO,qBAAQ,CAK1Vf,C;UACI,OAAO,I;QACX,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iB  
AAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KApBX,C;g  
GAuBA,yB;MAAA,8D;MAAA,uC;QAIbqB,Q;QAHjB,IAj2VO,qBAAQ,CAi2Vf,C;UACI,OAAO,I;QACX,kBAA  
kB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CA  
AvB,C;;QAEIB,OAAO,W;O;KApBX,C;gGAuBA,yB;MAAA,8D;MAAA,uC;QAIbqB,Q;QAHjB,IAh3VO,qBAA  
Q,CAg3Vf,C;UACI,OAAO,I;QACX,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc  
,UAAU,WAAV,EAAuB,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KApBX,C;gGAuBA,yB;MAAA,8D;MA  
AA,uC;QAIbqB,Q;QAHjB,IA/3VO,qBAAQ,CA+3Vf,C;UACI,OAAO,I;QACX,kBAakB,UAAK,CAAL,C;QACD  
,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;  
O;KApBX,C;gGAuBA,yB;MAAA,8D;MAAA,uC;QAIbqB,Q;QAHjB,IA94VO,qBAAQ,CA84Vf,C;UACI,OAAO,  
I;QACX,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,U  
AAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KApBX,C;gGAuBA,yB;MAAA,8D;MAAA,uC;QAIbqB,Q;QAHjB,  
IA75VO,qBAAQ,CA65Vf,C;UACI,OAAO,I;QACX,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,  
yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KApBX,C;gGAuBA,yB;  
MAAA,8D;MAAA,uC;QAIbqB,Q;QAHjB,IA56VO,qBAAQ,CA46Vf,C;UACI,OAAO,I;QACX,kBAakB,UAAK,  
CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAA9B,C;;Q  
AEIB,OAAO,W;O;KApBX,C;gGAuBA,yB;MAAA,8D;MAAA,oC;MAAA,gC;MAAA,uC;QAIbqB,Q;QAHjB,IA3  
7VO,qBAAQ,CA27Vf,C;UACI,OAAO,I;QACX,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;  
UACI,cAAc,oBAAU,wBAAV,EAAuB,sBAAK,KAAL,EAA9B,E;;QAEIB,OAAO,W;O;KApBX,C;4FAuBA,yB;M  
AAA,8D;MAAA,4F;MAAA,uC;QAE0B,UAEO,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAA  
M,mCAA8B,+BAA9B,C;QACrB,kBAAqB,UAAI,YAAJ,EAAI,oBAAJ,O;QACrB,OAAO,SAAS,CAAhB,C;UACI,  
cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAnBX,C;8FAsBA,yB  
;MAAA,8D;MAAA,4F;MAAA,uC;QAE0B,UAEO,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,M  
AAM,mCAA8B,+BAA9B,C;QACrB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;U  
ACI,cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAnBX,C;8FAsB  
A,yB;MAAA,8D;MAAA,4F;MAAA,uC;QAE0B,UAEO,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAA  
e,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C





AJ,EAAl,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,oBAAU,sBAAI,cAAJ,EAAl,sBAAJ,UAAV,EA AwB,wBAAXB,E;;QAEIB,OAAO,W;O;KApBX,C;4FAuBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBoB,Q;Q AHhB,IAp0XO,qBAAQ,CAo0Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb, C;QAA+B,8B;QAA5C,aiBj9mBO,W;QjBk9mBP,kBAAkB,O;QACIB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAh B,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KApB X,C;8FAuBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAIBoB,Q;QAHhB,IAp1XO,qBAAQ,CAo1Xf,C;UAAe,OA AO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBz+mBO,W;QjB0+m BP,kBAAkB,O;QACIB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OA AvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAA A,gD;QAIBoB,Q;QAHhB,IAp2XO,qBAAQ,CAo2Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mB AAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBjgnBO,W;QjBkgnBP,kBAAkB,O;QACIB,wBAAGB,SAAhB,gB;UA AgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,O AAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAIBoB,Q;QAHhB,IAp3XO,qBAAQ,CAo 3Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBzh nBO,W;QjB0hnBP,kBAAkB,O;QACIB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WA AV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD; MAAA,gE;MAAA,gD;QAIBoB,Q;QAHhB,IAp4XO,qBAAQ,CAo4Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,k BAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBjgnBO,W;QjBkgnBP,kBAAkB,O;QACIB,wBAAG B,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,W AAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAIBoB,Q;QAHhB,IAp5 XO,qBAAQ,CAo5Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8 B;QAA5C,aiBzknBO,W;QjB0knBP,kBAAkB,O;QACIB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,c AAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA ,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAIBoB,Q;QAHhB,IAp6XO,qBAAQ,CAo6Xf,C;UAAe,OAAO,OAAO,O AAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBjmnBO,W;QjBkmnBP,kBAAkB, O;QACIB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UAC d,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAIBo B,Q;QAHhB,IAp7XO,qBAAQ,CAo7Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP, IAAb,C;QAA+B,8B;QAA5C,aiBznnBO,W;QjB0nnBP,kBAAkB,O;QACIB,wBAAGB,SAAhB,gB;UAAgB,cAAA, SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;K ArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,oC;MAAA,gC;MAAA,gD;QAIBoB,Q;QAHhB,IAp8XO,qB AAQ,CAo8Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QA A5C,aiBjpnBO,W;QjBkpnBP,kBAAkB,O;QACIB,wBAAGB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UAC l,cAAc,UAAU,WAAV,EAAuB,oBAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;0GA wBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAcI,IA5hYO,qBAAQ,CA4hYf,C;UAAe,OAAO,OAAO,OAAP,C;Q ACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBzqnBO,W;QjB0qnBP,kBAAkB,O;QACIB, wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ, C;;QAEX,OAAO,M;O;KArBX,C;4GAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAEI,IA7iYO,qBAAQ,CA6iYf ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBlsnBO, W;QjBmsnBP,kBAAkB,O;QACIB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9 B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KATBX,C;4GAyBA,yB;MAAA,gD;MAAA,gE;MAAA,g D;QAEI,IA9jYO,qBAAQ,CA8jYf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb, C;QAA+B,8B;QAA5C,aiB3tnBO,W;QjB4tnBP,kBAAkB,O;QACIB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WA AjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KATBX,C;4GAyBA,y B;MAAA,gD;MAAA,gE;MAAA,gD;QAEI,IA/kYO,qBAAQ,CA+kYf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kB AAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBpvnBO,W;QjBqvnBP,kBAAkB,O;QACIB,wD;UA CI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAE X,OAAO,M;O;KATBX,C;4GAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAEI,IAhmYO,qBAAQ,CAgmYf,C;U

AAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiB7wnBO,W;  
QjB8wnBP,kBAAkB,O;QACIB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,  
C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;4GAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD  
;QAEI,IAjnYO,qBAAQ,CAinYf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C  
;QAA+B,8B;QAA5C,aiBtynBO,W;QjBuynBP,kBAAkB,O;QACIB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAj  
B,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;4GAyBA,yB;  
MAAA,gD;MAAA,gE;MAAA,gD;QAEI,IAloYO,qBAAQ,CAkoYf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBA  
AvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiB/znBO,W;QjBg0nBP,kBAAkB,O;QACIB,wD;UACI,  
cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,  
OAAO,M;O;KAtBX,C;4GAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAEI,IANpYO,qBAAQ,CAnpYf,C;UAAe  
,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBx1nBO,W;QjBy  
1nBP,kBAAkB,O;QACIB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UA  
Cd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;4GAyBA,yB;MAAA,gD;MAAA,gE;MAAA,oC;MAA  
A,gD;QAEI,IapqYO,qBAAQ,CAoqYf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,I  
AAb,C;QAA+B,8B;QAA5C,aiBj3nBO,W;QjBk3nBP,kBAAkB,O;QACIB,wD;UACI,cAAc,UAAU,KAAV,EAAiB  
,WAAjB,EAA8B,sBAAK,KAAL,EAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;gGAy  
BA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QACl,IA5vYO,qBAAQ,CA4vYf,C;UAAe,OAAO,W;QACtB,sBAaqB,  
UAAK,CAAL,CAArB,C;QACgC,kBAAnB,eAAa,gBAAb,C;QAA2B,sBAAI,aAAJ,C;QAAxC,aiB14nBO,W;QjB2  
4nBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,CAAvB,C;UACd,M  
AAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KArBX,C;kGAwBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAWI,IAz  
wYO,qBAAQ,CaywYf,C;UAAe,OAAO,W;QACtB,sBAakB,UAAK,CAAL,CAAIB,C;QACmC,kBAAtB,eAAgB,  
gBAAhB,C;QAA8B,sBAAI,aAAJ,C;QAA3C,aiB/5nBO,W;QjBg6nBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,g  
BAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAIB  
X,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAWI,IAtxYO,qBAAQ,CAsxYf,C;UAAe,OAAO,W;QACtB  
,sBAakB,UAAK,CAAL,CAAIB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBp7n  
BO,W;QjBq7nBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,CAAvB  
,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAIBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;  
QAWI,IAAnyYO,qBAAQ,CamyYf,C;UAAe,OAAO,W;QACtB,sBAakB,UAAK,CAAL,CAAIB,C;QACkC,kBAAr  
B,eAAe,gBAAf,C;QAA6B,sBAAI,aAAJ,C;QAA1C,aiBz8nBO,W;QjB08nBP,iBAAc,CAAd,UAAsB,gBAAtB,U;U  
ACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;  
KAIBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAWI,IAhzYO,qBAAQ,CAGzYf,C;UAAe,OAAO,W;  
QACtB,sBAakB,UAAK,CAAL,CAAIB,C;QACmC,kBAAtB,eAAgB,gBAAhB,C;QAA8B,sBAAI,aAAJ,C;QAA3  
C,aiB99nBO,W;QjB+9nBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAA  
L,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAIBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;M  
AAA,uC;QAWI,IA7zYO,qBAAQ,CA6zYf,C;UAAe,OAAO,W;QACtB,sBAakB,UAAK,CAAL,CAAIB,C;QACoC  
,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBn/nBO,W;QjBo/nBP,iBAAc,CAAd,UAAsB,gB  
AAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,O  
AAO,M;O;KAIBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAWI,IA10YO,qBAAQ,CA00Yf,C;UAAe,  
OAAO,W;QACtB,sBAakB,UAAK,CAAL,CAAIB,C;QACqC,kBAAxB,eAAkB,gBAAlB,C;QAAgC,sBAAI,aAAJ,  
C;QAA7C,aiBxgoBO,W;QjBygoBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAA  
K,KAAL,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAIBX,C;kGAqBA,yB;MAAA,qD;MAA  
A,gE;MAAA,uC;QAWI,IAv1YO,qBAAQ,CAu1Yf,C;UAAe,OAAO,W;QACtB,sBAakB,UAAK,CAAL,CAAIB,C  
;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiB7hoBO,W;QjB8hoBP,iBAAc,CAAd,U  
AAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;  
QAEX,OAAO,M;O;KAIBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,oC;MAAA,gC;MAAA,uC;QAWI,IAP  
2YO,qBAAQ,CAo2Yf,C;UAAe,OAAO,W;QACtB,sBAakB,UAAK,CAAL,CAAIB,C;QACmC,kBAAtB,eAAgB,g  
BAAhB,C;QAA8B,sBAAI,0BAAJ,C;QAA3C,aiBljoBO,W;QjBmjoBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,g  
BAAc,oBAAU,0BAAV,EAAuB,sBAAK,KAAL,EAAvB,E;UACd,MAAO,WAAI,0BAAJ,C;;QAEX,OAAO,M;O;



KAIBX,C;8GAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAcI,IA57YO,qBAAQ,CA47Yf,C;UAAe,OAAO,W;Q  
ACtB,sBAAqB,UAAK,CAAL,CAArB,C;QACgC,kBAAnB,eAAa,gBAAb,C;QAA2B,sBAAI,aAAJ,C;QAAxC,aiB  
1koBO,W;QjB2koBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UA  
AK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KArBX,C;gHAWBA,yB;MAAA,qD;M  
AAA,gE;MAAA,uC;QAYI,IA18YO,qBAAQ,CA08Yf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAI  
B,C;QACmC,kBAAtB,eAAgB,gBAAhB,C;QAA8B,sBAAI,aAAJ,C;QAA3C,aiBhmoBO,W;QjBimoBP,iBAAc,CA  
Ad,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,M  
AAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAYI,IAx9  
YO,qBAAQ,CAw9Yf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAI B,C;QACoC,kBAAvB,eAAiB,gB  
AAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBtnoBO,W;QjBunoBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBA  
Ac,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAA  
O,M;O;KAnBX,C;gHAsBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAYI,IA+YO,qBAAQ,CAs+Yf,C;UAAe,OA  
AO,W;QACtB,sBAAkB,UAAK,CAAL,CAAI B,C;QACkC,kBAArB,eAAe,gBAAf,C;QAA6B,sBAAI,aAAJ,C;QA  
A1C,aiB5ooBO,W;QjB6ooBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EA  
A8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAA  
A,qD;MAAA,gE;MAAA,uC;QAYI,IAP/YO,qBAAQ,CAo/Yf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,  
CAAI B,C;QACmC,kBAAtB,eAAgB,gBAAhB,C;QAA8B,sBAAI,aAAJ,C;QAA3C,aiBlqoBO,W;QjBmqoBP,iBAA  
c,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UAC  
d,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAYI,I  
AlgZO,qBAAQ,CAkgZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAI B,C;QACoC,kBAAvB,eAAiB,  
gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBxroBO,W;QjByroBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gB  
AAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OA  
AO,M;O;KAnBX,C;gHAsBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAYI,IAhhZO,qBAAQ,CAghZf,C;UAAe,O  
AAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAI B,C;QACqC,kBAAxB,eAAkB,gBAAlB,C;QAAgC,sBAAI,aAAJ,C  
;QAA7C,aiB9soBO,W;QjB+soBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB  
EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;M  
AAA,qD;MAAA,gE;MAAA,uC;QAYI,IA9hZO,qBAAQ,CA8hZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,C  
AAL,CAAI B,C;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBpuoBO,W;QjBpuoBP,i  
BAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;  
UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAA,qD;MAAA,gE;MAAA,oC;M  
AAA,gC;MAAA,uC;QAYI,IA5iZO,qBAAQ,CA4iZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAI B,  
C;QACmC,kBAAtB,eAAgB,gBAAhB,C;QAA8B,sBAAI,0BAAJ,C;QAA3C,aiB1voBO,W;QjB2voBP,iBAAc,CA  
Ad,UAAsB,gBAAtB,U;UACI,gBAAc,oBAAU,KAAV,EAAiB,0BAAjB,EAA8B,sBAAK,KAAL,EAA9B,E;UACd,  
MAAO,WAAI,0BAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;8EAsBA,yB;MA/zBA,gD;MAAA,gE;MA+zBA,gD;QAc  
W,sB;;UA7zBS,Q;UAHhB,IAP0XO,qBAAQ,CAo0Xf,C;YAAe,qBAAO,OA00BH,OA00BG,C;YAAP,uB;WACqB  
,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA+zBzB,OA/zByB,C;UAA5C,aiBj9mBO,W;UjBk9mBP,kB  
A8zBmB,O;UA7zBnB,iD;YAAgB,cAAhB,e;YACI,cA4zBwB,SA5zBV,CAAU,WAAV,EAAuB,OA0vB,C;YACd,  
MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;QAyzBP,yB;O;KADJ,C;gFAiBA,yB;MAzzBA,gD;MAAA,gE;MAyz  
BA,gD;QAeW,sB;;UA7zBS,Q;UAHhB,IAP1XO,qBAAQ,CAo1Xf,C;YAAe,qBAAO,OA0zBH,OA1zBG,C;YAAP,  
uB;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAyzBzB,OAzzByB,C;UAA5C,aiBz+mBO,W;Uj  
B0+mBP,kBAwzBmB,O;UA7zBnB,iD;YAAgB,cAAhB,e;YACI,cAszBwB,SAtzBV,CAAU,WAAV,EAAuB,OA  
vB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;QAmzBP,yB;O;KAFJ,C;gFAkBA,yB;MANzBA,gD;MA  
AA,gE;MAmzBA,gD;QAeW,sB;;UA7zBS,Q;UAHhB,IAP2XO,qBAAQ,CAo2Xf,C;YAAe,qBAAO,OAozBH,OA  
zBG,C;YAAP,uB;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAyzBzB,OAyzByB,C;UAA5C,ai  
BjgnBO,W;UjBkgnBP,kBAkzBmB,O;UA7zBnB,iD;YAAgB,cAAhB,e;YACI,cAgzBwB,SAhzBV,CAAU,WAAV,  
EAAuB,OA0vB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;QA6yBP,yB;O;KAFJ,C;gFAkBA,yB;MA  
7yBA,gD;MAAA,gE;MA6yBA,gD;QAeW,sB;;UA3yBS,Q;UAHhB,IAP3XO,qBAAQ,CAo3Xf,C;YAAe,qBAAO,  
OA8yBH,OA9yBG,C;YAAP,uB;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA6yBzB,OA7yBy

B,C;UAA5C,aiBzbnBO,W;UjB0hnBP,kBA4yBmB,O;UA3yBnB,iD;YAAgB,cAAhB,e;YACl,cA0yBwB,SA1yBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAuyBP,yB;O;KafJ,C;gFAkBA,yB;MAvyBA,gD;MAAA,gE;MAuyBA,gD;QAeW,sB;;UAryBS,Q;UAHhB,IAp4XO,qBAAQ,CAo4Xf,C;YAAe,qBAAO,OAwyBH,OAxyBG,C;YAAP,uB;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAuyBzB,OAvyByB,C;UAA5C,aiBjbnBO,W;UjBkbnBP,kBA5yBmB,O;UAryBnB,iD;YAAgB,cAAhB,e;YACl,cAoyBwB,SApyBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAiyBP,yB;O;KafJ,C;gFAkBA,yB;MAjyBA,gD;MAAA,gE;MAiyBA,gD;QAeW,sB;;UA/xBS,Q;UAHhB,IAp5XO,qBAAQ,CAo5Xf,C;YAAe,qBAAO,OAkyBH,OAlyBG,C;YAAP,uB;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAiyBzB,OAjyByB,C;UAA5C,aiBzknBO,W;UjB0knBP,kBAgyBmB,O;UA/xBnB,iD;YAAgB,cAAhB,e;YACl,cA8xBwB,SA9xBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QA2xBP,yB;O;KafJ,C;gFAkBA,yB;MA3xBA,gD;MAAA,gE;MA2xBA,gD;QAeW,sB;;UAzxBS,Q;UAHhB,IAp6XO,qBAAQ,CAo6Xf,C;YAAe,qBAAO,OA4xBH,OA5xBG,C;YAAP,uB;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA2xBzB,OA3xByB,C;UAA5C,aiBjmnBO,W;UjBkmnBP,kBA0xBmB,O;UAzxBnB,iD;YAAgB,cAAhB,e;YACl,cAwxBwB,SAxxBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAqxBP,yB;O;KafJ,C;gFAkBA,yB;MARxBA,gD;MAAA,gE;MAqxBA,gD;QAeW,sB;;UANxBS,Q;UAHhB,IAp7XO,qBAAQ,CAo7Xf,C;YAAe,qBAAO,OA5xBH,OA6xBG,C;YAAP,uB;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAqxzBzB,OA4xByB,C;UAA5C,aiBznnBO,W;UjB0nnBP,kBAoxBmB,O;UANxBnB,iD;YAAgB,cAAhB,e;YACl,cAkxBwB,SA1xBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QA+wBP,yB;O;KafJ,C;gFAkBA,yB;MA/wBA,gD;MAAA,gE;MAAA,oC;MAAA,gC;MA+wBA,gD;QAeW,sB;;UA7wBS,Q;UAHhB,IAp8XO,qBAAQ,CAo8Xf,C;YAAe,qBAAO,OA8xBH,OA9xBG,C;YAAP,uB;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA+wBzB,OA/wByB,C;UAA5C,aiBjpnBO,W;UjBkpnBP,kBA8wBmB,O;UA7wBnB,iD;YAAgB,cAAhB,0B;YACl,cA4wBwB,SA5wBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAywBP,yB;O;KafJ,C;4FAkBA,yB;MAzwBA,gD;MAAA,gE;MAywBA,gD;QAeW,6B;;UA1wBP,IA5hYO,qBAAQ,CA4hYf,C;YAAe,4BAAO,OA0wBI,OA1wBJ,C;YAAP,8B;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAywBIB,OAzwBkB,C;UAA5C,aiBzqnBO,W;UjB0qnBP,kBAwwB0B,O;UAvwB1B,wD;YACl,cAswB+B,SAtwBjB,CAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;;QAmwBP,gC;O;KafJ,C;8FAkBA,yB;MANwBA,gD;MAAA,gE;MAMwBA,gD;QAgBW,6B;;UApwBP,IA7iYO,qBAAQ,CA6iYf,C;YAAe,4BAAO,OAowBI,OApwBJ,C;YAAP,8B;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAmwBIB,OAAnwBkB,C;UAA5C,aiBlsnBO,W;UjBmsnBP,kBAkwB0B,O;UAjwB1B,wD;YACl,cAgwB+B,SAhwBjB,CAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;;QA6vBP,gC;O;KAhBJ,C;8FAMBA,yB;MA7vBA,gD;MAAA,gE;MA6vBA,gD;QAgBW,6B;;UA9vBP,IA9jYO,qBAAQ,CA8jYf,C;YAAe,4BAAO,OA8vBI,OA9vBJ,C;YAAP,8B;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA6vBIB,OA7vBkB,C;UAA5C,aiB3tnBO,W;UjB4tnBP,kBA4vB0B,O;UA3vB1B,wD;YACl,cA0vB+B,SA1vBjB,CAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;;QAuvBP,gC;O;KAhBJ,C;8FAMBA,yB;MAvvBA,gD;MAAA,gE;MAuvBA,gD;QAgBW,6B;;UAxvBP,IAkYO,qBAAQ,CA+kYf,C;YAAe,4BAAO,OAwwBI,OAxxvBJ,C;YAAP,8B;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAuvBIB,OAvvBkB,C;UAA5C,aiBpvnBO,W;UjBqvnBP,kBASvB0B,O;UARvB1B,wD;YACl,cAovB+B,SApvBjB,CAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;;QAivBP,gC;O;KAhBJ,C;8FAMBA,yB;MAjvBA,gD;MAAA,gE;MAivBA,gD;QAgBW,6B;;UA1vBP,IAhmYO,qBAAQ,CAgmYf,C;YAAe,4BAAO,OAkvBI,OA1vBJ,C;YAAP,8B;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAivBIB,OAjvBkB,C;UAA5C,aiB7wnBO,W;UjB8wnBP,kBAgvB0B,O;UAuB1B,wD;YACl,cA8uB+B,SA9uBjB,CAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;;QA2uBP,gC;O;KAhBJ,C;8FAMBA,yB;MA3uBA,gD;MAAA,gE;MA2uBA,gD;QAgBW,6B;;UA5uBP,IAjnYO,qBAAQ,CAinYf,C;YAAe,4BAAO,OA4uBI,OA5uBJ,C;YAAP,8B;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA2uBIB,OA3uBkB,C;UAA5C,aiBtynBO,W;UjBuynBP,kBA0uB0B,O;UAzuB1B,wD;YACl,cAwuB+B,SAxuBjB,CAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;;QAquBP,gC;O;KAhBJ,C;8FAMBA,yB;MARu

BA,gD;MAAA,gE;MAquBA,gD;QAgBW,6B;;UAtuBP,IAloYO,qBAAQ,CAkoYf,C;YAAe,4BAAO,OAsuBI,OAt  
uBJ,C;YAAP,8B;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAquBIB,OArubkB,C;UAA5C,aiB/  
znBO,W;UjBgOnBP,kBAouB0B,O;UAnuB1B,wD;YACI,cAkuB+B,SAluBjB,CAAU,KAAV,EAAiB,WAAjB,EAA  
8B,UAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;;QA+tBP,gC;O;KAhBJ,C;8Fam  
BA,yB;MA/tBA,gD;MAAA,gE;MA+tBA,gD;QAgBW,6B;;UAhuBP,IANpYO,qBAAQ,CampYf,C;YAAe,4BAAO  
,OAguBI,OAhBJ,C;YAAP,8B;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA+tBIB,OA/tBkB,C  
;UAA5C,aiBx1nBO,W;UjBy1nBP,kBA8tB0B,O;UA7tB1B,wD;YACI,cA4tB+B,SA5tBjB,CAAU,KAAV,EAAiB,  
WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;;QAYtBP,gC;O;K  
AhBJ,C;8FamBA,yB;MAztBA,gD;MAAA,gE;MAAA,oC;MAytBA,gD;QAgBW,6B;;UA1tBP,IApqYO,qBAAQ,C  
AoqYf,C;YAAe,4BAAO,OA0tBI,OA1tBJ,C;YAAP,8B;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B  
,sBAytBIB,OAztBkB,C;UAA5C,aiBj3nBO,W;UjBk3nBP,kBAwtB0B,O;UAvtB1B,wD;YACI,cAstB+B,SAttBjB,C  
AAU,KAAV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,EAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,  
M;;;QAmBtBP,gC;O;KAhBJ,C;gFamBA,+B;MAOoB,Q;MADhB,UAAe,C;MACf,wBAAGB,SAAhB,gB;QAAgB,c  
AAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;kFAGX,+B;MAOoB,Q;MADhB,UAAe  
,C;MACf,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;  
K;kFAGX,+B;MAOoB,Q;MADhB,UAAe,C;MACf,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAA  
O,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;kFAGX,+B;MAOoB,Q;MADhB,UAAe,C;MACf,wBAAGB,SAAhB,  
gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;kFAGX,+B;MAOoB,Q;M  
ADhB,UAAe,C;MACf,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MA  
EJ,OAAO,G;K;kFAGX,+B;MAOoB,Q;MADhB,UAAe,C;MACf,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;  
QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;kFAGX,+B;MAOoB,Q;MADhB,UAAe,C;MACf,wBAA  
gB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;kFAGX,+B;M  
AOoB,Q;MADhB,UAAe,C;MACf,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,C  
AAP,I;;MAEJ,OAAO,G;K;kFAGX,yB;MAAA,oC;MAAA,gC;MAAA,sC;QAOoB,Q;QADhB,UAAe,C;QACf,wB  
AAGB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,YAAO,SAAS,oBAAT,CAAP,I;;QAEJ,OAAO,G;O;  
KAVX,C;4FAaA,+B;MAOoB,Q;MADhB,UAAkB,G;MACIB,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;Q  
ACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;8FAGX,+B;MAOoB,Q;MADhB,UAAkB,G;MACIB,wBAAGB,  
SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;8FAGX,+B;MAOoB,Q  
;MADhB,UAAkB,G;MACIB,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MA  
EX,OAAO,G;K;8FAGX,+B;MAOoB,Q;MADhB,UAAkB,G;MACIB,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAh  
B,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;8FAGX,+B;MAOoB,Q;MADhB,UAAkB,G;MACIB,wB  
AAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;8FAGX,+B;MA  
OoB,Q;MADhB,UAAkB,G;MACIB,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,  
C;;MAEX,OAAO,G;K;8FAGX,+B;MAOoB,Q;MADhB,UAAkB,G;MACIB,wBAAGB,SAAhB,gB;QAAgB,cAAA,  
SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;8FAGX,+B;MAOoB,Q;MADhB,UAAkB,G;MACI  
B,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;8FAGX,y  
B;MAAA,oC;MAAA,gC;MAAA,sC;QAOoB,Q;QADhB,UAAkB,G;QACIB,wBAAGB,SAAhB,gB;UAAgB,cAAh  
B,UAAgB,SAAhB,O;UACI,OAAO,SAAS,oBAAT,C;;QAEJ,OAAO,G;O;KAVX,C;gFAaA,+B;MAUoB,Q;MADh  
B,UAAoB,C;MACpB,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,O  
AAO,G;K;kFAGX,+B;MAUoB,Q;MADhB,UAAoB,C;MACpB,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;  
QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;kFAGX,+B;MAUoB,Q;MADhB,UAAoB,C;MACpB,wBAAG  
B,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;kFAGX,+B;MAUoB,  
Q;MADhB,UAAoB,C;MACpB,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;  
MAEX,OAAO,G;K;kFAGX,+B;MAUoB,Q;MADhB,UAAoB,C;MACpB,wBAAGB,SAAhB,gB;QAAgB,cAAA,S  
AAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;kFAGX,+B;MAUoB,Q;MADhB,UAAoB,C;MACpB  
,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;kFAGX,+B;  
MAUoB,Q;MADhB,UAAoB,C;MACpB,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,O  
AAT,C;;MAEX,OAAO,G;K;kFAGX,+B;MAUoB,Q;MADhB,UAAoB,C;MACpB,wBAAGB,SAAhB,gB;QAAgB,c

AAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;kFAGX,yB;MAAA,oC;MAAA,gC;MAAA,s  
C;QAUoB,Q;QADhB,UAAoB,C;QACpB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,OAAO  
,SAAS,oBAAT,C;;QAEX,OAAO,G;O;KAbX,C;kFAGBA,+B;MAUoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SA  
hB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;kFAGX,+B;MAUoB,  
Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;  
;MAEJ,OAAO,G;K;mFAGX,+B;MAUoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAh  
B,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;mFAGX,+B;MAUoB,Q;MADhB,UAAe,C;MACf,w  
BAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;mFAGX,  
+B;MAUoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,SAAS,O  
AAT,CAAP,I;;MAEJ,OAAO,G;K;mFAGX,+B;MAUoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAg  
B,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;mFAGX,+B;MAUoB,Q;MADhB,U  
AAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAA  
O,G;K;mFAGX,+B;MAUoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,  
YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;mFAGX,yB;MAAA,oC;MAAA,gC;MAAA,sC;QAUoB,Q;QA  
DhB,UAAe,C;QACf,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,YAAO,SAAS,oBAAT,CA  
AP,I;;QAEJ,OAAO,G;O;KAbX,C;mFAGBA,yB;MAAA,SASoB,gB;MATpB,sC;QAUoB,Q;QADhB,Y;QACA,wB  
AAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAO,SAAS,OAAT,CAAP,C;;QAEJ,OAAO,G;O;KAbX,C;m  
FAGBA,yB;MAAA,SASoB,gB;MATpB,sC;QAUoB,Q;QADhB,Y;QACA,wBAAgB,SAAhB,gB;UAAgB,cAAA,S  
AAhB,M;UACI,cAAO,SAAS,OAAT,CAAP,C;;QAEJ,OAAO,G;O;KAbX,C;mFAGBA,yB;MAAA,SASoB,gB;MA  
TpB,sC;QAUoB,Q;QADhB,Y;QACA,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAO,SAAS,OAA  
T,CAAP,C;;QAEJ,OAAO,G;O;KAbX,C;mFAGBA,yB;MAAA,SASoB,gB;MATpB,sC;QAUoB,Q;QADhB,Y;QAC  
A,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAO,SAAS,OAAT,CAAP,C;;QAEJ,OAAO,G;O;KAb  
X,C;mFAGBA,yB;MAAA,SASoB,gB;MATpB,sC;QAUoB,Q;QADhB,Y;QACA,wBAAgB,SAAhB,gB;UAAgB,cA  
AA,SAAhB,M;UACI,cAAO,SAAS,OAAT,CAAP,C;;QAEJ,OAAO,G;O;KAbX,C;mFAGBA,yB;MAAA,SASoB,g  
B;MATpB,sC;QAUoB,Q;QADhB,Y;QACA,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAO,SAAS,  
OAAT,CAAP,C;;QAEJ,OAAO,G;O;KAbX,C;mFAGBA,yB;MAAA,SASoB,gB;MATpB,sC;QAUoB,Q;QADhB,Y;  
QACA,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAO,SAAS,OAAT,CAAP,C;;QAEJ,OAAO,G;O;  
KAbX,C;mFAGBA,yB;MAAA,SASoB,gB;MATpB,sC;QAUoB,Q;QADhB,Y;QACA,wBAAgB,SAAhB,gB;UAAg  
B,cAAA,SAAhB,M;UACI,cAAO,SAAS,OAAT,CAAP,C;;QAEJ,OAAO,G;O;KAbX,C;mFAGBA,yB;MAAA,SAS  
oB,gB;MATpB,oC;MAAA,gC;MAAA,sC;QAUoB,Q;QADhB,Y;QACA,wBAAgB,SAAhB,gB;UAAgB,cAAhB,U  
AAgB,SAAhB,O;UACI,cAAO,SAAS,oBAAT,CAAP,C;;QAEJ,OAAO,G;O;KAbX,C;mFAGBA,yB;MGI7pBA,6B;  
MHK7pBA,sC;QAWoB,Q;QADhB,UGI7pBmC,cHk7pBnB,CGI7pBmB,C;QHm7pBnB,wBAAgB,SAAhB,gB;UA  
AgB,cAAA,SAAhB,M;UACI,MGtvqBiD,cHsvqBjD,GGtvqB2D,KAAK,GHsvqBzD,SAAS,OAAT,CGtvqBoE,KA  
AX,IAAf,C;;QHwvqBrD,OAAO,G;O;KAdX,C;mFAiBA,yB;MGn8pBA,6B;MHm8pBA,sC;QAWoB,Q;QADhB,U  
Gn8pBmC,cHm8pBnB,CGn8pBmB,C;QH08pBnB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MGvw  
qBiD,cHuwqBjD,GGvwqB2D,KAAK,GHuwqBzD,SAAS,OAAT,CGvwqBoE,KAAK,IAAf,C;;QHwvqBrD,OAAO  
,G;O;KAdX,C;mFAiBA,yB;MGp9pBA,6B;MH09pBA,sC;QAWoB,Q;QADhB,UGp9pBmC,cH09pBnB,CGp9pBm  
B,C;QHq9pBnB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MGxxqBiD,cHwxqBjD,GGxxqB2D,KA  
AK,GHwxqBzD,SAAS,OAAT,CGxxqBoE,KAAK,IAAf,C;;QH0xqBrD,OAAO,G;O;KAdX,C;mFAiBA,yB;MGr+p  
BA,6B;MHq+pBA,sC;QAWoB,Q;QADhB,UGr+pBmC,cHq+pBnB,CGr+pBmB,C;QHs+pBnB,wBAAgB,SAAhB,  
gB;UAAgB,cAAA,SAAhB,M;UACI,MGzyqBiD,cHyyqBjD,GGzyqB2D,KAAK,GHyyqBzD,SAAS,OAAT,CGzyq  
BoE,KAAK,IAAf,C;;QH2yqBrD,OAAO,G;O;KAdX,C;mFAiBA,yB;MGt/pBA,6B;MHs/pBA,sC;QAWoB,Q;QAD  
hB,UGt/pBmC,cHs/pBnB,CGt/pBmB,C;QH0zqBzD,SAAS,OAAT,CG1zqBoE,KAAK,IAAf,C;;QH4zqBrD,OAAO,G;  
O;KAdX,C;mFAiBA,yB;MGvgqBA,6B;MHugqBA,sC;QAWoB,Q;QADhB,UGvgqBmC,cHugqBnB,CGvgqBmB,  
C;QHwgqBnB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MG30qBiD,cH20qBjD,GG30qB2D,KAAK  
,GH20qBzD,SAAS,OAAT,CG30qBoE,KAAK,IAAf,C;;QH60qBrD,OAAO,G;O;KAdX,C;mFAiBA,yB;MGxhqBA  
,6B;MHwhqBA,sC;QAWoB,Q;QADhB,UGxhqBmC,cHwhqBnB,CGxhqBmB,C;QHwhqBnB,wBAAgB,SAAhB,gB

;UAAgB,cAAA,SAAhB,M;UACI,MG51qBiD,cH41qBjD,GG51qB2D,KAAK,GH41qBzD,SAAS,OAAT,CG51qBoE,KAAK,IAAf,C;;QH81qBrD,OAAO,G;O;KAdX,C;mFAiBA,yB;MGziqBA,6B;MHYiqBA,sC;QAWoB,Q;QADhB,UGziqBmC,cHyiqBnB,CGziqBmB,C;QH0iqBnC,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MG72qBiD,cH62qBjD,GG72qB2D,KAAK,GH62qBzD,SAAS,OAAT,CG72qBoE,KAAK,IAAf,C;;QH+2qBrD,OAAO,G;O;KAdX,C;mFAiBA,yB;MAAA,oC;MAAA,gC;MG1jqBA,6B;MH0jqBA,sC;QAWoB,Q;QADhB,UG1jqBmC,cH0jqBnB,CG1jqBmB,C;QH2jqBnC,wBAAGB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,MG93qBiD,cH83qBjD,GG93qB2D,KAAK,GH83qBzD,SAAS,oBAAT,CG93qBoE,KAAK,IAAf,C;;QHg4qBrD,OAAO,G;O;KAdX,C;mFAiBA,yB;MmBxkqBA,+B;MnBwkqBA,sC;QAWoB,Q;QADhB,UmBvkqBqC,eAAW,oBnBukqB/B,CmBvkqB+B,CAAX,C;QnBwkqBrC,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MmB54qBmD,enB44qBnD,GmB54qB8D,KAAK,KnB44qB5D,SAAS,OAAT,CmB54qBuE,KAAK,CAAhB,C;;QnB84qBvD,OAAO,G;O;KAdX,C;mFAiBA,yB;MmBzLqBA,+B;MnBylqBA,sC;QAWoB,Q;QADhB,UmBxLqBqC,eAAW,oBnBwlqB/B,CmBxLqB+B,CAAX,C;QnBylqBrC,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MmB75qBmD,enB65qBnD,GmB75qB8D,KAAK,KnB65qB5D,SAAS,OAAT,CmB75qBuE,KAAK,CAAhB,C;;QnB+5qBvD,OAAO,G;O;KAdX,C;mFAiBA,yB;MmB1mqBA,+B;MnB0mqBA,sC;QAWoB,Q;QADhB,UmBzmqBqC,eAAW,oBnBmqB/B,CmBzmqB+B,CAAX,C;QnB0mqBrC,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MmB96qBmD,enB86qBnD,GmB96qB8D,KAAK,KnB86qB5D,SAAS,OAAT,CmB96qBuE,KAAK,CAAhB,C;;QnBg7qBvD,OAAO,G;O;KAdX,C;kFAiBA,yB;MmB3nqBA,+B;MnB2nqBA,sC;QAWoB,Q;QADhB,UmB1nqBqC,eAAW,oBnB0nqB/B,CmB1nqB+B,CAAX,C;QnB2nqBrC,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MmB/7qBmD,enB+7qBnD,GmB/7qB8D,KAAK,KnB+7qB5D,SAAS,OAAT,CmB/7qBuE,KAAK,CAAhB,C;;QnBi8qBvD,OAAO,G;O;KAdX,C;mFAiBA,yB;MmB5oqBA,+B;MnB4oqBA,sC;QAWoB,Q;QADhB,UmB3oqBqC,eAAW,oBnB2oqB/B,CmB3oqB+B,CAAX,C;QnB4oqBrC,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MmBh9qBmD,enBg9qBnD,GmBh9qB8D,KAAK,KnBg9qB5D,SAAS,OAAT,CmBh9qBuE,KAAK,CAAhB,C;;QnBk9qBvD,OAAO,G;O;KAdX,C;mFAiBA,yB;MmB7pqBA,+B;MnB6pqBA,sC;QAWoB,Q;QADhB,UmB5pqBqC,eAAW,oBnB4pqB/B,CmB5pqB+B,CAAX,C;QnB6pqBrC,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MmBj+qBmD,enBi+qBnD,GmBj+qB8D,KAAK,KnBi+qB5D,SAAS,OAAT,CmBj+qBuE,KAAK,CAAhB,C;;QnBm+qBvD,OAAO,G;O;KAdX,C;mFAiBA,yB;MmB9qqBA,+B;MnB8qqBA,sC;QAWoB,Q;QADhB,UmB7qqBqC,eAAW,oBnB6qqB/B,CmB7qqB+B,CAAX,C;QnB8qqBrC,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MmBl/qBmD,enBk/qBnD,GmBl/qB8D,KAAK,KnBk/qB5D,SAAS,OAAT,CmBl/qBuE,KAAK,CAAhB,C;;QnBo/qBvD,OAAO,G;O;KAdX,C;kFAiBA,yB;MmB/rqBA,+B;MnB+rqBA,sC;QAWoB,Q;QADhB,UmB9rqBqC,eAAW,oBnB8rqB/B,CmB9rqB+B,CAAX,C;QnB+rqBrC,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MmBngrBmD,enBmgrBnD,GmBngrB8D,KAAK,KnBmgrB5D,SAAS,OAAT,CmBngrBuE,KAAK,CAAhB,C;;QnBqgrBvD,OAAO,G;O;KAdX,C;mFAiBA,yB;MAAA,oC;MAAA,gC;MmBhtqBA,+B;MnBgtqBA,sC;QAWoB,Q;QADhB,UmB/sqBqC,eAAW,oBnB+sqB/B,CmB/sqB+B,CAAX,C;QnBgtqBrC,wBAAGB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,MmBphrBmD,enBohrBnD,GmBphrB8D,KAAK,KnBohrB5D,SAAS,oBAAT,CmBphrBuE,KAAK,CAAhB,C;;QnBshrBvD,OAAO,G;O;KAdX,C;IAiBA,mC;MAIoB,UAMT,M;MANP,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,IAAI,eAAJ,C;UACI,MAAM,gCAAYB,2BAAwB,SAAxB,MAAzB,C;;MAId,OAAO,0D;K;wFAGX,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAUoB,Q;QAFhB,YAAY,gB;QACZ,aAAa,gB;QACb,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;;YAEN,MAAO,WAAI,OAAJ,C;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;O;KAjBX,C;0FAoBA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAUoB,Q;QAFhB,YAAY,gB;QACZ,aAAa,gB;QACb,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;;YAEN,MAAO,WAAI,OAAJ,C;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;O;KAjBX,C;0FAoBA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAUoB,Q;QAFhB,YAAY,gB;QACZ,aAAa,gB;QACb,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;;YAEN,MAAO,WAAI,OAAJ,C;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;O;KAjBX,C;0FAoBA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAUoB,Q;QAFhB,YAAY,gB;QACZ,aAAa,gB;QACb,wBAAGB,SAAhB,gB

;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;;YAEN,MAAO,WAAI,OAAJ,C;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;O;KAjBX,C;0FAoBA,yB;MAAA,+D;MAAA,6B;M AAA,uC;QAUoB,Q;QAFhB,YAAY,gB;QACZ,aAAa,gB;QACb,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M; UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;;YAEN,MAAO,WAAI,OAAJ,C;;QAGf,OAA O,cAAK,KAAL,EAAY,MAAZ,C;O;KAjBX,C;0FAoBA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAUoB,Q;QAFh B,YAAY,gB;QACZ,aAAa,gB;QACb,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV ,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;;YAEN,MAAO,WAAI,OAAJ,C;;QAGf,OAAO,cAAK,KAAL,EAAY,M AAZ,C;O;KAjBX,C;0FAoBA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAUoB,Q;QAFhB,YAAY,gB;QACZ,aAAa, gB;QACb,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,KAAM,W AAI,OAAJ,C;;YAEN,MAAO,WAAI,OAAJ,C;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;O;KAjBX,C;0FAo BA,yB;MAAA,+D;MAAA,oC;MAAA,gC;MAAA,6B;MAAA,uC;QAUoB,Q;QAFhB,YAAY,gB;QACZ,aAAa,gB; QACb,wBAAGB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,IAAI,UAAU,oBAAV,CAAJ,C;YACI,KA AM,WAAI,oBAAJ,C;;YAEN,MAAO,WAAI,oBAAJ,C;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;O;KAjBX, C;IAoBA,+B;MAkGI,WkB3orBO,MAAO,KIB2orBG,gBkB3orBH,ElBgrBH,KA2FkB,OkB3orBf,C;MIB4orBd,W AAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA9FqB,GA8FP,UAAK,CAAL,CA 9FO,EAAnB,KA8FqB,CAAM,CAAN,CA9FF,CA8FrB,C;;MA9FT,OAGGO,I;K;IA7FX,iC;MAwGI,WkB3prBO,M AAO,KIB2prBG,gBkB3prBH,ElB0jrBH,KAiGkB,OkB3prBf,C;MIB4prBd,WAAW,iBAaA,IAAb,C;MACX,aAAU, CAAV,MAAkB,IAAIB,M;QACI,IAAK,WApGqB,GAoGP,UAAK,CAAL,CAPGO,EAAnB,KAOgqB,CAAM,CA AN,CAPGF,CAoGrB,C;;MApGT,OAsGO,I;K;IANGX,iC;MA8GI,WkB3qrBO,MAAO,KIB2qrBG,gBkB3qrBH,El BokrBH,KAuGkB,OkB3qrBf,C;MIB4qrBd,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QA CI,IAAK,WA1GqB,GA0GP,UAAK,CAAL,CA1GO,EAAnB,KA0GqB,CAAM,CAAN,CA1GF,CA0GrB,C;;MA1G T,OA4GO,I;K;IAzGX,iC;MAoHI,WkB3rrBO,MAAO,KIB2rrBG,gBkB3rrBH,ElB8krBH,KA6GkB,OkB3rrBf,C;M IB4rrBd,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WAhHqB,GAGHP,UAA K,CAAL,CAhHO,EAAnB,KAGHqB,CAAM,CAAN,CAhHF,CAGHrB,C;;MAhHT,OAKHO,I;K;IA/GX,iC;MA0HI, WkB3srBO,MAAO,KIB2srBG,gBkB3srBH,ElBwlrBH,KAmHkB,OkB3srBf,C;MIB4srBd,WAAW,iBAaA,IAAb,C ;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WAtHqB,GAsHP,UAAK,CAAL,CAtHO,EAAnB,KAsHq B,CAAM,CAAN,CAtHF,CAsHrB,C;;MAiHT,OAwHO,I;K;IARHX,iC;MAGII,WkB3trBO,MAAO,KIB2trBG,gBkB 3trBH,ElBkMrBH,KAyHkB,OkB3trBf,C;MIB4trBd,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAI B,M;QACI,IAAK,WA5HqB,GA4HP,UAAK,CAAL,CA5HO,EAAnB,KA4HqB,CAAM,CAAN,CA5HF,CA4HrB, C;;MA5HT,OA8HO,I;K;IA3HX,iC;MA5II,WkB3urBO,MAAO,KIB2urBG,gBkB3urBH,ElB4mrBH,KA+HkB,OkB 3urBf,C;MIB4urBd,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WAlIqB,GAKI P,UAAK,CAAL,CAIIO,EAAnB,KAKIqB,CAAM,CAAN,CAIIF,CAKIrB,C;;MAIIT,OAoIO,I;K;IAjIX,iC;MA4II,W kB3vrBO,MAAO,KIB2vrBG,gBkB3vrBH,ElBsnrBH,KAQIqB,OkB3vrBf,C;MIB4vrBd,WAAW,iBAaA,IAAb,C;M ACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WAxIqB,GAwIP,UAAK,CAAL,CAXIO,EAAnB,KAwIqB,C AAM,CAAN,CAXIF,CAwIrB,C;;MAXIT,OA0IO,I;K;IAvIX,iC;MAkJI,WkB3wrBO,MAAO,KIB2wrBG,gBkB3wr BH,ElBgorBH,KA2IkB,OkB3wrBf,C;MIB4wrBd,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB, M;QACI,IAAK,WA9IqB,GA8IP,sBAAK,CAAL,EA9IO,EAAnB,KA8IqB,CAAM,CAAN,CA9IF,CA8IrB,C;;MA9 IT,OAGJO,I;K;8EA7IX,yB;MAAA,gE;MkBzorBA,iB;MIByorBA,8C;QAQI,WkB3orBO,MAAO,KIB2orBG,gBkB 3orBH,ElB2orBS,KAAM,OkB3orBf,C;QIB4orBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M ;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O; KAbX,C;8EAgBA,yB;MAAA,gE;MkBzprBA,iB;MIByprBA,8C;QAQI,WkB3prBO,MAAO,KIB2prBG,gBkB3prB H,ElB2prBS,KAAM,OkB3prBf,C;QIB4prBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UA CI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAb X,C;+EAgBA,yB;MAAA,gE;MkBzqrBA,iB;MIByqrBA,8C;QAQI,WkB3qrBO,MAAO,KIB2qrBG,gBkB3qrBH,El B2qrBS,KAAM,OkB3qrBf,C;QIB4qrBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,I AAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C ;8EAgBA,yB;MAAA,gE;MkBzrrBA,iB;MIByrrBA,8C;QAQI,WkB3rrBO,MAAO,KIB2rrBG,gBkB3rrBH,ElB2rrB S,KAAM,OkB3rrBf,C;QIB4rrBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,W

AAI,UAAU,UAAK,CAAL,CAAV,EAAM,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgB  
A,yB;MAAA,gE;MkBzsrBA,iB;MIBysrBA,8C;QAQI,WkB3srBO,MAAO,KIB2srBG,gBkB3srBH,EIB2srBS,KAA  
M,OkB3srBf,C;QIB4srBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,U  
AAU,UAAK,CAAL,CAAV,EAAM,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;  
MAAA,gE;MkBztrBA,iB;MIBytrBA,8C;QAQI,WkB3trBO,MAAO,KIB2trBG,gBkB3trBH,EIB2trBS,KAAM,OkB  
3trBf,C;QIB4trBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,U  
AAK,CAAL,CAAV,EAAM,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,  
gE;MkBzurBA,iB;MIByurBA,8C;QAQI,WkB3urBO,MAAO,KIB2urBG,gBkB3urBH,EIB2urBS,KAAM,OkB3urB  
f,C;QIB4urBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAA  
K,CAAL,CAAV,EAAM,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;  
MkBzvrBA,iB;MIByvrBA,8C;QAQI,WkB3vrBO,MAAO,KIB2vrBG,gBkB3vrBH,EIB2vrBS,KAAM,OkB3vrBf,C;  
QIB4vrBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,C  
AAL,CAAV,EAAM,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MA  
AA,oC;MkBzwrBA,iB;MIBywrBA,8C;QAQI,WkB3wrBO,MAAO,KIB2wrBG,gBkB3wrBH,EIB2wrBS,KAAM,O  
kB3wrBf,C;QIB4wrBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAA  
U,sBAAK,CAAL,EAAM,EAAM,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAq  
GoB,gB;MAHhB,gBAAGB,gB;MACHB,WAAW,iBkbt3rBJ,MAAO,KIBs3rBsB,wBA5FzB,KA4FyB,EAawB,EA  
AxB,Ckbt3rBtB,EIBs3rBmD,Skbt3rBnD,CIBs3rBH,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OA  
AgB,cAAhB,C;QAAGB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WahGqB,GAGGP,UAAK,U  
AAL,EAAK,kBAAL,SAhGO,EAGGI,OAHGJ,CAGGrB,C;;MAhGT,OakGO,I;K;IA/FX,kC;MA6GoB,gB;MAHhB,  
gBAAGB,gB;MACHB,WAAW,iBkBx4rBJ,MAAO,KIBw4rBsB,wBApGzB,KAoGyB,EAawB,EAAXB,CkBx4rBtB  
,EIBw4rBmD,SkBx4rBnD,CIBw4rBH,C;MACX,QAAQ,C;MACQ,OA9GL,KA8GK,W;MAAhB,OAAGB,cAAhB,C  
;QAAGB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WaxGqB,GawGP,UAAK,UAAL,EAAK,kB  
AAL,SAxGO,EAwGI,OAxGJ,CAwGrB,C;;MAxGT,OA0GO,I;K;IAvGX,kC;MAqHoB,gB;MAHhB,gBAAGB,gB;  
MACHB,WAAW,iBkB15rBJ,MAAO,KIB05rBsB,wBA5GzB,KA4GyB,EAawB,EAAXB,CkB15rBtB,EIB05rBmD,  
SkB15rBnD,CIB05rBH,C;MACX,QAAQ,C;MACQ,OA9GL,KA8GK,W;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;  
QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WahHqB,GAGHP,UAAK,UAAL,EAAK,kBAAL,SAhHO  
,EAGHI,OAHHJ,CAGHrB,C;;MAhHT,OakHO,I;K;IA/GX,kC;MA6HoB,gB;MAHhB,gBAAGB,gB;MACHB,WAA  
W,iBkB56rBJ,MAAO,KIB46rBsB,wBApHzB,KAoHyB,EAawB,EAAXB,CkB56rBtB,EIB46rBmD,SkB56rBnD,Cl  
B46rBH,C;MACX,QAAQ,C;MACQ,OA9HL,KA8HK,W;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,IAAI,KA  
AK,SAAT,C;UAAoB,K;QACpB,IAAK,WaxHqB,GawHP,UAAK,UAAL,EAAK,kBAAL,SAxHO,EAwHI,OAxH  
J,CAwHrB,C;;MAxHT,OA0HO,I;K;IAvHX,kC;MAqIoB,gB;MAHhB,gBAAGB,gB;MACHB,WAAW,iBkB97rBJ,  
MAAO,KIB87rBsB,wBA5HzB,KA4HyB,EAawB,EAAXB,CkB97rBtB,EIB87rBmD,SkB97rBnD,CIB87rBH,C;M  
ACX,QAAQ,C;MACQ,OA9HL,KA8HK,W;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,IAAI,KAAK,SAAT,C  
;UAAoB,K;QACpB,IAAK,WahIqB,GAGIP,UAAK,UAAL,EAAK,kBAAL,SAhIO,EAGII,OAHIJ,CAGIrB,C;;MAhI  
T,OakIO,I;K;IA/HX,kC;MA6IoB,gB;MAHhB,gBAAGB,gB;MACHB,WAAW,iBkBh9rBJ,MAAO,KIBg9rBsB,wB  
ApIzB,KAoIyB,EAawB,EAAXB,CkBh9rBtB,EIBg9rBmD,SkBh9rBnD,CIBg9rBH,C;MACX,QAAQ,C;MACQ,O  
AtIL,KAsIK,W;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,  
WaxIqB,GawIP,UAAK,UAAL,EAAK,kBAAL,SAxIO,EAwII,OAxIJ,CAwIrB,C;;MAxIT,OA0IO,I;K;IAvIX,kC;  
MAqJoB,gB;MAHhB,gBAAGB,gB;MACHB,WAAW,iBkBl+rBJ,MAAO,KIBk+rBsB,wBA5IzB,KA4IyB,EAawB,  
EAAXB,CkBl+rBtB,EIBk+rBmD,SkBl+rBnD,CIBk+rBH,C;MACX,QAAQ,C;MACQ,OA9IL,KA8IK,W;MAAhB,  
OAAGB,cAAhB,C;QAAGB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WahJqB,GAGJP,UAAK,  
UAAL,EAAK,kBAAL,SAhJO,EAGJI,OAHIJ,CAGJrB,C;;MAhJT,OakJO,I;K;IA/IX,kC;MA6JoB,gB;MAHhB,gBA  
AgB,gB;MACHB,WAAW,iBkBp/rBJ,MAAO,KIBo/rBsB,wBApJzB,KAoJyB,EAawB,EAAXB,CkBp/rBtB,EIBo/r  
BmD,SkBp/rBnD,CIBo/rBH,C;MACX,QAAQ,C;MACQ,OA9IL,KA8IK,W;MAAhB,OAAGB,cAAhB,C;QAAGB,y  
B;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WaxJqB,GawJP,UAAK,UAAL,EAAK,kBAAL,SAxJ  
O,EAwJI,OAxJJ,CAwJrB,C;;MAxJT,OA0JO,I;K;IAvJX,kC;MAqKoB,gB;MAHhB,gBAAGB,gB;MACHB,WAAW,  
iBkbtgsBJ,MAAO,KIBsgsBsB,wBA5JzB,KA4JyB,EAawB,EAAXB,CkbtgsBtB,EIBsgsBmD,SkbtgsBnD,CIBsgsB

H,C;MACX,QAAQ,C;MACQ,OA9JL,KA8JK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhKqB,GAgKP,sBAAK,UAAAL,EAAK,kBAAL,UAhKO,EAgKI,OAhKJ,CagKrB,C;;MAhKT,OAKKO,I;K;+EA/JX,yB;MAAA,kF;MAAA,gE;Mkbn3rBA,iB;MIBm3rBA,8C;QAWoB,UAEY,M;QAL5B,gBAAGB,gB;QACHB,WAAW,ekBt3rBJ,MAAO,KIBs3rBsB,wBAAN,KAAM,EAAwB,EAAxB,Ckbt3rBtB,ElBs3rBmD,Skbt3rBnD,CIBs3rBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KafX,C;+EakBA,yB;MAAA,kF;MAAA,gE;MkBr4rBA,iB;MIBq4rBA,8C;QAWoB,UAEY,M;QAL5B,gBAAGB,gB;QACHB,WAAW,ekBx4rBJ,MAAO,KIBw4rBsB,wBAAN,KAAM,EAAwB,EAAxB,Ckbx4rBtB,ElBw4rBmD,SkBx4rBnD,CIBw4rBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KafX,C;+EakBA,yB;MAAA,kF;MAAA,gE;MkBv5rBA,iB;MIBu5rBA,8C;QAWoB,UAEY,M;QAL5B,gBAAGB,gB;QACHB,WAAW,ekBx4rBJ,MAAO,KIBw4rBsB,wBAAN,KAAM,EAAwB,EAAxB,Ckbx4rBtB,ElBw4rBmD,SkBx4rBnD,CIBw4rBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KafX,C;+EakBA,yB;MAAA,kF;MAAA,gE;MkBv5rBA,iB;MIBu5rBA,8C;QAWoB,UAEY,M;QAL5B,gBAAGB,gB;QACHB,WAAW,ekB15rBJ,MAAO,KIB05rBsB,wBAAN,KAAM,EAAwB,EAAxB,CkB15rBtB,ElB05rBmD,SkB15rBnD,CIB05rBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KafX,C;+EakBA,yB;MAAA,kF;MAAA,gE;MkBz6rBA,iB;MIBy6rBA,8C;QAWoB,UAEY,M;QAL5B,gBAAGB,gB;QACHB,WAAW,ekB56rBJ,MAAO,KIB46rBsB,wBAAN,KAAM,EAAwB,EAAxB,CkB56rBtB,ElB46rBmD,SkB56rBnD,CIB46rBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KafX,C;+EakBA,yB;MAAA,kF;MAAA,gE;MkB37rBA,iB;MIB27rBA,8C;QAWoB,UAEY,M;QAL5B,gBAAGB,gB;QACHB,WAAW,ekB97rBJ,MAAO,KIB87rBsB,wBAAN,KAAM,EAAwB,EAAxB,CkB97rBtB,ElB87rBmD,SkB97rBnD,CIB87rBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KafX,C;+EakBA,yB;MAAA,kF;MAAA,gE;MkB78rBA,iB;MIB68rBA,8C;QAWoB,UAEY,M;QAL5B,gBAAGB,gB;QACHB,WAAW,ekBh9rBJ,MAAO,KIBg9rBsB,wBAAN,KAAM,EAAwB,EAAxB,CkBh9rBtB,ElBg9rBmD,SkBh9rBnD,CIBg9rBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KafX,C;+EakBA,yB;MAAA,kF;MAAA,gE;MkB/9rBA,iB;MIB+9rBA,8C;QAWoB,UAEY,M;QAL5B,gBAAGB,gB;QACHB,WAAW,ekBI+rBJ,MAAO,KIBk+rBsB,wBAAN,KAAM,EAAwB,EAAxB,CkBI+rBtB,ElBk+rBmD,SkBI+rBnD,CIBk+rBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KafX,C;+EakBA,yB;MAAA,kF;MAAA,gE;MkBj/rBA,iB;MIBi/rBA,8C;QAWoB,UAEY,M;QAL5B,gBAAGB,gB;QACHB,WAAW,ekBp/rBJ,MAAO,KIBo/rBsB,wBAAN,KAAM,EAAwB,EAAxB,CkBp/rBtB,ElBo/rBmD,SkBp/rBnD,CIBo/rBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KafX,C;+EakBA,yB;MAAA,kF;MAAA,gE;MAAA,oC;MkBngsBA,iB;MIBmgsBA,8C;QAWoB,UAEY,M;QAL5B,gBAAGB,gB;QACHB,WAAW,ekBtgsBJ,MAAO,KIBsgsBsB,wBAAN,KAAM,EAAwB,EAAxB,CkBtgsBtB,ElBsgsBmD,SkBtgsBnD,CIBsgsBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,sBAAK,UAAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KafX,C;IAkB A,kC;MAwFI,WkBvmsBO,MAAO,KIBumsBG,gBkBvmsBH,ElBshsBH,KAiFkB,OkBvmsBf,C;MIBwmsBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WApFqB,GAoFP,UAAK,CAAL,CAPFO,EAAnB,KAoFqB,CAAM,CAAN,CAPFF,CAoFrB,C;;MApFT,OAsFO,I;K;IANFX,kC;MA8FI,WkBvnsBO,MAAO,KIBunsBG,gBkBvnsBH,ElBgisBH,KAuFkB,OkBvnsBf,C;MIBwnsBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA1FqB,GA0FP,UAAK,CAAL,CA1FO,EAAnB,KA0FqB,CAAM,CAAN,CA1FF,CA0FrB,C;;MA1FT,OA4FO,I;K;IAzFX,kC;MAoGI,WkBvosBO,MAAO,KIBuosBG,gBkBvosBH,ElB0isBH,KA6FkB,OkBvosBf,C;MIBwosBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WAhGqB,GAgGP,UAAK,CAAL,CAhGO,EAAnB,KAgGqB,CAAM,CAAN,CAhGF,CAGrB,C;;MAhGT,OA



kGO,I;K;IA/FX,kC;MA0GI,WkBvpsBO,MAAO,KIBupsBG,gBkBvpsBH,ElBojsBH,KAmGkB,OkBvpsBf,C;MIBwpsBd,WAAW,iBAaAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WAtGqB,GAsGP,UAAK,C AAL,CAtGO,EAAnB,KAsGqB,CAAM,CAAN,CAtGF,CAsGrB,C;;MAtGT,OAwGO,I;K;IARGX,kC;MAGHI,WkBvqsBO,MAAO,KIBuqsBG,gBkBvqsBH,ElB8jsBH,KAYgkB,OkBvqsBf,C;MIBwqsBd,WAAW,iBAaAa,IAAb,C;M ACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA5GqB,GA4GP,UAAK,CAAL,CA5GO,EAAnB,KA4GqB, CAAM,CAAN,CA5GF,CA4GrB,C;;MA5GT,OA8GO,I;K;IA3GX,kC;MAsHI,WkBvrsBO,MAAO,KIBursBG,gBk BvrsBH,ElBwksBH,KA+GkB,OkBvrsBf,C;MIBwrsBd,WAAW,iBAaAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IA AIB,M;QACI,IAAK,WAlHqB,GakHP,UAAK,CAAL,CAIHO,EAAnB,KakHqB,CAAM,CAAN,CAIHF,CakHrB, C;;MAIHT,OAoHO,I;K;IAjHX,kC;MA4HI,WkBvssBO,MAAO,KIBussBG,gBkBvssBH,ElBklsBH,KaqHkB,OkB vssBf,C;MIBwssBd,WAAW,iBAaAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WaxHqB,GA wHP,UAAK,CAAL,CaxHO,EAAnB,KawHqB,CAAM,CAAN,CaxHF,CAwHrB,C;;MAxHT,OA0HO,I;K;IAvHX ,kC;MAkII,WkBvtsBO,MAAO,KIButsBG,gBkBvtsBH,ElB4lsBH,KA2HkB,OkBvtsBf,C;MIBwtsBd,WAAW,iBA Aa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA9HqB,GA8HP,sBAAK,CAAL,EA9HO,EA 8HE,YA9HrB,KA8HqB,CAAM,CAAN,EA9HF,CA8HrB,C;;MA9HT,OAgIO,I;K;+EA7HX,yB;MAAA,gE;MkBr msBA,iB;MIBqmsBA,8C;QAQI,WkBvmsBO,MAAO,KIBumsBG,gBkBvmsBH,ElBumsBS,KAAM,OkBvmsBf,C; QIBwmsBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK, CAAL,CAAV,EAAMB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;M kBrnsBA,iB;MIBqnsBA,8C;QAQI,WkBvnsBO,MAAO,KIBunsBG,gBkBvnsBH,ElBunsBS,KAAM,OkBvnsBf,C;Q IBwnsBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CA AL,CAAV,EAAMB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBr osBA,iB;MIBqosBA,8C;QAQI,WkBvosBO,MAAO,KIBuosBG,gBkBvosBH,ElBuosBS,KAAM,OkBvosBf,C;QIB wosBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAA L,CAAV,EAAMB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrps BA,iB;MIBqpsBA,8C;QAQI,WkBvpsBO,MAAO,KIBupsBG,gBkBvpsBH,ElBupsBS,KAAM,OkBvpsBf,C;QIBwp sBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,C AAV,EAAMB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrqsBA ,iB;MIBqqqsBA,8C;QAQI,WkBvqsBO,MAAO,KIBuqsBG,gBkBvqsBH,ElBuqsBS,KAAM,OkBvqsBf,C;QIBwqsBd ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAA V,EAAMB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrssBA,iB; MIBqrsBA,8C;QAQI,WkBvrsBO,MAAO,KIBursBG,gBkBvrsBH,ElBursBS,KAAM,OkBvrsBf,C;QIBwrsBd,WAA W,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EA AmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrssBA,iB;MIBq ssBA,8C;QAQI,WkBvssBO,MAAO,KIBussBG,gBkBvssBH,ElBussBS,KAAM,OkBvssBf,C;QIBwssBd,WAAW,e AAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMB ,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MkBrtsBA,iB; MIBqtsBA,8C;QAQI,WkBvtsBO,MAAO,KIButsBG,gBkBvtsBH,ElButsBS,KAAM,OkBvtsBf,C;QIBwtsBd,WAA W,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,EA AV,EA AmB,kBAAM,CAAN,EAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAGBA,4F;MAQ8D,yB;QAAA,YAA0B,I;M AAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K ;MAAO,yB;QAAA,YAAoC,I;MAGvN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAgB, SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IA AI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACW,gBAAP,MAAO,EAAC,OAAd,EAauB,SAAvB,C;;UACJ,K;;MA EX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;K;IAGX,8F;MAQwD,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA, UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuC,I;MAGpN,Q;MA FhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,IA AI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UA CI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,OA AV,CAAP,C;;YAEP,MAAO,gBAAO,OA AQ,WAAf,C;;UAC

R,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;K;IAGX,8F;MAQyD,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAwC,I;MAGtN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,OAAV,CAAP,C;;YAEP,MAAO,gBAAO,OAAQ,WAAf,C;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;K;IAGX,8F;MAQyD,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAwC,I;MAGIN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,OAAV,CAAP,C;;YAEP,MAAO,gBAAO,OAAQ,WAAf,C;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;K;IAGX,8F;MAQwD,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAwC,I;MAGpN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,OAAV,CAAP,C;;YAEP,MAAO,gBAAO,OAAQ,WAAf,C;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;K;IAGX,8F;MAQyD,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAwC,I;MAGpN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,OAAV,CAAP,C;;YAEP,MAAO,gBAAO,OAAQ,WAAf,C;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;K;IAGX,8F;MAQ0D,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAwC,I;MAGxN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,OAAV,CAAP,C;;YAEP,MAAO,gBAAO,OAAQ,WAAf,C;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;K;IAGX,8F;MAQ2D,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAA0C,I;MAG1N,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,OAAV,CAAP,C;;YAEP,MAAO,gBAAO,OAAQ,WAAf,C;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;K;IAGX,8F;MAQwD,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAwC,I;MAGpN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,OAAV,CAAP,C;;YAEP,MAAO,gBAAO,OAAQ,WAAf,C;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;K;IAGX,8F;MAQyC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAA0C,I;MACIN,OAAO,kBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAAeE,SAAtE,CAAI,F,W;K;IAG5F,4F;MAQkC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,

QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuC,I;MAC9M,OAAO,oBAAO,sBAAP,EAAwB,S  
AAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAASe,SAAtE,CAAiF,W;K;IAG5F,  
4F;MAQmC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,  
QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAwC,I;MACHN,OAAO,oBAAO,sBAAP,EAAwB,S  
AAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAASe,SAAtE,CAAiF,W;K;IAG5F,  
4F;MAQiC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,Q  
AAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAcC,I;MAC5M,OAAO,oBAAO,sBAAP,EAAwB,SAA  
xB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAASe,SAAtE,CAAiF,W;K;IAG5F,4F;  
MAQkC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAA  
a,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuC,I;MAC9M,OAAO,oBAAO,sBAAP,EAAwB,SAAxB  
,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAASe,SAAtE,CAAiF,W;K;IAG5F,4F;M  
AQmC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,  
E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAwC,I;MACHN,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,E  
AAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAASe,SAAtE,CAAiF,W;K;IAG5F,4F;MAQ  
oC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;M  
AAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAyC,I;MAC1N,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,EAAm  
C,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAASe,SAAtE,CAAiF,W;K;IAG5F,4F;MAQqC,y  
B;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI  
,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAA0C,I;MACpN,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,EAAmC,  
MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAASe,SAAtE,CAAiF,W;K;IAG5F,4F;MAQkC,yB;  
QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,y  
B;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuC,I;MAC9M,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,EAAmC,M  
AAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAASe,SAAtE,CAAiF,W;K;IAQx4C;MAAA,mB;Q  
AAE,OAAK,qBAAL,eAAK,C;O;K;IAL3B,+B;MAII,IAlleO,qBAAQ,CAk1f,C;QAAe,OAAO,W;MACTB,kCAAg  
B,4BAAhB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAlleO,qBAAQ,C  
Ak1f,C;QAAe,OAAO,W;MACTB,kCAAgB,8BAAhB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,0BAAL,eAAK,  
C;O;K;IAL3B,iC;MAII,IAlleO,qBAAQ,CAk1f,C;QAAe,OAAO,W;MACTB,kCAAgB,8BAAhB,C;K;IAQgB,8C;M  
AAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAlleO,qBAAQ,CAk1f,C;QAAe,OAAO,W;MA  
CTB,kCAAgB,8BAAhB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAlleO  
,qBAAQ,CAk1f,C;QAAe,OAAO,W;MACTB,kCAAgB,8BAAhB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,0BA  
AL,eAAK,C;O;K;IAL3B,iC;MAII,IAlleO,qBAAQ,CAk1f,C;QAAe,OAAO,W;MACTB,kCAAgB,8BAAhB,C;K;IA  
QgB,8C;MAAA,mB;QAAE,OAAK,2BAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAlleO,qBAAQ,CAk1f,C;QAAe,OAA  
O,W;MACTB,kCAAgB,8BAAhB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,4BAAL,eAAK,C;O;K;IAL3B,iC;MA  
II,IAlleO,qBAAQ,CAk1f,C;QAAe,OAAO,W;MACTB,kCAAgB,8BAAhB,C;K;IAQgB,8C;MAAA,mB;QAAE,OA  
AK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAlleO,qBAAQ,CAk1f,C;QAAe,OAAO,W;MACTB,kCAAgB,8BAAh  
B,C;K;IAUgB,4C;MAAA,mB;QAAE,OAAK,qBAAL,eAAK,C;O;K;IAP3B,+B;MAMI,IA5peO,qBAAQ,CA4pef,C  
;QAAe,OAAO,e;MACTB,kCAAgB,4BAAhB,C;K;IAUgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IA  
P3B,iC;MAMI,IA9peO,qBAAQ,CA8pef,C;QAAe,OAAO,e;MACTB,kCAAgB,8BAAhB,C;K;IAUgB,8C;MAAA,m  
B;QAAE,OAAK,0BAAL,eAAK,C;O;K;IAP3B,iC;MAMI,IAhqeO,qBAAQ,CAgqef,C;QAAe,OAAO,e;MACTB,kC  
AAgB,8BAAhB,C;K;IAUgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAP3B,iC;MAMI,IAIqeO,qBA  
AQ,CAkqef,C;QAAe,OAAO,e;MACTB,kCAAgB,8BAAhB,C;K;IAUgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eA  
AK,C;O;K;IAP3B,iC;MAMI,IApqeO,qBAAQ,CAoqef,C;QAAe,OAAO,e;MACTB,kCAAgB,8BAAhB,C;K;IAUgB,  
8C;MAAA,mB;QAAE,OAAK,0BAAL,eAAK,C;O;K;IAP3B,iC;MAMI,IAtqeO,qBAAQ,CAsqef,C;QAAe,OAAO,e  
;MACTB,kCAAgB,8BAAhB,C;K;IAUgB,8C;MAAA,mB;QAAE,OAAK,2BAAL,eAAK,C;O;K;IAP3B,iC;MAMI,IA  
AxqeO,qBAAQ,CAwqef,C;QAAe,OAAO,e;MACTB,kCAAgB,8BAAhB,C;K;IAUgB,8C;MAAA,mB;QAAE,OAA  
K,4BAAL,eAAK,C;O;K;IAP3B,iC;MAMI,IAIqeO,qBAAQ,CA0qef,C;QAAe,OAAO,e;MACTB,kCAAgB,8BAAh  
B,C;K;IAUgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAP3B,iC;MAMI,IA5qeO,qBAAQ,CA4qef,C;  
QAAe,OAAO,e;MACTB,kCAAgB,8BAAhB,C;K;IAGJ,4B;MAOoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MA

CjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,G  
AAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,8B;MAOoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACj  
B,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAA  
gB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,8B;MAOoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,  
wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAg  
B,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,8B;MAOoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,w  
BAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,  
wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,8B;MAOoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wB  
AAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,w  
CAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,8B;MAMoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBA  
AgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wC  
AAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,8B;MAMoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBA  
AgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCA  
AO,IAAvB,GAAgC,MAAM,K;K;IAGjD,8B;MAMoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB,  
SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAA  
O,IAAvB,GAAgC,MAAM,K;K;IAGjD,8B;MAMoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB,  
SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,  
IAAvB,GAAgC,MAAM,K;K;IAGjD,8B;MAMoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB,S  
AAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,I  
AAvB,GAAgC,MAAM,K;K;IAGjD,8B;MAMoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB,SA  
AhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IA  
AvB,GAAgC,MAAM,K;K;IAGjD,+B;MAMoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB,SAA  
hB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAA  
vB,GAAgC,MAAM,K;K;IAGjD,wB;MAMoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,S  
AAhB,M;QACI,YAAO,O;;MAEX,OAAO,G;K;IAGX,0B;MAMoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,  
gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,O;;MAEX,OAAO,G;K;IAGX,0B;MAMoB,Q;MADhB,UAAe,C;MA  
Cf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,OAAP,I;;MAEJ,OAAO,G;K;IAGX,0B;MAMo  
B,Q;MADhB,Y;MACA,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,cAAO,OAAP,C;;MAEJ,OAAO,G  
;K;IAGX,0B;MAMoB,Q;MADhB,UAAiB,G;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OA  
AO,O;;MAEX,OAAO,G;K;IAGX,0B;MAMoB,Q;MADhB,UAAkB,G;MACIB,wBAAgB,SAAhB,gB;QAAgB,cA  
AA,SAAhB,M;QACI,OAAO,O;;MAEX,OAAO,G;K;IAGX,0B;MAKoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SA  
AhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,O;;MAEX,OAAO,G;K;IAGX,0B;MAKoB,Q;MADhB,UAAe,C;  
MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,O;;MAEX,OAAO,G;K;IAGX,0B;MAKoB,  
Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,OAAP,I;;MAEJ,OAA  
O,G;K;IAGX,0B;MAKoB,Q;MADhB,Y;MACA,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,cAAO,O  
AAP,C;;MAEJ,OAAO,G;K;IAGX,0B;MAKoB,Q;MADhB,UAAiB,G;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAA  
A,SAAhB,M;QACI,OAAO,O;;MAEX,OAAO,G;K;IAGX,2B;MAKoB,Q;MADhB,UAAkB,G;MACIB,wBAAgB,S  
AAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;;MAEX,OAAO,G;K;Ia5uuBX,oD;MAQuF,wC;K;IARvF,8C  
ASI,Y;MAAuC,8B;K;IAT3C,gF;4FOOA,qB;MAOI,OAAO,sBAAL,CAAJ,C;K;4FAGX,qB;MAOI,OAAO,sBAAL,  
CAAJ,C;K;4FAGX,qB;MAOI,OAAO,sBAAL,CAAJ,C;K;4FAGX,qB;MAOI,OAAO,sBAAL,CAAJ,C;K;4FAGX,q  
B;MAOI,OAAO,sBAAL,CAAJ,C;K;IAGX,wC;MAII,IAAI,oCAAJ,C;QACI,OAAO,yBAAS,OAAT,C;MACX,OA  
AO,qBAAQ,OAAR,KAAoB,C;K;IAWG,yC;MAAA,qB;QAAE,MAAM,8BAA0B,iDAA8C,aAA9C,MAA1B,C;O;  
K;IAR1C,qC;MAMI,IAAI,8BAAJ,C;QACI,OAAO,sBAAL,KAAJ,C;MACX,OAAO,6BAAgB,KAAhB,EAAuB,uB  
AAvB,C;K;0FAGX,4B;MAOI,OAAO,sBAAL,KAAJ,C;K;IAGX,2D;MACqB,Q;MARjB,IAAI,8BAAJ,C;QACI,OA  
AsB,KA4Lf,IAAS,CAAT,IA5Le,KA4LD,IAAS,iBA5LvB,SA4LuB,CAA3B,GA5LI,SA4LkC,aA5LnB,KA4LmB,C  
AAtC,GA5L0B,YA4L4B,CA5LnC,KA4LmC,C;OA3L7D,IAAI,QAAQ,CAAZ,C;QACI,OAAO,aAAa,KAAb,C;M  
ACX,eAAe,oB;MACf,YAA Y,C;MACZ,OAAO,QAAS,UAAhB,C;QACI,cAAc,QAAS,O;QACvB,IAAI,WAAS,Y  
AAT,EAAS,oBAAT,OAAJ,C;UACI,OAAO,O;;MAEf,OAAO,aAAa,KAAb,C;K;sGAGX,yB;MAAA,8D;MAAA,i

D;QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,sBAAl,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;K  
APjE,C;IAUA,6C;MACqB,Q;MARjB,IAAI,8BAAJ,C;QACI,OAAy,YAAL,SAAK,EAAU,KAAV,C;MACHB,IAA  
I,QAAQ,CAAZ,C;QACI,OAAO,I;MACX,eAAe,oB;MACf,YAAy,C;MACZ,OAAO,QAAS,UAAhB,C;QACI,cAA  
c,QAAS,O;QACvB,IAAI,WAAS,YAAT,EAAS,oBAAT,OAAJ,C;UACI,OAAO,O;;MAEf,OAAO,I;K;sGAGX,yB;  
MAAA,sD;MAAA,mC;QAOI,OAAy,UAAL,SAAK,EAAU,KAAV,C;O;KAPhB,C;gFAUA,gC;MAOW,sB;;QAU  
HS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAvHH,SAuHO,CAAU,OAAV,CAAJ,C;YAAw  
B,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAxHP,yB;K;wFAGJ,gC;MA2VoB,Q;MADhB,WAAe,I;MACC,2B;  
MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IARVc,SAqVV,CAAU,OAAV,CAAJ,C;UACI,OAAO,O;;MatVf,  
OAYVO,I;K;wFAtVX,gC;MAOW,qB;;QAwVP,eAAoB,+BAAa,cAAb,C;QACpB,OAAO,QAAS,cAAhB,C;UACI,  
cAAc,QAAS,W;UACvB,IA3Vc,SA2VV,CAAU,OAAV,CAAJ,C;YAAwB,oBAAO,O;YAAP,sB;;QAE5B,oBAAO,  
I;;;MA7VP,wB;K;IAGJ,6B;MAMQ,kBADE,SACF,Q;QAAW,OAAy,SAAL,SAAK,C;;QAEEnB,eAAe,oB;QACf,I  
AAI,CAAC,QAAS,UAAAd,C;UACI,MAAM,2BAAUb,sBAAvB,C;QACV,OAAO,QAAS,O;;K;IAK5B,6B;MAKI,I  
AAI,mBAAJ,C;QACI,MAAM,2BAAUb,gBAAvB,C;MACV,OAAO,sBAAK,CAAL,C;K;mFAGX,yB;MAAA,iE;  
MAAA,uC;QAKoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;Y  
AAwB,OAAO,O;;QACrD,MAAM,gCAAuB,wDAAvB,C;O;KANV,C;oGASA,yB;MAAA,iE;MAAA,uC;QASW,  
Q;QAAA,+B;;UAYS,U;UAAA,6B;UAAhB,OAAgB,gBAAhB,C;YAAgB,2B;YACZ,aAbwB,SAaX,CAAU,OAAV  
,C;YACb,IAAI,cAAJ,C;cACI,8BAAO,M;cAAP,gC;;UAGR,8BAAO,I;;;QAIbA,kC;QAAA,iB;UAAmC,MAAM,g  
CAAuB,mEAAvB,C;SAAhD,OAAO,I;O;KATX,C;gHAYA,gC;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C  
;QAAgB,yB;QACZ,aAAa,UAAU,OAAV,C;QACb,IAAI,cAAJ,C;UACI,OAAO,M;;MAGf,OAAO,I;K;IAGX,mC;  
MAKQ,kBADE,SACF,Q;QACI,IAAI,mBAAJ,C;UACI,OAAO,I;;UAEP,OAAO,sBAAK,CAAL,C;;QAGX,eAAe,o  
B;QACf,IAAI,CAAC,QAAS,UAAAd,C;UACI,OAAO,I;QACX,OAAO,QAAS,O;;K;IAK5B,mC;MAII,OAAW,mBA  
AJ,GAAe,IAAf,GAAYb,sBAAK,CAAL,C;K;-FAGpC,gC;MAIoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QA  
AgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;OFAGX,yB;MAAA,8D;M  
AAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,sBAAl,KAAJ,CAAtC,GAAsD,aAAa,KAAb,  
C;O;KALjE,C;IAQA,uC;MAMI,OAAW,SAAS,CAAT,IAAc,SAAS,2BAA3B,GAAsC,sBAAl,KAAJ,CAAtC,GAA  
sD,I;K;IAGjE,uC;MAMiB,Q;MAFb,IAAI,8BAAJ,C;QAAkB,OAAO,SAAK,eAAQ,OAAR,C;MAC9B,YAAy,C;M  
ACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,mBAAmB,KAAAnB,C;QACA,IAAI,gBAAW,IAAX,CAAJ,C;UA  
CI,OAAO,K;QACX,qB;;MAEJ,OAAO,E;K;IAGX,uC;MAKI,OAAO,wBAAQ,OAAR,C;K;gGAGX,yB;MAAA,w  
E;MAAA,uC;QAKiB,Q;QADb,YAAy,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,mBAAmB,KAAAnB,  
C;UACA,IAAI,UAAU,IAAV,CAAJ,C;YACI,OAAO,K;UACX,qB;;QAEJ,OAAO,E;O;KAXX,C;gGAcA,gC;MAK  
iB,Q;MADb,YAAy,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,UAAU,IAAV,CAAJ,C;UACI,OA  
AO,K;QACX,qB;;MAEJ,OAAO,E;K;8FAGX,yB;MAAA,wE;MAAA,uC;QAMiB,Q;QAFb,gBAAGB,E;QACHB,Y  
AAy,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,mBAAmB,KAAAnB,C;UACA,IAAI,UAAU,IAAV,CA  
AJ,C;YACI,YAAy,K;UACHB,qB;;QAEJ,OAAO,S;O;KAZX,C;8FAeA,gC;MAII,eAAe,SAAK,sBAAa,cAAb,C;M  
ACpB,OAAO,QAAS,cAAhB,C;QACI,IAAI,UAAU,QAAS,WAAAnB,CAAJ,C;UACI,OAAO,QAAS,Y;;MAGxB,O  
AAO,E;K;IAGX,4B;MASQ,kBADE,SACF,Q;QAAW,OAAy,QAAL,SAAK,C;;QAEEnB,eAAe,oB;QACf,IAAI,CA  
AC,QAAS,UAAAd,C;UACI,MAAM,2BAAUb,sBAAvB,C;QACV,WAAW,QAAS,O;QACpB,OAAO,QAAS,UAAh  
B,C;UACI,OAAO,QAAS,O;QACpB,OAAO,I;;K;IAKnB,4B;MAQI,IAAI,mBAAJ,C;QACI,MAAM,2BAAUb,gBA  
AvB,C;MACV,OAAO,sBAAK,2BAAL,C;K;iFAGX,yB;MAAA,iE;MAAA,gB;MAAA,8B;MAAA,uC;QAUoB,U  
AQT,M;QAVP,WAAe,I;QACf,YAAy,K;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,O  
AAV,CAAJ,C;YACI,OAAO,O;YACP,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAuB,wDAA  
vB,C;QAEIB,OAAO,2E;O;KAlBX,C;iFAqBA,yB;MAAA,iE;MAAA,uC;QAQI,eAAe,SAAK,sBAAa,cAAb,C;QA  
CpB,OAAO,QAAS,cAAhB,C;UACI,cAAc,QAAS,W;UACvB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;Q  
AEnC,MAAM,gCAAuB,kDAAvB,C;O;KAbV,C;IAGBA,2C;MAOiB,Q;MAHb,IAAI,8BAAJ,C;QAAkB,OAAO,S  
AAK,mBAAy,OAAZ,C;MAC9B,gBAAGB,E;MACHB,YAAy,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QA  
CT,mBAAmB,KAAAnB,C;QACA,IAAI,gBAAW,IAAX,CAAJ,C;UACI,YAAy,K;QACHB,qB;;MAEJ,OAAO,S;K;I  
AGX,2C;MAKI,OAAO,4BAAy,OAAZ,C;K;IAGX,kC;MAOQ,kBADE,SACF,Q;QAAW,OAAW,mBAAJ,GAAe,I  
AAf,GAAYb,sBAAK,iBAAO,CAAP,IAAL,C;;QAEvC,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UACI,OAA

O,I;QACX,WAAW,QAAS,O;QACpB,OAAO,QAAS,UAAhB,C;UACI,OAAO,QAAS,O;QACpB,OAAO,I;;K;IAK nB,kC;MAMI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,iBAAO,CAAP,IAAL,C;K;6FAGpC,gC;MAOoB,Q; MADhB,WAAe,I;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI, OAAO,O;;MAGf,OAAO,I;K;6FAGX,gC;MAMI,eAAe,SAAK,sBAAa,cAAb,C;MACpB,OAAO,QAAS,cAAhB,C; QACI,cAAc,QAAS,W;QACvB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MAEnC,OAAO,I;K;qFAGX,yB ;MAAA,mC;MAAA,gD;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KARX,C;IAWA,sC;MAOI,IAAI,mBAAJ,C ;QACI,MAAM,2BAAuB,sBAAvB,C;MACV,OAAO,qBAAU,MAAO,iBAAQ,cAAR,CAAJB,C;K;iGAGX,yB;MA AA,mC;MAAA,4D;MAAA,4B;QAQI,OAAO,wBAAa,cAAb,C;O;KAPX,C;IAUA,4C;MAMI,IAAI,mBAAJ,C;QA CI,OAAO,I;MACX,OAAO,qBAAU,MAAO,iBAAQ,cAAR,CAAJB,C;K;IAGX,8B;MAKQ,kBADE,SACF,Q;QAA W,OAAAY,UAAAL,SAAK,C;;QAEEnB,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UACI,MAAM,2BAAuB,sBAA vB,C;QACV,aAAa,QAAS,O;QACtB,IAAI,QAAS,UAAAb,C;UACI,MAAM,gCAAYB,uCAAzB,C;QACV,OAAO,M ;K;IAKnB,8B;MAIiB,IAAN,I;MAAA,QAAM,cAAN,C;aACH,C;UAAK,MAAM,2BAAuB,gBAAvB,C;aACX,C; UAAK,6BAAK,CAAL,C;UAAAL,K;gBACQ,MAAM,gCAAYB,iCAAzB,C;;MAHIB,W;K;qFAOJ,yB;MAAA,kF;M AAA,iE;MAAA,gB;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAiB,I;QACjB,YAAY,K;QACI,2B;QAAh B,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAJ,C;cAAW,MAAM,8BA AyB,qDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAAY,MAAM,gCAAuB,wD AAvB,C;QAEIB,OAAO,6E;O;KAFX,C;IAkBA,oC;MAKQ,kBADE,SACF,Q;QAAW,OAAW,mBAAQ,CAAZ,GA Ae,sBAAK,CAAL,CAAF,GAA4B,I;;QAEIc,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UACI,OAAO,I;QACX ,aAAa,QAAS,O;QACtB,IAAI,QAAS,UAAAb,C;UACI,OAAO,I;QACX,OAAO,M;;K;IAKnB,oC;MAII,OAAW,mB AAQ,CAAZ,GAAe,sBAAK,CAAL,CAAF,GAA4B,I;K;iGAGvC,gC;MAMoB,Q;MAFhB,aAAiB,I;MACjB,YAAY, K;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAJ,C;Y AAAY,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,C;QAAAY,OAAO,I;MACnB,OAA O,M;K;IAGX,8B;MAoBsC,UAGT,MAHS,EAarB,M;MN7pBb,IAAI,EMooBI,KAAK,CNpoBT,CAAJ,C;QACI,cM moBc,sD;QNloBd,MAAM,gCAAYB,OAAQ,WAAjC,C;OMmoBV,IAAI,MAAK,CAAT,C;QAAAY,OAAO,mB;MA CnB,Q;MACA,IAAI,oCAAJ,C;QACI,iBAAiB,iBAAO,CAAP,I;QACjB,IAAI,cAAc,CAAIB,C;UACI,OAAO,W;Q ACX,IAAI,eAAc,CAAIB,C;UACI,OAAO,OAAO,kBAAP,C;QACX,OAAO,iBAAa,UAAAb,C;QACP,IAAI,8BAAJ, C;UACI,IAAI,sCAAJ,C;YAC0B,qB;YAATb,iBAAc,CAAd,wB;cACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;;YAE I,wCAAa,CAAb,C;YAAb,OAAa,gBAAb,C;cAAa,wB;cACT,IAAK,WAAI,IAAJ,C;;UAEB,OOAO,I;;QAIX,OAA O,gB;;MAEX,YAAY,C;MACC,6B;MAAb,OAAa,gBAAb,C;QAAa,0B;QACT,IAAI,SAAS,CAAb,C;UAAgB,IAA K,WAAI,MAAJ,C;;UAAe,qB;;MAEXc,OAAAY,qBAAL,IAAK,C;K;IAGhB,kC;MNnqBI,IAAI,EM2qBI,KAAK,C N3qBT,CAAJ,C;QACI,cM0qBc,sD;QNzqBd,MAAM,gCAAYB,OAAQ,WAAjC,C;OM0qBV,OAAO,kBAAgB,gB AAV,iBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;K;kGAGX,yB;MAAA,4C;MAAA,qD;MAAA,uC;QAMI,IAA I,CAAC,mBAAL,C;UACI,eAAe,+BAAa,cAAb,C;UACf,OAAO,QAAS,cAAhB,C;YACI,IAAI,CAAC,UAAU,QA AS,WAAAnB,CAAL,C;cACI,OAAO,gBAAK,QAAS,YAAT,GAAuB,CAAvB,IAAL,C;;SAInB,OAAO,W;O;KAdX, C;0FAiBA,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACE,2B;QAAb,OAAa,cAAb ,C;UAAa,sB;UACT,IAAI,QA AJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD ,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;QAEEnB,OAAO,I;O;KAFX,C;oFAkBA,yB;MAAA,+D;MAAA,uC;QAM W,kBAAS,gB;QA2FA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA3FU,SA2FN,CAAU,OAA V,CAAJ,C;YAAwB,WAAAY,WAAI,OAAJ,C;;QA3FID,OA4FO,W;O;KAIGX,C;kGASA,yB;MAAA,+D;MA6jCA, wE;MA7jCA,uC;QAQW,kBAAgB,gB;QA4jCV,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB; UAhjCT,IAZmC,SAY/B,CAGjCkB,oBAAmB,cAAnB,EAAMb,sBAAnB,UAhjCIB,EAjC+C,IAhJ/C/CAAJ,C;Y AA2C,sBAgjCQ,IAhJCR,C;;QAZ/C,OAcO,W;O;KATBX,C;sGAWA,yB;MAkjCA,wE;MALjCA,oD;QAYjCiB,gB;Q ADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAhJCT,IAAI,UAGjCkB,oBAAmB,cAAnB,EAAMb,s BAAnB,UAhjCIB,EAjC+C,IAhJ/C/CAAJ,C;YAA2C,sBAgjCQ,IAhJCR,C;;QAE/C,OAAO,W;O;KAXX,C;wGA cA,yB;MAAA,+D;MAAA,sC;QAMW,kBAAMb,gB;QASV,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB; UAAM,IAAI,YAAJ,C;YAAkB,WAAAY,WAAI,OAAJ,C;;QATpD,OAuO,W;O;KAhBX,C;4GASA,4C;MAMoB,Q; MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,YAAJ,C;UAAkB,WAAAY,WAAI,OAAJ,C;;MA CpD,OAAO,W;K;0FAGX,yB;MAAA,+D;MAAA,uC;QAMW,kBAAY,gB;QA4BH,Q;QAAA,2B;QAAhB,OAAgB

,cAAhB,C;UAAgB,yB;UAAM,IAAI,CA5BS,SA4BR,CAAU,OAAV,CAAL,C;YAAyB,WAAy,WAAI,OAAJ,C;;Q  
A5B3D,OA6BO,W;O;KANCX,C;IASA,oC;MAMI,OAAO,6BAAgB,gBAAhB,C;K;IAGX,mD;MAMoB,Q;MAAA,  
2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,eAAJ,C;UAAqB,WAAy,WAAI,OAAJ,C;;MACvD,OA  
AO,W;K;8FAGX,6C;MAMoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,CAAC,UAAU  
,OAAV,CAAL,C;UAAyB,WAAy,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;wFAGX,6C;MAMoB,Q;MAAA,2B;MA  
AhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAy,WAAI,OAAJ,C;;MA  
C1D,OAAO,W;K;IAGX,sC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,Od3wBe,W;Oc4wBtC,OAA6D,SAAtD,SAAK,i  
BAAQ,OAAQ,MAAhB,EAAuB,OAAQ,aAAR,GAAuB,CAAvB,IAAvB,CAAiD,C;K;IAGjE,sC;MAOkB,Q;MAH  
d,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACTB,WAA  
W,iBAaA,IAAb,C;MACG,yB;MAAd,OAAc,cAAAd,C;QAAc,uB;QACV,IAAK,WAAI,sBAAI,KAJ,CAAJ,C;;MA  
ET,OAAO,I;K;IAGX,8B;MAGBiB,Q;MN51Bb,IAAI,EMo1BI,KAAC,CNp1BT,CAAJ,C;QACI,cMm1Bc,sD;QN11  
Bd,MAAM,gCAAYB,OAAQ,WAAjC,C;OMm1BV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,oCA  
AJ,C;QACI,IAAI,KAAK,cAAT,C;UAAe,OAAO,mB;QACtB,IAAI,MAAK,CAAT,C;UAAy,OAAO,OAAO,mBA  
AP,C;OAEvB,YAAy,C;MACZ,WAAW,iBAaA,CAAb,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAA  
K,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAy,qBAAL,IAAK,C;K;IAGhB,kC;MAEqC  
,IAGhB,I;MNt3BjB,IAAI,EM42BI,KAAK,CN52BT,CAAJ,C;QACI,cM22Bc,sD;QN12Bd,MAAM,gCAAYB,OAA  
Q,WAAjC,C;OM22BV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,  
C;QAAe,OAAO,mB;MACTB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,kBAAP,C;MACnB,WAAW,iBAaA,C  
AAb,C;MACX,IAAI,sCAAJ,C;QACI,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;UACI,IAAK,WAAI,sBAAK  
,KAAAL,CAAJ,C;;QAEI,sCAAa,OAAO,CAAP,IAAb,C;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAK,WAAI,IAA  
J,C;;MAEb,OAAO,I;K;kGAGX,yB;MAAA,qD;MAAA,gE;MAAA,gD;MAAA,uC;QAMI,IAAI,mBAAJ,C;UACI,  
OAAO,W;QACX,eAAe,+BAaA,cAAb,C;QACf,OAAO,QAAS,cAAhB,C;UACI,IAAI,CAAC,UAAU,QAAS,WAA  
nB,CAAL,C;YACI,QAAS,O;YACT,mBAAmB,iBAAO,QAAS,YAAhB,I;YACnB,IAAI,iBAAGB,CAApB,C;CAAu  
B,OAAO,W;YACI,kBAA3B,eAAa,YAAb,C;YACH,OAAgB,kBAAhB,C;cACI,sBAaA,eAAb,C;YAFR,OH11BD,  
W;;QGg2BP,OAAO,iB;O;KApBX,C;0FAuBA,yB;MAAA,+D;MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACE,2B  
;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,  
C;;QAET,OAAO,I;O;KAZX,C;IAoBA,+B;MAII,IAAI,wCAAsB,kBAAQ,CAAIC,C;QAaqC,OAAO,mB;MAC5C,  
WAAW,0B;MACN,WAAW,IAAK,C;MACL,OAAO,I;K;IAGX,uC;MAOI,aAAU,2BAAV,OAA2B,CAA3B,M;QA  
CI,QAAQ,MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,sBAAK,CAAL,EAAU,SAAK,aAAI,CAAJ,EAAO,sBAAK,  
CAAL,CAAP,CAAf,C;;K;oFAIR,yB;MAAA,oD;MJn4BA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B  
;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B  
,C;W;S;OA4DI,C;MI43Bf,sC;QAMI,IAAI,iBAAO,CAAX,C;UAAc,oBJl4Bd,eAAW,iBIk4BsB,QJl4BtB,CAAX,CI  
k4Bc,C;U;KANIB,C;wGASA,yB;MAAA,oD;MJz3BA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;U  
AAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;  
W;S;OA+EI,C;MIk3Bf,sC;QAMI,IAAI,iBAAO,CAAX,C;UAAc,oBJx3Bd,eAAW,2BIw3BgC,QJx3BhC,CAAX,CI  
w3Bc,C;U;KANIB,C;IASA,sC;MAMI,sBAAS,cAAT,C;K;IAGJ,6B;MASgB,Q;MAHZ,IAAI,oCAAJ,C;QACI,IAA  
I,kBAAQ,CAAZ,C;UAAe,OAAy,SAAL,SAAK,C;QAEwB,kBAA3C,sBC5+Bsd,sBD4+BtD,uB;QAAMd,mB;QA  
A3D,OAAoE,OHl7BjE,WGk7BiE,C;OAEjD,kBAAhB,0B;MAAwB,oB;MAA/B,OHp7BO,W;K;wFGu7BX,yB;M  
AAA,wD;MJ56BA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB  
,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MIq6Bf,sC;QAQI,O  
AAO,sBJ76BP,eAAW,iBI66BiB,QJ76BjB,CAAX,CI66BO,C;O;KARX,C;4GAWA,yB;MAAA,wD;MJp6BA,sC;M  
AAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,C  
A/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MI65Bf,sC;QAMI,OAAO,sBJn6BP,eAAW,2BI  
m6B2B,QJn6B3B,CAAX,CI66BO,C;O;KANX,C;IASA,uC;MAMI,OAAO,wBAAW,cAAX,C;K;IAGX,6C;MASE,  
Q;MAHX,IAAI,oCAAJ,C;QACG,IAAI,kBAAQ,CAAZ,C;UAAe,OAAy,SAAL,SAAK,C;QAEe,kBAAIc,sBCvhC  
uD,sBDuhCvD,uB;QAA0C,iC;QAAID,OAAyE,OH79BrE,WG69BqE,C;OAErD,kBAAhB,0B;MAAwB,mC;MAA/  
B,OH/9BO,W;K;IGk+BX,qC;MAMoB,UACL,M;MAHX,aAAa,oBAaA,cAAb,C;MACb,YAAy,C;MACI,2B;MAA  
hB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MACTB,OAAO,M;K;IAGX,k

C;MAMoB,UACL,M;MAHX,aAAa,cAAU,cAAV,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MACtB,OAAO,M;K;IAGX,kC;MAMoB,UACL,M;MAHX,aAAa,iBAAU,cAAV,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,oC;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MACtB,OAAO,M;K;IAGX,oC;MAMoB,UACL,M;MAHX,aAAa,iBAAU,cAAZ,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MACtB,OAAO,M;K;IAGX,mC;MAMoB,UACL,M;MAHX,aAAa,iBAAW,cAAZ,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MACtB,OAAO,M;K;IAGX,iC;MAMoB,UACL,M;MAHX,aAAa,eAAS,cAAT,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MACtB,OAAO,M;K;IAGX,kC;MAMoB,UACL,M;MAHX,aAAa,iBAAU,cAAV,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MACtB,OAAO,M;K;IAGX,mC;MAMoB,UACL,M;MAHX,aAAa,eAAW,cAAZ,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MACtB,OAAO,M;K;0FAGX,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAXB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAAPB,C;QAYEH,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAGB,yB;UACZ,WA1E8C,SA0E/B,CAAU,OAAV,C;UbpkbnB,wBAAL,IAAK,MAAT,EAAGB,IAAK,OAArB,C;;Qa0fA,OA4EO,W;O;KAXFX,C;+FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAXB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAC,mBAAoB,QAAPB,C;QA2BL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAGB,yB;UACZ,WAAy,aA5BoC,WA4BhC,CAAy,OAAZ,CAAJ,EAA0B,OAA1B,C;;QA5BhB,OA8BO,W;O;KA1CX,C;+FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAU,eAAwD,cAAzC,YAAY,mCAAwB,EAAXB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAC,mBAAoB,QAAPB,C;QA6BL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAGB,yB;UACZ,WAAy,aA9BoC,WA8BhC,CAAy,OAAZ,CAAJ,EA9BiD,cA8BvB,CAAE,OAAf,CAA1B,C;;QA9BhB,OA9CO,W;O;KA3CX,C;mGAcA,+C;MAUoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAy,aAAI,YAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;MAEhB,OAAO,W;K;mGAGX,+D;MAUoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAy,aAAI,YAAY,OAAZ,CAAJ,EAA0B,eAAe,OAAf,CAA1B,C;;MAEhB,OAAO,W;K;8FAGX,6C;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAe,UAAU,OAAV,C;QbpkbnB,wBAAL,IAAK,MAAT,EAAGB,IAAK,OAArB,C;;MaskBA,OAAO,W;K;kGAGX,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAYI,aAAa,mBAA6D,cAAzC,YAAY,mCAAwB,EAAXB,CAAZ,CAAyC,EAAc,EAAd,CAA7D,C;QAcG,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAGB,yB;UAbO,MACP,aAAI,OAAJ,EAde,aAcF,CAAc,OAAAd,CAAb,C;;QAdhB,OAAuB,M;O;KAb3B,C;sGAGBA,iD;MAUoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAy,aAAI,OAAJ,EAAa,cAAc,OAAAd,CAAb,C;;MAEhB,OAAO,W;K;IAGX,gD;MAIiB,Q;MAAA,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAy,WAAI,IAAJ,C;;MAEhB,OAAO,W;K;IAGX,gC;MAII,OAAO,0BAAa,eAAW,YAAY,mCAAwB,EAAXB,CAAZ,CAAX,CAAb,C;K;IAGX,6B;MAKqB,IAAN,I;MADX,IAAI,oCAAJ,C;QACW,QAAM,cAAN,C;eACH,C;YAAK,kB;YAAL,K;eACA,C;YAAK,cAAW,8BAAJ,GAAB,sBAAL,CAAJ,CAAIB,GAA8B,oBAAW,OAAhD,C;YAAL,K;kBACa,uBAAL,SAAK,C;YAHV,K;;QAAP,W;OAMJ,OAA4B,qBAAhB,gBAAL,SAAK,CAAgB,C;K;IAGhC,oC;MAII,IAAI,oCAAJ,C;QACI,OAAy,gBAAL,SAAK,C;MACHB,OAAO,0BAAa,gBAAb,C;K;IAGX,oC;MAII,OAAO,iBAAU,SAAV,C;K;IAGX,4B;MAOqB,IAAN,I;MADX,IAAI,oCAAJ,C;QACW,QAAM,cAAN,C;eACH,C;YAAK,iB;YAAL,K;eACA,C;YAAK,aAAU,8BAAJ,GAAB,sBAAK,CAAL,CAAIB,GAA+B,oBAAW,OAAhD,C;YAAL,K;kBACQ,iCAAa,qBAAiB,YAAY,cAAZ,CAAjB,CAAb,C;YABL,K;;QAAP,W;OAMJ,OAAwC,oBAAjC,0BAAa,sBAAb,CAAiC,C;K;sFAG5C,yB;MAAA,+D;MAwFA,gD;MAxFA,uC;QAMW,kBAAU,gB;QAsFD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAGB,yB;UACZ,WAvF6B,SAuFIB,CAAU,OAAV,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAxFhB,OA0FO,W;O;KAhGX,C;uFASA,yB;MAAA,+D;MA0FA,gD;MA1FA,uC;QAUW,kBAAU,gB;QAwFD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAGB,yB;UACZ,WazF6B,SAyFIB,CAAU,OAAV,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QA1FhB,OA4FO,W;O;KAtGX,C;oGAaA,yB;MAAA,+D;MA8BA,wE;MAAA,gD;MA9BA,uC;QAYW,kBAAiB,gB;QA6BR,gB;QADhB,YAAY,C;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAGB,yB;UACZ,WA9BoC,SA8BzB,CAAU,oBAAmB,cAAnB,EAAMB,sBAAnB,UAAV,EAAuC,OAAvC,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QA/BhB,OAiCO,W;O;KA7CX,C;oGAeA,yB;MAAA,+D;MAiCA,wE;MAAA,gD;MAj



CA,uC;QAYW,kBAAiB,gB;QAgCR,gB;QADhB,YAAY,C;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAjCoC,SAiCzB,CAAU,oBAAmB,cAAnB,EAAMb,sBAAnB,UAAV,EAAuC,OAAvC,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAIChB,OAoCO,W;O;KAhDX,C;wGAeA,yB;MAAA,wE;MAAA,gD;MAAA,oD;QAWoB,UAC4B,M;QAF5C,YAAY,C;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,oBAAmB,cAAnB,EAAMb,sBAAnB,UAAV,EAAuC,OAAvC,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KafX,C;yGAKbA,yB;MAAA,wE;MAAA,gD;MAAA,oD;QAWoB,UAC4B,M;QAF5C,YAAY,C;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,oBAAmB,cAAnB,EAAMb,sBAAnB,UAAV,EAAuC,OAAvC,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KafX,C;0FAkBA,yB;MAAA,gD;MAAA,oD;QAIoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KARX,C;2FAWA,yB;MAAA,gD;MAAA,oD;QAQoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KAZX,C;uFAeA,yB;MAAA,wE;MAyBA,+D;MAzBA,yC;QASW,kBAAU,oB;QAYBD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA1BiD,WA0BvC,CAAY,OAAZ,C;UbnvCP,U;UADP,YaynCe,WbznCH,WaynCwB,GbznCxB,C;UACL,IAAI,aAAJ,C;YACH,aaunCuC,gB;YAA5B,WbtnCX,aasnCgC,GbntChC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UamnCA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA5BT,OA8BO,W;O;KAvCX,C;uFAYA,yB;MAAA,wE;MA8BA,+D;MA9BA,yD;QAUW,kBAAU,oB;QA8BD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA/BiD,WA+BvC,CAAY,OAAZ,C;UbzoCP,U;UADP,Ya2oCe,Wb3oCH,Wa2oCwB,Gb3oCxB,C;UACL,IAAI,aAAJ,C;YACH,aaYoCuC,gB;YAA5B,WbxoCX,aawoCgC,GbxoChC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UaqoCA,iB;UACA,IAAK,WAjCyD,cAiCrD,CAAe,OAAf,CAAJ,C;;QAJCT,OAmCO,W;O;KA7CX,C;0FAaA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;UbnvCP,U;UADP,YaynCe,WbznCH,WaynCwB,GbznCxB,C;UACL,IAAI,aAAJ,C;YACH,aaunCuC,gB;YAA5B,WbtnCX,aasnCgC,GbntChC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UamnCA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KADx,C;2FAiBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;UbzoCP,U;UADP,Ya2oCe,Wb3oCH,Wa2oCwB,Gb3oCxB,C;UACL,IAAI,aAAJ,C;YACH,aaYoCuC,gB;YAA5B,WbxoCX,aawoCgC,GbxoChC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UaqoCA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KafX,C;4FAkBA,yB;MAAA,kC;MAAA,4C;MAAA,wE;QAQW,sC;QAAA,8C;O;MARX,oDASQ,Y;QAA6C,OAAA,oBAAgB,W;O;MATrE,iDAUQ,mB;QAAoC,gCAAY,OAAZ,C;O;MAV5C,gF;MAAA,yC;QAQI,2D;O;KARJ,C;8EAeA,yB;MAAA,kF;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,mCAAwB,EAAXB,CAAb,C;QAuEA,Q;QAAA,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAXEwC,SAwEpC,CAAU,IAAV,CAAJ,C;;QAXeHb,OAYEO,W;O;KAhFX,C;4FAUA,yB;MAAA,kF;MAAA,gE;MA+BA,wE;MA/BA,uC;QAOW,kBAAa,eAAa,mCAAwB,EAAXB,CAAb,C;QAGCP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAjC+C,SAiC3C,CAAU,oBAAmB,cAAnB,EAAMb,sBAAnB,UAAV,EAAuC,IAAvC,CAAJ,C;;QAJChB,OAkCO,W;O;KAZCX,C;0GAUA,yB;MAAA,+D;MAoSA,wE;MApSA,uC;QAOW,kBAAoB,gB;QAoSd,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UA1RSB,U;UAAA,cAVQ,SAUR,CAORT,oBAAmB,cAAnB,EAAMb,sBAAnB,UA1RS,EA0RoB,IA1RpB,W;YAA6C,6B;;QAVhF,OAwo,W;O;KAlBX,C;8GAUA,yB;MA0RA,wE;MA1RA,oD;QAiSiB,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UA1RSB,U;UAAA,wBAORT,oBAAmB,cAAnB,EAAMb,sBAAnB,UA1RS,EA0RoB,IA1RpB,W;YAA6C,6B;;QACHf,OAAO,W;O;KARX,C;+FAWA,yB;MAAA,wE;MAAA,oD;QAQiB,UACoC,M;QAFjD,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAAI,UAAU,oBAAmB,cAAnB,EAAMb,sBAAnB,UAAV,EAAuC,IAAvC,CAAJ,C;;QACHb,OAAO,W;O;KAVX,C;4FAaA,yB;MAAA,+D;MAAA,uC;QAOW,kBAAa,gB;QAWPJ,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAhPK,U;UAAA,cARe,SAQf,CAGPQ,OAHPR,W;YAA5C,6B;;QAR3D,OASO,W;O;KAhBX,C;GGAUA,yB;MAAA,oD;QAqPoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAhPK,U;UAAA,wBAGPQ,OAHPR,W;YAA5C,6B;;QAC3D,OAAO,W;O;KANX,C;kFASA,6C;MAKiB,Q;MAAA,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAY,WAAI,UAAU,IAAV,CAAJ,C;;MACHb,OAAO,W;K;IAQiB,4C;MAAA,mB;QAAE,gC;O;K;IAL9B,gC;MAKI,OAAO,qBAAiB,6BAJb,C;K;IAGX,+B;MASI,OAA2B,SAAf,eAAL,SAAK,CAAe,C;K;4FAG/B,yB;MAAA,2D;MAAA,+D;MAAA,sC;QAYc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QACD,2B;QAAV,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,SAAS,CAAT,C;UACV,IAAI,GAAl,WAAI,GAAl,CAAR,C;YACL,IAA

K,WAAI,CAAJ,C;;QAEb,OAAO,I;O;KAjBX,C;IAoBA,uC;MAQI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAL,EAU,KAUV,C;MACJ,OAAO,G;K;IAGX,sC;MAMI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAL,EAU,KAUV,C;MACJ,OAAO,G;K;IAGX,mC;MAMiB,IAAN,I;MACH,kBADs,SACT,c;QAAoB,4BAAc,SAAd,C;;QACZ,iCA Aa,sBAAb,C;MAFZ,W;K;IAMJ,mC;MAUI,UAAe,eAAL,SAAK,C;MACX,OAAJ,GAAL,EAU,KAUV,C;MACJ,OAAO,G;K;8EAGX,yB;MAAA,gD;MAAA,uC;QAOoB,Q;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,OAAO,I ;QAC5B,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;YAAyB,OAA O,K;;QACtD,OAAO,I;O;KARX,C;IAWA,2B;MAMI,IAAI,oCAAJ,C;QAAwB,OAAO,CAAC,mB;MACHC,OAAO ,oBAAW,U;K;+EAGtB,yB;MAAA,gD;MAAA,uC;QAOoB,Q;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,OAA O,K;QAC5B,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,I; ;QACrD,OAAO,K;O;KARX,C;IAWA,6B;MAMoB,Q;MAFhB,IAAI,oCAAJ,C;QAAwB,OAAO,c;MAC/B,YAAy, C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,oBAAmB,qBAAnB,EAAMB,KAAAnB,E;;MACtB,O AAO,K;K;mFAGX,qB;MAKI,OAAO,c;K;mFAGX,yB;MAAA,gD;MAAA,wE;MAAA,uC;QAMoB,Q;QAFhB,IA AI,wCAAsB,mBAA1B,C;UAAqC,OAAO,C;QAC5C,YAAy,C;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB; UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,oBAAmB,qBAAnB,EAAMB,KAAAnB,E;;QAC9C,OAAO,K;O;KA PX,C;gFAUA,yC;MAUoB,Q;MADhB,kBAAkB,O;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,cA Ac,UAAU,WAAV,EAU,OAAb,C;;MACpC,OAAO,W;K;8FAGX,yB;MAAA,wE;MAAA,gD;QAYoB,UAAiD ,M;QAFjE,YAAy,C;QACZ,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,cAAc,UAAU, oBAAmB,cAAnB,EAAMB,sBAAnB,UAAV,EAUc,WAAvC,EAAd,OAApD,C;;QACpC,OAAO,W;O;KAbX,C ;0FAgBA,yC;MASI,kBAAkB,O;MACIB,IAAI,CAAC,mBAAL,C;QACI,eAAe,+BAAa,cAAb,C;QACf,OAAO,QA AS,cAAhB,C;UACI,cAAc,UAAU,QAAS,WAAAnB,EAAB,WAA/B,C;;OAGtB,OAAO,W;K;wGAGX,yC;MAUI,k BAAkB,O;MACIB,IAAI,CAAC,mBAAL,C;QACI,eAAe,+BAAa,cAAb,C;QACf,OAAO,QAAS,cAAhB,C;UACI,Y AAY,QAAS,gB;UACrB,cAAc,UAAU,KAUV,EAAB,QAAS,WAA1B,EAAsC,WAAiC,C;;OAGtB,OAAO,W;K;s FAGX,6B;MAKoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,OAAO,OAAP,C;;K;oGAG1B,y B;MAAA,wE;MAAA,oC;QAOiB,UAAgC,M;QAD7C,YAAy,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAA M,OAAO,oBAAmB,cAAnB,EAAMB,sBAAnB,UAAP,EAAC,IAAP,C,C;;O;KAPvB,C;IAUA,0B;MAII,OAAO,sB ;K;IAGX,2B;MAII,OAAO,uB;K;IAGX,2B;MAGI,OAAO,uB;K;kFAGX,+B;MAGW,sB;;QAUP,eAAe,oB;QACf,I AAI,CAAC,QAAS,UAAc,C;UAAyB,qBAAO,I;UAAp,uB;SACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,U AAd,C;UAAyB,qBAAO,O;UAAp,uB;SACzB,eAdmB,QAcJ,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,Q AjBe,QAiBP,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAED, QAAT,QAAS,W;QACIB,qBAAO,O;;MAvBP,yB;K;8FAGJ,+B;MAOI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAA d,C;QAAyB,OAAO,I;MACHC,cAAc,QAAS,O;MACvB,IAAI,CAAC,QAAS,UAAc,C;QAAyB,OAAO,O;MACHC, eAAe,SAAS,OAAT,C;;QAEX,QAAQ,QAAS,O;QACjB,QAAQ,SAAS,CAAT,C;QACR,IAAI,2BAAW,CAAX,KA AJ,C;UACI,UAAU,C;UACV,WAAW,C;;MAED,QAAT,QAAS,W;MACIB,OAAO,O;K;mFAGX,yB;MAAA,sE;M F/yDA,iB;ME+yDA,sC;QAaI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAc,C;UAAyB,MAAM,6B;QAC/B,eAAe,S AAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,WFzzDG,M AAO,KEyzDO,QFzzDP,EEyzDiB,CFzzDjB,C;;QE2zDd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MFj1DA ,iB;MEi1DA,sC;QAaI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAc,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,Q AAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,WF31DG,MAAO, KE21DO,QF31DP,EE21DiB,CF31DjB,C;;QE61Dd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAAA,sC;Q AWI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAc,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAIB,C;Q ACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,IAAI,2BAAW,CAAX,KAJ,C;YAC I,WAAW,C;;QAGnB,OAAO,Q;O;KApBX,C;+FAuBA,yB;MFp3DA,iB;MEo3DA,sC;QAWI,eAAe,oB;QACf,IAAI ,CAAC,QAAS,UAAc,C;UAAyB,OAAO,I;QACHC,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C ;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,WF53DG,MAAO,KE43DO,QF53DP,EE43DiB,CF53DjB,C;;QE83 Dd,OAAO,Q;O;KAIBX,C;+FAqBA,yB;MFp5DA,iB;MEo5DA,sC;QAWI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UA Ad,C;UAAyB,OAAO,I;QACHC,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SA AS,QAAS,OAAIB,C;UACR,WF55DG,MAAO,KE45DO,QF55DP,EE45DiB,CF55DjB,C;;QE85Dd,OAAO,Q;O;K AIBX,C;+FAqBA,+B;MASI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAc,C;QAAyB,OAAO,I;MACHC,eAAe,SA

S,QAAS,OAAIB,C;MACf,OAAO,QAAS,UAAhB,C;QACI,QAAQ,SAAS,QAAS,OAAIB,C;QACR,IAAI,2BAAW,CAAX,KAAJ,C;UACI,WAAW,C;;MAGnB,OAAO,Q;K;0FAGX,yB;MAAA,sE;MAAA,kD;QAWI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KApBX,C;sGAuBA,2C;MASI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAYB,OAAO,I;MACHC,eAAe,SAAS,QAAS,OAAIB,C;MACf,OAAO,QAAS,UAAhB,C;QACI,QAAQ,SAAS,QAAS,OAAIB,C;QACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAAkC,CAAtC,C;UACI,WAAW,C;;MAGnB,OAAO,Q;K;IAGX,gC;MAOI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAYB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,MFn+DG,MAAO,KEm+DE,GFn+DF,EE+DO,CFn+DP,C;;MEq+Dd,OAAO,G;K;IAGX,iC;MAOI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAYB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,MF//DG,MAAO,KE+/DE,GF//DF,EE+/DO,CF//DP,C;;MEigEd,OAAO,G;K;IAGX,iC;MAKI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAYB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,sBAAM,CAAN,KAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAAd,C;K;IAGX,gD;MAKI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAYB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,0B;MAII,OAAO,sB;K;IAGX,2B;MAII,OAAO,uB;K;IAGX,2B;MAGI,OAAO,uB;K;kFAGX,+B;MAGW,sB;;QAUP,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,I;UAAP,uB;SACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,O;UAAP,uB;SACzB,eAdmB,QAcJ,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QAjBe,QAiBP,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAED,QAAT,QAAS,W;QACIB,qBAAO,O;;MAvBP,yB;K;8FAGJ,+B;MAOI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAYB,OAAO,I;MACHC,cAAc,QAAS,O;MACvB,IAAI,CAAC,QAAS,UAAAd,C;QAAYB,OAAO,O;MACHC,eAAe,SAAS,OAAT,C;;QAEX,QAAQ,QAAS,O;QACjB,QAAQ,SAAS,CAAT,C;QACR,IAAI,2BAAW,CAAX,KAAJ,C;UACI,UAAU,C;UACV,WAAW,C;;MAED,QAAT,QAAS,W;MACIB,OAAO,O;K;mFAGX,yB;MAAA,sE;MF14DA,iB;MEk4DA,sC;QAaI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,WF54DG,MAAO,KE44DO,QF54DP,EE44DiB,CF54DjB,C;;QE84Dd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MFp6DA,iB;MEo6DA,sC;QAaI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,WF96DG,MAAO,KE86DO,QF96DP,EE86DiB,CF96DjB,C;;QEG7Dd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAAA,sC;QAWI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KApBX,C;+FAuBA,yB;MFv8DA,iB;MEu8DA,sC;QAWI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,OAAO,I;QACHC,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,WF/8DG,MAAO,KE+8DO,QF/8DP,EE+8DiB,CF/8DjB,C;;QEI9Dd,OAAO,Q;O;KAIBX,C;+FAqBA,yB;MFv+DA,iB;MEu+DA,sC;QAWI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,OAAO,I;QACHC,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,WF/+DG,MAAO,KE++DO,QF/+DP,EE++DiB,CF/+DjB,C;;QEI/Dd,OAAO,Q;O;KAIBX,C;+FAqBA,+B;MASI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAYB,OAAO,I;MACHC,eAAe,SAAS,QAAS,OAAIB,C;MACf,OAAO,QAAS,UAAhB,C;QACI,QAAQ,SAAS,QAAS,OAAIB,C;QACR,IAAI,2BAAW,CAAX,KAAJ,C;UACI,WAAW,C;;MAGnB,OAAO,Q;K;0FAGX,yB;MAAA,sE;MAAA,kD;QAWI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KApBX,C;sGAuBA,2C;MASI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAYB,OAAO,I;MACHC,eAAe,SAAS,QAAS,OAAIB,C;MACf,OAAO,QAAS,UAAhB,C;QACI,QAAQ,SAAS,QAAS,OAAIB,C;QACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAAkC,CAAtC,C;UACI,WAAW,C;;MAGnB,OAAO,Q;K;IAGX,gC;MAOI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAYB,

S,UAAAd,C;QAAyB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O ;QACjB,MFtjEG,MAAO,KEsjEE,GFtjEF,EEsjEO,CFtjEP,C;;MEwjEd,OAAO,G;K;IAGX,iC;MAOI,eAAe,oB;MA Cf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;Q ACI,QAAQ,QAAS,O;QACjB,MFIIEG,MAAO,KEKIEE,GFIIIE,EEkIEO,CFIIIEP,C;;MEolEd,OAAO,G;K;IAGX,iC ;MAKI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,OAA O,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,sBAAM,CAAN,KA AJ,C;UAAa,MAAM,C;;MAEvB,O AAO,G;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAAd,C;K;IAGX,gD;MAKI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UA Ad,C;QAAyB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QA CjB,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G; K;IAGX,4B;MAMI,IAAI,oCAAJ,C;QA AwB,OAAO,mB;MAC/B,OAAO,CAAC,oBAAW,U;K;iFAGvB,yB;MAA A,gD;MAAA,uC;QAOoB,Q;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,OAAO,I;QAC5B,2B;QAAhB,OAAgB, cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,K;;QACrD,OAAO,I;O;KARX,C;oF AWA,6B;MAK mC,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,OAAO,OAAP,C;;MAArC,gB; K;kGAGJ,yB;MAAA,6B;MAAA,sC;MArnBA,wE;MAqnBA,2BAQiB,yB;QA7nBjB,wE;eA6nBiB,0B;UAAA,4B; YAAE,aAAe,c;YAtnBjB,gB;YADb,YAAY,C;YACC,2B;YAAb,OAAa,cAAb,C;cAAa,sB;cAAM,OAAO,oBAAM B,cAAnB,EAAmB,sBAAnB,UAAP,EAAoC,IAApC,C;;YAsnBmB,W;W;S;OAAzB,C;MARjB,oC;QA9mBiB,gB; QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAAM,OAAO,oBAAMB,cAAnB,EAAmB,sBAAnB, UAAP,EAAoC,IAApC,C;;QAsnBnB,gB;O;KARJ,C;oFAWA,yB;MAAA,4F;MAAA,uC;QAaI,eAAe,SAAK,W;QA CpB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,mCAA8B,oCAA9B,C;QAC/B,kBAAqB,QAAS,O;QAC9B,O AAO,QAAS,UAAhB,C;UACI,cAAc,UAAU,WAAV,EAAuB,QAAS,OAAhC,C;;QAEIB,OAAO,W;O;KAnBX,C;k GAsBA,yB;MAAA,4F;MAAA,wE;MAAA,uC;QAKmD,Q;QAL/C,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS, UAAAd,C;UAAyB,MAAM,mCAA8B,oCAA9B,C;QAC/B,YAAY,C;QACZ,kBAAqB,QAAS,O;QAC9B,OAAO,QA AS,UAAhB,C;UACI,cAAc,UAAU,oBAAMB,YAAnB,EAAmB,oBAAnB,QAAV,EAAuC,WAAvC,EAAoD,QAA S,OAA7D,C;;QAEIB,OAAO,W;O;KApBX,C;8GAuBA,yB;MAAA,wE;MAAA,uC;QAKmD,Q;QAL/C,eAAe,SA AK,W;QACpB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,OAAO,I;QACHC,YAAY,C;QACZ,kBAAqB,QAAS,O;QAC 9B,OAAO,QAAS,UAAhB,C;UACI,cAAc,UAAU,oBAAMB,YAAnB,EAAmB,oBAAnB,QAAV,EAAuC,WAAvC, EAAoD,QAAS,OAA7D,C;;QAEIB,OAAO,W;O;KApBX,C;gGAuBA,gC;MAcI,eAAe,SAAK,W;MACpB,IAAI,C AAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,kBAAqB,QAAS,O;MAC9B,OAAO,QAAS,UAAhB,C;QACI,cA Ac,UAAU,WAAV,EAAuB,QAAS,OAAhC,C;;MAEIB,OAAO,W;K;8FAGX,yB;MAAA,4F;MAAA,uC;QAaI,eAA e,+BAAa,cAAb,C;QACf,IAAI,CAAC,QAAS,cAAAd,C;UACI,MAAM,mCAA8B,8BAA9B,C;QACV,kBAAqB,QA AS,W;QAC9B,OAAO,QAAS,cAAhB,C;UACI,cAAc,UAAU,QAAS,WAAAnB,EAA+B,WAA/B,C;;QAEIB,OAAO, W;O;KApBX,C;4GAuBA,yB;MAAA,4F;MAAA,uC;QAaI,eAAe,+BAAa,cAAb,C;QACf,IAAI,CAAC,QAAS,cAA d,C;UACI,MAAM,mCAA8B,8BAA9B,C;QACV,kBAAqB,QAAS,W;QAC9B,OAAO,QAAS,cAAhB,C;UACI,YA AY,QAAS,gB;UACrB,cAAc,UAAU,KAAV,EAAiB,QAAS,WAA1B,EAAc,WAAtC,C;;QAEIB,OAAO,W;O;KA rBX,C;wHAWBA,gC;MAaI,eAAe,+BAAa,cAAb,C;MACf,IAAI,CAAC,QAAS,cAAAd,C;QACI,OAAO,I;MACX,kB AAqB,QAAS,W;MAC9B,OAAO,QAAS,cAAhB,C;QACI,YAAY,QAAS,gB;QACrB,cAAc,UAAU,KAAV,EAAiB ,QAAS,WAA1B,EAAc,WAAtC,C;;MAEIB,OAAO,W;K;0GAGX,gC;MAcI,eAAe,+BAAa,cAAb,C;MACf,IAAI, CAAC,QAAS,cAAAd,C;QACI,OAAO,I;MACX,kBAAqB,QAAS,W;MAC9B,OAAO,QAAS,cAAhB,C;QACI,cAAc ,UAAU,QAAS,WAAAnB,EAA+B,WAA/B,C;;MAEIB,OAAO,W;K;8FAGX,yB;MAAA,kF;MAAA,gD;MAAA,gE; MAAA,gD;QAIBoB,Q;QAJhB,oBAAoB,mCAAwB,CAAxB,C;QACpB,IAAI,kBAAiB,CAArB,C;UAAwB,OAAO ,OAAO,OAAP,C;QACc,kBAAhC,eAAa,gBAAGB,CAAhB,IAAb,C;QAAwC,8B;QAArD,aHjjFO,W;QGkjFP,kBA AkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd ,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;4GAwBA,yB;MAAA,kF;MAAA,gD;MAAA,gE;MAAA, gD;QAmBoB,UACY,M;QAN5B,oBAAoB,mCAAwB,CAAxB,C;QACpB,IAAI,kBAAiB,CAArB,C;UAAwB,OAA O,OAAO,OAAP,C;QACc,kBAAhC,eAAa,gBAAGB,CAAhB,IAAb,C;QAAwC,8B;QAArD,aH1kFO,W;QG2kFP,Y AAY,C;QACZ,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,WAAU,cAAV,EAAU ,sBAAV,WAAmB,WAAAnB,EAAgC,OAAhC,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;k GA0BA,yB;MAAA,qD;MAAA,kF;MAAA,gE;MAAA,uC;QAcI,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,UA

Ad,C;UAAyB,OAAO,W;QAChC,sBAAqB,QAAS,OAA9B,C;QACuD,kBAA1C,eAAa,mCAAwB,EAAxB,CAAb,C;QAAkD,sBAAI,aAAJ,C;QAA/D,aHrmFO,W;QGsmFP,OAAO,QAAS,UAAhB,C;UACI,gBAAC,UAAU,aAAV,EAAuB,QAAS,OAAhC,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;gHAYBA,yB;MAAA,qD;MAAA,kF;MAAA,gE;MAAA,uC;QAOBgC,Q;QAN5B,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,OAAO,W;QAChC,sBAAqB,QAAS,OAA9B,C;QACuD,kBAA1C,eAAa,mCAAwB,EAAxB,CAAb,C;QAAkD,sBAAI,aAAJ,C;QAA/D,aH9nFO,W;QG+nFP,YAAy,C;QACZ,OAAO,QAAS,UAAhB,C;UACI,gBAAC,WAAU,YAAV,EAAU,oBAAV,SAAmB,aAAnB,EAAgC,QAAS,OAAzC,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;gFA0BA,yB;MArGA,kF;MAAA,gD;MAAA,gE;MAqGA,gD;QAcW,sB;;UAIGS,Q;UAJhB,oBAAoB,mCAAwB,CAAxB,C;UACpB,IAAI,kBAAiB,CAArB,C;YAAwB,qBAAO,OAqGZ,OAqGY,C;YAAP,uB;WACqB,kBAAhC,eAAa,gBAAGB,CAAhB,IAAb,C;UAAwC,sBAoGIC,OAqGkC,C;UAArD,aHjjFO,W;UGkjFP,kBAmGmB,O;UAIGH,2B;UAAhB,OAAgB,cAAhB,C;YAAgB,yB;YACZ,cAiGwB,SAjGV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;QA8FP,yB;O;KAdJ,C;8FAiBA,yB;MA9FA,kF;MAAAA,gD;MAAA,gE;MA8FA,gD;QAeW,6B;;UA1FS,gB;UALhB,oBAAoB,mCAAwB,CAAxB,C;UACpB,IAAI,kBAAiB,CAArB,C;YAAwB,4BAAO,OA8FL,OA9FK,C;YAAP,8B;WACqB,kBAAhC,eAAa,gBAAGB,CAAhB,IAAb,C;UAAwC,sBA6F3B,OA7F2B,C;UAArD,aH1kFO,W;UG2kFP,YAAy,C;UACZ,kBA2F0B,O;UA1FV,2B;UAAhB,OAAgB,cAAhB,C;YAAgB,yB;YACZ,cAyF+B,SAzFjB,EAAU,cAAV,EAAU,sBAAV,WAAmB,WAAAnB,EAAgC,OAAhC,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;QAsFP,gC;O;KAFJ,C;kFAkBA,+B;MAOoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;8FAGX,+B;MAOoB,Q;MADhB,UAAkB,G;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;mFAGX,+B;MAUoB,Q;MADhB,UAAoB,C;MACJ,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;mFAGX,+B;MAUoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;mFAGX,yB;MAAA,SASoB,gB;MATpB,sC;QAUoB,Q;QADhB,Y;QACgB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAO,SAAS,OAAT,CAAP,C;;QAEJ,OAAO,G;O;KAbX,C;mFAgBA,yB;MjB/7EA,6B;MiB+7EA,sC;QAWoB,Q;QADhB,UjB/7EmC,ciB+7EnB,CjB/7EmB,C;QiBg8EnB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MjBnwFiD,ciBmwFjD,GjBnwF2D,KAAK,GiBmwFzD,SAAS,OAAT,CjBnwFoE,KAAK,IAAf,C;;QiBqwFrD,OAAO,G;O;KAdX,C;mFAiBA,yB;MD78EA,+B;MC68EA,sC;QAWoB,Q;QADhB,UD58EqC,eAAW,oBC48E/B,CD58E+B,CAAX,C;QC68ErB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MDjxFmD,eCixFnD,GDjxF8D,KAAK,KCixF5D,SAAS,OAAT,CDjxFuE,KAAK,CAAhB,C;;QCmxFvD,OAAO,G;O;KAdX,C;IAiBA,qC;MAIoB,UAMT,M;MANS,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,eAAJ,C;UACI,MAAM,gCAAYB,2BAAwB,SAAXB,MAAZB,C;;MAId,OAAO,mE;K;IAGX,qC;MAIoB,UAMT,M;MANS,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,eAAJ,C;UACI,MAAM,gCAAYB,2BAAwB,SAAXB,MAAZB,C;;MAId,OAAO,+D;K;IAGX,kC;MAWI,OAAO,oBAAS,IAAT,EAAe,IAAf,EAAc,IAAtC,C;K;IAGX,+C;MAGBI,OAAO,sBAAS,IAAT,EAAe,IAAf,EAAc,IAAtC,EAAwD,SAAXD,C;K;IAGX,mC;MAII,aAAa,iBAAa,mCAAwB,EAAxB,CAAb,C;MACb,kBAAC,KAAd,C;MANlEgB,Q;MAAA,OAoLET,SAPLES,W;MAAhB,OAAgB,cAAhB,C;QAAgB,2B;QAAU,oB;QAOIEK,IAAI,CAAC,SAAD,IAAY,OAplEX,SAoIEW,UAAhB,C;UAAiC,YAAU,I;UAA3C,mBAAiD,K;;UAAjD,mBAA8D,I;;QAplEvE,qB;UAoIED,MAplEqC,WAAI,SAAJ,C;;MAoE1D,OAAqB,M;K;IAGzB,sC;MAQI,IAAI,QpB0yJG,YAAQ,CoB1yJf,C;QAAwB,OAAy,SAAL,SAAK,C;MACpC,YAAqB,8BAAT,QAAS,C;MAtoEd,kBAAy,gB;MA4BH,Q;MAAA,OA2mET,SA3mES,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CA2mEF,qBA3mEa,OA2mEb,CA3mEF,C;UAAyB,WAAy,WAAI,OAAJ,C;;MA2mE3D,OA1mEO,W;K;IA6mEX,sC;MAQI,YAAqB,gCAAT,QAAS,EAAgC,SAAhC,C;MACrB,IAAI,KAAM,UAAV,C;QACI,OAAy,SAAL,SAAK,C;MAppET,kBAAy,gB;MA4BH,Q;MAAA,OAynET,SAznES,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAynEF,qBAznEa,OAynEb,CAznEF,C;UAAyB,WAAy,WAAI,OAAJ,C;;MAynE3D,OAxnEO,W;K;IA2nEX,sC;MAQI,YAAqB,8BAAT,QAAS,C;MACrB,IAAI,KAAM,UAAV,C;QACI,OAAy,SAAL,SAAK,C;MAIqET,kBAAy,gB;MA4BH,Q;MAAA,OAuoET,SAvoES,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAuoEF,qBAvoEa,OAuoEb,CAvoEF,C;UAAyB,WAAy,WAAI,OAAJ,C;;MAuoE3D,OAtoEO,W;K;8FAyoEX,yB;MAAA,8C;MAAA,qC;QAKI,OAAO,iBAAM,OAAN,C;O;KALX,C;0FAQA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAUoB,Q;QAFhB,YAAy,gB;QACZ,aAAa,gB;QACG,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI

,UAAU,OAAV,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;;YAEN,MAAO,WAAI,OAAJ,C;;;QAGf,OAAO,cAAK,K  
AAL,EAAy,MAAZ,C;O;KAjBX,C;IAoBa,kC;MAII,IAAI,oCAAJ,C;QAAwB,OAAy,OAAL,SAAK,EAAK,OAA  
L,C;MACpC,aAAa,gB;MACN,OAAP,MAAO,EAAO,SAAP,C;MACP,MAAO,WAAI,OAAJ,C;MACP,OAAO,M;  
K;IAGX,oC;MAII,aAAa,iBAAa,iBAAO,CAAP,IAAb,C;MACb,MAAO,gBAAO,SAAP,C;MACP,MAAO,WAAI,  
OAAJ,C;MACP,OAAO,M;K;IAGX,qC;MAII,IAAI,oCAAJ,C;QAAwB,OAAy,OAAL,SAAK,EAAK,QAAL,C;M  
ACpC,aAAa,gB;MACN,OAAP,MAAO,EAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M  
;K;IAGX,qC;MAII,aAAa,iBAAa,SAAK,KAAL,GAAY,QAAS,OAARb,IAAb,C;MACb,MAAO,gBAAO,SAAP,C;  
MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;K;IAGX,qC;MAII,IAAI,oCAAJ,C;QAAwB,OAAy,OA  
AL,SAAK,EAAK,QAAL,C;MACpC,aAAa,gB;MACN,OAAP,MAAO,EAAO,SAAP,C;MACA,OAAP,MAAO,EA  
AO,QAAP,C;MACP,OAAO,M;K;IAGX,qC;MAII,IAAI,mCAAJ,C;QACI,aAAa,iBAAa,SAAK,KAAL,GAAY,QA  
AS,KAARb,IAAb,C;QACb,MAAO,gBAAO,SAAP,C;QACP,MAAO,gBAAO,QAAP,C;QACP,OAAO,M;;QAEp,e  
AAa,iBAAa,SAAb,C;QACN,OAAP,QA AO,EAAO,QAAP,C;QACP,OAAO,Q;;K;IAIf,qC;MAII,aAAa,gB;MACN,  
OAAP,MAAO,EAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;K;IAGX,qC;MAII,aAA  
a,iBAAa,SAAK,KAAL,GAAY,EA AZ,IAAb,C;MACb,MAAO,gBAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,Q  
AAP,C;MACP,OAAO,M;K;4FAGX,yB;MAAA,4C;MAAA,qC;QAKI,OAAO,gBAAK,OAAL,C;O;KALX,C;8FA  
QA,yB;MAAA,4C;MAAA,qC;QAKI,OAAO,gBAAK,OAAL,C;O;KALX,C;IAQA,yD;MAGb+C,oB;QAAA,OAA  
Y,C;MAAG,8B;QAAA,iBAA0B,K;MAOzE,Q;MANX,oBAAoB,IAApB,EAA0B,IAA1B,C;MACA,IAAI,0CAA  
wB,8BAA5B,C;QACI,eAAe,SAAK,K;QACpB,qBAAqB,YAAW,IAAX,SAASB,WAAW,IAAX,KAAMb,CAAvB,G  
AA0B,CAA1B,GAAiC,CAAnD,K;QACrB,aAAa,iBAAmB,cAAnB,C;QACb,gBAAy,CAAZ,C;QACA,Y;UAAO,c  
;UAAP,MAAgB,CAAT,mBAAiB,QAAXB,E;YAAA,K;UACI,iBAASB,eAAL,IAAK,EAAa,WAAW,OAAx,IAAb,  
C;UACtB,IAAI,aAAa,IAAb,IAAqB,CAAC,cAA1B,C;YAA0C,K;Ud59FID,WAAW,iBc69Fa,Ud79Fb,C;UWCX,m  
BAAc,CAAd,YG49FwB,UH59FxB,Y;YXA6B,ec49FS,sBH39F3B,OG29FgC,GAAK,OAAL,IAAL,Cd59FT,C;;Uc  
49FrB,MAAO,Wd39FR,Ic29FQ,C;UACP,oBAAS,IAAT,I;;QAEJ,OAAO,M;OAEX,eAAa,gB;MACiE,kBAA9E,iB  
AAiB,oBAAjB,EAA6B,IAA7B,EAAmC,IAAnC,EAAyC,cAAzC,EAAuE,KAAvE,C;ME51GA,OAAgB,qBAAhB,  
C;QAAgB,gC;QF6lGL,mBE7lGqB,OF6lGrB,C;;MAEX,OAAO,Q;K;IAGX,sE;MAkBkD,oB;QAAA,OAAy,C;MA  
AG,8B;QAAA,iBAA0B,K;MACvF,oBAAoB,IAApB,EAA0B,IAA1B,C;MACA,IAAI,0CAAwB,8BAA5B,C;QACI  
eAAe,SAAK,K;QACpB,qBAAqB,YAAW,IAAX,SAASB,WAAW,IAAX,KAAMb,CAAvB,GAA0B,CAA1B,GAA  
iC,CAAnD,K;QACrB,aAAa,iBAAa,cAAb,C;QACb,eAAa,kBAAC,SAAd,C;QACb,YAAy,C;QACZ,OAAgB,CAA  
T,qBAAiB,QAAXB,C;UACI,iBAASB,eAAL,IAAK,EAAa,WAAW,KAAX,IAAb,C;UACtB,IAAI,CAAC,cAAD,IA  
AmB,aAAa,IAApC,C;YAA0C,K;UAC1C,QA AO,cAAK,KAAL,EAAy,QA AQ,UAAAR,IAAZ,C;UACP,MAAO,W  
AAI,UAAU,QA AV,CAAJ,C;UACP,gBAAS,IAAT,I;;QAEJ,OAAO,M;OAEX,eAAa,gB;MACgE,kBAA7E,iBAAi  
B,oBAAjB,EAA6B,IAA7B,EAAmC,IAAnC,EAAyC,cAAzC,EAAuE,IAAvE,C;MEtoGA,OAAgB,qBAAhB,C;QA  
AgB,gC;QFuoGL,mBAAI,UEvoGiB,OFuoGjB,CAAJ,C;;MAEX,OAAO,Q;K;IAGX,kC;MAqBoB,gB;MAHhB,gB  
AXW,KAWW,O;MACtB,WAAW,iBF17FJ,MAAO,KE07FgB,mCAAwB,EAAXB,CF17FhB,EE07F6C,SF17F7C,C  
E07FH,C;MACX,QA AQ,C;MACQ,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KA AK,SAAT,C;UA  
AoB,K;QACpB,IAAK,WAhBqB,GAgBP,OA hBO,EAAnB,KAgBqB,CAAM,UAA N,EAAM,kBAAN,SAhBF,CAG  
BrB,C;;MAhBT,OAkBO,I;K;+EAFx,yB;MAAA,kF;MAAA,gE;MFv7FA,iB;MEu7FA,8C;QAWoB,UAEsB,M;QA  
LtC,gBAAgB,KAAM,O;QACtB,WAAW,eF17FJ,MAAO,KE07FgB,mCAAwB,EAAXB,CF17FhB,EE07F6C,SF17  
F7C,CE07FH,C;QACX,QA AQ,C;QACQ,2B;QA AhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KA AK,SAAT,  
C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,OAAV,EAAMb,MAAM,UAA N,EAAM,kBAAN,SAAnB,CAAJ,C;;Q  
AET,OAAO,I;O;KafX,C;IAkBA,kC;MAkBI,YAAy,oB;MACz,aAZW,KAYQ,W;MACnB,WAAW,iBFv9FJ,MA  
AO,KEu9FgB,mCAAwB,EAAXB,CFv9FhB,EEu9FmD,wBAbtD,KAsD,EA AwB,EAAXB,CFv9FhB,CEu9FH,C;  
MACX,OAAO,KAAM,UAA N,IAAmB,MAAO,UAAjC,C;QACI,IAAK,WafqB,GAeP,KAAM,OAfC,EAeO,MAA  
O,OAfD,CAerB,C;;MAfT,OAiBO,I;K;-EAdX,yB;MAAA,kF;MAAA,gE;MFn9FA,iB;MEM9FA,8C;QAQI,YAAy,  
oB;QACZ,aAAa,KAAM,W;QACnB,WAAW,eFv9FJ,MAAO,KEu9FgB,mCAAwB,EAAXB,CFv9FhB,EEu9FmD,  
wBAAN,KAAM,EA AwB,EAAXB,CFv9FhB,CEu9FH,C;QACX,OAAO,KAAM,UAA N,IAAmB,MAAO,UAAjC,C  
;UACI,IAAK,WAAI,UAAU,KAAM,OA AhB,EA AwB,MAAO,OAA/B,CAAJ,C;;QAET,OAAO,I;O;KAdX,C;IAiB  
A,gC;MASW,sB;;QAAP,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAA d,C;UAAyB,qBAAO,W;UAAP,uB;SACzB,ad/

pGoD,gB;QcggGpD,cAAc,QAAS,O;QACvB,OAAO,QAAS,UAAhB,C;UACI,WAAW,QAAS,O;UACpB,MAAO,  
WAnBkB,GAmBJ,OAnBI,EAmBK,IAnBL,CaMBIB,C;UACP,UAAU,I;;QAEd,qBAAO,M;;MAtBP,yB;K;8FAGJ,  
yB;MAAA,qD;MdzpGA,+D;McypGA,uC;QAUI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAc,C;UAAyB,OAAO,W  
;QACChC,ad/pGoD,gB;QcggGpD,cAAc,QAAS,O;QACvB,OAAO,QAAS,UAAhB,C;UACI,WAAW,QAAS,O;UAC  
pB,MAAO,WAAI,UAAU,OAAV,EAAmB,IAAnB,CAAJ,C;UACP,UAAU,I;;QAEd,OAAO,M;O;KAnBX,C;IAsB  
A,8F;MAQ6D,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA  
,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAoC,I;MAGtN,Q;MAFhB,MAAO,gBAAO,MAAP,  
C;MACP,YAAy,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,IAAI,iCAAU,CAAd,C;UAAiB,MA  
AO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACW,gBAAP,MAAO,EAAc,OAAc,  
EAAuB,SAAvB,C;;UACJ,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,  
C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;K;IAGX,4F;MAQwC,yB;QAAA,YAA0B,I;MAAM,sB;Q  
AAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB  
;QAAA,YAAoC,I;MACjN,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,  
KAApD,EAA2D,SAA3D,EAA5E,SAAtE,CAAiF,W;K;4FAG5F,qB;MAKI,OAAO,S;K;IASS,8C;MAAA,mB;QAA  
E,OAAA,eAAK,W;O;K;IAN3B,iC;MAMI,oCAAgB,8BAAhB,C;K;IAGJ,+B;MAOoB,Q;MAFhB,UAAkB,G;MAC  
lB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EA  
AmB,KAAAnB,E;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,+B;MAOo  
B,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,OAAO,O;  
QACP,oBAAmB,qBAAnB,EAAmB,KAAAnB,E;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,  
MAAM,K;K;IAGjD,+B;MAOoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C  
;QAAGB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EAAmB,KAAAnB,E;;MAEJ,OAAW,UAAS,CAAb,GAA  
gB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,+B;MAOoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2  
B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EAAmB,KAAAnB,E;;MAE  
J,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,+B;MAOoB,Q;MAFhB,UAAkB,G  
;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAA  
nB,EAAmB,KAAAnB,E;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,+B;  
MAOoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,OA  
AO,O;QACP,oBAAmB,qBAAnB,EAAmB,KAAAnB,E;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GA  
AgC,MAAM,K;K;IAGjD,2B;MAMoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;Q  
ACZ,YAAO,O;;MAEX,OAAO,G;K;IAGX,2B;MAMoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB  
,C;QAAGB,yB;QACZ,YAAO,O;;MAEX,OAAO,G;K;IAGX,2B;MAMoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB  
,OAAgB,cAAhB,C;QAAGB,yB;QACZ,YAAO,OAAP,I;;MAEJ,OAAO,G;K;IAGX,2B;MAMoB,Q;MADhB,Y;MA  
CgB,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,cAAO,OAAP,C;;MAEJ,OAAO,G;K;IAGX,2B;MAMoB,  
Q;MADhB,UAAiB,G;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,OAAO,O;;MAEX,OAAO,G;K;I  
AGX,2B;MAMoB,Q;MADhB,UAAkB,G;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,OAAO,O;;M  
AEX,OAAO,G;K;IGn1GX,uC;MAOI,OAAO,SAAM,CAAN,EAAS,SAAM,CAAN,EAAS,CAAT,EAAY,UAAZ,C  
AAT,EAakC,UAAIC,C;K;IAGX,oC;MAOI,OAAW,UAAW,SAAQ,CAAR,EAAW,CAAX,CAAX,IAA4B,CAAh  
C,GAAmC,CAAnC,GAA0C,C;K;IAmDrD,wC;MAQc,Q;MADV,UAAU,C;MACV,wBAAU,KAAV,gB;QAAU,Q  
AAA,KAAV,M;QAAiB,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;  
MAC3D,OAAO,G;K;IA+GX,uC;MAOI,OAAO,SAAM,CAAN,EAAS,SAAM,CAAN,EAAS,CAAT,EAAY,UAAZ  
,CAAT,EAakC,UAAIC,C;K;IAGX,oC;MAOI,OAAW,UAAW,SAAQ,CAAR,EAAW,CAAX,CAAX,IAA4B,CAA  
hC,GAAmC,CAAnC,GAA0C,C;K;IAmDrD,wC;MAQc,Q;MADV,UAAU,C;MACV,wBAAU,KAAV,gB;QAAU,Q  
AAA,KAAV,M;QAAiB,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;  
MAC3D,OAAO,G;K;oGcNXX,yB;MAAA,iE;MAAA,uC;QASW,Q;QAAA,+B;;UAYS,U;UAAA,SjB4UoE,iBAA  
Q,W;UiB5U5F,OAAgB,gBAAhB,C;YAAgB,2B;YACZ,aAbwB,SAAx,CAAU,OAAV,C;YACb,IAAI,cAAJ,C;cAC  
L,8BAAO,M;cAAP,gC;;UAGR,8BAAO,I;;QAlBA,kC;QAAA,iB;UAAmC,MAAM,gCAAuB,4DAAvB,C;SAAhD,  
OAAO,I;O;KATX,C;gHAYA,gC;MASoB,Q;MAAA,OAAA,SjB4UoE,QAAQ,W;MiB5U5F,OAAgB,cAAhB,C;Q  
AAGB,yB;QACZ,aAAa,UAAU,OAAV,C;QACb,IAAI,cAAJ,C;UACI,OAAO,M;;MAGf,OAAO,I;K;IAGX,6B;MA

II,IAAI,mBAAQ,CAAZ,C;QACI,OAAO,W;MACX,eAAe,iBAAQ,W;MACvB,IAAI,CAAC,QAAS,UAAAd,C;QAC I,OAAO,W;MACX,YAAY,QAAS,O;MACrB,IAAI,CAAC,QAAS,UAAAd,C;QACI,OAAO,OjB8PiD,SiB9P1C,KjB 8P+C,IAAL,EiB9P1C,KjB8PoD,MAAV,CiB9PjD,C;OACX,aAAa,iBAAsB,cAAtB,C;MACb,MAAO,WjB4PqD,Si B5PjD,KjB4PsD,IAAL,EiB5PjD,KjB4P2D,MAAV,CiB5PrD,C;;QAEwB,kBAAhB,QAAS,O;QAAPB,MAAO,WjB 0PiD,SAAK,eAAL,EAAU,iBAAV,CiB1PjD,C;;MACO,QAAT,QAAS,W;MACiB,OAAO,M;K;uFAGX,yB;MAAA ,+D;MAsBA,gD;MatBA,uC;QAMW,kBAAU,gB;QAoBD,Q;QAAA,OjBqRoE,iBAAQ,W;QiBrR5F,OAAGB,cAA hB,C;UAAgB,yB;UACZ,WArB6B,SAqBIB,CAAU,OAAV,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAtBhB,OA wBO,W;O;KA9BX,C;uFASA,yB;MAAA,+D;MAwBA,gD;MAxBA,uC;QAUW,kBAAU,gB;QAsBD,Q;QAAA,Oj BsQoE,iBAAQ,W;QiBtQ5F,OAAGB,cAAhB,C;UAAgB,yB;UACZ,WAvB6B,SAuBIB,CAAU,OAAV,C;UACC,O AAZ,WAAy,EAAO,IAAP,C;;QAxBhB,OA0BO,W;O;KApCX,C;2FAaA,yB;MAAA,gD;MAAA,oD;QAIoB,Q;QA AA,OAAA,SjBqRoE,QAAQ,W;QiBrR5F,OAAGB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,OAAV,C;UACC ,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KARX,C;2FAWA,yB;MAAA,gD;MAAA,oD;QAQoB,Q;Q AAA,OAAA,SjBsQoE,QAAQ,W;QiBtQ5F,OAAGB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,OAAV,C;UAC C,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KAZX,C;8EAeA,yB;MAAA,gE;MAAA,uC;QAOW,kBA AM,eAAa,cAAb,C;QA2BA,Q;QAAA,OjB6NuE,iBAAQ,W;QiB7N5F,OAAa,cAAb,C;UAAa,sB;UACT,WAAy,W A5BiB,SA4Bb,CAAU,IAAV,CAAJ,C;;QA5BhB,OA6BO,W;O;KApCX,C;4FAUA,yB;MAAA,+D;MAAA,uC;QA OW,kBAaA,gB;QA4EJ,Q;QAAA,OjBkKoE,iBAAQ,W;QiBIK5F,OAAGB,cAAhB,C;UAAgB,yB;UApEK,U;UAA A,cARe,SAQf,CAoEQ,OApER,W;YAAAsC,6B;;QAR3D,OASO,W;O;KAhBX,C;gGAUA,yB;MAAA,oD;QAYeOB, Q;QAAA,OjBkKoE,iBAAQ,W;QiBIK5F,OAAGB,cAAhB,C;UAAgB,yB;UApEK,U;UAAA,wBAoEQ,OApER,W; YAAAsC,6B;;QAC3D,OAAO,W;O;KANX,C;kFASA,6C;MAKiB,Q;MAAA,OAAA,SjB6NuE,QAAQ,W;MiB7N5F, OAAa,cAAb,C;QAAa,sB;QACT,WAAy,WAAI,UAAU,IAAV,CAAJ,C;;MACHB,OAAO,W;K;8EAGX,gC;MAOO B,Q;MADhB,IAAI,mBAAJ,C;QAae,OAAO,I;MACN,OAAA,SjBiNoE,QAAQ,W;MiBjN5F,OAAGB,cAAhB,C;Q AAgB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;;MACtD,OAAO,I;K;IAGX,2B;MAMI, OAAO,CAAC,mB;K;+EAGZ,gC;MAOOB,Q;MADhB,IAAI,mBAAJ,C;QAae,OAAO,K;MACN,OAAA,SjB6LoE, QAAQ,W;MiB7L5F,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;;MA CrD,OAAO,K;K;mFAGX,qB;MAKI,OAAO,c;K;mFAGX,gC;MAMoB,Q;MAFhB,IAAI,mBAAJ,C;QAae,OAAO, C;MACtB,YAAY,C;MACI,OAAA,SjB2KoE,QAAQ,W;MiB3K5F,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,U AAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;K;sFAGX,6B;MAKoB,Q;MAAA,OAAA,SjBkKoE,QAAQ ,W;MiBIK5F,OAAGB,cAAhB,C;QAAGB,yB;QAAM,OAAO,OAAP,C;;K;kFAG1B,+B;MAemB,kBAAR,iB;MAA Q,sB;;QJkoDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,I;UAAP,uB;SACzB,cAAc,QAAS,O ;QACvB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,O;UAAP,uB;SACzB,eIjpDmB,QJipDJ,CAAS,OAAT,C;; UAEX,QAAQ,QAAS,O;UACjB,QIppDe,QJopDP,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI, UAAU,C;YACV,WAAW,C;;QAED,QAAT,QAAS,W;QACIB,qBAAO,O;;MI1pDP,yB;K;8FAGJ,+B;MAQmB,kB AAR,iB;MAAQ,sB;;QJkoDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,I;UAAP,uB;SACzB,c AAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,O;UAAP,uB;SACzB,eItO2D2B,QJsoDZ,CA AS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QIzoDuB,QJyoDf,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,K AAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAED,QAAT,QAAS,W;QACIB,qBAAO,O;;MI/oDP,yB;K;mFAGJ,y B;MJ+oDA,sE;MF/yDA,iB;MMgKA,sC;QJ4pDI,eI/oDO,iBJ+oDQ,W;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAy B,MAAM,6B;QAC/B,eIjpDqB,QJipDN,CAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QInpDiB, QJmpDT,CAAS,QAAS,OAAIB,C;UACR,WFzzDG,MAAO,KEyzDO,QFzzDP,EEyzDiB,CFzzDjB,C;;QMqKd,OJ s pDO,Q;O;KInqDX,C;mFAGBA,yB;MJspDA,sE;MFj1DA,iB;MM2LA,sC;QJmqDI,eItpDO,iBJspDQ,W;QACf,IAA I,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eIxpDqB,QJwpDN,CAAS,QAAS,OAAIB,C;QACf,OAAO, QAAS,UAAhB,C;UACI,QI1pDiB,QJ0pDT,CAAS,QAAS,OAAIB,C;UACR,WF31DG,MAAO,KE21DO,QF31DP, EE21DiB,CF31DjB,C;;QMgMd,OJ6pDO,Q;O;KI1qDX,C;mFAGBA,yB;MJ6pDA,sE;MI7pDA,sC;QJwqDI,eI7pDO ,iBJ6pDQ,W;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eI/pDqB,QJ+pDN,CAAS,QAAS,O AAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QIjqDiB,QJiqDT,CAAS,QAAS,OAAIB,C;UACR,IAAI,2BAAW, CAAX,KAAJ,C;YACI,WAAW,C;;QInqDnB,OJsqDO,Q;O;KIjrDX,C;+FAcA,yB;MN9MA,iB;MM8MA,sC;QAW mB,kBAAR,iB;QAAQ,sB;;UJsqDf,eAAe,sB;UACf,IAAI,CAAC,QAAS,UAAAd,C;YAAyB,qBAAO,I;YAAP,uB;W



ACzB,eIxD2B,QJwqDZ,CAAS,QAAS,OAAIB,C;UACf,OAAO,QAAS,UAAhB,C;YACI,QI1qDuB,QJ0qDf,CAA  
S,QAAS,OAAIB,C;YACR,WF53DG,MAAO,KE43DO,QF53DP,EE43DiB,CF53DjB,C;;UE83Dd,qBAAO,Q;;QI7  
qDP,yB;O;KAXJ,C;+FAcA,yB;MNVOA,iB;MMuOA,sC;QAWmB,kBAAR,iB;QAAQ,sB;;UJ6qDf,eAAe,sB;UACf  
,IAAI,CAAC,QAAS,UAAAd,C;YAAyB,qBAAO,I;YAAP,uB;WACzB,eI/qD2B,QJ+qDZ,CAAS,QAAS,OAAIB,C;U  
ACf,OAAO,QAAS,UAAhB,C;YACI,QIjrDuB,QJirDf,CAAS,QAAS,OAAIB,C;YACR,WF55DG,MAAO,KE45DO  
,QF55DP,EE45DiB,CF55DjB,C;;UE85Dd,qBAAO,Q;;QIprDP,yB;O;KAXJ,C;+FAcA,+B;MASmB,kBAAR,iB;M  
AAQ,sB;;QJorDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,I;UAAP,uB;SACzB,eItrD2B,QJs  
rDZ,CAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QIxrDuB,QJwrDf,CAAS,QAAS,OAAIB,C;U  
ACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,qBAAO,Q;;MI7rDP,yB;K;0FAGJ,yB;MJ6rDA,s  
E;MI7rDA,kD;QJwsDI,eI7rDO,iBJ6rDQ,W;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eI/r  
DqC,QJ+rDtB,CAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QJisDiC,QJisDzB,CAAS,QAAS,O  
AAIB,C;UACR,IllsDqB,UJksDN,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QIn  
sDnB,OJssDO,Q;O;KIjtDX,C;sGAcA,2C;MASmB,kBAAR,iB;MAAQ,0B;;QJssDf,eAAe,sB;QACf,IAAI,CAAC,Q  
AAS,UAAAd,C;UAAyB,yBAAO,I;UAAP,2B;SACzB,eIxsD2C,QJwsD5B,CAAS,QAAS,OAAIB,C;QACf,OAAO,Q  
AAS,UAAhB,C;UACI,QI1sDuC,QJ0sD/B,CAAS,QAAS,OAAIB,C;UACR,II3sD2B,UJ2sDZ,SAAQ,QAAR,EAak  
B,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,yBAAO,Q;;MI/sDP,6B;K;sFAGJ,yB;MAOA,8D;  
MAPA,wC;QAI,OASe,cAAR,iBAAQ,EATM,UASN,C;O;KAbnB,C;kGAOA,yB;MAAA,8D;MAAA,wC;QAMI,  
OAAe,cAAR,iBAAQ,EAac,UAAAd,C;O;KANnB,C;kFASA,+B;MAcmB,kBAAR,iB;MAAQ,sB;;QJwxDf,eAAe,sB  
;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,I;UAAP,uB;SACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,  
QAAS,UAAAd,C;UAAyB,qBAAO,O;UAAP,uB;SACzB,eIvyDmB,QJuyDJ,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,  
O;UACjB,QI1yDe,QJ0yDP,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAA  
W,C;;QAED,QAAT,QAAS,W;QACIB,qBAAO,O;;MIhzDP,yB;K;8FAGJ,+B;MAQmB,kBAAR,iB;MAAQ,sB;;QJ  
wxDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,I;UAAP,uB;SACzB,cAAc,QAAS,O;QACvB  
,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,O;UAAP,uB;SACzB,eI5xD2B,QJ4xDZ,CAAS,OAAT,C;;UAEX,  
QAAQ,QAAS,O;UACjB,QI/xDuB,QJ+xDf,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,  
C;YACV,WAAW,C;;QAED,QAAT,QAAS,W;QACIB,qBAAO,O;;MIryDP,yB;K;mFAGJ,yB;MJqyDA,sE;MFI4D  
A,iB;MM6FA,sC;QJkzDI,eIryDO,iBJqyDQ,W;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eI  
vyDqB,QJuyDN,CAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QIzyDiB,QJyyDT,CAAS,QAAS,  
OAAIB,C;UACR,WF54DG,MAAO,KE44DO,QF54DP,EE44DiB,CF54DjB,C;;QMkGd,OJ4yDO,Q;O;KIzzDX,C;  
mFagBA,yB;MJ4yDA,sE;MFp6DA,iB;MMwHA,sC;QJyzDI,eI5yDO,iBJ4yDQ,W;QACf,IAAI,CAAC,QAAS,UA  
Ad,C;UAAyB,MAAM,6B;QAC/B,eI9yDqB,QJ8yDN,CAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;U  
ACI,QIhzDiB,QJgzDT,CAAS,QAAS,OAAIB,C;UACR,WF96DG,MAAO,KE86DO,QF96DP,EE86DiB,CF96DjB,  
C;;QM6Hd,OJmzDO,Q;O;KIh0DX,C;mFagBA,yB;MJmzDA,sE;MIInzDA,sC;QJ8zDI,eInzDO,iBJmzDQ,W;QACf,  
IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eIrzDqB,QJqzDN,CAAS,QAAS,OAAIB,C;QACf,OAA  
O,QAAS,UAAhB,C;UACI,QIvzDiB,QJuzDT,CAAS,QAAS,OAAIB,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YA  
CI,WAAW,C;;QIzzDnB,OJ4zDO,Q;O;KIv0DX,C;+FAcA,yB;MN3IA,iB;MM2IA,sC;QAWmB,kBAAR,iB;QAAQ  
,sB;;UJ4zDf,eAAe,sB;UACf,IAAI,CAAC,QAAS,UAAAd,C;YAAyB,qBAAO,I;YAAP,uB;WACzB,eI9zD2B,QJ8zD  
Z,CAAS,QAAS,OAAIB,C;UACf,OAAO,QAAS,UAAhB,C;YACI,QIh0DuB,QJg0Df,CAAS,QAAS,OAAIB,C;YA  
CR,WF/8DG,MAAO,KE+8DO,QF/8DP,EE+8DiB,CF/8DjB,C;;UEi9Dd,qBAAO,Q;;QIn0DP,yB;O;KAXJ,C;+FAc  
A,yB;MNpKA,iB;MMoKA,sC;QAWmB,kBAAR,iB;QAAQ,sB;;UJm0Df,eAAe,sB;UACf,IAAI,CAAC,QAAS,UA  
Ad,C;YAAyB,qBAAO,I;YAAP,uB;WACzB,eIr0D2B,QJq0DZ,CAAS,QAAS,OAAIB,C;UACf,OAAO,QAAS,UA  
AhB,C;YACI,QIv0DuB,QJu0Df,CAAS,QAAS,OAAIB,C;YACR,WF/+DG,MAAO,KE++DO,QF/+DP,EE++DiB,C  
F/+DjB,C;;UEi/Dd,qBAAO,Q;;QI10DP,yB;O;KAXJ,C;+FAcA,+B;MASmB,kBAAR,iB;MAAQ,sB;;QJ00Df,eAA  
e,sB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,I;UAAP,uB;SACzB,eI50D2B,QJ40DZ,CAAS,QAAS,O  
AAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QI90DuB,QJ80Df,CAAS,QAAS,OAAIB,C;UACR,IAAI,2BAAW,  
CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,qBAAO,Q;;MIInDP,yB;K;0FAGJ,yB;MJm1DA,sE;MIIn1DA,kD;QJ8  
1DI,eIn1DO,iBJm1DQ,W;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eIr1DqC,QJq1DtB,CA  
AS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QIv1DiC,QJu1DzB,CAAS,QAAS,OAAIB,C;UACR,I

Ix1DqB,UJw1DN,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QIz1DnB,OJ41DO,  
Q;O;KIv2DX,C;sGAcA,2C;MASmB,kBAAR,iB;MAAQ,0B;;QJ41Df,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAd,  
C;UAAyB,yBAAO,I;UAAP,2B;SACzB,eI91D2C,QJ81D5B,CAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAh  
B,C;UACI,QIh2DuC,QJg2D/B,CAAS,QAAS,OAAIB,C;UACR,IJ2D2B,UJi2DZ,SAAQ,QAAR,EAakB,CAAIB,C  
AAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,yBAAO,Q;;MIr2DP,6B;K;IAGJ,0C;MAGI,OASe,gBAAR,iB  
AAQ,EATM,UASN,C;K;kGANnB,yB;MAAA,8D;MAAA,wC;QAMI,OAAe,cAAR,iBAAQ,EAAC,UAd,C;O;KA  
NnB,C;IASA,4B;MAMI,OAAO,mB;K;iFAGX,gC;MAOoB,Q;MADhB,IAAI,mBAAJ,C;QAae,OAAO,I;MACN,O  
AAA,SjBnJoE,QAaq,W;MiBmJ5F,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAw  
B,OAAO,K;;MACrD,OAAO,I;K;oFAGX,6B;MAKmC,Q;MAAA,OjB5JqD,iBAAQ,W;MiB4J7E,OAAgB,cAAhB,  
C;QAAGB,yB;QAAM,OAAO,OAAP,C;;MAArC,gB;K;kGAGJ,yB;MAAA,6B;MAAA,sC;MJwyCA,wE;MIxyCA,  
2BAQiB,yB;QJgyCjB,wE;eIhyCiB,0B;UAAA,4B;YAAU,kBAAR,iB;YAAQ,aAAe,c;YJuyCzB,gB;YADb,YAAY,  
C;YACC,6B;YAAb,OAAa,cAAb,C;cAAa,sB;cAAM,OAAO,oBAAmB,cAAnB,EAAMB,sBAAnB,UAAP,EAaoC,  
IAApC,C;;YIvyC2B,W;W;S;OAAjC,C;MARjB,oC;QJ+yCiB,gB;QADb,YAAY,C;QACC,OIvyCE,iBJuyCF,W;QA  
Ab,OAAa,cAAb,C;UAAa,sB;UAAM,OAAO,oBAAmB,cAAnB,EAAMB,sBAAnB,UAAP,EAaoC,IAApC,C;;QIvy  
CnB,gB;O;KARJ,C;4FAWA,qB;MAKI,OAAO,iB;K;IAGX,iC;MAII,OAAe,aAAR,iBAAQ,C;K;IC9hBnB,kC;MA  
EI,gBCmE2D,8BAAY,c;MDIEvE,IAAI,SAAU,OAAV,GAAMB,CAAvB,C;QACW,Q;QAAA,IAAI,cAAQ,GAAZ,  
C;UAAA,OAAsB,S;;uBAae,qBAAU,CAAV,C;UAAA,YAAe,SEiNc,WfjNM,CEiNN,CAff,c;UFIMnD,OG8MoD,  
2BAAL,GAakB,K;;QH9MxE,W;OAEJ,OAAuB,oBAAhB,wBAAGB,C;K;gFxBD3B,yB;MAAA,mC;MAAA,2C;M  
AAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KARX,C;gFAWA,yB;MAAA,mC;MAAA,2C;MAAA,4B;QAQI,OAA  
O,kBAAO,cAAP,C;O;KARX,C;gFAWA,yB;MAAA,mC;MAAA,2C;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O  
;KARX,C;IAWA,sC;;QAQQ,OAAc,QAAP,MAAO,EAAQ,SAAR,C;;QACHB,+C;UACE,MAAM,2BAAuB,CAAE  
,QAazB,C;;UAHV,O;;K;IAOJ,sC;;QAQQ,OAAc,SAAP,MAAO,EAAS,SAAT,C;;QACHB,+C;UACE,MAAM,2B  
AAuB,CAAE,QAazB,C;;UAHV,O;;K;IAOJ,sC;;QAQQ,OAAiD,OAAIC,MAAO,iBAAQ,e4BtCgB,I5BsCxB,EA  
AoB,CAAA,c4BtCl,I5BsCJ,IAAY,CAAZ,IAApB,CAAmC,C;;QACnD,+C;UACE,MAAM,2BAAuB,CAAE,QAaz  
B,C;;UAHV,O;;K;4FAOJ,yB;MAAA,mC;MAAA,uD;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;4FA  
UA,yB;MAAA,mC;MAAA,uD;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;4FAUA,yB;MAAA,mC;M  
AAA,uD;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;IAUA,4C;MAMI,IAAI,mBAAJ,C;QACI,OAAO,  
I;MACX,OAAc,QAAP,MAAO,EAAQ,SAAR,C;K;IAGIB,4C;MAMI,IAAI,mBAAJ,C;QACI,OAAO,I;MACX,OA  
Ac,SAAP,MAAO,EAAS,SAAT,C;K;IAGIB,4C;MAMI,IAAI,mBAAJ,C;QACI,OAAO,I;MACX,OAAiD,OAAIC,  
MAAO,iBAAQ,e4BxGoB,I5BwG5B,EAaoB,CAAA,c4BxGQ,I5BwGR,IAAY,CAAZ,IAApB,CAAmC,C;K;mFA  
GrD,8B;MAQI,OAAO,mBAAmB,2BAAS,OAAT,C;K;oFAG9B,8B;MAQI,OAAO,mBAAmB,2BAAS,OAAT,C;K  
;oFAG9B,8B;MAQI,OAAO,mBAAmB,2BAAS,OAAT,C;K;IAG9B,uC;MAKI,OAAO,2BAae,KAAf,C;K;IAGX,u  
C;MAKI,OAAO,2BAae,oBAAN,KAAM,CAAF,C;K;IAGX,uC;MAKI,OAAO,2BAae,KAAf,C;K;IAGX,uC;MAO  
I,OAAO,2BAae,KAAf,C;K;IAGX,uC;MAOI,OAAO,2BAae,KAAf,C;K;IAGX,uC;MgBzHW,ShBgIM,mBAAN,  
KAAM,C;MAAb,OAA0C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;K;IAG5E,uC;MgBnIW,ShB0IM,kB  
AAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;K;IAG7E,uC;MgB7IW,ShBoJ  
M,oBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;K;IAG7E,uC;MgBvJW,S  
hB8JM,qBAAN,KAAM,C;MAAb,OAA4C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;K;IAG9E,uC;MAKI  
,OAAO,2BAae,KAAf,C;K;IAGX,uC;MgBzKW,ShBgLM,mBAAN,KAAM,C;MAAb,OAA0C,UAAJ,GAAgB,2B  
AAS,EAAT,CAAhB,GAakC,K;K;IAG5E,uC;MgBnLW,ShB0LM,oBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAA  
gB,2BAAS,EAAT,CAAhB,GAakC,K;K;IAG7E,uC;MgB7LW,ShBoMM,oBAAN,KAAM,C;MAAb,OAA2C,UAA  
J,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;K;IAG7E,uC;MgBvMW,ShB8MM,qBAAN,KAAM,C;MAAb,OAA4  
C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;K;IAG9E,uC;MAKI,OAAO,2BAae,KAAf,C;K;IAGX,uC;M  
AKI,OAAO,2BAae,oBAAN,KAAM,CAAF,C;K;IAGX,uC;MgBjOW,ShBsOM,kBAAN,KAAM,C;MAAb,OAA2C  
,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;K;IAG7E,uC;MgBzOW,ShB8OM,mBAAN,KAAM,C;MAAb,  
OAA4C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;K;IAG9E,uC;MAOI,OAAO,2BAae,KAAf,C;K;IAGX  
,uC;MAOI,OAAO,2BAae,KAAf,C;K;IAGX,uC;MgBrQW,ShB0QM,iBAAN,KAAM,C;MAAb,OAA0C,UAAJ,G  
AAgB,2BAAS,EAAT,CAAhB,GAakC,K;K;IAG5E,uC;MgB7QW,ShBkRM,oBAAN,KAAM,C;MAAb,OAA2C,U

AAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;K;IAG7E,uC;MgBrRW,ShB0RM,qBAAN,KAAM,C;MAAb,OA  
A4C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;K;IAG9E,uC;MAOI,OAAO,2BAAS,KAAM,WAAf,C;K;I  
AGX,uC;MAOI,OAAO,2BAAS,KAAM,WAAf,C;K;IAGX,uC;MAKI,OAAO,2BA Ae,KAaf,C;K;IAGX,uC;MAKI  
,OAAO,2BA Ae,oBAAN,KAAM,CAaf,C;K;IAGX,uC;MgBjUW,ShBsUM,oBAAN,KAAM,C;MAAb,OAA2C,UA  
AJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;K;IAG7E,uC;MAOI,OAAO,2BA Ae,KAaf,C;K;IAGX,uC;MAOI,  
OAAO,2BA Ae,KAaf,C;K;IAGX,+B;MAOI,OAAO,sCA Ae,yBAAgB,SAAhB,EA AyB,EA AzB,EA AkC,EA AIC,C;  
K;IAG1B,iC;MAOI,OAAO,uCAAgB,yBAAgB,SAAhB,EA AyB,oBA AH,EAAG,CAAzB,M;K;IAG3B,iC;MAOI,O  
AAO,sCA Ae,yBA AqB,SAArB,EA AiC,EA AjC,EA A0C,EA A1C,C;K;IAG1B,iC;MAOI,OAAO,sCA Ae,yBA AqB,S  
AArB,EA AiC,EA AjC,EA A0C,EA A1C,C;K;IAG1B,iC;MAOI,OAAO,uCAAgB,yBAAgB,SAAhB,EA AsB,EA AtB,  
EA A0B,EA A1B,C;K;IAG3B,iC;MAOI,OAAO,sCA Ae,yBAAgB,SAAhB,EA AsB,EA AtB,EA A0B,EA A1B,C;K;IA  
G1B,iC;MAOI,OAAO,uCAAgB,yBAAgB,SAAhB,EA AyB,oBA AH,EAAG,CAAzB,M;K;IAG3B,iC;MAOI,OAA  
O,sCA Ae,yBA AqB,SAArB,EA A8B,EA A9B,EA AkC,EA AIC,C;K;IAG1B,iC;MAOI,OAAO,sCA Ae,yBA AqB,SA  
ArB,EA A8B,EA A9B,EA AkC,EA AIC,C;K;IAG1B,iC;MAOI,OAAO,uCAAgB,yBA AqB,oBAAL,SAAK,CAArB,EA  
A+B,EA A/B,M;K;IAG3B,iC;MAOI,OAAO,uCAAgB,yBAAgB,SAAhB,EA AsB,EA AtB,M;K;IAG3B,kC;MAOI,O  
AAO,uCAAgB,yBA AqB,oBAAL,SAAK,CAArB,EA A+B,EA A/B,M;K;IAG3B,kC;MAOI,OAAO,uCAAgB,yBA  
AqB,oBAAL,SAAK,CAArB,EA A+B,EA A/B,M;K;IAG3B,kC;MAOI,OAAO,sCA Ae,yBAAgB,SAAhB,EA AyB,EA  
AzB,EA AkC,EA AIC,C;K;IAG1B,kC;MAOI,OAAO,uCAAgB,yBAAgB,SAAhB,EA AyB,oBA AH,EAAG,CAAzB,  
M;K;IAG3B,kC;MAOI,OAAO,sCA Ae,yBA AqB,SAArB,EA AiC,EA AjC,EA A0C,EA A1C,C;K;IAG1B,kC;MAOI,  
OAAO,sCA Ae,yBA AqB,SAArB,EA AiC,EA AjC,EA A0C,EA A1C,C;K;IAG1B,+B;MAII,OAAO,sCA Ae,yBAAgB,  
cAAhB,EA AsB,eAA tB,EA A6B,CAAC,cAAD,IAA7B,C;K;IAG1B,gC;MAII,OAAO,uCAAgB,yBAAgB,cAAhB,E  
A AsB,eAA tB,EA A8B,cAAD,aAA7B,C;K;IAG3B,gC;MAII,OAAO,uCAAgB,yBAAgB,cAAhB,EA AsB,eAA tB,E  
AA6B,CAAC,cAAD,IAA7B,C;K;IAG3B,+B;MAII,oBAAoB,OAAO,CAA3B,EA A8B,IAA9B,C;MACA,OAAO,s  
CA Ae,yBA AgB,eAAhB,EA AuB,cAAvB,EA AiC,SAAK,KAAL,GAAY,CAAhB,GA AmB,IA AnB,GAA6B,CAAC,  
IAAD,IAA1D,C;K;IAG1B,iC;MAII,oBAAoB,kBAAO,CAA3B,EA A8B,IAA9B,C;MACA,OAAO,uCAAgB,yBA  
AgB,eAAhB,EA AuB,cAAvB,EA AiC,SAAK,KAAL,cAA Y,CAAhB,GA AmB,IA AnB,GAA6B,CAAC,IAAD,IAA1D,C;K;I  
AG3B,iC;MAII,oBAAoB,OAAO,CAA3B,EA A8B,IAA9B,C;MACA,OAAO,uCAAgB,yBAAgB,eAAhB,EA AuB,c  
AAvB,EA AiC,SAAK,KAAL,GAAY,CAAhB,GA AmB,IA AnB,GAA6B,CAAC,IAAD,IAA1D,C;K;IAG3B,sC;MA  
CI,OAAmB,IAAR,8BAAgC,GAApC,GAAiE,OAAL,SAAK,CAAjE,GAA+E,I;K;IAG1F,wC;MACI,OAAW,mEA  
AJ,GA AmE,OAAL,SAAK,SA AnE,GAAiF,I;K;IAG5F,wC;MACI,OAAW,YAAQ,aAAA,sCA Ae,UAAf,EA A0B,s  
CA Ae,UAAzC,CAAR,YAAJ,GAAqE,OAAL,SAAK,CAArE,GA AmF,I;K;IAG9F,wC;MACI,OAAmB,UAAA,sCA  
Ae,UAAf,EA A2B,sCA Ae,UAA1C,CAAR,4BAAJ,GAA+E,OAAR,YAAL,SAAK,CAAQ,CAA/E,GAA6F,I;K;IAG  
xG,wC;MACI,OAAmB,UAAA,sCA Ae,UAAf,EA A0B,sCA Ae,UAAzC,CAAR,4BAAJ,GAA6E,OAAR,YAAL,SA  
AK,CAAQ,CAA7E,GAA2F,I;K;IAGtG,qC;MACI,OAAW,iFAAJ,GAA4D,SAAK,QAAjE,GAA8E,I;K;IAGzF,uC;  
MACI,OAAmB,UAAc,WAAAd,EA AwC,UAAx C,CAAR,4BAAJ,GAAqE,YAAL,SAAK,CAArE,GA AKF,I;K;IAG7  
F,uC;MACI,OAAmB,UAAc,WAAAd,EA AuC,UAAvC,CAAR,4BAAJ,GAAmE,YAAL,SAAK,CA AnE,GA AgF,I;K;  
IAG3F,sC;MACI,OAAmB,UAAe,mCA Af,EA A0C,mCA A1C,CAAR,4BAAJ,GAAuE,uBAAL,SAAK,CAA vE,GA  
AqF,I;K;IAGhG,wC;MACI,OAAmB,UAAe,mCA Af,EA AyC,mCA AzC,CAAR,4BAAJ,GAAqE,uBAAL,SAAK,C  
AArE,GA AmF,I;K;IAG9F,uC;MACI,OAAmB,MAAR,8BA AiC,KA ArC,GA AmE,QAAL,SAAK,CA AnE,GA AKF,  
I;K;IAG7F,yC;MACI,OAAW,uEAAJ,GAAqE,QAAL,SAAK,SA ArE,GAAoF,I;K;IAG/F,yC;MACI,OAAmB,UAA  
A,uCAAgB,UAAhB,EA A4B,uCAAgB,UAA5C,CAAR,4BAAJ,GAAiF,QAAR,YAAL,SAAK,CAAQ,CAAjF,GAA  
gG,I;K;IAG3G,yC;MACI,OAAmB,UAAA,uCAAgB,UAAhB,EA A2B,uCAAgB,UAA3C,CAAR,4BAAJ,GAA+E,  
QAAR,YAAL,SAAK,CAAQ,CAA/E,GAA8F,I;K;IAGzG,8B;MAMI,OAAO,wBAAY,EA Aa,GA AH,CAAG,IA Az  
B,C;K;IAGX,gC;MAMI,OAAO,kBAAY,oBA AH,EAAG,CA Ac,8BA AH,CAAG,EA A1B,C;K;IAGX,gC;MAMI,O  
AAO,aAAK,SAAL,EA AoB,EA Aa,GA AH,CAAG,IA AjC,C;K;IAGX,gC;MAMI,OAAO,aAAK,SAAL,EA AoB,EA  
Aa,GA AH,CAAG,IA AjC,C;K;IAGX,gC;MAMI,IAAI,MAAM,CAAV,C;QAAoB,OAAO,iCAAU,M;MACrC,OAA  
O,yBA AiB,OAAR,EA AQ,GA AH,CAAG,CAAjB,C;K;IAGX,gC;MAMI,IAAI,MAAM,WAAV,C;QA AyB,OAAO,  
gCAAS,M;MACzC,OAAO,wBAAS,EA AQ,GA AH,CAAG,IA AjB,C;K;IAGX,gC;MAMI,OAAO,kBAAY,oBA AH,  
EAAG,CA Ac,8BA AH,CAAG,EA A1B,C;K;IAGX,gC;MAMI,IAAI,MAAM,WAAV,C;QA AyB,OAAO,gCAAS,M;

MACzC,OAAO,aAAK,SAAL,EAAiB,EAAQ,GAAH,CAAG,IAAzB,C;K;IAGX,gC;MAMI,IAAI,MAAM,WAAY,  
C;QAAyB,OAAO,gCAAS,M;MACzC,OAAO,aAAK,SAAL,EAAiB,EAAQ,GAAH,CAAG,IAAzB,C;K;IAGX,gC;  
MAMI,IAAI,iDAAJ,C;QAA0B,OAAO,iCAAU,M;MAC3C,OAAy,oBAAL,SAAK,CAAL,SAAkB,EAAQ,8BAAH  
,CAAG,EAA1B,C;K;IAGX,gC;MAMI,IAAI,iDAAJ,C;QAA0B,OAAO,iCAAU,M;MAC3C,OAAO,kBAAS,EAAQ  
,8BAAH,CAAG,EAAjB,C;K;IAGX,iC;MAMI,IAAI,iDAAJ,C;QAA0B,OAAO,iCAAU,M;MAC3C,OAAy,oBAA  
L,SAAK,CAAL,SAAkB,EAAQ,8BAAH,CAAG,EAA1B,C;K;IAGX,iC;MAMI,IAAI,iDAAJ,C;QAA0B,OAAO,iC  
AAU,M;MAC3C,OAAy,oBAAL,SAAK,CAAL,SAAkB,EAAQ,8BAAH,CAAG,EAA1B,C;K;IAGX,iC;MAMI,O  
AAO,wBAAY,EAAa,GAAH,CAAG,IAAzB,C;K;IAGX,iC;MAMI,OAAO,kBAAY,oBAAH,EAAG,CAAc,8BAAH  
,CAAG,EAA1B,C;K;IAGX,iC;MAMI,OAAO,aAAK,SAAL,EAAoB,EAAa,GAAH,CAAG,IAAjC,C;K;IAGX,iC;  
MAMI,OAAO,aAAK,SAAL,EAAoB,EAAa,GAAH,CAAG,IAAjC,C;K;IAGX,gD;MAQI,OAAW,4BAAO,YAAP,  
KAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,kD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAG  
tD,kD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,kD;MAQI,OAAW,YAAO,YAAX,GA  
AyB,YAAzB,GAA2C,S;K;IAGtD,kD;MAQI,OAAW,0BAAO,YAAP,KAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD  
,kD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,kD;MAQI,OAAW,YAAO,YAAX,GA  
AyB,YAAzB,GAA2C,S;K;IAGtD,+C;MAQI,OAAW,4BAAO,YAAP,KAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD  
;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAQI,OAAW,YAAO,YAAX,GA  
AyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAQI,OA  
AW,0BAAO,YAAP,KAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAA  
zB,GAA2C,S;K;IAGtD,iD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,yD;MAQI,IAAI,i  
BAAiB,IAAjB,IAAyB,iBAAiB,IAA9C,C;QACI,IAAI,+BAAe,YAAf,KAAJ,C;UAAiC,MAAM,gCAAyB,6DAAiD  
,YAAjD,wCAAoF,YAApF,OAAzB,C;QACvC,IAAI,4BAAO,YAAP,KAAJ,C;UAAyB,OAAO,Y;QAChC,IAAI,4B  
AAO,YAAP,KAAJ,C;UAAyB,OAAO,Y;;QAGhC,IAAI,iBAAiB,IAAjB,IAAyB,4BAAO,YAAP,KAA7B,C;UAAk  
D,OAAO,Y;QACzD,IAAI,iBAAiB,IAAjB,IAAyB,4BAAO,YAAP,KAA7B,C;UAAkD,OAAO,Y;;MAE7D,OAAO,  
S;K;IAGX,2D;MAQI,IAAI,eAAe,YAAnB,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAA  
zB,C;MACvC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MACHC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MAC  
hC,OAAO,S;K;IAGX,2D;MAQI,IAAI,eAAe,YAAnB,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YA  
ApF,MAAzB,C;MACvC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MACHC,IAAI,YAAO,YAAX,C;QAAyB,OAA  
O,Y;MACHC,OAAO,S;K;IAGX,2D;MAQI,IAAI,eAAe,YAAnB,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8B  
AAoF,YAApF,MAAzB,C;MACvC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MACHC,IAAI,YAAO,YAAX,C;QA  
AyB,OAAO,Y;MACHC,OAAO,S;K;IAGX,2D;MAQI,IAAI,6BAAe,YAAf,KAAJ,C;QAAiC,MAAM,gCAAyB,oD  
AAiD,YAAjD,yCAAoF,YAApF,iBAAzB,C;MACvC,IAAI,0BAAO,YAAP,KAAJ,C;QAAyB,OAAO,Y;MACHC,I  
AAI,0BAAO,YAAP,KAAJ,C;QAAyB,OAAO,Y;MACHC,OAAO,S;K;IAGX,2D;MAQI,IAAI,eAAe,YAAnB,C;QA  
AiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MACvC,IAAI,YAAO,YAAX,C;QAAyB,O  
AAO,Y;MACHC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MACHC,OAAO,S;K;IAGX,2D;MAQI,IAAI,eAAe,YA  
AnB,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MACvC,IAAI,YAAO,YAAX,C;  
QAAyB,OAAO,Y;MACHC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MACHC,OAAO,S;K;IAGX,sC;MAUW,Q;  
MADP,IAAI,KAAM,UAAV,C;QAAqB,MAAM,gCAAyB,4CAAyC,KAAzC,MAAzB,C;MAGvB,IAAA,KAAM,0  
BAAiB,SAAjB,EAAuB,KAAM,MAA7B,CAAN,IAA6C,CAAC,KAAM,0BAAiB,KAAM,MAAvB,EAA8B,SAA9  
B,CAApD,C;QAAiG,OAAN,KAAM,M;WAEjG,IAAA,KAAM,0BAAiB,KAAM,aAAvB,EAAqC,SAArC,CAAN,I  
AAoD,CAAC,KAAM,0BAAiB,SAAjB,EAAuB,KAAM,aAA7B,CAA3D,C;QAA+G,OAAN,KAAM,a;;QACvG,gB  
;MALZ,W;K;IASJ,sC;MAYW,Q;MAJP,IAAI,8CAAJ,C;QACI,OAAy,WAAL,SAAK,EAAY,KAAZ,C;OAEhB,IA  
AI,KAAM,UAAV,C;QAAqB,MAAM,gCAAyB,4CAAyC,KAAzC,MAAzB,C;MAEvB,gCAAO,KAAM,MAAb,M;  
QAA4B,OAAN,KAAM,M;WAC5B,gCAAO,KAAM,aAAb,M;QAAMC,OAAN,KAAM,a;;QAC3B,gB;MAHZ,W;  
K;IAOJ,sC;MAYW,Q;MAJP,IAAI,8CAAJ,C;QACI,OAAy,WAAL,SAAK,EAAC,KAAc,C;OAEhB,IAAI,KAAM,  
UAAV,C;QAAqB,MAAM,gCAAyB,4CAAyC,KAAzC,MAAzB,C;MAEvB,gBAAO,KAAM,MAAb,C;QAA4B,O  
AAN,KAAM,M;WAC5B,gBAAO,KAAM,aAAb,C;QAAMC,OAAN,KAAM,a;;QAC3B,gB;MAHZ,W;K;IAOJ,sC;  
MAYW,Q;MAJP,IAAI,8CAAJ,C;QACI,OAAy,WAAL,SAAK,EAAC,KAAf,C;OAEhB,IAAI,KAAM,UAAV,C;Q  
AAqB,MAAM,gCAAyB,4CAAyC,KAAzC,MAAzB,C;MAEvB,8BAAO,KAAM,MAAb,M;QAA4B,OAAN,KAA

M,M;WAC5B,8BAAO,KAAM,aAAb,M;QAAMC,OAAO,KAAM,a;QAC3B,gB;MAHZ,W;K;IW1rCJ,oD;MAMu F,wC;K;IANvF,8CAOI,Y;MAAuC,8B;K;IAP3C,gF;IkbQA,yC;MAMI,OAAO,sBAAQ,OAAR,KAAoB,C;K;IAW G,2C;MAAA,qB;QAAE,MAAM,8BAA0B,+CAA4C,AA5C,MAA1B,C;O;K;IAR1C,uC;MAQI,OAAO,8BAAgB, KAAhB,EAAuB,yBAAvB,C;K;IAGX,4D;MACqB,Q;MANjB,IAAI,QAAQ,CAAZ,C;QACI,OAAO,aAAa,KAAb,C ;MACX,eAAe,oB;MACf,YAAY,C;MACZ,OAAO,QAAS,UAAhB,C;QACI,cAAc,QAAS,O;QACvB,IAAI,WAAS, YAAT,EAAS,oBAAT,OAAJ,C;UACI,OAAO,O;MAEf,OAAO,aAAa,KAAb,C;K;IAGX,8C;MACqB,Q;MANjB,I AAI,QAAQ,CAAZ,C;QACI,OAAO,I;MACX,eAAe,oB;MACf,YAAY,C;MACZ,OAAO,QAAS,UAAhB,C;QACI,c AAa,QAAS,O;QACvB,IAAI,WAAS,YAAT,EAAS,oBAAT,OAAJ,C;UACI,OAAO,O;MAEf,OAAO,I;K;8EAGX, gC;MASW,sB;QA2FS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA3FH,SA2FO,CAAU,OAA V,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;QAC9C,qBAAO,I;MA5FP,yB;K;uFAGJ,gC;MAkOoB,Q;MADhB,W AAe,I;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IA1Nc,SA0NV,CAAU,OAAV,CAAJ,C;UACI,O AAO,O;MA3Nf,OA8NO,I;K;IA3NX,6B;MAOI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QACI,MAAM,2B AAuB,oBAAvB,C;MACV,OAAO,QAAS,O;K;IFAGpB,yB;MAAA,iE;MAAA,uC;QAOoB,Q;QAAA,2B;QAAhB, OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;QACrD,MAAM,gCAAu B,sDAAvB,C;O;KARV,C;kGAWA,yB;MAAA,iE;MAAA,uC;QAWW,Q;QAAA,+B;UAcS,U;UAAA,6B;UAAhB, OAAgB,gBAAhB,C;YAAgB,2B;YACZ,aAfwB,SAeX,CAAU,OAAV,C;YACb,IAAI,cAAJ,C;cACI,8BAAO,M;cA AP,gC;UAGR,8BAAO,I;QApBA,kC;QAAA,iB;UAAMC,MAAM,gCAAuB,iEAAvB,C;SAAhD,OAAO,I;O;KA XX,C;8GAcA,gC;MAWoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,aAAa,UAAU,OAAV,C; QACb,IAAI,cAAJ,C;UACI,OAAO,M;MAGf,OAAO,I;K;IAGX,mC;MAMI,eAAe,oB;MACf,IAAI,CAAC,QAAS, UAAAd,C;QACI,OAAO,I;MACX,OAAO,QAAS,O;K;6FAGpB,gC;MAMoB,Q;MAAA,2B;MAAhB,OAAgB,cAAh B,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;MACrD,OAAO,I;K;IAGX,wC;MAOiB ,Q;MADb,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,mBAAmB,KAAAnB,C;QACA,IAAI,gBA AW,IAAX,CAAJ,C;UACI,OAAO,K;QACX,qB;MAEJ,OAAO,E;K;+FAGX,yB;MAAA,wE;MAAA,uC;QAOiB,Q ;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,mBAAmB,KAAAnB,C;UACA,IAAI,UAAU,I AAV,CAAJ,C;YACI,OAAO,K;UACX,qB;QAEJ,OAAO,E;O;KAbX,C;6FAGBA,yB;MAAA,wE;MAAA,uC;QAQ iB,Q;QAFb,gBAAgB,E;QACb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,mBAAmB,KAAAnB, C;UACA,IAAI,UAAU,IAAV,CAAJ,C;YACI,YAAY,K;UACb,qB;QAEJ,OAAO,S;O;KAdX,C;IAiBA,4B;MAUI ,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QACI,MAAM,2BAAuB,oBAAvB,C;MACV,WAAW,QAAS,O;M ACpB,OAAO,QAAS,UAAhB,C;QACI,OAAO,QAAS,O;MACpB,OAAO,I;K;+EAGX,yB;MAAA,iE;MAAA,gB; MAAA,8B;MAAA,uC;QAYoB,UAQT,M;QAVP,WAAe,I;QACf,YAAY,K;QACI,2B;QAAhB,OAAgB,cAAhB,C; UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,OAAO,O;YACP,QAAQ,I;QAGhB,IAAI,CAAC,KAAL,C ;UAAy,MAAM,gCAAuB,sDAAvB,C;QAEIB,OAAO,2E;O;KApBX,C;IAuBA,4C;MAQiB,Q;MAFb,gBAAgB,E; MACHB,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,mBAAmB,KAAAnB,C;QACA,IAAI,gBAA W,IAAX,CAAJ,C;UACI,YAAY,K;QACb,qB;MAEJ,OAAO,S;K;IAGX,kC;MAQI,eAAe,oB;MACf,IAAI,CAAC ,QAAS,UAAAd,C;QACI,OAAO,I;MACX,WAAW,QAAS,O;MACpB,OAAO,QAAS,UAAhB,C;QACI,OAAO,QAA S,O;MACpB,OAAO,I;K;2FAGX,gC;MASoB,Q;MADhB,WAAe,I;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB ,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,OAAO,O;MAGf,OAAO,I;K;IAGX,8B;MAMI,eAAe,oB;MACf,I AAI,CAAC,QAAS,UAAAd,C;QACI,MAAM,2BAAuB,oBAAvB,C;MACV,aAAa,QAAS,O;MACTB,IAAI,QAAS,U AAb,C;QACI,MAAM,gCAAyB,qCAAzB,C;MACV,OAAO,M;K;mFAGX,yB;MAAA,kF;MAAA,iE;MAAA,gB;M AAA,8B;MAAA,uC;QAQoB,UAST,M;QAXP,aAAiB,I;QACjB,YAAY,K;QACI,2B;QAAhB,OAAgB,cAAhB,C;U AAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAJ,C;cAAW,MAAM,8BAAyB,mDAAzB,C;YACj B,SAAS,O;YACT,QAAQ,I;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAuB,sDAAvB,C;QAEIB,OAAO, 6E;O;KAjBX,C;IAoBA,oC;MAMI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QACI,OAAO,I;MACX,aAAa,Q AAS,O;MACTB,IAAI,QAAS,UAAb,C;QACI,OAAO,I;MACX,OAAO,M;K;+FAGX,gC;MAQoB,Q;MAFhB,aAAi B,I;MACjB,YAAY,K;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;U ACI,IAAI,KAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;MAGhB,IAAI,CAAC,KAAL,C;QAAy,O AAO,I;MACnB,OAAO,M;K;IAGX,8B;MAWW,Q;MhBhXP,IAAI,EgB+WI,KAAK,ChB/WT,CAAJ,C;QACI,cgB 8Wc,sD;QhB7Wd,MAAM,gCAAyB,OAAQ,WAAjC,C;OgB+WN,UAAK,CAAL,C;QAAU,gB;WACV,+C;QAAiC

,OAAL,SAAK,cAAK,CAAL,C;;QACzB,wBAaA,SAAb,EAaMB,CAAnB,C;MAHZ,W;K;IAOJ,2C;MAQI,OAAO,sBAaKB,SAaIB,EAaWB,SAaXB,C;K;IAGX,wC;MAQI,OAAO,sBAaKB,SAaIB,EAaWB,IAaXB,EAa8B,SAa9B,C;K;IAcqE,iD;MAAA,qB;QAAE,yBAaU,EAAG,MAAb,EAaOB,EAAG,MAAvB,C;O;K;IAaKc,oC;MAAE,OAAA,EAAG,M;K;IAXzH,+C;MAWI,OAAO,yBAaQB,sBAaKB,qBAaIB,SAaJB,CAaIB,EAa0C,IAa1C,EAAGD,+BAaHd,CAArB,EAaYg,sBAazG,C;K;oGAGX,yB;MA80BA,wE;MA90BA,oD;QAu1BiB,gB;QADb,YAAy,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UA50BT,IAAI,UA40BkB,oBAaMB,cAAnB,EAaMB,sBAAnB,UA50BiB,EA40B+C,IA50B/C,CAAJ,C;YAA2C,sBA40BQ,IA50BR,C;;QAE/C,OAAO,W;O;KAxB,C;sGAgBA,yB;MAAA,8C;MAAA,0C;MAAA,8B;MASkB,qD;QAAA,qB;UAAE,c;S;O;MATpB,sC;QASW,Q;QAAP,OAAO,uCAAo,iCAAP,gC;O;KATX,C;0GAYA,4C;MAQoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,YAAJ,C;UAAkB,WAAy,WAAI,OAAJ,C;;MACpD,OAAO,W;K;IAGX,2C;MAQI,OAAO,sBAaKB,SAaIB,EAaWB,KAAxB,EAa+B,SAaB,C;K;IAYU,kC;MAAE,iB;K;IATvB,oC;MASW,Q;MAAP,OAAO,4CAAU,oBAaV,kC;K;IAGX,mD;MAQoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,eAAJ,C;UAAqB,WAAy,WAAI,OAAJ,C;;MACvD,OAAO,W;K;4FAGX,6C;MAQoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAy,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;sFAGX,6C;MAQoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAy,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;IAGX,8B;MAWW,Q;MhBzgBP,IAAI,EgBwgBI,KAAK,ChBxgBT,CAAJ,C;QACI,cgBugBc,sD;QhBtgBd,MAAM,gCAaYB,OAAQ,WAAjC,C;OgBwgBN,UAAK,CAAL,C;QAAU,sB;WACV,+C;QAAiC,OAAAL,SAAK,cAAK,CAAL,C;;QACzB,wBAaA,SAAb,EAaMB,CAAnB,C;MAHZ,W;K;IAOJ,2C;MAQI,OAAO,sBAaKB,SAaIB,EAaWB,SAaXB,C;K;IAWA,2C;MAAA,8B;K;8CACH,Y;MACLiBAA6B,iBAAZ,gBAAY,C;MACIB,QAAX,UAAW,C;MACX,OAAO,UAAW,W;K;;IAZ9B,6B;MAQI,0C;K;sFASJ,yB;MAAA,sD;MdfA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAa2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;Mc0ef,sC;QAUl,OAAO,sBdpfP,eAAW,iBcofiB,QdpfjB,CAAX,CcofO,C;O;KAVX,C;0GAaA,yB;MAAA,sD;Md3eA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAa2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;Mcoef,sC;QAQI,OAAO,sBd5eP,eAAW,2Bc4e2B,Qd5e3B,CAAX,Cc4eO,C;O;KARX,C;IAWA,uC;MAQI,OAAO,wBAaW,cAAAX,C;K;IAWA,uE;MAAA,sC;MAAA,4C;K;kDACH,Y;MACLiBAAiC,iBAAhB,oBAAGB,C;MACTB,WAAx,UAAW,EAAS,uBAAT,C;MACX,OAAO,UAAW,W;K;;IAZ9B,6C;MAQI,0D;K;wFASJ,yB;MAAA,wE;MAAA,uC;QAaW,kBAAY,oB;QAiFH,Q;QAAA,2B;QAaHb,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAlFsC,SAkFvB,CAAU,OAAV,C;UvBnEnB,wBAaI,IAAK,MAAT,EAAGB,IAAK,OAArB,C;;QuBfA,OAoFO,W;O;KAjGX,C;6FAGBA,yB;MAAA,wE;MAAA,yC;QAaW,kBAAc,oB;QA8BL,Q;QAAA,2B;QAaHb,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAy,aA/B4B,WA+BxB,CAAY,OAAZ,CAAJ,EAa0B,OAA1B,C;;QA/BhB,OAiCO,W;O;KA9CX,C;6FAGBA,yB;MAAA,wE;MAAA,yD;QAYW,kBAAc,oB;QAiCL,Q;QAAA,2B;QAaHb,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAy,aAIC4B,WakCxB,CAAY,OAAZ,CAAJ,EAlCyC,cAkCf,CAAE,OAAf,CAA1B,C;;QAiChB,OAoCO,W;O;KAhDX,C;igAeA,+C;MAYoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,WAAy,aAAI,YAAy,OAAZ,CAAJ,EAa0B,OAA1B,C;;MAEhB,OAAO,W;K;igAGX,+D;MAYoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,WAAy,aAAI,YAAy,OAAZ,CAAJ,EAa0B,eAAe,OAAf,CAA1B,C;;MAEhB,OAAO,W;K;4FAGX,6C;MAWoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,WAAe,UAAU,OAAV,C;QvBnEnB,wBAaI,IAAK,MAAT,EAAGB,IAAK,OAArB,C;;MuBqEA,OAAO,W;K;gGAGX,yB;MAAA,wE;MAAA,2C;QAcI,aAAa,oB;QAAGB,Q;QAAA,2B;QAaHb,OAAgB,cAAhB,C;UAAgB,yB;UAFo,MAGBP,aAAI,OAAJ,EAhBe,aAgBF,CAAc,OAAAd,CAAb,C;;QAhBhB,OAAuB,M;O;KAf3B,C;oGakBA,iD;MAYoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,WAAy,aAAI,OAAJ,EAaA,cAAc,OAAAd,CAAb,C;;MAEhB,OAAO,W;K;IAGX,gD;MAMIb,Q;MAAA,2B;MAAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAy,WAAI,IAAJ,C;;MAEhB,OAAO,W;K;IAGX,gC;MAMI,OAAO,0BAAa,cAAb,C;K;IAGX,8B;MAMI,OAA4B,qBAaHb,iBAAL,SAAK,CAAgB,C;K;IAGhC,qC;MAMI,OAAO,0BAAa,gBAAb,C;K;IAGX,4B;MAQI,OAAwC,oBAAjC,0BAAa,sBAAb,CAAiC,C;K;IAG5C,0C;MAYI,OAAO,uBAaMB,SAAnB,EAaYB,SAaZB,6BAAoC,qB;;OAApC,E;K;IAGX,0C;MAQI,OAAO,uBAaMB,SAAnB,EAaYB,SAaZB,6BAAoC,qB;;OAApC,E;K;IAGX,iD;MAaI,OAAO,kBAaE,SAaF,EAaQB,SAArB,6BAAgC,qB;;OAAhC,E;K;IAGX,iD;MAaI,OAAO,kBAaE,SAaF,EAaQB,SAArB,6BAAgC,qB;;OAAhC,E;K;sGAGX,yB;MAAA,wE;MAAA,

gD;MAAA,oD;QAaoB,UAC4B,M;QAF5C,YAAY,C;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,W  
AAW,UAAU,oBAAmB,cAAAnB,EAAMb,sBAAnB,UAAV,EAAuC,OAAvC,C;UACC,OAAZ,WAAY,EAAO,IAA  
P,C;;QAEhB,OAAO,W;O;KAjBX,C;uGAoBA,yB;MAAA,wE;MAAA,gD;MAAA,oD;QAaoB,UAC4B,M;QAF5C,  
YAAY,C;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,oBAAmB,cAAAnB,EAAMb,sB  
AAnB,UAAV,EAAuC,OAAvC,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KAjBX,C;yFAoB  
A,yB;MAAA,gD;MAAA,oD;QAuOB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAA  
U,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KADx,C;yFAiBA,yB;MAAA,gD;MAA  
A,oD;QAMoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,OAAV,C;UACC,OA  
AZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KAVX,C;qFAaA,yB;MAAA,wE;MA6BA,+D;MA7BA,yC;QA  
WW,kBAAU,oB;QA6BD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA9BiD,WA8BvC,CAAY  
,OAAZ,C;UvBjoBP,U;UADP,YuBmoBe,WvBnoBH,WuBmoBwB,GvBnoBxB,C;UACL,IAAI,aAAJ,C;YACH,auB  
ioBuC,gB;YAA5B,WvBhoBX,auBgoBgC,GvBhoBhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UuB6nBA,iB;UACA,I  
AAK,WAAI,OAAJ,C;;QAhCT,OAKCO,W;O;KA7CX,C;qFAcA,yB;MAAA,wE;MAkCA,+D;MAICA,yD;QAYW,  
kBAAU,oB;QAKCD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAnCiD,WAmCvC,CAAY,OA  
AZ,C;UvBrpBP,U;UADP,YuBupBe,WvBvpBH,WuBupBwB,GvBvpBxB,C;UACL,IAAI,aAAJ,C;YACH,auBqpBu  
C,gB;YAA5B,WvBppBX,auBopBgC,GvBppBhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UuBipBA,iB;UACA,IAAK  
,WArCyD,cAqCrD,CAAe,OAAf,CAAJ,C;;QArCT,OAuCO,W;O;KAnDX,C;yFAeA,yB;MAAA,+D;MAAA,sD;Q  
AWoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;UvBjoBP,U;UADP,  
YuBmoBe,WvBnoBH,WuBmoBwB,GvBnoBxB,C;UACL,IAAI,aAAJ,C;YACH,auBioBuC,gB;YAA5B,WvBhoBX  
,auBgoBgC,GvBhoBhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UuB6nBA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAEt,  
OAAO,W;O;KAhBX,C;yFAmBA,yB;MAAA,+D;MAAA,sE;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;U  
AAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;UvBrpBP,U;UADP,YuBupBe,WvBvpBH,WuBupBwB,GvBvpBxB,C;U  
ACL,IAAI,aAAJ,C;YACH,auBqpBuC,gB;YAA5B,WvBppBX,auBopBgC,GvBppBhC,EAAS,MAAT,C;YACA,e;;  
YAEA,c;;UuBipBA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAEt,OAAO,W;O;KAjBX,C;0FAoBA,yB;M  
AAA,kC;MAAA,4C;MAAA,wE;QAUW,sC;QAAA,8C;O;MAVX,oDAWQ,Y;QAA6C,OAAA,oBAAGB,W;O;MA  
XrE,iDAYQ,mB;QAAoC,gCAAY,OAAZ,C;O;MAZ5C,gF;MAAA,yC;QAUI,2D;O;KAVJ,C;IAGBA,sC;MASI,OA  
AO,yBAAqB,SAArB,EAA2B,SAA3B,C;K;IAGX,4C;MASI,OAAO,gCAA4B,SAA5B,EAakC,SAAIC,C;K;IAGX,  
mD;MASI,OAAoD,gBAA7C,gCAA4B,SAA5B,EAakC,SAAIC,CAA6C,C;K;4GAGxD,yB;MAuNA,wE;MAvNA,  
oD;QAGoiB,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAvNsB,U;UAAA,wBAuNT,oBAA  
mB,cAAAnB,EAAMb,sBAAnB,UAvNS,EAuNoB,IAvNpB,W;YAA6C,6B;;QACHF,OAAO,W;O;KAVX,C;8FAaA,  
yB;MAAA,wE;MAAA,oD;QAUIB,UACoC,M;QAFjD,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAC  
T,WAAY,WAAI,UAAU,oBAAmB,cAAAnB,EAAMb,sBAAnB,UAAV,EAAuC,IAAvC,CAAJ,C;;QACHB,OAAO,  
W;O;KAZX,C;IAeA,4C;MASI,OAA6C,gBAAtC,yBAAqB,SAArB,EAA2B,SAA3B,CAAsC,C;K;8FAGjD,yB;MA  
AA,oD;QA4KoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UArKK,U;UAAA,wBAqKQ,OArKR,W;Y  
AAsC,6B;;QAC3D,OAAO,W;O;KARX,C;iFAWA,6C;MAOiB,Q;MAAA,2B;MAAb,OAAa,cAAb,C;QAAa,sB;Q  
ACT,WAAY,WAAI,UAAU,IAAV,CAAJ,C;;MACHB,OAAO,W;K;IAGX,gC;MAOI,OAAO,qBAAiB,SAAjB,C;K;  
IACgB,6B;MAAE,S;K;IAX7B,+B;MAWI,OAAY,aAAL,SAAK,EAAW,eAAX,C;K;IAGhB,2C;MAYI,OAAO,qBA  
AiB,SAAjB,EAAuB,QAAvB,C;K;IAGX,mC;MASiB,Q;MADb,UAAU,sB;MACG,2B;MAAb,OAAa,cAAb,C;QA  
Aa,sB;QAAM,GAAl,WAAI,IAAJ,C;;MACvB,OAAO,G;K;6EAGX,gC;MAQoB,Q;MAAA,2B;MAAhB,OAAgB,c  
AAhB,C;QAAGB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;;MACtD,OAAO,I;K;IAGX,  
2B;MAQI,OAAO,oBAAW,U;K;6EAGtB,gC;MAQoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAA  
M,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;;MACrD,OAAO,K;K;IAGX,6B;MAOoB,Q;MADhB,YAAY,C  
;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,oBAAmB,qBAAnB,EAAMb,KAAAnB,E;;MACtB,OA  
AO,K;K;iFAGX,yB;MAAA,wE;MAAA,uC;QAoOB,Q;QADhB,YAAY,C;QACI,2B;QAAhB,OAAgB,cAAhB,C;U  
AAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,oBAAmB,qBAAnB,EAAMb,KAAAnB,E;;QAC9C,OAA  
O,K;O;KARX,C;8EAWA,yC;MAYoB,Q;MADhB,kBAAkB,O;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB  
;QAAM,cAAc,UAAU,WAAV,EAuB,OAAvB,C;;MACpC,OAAO,W;K;4FAGX,yB;MAAA,wE;MAAA,gD;QAc  
oB,UAAiD,M;QAFjE,YAAY,C;QACZ,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,cA

Ac,UAAU,oBAAmB,cAAAnB,EAAmB,sBAAnB,UAAV,EAAuC,WAAvC,EAAoD,OAApD,C;;QACpC,OAAO,W;  
O;KafX,C;qFakBA,6B;MAMoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAgB,yB;QAAM,OAAO,OAAP,C;  
;K;kGAG1B,yB;MAAA,wE;MAAA,oC;QASiB,UAAgC,M;QAD7C,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;U  
AAa,sB;UAAM,OAAO,oBAAmB,cAAAnB,EAAmB,sBAAnB,UAAP,EAAoC,IAApC,C;;O;KATvB,C;IAYA,2B;M  
AII,OAAO,uB;K;IAGX,2B;MAII,OAAO,uB;K;IAGX,2B;MAGI,OAAO,uB;K;iFAGX,+B;MAGW,sB;;QAYP,eA  
Ae,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,I;UAAp,uB;SACzB,cAAc,QAAS,O;QACvB,IAAI,C  
AAC,QAAS,UAAAd,C;UAAyB,qBAAO,O;UAAp,uB;SACzB,eAhBmB,QAgBJ,CAAS,OAAT,C;;UAEX,QAAQ,Q  
AAS,O;UACjB,QAnBe,QAmBP,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,  
WAAW,C;;QAED,QAAT,QAAS,W;QACIB,qBAAO,O;;MazBP,yB;K;6FAGJ,+B;MASI,eAAe,oB;MACf,IAAI,C  
AAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHc,cAAc,QAAS,O;MACvB,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,  
OAAO,O;MACHc,eAAe,SAAS,OAAT,C;;QAEX,QAAQ,QAAS,O;QACjB,QAAQ,SAAS,CAAT,C;QACR,IAAI,2  
BAAW,CAAX,KAAJ,C;UACI,UAAU,C;UACV,WAAW,C;;MAED,QAAT,QAAS,W;MACIB,OAAO,O;K;iFAG  
X,yB;MAAA,sE;MZpwCA,iB;MYowCA,sC;QAeI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM  
,6B;QAC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C  
;UACR,WZhxCG,MAAO,KYgxCO,QZhxCP,EYgxCiB,CZhxCjB,C;;QYkxCd,OAAO,Q;O;KATBX,C;iFayBA,yB;  
MAAA,sE;MZxyCA,iB;MYwyCA,sC;QAeI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;Q  
AC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UAC  
R,WZpzCG,MAAO,KYozCO,QZpzCP,EYozCiB,CZpzCjB,C;;QYszCd,OAAO,Q;O;KATBX,C;iFayBA,yB;MAA  
A,sE;MAAA,sC;QAaI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,Q  
AAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,IAAI,2BAAW,CA  
AX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KATBX,C;6FayBA,yB;MZ/0CA,iB;MY+0CA,sC;QAaI,eAA  
e,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,OAAO,I;QACHc,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,  
QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,WZz1CG,MAAO,KYy1CO,QZz1CP,EYy1CiB,C  
Zz1CjB,C;;QY21Cd,OAAO,Q;O;KApBX,C;6FAuBA,yB;MZj3CA,iB;MYi3CA,sC;QAaI,eAAe,oB;QACf,IAAI,C  
AAC,QAAS,UAAAd,C;UAAyB,OAAO,I;QACHc,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;U  
ACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,WZ33CG,MAAO,KY23CO,QZ33CP,EY23CiB,CZ33CjB,C;;QY63Cd  
,OAAO,Q;O;KApBX,C;6FAuBA,+B;MAWI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MA  
ChC,eAAe,SAAS,QAAS,OAAIB,C;MACf,OAAO,QAAS,UAAhB,C;QACI,QAAQ,SAAS,QAAS,OAAIB,C;QAC  
R,IAAI,2BAAW,CAAX,KAAJ,C;UACI,WAAW,C;;MAGnB,OAAO,Q;K;yFAGX,yB;MAAA,sE;MAAA,kD;QAa  
I,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,  
OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CA  
AIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KATBX,C;qGayBA,2C;MAWI,eAAe,oB;  
MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHc,eAAe,SAAS,QAAS,OAAIB,C;MACf,OAAO,QA  
AS,UAAhB,C;QACI,QAAQ,SAAS,QAAS,OAAIB,C;QACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,  
GAakC,CAAtC,C;UACI,WAAW,C;;MAGnB,OAAO,Q;K;IAGX,iC;MASI,eAAe,oB;MACf,IAAI,CAAC,QAAS,  
UAAAd,C;QAAyB,OAAO,I;MACHc,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;  
QACjB,MZ18CG,MAAO,KY08CE,GZ18CF,EY08CO,CZ18CP,C;;MY48Cd,OAAO,G;K;IAGX,iC;MASI,eAAe,o  
B;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHc,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAh  
B,C;QACI,QAAQ,QAAS,O;QACjB,MZx+CG,MAAO,KYw+CE,GZx+CF,EYw+CO,CZx+CP,C;;MY0+Cd,OAA  
O,G;K;IAGX,iC;MAOI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHc,UAAU,QAAS,  
O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,sBAAM,CAAN,KAAJ,C;UAAa,MAA  
M,C;;MAEvB,OAAO,G;K;IAGX,2C;MAGI,OAAO,4BAAc,UAAAd,C;K;IAGX,iD;MAOI,eAAe,oB;MACf,IAAI,C  
AAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHc,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAA  
Q,QAAS,O;QACjB,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MA  
E9C,OAAO,G;K;IAGX,2B;MAII,OAAO,uB;K;IAGX,2B;MAII,OAAO,uB;K;IAGX,2B;MAGI,OAAO,uB;K;iFAG  
X,+B;MAGW,sB;;QAYP,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,I;UAAp,uB;SACzB,cA  
Ac,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,O;UAAp,uB;SACzB,eAhBmB,QAgBJ,CAA  
S,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QAnBe,QAmBP,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAA



J,C;YACI,UAAU,C;YACV,WAAW,C;;QAED,QAAT,QAAS,W;QACIB,qBAAO,O;;;MAzBP,yB;K;6FAGJ,+B;M  
ASI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHc,cAAc,QAAS,O;MACvB,IAAI,CAA  
C,QAAS,UAAAd,C;QAAyB,OAAO,O;MACHc,eAAe,SAAS,OAAT,C;;QAEX,QAAQ,QAAS,O;QACjB,QAAQ,SA  
AS,CAAT,C;QACR,IAAI,2BAAW,CAAX,KAAJ,C;UACI,UAAU,C;UACV,WAAW,C;;MAED,QAAT,QAAS,W;  
MACIB,OAAO,O;K;iFAGX,yB;MAAA,sE;MZj3CA,iB;MYi3CA,sC;QAeI,eAAe,oB;QACf,IAAI,CAAC,QAAS,U  
AAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,  
SAAS,QAAS,OAAIB,C;UACR,WZ73CG,MAAO,KY63CO,QZ73CP,EY63CiB,CZ73CjB,C;;QY+3Cd,OAAO,Q;  
O;KAtBX,C;iFAyBA,yB;MAAA,sE;MZr5CA,iB;MYq5CA,sC;QAeI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAA  
d,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SA  
S,QAAS,OAAIB,C;UACR,WZj6CG,MAAO,KYi6CO,QZj6CP,EYi6CiB,CZj6CjB,C;;QYm6Cd,OAAO,Q;O;KAt  
B X,C;iFAyBA,yB;MAAA,sE;MAAA,sC;QAaI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;  
QAC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UA  
CR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAtBX,C;6FAyBA,yB;MZ57CA,iB;M  
Y47CA,sC;QAaI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,OAAO,I;QACChc,eAAe,SAAS,QAAS,OA  
AIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,WZt8CG,MAAO,KYs8CO,  
QZt8CP,EYs8CiB,CZt8CjB,C;;QYw8Cd,OAAO,Q;O;KApBX,C;6FAuBA,yB;MZ99CA,iB;MY89CA,sC;QAaI,eA  
Ae,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,OAAO,I;QACChc,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAA  
O,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,WZx+CG,MAAO,KYw+CO,QZx+CP,EYw+Ci  
B,CZx+CjB,C;;QY0+Cd,OAAO,Q;O;KApBX,C;6FAuBA,+B;MAWI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAA  
d,C;QAAyB,OAAO,I;MACHc,eAAe,SAAS,QAAS,OAAIB,C;MACf,OAAO,QAAS,UAAhB,C;QACI,QAAQ,SAAS,  
QAAS,OAAIB,C;QACR,IAAI,2BAAW,CAAX,KAAJ,C;UACI,WAAW,C;;MAGnB,OAAO,Q;K;yFAGX,yB;MA  
AA,sE;MAAA,kD;QAaI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,  
QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,IAAI,UAAW,SA  
AQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAtBX,C;qGAyB  
A,2C;MAWI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHc,eAAe,SAAS,QAAS,OAAI  
B,C;MACf,OAAO,QAAS,UAAhB,C;QACI,QAAQ,SAAS,QAAS,OAAIB,C;QACR,IAAI,UAAW,SAAQ,QAAR,E  
AAkB,CAAIB,CAAX,GAakC,CAAtC,C;UACI,WAAW,C;;MAGnB,OAAO,Q;K;IAGX,iC;MASI,eAAe,oB;MAC  
f,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHc,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QA  
CI,QAAQ,QAAS,O;QACjB,MZvjDG,MAAO,KYujDE,GZvjDF,EYujDO,CZvjDP,C;;MYyjDd,OAAO,G;K;IAGX,  
iC;MASI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHc,UAAU,QAAS,O;MACnB,OA  
AO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,MZrIDG,MAAO,KYqlIDE,GZrIDF,EYqlIDO,CZrIDP,C;;MY  
ulDd,OAAO,G;K;IAGX,iC;MAOI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHc,UAA  
U,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,sBAAM,CAAN,KAAJ,C;UA  
Aa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,2C;MAGI,OAAO,4BAAc,UAAAd,C;K;IAGX,iD;MAOI,eAAe,oB;MAC  
f,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHc,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QA  
CI,QAAQ,QAAS,O;QACjB,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM  
,C;;MAE9C,OAAO,G;K;IAGX,4B;MAQI,OAAO,CAAC,oBAAW,U;K;+EAGvB,gC;MAQoB,Q;MAAA,2B;MAA  
hB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;  
IAUI,uC;MAAA,qB;QACP,eAAO,EAAP,C;QAAA,OACA,E;O;K;IATR,sC;MAOI,OAAO,kBAAI,qBAAJ,C;K;IA  
eW,8C;MAAA,iC;QACd,eAAO,KAAP,EAAC,OAAd,C;QAAA,OACA,O;O;K;IAXR,6C;MASI,OAAO,wBAAW,4  
BAAX,C;K;kFAMX,yB;MAAA,4F;MAAA,uC;QAeI,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,UAAAd,C;UAA  
yB,MAAM,mCAA8B,kCAA9B,C;QAC/B,kBAAqB,QAAS,O;QAC9B,OAAO,QAAS,UAAhB,C;UACI,cAAc,UA  
AU,WAAV,EAAuB,QAAS,OAAhC,C;;QAEIB,OAAO,W;O;KArBX,C;gGawBA,yB;MAAA,4F;MAAA,wE;MA  
AA,uC;QAoBmD,Q;QAL/C,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,mCAA8B,k  
CAA9B,C;QAC/B,YAAY,C;QACZ,kBAAqB,QAAS,O;QAC9B,OAAO,QAAS,UAAhB,C;UACI,cAAc,UAAU,oB  
AAmB,YAAnB,EAAMb,oBAAnB,QAAY,EAAuC,WAAvC,EAAoD,QAAS,OAA7D,C;;QAEIB,OAAO,W;O;KAt  
BX,C;4GAyBA,yB;MAAA,wE;MAAA,uC;QAoBmD,Q;QAL/C,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,UA  
Ad,C;UAAyB,OAAO,I;QACChc,YAAY,C;QACZ,kBAAqB,QAAS,O;QAC9B,OAAO,QAAS,UAAhB,C;UACI,cA

Ac,UAAU,oBAAmB,YAAAnB,EAAMb,oBAAnB,QAaV,EAAuC,WAAvC,EAAoD,QAAS,OAA7D,C;;QAEIB,OA  
AO,W;O;KATBX,C;8FAyBA,gC;MAGBI,eAAe,SAAK,W;MACpB,IAAI,CAAC,QAAS,UAAAd,C;QAAYB,OAAO,I  
;MACHC,kBAaQb,QAAS,O;MAC9B,OAAO,QAAS,UAAhB,C;QACI,cAAc,UAAU,WAAV,EAAuB,QAAS,OAA  
hC,C;;MAEIB,OAAO,W;K;IAoBS,2I;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,8C;MAAA,gD;MAAA,kD;MAA  
A,wB;MAAA,+B;MAAA,kC;K;;;sDAAA,Y;;;;;cACZ,gB;8BAAA,iCAAM,0BAAN,O;kBAAA,2C;uBAAA,yB;cA  
AA,Q;;;uCACkB,0B;cACF,wD;cAAhB,gB;;;cAAA,KAAgB,yBAhB,C;gBAAA,gB;;;cAAgB,oC;cACZ,yBAAc,  
6BAAU,sBAAV,EAAuB,OAAvB,C;cACd,gB;8BAAA,iCAAM,sBAAN,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cAF  
J,gB;;;cAIJ,W;;;;;;K;IAPgB,wF;MAAA,yD;uBAAA,+H;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;IAjBpB,sD;M  
AiBI,OAAO,SAAS,iDAAT,C;K;IA4BS,yJ;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,8C;MAAA,8D;MAAA,kD;  
MAAA,wB;MAAA,yB;MAAA,+B;MAAA,kC;K;;;6DAAA,Y;;;;;kBAKmC,I;cAJ/C,gB;8BAAA,iCAAM,0BAAN,  
O;kBAAA,2C;uBAAA,yB;cAAA,Q;;;iCACY,C;uCACM,0B;cACF,+D;cAAhB,gB;;;cAAA,KAAgB,yBAhB,C;g  
BAAA,gB;;;cAAgB,oC;cACZ,yBAAc,6BAAU,oBAAmB,uBAAnB,EAAMb,+BAAnB,QAaV,EAAuC,sBAAvC,E  
AAoD,OAApD,C;cACd,gB;8BAAA,iCAAM,sBAAN,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cAFJ,gB;;;cAIJ,W;;;;;;  
;;;;;K;IARgB,sG;MAAA,yD;uBAAA,6I;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;IALpB,6D;MAkBI,OAAO,SAAS,  
wDAAT,C;K;IA2BS,4H;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,oD;MAAA,kD;MAAA,4B;MAAA,+B;MAA  
A,kC;K;;;wDAAA,Y;;;;;oCACG,wC;cACf,IAAI,mBAAS,UAAb,C;yCACyB,mBAAS,O;gBAC9B,gB;gCAA,iC  
AAM,sBAAN,O;oBAAA,2C;yBAAA,yB;gBAAA,Q;;gBAFJ,gB;;;;;;cAGI,gB;;;cAAA,KAAO,mBAAS,UAAhB,C  
;gBAAA,gB;;;cACI,yBAAc,6BAAU,sBAAV,EAAuB,mBAAS,OAAhC,C;cACd,gB;8BAAA,iCAAM,sBAAN,O;k  
BAAA,2C;uBAAA,yB;cAAA,Q;;cAFJ,gB;;;cAHJ,gB;;;cAQJ,W;;;;;;K;IAVgB,yE;MAAA,yD;uBAAA,gH;Y  
AAA,S;iBAAA,Q;;iBAAA,uB;O;K;IAhBpB,+C;MAGBI,OAAO,SAAS,0CAAT,C;K;IA6BS,0I;MAAA,wC;MAAA  
,6B;MAAA,yB;MAAA,kE;MAAA,kD;MAAA,4B;MAAA,+B;MAAA,yB;MAAA,kC;K;;;+DAAA,Y;;;;;cAOuC,Q  
;oCANpC,+C;cACf,IAAI,mBAAS,UAAb,C;yCACyB,mBAAS,O;gBAC9B,gB;gCAA,iCAAM,sBAAN,O;oBAA  
A,2C;yBAAA,yB;gBAAA,Q;;gBAFJ,gB;;;;;;iCAGgB,C;cACZ,gB;;;cAAA,KAAO,mBAAS,UAAhB,C;gBAAA,g  
B;;;cACI,yBAAc,6BAAU,oBAAmB,uBAAnB,EAAMb,+BAAnB,QAaV,EAAuC,sBAAvC,EAAoD,mBAAS,OA  
A7D,C;cACd,gB;8BAAA,iCAAM,sBAAN,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cAFJ,gB;;;cAJJ,gB;;;cASJ,W;;;;;;  
;;;;;K;IAXgB,uF;MAAA,yD;uBAAA,8H;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;IAhBpB,sD;MAGBI,OAAO,SAAS,  
iDAAT,C;K;IAcX,+C;MAkBI,OAAO,yBAAy,OAAZ,EAAqB,SAArB,C;K;IAGX,sD;MAmBI,OAAO,gCAAmB  
,OAAAnB,EAA4B,SAA5B,C;K;gFAGX,+B;MASoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;Q  
AAgB,yB;QACZ,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;4FAGX,+B;MASoB,Q;MADhB,UAAkB,G;  
MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;iFAGX,+  
B;MAYoB,Q;MADhB,UAAoB,C;MACJ,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,OAAO,SAAS,OAAT  
,C;;MAEX,OAAO,G;K;iFAGX,+B;MAYoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,  
yB;QACZ,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;iFAGX,yB;MAAA,SAWoB,gB;MAXpB,sC;QAYoB  
,Q;QADhB,Y;QACgB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAO,SAAS,OAAT,CAAP,C;;QAEJ,O  
AAO,G;O;KAFx,C;iFAkBA,yB;M3B15DA,6B;M2B05DA,sC;QAaoB,Q;QADhB,U3B55DmC,c2B45DnB,C3B55  
DmB,C;Q2B65DnB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,M3BhuEiD,c2BguEjD,G3BhuE2D,KAAK,  
G2BguEzD,SAAS,OAAT,C3BhuEoE,KAAx,IAAf,C;;Q2BkuErD,OAAO,G;O;KAhBX,C;iFAMBA,yB;MX16DA,  
+B;MW06DA,sC;QAaoB,Q;QADhB,UX36DqC,eAAW,oBW26D/B,CX36D+B,CAAX,C;QW46DrB,2B;QAAhB,  
OAAgB,cAAhB,C;UAAgB,yB;UACZ,MXhvEmD,eWgvEnD,GXhvE8D,KAAK,KWgvE5D,SAAS,OAAT,CXhvE  
uE,KAAx,CAAhB,C;;QWkvEvD,OAAO,G;O;KAhBX,C;IAyBe,oD;MAAA,qB;QAAE,e;UAAM,MAAM,gCAAY  
B,2BAAwB,mBAAxB,MAAZB,C;SAAZ,S;O;K;IANjB,qC;MAMI,OAAO,kBAAI,gCAAJ,C;K;IAGX,oC;MAAI,O  
AAO,sBAAS,IAAT,EAAe,IAAf,EAAc,IAAtC,C;K;IAGX,+C;MAkBI,OAAO,sBAAS,IAAT,EAAe,IAAf,EAAc  
,IAAtC,EAAwD,SAAXD,C;K;IASA,0D;MAAA,4B;MAAA,sC;K;IAG0B,+E;MAAA,qB;QAAE,IAAI,CAAC,iBA  
AD,IAAY,WAAM,eAAN,CAAhB,C;UAAiC,oBAAU,I;UAA3C,OAAiD,K;;UAAjD,OAA8D,I;O;K;6CAF7F,Y;M  
ACI,kBAAc,KAAAd,C;MACA,OAAkB,SAAX,eAAW,EAAO,kEAAP,CAA8E,W;K;;IAT5G,qC;MAMI,kD;K;IASB  
O,6D;MAAA,wC;MAAA,4B;K;IAG6B,8D;MAAA,qB;QAAE,OAAM,aAAN,mB;O;K;+CAFIC,Y;MACI,YAAqB,  
8BAAT,qBAAS,C;MACrB,OAAkB,YAAX,eAAW,EAAU,4CAAV,CAA0B,W;K;;IAjBxD,sC;MAAI,IAAI,Q9B80  
KG,YAAQ,C8B90Kf,C;QAAwB,OAAO,S;MAC/B,qD;K;IAqBO,6D;MAAA,wC;MAAA,4B;K;IAMiC,8D;MAAA

,qB;QAAE,OAAM,aAAN,mB;O;K;+CALtC,Y;MACI,YAAqB,4BAAT,qBAAS,C;MACrB,IAAI,KAAM,UAAV,C;  
;QACI,OAAO,eAAW,W;;QAEIB,OAAkB,YAAX,eAAW,EAAU,4CAAV,CAA0B,W;K;;IANB5D,sC;MAaI,qD;K;  
IAwBO,6D;MAAA,wC;MAAA,4B;K;IAMiC,8D;MAAA,qB;QAAE,OAAM,aAAN,mB;O;K;+CALtC,Y;MACI,Y  
AAqB,8BAAT,qBAAS,C;MACrB,IAAI,KAAM,UAAV,C;QACI,OAAO,eAAW,W;;QAEIB,OAAkB,YAAX,eAA  
W,EAAU,4CAAV,CAA0B,W;K;;IANB5D,sC;MAaI,qD;K;8FAWJ,yB;MAAA,4C;MAAA,qC;QAOI,OAAO,iBAA  
M,OAAAN,C;O;KAPX,C;wFAUA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAYoB,Q;QAFhB,YAAY,gB;QACZ,aA  
Aa,gB;QACG,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,KAAM,W  
AAI,OAAJ,C;;YAEN,MAAO,WAAl,OAAJ,C;;;QAGf,OAAO,cAAK,KAAL,EAAJ,MAAZ,C;O;KANBX,C;IASB  
A,oC;MAMI,OAA6C,UAAtC,YAAW,SAAX,EAAiB,YAAW,OAAJ,EAAjB,EAAc,C;K;IAGjD,qC;MASI,OAA  
Y,OAAAL,SAAK,EAAc,OAAAT,QAAS,CAAd,C;K;IAGhB,qC;MASI,OAA+C,UAAx,C,YAAW,SAAX,EAA0B,aA  
AT,QAAS,CAA1B,EAAwC,C;K;IAGnD,sC;MASI,OAAkC,UAA3B,YAAW,SAAX,EAAiB,QAAjB,EAA2B,C;K;  
4FAGtC,yB;MAAA,0C;MAAA,qC;QAOI,OAAO,gBAAK,OAAAL,C;O;KAPX,C;IAUA,2D;MAGb+C,oB;QAAA,  
OAAJ,C;MAAG,8B;QAAA,iBAA0B,K;MACpF,OAAO,8BAAiB,IAAjB,EAAuB,IAAvB,EAA6B,cAA7B,EAA2  
D,KAA3D,C;K;IAGX,sE;MAkBkD,oB;QAAA,OAAJ,C;MAAG,8B;QAAA,iBAA0B,K;MACvF,OAAwE,OAAjE  
,8BAAiB,IAAjB,EAAuB,IAAvB,EAA6B,cAA7B,EAA2D,IAA3D,CAAiE,EAAI,SAAJ,C;K;IAYpC,4B;MAAJ,c  
AAM,EAAAN,C;K;IATpD,kC;MASI,OAAO,oBAAGB,SAAhB,EAAcB,KAAtB,EAA6B,UAA7B,C;K;IAGX,6C;M  
AUI,OAAO,oBAAGB,SAAhB,EAAcB,KAAtB,EAA6B,SA7B,C;K;IACy,kC;MAAU,aAAK,CAAL,C;K;IAXjC,k  
C;MAWI,OAAO,yBAAY,kBAAZ,C;K;IAeiB,wH;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,gD;MAAA,kD;MA  
AA,4B;MAAA,2B;MAAA,wB;MAAA,kC;K;;;sDAAA,Y;;;;;oCACL,sC;cACf,IAAI,CAAC,mBAAS,UAAAd,C;gB  
AAyB,M;;gBAAzB,gB;;;;;;mCACc,mBAAS,O;cACvB,gB;;;cAAA,KAAO,mBAAS,UAAhB,C;gBAAA,gB;;gCA  
Ce,mBAAS,O;cACpB,gB;8BAAA,iCAAM,6BAAU,kBAAV,EAAmB,eAAANB,CAAN,O;kBAAA,2C;uBAAA,yB;c  
AAA,Q;;cACA,qBAAU,e;cAHd,gB;;;cAKJ,W;;;;;;K;IATwB,uE;MAAA,yD;uBAAA,4G;YAAA,S;iBAAA,Q;  
;iBAAA,uB;O;K;IAZ5B,6C;MAYI,OAAO,SAAS,0CAAT,C;K;IAYX,8F;MAU6D,yB;QAAA,YAA0B,I;MAAM,s  
B;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAA  
O,yB;QAAA,YAAoC,I;MAGtN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAJ,C;MACI,2B;MAAhB,OAAg  
B,cAAhB,C;QAAgB,yB;QACZ,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,C  
AAR,IAAa,SAAS,KAA1B,C;UACW,gBAAP,MAAO,EAAc,OAAAd,EAAuB,SAAvB,C;;UACJ,K;;MAEX,IAAI,S  
AAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAp,C;MACP  
,OAAO,M;K;IAGX,4F;MAUwC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E  
;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAoC,I;MACjN,OAAO,oBAAO,s  
BAAP,EAAwB,SAAxB,EAAmC,MAAN,C,EAA2C,OAA3C,EAAoD,KAAPD,EAA2D,SA3D,EAAcE,SAAtE,CA  
AiF,W;K;IAOXE,8C;MAAA,mB;QAAE,OAAA,eAAK,W;O;K;IAJ3B,kC;MAII,oCAAGB,8BAAhB,C;K;2FAGJ,q  
B;MAKI,OAAO,S;K;IAGX,+B;MASoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,c  
AAhB,C;QAAgB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EAAmB,KAAAnB,E;;MAEJ,OAAW,UAAAS,CA  
Ab,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,+B;MASoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;  
MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EAAmB,KAAAnB  
,E;;MAEJ,OAAW,UAAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,+B;MASoB,Q;MAFhB,U  
AAkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;QACP,oBAAm  
B,qBAAnB,EAAmB,KAAAnB,E;;MAEJ,OAAW,UAAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IA  
GjD,+B;MASoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QA  
CZ,OAAO,O;QACP,oBAAmB,qBAAnB,EAAmB,KAAAnB,E;;MAEJ,OAAW,UAAAS,CAAb,GAAgB,wCAAO,IAA  
vB,GAAgC,MAAM,K;K;IAGjD,+B;MASoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAg  
B,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EAAmB,KAAAnB,E;;MAEJ,OAAW,UAAAS,  
CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,+B;MASoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,  
C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EAAmB,KAA  
nB,E;;MAEJ,OAAW,UAAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,2B;MAQoB,Q;MADh  
B,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,YAAO,O;;MAEX,OAAO,G;K;IAGX,2B;M  
AQoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,YAAO,O;;MAEX,OAAO,

G;K;IAGX,2B;MAQoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,YAAO,O  
AAP,I;;MAEJ,OAAO,G;K;IAGX,2B;MAQoB,Q;MADhB,Y;MACgB,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;  
QACZ,cAAO,OAAO,C;;MAEJ,OAAO,G;K;IAGX,2B;MAQoB,Q;MADhB,UAAiB,G;MACD,2B;MAAhB,OAAg  
B,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;;MAEX,OAAO,G;K;IAGX,2B;MAQoB,Q;MADhB,UAAkB,G;MACF,2  
B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;;MAEX,OAAO,G;K;IC71FX,qC;MAMI,aAAa,qBAA  
iB,YAAY,cAAZ,CAAjB,C;MACb,kBAAC,KAAd,C;MX4zBgB,Q;MAAA,OW3zBT,SX2zBS,W;MAAhB,OAAgB  
,cAAhB,C;QAAgB,2B;QAAU,oB;QW3zBK,IAAI,CAAC,SAAD,IAAY,OX2zBX,SW3zBW,UAAhB,C;UAAiC,Y  
AAU,I;UAA3C,mBAAiD,K;;UAAjD,mBAA8D,I;;QX2zBvE,qB;UW3zBD,MX2zBqC,WAAI,SAAJ,C;;MW3zB1  
D,OAAqB,M;K;IAGzB,sC;MAUI,aAAa,qBAAiB,SAAJ,B,C;MACN,YAAP,MAAO,EAAU,QAAV,C;MACP,OAA  
O,M;K;IAGX,sC;MAUI,YAAqB,gCAAT,QAAS,EAAgC,SAAhC,C;MACrB,IAAI,KAAM,UAAV,C;QACI,OAA  
Y,QAAL,SAAK,C;MACHB,IAAI,yBAAJ,C;QACgB,kBAAY,sB;QXixBZ,Q;QAAA,OWjxBL,SXixBK,W;QAAhB  
,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CWjxBwB,qBXixBb,OWjxBa,CXixB5B,C;YAAyB,WAAy,WAAI,  
OAAJ,C;;QWjxBvD,OXkxBG,W;OWjxBP,aAAa,qBAAiB,SAAJ,B,C;MACb,MAAO,mBAAU,KAAP,C;MACP,O  
AAO,M;K;IAGX,uC;MAUI,aAAa,qBAAiB,SAAJ,B,C;MACN,YAAP,MAAO,EAAU,QAAV,C;MACP,OAAO,M;  
K;gGAGX,yB;MAAA,8C;MAAA,qC;QAOI,OAAO,iBAAM,OAAN,C;O;KAPX,C;IAUA,qC;MAMI,aAAa,qBAAi  
B,YAAY,iBAAO,CAAP,IAAZ,CAAjB,C;MACb,MAAO,gBAAO,SAAP,C;MACP,MAAO,WAAI,OAAJ,C;MAC  
P,OAAO,M;K;IAGX,sC;MAOI,aAAa,qBAAiB,YAAY,SAAK,KAAL,GAAY,QAAS,OAArB,IAAZ,CAAjB,C;MA  
Cb,MAAO,gBAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;K;IAGX,sC;MAMuD,UA  
AT,M;MAA1C,aAAa,qBAAiB,YAAY,WAAS,4BAAT,QAAS,CAAT,YAA4C,cAAL,WAAvC,4BAA2D,SAAK,K  
AAL,GAAY,CAAZ,IAAvE,CAAjB,C;MACb,MAAO,gBAAO,SAAP,C;MACA,OAAO,MAAO,EAAO,QAAP,C;  
MACP,OAAO,M;K;IAGX,sC;MAOI,aAAa,qBAAiB,YAAY,SAAK,KAAL,GAAY,CAAZ,IAAZ,CAAjB,C;MACb  
,MAAO,gBAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;K;8FAGX,yB;MAAA,4C;M  
AAA,qC;QAOI,OAAO,gBAAK,OAAL,C;O;KAPX,C;InBnIA,oD;MAMuF,wC;K;IANvF,8CAOI,Y;MAAuC,8B;K  
;IAP3C,gF;ICGA,oD;MAQuF,wC;K;IARvF,8CASI,Y;MAAuC,8B;K;IAT3C,gF;gGmBYA,yB;MAAA,uD;MAAA,  
gC;MAAA,iD;QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,qBAAI,KAJ,CAAtC,GAAsD,uBAA  
a,KAAb,E;O;KAPjE,C;gGAUA,yB;MAAA,+C;MAAA,mC;QAOI,OAAy,UAAAL,SAAK,EAAU,KAAP,C;O;KAP  
hB,C;0EAUA,yB;MA4EA,6C;MAAA,oC;MAAA,gC;MA5EA,uC;QAOW,sB;;UAyES,Q;UAAA,0B;UAAhB,OAA  
gB,cAAhB,C;YAAgB,oC;YAAM,IAzEH,SAyEO,CAAU,oBAAV,CAAJ,C;cAAwB,qBAAO,O;cAAP,uB;;UAC9C  
,qBAAO,I;;QA1EP,yB;O;KAPJ,C;kFAUA,yB;MAwJA,mD;MAAA,+C;MAAA,oC;MAxJA,uC;QAOW,qB;;UAuJ  
O,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAo,OAAC,cAAAd,C;YAAc,uB;YACV,cAAc,qBAAK,KAAL,C;YA  
Cd,IAzJc,SAyJV,CAAU,oBAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;UAE5B,oBAAO,I;;QA3JP,wB;O;KAPJ,  
C;IAUA,6B;MAKI,ICkOgD,qBAAU,CDIO1D,C;QACI,MAAM,2BAAuB,yBAAvB,C;MACV,OAAO,qBAAK,CA  
AL,C;K;4EAGX,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,iE;MAAA,uC;QAKoB,Q;QAAA,0B;QAAhB,OA  
AgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,  
6DAAvB,C;O;KANV,C;6FASA,yB;MAAA,iE;MAYA,6C;MAAA,oC;MAAA,gC;MAZA,uC;QASW,Q;QAAA,+B  
;;UAYS,U;UAAA,4B;UAAhB,OAAgB,gBAAhB,C;YAAgB,sC;YACZ,aAbwB,SAAX,CAAU,oBAAV,C;YACb,IA  
AI,cAAJ,C;cACI,8BAAO,M;cAAP,gC;;UAGR,8BAAO,I;;QAIbA,kC;QAAA,iB;UAAmC,MAAM,gCAAuB,sEA  
AvB,C;SAAhD,OAAO,I;O;KATX,C;yGAYA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QASoB,Q;QAAA  
,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,aAAa,UAAU,oBAAV,C;UACb,IAAI,cAAJ,C;YACI,OAAO,M  
;;QAGf,OAAO,I;O;KafX,C;IAkBA,mC;MAII,OckLgD,qBAAU,CDILnD,GAae,IAAf,GAAYB,qBAAK,CAAL,C  
;K;wFAGpC,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAIoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;U  
AAgB,oC;UAAM,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,OAAO,I;O;KALX,C;mFAQA,yB;  
MAAA,uD;MAAA,gC;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,qBAAI,KAJ,CA  
AtC,GAAsD,uBAAa,KAAb,E;O;KALjE,C;IAQA,uC;MAMI,OAAW,SAAS,CAAT,IAAc,SAAS,2BAA3B,GAAsC  
,qBAAI,KAJ,CAAtC,GAAsD,I;K;0FAGjE,yB;MAAA,mD;MAAA,oC;MAAA,uC;QAIkB,gC;QAAA,6B;QAAA,  
mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,IAAI,UAAU,iCAAK,KAAL,EAAV,CAAJ,C;YACI,OAAO,K;;QAGf,  
OAAO,E;O;KATX,C;wFAYA,yB;MAAA,mD;MAAA,+C;MAAA,oC;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR  
,sBAAQ,CAAR,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,IAAI,UAAU,iCAAK,KAAL,EAAV,CAAJ,C;YACI,O

AAO,K;;QAGf,OAAO,E;O;KATX,C;IAYA,4B;MAQI,ICsHgD,qBAAU,CDtH1D,C;QACI,MAAM,2BAAuB,yBA  
AvB,C;MACV,OAAO,qBAAK,2BAAL,C;K;0EAGX,yB;MAAA,mD;MAAA,+C;MAAA,oC;MAAA,iE;MAAA,u  
C;QAQkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,cAAc  
,qBAAK,KAAL,C;UACd,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,MAAM,gCAAuB,6DAAvB,  
C;O;KAZV,C;IAeA,kC;MAMI,OC4FgD,qBAAU,CD5FnD,GAAe,IAAf,GAAyB,qBAAK,mBAAS,CAAT,IAAL,C  
;K;sFAGpC,yB;MAAA,mD;MAAA,+C;MAAA,oC;MAAA,uC;QAMkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,C  
AAQ,CAAb,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,cAAc,qBAAK,KAAL,C;UACd,IAAI,UAAU,oBAAV,CA  
AJ,C;YAAwB,OAAO,O;;QAEnC,OAAO,I;O;KAVX,C;8EAaA,yB;MAAA,mC;MAAA,yC;MAAA,4B;QAQI,OA  
AO,kBAAO,cAAP,C;O;KARX,C;IAWA,sC;MAOI,IC0DgD,qBAAU,CD1D1D,C;QACI,MAAM,2BAAuB,yBAAv  
B,C;MACV,OAAO,qBAAL,MAAO,iBAAQ,gBAAR,CAAX,C;K;0FAGX,yB;MAAA,mC;MAAA,qD;MAAA,4B;  
QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;IAUA,4C;MAMI,ICqCgD,qBAAU,CDrC1D,C;QACI,OAAO,I;MACX  
,OAAO,qBAAL,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,8B;MALiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,  
C;UAAK,MAAM,2BAAuB,yBAAvB,C;aACX,C;UAAK,4BAAK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAYB,0  
CAAzB,C;;MAHIB,W;K;8EAOJ,yB;MAAA,6C;MAAA,oC;MAAA,kF;MAAA,gC;MAAA,iE;MAAA,8B;MAAA,  
uC;QAMoB,UAST,M;QAXP,aAAoB,I;QACpB,YAAY,K;QACI,0B;QAaHb,OAAGB,cAAhB,C;UAAgB,oC;UAC  
Z,IAAI,UAAU,oBAAV,CAAJ,C;YACI,IAAI,KAJ,C;cAAW,MAAM,8BAAyB,wDAAzB,C;YACjB,SAAS,O;YA  
CT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAuB,6DAAvB,C;QAEIB,OAAO,4E;O;KafX,C;  
IAkBA,oC;MAII,OAAW,qBAAU,CAAd,GAAiB,qBAAK,CAAL,CAAJB,GAA8B,I;K;0FAGzC,yB;MAAA,6C;M  
AAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAFhB,aAAoB,I;QACpB,YAAY,K;QACI,0B;QAaHb,OAAGB,cAA  
hB,C;UAAgB,oC;UACZ,IAAI,UAAU,oBAAV,CAAJ,C;YACI,IAAI,KAJ,C;cAAW,OAAO,I;YACIB,SAAS,O;Y  
ACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,OAAO,I;QACnB,OAAO,M;O;KAdX,C;IAiBa,+B;MIBzRI  
,IAAI,EkBiSI,KAAK,CIBjST,CAAJ,C;QACI,ckBgSc,wD;QIB/Rd,MAAM,gCAAYB,OAAQ,WAAjC,C;OkBgSV,  
OAAO,8BAAC,eAAF,CAAE,EAAa,gBAAb,CAAd,EAAoC,gBAAPC,C;K;IAGX,+B;MIBrSI,IAAI,EkB6SI,KAAK  
,CIB7ST,CAAJ,C;QACI,ckB4Sc,wD;QIB3Sd,MAAM,gCAAYB,OAAQ,WAAjC,C;OkB4SV,OLhH6E,oBKgH1D,e  
AAF,CAAE,EAAa,gBAAb,CLhH0D,C;K;IKmHjF,kC;MIBjTI,IAAI,EkByTI,KAAK,CIBzTT,CAAJ,C;QACI,ckB  
wTc,wD;QIBvTd,MAAM,gCAAYB,OAAQ,WAAjC,C;OkBwTV,OAAO,mBAAKB,gBAAZ,mBAAS,CAAT,IAAY  
,EAAc,CAAd,CAAI,C;K;IAGX,mC;MIB7TI,IAAI,EkBqUI,KAAK,CIBrUT,CAAJ,C;QACI,ckBoUc,wD;QIBnUd  
,MAAM,gCAAYB,OAAQ,WAAjC,C;OkBoUV,OAAO,mBAAKB,gBAAZ,mBAAS,CAAT,IAAY,EAAc,CAAd,C  
AAIB,C;K;2FAGX,yB;MAAA,uD;MAAA,oC;MAAA,uC;QAMI,iBAAC,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,  
CAAC,UAAU,iCAAK,KAAL,EAAV,CAAL,C;YACI,OAAO,8BAAy,CAAZ,EAAe,QAAQ,CAAR,IAAf,C;QACf,  
OAAO,E;O;KATX,C;4FAYA,yB;MAAA,uD;MAAA,oC;MAAA,uC;QAMI,iBAAC,wBAAd,WAA+B,CAA/B,U;U  
ACI,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAV,CAAL,C;YACI,OL5JoF,oBK4JnE,CL5JmE,EK4JhE,QAAQ,CA  
AR,IL5JgE,C;WK6J5F,OAAO,E;O;KATX,C;oFAYA,yB;MAAA,mD;MAAA,oC;MAAA,uC;QAMuB,UAAL,MA  
AK,EAAL,MAAK,EAAL,M;QAAK,mBAAL,SAAK,C;QAAL,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,IAAI,  
CAAC,UAAU,iCAAK,KAAL,EAAV,CAAL,C;YACI,OAAO,8BAAy,KAAZ,EAAmB,gBAAnB,C;QACf,OAAO,  
E;O;KATX,C;oFAYA,yB;MAAA,mD;MAAA,oC;MAAA,uC;QAMuB,UAAL,MAAK,EAAL,MAAK,EAAL,M;Q  
AAK,mBAAL,SAAK,C;QAAL,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,IAAI,CAAC,UAAU,iCAAK,KAAL,E  
AAV,CAAL,C;YACI,OLvLqE,oBKuLpD,KLvLoD,C;WKwL7E,OAAO,E;O;KATX,C;8EAYA,yB;MAAA,yD;M  
AkFA,oC;MAIFA,uC;QAMW,kBAAS,oB;QAKFM,Q;QAAA,uB;QAAtB,iBAAC,CAAd,wB;UACI,cAAc,qBAAL,  
KAJ,C;UACd,IApF6B,SAoFzB,CAAU,oBAAV,CAAJ,C;YAAwB,WAAy,gBAAO,OAAP,C;;QApFxC,OAsFO,  
W;O;KA5FX,C;8EASA,yB;MAAA,yD;MAyEA,oC;MAzEA,uC;QAMW,kBAAS,oB;QAYEM,Q;QAAA,uB;QAAt  
B,iBAAC,CAAd,wB;UACI,cAAc,qBAAL,KAJ,C;UACd,IA3E6B,SA2EzB,CAAU,oBAAV,CAAJ,C;YAAwB,WA  
AY,gBAAO,OAAP,C;;QA3ExC,OA6EO,WA7EqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MA5BA,gC;MA+sBA  
,6C;MAAA,oC;MARuBA,uC;QAQW,kBAAGB,oB;QAouBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,  
C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAGB,iB;UA7sB/B,IAvBoC,SAuBhC,CAAU,OAAV,  
EAAiB,OAAjB,CAAJ,C;YAA2C,2BAAO,kBAAP,C;;QAvB/C,OAYBO,W;O;KAjCX,C;4FAWA,yB;MAAA,yD;  
MAWA,gC;MA+sBA,6C;MAAA,oC;MA1tBA,uC;QAQW,kBAAGB,oB;QAYtBV,gB;QADb,YAAY,C;QACC,0B;  
QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAGB,iB;UA7sB/B,IAZoC,SAY

hC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YAA2C,2BAAO,kBAAP,C;;QAZ/C,OAcO,WAd4C,W;O;KARvD,C;g  
GAWA,yB;MAAA,gC;MA+sBA,6C;MAAA,oC;MA/sBA,oD;QAstBiB,gB;QADb,YAAy,C;QACC,0B;QAAb,OA  
Aa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UA7sB/B,IAAI,UAAU,OAAV,E  
AAiB,OAAjB,CAAJ,C;YAA2C,2BAAO,kBAAP,C;;QAE/C,OAAO,W;O;KAXX,C;oFAcA,yB;MAAA,yD;MAkB  
A,6C;MAAA,oC;MAAA,gC;MAiBA,uC;QAMW,kBAAY,oB;QAKBH,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;U  
AAgB,oC;UAAM,IAAI,CAIBU,SakBT,CAAU,oBAAV,CAAL,C;YAAyB,WAAy,gBAAO,OAAP,C;;QAIB3D,O  
AmBO,W;O;KAzBX,C;oFASA,yB;MAAA,yD;MASA,6C;MAAA,oC;MAAA,gC;MATA,uC;QAMW,kBAAY,oB;  
QASH,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,CATU,SAST,CAAU,oBAAV,CAAL,C  
;YAAyB,WAAy,gBAAO,OAAP,C;;QAT3D,OAUO,WAVwC,W;O;KANnD,C;wFASA,yB;MAAA,6C;MAAA,oC  
;MAAA,gC;MAAA,oD;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,CAAC,UAA  
U,oBAAV,CAAL,C;YAAyB,WAAy,gBAAO,OAAP,C;;QAC3D,OAAO,W;O;KAPX,C;kFAUA,yB;MAAA,oC;M  
AAA,oD;QAM0B,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBAAI,KAAJ,C;UACd,IAAI,UAAU,oBA  
AV,CAAJ,C;YAAwB,WAAy,gBAAO,OAAP,C;;QAExC,OAAO,W;O;KAVX,C;IAaA,sC;MAII,IAAI,OAAQ,UA  
AZ,C;QAAuB,OAAO,E;MAC9B,OAAO,yBAAY,OAAZ,C;K;IAGX,sC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OA  
AO,E;MAC9B,OAAO,uBAAU,OAAV,C;K;IAGX,sC;MAOc,Q;MAHV,WAAmB,wBAAR,OAAQ,EAAwB,EAAx  
B,C;MACnB,IAAI,SAAQ,CAAZ,C;QAae,OAAO,E;MACtB,aAAa,mBAAc,IAAd,C;MACH,yB;MAAV,OAAU,c  
AAV,C;QAAU,mB;QACN,MAAO,gBAAO,qBAAI,CAAJ,CAAP,C;;MAEX,OAAO,M;K;4EAGX,yB;MAAA,8B;  
MAAA,uC;MAAA,qC;QAKY,Q;QAAR,OAA8B,MAAtB,2DAAsB,EAAM,OAAN,CAAE,W;O;KALjD,C;IAQA,+  
B;MIB7fI,IAAI,EkBqgBI,KAAK,CIBrgBT,CAAJ,C;QACI,ckBogBc,wD;QIBngBd,MAAM,gCAAYB,OAAQ,WA  
AjC,C;OkBogBV,OAAO,8BAAY,CAAZ,EAAiB,eAAF,CAAE,EAAa,gBAAb,CAAjB,C;K;IAGX,+B;MIBzgBI,IA  
AI,EkBihBI,KAAK,CIBjhBT,CAAJ,C;QACI,ckBghBc,wD;QIB/gBd,MAAM,gCAAYB,OAAQ,WAAjC,C;OkBgh  
BV,OLjV4F,oBKiv3E,CLjV2E,EkivtE,eAAF,CAAE,EAAa,gBAAb,CLjVsE,C;K;IKoVhG,kC;MIBrhBI,IAAI,Ek  
B6hBI,KAAK,CIB7hBT,CAAJ,C;QACI,ckB4hBc,wD;QIB3hBd,MAAM,gCAAYB,OAAQ,WAAjC,C;OkB4hBV,a  
AAa,gB;MACb,OAAO,8BAAY,SAAW,eAAF,CAAE,EAAa,MAAb,CAAX,IAAZ,EAA6C,MAA7C,C;K;IAGX,m  
C;MIBliBI,IAAI,EkB0iBI,KAAK,CIB1iBT,CAAJ,C;QACI,ckByiBc,wD;QIBxiBd,MAAM,gCAAYB,OAAQ,WAA  
jC,C;OkByiBV,aAAa,gB;MACb,OL9W6E,oBK8W5D,SAAW,eAAF,CAAE,EAAa,MAAb,CAAX,IL9W4D,C;K;2  
FKiXjF,yB;MAAA,uD;MAAA,oC;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UA  
AU,iCAAK,KAAL,EAAV,CAAL,C;YACI,OAAO,8BAAY,QAAQ,CAAR,IAAZ,EAAuB,gBAAvB,C;;QAGf,OA  
AO,8BAAY,CAAZ,EAAe,gBAAf,C;O;KAXX,C;4FAcA,yB;MAAA,uD;MAAA,oC;MAAA,uC;QAMI,iBAAc,wB  
AAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAV,CAAL,C;YACI,OLvYqE,oBKuYpD,  
QAAQ,CAAR,ILvYoD,C;;QK0Y7E,OAAO,S;O;KAXX,C;oFAcA,yB;MAAA,oC;MAAA,uC;QAM0B,Q;QAAA,u  
B;QAAtB,iBAAc,CAAd,wB;UACI,IAAI,CAAC,UAAU,iCAAI,KAAJ,EAAV,CAAL,C;YACI,OAAO,8BAAY,CA  
AZ,EAAe,KAAf,C;WAEf,OAAO,8BAAY,CAAZ,EAAe,gBAAf,C;O;KAVX,C;oFAaA,yB;MAAA,oC;MAAA,uC;  
QAM0B,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,IAAI,CAAC,UAAU,iCAAI,KAAJ,EAAV,CAAL,C;YACI  
,OL/ZoF,oBK+ZnE,CL/ZmE,EK+ZhE,KL/ZgE,C;WKia5F,OAAO,S;O;KAVX,C;IAaA,gC;MAII,OAAO,qBAAc,S  
AAd,CAAoB,U;K;kFAG/B,yB;MAAA,8B;MAAA,6C;MAAA,4B;QAKY,Q;QAAR,OAA8B,SAAtB,2DAAsB,CA  
AW,W;O;KAL7C,C;oFAQA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MA4EA,6C;MAAA,oC;MAAA,gC;MA5EA,u  
C;QAWI,eAAmC,cAApB,YAAy,gBAAZ,CAAoB,EAAC,EAAd,C;QAC5B,kBAAY,mBAAoB,QAAPB,C;QAYEH  
,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,WA1E8C,SA0E/B,CAAU,oBAAV,C;UzB9EnB,wB  
AAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QyBIA,OA4EO,W;O;KAXFX,C;wFAeA,yB;MAAA,0D;MAAA,yD;  
MAAA,uE;MA6BA,6C;MAAA,oC;MAAA,gC;MA7BA,yC;QAWI,eAAmC,cAApB,YAAy,gBAAZ,CAAoB,EAAC  
,EAAd,C;QAC5B,kBAAc,mBAAuB,QAAvB,C;QA2BL,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;U  
ACZ,WAAy,aA5BuC,WA4BnC,CAAY,oBAAZ,CAAJ,EAA0B,oBAA1B,C;;QA5BhB,OA8BO,W;O;KA1CX,C;w  
FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MA8BA,6C;MAAA,oC;MAAA,gC;MA9BA,yD;QAU,eAAmC,cAA  
pB,YAAy,gBAAZ,CAAoB,EAAC,EAAd,C;QAC5B,kBAAc,mBAAoB,QAAPB,C;QA6BL,Q;QAAA,0B;QAAhB,  
OAAgB,cAAhB,C;UAAgB,oC;UACZ,WAAy,aA9BoC,WA8BhC,CAAY,oBAAZ,CAAJ,EA9BiD,cA8BvB,CAAE  
,oBAAf,CAA1B,C;;QA9BhB,OA9CO,W;O;KA3CX,C;4FAcA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,sD;  
QAUoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,WAAy,aAAI,YAAy,oBAAZ,CAAJ,EAA0

B,oBAA1B,C;;QAEhB,OAAO,W;O;KAbX,C;4FAGBA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,sE;QAUoB,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UACZ,WAAy,aAAI,YAAy,oBAAZ,CAAJ,EAA0B,eAAe,oBAAf,CAA1B,C;;QAEhB,OAAO,W;O;KAbX,C;wFAGBA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oD;QASoB,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UACZ,WAAe,UAAU,oBAAV,C;UzB9EnB,wBAAI,IAAK,MAAT,EAAGB,IAAK,OAAR,C;;QyBgFA,OAAO,W;O;KAZX,C;4FAeA,yB;MAAA,uD;MAAA,0D;MAAA,yD;MAAA,uE;MAGBA,6C;MAAA,oC;MAAA,gC;MAhBA,2C;QAYI,aAAa,mBAA6D,cAAtC,YAAmB,aAAP,gBAAO,EAAa,GAAb,CAAnB,CAAsC,EAAc,EAAc,CAA7D,C;QAcG,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UAbO,MAcP,aAAI,oBAAJ,EAd,eAAcF,CAAc,oBAAAd,CAAb,C;;QAdhB,OAaUB,M;O;KAb3B,C;+FAGBA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,wD;QAUoB,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UACZ,WAAy,aAAI,oBAAJ,EAAa,cAAc,oBAAAd,CAAb,C;;QAEhB,OAAO,W;O;KAbX,C;IAGBA,iD;MALiB,Q;MAAA,4B;MAAb,OAAa,cAAb,C;QAAa,iC;QACT,WAAy,WAAI,iBAAJ,C;;MAEhB,OAAO,W;K;IAGX,iC;MAII,OAAO,2BAAa,eAAc,YAAmB,eAAP,gBAAO,EAAa,GAAb,CAAnB,CAAd,CAAb,C;K;IAGX,8B;MALiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,kB;UAAL,K;aACA,C;UAAK,cAAO,iCAAK,CAAL,EAAP,C;UAAL,K;gBACa,wBAAL,SAAK,C;UAHV,K;;MAAP,W;K;IAOJ,qC;MAII,OAAO,2BAAa,iBAAGB,gBAAhB,CAAb,C;K;IAGX,6B;MAMiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,iCAAK,CAAL,EAAN,C;UAAL,K;gBACQ,kCAAa,qBAAoB,YAAmB,eAAP,gBAAO,EAAa,GAAb,CAAnB,CAApB,CAAb,C;UAHL,K;;MAAP,W;K;gFAOJ,yB;MAAA,+D;MA0CA,6C;MAAA,oC;MAAA,gD;MAAA,gC;MA1CA,uC;QAMW,kBAAU,gB;QAwCD,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UACZ,WAZC6B,SAyClB,CAAU,oBAAV,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QA1ChB,OA4CO,W;O;KAIDX,C;8FASA,yB;MAAA,+D;MAeA,6C;MAAA,oC;MAAA,gD;MAAA,gC;MAfA,uC;QAYW,kBAAiB,gB;QAcR,gB;QADhB,YAAy,C;QACI,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UACZ,WafoC,SAezB,EAAU,cAAV,EAAU,sBAAV,WAAmB,oBAAAnB,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAhBhB,OAkBO,W;O;KA9BX,C;kGAeA,yB;MAAA,6C;MAAA,oC;MAAA,gD;MAAA,gC;MAAA,oD;QAWoB,UACS,M;QAFzB,YAAy,C;QACI,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UACZ,WAAW,WAAU,cAAV,EAAU,sBAAV,WAAmB,oBAAAnB,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KAFX,C;oFAkBA,yB;MAAA,6C;MAAA,oC;MAAA,gD;MAAA,gC;MAAA,oD;QAIoB,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UACZ,WAAW,UAAU,oBAAV,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KARX,C;gFAWA,yB;MAAA,wE;MAyBA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAzBA,yC;QASW,kBAAU,oB;QAYBD,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UACZ,UA1BoD,WA0B1C,CAAY,oBAAZ,C;UzBrjBP,U;UADP,YyBujBe,WzBvjBH,WyBujBwB,GzBvjBxB,C;UACL,IAAI,aAAJ,C;YACH,ayBqjBuC,gB;YAA5B,WzBpjBX,ayBojBgC,GzBpjBhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UyBijBA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QA5BT,OA8BO,W;O;KAvcX,C;gFAYAY,yB;MAAA,wE;MA8BA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MA9BA,yD;QAUW,kBAAU,oB;QA8BD,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UACZ,UA/BiD,WA+BvC,CAAY,oBAAZ,C;UzBvkBP,U;UADP,YyBykBe,WzBzkBH,WyBykBwB,GzBzkBxB,C;UACL,IAAI,aAAJ,C;YACH,ayBukBuC,gB;YAA5B,WzBtkBX,ayBskBgC,GzBtkBhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UyBmkBA,iB;UACA,IAAK,WAJCyD,cAiCrD,CAAe,oBAAf,CAAJ,C;;QAJCT,OAmmCO,W;O;KA7CX,C;oFAaA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sD;QASoB,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAy,oBAAZ,C;UzBrjBP,U;UADP,YyBujBe,WzBvjBH,WyBujBwB,GzBvjBxB,C;UACL,IAAI,aAAJ,C;YACH,ayBqjBuC,gB;YAA5B,WzBpjBX,ayBojBgC,GzBpjBhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UyBijBA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QAET,OAAO,W;O;KAdX,C;oFAiBA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QAUoB,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAy,oBAAZ,C;UzBvkBP,U;UADP,YyBykBe,WzBzkBH,WyBykBwB,GzBzkBxB,C;UACL,IAAI,aAAJ,C;YACH,ayBukBuC,gB;YAA5B,WzBtkBX,ayBskBgC,GzBtkBhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UyBmkBA,iB;UACA,IAAK,WAAI,eAAe,oBAAf,CAAJ,C;;QAET,OAAO,W;O;KAFX,C;qFAkBA,yB;MAAA,6C;MAAA,oC;MAAA,kC;MAAA,4C;MAAA,wE;QAQW,sC;QAAA,8C;O;MARX,oDASQ,Y;QAAGD,OAAGB,SAAhB,oBAAgB,C;O;MATxE,iDAUQ,mB;QAAuC,gCAAY,oBAAZ,C;O;MAV/C,gF;MAAA,yC;QAQI,2D;O;KARJ,C;wEAeA,yB;MAAA,gE;MAyEA,6C;MAAA,oC;MAAA,gC;MAzEA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAUEA,Q;QAAA,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UACT,WAAy,WAXEmB,SAwEf,CAAU,iBAAV,CAAJ,C;;QAXehB,OAYEO,W;O;KAhFX,C;sFAUA,yB;MAAA,gE;MA+BA,6C;MAAA,oC;MAAA,gC;MA/B

A,uC;QAOW,kBAaA,eAAa,gBAAb,C;QAgCP,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;U  
ACT,WAAY,WAjC0B,SAiCtB,EAAU,cAAV,EAAU,sBAAV,WAAmB,iBAAnB,CAAJ,C;;QAJChB,OAKCO,W;O  
;KAZCX,C;mGAUA,yB;MAAA,+D;MAUA,gC;MAoLA,6C;MAAA,oC;MA9LA,uC;QAOW,kBAaOb,gB;QA8Ld  
,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UApLsB,U;UAAA,cAVQ,SAUR,EAoLT,cApLS,  
EAoLT,sBApLS,WaOLA,iBApLA,W;YAA6C,6B;;QAVhF,OAwo,W;O;KAIBX,C;uGAUA,yB;MAAA,gC;MAo  
LA,6C;MAAA,oC;MApLA,oD;QA2LiB,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UApLsB  
,U;UAAA,yBAoLT,cApLS,EAoLT,sBApLS,WaOLA,iBApLA,W;YAA6C,6B;;QACHF,OAAO,W;O;KARX,C;0F  
AWA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oD;QAQiB,UACiB,M;QAF9B,YAAY,C;QACC,0B;QAAb,O  
AAa,cAAb,C;UAAa,iC;UACT,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,iBAAnB,CAAJ,C;;QACH  
B,OAAO,W;O;KAVX,C;qFAaA,yB;MAAA,+D;MAUA,gC;MA2IA,6C;MAAA,oC;MARJA,uC;QAOW,kBAaA,g  
B;QAKJJ,Q;QAAA,0B;QAaHb,OAAgB,cAAhB,C;UAAgB,oC;UA1IK,U;UAAA,cARe,SAQf,CA0IQ,oBA1IR,W;  
YAA5C,6B;;QAR3D,OASO,W;O;KAhBX,C;yFAUA,yB;MAAA,gC;MA2IA,6C;MAAA,oC;MA3IA,oD;QA+IoB,  
Q;QAAA,0B;QAaHb,OAAgB,cAAhB,C;UAAgB,oC;UA1IK,U;UAAA,wBA0IQ,oBA1IR,W;YAA5C,6B;;QAC3D  
,OAAO,W;O;KANX,C;4EASA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oD;QAKiB,Q;QAAA,0B;QAAb,O  
AAa,cAAb,C;UAAa,iC;UACT,WAAY,WAAI,UAAU,iBAAV,CAAJ,C;;QACHB,OAAO,W;O;KAPX,C;IAe4B,4C;  
MAAA,mB;QAAE,iC;O;K;IAL9B,iC;MAKI,OAAO,qBAaiB,6BAajB,C;K;wEAGX,yB;MAAA,6C;MAAA,oC;M  
AAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAaHb,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,CAAC,UAAU,o  
BAAV,CAAL,C;YAAyB,OAAO,K;;QACtD,OAAO,I;O;KAPX,C;IAUA,2B;MAMI,OAAO,ECrwByC,qBAAU,C  
DqwBnD,C;K;wEAGX,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAaHb,OAAgB,  
cAAhB,C;UAAgB,oC;UAAM,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,I;;QACrD,OAAO,K;O;KAPX,C;4E  
AUA,qB;MAKI,OAAO,gB;K;4EAGX,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAKoB,Q;QADhB,YAA  
Y,C;QACI,0B;QAaHb,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,qB;;QAC9  
C,OAAO,K;O;KANX,C;0EASA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,gD;QAUoB,Q;QADhB,kBAakB,  
O;QACF,0B;QAaHb,OAAgB,cAAhB,C;UAAgB,oC;UAAM,cAAc,UAAU,WAAV,EAauB,oBAavB,C;;QACpC,  
OAAO,W;O;KAXX,C;wFAcA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,gD;QAYoB,UAA8B,M;QAF9C,YA  
AY,C;QACZ,kBAakB,O;QACF,0B;QAaHb,OAAgB,cAAhB,C;UAAgB,oC;UAAM,cAAc,WAAU,cAAV,EAAU,  
sBAAV,WAAmB,WAAAnB,EAAGC,oBAAhC,C;;QACpC,OAAO,W;O;KAbX,C;mFAGBa,yB;MAAA,uD;MAAA,  
oC;MAAA,gD;QAYoC,Q;QAHhC,YAAY,wB;QACZ,kBAakB,O;QACiB,OAAO,SAAS,CAAhB,C;UACI,cAAc,  
UAAU,kCAAI,YAAJ,EAaiB,SAAV,EAawB,WAAxB,C;;QAEiB,OAAO,W;O;KAdX,C;iGaiBA,yB;MAA  
A,uD;MAAA,oC;MAAA,gD;QAUI,YAAY,wB;QACZ,kBAakB,O;QACiB,OAAO,SAAS,CAAhB,C;UACI,cAAc,  
UAAU,KAaV,EAaiB,iCAAI,KAajB,EAa6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;gFam  
BA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oC;QAIoB,Q;QAAA,0B;QAaHb,OAAgB,cAAhB,C;UAAgB,o  
C;UAAM,OAAO,oBAAP,C;;O;KAJ1B,C;8FAOA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oC;QAOiB,UAA  
a,M;QAD1B,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,QAAO,cAAP,EAAO,sBAAP,WAAgB,  
iBAAhB,C;;O;KAPvB,C;IAUA,2B;MAGI,OAAO,uB;K;4EAGX,yB;MAMA,uD;MAAA,oC;MANA,sC;QAGW,s  
B;;UAUP,ICz4BgD,qBAAU,CDy4B1D,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,qBAAK,CAAL,C;UACd,gBA  
AqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eAdmB,QAcJ,CAAS,oBAAT,C;U  
ACf,aAAU,cAAV,OAAa,SAAb,M;YACI,QAAQ,qBAAK,CAAL,C;YACR,QAjBe,QAiBP,CAAS,cAAT,C;YACR  
,IAAI,2BAAW,CAAX,KAaj,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QAvBP,yB;O;KAHJ,C;w  
FAMA,yB;MAAA,uD;MAAA,oC;MAAA,sC;QAOI,ICz4BgD,qBAAU,CDy4B1D,C;UAAe,OAAO,I;QACtB,cAA  
c,qBAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eA  
Ae,SAAS,oBAAT,C;QACf,aAAU,cAAV,OAAa,SAAb,M;UACI,QAAQ,qBAAK,CAAL,C;UACR,QAAQ,SAAS,  
cAAT,C;UACR,IAAI,2BAAW,CAAX,KAaj,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAPBX,  
C;4EAuBA,yB;MAAA,sE;MAAA,oC;MAAA,uD;MdzNCA,iB;McynCA,sC;QAEiB,Q;QAFb,ICt6BgD,qBAAU,CD  
s6B1D,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,cAAV,iB;UA  
CI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,WdloCG,MAAO,KckoCO,QdloCP,EckoCiB,CdloCjB,C;;QcooC  
d,OAAO,Q;O;KANBX,C;4EAsBA,yB;MAAA,sE;MAAA,oC;MAAA,uD;Md1pCA,iB;Mc0pCA,sC;QAEiB,Q;QAF  
b,IC57BgD,qBAAU,CD47B1D,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QA



Ab,AAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,WdnqCG,MAAO,KcmqCO,QdnqCP,EmqCiB,CdnqCjB,C;;QcqqCd,OAAO,Q;O;KAnBX,C;4EAsBA,yB;MAAA,sE;MAAA,oC;MAAA,uD;MAAA,sC;QAaiB,Q;QAFb,ICb9BgD,qBAAU,CDg9B1D,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,AAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,2BAAW,CAAX,KA AJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;wFAsBA,yB;MAAA,oC;MAAA,uD;Md3rCA,iB;Mc2rCA ,sC;QAaiB,Q;QAFb,ICt+BgD,qBAAU,CDs+B1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C ;QACF,+B;QAAb,AAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,WdlsCG,MAAO,KcksC O,QdlsCP,EcksCiB,CdlsCjB,C;;QcosCd,OAAO,Q;O;KAjBX,C;wFAoBA,yB;MAAA,oC;MAAA,uD;Md1tCA,iB; Mc0tCA,sC;QAaiB,Q;QAFb,IC1/BgD,qBAAU,CD0/B1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL, EAAT,C;QACF,+B;QAAb,AAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,WdjuCG,MAA O,KciuCO,QdjuCP,EciuCiB,CdjuCjB,C;;QcmuCd,OAAO,Q;O;KAjBX,C;wFAoBA,yB;MAAA,oC;MAAA,uD;M AAA,sC;QAWiB,Q;QAFb,IC5gCgD,qBAAU,CD4gC1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,E AAT,C;QACF,+B;QAAb,AAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,2BAAW,C AAX,KA AJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,sE;MAAA,oC;MAAA,uD; MAAA,kD;QAaiB,Q;QAFb,ICliCgD,qBAAU,CDkiC1D,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,iCAAK,CAAL ,EAAT,C;QACF,+B;QAAb,AAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,S AAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;gGAs BA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,ICtjCgD,qBAAU,CDsjC1D,C;UAAe,OAAO,I;QACt B,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,AAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,E AAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB ,OAAO,Q;O;KAjBX,C;IAoBA,iC;MAOiB,Q;MAFb,ICtkCgD,qBAAU,CDskC1D,C;QAAe,OAAO,I;MACTB,UAA U,qBAAK,CAAL,C;MACG,kC;MAAb,AAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,MAAM,C AAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,2C;MAGI,OAAO,4BAAc,UAA d,C;K;IAGX,iD;MAOiB,Q; MAFb,IC11CgD,qBAAU,CD01C1D,C;QAAe,OAAO,I;MACTB,UAAU,qBAAK,CAAL,C;MACG,kC;MAAb,AAU ,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,gBAAR,EAAa,cAAb,CAAX,GAA6B,CA AjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,2B;MAGI,OAAO,uB;K;4EAGX,yB;MAMA,uD;MAAA,o C;MANA,sC;QAGW,sB;;UAUP,ICtnCgD,qBAAU,CDsnC1D,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,qBAAK ,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAJB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eAdmB,QA cJ,CAAS,oBAAT,C;UACf,AAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,qBAAK,CAAL,C;YACR,QAjBe,QAiBP, CAAS,cAAT,C;YACR,IAAI,2BAAW,CAAX,KA AJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;Q AvBP,yB;O;KAHJ,C;wFAMA,yB;MAAA,uD;MAAA,oC;MAAA,sC;QAOI,ICtnCgD,qBAAU,CDsnC1D,C;UAAe ,OAAO,I;QACtB,cAAc,qBAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAJB,C;UAAo B,OAAO,O;QAC3B,eAAe,SAAS,oBAAT,C;QACf,AAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,qBAAK,CAAL, C;UACR,QAAQ,SAAS,cAAT,C;UACR,IAAI,2BAAW,CAAX,KA AJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAG nB,OAAO,O;O;KApBX,C;4EAuBA,yB;MAAA,sE;MAAA,oC;MAAA,uD;Md1pCA,iB;MckpCA,sC;QAEiB,Q;QA Fb,ICnpCgD,qBAAU,CDmpC1D,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;Q AAb,AAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,Wd3pCG,MAAO,Kc2pCO,Qd3pCP,E c2pCiB,Cd3pCjB,C;;Qc6pCd,OAAO,Q;O;KAnBX,C;4EAsBA,yB;MAAA,sE;MAAA,oC;MAAA,uD;MdnrCA,iB; McmrCA,sC;QAEiB,Q;QAFb,ICzqCgD,qBAAU,CDyqC1D,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,iCAAK,CA AL,EAAT,C;QACF,+B;QAAb,AAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,Wd5rCG,M AAO,Kc4rCO,Qd5rCP,Ec4rCiB,Cd5rCjB,C;;Qc8rCd,OAAO,Q;O;KAnBX,C;4EAsBA,yB;MAAA,sE;MAAA,oC; MAAA,uD;MAAA,sC;QAaiB,Q;QAFb,IC7rCgD,qBAAU,CD6rC1D,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,iC AAK,CAAL,EAAT,C;QACF,+B;QAAb,AAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IA AI,2BAAW,CAAX,KA AJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;wFAsBA,yB;MAAA,oC;MAAA,u D;MdptCA,iB;McotCA,sC;QAaiB,Q;QAFb,ICntCgD,qBAAU,CDmtC1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,i CAAK,CAAL,EAAT,C;QACF,+B;QAAb,AAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR, Wd3tCG,MAAO,Kc2tCO,Qd3tCP,Ec2tCiB,Cd3tCjB,C;;Qc6tCd,OAAO,Q;O;KAjBX,C;wFAoBA,yB;MAAA,oC; MAAA,uD;MdnvCA,iB;McmvCA,sC;QAaiB,Q;QAFb,ICvuCgD,qBAAU,CDuuC1D,C;UAAe,OAAO,I;QACtB,eA

Ae,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,Wd1vCG,MAAO,Kc0vCO,Qd1vCP,EC0vCiB,Cd1vCjB,C;;Qc4vCd,OAAO,Q;O;KAjBX,C;wFAoBA,yB;MAAA,oC;MAAA,uD;MAAA,sC;QAWiB,Q;QAFb,ICzvCgD,qBAAU,CDyvC1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,sE;MAAA,oC;MAAA,uD;MAAA,kD;QAaiB,Q;QAFb,IC/wCgD,qBAAU,CD+wC1D,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;gGAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,ICnyCgD,qBAAU,CDmyC1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;IAoBA,iC;MAOiB,Q;MAFb,ICnzCgD,qBAAU,CDmzC1D,C;QAAe,OAAO,I;MACtB,UAAU,qBAAK,CAAL,C;MACG,kC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,2C;MAGI,OAAO,4BAAc,UAd,C;K;IAGX,iD;MAOiB,Q;MAFb,ICv0CgD,qBAAU,CDu0C1D,C;QAAe,OAAO,I;MACtB,UAAU,qBAAK,CAAL,C;MACG,kC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,gBAAR,EAAa,cAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,4B;MAMI,OCt1CgD,qBAAU,C;K;0EDy1C9D,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,K;;QACrD,OAAO,I;O;KAPX,C;8EAU,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oC;QAKmC,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,OAAO,oBAAP,C;;QAAR,C,gB;O;KALJ,C;4FAQA,yB;MAAA,6B;MAAA,sC;MA/fA,6C;MAAA,oC;MAAA,gC;MA+fA,2BAQiB,yB;QAvGbjB,6C;QAAA,oC;QAAA,gC;eAugBiB,0B;UAAA,4B;YAAE,aAAe,c;YAhgBjB,gB;YADb,YAAY,C;YACC,0B;YAAb,OAAa,cAAb,C;cAAa,iC;cAAM,QAAO,cAAP,EAAO,sBAAP,WAAgB,iBAAhB,C;;YAggBmB,W;W;S;OAAzB,C;MARjB,oC;QAxfiB,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,QAAO,cAAP,EAAO,sBAAP,WAAgB,iBAAhB,C;;QAggBnB,gB;O;KARJ,C;8EAWA,yB;MAAA,4F;MAAA,uD;MAAA,oC;MAAA,gC;MAAA,uC;QAgBqB,Q;QAHjB,ICn4CgD,qBAAU,CDm4C1D,C;UACI,MAAM,mCAA8B,uCAA9B,C;QACV,kBAakB,qBAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,oBAAU,wBAAV,EAAuB,iCAAK,KAAL,EAAvB,E;;QAEIB,OAAO,W;O;KAnBX,C;4FAsBA,yB;MAAA,4F;MAAA,uD;MAAA,oC;MAAA,gC;MAAA,uC;QAgBqB,Q;QAHjB,ICz5CgD,qBAAU,CDy5C1D,C;UACI,MAAM,mCAA8B,uCAA9B,C;QACV,kBAakB,qBAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,oBAAU,KA AV,EAAiB,wBAAjB,EAA8B,iCAAK,KAAL,EAA9B,E;;QAEIB,OAAO,W;O;KAnBX,C;wGAsBA,yB;MAAA,uD;MAAA,oC;MAAA,gC;MAAA,uC;QAgBqB,Q;QAHjB,IC/6CgD,qBAAU,CD+6C1D,C;UACI,OAAO,I;QACX,kBAakB,qBAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,oBAAU,KA AV,EAAiB,wBAAjB,EAA8B,iCAAK,KAAL,EAA9B,E;;QAEIB,OAAO,W;O;KAnBX,C;0FAsBA,yB;MAAA,uD;MAAA,oC;MAAA,gC;MAAA,uC;QAiBqB,Q;QAHjB,ICt8CgD,qBAAU,CDs8C1D,C;UACI,OAAO,I;QACX,kBAakB,qBAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,oBAAU,wBAAV,EAAuB,iCAAK,KAAL,EAAvB,E;;QAEIB,OAAO,W;O;KApBX,C;uFAuBA,yB;MAAA,uD;MAAA,4F;MAAA,oC;MAAA,gC;MAAA,uC;QAe0B,UAEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,uCAA9B,C;QACrB,kBAakB,sBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,oBAAU,kCAAI,cAAJ,EAAI,sBAAJ,WAAV,EAAwB,wBAAxB,E;;QAEIB,OAAO,W;O;KAnBX,C;qGAsBA,yB;MAAA,uD;MAAA,4F;MAAA,oC;MAAA,gC;MAAA,uC;QAe0B,Q;QAFtB,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,uCAA9B,C;QACrB,kBAakB,sBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,oBAAU,KAAV,EAAiB,iCAAI,KAAJ,EAAjB,EAA6B,wBAA7B,E;UACd,qB;;QAEJ,OAAO,W;O;KApBX,C;iHAuBA,yB;MAAA,uD;MAAA,oC;MAAA,gC;MAAA,uC;QAe0B,Q;QAFtB,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAakB,sBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,oBAAU,KAAV,EAAiB,iCAAI,KAAJ,EAAjB,EAA6B,wBAA7B,E;UACd,qB;;QAEJ,OAAO,W;O;KApBX,C;mGAuBA,yB;MAAA,uD;MAAA,oC;MAAA,gC;MAAA,uC;QAgB0B,UAEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAakB,sBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,

oBAAU,kCAAI,cAAJ,EAAI,sBAAJ,WAAV,EAAwB,wBAAXB,E;;QAEIB,OAAO,W;O;KApBX,C;wFAuBA,yB; MAAA,gD;MAAA,gE;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,gD;QAgBoB,Q;QAHhB,ICvjDgD,qBAAU,CDU jD1D,C;UAAe,OAAO,OAAO,OAAP,C;QACgB,kBAAZB,eAAa,mBAAS,CAAT,IAAb,C;QAAiC,8B;QAA9C,af5 wDO,W;Qe6wDP,kBAAkB,O;QACF,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UACZ,cAAc,UAAU,WAAV,EA AuB,oBAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KApBX,C;sGAuBA,yB;MAAA,gD;MAAA ,gE;MAAA,mD;MAAA,oC;MAAA,gD;QAIbKb,gC;QAHd,IC/kDgD,qBAAU,CD+kD1D,C;UAAe,OAAO,OAAO, OAAP,C;QACgB,kBAAZB,eAAa,mBAAS,CAAT,IAAb,C;QAAiC,8B;QAA9C,afpyDO,W;QeqyDP,kBAAkB,O;Q ACJ,6B;QAAA,mB;QAAA,kB;QAAA,kB;QAAAd,0D;UACI,cAAc,UAAU,KAaV,EAAiB,WAAjB,EAA8B,iCAA K,KAAL,EAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;4FAwBA,yB;MAAA,qD;MA AA,gE;MAAA,oC;MAAA,gC;MAAA,uC;QAgB0B,Q;QAHtB,ICtmDgD,qBAAU,CDsmD1D,C;UAAe,OAAO,W; QACtB,sBAAkB,qBAAK,CAAL,CAAIB,C;QACqC,kBAAXB,eAAGB,gBAAhB,C;QAAgC,sBAAI,0BAAJ,C;QA A7C,af5zDO,W;Qe6zDe,uB;QAAtB,iBAAC,CAAd,wB;UACI,gBAAC,oBAAU,0BAAV,EAAuB,iCAAk,KAAL,E AAvB,E;UACd,MAAO,WAAI,0BAAJ,C;;QAEX,OAAO,M;O;KApBX,C;0GAuBA,yB;MAAA,qD;MAAA,gE;M AAA,oC;MAAA,gC;MAAA,uC;QAIb0B,Q;QAHtB,IC9nDgD,qBAAU,CD8nD1D,C;UAAe,OAAO,W;QACtB,sB AAKB,qBAAK,CAAL,CAAIB,C;QACqC,kBAAXB,eAAGB,gBAAhB,C;QAAgC,sBAAI,0BAAJ,C;QAA7C,afp1D O,W;Qeq1De,uB;QAAtB,iBAAC,CAAd,wB;UACI,gBAAC,oBAAU,KAaV,EAAiB,0BAAjB,EAA8B,iCAAk,KA AL,EAA9B,E;UACd,MAAO,WAAI,0BAAJ,C;;QAEX,OAAO,M;O;KArBX,C;0EAwBA,yB;MA9FA,gD;MAAA, gE;MAAA,6C;MAAA,oC;MAAA,gC;MA8FA,gD;QAcW,sB;;UA5FS,Q;UAHhB,ICvjDgD,qBAAU,CDUjD1D,C; YAAe,qBAAO,OA+FH,OA/FG,C;YAAP,uB;WACuB,kBAAZB,eAAa,mBAAS,CAAT,IAAb,C;UAAiC,sBA8F3B, OA9F2B,C;UAA9C,af5wDO,W;Ue6wDP,kBA6FmB,O;UA5FH,0B;UAAhB,OAAGB,cAAhB,C;YAAgB,oC;YAC Z,cA2FwB,SA3FV,CAAU,WAAV,EAAuB,oBAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QA wFP,yB;O;KAdJ,C;wFAiBA,yB;MAxFA,gD;MAAA,gE;MAAA,mD;MAAA,oC;MAwFA,gD;QAcW,6B;;UAtFO, gC;UAHd,IC/kDgD,qBAAU,CD+kD1D,C;YAAe,4BAAO,OAYFI,OAzFJ,C;YAAP,8B;WACuB,kBAAZB,eAAa,m BAAS,CAAT,IAAb,C;UAAiC,sBAwFpB,OAxFoB,C;UAA9C,afpyDO,W;UeqyDP,kBAuF0B,O;UAtFZ,6B;UAA A,mB;UAAA,kB;UAAA,kB;UAAAd,0D;YACI,cAqF+B,SArFjB,CAAU,KAaV,EAAiB,WAAjB,EAA8B,iCAAk,K AAL,EAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;;QAKFP,gC;O;KAFj,C;4EAkBA,yB;MAAA,6 C;MAAA,oC;MAAA,gC;MAAA,sC;QAOoB,Q;QADhB,UAAe,C;QACC,0B;QAAhB,OAAGB,cAAhB,C;UAAgB, oC;UACZ,YAAO,SAAS,oBAAT,CAAP,I;;QAEJ,OAAO,G;O;KAVX,C;wFAaA,yB;MAAA,6C;MAAA,oC;MAA A,gC;MAAA,sC;QAOoB,Q;QADhB,UAAkB,G;QACF,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UACZ,OAAO, SAAS,oBAAT,C;;QAEX,OAAO,G;O;KAVX,C;4EAaA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,sC;QAUoB ,Q;QADhB,UAAoB,C;QACJ,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UACZ,OAAO,SAAS,oBAAT,C;;QAEX, OAAO,G;O;KAbX,C;4EAgBA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,sC;QAUoB,Q;QADhB,UAAe,C;QA CC,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UACZ,YAAO,SAAS,oBAAT,CAAP,I;;QAEJ,OAAO,G;O;KAbX, C;4EAgBA,yB;MAAA,SASoB,gB;MATpB,6C;MAAA,oC;MAAA,gC;MAAA,sC;QAUoB,Q;QADhB,Y;QACgB,0 B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UACZ,cAAO,SAAS,oBAAT,CAAP,C;;QAEJ,OAAO,G;O;KAbX,C;4E AgBA,yB;MAAA,6C;MAAA,oC;MAAA,gC;M7BppDA,6B;M6BopDA,sC;QAWoB,Q;QADhB,U7BppDmC,c6Bo pDnB,C7BppDmB,C;Q6BqpDnB,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UACZ,M7Bx9DiD,c6Bw9DjD,G7B x9D2D,KAAX,G6Bw9DzD,SAAS,oBAAT,C7Bx9DoE,KAAX,IAAf,C;;Q6B09DrD,OAAO,G;O;KAdX,C;4EAI B A,yB;MAAA,6C;MAAA,oC;MAAA,gC;MblqDA,+B;MakqDA,sC;QAWoB,Q;QADhB,UbjqDqC,eAAW,oBaiqD/ B,CbjqD+B,CAAX,C;QakqDrB,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UACZ,Mbt+DmD,eas+DnD,Gbt+D8 D,KAAX,Kas+D5D,SAAS,oBAAT,Cbt+DuE,KAAX,CAAhB,C;;Qaw+DvD,OAAO,G;O;KAdX,C;IAiBA,oC;MA WI,OAAO,sBAAS,IAAT,EAAe,IAAf,EAAc,IAAT,C;K;IAGX,+C;MAGBI,OAAO,sBAAS,IAAT,EAAe,IAAf,E AAsC,IAAtC,EAAwD,SAAXD,C;K;IACsB,oC;MAAE,OAAA,EAAG,W;K;IAXiC,0C;MAWI,OAAO,6BAAgB,IA AhB,EAAsB,sBAATB,C;K;IAGX,uD;MAGBI,OAAO,8BAAiB,IAAjB,EAAuB,IAAvB,EAA8C,IAA9C,EAAgE,SA AhE,C;K;oFAGX,yB;MAAA,yD;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,6B;MAAA,uC;QAUoB,Q;QAFhB,Y AAY,oB;QACZ,aAAa,oB;QACG,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UACZ,IAAI,UAAU,oBAAV,CAAJ, C;YACI,KAAM,gBAAO,OAAP,C;;YAEN,MAAO,gBAAO,OAAP,C;;QAGf,OAAO,cAAK,KAAL,EAAy,MAA Z,C;O;KAjBX,C;oFAoBA,yB;MAAA,yD;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,6B;MAAA,uC;QAUoB,Q;Q

AFhB,YAAy,oB;QACZ,aAAa,oB;QACG,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,IAAI,UAAU,oBAA  
V,CAAJ,C;YACI,KAAM,gBAAO,OAAP,C;;YAEN,MAAO,gBAAO,OAAP,C;;;QAGf,OAAO,cAAK,KAAM,WA  
AX,EAAuB,MAAO,WAA9B,C;O;KAjBX,C;IAqCgD,6B;MAAE,OAAA,EAAG,W;K;IAjBrD,2D;MAgB4C,oB;Q  
AAA,OAAy,C;MAAG,8B;QAAA,iBAA0B,K;MACjF,OAAO,sBAAS,IAAT,EAae,IAAf,EAAqB,cAARb,EAAqC  
,eAARc,C;K;IAGX,sE;MAkBgD,oB;QAAA,OAAy,C;MAAG,8B;QAAA,iBAA0B,K;MAQhE,Q;MAPrB,oBAAo  
B,IAApB,EAA0B,IAA1B,C;MACA,eAAe,SAAK,O;MACpB,qBAAqB,YAAW,IAAX,SAAsB,WAAW,IAAX,KA  
AmB,CAAvB,GAA0B,CAA1B,GAAiC,CAAnD,K;MACrB,aAAa,iBAAa,cAAb,C;MACb,YAAy,C;MACZ,OAAg  
B,CAAT,qBAAiB,QAAxB,C;QACI,UAAU,QAAQ,IAAR,I;QACO,IAAI,MAAM,CAAN,IAAW,MAAM,QAARb,  
C;UAAiC,IAAI,cAAJ,C;YAAoB,e;;YAAc,K;;UAAa,U;QAAjG,qB;QACA,MAAO,WAAI,UAAU,8BAAy,KAAZ,  
EAAmB,UAAAnB,CAAV,CAAJ,C;QACP,gBAAS,IAAT,I;;MAEJ,OAAO,M;K;IAoB6C,qC;MAAE,OAAA,EAAG,  
W;K;IAjB7D,iE;MAgBoD,oB;QAAA,OAAy,C;MAAG,8B;QAAA,iBAA0B,K;MACzF,OAAO,8BAAiB,IAAjB,E  
AAuB,IAAvB,EAA6B,cAA7B,EAA6C,uBAA7C,C;K;IAwByB,2F;MAAA,wB;QAC5B,UAAU,QAAQ,YAAR,I;Q  
ACV,iBAAqB,MAAM,CAAN,IAAW,MAAM,4BAARb,GAA6B,4BAA7B,GAAyC,G;QAD1D,OAEA,kBAAU,0C  
AAy,KAAZ,EAAmB,UAAAnB,CAAV,C;O;K;IAxBR,gF;MAkBwD,sB;QAAA,SAAY,C;MAAG,8B;QAAA,iBAA  
0B,K;MAC7F,oBAAoB,IAApB,EAA0B,MAA1B,C;MACA,cAAc,KAAK,cAAJ,GAAoB,yBAAPb,GAAiC,WAA  
Q,mBAAS,IAAT,GAAGB,CAAhB,IAAR,CAAIC,EAaKE,MAAI,E,C;MACd,OAA4B,OAAb,aAAR,OAAQ,CAAa,  
EAAI,qDAAJ,C;K;IAOhC,kC;MAkBI,ad3hEO,MAAO,Kc2hEU,gBd3hEV,EcghEH,KAW2B,Od3hExB,C;Mc4hE  
d,WAAW,iBAAa,MAAb,C;MACX,aAAU,CAAV,MAAkB,MAAIb,M;QACI,IAAK,WAdqB,GAcP,iCAAK,CAA  
L,EAdO,EAcE,YAdrB,KAcqB,YAAM,CAAN,EAdF,CACrB,C;;MAdT,OAgBO,I;K;wEAbX,yB;MAAA,gE;MAA  
A,oC;MdzHEA,iB;McyHEA,8C;QAQI,ad3hEO,MAAO,Kc2hEK,SAAK,Od3hEV,Ec2hEkB,KAAM,Od3hExB,C;Qc  
4hEd,WAAW,eAAa,MAAb,C;QACX,aAAU,CAAV,MAAkB,MAAIb,M;UACI,IAAK,WAAI,UAAU,iCAAK,CA  
AL,EAAV,EAAmB,6BAAM,CAAN,EAAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAGbA,kC;MASW,sB;;QAaP,  
WAAW,mBAAS,CAAT,I;QACX,IAAI,OAAO,CAAX,C;UAAc,qBAAO,W;UAAP,uB;SACd,aAAa,iBAAa,IAAb,  
C;QACb,iBAAc,CAAd,UAAsB,IAAtB,U;UACI,MAAO,WAjBkB,GAiBJ,iCAAK,KAAL,EAjBI,EAiBS,iCAAK,Q  
AAQ,CAAR,IAAL,EAjBT,CAiBIB,C;;QAEX,qBAAO,M;;;MAnBP,yB;K;uFAGJ,yB;MAAA,qD;MAAA,gE;MAA  
A,oC;MAAA,uC;QAUI,WAAW,mBAAS,CAAT,I;QACX,IAAI,OAAO,CAAX,C;UAAc,OAAO,W;QACrB,aAAa,  
eAAa,IAAb,C;QACb,iBAAc,CAAd,UAAsB,IAAtB,U;UACI,MAAO,WAAI,UAAU,iCAAK,KAAL,EAAV,EAAu  
B,iCAAK,QAAQ,CAAR,IAAL,EAAvB,CAAJ,C;;QAEX,OAAO,M;O;KAhBX,C;IAwBoB,8C;MAAA,mB;QAAE,  
OAAK,WAAW,eAAK,C;O;K;IAL3B,kC;MAIQ,wC;MAAA,S;QAAkB,OCniE0B,qBAAU,C;ODmiE1D,S;QAAiC,  
OAAO,W;MACxC,oCAAgB,8BAAhB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,WAAW,eAAK,C;O;K;IAL3B,k  
C;MAIQ,wC;MAAA,S;QAAkB,OC3iE0B,qBAAU,C;OD2iE1D,S;QAAiC,OAAO,e;MACxC,oCAAgB,8BAAhB,C  
;K;IEpwEkC,yC;MAAA,wB;QAAW,OAAA,aAAK,KAAL,ChCsLV,K;O;K;liClH,wC;MAAA,wB;QAAW,OAA  
A,aAAK,KAAL,ChC8NV,K;O;K;liC9NC,yC;MAAA,wB;QAAW,OAAA,aAAK,KAAL,CjByOV,K;O;K;IkBzOC,  
0C;MAAA,wB;QAAW,OAAA,aAAK,KAAL,CjCiMV,K;O;K;4FkC5PzC,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6F  
AGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAA  
O,sBAAI,CAAJ,C;K;4FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;  
6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;4FAGX,qB;MAUI,OA  
AO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;  
;6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;4FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,O  
AAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;  
K;4FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,  
OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;uGAuCX,yB;MA8gHI,8D;MA9gHJ,iD;Q  
ASe,oBAAS,C;QAAT,S;UAAc,gBAqgHT,cAAR,iBAAQ,C;SArgHhB,OAAO,OAAsC,sBAAI,KAAJ,CAATc,GA  
AsD,aAAa,KAAb,C;O;KATjE,C;uGAYa,yB;MA0gHI,8D;MA1gHJ,iD;QASe,oBAAS,C;QAAT,S;UAAc,gBAigH  
T,cAAR,iBAAQ,C;SAjgHhB,OAAO,OAAsC,sBAAI,KAAJ,CAATc,GAAsD,aAAa,KAAb,C;O;KATjE,C;uGAYa,  
yB;MASgHI,8D;MATgHJ,iD;QASe,oBAAS,C;QAAT,S;UAAc,gBA6/GT,cAAR,iBAAQ,C;SA7/GhB,OAAO,OAA  
sC,sBAAI,KAAJ,CAATc,GAAsD,aAAa,KAAb,C;O;KATjE,C;uGAYa,yB;MAkgHI,8D;MALgHJ,iD;QASe,oBAA  
S,C;QAAT,S;UAAc,gBAy/GT,cAAR,iBAAQ,C;SAz/GhB,OAAO,OAAsC,sBAAI,KAAJ,CAATc,GAAsD,aAAa,K

AAb,C;O;KATjE,C;uGAYA,yB;MAAA,sD;MAAA,mC;QASI,OAAy,UAAL,SAAK,EAAU,KAAV,C;O;KAThB,C;uGAYA,yB;MAAA,sD;MAAA,mC;QASI,OAAy,UAAL,SAAK,EAAU,KAAV,C;O;KAThB,C;uGAYA,yB;MAAA,sD;MAAA,mC;QASI,OAAy,UAAL,SAAK,EAAU,KAAV,C;O;KAThB,C;uGAYA,yB;MAAA,sD;MAAA,mC;QASI,OAAy,UAAL,SAAK,EAAU,KAAV,C;O;KAThB,C;IFAYa,gC;MASW,sB;;QA8NS,Q;QAAA,2B;QAaHb,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA9NH,SA8NO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;MA/NP,yB;K;IFAGJ,gC;MASW,sB;;QA6NS,Q;QAAA,2B;QAaHb,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA7NH,SA6NO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;MA9NP,yB;K;IFAGJ,gC;MASW,sB;;QA4NS,Q;QAAA,2B;QAaHb,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA5NH,SA4NO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;MA7NP,yB;K;IFAGJ,gC;MASW,sB;;QA2NS,Q;QAAA,2B;QAaHb,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA3NH,SA2NO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;MA5NP,yB;K;yFAGJ,yB;MA4nBA,+C;MAkuFI,0D;MA91GJ,uC;QASW,qB;;UA4nBO,Q;UAAA,OAAa,SAyFX,YAAR,iBAAQ,CAZtFW,CAAb,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA9nBc,SA8nBV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;UAE5B,oBAAO,I;;QahoBP,wB;O;KATJ,C;yFAYa,yB;MAgoBA,+C;MA0tFI,0D;MA11GJ,uC;QASW,qB;;UAgoBO,Q;UAAA,OAAa,SAitFX,YAAR,iBAAQ,CAjtFW,CAAb,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAloBc,SAkoBV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;UAE5B,oBAAO,I;;QApoBP,wB;O;KATJ,C;yFAYa,yB;MAooBA,+C;MAktFI,0D;MAt1GJ,uC;QASW,qB;;UAooBO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAtoBc,SAsoBV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;UAE5B,oBAAO,I;;QAxoBP,wB;O;KATJ,C;yFAYa,yB;MAwoBA,+C;MA0sFI,0D;MA11GJ,uC;QASW,qB;;UAwoBO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA1oBc,SA0oBV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;UAE5B,oBAAO,I;;QA5oBP,wB;O;KATJ,C;mFAYa,yB;MAAA,8C;MnCPHA,6B;MmCoHA,4B;QAQI,OnCIHmC,cmCkHpB,MAAR,iBAAQ,CnCIHoB,C;O;KmC0GvC,C;mFAWA,yB;MAAA,8C;MnBhHA,+B;MmBgHA,4B;QAQI,OnB9GsC,emB8GvB,MAAR,iBAAQ,CnB9GuB,C;O;KmBsG1C,C;mFAWA,yB;MAAA,8C;MpCxLA,+B;MoCwLA,4B;QAQI,OpCtLsC,eoCsLvB,MAAR,iBAAQ,CpCtLuB,C;O;KkC4K7C,C;mFAWA,yB;MAAA,8C;MiCtLA,iC;MkCsLA,4B;QAQI,OiCpLyC,gBkCoL1B,MAAR,iBAAQ,CiCpL0B,C;O;KkC4K7C,C;mFAWA,yB;MAAA,8C;QAQoB,Q;QAAA,2B;QAaHb,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAAvB,C;O;KATV,C;mFAYa,yB;MAAA,iE;MAAA,uC;QAQoB,Q;QAAA,2B;QAaHb,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAAvB,C;O;KATV,C;mFAYa,yB;MAAA,iE;MAAA,uC;QAQoB,Q;QAAA,2B;QAaHb,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAAvB,C;O;KATV,C;IAYa,mC;MAMI,OAAW,mBAAJ,GAAe,IAAf,GAAYB,sBAAK,CAAL,C;K;IAGpC,mC;MAMI,OAAW,mBAAJ,GAAe,IAAf,GAAYB,sBAAK,CAAL,C;K;IAGpC,mC;MAMI,OAAW,mBAAJ,GAAe,IAAf,GAAYB,sBAAK,CAAL,C;K;+FAGpC,gC;MAOoB,Q;MAAA,2B;MAaHb,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;+FAGX,gC;MAOoB,Q;MAAA,2B;MAaHb,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;+FAGX,gC;MAOoB,Q;MAAA,2B;MAaHb,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;+FAGX,gC;MAOoB,Q;MAAA,2B;MAaHb,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;2FAGX,yB;MAkqGI,8D;MA1qGJ,iD;QAOe,oBAAS,C;QAAT,S;UAAc,gBA2pGT,cAAR,iBAAQ,C;SA3pGhB,OAAO,OAAc,sBAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KAPjE,C;2FAUA,yB;MAgqGI,8D;MAhqGJ,iD;QAOe,oBAAS,C;QAAT,S;UAAc,gBAypGT,cAAR,iBAAQ,C;SAzpGhB,OAAO,OAAc,sBAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KAPjE,C;2FAUA,yB;MA8pGI,8D;MA9pGJ,iD;QAOe,oBAAS,C;QAAT,S;UAAc,gBAupGT,cAAR,iBAAQ,C;SAvpGhB,OAAO,OAAc,sBAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KAPjE,C;2FAUA,yB;MA4pGI,8D;MA5pGJ,iD;QAOe,oBAAS,C;QAAT,S;UAAc,gBAqpGT,cAAR,iBAAQ,C;SArpGhB,OAAO,O

AAcS,sBAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KAPjE,C;IAUA,wC;MAQe,oBAAS,C;MAAT,S;QAAC,g  
BAknGT,gBAAR,iBAAQ,C;OAlnGhB,OAAO,OAAcS,sBAAI,KAAJ,CAAtC,GAAsD,I;K;IAGjE,wC;MAQe,oBA  
AS,C;MAAT,S;QAAC,gBA+mGT,gBAAR,iBAAQ,C;OA/mGhB,OAAO,OAAcS,sBAAI,KAAJ,CAAtC,GAAsD,I;  
K;IAGjE,wC;MAQe,oBAAS,C;MAAT,S;QAAC,gBA4mGT,gBAAR,iBAAQ,C;OA5mGhB,OAAO,OAAcS,sBAAI  
,KAAJ,CAAtC,GAAsD,I;K;IAGjE,wC;MAQe,oBAAS,C;MAAT,S;QAAC,gBAYmGT,gBAAR,iBAAQ,C;OAZmG  
hB,OAAO,OAAcS,sBAAI,KAAJ,CAAtC,GAAsD,I;K;uFAGjE,yB;MAAA,kD;MAAA,qC;QAOI,OAAe,QAAR,iB  
AAQ,EAAQ,OnCtdU,KmCsdIB,C;O;KAPnB,C;uFAUA,yB;MAAA,kD;MAAA,qC;QAOI,OAAe,QAAR,iBAAQ,E  
AAQ,OnBrdY,KmBqdpB,C;O;KAPnB,C;uFAUA,yB;MAAA,kD;MAAA,qC;QAOI,OAAe,QAAR,iBAAQ,EAAQ,  
OpClhBY,KoCkhBpB,C;O;KAPnB,C;uFAUA,yB;MAAA,kD;MAAA,qC;QAOI,OAAe,QAAR,iBAAQ,EAAQ,Ol  
CjhBc,KkCihBtB,C;O;KAPnB,C;iGAUA,yB;MAAA,sC;MnC5ZA,6B;MmC4ZA,0BAOGC,yB;QnCnahC,6B;emC  
magC,6B;UAAA,qB;YAAE,yBnCzZK,cmCyZK,EnCzZL,CmCyZL,C;W;S;OAAF,C;MAPhC,uC;QAOMb,kBAA  
R,iB;QAAQ,uB;;UtC40Bf,0D;YACI,IsC70B0B,UnCzZK,cHsuCjB,YAAK,KAAL,CGtuCiB,CmCyZL,CtC60B1B,  
C;cACI,sBAAO,K;cAAP,wB;;UAGR,sBAAO,E;;;QsCj1BP,0B;O;KAPJ,C;iGAUA,yB;MAAA,sC;MnBvZA,+B;M  
mBuZA,0BAOGC,yB;QnB9ZhC,+B;emB8ZgC,6B;UAAA,qB;YAAE,yBnBpZQ,emBoZE,EnBpZF,CmBoZR,C;W;  
S;OAAF,C;MAPhC,uC;QAOMb,kBAAR,iB;QAAQ,uB;;UtC80Bf,0D;YACI,IsC/0B0B,UnBpZQ,enBmuCpB,YAA  
K,KAAL,CmBnuCoB,CmBoZR,CtC+0B1B,C;cACI,sBAAO,K;cAAP,wB;;UAGR,sBAAO,E;;;QsCn1BP,0B;O;KA  
PJ,C;iGAUA,yB;MAAA,sC;MpC9dA,+B;MoC8dA,0BAOGC,yB;QpCrehC,+B;eoCqegC,6B;UAAA,qB;YAAE,yB  
pC3dQ,eoC2dE,EpC3dF,CoC2dR,C;W;S;OAAF,C;MAPhC,uC;QAOMb,kBAAR,iB;QAAQ,uB;;UtCgyBf,0D;YA  
CI,IsCjyB0B,UpC3dQ,eF4vCpB,YAAK,KAAL,CE5vCoB,CoC2dR,CtCiyB1B,C;cACI,sBAAO,K;cAAP,wB;;UA  
GR,sBAAO,E;;;QsCryBP,0B;O;KAPJ,C;iGAUA,yB;MAAA,sC;MIC3dA,iC;MkC2dA,0BAOGC,yB;QIClehC,iC;ek  
CkegC,6B;UAAA,qB;YAAE,yBICxdW,gBkCwdD,ElCxdC,CkCwdX,C;W;S;OAAF,C;MAPhC,uC;QAOMb,kBA  
AR,iB;QAAQ,uB;;UtCkyBf,0D;YACI,IsCnyB0B,UICxdW,gBJ2vCvB,YAAK,KAAL,CI3vCuB,CkCwdX,CtCmyB  
1B,C;cACI,sBAAO,K;cAAP,wB;;UAGR,sBAAO,E;;;QsCvyBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCm5BA,  
0D;MAAA,+C;MGv1CA,6B;MmCocA,yBAO+B,yB;QnC3c/B,6B;emC2c+B,6B;UAAA,qB;YAAE,yBnCjcm,cmC  
icI,EnCjCj,CmCicN,C;W;S;OAAF,C;MAP/B,uC;QAOMb,kBAAR,iB;QAAQ,sB;;UtCg5BD,Q;UAAA,OAAQ,SA  
AR,wBAAQ,CAAR,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;YACV,IsCj5ByB,UnCjcm,cHk1CjB,YAAK,KAAL,CGI  
1CiB,CmCicN,CtCi5BzB,C;cACI,qBAAO,K;cAAP,uB;;UAGR,qBAAO,E;;;QsCr5BP,yB;O;KAPJ,C;+FAUA,yB;  
MAAA,sC;MtCq5BA,0D;MAAA,+C;MmBp1CA,+B;MmB+bA,yBAO+B,yB;QnBtc/B,+B;emBsc+B,6B;UAAA,q  
B;YAAE,yBnB5bS,emB4bC,EnB5bD,CmB4bT,C;W;S;OAAF,C;MAP/B,uC;QAOMb,kBAAR,iB;QAAQ,sB;;UtC  
k5BD,Q;UAAA,OAAQ,SAAR,wBAAQ,CAAR,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;YACV,IsCn5ByB,UnB5bS,en  
B+0CpB,YAAK,KAAL,CmB/0CoB,CmB4bT,CtCm5BzB,C;cACI,qBAAO,K;cAAP,uB;;UAGR,qBAAO,E;;;QsCv  
5BP,yB;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCu2BA,0D;MAAA,+C;ME72CA,+B;MoCsgBA,yBAO+B,yB;QpC7  
gB/B,+B;eoC6gB+B,6B;UAAA,qB;YAAE,yBpCngBS,eoCmgBC,EpCngBD,CoCmgBT,C;W;S;OAAF,C;MAP/B,  
uC;QAOMb,kBAAR,iB;QAAQ,sB;;UtCo2BD,Q;UAAA,OAAQ,SAAR,wBAAQ,CAAR,W;UAAAd,OAAc,cAAAd,C;  
YAAc,uB;YACV,IsCr2ByB,UpCngBS,eFw2CpB,YAAK,KAAL,CEx2CoB,CoCmgBT,CtCq2BzB,C;cACI,qBAA  
O,K;cAAP,uB;;UAGR,qBAAO,E;;;QsCz2BP,yB;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCy2BA,0D;MAAA,+C;MI  
52CA,iC;MkCmgBA,yBAO+B,yB;QIC1gB/B,iC;ekC0gB+B,6B;UAAA,qB;YAAE,yBIChgBY,gBkCggBF,ElChgB  
E,CkCggBZ,C;W;S;OAAF,C;MAP/B,uC;QAOMb,kBAAR,iB;QAAQ,sB;;UtCs2BD,Q;UAAA,OAAQ,SAAR,wB  
AAQ,CAAR,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;YACV,IsCv2ByB,UIChgBY,gBJu2CvB,YAAK,KAAL,Civ2Cu  
B,CkCggBZ,CtCu2BzB,C;cACI,qBAAO,K;cAAP,uB;;UAGR,qBAAO,E;;;QsC32BP,yB;O;KAPJ,C;+FAUA,yB;M  
AAA,4C;MnC5eA,6B;MmC4eA,4B;QAWI,OnC7emC,cmC6epB,KAAR,iBAAQ,CnC7eoB,C;O;KmCkevC,C;iFAC  
A,yB;MAAA,4C;MnB3eA,+B;MmB2eA,4B;QAWI,OnB5esC,emB4evB,KAAR,iBAAQ,CnB5euB,C;O;KmBie1C,  
C;iFACa,yB;MAAA,4C;MpCtjBA,+B;MoCsjBA,4B;QAWI,OpCvjBsC,eoCujBvB,KAAR,iBAAQ,CpCvjBuB,C;O  
;KoC4iB1C,C;iFACa,yB;MAAA,4C;MICvjBA,iC;MkCujBA,4B;QAWI,OICxjByC,gBkCwjB1B,KAAR,iBAAQ,C  
ICxjB0B,C;O;KkC6iB7C,C;iFACa,yB;MAAA,+C;MAAA,iE;MA83FI,0D;MA93FJ,uC;QAWkB,Q;QAAA,OAAa,  
SAm3FX,YAn3FF,SAm3FN,QAAQ,CAn3FW,CAAb,W;QAAAd,OAAc,cAAAd,C;UAAc,uB;UACV,cAAc,sBAAK,  
KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,MAAM,gCAAuB,mDAAvB,C;O;KAF  
V,C;iFakBA,yB;MAAA,+C;MAAA,iE;MAo3FI,0D;MAP3FJ,uC;QAWkB,Q;QAAA,OAAa,SAy2FX,YAz2FF,SA

y2FN,QAAQ,CAz2FW,CAAb,W;QAAd,OAAc,cAAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,MAAM,gCAAuB,mDAAvB,C;O;KAFv,C;iFAkBA,yB;MAAA,+C;MAAA,iE;MA02FI,0D;MA12FJ,uC;QAWkB,Q;QAAA,OAAa,SA+1FX,YA/1FF,SA+1FN,QAAQ,CA/1FW,C AAb,W;QAAd,OAAc,cAAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,MAAM,gCAAuB,mDAAvB,C;O;KAFv,C;iFAkBA,yB;MAAA,+C;MAAA,iE;MAg2FI,0D;MAh2FJ,uC;QAWkB,Q;QAAA,OAAa,SAq1FX,YAr1FF,SAq1FN,QAAQ,CAR1FW,CAAb,W;QAAd,OAAc,cAAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,MAAM,gCAAuB,mDAAvB,C;O;KAFv,C;+FAkBA,yB;MAAA,0D;MAAA,qC;QAOI,OAAe,YAAR,iBAAQ,EAAY,OnC9sBM,KmC8sBIB,C;O;KAPnB,C;+FAUA,yB;MAAA,0D;MAAA,qC;QAOI,OAAe,YAAR,iBAAQ,EAA Y,OnB7sBQ,KmB6sBpB,C;O;KAPnB,C;+FAUA,yB;MAAA,0D;MAAA,qC;QAOI,OAAe,YAAR,iBAAQ,EAA Y,OpC1wBQ,KoC0wBpB,C;O;KAPnB,C;+FAUA,yB;MAAA,0D;MAAA,qC;QAOI,OAAe,YAAR,iBAAQ,EAA Y,O ICzwBU,KkCywBtB,C;O;KAPnB,C;IAUA,kC;MAQI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,iBAAO,CAAP,IAAL,C;K;IAGpC,kC;MAQI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,iBAAO,CAAP,IAAL,C;K;IAGpC,kC;MAQI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,iBAAO,CAAP,IAAL,C;K;IAGpC,kC;MAQI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,iBAAO,CAAP,IAAL,C;K;6FAGpC,yB;MAAA,+C;MAkuFI,0D;MALuFJ,uC;Q ASkB,Q;QAAA,OAAa,SAytFX,YAZtFF,SAytFN,QAAQ,CAZtFW,CAAb,W;QAAd,OAAc,cAAAd,C;UAAc,uB;UA CV,cAAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,OAAO,I;O;KAbX,C;6FAGBA,yB;MAAA,+C;MA0tFI,0D;MA1tFJ,uC;QASkB,Q;QAAA,OAAa,SAitFX,YAjtFF,SAitFN,QAAQ,CAjt FW,CAAb,W;QAAd,OAAc,cAAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ ,C;YAAwB,OAAO,O;;QAEEnC,OAAO,I;O;KAbX,C;6FAGBA,yB;MAAA,+C;MAktFI,0D;MAltFJ,uC;QASkB,Q;Q AAA,OAAa,SAysFX,YAZsFF,SAysFN,QAAQ,CAZsFW,CAAb,W;QAAd,OAAc,cAAAd,C;UAAc,uB;UACV,cAAc ,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,OAAO,I;O;KAbX,C;6FAGB A,yB;MAAA,+C;MA0sFI,0D;MA1sFJ,uC;QASkB,Q;QAAA,OAAa,SAisFX,YAjsFF,SAisFN,QAAQ,CAjsFW,CA Ab,W;QAAd,OAAc,cAAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YA AwB,OAAO,O;;QAEEnC,OAAO,I;O;KAbX,C;qFAGBA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QASI,OAAO,kBAA O,cAAP,C;O;KATX,C;qFAYA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QASI,OAAO,kBAAO,cAAP,C;O;KATX,C;qFAYA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QASI,OAAO,kBAAO,cAAP,C;O;KATX,C;IAYA,sC;MAQI,IAAI,mBAAJ,C;QACI,M AAM,2BAAuB,iBAAvB,C;MACV,OAAO,sBAAL,MAAO,iBAAQ,cAAR,CAAX,C;K;IAGX,sC;MAQI,IAAI,mB AAJ,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,sBAAL,MAAO,iBAAQ,cAAR,CAAX,C;K;IAGX,sC; MAQI,IAAI,mBAAJ,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,sBAAL,MAAO,iBAAQ,cAAR,CAAX, C;K;IAGX,sC;MAQI,IAAI,mBAAJ,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,sBAAL,MAAO,iBAAQ ,cAAR,CAAX,C;K;iGAGX,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAQI,OAAO,wBAAa,cAAb,C;O;KARX,C;iG AWA,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAQI,OAAO,wBAAa,cAAb,C;O;KARX,C;iGAWA,yB;MAAA,mC ;MAAA,4D;MAAA,4B;QAQI,OAAO,wBAAa,cAAb,C;O;KARX,C;iGAWA,yB;MAAA,mC;MAAA,4D;MAAA,4 B;QAQI,OAAO,wBAAa,cAAb,C;O;KARX,C;IAWA,4C;MAOI,IAAI,mBAAJ,C;QACI,OAAO,I;MACX,OAAO,s BAAI,MAAO,iBAAQ,cAAR,CAAX,C;K;IAGX,4C;MAOI,IAAI,mBAAJ,C;QACI,OAAO,I;MACX,OAAO,sBAA I,MAAO,iBAAQ,cAAR,CAAX,C;K;IAGX,4C;MAOI,IAAI,mBAAJ,C;QACI,OAAO,I;MACX,OAAO,sBAAI,MA AO,iBAAQ,cAAR,CAAX,C;K;IAGX,4C;MAOI,IAAI,mBAAJ,C;QACI,OAAO,I;MACX,OAAO,sBAAI,MAAO,i BAAQ,cAAR,CAAX,C;K;qFAGX,yB;MAAA,gD;MnCh8BA,6B;MmCg8BA,4B;QAOI,OnC77BmC,cmC67BpB, OAAAR,iBAAQ,CnC77BoB,C;O;KmCs7BvC,C;qFAUA,yB;MAAA,gD;MnB37BA,+B;MmB27BA,4B;QAOI,OnB x7BsC,emBw7BvB,OAAAR,iBAAQ,CnBx7BuB,C;O;Kmbi7B1C,C;qFAUA,yB;MAAA,gD;MPClGCA,+B;MoCkg CA,4B;QAOI,OpC//BsC,eoC+/BvB,OAAAR,iBAAQ,CpC//BuB,C;O;KoCw/B1C,C;qFAUA,yB;MAAA,gD;MIC//B A,iC;MkC+/BA,4B;QAOI,OIC5/ByC,gBkC4/B1B,OAAAR,iBAAQ,CIC5/B0B,C;O;KkCq/B7C,C;qFAUA,yB;MAA A,kF;MAAA,iE;MAAA,wB;MAAA,8B;MAAA,uC;QASoB,UAST,M;QAXP,aAAoB,I;QACpB,YAAY,K;QACI,2 B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAJ,C;cAAW,MA AM,8BAAyB,gDAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAA Y,MAAM,gCA AuB,mDAAvB,C;QAEIB,OAAO,0D;O;KAIBX,C;qFAqBA,yB;MAAA,kF;MAAA,iE;MAAA,0B;MAAA,8B;MA

AA,uC;QASoB,UAST,M;QAXP,aAAqB,I;QACrB,YAAY,K;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAYB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAAY,MAAM,gCAAuB,mDAAvB,C;QAEIB,OAAO,2D;O;KAIBX,C;qFAqBA,yB;MAAA,kF;MAAA,iE;MAAA,0B;MAAA,8B;MAAA,uC;QASoB,UAST,M;QAXP,aAAqB,I;QACrB,YAAY,K;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAYB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAAY,MAAM,gCAAuB,mDAAvB,C;QAEIB,OAAO,2D;O;KAIBX,C;qFAqBA,yB;MAAA,kF;MAAA,iE;MAAA,4B;MAAA,8B;MAAA,uC;QASoB,UAST,M;QAXP,aAAqB,I;QACrB,YAAY,K;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAYB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAAY,MAAM,gCAAuB,mDAAvB,C;QAEIB,OAAO,4D;O;KAIBX,C;IAqBA,oC;MAMI,OAAW,mBAAQ,CAAZ,GAAe,sBAAK,CAAL,CAAf,GAA4B,I;K;IAGvC,oC;MAMI,OAAW,mBAAQ,CAAZ,GAAe,sBAAK,CAAL,CAAf,GAA4B,I;K;IAGvC,oC;MAMI,OAAW,mBAAQ,CAAZ,GAAe,sBAAK,CAAL,CAAf,GAA4B,I;K;IAGvC,gC;MASoB,Q;MAFhB,aAAoB,I;MACpB,YAAY,K;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,C;QAAAY,OAAO,I;MACnB,OAAO,M;K;IAGGX,gC;MASoB,Q;MAFhB,aAAqB,I;MACrB,YAAY,K;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,C;QAAAY,OAAO,I;MACnB,OAAO,M;K;IAGGX,gC;MASoB,Q;MAFhB,aAAqB,I;MACrB,YAAY,K;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,C;QAAAY,OAAO,I;MACnB,OAAO,M;K;IAGGX,gC;MASoB,Q;MAFhB,aAAqB,I;MACrB,YAAY,K;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,C;QAAAY,OAAO,I;MACnB,OAAO,M;K;IAGGX,gC;MASoB,Q;MAFhB,aAAqB,I;MACrB,YAAY,K;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,C;QAAAY,OAAO,I;MACnB,OAAO,M;K;IAGGX,+B;MxBrhDI,IAAI,EwB+hDI,KAAK,CxB/hDT,CAAJ,C;QACI,cwB8hDc,sD;QxB7hDd,MAAM,gCAAYB,OAAQ,WAAjC,C;OwB8hDV,OAAO,uBAAoB,gBAAV,iBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;K;IAGX,+B;MxBniDI,IAAI,EwB6iDI,KAAK,CxB7iDT,CAAJ,C;QACI,cwB4iDc,sD;QxB3iDd,MAAM,gCAAYB,OAAQ,WAAjC,C;OwB4iDV,OAAO,uBAAoB,gBAAV,iBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;K;IAGX,+B;MxBjjDI,IAAI,EwB2jDI,KAAK,CxB3jDT,CAAJ,C;QACI,cwB0jDc,sD;QxBzjDd,MAAM,gCAAYB,OAAQ,WAAjC,C;OwB0jDV,OAAO,uBAAoB,gBAAV,iBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;K;IAGX,+B;MxBjDI,IAAI,EwBykDI,KAAK,CxBzkDT,CAAJ,C;QACI,cwBwkDc,sD;QxBvkDd,MAAM,gCAAYB,OAAQ,WAAjC,C;OwBwkDV,OAAO,uBAAoB,gBAAV,iBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;K;IAGX,mC;MxB7kDI,IAAI,EwBulDI,KAAK,CxBvIDT,CAAJ,C;QACI,cwBsIDc,sD;QxBrlDd,MAAM,gCAAYB,OAAQ,WAAjC,C;OwBsIDV,OAAO,mBAAgB,gBAAV,iBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;K;IAGX,mC;MxB3lDI,IAAI,EwBqmDI,KAAK,CxBrmDT,CAAJ,C;QACI,cwBomDc,sD;QxBnmDd,MAAM,gCAAYB,OAAQ,WAAjC,C;OwBomDV,OAAO,mBAAgB,gBAAV,iBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;K;IAGX,mC;MxBzmDI,IAAI,EwBmnDI,KAAK,CxBnnDT,CAAJ,C;QACI,cwBknDc,sD;QxBjnDd,MAAM,gCAAYB,OAAQ,WAAjC,C;OwBknDV,OAAO,mBAAgB,gBAAV,iBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;K;IAGX,mC;MxBvnDI,IAAI,EwBioDI,KAAK,CxBjoDT,CAAJ,C;QACI,cwBgoDc,sD;QxB/nDd,MAAM,gCAAYB,OAAQ,WAAjC,C;OwBgoDV,OAAO,mBAAgB,gBAAV,iBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;K;mGAGX,yB;MAAA,4C;MAAA,qD;MAkqEI,8D;MAIqEJ,uC;QASI,iBAypEgB,cAAR,iBAAQ,CAZpEhB,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,W;O;KAdX,C;mGAIbA,yB;MAAA,4C;MAAA,qD;MAYpEI,8D;MAZpEJ,uC;QASI,iBAgpEgB,cAAR,iBAAQ,CAhpEhB,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,W;O;KAdX,C;mGAIbA,yB;MAAA,4C;MAAA,qD;MAGpEI,8D;MAhpEJ,uC;QASI,iBAuoEgB,cAAR,iBAAQ,CAvoEhB,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,W;O;KAdX,C;mGAIbA,yB;MAAA,4C;MAAA,qD;MAuoEI,8D;MAvoEJ,uC;QASI,iBA8nEgB,cAAR,iBAAQ,CA9nEhB,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C



::QAGf,OAAO,W;O;KAdX,C;2FAiBA,yB;MAAA,+D;MAAA,uC;QAWiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;Q ACE,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,U AAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;QAE nB,OAAO,I;O;KAIBX,C;2FAqBA,yB; MAAA,+D;MAAA,uC;QAWiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACE,2B;QAAb,OAAa,cAAb,C;UAAa,sB; UACT,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAA I,IAAJ,C;YACL,WAAW,I;;QAE nB,OAAO,I;O;KAIBX,C;2FAqBA,yB;MAAA,+D;MAAA,uC;QAWiB,Q;QAFb,e AAe,K;QACf,WAAW,gB;QACE,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,QAAJ,C;YACI,IAAK,WAAI,I AAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;QAE nB,OAAO ,I;O;KAIBX,C;2FAqBA,yB;MAAA,+D;MAAA,uC;QAWiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACE,2B;QAA b,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,C AAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;QAE nB,OAAO,I;O;KAIBX,C;qFAqBA,yB;MAAA,+D;M AAA,uC;QASW,kBAAS,gB;QAgRA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAhRa,SAgR T,CAAU,OAAV,CAAJ,C;YAAwB,WAA Y,WAAI,OAAJ,C;;QAhR1D,OAiRO,W;O;KA1RX,C;qFAYA,yB;MAA A,+D;MAAA,uC;QASW,kBAAS,gB;QAiRA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAjRc, SAiRV,CAAU,OAAV,CAAJ,C;YAAwB,WAA Y,WAAI,OAAJ,C;;QAjR1D,OAkRO,W;O;KA3RX,C;qFAYA,yB; MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAKRA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM, IAIrc,SAkRV,CAAU,OAAV,CAAJ,C;YAAwB,WAA Y,WAAI,OAAJ,C;;QAIr1D,OAmRO,W;O;KA5RX,C;qFA YA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAmRA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB; UAAM,IA nRe,SAmRX,CAAU,OAAV,CAAJ,C;YAAwB,WAA Y,WAAI,OAAJ,C;;QAnR1D,OAoRO,W;O;KA7R X,C;kGAYA,yB;MAAA,+D;MAAA,uC;QAWW,kBAAgB,gB;QAm5HV,gB;QADb,YAAY,C;QACC,2B;QAAb,O AAa,cAAb,C;UAAa,sB;UA11HT,IAzDsC,SAyDIC,EA01HkB,cA11HIB,EA01HkB,sBA11HIB,WA01H2B,IA11H 3B,CAAJ,C;YAA2C,sBA01HZ,IA11HY,C;;QazD/C,OA2DO,W;O;KAteX,C;mGAcA,yB;MAAA,+D;MAAA,uC; QAWW,kBAAgB,gB;QAk5HV,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UA11HT,IA5Du C,SA4DnC,EAs1HkB,cAt1HIB,EAs1HkB,sBA11HIB,WAs1H2B,IA11H3B,CAAJ,C;YAA2C,sBA11HZ,IA11HY,C ;QA5D/C,OA8DO,W;O;KAzEX,C;mGAcA,yB;MAAA,+D;MAAA,uC;QAWW,kBAAgB,gB;QAi5HV,gB;QADb, YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UA11HT,IA/DuC,SA+DnC,EAk1HkB,cA11HIB,EAk1HkB,s BA11HIB,WAk1H2B,IA11H3B,CAAJ,C;YAA2C,sBAk1HZ,IA11HY,C;;QA/D/C,OAiEO,W;O;KA5EX,C;mGAcA, yB;MAAA,+D;MAAA,uC;QAWW,kBAAgB,gB;QAg5HV,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C; UAAa,sB;UA90HT,IAIewC,SAkEpC,EA80HkB,cA90HIB,EA80HkB,sBA90HIB,WA80H2B,IA90H3B,CAAJ,C;Y AA2C,sBA80HZ,IA90HY,C;;QAIe/C,OAoEO,W;O;KA/EX,C;uGAcA,6C;MA s2HiB,gB;MADb,YAAY,C;MACC, 2B;MAAb,OAAa,cAAb,C;QAAa,sB;QA11HT,IAAI,WA01HkB,cA11HIB,EA01HkB,sBA11HIB,WA01H2B,IA11 H3B,CAAJ,C;UAA2C,sBA01HZ,IA11HY,C;;MAE/C,OAAO,W;K;uGAGX,6C;MAk2HiB,gB;MADb,YAAY,C;M ACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAt1HT,IAAI,WAs1HkB,cAt1HIB,EAs1HkB,sBA11HIB,WAs1H2B,IA t1H3B,CAAJ,C;UAA2C,sBA11HZ,IA11HY,C;;MAE/C,OAAO,W;K;uGAGX,6C;MA81HiB,gB;MADb,YAAY,C; M ACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QA11HT,IAAI,WAk1HkB,cA11HIB,EAk1HkB,sBA11HIB,WAk1H2B ,IA11H3B,CAAJ,C;UAA2C,sBAk1HZ,IA11HY,C;;MAE/C,OAAO,W;K;uGAGX,6C;MA01HiB,gB;MADb,YAAY, C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QA90HT,IAAI,WA80HkB,cA90HIB,EA80HkB,sBA90HIB,WA80 H2B,IA90H3B,CAAJ,C;UAA2C,sBA80HZ,IA90HY,C;;MAE/C,OAAO,W;K;2FAGX,yB;MAAA,+D;MAAA,uC; QASW,kBAAY,gB;QAgDH,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CAhDY,SAgDX, CAAU,OAAV,CAAL,C;YAAyB,WAA Y,WAAI,OAAJ,C;;QAhD3D,OAiDO,W;O;KA1DX,C;2FAYA,yB;MAAA, +D;MAAA,uC;QASW,kBAAY,gB;QAiDH,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,C AjDa,SAiDZ,CAAU,OAAV,CAAL,C;YAAyB,WAA Y,WAAI,OAAJ,C;;QAJD3D,OAKDO,W;O;KA3DX,C;2FAY A,yB;MAAA,+D;MAAA,uC;QASW,kBAAY,gB;QAKDH,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;U AAM,IAAI,CAIDa,SAkDZ,CAAU,OAAV,CAAL,C;YAAyB,WAA Y,WAAI,OAAJ,C;;QAID3D,OAmDO,W;O;K A5DX,C;2FAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAY,gB;QAmDH,Q;QAAA,2B;QAAhB,OAAgB,cAAhB, C;UAAgB,yB;UAAM,IAAI,CAnDc,SAmDb,CAAU,OAAV,CAAL,C;YAAyB,WAA Y,WAAI,OAAJ,C;;QAnD3D, OAoDO,W;O;KA7DX,C;+FAYA,6C;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI ,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAA Y,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;+FAGX,6C;MASoB,Q;

MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAA  
Y,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;+FAGX,6C;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,  
yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAy,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;+FAGX  
,6C;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;  
UAAyB,WAAy,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;yFAGX,6C;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAA  
hB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAy,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;  
yFAGX,6C;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;  
UAAwB,WAAy,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;yFAGX,6C;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAA  
hB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAy,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;  
yFAGX,6C;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;  
UAAwB,WAAy,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;IAGX,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCvjE  
e,W;OgCwjEtC,OAA4D,SA0iDrD,cAAkB,cAAR,iBAAQ,EA1iDN,OAAQ,MA0iDF,EA1iDS,OAAQ,aAAR,GAA  
uB,CAAvB,IA0iDT,CAAIB,CA1iDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCjkEe,W;OgCkk  
EtC,OAA4D,SAgjDrD,eAAmB,cAAR,iBAAQ,EAhjDP,OAAQ,MAgjDD,EAhjDQ,OAAQ,aAAR,GAAuB,CAAvB  
,IAgjDR,CAAnB,CAhjDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC3kEe,W;OgC4kEtC,OAA  
4D,UAsjDrD,eAAmB,cAAR,iBAAQ,EAtdjDP,OAAQ,MAsjDD,EAtdjDQ,OAAQ,aAAR,GAAuB,CAAvB,IASjDR,C  
AAnB,CAtjDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCrlEe,W;OgCslEtC,OAA4D,UA4jDrD  
,gBAAoB,cAAR,iBAAQ,EA5jDR,OAAQ,MA4jDA,EA5jDO,OAAQ,aAAR,GAAuB,CAAvB,IA4jDP,CAApB,CA  
5jDqD,C;K;IAGhE,sC;MAskB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAawB,EAaxB,C;MACnB,IAAI,SAAQ,CA  
AZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAGB,IAAhB,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,I  
AAK,WAAI,sBAAL,KAAL,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;MAskB,Q;MAHd,WAAmB,wBAAR,OAAQ,EA  
AwB,EAaxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAaiB,IAAjB,C;MACG,yB  
;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,sBAAL,KAAL,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;MA  
SkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAawB,EAaxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;M  
ACtB,WAAW,iBAaiB,IAAjB,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,sBAAL,KAAL  
,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;MAskB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAawB,EAaxB,C;MACnB,  
IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAakB,IAAiB,C;MACG,yB;MAAd,OAAc,cAAd,C;Q  
AAc,uB;QACV,IAAK,WAAI,sBAAL,KAAL,CAAJ,C;;MAET,OAAO,I;K;IAGX,2C;MAMI,OAAO,cAAkB,aAAR,  
iBAAQ,EAaw,OAAX,CAAIB,C;K;IAGX,2C;MAMI,OAAO,eAAmB,aAAR,iBAAQ,EAaw,OAAX,CAAnB,C;K  
;IAGX,2C;MAMI,OAAO,eAAmB,aAAR,iBAAQ,EAaw,OAAX,CAAnB,C;K;IAGX,2C;MAMI,OAAO,gBAAoB,  
aAAR,iBAAQ,EAaw,OAAX,CAApB,C;K;IAGX,2C;MAMI,OAAO,cAAkB,cAAR,iBAAQ,EAaw,OAAX,CAAI  
B,C;K;IAGX,2C;MAMI,OAAO,eAAmB,cAAR,iBAAQ,EAaw,OAAX,CAAnB,C;K;IAGX,2C;MAMI,OAAO,eA  
AmB,aAAR,iBAAQ,EAaw,OAAX,CAAnB,C;K;IAGX,2C;MAMI,OAAO,gBAAoB,cAAR,iBAAQ,EAaw,OAAX  
X,CAApB,C;K;IAGX,+B;MAGBiB,Q;MxB7xEb,IAAI,EwBuxEI,KAAL,CxBvxET,CAAJ,C;QACI,cwBsxEc,sD;Q  
xBrxEb,MAAM,gCAAYB,OAAQ,WAAjC,C;OwBsxEV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,  
KAAL,cAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,  
C;MACnB,YAAY,C;MACZ,WAAW,iBAAGB,CAAhB,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAA  
K,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAF,C;UACI,K;;MAER,OAAO,I;K;IAGX,+B;MAGBiB,Q;MxB7yEb,IA  
AI,EwB+yEI,KAAL,CxB/yET,CAAJ,C;QACI,cwB8yEc,sD;QxB7yEd,MAAM,gCAAYB,OAAQ,WAAjC,C;OwB8  
yEV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAL,cAAT,C;QAAe,OAAO,mB;MACtB,IAAI,M  
AAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAaiB,CAAj  
B,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAF,C;UA  
CI,K;;MAER,OAAO,I;K;IAGX,+B;MAGBiB,Q;MxB70Eb,IAAI,EwBu0EI,KAAL,CxBv0ET,CAAJ,C;QACI,cwBs  
0Ec,sD;QxB70Ed,MAAM,gCAAYB,OAAQ,WAAjC,C;OwBs0EV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MAC  
nB,IAAI,KAAL,cAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAA  
L,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAaiB,CAAjB,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;Q  
ACT,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAF,C;UACI,K;;MAER,OAAO,I;K;IAGX,+B;MAGBiB,Q;M  
xB72Eb,IAAI,EwB+1EI,KAAL,CxB/1ET,CAAJ,C;QACI,cwB81Ec,sD;QxB71Ed,MAAM,gCAAYB,OAAQ,WAAj

C,C;OwB81EV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,cAAT,C;QA Ae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBA AkB,CAAIB,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW, CA Af,C;UACI,K;;MAER,OAAO,I;K;IAGX,mC;MxB72EI,IAAI,EwBu3EI,KAAK,CxBv3ET,CAAJ,C;QACI,cwB s3Ec,sD;QxBr3Ed,MAAM,gCAAYB,OAAQ,WAAjC,C;OwBs3EV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MAC nB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QA Ae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OA AO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,C;MACX,iBAAc,OAAO,CAAP,IA Ad,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,mC;MxB14EI,IAAI, EwB44EI,KAAK,CxB54ET,CAAJ,C;QACI,cwB24Ec,sD;QxB14Ed,MAAM,gCAAYB,OAAQ,WAAjC,C;OwB24E V,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QA Ae,OAAO,mB; MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iB AAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAA J,C;MACT,OAAO,I;K;IAGX,mC;MxBv5EI,IAAI,EwBi6EI,KAAK,CxBj6ET,CAAJ,C;QACI,cwBg6Ec,sD;QxB/5 Ed,MAAM,gCAAYB,OAAQ,WAAjC,C;OwBg6EV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c; MACX,IAAI,KAAK,IAAT,C;QA Ae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,O AAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IA A7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,mC;MxB56EI,IAAI,EwBs7EI,KA AK,CxBt7ET,CAAJ,C;QACI,cwBq7Ec,sD;QxBp7Ed,MAAM,gCAAYB,OAAQ,WAAjC,C;OwBq7EV,IAAI,MAA K,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QA Ae,OAAO,mB;MACtB,IAAI, MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAkB,CAA I B,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT, OAAO,I;K;mGAGX,yB;MAAA,4C;MAAA,gD;MA s2CI,8D;Mat2CJ,uC;QASI,iBA61CgB,cAAR,iBAAQ,CA71C hB,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ ,CAAR,IAAL,C;;QAGf,OAAO,iB;O;KAdX,C;mGaiBA,yB;MAAA,4C;MAAA,gD;MA61CI,8D;MA71CJ,uC;QA SI,iBAo1CgB,cAAR,iBAAQ,Cap1ChB,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,CAAV,C AAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;O;KAdX,C;mGaiBA,yB;MAAA,4C;MA AA,gD;MAo1CI,8D;MAP1CJ,uC;QASI,iBA20CgB,cAAR,iBAAQ,CA30ChB,WAA+B,CAA/B,U;UACI,IAAI,CA AC,UAAU,sBAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;O;K AdX,C;mGaiBA,yB;MAAA,4C;MAAA,gD;MA20CI,8D;MA30CJ,uC;QASI,iBAk0CgB,cAAR,iBAAQ,CA10ChB, WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,C AAR,IAAL,C;;QAGf,OAAO,iB;O;KAdX,C;2FAiBA,yB;MAAA,+D;MAAA,uC;QAUiB,Q;QADb,WAAW,gB;QA CE,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI ,IAAJ,C;;QAET,OAAO,I;O;KafX,C;2FAkBA,yB;MAAA,+D;MAAA,uC;QAUiB,Q;QADb,WAAW,gB;QACE,2B ;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ, C;;QAET,OAAO,I;O;KafX,C;2FAkBA,yB;MAAA,+D;MAAA,uC;QAUiB,Q;QADb,WAAW,gB;QACE,2B;QAA b,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QA ET,OAAO,I;O;KafX,C;2FAkBA,yB;MAAA,+D;MAAA,uC;QAUiB,Q;QADb,WAAW,gB;QACE,2B;QAAb,OAA a,cAAb,C;UAAa,sB;UACT,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QA ET,OAAO,I;O;KafX,C;uFAkBA,yB;MAAA,kD;MAAA,4B;QAOY,QAAR,iBAAQ,C;O;KAPZ,C;uFAUA,yB;MAAA,kD ;MAAA,4B;QAOY,QAAR,iBAAQ,C;O;KAPZ,C;uFAUA,yB;MAAA,kD;MAAA,4B;QAOY,QAAR,iBAAQ,C;O; KAPZ,C;uFAUA,yB;MAAA,kD;MAAA,4B;QAOY,QAAR,iBAAQ,C;O;KAPZ,C;uFAUA,yB;MAAA,kD;MAAA, gD;QAaY,QAAR,iBAAQ,EAAQ,SAAR,EAAmB,OAA nB,C;O;KAbZ,C;uFAGBA,yB;MAAA,kD;MAAA,gD;QAaY,QAAR,iBAAQ,EAAQ,SAAR,EAAmB,OAA nB,C;O;KAbZ,C;uFAGBA,yB;MAAA,kD;MAAA,gD;QAaY,QAAR,iBAA Q,EAAQ,SAAR,EAAmB,OAA nB,C;O;KAbZ,C;IAGBA,gC;MAMI,IAAI,mBAAJ,C;QA Ae,OAAO,W;MACtB,W AAW,0B;MACN,WAAL,IAAK,C;MACL,OAAO,I;K;IAGX,gC;MAMI,IAAI,mBAAJ,C;QA Ae,OAAO,W;MACtB ,WAAW,0B;MACN,WAAL,IAAK,C;MACL,OAAO,I;K;IAGX,gC;MAMI,IAAI,mBAAJ,C;QA Ae,OAAO,W;MA CtB,WAAW,0B;MACN,WAAL,IAAK,C;MACL,OAAO,I;K;IAGX,gC;MAMI,IAAI,mBAAJ,C;QA Ae,OAAO,W;

MACtB, WAAW, 0B; MACN, WAAL, IAAK, C; MACL, OAAO, I; K; kGAGX, yB; MAAA, 8D; MAAA, uC; MAAA, 4B; QAOI, OAAO, mBAAkB, cAAR, iBAAQ, CAAnB, C; O; KAPX, C; kGAUA, yB; MAAA, 8D; MAAA, yC; MAAA, 4B; QAOI, OAAO, oBAAmB, cAAR, iBAAQ, CAAnB, C; O; KAPX, C; mGAUA, yB; MAAA, 8D; MAAA, yC; MAAA, 4B; QAOI, OAAO, oBAAmB, cAAR, iBAAQ, CAAnB, C; O; KAPX, C; mGAUA, yB; MAAA, 8D; MAAA, 2C; MAAA, 4B; QAOI, OAAO, qBAAoB, cAAR, iBAAQ, CAAPB, C; O; KAPX, C; IAUA, +B; MAMI, sBAAQ, 4BAAR, C; K; IAGJ, +B; MAMI, sBAAQ, 4BAAR, C; K; IAGJ, +B; MAMI, sBAAQ, 4BAAR, C; K; IAGJ, +B; MAMI, sBAAQ, 4BAAR, C; K; IAGJ, uC; MAQI, aA8+BgB, gBAAR, iBAAQ, CA9+BhB, OAA2B, CAA3B, M; QACI, QAAQ, MAAO, iBAAQ, IAAI, CAAJ, IAAR, C; QACf, WAAW, sBAAK, CAAL, C; QACX, sBAAK, CAAL, EAAU, sBAAK, CAAL, CAAV, C; QACA, sBAAK, CAAL, EAAU, IAAV, C; K; IAIR, uC; MAQI, aAs+BgB, gBAAR, iBAAQ, CA9+BhB, OAA2B, CAA3B, M; QACI, QAAQ, MAAO, iBAAQ, IAAI, CAAJ, IAAR, C; QACf, WAAW, sBAAK, CAAL, C; QACX, sBAAK, CAAL, EAAU, sBAAK, CAAL, CAAV, C; QACA, sBAAK, CAAL, EAAU, IAAV, C; K; IAIR, uC; MAQI, aA89BgB, gBAAR, iBAAQ, CA99BhB, OAA2B, CAA3B, M; QACI, QAAQ, MAAO, iBAAQ, IAAI, CAAJ, IAAR, C; QACf, WAAW, sBAAK, CAAL, C; QACX, sBAAK, CAAL, EAAU, sBAAK, CAAL, CAAV, C; QACA, sBAAK, CAAL, EAAU, IAAV, C; K; IAIR, uC; MAQI, aAs9BgB, gBAAR, iBAAQ, CA99BhB, OAA2B, CAA3B, M; QACI, QAAQ, MAAO, iBAAQ, IAAI, CAAJ, IAAR, C; QACf, WAAW, sBAAK, CAAL, C; QACX, sBAAK, CAAL, EAAU, sBAAK, CAAL, CAAV, C; QACA, sBAAK, CAAL, EAAU, IAAV, C; K; IAIR, uC; MAQI, aAs9BgB, gBAAR, iBAAQ, CA99BhB, OAA2B, CAA3B, M; QACI, QAAQ, MAAO, iBAAQ, IAAI, CAAJ, IAAR, C; QACf, WAAW, sBAAK, CAAL, C; QACX, sBAAK, CAAL, EAAU, sBAAK, CAAL, CAAV, C; QACA, sBAAK, CAAL, EAAU, IAAV, C; K; IAIR, sC; MAMI, IAAI, iBAAO, CAAX, C; QACI, iB; QApSI, UAAR, iBAAQ, C; Q; IAySZ, sC; MAMI, IAAI, iBAAO, CAAX, C; QACI, iB; QAtSI, UAAR, iBAAQ, C; Q; IA2SZ, sC; MAMI, IAAI, iBAAO, CAAX, C; QACI, iB; QAxSI, UAAR, iBAAQ, C; Q; IA6SZ, sC; MAMI, IAAI, iBAAO, CAAX, C; QACI, iB; QA1SI, UAAR, iBAAQ, C; Q; IA+SZ, 6B; MAMoB, kBAnB, cAAU, iBvB58EO, QuB48EjB, C; MA/nBiB, mB; MAAXB, OAAiC, SrBv3F1B, WqBu3F0B, C; K; IAGrC, 8B; MAMoB, kBakoBT, eAAmB, UAAR, iBAAQ, CAAnB, C; MAloBiB, mB; MAAXB, OAAiC, SrBh4F1B, WqBg4F0B, C; K; IAGrC, 8B; MAMoB, kBaqoBT, eAAW, iBvBx/EM, QuBw/EjB, C; MAroBiB, mB; MAAXB, OAAiC, UrBz4F1B, WqBy4F0B, C; K; IAGrC, 8B; MAMoB, kBawoBT, gBAAY, iBvB1/EK, QuB0/EjB, C; MAxoBiB, mB; MAAXB, OAAiC, UrB15F1B, WqBk5F0B, C; K; IAGrC, kC; MAMI, IAAI, mBAAJ, C; QAAe, OAAO, S; MACD, kBAA0Ibd, cA11BA, SA0IBU, QvB58EO, QuB48EjB, C; MA11BsB, mB; MAA7B, OrB55FO, W; K; IqB+5FX, kC; MAMI, IAAI, mBAAJ, C; QAAe, OAAO, S; MACD, kBAA4Ibd, eAAmB, UA51BnB, SA4IBW, QAAQ, CAAnB, C; MA51BsB, mB; MAA7B, OrBt6FO, W; K; IqBy6FX, kC; MAMI, IAAI, mBAAJ, C; QAAe, OAAO, S; MACD, kBAA8Ibd, eA91BA, SA8IBW, QvBx/EM, QuBw/EjB, C; MA91BsB, mB; MAA7B, OrBh7FO, W; K; IqBm7FX, mC; MAMI, IAAI, mBAAJ, C; QAAe, OAAO, S; MACD, kBAAgmBd, gBAhmBA, SAgmBY, QvB1/EK, QuB0/EjB, C; MAhmBsB, mB; MAA7B, OrB17FO, W; K; IqB67FX, 4C; MAMI, IAAI, mBAAJ, C; QAAe, OAAO, S; MACD, kBAAkjBd, cAljBA, SAKjBU, QvB58EO, QuB48EjB, C; MA1jBsB, 8B; MAA7B, OrBp8FO, W; K; IqBu8FX, 4C; MAMI, IAAI, mBAAJ, C; QAAe, OAAO, S; MACD, kBAAojBd, eAAmB, UApjBnB, SAojBW, QAAQ, CAAnB, C; MApjBsB, 8B; MAA7B, OrB98FO, W; K; IqBi9FX, 4C; MAMI, IAAI, mBAAJ, C; QAAe, OAAO, S; MACD, kBAsjBd, eAtjBA, SAsjBW, QvBx/EM, QuBw/EjB, C; MATjBsB, 8B; MAA7B, OrBx9FO, W; K; IqB29FX, 6C; MAMI, IAAI, mBAAJ, C; QAAe, OAAO, S; MACD, kBAAwjBd, gBAxjBA, SAwjBY, QvB1/EK, QuB0/EjB, C; MAxjBsB, 8B; MAA7B, OrB1+FO, W; K; IqBq+FX, uC; MAQoB, kBAYgBT, cAAU, iBvB58EO, QuB48EjB, C; MAZgBiB, mB; MAAXB, OAAiC, YrB7+F1B, WqB6+F0B, C; K; IAGrC, wC; MAQoB, kBAA0gBT, eAAmB, UAAR, iBAAQ, CAAnB, C; MA1gBiB, mB; MAAXB, OAAiC, YrBx/F1B, WqBw/F0B, C; K; IAGrC, wC; MAQoB, kBAA2gBT, eAAW, iBvBx/EM, QuBw/EjB, C; MA3gBiB, mB; MAAXB, OAAiC, YrBngG1B, WqBmgG0B, C; K; IAGrC, wC; MAQoB, kBAA4gBT, gBAAY, iBvB1/EK, QuB0/EjB, C; MA5gBiB, mB; MAAXB, OAAiC, YrB9gG1B, WqB8gG0B, C; K; 4FAGrC, qB; MAQI, OAAO, iB; K; 0FAGX, qB; MAQI, OAAO, iB; K; 4FA+BX, qB; MAQI, OAAO, iB; K; 8FAGX, qB; MAQI, OAAO, iB; K; 8FAGX, yB; MAAA, yC; MAAA, 4B; QAQI, OAAO, oBAAW, SAAX, C; O; KARX, C; 4FAWA, yB; MAAA, uC; MAAA, 4B; QAQI, OAAO, mBAAU, SAAV, C; O; KARX, C; 8FAWA, yB; MAAA, yC; MAAA, 4B; QAQI, OAAO, oBAAW, SAAX, C; O; KARX, C; gGAWA, yB; MAAA, 2C; MAAA, 4B; QAQI, OAAO, qBAAY, SAAZ, C; O; KARX, C; IAWA, 2C; MASI, OAAAY, gBAAL, SAAK, EAAC, KAAd, C; K; IAGhB, 2C; MASI, OAAAY, gBAAL, SAAK, EAAC, KAAd, C; K; IAGhB, 2C; MASI, OAAAY, gBAAL, SAAK, EAAC, KAAd, C; K; IAGhB, 2C; MAOI, OAAqB, cAAAd, 4CAAc, EAAC, oCAAd, C; K; IAGzB, 2C; MAOI, OAAqB, cAAAd, 4CAAc, EAAC, oCAAd, C; K; IAGzB, 2C; MAOI, OAAqB, cAAAd, 4CAAc, EAAC, oCAAd, C; K; IAGzB, sC; MAQI, OAAAY, kBAAAL, SAAK, C; K; IAGhB, sC; MAQI, OAAAY, kBAAAL, SAAK, C; K; IAGhB, sC; MAQI, OAAAY, kBAAAL, SAAK, C; K; IAGhB, sC; MAQI, OAAAY, kBAAAL, SAAK, C; K; IAGhB, sC; MAMI, OAAqB, gBAAd, 4CAAc, C; K; IAGz

B,sC;MAMI,OAAqB,gBAAd,4CAAc,C;K;IAGzB,sC;MAMI,OAAqB,gBAAd,4CAAc,C;K;IAGzB,sC;MAMI,OA  
AqB,gBAAd,4CAAc,C;K;IAGzB,sC;MAUI,OAAy,kBAAL,SAAK,C;K;IAGhB,sC;MAUI,OAAy,kBAAL,SAAK,  
C;K;IAGhB,sC;MAUI,OAAy,kBAAL,SAAK,C;K;IAGhB,sC;MAUI,OAAy,kBAAL,SAAK,C;K;IAGhB,sC;MAQ  
W,Q;MAAP,OAAO,sDAAmB,IAAnB,EAAyB,GAAzB,EAA8B,GAA9B,2BAAsC,M;K;IAGjD,sC;MAQW,Q;MA  
AP,OAAO,sDAAmB,IAAnB,EAAyB,GAAzB,EAA8B,GAA9B,2BAAsC,M;K;IAGjD,sC;MAQW,Q;MAAP,OAA  
O,sDAAmB,IAAnB,EAAyB,GAAzB,EAA8B,GAA9B,2BAAsC,M;K;IAGjD,sC;MAQW,Q;MAAP,OAAO,sDAA  
mB,IAAnB,EAAyB,GAAzB,EAA8B,GAA9B,2BAAsC,M;K;sFAGjD,yB;MvBxhFA,8C;MuBwhFA,kF;QAmB6D,  
iC;UAAA,oBAAYB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,c;QvBvhF1H,UuBwhFA,iBvBxh  
FA,EuBwhFiB,WAAy,QvBxhF7B,EuBwhFsC,iBvBxhFtC,EuBwhFyD,UvBxhFzD,EuBwhFqE,QvBxhFrE,C;QuB  
yhFA,OAAO,W;O;KArBX,C;wFAwBA,yB;MvBxhFA,8C;MuBwhFA,kF;QAmB+D,iC;UAAA,oBAAYB,C;QAA  
G,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,c;QvBvhF5H,UuBwhFA,iBvBxhFA,EuBwhFiB,WAAy,QvB  
xhF7B,EuBwhFsC,iBvBxhFtC,EuBwhFyD,UvBxhFzD,EuBwhFqE,QvBxhFrE,C;QuByhFA,OAAO,W;O;KArBX,  
C;wFAwBA,yB;MvBxnFA,8C;MuBwnFA,kF;QAmB+D,iC;UAAA,oBAAYB,C;QAAG,0B;UAAA,aAAkB,C;QA  
AG,wB;UAAA,WAAgB,c;QvBvnF5H,UuBwnFA,iBvBxnFA,EuBwnFiB,WAAy,QvBxnF7B,EuBwnFsC,iBvBxnF  
tC,EuBwnFyD,UvBxnFzD,EuBwnFqE,QvBxnFrE,C;QuBynFA,OAAO,W;O;KArBX,C;wFAwBA,yB;MvBxnFA,8  
C;MuBwnFA,kF;QAmBiE,iC;UAAA,oBAAYB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,c;QvB  
vnF9H,UuBwnFA,iBvBxnFA,EuBwnFiB,WAAy,QvBxnF7B,EuBwnFsC,iBvBxnFtC,EuBwnFyD,UvBxnFzD,EuB  
wnFqE,QvBxnFrE,C;QuBynFA,OAAO,W;O;KArBX,C;kFAwBA,yB;MAAA,uC;MAAA,4B;QASI,OAAO,mBAA  
U,iBvB58EO,QuB48EjB,C;O;KATX,C;oFAYA,yB;MAAA,gD;MAAA,yC;MAAA,4B;QASI,OAAO,oBAAmB,O  
AAR,iBAAQ,CAAnB,C;O;KATX,C;oFAYA,yB;MAAA,yC;MAAA,4B;QASI,OAAO,oBAAW,iBvBx/EM,QuBw/  
EjB,C;O;KATX,C;oFAYA,yB;MAAA,2C;MAAA,4B;QASI,OAAO,qBAAy,iBvB1/EK,QuB0/EjB,C;O;KATX,C;  
oFAYA,yB;MAAA,gD;MAAA,uC;MAAA,qC;QAWI,OAAO,mBAAkB,OAAR,iBAAQ,EAAO,OAAP,CAAIb,C;  
O;KAXX,C;oFAcA,yB;MAAA,gD;MAAA,yC;MAAA,qC;QAWI,OAAO,oBAAmB,OAAR,iBAAQ,EAAO,OAAP  
,CAAnB,C;O;KAXX,C;oFAcA,yB;MAAA,+C;MAAA,yC;MAAA,qC;QAWI,OAAO,oBAAmB,OAAR,iBAAQ,E  
AAO,OAAP,CAAnB,C;O;KAXX,C;oFAcA,yB;MAAA,gD;MAAA,2C;MAAA,qC;QAWI,OAAO,qBAAoB,OA  
R,iBAAQ,EAAO,OAAP,CAApB,C;O;KAXX,C;4FAcA,yB;MAAA,0D;MAAA,uC;MAAA,gD;QAaI,OAAO,mBA  
AkB,YAAR,iBAAQ,EAAY,SAAZ,EAAuB,OAAvB,CAAIb,C;O;KAbX,C;8FAgBA,yB;MAAA,0D;MAAA,yC;M  
AAA,gD;QAaI,OAAO,oBAAmB,YAAR,iBAAQ,EAAY,SAAZ,EAAuB,OAAvB,CAAnB,C;O;KAbX,C;8FAgBA,  
yB;MAAA,0D;MAAA,yC;MAAA,gD;QAaI,OAAO,oBAAmB,YAAR,iBAAQ,EAAY,SAAZ,EAAuB,OAAvB,CA  
AnB,C;O;KAbX,C;6FAgBA,yB;MAAA,0D;MAAA,2C;MAAA,gD;QAaI,OAAO,qBAAoB,YAAR,iBAAQ,EAAY,  
SAAZ,EAAuB,OAAvB,CAApB,C;O;KAbX,C;IagBA,sD;MAWYc,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAA  
e,c;MACHE,OAAR,iBAAQ,EAAK,OnCv8GoB,KmCu8GzB,EAAsB,SAAtB,EAAiC,OAAjC,C;K;IAGZ,wD;MA  
W2C,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MACIE,OAAR,iBAAQ,EAAK,OnB38GsB,KmB28G3B,E  
AAuB,SAAvB,EAAkC,OAAIC,C;K;IAGZ,wD;MAW2C,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MACI  
E,OAAR,iBAAQ,EAAK,OpC7gHsB,KoC6gH3B,EAAuB,SAAvB,EAAkC,OAAIC,C;K;IAGZ,wD;MAW6C,yB;Q  
AAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MACpE,OAAR,iBAAQ,EAAK,OICjhHwB,KkCihH7B,EAAwB,SA  
xB,EAAmC,OAAnc,C;K;8FASR,yB;MAAA,0D;MAAA,4B;QAAQ,OAAQ,YAAR,iBAAQ,C;O;KAAhB,C;8FAQ  
A,yB;MAAA,0D;MAAA,4B;QAAQ,OAAQ,YAAR,iBAAQ,C;O;KAAhB,C;+FAQA,yB;MAAA,0D;MAAA,4B;Q  
AAQ,OAAQ,YAAR,iBAAQ,C;O;KAAhB,C;+FAQA,yB;MAAA,0D;MAAA,4B;QAAQ,OAAQ,YAAR,iBAAQ,C;  
O;KAAhB,C;kGAQA,yB;MAAA,8D;MAAA,4B;QAAQ,OAAQ,cAAR,iBAAQ,C;O;KAAhB,C;kGAQA,yB;MAA  
A,8D;MAAA,4B;QAAQ,OAAQ,cAAR,iBAAQ,C;O;KAAhB,C;mGAQA,yB;MAAA,8D;MAAA,4B;QAAQ,OAA  
Q,cAAR,iBAAQ,C;O;KAAhB,C;mGAQA,yB;MAAA,8D;MAAA,4B;QAAQ,OAAQ,cAAR,iBAAQ,C;O;KAAhB,  
C;iFAEJ,yB;MAAA,uC;MvBvoEA,iD;MuBuoEA,qC;QAOqB,4B;QAAA,gBAAU,OnC9jHM,K;QmC8jHjC,OAA  
O,mBvBzoEA,2BAxIK,gBAAW,SAAX,EAwIL,CuByoEA,C;O;KAPX,C;iFAUA,yB;MAAA,yC;MvBzoEA,iD;M  
uByoEA,qC;QAOI,OAAO,oBvB3oEA,qBuB2oEW,iBvB3oEX,EAxIK,mBuBmxEgB,OnB7jHO,KJ0yCvB,CAwIL,  
CuB2oEA,C;O;KAPX,C;iFAUA,yB;MAAA,yC;MvB3qEA,iD;MuB2qEA,qC;QAOsB,4B;QAAA,gBAAU,OpC1n  
HO,K;QoC0nHnC,OAAO,oBvB7qEA,2BAxIK,eAAY,SAAZ,EAwIL,CuB6qEA,C;O;KAPX,C;iFAUA,yB;MAAA,  
2C;MvB7qEA,iD;MuB6qEA,qC;QAOuB,4B;QAAA,gBAAU,OICznHQ,K;QkCynHrC,OAAO,qBvB/qEA,2BAxIK

,gBAAa,SAAb,EAwIL,CuB+qEA,C;O;KAPX,C;IAUA,sC;MAQoB,UAAiB,M;MAFjC,YAAY,c;MACZ,aAAqB,U  
AAR,iBAAQ,EAAO,iBAAO,QAAS,KAaHb,IAAP,C;MACL,0B;MAAhB,OAAGb,cAAhB,C;QAAGb,yB;QAAU,  
OAAO,cAAP,EAAO,sBAAP,YAAkB,OnCvmHX,K;;MmCwmHjC,OAAO,cAAU,MAAV,C;K;IAGX,sC;MAQoB,  
UAAiB,M;MAFjC,YAAY,c;MACZ,aAAqB,UAAAR,iBAAQ,EAAO,iBAAO,QAAS,KAaHb,IAAP,C;MACL,0B;M  
AAhB,OAAGb,cAAhB,C;QAAGb,yB;QAAU,OAAO,cAAP,EAAO,sBAAP,YAAkB,OnBxmHT,K;;MmBymHnC,  
OAAO,eAAW,MAAX,C;K;IAGX,sC;MAQoB,UAAiB,M;MAFjC,YAAY,c;MACZ,aAAqB,UAAAR,iBAAQ,EAAO  
,iBAAO,QAAS,KAaHb,IAAP,C;MACL,0B;MAAhB,OAAGb,cAAhB,C;QAAGb,yB;QAAU,OAAO,cAAP,EAAO  
,sBAAP,YAAkB,OpCvqHT,K;;MoCwqHnC,OAAO,eAAW,MAAX,C;K;IAGX,sC;MAQoB,UAAiB,M;MAFjC,Y  
AAY,c;MACZ,aAAqB,UAAAR,iBAAQ,EAAO,iBAAO,QAAS,KAaHb,IAAP,C;MACL,0B;MAAhB,OAAGb,cAA  
hB,C;QAAGb,yB;QAAU,OAAO,cAAP,EAAO,sBAAP,YAAkB,OICxqHP,K;;MkCyqHrC,OAAO,gBAAY,MAAZ,  
C;K;iFAGX,yB;MAAA,uC;MvB/tEA,iD;MuB+tEA,sC;QAOI,OAAO,mBvBjuEA,qBuBiuEU,iBvBjuEV,EuBiuEo  
B,QAAS,QvBjuE7B,CuBiuEA,C;O;KAPX,C;iFAUA,yB;MAAA,yC;MvBjuEA,iD;MuBiuEA,sC;QAOI,OAAO,oB  
vBnuEA,qBuBmuEW,iBvBnuEX,EuBmuEqB,QAAS,QvBnuE9B,CuBmuEA,C;O;KAPX,C;iFAUA,yB;MAAA,yC  
;MvBnwEA,iD;MuBmwEA,sC;QAOI,OAAO,oBvBrwEA,qBuBqwEW,iBvBrwEX,EuBqwEqB,QAAS,QvBrwE9B  
,CuBqwEA,C;O;KAPX,C;iFAUA,yB;MAAA,2C;MvBrwEA,iD;MuBqwEA,sC;QAOI,OAAO,qBvBvwEA,qBuBu  
wEY,iBvBvwEZ,EuBuwEsB,QAAS,QvBvwE/B,CuBuwEA,C;O;KAPX,C;IAUA,2B;MAQI,IAAI,iBAAO,CAAX,  
C;QAAC,YAAU,SAAV,EAAGb,CAAhB,EAAMb,cAAnB,C;K;IAGIB,2B;MAQI,IAAI,iBAAO,CAAX,C;QAAC,Y  
AAU,SAAV,EAAGb,CAAhB,EAAMb,cAAnB,C;K;IAGIB,2B;MAQI,IAAI,iBAAO,CAAX,C;QAAC,YAAU,SAAV,  
EAAGb,CAAhB,EAAMb,cAAnB,C;K;IAGIB,+C;MAA0B,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MACzD,oCA  
Aa,2BAAkB,SAAIb,EAA6B,OAA7B,EAAsC,cAAtC,C;MACb,YAAU,SAAV,EAAGb,SAAhB,EAA2B,OAA3B,  
C;K;IAGJ,+C;MAA2B,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MAC1D,oCAAA,2BAAkB,SAAIb,EAA6  
B,OAA7B,EAAsC,cAAtC,C;MACb,YAAU,SAAV,EAAGb,SAAhB,EAA2B,OAA3B,C;K;IAGJ,+C;MAA2B,yB;Q  
AAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MAC1D,oCAAA,2BAAkB,SAAIb,EAA6B,OAA7B,EAAsC,cAAtC,C  
;MACb,YAAU,SAAV,EAAGb,SAAhB,EAA2B,OAA3B,C;K;IAGJ,+C;MAA4B,yB;QAAA,YAAiB,C;MAAG,uB;  
QAAA,UAAe,c;MAC3D,oCAAA,2BAAkB,SAAIb,EAA6B,OAA7B,EAAsC,cAAtC,C;MACb,YAAU,SAAV,EAAG  
b,SAAhB,EAA2B,OAA3B,C;K;IAGJ,0D;MAaI,kBAAK,SAAL,EAAGb,OAaHb,C;MAh8CQ,WAAR,iBAAQ,E  
Ai8CA,SAj8CA,Eai8CW,Oaj8CX,C;K;IAo8CZ,0D;MAaI,kBAAK,SAAL,EAAGb,OAaHb,C;MAj8CQ,WAAR,i  
BAAQ,Eak8CA,SAI8CA,Eak8CW,OAI8CX,C;K;IAq8CZ,0D;MAaI,kBAAK,SAAL,EAAGb,OAaHb,C;MAI8CQ  
,UAAAR,iBAAQ,EAm8CA,SAn8CA,EAm8CW,OAn8CX,C;K;IAS8CZ,0D;MAaI,kBAAK,SAAL,EAAGb,OAaHb,  
C;MAN8CQ,WAAR,iBAAQ,EAo8CA,SAP8CA,EAo8CW,OAP8CX,C;K;8FAu8CZ,qB;MAQI,OAAO,iBvB3jGiB,  
Q;K;4FuB8jG5B,qB;MAQI,OAAO,iBvBljGiB,Q;K;8FuBqjG5B,yB;MAAA,gD;MAAA,4B;QAQI,OAAe,OAAR,i  
BAAQ,C;O;KARnB,C;gGAWA,qB;MAQI,OAAO,iBvBlIjGiB,Q;K;luB2lGL,gD;MAAA,wB;QAAW,qCAAK,KA  
AL,C;O;K;IANIC,iC;MAMI,OAAO,iBAAM,cAAN,EAAY,gCAAZ,C;K;IASY,kD;MAAA,wB;QAAW,qCAAK,KA  
AL,C;O;K;IANIC,mC;MAMI,OAAO,iBAAM,cAAN,EAAY,gCAAZ,C;K;IASY,kD;MAAA,wB;QAAW,qCA  
AK,KAAL,C;O;K;IANIC,mC;MAMI,OAAO,iBAAM,cAAN,EAAY,gCAAZ,C;K;IASiB,gD;MAAA,wB;QAAW,y  
BAAK,KAAL,C;O;K;IANvC,iC;MAMI,OJnqIO,eAAW,+BIImqIA,gBJnqIA,GAAGb,kBIImqIV,8BJnqIU,CAAhB,C  
AAX,C;K;gGIsqIX,yB;MAAA,yC;MAAA,4B;QAQI,OAAO,oBAAW,SvBppGM,QuBopGjB,C;O;KARX,C;IAiB2  
B,8C;MAAA,wB;QAAW,wBAAK,KAAL,C;O;K;IANtC,gC;MAMI,OHvrIO,cAAU,gCGurIA,gBHvrIA,GAAe,iB  
GurIT,6BHvrIS,CAAF,CAAV,C;K;8FG0rIX,yB;MAAA,uC;MAAA,4B;QAQI,OAAO,mBAAU,SvBppGO,QuBop  
GjB,C;O;KARX,C;IAiB4B,gD;MAAA,wB;QAAW,yBAAK,KAAL,C;O;K;IANvC,iC;MAMI,OF3sIO,eAAW,kBE  
2sIA,gBF3sIA,EAAGb,kBE2sIV,8BF3sIU,CAAhB,CAAX,C;K;gGE8sIX,yB;MAAA,gD;MAAA,yC;MAAA,4B;Q  
AQI,OAAO,oBAAGb,OAAL,SAAK,CAAhB,C;O;KARX,C;IAiB6B,kD;MAAA,wB;QAAW,0BAAK,KAAL,C;O;  
K;IANxC,kC;MAMI,OD/tIO,gBAAY,gCC+tIA,gBD/tIA,GAAiB,mBC+tIX,+BD/tIW,CAAjB,CAAZ,C;K;gGckul  
X,yB;MAAA,2C;MAAA,4B;QAQI,OAAO,qBAAY,SvBtsGK,QuBssGjB,C;O;KARX,C;mgAWA,yB;MAAA,0D;  
MAAA,yD;MAAA,uE;MAAA,2C;QAcI,aAAa,mBAAYC,cAAIB,YAAY,cAAZ,CAAKb,EAAC,EAAD,CAAzC,C;Q  
AsEG,Q;QAAA,2B;QAaHb,OAAGb,cAAhB,C;UAAGb,yB;UArEO,MASEP,aAAI,OAaj,EAteE,aAsEF,CAAC,O

AAd,CAAb,C;;QAtEhB,OAAuB,M;O;Kaf3B,C;mGakBA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAcI,aAAa,mBAA0C,cAAIB,YAAy,cAAZ,CAAKB,EAAC,EAAd,CAA1C,C;QAsEG,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UArEO,MASeP,aAAI,OAAJ,EAtEe,aAsEF,CAAc,OAAAd,CAAb,C;;QAtEhB,OAAuB,M;O;Kaf3B,C;kGakBA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAcI,aAAa,mBAA0C,cAAIB,YAAy,cAAZ,CAAKB,EAAC,EAAd,CAA1C,C;QAsEG,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UArEO,MASeP,aAAI,OAAJ,EAtEe,aAsEF,CAAc,OAAAd,CAAb,C;;QAtEhB,OAAuB,M;O;Kaf3B,C;mGakBA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAcI,aAAa,mBAA2C,cAAIB,YAAy,cAAZ,CAAKB,EAAC,EAAd,CAA3C,C;QAsEG,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UArEO,MASeP,aAAI,OAAJ,EAtEe,aAsEF,CAAc,OAAAd,CAAb,C;;QAtEhB,OAAuB,M;O;Kaf3B,C;uGakBA,iD;MAYoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAy,aAAI,OAAJ,EAAa,cAAc,OAAAd,CAAb,C;;MAEhB,OAAO,W;K;uGAGX,iD;MAYoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAy,aAAI,OAAJ,EAAa,cAAc,OAAAd,CAAb,C;;MAEhB,OAAO,W;K;uGAGX,iD;MAYoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAy,aAAI,OAAJ,EAAa,cAAc,OAAAd,CAAb,C;;MAEhB,OAAO,W;K;uFAGX,yB;MAAA,+D;MAoLA,gD;MApLA,uC;QASW,kBAAU,gB;QAkLD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAnL6B,SAmLIB,CAAU,OAAV,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QApLhB,OAsLO,W;O;KA/LX,C;uFAYA,yB;MAAA,+D;MAoLA,gD;MAiLA,uC;QASW,kBAAU,gB;QAoLD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WArL6B,SAqLIB,CAAU,OAAV,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAtLhB,OAwLO,W;O;KAjMX,C;uFAYA,yB;MAAA,+D;MAwLA,gD;MAxLA,uC;QASW,kBAAU,gB;QAsLD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAvL6B,SAuLIB,CAAU,OAAV,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAxLhB,OA0LO,W;O;KAnMX,C;uFAYA,yB;MAAA,+D;MA0LA,gD;MA1LA,uC;QASW,kBAAU,gB;QAwLD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAzL6B,SAYLIB,CAAU,OAAV,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QA1LhB,OA4LO,W;O;KArMX,C;qGAYA,yB;MAAA,+D;MA4DA,gD;MA5DA,uC;QAYW,kBAAiB,gB;QA2DR,gB;QADhB,YAAy,C;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA5DoC,SA4DzB,EAAU,cAAV,EAAU,sBAAV,WAAmB,OAAAnB,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QA7DhB,OA+DO,W;O;KA3EX,C;qGAeA,yB;MAAA,+D;MA+DA,gD;MA/DA,uC;QAYW,kBAAiB,gB;QA8DR,gB;QADhB,YAAy,C;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA/DoC,SA+DzB,EAAU,cAAV,EAAU,sBAAV,WAAmB,OAAAnB,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAhEhB,OAKEO,W;O;KA9EX,C;qGAeA,yB;MAAA,+D;MAkEA,gD;MAIEA,uC;QAYW,kBAAiB,gB;QAiER,gB;QADhB,YAAy,C;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAlEoC,SAkEzB,EAAU,cAAV,EAAU,sBAAV,WAAmB,OAAAnB,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAnEhB,OaqEO,W;O;KAjFX,C;qGAeA,yB;MAAA,+D;MAqEA,gD;MArEA,uC;QAYW,kBAAiB,gB;QAoER,gB;QADhB,YAAy,C;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WArEoC,SAqEzB,EAAU,cAAV,EAAU,sBAAV,WAAmB,OAAAnB,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAtEhB,OAwEO,W;O;KApFX,C;yGAeA,yB;MAAA,gD;MAAA,oD;QAWoB,UACS,M;QAFzB,YAAy,C;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAW,WAAU,cAAV,EAAU,sBAAV,WAAmB,OAAAnB,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KafX,C;yGakBA,yB;MAAA,gD;MAAA,oD;QAWoB,UACS,M;QAFzB,YAAy,C;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAW,WAAU,cAAV,EAAU,sBAAV,WAAmB,OAAAnB,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KafX,C;yGakBA,yB;MAAA,gD;MAAA,oD;QAWoB,UACS,M;QAFzB,YAAy,C;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAW,WAAU,cAAV,EAAU,sBAAV,WAAmB,OAAAnB,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KafX,C;2FakBA,yB;MAAA,gD;MAAA,oD;QAOoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KAXX,C;2FAcA,yB;MAAA,gD;MAAA,oD;QAOoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KAXX,C;2FAcA,yB;MAAA,gD;MAAA,oD;QAOoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KAXX,

C;2FAcA,yB;MAAA,gD;MAAA,oD;QAOoB,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,WAA W,UAAU,OAAY,C;UACC,OAAY,WAA,YEAAO,IAAP,C;;QAEhB,OAAY,W;O;KAXX,C;uFAcA,yB;MAAA,w E;MA4HA,+D;MA5HA,yC;QAYW,kBAAU,oB;QA4HD,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;U ACZ,UA7HoD,WA6H1C,CAAY,OAAY,C;U/B59IP,U;UADP,Y+B89Ie,W/B99IH,W+B89IwB,G/B99Ix B,C;UAC L,IAAI,aAAJ,C;YACH,a+B49IuC,gB;YAA5B,W/B39IX,a+B29IgC,G/B39IhC,EAAS,MAAT,C;YACA,e;;YAEA, c;;U+Bw9IA,iB;UACA,IAAK,WAAI,OAAY,C;;QA/HT,OAIo,W;O;KA7IX,C;uFAeA,yB;MAAA,wE;MAiIA,+D; MAjIA,yC;QAYW,kBAAU,oB;QAIID,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,UAIqD,WAK I3C,CAAY,OAAY,C;U/Bh/IP,U;UADP,Y+Bk/Ie,W/BI/IH,W+Bk/IwB,G/BI/IxB,C;UACL,IAAI,aAAJ,C;YACH,a+ Bg/IuC,gB;YAA5B,W/B/+IX,a+B++IgC,G/B/+IhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+B4+IA,iB;UACA,IAA K,WAAI,OAAY,C;;QApIT,OAsIO,W;O;KAIJX,C;SFAeA,yB;MAAA,wE;MA5IA,+D;MATIA,yC;QAYW,kBAAU, oB;QAsID,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,UAvIqD,WAuI3C,CAAY,OAAY,C;U/Bp gJP,U;UADP,Y+BsgJe,W/BtgJH,W+BsgJwB,G/BtgJxB,C;UACL,IAAI,aAAJ,C;YACH,a+BogJuC,gB;YAA5B,W/ BngJX,a+BmgJgC,G/BngJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BggJA,iB;UACA,IAAK,WAAI,OAAY,C;;Q AzIT,OA2IO,W;O;KAvJX,C;uFAeA,yB;MAAA,wE;MA2IA,+D;MA3IA,yC;QAYW,kBAAU,oB;QA2ID,Q;QAA A,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,UA5IsD,WA4I5C,CAAY,OAAY,C;U/BxhJP,U;UADP,Y+B0 hJe,W/B1hJH,W+B0hJwB,G/B1hJxB,C;UACL,IAAI,aAAJ,C;YACH,a+BwhJuC,gB;YAA5B,W/BvhJX,a+BuhJgC ,G/BvhJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BohJA,iB;UACA,IAAK,WAAI,OAAY,C;;QA9IT,OAqJO,W;O ;KA5JX,C;uFAeA,yB;MAAA,wE;MAgJA,+D;MAhJA,yD;QAaW,kBAAU,oB;QAqJD,Q;QAAA,2B;QAAhB,OA AGB,cAAhB,C;UAAgB,yB;UACZ,UajJiD,WaiJvC,CAAY,OAAY,C;U/B7iJP,U;UADP,Y+B+iJe,W/B/iJH,W+B+ iJwB,G/B/iJxB,C;UACL,IAAI,aAAJ,C;YACH,a+B6iJuC,gB;YAA5B,W/B5iJX,a+B4iJgC,G/B5iJhC,EAAS,MAAT ,C;YACA,e;;YAEA,c;;U+ByiJA,iB;UACA,IAAK,WAnJyD,cAmJrD,CAAe,OAAY,CAAJ,C;;QAnJT,OAqJO,W;O; KAIKX,C;uFAgBA,yB;MAAA,wE;MAqJA,+D;MARJA,yD;QAaW,kBAAU,oB;QAqJD,Q;QAAA,2B;QAAhB,OA AGB,cAAhB,C;UAAgB,yB;UACZ,UAtJiD,WAsJvC,CAAY,OAAY,C;U/BlkJP,U;UADP,Y+BokJe,W/BpkJH,W+B okJwB,G/BpkJxB,C;UACL,IAAI,aAAJ,C;YACH,a+BkkJuC,gB;YAA5B,W/BjkJX,a+BikJgC,G/BjkJhC,EAAS,M AAT,C;YACA,e;;YAEA,c;;U+B8jJA,iB;UACA,IAAK,WaxJyD,cAwJrD,CAAe,OAAY,CAAJ,C;;QAxJT,OA0JO, W;O;KAvKX,C;uFAgBA,yB;MAAA,wE;MA0JA,+D;MA1JA,yD;QAaW,kBAAU,oB;QA0JD,Q;QAAA,2B;QAAh B,OAAGB,cAAhB,C;UAAgB,yB;UACZ,UA3JiD,WA2JvC,CAAY,OAAY,C;U/BvIJP,U;UADP,Y+BvIJe,W/BzIjH, W+BvIjwB,G/BzIjxB,C;UACL,IAAI,aAAJ,C;YACH,a+BulJuC,gB;YAA5B,W/BtIjX,a+BslJgC,G/BtIjHc,EAAS, MAAT,C;YACA,e;;YAEA,c;;U+BmlJA,iB;UACA,IAAK,WA7JyD,cA6JrD,CAAe,OAAY,CAAJ,C;;QA7JT,OA+J O,W;O;KA5KX,C;uFAgBA,yB;MAAA,wE;MA+JA,+D;MA/JA,yD;QAaW,kBAAU,oB;QA+JD,Q;QAAA,2B;QA AhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,UahKiD,WAgKvC,CAAY,OAAY,C;U/B5mJP,U;UADP,Y+B8mJe,W /B9mJH,W+B8mJwB,G/B9mJxB,C;UACL,IAAI,aAAJ,C;YACH,a+B4mJuC,gB;YAA5B,W/B3mJX,a+B2mJgC,G/ B3mJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BwmJA,iB;UACA,IAAK,WAIKyD,cAkKrD,CAAe,OAAY,CAAJ ,C;;QAIKT,OAoKO,W;O;KAjLX,C;2FAgBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAGB,c AAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAY,C;U/B59IP,U;UADP,Y+B89Ie,W/B99IH,W+B89IwB,G/B99Ix B,C;UACL,IAAI,aAAJ,C;YACH,a+B49IuC,gB;YAA5B,W/B39IX,a+B29IgC,G/B39IhC,EAAS,MAAT,C;YACA,e ;;YAEA,c;;U+Bw9IA,iB;UACA,IAAK,WAAI,OAAY,C;;QAET,OAAY,W;O;KAjBX,C;2FAoBA,yB;MAAA,+D; MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAY,C;U/Bh/I P,U;UADP,Y+Bk/Ie,W/BI/IH,W+Bk/IwB,G/BI/IxB,C;UACL,IAAI,aAAJ,C;YACH,a+Bg/IuC,gB;YAA5B,W/B/+I X,a+B++IgC,G/B/+IhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+B4+IA,iB;UACA,IAAK,WAAI,OAAY,C;;QAET, OAAO,W;O;KAjBX,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UA AGB,yB;UACZ,UAAU,YAAY,OAAY,C;U/BpgJP,U;UADP,Y+BsgJe,W/BtgJH,W+BsgJwB,G/BtgJxB,C;UACL,I AAI,aAAJ,C;YACH,a+BogJuC,gB;YAA5B,W/BngJX,a+BmgJgC,G/BngJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;; U+BggJA,iB;UACA,IAAK,WAAI,OAAY,C;;QAET,OAAY,W;O;KAjBX,C;2FAoBA,yB;MAAA,+D;MAAA,sD;Q AYoB,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAY,C;U/BxhJP,U;UADP,Y +B0hJe,W/B1hJH,W+B0hJwB,G/B1hJxB,C;UACL,IAAI,aAAJ,C;YACH,a+BwhJuC,gB;YAA5B,W/BvhJX,a+Buh JgC,G/BvhJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BohJA,iB;UACA,IAAK,WAAI,OAAY,C;;QAET,OAAY,W ;O;KAjBX,C;2FAoBA,yB;MAAA,+D;MAAA,sE;QAaoB,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;U



ACZ,UAAU,YAAY,OAAZ,C;U/B7iJP,U;UADP,Y+B+iJe,W/B/iJH,W+B+iJwB,G/B/iJxB,C;UACL,IAAI,aAAJ,C;  
YACH,a+B6iJuC,gB;YAA5B,W/B5iJX,a+B4iJgC,G/B5iJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+ByiJA,iB;UA  
CA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KAIBX,C;2FAqBA,yB;MAAA,+D;MAAA,sE;QAao  
B,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U/BikJP,U;UADP,Y+Bok  
Je,W/BpkJH,W+BokJwB,G/BpkJxB,C;UACL,IAAI,aAAJ,C;YACH,a+BkkJuC,gB;YAA5B,W/BjkJX,a+BikJgC,G/  
BjkJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+B8jJA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OA  
AO,W;O;KAIBX,C;2FAqBA,yB;MAAA,+D;MAAA,sE;QAaoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB  
,yB;UACZ,UAAU,YAAY,OAAZ,C;U/BvlJP,U;UADP,Y+BvlJe,W/BzlJH,W+BvlJwB,G/BzlJxB,C;UACL,IAAI,a  
AAJ,C;YACH,a+BulJuC,gB;YAA5B,W/BtlJX,a+BslJgC,G/BtlJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BmlJA  
,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KAIBX,C;2FAqBA,yB;MAAA,+D;MAAA,sE  
;QAaoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U/B5mJP,U;UADP  
,Y+B8mJe,W/B9mJH,W+B8mJwB,G/B9mJxB,C;UACL,IAAI,aAAJ,C;YACH,a+B4mJuC,gB;YAA5B,W/B3mJX,  
a+B2mJgC,G/B3mJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BwmJA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CA  
AJ,C;;QAET,OAAO,W;O;KAIBX,C;+EAqBA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAM,eAAa,cAAb,C;QAsKA  
,Q;QAAA,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAvKiB,SAuKb,CAAU,IAAV,CAAJ,C;;QAvKhB  
,OAwKO,W;O;KAILX,C;+EAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAM,eAAa,cAAb,C;QAsKA,Q;QAAA,2  
B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAvKiB,SAuKb,CAAU,IAAV,CAAJ,C;;QAvKhB,OAwKO,  
W;O;KAILX,C;8EAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAM,eAAa,cAAb,C;QAsKA,Q;QAAA,2B;QAAb,O  
AAa,cAAb,C;UAAa,sB;UACT,WAAY,WAvKiB,SAuKb,CAAU,IAAV,CAAJ,C;;QAvKhB,OAwKO,W;O;KAILX  
,C;+EAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAM,eAAa,cAAb,C;QAsKA,Q;QAAA,2B;QAAb,OAAa,cAAb,  
C;UAAa,sB;UACT,WAAY,WAvKiB,SAuKb,CAAU,IAAV,CAAJ,C;;QAvKhB,OAwKO,W;O;KAILX,C;4FAaA,y  
B;MAAA,gE;MAAA,uC;QAUW,kBAaA,eAAa,cAAb,C;QAqDP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cA  
Ab,C;UAAa,sB;UACT,WAAY,WAtDwB,SAsDpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAt  
DhB,OAuDO,W;O;KAjEX,C;6FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAaA,eAAa,cAAb,C;QAWDP,gB;QAD  
b,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAZDwB,SAYDpB,EAAU,cAAV,EAAU,  
sBAAV,WAAmB,IAAnB,CAAJ,C;;QAZDhB,OA0DO,W;O;KApEX,C;6FAaA,yB;MAAA,gE;MAAA,uC;QAUW,  
kBAaA,eAAa,cAAb,C;QA2DP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,W  
A5DwB,SA4DpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA5DhB,OA6DO,W;O;KAvEX,C;4F  
AaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAaA,eAAa,cAAb,C;QA8DP,gB;QADb,YAAY,C;QACC,2B;QAAb,OA  
Aa,cAAb,C;UAAa,sB;UACT,WAAY,WA/DwB,SA+DpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,  
C;;QA/DhB,OAgEO,W;O;KA1EX,C;iGAaA,6C;MAWiB,UACiB,M;MAF9B,YAAY,C;MACC,2B;MAAb,OAAa,  
cAAb,C;QAAa,sB;QACT,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MACHB,OA  
AO,W;K;iGAGX,6C;MAWiB,UACiB,M;MAF9B,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,  
WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MACHB,OAAO,W;K;iGAGX,6C;MAW  
iB,UACiB,M;MAF9B,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAY,WAAI,WAAU,cAA  
V,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MACHB,OAAO,W;K;iGAGX,6C;MAWiB,UACiB,M;MAF9B,YAA  
Y,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,I  
AAnB,CAAJ,C;;MACHB,OAAO,W;K;mFAGX,6C;MAQiB,Q;MAAA,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAC  
T,WAAY,WAAI,UAAU,IAAV,CAAJ,C;;MACHB,OAAO,W;K;mFAGX,6C;MAQiB,Q;MAAA,2B;MAAb,OAAa,  
cAAb,C;QAAa,sB;QACT,WAAY,WAAI,UAAU,IAAV,CAAJ,C;;MACHB,OAAO,W;K;mFAGX,6C;MAQiB,Q;M  
AAA,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAY,WAAI,UAAU,IAAV,CAAJ,C;;MACHB,OAAO,W;K;m  
FAGX,6C;MAQiB,Q;MAAA,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAY,WAAI,UAAU,IAAV,CAAJ,C;;  
MACHB,OAAO,W;K;IAUiB,6C;MAAA,mB;QAAE,gC;O;K;IAP9B,iC;MAOI,OAAO,qBAAiB,8BAAjB,C;K;IAU  
iB,6C;MAAA,mB;QAAE,gC;O;K;IAP9B,iC;MAOI,OAAO,qBAAiB,8BAAjB,C;K;IAUiB,6C;MAAA,mB;QAAE,  
gC;O;K;IAP9B,iC;MAOI,OAAO,qBAAiB,8BAAjB,C;K;IAUiB,6C;MAAA,mB;QAAE,gC;O;K;IAP9B,iC;MAOI,  
OAAO,qBAAiB,8BAAjB,C;K;+EAGX,gC;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM  
,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;;MACTD,OAAO,I;K;+EAGX,gC;MASoB,Q;MAAA,2B;  
MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;;MACTD

,OAAO,I;K;+EAGX,gC;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAAC,UA  
AU,OAAV,CAAL,C;UAAyB,OAAO,K;MActD,OAAO,I;K;+EAGX,gC;MASoB,Q;MAAA,2B;MAAhB,OAAgB,  
cAAhB,C;QAAgB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;MActD,OAAO,I;K;+EA  
GX,yB;MAAA,0C;MAAA,4B;QASI,OAAe,IAAR,iBAAQ,C;O;KATnB,C;+EAYA,yB;MAAA,0C;MAAA,4B;QA  
SI,OAAe,IAAR,iBAAQ,C;O;KATnB,C;+EAYA,yB;MAAA,0C;MAAA,4B;QASI,OAAe,IAAR,iBAAQ,C;O;KAT  
nB,C;+EAYA,yB;MAAA,0C;MAAA,4B;QASI,OAAe,IAAR,iBAAQ,C;O;KATnB,C;+EAYA,gC;MASoB,Q;MAA  
A,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;MACrD,  
OAAO,K;K;+EAGX,gC;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OA  
AV,CAAJ,C;UAAwB,OAAO,I;MACrD,OAAO,K;K;+EAGX,gC;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB  
,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;MACrD,OAAO,K;K;+EAGX,gC;MASoB  
,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;  
MACrD,OAAO,K;K;mFAGX,gC;MAQoB,Q;MADhB,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,y  
B;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;MAC9C,OAAO,K;K;mFAGX,gC;MAQoB,Q;MADhB,YA  
AY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;MA  
C9C,OAAO,K;K;mFAGX,gC;MAQoB,Q;MADhB,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;Q  
AAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;MAC9C,OAAO,K;K;mFAGX,gC;MAQoB,Q;MADhB,YAAY,C  
;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;MAC9C,O  
AAO,K;K;iFAGX,yC;MAaoB,Q;MADhB,kBAakB,O;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM  
,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;MACpC,OAAO,W;K;iFAGX,yC;MAaoB,Q;MADhB,kBAakB,O;MA  
CF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;MACpC,OAAO  
,W;K;iFAGX,yC;MAaoB,Q;MADhB,kBAakB,O;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,cAA  
c,UAAU,WAAV,EAAuB,OAAvB,C;MACpC,OAAO,W;K;iFAGX,yC;MAaoB,Q;MADhB,kBAakB,O;MACF,2B  
;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;MACpC,OAAO,W;K;  
+FAGX,yC;MAeoB,UAA8B,M;MAF9C,YAAY,C;MACZ,kBAakB,O;MACF,2B;MAAhB,OAAgB,cAAhB,C;QA  
AgB,yB;QAAM,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAAnB,EAAGC,OAAhC,C;MACpC,OAAO,W;  
K;+FAGX,yC;MAeoB,UAA8B,M;MAF9C,YAAY,C;MACZ,kBAakB,O;MACF,2B;MAAhB,OAAgB,cAAhB,C;  
QAAgB,yB;QAAM,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAAnB,EAAGC,OAAhC,C;MACpC,OAAO,  
W;K;+FAGX,yC;MAeoB,UAA8B,M;MAF9C,YAAY,C;MACZ,kBAakB,O;MACF,2B;MAAhB,OAAgB,cAAhB,  
C;QAAgB,yB;QAAM,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAAnB,EAAGC,OAAhC,C;MACpC,OAA  
O,W;K;+FAGX,yC;MAeoB,UAA8B,M;MAF9C,YAAY,C;MACZ,kBAakB,O;MACF,2B;MAAhB,OAAgB,cAAh  
B,C;QAAgB,yB;QAAM,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAAnB,EAAGC,OAAhC,C;MACpC,OA  
AO,W;K;0FAGX,yB;MA1uDI,8D;MA0uDJ,gD;QAeoC,Q;QAHhC,YAtvDgB,cAAR,iBAAQ,C;QAuvDhB,kBA  
AkB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,YAAJ,EAAL,oBAAJ,QAAV,EAAwB,WAA  
xB,C;QAEIB,OAAO,W;O;KAjBX,C;2FAoBA,yB;MATvDI,8D;MAsvDJ,gD;QAeoC,Q;QAHhC,YAlwDgB,cAAR,  
iBAAQ,C;QAmwDhB,kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,YAAJ,EAAL,oB  
AAJ,QAAV,EAAwB,WAAxB,C;QAEIB,OAAO,W;O;KAjBX,C;2FAoBA,yB;MA1wDI,8D;MAkwDJ,gD;QAeoC,  
Q;QAHhC,YA9wDgB,cAAR,iBAAQ,C;QA+wDhB,kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,U  
AAU,uBAAI,YAAJ,EAAL,oBAAJ,QAAV,EAAwB,WAAxB,C;QAEIB,OAAO,W;O;KAjBX,C;2FAoBA,yB;MA9  
wDI,8D;MA8wDJ,gD;QAeoC,Q;QAHhC,YA1xDgB,cAAR,iBAAQ,C;QA2xDhB,kBAakB,O;QACIB,OAAO,SA  
AS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,YAAJ,EAAL,oBAAJ,QAAV,EAAwB,WAAxB,C;QAEIB,OAAO,W;O;  
KAjBX,C;yGAoBA,yB;MA1zDI,8D;MA0zDJ,gD;QAaI,YAv0DgB,cAAR,iBAAQ,C;QAw0DhB,kBAakB,O;QAC  
IB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAaV,EAaiB,sBAAI,KAAJ,CAAjB,EAa6B,WAA7B,C;UACd,  
qB;QAEJ,OAAO,W;O;KAnBX,C;yGAsBA,yB;MAx0DI,8D;MAw0DJ,gD;QAaI,YAr1DgB,cAAR,iBAAQ,C;QAs  
1DhB,kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAaV,EAaiB,sBAAI,KAAJ,CAAjB,EA  
A6B,WAA7B,C;UACd,qB;QAEJ,OAAO,W;O;KAnBX,C;yGAsBA,yB;MA1DI,8D;MA1DJ,gD;QAaI,YAn2Dg  
B,cAAR,iBAAQ,C;QAo2DhB,kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAaV,EAaiB,s  
BAAI,KAAJ,CAAjB,EAa6B,WAA7B,C;UACd,qB;QAEJ,OAAO,W;O;KAnBX,C;yGAsBA,yB;MAp2DI,8D;MA  
o2DJ,gD;QAaI,YAj3DgB,cAAR,iBAAQ,C;QAK3DhB,kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,

UAAU,KAAV,EAAiB,sBAAl,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAnBX,C;uFAs  
BA,6B;MAOoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAgB,yB;QAAM,OAAO,OAAP,C;;K;uFAG1B,6B;  
MAOoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAgB,yB;QAAM,OAAO,OAAP,C;;K;uFAG1B,6B;MAOoB  
,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAgB,yB;QAAM,OAAO,OAAP,C;;K;uFAG1B,6B;MAOoB,Q;MAA  
A,2B;MAAhB,OAAGB,cAAhB,C;QAAgB,yB;QAAM,OAAO,OAAP,C;;K;qGAG1B,6B;MAUiB,UAAa,M;MAD1  
B,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAAM,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;  
;K;qGAGvB,6B;MAUiB,UAAa,M;MAD1B,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAAM,QAAO  
,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;K;qGAGvB,6B;MAUiB,UAAa,M;MAD1B,YAAY,C;MACC,2B;MAA  
b,OAAa,cAAb,C;QAAa,sB;QAAM,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;K;qGAGvB,6B;MAUiB,UA  
Aa,M;MAD1B,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAAM,QAAO,cAAP,EAAO,sBAAP,WAA  
gB,IAAhB,C;;K;IAGvB,2B;MAKI,OAAO,uB;K;IAGX,2B;MAKI,OAAO,uB;K;IAGX,2B;MAKI,OAAO,uB;K;IA  
GX,2B;MAKI,OAAO,uB;K;mFAGX,yB;MA9gEI,8D;MA8gEJ,sC;QAMW,sB;;UAuCP,IAAI,mBAAJ,C;YAAe,qB  
AAO,I;YAAP,uB;WACf,cAAc,sBAAK,CAAL,C;UACd,gBA7jEgB,cAAR,iBAAQ,C;UA8jEhB,IAAI,cAAa,CAAj  
B,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eA3CmB,QA2CJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,  
M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Ce,QA8CP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C  
;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QApDP,yB;O;KANJ,C;mFASA,yB;MA+gEI,8D;MA+gEJ  
,sC;QAMW,sB;;UAuDP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,sBAAK,CAAL,C;UACd,gBA9  
kEgB,cAAR,iBAAQ,C;UA+kEhB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eA3DmB,QA2D  
J,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9De,QA8DP,C  
AAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QA  
pEP,yB;O;KANJ,C;mFASA,yB;MAhhEI,8D;MAghEJ,sC;QAMW,sB;;UAuEP,IAAI,mBAAJ,C;YAAe,qBAAO,I;Y  
AAP,uB;WACf,cAAc,sBAAK,CAAL,C;UACd,gBA/IEgB,cAAR,iBAAQ,C;UAgmEhB,IAAI,cAAa,CAAjB,C;YA  
AoB,qBAAO,O;YAAP,uB;WACpB,eA3EmB,QA2EJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YAC  
I,QAAQ,sBAAK,CAAL,C;YACR,QA9Ee,QA8EP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,U  
AAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QApFP,yB;O;KANJ,C;mFASA,yB;MAjhEI,8D;MAihEJ,sC;QAM  
W,sB;;UAuFP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,sBAAK,CAAL,C;UACd,gBAhnEgB,cA  
AR,iBAAQ,C;UAinEhB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eA3FmB,QA2FJ,CAAS,O  
AAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Fe,QA8FP,CAAS,CAA  
T,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QApGP,yB;O;  
KANJ,C;+FASA,yB;MALjEI,8D;MAkjEJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,  
C;QACd,gBA7jEgB,cA6jEA,SA7jER,QAAQ,C;QA8jEhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe  
,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAA  
T,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAtBX,C;+FAy  
BA,yB;MAnkEI,8D;MAmkEJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QAC  
d,gBA9kEgB,cA8kEA,SA9kER,QAAQ,C;QA+kEhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SA  
AS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C  
;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAtBX,C;+FAy  
BA,yB;MAplEI,8D;MAolEJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gB  
A/IEgB,cA+IEA,SA/IER,QAAQ,C;QAgmEhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OA  
AT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UAC  
R,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAtBX,C;+FAyBA,yB  
;MArmEI,8D;MAqmEJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAhn  
EgB,cAgnEA,SAhnER,QAAQ,C;QAinEhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,  
C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IA  
AI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAtBX,C;kFAyBA,yB;MA  
AA,sE;MATpEI,8D;MpBnwHJ,iB;MoBy5LA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eA  
Ae,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAtqEG,cAAR,iBAAQ,C;QAsqEhB,aAAU,CAAV,iB;UACI,QAAQ,S  
AAS,sBAAK,CAAL,CAAT,C;UACR,WpBn6LG,MAAO,KoBm6LO,QpBn6LP,EoBm6LiB,CpBn6LjB,C;;QoBq6

Ld,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MArqEI,8D;MpB3wHJ,iB;MoBg7LA,sC;QAgBiB,Q;QAFb,I  
AAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OArrEG,cAAR,iBAAQ,  
C;QAqrEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB17LG,MAAO,KoB07LO  
,QpB17LP,EoB07LiB,CpB17LjB,C;;QoB47Ld,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAprEI,8D;MpB  
nxHJ,iB;MoBu8LA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL  
,CAAT,C;QACF,OAprEG,cAAR,iBAAQ,C;QAosEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CA  
AT,C;UACR,WpBj9LG,MAAO,KoBi9LO,QpBj9LP,EoBi9LiB,CpBj9LjB,C;;QoBm9Ld,OAAO,Q;O;KApBX,C;m  
FAuBA,yB;MAAA,sE;MAAnsEI,8D;MpB3xHJ,iB;MoB89LA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM  
,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAntEG,cAAR,iBAAQ,C;QAmtEhB,aAAU,CAAV,iB;  
UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBx+LG,MAAO,KoBw+LO,QpBx+LP,EoBw+LiB,CpBx  
+LjB,C;;QoB0+Ld,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAIvEI,8D;MpB9wHJ,iB;MoBggMA,sC;QA  
gBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAlwEG,  
cAAR,iBAAQ,C;QakwEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB1gMG,  
MAAO,KoB0gMO,QpB1gMP,EoB0gMiB,CpB1gMjB,C;;QoB4gMd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,  
sE;MAjwEI,8D;MpBtxHJ,iB;MoBuhMA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,  
SAAS,sBAAK,CAAL,CAAT,C;QACF,OAJxEG,cAAR,iBAAQ,C;QAixEhB,aAAU,CAAV,iB;UACI,QAAQ,SA  
S,sBAAK,CAAL,CAAT,C;UACR,WpBjiMG,MAAO,KoBiiMO,QpBjiMP,EoBiiMiB,CpBjiMjB,C;;QoBmiMd,OA  
AO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAhxEI,8D;MpB9xHJ,iB;MoB8iMA,sC;QAgBiB,Q;QAFb,IAAI,mB  
AAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAhYEG,cAAR,iBAAQ,C;QAgY  
EhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBxjMG,MAAO,KoBwjMO,QpBxj  
MP,EoBwjMiB,CpBxjMjB,C;;QoB0jMd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA/xEI,8D;MpBtyHJ,i  
B;MoBqkMA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAA  
T,C;QACF,OAYEG,cAAR,iBAAQ,C;QA+yEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;  
UACR,WpB/kMG,MAAO,KoB+kMO,QpB/kMP,EoB+kMiB,CpB/kMjB,C;;QoBilMd,OAAO,Q;O;KApBX,C;mF  
AuBA,yB;MAAA,sE;MA90EI,8D;MA80EJ,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,  
SAAS,sBAAK,CAAL,CAAT,C;QACF,OA51EG,cAAR,iBAAQ,C;QA41EhB,aAAU,CAAV,iB;UACI,QAAQ,SA  
S,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KApBX  
,C;mFAuBA,yB;MAAA,sE;MA71EI,8D;MA61EJ,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,  
eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA32EG,cAAR,iBAAQ,C;QA22EhB,aAAU,CAAV,iB;UACI,QAA  
Q,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;  
KApBX,C;mFAuBA,yB;MAAA,sE;MA52EI,8D;MA42EJ,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;  
QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA13EG,cAAR,iBAAQ,C;QA03EhB,aAAU,CAAV,iB;UA  
CI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OA  
AO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA33EI,8D;MA23EJ,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,M  
AAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAz4EG,cAAR,iBAAQ,C;QAY4EhB,aAAU,CAA  
V,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QA  
GnB,OAAO,Q;O;KApBX,C;8FAuBA,yB;MA16EI,8D;MpBnwHJ,iB;MoB6qMA,sC;QAcIB,Q;QAFb,IAAI,mBAA  
J,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAx7EG,cAAR,iBAAQ,C;QAw7EhB,a  
AAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBrrMG,MAAO,KoBqrMO,QpBrrMP,Eo  
BqrMiB,CpBrrMjB,C;;QoBurMd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAv7EI,8D;MpB3wHJ,iB;MoBksMA,sC;Q  
AcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAr8EG,cA  
AR,iBAAQ,C;QAq8EhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB1sMG,MA  
AO,KoB0sMO,QpB1sMP,EoB0sMiB,CpB1sMjB,C;;QoB4sMd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAP8EI,8D;  
MpBnxHJ,iB;MoButMA,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAA  
L,CAAT,C;QACF,OAI9EG,cAAR,iBAAQ,C;QAk9EhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CA  
AT,C;UACR,WpB/tMG,MAAO,KoB+tMO,QpB/tMP,EoB+tMiB,CpB/tMjB,C;;QoBiuMd,OAAO,Q;O;KAlBX,C;  
+FAqBA,yB;MAj9EI,8D;MpB3xHJ,iB;MoB4uMA,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,e  
AAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA/9EG,cAAR,iBAAQ,C;QA+9EhB,aAAU,CAAV,iB;UACI,QAAQ,

SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBpvMG,MAAO,KoBovMO,QpBpvMP,EoBovMiB,CpBpvMjB,C;;QoBsvMd,OAAO,Q;O;KAIBX,C;+FAqBA,yB;MA9/EI,8D;MpB9wHJ,iB;MoB4wMA,sC;QAcIB,Q;QAFb,IAAI,mBA AJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA5gFG,cAAR,iBAAQ,C;QA4gFhB, aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBpxMG,MAAO,KoBoxMO,QpBpxMP ,EoBoxMiB,CpBpxMjB,C;;QoBsxMd,OAAO,Q;O;KAIBX,C;+FAqBA,yB;MA3gFI,8D;MpBtxHJ,iB;MoBiyMA,s C;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAzhF G,cAAR,iBAAQ,C;QAYhFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBzyMG, MAAO,KoByyMO,QpBzyMP,EoByyMiB,CpBzyMjB,C;;QoB2yMd,OAAO,Q;O;KAIBX,C;+FAqBA,yB;MAxhFI, 8D;MpB9xHJ,iB;MoBszMA,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,C AAL,CAAT,C;QACF,OAtiFG,cAAR,iBAAQ,C;QAsiFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,C AAT,C;UACR,WpB9zMG,MAAO,KoB8zMO,QpB9zMP,EoB8zMiB,CpB9zMjB,C;;QoBg0Md,OAAO,Q;O;KAIB X,C;+FAqBA,yB;MAriFI,8D;MpBtyHJ,iB;MoB20MA,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACt B,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAjFG,cAAR,iBAAQ,C;QAmjFhB,aAAU,CAAV,iB;UACI,QA AQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBn1MG,MAAO,KoBm1MO,QpBn1MP,EoBm1MiB,CpBn1MjB,C; ;QoBq1Md,OAAO,Q;O;KAIBX,C;+FAqBA,yB;MAlFI,8D;MAkiFJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe, OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA9IFG,cAAR,iBAAQ,C;QA8IFhB,aAAU,CAAV, iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGn B,OAAO,Q;O;KAIBX,C;+FAqBA,yB;MAIFI,8D;MAIFJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I; QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA3mFG,cAAR,iBAAQ,C;QA2mFhB,aAAU,CAAV,iB;UA CI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OA AO,Q;O;KAIBX,C;+FAqBA,yB;MA5mFI,8D;MA4mFJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QA CtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAxnFG,cAAR,iBAAQ,C;QAwnFhB,aAAU,CAAV,iB;UACI, QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO, Q;O;KAIBX,C;+FAqBA,yB;MAznFI,8D;MAynFJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,e AAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAroFG,cAAR,iBAAQ,C;QAqoFhB,aAAU,CAAV,iB;UACI,QAAQ, SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;K AIBX,C;2FAqBA,yB;MAAA,sE;MATqFI,8D;MASqFJ,kD;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QA CrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAprFG,cAAR,iBAAQ,C;QAorFhB,aAAU,CAAV,iB;UACI,Q AAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAt C,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KApBX,C;0FAuBA,yB;MAAA,sE;MArrFI,8D;MAqrFJ,kD;QAcIB,Q; QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAAnsFG,cAAR,i BAAQ,C;QAmsFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ, QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KApBX,C;2FAuBA,yB ;MAAA,sE;MApsFI,8D;MAosFJ,kD;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sB AAK,CAAL,CAAT,C;QACF,OAItFG,cAAR,iBAAQ,C;QAktFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK, CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C; ;QAGnB,OAAO,Q;O;KApBX,C;2FAuBA,yB;MAAA,sE;MAntFI,8D;MAmtFJ,kD;QAcIB,Q;QAFb,IAAI,mBAAJ, C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAjuFG,cAAR,iBAAQ,C;QAiuFhB,a AAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAA I B,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KApBX,C;uGAuBA,yB;MAIwFI,8D;MAkwF J,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA9 wFG,cAAR,iBAAQ,C;QA8wFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,U AAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAIBX,C ;sGAqBA,yB;MA/wFI,8D;MA+wFJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,s BAAK,CAAL,CAAT,C;QACF,OA3xFG,cAAR,iBAAQ,C;QA2xhFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAA K,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW, C;;QAGnB,OAAO,Q;O;KAIBX,C;uGAqBA,yB;MA5xFI,8D;MA4xFJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAA e,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAxyFG,cAAR,iBAAQ,C;QAwyFhB,aAAU,CA

AV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAIB,CAAX,GAaKc,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAIBX,C;uGAqBA,yB;MAzyFI,8D;MAyyFJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OArzFG,cAAR,iBAAQ,C;QAqzFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAIB,CAAX,GAaKc,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAIBX,C;IAqBA,iC;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OA91FG,gBAAR,iBAAQ,C;MA81FhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,InC5mN8D,YmC4mN1D,GnC5mN2E,KAAjB,EmC4mNpD,CnC5mNiF,KAA7B,CmC4mN1D,IAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,iC;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAr2FG,gBAAR,iBAAQ,C;MAq2FhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,InBnnN+D,amBnnN3D,GnBnnN6E,KAAIB,EmBnnNrD,CnBnnNmF,KAA9B,CmBnnN3D,IAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,iC;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OA52FG,gBAAR,iBAAQ,C;MA42FhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IpC1pN4E,0BoC0pNxE,GpC/6M8B,KAAL,GAAiB,GA308B,EoC0pNIE,CpC/6MwB,KAAL,GAAiB,GA308B,CoC0pNxE,IAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,iC;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAn3FG,gBAAR,iBAAQ,C;MAm3FhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IIcjqN6E,0BkCiqNzE,GlC77M8B,KAAL,GAAiB,KApO+B,EkCiqNnE,CIC77MwB,KAAL,GAAiB,KApO+B,CkCiqNzE,IAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,2C;MAKI,OAAO,4BAAc,UAAAd,C;K;IAGX,2C;MAKI,OAAO,4BAAc,UAAAd,C;K;IAGX,2C;MAKI,OAAO,4BAAc,UAAAd,C;K;IAGX,iD;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OA17FG,gBAAR,iBAAQ,C;MA07FhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,iD;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAj8FG,gBAAR,iBAAQ,C;MAi8FhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,iD;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAx8FG,gBAAR,iBAAQ,C;MAw8FhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,iD;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OA/8FG,gBAAR,iBAAQ,C;MA+8FhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,2B;MAKI,OAAO,uB;K;IAGX,2B;MAKI,OAAO,uB;K;IAGX,2B;MAKI,OAAO,uB;K;IAGX,2B;MAKI,OAAO,uB;K;mFAGX,yB;MA9gGI,8D;MA8gGJ,sC;QAMW,sB;;UAuCP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,sBAAK,CAAL,C;UACd,gBA7jGgB,cAAR,iBAAQ,C;UA8jGhB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eA3CmB,QA2CJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QA AQ,sBAAK,CAAL,C;YACR,QA9Ce,QA8CP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;QApDP,yB;O;KANJ,C;mFASA,yB;MA/gGI,8D;MA+gGJ,sC;QAMW,sB;;UAuDP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,sBAAK,CAAL,C;UACd,gBA9kGgB,cAAR,iBAAQ,C;UA+kGhB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eA3DmB,QA2DJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9De,QA8DP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;QApEP,yB;O;KANJ,C;mFASA,yB;MAhhGI,8D;MAghGJ,sC;QAMW,sB;;UAuEP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,sBAAK,CAAL,C;UACd,gBA/lGgB,cAAR,iBAAQ,C;UAgmGhB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eA3EmB,QA2EJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Ee,QA8EP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;QApFP,yB;O;KANJ,C;mFASA,yB;MAjhGI,8D;MAihGJ,sC;QAMW,sB;;UAuFP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,sBAAK,CAAL,C;UACd,gBAhnGgB,cAAR,iBAAQ,C;UAinGhB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eA3FmB,QA2FJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Fe,QA8FP,CAAS,CAAT,C;Y

ACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QApGP,yB;O;KANJ  
,C;+FASA,yB;MAIjGI,8D;MAKjGJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;Q  
ACd,gBA7jGgB,cA6jGA,SA7jGR,QAAQ,C;QA8jGhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,S  
AAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT  
,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KatBX,C;+FA  
yBA,yB;MAnkGI,8D;MAmkGJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,  
gBA9kGgB,cA8kGA,SA9kGR,QAAQ,C;QA+kGhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAA  
S,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;  
UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KatBX,C;+FAyB  
A,yB;MAplGI,8D;MAolGJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBA  
/lGgB,cA+lGA,SA/lGR,QAAQ,C;QAgmGhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OA  
AT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UAC  
R,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KatBX,C;+FAyBA,yB  
;MArmGI,8D;MAqmGJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAhn  
GgB,cAgnGA,SAhnGR,QAAQ,C;QAinGhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OA  
AT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,I  
AAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KatBX,C;kFAyBA,yB;M  
AAA,sE;MATpGI,8D;MpB/iHJ,iB;MoBqsNA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eA  
Ae,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAtqGG,cAAR,iBAAQ,C;QAsqGhB,aAAU,CAAV,iB;UACI,QAAQ,S  
AAS,sBAAK,CAAL,CAAT,C;UACR,WpB/sNG,MAAO,KoB+sNO,QpB/sNP,EoB+sNiB,CpB/sNjB,C;;QoBitNd,  
OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MARqGI,8D;MpBvjHJ,iB;MoB4tNA,sC;QAgBiB,Q;QAFb,IAAI,  
mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OArrGG,cAAR,iBAAQ,C;QA  
qrGhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBtuNG,MAAO,KoBsuNO,QpBt  
uNP,EoBsuNiB,CpBtuNjB,C;;QoBwuNd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAprGI,8D;MpB/jHJ,i  
B;MoBmvNA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAA  
T,C;QACF,OApGG,cAAR,iBAAQ,C;QAosGhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;  
UACR,WpB7vNG,MAAO,KoB6vNO,QpB7vNP,EoB6vNiB,CpB7vNjB,C;;QoB+vNd,OAAO,Q;O;KApBX,C;mF  
AuBA,yB;MAAA,sE;MAnsGI,8D;MpBvkHJ,iB;MoB0wNA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM  
,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAntGG,cAAR,iBAAQ,C;QAmtGhB,aAAU,CAAV,iB;  
UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBpxNG,MAAO,KoBoxNO,QpBpxNP,EoBoxNiB,CpBpx  
NjB,C;;QoBsNd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAIvGI,8D;MpB1jHJ,iB;MoB4yNA,sC;QAgB  
iB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAlwGG,c  
AAR,iBAAQ,C;QakwGhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBtzNG,M  
AAO,KoBszNO,QpBtzNP,EoBszNiB,CpBtzNjB,C;;QoBwzNd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;M  
AjwGI,8D;MpBlkHJ,iB;MoBm0NA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAA  
S,sBAAK,CAAL,CAAT,C;QACF,OAJxGG,cAAR,iBAAQ,C;QAixGhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sB  
AAK,CAAL,CAAT,C;UACR,WpB70NG,MAAO,KoB60NO,QpB70NP,EoB60NiB,CpB70NjB,C;;QoB+0Nd,OAA  
O,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAhxGI,8D;MpB1kHJ,iB;MoB01NA,sC;QAgBiB,Q;QAFb,IAAI,mB  
AAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAhYGG,cAAR,iBAAQ,C;QAgY  
GhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBp2NG,MAAO,KoBo2NO,QpBp  
2NP,EoBo2NiB,CpBp2NjB,C;;QoBs2Nd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA/xGI,8D;MpBlIHJ,i  
B;MoBi3NA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAA  
T,C;QACF,OA/yGG,cAAR,iBAAQ,C;QA+yGhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;  
UACR,WpB33NG,MAAO,KoB23NO,QpB33NP,EoB23NiB,CpB33NjB,C;;QoB63Nd,OAAO,Q;O;KApBX,C;mF  
AuBA,yB;MAAA,sE;MA90GI,8D;MA80GJ,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe  
,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA51GG,cAAR,iBAAQ,C;QA41GhB,aAAU,CAAV,iB;UACI,QAAQ,SA  
AS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KApB  
X,C;mFAuBA,yB;MAAA,sE;MA71GI,8D;MA61GJ,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACr

B,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA32GG,cAAR,iBAAQ,C;QA22GhB,aAAU,CAAV,iB;UACI,QA  
AQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;  
O;KApBX,C;mFAuBA,yB;MAAA,sE;MA52GI,8D;MA42GJ,sC;QACiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,  
6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA13GG,cAAR,iBAAQ,C;QA03GhB,aAAU,CAAV,iB;  
UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,  
OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA33GI,8D;MA23GJ,sC;QACiB,Q;QAFb,IAAI,mBAAJ,C;UAA  
e,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAz4GG,cAAR,iBAAQ,C;QAY4GhB,aAAU,  
CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;  
;QAGnB,OAAO,Q;O;KApBX,C;8FAuBA,yB;MA16GI,8D;MpB/iHJ,iB;MoBy9NA,sC;QACiB,Q;QAFb,IAAI,mB  
AAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAx7GG,cAAR,iBAAQ,C;QAw7Gh  
B,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBj+NG,MAAO,KoBi+NO,QpBj+NP,  
EoBi+NiB,CpBj+NjB,C;;QoBm+Nd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAv7GI,8D;MpBvjHJ,iB;MoB8+NA,sC  
;QACiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAr8GG,  
cAAR,iBAAQ,C;QAq8GhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBt/NG,M  
AAO,KoBs/NO,QpBt/NP,EoBs/NiB,CpBt/NjB,C;;QoBw/Nd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAp8GI,8D;Mp  
B/jHJ,iB;MoBmgOA,sC;QACiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,C  
AAT,C;QACF,OA19GG,cAAR,iBAAQ,C;QAk9GhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT  
,C;UACR,WpB3gOG,MAAO,KoB2gOO,QpB3gOP,EoB2gOiB,CpB3gOjB,C;;QoB6gOd,OAAO,Q;O;KAlBX,C;+  
FAqBA,yB;MAj9GI,8D;MpBvkHJ,iB;MoBwhOA,sC;QACiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eA  
Ae,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA/9GG,cAAR,iBAAQ,C;QA+9GhB,aAAU,CAAV,iB;UACI,QAAQ,S  
AAS,sBAAK,CAAL,CAAT,C;UACR,WpBhiOG,MAAO,KoBgiOO,QpBhiOP,EoBgiOiB,CpBhiOjB,C;;QoBkiOd,  
OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA9/GI,8D;MpB1jHJ,iB;MoBwjOA,sC;QACiB,Q;QAFb,IAAI,mBAAJ,C;UA  
Ae,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA5gHG,cAAR,iBAAQ,C;QA4gHhB,aAAU,C  
AAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBhkOG,MAAO,KoBgkOO,QpBhkOP,EoBgkOi  
B,CpBhkOjB,C;;QoBkkOd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA3gHI,8D;MpBlkHJ,iB;MoB6kOA,sC;QACiB,  
Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAzhHG,cAAR,i  
BAAQ,C;QAYhHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBrlOG,MAAO,Ko  
BqlOO,QpBrlOP,EoBqlOiB,CpBrlOjB,C;;QoBulOd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAxhHI,8D;MpB1kHJ,i  
B;MoBkmOA,sC;QACiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;  
QACF,OAthHG,cAAR,iBAAQ,C;QAsiHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UAC  
R,WpB1mOG,MAAO,KoB0mOO,QpB1mOP,EoB0mOiB,CpB1mOjB,C;;QoB4mOd,OAAO,Q;O;KAlBX,C;+FAq  
BA,yB;MAriHI,8D;MpBliHJ,iB;MoBunOA,sC;QACiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,S  
AAS,sBAAK,CAAL,CAAT,C;QACF,OAanjHG,cAAR,iBAAQ,C;QAmjHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS  
,sBAAK,CAAL,CAAT,C;UACR,WpB/nOG,MAAO,KoB+nOO,QpB/nOP,EoB+nOiB,CpB/nOjB,C;;QoBioOd,OA  
AO,Q;O;KAlBX,C;+FAqBA,yB;MAliHI,8D;MAkiHJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACt  
B,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA9IHG,cAAR,iBAAQ,C;QA8IHhB,aAAU,CAAV,iB;UACI,QA  
AQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;  
O;KAlBX,C;+FAqBA,yB;MA/IHI,8D;MA+IHJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAA  
e,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA3mHG,cAAR,iBAAQ,C;QA2mHhB,aAAU,CAAV,iB;UACI,QAAQ,S  
AAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAl  
BX,C;+FAqBA,yB;MA5mHI,8D;MA4mHJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,S  
AAS,sBAAK,CAAL,CAAT,C;QACF,OAxnHG,cAAR,iBAAQ,C;QAwnHhB,aAAU,CAAV,iB;UACI,QAAQ,SAA  
S,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAlBX,  
C;+FAqBA,yB;MAznHI,8D;MAynHJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,s  
BAAK,CAAL,CAAT,C;QACF,OAroHG,cAAR,iBAAQ,C;QAqoHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBA  
AK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAlBX,C;2F  
AqBA,yB;MAAA,sE;MAAtqHI,8D;MASqHJ,kD;QACiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe  
,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAprHG,cAAR,iBAAQ,C;QAorHhB,aAAU,CAAV,iB;UACI,QAAQ,SA



AS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YAC I,WAAW,C;;QAGnB,OAAO,Q;O;KApBX,C;0FAuBA,yB;MAAA,sE;MArrHI,8D;MAqrHJ,kD;QAcIB,Q;QAFb,I AAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAnsHG,cAAR,iBAAQ, C;QAmsHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR, EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KApBX,C;2FAuBA,yB;MAA A,sE;MApsHI,8D;MAosHJ,kD;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK, CAAL,CAAT,C;QACF,OAltHG,cAAR,iBAAQ,C;QaktHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAA L,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QA GnB,OAAO,Q;O;KApBX,C;2FAuBA,yB;MAAA,sE;MAntHI,8D;MAMtHJ,kD;QAcIB,Q;QAFb,IAAI,mBAAJ,C; UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OajuHG,cAAR,iBAAQ,C;QAiuHhB,aA AU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB, CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KApBX,C;uGAuBA,yB;MALwHI,8D;MAkwHJ ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA9 wHG,cAAR,iBAAQ,C;QA8wHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,U AAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAIBX,C ;sGAqBA,yB;MA/wHI,8D;MA+wHJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,s BAAK,CAAL,CAAT,C;QACF,OA3xHG,cAAR,iBAAQ,C;QA2xHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBA AK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAA W,C;;QAGnB,OAAO,Q;O;KAIBX,C;uGAqBA,yB;MA5xHI,8D;MA4xHJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;U AAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAxyHG,cAAR,iBAAQ,C;QAwyHhB,aAAU, CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CA AX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAIBX,C;uGAqBA,yB;MAzyHI,8D;MAyyHJ,kD; QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OArzHG, cAAR,iBAAQ,C;QAqzHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW, SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAIBX,C;IAqB A,iC;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAae,OAAO,I;MActB,UAAU,sBAAK,CAAL,C;MACG,OA91HG,gBA AR,iBAAQ,C;MA81HhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,InC5mP8D,YmC4mP1D,GnC5 mP2E,KAAjB,EmC4mPpD,CnC5mPiF,KAA7B,CmC4mP1D,IAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAG X,iC;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAae,OAAO,I;MActB,UAAU,sBAAK,CAAL,C;MACG,OAr2HG,gBA AR,iBAAQ,C;MAq2HhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,InBnnP+D,amBnnP3D,GnBnn P6E,KAAIB,EmBnnPrD,CnBnnPmF,KAA9B,CmBnnP3D,IAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX ,iC;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAae,OAAO,I;MActB,UAAU,sBAAK,CAAL,C;MACG,OA52HG,gBAA R,iBAAQ,C;MA42HhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IpC1pP4E,0BoC0pPxE,GpC/6O 8B,KAAL,GAAiB,GA3O8B,EoC0pPIE,CpC/6OwB,KAAL,GAAiB,GA3O8B,CoC0pPxE,IAAJ,C;UAAa,MAAM, C;;MAEvB,OAAO,G;K;IAGX,iC;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAae,OAAO,I;MActB,UAAU,sBAAK,CA AL,C;MACG,OAn3HG,gBAAR,iBAAQ,C;Mam3HhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,I ICjqP6E,0BkCiqPzE,GIC77O8B,KAAL,GAAiB,KApO+B,EkCiqPnE,CIC77OwB,KAAL,GAAiB,KApO+B,CkCiq PzE,IAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,2C;MAKI,OAAO,4BAAc,UAd,C;K;IAGX,2C;MAK I,OAAO,4BAAc,UAd,C;K;IAGX,2C;MAKI,OAAO,4BAAc,UAd,C;K;IAGX,2C;MAKI,OAAO,4BAAc,UAd, C;K;IAGX,iD;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAae,OAAO,I;MActB,UAAU,sBAAK,CAAL,C;MACG,OA17 HG,gBAAR,iBAAQ,C;MA07HhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ, GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,iD;MAQiB,Q;M AFb,IAAI,mBAAJ,C;QAae,OAAO,I;MActB,UAAU,sBAAK,CAAL,C;MACG,OAj8HG,gBAAR,iBAAQ,C;MAi 8HhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX, GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,iD;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAae,O AAO,I;MActB,UAAU,sBAAK,CAAL,C;MACG,OAx8HG,gBAAR,iBAAQ,C;MAw8HhB,aAAU,CAAV,iB;QAC I,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC, MAAM,C;;MAE9C,OAAO,G;K;IAGX,iD;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAae,OAAO,I;MActB,UAAU,sBA

AK,CAAL,C;MACG,OA/8HG,gBAAR,iBAAQ,C;MA+8HhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;Q  
ACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;  
K;iFAGX,qB;MASI,OAAO,mB;K;iFAGX,qB;MASI,OAAO,mB;K;iFAGX,qB;MASI,OAAO,mB;K;iFAGX,qB;M  
ASI,OAAO,mB;K;iFAGX,gC;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAA  
U,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;iFAGX,gC;MASoB,Q;MAAA,2B;MAAhB,OAAgB,c  
AAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;iFAGX,gC;M  
ASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAA  
O,K;;MACrD,OAAO,I;K;iFAGX,gC;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI  
,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;qFAGX,6B;MAOmC,Q;MAAA,2B;MAAhB,OA  
AgB,cAAhB,C;QAAgB,yB;QAAM,OAAO,OAAP,C;;MAArC,gB;K;qFAGJ,6B;MAOmC,Q;MAAA,2B;MAAhB,  
OAAgB,cAAhB,C;QAAgB,yB;QAAM,OAAO,OAAP,C;;MAArC,gB;K;qFAGJ,6B;MAOmC,Q;MAAA,2B;MAAh  
B,OAAgB,cAAhB,C;QAAgB,yB;QAAM,OAAO,OAAP,C;;MAArC,gB;K;qFAGJ,6B;MAOmC,Q;MAAA,2B;MAA  
hB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,OAAO,OAAP,C;;MAArC,gB;K;mGAGJ,6B;MAtREiB,gB;MADb,YA  
AY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAAM,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;MA  
gsEnB,gB;K;mGAGJ,6B;MAtREiB,gB;MADb,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAAM,QA  
AO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;MAgsEnB,gB;K;mGAGJ,6B;MAtREiB,gB;MADb,YAAY,C;MACC,  
2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAAM,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;MAgsEnB,gB;K;m  
GAGJ,6B;MAtREiB,gB;MADb,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAAM,QAAO,cAAP,EAA  
O,sBAAP,WAAgB,IAAhB,C;;MAgsEnB,gB;K;qFAGJ,yB;MAAA,4F;MA9qII,8D;MA8qIJ,uC;QAmBqB,Q;QAHj  
B,IAAI,mBAAJ,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,sBAAK,CAAL,C;QACD,OAJsID,cAA  
R,iBAAQ,C;QAiIhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEIB,  
OAAO,W;O;KAtBX,C;qFAyBA,yB;MAAA,4F;MA/rII,8D;MA+rII,uC;QAmBqB,Q;QAHjB,IAAI,mBAAJ,C;UA  
CI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,sBAAK,CAAL,C;QACD,OAIID,cAAR,iBAAQ,C;QAktIhB,i  
BAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KAtBX,C;  
qFAyBA,yB;MAAA,4F;MAhtII,8D;MAGtIJ,uC;QAmBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,MAAM,mCAA8B,+  
BAA9B,C;QACV,kBAAkB,sBAAK,CAAL,C;QACD,OAnuID,cAAR,iBAAQ,C;QAmuIhB,iBAAc,CAAd,yB;UA  
CI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KAtBX,C;qFAyBA,yB;MAAA,  
4F;MAjuII,8D;MAiuIJ,uC;QAmBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kB  
AAkB,sBAAK,CAAL,C;QACD,OApvID,cAAR,iBAAQ,C;QAovIhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAA  
V,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KAtBX,C;mGayBA,yB;MAAA,4F;MAIxII,8D;MAkx  
IJ,uC;QAmBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,sBAAK,CAAL,  
C;QACD,OArYID,cAAR,iBAAQ,C;QAqyIhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAHV,EAAiB,WAAjB,EA  
A8B,sBAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAtBX,C;mGayBA,yB;MAAA,4F;MAnyII,8D;MAmyIJ,u  
C;QAmBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,sBAAK,CAAL,C;  
QACD,OAtzID,cAAR,iBAAQ,C;QAszIhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAHV,EAAiB,WAAjB,EA  
A8B,sBAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAtBX,C;mGayBA,yB;MAAA,4F;MApzII,8D;MAozIJ,uC;QA  
mBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,sBAAK,CAAL,C;QAC  
D,OAv0ID,cAAR,iBAAQ,C;QAu0IhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAHV,EAAiB,WAAjB,EA  
A8B,sBAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAtBX,C;mGayBA,yB;MAAA,4F;MAR0II,8D;MAq0IJ,uC;QAmB  
qB,Q;QAHjB,IAAI,mBAAJ,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,sBAAK,CAAL,C;QACD,O  
Ax1ID,cAAR,iBAAQ,C;QAw1IhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAHV,EAAiB,WAAjB,EA  
A8B,sBAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAtBX,C;+GayBA,yB;MAt3II,8D;MA3IJ,uC;QAKbqB,Q;QAHjB,IA  
AI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OAx4ID,cAAR,iBAAQ,C;QAw4IhB,iBA  
Ac,CAAd,yB;UACI,cAAc,UAAU,KAHV,EAAiB,WAAjB,EA  
A8B,sBAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KArBX,C;+GAWBA,yB;MAt4II,8D;MA4IJ,uC;QAKbqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,k  
BAAkB,sBAAK,CAAL,C;QACD,OAx5ID,cAAR,iBAAQ,C;QAw5IhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KA  
AV,EAAiB,WAAjB,EA  
A8B,sBAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KArBX,C;+GAWBA,yB;MAt5II,8D  
;MA5IJ,uC;QAKbqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OAx

6ID,cAAR,iBAAQ,C;QAw6IhB,iBAAC,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,sBAAK,K  
AAL,CAA9B,C;;QAEIB,OAAO,W;O;KArBX,C;+GAwBA,yB;MAAt6II,8D;MAAs6IJ,uC;QAKBqB,Q;QAHjB,IAAI,  
mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OAx7ID,cAAR,iBAAQ,C;QAw7IhB,iBAAC  
,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;  
KArBX,C;iGAwBA,yB;MAAt9II,8D;MAAs9IJ,uC;QAmBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBA  
AkB,sBAAK,CAAL,C;QACD,OAz+ID,cAAR,iBAAQ,C;QAY+IhB,iBAAC,CAAd,yB;UACI,cAAc,UAAU,WAAV  
,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KATBX,C;iGAYBA,yB;MAv+II,8D;MAu+IJ,uC;QAmBq  
B,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OA1/ID,cAAR,iBAAQ,C;  
QA0/IhB,iBAAC,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;  
KATBX,C;iGAYBA,yB;MAx/II,8D;MAw/IJ,uC;QAmBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBA  
AkB,sBAAK,CAAL,C;QACD,OA3gJD,cAAR,iBAAQ,C;QA2gJhB,iBAAC,CAAd,yB;UACI,cAAc,UAAU,WAAV  
,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KATBX,C;iGAYBA,yB;MAzgJI,8D;MAygJJ,uC;QAmBq  
B,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OA5hJD,cAAR,iBAAQ,C  
;QA4hJhB,iBAAC,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;  
;KATBX,C;+FAYBA,yB;MAAA,4F;MA1jJI,8D;MA0jJJ,uC;QAKB0B,UAEU,M;QAJhC,YA1kJgB,cAAR,iBAAQ,  
C;QA2kJhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAL,  
oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAL,sBAAJ,UAAV,EAAwB,WA  
AxB,C;;QAEIB,OAAO,W;O;KATBX,C;+FAYBA,yB;MAAA,4F;MA3kJI,8D;MA2kJJ,uC;QAKB0B,UAEU,M;QAJ  
hC,YA3lJgB,cAAR,iBAAQ,C;QA4JhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kB  
AAkB,uBAAI,YAAJ,EAAL,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAL,s  
BAAJ,UAAV,EAAwB,WAAXB,C;;QAEIB,OAAO,W;O;KATBX,C;+FAYBA,yB;MAAA,4F;MA5lJI,8D;MA4lJJ,u  
C;QAKB0B,UAEU,M;QAJhC,YA5mJgB,cAAR,iBAAQ,C;QA6mJhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCA  
A8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAL,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,  
UAAU,uBAAI,cAAJ,EAAL,sBAAJ,UAAV,EAAwB,WAAXB,C;;QAEIB,OAAO,W;O;KATBX,C;+FAYBA,yB;MA  
AA,4F;MA7mJI,8D;MA6mJJ,uC;QAKB0B,UAEU,M;QAJhC,YA7nJgB,cAAR,iBAAQ,C;QA8nJhB,IAAI,QAAQ,  
CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAL,oBAAJ,Q;QACIB,OAAO,  
SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAL,sBAAJ,UAAV,EAAwB,WAAXB,C;;QAEIB,OAAO,W;  
O;KATBX,C;6GAYBA,yB;MAAA,4F;MA9pJI,8D;MA8pJJ,uC;QAKB0B,Q;QAFtB,YA9qJgB,cAAR,iBAAQ,C;QA  
+qJhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAL,oBAA  
J,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAL,KAAL,CAAjB,EAA6B,WAA7B,  
C;UACd,qB;;QAEJ,OAAO,W;O;KAVBX,C;6GA0BA,yB;MAAA,4F;MAhrJI,8D;MAgrJJ,uC;QAKB0B,Q;QAFtB,  
YAhSjgB,cAAR,iBAAQ,C;QAisJhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAk  
B,uBAAI,YAAJ,EAAL,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAL,K  
AAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAVBX,C;6GA0BA,yB;MAAA,4F;MAIsJI,8D;M  
AksJJ,uC;QAKB0B,Q;QAFtB,YAltJgB,cAAR,iBAAQ,C;QAMtJhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8  
B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAL,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UA  
AU,KAAV,EAAiB,sBAAL,KAAL,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAVBX,C;6GA0BA,  
yB;MAAA,4F;MAPtJI,8D;MAotJJ,uC;QAKB0B,Q;QAFtB,YApuJgB,cAAR,iBAAQ,C;QAquJhB,IAAI,QAAQ,CA  
AZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAL,oBAAJ,Q;QACIB,OAAO,SA  
AS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAL,KAAL,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,O  
AAO,W;O;KATBX,C;yHAYBA,yB;MAvxJI,8D;MAuxJJ,uC;QAIb0B,Q;QAFtB,YAtyJgB,cAAR,iBAAQ,C;QAuyJh  
B,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAAkB,uBAAI,YAAJ,EAAL,oBAAJ,Q;QACIB,OAAO,SAAS,  
CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAL,KAAL,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAA  
O,W;O;KATBX,C;yHAYBA,yB;MAxyJI,8D;MAwyJJ,uC;QAIb0B,Q;QAFtB,YAvzJgB,cAAR,iBAAQ,C;QAwzJh  
B,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAAkB,uBAAI,YAAJ,EAAL,oBAAJ,Q;QACIB,OAAO,SAAS,

CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAl,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAA  
O,W;O;KAtBX,C;yHAYBA,yB;MAZZJI,8D;MAyzJJ,uC;QAIb0B,Q;QAFtB,YAx0JgB,cAAR,iBAAQ,C;QAY0JhB,  
IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAakB,uBAAl,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,C  
AAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAl,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,  
W;O;KAtBX,C;2GAyBA,yB;MA12JI,8D;MA02JJ,uC;QAKb0B,UAEU,M;QAJhC,YA13JgB,cAAR,iBAAQ,C;QA  
23JhB,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAakB,uBAAl,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SA  
AS,CAAhB,C;UACI,cAAc,UAAU,uBAAl,cAAJ,EAAI,sBAAl,UAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;  
KAtBX,C;2GAyBA,yB;MA33JI,8D;MA23JJ,uC;QAKb0B,UAEU,M;QAJhC,YA34JgB,cAAR,iBAAQ,C;QA44Jh  
B,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAakB,uBAAl,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,  
CAAhB,C;UACI,cAAc,UAAU,uBAAl,cAAJ,EAAI,sBAAl,UAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAt  
BX,C;2GAyBA,yB;MA54JI,8D;MA44JJ,uC;QAKb0B,UAEU,M;QAJhC,YA55JgB,cAAR,iBAAQ,C;QA65JhB,IA  
AI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAakB,uBAAl,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAA  
hB,C;UACI,cAAc,UAAU,uBAAl,cAAJ,EAAI,sBAAl,UAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAtBX,C  
;2GAyBA,yB;MA75JI,8D;MA65JJ,uC;QAKb0B,UAEU,M;QAJhC,YA76JgB,cAAR,iBAAQ,C;QA86JhB,IAAI,Q  
AAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAakB,uBAAl,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C  
;UACI,cAAc,UAAU,uBAAl,cAAJ,EAAI,sBAAl,UAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAtBX,C;+F  
AyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAKBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,  
C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,arBrRO,W;QqBstRP,kBAakB,O;QACF,2  
B;QAAhB,OAAGB,cAAhB,C;UAGB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAavB,C;UACd,MAAO,WAAI,  
WAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;+FAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAKBoB,Q;QAHhB,IA  
AI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,  
arB9uRO,W;QqB+uRP,kBAakB,O;QACF,2B;QAAhB,OAAGB,cAAhB,C;UAGB,yB;UACZ,cAAc,UAAU,WAA  
V,EAAuB,OAavB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;+FAyBA,yB;MAAA,gD;M  
AAA,gE;MAAA,gD;QAKBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,  
iBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,arBvwRO,W;QqBwwRP,kBAakB,O;QACF,2B;QAAhB,OAAGB,cA  
AhB,C;UAGB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAavB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAA  
O,M;O;KAtBX,C;+FAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAKBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,O  
AAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,arBhyRO,W;QqBiyRP,  
kBAakB,O;QACF,2B;QAAhB,OAAGB,cAAhB,C;UAGB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAavB,C;U  
ACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;6GAyBA,yB;MAAA,gD;MAAA,gE;MAIIKI,0D;M  
AKIKJ,gD;QAmBkB,gC;QAHd,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,C  
AAP,IAAb,C;QAA+B,8B;QAA5C,arB1zRO,W;QqB2zRP,kBAakB,O;QACJ,OArmKE,YAAR,iBAAQ,C;QAqmK  
F,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA  
9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;6GA0BA,yB;MAAA,gD;MAAA,gE;MApm  
KI,0D;MAomKJ,gD;QAmBkB,gC;QAHd,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,  
iBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,arBp1RO,W;QqBq1RP,kBAakB,O;QACJ,OAvnKE,YAAR,iBAAQ,  
C;QAunKF,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,sBAAK,K  
AAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;6GA0BA,yB;MAAA,gD;MAAA,  
gE;MATnKI,0D;MASnKJ,gD;QAmBkB,gC;QAHd,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAv  
B,eAAa,iBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,arB92RO,W;QqB+2RP,kBAakB,O;QACJ,OazoKE,YAAR,i  
BAAQ,C;QAYoKF,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,sB  
AAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;6GA0BA,yB;MAAA,gD;  
MAAA,gE;MAxoKI,0D;MAwoKJ,gD;QAmBkB,gC;QAHd,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QAC  
c,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,arBx4RO,W;QqBy4RP,kBAakB,O;QACJ,OA3pK  
E,YAAR,iBAAQ,C;QA2pKF,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,E  
AA8B,sBAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;mGA0BA,yB;M  
AAA,qD;MAAA,gE;MAAA,uC;QAKb0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAakB,sBAAK,  
CAAL,CAAIb,C;QACmC,kBAAtB,eAAGB,cAAhB,C;QAA8B,sBAAl,aAAJ,C;QAA3C,arBl6RO,W;QqBm6Re,q

B;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,aAAV,EAAuB,sBAAK,KAAL,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;mGAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAKB0B,Q;QAHTB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAakB,sBAAK,CAAL,CAAIB,C;QACoC,kBAAvB,eAAiB,cAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,arB37RO,W;QqB47Re,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,aAAV,EAAuB,sBAAK,KAAL,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;mGAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAKB0B,Q;QAHTB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAakB,sBAAK,CAAL,CAAIB,C;QACoC,kBAAvB,eAAiB,cAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,arBp9RO,W;QqBq9Re,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,aAAV,EAAuB,sBAAK,KAAL,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;mGAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHTB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAakB,sBAAK,CAAL,CAAIB,C;QACmC,kBAAtB,eAagB,cAAhB,C;QAA8B,sBAAI,aAAJ,C;QAA3C,arBvgSO,W;QqBwgSe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAaV,EAAiB,aAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iHA0BA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHTB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAakB,sBAAK,CAAL,CAAIB,C;QACoC,kBAAvB,eAAiB,cAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,arBj3SO,W;QqBkiSe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAaV,EAAiB,aAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iHA0BA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHTB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAakB,sBAAK,CAAL,CAAIB,C;QACoC,kBAAvB,eAAiB,cAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,arB3jSO,W;QqB4jSe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAaV,EAAiB,aAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iHA0BA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHTB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAakB,sBAAK,CAAL,CAAIB,C;QACqC,kBAAxB,eAAkB,cAAIB,C;QAAgC,sBAAI,aAAJ,C;QAA7C,arBrlSO,W;QqBslSe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAaV,EAAiB,aAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAxZA,gD;MAAA,gE;MAwZA,gD;QAgBW,sB;;UAtZS,Q;UAHhB,IAAI,mBAAJ,C;YAAe,qBAAO,OAYZH,OAyZG,C;YAAP,uB;WACqB,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;UAA+B,sBAwZzB,OAxZyB,C;UAA5C,arBrtRO,W;UqBstRP,kBAuZmB,O;UAtZH,2B;UAAhB,OAAGB,cAAhB,C;YAAgB,yB;YACZ,cAqZwB,SArZV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;QAkZP,yB;O;KAhBJ,C;iFamBA,yB;MAIZA,gD;MAAA,gE;MAkZA,gD;QAgBW,sB;;UAhZS,Q;UAHhB,IAAI,mBAAJ,C;YAAe,qBAAO,OAmZH,OAnZG,C;YAAP,uB;WACqB,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;UAA+B,sBAkZzB,OAIzyB,C;UAA5C,arB9uRO,W;UqB+uRP,kBAiZmB,O;UAhZH,2B;UAAhB,OAAGB,cAAhB,C;YAAgB,yB;YACZ,cAYwB,SAyYV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;QA4YP,yB;O;KAhBJ,C;iFamBA,yB;MA5YA,gD;MAAA,gE;MA4YA,gD;QAgBW,sB;;UA1YS,Q;UAHhB,IAAI,mBAAJ,C;YAAe,qBAAO,OA6YH,OA7YG,C;YAAP,uB;WACqB,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;UAA+B,sBA4YzB,OA5YyB,C;UAA5C,arBvwRO,W;UqBwwRP,kBA2YmB,O;UA1YH,2B;UAAhB,OAAGB,cAAhB,C;YAAgB,yB;YACZ,cAYwB,SAzYV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;QAsYP,yB;O;KAhBJ,C;iFamBA,yB;MATYA,gD;MAAA,gE;MA5YA,gD;QAgBW,sB;;UApYS,Q;UAHhB,IAAI,mBAAJ,C;YAAe,qBAAO,OAuYH,OAyYG,C;YAAP,uB;WACqB,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;UAA+B,sBA5YzB,OAtYyB,C;UAA5C,arBhyRO,W;UqBiyRP,kBAqYmB,O;UApYH,2B;UAAhB,OAAGB,cAAhB,C;YAAgB,yB;YACZ,cAmYwB,SAnYV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;QAgYP,yB;O;KAhBJ,C;+FamBA,yB;MAhYA,gD;MAAA,gE;MA11KI,0D;MAK9KJ,gD;QAIbW,6B;;UA9XO,gC;UAHd,IAAI,mBAAJ,C;YAAe,4BAAO,OAIYI,OAjYI,C;YAAP,8B;WACqB,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;UAA+B,sBAgYIB,OAHykB,C;UAA5C,arB1zRO,W;UqB2zRP,kBA+X0B,O;UA9XZ,OArmKE,YAAR,iBAAQ,C;UAqmKF,mB;UAAA,kB;UAAA,kB;UAAAd,0D;YACI,cA6X+B,SA7XjB,CAAU,KAaV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;QA0XP,gC;O;KAjBJ,C;+FAoBA,yB;MA1XA,gD;MAAA,gE;MApMKI,0D;MA89

KJ,gD;QAiBW,6B;;UAxXO,gC;UAHd,IAAI,mBAAJ,C;YAAe,4BAAO,OA2XI,OA3XJ,C;YAAP,8B;WACqB,kB  
AAvB,eAAa,iBAAO,CAAP,IAAb,C;UAA+B,sBA0XIB,OA1XkB,C;UAA5C,arBp1RO,W;UqBq1RP,kBAyX0B,O  
;UAxXZ,OAvnKE,YAAR,iBAAQ,C;UAunKF,mB;UAAA,kB;UAAA,kB;UAAAd,0D;YACI,cAuX+B,SAvXjB,CA  
AU,KAAV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,  
M;;;QAoXP,gC;O;KAjBJ,C;+FAoBA,yB;MApXA,gD;MAAA,gE;MAtnKI,0D;MA0+KJ,gD;QAiBW,6B;;UAI XO,  
gC;UAHd,IAAI,mBAAJ,C;YAAe,4BAAO,OAqXI,OArXJ,C;YAAP,8B;WACqB,kBAAvB,eAAa,iBAAO,CAAP,I  
AAb,C;UAA+B,sBAoXIB,OApxkB,C;UAA5C,arB92RO,W;UqB+2RP,kBAmX0B,O;UAI XZ,OAzoKE,YAAR,iB  
AAQ,C;UAYoKF,mB;UAAA,kB;UAAA,kB;UAAAd,0D;YACI,cAiX+B,SAjXjB,CAAU,KAAV,EAAiB,WAAjB,E  
AA8B,sBAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;;QA8WP,gC;O;KAjBJ,C;+F  
AoBA,yB;MA9WA,gD;MAAA,gE;MAxoKI,0D;MAs/KJ,gD;QAiBW,6B;;UA5WO,gC;UAHd,IAAI,mBAAJ,C;Y  
AAe,4BAAO,OA+WI,OA/WJ,C;YAAP,8B;WACqB,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;UAA+B,sBA8WIB,  
OA9WkB,C;UAA5C,arBx4RO,W;UqBy4RP,kBA6W0B,O;UA5WZ,OA3pKE,YAAR,iBAAQ,C;UA2pKF,mB;UA  
AA,kB;UAAA,kB;UAAAd,0D;YACI,cA2W+B,SA3WjB,CAAU,KAAV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,C  
AA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;;QA wWP,gC;O;KAjBJ,C;mFAoBA,yB;MAAA,wB;  
MAAA,sC;QAUoB,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnCvWsiD,  
SmCuWsjD,GnCvW s2D,KAAK,GmCuWszD,SAAS,OAAT,CnCvWsoE,KAAX,IAAf,C;;QmCyxSrD,OAAO,G;O;  
KAbX,C;mFAgBA,yB;MAAA,wB;MAAA,sC;QAUoB,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAgB,cAAh  
B,C;UAAgB,yB;UACZ,MnCvxSiD,SmCuxSjD,GnCvxS2D,KAAK,GmCuxSzD,SAAS,OAAT,CnCvxSoE,KAAX,I  
AAf,C;;QmCyxSrD,OAAO,G;O;KAbX,C;mFAgBA,yB;MAAA,wB;MAAA,sC;QAUoB,Q;QADhB,UAAgB,W;Q  
ACA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnCvySiD,SmCuySjD,GnCvyS2D,KAAK,GmCuySzD,S  
AAS,OAAT,CnCvySoE,KAAX,IAAf,C;;QmCyySrD,OAAO,G;O;KAbX,C;mFAgBA,yB;MAAA,wB;MAAA,sC;Q  
AUoB,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnCvzSiD,SmCuzSjD,G  
nCvzS2D,KAAK,GmCuzSzD,SAAS,OAAT,CnCvzSoE,KAAX,IAAf,C;;QmCyzSrD,OAAO,G;O;KAbX,C;8FAgB  
A,+B;MAUoB,Q;MADhB,UAAkB,G;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,SAAS,O  
AAT,C;;MAEX,OAAO,G;K;+FAGX,+B;MAUoB,Q;MADhB,UAAkB,G;MACF,2B;MAAhB,OAAgB,cAAhB,C;  
QAAgB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;+FAGX,+B;MAUoB,Q;MADhB,UAAkB,G;MA  
CF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;+FAGX,+B;  
MAUoB,Q;MADhB,UAAkB,G;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,SAAS,OAAT,  
C;;MAEX,OAAO,G;K;kFAGX,+B;MAYoB,Q;MADhB,UAAoB,C;MACJ,2B;MAAhB,OAAgB,cAAhB,C;QAAg  
B,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;mFAGX,+B;MAYoB,Q;MADhB,UAAoB,C;MACJ,2B;  
MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;mFAGX,+B;MAYo  
B,Q;MADhB,UAAoB,C;MACJ,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAE  
X,OAAO,G;K;mFAGX,+B;MAYoB,Q;MADhB,UAAoB,C;MACJ,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;Q  
ACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;mFAGX,+B;MAYoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,  
OAAgB,cAAhB,C;QAAgB,yB;QACZ,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;mFAGX,+B;MAYoB,Q;  
MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,YAAO,SAAS,OAAT,CAAP,I;;MAE  
J,OAAO,G;K;mFAGX,+B;MAYoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAC  
Z,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;mFAGX,+B;MAYoB,Q;MADhB,UAAe,C;MACC,2B;MAAh  
B,OAAgB,cAAhB,C;QAAgB,yB;QACZ,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;mFAGX,yB;MAAA,S  
AWoB,gB;MAXpB,sC;QAYoB,Q;QADhB,Y;QACgB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAO,S  
AAS,OAAT,CAAP,C;;QAEJ,OAAO,G;O;KafX,C;mFAkBA,yB;MAAA,SAWoB,gB;MAXpB,sC;QAYoB,Q;QA  
DhB,Y;QACgB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAO,SAAS,OAAT,CAAP,C;;QAEJ,OAAO,  
G;O;KafX,C;mFAkBA,yB;MAAA,SAWoB,gB;MAXpB,sC;QAYoB,Q;QADhB,Y;QACgB,2B;QAAhB,OAAgB,c  
AAhB,C;UAAgB,yB;UACZ,cAAO,SAAS,OAAT,CAAP,C;;QAEJ,OAAO,G;O;KafX,C;mFAkBA,yB;MAAA,SA  
WoB,gB;MAXpB,sC;QAYoB,Q;QADhB,Y;QACgB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAO,SA  
AS,OAAT,CAAP,C;;QAEJ,OAAO,G;O;KafX,C;mFAkBA,yB;MnC5xSA,6B;MmC4xSA,sC;QAaoB,Q;QADhB,U  
nC9xSmC,cmC8xSnB,CnC9xSmB,C;QmC+xSnB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnCImTiD,c  
mCkmTjD,GnCImT2D,KAAK,GmCkmTzD,SAAS,OAAT,CnCImToE,KAAX,IAAf,C;;QmComTrD,OAAO,G;O;

KAhBX,C;mFAmBA,yB;MnC/ySA,6B;MmC+ySA,sC;QAaoB,Q;QADhB,UnCjzSmC,cmCizSnB,CnCjzSmB,C;QmCkzSnB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnCrnTiD,cmCqnTjD,GnCrnT2D,KAAK,GmCqnTzD,SAAS,OAAT,CnCrnToE,KAAx,IAAf,C;;QmCunTrD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnC10SA,6B;MmCk0SA,sC;QAaoB,Q;QADhB,UnCp0SmC,cmCo0SnB,CnCp0SmB,C;QmCq0SnB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnCxoTiD,cmCwoTjD,GnCxoT2D,KAAK,GmCwoTzD,SAAS,OAAT,CnCxoToE,KAAx,IAAf,C;;QmC0TrD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnCr1SA,6B;MmCq1SA,sC;QAaoB,Q;QADhB,UnCv1SmC,cmCu1SnB,CnCv1SmB,C;QmCw1SnB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnC3pTiD,cmC2pTjD,GnC3pT2D,KAAK,GmC2pTzD,SAAS,OAAT,CnC3pToE,KAAx,IAAf,C;;QmC6pTrD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBr2SA,+B;MmBq2SA,sC;QAaoB,Q;QADhB,UnBt2SqC,eAAW,oBmBs2S/B,CnBt2S+B,CAAX,C;QmBu2SrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnB3qTmD,emB2qTnD,GnB3qT8D,KAAK,KmB2qT5D,SAAS,OAAT,CnB3qTuE,KAAx,CAAhB,C;;QmB6qTvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBx3SA,+B;MmBw3SA,sC;QAaoB,Q;QADhB,UnBz3SqC,eAAW,oBmBy3S/B,CnBz3S+B,CAAX,C;QmB03SrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnB9rTmD,emB8rTnD,GnB9rT8D,KAAK,KmB8rT5D,SAAS,OAAT,CnB9rTuE,KAAx,CAAhB,C;;QmBgsTvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB34SA,+B;MmB24SA,sC;QAaoB,Q;QADhB,UnB54SqC,eAAW,oBmB44S/B,CnB54S+B,CAAX,C;QmB64SrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBjtTmD,emBitTnD,GnBjtT8D,KAAK,KmBitT5D,SAAS,OAAT,CnBjtTuE,KAAx,CAAhB,C;;QmBmtTvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB95SA,+B;MmB85SA,sC;QAaoB,Q;QADhB,UnB/5SqC,eAAW,oBmB+5S/B,CnB/5S+B,CAAX,C;QmB6gSrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBpuTmD,emBouTnD,GnBpuT8D,KAAK,KmBouT5D,SAAS,OAAT,CnBpuTuE,KAAx,CAAhB,C;;QmBsuTvD,OAAO,G;O;KAhBX,C;IAmBA,kC;MA2DI,WpBnnTO,MAAO,KoBmnTG,cpBnnTH,EoBikTH,KAkDkB,OpBnnTf,C;MoBonTd,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WArDqB,GAqDP,sBAAK,CAAL,CArDO,EAAAnB,KAqDqB,CAAM,CAAN,CArDF,CAqDrB,C;;MArDT,OAuDO,I;K;IApDX,kC;MAkEI,WpBtoTO,MAAO,KoBsoTG,cpBtoTH,EoB6kTH,KAyDkB,OpBtoTf,C;MoBuoTd,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA5DqB,GA4DP,sBAAK,CAAL,CA5DO,EAAAnB,KA4DqB,CAAM,CAAN,CA5DF,CA4DrB,C;;MA5DT,OA8DO,I;K;IA3DX,kC;MAyEI,WpBzpTO,MAAO,KoBypTG,cpBzpTH,EoBylTH,KAgEkB,OpBzpTf,C;MoB0pTd,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WAnEqB,GAmEP,sBAAK,CAAL,CAnEO,EAAAnB,KAmEqB,CAAM,CAAN,CAnEF,CAmErB,C;;MANET,OAqEO,I;K;IAIEX,kC;MAGFI,WpB5qTO,MAAO,KoB4qTG,cpB5qTH,EoBqmTH,KAuEkB,OpB5qTf,C;MoB6qTd,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA1EqB,GA0EP,sBAAK,CAAL,CA1EO,EAAAnB,KA0EqB,CAAM,CAAN,CA1EF,CA0ErB,C;;MA1ET,OA4EO,I;K;+EAzEX,yB;MAAA,gE;MpB9mTA,iB;MoB8mTA,8C;QAWI,WpBnnTO,MAAO,KoBmnTG,cpBnnTH,EoBmnTS,KAAM,OpBnnTf,C;QoBonTd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAhBX,C;+EAmBA,yB;MAAA,gE;MpBjoTA,iB;MoBioTA,8C;QAWI,WpBtoTO,MAAO,KoBsoTG,cpBtoTH,EoBsoTS,KAAM,OpBtoTf,C;QoBuoTd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAhBX,C;+EAmBA,yB;MAAA,gE;MpBppTA,iB;MoBopTA,8C;QAWI,WpBzpTO,MAAO,KoBypTG,cpBzpTH,EoBypTS,KAAM,OpBzpTf,C;QoB0pTd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAhBX,C;+EAmBA,yB;MAAA,gE;MpBvqTA,iB;MoBuqTA,8C;QAWI,WpB5qTO,MAAO,KoB4qTG,cpB5qTH,EoB4qTS,KAAM,OpB5qTf,C;QoB6qTd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAhBX,C;IAmBA,kC;MA8DoB,gB;MAHhB,gBAAGB,c;MACHB,WAAW,iBpBhvTJ,MAAO,KoBgvTsB,wBAnDzB,KAmDyB,EAAwB,EAAxB,CpBhvTtB,EoBgvTmD,SpBhvTnD,CoBgvTH,C;MACX,QAAQ,C;MACQ,OA9DL,KA8DK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAvDqB,GAuDP,uBAAK,UAAI,EAAK,kBAAL,UAvDO,EAuDI,OAuDJ,CAuDrB,C;;MAvDT,OAyDO,I;K;IAtdX,kC;MAuEoB,gB;MAHhB,gBAAGB,c;MACHB,WAAW,iBpBrwTJ,MAAO,KoBqwTsB,wBA5DzB,KA4DyB,EAAwB,EAAxB,CpBrwTtB,EoBqwTmD,SpBrwTnD,CoBqwTH,C;MACX,QAAQ,C;MACQ,OA9DL,KA8DK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,

SAAT,C;UAAoB,K;QACpB,IAAK,WAhEqB,GAgEP,uBAAK,UAAAL,EAAK,kBAAL,UAhEO,EAgeI,OAHEJ,CA  
gErB,C;;MAhET,OAKEO,I;K;IA/DX,kC;MAGFoB,gB;MAHhB,gBAAgB,c;MACHB,WAAW,iBpB1xTJ,MAAO,K  
oB0xTsB,wBArEzB,KAqEyB,EAawB,EAaxB,CpB1xTtB,EoB0xTmD,SpB1xTnD,CoB0xTH,C;MACX,QAAQ,C  
;MACQ,OAveL,KAuEK,W;MAAhB,OAAGB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QA  
CpB,IAAK,WazEqB,GAyEP,uBAAK,UAAAL,EAAK,kBAAL,UazEO,EAyEI,OAzeJ,CAyErB,C;;MAzET,OA2E  
O,I;K;IAxEX,kC;MAyFoB,gB;MAHhB,gBAAgB,c;MACHB,WAAW,iBpB/yTJ,MAAO,KoB+yTsB,wBA9EzB,K  
A8EyB,EAawB,EAaxB,CpB/yTtB,EoB+yTmD,SpB/yTnD,CoB+yTH,C;MACX,QAAQ,C;MACQ,OAFL,KAGF  
K,W;MAAhB,OAAGB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAlFqB,G  
AkFP,uBAAK,UAAAL,EAAK,kBAAL,UAlFO,EAkFI,OAIFJ,CAkFrB,C;;MAIFT,OAoFO,I;K;+EAjFX,yB;MAAA,  
kF;MAAA,gE;MpB1uTA,iB;MoB0uTA,8C;QacoB,UAEY,M;QAL5B,gBAAGB,c;QACHB,WAAW,epBhvTJ,MA  
AO,KoBgvTsB,wBAAN,KAAM,EAawB,EAaxB,CpBhvTtB,EoBgvTmD,SpBhvTnD,CoBgvTH,C;QACX,QAAQ  
,C;QACQ,uB;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,W  
AAI,UAAU,uBAAK,UAAAL,EAAK,kBAAL,UAAV,EAaqB,OAARb,CAAJ,C;;QAET,OAAO,I;O;KAIBX,C;+EAq  
BA,yB;MAAA,kF;MAAA,gE;MpB/vTA,iB;MoB+vTA,8C;QacoB,UAEY,M;QAL5B,gBAAGB,c;QACHB,WAAW  
,epBrwTJ,MAAO,KoBqwTsB,wBAAN,KAAM,EAawB,EAaxB,CpBrwTtB,EoBqwTmD,SpBrwTnD,CoBqwTH,  
C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;U  
ACpB,IAAK,WAAI,UAAU,uBAAK,UAAAL,EAAK,kBAAL,UAAV,EAaqB,OAARb,CAAJ,C;;QAET,OAAO,I;O;  
KAIBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBpxTA,iB;MoBoxTA,8C;QacoB,UAEY,M;QAL5B,gBAAGB,c;  
QACHB,WAAW,epB1xTJ,MAAO,KoB0xTsB,wBAAN,KAAM,EAawB,EAaxB,CpB1xTtB,EoB0xTmD,SpB1xT  
nD,CoB0xTH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,  
C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAAL,EAAK,kBAAL,UAAV,EAaqB,OAARb,CAAJ,C;;QA  
ET,OAAO,I;O;KAIBX,C;8EAqBA,yB;MAAA,kF;MAAA,gE;MpBzyTA,iB;MoByyTA,8C;QacoB,UAEY,M;QAL  
5B,gBAAGB,c;QACHB,WAAW,epB/yTJ,MAAO,KoB+yTsB,wBAAN,KAAM,EAawB,EAaxB,CpB/yTtB,EoB+y  
TmD,SpB/yTnD,CoB+yTH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,IAAI,K  
AAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAAL,EAAK,kBAAL,UAAV,EAaqB,OAARb,  
CAAJ,C;;QAET,OAAO,I;O;KAIBX,C;IAqBA,kC;MA2DI,WpBn3TO,MAAO,KoBm3TG,cpBn3TH,EoBi0TH,KA  
kDkB,KpBn3Tf,C;MoBo3Td,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WAr  
DqB,GAqDP,sBAAK,CAAL,CArDO,EAAnB,KAqDqB,aAAM,CAAN,CArDF,CAqDrB,C;;MArDT,OAuDO,I;K;I  
ApDX,kC;MAkEI,WpBt4TO,MAAO,KoBs4TG,cpBt4TH,EoB60TH,KAyDkB,KpBt4Tf,C;MoBu4Td,WAAW,iBA  
Aa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA5DqB,GA4DP,sBAAK,CAAL,CA5DO,EA  
AnB,KA4DqB,aAAM,CAAN,CA5DF,CA4DrB,C;;MA5DT,OA8DO,I;K;IA3DX,kC;MAyEI,WpBz5TO,MAAO,K  
oBy5TG,cpBz5TH,EoBy1TH,KAgEkB,KpBz5Tf,C;MoB05Td,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MA  
AkB,IAAIB,M;QACI,IAAK,WAnEqB,GAmEP,sBAAK,CAAL,CAnEO,EAAnB,KAmEqB,aAAM,CAAN,CAnEF,  
CAmErB,C;;MAnET,OAqEO,I;K;IALEX,kC;MAGFI,WpB56TO,MAAO,KoB46TG,cpB56TH,EoBq2TH,KAuEkB,  
KpB56Tf,C;MoB66Td,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WAlEqB,  
GA0EP,sBAAK,CAAL,CA1EO,EAAnB,KA0EqB,aAAM,CAAN,CA1EF,CA0ErB,C;;MA1ET,OA4EO,I;K;+EAzE  
X,yB;MAAA,gE;MpB92TA,iB;MoB82TA,8C;QAWI,WpBn3TO,MAAO,KoBm3TG,cpBn3TH,EoBm3TS,KAAM,  
KpBn3Tf,C;QoBo3Td,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAA  
U,sBAAK,CAAL,CAAV,EAAMb,kBAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAhBX,C;+EAmbA,yB;  
MAAA,gE;MpBj4TA,iB;MoBi4TA,8C;QAWI,WpBt4TO,MAAO,KoBs4TG,cpBt4TH,EoBs4TS,KAAM,KpBt4Tf,  
C;QoBu4Td,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,  
CAAL,CAAV,EAAMb,kBAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAhBX,C;+EAmbA,yB;MAAA,gE;  
MpBp5TA,iB;MoBo5TA,8C;QAWI,WpBz5TO,MAAO,KoBy5TG,cpBz5TH,EoBy5TS,KAAM,KpBz5Tf,C;QoB0  
5Td,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,  
CAAV,EAAMb,kBAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAhBX,C;+EAmbA,yB;MAAA,gE;MpBv  
6TA,iB;MoBu6TA,8C;QAWI,WpB56TO,MAAO,KoB46TG,cpB56TH,EoB46TS,KAAM,KpB56Tf,C;QoB66Td,  
AAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,  
EAAMb,kBAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAhBX,C;IAmbA,2B;MAQoB,Q;MADhB,UAAg



B, W; MACHB, wBAAGB, SAAhB, gB; QAAgB, cAAA, SAAhB, M; QACI, MnCjnUiD, SmCinUjD, GnCjnU2D, KAAK, GmCinUzD, OnCjnUoE, KAAX, IAAf, C; ; MmCmnUrD, OAAO, G; K; IAGX, 2B; MAQoB, Q; MADhB, UAAiB, 2B; MA CjB, wBAAGB, SAAhB, gB; QAAgB, cAAA, SAAhB, M; QACI, MnB5nUmD, UmB4nUnD, GnB5nU8D, KAAK, KmB4 nU5D, OnB5nUuE, KAAX, CAAhB, C; ; MmB8nUvD, OAAO, G; K; IAGX, 2B; MAQoB, Q; MADhB, UAAgB, W; MACH B, wBAAGB, SAAhB, gB; QAAgB, cAAA, SAAhB, M; QACI, MnC7oUiD, SmC6oUjD, GnC7oU2D, KAAK, GAAW, CD 2O5C, SoCk6TxB, OpCl6TkC, KAAL, GAAiB, GAAtB, CC3O4C, MAAX, IAAf, C; ; MmC+oUrD, OAAO, G; K; IAGX, 2 B; MAQoB, Q; MADhB, UAAgB, W; MACHB, wBAAGB, SAAhB, gB; QAAgB, cAAA, SAAhB, M; QACI, MnC3pUiD, S mC2pUjD, GnC3pU2D, KAAK, GAAW, CC4O5C, SkC+6TxB, OIC/6TkC, KAAL, GAAiB, KAAtB, CD5O4C, MAAX, I AAf, C; ; MmC6pUrD, OAAO, G; K; +EAGX, yB; MAAA, 0C; MnCx2TA, 6B; MmCw2TA, 4B; QAOI, OnCr2TmC, cmCq 2TpB, IAAR, iBAAQ, CnCr2ToB, C; O; KmC81TvC, C; +EAUA, yB; MAAA, 0C; MnBn2TA, +B; MmBm2TA, 4B; QAOI, OnBh2TsC, emBg2TvB, IAAR, iBAAQ, CnBh2TuB, C; O; KmBy1T1C, C; +EAUA, yB; MAAA, sC; MnC53TA, 6B; Mm C43TA, iBAOiB, yB; QpCz9Tb, 6B; eoCy9Ta, c; UAAE, OpCh9ToB, coCg9TpB, EpCh9T8B, KAAL, GAAiB, GAAtB, C; S; OoCg9TtB, C; MAPjB, 4B; QA7iBoB, Q; QADhB, UnCp0SmC, cmCo0SnB, CnCP0SmB, C; QmCq0SnB, 2B; QAAhB, OAAgB, cAAhB, C; UAAgB, yB; UACZ, MnCxoTiD, cmCwoTjD, GnCxoT2D, KAAK, GAAW, CD2O5C, coC65Sf, Op C75SyB, KAAL, GAAiB, GAAtB, CC3O4C, MAAX, IAAf, C; ; QmC2rUrD, OAjjBO, G; O; KA0iBX, C; +EAUA, yB; MA AA, sC; MnCt4TA, 6B; MmCs4TA, iBAOiB, yB; QlCl+Tb, 6B; ekCk+Ta, c; UAAE, OICz9ToB, ckCy9TpB, EICz9T8B, K AAL, GAAiB, KAAtB, C; S; OkCy9TtB, C; MAPjB, 4B; QApiBoB, Q; QADhB, UnCv1SmC, cmCu1SnB, CnCV1SmB, C; QmCw1SnB, 2B; QAAhB, OAAgB, cAAhB, C; UAAgB, yB; UACZ, MnC3pTiD, cmC2pTjD, GnC3pT2D, KAAK, GAA W, CC4O5C, ckC+6Sf, OIC/6SyB, KAAL, GAAiB, KAAtB, CD5O4C, MAAX, IAAf, C; ; QmCqsUrD, OAxiBO, G; O; KAi iBX, C; IC3vUA, mC; MAQoB, UACL, M; MAHX, aAAa, gBAAW, cAAX, C; MACb, YAAY, C; MACI, 2B; MAAhB, OA AgB, cAAhB, C; QAAgB, yB; QACZ, oBAAO, cAAP, EAAO, sBAAP, WAAkB, OAAIB, C; ; MACJ, OAAO, M; K; IAGX, kC; MAQoB, UACL, M; MAHX, aAAa, eAAU, cAAV, C; MACb, YAAY, C; MACI, 2B; MAAhB, OAAgB, cAAhB, C; QA AgB, yB; QACZ, oBAAO, cAAP, EAAO, sBAAP, WAAkB, OAAIB, C; ; MACJ, OAAO, M; K; IAGX, mC; MAQoB, UACL ,M; MAHX, aAAa, gBAAW, cAAX, C; MACb, YAAY, C; MACI, 2B; MAAhB, OAAgB, cAAhB, C; QAAgB, yB; QACZ, o BAAO, cAAP, EAAO, sBAAP, WAAkB, OAAIB, C; ; MACJ, OAAO, M; K; IAGX, oC; MAQoB, UACL, M; MAHX, aAAa, iBAAAY, cAAZ, C; MACb, YAAY, C; MACI, 2B; MAAhB, OAAgB, cAAhB, C; QAAgB, yB; QACZ, oBAAO, cAAP, EAA O, sBAAP, WAAkB, OAAIB, C; ; MACJ, OAAO, M; K; IAGX, 2B; MAQoB, Q; MADhB, UAAgB, W; MACA, 2B; MAAhB ,OAAgB, cAAhB, C; QAAgB, yB; QACZ, MpCAiD, SoCAjD, GpCA2D, KAAK, GoCAzD, OpCAoE, KAAX, IAAf, C; ; M oCErD, OAAO, G; K; IAGX, 2B; MAQoB, Q; MADhB, UAAiB, 2B; MACD, 2B; MAAhB, OAAgB, cAAhB, C; QAAgB, yB ; QACZ, MpBXmD, UoBwN, GpBX8D, KAAK, KoBW5D, OpBXuE, KAAX, CAAhB, C; ; MoBavD, OAAO, G; K; IAG X, 2B; MAQoB, Q; MADhB, UAAgB, W; MACA, 2B; MAAhB, OAAgB, cAAhB, C; QAAgB, yB; QACZ, MpC5BiD, SoC4 BjD, GpC5B2D, KAAK, GAAW, CD2O5C, SqC/MxB, OrC+MkC, KAAL, GAAiB, GAAtB, CC3O4C, MAAX, IAAf, C; ; MoC8BrD, OAAO, G; K; IAGX, 2B; MAQoB, Q; MADhB, UAAgB, W; MACA, 2B; MAAhB, OAAgB, cAAhB, C; QAAgB ,yB; QACZ, MpC1CiD, SoC0CjD, GpC1C2D, KAAK, GAAW, CC4O5C, SmClMxB, OnCkMkC, KAAL, GAAiB, KAAt B, CD5O4C, MAAX, IAAf, C; ; MoC4CrD, OAAO, G; K; IC3GX, wB; MAMI, OrCuCkE, YqCvCvD, CrCuCwE, KAAjB, E qCvClD, CrCuC+E, KAA7B, CqCvCvD, KAAJ, GAAY, CAAZ, GAAMb, C; K; IAG9B, wB; MAMI, OrBsCmE, aqBtCxD ,CrBsC0E, KAAIB, EqBtCnD, CrBsCiF, KAA9B, CqBtCxD, KAAJ, GAAY, CAAZ, GAAMb, C; K; IAG9B, wB; MAMI, OtCKgF, 0BsCLrE, CtCgP2B, KAAL, GAAiB, GA3O8B, EsCLhE, CtCgPsB, KAAL, GAAiB, GA3O8B, CsCLrE, KAAJ, GAAY, CAAZ, GAAMb, C; K; IAG9B, wB; MAMI, OpClIF, 0BoCjE, CpCwO2B, KAAL, GAAiB, KApO+B, EoCjJE, Cp CwOsB, KAAL, GAAiB, KApO+B, CoCjE, KAAJ, GAAY, CAAZ, GAAMb, C; K; mFAG9B, yB; MAAA, 8C; MAAA, 0 B; QAOI, OAAO, MAAM, CAAN, EAAS, MAAM, CAAN, EAAS, CAAT, CAAT, C; O; KAPX, C; mFAUA, yB; MAAA, 8 C; MAAA, 0B; QAOI, OAAO, MAAM, CAAN, EAAS, MAAM, CAAN, EAAS, CAAT, CAAT, C; O; KAPX, C; mFAUA, y B; MAAA, 8C; MAAA, 0B; QAOI, OAAO, MAAM, CAAN, EAAS, MAAM, CAAN, EAAS, CAAT, CAAT, C; O; KAPX, C ;mFAUA, yB; MAAA, 8C; MAAA, 0B; QAOI, OAAO, MAAM, CAAN, EAAS, MAAM, CAAN, EAAS, CAAT, CAAT, C; O; KAPX, C; IAUA, 4B; MAOc, Q; MADV, UAAU, C; MACA, uB; MAAV, OAAU, cAAV, C; QAAU, mB; QAAO, MAAM ,SAAM, GAAN, EAAW, CAAX, C; ; MACvB, OAAO, G; K; IAGX, 4B; MAOc, Q; MADV, UAAU, C; MACA, uB; MAAV, OAAU, cAAV, C; QAAU, mB; QAAO, MAAM, SAAM, GAAN, EAAW, CAAX, C; ; MACvB, OAAO, G; K; IAGX, 4B; M AOc, Q; MADV, UAAU, C; MACA, uB; MAAV, OAAU, cAAV, C; QAAU, mB; QAAO, MAAM, SAAM, GAAN, EAAW,

CAAX,C;;MACvB,OAAO,G;K;IAGX,4B;MAOc,Q;MADV,UAAU,C;MACA,uB;MAAV,OAAU,cAAV,C;QAAU,mB;QAAO,MAAM,SAAM,GAAN,EAAW,CAAX,C;;MACvB,OAAO,G;K;IAGX,wB;MAMI,OrCjFkE,YqCiFvD,CrCjFwE,KAAjB,EqCiFID,CrCjF+E,KAA7B,CqCiFvD,KAAJ,GAAY,CAAZ,GAAMB,C;K;IAG9B,wB;MAMI,OrBIFmE,aqBkFxD,CrBIF0E,KAA1B,EqBkFnD,CrBIFiF,KAA9B,CqBkFxD,KAAJ,GAAY,CAAZ,GAAMB,C;K;IAG9B,wB;MAMI,OtCnHgF,0BsCmHrE,CtCwH2B,KAAL,GAAiB,GA3O8B,EsCmHhE,CtCwHsB,KAAL,GAAiB,GA3O8B,CsCmHrE,KAAJ,GAAY,CAAZ,GAAMB,C;K;IAG9B,wB;MAMI,OpCpHiF,0BoCoHtE,CpCgH2B,KAA L,GAAiB,KApO+B,EoCoHjE,CpCgHsB,KAAL,GAAiB,KApO+B,CoCoHtE,KAAJ,GAAY,CAAZ,GAAMB,C;K; mFAG9B,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CAAN,EAAS,MAAM,CAAN,EAAS,CAAT,CAAT,C; O;KAPX,C;mFAUA,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CAAN,EAAS,MAAM,CAAN,EAAS,CAA T,CAAT,C;O;KAPX,C;mFAUA,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CAAN,EAAS,MAAM,CAAN, EAAS,CAAT,CAAT,C;O;KAPX,C;mFAUA,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CAAN,EAAS,MA AM,CAAN,EAAS,CAAT,CAAT,C;O;KAPX,C;IAUA,4B;MAOc,Q;MADV,UAAU,C;MACA,uB;MAAV,OAAU, cAAV,C;QAAU,mB;QAAO,MAAM,SAAM,GAAN,EAAW,CAAX,C;;MACvB,OAAO,G;K;IAGX,4B;MAOc,Q; MADV,UAAU,C;MACA,uB;MAAV,OAAU,cAAV,C;QAAU,mB;QAAO,MAAM,SAAM,GAAN,EAAW,CAAX, C;;MACvB,OAAO,G;K;IAGX,4B;MAOc,Q;MADV,UAAU,C;MACA,uB;MAAV,OAAU,cAAV,C;QAAU,mB;Q AAO,MAAM,SAAM,GAAN,EAAW,CAAX,C;;MACvB,OAAO,G;K;IAGX,4B;MAOc,Q;MADV,UAAU,C;MAC A,uB;MAAV,OAAU,cAAV,C;QAAU,mB;QAAO,MAAM,SAAM,GAAN,EAAW,CAAX,C;;MACvB,OAAO,G;K ;gFC7OX,yB;MAAA,mC;MAAA,2C;MAAA,4B;QASI,OAAO,kBAAO,cAAP,C;O;KATX,C;gFAYA,yB;MAAA, mC;MAAA,2C;MAAA,4B;QASI,OAAO,kBAAO,cAAP,C;O;KATX,C;IAYA,sC;;QASQ,OAAc,WAAP,MAAO,E AAS,SAAT,C;;QACHB,+C;UACE,MAAM,2BAAUb,CAAe,QAAzB,C;;UAHV,O;;K;IAOJ,sC;;QASQ,OAAc,YA AP,MAAO,EAAU,SAAV,C;;QACHB,+C;UACE,MAAM,2BAAUb,CAAe,QAAzB,C;;UAHV,O;;K;4FAOJ,yB;M AAA,mC;MAAA,uD;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;4FAUA,yB;MAAA,mC;MAAA,uD; MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;IAUA,4C;MAMI,IAAI,mBAAJ,C;QACI,OAAO,I;MACX, OAAc,WAAP,MAAO,EAAS,SAAT,C;K;IAGIB,4C;MAMI,IAAI,mBAAJ,C;QACI,OAAO,I;MACX,OAAc,YAAP ,MAAO,EAAU,SAAV,C;K;oFAGIB,8B;MASI,OAAO,WAAW,IAAX,IAAmB,2BAAS,OAAT,C;K;oFAG9B,8B; MASI,OAAO,WAAW,IAAX,IAAmB,2BAAS,OAAT,C;K;IAG9B,uC;MAMI,OAAO,2BvC4K4B,SuC5KnB,KvC4 K6B,KAAL,GAAiB,GAAtB,CuC5K5B,C;K;IAGX,uC;MAMI,OAAO,2BvC6K8B,UAAW,oBuC7KhC,KvC6K2B, KAAK,CAAL,UAAN,CuC7K9B,C;K;IAGX,uC;MAMI,OAAO,2BtCwL8B,UAAW,oBsCxLhC,KtCwL2B,KAAK, CAAL,iBAAN,CsCxL9B,C;K;IAGX,uC;MAMY,Q;MAAD,cAAC,OtBqF4C,UsBrF5C,KtBqFkD,yBsBrFxC,EtBq FwC,CAAN,CsBrF7C,wBAA8B,2BAA9B,Q;MAAA,W;QAAqC,oCtCoPR,SsCpPiB,KtB6K1B,KhBuEW,QAAV,C sCpPQ,C;OAA5C,a;K;IAGJ,uC;MAMI,OAAO,2BrCyI4B,SqCzInB,KrCyI6B,KAAL,GAAiB,KAAtB,CqCzI5B,C; K;IAGX,uC;MAMI,OAAO,2BrC0I8B,UAAW,oBqC1IhC,KrC0I2B,KAAK,CAAL,YAAN,CqC1I9B,C;K;IAGX,k C;MASI,OAAO,uCAAgB,yBvCmHY,SuCnHI,SvCmHM,KAAL,GAAiB,GAAtB,CuCnHZ,EvCmHY,SuCnHmB,E vCmHT,KAAL,GAAiB,GAAtB,CuCnHZ,EAA4C,EAA5C,C;K;IAG3B,kC;MASI,OAAO,uCAAgB,yBAAGB,SAAhB,EAASB,EAAtB,M; K;IAG5B,kC;MASI,OAAO,uCAAgB,yBrCgFY,SqChFI,SrCgFM,KAAL,GAAiB,KAAtB,CqChFZ,ErCgFY,SqChF mB,ErCgFT,KAAL,GAAiB,KAAtB,CqChFZ,EAA4C,EAA5C,C;K;IAG3B,gC;MAMI,OAAO,uCAAgB,yBAAGB, cAAhB,EAASB,eAAtB,EAA6B,CAAC,cAAD,IAA7B,C;K;IAG3B,gC;MAMI,OAAO,wCAAIb,yBAAGB,cAAhB, EAASB,eAAtB,EAA8B,cAAD,aAA7B,C;K;IAG5B,iC;MAMI,oBAAoB,OAAO,CAA3B,EAA8B,IAA9B,C;MAC A,OAAO,uCAAgB,yBAAGB,eAAhB,EAAuB,cAAvB,EAAiC,SAAK,KAAL,GAAY,CAAhB,GAAMB,IAAnB,GA A6B,CAAC,IAAD,IAA1D,C;K;IAG3B,iC;MAMI,oBAAoB,kBAAO,CAA3B,EAA8B,IAA9B,C;MACA,OAAO,w CAAiB,yBAAGB,eAAhB,EAAuB,cAAvB,EAAiC,SAAK,KAAL,cAAY,CAAhB,GAAMB,IAAnB,GA A8B,IAAD, aAA1D,C;K;IAG5B,iC;MAQI,IvC/OgF,0BuC+O5E,EvCjKc,KAAL,GAAiB,GA3O8B,EUc+OtE,6BAAM,UvCjSb ,KAAL,GAAiB,GA3O8B,CuC+O5E,KAAJ,C;QAA2B,OAAO,iCAAU,M;MACHc,WvC6BuB,SuC7B5B,SvC6Bs C,KAAL,GAAiB,GAAtB,C;MuC7BV,YAAK,W;MAA9B,OtCjD6D,oBAhJP,SAAU,CD8N7B,SuC7BV,EvC6BoB ,KAAL,GAAiB,GAAtB,CC9N6B,MAAK,GDAK,KCAO,KAAZ,IAAf,CAGJO,C;K;IsCoDjE,iC;MAQI,ItC3OkE,Y sC2O9D,EtC3O+E,KAAjB,EsC2OxD,4BAAK,UtC3OgF,KAA7B,CsC2O9D,KAAJ,C;QAA0B,OAAO,iCAAU,M; MAC3C,OtC7D6D,csC6DtD,StC7DsD,EAhJP,SsC6MtC,EtC7MgD,KAAK,GAAY,CsC6M5D,WtC7M4D,MAAZ,

IAAf,CAgJO,C;K;IsCgEjE,iC;MAQI,ItB/OmE,asB+O/D,EtB/OiF,KAAiB,EsB+OzD,6BAAM,UtB/OiF,KAA9B,Cs  
B+O/D,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OtBzE+D,iBsByExD,StBzEwD,EA7IP,UsBsNxC,EtBtNmD  
,KAAK,UAAy,ChByP/C,UAAW,oBAAL,CsCnCb,WtCmCsB,MAAK,CAAL,iBAAN,CgBzP+C,MAAZ,CAAhB  
,CA6IO,C;K;IsB4EnE,iC;MAQI,IrC3QiF,0BqC2Q7E,ErCvCkC,KAAL,GAAiB,KApO+B,EqC2QvE,8BAAO,UrC  
vCqB,KAAL,GAAiB,KApO+B,CqC2Q7E,KAAJ,C;QAA4B,OAAO,iCAAU,M;MACjC,WrcNuB,SqCM5B,SrCnS  
C,KAAL,GAAiB,KAAtB,C;MqCMV,YAAK,W;MAA9B,OtCrF6D,oBAhJP,SAAU,CC+N7B,SqCMV,ErCnOB,K  
AAL,GAAiB,KAAtB,CD/N6B,MAAK,GCAK,KDAO,KAAZ,IAAf,CAgJO,C;K;IsCwFjE,kD;MAUI,OtCjRkE,Ys  
CiRvD,StCjRwE,KAAjB,EsCiRhD,YtCjR6E,KAA7B,CsCiRvD,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,kD;M  
AUI,OtBtRmE,asBsRxD,StBtR0E,KAAiB,EsBsRjD,YtBtR+E,KAA9B,CsBsRxD,IAAJ,GAAyB,YAAzB,GAA2C,  
S;K;IAGtD,kD;MAUI,OvC3TgF,0BuC2TrE,SvChF2B,KAAL,GAAiB,GA3O8B,EUc2T9D,YvChFoB,KAAL,GA  
AiB,GA3O8B,CuC2TrE,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,kD;MAUI,OrChUiF,0BqCgUtE,SrC5F2B,KA  
AL,GAAiB,KApO+B,EqCgU/D,YrC5FoB,KAAL,GAAiB,KApO+B,CqCgUtE,IAAJ,GAAyB,YAAzB,GAA2C,S;  
K;IAGtD,iD;MAUI,OtCrUkE,YsCqUvD,StCrUwE,KAAjB,EsCqUhD,YtCrU6E,KAA7B,CsCqUvD,IAAJ,GAAyB,  
YAAzB,GAA2C,S;K;IAGtD,iD;MAUI,OtB1UmE,asB0UxD,StB1U0E,KAAiB,EsB0UjD,YtB1U+E,KAA9B,CsB0  
UxD,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAUI,OvC/WgF,0BuC+WrE,SvCpI2B,KAAL,GAAiB,GA3  
O8B,EUc+W9D,YvCpIoB,KAAL,GAAiB,GA3O8B,CuC+WrE,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;M  
AUI,OrCpXiF,0BqCoXtE,SrChJ2B,KAAL,GAAiB,KApO+B,EqCoX/D,YrChJoB,KAAL,GAAiB,KApO+B,CqCo  
XtE,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,4D;MAUI,ItCzXkE,YsCyX9D,YtCzX+E,KAAjB,EsCyX/C,YtCz  
X4E,KAA7B,CsCyX9D,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAZB,C;MACv  
C,ItC1XkE,YsC0X9D,StC1X+E,KAAjB,EsC0XvD,YtC1XoF,KAA7B,CsC0X9D,IAAJ,C;QAAyB,OAAO,Y;MAC  
hC,ItC3XkE,YsC2X9D,StC3X+E,KAAjB,EsC2XvD,YtC3XoF,KAA7B,CsC2X9D,IAAJ,C;QAAyB,OAAO,Y;MA  
ChC,OAAO,S;K;IAGX,4D;MAUI,ItBjYmE,asBiY/D,YtBjYiF,KAAiB,EsBiYhD,YtBjY8E,KAA9B,CsBiY/D,IAA  
J,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAZB,C;MACvC,ItBjYmE,asBkY/D,StBjYiF  
,KAAiB,EsBkYxD,YtBjYsF,KAA9B,CsBkY/D,IAAJ,C;QAAyB,OAAO,Y;MACHC,ItBnYmE,asBmY/D,StBnYiF,  
KAAiB,EsBmYxD,YtBnYsF,KAA9B,CsBmY/D,IAAJ,C;QAAyB,OAAO,Y;MACHC,OAAO,S;K;IAGX,4D;MAU  
I,IvCzagF,0BuCya5E,YvC9LkC,KAAL,GAAiB,GA3O8B,EUcya7D,YvC9LmB,KAAL,GAAiB,GA3O8B,CuCya5  
E,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAZB,C;MACvC,IvC1agF,0BuC0a5E,  
SvC/LkC,KAAL,GAAiB,GA3O8B,EUc0arE,YvC/L2B,KAAL,GAAiB,GA3O8B,CuC0a5E,IAAJ,C;QAAyB,OAA  
O,Y;MACHC,IvC3agF,0BuC2a5E,SvChMkC,KAAL,GAAiB,GA3O8B,EUc2arE,YvChM2B,KAAL,GAAiB,GA3O  
8B,CuC2a5E,IAAJ,C;QAAyB,OAAO,Y;MACHC,OAAO,S;K;IAGX,4D;MAUI,IrCjbiF,0BqCib7E,YrC7MkC,KA  
AL,GAAiB,KApO+B,EqCib9D,YrC7MmB,KAAL,GAAiB,KApO+B,CqCib7E,IAAJ,C;QAAiC,MAAM,gCAAyB,  
oDAAiD,YAAjD,8BAAoF,YAApF,MAAZB,C;MACvC,IrClbiF,0BqCkb7E,SrC9MkC,KAAL,GAAiB,KApO+B,E  
qCkbtE,YrC9M2B,KAAL,GAAiB,KApO+B,CqCkb7E,IAAJ,C;QAAyB,OAAO,Y;MACHC,IrCnbiF,0BqCmb7E,Sr  
C/MkC,KAAL,GAAiB,KApO+B,EqCmbtE,YrC/M2B,KAAL,GAAiB,KApO+B,CqCmb7E,IAAJ,C;QAAyB,OAA  
O,Y;MACHC,OAAO,S;K;IAGX,uC;MAcW,Q;MAJP,IAAI,8CAAJ,C;QACI,OAAy,WAAL,SAAK,EAAe,KAAf,C  
;OAEhB,IAAI,KAAM,UAAV,C;QAAqB,MAAM,gCAAyB,4CAAYC,KAAzC,MAAZB,C;MAEvB,ItC9b8D,YsC8  
b9D,StC9b+E,KAAjB,EsC8bvD,KAAM,MtC9b8E,KAA7B,CsC8b9D,K;QAA4B,OAAO,KAAM,M;;QAC5B,ItC/b  
8D,YsC+b9D,StC/b+E,KAAjB,EsC+bvD,KAAM,atC/b8E,KAA7B,CsC+b9D,K;UAAmC,OAAO,KAAM,a;;UAC3  
B,gB;;MAHZ,W;K;IAOJ,uC;MAcW,Q;MAJP,IAAI,8CAAJ,C;QACI,OAAy,WAAL,SAAK,EAAgB,KAAhB,C;O  
AEhB,IAAI,KAAM,UAAV,C;QAAqB,MAAM,gCAAyB,4CAAYC,KAAzC,MAAZB,C;MAEvB,ItB3c+D,asB2c/D  
,StB3ciF,KAAiB,EsB2cxD,KAAM,MtB3cgF,KAA9B,CsB2c/D,K;QAA4B,OAAO,KAAM,M;;QAC5B,ItB5c+D,as  
B4c/D,StB5ciF,KAAiB,EsB4cxD,KAAM,atB5cgF,KAA9B,CsB4c/D,K;UAAmC,OAAO,KAAM,a;;UAC3B,gB;;M  
AHZ,W;K;IC/fj,2B;MAUoB,Q;MADhB,UAAgB,W;MACA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,M  
vCoDiD,SuCPdJd,GvCoD2D,KAAK,GuCpDzD,OvCoDoE,KAAX,IAAf,C;;MuClDrD,OAAO,G;K;IAGX,2B;MA  
UoB,Q;MADhB,UAAiB,2B;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,MvBuCmD,UuBvCnD,Gv  
BuC8D,KAAK,KuBvC5D,OvBuCuE,KAAX,CAAhB,C;;MuBrCvD,OAAO,G;K;IAGX,2B;MAUoB,Q;MADhB,U  
AAgB,W;MACA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,MvCoBiD,SuCPbJd,GvCoB2D,KAAK,GA  
AW,CD2O5C,SwC/PxB,OxC+PkC,KAAL,GAAiB,GAAtB,CC3O4C,MAAX,IAAf,C;;MuClBrD,OAAO,G;K;IAG

X,2B;MAUoB,Q;MADhB,UAAgB,W;MACA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,MvCliD,SuCjJD ,GvCI2D,KAAK,GAAW,CC4O5C,SsChPxB,OtCgPkC,KAAL,GAAiB,KAAtB,CD5O4C,MAAX,IAAf,C;;MuCFr D,OAAO,G;K;,,,,;ICuCP,iD;MAAA,qE;MAAgB,4B;MANpB,uC;MAMI,Y;K;IACA,4D;MAAA,qE;MAAgC,wBA AM,OAAN,Q;MAPpC,uC;MAOI,Y;K;IACA,mE;MAAA,qE;MAAmD,6BAAM,OAAN,EAAe,KAAf,C;MARvD,u C;MAQI,Y;K;IACA,0D;MAAA,qE;MAAiC,wBAAM,KAAAN,Q;MATrC,uC;MASI,Y;K;ICxGJ,gC;K;,,,,;ICuBoC,w C;8BAAsC,O;K;,,,yCC0rE,6B;MASI,MAAM,yB;K;,,,,,;0CAyDV,sB;MASI,OAAO,I;K;,,,,, ;,,,,,,,,,,,,,;ICnYf,wB;K;kCAEL,Y;MAA4B,sB;K;IAMhC,wB;K;kCAEL,Y;MAA4B,mC;K;IAMhC,yB;K;mCAEL,Y ;MAA4B,uB;K;IAMhC,uB;K;iCAEL,Y;MAA4B,qB;K;IAMhC,wB;K;kCAEL,Y;MAA4B,sB;K;IAMhC,yB;K;mC AEI,Y;MAA4B,uB;K;IAMhC,0B;K;oCAEL,Y;MAA4B,wB;K;IAMhC,2B;K;qCAEL,Y;MAA4B,yB;K;ICtDM,oD ;MAA2C,uB;MAAjB,gB;MAC5D,sBAAGC,InBkCU,I;MmBjC1C,iBAAmC,YAAO,CAAX,GAAc,SAAS,IAAvB, GAAiC,SAAS,I;MACzE,cAA4B,cAA5B,GAAqC,KnBgCK,ImBhC1C,GAAqD,mB;K;gDAErD,Y;MAAkC,qB;K;i DAEIC,Y;MACI,YAAAY,W;MACZ,IAAI,UAAS,mBAAb,C;QACI,IAAI,CAAC,cAAL,C;UAAc,MAAa,6B;QAC3 B,iBAAU,K;;QAGV,4BAAQ,SAAR,I;;MAEJ,OAAa,OAAN,KAAM,C;K;;IAQgB,mD;MAAyC,sB;MAAjB,gB;M ACzD,sBAAGC,I;MACHC,iBAAmC,YAAO,CAAX,GAAc,SAAS,IAAvB,GAAiC,SAAS,I;MACzE,cAA4B,cAAJ, GAAa,KAAb,GAAwB,mB;K;+CAEHd,Y;MAAkC,qB;K;+CAEIC,Y;MACI,YAAAY,W;MACZ,IAAI,UAAS,mBA Ab,C;QACI,IAAI,CAAC,cAAL,C;UAAc,MAAa,6B;QAC3B,iBAAU,K;;QAGV,4BAAQ,SAAR,I;;MAEJ,OAAO, K;K;;IAQuB,oD;MAA4C,uB;MAAIB,gB;MAC5D,sBAAiC,I;MACjC,iBAAmC,uBAAO,CAAX,GAAc,sBAAS,IA AT,MAAd,GAAiC,sBAAS,IAAT,M;MACHc,cAA6B,cAAJ,GAAa,KAAb,GAAwB,mB;K;gDAEjD,Y;MAAkC,qB ;K;iDAEIC,Y;MACI,YAAAY,W;MACZ,IAAI,cAAS,mBAAT,CAAJ,C;QACI,IAAI,CAAC,cAAL,C;UAAc,MAAa, 6B;QAC3B,iBAAU,K;;QAGV,8BAAQ,SAAR,C;;MAEJ,OAAO,K;K;;IC9DX,oD;MA6CA,uC;MATCI,IAAI,SAA Q,CAAZ,C;QAAe,MAAa,gCAAYB,wBAAzB,C;MAC5B,IAAI,SAAQ,WAAZ,C;QAA2B,MAAa,gCAAYB,wEAA zB,C;MAG5C,aAGyB,K;MAEZB,YAGuF,OAA/D,0BAA0B,KpBcR,IoBdlB,EAAc,YpBcpB,IoBdlB,EAAyD,IA AzD,CAA+D,C;MAEvF,YAGuB,I;K;yCAEvB,Y;MAAwC,mCAAwB,UAAxB,EAA+B,SAA/B,EAAqC,SAAR,C,C ;K;wCAExC,Y;MAMqC,OAAI,YAAO,CAAX,GAAc,aAAQ,SAATB,GAAgC,aAAQ,S;K;uCAE7E,iB;MACI,iDA A6B,kBAAa,KAAM,UAAAnB,KAC7B,eAAS,KAAM,MAAf,IAAwB,cAAQ,KAAM,KAATC,IAA8C,cAAQ,KAA M,KAD/B,CAA7B,C;K;yCAGJ,Y;MACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,OAAM,OOAK,UpBRG,IoBQR,UA AkB,SpBRV,IoBQR,KAAAN,SAAqC,SAAR,C,I;K;yCAE5B,Y;MAAkC,OAAI,YAAO,CAAX,GAAc,oBAAE,UAAF ,+BAAU,SAAV,eAAqB,SAAnC,GAA8C,oBAAE,UAAF,qCAAgB,SAAhB,gBAA4B,CAAC,SAAD,IAA5B,C;K;I AEhF,qC;MAAA,yC;K;kEACI,sC;MAQ2F,2BAAgB,UAAhB,EAA4B,QAA5B,EAAc,IAATC,C;K;;IAT/F,iD;M AAA,gD;QAAA,+B;OAAA,yC;K;;IAiBA,mD;MA6CA,sC;MATCI,IAAI,SAAQ,CAAZ,C;QAAe,MAAa,gCAAYB, wBAAzB,C;MAC5B,IAAI,SAAQ,WAAZ,C;QAA2B,MAAa,gCAAYB,wEAAzB,C;MAG5C,aAGwB,K;MAEXB,Y AGuB,0BAA0B,KAA1B,EAAiC,YAAjC,EAA+C,IAA/C,C;MAEvB,YAGuB,I;K;wCAEvB,Y;MAAuC,kCAAuB, UAAvB,EAA8B,SAA9B,EAAoC,SAAPC,C;K;uCAEvC,Y;MAMqC,OAAI,YAAO,CAAX,GAAc,aAAQ,SAATB,G AAqC,aAAQ,S;K;sCAE7E,iB;MACI,gDAA4B,kBAAa,KAAM,UAAAnB,KAC5B,eAAS,KAAM,MAAf,IAAwB,cA AQ,KAAM,KAATC,IAA8C,cAAQ,KAAM,KADhC,CAA5B,C;K;wCAGJ,Y;MACI,OAAI,cAAJ,GAAe,EAAf,GA AwB,OAAM,MAAK,UAAAL,QAAa,SAAb,IAAN,SAA2B,SAA3B,I;K;wCAE5B,Y;MAAkC,OAAI,YAAO,CAAX, GAAgB,UAAF,qBAAU,SAAV,cAAqB,SAAnC,GAAgD,UAAF,2BAAgB,SAAhB,eAA4B,CAAC,SAAD,IAA5B, C;K;IAEHF,oC;MAAA,wC;K;iEACI,sC;MAQwF,0BAAe,UAAf,EAA2B,QAA3B,EAAqC,IAArC,C;K;;IAT5F,gD ;MAAA,+C;QAAA,8B;OAAA,wC;K;;IAiBA,oD;MA6CA,uC;MATCI,IAAI,gBAAJ,C;QAAgB,MAAa,gCAAYB,w BAAzB,C;MAC7B,IAAI,sCAAJ,C;QAA4B,MAAa,gCAAYB,yEAAzB,C;MAG7C,aAGyB,K;MAEZB,YAGwB,4B AA0B,KAA1B,EAAiC,YAAjC,EAA+C,IAA/C,C;MAEXB,YAGwB,I;K;yCAEXB,Y;MAAwC,mCAAwB,UAAxB, EAA+B,SAA/B,EAAqC,SAAR,C,C;K;wCAExC,Y;MAMqC,OAAI,uBAAO,CAAX,GAAc,2BAAQ,SAAR,KAA d,GAAgC,2BAAQ,SAAR,K;K;uCAErE,iB;MACI,iDAA6B,kBAAa,KAAM,UAAAnB,KAC7B,mBAAS,KAAM,MAA f,KAAwB,kBAAQ,KAAM,KAA d,CAAxB,IAA8C,kBAAQ,KAAM,KAA d,CADjB,CAA7B,C;K;yCAGJ,Y;MACI, OAAI,cAAJ,GAAe,EAAf,GAAwB,iCAAM,iCAAM,eAAW,8BAAW,EAAX,CAAX,CAAN,MAAoC,cAAU,6BA AU,EAAV,CAAV,CAAPC,CAAN,MAAuE,cAAU,6BAAU,EAAV,CAAV,CAAvE,CAAiG,Q;K;yCAE7H,Y;MA AkC,OAAI,uBAAO,CAAX,GAAgB,UAAF,qBAAU,SAAV,yBAAqB,SAAR,B,WAA d,GAAgD,UAAF,2BAAgB,S AAhB,yBAA6B,SAAD,aAA5B,W;K;IAEHF,qC;MAAA,yC;K;kEACI,sC;MAQ4F,2BAAgB,UAAhB,EAA4B,QA

A5B,EAAcC,IAAtC,C;K;;;IAThG,iD;MAAA,gD;QAAA,+B;OAAA,yC;K;;;6CCIKA,iB;MAGkD,+BAAS,UAAAT,  
UAAkB,wBAAS,iBAAT,M;K;oCAEpE,Y;MAKgC,oCAAQ,iBAAR,K;K;;I7CpBd,wC;MAsBIB,iC;MATBsD,2BA  
AgB,KAaHb,EAAuB,YAAvB,EAAqC,CAArC,C;K;kFAC7B,Y;MAAQ,8B;K;yFACD,Y;MAAQ,6B;K;2CAExC,i  
B;MAA8C,qBAAS,KAAT,IAAkB,SAAS,S;K;kCAEzE,Y;MAKkC,oBAAQ,S;K;iCAE1C,iB;MACI,2CAAuB,kBA  
Aa,KAAM,UAAuB,KACvB,eAAS,KAAM,MAAf,IAAwB,cAAQ,KAAM,KADf,CAAvB,C;K;mCAGJ,Y;MACI,O  
AAI,cAAJ,GAAe,EAAf,GAAwB,OAAK,UwBkBS,IxBIBd,UAAkB,SwBkJB,IxBIBd,K;K;mCAE5B,Y;MAAkC,2  
BAAE,UAAF,+BAAU,SAAV,C;K;IAEIC,+B;MAAA,mC;MACI,aAC8B,cAAY,OAAF,CAAE,CAAZ,EAAwB,O  
AAF,CAAE,CAAxB,C;K;;;IAFIC,2C;MAAA,0C;QAAA,yB;OAAA,mC;K;;IASiB,uC;MAsBjB,gC;MATBmD,0BA  
Ae,KAAf,EAAcB,YAAtB,EAAoC,CAApC,C;K;iFAC3B,Y;MAAQ,iB;K;wFACD,Y;MAAQ,gB;K;0CAEvC,iB;M  
AA6C,qBAAS,KAAT,IAAkB,SAAS,S;K;iCAExE,Y;MAKkC,oBAAQ,S;K;gCAE1C,iB;MACI,0CAAsB,kBAaA,  
KAAM,UAAuB,KACtB,eAAS,KAAM,MAAf,IAAwB,cAAQ,KAAM,KADhB,CAAtB,C;K;kCAGJ,Y;MACI,OA  
AI,cAAJ,GAAe,EAAf,GAAwB,MAAK,UAAAL,QAAa,SAAb,I;K;kCAE5B,Y;MAAkC,OAAE,UAAF,qBAAU,S;K;  
IAE5C,8B;MAAA,kC;MACI,aAC6B,aAAS,CAAT,EAAY,CAAZ,C;K;;IAFjC,0C;MAAA,yC;QAAA,wB;OAAA,  
kC;K;;IASkB,wC;MAsBIB,iC;MATBsD,2BAAgB,KAaHb,EAAuB,YAAvB,K;K;kFAC7B,Y;MAAQ,iB;K;yFACD  
,Y;MAAQ,gB;K;2CAExC,iB;MAA8C,kCAAS,KAAT,UAAkB,sBAAS,SAAT,M;K;kCAEhE,Y;MAKkC,kCAAQ,  
SAAR,K;K;iCAEIC,iB;MACI,2CAAuB,kBAaA,KAAM,UAAuB,KACvB,mBAAS,KAAM,MAAf,KAAwB,kBAa  
Q,KAAM,KAAAd,CADD,CAAvB,C;K;mCAGJ,Y;MACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,iCAAM,eAAW,8BA  
AW,EAAX,CAAX,CAAN,MAAoC,cAAU,6BAAU,EAAY,CAAV,CAApC,CAA8D,Q;K;mCAE1F,Y;MAAkC,O  
AAE,UAAF,qBAAU,SAAV,W;K;IAEIC,+B;MAAA,mC;MACI,aAC8B,qB;K;;IAFIC,2C;MAAA,0C;QAAA,yB;  
OAAA,mC;K;;I8C9EJ,gB;MAAA,oB;K;8BAII,Y;MAA0B,oB;K;;IAJ9B,4B;MAAA,2B;QAAA,U;OAAA,oB;K;I  
CEA,yC;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,uC;MAAA,0C;O;MAIL,kE;MAEA,wF;MAEA,oF;MAEA,wE;  
MAEA,kE;MAEA,oF;MAEA,sF;MAEA,8E;MAEA,wE;MAEA,sF;MAEA,uF;MAEA,iE;MAEA,6E;MAEA,iE;MA  
EA,2E;K;;IA5BA,8C;MAAA,6B;MAAA,sC;K;;IAEA,yD;MAAA,6B;MAAA,iD;K;;IAEA,uD;MAAA,6B;MAAA,  
+C;K;;IAEA,iD;MAAA,6B;MAAA,yC;K;;IAEA,8C;MAAA,6B;MAAA,sC;K;;IAEA,uD;MAAA,6B;MAAA,+C;K  
;;IAEA,wD;MAAA,6B;MAAA,gD;K;;IAEA,oD;MAAA,6B;MAAA,4C;K;;IAEA,iD;MAAA,6B;MAAA,yC;K;;IA  
EA,wD;MAAA,6B;MAAA,gD;K;;IAEA,wD;MAAA,6B;MAAA,gD;K;;IAEA,6C;MAAA,6B;MAAA,qC;K;;IAEA  
,mD;MAAA,6B;MAAA,2C;K;;IAEA,6C;MAAA,6B;MAAA,qC;K;;IAEA,kD;MAAA,6B;MAAA,0C;K;;IAhCJ,m  
C;MAAA,+oB;K;;IAAA,wC;MAAA,a;MAAA,O;UAAA,2C;aAAA,kB;UAAA,sD;aAAA,gB;UAAA,oD;aAAA,U;U  
AAA,8C;aAAA,O;UAAA,2C;aAAA,gB;UAAA,oD;aAAA,iB;UAAA,qD;aAAA,a;UAAA,iD;aAAA,U;UAAA,8C;  
aAAA,iB;UAAA,qD;aAAA,iB;UAAA,qD;aAAA,M;UAAA,0C;aAAA,Y;UAAA,gD;aAAA,M;UAAA,0C;aAAA,  
W;UAAA,+C;gBAAA,uE;;K;;IAqCA,4C;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,0C;MAAA,6C;O;MAMI,0E;M  
AEA,0E;MAEA,4E;K;;IAJA,kD;MAAA,gC;MAAA,0C;K;;IAEA,kD;MAAA,gC;MAAA,0C;K;;IAEA,mD;MAAA  
,gC;MAAA,2C;K;;IAVJ,sC;MAAA,sI;K;;IAAA,2C;MAAA,a;MAAA,Q;UAAA,+C;aAAA,Q;UAAA,+C;aAAA,S;U  
AAA,gD;gBAAA,0E;;K;;IAwB8B,gC;MAAC,oC;K;;IAQE,0B;MAAC,qB;QAAA,iD;MAAA,kB;K;;IAEIC,sB;K;;I  
AMA,4B;K;;IC/EA,yB;K;;IAQA,6B;K;;ICnBA,mB;MAEI,UAAU,IAAI,C;MACd,OAAW,OAAO,CAAX,GAAc,G  
AAAd,GAAuB,MAAM,CAAN,I;K;IAGIC,qB;MACI,UAAU,SAAI,CAAJ,C;MACV,OAAW,kBAAO,CAAX,GAAc,  
GAAAd,GAAuB,QAAM,CAAN,C;K;IAGIC,mC;MAEI,OAAO,IAAI,IAAI,CAAJ,EAAO,CAAP,IAAY,IAAI,CAAJ,  
EAAO,CAAP,CAAZ,IAAJ,EAA2B,CAA3B,C;K;IAGX,qC;MACI,OAAO,MAAI,MAAI,CAAJ,EAAO,CAAP,WA  
AY,MAAI,CAAJ,EAAO,CAAP,CAAZ,CAAJ,EAA2B,CAA3B,C;K;IAGX,qD;MAkBI,WAAO,CAAP,C;QAD2E,  
OAC3D,SAAS,GAAb,GAakB,GAAIB,GAA2B,MAAM,iBAAiB,GAAjB,EAAcB,KAAtB,EAA6B,IAA7B,CAAN,  
I;WACvC,WAAO,CAAP,C;QAF2E,OAE3D,SAAS,GAAb,GAakB,GAAIB,GAA2B,MAAM,iBAAiB,KAAjB,EA  
AwB,GAAxB,EAA6B,CAAC,IAAD,IAA7B,CAAN,I;QAC/B,MAAA,gCAAyB,eAAzB,C;K;IAGzB,uD;MAkBI,s  
BAAO,CAAP,C;QAD+E,OAC/D,sBAAS,GAAT,MAAJ,GAakB,GAAIB,GAA2B,aAAM,mBAAiB,GAAjB,EAAc  
B,KAAtB,EAA6B,IAA7B,CAAN,C;WACvC,sBAAO,CAAP,C;QAF+E,OAE/D,sBAAS,GAAT,MAAJ,GAakB,G  
AAIB,GAA2B,QAAM,mBAAiB,KAAjB,EAAwB,GAAxB,EAA8B,IAAD,aAA7B,CAAN,C;;QAC/B,MAAA,gCA  
AyB,eAAzB,C;K;IC7DjB,kD;MAAA,8B;MACI,aAAY,C;K;oDACZ,Y;MAAYB,oBAAQ,gBAAI,O;K;iDACrC,Y;  
MAAgD,Q;MAA1B,IAAI,aAAQ,gBAAI,OAAhB,C;QAAA,OAAcB,iBAAI,iBAAJ,EAAI,yBAAJ,O;;QAAkB,MA  
AM,2BAAyB,UAAF,WAAvB,C;K;;IAPhF,oC;MAEI,IAD8D,IAC9D,S;QACI,UAA0B,K;QAF0B,2C;;QAAA,QA

AM,IAAN,C;eASxD,c;YATwD,OAStC,qBAaQB,KAArB,C;eACIB,W;YAVwD,OAuZC,kBAaKB,KAAIB,C;eACf,Y;YAXwD,OAWxC,mBAAmB,KAAAnB,C;eAChB,W;YAZwD,OAYzC,kBAaKB,KAAIB,C;eACf,U;YAbwD,O Aa1C,iBAaIB,KAAjB,C;eACd,W;YAdwD,OAczC,kBAaKB,KAAIB,C;eACf,Y;YAfWd,OAexC,mBAAmB,KAA nB,C;eAChB,a;YAhBwD,OAgBvC,oBAaOB,KAApB,C;kBACT,MAAM,6BAAsB,2DAA+C,IAA/C,CAAtB,C;;K; IAiuC,2D;MAAA,kC;MAAS,0B;MAC9D,aAAY,C;K;2DACZ,Y;MAAyB,oBAAQ,kBAAM,O;K;+DACvC,Y;MA A2D,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAIB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB, MAAM,2BAAYB,UAAF,WAAvB,C;K;;IAJnF,qC;MACyD,oD;K;IAON,wD;MAAA,kC;MAAS,uB;MACxD,aAA Y,C;K;wDACZ,Y;MAAyB,oBAAQ,kBAAM,O;K;yDACvC,Y;MAAwD,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAIB ,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB,MAAM,2BAAYB,UAAF,WAAvB,C;K;;IAJhF, kC;MACmD,iD;K;IAOE,yD;MAAA,kC;MAAS,wB;MAC1D,aAAY,C;K;yDACZ,Y;MAAyB,oBAAQ,kBAAM,O; K;2DACvC,Y;MAAyD,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAIB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yB AAN,O;;QAAoB,MAAM,2BAAYB,UAAF,WAAvB,C;K;;IAJfF,mC;MACqD,kD;K;IAOF,wD;MAAA,kC;MAAS, uB;MACxD,aAAY,C;K;wDACZ,Y;MAAyB,oBAAQ,kBAAM,O;K;yDACvC,Y;MAAwD,Q;MAA9B,IAAI,aAAQ ,kBAAM,OAAIB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB,MAAM,2BAAYB,UAAF,WAA vB,C;K;;IAJhF,kC;MACmD,iD;K;IAOF,uD;MAAA,kC;MAAS,sB;MACtD,aAAY,C;K;uDACZ,Y;MAAyB,oBA AQ,kBAAM,O;K;uDACvC,Y;MAAuD,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAIB,C;QAAA,OAAwB,mBAAM,iB AAN,EAAM,yBAAN,O;;QAAoB,MAAM,2BAAYB,UAAF,WAAvB,C;K;;IAJ/E,iC;MACiD,gD;K;IAOI,yD;MAA A,kC;MAAS,wB;MAC1D,aAAY,C;K;yDACZ,Y;MAAyB,oBAAQ,kBAAM,O;K;2DACvC,Y;MAAyD,Q;MAA9B ,IAAI,aAAQ,kBAAM,OAAIB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB,MAAM,2BAAYB ,UAAF,WAAvB,C;K;;IAJfF,mC;MACqD,kD;K;IAOE,0D;MAAA,kC;MAAS,yB;MAC5D,aAAY,C;K;0DACZ,Y; MAAYB,oBAAQ,kBAAM,O;K;6DACvC,Y;MAA0D,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAIB,C;QAAA,OAAwB ,mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB,MAAM,2BAAYB,UAAF,WAAvB,C;K;;IAJfF,oC;MACuD,mD;K;I AOf,wD;MAAA,kC;MAAS,uB;MACxD,aAAY,C;K;wDACZ,Y;MAAyB,oBAAQ,kBAAM,O;K;yDACvC,Y;MA AwD,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAIB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB, MAAM,2BAAYB,UAAF,WAAvB,C;K;;IAJhF,kC;MACmD,iD;K;IAOpB,gC;MAAC,wB;K;;IAEhC,+B;MAC8C, MAAM,mC;K;IAEpD,8C;MAEI,IAAI,qBAaJ,C;QACI,OAAO,C5ByliF,W4BzlrE,U5BylqE,E4BzIzD,Q5BylyD,C ;;Q4BvIxF,OAAS,CAAY,qBAAsB,UAAtB,EAakC,QAAIC,C;;K;IAI7B,2C;MAEI,IAAI,KAAY,kBAAhB,C;QAG I,KAAY,mBAaKB,QAAIB,C;;QAEH,QAAT,SAA+C,CAAIB,IAAJ,C,KAAiC,EAakB,O;;K;IAIvD,sC;MAGwB,Q; MADpB,gBAAGB,IAAhB,KAAgB,E;MACI,IAAI,OCnGkB,ODmGT,OAAT,EAAqB,WAArB,CAAJ,C;QACHB,O AAI,aAAJ,GAAM,B,KAAM,WAAzB,GAAYC,I;;QAEzC,c;;MAHJ,wB;MAKA,kBAaKB,K;MACIB,iBAaIB,W;M ACjB,OAAO,S;K;IAIa,sB;MAAC,U;K;iCACrB,iB;MACI,OAAO,mCAAsB,WAAK,KAAM,E;K;mCAG5C,Y;MA CI,OAAO,M;K;mCAGX,Y;MACI,OAAuC,oBAAnB,UAA5B,IAAe,EAAa,CAAM,B,C;K;0CAG3C,iB;MACI,OAA R,IAAI,EAaw,GAAN,K;K;kCAGL,Y;MAEI,OAAO,M;K;;+DAIf,gB;MAEI,YAAY,MAAY,IAAK,OAAjB,C;M ACZ,sBAAU,IAAV,a;QACI,UAAU,KAak,CAAL,C;QACV,IAAI,oBAAJ,C;UACI,MAAM,CAAN,IAAW,EAAS, MAAM,MAAK,GAAL,C;;UAE1B,MAAM,CAAN,IAAW,G;;MAGnB,OAAO,EAAS,OAAO,OAAM,EAAN,EA AgB,KAAhB,C;K;IAG3B,2B;MAMW,WAAO,S;MAIbD,YAAY,MAAY,IAAK,OAAjB,C;MACZ,sBAAU,IAAV, a;QACI,UAAU,KAak,CAAL,C;QACV,IAAI,oBAAJ,C;UACI,MAAM,CAAN,IAAW,EAAS,MAAM,MAAK,GA AL,C;;UAE1B,MAAM,CAAN,IAAW,G;;MAYnB,OATO,EAAS,OAAO,OAAM,EAAN,EAAGB,KAAhB,C;K;IA Y3B,oC;MAWI,WAAqB,S;MACrB,IAAI,qBAAmB,CAAY,OAAAd,KAA2B,SAAhD,C;QAjCA,YAAY,MAkCM,I AICW,OAAjB,C;QACZ,sBAiCkB,IAjCIB,a;UACI,UAGcC,IAhCJ,CAAK,CAAL,C;UACV,IAAI,oBAAJ,C;YACI, MAAM,CAAN,IAAW,EAAS,MAAM,MAAK,GAAL,C;;YAE1B,MAAM,CAAN,IAAW,G;;QA4Bf,OAzBG,EAA S,OAAO,OAAM,EAAN,EAAGB,KAAhB,C;;QA2BnB,WAAW,C;QACX,0BAAU,IAAV,e;UACY,IAAoB,I;UAA 5B,eAAQ,QAAoB,OAAPB,IAAQ,CAAH,GAAG,CAAY,OAAPB,oCAAR,K;;QAEJ,aAAa,IAAJB,CAAC,YAAGB, CAAH,IAAG,C;QE3FjB,IF4FyB,CE5FhB,OAAL,KAAKB,SAAtB,C;UF4F4B,ME3FxB,UF2FqB,CE3FF,O;SF4Fn B,OAAO,C;QACP,0BAAU,IAAV,e;UAE0B,YACX,M;UAFX,YAAU,IAAQ,CAAH,GAAG,C;UACI,SAAJ,KAAI ,O;UAAtB,aAAU,CAAV,kB;YACI,OAAO,aAAP,EAAO,qBAAP,YAAiB,MAAI,CAAJ,C;;QAGzB,OAAO,M;;K; IAIf,0B;MACgC,WAAS,c;MAAT,YAAhC,EAAE,MAAM,KAAiD,CAA3C,SAA2C,C;MAWtD,eAAiB,I;MAXW, OAYrB,K;K;IAVX,uB;MAC6B,WAAS,W;MAAT,YAAsB,IAA/C,WAA+C,CAAnC,EAAE,MAAM,KAAK,CAA

C,SAAD,CAAsB,C;MAQ/C,eAAiB,I;MARQ,OASiB,K;K;IAPX,uB;MAC6B,WAAS,W;MAAT,YAA7B,EAAE,M  
AAM,KAA2C,CAArC,SAAqC,C;MAK/C,eAAiB,I;MALQ,OAMiB,K;K;2DAJX,uB;MAGI,eAAiB,I;MACjB,OA  
AO,K;K;KEG9MX,yB;MAAA,0B;MAAA,uB;QASI,OAAoB,OAAb,ItD0Q+B,KAAAL,GAAiB,KsD1Q9B,C;O;KA  
TxB,C;ICIqC,2C;MAAC,8C;MACiC,eAAsB,C;MACtB,wBAA+B,C;MAC/B,gBAA6B,I;MAC7B,mBAAsC,I;MA  
CtC,qBAAyC,I;MAEzC,yBAAgD,yBAAmB,Q;MAEnE,sBAAgD,I;K;wFAFHd,Y;MAAA,6B;K;OCAIA,Y;MAEY  
,kBADR,M;MAAA,U;MAAA,2C;QAAA,e;;QAES,gBADD,2CAAQ,yCAAR,gDAAwD,IAAxD,6BAAiE,I;QACz  
D,sB1CwEd,S;Q0C1EF,S1C2EG,S;;M0C3EH,a;K;iDAIJ,kB;MACi,kBAAC,IAAd,C;MACiC,oB;MCuBrB,Q;MAD  
R,IDtBsB,MCsBtB,W;QADJ,mBACiB,I;;QADjB,mBAEY,QDvBc,MCuBd,+D;;MDvBZ,yC;MACA,2BAAmC,M  
AAO,kBAA1C,C;MAGA,OAAO,IAAP,C;Q1CoCY,gB0CnCH,S;;QACD,iBAAiB,8B;QAGjB,IAAI,0BAAJ,C;UA  
CI,qBAAC,e;;UAEd,oBAAQ,0B;UACR,wBAAy,kB;;;UAIZ,cAAc,oB;UACd,IAAI,YAAy,yBAAhB,C;YAAqC,M  
;UACrC,kBAAgB,O;UACHB,qBAAmB,I;;UAEnB,kBAAgB,I;UACHB,qBAAmB,S;;QAGvB,gC;QAEA,IAAI,wC  
AAJ,C;UAEI,YAAU,U;;UAGV,U;UAAA,0C;YETHB,8BDgDQ,WAAO,qBAAP,CChDR,C;YFSgB,a;;YAAA,a;U  
AAA,mB;YAEK,UepBrB,oBDgDQ,WD5B+B,eC4B/B,CChDR,C;WFqBgB,M;;;K;mDAMhB,Y;MACi,kBAAkB,  
mB;MACiB,IAAI,uBAAuB,gBAAgB,IAA3C,C;QACI,uCAAQ,yCAAR,EAAmC,wCAA+B,WAA/B,C;OAEvC,sB  
AAoB,mC;K;;IAM5B,iC;MAAA,qC;K;gGAEQ,Y;M7C0DyC,MAAM,6B6C1DjC,uC7C0D+D,WAA9B,C;K;yD6  
CxDnD,kB;M7CwD6C,MAAM,6B6CvDzC,uC7CuDuE,WAA9B,C;K;+C6CpDnD,Y;MAAkC,8C;K;;;IARtC,6C;  
MAAA,4C;QAAA,2B;OAAA,qC;K;IGyDA,mG;IAAA,yH;IAAA,6F;MAKW,kC;MAAS,4C;K;IALpB,sEAMQ,Y;  
MACi,Q;MAAA,sC;QAAiB,U;OACjB,OAAO,oB;K;IARnB,6G;sJAJIA,iC;MAGBU,OAAK,SAAL,CAAiB,UAAj  
B,EAA6B,KAA7B,C;K;wJAEV,2C;MAiBU,OAAK,SAAL,CAAiB,QAAjB,EAA2B,UAA3B,EAAuC,KAAvC,C;K  
;wJAEV,kD;MAKU,OAAK,SAAL,CAAiB,QAAjB,EAA2B,KAA3B,EAAkC,UAAIC,EAA8C,KAA9C,C;K;IAGC6  
C,oG;MAAA,mB;QAC3C,OAAK,iCAAL,CAAiB,kBAAjB,C;O;K;IA/BZ,6D;MA0BI,IAAS,SAAY,OAAjB,IAA2  
B,CAA/B,C;QAAA,OAES,SAAL,CAAiB,UAAjB,EAA6B,IAA7B,C;;QA8D0B,Q;QAhE9B,4DAImD,0DAJnD,E  
AgE8B,qBA5DS,UA4DT,qCAhE9B,C;;K;IAwCmD,wH;MAAA,mB;QAC3C,OAAK,iCAAL,CAAiB,gBAAjB,EA  
A2B,kBAA3B,C;O;K;IAhCZ,yE;MA2BI,IAAS,SAAY,OAAjB,IAA2B,CAA/B,C;QAAA,OAES,SAAL,CAAiB,Q  
AAjB,EAA2B,UAA3B,EAAuC,IAAvC,C;;QA0B0B,Q;QA5B9B,4DAImD,sEAJnD,EA4B8B,qBAxBS,UAWBT,q  
CA5B9B,C;;K;IASJ,gC;MAWK,kBAAD,M;MAAA,kBAAC,qEAAD,4DAA2C,S;K;6CAG/C,yB;MAAA,mG;MA  
AA,yH;MAAA,6F;QAKW,kC;QAAS,4C;O;MALpB,sEAMQ,Y;QACI,Q;QAAA,sC;UAAiB,U;SACjB,OAAO,oB;  
O;MARnB,6G;MAAA,oC;QAKkC,Q;QAA9B,mEAA8B,oEAA9B,C;O;KALJ,C;IFC7HA,a;MAC6C,OAAA,MAA  
a,YAAW,CAAX,C;K;ICM3B,iC;;MAA6E,Q;MAAA,+BAAS,I;sCAAIB,O,2DAAA,O;;;K;;;;;;;IAC/F,2B;MAAA,  
iD;MAAuB,oBAAK,IAAL,EAAW,IAAX,C;MAAvB,Y;K;IACA,sC;MAAA,iD;MAAuC,oBAAK,OAAL,EAAC,IA  
Ad,C;MAAvC,Y;K;IACA,oC;MAAA,iD;MAAwC,oBAAK,SAAL,EAAGB,KAAhB,C;MAAxC,Y;K;IAI+B,mC;;  
MAA6E,Q;MAAA,+BAAS,I;sCAAIB,O,2DAAA,O;;;K;;;;;;;IACnG,+B;MAAA,mD;MAAuB,sBAAK,IAAL,EA  
AW,IAAX,C;MAAvB,Y;K;IACA,0C;MAAA,mD;MAAuC,sBAAK,OAAL,EAAC,IAAd,C;MAAvC,Y;K;IACA,w  
C;MAAA,mD;MAAwC,sBAAK,SAAL,EAAGB,KAAhB,C;MAAxC,Y;K;IAGsC,0C;MAA0D,qBAAU,OAAV,EA  
AmB,KAAhB,C;;K;;IACHG,sC;MAAA,0D;MAAuB,6BAAK,IAAL,EAAW,IAAX,C;MAAvB,Y;K;IACA,iD;MA  
AA,0D;MAAuC,6BAAK,OAAL,EAAC,IAAd,C;MAAvC,Y;K;IACA,+C;MAAA,0D;MAAwC,6BAAK,SAAL,EA  
AGB,KAAhB,C;MAAxC,Y;K;IAG8C,kD;MAA0D,4BAAiB,OAAjB,EAA0B,KAA1B,C;;K;;IACxG,8C;MAAA,kE  
;MAAuB,qCAAK,IAAL,EAAW,IAAX,C;MAAvB,Y;K;IACA,yD;MAAA,kE;MAAuC,qCAAK,OAAL,EAAC,IAA  
d,C;MAAvC,Y;K;IACA,uD;MAAA,kE;MAAwC,qCAAK,SAAL,EAAGB,KAAhB,C;MAAxC,Y;K;IAG2C,+C;M  
AA0D,4BAAiB,OAAjB,EAA0B,KAA1B,C;;K;;IACrG,2C;MAAA,+D;MAAuB,kCAAK,IAAL,EAAW,IAAX,C;M  
AAvB,Y;K;IACA,sD;MAAA,+D;MAAuC,kCAAK,OAAL,EAAC,IAAd,C;MAAvC,Y;K;IACA,oD;MAAA,+D;M  
AAwC,kCAAK,SAAL,EAAGB,KAAhB,C;MAAxC,Y;K;IAG+C,4C;8BAAwD,O;;K;;IACvG,+C;MAAA,mE;MA  
AuB,sCAAK,IAAL,C;MAAvB,Y;K;IAGqD,yD;MAA0D,4BAAiB,OAAjB,EAA0B,KAA1B,C;;K;;IAC/G,qD;MA  
AA,yE;MAAuB,4CAAK,IAAL,EAAW,IAAX,C;MAAvB,Y;K;IACA,gE;MAAA,yE;MAAuC,4CAAK,OAAL,EA  
Ac,IAAd,C;MAAvC,Y;K;IACA,8D;MAAA,yE;MAAwC,4CAAK,SAAL,EAAGB,KAAhB,C;MAAxC,Y;K;IAGm  
D,uD;MAA0D,4BAAiB,OAAjB,EAA0B,KAA1B,C;;K;;IAC7G,mD;MAAA,uE;MAAuB,0CAAK,IAAL,EAAW,I  
AAX,C;MAAvB,Y;K;IACA,8D;MAAA,uE;MAAuC,0CAAK,OAAL,EAAC,IAAd,C;MAAvC,Y;K;IACA,4D;MA  
AA,uE;MAAwC,0CAAK,SAAL,EAAGB,KAAhB,C;MAAxC,Y;K;IAI2C,wC;sCAAG,E,O;;K;;IAC3G,2C;MAAA,+

D;MAAuB,kCAAK,IAAL,C;MAAvB,Y;K;IAI0C,uC;8BAAwD,O;;K;;IACIG,0C;MAAA,8D;MAAuB,iCAAK,IAAL,C;MAAvB,Y;K;IAGwC,qC;8BAAwD,O;;K;;IACHg,wC;MAAA,4D;MAAuB,+BAAK,IAAL,C;MAAvB,Y;K;IAIJ,wC;MACmD,mBAAM,OAAN,EAAe,KAAf,C;;K;;IAC/C,oC;MAAA,wD;MAAuB,sBAAK,IAAL,Q;MAAvB,Y;K;IACA,+C;MAAA,wD;MAAgC,2BAAK,OAAL,EAAc,IAAd,C;MAAhC,Y;K;IACA,+C;MAAA,wD;MAAiD,IAAY,I;MAAzB,2BAAa,SAAR,OAAQ,CAAb,EAAyB,sDAAzB,C;MAApC,Y;K;IAG4C,yC;8BAAwD,O;;K;;IACpG,4C;MAAA,gE;MAAuB,mCAAK,IAAL,C;MAAvB,Y;K;IAIyC,sC;8BAAwD,O;;K;;IACjG,yC;MAAA,6D;MAAuB,gCAAK,IAAL,C;MAAvB,Y;K;IAGkD,sD;MAA0D,4BAAiB,OAAjB,EAA0B,KAA1B,C;;K;;IAC5G,kD;MAAA,sE;MAAuB,yCAAK,IAAL,EAAW,IAAX,C;MAAvB,Y;K;IACA,6D;MAAA,sE;MAAuC,yCAAK,OAAL,EAAc,IAAd,C;MAAvC,Y;K;IACA,2D;MAAA,sE;MAAwC,yCAAK,SAAL,EAAgB,KAAhB,C;MAAxC,Y;K;IAG0D,8D;MAA0D,4BAAiB,OAAjB,EAA0B,KAA1B,C;;K;;IACpH,0D;MAAA,8E;MAAuB,iDAAK,IAAL,EAAW,IAAX,C;MAAvB,Y;K;IACA,qE;MAAA,8E;MAAuC,iDAAK,OAAL,EAAc,IAAd,C;MAAvC,Y;K;IACA,mE;MAAA,8E;MAAwC,iDAAK,SAAL,EAAgB,KAAhB,C;MAAxC,Y;K;6FCIGJ,yB;MAEI,OAAG,GAAG,CAAC,QAAD,C;K;mFAGV,oB;MAEI,OAAJ,GAAL,GAAE,G;K;6ETVN,a;MAK8C,cAAvC,C;K;6EHP,Y;MAG+C,S;K;IA6B/C,2B;MAG4D,0BAAe,WAAf,C;K;IAE5D,mC;MAIwF,0BAAe,WAAf,C;K;IAExF,mC;MAKwE,0BAAe,WAAf,C;K;IAGxE,4B;MAI8D,Q;MAH1D,aAakB,GAAL,O;MACtB,aAakB,GAAL,O;MACtB,YAAiB,C;MACjB,OAAO,QAAQ,MAAR,IAakB,QAAQ,MAAjC,C;QAAyC,IAAI,KAAJ,IAAa,IAAI,YAAJ,EAAI,oBAAJ,O;;MACtD,OAAO,G;K;IAIX,wD;MAMuC,Q;MALnC,aAAa,MAAO,OAAM,CAAN,EAAS,OAAT,C;MA0BpB,IAzBc,MAyBL,OAAL,KAAkB,SAAtB,C;QAZbSb,MA0BIB,UA1BU,MA0BS,O;OAZbVb,YAAiB,MAAO,O;MACxB,IAAI,UAAU,KAAAd,C;QACI,gBAAgB,O;QACHB,OAAO,QAAQ,OAAf,C;UAAwB,OAAO,YAAP,EAAO,oBAAP,UAAkB,Y;;OAE9C,OAAO,M;K;IAGX,gD;MAKoB,UAAmB,M;MAJnC,aAAa,KAAM,Q;MACnB,MAAO,OAAP,IAAiB,UAAW,K;MAC5B,IAbc,KAAaL,OAAL,KAAkB,SAAtB,C;QAbqB,MACjB,UAdU,KAcS,O;OAbvB,YAAiB,KAAM,O;MACP,4B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAY,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MAC9C,OAAO,M;K;IAGX,yD;MAEOB,UAAgB,M;MADhC,YAAY,U;MACI,4B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAY,IAAI,cAAJ,EAAI,sBAAJ,YAAe,O;;MAC3C,OAAO,G;K;oFAGX,oB;MACI,IAAI,IAAK,OAAL,KAAkB,SAAtB,C;QACI,YAAc,IAAK,O;Q;0EAI3B,wB;MAA+D,OAAA,MAAa,QAAO,GAAP,EAAY,OAAZ,C;K;IS/F5E,mC;MAOI,kBAAkB,MAAa,eAAc,SAAd,C;MAC/B,iBAAiB,MAAa,eAAc,IAAd,C;MAC9B,OAAW,gBAAe,UAAAnB,GA A+B,SAA/B,GAAYC,CAAC,S;K;0ECUrD,2B;MAKyE,OAAA,MAAa,gBAAe,IAAf,C;K;4EAYBtF,2B;MAKsE,OAAA,MAAa,eAAc,IAAd,C;K;kEAGnF,qB;MACgD,OAAA,MAAa,KAAK,UAAAS,GAAT,EAAc,IAAd,C;K;wEAC hC,qB;MAAQ,OAAG,SAAY,a;K;0EACxB,qB;MAAQ,OAAG,SAAY,c;K;IC3D5D,0D;MAGI,OAAO,I;K;ICHX,sC;MAMsD,OAAA,SAAY,UAAAS,WAAW,KAAX,CAAT,C;K;ItDKIE,uC;Mf2nBW,Q;MAAA,IernBgB,KfqNBZ,IAAS,CAAT,IernBY,KfqNBE,IAAS,wBAA3B,C;QAAA,OAAsC,UernBtB,KfqNBsB,C;;QernBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;K;IAGJ,uC;Mf4nBW,Q;MAAA,IetnBgB,KfsnBZ,IAAS,CAAT,IetnBY,KfsnBE,IAAS,0BAA3B,C;QAAA,OAAsC,UetnBtB,KfsnBsB,C;;QetnBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;K;IAGJ,uC;Mf6nBW,Q;MAAA,IevnBgB,KfunBZ,IAAS,CAAT,IevnBY,KfunBE,IAAS,0BAA3B,C;QAAA,OAAsC,UevnBtB,KfunBsB,C;;QevnBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;K;IAGJ,uC;Mf8nBW,Q;MAAA,IexnBgB,KfwnBZ,IAAS,CAAT,IexnBY,KfwnBE,IAAS,0BAA3B,C;QAAA,OAAsC,UexnBtB,KfwnBsB,C;;QexnBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;K;IAGJ,uC;Mf+nBW,Q;MAAA,IeznBgB,KfynBZ,IAAS,CAAT,IeznBY,KfynBE,IAAS,0BAA3B,C;QAAA,OAAsC,UeznBtB,KfynBsB,C;;QeznBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;K;IAGJ,uC;MfgoBW,Q;MAAA,Ie1nBgB,Kf0nBZ,IAAS,CAAT,Ie1nBY,Kf0nBE,IAAS,0BAA3B,C;QAAA,OAAsC,Ue1nBtB,Kf0nBsB,C;;Qe1nBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;K;IAGJ,uC;MfioBW,Q;MAAA,Ie3nBgB,Kf2nBZ,IAAS,CAAT,Ie3nBY,Kf2nBE,IAAS,0BAA3B,C;QAAA,OAAsC,Ue3nBtB,Kf2nBsB,C;;Qe3nBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;K;IAGJ,uC;MfkoBW,Q;MAAA,Ie5nBgB,Kf4nBZ,IAAS,CAAT,Ie5nBY,Kf4nBE,IAAS,0BAA3B,C;QAAA,OAAsC,Ue5nBtB,Kf4nBsB,C;;Qe5nBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;K;IAGJ,wC;MfmoBW,Q;MAAA,Ie7nBgB,Kf6nBZ,IAAS,CAAT,Ie7nBY,Kf6nBE,IAAS,0BAA3B,C;QAAA,OAAsC,Ue7nBtB,Kf6nBsB,C;;Qe7nBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;K;IAGJ,2B;MAII,OAAO,cAAa,SAAb,C;K;oFAGX,yB;MAAA,gD;MAAA,4B;QAKI,OAAsC,OAA/B,SAA+B,C;O;KALIC,C;oFAQA,yB;MAAA,gD;MAAA,4B;QAKI,OAAsC,SAAGC,C;O;KAL3C,C;oFAQA,yB



;MAAA,gD;MAAA,4B;QAKI,OAAqC,OAA9B,SAA8B,C;O;KALzC,C;oFAQA,yB;MAAA,gD;MAAA,4B;QAKI, OAAcC,OAA/B,SAA+B,C;O;KAL1C,C;oFAQA,yB;MAAA,gD;MAAA,4B;QAKI,OAAuC,OAAhC,SAAgC,C;O; KAL3C,C;oFAQA,yB;MAAA,gD;MAAA,4B;QAKI,OAAwC,OAAjC,SAAiC,C;O;KAL5C,C;oFAQA,yB;MAAA, gD;MAAA,4B;QAKI,OAAyC,OAAiC,SAAkC,C;O;KAL7C,C;IAYW,2C;MAAA,8B;MAAS,uB;K;4FACW,Y;MA AQ,OAAA,gBAAY,O;K;6CAC3C,Y;MAAkC,OAAA,gBfunP/B,YAAQ,C;K;oDetnPX,mB;MAAgD,OAAy,WAA Z,gBAAY,EAAS,OAAT,C;K;iDAC5D,iB;MACI,oCAAA,2BAAkB,KAAIB,EAAYB,SAAzB,C;MACb,OAAO,6BA AY,KAAZ,E;K;mDAEX,mB;MAES,Q;MAAL,IAAI,eAAC,uFAAD,CAAJ,C;QAAgC,OAAO,E;MACvC,OAAmB ,UAAZ,gBAAY,EAAY,OAAQ,OAAR,C;K;uDAEvB,mB;MAES,Q;MAAL,IAAI,eAAC,uFAAD,CAAJ,C;QAAgC,OAAO ,E;MACvC,OAAmB,cAAZ,gBAAY,EAAY,OAAZ,C;K;;IApB/B,6B;MAII,0C;K;IAqBJ,+C;MAaI,OAAy,kBAAL, SAAK,EAkB,KAAIB,C;K;IAqBhB,0C;MASI,OAAy,oBAAL,SAAK,C;K;IAehB,0C;MAYI,OAAy,oBAAL,SA AK,C;K;IAkBhB,2C;MAWI,OAAy,cAAL,SAAK,EAAC,KAAd,C;K;IAGhB,2C;MAWI,OAAy,cAAL,SAAK,EA Ac,KAAd,C;K;IAGhB,4C;MAWI,OAAy,cAAL,SAAK,EAAC,KAAd,C;K;IAGhB,4C;MAWI,OAAy,cAAL,SAA K,EAAC,KAAd,C;K;IAGhB,4C;MAWI,OAAy,cAAL,SAAK,EAAC,KAAd,C;K;IAGhB,4C;MAWI,OAAy,cAAL, SAAK,EAAC,KAAd,C;K;IAGhB,4C;MAWI,OAAy,cAAL,SAAK,EAAC,KAAd,C;K;IAGhB,4C;MAWI,OAAy,c AAL,SAAK,EAAC,KAAd,C;K;IAGhB,4C;MAWI,OAAy,cAAL,SAAK,EAAC,KAAd,C;K;IAwHhB,sC;MAOI,OA AY,gBAAL,SAAK,C;K;IAGhB,sC;MAOI,OAAy,gBAAL,SAAK,C;K;IAGhB,uC;MAOI,OAAy,gBAAL,SAAK, C;K;IAGhB,uC;MAOI,OAAy,gBAAL,SAAK,C;K;IAGhB,uC;MAOI,OAAy,gBAAL,SAAK,C;K;IAGhB,uC;MA OI,OAAy,gBAAL,SAAK,C;K;IAGhB,uC;MAOI,OAAy,gBAAL,SAAK,C;K;IAGhB,uC;MAOI,OAAy,gBAAL,S AAK,C;K;IAGhB,uC;MAOI,OAAy,gBAAL,SAAK,C;K;IAoFhB,sC;MASI,OAAy,gBAAL,SAAK,C;K;IAGhB,s C;MASI,OAAy,gBAAL,SAAK,C;K;IAGhB,uC;MASI,OAAy,gBAAL,SAAK,C;K;IAGhB,uC;MASI,OAAy,gBA AL,SAAK,C;K;IAGhB,uC;MASI,OAAy,gBAAL,SAAK,C;K;IAGhB,uC;MASI,OAAy,gBAAL,SAAK,C;K;IAGh B,uC;MASI,OAAy,gBAAL,SAAK,C;K;IAGhB,uC;MASI,OAAy,gBAAL,SAAK,C;K;IAGhB,uC;MASI,OAAy,g BAAL,SAAK,C;K;wFAsGhB,yB;MAAA,8C;MAAA,kF;QAmB0E,iC;UAAA,oBAAYB,C;QAAG,0B;UAAA,aAA kB,C;QAAG,wB;UAAA,WAAgB,gB;QACvI,UAAU,SAAV,EAAgB,WAAhB,EAA6B,iBAA7B,EAAgD,UAAhD, EAA4D,QAA5D,C;QACA,OAAO,W;O;KArBX,C;wFAwBA,yB;MAAA,8C;MAAA,kF;QAmBoE,iC;UAAA,oBA AYB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,gB;QACjI,UAAU,SAAV,EAA0C,WAA1C,EAA iF,iBAAjF,EAAoG,UAApG,EAAgH,QAAhH,C;QACA,OAAO,W;O;KArBX,C;wFAwBA,yB;MAAA,8C;MAAA, kF;QAmBsE,iC;UAAA,oBAAYB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,gB;QACnI,UAAU, SAAV,EAA2C,WAA3C,EAAmF,iBAAnF,EAAsG,UAAtG,EAaKH,QAAlH,C;QACA,OAAO,W;O;KArBX,C;wF AwBA,yB;MAAA,8C;MAAA,kF;QAmBkE,iC;UAAA,oBAAYB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAA A,WAAgB,gB;QAC/H,UAAU,SAAV,EAAyC,WAAzC,EAA+E,iBAA/E,EAaKG,UAAIG,EAA8G,QAA9G,C;QA CA,OAAO,W;O;KArBX,C;wFAwBA,yB;MAAA,8C;MAAA,kF;QAmBoE,iC;UAAA,oBAAYB,C;QAAG,0B;UA AA,aAAkB,C;QAAG,wB;UAAA,WAAgB,gB;QACjI,UAAU,SAAV,EAA0C,WAA1C,EAAiF,iBAAjF,EAAoG,U AApG,EAAgH,QAAhH,C;QACA,OAAO,W;O;KArBX,C;wFAwBA,yB;MAAA,8C;MAAA,kF;QAmBsE,iC;UAA A,oBAAYB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,gB;QACnI,UAAU,SAAV,EAA2C,WAA3 C,EAAmF,iBAAnF,EAAsG,UAAtG,EAaKH,QAAlH,C;QACA,OAAO,W;O;KArBX,C;wFAwBA,yB;MAAA,8C; MAAA,kF;QAmBwE,iC;UAAA,oBAAYB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,gB;QACrI, UAAU,SAAV,EAA4C,WAA5C,EAAqF,iBAArF,EAAG,UAAXG,EAAoH,QAAPh,C;QACA,OAAO,W;O;KArB X,C;yFAwBA,yB;MAAA,8C;MAAA,kF;QAmB0E,iC;UAAA,oBAAYB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,w B;UAAA,WAAgB,gB;QACvI,UAAU,SAAV,EAA6C,WAA7C,EAAuF,iBAAvF,EAA0G,UAA1G,EAAsH,QAAtH ,C;QACA,OAAO,W;O;KArBX,C;yFAwBA,yB;MAAA,8C;MAAA,kF;QAmBoE,iC;UAAA,oBAAYB,C;QAAG,0 B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,gB;QACjI,UAAU,SAAV,EAA0C,WAA1C,EAAiF,iBAAjF,EAA oG,UAApG,EAAgH,QAAhH,C;QACA,OAAO,W;O;KArBX,C;oFAwBA,qB;MAOI,OAAy,SAAY,Q;K;oFAG5B, qB;MAOI,OAAy,SAAY,Q;K;oFAG5B,qB;MAOI,OAAy,SAAY,Q;K;qFAG5B,qB;MAOI,OAAy,SAAY,Q;K;IA G5B,8B;MAMW,WAAS,W;MAAT,YAA2B,SAAY,Q;MwC17B9C,eAAiB,I;MxCk7BjB,OwCj7BO,K;K;qFxC07B X,qB;MAOI,OAAy,SAAY,Q;K;qFAG5B,qB;MAOI,OAAy,SAAY,Q;K;IAG5B,8B;MAMW,WAAS,c;MAAT,YA A8B,SAAY,Q;MwC/8BjD,eAAiB,I;MxC+8BjB,OwC98BO,K;K;IxCi9BX,8B;MAMW,WAAS,W;MAAT,YAA2B, SAAY,Q;MwCx9B9C,eAAiB,I;MxCw9BjB,OwCv9BO,K;K;IxCO9BX,uC;MD5oCI,IAAI,ECspCI,WAAW,CDtpC

f,CAAJ,C;QACI,cCqpCoB,0C;QDppCpB,MAAM,gCAAYB,OAAQ,WAAjC,C;OCqpCV,OAAO,SAAS,SAAT,EA Ae,cAAU,OAAV,CAAf,C;K;IAGX,uC;MD1pCI,IAAI,ECqCI,WAAW,CDpqCf,CAAJ,C;QACI,cCmqCoB,0C;Q D1qCpB,MAAM,gCAAYB,OAAQ,WAAjC,C;OCmqCV,OAAO,SAAS,SAAT,EAAe,eAAW,OAAX,CAAf,C;K;IA GX,uC;MDxqCI,IAAI,ECkrCI,WAAW,CDlrCf,CAAJ,C;QACI,cCirCoB,0C;QDhrCpB,MAAM,gCAAYB,OAAQ, WAAjC,C;OCirCV,OAAO,SAAS,SAAT,EAAe,eAAS,OAAT,CAAf,C;K;IAGX,uC;MDtrCI,IAAI,ECgsCI,WAA W,CDhsCf,CAAJ,C;QACI,cC+rCoB,0C;QD9rCpB,MAAM,gCAAYB,OAAQ,WAAjC,C;OC+rCH,WAAS,W;MA AT,YAAsB,gBAAGB,SAAhB,EAAhB,OAAtB,K;MwChhC7B,eAAiB,I;MxCghCjB,OwC/gCO,K;K;IxckhCX,uC; MDpsCI,IAAI,EC8sCI,WAAW,CD9sCf,CAAJ,C;QACI,cC6sCoB,0C;QD5sCpB,MAAM,gCAAYB,OAAQ,WAAj C,C;OC6sCV,OAAO,SAAS,SAAT,EAAe,iBAAW,OAAX,CAAf,C;K;IAGX,uC;MDltCI,IAAI,EC4tCI,WAAW,C D5tCf,CAAJ,C;QACI,cC2tCoB,0C;QD1tCpB,MAAM,gCAAYB,OAAQ,WAAjC,C;OC2tCV,OAAO,SAAS,SAAT, EAAe,iBAAY,OAAY,CAAf,C;K;IAGX,uC;MDhuCI,IAAI,EC0uCI,WAAW,CD1uCf,CAAJ,C;QACI,cCyCoB,0C ;QDxuCpB,MAAM,gCAAYB,OAAQ,WAAjC,C;OCyuCH,WAAS,c;MAAT,YAAyB,gBAAGB,SAAhB,EAAhB,OA AtB,EAA+B,KAA/B,C;MwC1jChC,eAAiB,I;MxC0jCjB,OwCzjCO,K;K;IxC4jCX,uC;MD9uCI,IAAI,ECwvCI,W AAW,CDxvCf,CAAJ,C;QACI,cCuvCoB,0C;QDtvCpB,MAAM,gCAAYB,OAAQ,WAAjC,C;OCuvCH,WAAS,W; MAAT,YAAsB,SAAS,SAAT,EAAe,iBAAU,OAAV,CAAf,C;MwCxc7B,eAAiB,I;MxCwkCjB,OwCvkcO,K;K;I xC0kCX,uC;MD5vCI,IAAI,ECuwCI,WAAW,CDvwCf,CAAJ,C;QACI,cCswCoB,0C;QDrwCpB,MAAM,gCAAYB ,OAAQ,WAAjC,C;OCswCV,OAAO,gBAAGB,SAAhB,EAAhB,OAAtB,EAA+B,IAA/B,C;K;IAGX,sD;MAWI,oC AAa,2BAAkB,SAIb,EAA6B,OAA7B,EAAc,gBAAtC,C;MACb,OAAY,SAAY,OAAM,SAAN,EAAiB,OAAjB, C;K;IAG5B,sD;MAUI,oCAAa,2BAAkB,SAIb,EAA6B,OAA7B,EAAc,gBAAtC,C;MACb,OAAY,SAAY,OAA M,SAAN,EAAiB,OAAjB,C;K;IAG5B,sD;MAUI,oCAAa,2BAAkB,SAIb,EAA6B,OAA7B,EAAc,gBAAtC,C;M ACb,OAAY,SAAY,OAAM,SAAN,EAAiB,OAAjB,C;K;IAG5B,sD;MAUI,oCAAa,2BAAkB,SAIb,EAA6B,OAA 7B,EAAc,gBAAtC,C;MACb,OAAY,SAAY,OAAM,SAAN,EAAiB,OAAjB,C;K;IAG5B,sD;MAUI,oCAAa,2BA AkB,SAIb,EAA6B,OAA7B,EAAc,gBAAtC,C;MACN,WAAS,W;MAAT,YAA2B,SAAY,OAAM,SAAN,EAAi B,OAAjB,C;MwC9pC9C,eAAiB,I;MxC8pCjB,OwC7pCO,K;K;IxCgqCX,sD;MAUI,oCAAa,2BAAkB,SAIb,EA A6B,OAA7B,EAAc,gBAAtC,C;MACb,OAAY,SAAY,OAAM,SAAN,EAAiB,OAAjB,C;K;IAG5B,sD;MAUI,oC AAa,2BAAkB,SAIb,EAA6B,OAA7B,EAAc,gBAAtC,C;MACb,OAAY,SAAY,OAAM,SAAN,EAAiB,OAAjB, C;K;IAG5B,uD;MAUI,oCAAa,2BAAkB,SAIb,EAA6B,OAA7B,EAAc,gBAAtC,C;MACN,WAAS,c;MAAT,Y AA8B,SAAY,OAAM,SAAN,EAAiB,OAAjB,C;MwCxsCjD,eAAiB,I;MxCwsCjB,OwCvsCO,K;K;IxC0sCX,uD;M AUI,oCAAa,2BAAkB,SAIb,EAA6B,OAA7B,EAAc,gBAAtC,C;MACN,WAAS,W;MAAT,YAA2B,SAAY,OA AM,SAAN,EAAiB,OAAjB,C;MwCttC9C,eAAiB,I;MxCstCjB,OwCrtCO,K;K;IxCwtCX,wD;MAWgD,yB;QAAA, YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MAC/E,oCAAa,2BAAkB,SAIb,EAA6B,OAA7B,EAAc,gBAAtC,C;M ACR,SAAY,MAAK,OAAL,EAAC,SAAd,EAAYB,OAazB,C;K;IAGrB,wD;MAWgD,yB;QAAA,YAAiB,C;MAAG ,uB;QAAA,UAAe,gB;MAC/E,oCAAa,2BAAkB,SAIb,EAA6B,OAA7B,EAAc,gBAAtC,C;MACR,SAAY,MAA K,OAAL,EAAC,SAAd,EAAYB,OAazB,C;K;IAGrB,wD;MAWkD,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe ,gB;MACjF,oCAAa,2BAAkB,SAIb,EAA6B,OAA7B,EAAc,gBAAtC,C;MACR,SAAY,MAAK,OAAL,EAAC,S AAd,EAAYB,OAazB,C;K;IAGrB,wD;MAW8C,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MAC7E,oCA Aa,2BAAkB,SAIb,EAA6B,OAA7B,EAAc,gBAAtC,C;MACR,SAAY,MAAK,OAAL,EAAC,SAAd,EAAYB,OA AzB,C;K;IAGrB,wD;MAWgD,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MAC/E,oCAAa,2BAAkB,SAI B,EAA6B,OAA7B,EAAc,gBAAtC,C;MACR,SAAY,MAAK,OAAL,EAAC,SAAd,EAAYB,OAazB,C;K;IAGrB, wD;MAWkD,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MACjF,oCAAa,2BAAkB,SAIb,EAA6B,OAA 7B,EAAc,gBAAtC,C;MACR,SAAY,MAAK,OAAL,EAAC,SAAd,EAAYB,OAazB,C;K;IAGrB,wD;MAWoD,yB; QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MACnF,oCAAa,2BAAkB,SAIb,EAA6B,OAA7B,EAAc,gBAA tC,C;MACR,SAAY,MAAK,OAAL,EAAC,SAAd,EAAYB,OAazB,C;K;IAGrB,yD;MAWsD,yB;QAAA,YAAiB,C; MAAG,uB;QAAA,UAAe,gB;MACrF,oCAAa,2BAAkB,SAIb,EAA6B,OAA7B,EAAc,gBAAtC,C;MACR,SAA Y,MAAK,OAAL,EAAC,SAAd,EAAYB,OAazB,C;K;IAGrB,yD;MAWgD,yB;QAAA,YAAiB,C;MAAG,uB;QAA A,UAAe,gB;MAC/E,oCAAa,2BAAkB,SAIb,EAA6B,OAA7B,EAAc,gBAAtC,C;MACR,SAAY,MAAK,OAAL ,EAAC,SAAd,EAAYB,OAazB,C;K;iFAGrB,8B;MAKI,OAAY,SAAY,QAAO,CAAQ,OAAR,CAAP,C;K;iFAG5B, yB;MAwIA,iD;MAxIA,qC;QAKI,OAwIO,gCAxIK,eAAY,OAAY,EAwIL,C;O;KA7IX,C;iFAQA,yB;MAwIA,iD;

MAxIA,qC;QAKI,OAwIO,gCAxIK,gBAAa,OAAb,EAwIL,C;O;KA7IX,C;iFAQA,yB;MAwIA,iD;MAxIA,qC;QA  
KI,OAwIO,gCAxIK,gBAAW,OAAx,EAwIL,C;O;KA7IX,C;iFAQA,yB;MAwIA,iD;MAxIA,qC;QAKI,OAwIO,gC  
AxIK,mBAAY,OAAZ,CAwIL,C;O;KA7IX,C;iFAQA,yB;MAwIA,iD;MAxIA,qC;QAKI,OAwIO,gCAxIK,kBAAa,  
OAAb,EAwIL,C;O;KA7IX,C;gFAQA,yB;MAwIA,iD;MAxIA,qC;QAKI,OAwIO,gCAxIK,kBAAC,OAAAd,EAwIL,  
C;O;KA7IX,C;iFAQA,yB;MAwIA,iD;MAxIA,qC;QAKI,OAwIO,gCAxIK,sBAAe,OAAf,CAwIL,C;O;KA7IX,C;iF  
AQA,yB;MAwIA,iD;MAxIA,qC;QAKI,OAwIO,gCAxIK,mBAAY,OAAZ,CAwIL,C;O;KA7IX,C;IAQA,sC;MAKI  
,OAAO,oBAAoB,SAAPB,EAA0B,QAA1B,C;K;IAGX,sC;MAII,OAAO,mBAAwB,UAAAL,SAAK,EAAO,mBAAO  
,QAAS,KAAhB,IAAP,CAAxB,EAAsD,SAAK,OAA3D,EAAiE,QAAjE,C;K;IAGX,sC;MAII,OAAO,mBAAwB,U  
AAL,SAAK,EAAO,mBAAO,QAAS,KAAhB,IAAP,CAAxB,EAAsD,SAAK,OAA3D,EAAiE,QAAjE,C;K;IAGX,s  
C;MAII,OAAO,mBAAwB,UAAAL,SAAK,EAAO,mBAAO,QAAS,KAAhB,IAAP,CAAxB,EAAsD,SAAK,OAA3D,  
EAAiE,QAAjE,C;K;IAGX,sC;MAII,OAAO,oBAAoB,SAAPB,EAA0B,QAA1B,C;K;IAGX,sC;MAII,OAAO,mB  
AAwB,UAAAL,SAAK,EAAO,mBAAO,QAAS,KAAhB,IAAP,CAAxB,EAAsD,SAAK,OAA3D,EAAiE,QAAjE,C;K;  
IAGX,sC;MAII,OAAO,mBAAwB,UAAAL,SAAK,EAAO,mBAAO,QAAS,KAAhB,IAAP,CAAxB,EAAsD,SAAK,O  
AA3D,EAAiE,QAAjE,C;K;IAGX,sC;MAII,OAAO,oBAAoB,SAAPB,EAA0B,QAA1B,C;K;IAGX,sC;MAII,OAA  
O,mBAAwB,UAAAL,SAAK,EAAO,mBAAO,QAAS,KAAhB,IAAP,CAAxB,EAAsD,SAAK,OAA3D,EAAiE,QAAj  
E,C;K;iFAGX,+B;MAKI,OAAy,SAAY,QAAO,QAAP,C;K;iFAG5B,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qB  
AAqB,SAArB,EAA2B,QAA3B,C;O;KALX,C;iFAQA,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qBAAqB,SAArB,EA  
A2B,QAA3B,C;O;KALX,C;iFAQA,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qBAAqB,SAArB,EAA2B,QAA3B,C;  
O;KALX,C;iFAQA,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qBAAqB,SAArB,EAA2B,QAA3B,C;O;KALX,C;iFA  
QA,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qBAAqB,SAArB,EAA2B,QAA3B,C;O;KALX,C;iFAQA,yB;MAAA,i  
D;MAAA,sC;QAKI,OAAO,qBAAqB,SAArB,EAA2B,QAA3B,C;O;KALX,C;iFAQA,yB;MAAA,iD;MAAA,sC;Q  
AKI,OAAO,qBAAqB,SAArB,EAA2B,QAA3B,C;O;KALX,C;iFAQA,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qB  
AAqB,SAArB,EAA2B,QAA3B,C;O;KALX,C;8FAQA,8B;MAKI,OAAy,SAAY,QAAO,CAAQ,OAAR,CAAP,C;  
K;IAoBL,2B;MAAsB,OAAA,CAAe,iBAAU,CAAV,C;K;IAP/C,2B;MAOI,IAAI,mBAAO,CAAX,C;QAwQY,eAx  
QO,WAwQP,C;Q;IANhB,2B;MAQI,IAAI,mBAAO,CAAX,C;QAAC,UAAU,SAAV,C;K;IAGIB,wC;MAQI,IAAI,  
mBAAO,CAAX,C;QAAC,cAAc,SAAd,EAAoB,UAApB,C;K;IAGIB,gD;MAewD,yB;QAAA,YAAiB,C;MAAG,uB  
;QAAA,UAAe,gB;MACvF,oCAAA,2BAAkB,SAIIB,EAA6B,OAA7B,EAAsC,gBAAtC,C;MACb,gBAAC,SAAd,E  
AAoB,SAAPB,EAA+B,OAA/B,EAwC,cAAxC,C;K;IAGJ,gD;MAaiC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,U  
AAe,gB;MAChE,oCAAA,2BAAkB,SAIIB,EAA6B,OAA7B,EAAsC,gBAAtC,C;MACb,eAAoB,SAAY,UAAS,SA  
AT,EAAoB,OAAPB,C;MACvB,KAAT,QAAS,C;K;IAGb,gD;MAakC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,U  
AAe,gB;MACjE,oCAAA,2BAAkB,SAIIB,EAA6B,OAA7B,EAAsC,gBAAtC,C;MACb,eAAoB,SAAY,UAAS,SA  
AT,EAAoB,OAAPB,C;MACvB,KAAT,QAAS,C;K;IAGb,gD;MAagC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,U  
AAe,gB;MAC/D,oCAAA,2BAAkB,SAIIB,EAA6B,OAA7B,EAAsC,gBAAtC,C;MACb,eAAoB,SAAY,UAAS,SA  
AT,EAAoB,OAAPB,C;MACvB,KAAT,QAAS,C;K;IAGb,gD;MAaiC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,U  
AAe,gB;MAChE,oCAAA,2BAAkB,SAIIB,EAA6B,OAA7B,EAAsC,gBAAtC,C;MACb,gBAAC,SAAd,EAA8C,SA  
9C,EAAyD,OAAzD,EAAkE,cAAIE,C;K;IAGJ,gD;MAakC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;M  
ACjE,oCAAA,2BAAkB,SAIIB,EAA6B,OAA7B,EAAsC,gBAAtC,C;MACb,eAAoB,SAAY,UAAS,SAAT,EAAoB  
,OAAPB,C;MACvB,KAAT,QAAS,C;K;IAGb,gD;MAamC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;M  
ACIE,oCAAA,2BAAkB,SAIIB,EAA6B,OAA7B,EAAsC,gBAAtC,C;MACb,eAAoB,SAAY,UAAS,SAAT,EAAoB  
,OAAPB,C;MACvB,KAAT,QAAS,C;K;IAGb,gD;MAaiC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MA  
ChE,oCAAA,2BAAkB,SAIIB,EAA6B,OAA7B,EAAsC,gBAAtC,C;MACb,eAAoB,SAAY,UAAS,SAAT,EAAoB,  
OAAPB,C;MACvB,KAAT,QAAS,C;K;iFAGb,iC;MAOI,SAAY,MAAK,UAAAL,C;K;iFAGhB,iC;MAOI,SAAY,M  
AAK,UAAAL,C;K;iFAGhB,iC;MAOI,SAAY,MAAK,UAAAL,C;K;iFAGhB,iC;MAOI,SAAY,MAAK,UAAAL,C;K;iF  
AGhB,iC;MAOI,SAAY,MAAK,UAAAL,C;K;iFAGhB,iC;MAOI,SAAY,MAAK,UAAAL,C;K;iFAGhB,iC;MAOI,SA  
AY,MAAK,UAAAL,C;K;IAGhB,yC;MAMI,IAAI,mBAAO,CAAX,C;QAAC,gBAAC,SAAd,EAAoB,UAApB,C;K;I  
AGIB,+D;MAA0E,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MACzG,oCAAA,2BAAkB,SAIIB,EAA6B,  
OAA7B,EAAsC,gBAAtC,C;MACb,gBAAC,SAAd,EAAoB,SAAPB,EAA+B,OAA/B,EAwC,UAAxC,C;K;IAGJ,  
mC;MAII,OAAO,EAAS,MAAM,MAAK,SAAL,C;K;IAG1B,mC;MAII,OAAO,EAAS,MAAM,MAAK,SAAL,C;K

;IAG1B,mC;MAII,OAAO,EAAS,MAAM,MAAK,SAAL,C;K;IAG1B,mC;MAII,OAAO,EAAS,MAAM,MAAK,S  
AAL,C;K;IAG1B,mC;MAII,OAAO,EAAS,MAAM,MAAK,SAAL,C;K;IAG1B,mC;MAII,OAAO,EAAS,MAAM,  
MAAK,SAAL,C;K;IAG1B,mC;MAII,OAAO,EAAS,MAAM,MAAK,SAAL,C;K;IAOH,kD;MAAA,wB;QAAW,q  
CAAK,KAAL,E;O;K;IAJIC,oC;MAII,OAAO,iBAAM,gBAAN,EAAY,gCAAZ,C;K;IuDnpEX,oB;MAAA,wB;MA  
EI,6B;MACA,gC;MAKuB,UAAT,MAAS,EAAT,MAAS,EAAT,M;MAFV,eAAe,kE;MACf,iBAAiB,eAAS,GAAT,  
C;MACE,sBAAT,QAAS,C;MAAT,mB;MAAA,kB;MAAA,kB;MAAV,8C;QACI,WAAW,oBAAS,CAAT,CzC2Bu  
B,IyC3BIC,IAA+B,C;;MAInC,qBAAqB,48C;MACrB,WAAW,mBAAmB,cAAAnB,EAAmC,UAAAnC,EAA+C,IAA/  
C,C;MACX,YAAY,eAAS,IAAK,OAAAL,GAAY,CAAZ,IAAT,C;MACZ,0BAAU,IAAV,e;QACI,MAAM,MAAI,C  
AAJ,IAAN,IAAe,MAAM,GAAN,IAAW,KAAK,GAAL,CAAX,I;;MAEnB,yBAAoB,K;MAGpB,oBAAoB,m/D;M  
ACpB,4BAAuB,mBAAmB,aAAAnB,EAAkC,UAAIC,EAA8C,IAA9C,C;K;;IAvB/B,gC;MAAA,+B;QAAA,c;OAA  
A,wB;K;IA2BA,qC;MAKkB,IAJP,I;MACH,WAAO,EAAP,C;QAAe,W;WACf,WAAO,IAAP,C;QAAgB,OAAI,C  
AAC,KAAO,CAAR,MAAc,CAAlB,GAAqB,QAAS,CAA9B,GAAqC,OAAS,E;;QAEID,QAAM,KAAK,CAAX,C;  
eACI,C;YAAK,eAAS,E;YAAAd,K;eACA,C;YAAK,OAAC,QAAS,CAAV,GAAiB,E;YAAAtB,K;kBACQ,cAAS,E;Y  
AHRB,K;;MAJR,W;K;IAYJ,qC;MAII,SAAS,SzCRiC,I;MyCUIC,YAAY,kBAaKb,sBAAS,kBAA3B,EAA8C,EA  
A9C,C;MACZ,YAAY,sBAAS,kBAAT,CAA2B,KAA3B,C;MACZ,WAAW,sBAAS,qBAAT,CAA8B,KAA9B,C;M  
ACX,YAAY,kBAaKb,IAAlB,EAawB,KAAK,KAAL,IAAxB,C;MAEZ,OAAW,UAAS,EAAb,GAAYC,mDAAzC,  
GAAoD,K;K;IAG/D,8D;MAKiB,UAIE,M;MARf,aAAa,eAAS,YAAT,C;MACb,YAAY,C;MACZ,UAAU,C;MAC  
V,YAAY,C;MACC,yB;MAAb,OAAa,cAAb,C;QAAa,iC;QACT,aAAa,WAAW,IzCxBc,IyCwBzB,C;QACb,MAA  
M,MAAQ,CAAC,SAAW,EAAZ,KAA5B,K;QACpC,IAAI,SAAS,EAAb,C;UACI,OAAO,cAAP,EAAO,sBAAP,Y  
AAkB,G;UACIB,MAAM,C;UACN,QAAQ,C;;UAER,gBAAS,CAAT,I;;MAGR,OAAO,M;K;ICIEEX,+B;MAII,eA  
Ae,CAAC,iBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;QAAkB,M;MACIB,mBAAmB,2B;  
MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,sBAAK,KAAL,C;QACV,sBAAK,KAAL,EAAC,sBAAK,  
YAAL,CAAd,C;QACA,sBAAK,YAAL,EAAqB,GAARb,C;QACA,mC;;K;IrDbR,wB;MAOI,OAAW,oBAAK,CAA  
L,MAAJ,GAAY,CAAZ,GAAMb,C;K;mFAG9B,yB;MAkBA,iB;MAIbA,uB;QAMI,OakBO,MAAO,KAIBC,CAk  
BD,EAIBY,CAkBZ,C;O;KAXBIB,C;mFASA,yB;MASA,iB;MATA,uB;QAMI,OASO,MAAO,KATC,CASD,EATY  
,CASZ,C;O;KAFiB,C;mFASA,yB;MAAA,iB;MAAA,uB;QAMI,OAAO,MAAO,KAAI,CAAJ,EAAO,CAAP,C;O;K  
ANIB,C;mFASA,gB;MAMI,OAAW,kBAAK,CAAL,MAAJ,GAAY,CAAZ,GAAMb,C;K;mFAG9B,yB;MAAA,iB;  
MAAA,uB;QAQI,OAAO,MAAO,KAAI,CAAJ,EAAO,CAAP,C;O;KARIB,C;mFAWA,yB;MAAA,iB;MAAA,uB;  
QAQI,OAAO,MAAO,KAAI,CAAJ,EAAO,CAAP,C;O;KARIB,C;IAWA,2B;MAOI,OAAO,SAAM,CAAN,EAAS,  
SAAM,CAAN,EAAS,CAAT,CAAT,C;K;mFAGX,yB;MAAA,iB;MAAA,0B;QAMI,OAAO,MAAO,KAAI,CAA  
N,EAAiB,CAAJ,EAA4B,CAA5B,C;O;KANIB,C;mFASA,yB;MAAA,iB;MAAA,0B;QAMI,OAAO,MAAO,KAA  
M,CAAN,EAAiB,CAAJ,EAA4B,CAA5B,C;O;KANIB,C;mFASA,yB;MAAA,iB;MAAA,0B;QAMI,OAAO,MAA  
O,KAAI,CAAJ,EAAO,CAAP,EAAU,CAAV,C;O;KANIB,C;mFASA,mB;MAMW,UAAe,CAPeX,iBAoEc,CAPeD  
,MAAJ,GAoEe,CAPeF,GAoEkB,C;MAAZB,OAAa,CAPeF,iBAAK,GAAL,MAAJ,GAoEM,CAPeN,GAAMb,G;K;  
mFAuE9B,yB;MAAA,iB;MAAA,0B;QAQI,OAAO,MAAO,KAAI,CAAJ,EAAO,CAAP,EAAU,CAAV,C;O;KARI  
B,C;mFAWA,yB;MAAA,iB;MAAA,0B;QAQI,OAAO,MAAO,KAAI,CAAJ,EAAO,CAAP,EAAU,CAAV,C;O;KA  
RIB,C;IAWA,4B;MAQc,Q;MADV,UAAU,C;MACV,wBAAU,KAAV,gB;QAAU,QAAA,KAAV,M;QAAiB,MAA  
M,SAAM,GAAN,EAAW,CAAX,C;;MACvB,OAAO,G;K;IAGX,4B;MAMc,Q;MADV,UAAU,C;MACV,wBAAU,  
KAAV,gB;QAAU,QAAA,KAAV,M;QAAiB,MAxHV,MAAO,KAwHe,GAxHf,EAwHoB,CAXHpB,C;;MAyHd,O  
AAO,G;K;IAGX,4B;MAMc,Q;MADV,UAAU,C;MACV,wBAAU,KAAV,gB;QAAU,QAAA,KAAV,M;QAAiB,M  
AIIV,MAAO,KAKIe,GAlIf,EAKIoB,CAlIpB,C;;MAMId,OAAO,G;K;IAGX,4B;MAMc,Q;MADV,UAAU,C;MAC  
V,wBAAU,KAAV,gB;QAAU,QAAA,KAAV,M;QAAiB,MA5IV,MAAO,KA4Ie,GA5If,EA4IoB,CA5IpB,C;;MA6I  
d,OAAO,G;K;IAGX,4B;MAMc,Q;MADV,UAAU,C;MACV,wBAAU,KAAV,gB;QAAU,QAAA,KAAV,M;QAAu  
B,UAAAM,G;QAAZ,MA7IN,oBA6IuB,CA7IvB,MAAJ,GAAY,GAAZ,GA6I2B,C;;MACiC,OAAO,G;K;IAGX,4B;  
MAQc,Q;MADV,UAAU,C;MACV,wBAAU,KAAV,gB;QAAU,QAAA,KAAV,M;QAAiB,MA9IV,MAAO,KA8Ie,  
GA9If,EA8IoB,CA9IpB,C;;MA+Id,OAAO,G;K;IAGX,4B;MAQc,Q;MADV,UAAU,C;MACV,wBAAU,KAAV,gB  
;QAAU,QAAA,KAAV,M;QAAiB,MA/IV,MAAO,KA+Ie,GA/If,EA+IoB,CA/IpB,C;;MAGJd,OAAO,G;K;IAGX,w  
B;MAOI,OAAW,oBAAK,CAAL,MAAJ,GAAY,CAAZ,GAAMb,C;K;mFAG9B,yB;MAkBA,iB;MAIbA,uB;QAM

I,OakBO,MAAO,KAIBC,CAkBD,EAIBY,CAkBZ,C;O;KAXBIB,C;mFASA,yB;MASA,iB;MATA,uB;QAMI,OAS  
O,MAAO,KATC,CASD,EATY,CASZ,C;O;KafIB,C;mFASA,yB;MAAA,iB;MAAA,uB;QAMI,OAAO,MAAO,K  
AAI,CAAJ,EAAO,CAAP,C;O;KANIB,C;mFASA,gB;MAMI,OAAW,kBAAK,CAAL,MAAJ,GAAY,CAAZ,GAA  
mB,C;K;mFAG9B,yB;MAAA,iB;MAAA,uB;QAQI,OAAO,MAAO,KAAI,CAAJ,EAAO,CAAP,C;O;KARIB,C;mF  
AWA,yB;MAAA,iB;MAAA,uB;QAQI,OAAO,MAAO,KAAI,CAAJ,EAAO,CAAP,C;O;KARIB,C;IAWA,2B;MA  
OI,OAAO,SAAM,CAAN,EAAS,SAAM,CAAN,EAAS,CAAT,CAAT,C;K;mFAGX,yB;MAAA,iB;MAAA,0B;QA  
MI,OAAO,MAAO,KAAM,CAAN,EAAiB,CAAjB,EAA4B,CAA5B,C;O;KANIB,C;mFASA,yB;MAAA,iB;MAAA  
,0B;QAMI,OAAO,MAAO,KAAM,CAAN,EAAiB,CAAjB,EAA4B,CAA5B,C;O;KANIB,C;mFASA,yB;MAAA,iB  
;MAAA,0B;QAMI,OAAO,MAAO,KAAI,CAAJ,EAAO,CAAP,EAAU,CAAV,C;O;KANIB,C;mFASA,mB;MAM  
W,UAAe,CAPeX,iBAoEc,CAPeD,MAAJ,GAoEe,CAPeF,GAoEkB,C;MAAzB,OAAa,CAPeF,iBAAK,GAAL,MA  
AJ,GAoEM,CAPeN,GAAM,B,G;K;mFAuE9B,yB;MAAA,iB;MAAA,0B;QAQI,OAAO,MAAO,KAAI,CAAJ,EAA  
O,CAAP,EAAU,CAAV,C;O;KARIB,C;mFAWA,yB;MAAA,iB;MAAA,0B;QAQI,OAAO,MAAO,KAAI,CAAJ,E  
AAO,CAAP,EAAU,CAAV,C;O;KARIB,C;IAWA,4B;MAQc,Q;MADV,UAAU,C;MACV,wBAAU,KAAV,gB;QA  
AU,QAAA,KAAV,M;QAAiB,MAAM,SAAM,GAAN,EAAW,CAAX,C;;MACvB,OAAO,G;K;IAGX,4B;MAMc,Q  
;MADV,UAAU,C;MACV,wBAAU,KAAV,gB;QAAU,QAAA,KAAV,M;QAAiB,MAxHV,MAAO,KAwHe,GAxH  
f,EAwHoB,CaxHpB,C;;MAyHd,OAAO,G;K;IAGX,4B;MAMc,Q;MADV,UAAU,C;MACV,wBAAU,KAAV,gB;  
QAAU,QAAA,KAAV,M;QAAiB,MAiV,MAAO,KAKIe,GAIf,EAkIoB,CAIIPB,C;;MAMId,OAAO,G;K;IAGX,4B  
;MAMc,Q;MADV,UAAU,C;MACV,wBAAU,KAAV,gB;QAAU,QAAA,KAAV,M;QAAiB,MA5IV,MAAO,KA4I  
e,GA5If,EA4IoB,CA5IPB,C;;MA6Id,OAAO,G;K;IAGX,4B;MAMc,Q;MADV,UAAU,C;MACV,wBAAU,KAAV,  
gB;QAAU,QAAA,KAAV,M;QAAuB,UAAm,G;QAAZ,MA7IN,oBA6IuB,CA7IvB,MAAJ,GAAY,GAZZ,GA6I2B  
,C;;MACiC,OAAO,G;K;IAGX,4B;MAQc,Q;MADV,UAAU,C;MACV,wBAAU,KAAV,gB;QAAU,QAAA,KAAV,  
M;QAAiB,MA9IV,MAAO,KA8Ie,GA9If,EA8IoB,CA9IPB,C;;MA+Id,OAAO,G;K;IAGX,4B;MAQc,Q;MADV,U  
AAU,C;MACV,wBAAU,KAAV,gB;QAAU,QAAA,KAAV,M;QAAiB,MA/IV,MAAO,KA+Ie,GA/If,EA+IoB,CA/I  
pB,C;;MAgJd,OAAO,G;K;IsDvaX,iB;MAAA,qB;MAEI,0BAA0B,gBACtB,EADsB,EACd,IADc,EACN,IADM,EA  
CE,IADF,EACU,IADV,EACkB,IADIB,EAC0B,IAD1B,EACkC,IADiC,EAC0C,IAD1C,EACkD,IADiD,EAC0D,I  
AD1D,EACkE,IADIE,EAC0E,IAD1E,EACkF,IADIF,EAC0F,IAD1F,EACkG,IADIG,EAC0G,IAD1G,EACKH,IAD  
IH,EAC0H,IAD1H,EACKI,IADII,EAEtB,IAFsB,EAEd,IAFc,EAEN,IAFM,EAEE,IAFF,EAEU,IAFV,EAEB,IAFI  
B,EAE0B,IAF1B,EAekC,IAFIC,EAE0C,IAF1C,EAekD,KAFID,EAE0D,KAF1D,EAekE,KAFIE,EAE0E,KAF1E,  
EAekF,KAFIF,EAE0F,KAF1F,EAekG,KAFIG,EAE0G,KAF1G,E;K;;IAF9B,6B;MAAA,4B;QAAA,W;OAAA,qB  
;K;IAQA,0C;MAKI,aAAa,C;MACb,UAAU,KAAM,OAAO,GAaA,CAAb,I;MACV,aAAa,E;MACb,YAAAY,C;MA  
CZ,OAAO,UAAU,GAajB,C;QACI,SAAS,CAAC,SAAS,GAAT,IAAD,IAAiB,CAajB,I;QACT,QAAQ,MAAM,M  
AAN,C;QACR,IAAI,SAAS,KAAb,C;UACI,SAAS,SAAS,CAAT,I;aACR,IAAI,WAAU,KAAa,C;UACD,OAAO,M  
;;UAEP,MAAM,SAAS,CAAT,I;;MAEd,OAAO,UAAc,SAAS,KAAb,GAAoB,CAApB,GAA2B,CAArC,K;K;IAG  
X,mC;MAKI,SAAS,S3CCiC,I;M2CA1C,YAAAY,kBAaKB,mBAAM,mBAAxB,EAAoC,EAAPC,C;MACZ,WAAW  
,KAAK,mBAAM,mBAAN,CAAiB,KAajB,CAAL,I;MACX,OAAW,OAAO,EAAX,GAAe,IAAf,GAAyB,E;K;IAG  
pC,gC;MAII,OAAO,6BAAoB,C;K;IC7C/B,kB;MAAA,sB;MAEI,6B;MACA,8B;MACA,gC;MAKuB,UAAT,MAA  
S,EAAT,MAAS,EAAT,M;MAFV,eAAe,kE;MACf,iBAAiB,eAAS,GAAT,C;MACE,sBAAT,QAAS,C;MAAT,mB;  
MAAA,kB;MAAA,kB;MAAV,8C;QACI,WAAW,oBAAS,CAAT,C5C0BuB,I4C1BiC,IAA+B,C;;MAInC,qBAAq  
B,sW;MACrB,WAAW,mBAAmB,cAAnB,EAAMC,UAAnc,EAA+C,GAA/C,C;MACX,YAAAY,eAAS,IAAK,OAA  
d,C;MACZ,0BAAU,IAAV,e;QACI,IAAI,QAAC,CAAT,C;UAAAY,MAAM,GAAN,IAAW,KAAK,GAAL,C;;UACI  
B,MAAM,GAAN,IAAW,MAAM,MAAI,CAAJ,IAAN,IAAe,KAAK,GAAL,CAAf,I;;MAEpB,yBAAoB,K;MAGpB  
,kBAaKB,0U;MACIB,0BAAqB,mBAAmB,WAAnc,EAAgC,UAAhC,EAA4C,GAA5C,C;MAGrB,oBAAoB,i8B;  
MACpB,4BAAuB,mBAAmB,aAAnB,EAakC,UAAIC,EAA8C,GAA9C,C;K;;IA7B/B,8B;MAAA,6B;QAAA,Y;O  
AAA,sB;K;IAiCA,iC;MAII,OAAO,6BAAmB,C;K;IAG9B,oC;MAIW,wCAAmB,C;MAAnB,U;QAA6B,wB5CRM  
,a4CQN,C;OAApC,W;K;IAGJ,oC;MAIW,wCAAmB,C;MAAnB,U;QAA6B,wB5CfM,a4CeN,C;OAApC,W;K;IAG  
J,kC;MAQI,SAAS,S5C1BiC,I;M4C2B1C,YAAAY,kBAaKB,oBAAO,kBAAzB,EAA4C,EAA5C,C;MAEZ,iBAAiB,  
oBAAO,kBAAP,CAAYB,KAazB,C;MACjB,eAAe,aAAa,oBAAO,mBAAP,CAA0B,KAA1B,CAAb,GAAGD,CAA  
hD,I;MACf,WAAW,oBAAO,qBAAP,CAA4B,KAA5B,C;MAEX,IAAI,KAAK,QAAT,C;QACI,OAAO,C;OAGX,k

BAakB,OAAS,C;MAE3B,IAAI,gBA Ae,CAAnB,C;QACI,YAAY,C;QACZ,gBA AgB,U;QACHB,aAAU,CAAV,OAAa,CAAb,M;UACI,yBA Ac,QAAS,KAAV,GAAqB,GAAIC,K;UACA,IAAI,YAAY,EA AhB,C;YACI,OAAO,C;WAEX,gBAAS,CAAT,I;UACA,yBA Ac,QAAS,KAAV,GAAqB,GAAIC,K;UACA,IAAI,YAAY,EA AhB,C;YACI,OAAO,C;WAEX,gBAAS,CAAT,I;;QAEJ,OAAO,C;OAGX,IAAI,QAAQ,CAAZ,C;QACI,OAAO,W;OAGX,eAAgB,KAAK,UAAL,I;MACHB,cAAgB,QAAQ,EA AZ,GAAkB,WAAW,CAA7B,GAAoC,Q;MACHD,OAAQ,SAAU,IAAI,OAAJ,IAAV,CAAD,GAA2B,C;K;ICnGtC,0B;MAAA,8B;MACI,+BAA+B,gBAC3B,GAD2B,EACnB,GADmB,EACX,GADW,EACH,GADG,EACK,GADL,EACa,GADb,EACqB,GADrB,EAC6B,IAD7B,EACqC,IADrC,EAC6C,IAD7C,EACqD,IADrD,EAC6D,IAD7D,EACqE,IADrE,EAC6E,IAD7E,EACqF,IADrF,EAC6F,KAD7F,EACqG,KADrG,EAC6G,KAD7G,EACqH,KADrH,EAC6H,KAD7H,E;MAG/B,gCAAgC,gBAC5B,CAD4B,EACzB,CADyB,EACtB,CADsB,EACnB,CADmB,EACHB,CADgB,EACb,CADa,EACV,CADU,EACP,EADO,EACH,CADG,EACA,EADA,EACI,CADJ,EACO,CADP,EACU,EADV,EACc,EADd,EACKb,EADiB,EACsB,CADtB,EACyB,CADzB,EAC4B,CAD5B,EAC+B,CAD/B,EACkC,CADiC,E;K;;IAJpC,sC;MAAA,qC;QAAA,oB;OAAA,8B;K;IASA,qC;MACI,YAAY,kBAakB,4BA Ae,wBAAjC,EAakD,SAaID,C;MACZ,OAAO,SAAS,CAAT,IAAc,aAAO,4BA Ae,wBA Af,CAA+B,KAA/B,IAAwC,4BA Ae,yBA Af,CAAgC,KAAhC,CAAxC,IAAP,C;K;ICXzB,qC;MACI,OA Ae,IAAR,8BA AgB,IAAhB,KACY,IAAR,8BA AgB,IADpB,C;K;ICCX,wC;M5CiBW,Q;MAAA,I4CXgB,K5CWZ,IAAS,CAAT,I4CXY,K5CWE,IAAS,2BAA3B,C;QAAA,OAA sC,qB4CXtB,K5CWsB,C;;Q4CXb,MAAM,8BAA0B,mCAAyB,gBAAzB,MAA1B,C;;MAAtC,W;K;ICRJ,sC;MAEI,WAAW,ShDkC+B,I;MgDhC1C,IAAY,GAAR,oBA AgB,GA AhB,KAAkC,GAAR,oBA AgB,GAA1C,CAAJ,C;QACI,OAA8B,OAAtB,KAAK,CAAC,OAAO,CAAP,IAAD,IAAa,CAAb,IAAL,KAA sB,C;OAGIC,IAAY,IAAR,oBA AgB,IAAhB,KAAkC,IAAR,oBA AgB,IAA1C,CAAJ,C;QACI,OAAO,S;OAEX,OAAO,wB;K;ICPX,wC;MxCqTe,WwC7SY,KxC6SZ,IAAS,C;MAAT,S;QAAc,OwC7SF,KxC6SE,IAqgHT,gBAAR,iBAAQ,C;OArgHT,U;MAAA,S;QAAA,SAAsC,sBwC7StB,KxC6SsB,C;;QwC7Sb,M AAM,8BAA0B,iCAAuB,cAAvB,MAA1B,C;;MAAtC,a;K;IAGJ,wC;MxCsTe,WwC9SY,KxC8SZ,IAAS,C;MAAT,S;QAAc,OwC9SF,KxC8SE,IAigHT,gBAAR,iBAAQ,C;OAJgHT,U;MAAA,S;QAAA,SAAsC,sBwC9StB,KxC8SsB,C;;QwC9Sb,MAAM,8BAA0B,iCAAuB,cAAvB,MAA1B,C;;MAAtC,a;K;IAGJ,wC;MxCuTe,WwC/SY,KxC+SZ,IAAS,C;MAAT,S;QAAc,OwC/SF,KxC+SE,IA6/GT,gBAAR,iBAAQ,C;OA7/GT,U;MAAA,S;QAAA,SAAsC,sBwC/StB,KxC+SsB,C;;QwC/Sb,MAAM,8BAA0B,iCAAuB,cAAvB,MAA1B,C;;MAAtC,a;K;IAGJ,wC;MxCwTe,WwChTY,KxCgTZ,IAAS,C;MAAT,S;QAAc,OwChTF,KxCgTE,IAy/GT,gBAAR,iBAAQ,C;OAz/GT,U;MAAA,S;QAAA,SAAsC,sBwChTtB,KxCgTsB,C;;QwChTb,MAAM,8BAA0B,iCAAuB,cAAvB,MAA1B,C;;MAAtC,a;K;IASO,6C;MAAA,8B;MAAS,uB;K;8FACW,Y;MAAQ,OAAA,gBAAY,K;K;+CAC3C,Y;MAAkC,OAAA,gBAAY,U;K;sDAC9C,mB;MAAGD,OAAA,gBAAY,gBAAS,OAAT,C;K;mDAC5D,iB;MACI,oCAAa,2BAakB,KAAIB,EAAYB,SAAzB,C;MACb,OAAO,6BAAY,KAAZ,C;K;qDAEX,mB;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MACvC,OxCsrBO,UwCtrBA,gBxCsrBR,QAAQ,EwCtrBoB,O3EgOF,KmCsdIB,C;K;yDwCprBX,mB;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MACvC,OxCy6BO,cwCz6BA,gBxCy6BR,QA AQ,EwCz6BwB,O3E2NN,KmC8sBIB,C;K;;IwC/7BnB,6B;MAMI,4C;K;IA2BO,6C;MAAA,8B;MAAS,uB;K;8FACW,Y;MAAQ,OAAA,gBAAY,K;K;+CAC3C,Y;MAAkC,OAAA,gBAAY,U;K;sDAC9C,mB;MAAiD,OAAA,gBAAY,gBAAS,OAAT,C;K;mDAC7D,iB;MACI,oCAAa,2BAakB,KAAIB,EAAYB,SAAzB,C;MACb,OAAO,6BAAY,KAAZ,C;K;qDAEX,mB;MAES,Q;MAAL,IAAI,eAAC,0EAAD,QA AJ,C;QAAiC,OAAO,E;MACx C,OxCqqBO,UwCrqBA,gBxCqqBR,QAAQ,EwCrqBoB,O3DgNA,KmBqdpB,C;K;yDwCnqBX,mB;MAES,Q;MAAL,IAAI,eAAC,0EAAD,QA AJ,C;QAAiC,OAAO,E;MACx C,OxCw5BO,cwCx5BA,gBxCw5BR,QAAQ,EwCx5BwB,O3D2MJ,KmB6sBpB,C;K;;IwC96BnB,6B;MAMI,4C;K;IA2BO,6C;MAAA,8B;MAAS,uB;K;8FACW,Y;MAAQ,OAAA,gBAAY,K;K;+CAC3C,Y;MAAkC,OAAA,gBAAY,U;K;sDAC9C,mB;MAAiD,OAAA,gBAAY,gBAAS,OAAT,C;K;mDAC7D,iB;MACI,oCAAa,2BAakB,KAAIB,EAAYB,SAAzB,C;MACb,OAAO,6BAAY,KAAZ,C;K;qDAEX,mB;MAES,Q;MAAL,IAAI,eAAC,0EAAD,QA AJ,C;QAAiC,OAAO,E;MACx C,OxCopBO,UwCppBA,gBxCopBR,QA AQ,EwCppBoB,O5EkIA,KoCkhBpB,C;K;yDwClpBX,mB;MAES,Q;MAAL,IAAI,eAAC,0EAAD,QA AJ,C;QAAiC,OAAO,E;MACx C,OxCu4BO,cwCv4BA,gBxCu4BR,QAAQ,EwCv4BwB,O5E6HJ,KoC0wBpB,C;K;;IwC75BnB,8B;MAMI,4C;K;IA2BO,6C;MAAA,8B;MAAS,uB;K;8FACW,Y;MAAQ,OAAA,gBAAY,K;K;+CAC3C,Y;MAAkC,OAAA,gBAAY,U;K;sDAC9C,mB;MAAkD,OAAA,gBAAY,gBAAS,OAAT,C;K;mDAC9D,iB;MACI,oCAAa,2BAakB,KAAIB,EAAYB,SAAzB,C;MACb,OAAO,6BAAY,KAAZ,C;K;qDAEX,mB;MAES,Q;MAAL,IAAI,eAAC

,0EAAD,SAAJ,C;QAAkC,OAAO,E;MACzC,OxCmoBO,UwCnoBA,gBxCmoBR,QAAQ,EwCnoBoB,O1EkHE,Kk CihBtB,C;K;yDwCjoBX,mB;MAES,Q;MAAL,IAAI,eAAC,0EAAD,SAAJ,C;QAAkC,OAAO,E;MACzC,OxCs3B O,cwCt3BA,gBxCs3BR,QAAQ,EwCt3BwB,O1E6GF,KkCywBtB,C;K;;IwC54BnB,8B;MAMI,4C;K;ICtIJ,qC;MAI I,SAAS,SID+BiC,I;MkD9B1C,OAAa,CAAN,gBAAc,EAAd,KACU,EAAN,gBAAc,EADIB,KAEI,OAAM,GAFV, KAGI,KAak,IAAL,KACC,OAAM,IAAN,KACS,IAAN,gBAAc,IADjB,KAEG,OAAM,IAFT,IAGG,OAAM,IAHT ,IAIG,OAAM,IAJT,IAKG,OAAM,IALT,IAMG,OAAM,KAPV,CAHJ,C;K;;;mCCTP,gB;;K;;ICAJ,wB;K;;IAIA,w B;K;;IAIA,wB;K;;IAKiC,uB;MAAC,oB;QAAA,OAA0B,E;MAA1B,gB;K;;IAEIC,kB;K;;IAqCqC,sB;MAAC,gB;K ;;IAgCN,4B;MAAC,sB;K;;IAEjC,uB;K;;IA8DmC,4B;MAAC,kB;K;;IAEpC,oB;K;;ICpJA,oB;K;;IAIA,wB;K;;oF7 DLA,qB;MAKqE,uCoCHtB,E;K;iGpCK/C,yB;MAAA,kD;MAAA,4B;QAQsE,mBAAY,SAAZ,C;O;KARtE,C;IAU A,iC;MAGI,OAAsB,UAAy,QAAvB,KAAmC,SAA9C,GACe,UAAy,UAD3B,GAGI,gBAAgB,UAAhB,C;K;IAG R,qC;MAEI,YoC1B2C,E;MpC2B3C,eAAe,UAAW,W;MAC1B,OAAO,QAAS,UAAhB,C;QACU,KAAY,MAAK, QAAS,OAAoC;MACtB,OAAO,K;K;IAGX,8C;MAQc,Q;MANV,IAAI,KAAM,OAAN,GAAa,UAAW,KAA5B,C; QACI,OAAO,gBAAgB,UAAhB,C;OAEX,eAAe,UAAW,W;MAC1B,YAAy,C;MACZ,OAAO,QAAS,UAAhB,C; QACI,MAAM,YAAN,EAAM,oBAAN,UAAiB,QAAS,O;;MAE9B,IAAI,QAAQ,KAAM,OAAIB,C;QACI,MAAM, KAAAN,IAAe,I;OAEhB,OAAO,K;K;IAIX,yB;MAG6C,sBAAY,OAAZ,E;K;wGAE7C,yB;MAAA,+D;MAAA,gC;Q AI0B,gBAAf,gB;QAAqB,aJW5B,W;QIXA,OJYO,SIZoC,Q;O;KAJ/C,C;yGAOA,yB;MAAA,4E;MAAA,gE;MAA A,0C;QAIi,qBAAqB,QAArB,C;QAC8B,gBAAvB,eAAa,QAAb,C;QAA6B,aJGpC,W;QIHA,OJIO,SIJ4C,Q;O;KA LvD,C;IASA,wB;MAG2C,oBAAU,OAAV,E;K;sGAE3C,yB;MAAA,uE;MAAA,gC;QAI8B,gBAAnB,oB;QAAyB, aJVhC,W;QIUA,OJTO,SISwC,Q;O;KAJnD,C;wGAOA,yB;MAAA,wE;MAAA,0C;QAIc,gBAA3B,mBAAiB,QA AjB,C;QAAiC,aJbXc,W;QIiBA,OJhBO,SIgBgD,Q;O;KAJ3D,C;IAQA,qB;MAIuD,oBAAU,IAAV,E;K;sGAEvD, yB;MAAA,wE;MAAA,gC;QAIiC,gBAAtB,oB;QAA4B,aJ/BnC,W;QI+BA,OJ9BO,SI8B2C,Q;O;KAJtD,C;uGAOA ,yB;MAAA,uE;MAAA,0C;QAIyC,gBAA9B,mBAAoB,QAApB,C;QAAoC,aJtC3C,W;QIsCA,OJrCO,SIqCmD,Q; O;KAJ9D,C;IAQA,mC;MAOqB,Q;MAAA,kC;MAAjB,iBAAc,CAAd,yB;QACI,sBAAK,KAAL,EAAC,KAAd,C;; K;IAIR,+B;MAMuD,sBAAQ,4BAAR,C;K;IAEvD,6B;MAIwE,kBAAhB,0B;MAAwB,uB;MAAxB,OJJE7C,W;K;II mEX,4B;MAQI,gBAAgB,SAAhB,EAAsB,cAAtB,C;K;IAGJ,2C;MAQI,gBAAgB,SAAhB,EAAsB,UAAtB,C;K;IA GJ,2C;MACI,IAAI,IAAK,KAAL,IAAa,CAAjB,C;QAAoB,M;MAEpB,YAAy,YAAy,IAAZ,C;MACZ,gBAAc,KA Ad,EAAqB,UAArB,C;MAEA,aAAU,CAAV,MAAkB,KAAM,OAAxB,M;QACI,iBAAK,CAAL,EAAU,MAAM,C AAN,CAAV,C;;K;IAIR,uC;MACI,OAAO,gBAAkB,IAAI,B,O;K;IAGX,iF;MAII,oCAAA,2BAAkB,UAAIB,EAA8B ,QAA9B,EAAwC,MAAO,OAA/C,C;MACb,gBAAgB,WAAW,UAAx,I;MACHB,oCAAA,2BAAkB,iBAAIB,EAAq C,oBAAoB,SAApB,IAArC,EAAoE,WAAy,OAAhF,C;MAEb,IAAI,WAAkB,QAAO,WAAp,CAAIB,IAAyC,WA AkB,QAAO,MAAP,CAA/D,C;QACI,eAAsB,MAAY,UAAAS,UAAAT,EAAqB,QAArB,C;QACtB,WAAy,KAAL,QA AJ,EAAC,iBAAd,C;;QAExB,IAAI,WAAW,WAAx,IAA0B,qBAAqB,UAAAnD,C;UACI,iBAAc,CAAd,UAAAsB,SA AtB,U;YACI,YAAy,oBAAoB,KAApB,IAAZ,IAAyC,OAAO,aAAa,KAAb,IAAP,C;;;UAG7C,mBAAc,YAAy,CA AZ,IAAd,aAAmC,CAAnC,Y;YACI,YAAy,oBAAoB,OAApB,IAAZ,IAAyC,OAAO,aAAa,OAAb,IAAP,C;;;K;8G AMzD,qB;MAEGf,gB;K;kGAehF,yB;MAAA,4D;MAAA,4B;QAC8E,OAAK,aAAL,SAAK,C;O;KADnF,C;sGAI A,gC;MAEI,OAAI,SAAJ,GAEL,SAFJ,GAIL,SN83BoB,Q;K;IM13B5B,mC;MAEL,IAAI,QAAQ,CAAZ,C;QACI,oB ;OAEJ,OAAO,K;K;IAGX,mC;MAEI,IAAI,QAAQ,CAAZ,C;QACI,oB;OAEJ,OAAO,K;K;IAIX,mC;MAIqD,mB;K ;IAErD,wC;MPzNI,IAAI,EOgOI,YAAy,CPhOhB,CAAJ,C;QACI,cO+NqB,gC;QP9NrB,MAAM,gCAAYB,OAAQ, WAAjC,C;Q;IOiOd,8C;MAAoE,Y;K;I8D1PV,qC;MAAiC,6B;K;uDAIvF,mB;MACI,qB;MACA,eAAe,e;MACf,O AAO,QAAS,UAAhB,C;QACI,IAAI,OAAA,QAAS,OAAT,EAAM,B,OAAN,B,CAAJ,C;UACI,QAAS,S;UACT,OAA O,I;;MAGf,OAAO,K;K;yDAGX,oB;MAGoB,Q;MAFhB,qB;MACA,eAAe,K;MACC,0B;MAAhB,OAAGB,cAAhB ,C;QAAgB,yB;QACZ,IAAI,eAAI,OAAJ,CAAJ,C;UAAkB,WAAW,I;;MAEjC,OAAO,Q;K;IAKuC,sE;MAAA,qB; QAAE,OAAM,gBAAN,mB;O;K;4DAFpD,oB;MAEY,Q;MADR,qB;MACA,OAAoC,YAA5B,iEAA4B,EAAU,oD AAV,C;K;IAKU,sE;MAAA,qB;QAAE,QAAO,gBAAP,mB;O;K;4DAFpD,oB;MAEY,Q;MADR,qB;MACA,OAAo C,YAA5B,iEAA4B,EAAU,oDAAV,C;K;gDAGxC,Y;MACI,qB;MACA,eAAe,IAAK,W;MACpB,OAAO,QAAS,U AAhB,C;QACI,QAAS,O;QACT,QAAS,S;;K;iDAIjB,Y;MAE8B,OAAA,IAAK,U;K;yDAGnC,Y;K;;IC3CgD,+B;M AAiC,oC;MACjF,gBAA8B,C;K;8CAM9B,mB;MAMI,qB;MACA,iBAAI,SAAJ,EAAU,OAAV,C;MACA,OAAO,I ;K;mDAGX,2B;MAMc,UACF,M;MANR,oCAAA,4BAAM,B,KAAAN,EAA0B,SAAI1B,C;MAEb,qB;MACA,aAAa,

K;MACb,cAAc,K;MACJ,0B;MAAV,OAAU,cAAV,C;QAAU,mB;QACN,kBAAI,eAAJ,EAAI,uBAAJ,WAAc,CAAd,C;QACA,UAAU,I;MAEd,OAAO,O;K;0CAGX,Y;MACI,qB;MACA,yBAAY,CAAZ,EAAe,SAAf,C;K;IAKiB,gE;MAAA,qB;QAAE,OAAM,gBAAN,mB;O;K;sDAFvB,oB;MACI,qB;MACA,OAAO,kBAAU,8CAAV,C;K;IAKU,gE;MAAA,qB;QAAE,QAAO,gBAAP,mB;O;K;sDAFvB,oB;MACI,qB;MACA,OAAO,kBAAU,8CAAV,C;K;6CAIX,Y;MAAQd,iD;K;mDAErD,mB;MAAoD,0BAAQ,OAAR,KAAoB,C;K;kDAExE,mB;MACqB,Q;MAAA,6B;MAAjB,iBAAc,CAAd,yB;QACI,IAAI,wBAAI,KAAJ,GAAC,OAAd,CAAJ,C;UACI,OAAO,K;;MAGf,OAAO,E;K;sDAGX,mB;MACI,iBAAc,sBAAd,WAA+B,CAA/B,U;QACI,IAAI,wBAAI,KAAJ,GAAC,OAAd,CAAJ,C;UACI,OAAO,K;;MAGf,OAAO,E;K;iDAGX,Y;MAA6D,iCAAA,CAAb,C;K;yDAC7D,iB;MAAuE,sDAAiB,KAAjB,C;K;oDAGvE,8B;MAA4E,uCAAQ,IAAR,EAAc,SAAd,EAAyB,OAAzB,C;K;wDAE5E,8B;MAII,eAAe,0BAAa,SAAb,C;MACf,YAAO,UAAU,SAAV,I;MnEuDX,iBAAc,CAAd,UAAsB,KAAtB,U;QmEtDiB,e;QACA,iB;;K;2CAIjB,iB;MAMI,IAAI,UAAU,IAAd,C;QAAoB,OAAO,I;MAC3B,IAAI,2BAAJ,C;QAAuB,OAAO,K;MAE9B,OAAO,oCAAA,uBAAc,IAAd,EAAoB,KAApB,C;K;6CAGxB,Y;MAG+B,OAAA,oCAAA,yBAAGB,IAAhB,C;K;IAG5C,kD;MAAAA,oB;MACI,eAcSb,C;MACtB,cAIqB,E;K;yDAErB,Y;MAAkC,sBAAQ,gB;K;sDAE1C,Y;MAEW,Q;MADP,IAAI,CAAC,cAAL,C;QAAgB,MAAM,6B;MACtB,eAAO,mBAAP,EAAO,2BAAP,O;MACA,OAAO,wBAAI,WAAJ,C;K;wDAGX,Y;MtE5CJ,IAAI,EsE6CU,gBAAQ,EtE7CIB,CAAJ,C;QACI,csE4CwB,sE;QtE3CxB,MAAM,6BAAsB,OAAQ,WAA9B,C;OsE6CF,6BAAS,WAAAT,C;MACA,eAAQ,W;MACR,cAAO,E;K;;IAOqB,6D;MAHpC,oB;MAGmD,wD;MAG3C,oCAAA,4BAAmB,KAAAnB,EAA0B,WAAyB,KAAAnD,C;MACb,eAAa,K;K;iEAGjB,Y;MAAsC,sBAAQ,C;K;+DAE9C,Y;MAAgC,mB;K;8DAEHc,Y;MACI,IAAI,CAAC,kBAAL,C;QAAoB,MAAM,6B;MAE1B,eAAO,mCAAP,EAAO,YAAP,C;MACA,OAAO,wBAAI,WAAJ,C;K;mEAGX,Y;MAAoC,sBAAQ,CAAR,I;K;+DAEPc,mB;MACI,wBAAI,YAAJ,EAAW,OAAAX,C;MACA,mC;MACA,cAAO,E;K;+DAGX,mB;MtEIFJ,IAAI,EsEmFU,gBAAQ,EtEnFIB,CAAJ,C;QACI,csEkFwB,4E;QtEjFxB,MAAM,6BAAsB,OAAQ,WAA9B,C;OsEkFF,wBAAI,WAAJ,EAAU,OAAV,C;K;;IAIgb,+D;MAAuF,8B;MAAtF,kB;MAA0C,4B;MAC/D,eAAyB,C;MAGrB,oCAAA,2BAAkB,gBAAIB,EAA6B,OAA7B,EAAc,WAAK,KAA3C,C;MACb,eAAa,UAAU,gBAAV,I;K;wDAGjB,0B;MACI,oCAAA,4BAAmB,KAAAnB,EAA0B,YAA1B,C;MAEb,WAAK,aAAI,mBAAY,KAAZ,IAAJ,EAAuB,OAAvB,C;MACL,mC;K;wDAGJ,iB;MACI,oCAAA,2BAAkB,KAAIB,EAAyB,YAAzB,C;MAEb,OAAO,wBAAK,mBAAY,KAAZ,IAAL,C;K;6DAGX,iB;MACI,oCAAA,2BAAkB,KAAIB,EAAyB,YAAzB,C;MAEb,aAAa,WAAK,kBAAS,mBAAY,KAAZ,IAAT,C;MACIB,mC;MACA,OAAO,M;K;wDAGX,0B;MACI,oCAAA,2BAAkB,KAAIB,EAAyB,YAAzB,C;MAEb,OAAO,WAAK,aAAI,mBAAY,KAAZ,IAAJ,EAAuB,OAAvB,C;K;mGAGO,Y;MAAQ,mB;K;2DAE/B,Y;MAA+C,WAAK,iB;K;;ICxMN,8B;MAAiC,sB;MAwCnF,uBAAoC,I;MA+CpC,yBAA6C,I;K;IAIFR,oD;MAAC,wB;MAGIC,gBAAqB,K;K;IFAHa,Y;MAAA,yB;K;uGAKZ,Y;MAAQ,oB;K;8DAE9B,oB;MAKI,eAAe,IAAK,S;MACpB,gBAAc,Q;MACd,OAAO,Q;K;wDAGX,Y;MAA+B,iEAAc,IAAd,C;K;wDAC/B,Y;MAAkC,iEAAc,IAAd,C;K;sDACIC,iB;MAA4C,+DAAY,IAAZ,EAakB,KAAIB,C;K;;IAIB5C,8E;MAAA,wE;MAAsC,2CAAK,KAAM,IAAX,EAAGB,KAAM,MAAtB,C;MAAtC,Y;K;IASBJ,+C;MACsE,6B;K;mEACIE,mB;MAAmD,kCAAc,OAAd,C;K;iEAEnD,mB;MAAiD,gCAAY,OAAZ,C;K;;yCAIrD,Y;MACI,YAAQ,Q;K;IAOQ,+F;MAAA,sD;MAAS,6B;K;uFACb,mB;MAAwC,MAAM,qCAA8B,8BAA9B,C;K;mFAC9C,Y;MACI,4BAAwB,Q;K;4FAG5B,mB;MAAsD,sDAAY,OAAZ,C;K;IAI3C,oH;MAAA,kD;K;4GACH,Y;MAAkC,OAAA,0BAAc,U;K;yGACHD,Y;MAAyB,OAAA,0BAAc,OAAO,I;K;2GAC9C,Y;MAAwB,0BAAc,S;K;;sFAL9C,Y;MACI,oBAAoB,oCAAQ,W;MAC5B,6G;K;0FAOJ,mB;MACI,qB;MACA,IAAI,+CAAY,OAAZ,CAAJ,C;QACI,4BAAwB,cAAO,OAAP,C;QACxB,OAAO,I;OAEX,OAAO,K;K;oIAGY,Y;MAAQ,OAAA,4BAAwB,K;K;4FAEvD,Y;MAAsC,4BAAwB,iB;K;;0FA9B1E,Y;MACI,IAAI,4BAAJ,C;QACI,6F;OA+BJ,OAAO,mC;K;kDAKf,gB;MAEyB,Q;MADrB,qB;MACqB,OAAA,I9E8Q2D,QAAQ,W;M8E9QxF,OAAqB,cAArB,C;QAAqB,wB;QAAf,U9EiMsD,U;Q8EjMjD,Y9E8MiD,Y;Q8E7MxD,iBAAI,GAJJ,EAAS,KAAAT,C;K;IAQc,iG;MAAA,sD;MAAS,oC;K;yFACf,mB;MAAwC,MAAM,qCAA8B,gCAA9B,C;K;qFAC9C,Y;MAAuB,4BAAwB,Q;K;8FAE/C,mB;MAAsD,wDAAc,OAAd,C;K;IAI3C,sH;MAAA,kD;K;8GACH,Y;MAAkC,OAAA,0BAAc,U;K;2GACHD,Y;MAAyB,OAAA,0BAAc,OAAO,M;K;6GAC9C,Y;MAAwB,0BAAc,S;K;;wFAL9C,Y;MACI,oBAAoB,oCAAQ,W;MAC5B,+G;K;sIAOmB,Y;MAAQ,OAAA,4BAAwB,K;K;8FAEvD,Y;MAAsC,4BAAwB,iB;K;;4FAnB1E,Y;MACI,IAAI,8BAAJ,C;QACI,iG;OAoBJ,OAAO,qC;K;gDAGf,e;MACI,qB;MACA,WAAW,YAAQ,W;MACnB,OAAO,IAAK,UAAZ,C;QACI,YAAY,IAAK,O;QACjB,QAAQ,KAAAM,I;QACd,IAAI,YAAO,CAAP,CAAJ,C;UACI,YAAY,KAAM,M;UACIB,IAAK,S;UACL,OAAO,K;;MAGf,OA



AO,I;K;kDAIX,Y;K;;IC3I+C,8B;MAAiC,oC;K;0CAEhF,iB;MAMI,IAAI,UAAU,IAAd,C;QAAoB,OAAO,I;MAC3  
B,IAAI,0BAAJ,C;QAAsB,OAAO,K;MAC7B,OAAO,mCAAy,mBAAU,IAAV,EAAGb,KAAb,C;K;4CAGvB,Y;  
MAG+B,OAAA,mCAAy,2BAAkB,IAAIB,C;K;;ICbT,0B;MAAuD,8B;MAAIC,4B;MACvD,4BAAkC,K;K;gCAk  
BIC,Y;MAEI,qB;MACA,4BAAa,I;MACb,OAAO,I;K;qCAGX,Y;K;iDAGA,uB;K;iFAG8B,Y;MAAQ,OAAA,oBA  
AM,O;K;sCAC5C,iB;MACyC,Q;MAAA,oCAAM,0BAAW,KAAX,CAAN,4D;K;sCACzC,0B;MAIW,IAAa,I;MA  
HpB,qB;MACA,0BAAW,KAAX,C;MAEoB,gBAAb,qBAAM,KAAN,C;MAAqB,qC;MAA5B,OAAO,CAAa,OtE8  
BjB,SsE9BI,2D;K;oCAGX,mB;MACI,qB;MACM,oBAAY,MAAK,OAAL,C;MACIB,qC;MACA,OAAO,I;K;sCA  
GX,0B;MACI,qB;MACM,oBAAY,QAAO,mCAAoB,KAApB,CAAP,EAAMC,CAAnC,EAAsC,OAAtC,C;MACIB  
,qC;K;yCAGJ,oB;MACI,qB;MACA,IAAI,QAAS,UAAb,C;QAAwB,OAAO,K;MAE/B,uBAAA,oBxEioDoB,QMjr  
D0C,YkEgDrD,QIEhDqD,CNirD1C,C;MwEhoDpB,qC;MACA,OAAO,I;K;yCAGX,2B;MACI,qB;MACA,mCAAo  
B,KAApB,C;MAEA,IAAI,UAAS,SAAb,C;QAAmB,OAAO,oBAAO,QAAP,C;MAC1B,IAAI,QAAS,UAAb,C;QA  
AwB,OAAO,K;MAE3B,IADE,KACf,e;QAAQ,OAAO,oBAAO,QAAP,C;WACf,IAFE,KAef,O;QAAK,uBIE7Dq  
D,YkE6D7C,QIE7D6C,CNirD1C,QwEpnD6B,oBxEonD7B,C;;QwEnnDR,uBAAoC,cAA5B,oBAA4B,EA AV,CA  
AU,EAAP,KA AO,CAAy,QIE9DE,YkE8DK,QIE9DL,CkE8DF,EAA4C,cAAN,oBAAM,EAAY,KA AZ,EAAMb,S  
AA nB,CAA5C,C;;MAG5D,qC;MACA,OAAO,I;K;2CAGX,iB;MACI,qB;MACA,0BAAW,KAAX,C;MACA,qC;M  
ACA,OAAW,UAAS,sBAAb,GACG,oBAAY,MADf,GAGG,oBAAY,QAAO,KAAP,EAAC,CAAd,CAAIB,CAAm  
C,CAAnC,C;K;uCAGR,mB;MAEkB,Q;MADd,qB;MACc,2B;MAAd,mD;QACI,IAAI,4BAAM,KAAN,GAAgB,O  
AAhB,CAAJ,C;UACU,oBAAY,QAAO,KAAP,EAAC,CAAd,C;UACIB,qC;UACA,OAAO,I;;MAGf,OAAO,K;K;8  
CAGX,8B;MACI,qB;MACA,qC;MACM,oBAAY,QAAO,SAAP,EAAb,UAAU,SAAV,IAAIB,C;K;gCAGtB,Y;M  
ACI,qB;MACA,uB9BhHuC,E;M8BiHvC,qC;K;wCAIJ,mB;MAA+C,OAAM,QAAN,oBAAM,EA AQ,OAAR,C;K;  
4CAErD,mB;MAAmD,OAAM,YAAN,oBAAM,EAAY,OA AZ,C;K;mCAEzD,Y;MAA0B,uBAAc,oBAAd,C;K;0C  
AE1B,iB;MAGe,UAGL,MAHK,EAMO,M;MAPIB,IAAI,KAAM,OAAN,GAAa,SAAjB,C;QACI,OAAO,2D;OAG  
c,gBAAXB,eAAK,SAAL,IAAK,gBAAL,yB;MxEuwBL,UAAU,SAAV,EwEvwBsC,KxEuwBtC,EAD+F,CAC/F,E  
ADoH,CACpH,EADuI,gBACvI,C;MwErwBI,IAAI,KAAM,OAAN,GAAa,SAAjB,C;QACI,MAAM,SAAN,IAAc,6  
E;OAGIB,OAAO,K;K;kCAGX,Y;MACI,OAAO,EAAS,MAAM,MAAK,oBAAL,C;K;yCAI1B,Y;MACI,IAAI,yBA  
AJ,C;QAAGB,MAAM,oC;K;+CAG1B,iB;MACI,oCAAa,kCAAYB,SAAZB,C;MADoB,Y;K;wDAIrC,iB;MACI,oC  
AAa,mCAA0B,SAAI B,C;MAD6B,Y;K;;IAIj9C,+B;MAAA,mD;MAG8B,sB9BRa,E8BQb,C;MAH9B,Y;K;IAKA,  
kD;MAAA,mD;MAIkD,sB9BdP,E8BcO,C;MAJID,Y;K;IAMA,2C;MAAA,mD;MAGqD,sBIENa,YkEMR,QIENQ,  
CkEMb,C;MAHrD,Y;K;ICrBJ,0C;MACI,IAAI,6BAAJ,C;QACU,KAAY,MAAK,UAAL,C;;QAEIB,UAAU,KA AV  
,EAAwC,CAAxC,EA AiD,cAAN,KAAM,CAAjD,EAA4D,eAAW,UAAX,CAA5D,C;;K;IAMiB,kD;MAAA,uB;QA  
AgB,OAAA,kBAAW,SAAQ,CAAR,EA AW,CAAX,C;O;K;IAFpD,4C;MACI,IAAI,6BAAJ,C;QACI,iBAAiB,gC;Q  
ACX,KAAY,MAAK,UAAL,C;;QAEIB,UAAU,KA AV,EAAwC,CAAxC,EA AiD,cAAN,KAAM,CAAjD,EAA4D,  
UAA5D,C;;K;IAIR,gE;MACI,IAAI,aAAY,UAAU,CAAV,IAAZ,CAAJ,C;QACI,UAAU,KA AV,EAAwC,SA AxC,  
EAAMd,UAAU,CAAV,IAAnD,EAAGe,UA AhE,C;Q;IAMiB,gC;MAAGB,OA AE,iBA AF,CAAE,EAAU,CAAV,C;  
K;IAF3C,0B;MACI,IAAI,6BAAJ,C;QACI,iBA AiB,gB;QACX,KAAY,MAAK,UAAL,C;;QAEIB,UAAU,KA AV,E  
AAwC,CAAxC,EA AiD,cAAN,KAAM,CAAjD,EAA4D,cAA5D,C;;K;;IAaa,kD;MAAoB,QAAC,IAAM,CAAP,KA  
Aa,IAAM,CAAnB,K;K;IARzC,uC;MACI,sC;QAAiC,OA AjC,yB;OACA,4BAA4B,K;MAE5B,YAAY,E;MAGZ,iB  
AAc,CAAd,UAAAsB,GAAtB,U;QAAiC,KAAY,MAAK,KAAL,C;MAC7C,iBA AiB,kC;MACX,KAAY,MAAK,UA  
AL,C;MACIB,mBAAc,CAAd,YAAsB,KAAM,OA A5B,Y;QACI,QAAQ,MAAM,UAAQ,CAAR,IAAN,C;QACR,Q  
AAQ,MAAM,OAAN,C;QACR,IAAI,CAAC,IAAM,CAAP,OA Ac,IAAM,CAApB,KAA0B,KA AK,CAAnC,C;UA  
AsC,OAAO,K;;MAEjD,4BAA4B,I;MAC5B,OAAO,I;K;IAIX,2D;MACI,aAAa,gBAAMb,KAAM,OA AzB,O;MAC  
b,aAAa,YAAU,KA AV,EA AiB,MAAjB,EAAYB,KA AzB,EAAGc,YAAhC,EA A8C,UAA9C,C;MACb,IAAI,WAA  
W,KA Af,C;QACI,aAAU,KA AV,OA AiB,YAAjB,M;UAA+B,MAAM,CAAN,IAAW,OA AO,CAAP,C;Q;IAIId,4D;  
MAEI,IAAI,UAAS,GAAb,C;QACI,OAAO,K;OAGX,aAAa,CAAC,QAAQ,GAAR,IAAD,IAAgB,CAAhB,I;MACb  
,WAAW,YAAU,KA AV,EA AiB,MAAjB,EAAYB,KA AzB,EAAGc,MAAhC,EA AwC,UA AxC,C;MACX,YAAY,Y  
AAU,KA AV,EA AiB,MAAjB,EAAYB,SAAS,CAAT,IAAZB,EA AQc,GAARc,EA A0C,UAA1C,C;MAEZ,aAAiB,S  
AAS,MAAb,GAAqB,KAARb,GAAGc,M;MAG7C,gBAAGb,K;MACHb,iBA AiB,SAAS,CAAT,I;MACjB,aAAU,K  
AAV,OA AiB,GAAjB,M;QAEQ,iBA Aa,MAAb,IAAuB,cAAc,GAARc,C;UACI,gBAAGb,KA AK,SAAL,C;UACHB

,iBAaIB,MAAM,UAAN,C;UAEjB,IAAI,UAAW,SAAQ,SAAR,EAAMB,UAAAnB,CAAX,IAA6C,CAAjD,C;YACI,OAAO,CAAP,IAAY,S;YACZ,6B;;YAEA,OAAO,CAAP,IAAY,U;YACZ,+B;;eAGR,iBAaAa,MAAb,C;UACI,OA AO,CAAP,IAAY,KAAK,SAAL,C;UACZ,6B;;UAGA,OAAO,CAAP,IAAY,MAAM,UAAN,C;UACZ,+B;;MAMZ,OAAO,M;K;ICrGX,4C;MAMoB,UACM,M;MAHtB,IAAI,iBAAJ,C;QAAkB,OAAO,C;MACzB,aAAa,C;MACb,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAEQ,oB;UAAmB,U;;UACnB,I1BFiC,MAAa,Y0BEnC,O1BFmC,C0BE9C,C;YAAwD,iCAAhC,OAAgC,C;iBAExD,uC;YAAmC,2BAAR,OAAQ,C;eACnC,wC;YAAmC,2BAAR,OAAQ,C;eACnC,sC;YAAmC,2BAAR,OAAQ,C;eACnC,uC;YAAmC,2BAAR,OAAQ,C;;YAEA,kBAAR,OAAQ,C;;QATvC,wB;QAYA,SAAS,MAAK,MAAL,QAAC,WAAd,I;;MAEb,OAAO,M;K;;ICTP,uC;MAAA,2C;K;2DACI,0B;MAA2D,sBAAU,MAAV,C;K;gEAE3D,iB;MAA6C,Q;MAAA,wEAAqB,C;K;;IAHtE,mD;MAAA,kD;QAA A,iC;OAAA,2C;K;;MC0BA,iC;MAKA,8B;MA6CA,0BAAMe,I;;IAzEnE,kC;MAAA,oB;MAA+B,8C;K;2CAE3B,mB;MAAyD,MAAM,qCAA8B,iCAA9B,C;K;uCAC/D,Y;MACI,WAAa,Q;K;uDAGjB,mB;MAAgE,OAAA,WAAa,uBAAc,OAAAd,C;K;0CAE7E,Y;MAAwE,OAAA,iCAAY,W;K;qDAEpF,mB;MACI,IAAI,iBAAS,OAAT,CAAJ,C;QACI,WAAa,cAAO,OAAQ,IAAf,C;QACb,OAAO,I;OAEX,OAAO,K;K;wFAGY,Y;MAAQ,OAAA,WAAa,K;K;;8BA6ChD,Y;MACI,0BAAY,Q;K;0CAIhB,e;MAAMd,OAAA,0BAAY,gBAAS,GAAT,C;K;4CAE/D,iB;MAAMe,gBAAZ,0B;MAAY,c;;QvE+mDnD,Q;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAAO,K;UAAP,e;SACrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAAM,IuE/mDmD,uBAAS,gBvE+mD9C,OuE/mDwD,MAAV,QvE+mD5D,C;YAAwB,aAAO,I;YAAP,e;;QAC9C,aAAO,K;;MuEhndgD,iB;K;kFAInD,Y;MACI,IAAI,+BAAJ,C;QACI,0BAAW,qB;OAEf,OAAO,sC;K;uCAGf,Y;MAAgF,iC;K;kCAEHf,e;MAA+C,OAAA,0BAAY,WAAI,GAAJ,C;K;oCAE3D,sB;MAAgD,OAAA,0BAAY,aAAI,GAAJ,EAAS,KAAT,C;K;qCAE5D,e;MAAyC,OAAA,0BAAY,cAAO,GAAP,C;K;+EAEvB,Y;MAAQ,OAAA,0BAAY,K;K;;IA5DID,0C;MAAA,iD;MAAUd,8B;MAvC3D,mB;MAwCQ,8BAAMB,W;MACnB,2BAAGB,WAA,Y,S;MAFhC,Y;K;IAKA,+B;MAAA,iD;MAGuB,aAAK,kEAAL,Q;MAHvB,Y;K;IAKA,4D;MAAA,iD;MAQ8D,qB;M7EpC9D,IAAI,E6EsCQ,mBAAMB,C7EtC3B,CAAJ,C;QACI,c6EqCgC,+C;Q7EpChC,MAAM,gCAAYB,OAAQ,WAAjC,C;OAFV,IAAI,E6EuCQ,cAAc,C7EvCtB,CAAJ,C;QACI,gB6EsC2B,yC;Q7ErC3B,MAAM,gCAAYB,SAAQ,WAAjC,C;O6E0BV,Y;K;IAcA,gD;MAAA,iD;MAA2C,eAAK,eAAL,EAAsB,GAAtB,Q;MAA3C,Y;K;IAGA,yC;MAAA,iD;MAG8C,qB;MAC1C,KAAK,gBAAO,QAAP,C;MAJT,Y;K;IAqCJ,4B;MAK8E,gBAANe,aAAmB,gEAAAnB,C;MAA2E,wB;MAAIF,O1EvCO,S;K;;M2EjEP,uB;;kCAyCA,mB;MACI,UAAU,gBAAI,aAAI,OAAJ,EAaA,IAAb,C;MACd,OAAO,W;K;8BAGX,Y;MACI,gBAAI,Q;K;uCAOR,mB;MAA6D,OAAA,gBAAI,mBAAY,OAAZ,C;K;gCAEjE,Y;MAAyC,OAAA,gBAAI,U;K;iCAE7C,Y;MAAqD,OAA A,gBAAI,KAAK,W;K;qCAE9D,mB;MAAkD,OAAA,gBAAI,cAAO,OAAP,CAAJ,Q;K;+EAEpB,Y;MAAQ,OAA A,gBAAI,K;K;;IA5D1C,6B;MAAA,iD;MAGoB,8B;MAZxB,mB;MAAQ,oBAAM,gB;MAJV,Y;K;IAOA,yC;MAA A,iD;MAG2C,8B;MANb/C,mB;MAoBQ,oBAAM,eAAgB,QAAS,KAAzB,C;MACN,qBAAO,QAAP,C;MALJ,Y;K ;IAQA,4D;MAAA,iD;MAQ2D,8B;MAHc/D,mB;MAiCQ,oBAAM,eAAgB,eAAhB,EAaIc,UAAjC,C;MATV,Y;K; IAYA,gD;MAAA,iD;MAA2C,eAAK,eAAL,EAAsB,GAAtB,Q;MAA3C,Y;K;IAEA,oC;MAAA,iD;MAM0C,8B;M A5C9C,mB;MA6CQ,oBAAW,G;MAPf,Y;K;IAMcJ,+B;MAKuC,gBAA5B,eAAQ,eAAR,C;MAAoC,6B;MAA3C,O3ENO,S;K;I4EzD6B,uC;MAAC,kC;MAErC,oBAAkC,kB;MACiC,sBAAYB,C;K;2EAHY,Y;MAAA,8B;K;2FAG rC,Y;MAAA,0B;K,OAAA,gB;MAAA,0B;K;gDAGA,sB;MACI,eAAe,aAAS,qBAAY,GAAZ,C;MACxB,mBAAM B,6BAAsB,QAAtB,C;MACnB,IAAI,oBAAJ,C;QAEI,kBAAW,QAAX,IAAuB,mCAAY,GAAZ,EAaIB,KAAjB,C ;QAEvB,IAAI,6BAAJ,C;UAEI,YAA+B,Y;UAC/B,IAAI,aAAS,gBAAO,KAAM,IAAb,EAaKB,GAaIB,CAAb,C;Y ACI,OAAO,KAAM,gBAAS,KAAT,C;;YAEb,kBAAW,QAAX,IAAuB,CAAQ,KAAR,EAaE,mCAAY,GAAZ,EA AiB,KAAjB,CAAf,C;YACvB,6B;YACA,OAAO,I;;UAIX,YAAuC,Y;UACvC,cAAkB,wBAAN,KAAM,EAaIB,G AAjB,C;UACIB,IAAI,eAAJ,C;YACI,OAAO,OAAM,gBAAS,KAAT,C;WAEX,KAA,Y,MAAK,mCAAY,GAAZ,EA AiB,KAAjB,CAAL,C;;MAG1B,6B;MAEA,OAAO,I;K;iDAGX,e;MAEuB,Q;MADnB,eAAe,aAAS,qBAAY,GA AZ,C;MACL,oCAAsB,QAAtB,C;MAAA,iB;QAAMC,OAAO,I;OAA7D,mBAAMb,I;MACnB,IAAI,6BAAJ,C;QA CI,YAAgC,Y;QACHC,IAAI,aAAS,gBAAO,KAAM,IAAb,EAaKB,GAaIB,CAAb,C;U5BzDR,O4B0D6B,iB5B1D vB,C4B0DmC,Q5B1DnC,C;U4B2DM,6B;UACA,OAAO,KAAM,M;;UAEb,OAAO,I;;QAGX,YAAuC,Y;QACvC,8BAAc,KAAAd,iB;UACI,cAA,Y,MAAM,KAAN,C;UACZ,IAAI,aAAS,gBAAO,GAAP,EAAY,OAAM,IAAIB,CAA b,C;YACI,IAAI,KAAM,OAAN,KAAc,CAAIB,C;cACU,KAAN,UAA2B,C;c5BtE/C,O4BwEqC,iB5BxE/B,C4BwE 2C,Q5BxE3C,C;;c4B2EoB,KAA,Y,QAAO,KAAP,EAAC,CAAd,C;;YAEtB,6B;YAEA,OAAO,OAAM,M;;MAIzB,

OAAO,I;K;0CAGX,Y;MACI,oBAaA,kB;MACb,YAAO,C;K;mDAGX,e;MAAyC,uBAAS,GAAT,S;K;8CAEzC,e; MAA+B,Q;MAAA,+BAAS,GAAT,8B;K;+CAE/B,e;MACuB,Q;MAAA,oCAAsB,aAAS,qBAAY,GAAZ,CAA/B,C ;MAAA,iB;QAAoD,OAAO,I;OAA9E,mBAAmB,I;MACnB,IAAI,6BAAJ,C;QACI,YAAgC,Y;QAChC,IAAI,aAAS ,gBAAO,KAAM,IAAb,EAakB,GAAIB,CAAb,C;UACI,OAAO,K;;UAEP,OAAO,I;;;QAGX,YAAuC,Y;QACvC,O AAa,wBAAN,KAAM,EAAiB,GAAjB,C;;K;uDAlrB,0B;MACI,sB;;Q7F+nCY,Q;QAAhB,iD;UAAgB,cAAhB,e;U AAsB,I6F/nCK,aAAS,gB7F+nCA,O6F/nCa,IAAb,M7F+nCd,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I; ;M6FhoCH,yB;K;IAIO,8E;MAAA,wD;MACH,aAAY,E;MAEZ,YAA0B,MAAa,MAAK,qCAAL,C;MACvC,gBA Ae,E;MAEf,oBAA4B,I;MAC5B,eAAc,K;MACd,iBAAgB,E;MACHb,iBAAqC,I;K;yEAErC,Y;MACI,IAAI,6BAA wB,YAA5B,C;QACI,gBAAqB,iBAAqD,O;QAC1E,IAAI,4DAAc,SAaIB,C;UACI,OAAO,C;OAGf,IAAI,yDAAa, SAAK,OAAiB,C;QACI,oBAaE,2CAAW,UAAK,aAAL,CAAX,C;QACf,eAAU,iC;QACV,iBAAAY,C;QACZ,OAA O,C;;QAEp,oBAaE,I;QACf,OAAO,C;;K;mEAI,f,Y;MACI,IAAI,eAAS,EAAb,C;QACI,aAAQ,oB;MACZ,OAAO,e AAS,C;K;gEAGpB,Y;MAEoB,Q;MADhB,IAAI,CAAC,cAAL,C;QAAGB,MAAM,6B;MACN,IAAI,YAAJ,C;QAC Z,yBAAqD,cAArD,C;;QAEa,OAAb,iB;;MAHJ,oB;MAKA,iBAAiB,S;MACjB,aAAQ,E;MACR,OAAO,S;K;kEAG X,Y;M/E/CR,I+EgDyB,c/EhDrB,QAAJ,C;QACI,cAhByB,0B;QAiBzB,MAAM,6BAAsB,OAAQ,WAA9B,C;O+E+ CE,6BAAYB,cAAO,6BAAY,IAAnB,C;MACzB,iBAAAY,I;MAEZ,uC;K;;6CatDZ,Y;MAEI,2D;K;4DAyDJ,oB;MA CI,mBAAmB,kBAAW,QAAX,C;MACnB,OAAW,iBAAiB,SAArB,GAAgC,IAAhC,GAA0C,Y;K;;;wCCtKrD,Y; MACI,aAAR,MAAM,OAAe,CAAP,IAAO,C;MAEb,OAAO,KAAP,IAAgB,C;M7BXpB,O6BYqB,M7BZf,C6BYu B,K7BZvB,C;M6BaF,OAAO,M;K;;ICNuB,qC;MAAC,kC;MAEnC,oBAakC,kB;MACIC,sBAAYB,C;K;yEAHU,Y ;MAAA,8B;K;yFAGnC,Y;MAAA,0B;K,OAAA,gB;MAAA,0B;K;iDAWA,e;MACI,IAAI,0BAAJ,C;QAAoB,OAA O,K;MAC3B,OAAO,kBAAW,GAAX,MAAoB,S;K;4CAG/B,e;MACI,IAAI,0BAAJ,C;QAAoB,OAAO,I;MAC3B, YAAAY,kBAAW,GAAX,C;MACZ,OAAW,UAAU,SAArB,GAAgC,KAAhC,GAA2D,I;K;8CAI/D,sB;MjFVA,IAAI ,EiFWQ,uBjFXR,CAAJ,C;QACI,cAda,qB;QAEb,MAAM,gCAAYB,OAAQ,WAAjC,C;OIFUN,eAAe,kBAAW,GA AX,C;MACf,kBAAW,GAAX,IAAkB,K;MAEIB,IAAI,aAAa,SAAjB,C;QACI,6B;QAEA,OAAO,I;;QAGP,OAAO, Q;;K;+CAIf,e;MACI,IAAI,0BAAJ,C;QAAoB,OAAO,I;MAC3B,YAAAY,kBAAW,GAAX,C;MACZ,IAAI,UAAU,S AAd,C;Q9BnDJ,O8BoDyB,iB9BpDnB,C8BoD+B,G9BpD/B,C;Q8BqDE,6B;QAEA,OAAO,K;;QAGP,OAAO,I;;K ;wCAkf,Y;MACI,oBAaA,kB;MACb,YAAO,C;K;IAKA,0E;MAAA,oD;MACH,cAAkC,MAAa,MAAK,mCAAL,C ;MAC/C,kBAa4B,qBAAL,WAAK,C;MAC5B,iBAA+B,I;K;iEAE/B,Y;MAAkC,OAAA,eAAS,U;K;8DAE3C,Y;M AIuB,gB;MAHnB,UAAU,eAAS,O;MACnB,iBAAU,G;MAES,+E;MAAnB,OAAO,iD;K;gEAGX,Y;MAEkC,UAA 9B,M;MAAA,oC;MAA8B,YAAa,c;MjFchD,uB;MAeP,IAfoB,KAhB,QAAJ,C;QACI,cAhByB,0B;QAiBzB,MAA M,6BAAsB,OAAQ,WAA9B,C;;QAEEN,sBAnBgB,K;;MiFde,oBAAO,sFAAP,C;K;;2CAjBnC,Y;MACI,yD;K;IAqB kD,0F;MAAA,8B;MAAA,oD;K;kHAC9B,Y;MAAQ,uB;K;oHACN,Y;MAAQ,6CAAuB,gBAAvB,C;K;2EAE9B,o B;MAAwC,OAAA,2BAAuB,aAAI,gBAAJ,EAAS,QAAT,C;K;qEAE/D,Y;MAA+B,OAAA,mCAAY,uBAAc,IAAd ,C;K;qEAC3C,Y;MAAkC,OAAA,mCAAY,uBAAc,IAAd,C;K;mEAC9C,iB;MAA4C,OAAA,mCAAY,qBAAY,IA AZ,EAakB,KAAIB,C;K;;gDAR5D,e;MAAsD,iE;K;;MCItD,sBAOsC,I;MA6CtC,yB;MAOA,4BAakC,K;;IArIE,s D;MAZpC,oB;MAYyD,0CAAqC,GAARc,EAA0C,KAA1C,C;MACrD,oBAAuC,I;MACvC,oBAAuC,I;K;wDAEv C,oB;MACI,WAAmB,iB;MACnB,OAAa,mEAAS,QAAT,C;K;;IAIrB,wC;MAAA,oB;MAA+B,8C;K;IAE3B,sD;M AAA,oB;MACI,cACsC,I;MAEtC,cACsC,I;MAGIC,cAAO,iC;K;6DAIX,Y;MACI,OAAO,gBAAS,I;K;0DAGpB,Y; MAEI,IAAI,CAAC,cAAL,C;QAAGB,MAAM,6B;MAEtB,cAAc,0B;MACd,cAAO,O;MACa,gBAAb,OAAQ,a;;M AAF,c/E0DS,S+E1DoB,KAAO,iC/E0DzC,GAAqB,SAArB,GAA+B,I;M+EzD1B,OAAO,O;K;4DAGX,Y;MIFwBR ,IAAI,EkFvBc,eAAQ,IIFuBtB,CAAJ,C;QACI,cAdW,e;QAEX,MAAM,6BAAsB,OAAQ,WAA9B,C;OkFxBE,WA Ac,iB;MAGP,oCAAP,0BAAO,C;MACP,gCAAI,cAAO,0BAAO,IAAd,C;MAEJ,cAAO,I;K;;iDAIf,mB;MAAyD,M AAM,qCAA8B,iCAA9B,C;K;6CAC/D,Y;MACI,WAAmB,Q;K;6DAGvB,mB;MAAgE,OAAA,WAAmB,uBAAc, OAAc,C;K;gDAEnF,Y;MAAwE,qD;K;2DAExE,mB;MACI,qB;MACA,IAAI,iBAAS,OAAT,CAAJ,C;QACI,WAA mB,cAAO,OAAQ,IAAf,C;QACnB,OAAO,I;OAEX,OAAO,K;K;8FAGY,Y;MAAQ,OAAA,WAAmB,K;K;sDAEI D,Y;MAAsC,WAAmB,iB;K;;iDAa7D,qB;MIFrBA,IAAI,EkF0BM,0BAAQ,IAAR,IAAgB,0BAAQ,IIF1B9B,CAAJ ,C;QACI,cAdW,e;QAEX,MAAM,6BAAsB,OAAQ,WAA9B,C;OkF0BN,YAAAY,mB;MACZ,IAAI,SAAS,IAAb,C; QACI,sBAAO,S;QACP,yBAAO,S;QACP,yBAAO,S;;QAGK,YAAa,KAAM,a;QIFIBhC,uB;QAEp,IAfoB,KAhB, QAAJ,C;UACI,gBAhByB,0B;UAiBzB,MAAM,6BAAsB,SAAQ,WAA9B,C;;UAEN,sBAnBgB,K;;QkFkBZ,+B;Q

AEA,yBAAO,K;QACP,yBAAO,K;QAEP,qBAAa,S;QACb,qBAAa,S;;K;+CAIrB,qB;MAII,IAAI,SAAK,aAAL,KA  
Ac,SAAIb,C;QAEI,sBAAO,I;;QAEP,IAAI,wBAAS,SAAb,C;UAEI,sBAAO,sB;SAEX,qDAAc,sB;QACd,qDAAc,s  
B;;MAEIB,yBAAO,I;MACP,yBAAO,I;K;oCA8CX,Y;MAEI,qB;MACA,4BAAa,I;MACb,OAAO,I;K;oCAGX,Y;  
MACI,qB;MACA,kBAAI,Q;MACJ,sBAAO,I;K;gDASX,e;MAAmD,OAAA,kBAAI,mBAAY,GAAZ,C;K;kDAEv  
D,iB;MACiC,Q;MAAA,0B;MAAA,iB;QAAQ,OAAO,K;OAA5C,WAA6B,I;;QAEzB,IAAI,OAAA,IAAK,MAAL,  
EAAC,KAAc,CAAJ,C;UACI,OAAO,I;SAEX,OAAO,cAAA,IAAK,aAAL,C;;MACF,iBAAS,mBAAT,C;MACT,O  
AAO,K;K;6CAIX,Y;MAAoF,uC;K;wCAEpF,e;MAAmD,Q;MAAJ,QAAI,OAAJ,kBAAI,WAAI,GAAJ,CAAJ,6B;  
K;0CAE/C,sB;MACI,qB;MAEA,UAAU,kBAAI,WAAI,GAAJ,C;MACd,IAAI,OAAO,IAAX,C;QACI,eAAe,mCA  
AW,GAAx,EAAGB,KAAhB,C;QACf,kBAAI,aAAI,GAAJ,EAAS,QAAT,C;QACK,wBAAT,QAAS,C;QACT,OA  
AO,I;;QAEP,OAAO,GAAI,gBAAS,KAAT,C;;K;2CAInB,e;MACI,qB;MAEA,YAAy,kBAAI,cAAO,GAAp,C;MA  
ChB,IAAI,SAAS,IAAb,C;QACU,sBAAN,KAAM,C;QACN,OAAO,KAAM,M;OAEjB,OAAO,I;K;qFAGmB,Y;M  
AAQ,OAAA,kBAAI,K;K;6CAE1C,Y;MACI,IAAI,yBAAJ,C;QAAgB,MAAM,oC;K;;IANg1B,mC;MAAA,uD;MA  
GuB,qB;MA9J3B,yB;MA+JQ,sBAAM,gB;MAJV,Y;K;IAOA,iD;MAAA,uD;MAAoD,qB;MAIKxD,yB;MAoKc,Q;  
MAAN,sBAAM,+D;MAFV,Y;K;IAKA,kE;MAAA,uD;MAQ8D,eAAM,eAAN,EAAuB,UAAvB,Q;MA/KIE,yB;M  
AgLQ,sBAAM,gB;MATV,Y;K;IAYA,sD;MAAA,uD;MAA2C,qBAAK,eAAL,EAASB,GAAtB,Q;MAA3C,Y;K;IA  
EA,+C;MAAA,uD;MAG2C,qB;MAxL/C,yB;MAyLQ,sBAAM,gB;MACN,KAAK,gBAAO,QAAP,C;MALT,Y;K;I  
A6EJ,kC;MAKwD,gBAA7C,qBAAYB,eAAzB,C;MAAqD,wB;MAA5D,O/EjMO,S;K;;;oCgFvCP,Y;MAEK,Q;MA  
A8B,CAA9B,2EAA8B,S;MAC/B,OAAO,I;K;6CAGX,Y;MAA+C,gBAAI,iB;K;;IAhCnD,wC;MAAA,uD;MAAmD  
eAAM,GAAN,Q;MAPvD,yB;MAOI,Y;K;IAEA,qC;MAAA,uD;MAGuB,eAAM,oBAAN,Q;MAZ3B,yB;MASI,Y;  
K;IAKA,+C;MAAA,uD;MAG8C,eAAM,oBAAN,Q;MAjBID,yB;MAkBQ,qBAAO,QAAP,C;MAJJ,Y;K;IAOA,kE;  
MAAA,uD;MAQ8D,eAAM,qBAASB,eAAtB,EAAuC,UAAvC,CAAN,Q;MA7BIE,yB;MAqBI,Y;K;IAUA,sD;MA  
AA,uD;MAA2C,qBAAK,eAAL,EAASB,GAAtB,Q;MAA3C,Y;K;IAGBJ,qC;MAKMD,gBAAxC,mBAAC,qBAAD,C  
;MAAGD,6B;MAAvD,OhFoBO,S;K;;;kFiFzEX,uB;MAQI,OAAO,O;K;ICXX,sB;K;mCACI,Y;MACI,mBAAM,IA  
AN,C;K;2CAGJ,mB;MACI,mBAAM,OAAN,C;MACA,c;K;iCAKJ,Y;K;;IAKuB,oC;MAA8B,qB;MAA7B,gC;K;2  
CACxB,mB;MAEI,oBA+DyC,OA/Dd,OA+Dc,C;MA9DzC,iBAAa,OAAM,aAAN,C;K;;IAIrB,8B;MAEoC,qB;K;i  
DACHC,mB;MACI,OAAQ,KAAI,OAAJ,C;K;mDAGZ,mB;MACI,OAAQ,KAAI,OAAJ,C;K;2CAGZ,Y;MACI,OA  
AQ,KAAI,EAAJ,C;K;;IAIhB,0B;MAEqC,qB;MACjC,cAAa,E;K;6CAEb,mB;MACI,eAoCyC,OApcxB,OAoCwB,  
C;K;qCAjC7C,Y;MACI,cAAS,E;K;;IAIjB,sC;MAE4C,yB;K;yDACxC,mB;MACI,QAwByC,OAxB1B,OAwb0B,C  
;MAvBzC,QAAQ,CxEqJoF,awErJhE,IxEqJgE,EwErJ1D,CxEqJ0D,C;MwEpJ5F,IAAI,KAAK,CAAT,C;QACI,4BA  
AU,CxE+J0E,WwE/J9D,CxE+J8D,EwE/J3D,CxE+J2D,C;QwE9JpF,Y;QACA,IAAI,CxE0JiE,WwE1JrD,IAAI,CA  
AJ,IxE0JqD,C;OwExJzE,4BAAU,C;K;iDAGd,Y;MACI,OAAQ,KAAI,WAAJ,C;MACR,cAAS,E;K;;IAWjB,yB;M  
ACiD,cAAa,KAAb,C;K;IAEjD,mB;MAEI,MAAO,U;K;IAGX,4B;MAEI,MAAO,iBAAQ,OAAR,C;K;IAGX,wB;  
MAEI,MAAO,eAAM,OAAN,C;K;IAGX,kB;MACqC,MAAM,qCAA8B,sCAA9B,C;K;IAE3C,wB;MAC4C,MAA  
M,qCAA8B,4CAA9B,C;K;ICIGID,mD;MACI,0B;MASA,gBAA2B,a;K;2FAFvB,Y;MAAQ,OAAA,eAAS,Q;K;oD  
AIrB,kB;MACI,UAAU,IAAK,S;MAEX,YAAQ,2CAAR,C;QACI,gBAAC,MAAO,M;WAEzB,YAAQ,yBAAR,C;Q  
ACI,gBAAC,yC;QACd,eAAS,oBAAW,MAAX,C;;QAEI,MAAM,6BAASB,iBAAtB,C;K;4CAItB,Y;MAOW,Q;M  
ALP,IAAI,kBAAW,2CAAf,C;QACI,gBAAS,yB;QACT,OAAO,yB;OAEX,aAAa,IAAK,S;MAEd,eAAW,yCAAX,  
C;QAASB,gC;WACTB,0C;QAA4B,MAAM,MAAO,U;;QACjC,a;MAHZ,W;K;;IA7BJ,gD;MAAA,0D;MACyD,6B  
AAK,QAAL,EAae,2CAAf,C;MADzD,Y;K;;;ICRA,2C;MAAA,+D;MAAuB,iC;MAF3B,iC;MAEI,Y;K;IACA,sD  
;MAAA,+D;MAAuC,6BAAM,OAAN,Q;MAH3C,iC;MAGI,Y;K;IACA,6D;MAAA,+D;MAAmD,kCAAM,OAAN,  
EAAe,KAAf,C;MAJvD,iC;MAII,Y;K;IACA,oD;MAAA,+D;MAAiC,6BAAM,KAAN,Q;MALrC,iC;MAKI,Y;K;Ix  
C4CJ,yE;MASI,sC;MAAA,4C;K;IATJ,iGAWY,Y;MAAQ,2B;KAXpB,E;IAAA,0DAaQ,kB;MACI,wBAAW,MAA  
X,C;K;IADz,sF;IyC5C2E,0C;M1CkKhE,Q;MADP,e0ChKA,M1CgKA,C;MACO,Q0CjKP,M1CiKO,+D;M0ChKX,  
W;K;;+FCuHA,gB;MACI,aAAa,IAAb,MAAA,E;MACb,KAAK,MAAL,C;MACA,OAAO,M;K;wFC3HX,yB;MAA  
A,uD;MAAA,wC;QAWqG,OAAC,cAAL,SAAK,EAaiB,IAAjB,EAAuB,IAAvB,C;O;KAXIG,C;wFAaA,yB;MAA  
A,uD;MAAA,wC;QAWoG,OAAC,cAAL,SAAK,EAaiB,IAAjB,EAAuB,IAAvB,C;O;KAXzG,C;8ECbA,yB;MAA  
A,6C;MAAA,sC;QAOyD,OAAC,SAAL,SAAK,EAAY,QAAZ,C;O;KAP9D,C;8EASA,yB;MAAA,6C;MAAA,wC;  
QAWkE,OAAC,SAAL,SAAK,EAaA,UAAb,S;O;KAXvE,C;oFAaA,yB;MAAA,mD;MAAA,wC;QAWqE,OAAC,

YAAL, SAAK, EAAgB, UAAhB, S; O; KAX1E, C; kFCZI, yB; MAAA, iD; MAAA, 4B; QAAe, OAAK, WAAL, SAAK, C; O; KAApB, C; wFAYA, yB; MAAA, uD; MAAA, 4B; QAAe, OAAK, cAAL, SAAK, C; O; KAApB, C; IC5BJ, gC; MAAoE, gCAAqB, OAArB, C; K; IAEIC, uC; MAAC, wB; K; iDAC/B, iB; MACI, eAAQ, KAAR, C; K; 8CAGJ, Y; MAAyC, iCAAuB, cAAvB, M; K; ICCO, 6C; MAAA, 8B; MAAS, uB; K; 8FACIC, Y; MAAQ, OAAA, gBAAY, O; K; mDAE3C, iB; MACI, IADoC, KACpC, IAAG, CAAH, IADoC, KACpC, IAAM, sBAAN, C; QAD8B, OACX, gBAAY, MAAK, KAAL, C; QACvB, MAAM, 8BAA0B, WAAQ, KAAR, 6BAAmC, sBAAnC, MAA1B, C; K; IARtB, 8B; MAgO, 4C; K; wECFpD, yB; MAAA, uC; MAAA, 4B; QAOsC, MAAL, SAAK, C; O; KAPtC, C; kFASA, yB; MAAA, iD; MAAA, kC; QAWuD, OAAK, WAAL, SAAK, EAAc, IAA, d, C; O; KAX5D, C; +ECfA, qB; MAI8C, gB; K; iFAE9C, qB; MAIsE, OAAK, S; K; kFAE3E, qB; MAMyE, gB; K; IAEzE, 6B; MAiBa, UAPF, M; MAFF, QAAc, S; MAGV, cAAK, UAAL, U; QACI, mBAAK, UAAL, G; QACJ, I/CzBqC, MAAa, Y+CvBvC, C/CzBuC, C+CvBID, C; UAC6B, 8BAAzB, CAAYB, C; UAGN, UAAlB, uDAAKB, Y; MA P3B, a; K; IC9BJ, 2B; MAEI, MAAM, yBAAqB, OAArB, C; K; IAGV, sB; MAEI, MAAM, uBAAmB, cAAnB, C; K; IAGV, 2B; MAEI, MAAM, 6BAAsB, OAA, t, C; K; IAGV, iC; MAEI, MAAM, 4CAAqC, uBAAqB, YAArB, 8BAArC, C; K; ICIBV, 8B; MC8CW, kB1GqBiD, oB; M0GM9C, Q; MAAA, OAAK, 0B; MAAf, OAAU, cAAV, C; QAAU, mB; QACN, UAAU, sBAAM, CAAN, C; QACV, kBAAkB, sBAAY, GAAZ, C; QAKfiD, U; QAJFnE, W1GuKJ, a0GvKgB, G1GuKhB, EyG1OoB, CCmEkC, uBAAuB, CAAC, WAAy, mBAAY, GAAZ, CAiFhD, GDpJrC, CCoJqC, GAA6B, UAjFjC, WaiFiC, 6DDpJnD, IAAM, CAAN, IZG0OpB, C; MyG1OA, OCqEO, W; K; ICjCX, qB; MAK0B, Q; MADtB, UAAM, E; MACnB, wBAAsB, KAA, t, gB; QAA, s, aAAA, KAA, t, M; QAAK, IAAC, 0BAAD, EAAO, 2B; QACR, IAAI, IAAJ, IAAy, K; MAEhB, OAAO, G; K; IAGX, +B; MAMgB, Q; MADZ, WAA0B, MAAa, MAAK, KAAL, C; MACvC, wBAAY, IAAZ, gB; QAAy, UAAA, IAAZ, M; QACI, IAAU, KAAy, gBAAE, GAaf, CAAtB, C; UACI, UAAK, GAAL, IAAy, MAAM, GAAN, C; MAGpB, OAAO, S; K; qEC5DX, yB; MAAA, iB; MAAA, oB; QAOkD, OAAA, MAAW, KAAI, CAAJ, C; O; KAP7D, C; qEASA, yB; MAAA, iB; MAAA, oB; QAOkD, OAAA, MAAW, KAAI, CAAJ, C; O; KAP7D, C; qEASA, yB; MAAA, iB; MAAA, oB; QAOkD, OAAA, MAAW, KAAI, CAAJ, C; O; KAP7D, C; uEASA, yB; MAAA, iB; MAAA, oB; QASmD, OAAA, MAAW, MAAK, CAAL, C; O; KAT9D, C; uEAWA, yB; MAAA, iB; MAAA, oB; QASmD, OAAA, MAAW, MAAK, CAAL, C; O; KAT9D, C; uEAWA, yB; MAAA, iB; MAAA, oB; QASmD, OAAA, MAAW, MAAK, CAAL, C; O; KAT9D, C; yEAWA, yB; MAAA, iB; MAAA, uB; QAKb+D, OAAA, MAAW, OAAM, CAAN, EAAS, CAAT, C; O; KAIB1E, C; uEAoBA, yB; MAAA, iB; MAAA, oB; QAUmD, OAAA, MAAW, MAAK, CAAL, C; O; KAV9D, C; uEAYA, yB; MAAA, iB; MAAA, oB; QASmD, OAAA, MAAW, MAAK, CAAL, C; O; KAT9D, C; uEAWA, yB; MAAA, iB; MAAA, oB; QAUmD, OAAA, MAAW, MAAK, CAAL, C; O; KAV9D, C; yEAYA, yB; MAAA, iB; MAAA, oB; QAYoD, OAAA, MAAW, OAAM, CAAN, C; O; KAZ/D, C; yEAca, yB; MAAA, iB; MAAA, oB; QAYoD, OAAA, MAAW, OAAM, CAAN, C; O; KAZ/D, C; yEAca, yB; MAAA, iB; MAAA, oB; QAaoD, OAAA, MAAW, OAAM, CAAN, C; O; Kab/D, C; yEAea, yB; MAAA, iB; MAAA, uB; QAS+D, OAAA, MAAW, OAAM, CAAN, EAAS, CAAT, C; O; KAT1E, C; uEAWA, yB; MAAA, iB; MAAA, oB; QAQmD, OAAA, MAAW, MAAK, CAAL, C; O; KAR9D, C; qEAUA, yB; MAAA, iB; MAAA, oB; QAUkD, OAAA, MAAW, KAAI, CAAJ, C; O; KAV7D, C; yEAYA, yB; MAAA, iB; MAAA, oB; QacoD, OAAA, MAAW, OAAM, CAAN, C; O; Kad/D, C; IAgBA, sB; MAcI, IAAI, QAAQ, GAAR, IAAe, SAAQ, GAA3B, C; QAAgC, OAAO, wCAAO, I; MAC9C, OAAO, IAAW, KAAI, CAAJ, CAAX, GAAoB, IAAW, KAAI, IAAJ, C; K; mEAG1C, yB; MAAA, iB; MAAA, oB; QAWiD, OAAA, MAAW, KAAI, CAAJ, C; O; KAX5D, C; yEAaA, yB; MAAA, iB; MAAA, oB; QAOoD, OAAA, MAAW, OAAM, CAAN, C; O; KAP/D, C; uEASA, yB; MAAA, iB; MAAA, oB; QAOmD, OAAA, MAAW, MAAK, CAAL, C; O; KAP9D, C; uEASA, yB; MAAA, iB; MAAA, oB; QAgBmD, OAAA, MAAW, OAAM, CAAN, C; O; KahB9D, C; uEakBA, yB; MAAA, iB; MAAA, oB; QAUmD, OAAA, MAAW, MAAK, CAAL, C; O; KAV9D, C; yEAYA, yB; MAAA, iB; MAAA, oB; QAUoD, OAAA, MAAW, OAAM, CAAN, C; O; KAV/D, C; +EAYA, yB; MAAA, iB; MAAA, oB; QAUuD, OAAA, MAAW, OAAM, CAAN, C; O; KAVIE, C; IAYa, kB; MAQI, IAAI, IAAI, GAAJ, KAAW, GAaf, C; QACI, OAAO, IAAW, OAAM, CAAN, C; OAEtB, YAZBgD, MAAW, OAYBzC, CAzByC, C; MA0B3D, OAAW, QAAQ, CAAR, KAAa, GAAXB, GAA6B, KAA7B, GatC+C, MAAW, MAsCb, CA, t, Ca, C; K; qEAyC9D, yB; MAAA, iB; MAAA, oB; QAUkD, OAAA, MAAW, KAAI, CAAJ, C; O; KAV7D, C; uEAYA, yB; MAAA, iB; MAAA, oB; QAWmD, OAAA, MAAW, MAAK, CAAL, C; O; KAX9D, C; wEAcA, yB; MAAA, iB; MAAA, uB; QAO6D, OAAA, MAAW, KAAI, CAAJ, EAAO, CAAP, C; O; KAPxE, C; wEASA, yB; MAAA, iB; MAAA, uB; QAO6D, OAAA, MAAW, KAAI, CAAJ, EAAO, CAAP, C; O; KAPxE, C; qEAWA, yB; MAAA, iB; MAAA, +B; QAayD, OAAA, MAAW, KAAI, SAAJ, EAAU, CAAV, C; O; KabpE, C; uEAea, yB; MAAA, iB; MAAA, +B; QAOsD, OAAA, MAAW, KAAI, SAAJ, EAAy, CAAZ, C; O; KAPjE, C; iGAmBsD, yB; MAAA, iB; MAAA, 4B; QAAQ, OA

AA,MAAW,KAAI,SAAJ,C;O;KAAAnB,C;+EAaT,yB;MAAA,iB;MAAA,4B;QAAQ,OAAA,MAAW,MAAK,SAAL,C;O;KAAAnB,C;IFAE7C,yB;MAAA,6C;MAAA,kC;QAK8D,OAAK,SAAL,SAAK,EAAC,IAAd,C;O;KALnE,C;IAkBqC,4B;MACjC,gBAAO,CAAP,C;QADyC,OACrB,QAAP,CAAC,SAAM,C;WACpB,IAAK,QAAL,SAAK,CAAL,IAAgB,cAAQ,wCAAO,kBAA/B,C;QAFyC,OAeW,S;WACpD,kBAAQ,wCAAO,UAAf,C;QAHyC,OAGb,YAA Y,SAAL,SAAK,C;;QAHC,OAI5B,OAAL,SAAK,CAAL,GAAGB,S;K;IAG5B,2B;MAKI,IAAK,QAAL,SAAK,CAAL,IAAgB,cAAQ,wCAAO,kBAA/B,C;QADwC,OACy,S;WACpD,kBAAQ,GAAR,C;QAFwC,OAeZB,wCAAO,U;;QACP,WAAc,UAAAL,SAAK,CAAL,yBAAuB,YAAO,CAAX,GAAC,CAAd,GAAqB,EAAXC,E;QAHgB,OhDhb6B,MAAA,gBAAe,IAAf,C;;K;IgdSbtF,6B;MAKI,IAAK,QAAL,SAAK,CAAL,IAAgB,cAAQ,wCAAO,kBAA/B,C;QAD0C,OACU,S;WACpD,kBAAQ,GAAR,C;QAF0C,OAe3B,CAAC,wCAAO,U;;QACR,WAAc,UAAAL,SAAK,CAAL,yBAAuB,YAAO,CAAX,GAAC,EAAd,GAAsB,CAAZC,E;QAHkB,OhD1b2B,MAAA,gBAAe,IAAf,C;;K;IgdIctF,oC;MAUI,IAAK,QAAL,SAAK,CAAL,IAAmB,QA AH,EAAG,CAAnB,C;QADuD,OACzB,wCAAO,I;WACrC,WAAM,SAAN,C;QAFuD,OAeZC,E;WACd,SAAK,SAAL,C;QAHuD,OAGrC,OAAL,SAAK,C;;QAHqC,OAI1B,SAAL,SAAK,C;K;IAIjC,+B;MAYI,uB;QAAW,MAAM,gCAAYB,yBAAzB,C;WACjB,gBAAO,UAAp,C;QAFyC,OAeJB,U;WACxB,gBAAO,WAAp,C;QAHyC,OAGjB,W;;QAHiB,OAIv,YAAvB,IAAW,OAAM,SAAN,CAAY,C;K;IAGnC,gC;MAYI,uB;QAAW,MAAM,gCAAYB,yBAAzB,C;WACjB,oD;QAF2C,+B;WAG3C,oD;QAH2C,+B;;QAAA,OAIz,uBAAvB,IAAW,OAAM,SAAN,CAAY,C;K;uEASnC,yB;MAAA,iB;MAAA,oB;QAOgD,OAAA,MAA6B,KAAZ,CAAY,C;O;KAP7E,C;uEASA,yB;MAAA,iB;MAAA,oB;QAOgD,OAAA,MAA6B,KAAZ,CAAY,C;O;KAP7E,C;yEASA,yB;MAAA,iB;MAAA,oB;QASiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAT/E,C;yEAWA,yB;MAAA,iB;MAAA,oB;QASiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAT/E,C;yEAWA,yB;MAAA,iB;MAAA,oB;QASiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAT/E,C;2EAWA,yB;MAAA,iB;MAAA,uB;QAKB4D,OAAA,MAA6C,OAA1B,CAA0B,EA AZ,CAAY,C;O;KAIbZg,C;yEAoBA,yB;MAAA,iB;MAAA,oB;QAUiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAV/E,C;yEAYA,yB;MAAA,iB;MAAA,oB;QASiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAT/E,C;yEAWA,yB;MAAA,iB;MAAA,oB;QAUiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAV/E,C;2EAYA,yB;MAAA,iB;MAAA,oB;QAYkD,OAAA,MAA+B,OAAZ,CAAY,C;O;KAZjF,C;2EAca,yB;MAAA,iB;MAAA,oB;QAYkD,OAAA,MAA+B,OAAZ,CAAY,C;O;KAZjF,C;2EAca,yB;MAAA,iB;MAAA,oB;QAakD,OAAA,MAA+B,OAAZ,CAAY,C;O;KAbjF,C;2EAea,yB;MAAA,iB;MAAA,uB;QAS4D,OAAA,MAA6C,OAA1B,CAA0B,EA AZ,CAAY,C;O;KATzG,C;yEAWA,yB;MAAA,iB;MAAA,oB;QAQiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAR/E,C;uEAUA,yB;MAAA,iB;MAAA,oB;QAUgD,OAAA,MAA6B,KAAZ,CAAY,C;O;KAV7E,C;2EAYA,yB;MAAA,iB;MAAA,oB;QAcKd,OAAA,MAA+B,OAAZ,CAAY,C;O;KAdjF,C;uEAgaB,yB;MAAA,mC;MAAA,0B;QAc6D,OAAmC,IAA7B,CAA6B,EA AZ,IAAY,C;O;KAdhG,C;qEAgaB,yB;MAAA,iB;MAAA,oB;QAW+C,OAAA,MAA6B,KAAZ,CAAY,C;O;KAX5E,C;2EAaA,yB;MAAA,iB;MAAA,oB;QAOKD,OAAA,MAA+B,OAAZ,CAAY,C;O;KAPjF,C;yEASA,yB;MAAA,iB;MAAA,oB;QAOiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAP/E,C;yEASA,yB;MAAA,iB;MAAA,oB;QAgBiD,OAAA,MAA+B,OAAZ,CAAY,C;O;KAhBhF,C;yEakBA,yB;MAAA,iB;MAAA,oB;QAUiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAV/E,C;2EAYA,yB;MAAA,iB;MAAA,oB;QAUkD,OAAA,MAA+B,OAAZ,CAAY,C;O;KAVjF,C;IFAYA,yB;MA3gBA,iB;MA2gBA,oB;QAUqD,OA3gBE,MAAW,OA2gBF,CA3gBE,C;O;KAigBIE,C;2EAYA,yB;MAAA,uC;MAAA,oB;QAQkD,OAAoB,MAAZ,CAAY,C;O;KARtE,C;uEAWA,yB;MAAA,iB;MAAA,oB;QAUgD,OAAA,MAA6B,KAAZ,CAAY,C;O;KAV7E,C;yEAYA,yB;MAAA,iB;MAAA,oB;QAWiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAX/E,C;wEAea,yB;MAAA,iB;MAAA,uB;QAO0D,OAAA,MAAW,KAAI,CAAJ,EA AO,CAAP,C;O;KAPrE,C;wEASA,yB;MAAA,iB;MAAA,uB;QAO0D,OAAA,MAAW,KAAI,CAAJ,EA AO,CAAP,C;O;KAPrE,C;sEAYA,yB;MAAA,iB;MAAA,+B;QAasD,OAAA,MAA8C,KAA1B,SAA0B,EA AZ,CAAY,C;O;KAbpG,C;uEAea,yB;MAAA,iB;MAAA,+B;QAOoD,OAAA,MAA8C,KAA1B,SAA0B,EA AZ,CAAY,C;O;KAPIG,C;kGAmBoD,yB;MAAA,iB;MAAA,4B;QAAQ,OAAA,MAAgC,KAAZ,SAAY,C;O;KAAxC,C;gFAaT,yB;MAAA,iB;MAAA,4B;QAAQ,OAAA,MAAiC,MAAZ,SAAY,C;O;KAAzC,C;gFAE3C,yB;MAAA,6C;MAAA,kC;QAO8D,OAA0C,SAArC,SAaQc,EA AZ,IAAY,C;O;KAPxG,C;IFASA,yB;MAAA,6C;MAAA,kC;QAK4D,OAA0C,SAArC,SAaQc,EA AZ,IAAY,C;O;KALtG,C;oFAQA,yB;MAAA,iD;MAAA,4B;QAYmD,OAAW,WAAx,SAAW,C;O;KAZ9D,C;sFAca,yB;MAAA,mD;MAAA,4B;QAYqD,OAAW,YAAX,SAAW,C;O;KAZhE,C;IAoBA,kB;MAUqC,OAAI,IAAI,CAAR,GAAY,CAAC,CAAD,OAAM,CAAIB,GAA0B,C;K;wEAE/D,yB;MAAA,iB;MAAA,uB;QAK

oD,OAAA,MAAW,KAAI,CAAJ,EAAO,CAAP,C;O;KAL/D,C;wEAOA,yB;MAAA,iB;MAAA,uB;QAKoD,OAAA  
,MAAW,KAAI,CAAJ,EAAO,CAAP,C;O;KAL/D,C;mGAIbGD,yB;MAAA,mC;MAAA,4B;QAAQ,WAAI,SAAJ,C  
;O;KAAR,C;IAShB,+B;MAC5B,gBAAO,CAAP,C;QADoC,OACxB,E;WACZ,gBAAO,CAAP,C;QAFoC,OAExB,  
C;;QAFwB,OAG5B,C;K;IAKZ,kB;MASuC,OAAI,eAAI,CAAR,GAAY,CAAD,aAAX,GAAMb,C;K;wEAE1D,gB;  
MAKuD,OAAI,kBAAK,CAAL,MAAJ,GAAY,CAAZ,GAAMb,C;K;wEAE1E,gB;MAKuD,OAAI,kBAAK,CAAL,  
MAAJ,GAAY,CAAZ,GAAMb,C;K;mGAYxB,yB;MAAA,mC;MAAA,4B;QAAQ,WAAI,SAAJ,C;O;KAAR,C;IA  
SjB,+B;MAC7B,2BAAO,CAAP,C;QADqC,OACzB,E;WACZ,2BAAO,CAAP,C;QAFqC,OAExB,C;;QAFyB,OAG  
7B,C;K;IC1kCZ,4B;MAI4C,qBAAQ,S;K;IAEpD,4B;MAI2C,qBAAQ,S;K;IAEnD,+B;MAGiD,qBAAQ,wCAAO,k  
BAAf,IAAoC,cAAQ,wCAAO,kB;K;IAEpG,iC;MAGgD,qBAAQ,uCAAM,kBAAd,IAAmC,cAAQ,uCAAM,kB;K;I  
AEjG,6B;MAG+C,QAAC,qBAAD,IAAiB,CAAC,kB;K;IAEjE,+B;MAG8C,QAAC,uBAAD,IAAiB,CAAC,kB;K;I  
AGhE,iC;MAOI,QAAQ,S;MACR,IAAI,CAAC,IAAM,UAAP,KAAaB,CAAe,KAAK,CAAP,GAAC,UAAPc,K;M  
ACJ,IAAI,CAAC,IAAM,SAAP,KAAaB,CAAe,KAAK,CAAP,GAAC,SAAPc,K;MACJ,IAAI,CAAC,IAAM,SAAP  
,KAAaB,CAAe,KAAK,CAAP,GAAC,SAAPc,K;MACJ,IAAI,CAAC,IAAM,QAAP,KAAaB,CAAe,KAAK,CAAP,  
GAAC,QAAPc,K;MACJ,IAAI,CAAC,IAAM,KAAP,KAAaB,CAAe,KAAK,EAA7B,K;MACJ,OAAO,C;K;kGAG  
X,yB;MAAA,iB;MAAA,4B;QAM2D,OAAA,MAAO,OAAM,SAAN,C;O;KANIE,C;IAQA,0C;MAOI,YATuD,MA  
AO,OAS9B,EAAf,aAAQ,CAAC,SAAD,IAAR,CAAe,CAT8B,CAS9D,I;K;IAEJ,sC;MAOI,OAAI,cAAQ,CAAZ,G  
AAe,CAAf,GAAsB,CAAe,IAAI,EAAJ,GAIB+B,MAAO,iB;K;IAoBIE,qC;MAQI,oBAAS,CAAC,SAAD,IAAT,C;  
K;IAEJ,yC;MAaI,oBAAI,QAAJ,GAaIB,cAAK,EAAL,GAaQb,Q;K;IAG1C,0C;MAaI,oBAAI,EAAJ,GAaOb,QA  
ApB,GAaIC,cAAK,Q;K;IAG1C,mC;MAMI,OAAK,ajDhEmD,uBiDgEnD,CAAL,GAa0B,ajDjE6B,sBiDiE7B,CA  
A1B,I;K;IAEJ,2C;MAMU,WAAW,SjDxEuC,c;MiDyEpD,e;QADJ,OACS,KA7E8C,MAAO,OjDGP,sBiDHO,CA6  
ErD,I;;QADT,OA5EuD,MAAO,OA8EID,IA9EkD,C;;K;IAiFIE,4C;MAMU,UAAU,SjDpFuC,a;MiDqFnD,c;QADJ,  
OACS,KAAqB,sBjDpF0B,uBiDoF1B,CAArB,I;;QADT,OAEGb,sBAAJ,GAaI,C;K;IAGpB,wC;MAOU,WAAW,S  
jD/FuC,c;MiDgGpD,e;QAAK,UAAS,kBjDjGqC,sBiDiGrC,C;QADIB,OjDjG4C,MAAa,KAAK,UAAS,GAAT,EiD  
kGvB,CjDlGuB,C;;QiDmGID,aAAa,kBAAL,IAAK,C;QAFzB,OjDjG4C,MAAa,KAAK,UiDmG7C,CjDnG6C,EA  
Ac,MAAd,C;;K;liDsGIE,uC;MAOU,UAAU,SjD5GuC,a;MiD6GnD,c;QAAK,WAAa,iBjD5GkC,uBiD4GIC,C;QA  
DtB,OjD7G4C,MAAa,KAAK,UiD8GhD,CjD9GgD,EAAC,IAAd,C;;QiD+GID,YAAS,iBAAJ,GAaI,C;QAFrB,OjD  
7G4C,MAAa,KAAK,UAAS,KAAT,EiD+GrB,CjD/GqB,C;;K;liDkHIE,2C;MAaI,IAAI,CAAC,WAAa,EAAd,MAA  
qB,CAAZB,C;QACI,UAAU,SjD/HyC,a;QiDgInD,WAAW,SjD/HyC,c;QiDgIpD,aAAa,GAaI,IAAI,QAAR,GAaQb  
,IAAK,MAAK,CAAC,QAAD,IAAL,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAaI,MAAK,CAAC,QAAD,I  
AAL,C;QACxC,OAAW,CAAC,WAAa,EAAd,MAAqB,CAAhC,GjDpIwC,MAAa,KAAK,UiDoIlB,MjDpIkB,EiDo  
IV,OjDpIU,CiDoI1D,GjDpIwC,MAAa,KAAK,UiDoIs,OjDpIT,EiDoIkB,MjDpIlB,C;;QiDsInD,Q;QAAA,IAAI,CA  
AC,WAAa,EAAd,MAAqB,CAAZB,C;UAAA,OAA4B,S;;uBjDpIiB,uB;UiDoIP,ajDrIM,sB;UiDqI5C,OjDtlIC,MA  
Aa,KAAK,kBAAc,MAAd,C;;QiDsI1D,W;;K;kFAKR,yB;MAAA,4C;MAAA,sC;QAaiE,6BAAW,CAAC,QAAD,I  
AAX,C;O;KAbjE,C;qECzKA,kC;MAII,OAAO,SAA8B,MAAK,WAAAL,C;K;uEAGzC,8C;MAII,OAAO,SAA8B,M  
AAK,WAAAL,EAakB,UAaIB,C;K;ICpCzC,iC;MACI,gBAAH,IAAI,OAAO,EAAG,GAaE,IAAI,IAAI,CAAC,CA  
AD,EAAL,EAAJ,CAAd,GAAYB,CAAhC,C;K;;IAKJ,sC;MACI,cAAO,QAAP,GAakB,QAAQ,Q;K;ICP9B,yC;K;;I  
AWA,+B;K;;4GAYA,yB;MAAA,gC;MAAA,yD;MAAA,sC;QAQI,OAAK,qBAAL,SAAK,iB;O;KART,C;ICPI,2B;  
MAAS,Q;MAAD,OAAwB,CAAvB,iEAAuB,Q;K;IAMhC,+B;MAAQ,iBAAU,SAAV,C;K;;;;;ICtB+B,4B;MACv  
C,8B;K;gEAAA,Y;MAAA,4B;K;2FAII,Y;MxG04B,MAAM,yB;K;kCwGLtC,iB;MACI,OAAO,oCAA0B,oBAAU,  
KAAM,OAAhB,C;K;oCAGrC,Y;MAC+B,gB;MAAA,8FAA0B,C;K;oCAEzD,Y;MAEI,OAAO,oBAAQ,eAAR,C;  
K;;IAIyB,kC;MAAuB,sBAAc,MAAd,C;MACL,Q;MAAtD,4BAAMC,CAAMb,OAAZ,MAAY,WAAAnB,kC;K;8FA  
AnC,Y;MAAA,gC;K;oDAEA,iB;MACW,cAAgB,W;MAAvB,OhEoEuD,MAAa,QgEpEpD,KhEoEoD,EAAZ,OA  
AZ,C;K;;IgEhEjC,0E;MAIvC,sBAAc,MAAd,C;MAFA,wC;MACA,8C;K;2CAEA,iB;MACI,IAAI,0CAAJ,C;QAAs  
C,OAAO,K;MAC7C,OAAa,uCAAO,KAAP,CAAN,IAAuB,+BAAMb,KAAM,kBAAZB,C;K;iGAGD,Y;MAAQ,6  
B;K;uDAEzC,iB;MACI,OAAO,0BAAMb,KAANb,C;K;;IAIf,6B;MAAA,iC;MAAoC,sBAaOb,MAApB,C;MACH  
C,4BAakC,S;K;+FAAIC,Y;MAAA,gC;K;qDAEA,iB;MAAGD,Y;K;2FAG5C,Y;MAAQ,MAAM,qCAA8B,6CAA9  
B,C;K;yCAEIB,iB;MAA4C,iBAAU,I;K;2CAEtD,Y;MAA+B,Q;K;;;IAVnC,yC;MAAA,wC;QAAA,uB;OAAA,iC;  
K;IAaA,uB;K;yFACqC,Y;M3G0EY,MAAM,6B2G1EJ,oC3G0EkC,WAA9B,C;K;4F2GzEf,Y;M3GyES,MAAM,6





B,CAAf,C;aACI,Q;UAA6B,OAAjB,8BAAiB,Y;UAA7B,K;aACA,Q;UAAy,OAAI,CAAY,C9DbhC,G8DamC,CA Af,MAAkC,CAAtC,GAAyC,8BAAiB,SAA1D,GAAwE,8BAAiB,Y;UAArG,K;aACA,S;UAA8B,OAAjB,8BAAiB, a;UAA9B,K;aACA,U;UAA+B,OAAjB,8BAAiB,eAAgB,CAAY,OAA5B,C;UAA/B,K;gBAGQ,6B;YAAAsC,OAAj B,8BAAiB,kB;eACtC,0B;YAAmC,OAAjB,8BAAiB,e;eACnC,0B;YAAmC,OAAjB,8BAAiB,e;eACnC,2B;YAAo C,OAAjB,8BAAiB,gB;eACpC,yB;YAAkC,OAAjB,8BAAiB,c;eACiC,0B;YAAmC,OAAjB,8BAAiB,e;eACnC,2B; YAAoC,OAAjB,8BAAiB,gB;eACpC,4B;YAAqC,OAAjB,8BAAiB,iB;eACrC,6B;;eACA,sB;YAAkC,OAAjB,8BA AiB,W;;YAE9B,kBAAkB,MAAA,gBA Ae,CAAf,CAAkB,Y;YAE7C,oBAAGB,MAAhB,C;cAAiD,OAAjB,8BAAiB ,S;iBACjD,oBAAGB,KAAhB,C;cAAgD,OAAjB,8BAAiB,e;;cAE5C,cAA0B,W;cAC1B,kBAAW,OAAAX,C;;;UAx BxB,K;;MAAA,W;K;IAgCJ,4B;MAMW,Q;MAJP,IAAI,WAAW,MAAf,C;QAA6B,OAAO,8BAAiB,Y;OAErD,eA AsB,MAAY,W;MAE3B,IAAI,gBAAJ,C;QACH,IAAI,QAAS,SAAT,QAAJ,C;UACI,aAAa,qBAAiB,MAAJB,C;UA Cb,oBAAsB,M;UACtB,a;;UAES,OAAT,QAAS,S;;;QAGb,4BAAiB,MAAJB,C;;MATJ,W;K;ICrCJ,0B;MAIL,sBAA Y,C;K;qEAcB,4B;MAIkE,iBAAY,KAAZ,C;K;2EAEIE,qB;MAI8D,gB;K;ICIDb,2C;MAC7C,qBAAwC,Q;K;iDA ExC,Y;MACmB,Q;MAAA,yB;MAAA,iB;QAAe,MAAM,6BAAsB,0CAAtB,C;OAApC,eAAe,I;MACf,qBAAc,I;M ACd,OAAO,QAAS,W;K;;;ICLa,kD;MADrC,e;MACsC,0B;MAAyB,gB;MAD/D,iB;MAAA,uB;K;IAAA,mC;MA AA,sC;O;MAEI,qEAGW,CAHX,EAGc,IAHd,C;MAKA,iFAGiB,CAHjB,EAGoB,IAHpB,C;MAKA,iFAGiB,CAHj B,EAGoB,IAHpB,C;MAKA,iFAGiB,CAHjB,EAGoB,IAHpB,C;MAKA,+EAGgB,CAHhB,EAGmB,IAHnB,C;MA KA,yEAGa,CAHb,EAGgB,IAHhB,C;MAKA,iFAGiB,CAHjB,EAGoB,IAHpB,C;MAKA,6EAGe,CAHf,EAGkB,I AHIB,C;MAKA,6FAGuB,CAHvB,EAG0B,IAH1B,C;MAKA,yFAGqB,CAHrB,EAGwB,IAHxB,C;MAKA,4EAGc ,EAHd,EAGkB,IAHIB,C;MAKA,0EAGa,EAHb,EAGiB,IAHjB,C;MAKA,gFAGgB,EAHhB,EAGoB,IAHpB,C;M AKA,8EAGe,EAHf,EAGmB,IAHnB,C;MAKA,wFAGoB,EAHpB,EAGwB,IAHxB,C;MAKA,gEAGQ,EAHR,EA GY,IAHZ,C;MAKA,8DAGO,EAHP,EAGW,IAHX,C;MAKA,wEAGY,EAHZ,EAGgB,IAHhB,C;MAKA,oEAGU, EAHV,EAGc,IAHd,C;MAKA,kFAGiB,EAHjB,EAGqB,IAHrB,C;MAKA,oFAGkB,EAHIB,EAGsB,IAHtB,C;MA KA,gFAGgB,EAHhB,EAGoB,IAHpB,C;MAKA,4FAGsB,EAHtB,EAG0B,IAH1B,C;MAKA,oFAGkB,EAHIB,EA GsB,IAHtB,C;MAKA,wEAGY,EAHZ,EAGgB,IAHhB,C;MAKA,gFAGgB,EAHhB,EAGoB,IAHpB,C;MAKA,gF AGgB,EAHhB,EAGoB,IAHpB,C;MAKA,0EAGa,EAHb,EAGiB,IAHjB,C;MAKA,oGAG0B,EAH1B,EAG8B,IAH 9B,C;MAKA,gGAGwB,EAHxB,EAG4B,IAH5B,C;MAUA,oC;K;;IA3JA,+C;MAAA,yB;MAAA,uC;K;;IAKA,qD; MAAA,yB;MAAA,6C;K;;IAKA,qD;MAAA,yB;MAAA,6C;K;;IAKA,qD;MAAA,yB;MAAA,6C;K;;IAKA,oD;MA AA,yB;MAAA,4C;K;;IAKA,iD;MAAA,yB;MAAA,yC;K;;IAKA,qD;MAAA,yB;MAAA,6C;K;;IAKA,mD;MAAA ,yB;MAAA,2C;K;;IAKA,2D;MAAA,yB;MAAA,mD;K;;IAKA,yD;MAAA,yB;MAAA,iD;K;;IAKA,kD;MAAA,yB ;MAAA,0C;K;;IAKA,iD;MAAA,yB;MAAA,yC;K;;IAKA,oD;MAAA,yB;MAAA,4C;K;;IAKA,mD;MAAA,yB;M AAA,2C;K;;IAKA,wD;MAAA,yB;MAAA,gD;K;;IAKA,4C;MAAA,yB;MAAA,oC;K;;IAKA,2C;MAAA,yB;MAA A,mC;K;;IAKA,gD;MAAA,yB;MAAA,wC;K;;IAKA,8C;MAAA,yB;MAAA,sC;K;;IAKA,qD;MAAA,yB;MAAA, 6C;K;;IAKA,sD;MAAA,yB;MAAA,8C;K;;IAKA,oD;MAAA,yB;MAAA,4C;K;;IAKA,0D;MAAA,yB;MAAA,kD; K;;IAKA,sD;MAAA,yB;MAAA,8C;K;;IAKA,gD;MAAA,yB;MAAA,wC;K;;IAKA,oD;MAAA,yB;MAAA,4C;K;; IAKA,oD;MAAA,yB;MAAA,4C;K;;IAKA,iD;MAAA,yB;MAAA,yC;K;;IAKA,8D;MAAA,yB;MAAA,sD;K;;IAK A,4D;MAAA,yB;MAAA,oD;K;8CAKA,gB;MAG2D,OAAK,iBAAL,IAAK,CAAL,KAA2B,IAAK,c;K;IAE3F,kC; MAAA,sC;K;uDACI,oB;MAEQ,IADE,QACF,IAAG,CAAH,IADE,QACF,IAAM,EAAN,C;QADJ,OACgB,sBAAS ,QAAT,C;WACZ,IAFE,QAEF,IAAG,EAH,IAFE,QAEF,IAAO,EAAP,C;QAFJ,OAEiB,sBAAS,WAAW,CAAX,I AAT,C;;QACL,MAAM,gCAAYB,eAAY,QAAZ,qBAAzB,C;K;;;IAL1B,8C;MAAA,yB;MAAA,6C;QAAA,4B;OA AA,sC;K;;IA7JJ,+B;MAAA,+yC;K;;IAAA,oC;MAAA,a;AAAA,Y;UAAA,4C;aAAA,kB;UAAA,kD;aAAA,kB;UA AA,kD;aAAA,kB;UAAA,kD;aAAA,iB;UAAA,iD;aAAA,c;UAAA,8C;aAAA,kB;UAAA,kD;aAAA,gB;UAAA,gD; aAAA,wB;UAAA,wD;aAAA,sB;UAAA,sD;aAAA,e;UAAA,+C;aAAA,c;UAAA,8C;aAAA,iB;UAAA,iD;aAAA,g B;UAAA,gD;aAAA,qB;UAAA,qD;aAAA,S;UAAA,yC;aAAA,Q;UAAA,wC;aAAA,a;UAAA,6C;aAAA,W;UAAA ,2C;aAAA,kB;UAAA,kD;aAAA,mB;UAAA,mD;aAAA,iB;UAAA,iD;aAAA,uB;UAAA,uD;aAAA,mB;UAAA,m D;aAAA,a;UAAA,6C;aAAA,iB;UAAA,iD;aAAA,iB;UAAA,iD;aAAA,c;UAAA,8C;aAAA,2B;UAAA,2D;aAAA,y B;UAAA,yD;gBAAA,6D;;K;;ICKiD,2C;uBAA+B,O;;K;;IAC5E,8C;MAAA,kE;MAAuB,qCAAK,IAAL,C;MAAv B,Y;K;ICD8B,gC;MAe9B,gBAAiC,YAAY,SAAhB,GAA2B,OAA3B,GAAwC,E;K;uFAGjE,Y;MAAQ,OAAO,aA AY,O;K;yCAE/B,iB;MACW,gBAAP,a;MpGoGG,Q;MAAA,IoGpGc,KpGoGV,IAAS,CAAT,IoGpGU,KpGoGI,IA

AS,2BAA3B,C;QAAA,OAAc,qBoGpGxB,KpGoGwB,C;;QoGpGf,MAAM,8BAA0B,mCAAYB,WAAzB,MAA1  
B,C;;MAAhC,W;K;kDAEJ,gC;MAAgF,OAAA,azGiMY,WyGjMK,UzGiML,EyGjMiB,QzGiMjB,C;K;6CyG/L5F,i  
B;MACI,qCAAU,KAAV,C;MACA,OAAO,I;K;6CAGX,iB;MACI,iBAAGB,SAAN,KAAM,C;MACHB,OAAO,I;K;  
6CAGX,uC;MACI,OAAA,IAAK,qBAAY,wBAAS,MAArB,EAA6B,UAA7B,EAAyC,QAAzC,C;K;sCAET,Y;MA  
ayB,UAEK,M;MAL1B,eAAe,E;MACf,YAAY,aAAO,OAAP,GAAGB,CAAhB,I;MACZ,OAAO,SAAS,CAAhB,C;  
QACI,UAAU,0BAAO,YAAP,EAAO,oBAAP,Q;QACV,IAAQ,eAAJ,GAAl,CAAJ,IAAwB,SAAS,CAArC,C;UACI  
,WAAW,0BAAO,cAAP,EAAO,sBAAP,U;UACX,IAAS,gBAAL,IAAK,CAAT,C;YACI,WAAW,+BAAW,iBAAX,  
wBAAkB,gBAAlB,C;;YAEX,WAAW,+BAAW,gBAAX,wBAAlB,iBAAjB,C;;;UAGf,gCAAY,GAAZ,C;;MAGR,  
gBAAS,Q;MACT,OAAO,I;K;6CAGX,iB;MAOI,iBAAGB,SAAN,KAAM,C;MACHB,OAAO,I;K;6CAGX,iB;MAQ  
I,iBAAU,K;MACV,OAAO,I;K;6CAGX,iB;MAQI,iBAAGB,eAAN,KAAM,C;MACHB,OAAO,I;K;6CAGX,iB;MA  
C2C,2BAAO,KAAP,C;K;6CAE3C,iB;MAOI,gBAAA,IAAK,SAAL,IAAe,wBAAS,MAAxB,C;MACA,OAAO,I;K;  
uCAGX,Y;MAU6B,kB;K;qDAE7B,2B;K;8CAcA,kB;MAO0C,OAAA,IAAY,SAAY,SAAQ,MAAR,C;K;8CAEIE,  
8B;MAQ2D,OAAA,IAAY,SAAY,SAAQ,MAAR,EAAgB,UAAhB,C;K;kDAEnF,kB;MAQ8C,OAAA,IAAY,SA  
Y,aAAY,MAAZ,C;K;kDAEIE,8B;MASI,IAAI,MnGuGwC,YAAU,CmGvGID,IAAoB,aAAa,CAArC,C;QAAwC,O  
AAO,E;MAC/C,OAAO,IAAY,SAAY,aAAY,MAAZ,EAAoB,UAApB,C;K;4CAGnC,wB;MAWI,oCAAA,4BAAm  
B,KAAAnB,EAA0B,WAA1B,C;MAEb,gBAAS,azGmB+E,WyGnB9D,CzGmB8D,EyGnB3D,KzGmB2D,CyGnB/E,  
YAA6B,KAA7B,IAAqC,azGgB2B,WyGhBV,KzGgBU,C;MyGfzE,OAAO,I;K;6CAGX,wB;MAQI,oCAAA,4BA  
mB,KAAAnB,EAA0B,WAA1B,C;MAEb,gBAAS,azGK+E,WyGL9D,CzGK8D,EyGL3D,KzGK2D,CyGL/E,uBAA6  
B,kBAA7B,IAAqC,azGE2B,WyGFV,KzGEU,C;MyGDzE,OAAO,I;K;6CAGX,wB;MAUI,oCAAA,4BAAmB,KAA  
nB,EAA0B,WAA1B,C;MAEb,gBAAS,azGX+E,WyGW9D,CzGX8D,EyGW3D,KzGX2D,CyGW/E,GAAMC,eAA  
N,KAAM,CAAnC,GAAsD,azGdU,WyGcO,KzGdP,C;MyGezE,OAAO,I;K;6CAGX,wB;MAAI,oCAAA,4BAAmB,  
KAAAnB,EAA0B,WAA1B,C;MAEb,gBAAS,azG9B+E,WyG8B9D,CzG9B8D,EyG8B3D,KzG9B2D,CyG8B/E,GA  
AmC,SAAN,KAAM,CAAnC,GAAGD,azGjCgB,WyGiCC,KzGjCD,C;MyGkCzE,OAAO,I;K;6CAGX,wB;MAWI,  
oCAAA,4BAAmB,KAAAnB,EAA0B,WAA1B,C;MAEb,gBAAS,azG/C+E,WyG+C9D,CzG/C8D,EyG+C3D,KzG/C2  
D,CyG+C/E,GAAMC,SAAN,KAAM,CAAnC,GAAGD,azGIDgB,WyGkDC,KzGIDD,C;MyGmDzE,OAAO,I;K;6C  
AGX,wB;MACuD,2BAAO,KAAP,EAAC,KAAD,C;K;6CAEvD,wB;MAUI,oCAAA,4BAAmB,KAAAnB,EAA0B,W  
AA1B,C;MAEb,eAAe,wBAAS,M;MACxB,gBAAC,IAAK,SzGnEqE,WyGmEpD,CzGnEoD,EyGmEjD,KzGnEiD,  
CyGmEIE,GAAC,QAAIC,GAAGC,IAAK,SzGtES,WyGsEQ,KzGtER,C;MyGuEzE,OAAO,I;K;gDAGX,qB;MAC  
I,IAAI,YAAY,CAAhB,C;QACI,MAAM,gCAAYB,0BAAuB,SAAvB,MAAZB,C;OAGV,IAAI,aAAa,WAAjB,C;Q  
ACI,gBAAS,azG1F2E,WyG0F1D,CzG1F0D,EyG0FvD,SzG1FuD,C;;QyG4FpF,aAAU,WAAV,MAAuB,SAAvB,  
M;UACI,qCAAU,CAAV,C;;K;gDAKZ,sB;MAQI,oCAAA,4BAAmB,UAAAnB,EAA+B,WAA/B,C;MAEb,OAAO,a  
zG/GkE,WyG+GjD,UzG/GiD,C;K;gDyGkH7E,gC;MAQI,oCAAA,4BAAmB,UAAAnB,EAA+B,QAA/B,EAAyC,W  
AAzC,C;MAEb,OAAO,azGzHiF,WyGyHhE,UzGzHgE,EyGyHpD,QzGzHoD,C;K;yCyG4H5F,Y;K;uCAcA,Y;MA  
AkC,oB;K;oCAEIC,Y;MAOI,gBAAS,E;MACT,OAAO,I;K;0CAGX,wB;MAQI,oCAAA,2BAAkB,KAAIB,EAAyB,  
WAAzB,C;MAEb,gBAAS,azGjK+E,WyGiK9D,CzGjK8D,EyGiK3D,KzGjK2D,CyGiK/E,uBAA6B,kBAA7B,IAA  
qC,azGpK2B,WyGoKV,QAAQ,CAAR,IzGpKU,C;K;+CyGuK7E,uC;MAYI,yBAAkB,UAAIB,EAA8B,QAA9B,E  
AAwC,WAAxC,C;MAEA,gBAAC,IAAK,SzGILqE,WyGkLpD,CzGILoD,EyGkLjD,UzGILiD,CyGkL1E,GAAC,  
KAAvC,GAAC,IAAK,SzGrLO,WyGqLU,QzGrLV,C;MyGsLzE,OAAO,I;K;kDAGX,wC;MACI,IAAI,aAAa,CA  
Ab,IAAkB,aAAa,MAAnC,C;QACI,MAAM,8BAA0B,iBAAC,UAAAd,kBAAMC,MAA7D,C;OAEV,IAAI,aAAa,QA  
AjB,C;QACI,MAAM,gCAAYB,gBAAa,UAAAb,qBAAqC,QAArC,MAAZB,C;Q;+CAId,iB;MAYI,oCAAA,2BAAkB  
,KAAIB,EAAyB,WAAzB,C;MAEb,gBAAS,azG7M+E,WyG6M9D,CzG7M8D,EyG6M3D,KzG7M2D,CyG6M/E,  
GAA6B,azGhNmC,WyGgNIB,QAAQ,CAAR,IzGhNkB,C;MyGiNzE,OAAO,I;K;kDAGX,gC;MAWI,yBAAkB,U  
AAIB,EAA8B,QAA9B,EAAwC,WAAxC,C;MAEA,gBAAS,azG9N+E,WyG8N9D,CzG9N8D,EyG8N3D,UzG9N2  
D,CyG8N/E,GAAC,azGjO8B,WyGiOb,QzGjOa,C;MyGkOzE,OAAO,I;K;kDAGX,gE;MAC+C,iC;QAAA,oBAAy  
B,C;MAAG,0B;QAAA,aAAkB,C;MAAG,wB;QAAA,WAAgB,IAAK,O;MAKIF,IACf,I;MALhB,oCAAA,4BAAm  
B,UAAAnB,EAA+B,QAA/B,EAAyC,WAAzC,C;MACb,oCAAA,4BAAmB,iBAAnB,EAAc,oBAAoB,QAApB,GA  
A+B,UAA/B,IAAtC,EAAiF,WAAy,OAA7F,C;MAEb,eAAe,iB;MACf,iBAAC,UAAAd,UAA+B,QAA/B,U;QACI,Y  
AAY,eAAZ,EAAy,uBAAZ,UAA0B,yBAAO,KAAP,C;;K;kDAIIC,uC;MAcI,iBAAGB,iBAAN,KAAM,EAAe,UA

Af,EAA2B,QAA3B,C;MACHB,OAAO,I;K;kDAGX,uC;MAYI,gBAAGB,KAAM,W;MACtB,oCAAa,4BAAmB,U  
AAnB,EAA+B,QAA/B,EAAyC,SAAU,OAAAnD,C;MAEb,iBAAU,SzG3R8E,WyG2R1D,UzG3R0D,EyG2R9C,Qz  
G3R8C,C;MyG4RxF,OAAO,I;K;kDAGX,8C;MAgBI,oCAAa,4BAAmB,KAAnB,EAA0B,IAAK,OAA/B,C;MAEb,  
gBAAS,azGjT+E,WyGiT9D,CzGjT8D,EyGiT3D,KzGjT2D,CyGiT/E,GAAmC,iBAAN,KAAM,EAAe,UAAf,EAA  
2B,QAA3B,CAAnC,GAA0E,azGpTV,WyGoT2B,KzGpT3B,C;MyGqTzE,OAAO,I;K;kDAGX,8C;MAgBI,oCAAa  
,4BAAmB,KAAnB,EAA0B,WAA1B,C;MAEb,gBAAGB,KAAM,W;MACtB,oCAAa,4BAAmB,UAnB,EAA+B,  
QAA/B,EAAyC,SAAU,OAAAnD,C;MAEb,gBAAS,azG1U+E,WyG0U9D,CzG1U8D,EyG0U3D,KzG1U2D,CyG0U  
/E,GAA6B,SzG1UkD,WyG0U9B,UzG1U8B,EyG0UIB,QzG1UkB,CyG0U/E,GAAyE,azG7UT,WyG6U0B,KzG7U  
1B,C;MyG8UzE,OAAO,I;K;;IALiBX,6C;MAAA,uD;MAKoC,2B;MALpC,Y;K;IAQA,8C;MAAA,uD;MAC4C,0B  
AAK,OAAQ,WAAb,C;MAD5C,Y;K;IAGA,qC;MAAA,uD;MACuB,0BAAK,EAAL,C;MADvB,Y;K;2EA4hBJ,qB  
;MAOgE,OAAA,SAAK,Q;K;uEAeRE,mC;MAQ+E,SAAK,aAAI,KAAJ,EAAW,KAAX,C;K;+EAepF,kD;MAaI,O  
AAA,SAAK,kBAAS,UAAAT,EAAqB,QAArB,EAA+B,KAA/B,C;K;+EAET,4B;MAY6E,OAAA,SAAK,kBAAS,K  
AAT,C;K;qFAEIF,2C;MAWoG,OAAA,SAAK,qBAAY,UAAZ,EAawB,QAAxB,C;K;uFAEzG,2E;MAe2E,iC;QA  
AA,oBAAYB,C;MAAG,0B;QAAA,aAAkB,C;MAAG,wB;QAAA,WAAgB,SAAK,O;MAC7I,SAAK,qBAAY,WA  
AZ,EAAyB,iBAAzB,EAA4C,UAA5C,EAawD,QAAxD,C;K;qFAET,kD;MAeI,OAAA,SAAK,qBAAY,KAAZ,EA  
AmB,UAnB,EAA+B,QAA/B,C;K;uFAET,kD;MAaI,OAAA,SAAK,qBAAY,KAAZ,EAAmB,UAnB,EAA+B,Q  
AA/B,C;K;qFAET,yD;MAiBI,OAAA,SAAK,qBAAY,KAAZ,EAAmB,KAAnB,EAA0B,UAA1B,EAAsC,QAAtC,  
C;K;uFAET,yD;MAiBI,OAAA,SAAK,qBAAY,KAAZ,EAAmB,KAAnB,EAA0B,UAA1B,EAAsC,QAAtC,C;K;qF  
1GhsBT,qB;MAMoD,OA6BW,8BAAY,cAfrB,YAAY,CAAZ,C;K;yFAZtD,qB;MAYsD,OAeS,8BAAY,cAfrB,YA  
AY,CAAZ,C;K;iFAEtD,qB;MAaoD,OAAW,8BAAY,c;K;qFAE3E,yB;MAAA,uD;MAAA,4B;QAMoD,+B;O;KA  
NpD,C;IAQA,kC;MAYI,gBAiB2D,8BAAY,c;MAhBvE,OAAW,SAAU,OAAV,GAAmB,CAAvB,GAA0B,SAI1B  
,GAAoC,qBAAU,CAAV,C;K;iFAG/C,qB;MAaoD,OAAW,8BAAY,c;K;IAE3E,kC;MAU+C,mC;K;IAE/C,oC;MA  
GoD,QAAQ,cAAA,sCAAK,mBAAL,EAAyB,sCAAK,mBAA9B,CAAR,6B;K;IAEpD,mC;MAGmD,QAAQ,cAA  
A,sCAAK,kBAAL,EAawB,sCAAK,kBAA7B,CAAR,6B;K;IAO/C,iC;MAAQ,OAAA,oCAAa,iBAAQ,2BAAR,C;  
K;IAEzB,8B;MAOI,IAAI,YAAO,GAAX,C;QACI,OAAO,I;OAEX,OAAO,gCAA8C,mD;K;IAGzD,6B;MAUI,IAA  
I,CAAQ,kBAAK,GAAL,CAAR,iCAAoB,CAAQ,kBAAK,EAAL,CAAR,6BAAxB,C;QACI,OAAO,I;OAEX,IAAI,  
YAAO,GAAX,C;QACI,OAAO,K;OAEX,OAAO,uB;K;IAGX,oC;MAUI,IAAI,CAAQ,kBAAK,GAAL,CAAR,iCA  
AoB,CAAQ,kBAAK,EAAL,CAAR,6BAApB,IAAwC,CAAQ,kBAAK,EAAL,CAAR,6BAA5C,C;QACI,OAAO,I;  
OAEX,IAAI,YAAO,GAAX,C;QACI,OAAO,K;OAGX,OAAO,0BAAiB,uB;K;IAG5B,4B;MASI,IAAI,CAAQ,kBA  
AK,EAAL,CAAR,6BAAJ,C;QACI,OAAO,I;OAEX,IAAI,YAAO,GAAX,C;QACI,OAAO,K;OAEX,OAAO,sB;K;I  
AGX,gC;MAUI,IAAI,CAAQ,kBAAK,EAAL,CAAR,6BAAJ,C;QACI,OAAO,I;OAEX,IAAI,YAAO,GAAX,C;QA  
CI,OAAO,K;OAEX,OAAO,0B;K;IAGX,gC;MAUI,IAAI,CAAQ,kBAAK,GAAL,CAAR,6BAAJ,C;QACI,OAAO,I  
;OAEX,IAAI,YAAO,GAAX,C;QACI,OAAO,K;OAEX,OAAO,0B;K;IAGX,gC;MASI,IAAI,YAAO,GAAX,C;QA  
CI,OAAO,K;OAEX,OAAO,gCAAoD,yD;K;IAG/D,iC;MAUI,OAAO,aAAQ,EAAR,IAAoB,CAAQ,mBAAU,GAA  
V,CAAR,6B;K;IAG/B,iC;MAMiD,kC;K;iF2GtPjD,yB;MAAA,+C;MAAA,4B;QAMuD,OAk,UAAL,SAAK,C;O  
;KAN5D,C;IAQA,gC;MAMiD,4B;MAAA,S;QAAGB,cAAA,S1G4LC,c0G5LD,EAAoB,MAApB,C;OAAhB,W;K;I  
AEjD,6B;MAI0C,Q;MAAA,yDAaKB,kBAaKB,SAaIB,C;K;IAE5D,oC;MAKoD,Q;MAAA,yCAAa,KAAb,oBAA  
uB,kBAaKB,SAaIB,C;K;IAG3E,8B;MAI4C,Q;MAAA,0DAAmB,kBAaKB,SAaIB,C;K;IAE/D,qC;MAKsD,Q;M  
AAA,0CAAc,KAAoB,BAAwB,kBAaKB,SAaIB,C;K;IAE9E,0B;MAIwC,Q;MAAA,wDAaIB,kBAaKB,SAaIB,C;  
K;IAEzD,mC;MAKkD,Q;MAAA,wCAAY,KAAZ,oBAAsB,kBAaKB,SAaIB,C;K;IAExE,2B;MAI0C,Q;MAAA,y  
DAaKB,kBAaKB,SAaIB,C;K;IAE5D,oC;MAKoD,Q;MAAA,yCAAa,KAAb,oBAAuB,kBAaKB,SAaIB,C;K;IAE  
3E,6B;MAIyF,kBAA1C,CAAo,S;MACID,IAAO,QpHeD,WoHfC,CAAH,IAAc,CAAM,kBAApB,KpHeE,WoHf6  
B,KAAM,GAAN,IAAkB,kBAAjD,CAAJ,C;QACI,4B;MAFSc,OpHiBnC,W;K;6EoHZX,yB;MAAA,6C;MAAA,4  
B;QAKmD,0B;O;KALnD,C;IAOA,mC;MAIgG,kBAA1C,CAAo,S;MAAR,OACjD,EAk,QA2BGB,WoH3BhB,  
CAAH,IAAc,CAAM,kBAApB,KpH2BmB,WoH3BY,KAAM,GAAN,IAAkB,kBAAjD,CAAF,CpH2BO,GAAqB,  
WAArB,GAA+B,I;K;yFoHxB1C,yB;MAAA,yD;MAAA,4B;QAK0D,gC;O;KAL1D,C;IFAoA,yB;MAAA,6C;MA  
AA,mC;QAO6D,OAAa,SAAR,SAAQ,EAAS,KAAT,C;O;KAP1E,C;iFASA,yB;MAAA,6C;MAAA,mC;QAO8D,O  
AAa,SAAR,SAAQ,EAAS,KAAT,C;O;KAP3E,C;IASA,sC;MAMqD,OAAA,SAAY,UAAS,WAAW,KAAX,CAAT

,C;K;IAEjE,4B;MAAsC,QAAM,S1G4EsB,c0G5E5B,C;aACIC,K;aAAA,M;aAAA,M;UADkC,OACT,I;gBADs,O  
AE1B,K;;K;IAGZ,2B;MAKI,IAAI,EAAU,CAAV,sBAAa,EAAb,CAAJ,C;QACI,MAAM,gCAAYB,WAAQ,KAAR  
,kCAAzB,C;OAEV,OAAO,K;K;IAGX,8B;MAA2D,Q;MACvD,YAAQ,EAAR,IAAe,QAAQ,EAAvB,C;QAA8B,c  
AAO,E;WACrC,YAAQ,EAAR,IAAe,QAAQ,EAAvB,C;QAA8B,cAAO,EAAP,GAAa,EAAb,I;WAC9B,YAAQ,E  
AAR,IAAe,QAAQ,GAAvB,C;QAA8B,cAAO,EAAP,GAAa,EAAb,I;WAC9B,WAAO,GAAP,C;QAAMb,S;WACn  
B,YAAQ,KAAR,IAAoB,QAAQ,KAA5B,C;QAAwC,cAAO,KAAP,GAAb,EAAIb,I;WACxC,YAAQ,KAAR,IA  
AoB,QAAQ,KAA5B,C;QAAwC,cAAO,KAAP,GAAb,EAAIb,I;QAC3B,sBAAL,IAAK,C;Mph9CN,a;MoHuCg  
D,OAQ/C,WAAJ,GAAiB,EAajB,GAAYB,E;K;ICIJG,2C;MAHPc,e;MAGqC,kB;MAHrC,iB;MAAA,uB;K;IAAA,  
kC;MAAA,qC;O;MAII,qEACY,GADZ,C;MAEA,iEAIU,GAJV,C;K;;IAFA,+C;MAAA,wB;MAAA,uC;K;;IAEA,6  
C;MAAA,wB;MAAA,qC;K;;IANJ,8B;MAAA,mF;K;;IAAA,mC;MAAA,a;aAAA,a;UAAA,4C;aAAA,W;UAAA,0  
C;gBAAA,4D;;K;;IAawG,4B;MAAE,OAAA,EAAG,M;K;IAA7G,qC;MAAqE,iCAAA,EAAb,EAA0B,OAA1B,0B  
AAmC,cAAnC,C;K;IAQIC,2B;MAAC,kB;K;;sCALpC,Y;MAKoC,iB;K;wCALpC,iB;MAAA,sBAKoC,qCALpC,C  
;K;oCAAA,Y;MAAA,OAKoC,iDALpC,M;K;oCAAA,Y;MAAA,c;MAKoC,sD;MALpC,a;K;kCAAA,iB;MAAA,2I  
AKoC,sCALpC,G;K;IAqB0B,iC;MA8PtB,6B;MArPA,eACoC,O;MACpC,eACsD,QAAR,OAAQ,C;MACtD,uBAA  
oC,WAAO,OAAP,EAawB,QAAR,OAAQ,EAQ,IAAR,CAAxB,C;MACpC,6BAA2C,I;MAI3C,oCAAKD,I;K;0C  
AHID,Y;MACI,Q;MAAA,U;MAAA,gD;QAAA,a;;QAA8D,gBAAvC,WAAO,YAAP,EAawB,QAAR,YAAQ,EA  
Q,IAAR,CAAxB,C;QAA8C,6BrHmCnE,S;QqHnCF,SrHoCG,S;;MqHpCH,a;K;iDAGJ,Y;MACI,Q;MAAA,U;MA  
AA,uD;QAAA,a;;QrHVG,gB;QqHWC,IAAY,aAAR,YAAQ,EAawB,EAAX,CAAR,IAAmC,WAAR,YAAQ,EAAS  
,EAAT,CAAvC,C;UAAA,eACI,oB;;UAEA,OAAO,WAAO,MAA2B,UAAf,YAAR,YAAQ,qBAAU,EAav,EAae,  
qBAAQ,EAAR,EAa3B,MAAP,EAa2D,QAAR,YAAQ,EAQ,IAAR,CAA3D,C;QACb,4B;QAAO,oCrH0BP,S;Q  
qH/BF,SrHgCG,S;;MqHhCH,a;K;sCAQJ,iB;MAEkB,MAAd,oBAAC,C;MACd,YAAY,oBAAC,MAAK,KAAM,W  
AAX,C;MAC1B,OAAO,iBAaiB,KAAM,MAAN,KAAe,CAAhC,IAAqC,oBAAC,UAAAd,KAA2B,KAAM,O;K;8C  
AGjF,iB;MAEkB,MAAd,oBAAC,C;MACd,OAAO,oBAAC,MAAK,KAAM,WAAX,C;K;wCAGzB,wB;MAGI,IAA  
I,QAAQ,CAAR,IAAa,QAAQ,KAAM,OAA/B,C;QACI,MAAM,8BAA0B,0BAAuB,KAAvB,wBAA8C,KAAM,OA  
A9E,C;OAEV,cAAc,0B;MACd,oBAAoB,K;MACpB,OAAO,OAAQ,MAAK,KAAM,WAAX,C;K;mCAGnB,6B;M  
AS4C,0B;QAAA,aAAkB,C;MAC1D,IAAI,aAAa,CAAb,IAAkB,aAAa,KAAM,OAAzC,C;QACI,MAAM,8BAA0B  
,gCAA6B,UAA7B,wBAAyD,KAAM,OAAzF,C;OAEV,OAAqB,SAAd,oBAAC,EAAS,KAAM,WAAf,EAa2B,UA  
A3B,EAauC,oBAAvC,C;K;IAeG,6E;MAAA,mB;QAAE,+BAAK,aAAL,EAAY,kBAAZ,C;O;K;IAA2B,uC;MAA  
W,OAAA,KAAM,O;K;sCAZ1E,6B;MAQ+C,0B;QAAA,aAAkB,C;MAC7D,IAAI,aAAa,CAAb,IAAkB,aAAa,KA  
AM,OAAzC,C;QACI,MAAM,8BAA0B,gCAA6B,UAA7B,wBAAyD,KAAM,OAAzF,C;OAEV,OAAO,mBAAiB,  
6CAAjB,EAa8C,sBAA9C,C;K;0CAGX,iB;MAMI,OAA2B,SAA3B,iCAA2B,EAAS,KAAM,WAAf,EAa2B,CAA  
3B,EAa8B,oBAA9B,C;K;sCAE/B,wB;MAGI,IAAI,QAAQ,CAAR,IAAa,QAAQ,KAAM,OAA/B,C;QACI,MAAM  
,8BAA0B,0BAAuB,KAAvB,wBAA8C,KAAM,OAA9E,C;OAEV,OAA2B,SAAPB,0BAAoB,EAAS,KAAM,WAA  
f,EAa2B,KAA3B,EAakC,oBAAIC,C;K;IA4BL,mD;MAAA,qB;QAAE,2BAAoB,EAAPB,EAawB,mBAAxB,C;O  
;K;sCAxB5B,8B;MAqBI,IAAI,CAAA,YAAZ,WAAy,EAAS,EAAT,CAAb,IAA+B,CAAA,YAAZ,WAAy,EAAS,E  
AAT,CAAhD,C;QACI,OAAO,KAAM,W3G2E4E,S2G3EnD,oB3G2EmD,E2G3EpC,W3G2EoC,C;O2GzE7F,OA  
O,qBAAQ,KAAR,EAae,iCAaf,C;K;sCAGX,4B;MAMI,YAAY,kBAAK,KAAL,C;MACZ,IAAI,aAAJ,C;QAAMb  
,OAAO,KAAM,W;MAEHc,gBAAGB,C;MACHb,aAAa,KAAM,O;MACnB,SAAS,mBAAC,MAAd,C;;QAEI,iBA  
AiB,oB;QACjB,EAAG,gBAAO,KAAP,EAAC,SAAd,EAAYB,UAAW,MAAM,MAA1C,C;QACH,EAAG,gBAAO,  
UAAU,UAAV,CAAP,C;QACH,YAAY,UAAW,MAAM,aAAjB,GAAGC,CAAhC,I;QACZ,QAAQ,UAAW,O;;MA  
Cd,oBAAy,MAAZ,IAAsB,aAAtB,C;MAET,IAAI,YAAY,MAAhB,C;QACI,EAAG,gBAAO,KAAP,EAAC,SAAd,  
EAAYB,MAAZB,C;OAGP,OAAO,EAAG,W;K;2CAGd,8B;MA0BgB,Q;MALZ,IAAI,CAAA,YAAZ,WAAy,EAAS  
,EAAT,CAAb,IAA+B,CAAA,YAAZ,WAAy,EAAS,EAAT,CAAhD,C;QACI,uBAA+B,QAAR,YAAQ,EAQ,GA  
AR,C;QAC/B,OAAO,KAAM,W3GoB4E,S2GpBnD,WAAO,YAAP,EAAGB,gBAAhB,C3GoBmD,E2GpBhB,W3G  
oBgB,C;O2GjBjF,yBAAK,KAAL,C;MAAA,iB;QAae,OAAO,KAAM,W;OAAxC,YAAY,I;MCoLO,gBAAhB,sB;  
MDjLC,yBrG2LgF,0BqG3LzD,CrG2LyD,EqG3LhD,WAAM,MrG2L0C,CAAKC,WqG3LIH,C;MACA,yBAAO,uC  
AAP,C;MACA,yBrGyLgF,0BqGzLnD,WAAM,KAAZ,GAAMb,CAAnB,IrGyLyD,EqGzL7B,YrGyL6B,CAAKC,  
WqGzLIH,C;MAHJ,OrHlJG,SsHoUqC,W;K;oCD3K5C,wB;MAO6C,qB;QAAA,QAAa,C;MAMxC,Q;MALd,wBA

AwB,KAAXB,C;MrHrIG,SqHsIW,qBAAQ,KAAR,C;MAAd,cAAuC,UAAAS,CAAb,GAAgB,EAAbB,GAA2B,OA  
AH,EAAG,EAAK,QAAQ,CAAR,IAAL,C;MAC9D,ahI3JgD,gB;MgI4JhD,gBAAgB,C;MAEF,yB;MAAd,OAAc,c  
AAd,C;QAAc,uB;QACV,MAAO,WAAU,mBAAN,KAAM,EAAY,SAAZ,EAAuB,KAAM,MAAM,MAAnC,CAA  
0C,WAApD,C;QACP,YAAY,KAAM,MAAM,aAAZ,GAA2B,CAA3B,I;;MAEhB,MAAO,WAAU,mBAAN,KAA  
M,EAAY,SAAZ,EAAuB,KAAM,OAA7B,CAAqC,WAA/C,C;MACP,OAAO,M;K;IAGBS,yI;MAAA,wC;MAAA,6  
B;MAAA,yB;MAAA,0C;MAAA,oC;MAAA,0C;MAAA,yB;MAAA,6B;MAAA,8B;MAAA,8B;MAAA,kC;K;;;gE  
AAA,Y;;;iCACA,mCAAK,wBAAL,C;cACZ,IAAI,4BAAiB,6BAAS,CAA9B,C;gBACI,gB;gCAAA,iCAAM,wB  
AAM,WAAZ,O;oBAAA,2C;yBAAA,yB;gBAAA,Q;;gBADJ,gB;;;cAEI,M;;qCAGY,C;sCACCC,C;cAEjB,gB;;;sC  
ACqB,+B;cACjB,gB;8BAAA,iCrGuI4E,mBqGvItE,wBrGuIsE,EqGvItD,oBrGulsD,EqGvI3C,qBAAW,MAAM,Mr  
GuI0B,CAAKC,WqGvI9G,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cACA,uBAAy,qBAAW,MAAM,aAAjB,GAAgC,  
CAAhC,I;cACZ,mBAAQ,qBAAW,O;cAJvB,KAKS,qDALT,EAKS,qBALT,OAKyB,2BAAQ,CAAR,IALzB,KAK  
sC,gBALtC,S;gBAAA,gB;;;cAAA,gB;;;cAOA,gB;8BAAA,iCrGkIgf,mBqGIIIE,wBrGkI0E,EqGII1D,oBrGkI0D,E  
qGII/C,wBAAM,OrGkIyC,CAAKC,WqGIIH,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cAhBA,OAgBA,a;;;;;;;;;;;;K;I  
AjBY,sF;MAAA,yD;uBAAA,6H;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;8CAbpB,wB;MAUuD,qB;QAAA,QAAa,C  
;MACHe,wBAAwB,KAAXB,C;MAEA,OAAO,SAAS,gDAAT,C;K;+BAsBX,Y;MAMyC,OAAA,oBAAc,W;K;IAE  
vD,2B;MAAA,+B;MAmBI,uBAA4B,WAAO,uBAAP,EAAiC,GAAjC,C;MAC5B,2BAAgC,WAAO,SAAP,EAAo  
B,GAApB,C;MAGhC,iCAAsC,WAAO,KAAP,EAAiB,GAAjB,C;K;oDatBtC,mB;MAIwD,oBAAM,oBAAO,OAA  
P,CAAN,C;K;+CAExD,mB;MAIoD,OAAA,O3GnEyC,S2GmEnB,oB3GnEmB,E2GmEJ,M3GnEI,C;K;0D2GqE7F  
,mB;MAI+D,OAAA,O3GzE8B,S2GyER,wB3GzEQ,E2GyEW,M3GzEX,C;K;gE2G8E7F,mB;MAAgE,OAAA,O3  
G9E6B,S2G8EP,8B3G9EO,E2G8EkB,M3G9ElB,C;K;;I2GwDjG,uC;MAAA,sC;QAAA,qB;OAAA,+B;K;;IA5PA,  
4C;MAAA,+C;MACkE,kBAAK,OAAL,EAAc,MAAM,MAAN,CAAd,C;MADIE,Y;K;IAGA,sC;MAAA,+C;MAC  
6C,kBAAK,OAAL,EAAc,UAAc,C;MAD7C,Y;K;IA4RO,kG;MAAA,kC;MAAA,8C;MAAA,kC;MAAA,kC;MAC  
H,uBAA+B,a;MAI/B,sF;MAOA,sBAA0C,I;K;+FAXI,C,Y;MAAA,2B;K;+FAEI,Y;MAAQ,qBAAA,kBN/R8C,CM  
+RxC,CN/RwC,CM+R9C,C;K;gGAEZ,Y;MAAA,4B;K;IAY2B,oG;MAAA,kC;MAAS,uB;K;mJACG,Y;MAAQ,O  
AAA,kBAAM,O;K;wGACrC,iB;MAAuC,Q;MAAA,eAAA,kBN/SG,CM+SG,KN/SH,CM+SH,mBAAgB,E;K;;qG  
AJnE,Y;MACI,IAAI,2BAAJ,C;QACI,yH;OAKJ,OAAO,kC;K;4CAGf,Y;MACI,OAAy,SAAZ,wBAAY,EAAS,kB  
AAT,EAAoB,kBAAM,UAAV,GAAqB,kBAAM,MAAN,GAAc,CAAd,IAArB,GAA0C,kBAAM,aAAN,GAAqB,C  
AARb,IAA1D,EAAkF,wBAAIF,C;K;IARb4B,oE;MAAA,kC;MAA+B,6B;K;mHACHd,Y;MAAQ,OAAA,kBAAM,  
O;K;IACqC,4E;MAAA,qB;QAAE,yBAAK,EAAL,C;O;K;qEAA5E,Y;MAAiD,OAAqB,OAAb,aAAR,oBAAQ,CA  
Aa,EAAl,iEAAJ,CAAiB,W;K;wEACvF,iB;MAA4C,Q;MAAA,eAAA,kBNpSU,CMoSJ,KNpSI,CMoSv,YAAoB,o  
BAApB,O;K;;IAdxD,uD;MACI,sBAAiB,I;MACjB,YAAY,eAAK,KAAL,C;MACZ,IAAI,aAAJ,C;QAAmB,OAA  
O,I;MAC1B,YAAY,aAAA,KAAM,MAAN,EAAa,sBAAY,CAAZ,IAAb,C;MAEZ,mE;K;IA8BJ,iD;MAM+B,UAK  
O,M;MATIC,YAAY,C;MACZ,aAAa,mBAAc,WAAy,OAA1B,C;MAEb,OAAO,QAAQ,WAAy,OAA3B,C;QACI,  
WAAW,wBAAY,YAAZ,EAAY,oBAAZ,Q;QACX,IAAI,SAAQ,EAZ,C;UACI,IAAI,UAAAS,WAAy,OAAzB,C;Y  
ACI,MAAM,gCAAyB,mCAAZB,C;UAEV,MAAO,gBAAO,wBAAY,cAAZ,EAAY,sBAAZ,UAAp,C;eACJ,IAAI,  
SAAQ,EAZ,C;UACH,IAAI,UAAAS,WAAy,OAAzB,C;YACI,MAAM,gCAAyB,kCAAZB,C;UAEV,IAAI,uBAA  
Y,KAZ,MAAsB,GAA1B,C;YACI,MAAM,gCAAyB,4DAAZB,C;UAEV,IAAI,EAAuB,kBAAK,EAAL,CAAvB,0  
CAAY,KAZ,EAJ,C;YACI,MAAM,gCAAyB,mCAAZB,C;UAEV,eAA2B,eAAZ,WAAy,EAae,KAaf,EAAsB,  
KAAM,YAAY,KAAXC,C;UAC3B,iBAAWD,MAAvC,W3GhKmE,W2GgK7C,K3GhK6C,E2GgKtC,Q3GhKsC,C2  
GgK5B,C;UAExD,IAAI,cAAc,KAAM,YAAY,KAAP,C;YACI,MAAM,8BAA0B,sBAAmB,UAAAnB,oBAA1B,C;  
UAEV,MAAO,gBAAO,KAAM,YAAN,aAAkB,UAAIB,CAAP,C;UACP,QAAQ,Q;;UAER,MAAO,gBAAO,IAAP,  
C;;MAGf,OAAO,MAAO,W;K;IAGIB,2D;MAEI,YAAY,aAAa,CAAb,I;MACZ,iBAAiB,qBAAK,UAAI,IAAmB,  
E;MAGpC,OAAO,QAAQ,gBAAR,IAAkB,CAAE,kBAAK,EAAL,CAAF,wCAAK,KAAL,EAZB,C;QACI,oBAAo  
B,CAAC,aAAa,EAAb,IAAD,KAAqB,qBAAK,KAAL,IAAc,EAAN,C;K;QACpB,IAAqB,CAAjB,qCAAYB,UAA7B  
,C;UACI,aAAa,a;UACb,qB;;UAEA,K;;MAGR,OAAO,K;K;I3GxZX,yB;MAQiB,Q;MADb,aAAa,E;MACb,wBAA  
a,KAAb,gB;QAAa,WAAb,UAAa,KAAb,O;QACI,8BAAU,IAAV,C;;MAEJ,OAAO,M;K;IAGX,yC;MAa+B,Q;MA  
H3B,IAAI,SAAS,CAAT,IAAc,SAAS,CAAvB,IAA4B,CAA,KAAM,OAAN,GAAa,MAAb,QAAAsB,MAATD,C;Q  
ACI,MAAM,8BAA0B,WAAAS,KAAM,OAAf,kBAA+B,MAA/B,kBAAgD,MAA1E,C;MACV,aAAa,E;MACc,gBA

AS,MAAT,I;MAA3B,iBAAc,MAAd,wB;QACI,8BAAU,MAAM,KAAN,CAAV,C;;MAEJ,OAAO,M;K;IAGX,mC; MAOiB,Q;MADb,aAAa,E;MACb,wBAaA,SAAb,gB;QAAa,WAAb,UAAa,SAAb,O;QACI,8BAAU,IAAV,C;;MA EJ,OAAO,M;K;IAGX,2D;MAY2C,0B;QAAA,aAAkB,C;MAAG,wB;QAAA,WAAgB,SAAK,O;MACjF,oCAAa,4 BAAmB,UAAAnB,EAA+B,QAA/B,EAAYC,SAAK,OAA9C,C;MACb,aAAa,E;MACb,iBAAc,UAAAd,UAA+B,QAA /B,U;QACI,8BAAU,UAAK,KAAL,CAAV,C;;MAEJ,OAAO,M;K;IASkB,gD;MAAA,qB;QAAE,+CAAI,EAAJ,E; O;K;IAN/B,kC;MAMI,OAAO,kBAAU,gBAAV,EAakB,+BAAIB,C;K;IAiBiC,oE;MAAA,qB;QAAE,+CAAI,qBA Aa,EAAb,IAAJ,E;O;K;IAd9C,wD;MAYqC,0B;QAAA,aAAkB,C;MAAG,wB;QAAA,WAAgB,SAAK,O;MAC3E, oCAAa,4BAAmB,UAAAnB,EAA+B,QAA/B,EAAYC,gBAAzC,C;MACb,OAAO,kBAAU,WAAW,UAAAX,IAAV,E AAiC,2CAAjC,C;K;IAGX,mC;MAQI,OAAO,WAAW,SAAX,EAAiB,CAAjB,EAAoB,gBAApB,EAA0B,KAA1B, C;K;IAGX,mF;MAeI,0B;QAAA,aAAkB,C;MACIB,wB;QAAA,WAAgB,SAAK,O;MACrB,sC;QAAA,yBAAkC,K ;MAEIC,oCAAa,4BAAmB,UAAAnB,EAA+B,QAA/B,EAAYC,SAAK,OAA9C,C;MACb,OAAO,WAAW,SAAX,E AAiB,UAAjB,EAA6B,QAA7B,EAAuC,sBAAvC,C;K;IAGX,sC;MAQI,OAAO,WAAW,SAAX,EAAiB,CAAjB,E AAoB,gBAApB,EAA4B,KAA5B,C;K;IAGX,sF;MAeI,0B;QAAA,aAAkB,C;MACIB,wB;QAAA,WAAgB,SAAK, O;MACrB,sC;QAAA,yBAAkC,K;MAEIC,oCAAa,4BAAmB,UAAAnB,EAA+B,QAA/B,EAAYC,gBAAzC,C;MACb ,OAAO,WAAW,SAAX,EAAiB,UAAjB,EAA6B,QAA7B,EAAuC,sBAAvC,C;K;uFAGX,qB;MAMwD,OAAA,SA AY,c;K;mFAEpE,qB;MAWsD,OAAA,SAAY,c;K;uFAEIE,qB;MAMwD,OAAA,SAAY,c;K;mFAEpE,qB;MAWsD ,OAAA,SAAY,c;K;yFAEIE,qC;MACoF,OAAA,SAAY,SAAQ,GAAR,EAAa,SAAb,C;K;iGAehG,qC;MACwF,OA AA,SAAY,aAAY,GAAZ,EAAiB,SAAjB,C;K;+FAEpG,kC;MACiF,OAAA,SAAY,YAAW,CAAX,EAAc,QAAAd,C ;K;2FAE7F,wB;MACgE,OAAA,SAAY,UAAS,CAAT,C;K;iFAE5E,iC;MACqE,OAAA,SAAY,WAAU,UAAV,C; K;mFAEjF,2C;MACoF,OAAA,SAAY,WAAU,UAAV,EAAsB,QAAtB,C;K;4EAehG,0B;MAGuD,OAAA,SAAY, QAAO,GAAP,C;K;wEAEnE,4B;MAGgE,OAAA,SAAY,OAAM,KAAN,C;K;yFAK5E,2C;MACyF,OAAA,SAAY, SAAQ,OAAR,EAAiB,WAAjB,C;K;IAErG,iD;MAOkD,0B;QAAA,aAAsB,K;MACpE,IAAI,UAAJ,C;QACI,SAAS ,SAAK,O;QACd,SAAS,KAAM,O;QACf,UTGG,MAAO,KSHM,ETGN,ESHU,ETGV,C;QSFV,IAAI,QAAO,CAA X,C;UAAc,OAAO,KAAC,EAAL,I;QACrB,iBAAc,CAAd,UAAAsB,GAAtB,U;UACI,eAAe,qBAAK,KAAL,C;UAC f,gBAAgB,iBAAM,KAAN,C;UAEhB,IAAI,aAAY,SAAhB,C;YACI,WAAoB,cAAT,QAAS,C;YACpB,YAAsB,cA AV,SAAU,C;YAEtB,IAAI,aAAY,SAAhB,C;cACwB,kBAAT,Q;cAAX,WDIO2C,gCAAY,cAfrB,YAAY,CAAZ,C; cCkPZ,kBAAV,S;cAAZ,YDnO2C,gCAAY,cAfrB,YAAY,CAAZ,C;cCoPIC,IAAI,aAAY,SAAhB,C;gBACI,OAAg B,iBAAT,QAAS,EAAU,SAAV,C;;QAKhC,OAAO,KAAC,EAAL,I;;QAEp,OAAO,4BAAU,KAAV,C;;K;IAIf,4C; MAOqF,oCAAkB,KAAIB,C;K;IAErF,wD;MASI,OAAW,UAAJ,GACE,4BAAL,SAAK,EAA4B,KAA5B,CADF,G AGE,kBAAL,SAAK,EAakB,KAAIB,C;K;IAIkD,oD;MAAU,OAAE,UAAF,CAAE,EAAU,CAAV,EAA0B,IAA1B ,C;K;;IAIvE,+C;MAAQ,oC;K;2F6G/SZ,oC;MACiF,07G2Me,kB6G3ME,oBAAH,EAAG,C7G2MF,E6G3Mc,S7G 2Md,C;K;mG6GzMhG,oC;MACqF,07G2Me,sB6G3MM,oBAAH,EAAG,C7G2MN,E6G3MkB,S7G2MIB,C;K;I6 GzMpG,mD;MAIoD,0B;QAAA,aAAsB,K;MACTE,IAAI,CAAC,UAAAL,C;QACI,07GsMqF,qB6GtM7D,M7GsM6 D,E6GtMrD,C7GsMqD,C;;Q6GpMrF,OAAO,yBAAc,CAAd,EAAiB,MAAjB,EAAYB,CAAzB,EAA4B,MAAO,O AAnC,EAA2C,UAA3C,C;K;IAGf,iE;MAIqE,0B;QAAA,aAAsB,K;MACvF,IAAI,CAAC,UAAAL,C;QACI,07G2Lq F,qB6G3L7D,M7G2L6D,E6G3LrD,U7G2LqD,C;;Q6GzLrF,OAAO,yBAAc,UAAAd,EAA0B,MAA1B,EAakC,CAA IC,EAAqC,MAAO,OAA5C,EAAoD,UAApD,C;K;IAGf,iD;MAIkD,0B;QAAA,aAAsB,K;MACpE,IAAI,CAAC,U AAL,C;QACI,07GmLoE,mB6GnL9C,M7GmL8C,C;;Q6GjLpE,OAAO,yBAAc,mBAAS,MAAO,OAAhB,IAAd,E AAsC,MAAtC,EAA8C,CAA9C,EAAiD,MAAO,OAAXD,EAAgE,UAAhE,C;K;IAGf,mC;MAGI,aACa,S7G0L2D, O6G1LhD,K7G0LgD,C;M6GzLxE,OAAO,kBAakB,MAAO,OAAP,KAAe,C;K;IAG5C,4B;MAKOD,gCAAU,C;M AAV,U;QAAuB,kBAAR,yB;QAAQ,c;;UpH2nDvD,U;UADhB,IAAI,0CAAsB,qBAA1B,C;YAAqC,aAAO,I;YAA P,e;WACrB,+B;UAAhB,OAAGB,gBAAhB,C;YAAgB,2B;YAAM,IAAI,CoH3nD4D,aAAT,qBpH2nDxC,OoH3nD wC,CAAS,CpH2nDhE,C;cAAyB,aAAO,K;cAAP,e;;UAC/C,aAAO,I;;;QoH5nDgE,iB;OAAvB,W;K;IAEpD,gD;M ASiD,0B;QAAA,aAAsB,K;MAOxC,Q;MAN3B,IAAI,iBAAJ,C;QAakB,OAAO,a;MACzB,IAAI,aAAJ,C;QAAmB ,OAAO,K;MAC1B,IAAI,CAAC,UAAAL,C;QAAiB,OAAO,kBAAQ,KAAR,C;MAExB,IAAI,SAAK,OAAL,KAAe, KAAM,OAazB,C;QAAiC,OAAO,K;MAEb,OAAL,SAAK,O;MAA3B,iBAAc,CAAd,wB;QACI,eAAe,qBAAK,K AAL,C;QACf,gBAAgB,iBAAM,KAAN,C;QACHB,IAAI,CAAU,SAAT,QAAS,EAAO,SAAP,EAakB,UAAIB,CA Ad,C;UACI,OAAO,K;;MAIf,OAAO,I;K;IAIX,sF;MACkH,0B;QAAA,aAAsB,K;MACpI,oCAAkB,UAAIB,EAA8

B,KAA9B,EAAqC,WAArC,EAAkD,MAAID,EAA0D,UAA1D,C;K;IAGJ,+B;MAYI,OvGmMmD,mBAAS,CuGn  
M5D,G7GwH4F,oB6GxHzD,C7GwHyD,E6GxHtD,C7GwHsD,CAvC9B,c6GjFrC,G7GqHoD,oB6GrHZ,C7GqHY,  
C6GrH7E,GAAyE,S;K;IAG7E,iC;MASI,OvGuLmD,mBAAS,CuGvL5D,G7G4G4F,oB6G5GzD,C7G4GyD,E6G5  
GtD,C7G4GsD,CAIB9B,c6G1FrC,G7GyGoD,oB6GzGZ,C7GyGY,C6GzG7E,GAAyE,S;K;IAG7E,8B;MAOiB,IA  
AN,I;M1H/FP,IAAI,E0H8FI,KAAK,C1H9FT,CAAJ,C;QACI,c0H6Fc,oD;Q1H5Fd,MAAM,gCAAyB,OAAQ,WA  
AjC,C;O0H6FH,QAAM,CAAN,C;aACH,C;UAAK,S;UAAL,K;aACA,C;UAAU,OAAL,SAAK,W;UAAV,K;gBAE  
I,aAAa,E;UACb,IAAI,EvGgKoC,qBAAU,CuGhK9C,CAAJ,C;YACI,QAAQ,SAAK,W;YACb,YAAy,C;YACZ,O  
AAO,IAAP,C;cACI,IAAI,CAAC,QAAU,CAAX,MAAiB,CAArB,C;gBACI,UAAU,C;eAEd,QAAQ,UAAW,C;cA  
CnB,IAAI,UAAS,CAAb,C;gBACI,K;eAEJ,KAAK,C;;;UAGb,OAAO,M;;MAnBf,W;K;IAwBJ,4D;MAOqE,0B;QA  
AA,aAAsB,K;MACvF,O7GkFiG,kB6GIFnF,WAAO,6BAAM,gBAAO,QAAP,CAAb,EAAmC,UAAJ,GAAgB,KA  
AhB,GAA2B,IAA1D,C7GkFmF,E6GIFIB,6BAAM,iCAAwB,QAAXB,C7GkFY,C;K;I6GhFrG,4D;MAM+D,0B;Q  
AAA,aAAsB,K;MACjF,O7GyEiG,kB6GzEnF,WAAO,6BAAM,gBAAe,oBAAR,OAAQ,CAAf,CAAb,EAA6C,UA  
AJ,GAAgB,KAAhB,GAA2B,IAApE,C7GyEmF,E6GzEA,oBAAR,OAAQ,C7GyEA,C;K;I6GvErG,iE;MAC0E,0B;  
QAAA,aAAsB,K;MAC5F,O7GqEiG,kB6GrEnF,WAAO,6BAAM,gBAAO,QAAP,CAAb,EAAmC,UAAJ,GAAgB,  
IAAhB,GAA0B,GAAzD,C7GqEmF,E6GrEpB,6BAAM,iCAAwB,QAAXB,C7GqEc,C;K;I6GnErG,iE;MACoE,0B;  
QAAA,aAAsB,K;MACtF,O7GiEiG,kB6GjEnF,WAAO,6BAAM,gBAAe,oBAAR,OAAQ,CAAf,CAAb,EAA6C,U  
AAJ,GAAgB,IAAhB,GAA0B,GAAeE,C7GiEmF,E6GjEF,oBAAR,OAAQ,C7GiEE,C;K;I8G7OrG,kD;MAEI,IAAI  
,gBAAJ,C;QAAsB,MAAM,6BAAyB,qCAAKC,QAAQ,CAAR,IAAIC,CAAzB,C;MAC5B,OAAO,CAAC,IAAD,I;  
K;IAGX,iF;MAQI,IAAI,EAAS,KAAT,oBAAiB,KAAjB,KAA2B,SAAS,QAAXC,C;QACI,OAAO,UAAU,CAAV,E  
AAa,KAAb,EAAoB,gBAApB,C;OAEX,UAAU,kBAAO,KAAP,C5GwBgC,I;M4GvB1C,IAAI,EAAQ,KAAR,kBA  
AgB,KAAhB,CAAJ,C;QACI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAEX,OAAO,SAAW,CA  
AC,OAAS,IAAV,KAAqB,EAAhC,IAAwC,MAAQ,I;K;IAG3D,yE;MAQI,IAAI,SAAU,EAAV,MAAKB,CAIB,IA  
AuB,SAAS,QAAPC,C;QACI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAEX,YAAy,KAAa,CAA  
P,KAAO,C;MACzB,IAAI,SAAU,GAAV,MAAKB,GAAtB,C;QACI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,g  
BAApB,C;OAEX,OAAQ,SAAU,CAAX,GAAkB,KAAIB,GAA4B,I;K;IAGvC,yE;MASI,IAAI,SAAS,QAAb,C;QA  
CI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAGX,YAAy,KAAa,CAAP,KAAO,C;MACzB,IAAI  
,SAAU,EAAV,MAAiB,CAArB,C;QACI,IAAI,SAAU,GAAV,MAAKB,GAAtB,C;UAEI,OAAO,UAAU,CAAV,EA  
Aa,KAAb,EAAoB,gBAApB,C;gBAER,IAAI,SAAU,EAAV,MAAiB,EAARb,C;QACH,IAAI,SAAU,GAAV,MAAK  
B,GAAtB,C;UAEI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;gBAER,IAAI,SAAU,GAAV,MAAKB  
,GAAtB,C;QACH,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAGX,IAAI,SAAQ,CAAR,UAAa,Q  
AAjB,C;QACI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAEX,YAAy,KAAiB,CAAX,QAAQ,C  
AAR,IAAW,C;MAC7B,IAAI,SAAU,GAAV,MAAKB,GAAtB,C;QACI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAo  
B,gBAApB,C;OAGX,OAAQ,SAAU,EAAx,GAAoB,SAAU,CAA9B,GAAqC,KAAR,C,GAA+C,O;K;IAG1D,yE;M  
ASI,IAAI,SAAS,QAAb,C;QACI,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAGJ,YAAy,KAAa,CAAP,K  
AAO,C;MACzB,IAAI,SAAU,EAAV,MAAiB,CAArB,C;QACI,IAAI,SAAU,GAAV,MAAKB,GAAtB,C;UAEI,OA  
AO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;gBAER,IAAI,SAAU,EAAV,MAAiB,CAArB,C;QACH,IAA  
I,SAAU,GAAV,MAAKB,GAAtB,C;UAEI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;gBAER,IAAI,  
SAAU,EAAV,IAAgB,CAAPB,C;QACH,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;aACJ,IAAI,SA  
AU,GAAV,MAAKB,GAAtB,C;QACH,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAGX,IAAI,SA  
AQ,CAAR,UAAa,QAajB,C;QACI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAEX,YAAy,KAAi  
B,CAAX,QAAQ,CAAR,IAAW,C;MAC7B,IAAI,SAAU,GAAV,MAAKB,GAAtB,C;QACI,OAAO,UAAU,CAAV,  
EAAa,KAAb,EAAoB,gBAApB,C;OAGX,IAAI,SAAQ,CAAR,UAAa,QAajB,C;QACI,OAAO,UAAU,CAAV,EA  
Aa,KAAb,EAAoB,gBAApB,C;OAEX,YAAy,KAAiB,CAAX,QAAQ,CAAR,IAAW,C;MAC7B,IAAI,SAAU,GAA  
V,MAAKB,GAAtB,C;QACI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAEX,OAAQ,SAAU,EAA  
X,GAAoB,SAAU,EAA9B,GAAuC,SAAU,CAAjD,GAAwD,KAAxD,GAAkE,O;K;;;IAmB7E,oE;MAkB0B,UAGJ,  
MAHI,EAKJ,MALI,EAMJ,MANI,EASJ,MATI,EAUJ,MAVI,EAWJ,MAXI,EAgBA,MAhBA,EAiBA,MAjBA,EA  
kBA,MAiBA,EAoBA,MApBA,EAqBA,OAARBA,EASBA,OAAtBA,EAuBA,O;M3H9JtB,IAAI,E2HgII,cAAc,CAAd,I  
AAMb,YAAy,MAAO,OAAtC,IAAgD,cAAc,Q3HhIII,CAAJ,C;QACI,cAda,qB;QAeb,MAAM,gCAAyB,OAAQ,

WAAjC,C;O2HgIV,YAAY,cAAU,CAAC,WAAW,UAA,X,IAAD,IAA0B,CAA1B,IAAV,C;MACZ,gBAAgB,C;M  
AChB,gBAAgB,U;MAEhB,OAAO,YAAY,QAAAnB,C;QACI,WAAW,mBAAO,gBAAP,EAAO,wBAAP,Q5G1H2  
B,I;Q4G4HIC,WAAO,GAAP,C;UACI,MAAM,kBAAN,EAAM,0BAAN,YAA0B,OAAL,IAAK,C;eAC9B,WAAO,  
IAAP,C;UACI,MAAM,kBAAN,EAAM,0BAAN,YAA4C,OAArB,QAAS,CAAV,GAAgB,GAAM,C;UAC5C,MA  
AM,kBAAN,EAAM,0BAAN,YAA+C,OAAxB,OAAS,EAAV,GAAmB,GAAM,C;eAEhD,WAAO,KAAP,IAAiB,  
QAAQ,KAAzB,C;UACI,MAAM,kBAAN,EAAM,0BAAN,YAA6C,OAAtB,QAAS,EAAV,GAAiB,GAAM,C;UA  
C7C,MAAM,kBAAN,EAAM,0BAAN,YAAuD,OAA/B,QAAS,CAAV,GAAiB,EAAIB,GAA2B,GAAM,C;UACvD  
,MAAM,kBAAN,EAAM,0BAAN,YAA+C,OAAxB,OAAS,EAAV,GAAmB,GAAM,C;;UAG/C,gBAAgB,uBAAu  
B,MAAvB,EAA+B,IAA/B,EAAqC,SAArC,EAAgD,QAAhD,EAA0D,gBAA1D,C;UACbB,IAAI,aAAa,CAAjB,C;  
YACI,MAAM,kBAAN,EAAM,0BAAN,YAAqB,0BAA0B,CAA1B,C;YACrB,MAAM,kBAAN,EAAM,0BAAN,Y  
AAqB,0BAA0B,CAA1B,C;YACrB,MAAM,kBAAN,EAAM,0BAAN,YAAqB,0BAA0B,CAA1B,C;;YAErB,MAA  
M,kBAAN,EAAM,0BAAN,YAAkD,OAA3B,aAAc,EAAf,GAAsB,GAAM,C;YACID,MAAM,mBAAN,EAAM,2B  
AAN,aAA6D,OAArC,aAAc,EAAf,GAAsB,GAAM,C;YAC7D,MAAM,mBAAN,EAAM,2BAAN,  
aAA4D,OAApC,aAAc,CAAf,GAAsB,EAAvB,GAAgC,GAAM,C;YAC5D,MAAM,mBAAN,EAAM,2BAAN,aAA  
oD,OAA7B,YAAc,EAAf,GAAsB,GAAM,C;YACpD,6B;;;MAMhB,OAAW,KAAM,OAAN,KAAc,SAAB,GAA  
6B,KAA7B,GAA8C,UAAAN,KAAM,EAAO,SAAP,C;K;;IAQzD,mE;MAiByB,Q;M3H9LrB,IAAI,E2HwLI,cAAc,C  
AAAd,IAAmB,YAAY,KAAM,OAArC,IAA6C,cAAc,Q3HxL/D,CAAJ,C;QACI,cAda,qB;QAeb,MAAM,gCAAyB,O  
AAQ,WAAjC,C;O2HwLV,gBAAgB,U;MACHB,oBAAoB,sB;MAEpB,OAAO,YAAY,QAAAnB,C;QACI,WAAW,K  
AAmB,CAAb,gBAAa,EAAb,wBAAa,O;QAE1B,YAAQ,CAAR,C;UACI,aAAc,gBAAy,OAAL,IAAK,CAAZ,C;a  
ACIB,YAAS,CAAT,KAAc,EAAd,C;UACI,WAAW,eAAe,KAAf,EAAsB,IAAtB,EAA4B,SAA5B,EAAuC,QAAvC  
,EAAiD,gBAAjD,C;UACX,IAAI,QAAQ,CAAZ,C;YACI,aAAc,gBAAO,gBAAP,C;YACd,yBAAa,CAAC,IAAD,I  
AAb,K;;YAEA,aAAc,gBAAy,OAAL,IAAK,CAAZ,C;YACd,wBAAa,CAAb,I;;eAGR,YAAS,CAAT,KAAc,EAAd  
,C;UACI,aAAW,eAAe,KAAf,EAAsB,IAAtB,EAA4B,SAA5B,EAAuC,QAAvC,EAAiD,gBAAjD,C;UACX,IAAI,  
UAAQ,CAAZ,C;YACI,aAAc,gBAAO,gBAAP,C;YACd,yBAAa,CAAC,MAAD,IAAb,K;;YAEA,aAAc,gBAAy,O  
AAL,MAAK,CAAZ,C;YACd,wBAAa,CAAb,I;;eAGR,YAAS,CAAT,KAAc,EAAd,C;UACI,aAAW,eAAe,KAAf,E  
AAsB,IAAtB,EAA4B,SAA5B,EAAuC,QAAvC,EAAiD,gBAAjD,C;UACX,IAAI,UAAQ,CAAZ,C;YACI,aAAc,gB  
AAO,gBAAP,C;YACd,yBAAa,CAAC,MAAD,IAAb,K;;YAEA,WAAy,MAAD,GAAQ,KAAR,IAAqB,EAArB,G  
AA2B,K;YACtC,UAAW,SAAS,IAAV,GAAoB,K;YAC9B,aAAc,gBAAy,OAAL,IAAK,CAAZ,C;YACd,aAAc,gB  
AAW,OAAJ,GAAI,CAAX,C;YACd,wBAAa,CAAb,I;;UAIJ,UAAU,CAAV,EAAa,SAAb,EAAwB,gBAAxB,C;U  
ACA,aAAc,gBAAO,gBAAP,C;;MAK1B,OAAO,aAAc,W;K;ICtQzB,uC;MAU2D,OAAwB,CAAXB,2BAAwB,mB  
AAS,SAAT,C;K;IAEnF,oC;MAKI,OAAQ,OAAW,mBAAL,SAAK,CAAX,C;K;IAGZ,6C;MAMI,IAAI,cAAS,SA  
Ab,C;QACI,iBAAsB,SAAY,Y;QACIC,IAAI,kBAAJ,C;UACS,SAAL,eAA+B,iBAAc,SAAd,E;;UAE/B,UAAW,W  
AAI,SAAJ,C;;Q;IAUnB,6C;MAC4B,UAAjB,M;MAAP,OAAO,WAAiB,OAAZ,SAAY,YAAjB,4CAA+D,W;K;IAI  
9E,iC;MACI,gBAAqB,sB;MACrB,iBAAsB,E;MACtB,kBAA+B,E;MAC/B,uBAAiC,C;K;uDAEjC,qB;MACc,qBA  
AV,SAAU,EAAc,EAAd,EAAb,EAAIB,C;MACV,OAAO,aAAO,W;K;gDAGIB,qB;MAA6D,gBAAR,c;MAAQ,c;  
;Q1I41Y7C,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UAAsB,IAAc,00I51Y+B,c1I41Y7C,C;Y  
AAwB,aAAO,I;YAAP,e;;QAC9C,aAAO,K;;M0I71Y8C,iB;K;sDAErD,wC;MACI,KAAK,qBAAL,SAAK,EAAc,  
MAAd,EAAsB,SAAtB,CAAL,C;QAAyC,M;MAEzC,YAAY,SAAK,M;MACjB,OAAO,aAAP,C;QACI,KAAM,qB  
AAN,KAAM,EAAc,MAAd,EAAsB,aAAtB,CAAN,C;UAA8C,M;QAC9C,QAAQ,KAAM,M;;K;sDAItB,wC;MAS  
gB,IAAiB,IAAjB,EA2BE,M;MAnCd,aAAO,gBAAO,MAAP,CAAE,gBAAO,SAAP,C;MACTB,gBAAgB,SAAK,W  
;MACrB,IAAI,eAAQ,SAAR,CAAJ,C;QACI,aAAO,gBAAO,kCAAP,CAA2C,gBAAO,SAAP,CAAKB,gBAAO,KA  
AP,C;QACpE,OAAO,K;OAEH,cAAy,MAAK,SAAL,C;MAEpB,YAAY,CAAiB,OAAZ,SAAY,MAAjB,2D;MAC  
Z,IAAI,aAAJ,C;QzHyBG,SyHxBwB,WAAN,KAAM,EAAQ,SAAR,C;QAAvB,iBAAoD,KAAK,CAAT,GAAY,C  
AAZ,GAAmB,KAAe,gBAAf,I;QACnE,IAAI,eAAc,CAALB,C;UAAqB,aAAO,gBAAO,SAAP,CAAKB,gBAAO,IA  
AP,C;QAC9C,IAAI,ezG8MoC,YAAU,CyG9MID,C;UACI,kBAAW,K;UACX,uBAAgB,U;;UAEhB,QAAQ,wBAA  
iB,KAAjB,EAAwB,UAAxB,C;;QAEZ,IAAI,MzGgNuC,UAAAS,CyGhNpD,C;UAEuB,U;UAAA,IAAI,eAAc,CAAL  
B,C;YAAA,SAAQB,C;;Y1Gq+BpC,U;YADhB,YAAY,C;YACI,oB0Gr+B+C,S1Gq+B/C,C;YAAhB,OAAgB,gBA  
AhB,C;cAAgB,sC;cAAM,I0Gr+BgE,U1Gq+BID,oB0Gr+BkD,MAAK,E1Gq+BrE,C;gBAAwB,qB;;Y0Gr+Bf,SA



4B,I1Gs+BpD,K0Gt+BoD,I;UAA/C,yB;U5GorCC,kB;UADb,YAAy,C;UACC,S4GnrCK,aAAN,KAAM,C5GnrC  
L,W;UAAb,OAAa,gBAAb,C;YAAa,wB;Y4GlrCG,I5GkrCU,oBAAmB,cAAnB,EAAMb,sBAAnB,U4GlrCN,gBA  
AJ,C;CAA2B,aAAO,uB;YACIC,aAAO,gB5GirCgC,I4GjrChC,CAAa,gBAAO,IAAP,C;;;UAGxB,aAAO,gBAAO,K  
AAP,CAAc,gBAAO,IAAP,C;;;QAGzB,aAAO,gBAAO,SAAP,CAAkB,gBAAO,IAAP,C;;;MAG7B,iBAAiB,mC;M  
ACjB,IpIuHoD,CoIvHhD,UpIuHiD,UoIvHrD,C;QACI,uBAAuB,SAAS,M;QACtB,8B;QAAV,OAAU,gBAAV,C;U  
AAU,qB;UACJ,qBAAF,CAAE,EAAC,gBAAd,EAAGC,cAAhC,C;;OAGV,OAAO,I;K;yDAGX,6B;MAIwB,Q;MA  
HpB,mBAAwB,C;MACxB,gBAAqB,C;MACrB,mBAAwB,C;MACJ,OxHyIjB,MAAO,KwHzIgB,eAAS,OAAT,G  
AAkB,oBAAlB,IxHyIhB,EwHzIiD,KAAM,OAAAN,GAAe,UAAf,IxHyIjD,C;MwHzIV,eAAY,CAAZ,oB;QACI,QA  
AQ,iBAAY,iBAAN,KAAM,CAAN,GAAkB,GAAIB,IAAN,C;QACR,IAAI,MAAK,2BAAkB,iBAAT,eAAS,CAA  
T,GAAqB,GAArB,IAAT,CAAT,C;UAA6C,K;QAC7C,IAAI,MAAK,EAAT,C;UACI,8BAAGB,CAAhB,I;UACA,e  
AAe,S;UACf,YAAy,G;;MAGpB,IAAI,gBAAgB,CAApB,C;QAAuB,OAAO,K;MAC9B,OAAO,eAAe,CAAf,IAA  
oB,iBAAY,iBAAN,KAAM,CAAN,IAAmB,YAAAnB,GAAkC,CAAIC,KAAN,MAA+C,EAA1E,C;QACI,8BAAGB,  
CAAhB,I;MAGJ,OAAa,YAAN,KAAM,EAAS,YAAT,CAAN,IAA+B,cAAW,eAAe,CAAf,IAAX,uCAA/B,C;K;;y  
HC/H+C,Y;MAAQ,W;K;IAEtE,gD;MACKB,UAMP,M;MANO,IAAI,aAAY,CAAhB,C;QACV,Y;;QAEA,UxBsY8  
C,MAAW,KwBtY/C,IxBsY+C,EwBtYtC,QxBsYsC,C;QwBrYzD,OAAA,IAAO,OxB2UmC,MAAW,KwB3UpC,K  
xB2UoC,CwB3UxC,GAAa,GAAnB,CAAP,GAAiC,GAAjC,GxBwV2C,MAAW,MwBxVV,KxBwVU,C;;MwB5V  
1D,kB;MAMO,IxByUuC,MAAW,KwBzU1C,OxByU0C,CwBzU9C,GAAe,MAAnB,C;QAEmC,SAA9B,OAAy,S  
AAQ,QAAR,C;;QAGpB,exBoU0C,MAAW,KwBpUIC,OxBoUkC,C;QwBnUrD,qBAA8B,QAAY,axBgRC,MAA  
W,MAvCV,MAAW,OwBzOU,QxByOV,CAuCD,CwBhRA,GAAwB,QAAPC,C;QAC1C,SAAI,UAAU,CAAd,GA  
AiB,MAAG,cAApB,GAAyC,c;;MAP7C,a;K;IAWJ,6C;MACI,OAAa,KAAY,gBAAe,OAAf,EAawB,MAAK,4BA  
A2B,QAA3B,CAAL,EAAXB,C;K;ICtBQ,4C;MAFrC,e;MAEsC,0B;MAFtC,iB;MAAA,uB;K;IAAA,mC;MAAA,sC  
;O;MAGI,uEAGY,GAHZ,C;MAIA,yEAGa,MAHb,C;MAIA,yEAGa,SAHb,C;MAIA,+DAGQ,KAHR,C;MAIA,+D  
AGQ,MAHR,C;MAIA,2DAGM,MAHN,C;MAIA,yDAGK,OAHL,C;K;;IAxBA,gD;MAAA,yB;MAAA,wC;K;;IAI  
A,iD;MAAA,yB;MAAA,yC;K;;IAIA,iD;MAAA,yB;MAAA,yC;K;;IAIA,4C;MAAA,yB;MAAA,oC;K;;IAIA,4C;M  
AAA,yB;MAAA,oC;K;;IAIA,0C;MAAA,yB;MAAA,kC;K;;IAIA,yC;MAAA,yB;MAAA,iC;K;;IA3BJ,+B;MAAA,  
4Q;K;;IAAA,oC;MAAA,a;aAAA,a;UAAA,6C;aAAA,c;UAAA,8C;aAAA,c;UAAA,8C;aAAA,S;UAAA,yC;aAAA,  
S;UAAA,yC;aAAA,O;UAAA,uC;aAAA,M;UAAA,sC;gBAAA,6D;;K;;IAiCA,4D;MAGW,Q;MADP,0BAA2C,iB  
AAjB,UAAW,cAAM,EAAU,UAAW,cAArB,C;MAEvC,0BAAsB,CAAtB,C;QAA2B,gBAAS,UAAW,cAAX,GAAmB,UAAW,cAAvC,C;;  
QACnB,Y;MAHZ,W;K;IAOJ,oE;MAGW,Q;MADP,0BAA2C,iBAAjB,UAAW,cAAM,EAAU,UAAW,cAArB,C;M  
AEvC,0BAAsB,CAAtB,C;QAA2B,sBAA8C,uBAArC,UAAW,cAAX,GAAmB,UAAW,cAAO,CAA9C,C;WAC3B  
,0BAAsB,CAAtB,C;QAA2B,iBAA8C,uBAArC,UAAW,cAAX,GAAmB,UAAW,cAAO,CAA9C,C;;QACnB,Y;M  
AHZ,W;K;IAOJ,8D;MAGW,Q;MADP,0BAA2C,iBAAjB,UAAW,cAAM,EAAU,UAAW,cAArB,C;MAEvC,0BA  
AsB,CAAtB,C;QACI,YAAkD,uBAArC,UAAW,cAAX,GAAmB,UAAW,cAAO,C;QACID,aAAa,eAAQ,KAAR,C;  
QAET,sBAAS,KAAT,GAAkB,KAAIB,E;UAA2B,a;aAC3B,uBAAQ,CAAR,C;;;aAIR,0BAAsB,CAAtB,C;QAA2  
B,iBAA8C,uBAArC,UAAW,cAAX,GAAmB,UAAW,cAAO,CAA9C,C;;QACnB,Y;MAXZ,W;K;ICrDJ,+B;MAA  
A,mC;MAUuB,wB;MALf,aAAR,OAAO,OAAQ,KAAI,WAAy,IAAG,OAAO,SAAX,IAAwB,CAAC,CAAC,OAA  
O,SAAS,K;MADpE,sBAGQ,MAHR,GAIQ,iBAAa,OAAb,CAJR,GAMQ,qBAAW,OAAx,IAAA,4GACO,+B;K;4  
CAIf,Y;MAAmC,OAAA,mBAAa,U;K;;;IAfpD,2C;MAAA,0C;QAAA,yB;OAAA,mC;K;IAwB2B,+B;MAAC,sB;K  
;IAEW,+D;MAAA,0C;MAAS,mB;MACxC,iBAAgB,yBAAQ,S;K;8DACxB,Y;M5HyEG,Q4HxEC,8BAAQ,QAA  
O,cAAP,C;MAAyB,c7IZIC,EAAl,CAAJ,C;M6IY2C,Y7IuF3C,EAAl,CAAJ,C;M6IvFC,OAA4D,aAAR,OAAQ,qC  
AAR,aAAiD,aAAN,KAAM,yCAAjD,C;K;;qCAH5D,Y;MAAmC,md;K;sCAMnC,Y;MAAkC,qC;K;;IAKF,4C;M  
AAiC,4E;MAAhC,8B;K;2CACjC,Y;MAA8B,OAAA,gBAAy,M;K;+CAC1C,Y;MAAkC,2C;K;;IAGtC,6B;MAAA  
iC;MAEoC,4E;K;uCAChC,Y;MAA8B,OAAe,U;K;2CAC7C,Y;MAAkC,+B;K;;IAJtC,yC;MAAA,wC;QAAA,uB;  
OAAA,iC;K;IC1CA,gD;MAQ+B,kBAAPB,wBAAC,IAAd,C;MAA0B,I7HgEjC,a;M6HhEA,O7HiEO,W;K;I6H9D  
X,gD;MAQqD,kBAA1B,gBAAhB,sCAAgB,EAAC,IAAd,EAAoB,IAAPB,C;MAAiC,sB7HoEID,W6HpEkD,C;MA  
AxD,O7HqEO,W;K;I8HzFX,yC;MAEkD,8B;MAAA,OCGN,aDHwB,yBAAa,QAAb,mCCGxB,C/G+xBgC,sB;K;I  
8GhyB5E,2C;M/IggIW,kBAAy,gB;MAoGH,Q;MAAhB,wB+I7IIqB,U/I6IIrB,gB;QAAgB,c+I7IIK,U/I6IIrB,M;QA

AsB,IAAI,C+I7IikB,sB/I6IIP,O+I7IIO,C/I6IItB,C;UAAyB,WAAy,WAAI,OAAJ,C;;M+I7Ii3D,qB/I8IIO,W;M+I7II  
P,IzIgNwD,CyIhNpD,czIgNqD,UyIhNzD,C;Q9GgKuC,U;Q8G/JnC,qB9G+JyD,OAAAtB,+B8G/Jd,mB9G+Jc,uBAA  
sB,CAAO,W;QsGkO7C,kBAAhB,sB;QQ/XC,0C;QACA,IAAI,E9G8QoC,0BAAU,C8G9Q9C,CAAJ,C;UACI,2BA  
AO,GAAP,C;SAEW,sCAAa,GAAb,C;QALnB,sB9H4DG,WsHoUqC,W;QQzXxC,OAAO,I;OAGX,OAAO,K;K;IA  
GX,8C;MAOmB,c;;Q/Ii3YC,Q;QAAhB,wB+Ij3YI,U/Ii3YJ,gB;UAAgB,c+Ij3YZ,U/Ii3YJ,M;UAAsB,I+Ij3YD,sB/I  
i3Ye,O+Ij3Yf,C/Ii3YC,C;YAAwB,aAAO,I;YAAP,e;;QAC9C,aAAO,K;;;M+Ii3YP,e;QACI,kBAA6B,MAAX,UAA  
W,C;Q9GyIM,U;Q8GxIb,a9GwImC,OAAAtB,+B8GxIvB,mB9GwIuB,uBAAAsB,CAAO,W;Q8GxIX,kBC/BjB,aD+B  
D,MC/BC,C/Gg1C6C,uBAAzB,CAAyB,C;QbnmB9E,kBAAS,gB;QA2FA,U;QAAA,+B;QAAhB,OAAgB,gBAAh  
B,C;UAAgB,6B;UAAM,I2HzyB4C,4B3HyyB9B,S2HzyB8B,C3HyyB5C,C;YAAwB,WAAy,WAAI,SAAJ,C;;Q2  
HzyBtD,sBAAMf,e3H0yBhF,W2H1yBgF,EAAa,GAAb,C;QACnF,OAAO,I;OAGX,OAAO,K;K;IEnCP,iC;MAAQ  
,8BAAY,IAAK,UAAjB,IAA8B,uBAAY,IAAK,mB;K;IAOvD,oC;MAAQ,8BAAY,IAAK,a;K;ICZ7B,4B;MAGI,O  
AAO,yBAAP,C;QACI,sBAAY,mCAAZ,C;;K;IAIR,uC;MAOI,sBAAY,sCAAgB,gBAAe,IAAf,CAA5B,C;MACA,  
OAAO,S;K;ICbP,4B;MAAQ,mB;K;IACR,mC;MACI,eAAO,K;K;IAKX,4B;MAAQ,mB;K;IACR,mC;MACI,eAA  
O,K;K;iHCoBf,sJ;MAEyC,qB;QAAA,QAakB,I;MAAM,qB;QAAA,QAakB,I;MAAM,uB;QAAA,UAAoB,K;MA  
AO,yB;QAAA,YAAsB,I;MAAM,kC;QAAA,qBAA+B,I;MAAM,qC;QAAA,wBAaKc,K;MAAO,+C;QAAA,kCA  
A4C,K;MAAO,4C;QAAA,+BAAYC,K;MACtT,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IA  
Aa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,WAAF,IAAiB,S;MACjB,EAAE,oBAAF,IAA0B,kB;MAC1B,E  
AAE,uBAAF,IAA6B,qB;MAC7B,EAAE,iCAAF,IAAuC,+B;MACvC,EAAE,8BAAF,IAAoC,4B;MACpC,OAAO,  
C;K;+GAw0BX,wD;MAEwC,6B;QAAA,gBAAYB,E;MAAI,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;  
MAAO,wB;QAAA,WAAqB,K;MAC/I,QAAQ,E;MACR,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IAAe,O;M  
ACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;6EA6CX,4B;MAE6D,iBAAY  
,KAAZ,C;K;6EAE7D,mC;MAEoE,UAAy,KAAZ,IAAqB,K;K;6EAuBzF,4B;MAE8D,iBAAY,KAAZ,C;K;6EAE9  
D,mC;MAEqE,UAAy,KAAZ,IAAqB,K;K;6EAuB1F,4B;MAEqE,iBAAY,KAAZ,C;K;6EAErE,mC;MAE4E,UAA  
y,KAAZ,IAAqB,K;K;6EAuBjG,4B;MAE+D,iBAAY,KAAZ,C;K;6EAE/D,mC;MAEsE,UAAy,KAAZ,IAAqB,K;  
K;6EAuB3F,4B;MAEgE,iBAAY,KAAZ,C;K;6EAEhE,mC;MAEuE,UAAy,KAAZ,IAAqB,K;K;6EAuB5F,4B;MA  
E6D,iBAAY,KAAZ,C;K;6EAE7D,mC;MAEoE,UAAy,KAAZ,IAAqB,K;K;6EAuBzF,4B;MAE8D,iBAAY,KAAZ,  
C;K;6EAE9D,mC;MAEqE,UAAy,KAAZ,IAAqB,K;K;6EAuB1F,4B;MAEiE,iBAAY,KAAZ,C;K;6EAEjE,mC;M  
AEwE,UAAy,KAAZ,IAAqB,K;K;6EAuB7F,4B;MAEKe,iBAAY,KAAZ,C;K;6EAEIE,mC;MAEyE,UAAy,KAAZ  
,IAAqB,K;K;6GC3oC9F,wD;MAEqC,6B;QAAA,gBAA+B,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aA  
AuB,K;MAAO,wB;QAAA,WAAqB,K;MACpJ,QAAQ,E;MACR,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IA  
Ae,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;mIAiCX,+B;MAEgD,  
mC;QAAA,sBAAgC,K;MAC5E,QAAQ,E;MACR,EAAE,qBAAF,IAA2B,mB;MAC3B,OAAO,C;K;4EC9CX,4B;  
MAEgE,iBAAY,KAAZ,C;K;4EAgChE,4B;MAEyE,iBAAY,KAAZ,C;K;4EAiBzE,4B;MAEmE,iBAAY,KAAZ,C;  
K;4EAyYnE,4B;MAE0E,iBAAY,KAAZ,C;K;oIC7a1E,4H;MAE8C,qB;QAAA,QAAiB,E;MAAI,6B;QAAA,gBAA  
gC,E;MAAW,iC;QAAA,oBAA2D,E;MAAW,iC;QAAA,oBAA2D,E;MAAW,qC;QAAA,wBAmJvJ,U;OAnJqO,+B  
;QAAA,kBAmJrO,U;OAnJ6S,4B;QAAA,eAA+B,S;MAC3a,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAA  
E,eAAF,IAAqB,a;MACrB,EAAE,mBAAF,IAAyB,iB;MACzB,EAAE,mBAAF,IAAyB,iB;MACzB,EAAE,uBAAF,  
IAA6B,qB;MAC7B,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,cAAF,IAAoB,Y;MACpB,OAAO,C;K;wIAYX,mC;M  
AEgD,2B;QAAA,cAAuB,E;MAAI,0B;QAAA,aAAsB,E;MAC7F,QAAQ,E;MACR,EAAE,aAAF,IAAmB,W;MAC  
nB,EAAE,YAAF,IAAkB,U;MACIB,OAAO,C;K;8HAKEX,+D;MAEqG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,  
aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC/K,QAAQ,E;MACR,EAAE,aAAF,IAAmB,W;MACnB,EAAE,SA  
AF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACH  
B,OAAO,C;K;4HAwBX,iE;MAE0C,4B;QAAA,eAAwB,E;MAAI,wB;QAAA,WAAyB,I;MAAM,uB;QAAA,UAA  
oB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC/K,QAAQ,E;MACR,EAAE,cAAF,IAAo  
B,Y;MACpB,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EA  
AE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;sGAUqE,qB;MAAQ,OAAW,U;K;sGAEnB,qB;MAAQ,OAAW,U;K;4G  
AEhB,qB;MAAQ,OAAc,a;K;wGAS1B,qB;MAAQ,OAAy,W;K;0HAEX,qB;MAAQ,OAAqB,oB;K;kGASnD,qB;  
MAAQ,OAAAS,Q;K;oGAEhB,qB;MAAQ,OAAU,S;K;sGAEjB,qB;MAAQ,OAAW,U;K;wHAEV,qB;MAAQ,OAA

oB,mB;K;wHAE5B,qB;MAAQ,OAAoB,mB;K;kHAE/B,qB;MAAQ,OAAiB,gB;K;kHAEzB,qB;MAAQ,OAAiB,g  
B;K;oHASd,qB;MAAQ,OAAkB,iB;K;oHAE1B,qB;MAAQ,OAAkB,iB;K;oHAE1B,qB;MAAQ,OAAkB,iB;K;wIA  
EhB,qB;MAAQ,OAA4B,2B;K;4FC1MnI,uD;MAE8B,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAe,C;MAAG,u  
B;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACHJ,QAAQ,E;MACR,EAA  
E,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MA  
CIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;kGAuBX,sE;MAEiC,6B;QAAA,gBAA8B,I;MAAM,oB;QAAA,  
OAAgB,I;MAAM,sB;QAAA,SAAe,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;Q  
AAA,WAAqB,K;MACvL,QAAQ,E;MACR,EAAE,eAAF,IAAqB,a;MACrB,EAAE,MAAF,IAAY,I;MACZ,EAAE,  
QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;M  
ACHB,OAAO,C;K;kGA8DX,8U;MAEiC,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,  
UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,sB;QAAA,SAAiB,C;MAAG,uB;QAAA,UAAkB,C;MAAG,6B;Q  
AAA,gBAA8B,I;MAAM,sB;QAAA,SAAkB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MA  
AO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBA  
A6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;Q  
AAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;  
MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAe,C;MAAG,uB;QAAA,UAA  
oB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC3wB,QAAQ,E;MACR,EAAE,SAAF,IAA  
e,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,  
IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,eAAF,IAAqB,a;MACrB,EAAE,QAAF,IAAc,M;MACd,EAA  
E,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;M  
ACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MACIB,EA  
AE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IA  
A0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MA  
C1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IA  
AkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;wGAgDX,kQ;MAEoC,uB;QAAA,UAAoB,K;MAA  
O,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA  
6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QA  
AA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;M  
AAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SA  
Ae,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC71B,QAA  
Q,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,QAAF,IAAc,M;MACd,EAAE,  
SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAA  
kB,U;MACIB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,  
EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBA  
AF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf  
,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;kGAsCX,iX;MAEiC,sB;QAAA,S  
AAkB,G;MAAK,sB;QAAA,SAAkB,G;MAAK,sB;QAAA,SAAkB,G;MAAK,yB;QAAA,YAAkB,C;MAAG,uB;Q  
AAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAA  
G,sB;QAAA,SAAiB,C;MAAG,uB;QAAA,UAAkB,C;MAAG,6B;QAAA,gBAA8B,I;MAAM,sB;QAAA,SAAkB,I;  
MAAM,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,U  
AAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8  
B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,  
K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAA  
A,OAAgB,I;MAAM,sB;QAAA,SAAe,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;  
QAAA,WAAqB,K;MACr2B,QAAQ,E;MACR,EAAE,QAAF,IAAc,M;MACd,EAAE,QAAF,IAAc,M;MACd,EAA  
E,QAAF,IAAc,M;MACd,EAAE,WAAF,IAAiB,S;MACjB,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MA  
Cf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,  
O;MACf,EAAE,eAAF,IAAqB,a;MACrB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,UAA

F,IAAgB,Q;MACHB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;kGA2BX,0E;MAEiC,oB;QAAA,OAAgB,E;MAAI,2B;QAAA,cAAwB,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SA Ae,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACtM,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,aAAF,IAAmB,W;MACnB,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;wGAmDX,4S;MAEoC,mB;QAAA,MAAe,E;MAAI,oB;QAAA,OAAgB,E;MAAI,wB;QAAA,WAAiB,C;MAAG,sB;QAAA,SAAmB,K;MAAO,2B;QAAA,cAAwB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SA Ae,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjtB,QAAQ,E;MACR,EAAE,KAAF,IAAW,G;MACX,EAAE,MAAF,IAAY,I;MACZ,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;8GAuBX,6D;MAEuC,oB;QAAA,OAAgB,E;MAAI,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SA Ae,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC7K,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;wECnbX,4B;MAEyE,iBAA Y,KAAZ,C;K;wEAEzE,2B;MAEgG,iBAA Y,IAAZ,C;K;wEAwBhG,oC;MAE+F,UAA Y,KAAZ,IAAqB,M;K;wEAmFpH,2B;MAEqE,iBAA Y,IAAZ,C;K;wEAErE,kC;MAE2E,UAA Y,IAAZ,IAAoB,K;K;wEAssC/F,4B;MAEyE,iBAA Y,KAAZ,C;K;wEA0BzE,4B;MAEyE,iBAA Y,KAAZ,C;K;wEAsBzE,4B;MAEuE,iBAA Y,KAAZ,C;K;wEAyBvE,4B;MAE6E,iBAA Y,KAAZ,C;K;2FA4C7E,gD;MAEiC,qB;QAAA,QAAiD,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACIK,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;uEA+UX,4B;MAEuE,iBAA Y,KAAZ,C;K;wEAEvE,2B;MAE6F,iBAA Y,IAAZ,C;K;wEAqN7F,4B;MAEyE,iBAA Y,KAAZ,C;K;wEAEzE,oC;MAE2F,UAA Y,KAAZ,IAAqB,M;K;+FAuehH,wD;MAEmC,6B;QAAA,gBAA8B,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjJ,QAAQ,E;MACR,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;uGAuIX,mB;MAEuC,uB;QAAA,UAAoB,K;MACvD,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;+HAyCX,iB;MAEmD,qB;QAAA,QAAkB,I;MACjE,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,OAAO,C;K;+FA0MX,sE;MAEmC,oB;QAAA,OAAgB,I;MAAM,wB;QAAA,WAA0+G4B,S;OA1+GwB,kB;QAAA,KAAc,E;MAAI,wB;QAAA,WAAoB,I;MAAM,sB;QAAA,SAAkB,S;MAAW,uB;QAAA,UAAoB,I;MAAM,qB;QAAA,QAAiB,I;MAAM,oB;QAAA,OAAgB,I;MACnP,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,IAAF,IAAU,E;MACV,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,OAAF,IAAa,K;MACb,EAAE,MAAF,IAAY,I;MACZ,OAAO,C;K;qIAGDX,iB;MAEsD,qB;QAAA,QAAkB,I;MACpE,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,OAAO,C;K;+GAKBX,qB;MAE2C,yB;QAAA,YAAmB,S;MAC1D,QAAQ,E;MACR,EAAE,SAAF,IAAe,S;MACf,OAAO,C;K;wEAKCX,4B;MAEqF,iBAA Y,KAAZ,C;K;yFAgCrF,4V;MAEgC,4B;QAAA,eAA8B,I;MAAM,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAA

gB,C;MAAG,sB;QAAA,SAAiB,C;MAAG,uB;QAAA,UAAkB,C;MAAG,6B;QAAA,gBAA8B,I;MAAM,sB;QAA  
A,SAAkB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,  
uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,  
K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAA  
A,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MA  
AO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAE,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;  
MAAO,wB;QAAA,WAAqB,K;MAC9yB,QAAQ,E;MACR,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,SAAF,IAAe,O  
;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IA  
Ac,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,eAAF,IAAqB,a;MACrB,EAAE,QAAF,IAAc,M;MACd,EAAE,S  
AAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf  
,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,  
gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B  
,kB;MACIB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MACIB,  
EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,  
U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;wEAwEX,2B;MAE+D,iBAAY,IAAZ,C;K;iGA2D/D,gD;  
MAEoC,qB;QAAA,QAAC,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WA  
AqB,K;MACII,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB  
,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;qGA2BX,yD;MAEsC,sB;QAAA,SAAkB,E;MAAI,sB;Q  
AAA,SAAkB,E;MAAI,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC5  
J,QAAQ,E;MACR,EAAE,QAAF,IAAc,M;MACd,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EA  
AE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;6GAuBX,oD;MAE0C,yB;QAAA,YA  
AsB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjJ,QAAQ  
,E;MACR,EAAE,WAAF,IAAiB,S;MACjB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,  
UAAF,IAAgB,Q;MACHb,OAAO,C;K;2FAoFX,kF;MAEiC,uB;QAAA,UAAmB,E;MAAI,wB;QAAA,WAAoB,E;  
MAAI,sB;QAAA,SAAE,C;MAAG,qB;QAAA,QAAC,C;MAAG,qB;QAAA,QAAC,I;MAAM,uB;QAAA,UAAoB,K;  
MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjN,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MA  
Cf,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,QAAF,IAAc,M;MACd,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,I  
AAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,O  
AAO,C;K;iHAyBX,0D;MAEqE,sB;QAAA,SAAE,S;MAAW,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;  
MAAO,wB;QAAA,WAAqB,K;MACzK,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IAAc,M;M  
ACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;  
wEAmXX,4B;MAEkE,iBAAY,KAAZ,C;K;wEAEIE,2B;MAEoE,iBAAY,IAAZ,C;K;wEAUPE,4B;MAEsE,iBAA  
Y,KAAZ,C;K;wEAETe,2B;MAEW,e,iBAAY,IAAZ,C;K;wEAxE,4B;MAE+D,iBAAY,KAAZ,C;K;wEAE/D,2B;M  
AEiE,iBAAY,IAAZ,C;K;mGA0CjE,8G;MAEqC,gC;QAAA,mBAooF8C,M;OApOFe,gC;QAAA,mBAmpFT,S;OA  
npFyE,oC;QAAA,uBA8pFjE,S;OA9pF6I,2B;QAAA,cAAoB,S;MAAW,4B;QAAA,eAAqB,S;MAAW,6B;QAAA,g  
BAyqFIO,K;OAxqFvE,QAAQ,E;MACR,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,  
EAAE,sBAAF,IAA4B,oB;MAC5B,EAAE,aAAF,IAAmB,W;MACnB,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,eA  
AF,IAAqB,a;MACrB,OAAO,C;K;+FAwCX,mF;MAEmC,oB;QAAA,OAAa,I;MAAM,sB;QAAA,SAAkB,E;MAAI  
,2B;QAAA,cAAuB,E;MAAI,sB;QAAA,SAAYC,I;MAAM,qB;QAAA,QAA6B,E;MAAW,uB;QAAA,UAAoB,K;M  
AAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACxQ,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MA  
CZ,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,QAAF,IAAc,M;MACd,EAAE,OAAF,  
IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,O  
AAO,C;K;6FA4BX,2B;MAEkC,+B;QAAA,kBAA4B,K;MACID,QAAQ,E;MACR,EAAE,iBAAF,IAAuB,e;MAC  
vB,OAAO,C;K;2FA2DX,iE;MAEiC,wB;QAAA,WAAqB,K;MAAO,oB;QAAA,OAAe,C;MAAG,sB;QAAA,SAAk  
B,E;MAAI,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC/K,QAAQ,E;  
MACR,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SA  
AF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;yFA8FX,6B;M  
AEgC,oB;QAAA,OA+7E6C,S;OA/7EL,2B;QAAA,cCl2He,M;ODm2HnF,QAAQ,E;MACR,EAAE,MAAF,IAAY,I

;MACZ,EAAE,aAAF,IAAmB,W;MACnB,OAAO,C;K;wEAoDX,0B;MAE+D,iBAAY,GAAZ,C;K;wEAE/D,iC;MAE  
AEqE,UAAAY,GAAZ,IAAmB,K;K;+FAoDxF,oF;MAEmC,mB;QAAA,MAAe,I;MAAM,wB;QAAA,WAAoB,I;MA  
AM,wB;QAAA,WAAoB,I;MAAM,mB;QAAA,MAAe,E;MAAI,2B;QAAA,cAAwB,I;MAAM,uB;QAAA,UAAoB,  
K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACvO,QAAQ,E;MACR,EAAE,KAAF,IAAW,G  
;MACX,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,KAAF,IAAW,G;MACX,EAA  
E,aAAF,IAAmB,W;MACnB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,  
Q;MACHb,OAAO,C;K;iFAwNX,yC;MAE4B,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QA  
AA,WAAqB,K;MACtG,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,U  
AAF,IAAgB,Q;MACHb,OAAO,C;K;6FAwBX,iD;MAEkC,sB;QAAA,SAAe,I;MAAM,uB;QAAA,UAAoB,K;MA  
AO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjI,QAAQ,E;MACR,EAAE,QAAF,IAAc,M;MACd,  
EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;uGA  
SX,mB;MAEuC,uB;QAAA,UAAoB,K;MACvD,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;6GA  
YX,kC;MAE0C,uB;QAAA,UAAoB,K;MAAO,oB;QAAA,OAAiB,K;MAAO,uB;QAAA,UAAoB,K;MAC7G,QAA  
Q,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,MAAF,IAAY,I;MACZ,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K  
;wEAkEX,4B;MAE6D,iBAAY,KAAZ,C;K;wEAU7D,4B;MAEsE,iBAAY,KAAZ,C;K;wEAEtE,2B;MAEwE,iBA  
AY,IAAZ,C;K;uGAsCxE,oH;MAEuC,yB;QAAA,YAAsB,K;MAAO,0B;QAAA,aAAuB,S;MAAW,6B;QAAA,gB  
AA0B,S;MAAW,uB;QAAA,UAAoB,K;MAAO,iC;QAAA,oBAA8B,S;MAAW,qC;QAAA,wBAaKc,S;MAAW,+  
B;QAAA,kBAaKc,S;MAC1R,QAAQ,E;MACR,EAAE,WAAF,IAAiB,S;MACjB,EAAE,YAAF,IAAkB,U;MACIB  
,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IAAe,O;MACf,EAAE,mBAAF,IAAyB,iB;MACzB,EAAE,uBAAF,I  
AA6B,qB;MAC7B,EAAE,iBAAF,IAAuB,e;MACvB,OAAO,C;K;mGAgFX,oB;MAEqC,wB;QAAA,WAAqB,K;M  
ACtD,QAAQ,E;MACR,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;wEA+MX,2B;MAEiE,iBAAY,IAAZ,C;K;2  
GakCjE,c;MAEyC,kB;QAAA,KAAgB,S;MACrD,QAAQ,E;MACR,EAAE,IAAF,IAAU,E;MACV,OAAO,C;K;2F  
AuMX,gB;MAGI,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,OAAO,C;K;wEAgBX,4B;MAEiE,iBAAY,KA  
AZ,C;K;wEAEjE,oC;MAE4E,iBAAY,aAAZ,C;K;wEAuT5E,4B;MAEmE,iBAAY,KAAZ,C;K;uFA2CnE,sB;MAE  
+B,iB;QAAA,IAAa,G;MAAK,iB;QAAA,IAAa,G;MAAK,iB;QAAA,IAAa,G;MAAK,iB;QAAA,IAAa,G;MAC9F,  
QAAQ,E;MACR,EAAE,GAAF,IAAS,C;MACT,EAAE,GAAF,IAAS,C;MACT,EAAE,GAAF,IAAS,C;MACT,EA  
AE,GAAF,IAAS,C;MACT,OAAO,C;K;qFA0CX,+B;MAE8B,iB;QAAA,IAAa,G;MAAK,iB;QAAA,IAAa,G;MAA  
K,qB;QAAA,QAAiB,G;MAAK,sB;QAAA,SAaKb,G;MACtG,QAAQ,E;MACR,EAAE,GAAF,IAAS,C;MACT,EA  
AE,GAAF,IAAS,C;MACT,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,OAAO,C;K;wEAOX,4B;  
MAEmE,iBAAY,KAAZ,C;K;yFAiHnE,oB;MAEgC,wB;QAAA,WAY2B+C,M;OAX2B3E,QAAQ,E;MACR,EAAE  
,UAAF,IAAgB,Q;MACHb,OAAO,C;K;6FAeX,+B;MAEkC,oB;QAAA,OAAGB,S;MAAW,mB;QAAA,MAAe,S;M  
AAW,wB;QAAA,Waq1BR,M;OAp1B3E,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,KAAF,IAAW,G  
;MACX,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;6GAwCX,yD;MAE0C,qB;QAAA,QAAiB,E;MAAI,uB;QA  
AA,UAAoB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACp  
K,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAA  
E,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;yGAiCX,mC;MAEwC,qB;QAAA,QA2  
wByD,Q;OA3wBK,sB;QAAA,SA2wBL,Q;OA3wBoE,wB;QAAA,WA4vBtF,M;OA3vB3E,QAAQ,E;MACR,EAA  
E,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;2FAYX,2B;  
MAEiC,mB;QAAA,MAuwB0C,Q;OAvwBJ,0B;QAAA,aAAsB,S;MACzF,QAAQ,E;MACR,EAAE,KAAF,IAAW,  
G;MACX,EAAE,YAAF,IAAkB,U;MACIB,OAAO,C;K;+GAYX,0B;MAE2C,uB;QAAA,UaqvBgC,Q;OArvBU,q  
B;QAAA,QAqvBV,Q;OApvBvE,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,OAAF,IAAa,K;MACb,OA  
AO,C;K;wEAgCX,4B;MAE+D,iBAAY,KAAZ,C;K;qFAyaY,qB;MAAQ,OAAU,S;K;6FAEd,qB;MAAQ,OAAc,a;  
K;uFAEzB,qB;MAAQ,OAAW,U;K;iFASxB,qB;MAAQ,OAAG,E;K;iFAEX,qB;MAAQ,OAAQ,O;K;uFAEb,qB;M  
AAQ,OAAW,U;K;uFAS3B,qB;MAAQ,OAAW,U;K;mFAErB,qB;MAAQ,OAAS,Q;K;qFAEhB,qB;MAAQ,OAAU  
,S;K;yFAShB,qB;MAAQ,OAAY,W;K;uFAErB,qB;MAAQ,OAAW,U;K;+FAEf,qB;MAAQ,OAAe,c;K;uFAE3B,q  
B;MAAQ,OAAW,U;K;uFAEnB,qB;MAAQ,OAAW,U;K;mFASrB,qB;MAAQ,OAAS,Q;K;iFAEiB,qB;MAAQ,OA  
AQ,O;K;6EAEiB,qB;MAAQ,OAAM,K;K;uFAET,qB;MAAQ,OAAW,U;K;qFASiB,qB;MAAQ,OAAU,S;K;qFAEi  
B,qB;MAAQ,OAAU,S;K;6EASR,qB;MAAQ,OAAM,K;K;mFAEX,qB;MAAQ,OAAS,Q;K;+EAEnB,qB;MAAQ,O

AAO,M;K;+EAS/B,qB;MAAQ,OAAO,M;K;iFAEd,qB;MAAQ,OAAQ,O;K;mFAEf,qB;MAAQ,OAAS,Q;K;mFAS  
hB,qB;MAAQ,OAAQ,O;K;iFAEhB,qB;MAAQ,OAAQ,O;K;iFAEhB,qB;MAAQ,OAAQ,O;K;mFASd,qB;MAAQ,  
OAAQ,O;K;+EAEIB,qB;MAAQ,OAAM,K;K;+EAEb,qB;MAAQ,OAAO,M;K;iFAEd,qB;MAAQ,OAAQ,O;K;mF  
AEf,qB;MAAQ,OAAS,Q;K;6EASd,qB;MAAQ,OAAM,K;K;qFAEV,qB;MAAQ,OAAU,S;K;mFAEnB,qB;MAAQ,  
OAAS,Q;K;2FAEb,qB;MAAQ,OAAa,Y;K;6FAEpB,qB;MAAQ,OAAc,a;K;mFAE3B,qB;MAAQ,OAAS,Q;K;6EA  
S1B,qB;MAAQ,OAAM,K;K;6EAEd,qB;MAAQ,OAAM,K;K;qFAEV,qB;MAAQ,OAAU,S;K;+EASjB,qB;MAAQ,  
OAAO,M;K;mFAEb,qB;MAAQ,OAAS,Q;K;+EASrB,qB;MAAQ,OAAO,M;K;iFAEd,qB;MAAQ,OAAQ,O;K;iFA  
SjB,qB;MAAQ,OAAO,M;K;6FAER,qB;MAAQ,OAAc,a;K;qFAE1B,qB;MAAQ,OAAU,S;K;iFASb,qB;MAAQ,O  
AAO,M;K;uFAEZ,qB;MAAQ,OAAU,S;K;yFAS9B,qB;MAAQ,OAAy,W;K;+EAE1B,qB;MAAQ,OAAM,K;K;qF  
AEX,qB;MAAQ,OAAS,Q;K;iFAEnB,qB;MAAQ,OAAO,M;K;+EASrB,qB;MAAQ,OAAO,M;K;6FAER,qB;MAA  
Q,OAAc,a;K;qFAS1B,qB;MAAQ,OAAU,S;K;mFAEnB,qB;MAAQ,OAAS,Q;K;+EASX,qB;MAAQ,OAAO,M;K;  
mFAEb,qB;MAAQ,OAAS,Q;K;iFASnB,qB;MAAQ,OAAO,M;K;qFAEZ,qB;MAAQ,OAAU,S;K;mFAEnB,qB;M  
AAQ,OAAS,Q;K;kFASJ,qB;MAAQ,OAAQ,O;K;oFAEf,qB;MAAQ,OAAS,Q;K;8EAEPB,qB;MAAQ,OAAM,K;K  
;oFAEV,qB;MAAQ,OAAU,S;K;mFASzC,qB;MAAQ,OAAS,Q;K;mFAEjB,qB;MAAQ,OAAS,Q;K;qFAEhB,qB;M  
AAQ,OAAU,S;K;qFAEIB,qB;MAAQ,OAAU,S;K;wIEx+M7E,wM;MAEiD,qB;QAAA,QAakB,I;MAAM,sB;QAA  
A,SAAmB,I;MAAM,2B;QAAA,cAAwB,I;MAAM,yB;QAAA,YAAsB,I;MAAM,0B;QAAA,aAAuB,I;MAAM,0B;  
QAAA,aAAuB,I;MAAM,sB;QAAA,SAAmB,I;MAAM,0B;QAAA,aAAuB,I;MAAM,0B;QAAA,aAAuB,I;MAAM,  
gC;QAAA,mBAA6B,I;MAAM,+B;QAAA,kBAA4B,I;MAAM,gC;QAAA,mBAA6B,I;MAAM,uB;QAAA,UAAoB  
,I;MAAM,4B;QAAA,eAAyB,I;MAAM,wB;QAAA,WAAqB,I;MAAM,uB;QAAA,UAAoB,I;MACrF,QAAQ,E;MA  
CR,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,WAAF,  
IAAiB,S;MACjB,EAAE,YAAF,IAAkB,U;MACiB,EAAE,YAAF,IAAkB,U;MACiB,EAAE,QAAF,IAAc,M;MACd  
,EAAE,YAAF,IAAkB,U;MACiB,EAAE,YAAF,IAAkB,U;MACiB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,iB  
AAF,IAAuB,e;MACvB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,SAAF,IAAe,O;MACf,EAAE,cAAF,IAAoB,Y;  
MACpB,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;wHAsDX,wM;MAEyC,qB;Q  
AAA,QAAqB,S;MAAW,sB;QAAA,SAAsB,S;MAAW,2B;QAAA,cAA4B,S;MAAW,yB;QAAA,YAA0B,S;MAA  
W,0B;QAAA,aAA6B,S;MAAW,0B;QAAA,aAA6B,S;MAAW,sB;QAAA,SAAuB,S;MAAW,0B;QAAA,aAA0B,S;  
MAAW,0B;QAAA,aAA0B,S;MAAW,gC;QAAA,mBAAoC,S;MAAW,+B;QAAA,kBAAmC,S;MAAW,gC;QAAA  
,mBAAoC,S;MAAW,uB;QAAA,UAAwB,S;MAAW,4B;QAAA,eAA4B,S;MAAW,wB;QAAA,WAAoB,S;MAAW  
,uB;QAAA,UAAmB,S;MACtnB,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,E  
AAE,aAAF,IAAmB,W;MACnB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,YAAF,IAAkB,U;MACiB,EAAE,YAAF,I  
AAkB,U;MACiB,EAAE,QAAF,IAAc,M;MACd,EAAE,YAAF,IAAkB,U;MACiB,EAAE,YAAF,IAAkB,U;MACiB  
,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,  
SAAF,IAAe,O;MACf,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,SAAF,IAAe,O;M  
ACf,OAAO,C;K;sHAYX,kN;MAEwC,wB;QAAA,WAA4C,S;MAAW,qB;QAAA,QAAiB,S;MAAW,sB;QAAA,S  
AAkB,S;MAAW,2B;QAAA,cAAuB,S;MAAW,yB;QAAA,YAAqB,S;MAAW,0B;QAAA,aAsB,S;MAAW,0B;Q  
AAA,aAsB,S;MAAW,sB;QAAA,SAAkB,S;MAAW,0B;QAAA,aAsB,S;MAAW,0B;QAAA,aAsB,S;MAAW,  
gC;QAAA,mBAA4B,S;MAAW,+B;QAAA,kBAA2B,S;MAAW,gC;QAAA,mBAA4B,S;MAAW,uB;QAAA,UAA  
mB,S;MAAW,4B;QAAA,eAAwB,S;MAAW,wB;QAAA,WAAoB,S;MAAW,uB;QAAA,UAAmB,S;MAC9IB,QA  
AQ,E;MACR,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAA  
E,aAAF,IAAmB,W;MACnB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,YAAF,IAAkB,U;MACiB,EAAE,YAAF,IAA  
kB,U;MACiB,EAAE,QAAF,IAAc,M;MACd,EAAE,YAAF,IAAkB,U;MACiB,EAAE,YAAF,IAAkB,U;MACiB,E  
AAE,kBAAF,IAAwB,gB;MACxB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,S  
AAF,IAAe,O;MACf,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,SAAF,IAAe,O;MA  
Cf,OAAO,C;K;0HAsDX,wM;MAE0C,qB;QAAA,QAAiB,S;MAAW,sB;QAAA,SAAkB,S;MAAW,2B;QAAA,cA  
AuB,S;MAAW,yB;QAAA,YAAqB,S;MAAW,0B;QAAA,aAsB,S;MAAW,0B;QAAA,aAsB,S;MAAW,sB;QA  
AA,SAAkB,S;MAAW,0B;QAAA,aAsB,S;MAAW,0B;QAAA,aAsB,S;MAAW,gC;QAAA,mBAA4B,S;MAAW  
,+B;QAAA,kBAA2B,S;MAAW,gC;QAAA,mBAA4B,S;MAAW,uB;QAAA,UAAmB,S;MAAW,4B;QAAA,eAAw  
B,S;MAAW,wB;QAAA,WAAoB,S;MAAW,uB;QAAA,UAAmB,S;MACziB,QAAQ,E;MACR,EAAE,OAAF,IAAA

,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,QAAF,IAAc,M;MACd,EAAE,YAAF,IAAkB,U;MACIB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,SAAF,IAAe,O;MACf,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;gHAYDX,wM;MAEqC,qB;QAAA,QAAc,S;MAAW,sB;QAAA,SAAe,S;MAAW,2B;QAAA,cAAuB,S;MAAW,yB;QAAA,YAAqB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,sB;QAAA,SAAkB,S;MAAW,0B;QAAA,aAAmB,S;MAAW,0B;QAAA,aAAmB,S;MAAW,gC;QAAA,mBAA6B,S;MAAW,+B;QAAA,kBAA4B,S;MAAW,gC;QAAA,mBAA6B,S;MAAW,uB;QAAA,UAAmB,S;MAAW,4B;QAAA,eAAqB,S;MAAW,wB;QAAA,WAAoB,S;MAAW,uB;QAAA,UAAmB,S;MACxhB,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,QAAF,IAAc,M;MACd,EAAE,YAAF,IAAkB,U;MACIB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,SAAF,IAAe,O;MACf,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;8HAqBX,gD;MAEsE,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACHJ,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;sIAoBX,gD;MAEgD,qB;QAAA,QAAiB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjJ,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;wHAWCX,wB;MAEyC,qB;QAAA,QAAiB,K;MAAO,qB;QAAA,QAAiB,K;MAC9E,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,OAAO,C;K;kGAYBX,oB;MAE8B,mB;QAAA,MAAe,S;MAAW,mB;QAAA,MAAe,S;MACnE,QAAQ,E;MACR,EAAE,KAAF,IAAW,G;MACX,EAAE,KAAF,IAAW,G;MACX,OAAO,C;K;oHAYX,kC;MAEuC,qB;QAAA,QAAiB,S;MAAW,qB;QAAA,QAAiB,S;MAAW,mB;QAAA,MAAe,S;MAAW,mB;QAAA,MAAe,S;MACpI,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,EAAE,KAAF,IAAW,G;MACX,EAAE,KAAF,IAAW,G;MACX,OAAO,C;K;gGAYX,oB;MAE6B,mB;QAAA,MAAY,S;MAAW,mB;QAAA,MAAY,S;MAC5D,QAAQ,E;MACR,EAAE,KAAF,IAAW,G;MACX,EAAE,KAAF,IAAW,G;MACX,OAAO,C;K;kHAYX,kC;MAEsC,qB;QAAA,QAAc,S;MAAW,qB;QAAA,QAAc,S;MAAW,mB;QAAA,MAAY,S;MAAW,mB;QAAA,MAAY,S;MACvH,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,EAAE,KAAF,IAAW,G;MACX,EAAE,KAAF,IAAW,G;MACX,OAAO,C;K;gIAeX,wB;MAE6C,qB;QAAA,QAAkB,S;MAAW,qB;QAAA,QAAkB,S;MACxF,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,OAAO,C;K;oIAeX,wB;MAE+C,qB;QAAA,QAAiB,S;MAAW,qB;QAAA,QAAiB,S;MACxF,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,OAAO,C;K;4FAKX,Y;MAGI,QAAQ,E;MACR,OAAO,C;K;oFAKX,Y;MAGI,QAAQ,E;MACR,OAAO,C;K;8FAKX,Y;MAGI,QAAQ,E;MACR,OAAO,C;K;kGASX,oB;MAE8B,wB;QAAA,WAAkC,S;MAC5D,QAAQ,E;MACR,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;4FAUmE,qB;MAAQ,OAAO,M;K;8FAEd,qB;MAAQ,OAAQ,O;K;4FASrB,qB;MAAQ,OAAO,M;K;0GAER,qB;MAAQ,OAAc,a;K;8FAE7B,qB;MAAQ,OAAO,M;K;gGAEd,qB;MAAQ,OAAQ,O;K;8FASjB,qB;MAAQ,OAAO,M;K;gHAEL,qB;MAAQ,OAAiB,gB;K;wGASrC,qB;MAAQ,OAAa,Y;K;0GAEPB,qB;MAAQ,OAAc,a;K;wGAEvB,qB;MAAQ,OAAa,Y;K;oFCroB7F,4B;MAE6E,iBAAY,KAAZ,C;K;iGASnB,qB;MAAQ,OAAS,Q;K;6FAEnB,qB;MAAQ,OAAO,M;K;+FAEd,qB;MAAQ,OAAQ,O;K;iGASF,qB;MAAQ,OAAU,S;K;+FAEnB,qB;MAAQ,OAAS,Q;K;mGAS3B,qB;MAAQ,OAAW,U;K;mGAEnB,qB;MAAQ,OAAW,U;K;6GC1D/E,mb;MAEmC,yB;QAAA,YAAkB,C;MAAG,qB;QAAA,QAAiB,G;MAAK,sB;QAAA,SAAkB,G;MAAK,wB;QAAA,WAAmB,G;MAAI,kC;QAAA,qBAA6B,G;MAAI,qB;QAAA,QAAc,C;MAAG,qB;QAAA,QAAc,C;MAAG,qB;QAAA,QAAc,C;MAAG,2B;QAAA,cAAuB,E;MAAI,yB;QAAA,YAAsB,K;MAAO,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,sB;QAAA,SAAiB,C;MAAG,uB;QAAA,UAAkB,C;MAAG,6B;QAAA,gBAA8B,I;MAAM,sB;QAAA,SAAkB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,



8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAe,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACl/B,QAAQ,E;MACR,EAAE,WAAf,IAAiB,S;MACjB,EAAE,OAAf,IAAa,K;MACb,EAAE,QAAf,IAAc,M;MACd,EAAE,UAAf,IAAgB,Q;MACHb,EAAE,oBAAf,IAA0B,kB;MAC1B,EAAE,OAAf,IAAa,K;MACb,EAAE,OAAf,IAAa,K;MACb,EAAE,OAAf,IAAa,K;MACb,EAAE,aAAf,IAAmB,W;MACnB,EAAE,WAAf,IAAiB,S;MACjB,EAAE,SAAf,IAAe,O;MACf,EAAE,SAAf,IAAe,O;MACf,EAAE,SAAf,IAAe,O;MACf,EAAE,SAAf,IAAe,O;MACf,EAAE,QAAf,IAAc,M;MACd,EAAE,SAAf,IAAe,O;MACf,EAAE,eAAf,IAAqB,a;MACrB,EAAE,QAAf,IAAc,M;MACd,EAAE,SAAf,IAAe,O;MACf,EAAE,UAAf,IAAgB,Q;MACHb,EAAE,QAAf,IAAc,M;MACd,EAAE,SAAf,IAAe,O;MACf,EAAE,kBAAf,IAAwB,gB;MACxB,EAAE,kBAAf,IAAwB,gB;MACxB,EAAE,YAAf,IAAkB,U;MACIB,EAAE,gBAAf,IAAsB,c;MACtB,EAAE,eAAf,IAAqB,a;MACrB,EAAE,iBAAf,IAAuB,e;MACvB,EAAE,oBAAf,IAA0B,kB;MAC1B,EAAE,eAAf,IAAqB,a;MACrB,EAAE,gBAAf,IAAsB,c;MACtB,EAAE,oBAAf,IAA0B,kB;MAC1B,EAAE,MAAf,IAAY,I;MACZ,EAAE,QAAf,IAAc,M;MACd,EAAE,SAAf,IAAe,O;MACf,EAAE,YAAf,IAAkB,U;MACIB,EAAE,UAAf,IAAgB,Q;MACHb,OAAO,C;K;6GC1BX,0C;MAEwC,oB;QAAA,OAAiB,I;MAAM,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,uB;QAAA,UAAoB,K;MACpI,QAAQ,E;MACR,EAAE,MAAf,IAAY,I;MACZ,EAAE,QAAf,IAAc,M;MACd,EAAE,SAAf,IAAe,O;MACf,EAAE,SAAf,IAAe,O;MACf,OAAO,C;K;4EAmIX,4B;MAEkE,iBAAy,KAAZ,C;K;4EAEIE,qC;MAE2E,UAAy,KAAZ,IAAqB,O;K;4EAI BhG,4B;MAEuE,iBAAy,KAAZ,C;K;4EAEvE,qC;MAE+E,UAAy,KAAZ,IAAqB,O;K;4EAI BpG,4B;MAEuE,iBAAy,KAAZ,C;K;4EAEvE,qC;MAE+E,UAAy,KAAZ,IAAqB,O;K;4EAI GpG,4B;MAEoE,iBAAy,KAAZ,C;K;2EA EpE,qC;MAE4E,UAAy,KAAZ,IAAqB,O;K;4EAKcJG,4B;MAE6E,iBAAy,KAAZ,C;K;4EAE7E,qC;MAEQf,UAAy,KAAZ,IAAqB,O;K;4EAGp1G,4B;MAEQe,iBAAy,KAAZ,C;K;4EAErE,qC;MAE6E,UAAy,KAAZ,IAAqB,O;K;uFJ57BIG,+H;MAE8B,sB;QAAA,SAAkB,S;MAAW,uB;QAAA,UAAmB,S;MAAW,oB;QAAA,OAAgB,S;MAAW,wB;QAAA,WAAoB,S;MAAW,8B;QAAA,iBAA0B,S;MAAW,oB;QAAA,OAAqB,S;MAAW,2B;QAAA,cAAmC,S;MAAW,qB;QAAA,QAAuB,S;MAAW,wB;QAAA,WAA6B,S;MAAW,yB;QAAA,YAAqB,S;MAAW,yB;QAAA,YAAsB,S;MAAW,wB;QAAA,WAAe,S;MAC5Z,QAAQ,E;MACR,EAAE,QAAf,IAAc,M;MACd,EAAE,SAAf,IAAe,O;MACf,EAAE,MAAf,IAAY,I;MACZ,EAAE,UAAf,IAAgB,Q;MACHb,EAAE,gBAAf,IAAsB,c;MACtB,EAAE,MAAf,IAAY,I;MACZ,EAAE,aAAf,IAAmB,W;MACnB,EAAE,OAAf,IAAa,K;MACb,EAAE,UAAf,IAAgB,Q;MACHb,EAAE,WAAf,IAAiB,S;MACjB,EAAE,WAAf,IAAiB,S;MACjB,EAAE,QAAf,IAAc,Q;MACd,OAAO,C;K;yFA0CX,uC;MAE+B,sB;QAAA,SAAiB,G;MAAK,0B;QAAA,aAAsB,I;MAAM,uB;QAAA,UAAmB,S;MACHg,QAAQ,E;MACR,EAAE,QAAf,IAAc,M;MACd,EAAE,YAAf,IAAkB,U;MACIB,EAAE,SAAf,IAAe,O;MACf,OAAO,C;K;qFAUgD,qB;MAAQ,OAAgE,K;mFAEX,qB;MAAQ,OAAQ,O;K;iFAEjB,qB;MAAQ,OAAO,M;K;mFAEd,qB;MAAQ,OAAQ,O;K;qFAEf,qB;MAAQ,OAAS,Q;K;mFAEIB,qB;MAAQ,OAAQ,O;K;mFAEhB,qB;MAAQ,OAAQ,O;K;mFAEhB,qB;MAAQ,OAAQ,O;K;qFASF,qB;MAAQ,OAAgE,K;yFAER,qB;MAAQ,OAAW,U;K;mFAEtB,qB;MAAQ,OAAQ,O;K;mFAEjB,qB;MAAQ,OAAO,M;K;qFAEd,qB;MAAQ,OAAQ,O;K;yFAEb,qB;MAAQ,OAAW,U;K;mFAEtB,qB;MAAQ,OAAQ,O;K;qFAEf,qB;MAAQ,OAAS,Q;K;qFAEjB,qB;MAAQ,OAAS,Q;K;uFAEjB,qB;MAAQ,OAAS,Q;K;mGAEV,qB;MAAQ,OAAgB,e;K;iGAEzB,qB;MAAQ,OAAe,c;K;qFAE9B,qB;MAAQ,OAAQ,O;K;qFAEf,qB;MAAQ,OAAS,Q;K;iFAEnB,qB;MAAQ,OAAO,M;K;yFASzB,qB;MAAQ,OAAW,U;K;+FAEhB,qB;MAAQ,OAAc,a;K;uFAE1B,qB;MAAQ,OAAU,S;K;iFAErB,qB;MAAQ,OAAO,M;K;iFASD,qB;MAAQ,OAAO,M;K;iGAER,qB;MAAQ,OAAc,a;K;uFAE1B,qB;MAAQ,OAAU,S;K;yFAS9B,qB;MAAQ,OAAU,S;K;yFAEjB,qB;MAAQ,OAAW,U;K;qFAErB,qB;MAAQ,OAAS,Q;K;yFAEf,qB;MAAQ,OAAW,U;K;+FAEhB,qB;MAAQ,OAAc,a;K;qGAEnB,qB;MAAQ,OAAiB,gB;K;qFAS3B,qB;MAAQ,OAAS,Q;K;mFAEIB,qB;MAAQ,OAAQ,O;K;uFAEf,qB;MAAQ,OAAS,Q;K;mFASxB,qB;MAAQ,OAAQ,O;K;mFAEjB,qB;MAAQ,OAAO,M;K;yFAEZ,qB;MAAQ,OAAU,S;K;qFAEpB,qB;MAAQ,OAAQ,O;K;qFAEf,qB;MAAQ,OAAS,Q;K;qGAET,qB;MAAQ,OAAiB,gB;K;+FKnR/F,gB;MAEkC,oB;QAAA,OAAgB,E;MAC9C,QAAQ,E;MACR,EAAE,MAAf,IAAY,I;MACZ,OAAO,C;K;+FAiBX,8B;MAEkC,4B;QAAA,eAAqB,S;MAAW,oB;QAAA,OAAgB,E;MAC9E,QAAQ,E;MACR,EAAE,cAAf,IAAoB,Y;MACpB,EAAE,MAAf,IAAY,I;MACZ,OAAO,C;K;0EAUX,4B;MAE6D,iBAAy,KAAZ,C;K;+GC6B7D,sJ;MAEsC,mB;QAAA,MA4GuD,M;OA5GG,oB;QAAA,OAAgB,E;MAAI,oB;QAAA,OAAgB,E;MAAI,mB;QAAA,MAAe,E;MAAI,qB;QAAA,QAAiB,S;MAAW,oB;QAAA,OAAgB,S;MAAW,qB;QAAA,QAAiB,S;MAAW,qB;QAAA,QAAiB,S;MAAW,uB;QAAA,UAAmB,S;MAAW,yB;QAAA,YAAqB,S;MAA

W,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,kC;QAAA,qBAA  
+B,K;MAAO,sB;QAAA,SAAmB,K;MAAO,oB;QAAA,OAAa,I;MAAM,uB;QAAA,UAAcS,E;MAC/gB,QAAQ,E;  
MACR,EAAE,KAAF,IAAW,G;MACX,EAAE,MAAF,IAAY,I;MACZ,EAAE,MAAF,IAAY,I;MACZ,EAAE,KAA  
F,IAAW,G;MACX,EAAE,OAAF,IAAa,K;MACb,EAAE,MAAF,IAAY,I;MACZ,EAAE,OAAF,IAAa,K;MACb,EA  
AE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,WAAF,IAAiB,S;MACjB,EAAE,UAAF,IAAgB,Q;  
MACHb,EAAE,QAAF,IAAc,M;MACd,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,oBAAF,IAA0B,kB;MACIB,EAA  
E,QAAF,IAAc,M;MACd,EAAE,MAAF,IAAY,I;MACZ,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;6GAWX,+B;M  
AEsE,oB;QAAA,OAAgB,S;MACf,QAAQ,E;MACR,EAAE,QAAF,IAAc,M;MACd,EAAE,OAAF,IAAa,K;MAC  
b,EAAE,MAAF,IAAY,I;MACZ,OAAO,C;K;qHASX,e;MAEyC,mB;QAAA,MAAe,E;MACpD,QAAQ,E;MACR,E  
AAE,KAAF,IAAW,G;MACX,OAAO,C;K;mHAyBX,+D;MAEqE,sB;QAAA,SAAkB,E;MAAI,uB;QAAA,UAAoB  
,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACrK,QAAQ,E;MACR,EAAE,cAAF,IAAoB,Y  
;MACpB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UA  
AF,IAAgB,Q;MACHb,OAAO,C;K;iGAUwE,qB;MAAQ,OAAU,S;K;6FAEnB,qB;MAAQ,OAAS,Q;K;+FAEhB,q  
B;MAAQ,OAAU,S;K;2FASvB,qB;MAAQ,OAAO,M;K;yFAEhB,qB;MAAQ,OAAM,K;K;yFAEd,qB;MAAQ,OA  
AM,K;K;yGCrJ3F,uB;MAEsC,qB;QAAA,QAAiB,S;MAAW,oB;QAAA,ORy9MW,S;OQx9MzE,QAAQ,E;MACR  
,EAAE,OAAF,IAAa,K;MACb,EAAE,MAAF,IAAY,I;MACZ,OAAO,C;K;6HAuCX,mF;MAEgD,oB;QAAA,OAA  
a,S;MAAW,sB;QAAA,SAAkB,S;MAAW,2B;QAAA,cAAuB,S;MAAW,sB;QAAA,SAA2C,S;MAAW,qB;QAAA,  
QAA6B,S;MAAW,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC/S,Q  
AAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,E  
AAE,QAAF,IAAc,M;MACd,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;  
MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;uGA2DX,qC;MAEqC,mC;QAAA,sBAAGC,K;MAAO,oB;  
QAAA,OA4UD,Q;OA3UvE,QAAQ,E;MACR,EAAE,qBAAF,IAA2B,mB;MAC3B,EAAE,MAAF,IAAY,I;MACZ,  
OAAO,C;K;yGAmBX,yC;MAEsC,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAq  
B,K;MACHh,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAg  
B,Q;MACHb,OAAO,C;K;yGAsBX,2B;MAGI,QAAQ,E;MACR,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe  
,O;MACf,OAAO,C;K;+FA8BX,sE;MAEoD,wB;QAAA,WAAoB,I;MAAM,wB;QAAA,WAAqB,K;MAAO,uB;QA  
AA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACpL,QAAQ,E;MACR,EAAE,SA  
AF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,SAAF,IAAe,O;MA  
Cf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;6GAuBX,0D;MAE2D,sB;QAA  
A,SAAkB,M;MAAQ,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC/J,  
QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,  
YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;2GAaX,qC;MAE4D,sB;QAAA,SAAkB,S;  
MAAW,uB;QAAA,UAA0B,S;MAC/G,QAAQ,E;MACR,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,QAAF,IAAc,M;  
MACd,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;uHAuCX,mF;MAE6C,oB;QAAA,OAAa,S;MAAW,sB;QAAA,S  
AAkB,S;MAAW,2B;QAAA,cAAuB,S;MAAW,sB;QAAA,SAAmD,S;MAAW,qB;QAAA,QAA6B,S;MAAW,uB;Q  
AAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACpT,QAAQ,E;MACR,EAAE,M  
AAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,QAAF,IAAc,M;MA  
Cd,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IA  
AgB,Q;MACHb,OAAO,C;K;qGA+BX,6D;MAEoC,4B;QAAA,eAAyB,K;MAAO,4B;QAAA,eAAyB,K;MAAO,0B  
;QAAA,aAAuB,K;MAAO,yB;QAAA,YAAqB,S;MACnJ,QAAQ,E;MACR,EAAE,cAAF,IAAoB,Y;MACpB,EAA  
E,cAAF,IAAoB,Y;MACpB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,WAAF,IAAiB,S;MACjB,OAAO,C;K;yGAKB  
X,4C;MAEsC,oB;QAAA,OAAgB,S;MAAW,uB;QAAA,UAAoB,S;MAAW,wB;QAAA,WAAcS,S;MAAW,uB;QA  
AA,UAA8B,S;MAC3J,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,SAAF,IAAe,O;MACf,EAAE,UAA  
F,IAAgB,Q;MACHb,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;+FAkCmE,qB;MAAQ,OAAa,Y;K;6FAEtB,qB;MA  
AQ,OAAY,W;K;+FAEnB,qB;MAAQ,OAAa,Y;K;6FAEtB,qB;MAAQ,OAAY,W;K;6FAEpB,qB;MAAQ,OAAY,  
W;K;6FAStC,qB;MAAQ,OAAY,W;K;6FAEpB,qB;MAAQ,OAAY,W;K;uFAEvB,qB;MAAQ,OAAS,Q;K;qFAEn  
B,qB;MAAQ,OAAO,M;K;uFASX,qB;MAAQ,OAAS,Q;K;yFAEjB,qB;MAAQ,OAAS,Q;K;qGAEX,qB;MAAQ,O  
AAe,c;K;iFAEhC,qB;MAAQ,OAAM,K;K;iGCharE,0E;MAEoC,gC;QAAA,mBAA6B,K;MAAO,sB;QAAA,SAAk

B,C;MAAG,qB;QAAA,QAAiB,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA ,WAAqB,K;MAC3L,QAAQ,E;MACR,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,QAAF,IAAc,M;MACd,EAAE, OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACiB,EAAE,UAAF,IAAgB,Q;MA ChB,OAAO,C;K;mFAU8E,qB;MAAQ,OAAE,E;K;+FAEL,qB;MAAQ,OAAc,a;K;iFAE7B,qB;MAAQ,OAAO,M; K;yFAEX,qB;MAAQ,OAAW,U;K;+EAEvB,qB;MAAQ,OAAO,M;K;+EAEf,qB;MAAQ,OAAO,M;K;oErIjIvG,yB ;MAAA,kF;MAAA,0B;MAAA,uB;QAAI,IAAI,OAAO,CAAP,IAA8B,OAAO,KAAzC,C;UACI,MAAM,8BAAYB, wBAAqB,IAA9C,C;SAEV,OAAI,OAAI,IAAK,C;O;KAhBhB,C;0EAwCiC,qB;MAAQ,OAAA,SAAK,I;K;IsIpB V,6B;MAAC,qB;QAAA,8C;MAAA,kB;K;IACjC,2C;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,yC;MAAA,4C;O; MAKI,0E;MAEA,sE;K;;IAFA,kD;MAAA,+B;MAAA,0C;K;;IAEA,gD;MAAA,+B;MAAA,wC;K;;IAPJ,qC;MAA A,yF;K;;IAAA,0C;MAAA,a;aAAA,S;UAAA,+C;aAAA,O;UAAA,6C;gBAAA,8D;;K;;IAyBmC,sC;MACnC,8B;K ;IAMqC,sC;MACrC,8B;K;;IC1DJ,iC;K;;ICMA,4B;K;;IA6BA,gD;K;;IC5BA,qC;K;;IA4BA,+B;K;;ICRqC,uC;MA CjC,uB;QAAA,UAAsB,E;MACtB,qB;QAAA,+C;MADA,sB;MACA,kB;K;IAEA,4C;MAAA,e;MAAA,iB;MAAA, uB;K;IAAA,0C;MAAA,6C;O;MAKI,4E;MAGA,wE;K;;IAHA,mD;MAAA,gC;MAAA,2C;K;;IAGA,iD;MAAA,gC ;MAAA,yC;K;;IARJ,sC;MAAA,2F;K;;IAAA,2C;MAAA,a;aAAA,S;UAAA,gD;aAAA,O;UAAA,8C;gBAAA,+D;; K;;IAyByB,4B;MACzB,8B;K;;IC/C4C,8B;K;kDAI5C,mB;MAA6D,c;;QpJ2rD7C,Q;QADhB,IAAI,mCAAsB,cAA 1B,C;UAAqC,aAAO,K;UAAP,e;SACrB,sB;QAAhB,OAAgB,cAAhB,C;UAAgB,2B;UAAM,IoJ3rD6C,OpJ2rD/B, SoJ3rD+B,UpJ2rD7C,C;YAAwB,aAAO,I;YAAP,e;;QAC9C,aAAO,K;;MoJ5rDsD,iB;K;uDAE7D,oB;MACa,c;;Qp JmqDG,Q;QADhB,IAAI,coJlqDA,QpJkqDA,iBoJlqDA,QpJkqDsB,UAA1B,C;UAAqC,aAAO,I;UAAP,e;SACrB,O oJnqDZ,QpJmqDY,W;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CoJnqDP,oBpJmqDkB,OoJnqDIB,Cp JmqDG,C;YAAyB,aAAO,K;YAAP,e;;QAC/C,aAAO,I;;MoJpqDH,iB;K;2CAEJ,Y;MAAkC,qBAAQ,C;K;IAEqB,q E;MAAA,qB;QAC3D,OAAI,OAAO,uBAAX,GAAiB,mBAAjB,GAA6C,SAAH,EAAG,C;O;K;4CADjD,Y;MAAk C,4BAAa,IAAb,EAAMB,GAAnB,EAAwB,GAAXB,kBAA6B,wCAA7B,C;K;2CAIIC,Y;MAI4C,uBAAGB,IAAhB, C;K;mDAE5C,iB;MAI4D,yBAAGB,IAAhB,EAAsB,KAAtB,C;K;;IC/BhE,8B;MAAA,e;MAAA,iB;MAAA,uB;K;I AAA,4B;MAAA,+B;O;MACI,4C;MACA,kD;MACA,0C;MACA,8C;K;;IAHA,mC;MAAA,kB;MAAA,2B;K;;IAC A,sC;MAAA,kB;MAAA,8B;K;;IACA,kC;MAAA,kB;MAAA,0B;K;;IACA,oC;MAAA,kB;MAAA,4B;K;;IAJJ,wB; MAAA,sH;K;;IAAA,6B;MAAA,a;aAAA,O;UAAA,gC;aAAA,U;UAAA,mC;aAAA,M;UAAA,+B;aAAA,Q;UAAA ,iC;gBAAA,6D;;K;;IAOA,4B;MAKI,mD;MACA,2BAA4B,I;K;yCAE5B,Y;MAEiB,IAAN,I;M3JUX,IAAI,E2JXQ, mD3JWR,CAAJ,C;QACI,cAda,qB;QAEb,MAAM,gCAAYB,OAAQ,WAAjC,C;O2JZC,QAAM,oBAAN,M;aACH, M;UAAc,Y;UAAAd,K;aACA,O;UAAe,W;UAAf,K;gBACQ,wC;UAHL,K;;MAAP,W;K;sCAOJ,Y;MAIW,Q;MAHP ,IAAI,CAAC,cAAL,C;QAAgB,MAAM,6B;MACtB,mD;MAEA,OAAO,2F;K;4DAGX,Y;MACI,iD;MACA,kB;M ACA,OAAO,kD;K;+CAeX,iB;MAII,2BAAY,K;MACZ,gD;K;sCAGJ,Y;MAII,+C;K;;ICjDkC,wB;MAoFtC,oC;MA pFgE,6B;K;sCAIhE,Y;MAAuC,0C;K;2CAEvC,mB;MAAwD,uB;;QtJkU3C,Q;QADb,YAAAY,C;QACC,sB;QAAb, OAAa,cAAb,C;UAAa,sB;UACT,IsJnUmE,OtJmUrD,IsJnUqD,UtJmUnE,C;YACI,sBAAO,K;YAAP,wB;WACJ,qB ;QAEJ,sBAAO,E;;MsJvUiD,0B;K;+CAExD,mB;MAA4D,sB;;QtJ2V5D,eAAoB,0BAAa,SAAB,C;QACpB,OAAO ,QAAS,cAAhB,C;UACI,IsJ7VsE,OtJ6VxD,QAAS,WsJ7V+C,UtJ6VtE,C;YACI,qBAAO,QAAS,Y;YAAhB,uB;;Q AGR,qBAAO,E;;MsJWqD,yB;K;0CAE5D,Y;MAA+C,+CAAiB,CAAjB,C;K;kDAE/C,iB;MAAyD,+CAAiB,KA AjB,C;K;6CAEzD,8B;MAA8D,gCAAQ,IAAR,EAAc,SAAd,EAAyB,OAAzB,C;K;IAEIC,wD;MAAgF,uB;MAA/E ,kB;MAAMC,4B;MAC5D,eAAyB,C;MAGrB,+DAAkB,gBAAIB,EAA6B,OAA7B,EAAsC,WAAK,KAA3C,C;MA CA,eAAa,UAAU,gBAAV,I;K;iDAGjB,iB;MACI,+DAAkB,KAAIB,EAAyB,YAAzB,C;MAEA,OAAO,wBAAK,m BAAY,KAAZ,IAAL,C;K;4FAGY,Y;MAAQ,mB;K;;oCAGnC,iB;MAMI,IAAI,UAAU,IAAd,C;QAAoB,OAAO,I; MAC3B,IAAI,2BAAJ,C;QAAuB,OAAO,K;MAE9B,OAAO,2DAAc,IAAd,EAAoB,KAApB,C;K;sCAGX,Y;MAG +B,oEAAgB,IAAhB,C;K;IAE/B,2C;MAAA,oB;MACI,eACsB,C;K;kDAEtB,Y;MAAkC,sBAAQ,gB;K;+CAE1C,Y ;MAEe,gB;MADX,IAAI,CAAC,cAAL,C;QAAgB,MAAM,6B;MACX,iE;MAAX,OAAO,+B;K;;IAO0B,sD;MAHz C,oB;MAGwD,iD;MAGhD,gEAAmB,KAAAnB,EAA0B,WAAkB,KAA5C,C;MACA,eAAa,K;K;0DAGjB,Y;MAAs C,sBAAQ,C;K;wDAE9C,Y;MAAgC,mB;K;uDAEhC,Y;MACI,IAAI,CAAC,kBAAL,C;QAAoB,MAAM,6B;MAC 1B,OAAO,yBAAL,mCAAJ,EAAI,YAAJ,E;K;4DAGX,Y;MAAoC,sBAAQ,CAAR,I;K;;IAGxC,kC;MAAA,sC;K;iE ACI,uB;MACI,IAAI,QAAQ,CAAR,IAAa,SAAS,IAA1B,C;QACI,MAAM,8BAA0B,YAAS,KAAT,gBAAuB,IAAj D,C;Q;kEAId,uB;MACI,IAAI,QAAQ,CAAR,IAAa,QAAQ,IAAzB,C;QACI,MAAM,8BAA0B,YAAS,KAAT,gBA

AuB,IAAjD,C;Q;iEAIId,oC;MACI,IAAI,YAAAY,CAAZ,IAAiB,UAAU,IAA/B,C;QACI,MAAM,8BAA0B,gBAAa,S  
AAb,mBAaKc,OAAIC,gBAaKd,IAA5E,C;OAEV,IAAI,YAAAY,OAAhB,C;QACI,MAAM,gCAAYB,gBAAa,SA  
b,oBAAmC,OAA5D,C;Q;kEAIId,sC;MACI,IAAI,aAAa,CAAb,IAAkB,WAAW,IAAjC,C;QACI,MAAM,8BAA0B,i  
BAAc,UAAAd,oBAAqC,QAArC,gBAAsD,IAAhF,C;OAEV,IAAI,aAAa,QAAjB,C;QACI,MAAM,gCAAYB,iBAAc,  
UAAAd,qBAAsC,QAA/D,C;Q;+DAId,a;MAEc,UACsB,M;MAFhC,iBA Ae,C;MACL,mB;MAAV,OAAU,cAAV,C;  
QAAU,mB;QACN,aAAW,MAAK,UAAAL,SAAiB,6DAAiB,CAAIc,K;;MAEf,OAAO,U;K;6DAGX,oB;MAIiB,Q;  
MAHb,IAAI,CAAE,KAAF,KAAU,KAAM,KAApB,C;QAA0B,OAAO,K;MAEjC,oBAAoB,KAAM,W;MACb,mB  
;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,gBAAGb,aAAc,O;QAC9B,IAAI,cAAQ,SAAR,CAAJ,C;UACI,OAAO,K;  
;MAGf,OAAO,I;K;;IAjDf,8C;MAAA,6C;QAAA,4B;OAAA,sC;K;;ICnFwC,uB;MAyHxC,mC;MAzCA,uBAC6B,I  
;MAmC7B,yBACsC,I;K;8CAnHtC,e;MACI,OAAO,6BAAc,GAAd,S;K;gDAGX,iB;MAAwE,gBAAR,Y;MAAQ,c;  
;QvJkrDxD,Q;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAAO,K;UAAP,e;SACrB,2B;QAAhB,OAAgB,cAAh  
B,C;UAAgB,yB;UAAM,IuJlrDwD,OvJkrD1C,OuJlrD6C,MAAH,QvJkrDxD,C;YAAwB,aAAO,I;YAAP,e;;QAC9  
C,aAAO,K;;MuJnrDyD,iB;K;kDAEhE,iB;MAEI,IAAI,gCAAJ,C;QAA+B,OAAO,K;MACtC,UAAU,KAAM,I;MA  
ChB,YAAAY,KAAM,M;MpKiNO,Q;MoKhNzB,epKgN4C,CAAnB,mDAAmB,YoKhNzB,GpKgNyB,C;MoK9M5C  
,IAAI,eAAS,QAAT,CAAJ,C;QACI,OAAO,K;OAIp,6B;MAAA,W;QpK0NqB,U;QoK1ND,UpK0NoB,CAAnB,uD  
AAmB,oBoK1NP,GpK0NO,C;OoK1N5C,W;QACI,OAAO,K;OAGX,OAAO,I;K;mCAIX,iB;MAMI,IAAI,UAAU,I  
AAd,C;QAAoB,OAAO,I;MAC3B,IAAI,0BAAJ,C;QAAyB,OAAO,K;MAChC,IAAI,cAAQ,KAAM,KAAIB,C;QA  
AwB,OAAO,K;MAEV,gBAAd,KAAM,Q;MAAQ,c;;QvJ6nDT,Q;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,a  
AAO,I;UAAP,e;SACrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CuJ7nDK,2BvJ6nDM,OuJ7nDN  
,CvJ6nDT,C;YAAyB,aAAO,K;YAAP,e;;QAC/C,aAAO,I;;MuJ9nDH,iB;K;sCAGJ,e;MAAwC,Q;MAAA,4CAAc,  
GAAd,8B;K;qCAGxC,Y;MAK+B,OAAQ,SAAR,YAAQ,C;K;oCAEvC,Y;MAAkC,qBAAQ,C;K;mFACnB,Y;MA  
AQ,OAAA,YAAQ,K;K;IAWnB,0E;MAAA,wC;MAAS,sB;K;8EAcB,mB;MAAsD,+CAAY,OAAZ,C;K;IAI3C,sG;  
MAAA,kD;K;8FACH,Y;MAAkC,OAAA,0BAAc,U;K;2FACHD,Y;MAAyB,OAAA,0BAAc,OAAO,I;K;;wEAJtD,  
Y;MACI,oBAAoB,6BAAQ,W;MAC5B,+F;K;sHAMmB,Y;MAAQ,OAAA,qBAAiB,K;K;;mFAB5D,Y;MACI,IAAI  
,4BAAJ,C;QACI,+E;OAcJ,OAAO,mC;K;IAOwD,uD;MAAA,qB;QAAE,2CAAS,EAAT,C;O;K;qCAAzE,Y;MAAk  
C,OAAQ,eAAR,YAAQ,EAAa,IAAb,EAAM,B,GAAnB,EAAwB,GAAXB,kBAA6B,iCAA7B,C;K;+CAE1C,iB;MA  
AuD,+BAAS,KAAM,IAAf,IAAsB,GAAtB,GAA4B,wBAAS,KAAM,MAAf,C;K;+CAEnF,a;MAAwC,OAAI,MA  
AM,IAAV,GAAgB,YAAhB,GAAoC,SAAF,CAAE,C;K;IAWtD,4E;MAAA,wC;MAAS,6B;K;gFACf,mB;MAAsE,  
iDAAc,OAAc,C;K;IAI3D,wG;MAAA,kD;K;gGACH,Y;MAAkC,OAAA,0BAAc,U;K;6FACHD,Y;MAAyB,OAAA  
,0BAAc,OAAO,M;K;;0EAJtD,Y;MACI,oBAAoB,6BAAQ,W;MAC5B,iG;K;wHAMmB,Y;MAAQ,OAAA,qBAAi  
B,K;K;;qFAB5D,Y;MACI,IAAI,8BAAJ,C;QACI,mF;OAcJ,OAAO,qC;K;oDAMf,e;MAA8D,gBAAR,Y;MAAQ,sB  
;;QvJiJ9C,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IuJjJsD,OvJiJxC,OuJjJ2C,IAAH,MvJiJtD,  
C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;MuJlJ+C,yB;K;IAEtD,iC;MAAA,qC;K;4DAEI,a;MAAiE,g  
C;MAAX,OAAU,CAAC,kBAAN,CAAM,0DAAmB,CAApB,KAA4B,oBAAjC,CAAiC,8DAAqB,CAAJD,C;K;4D  
AChE,a;MAAyD,OAAU,SAAL,CAAO,IAAF,mBAAL,CAAY,MAAP,C;K;0DACnE,oB;MACI,IAAI,gCAAJ,C;Q  
AA+B,OAAO,K;MACtC,OAAO,OAAA,CAAE,IAAF,EAAS,KAAM,IAAf,KAAAsB,OAAA,CAAE,MAAF,EAAW  
,KAAM,MAAjB,C;K;;IANrC,6C;MAAA,4C;QAAA,2B;OAAA,qC;K;;IChIqC,uB;MAkBrC,mC;MAIB+D,6B;K;  
mCAE/D,iB;MAMI,IAAI,UAAU,IAAd,C;QAAoB,OAAO,I;MAC3B,IAAI,0BAAJ,C;QAAsB,OAAO,K;MAC7B,  
OAAO,sDAAU,IAAV,EAAGB,KAAhB,C;K;qCAGX,Y;MAG+B,qEAakB,IAAiB,C;K;IAE/B,iC;MAAA,qC;K;gE  
ACI,a;MAEoB,Q;MADhB,iBA Ae,C;MACC,mB;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACC,U;QAAb,2BAAa  
,yEAAuB,CAApC,K;;MAEJ,OAAO,U;K;wDAGX,oB;MACI,IAAI,CAAE,KAAF,KAAU,KAAM,KAApB,C;QAA  
0B,OAAO,K;MACjC,OAAO,CtK4OsG,qBsK5OxF,KtK4OwF,C;K;;IsKvPrH,6C;MAAA,4C;QAAA,2B;OAAA,q  
C;K;;MCghBA,kC;MA9hBA,cAAwB,C;MACxB,yB;MAEA,sBAAYB,C;;kFAAZB,Y;MAAA,0B;K,OAAA,gB;M  
AAA,0B;K;4CA8BA,uB;MAOI,IAAI,cAAc,CAAIb,C;QAAqB,MAAM,6BAAsB,mBAAtB,C;MAC3B,IAAI,eAA  
e,kBAAY,OAA/B,C;QAAqC,M;MACrC,IAAI,uBAAGb,qDAApB,C;QACI,qBAAc,gBAAYB,gBAAZ,WAAAY,EA  
Ac,EAAd,CAAzB,O;QACd,M;OAGJ,kBAakB,uDAAY,kBAAY,OAAxB,EAAsB,WAA9B,C;MACIB,oBAAa,W  
AAb,C;K;0CAGJ,uB;MAII,kBAakB,gBAAmB,WAAAnB,O;M9J20BtB,U8J10BI,kB9J00BJ,E8J10ByB,W9J00BzB  
,E8J10BsC,C9J00BtC,E8J10ByC,W9J00BzC,E8J10B+C,kBAAY,O9J00B3D,C;MAAA,U8Jz0BI,kB9Jy0BJ,E8Jz0

ByB,W9Jy0BzB,E8Jz0BsC,kBAAY,OAAZ,GAAMb,WAAAnB,I9Jy0BtC,E8Jz0B+D,C9Jy0B/D,E8Jz0BkE,W9Jy0  
BIE,C;M8Jx0BI,cAAO,C;MACP,qBAAC,W;K;yCAGIB,yB;MAGW,Q;MAAP,OAAO,2BAAY,aAAZ,4D;K;yCAG  
X,iB;MAA2C,OAAI,SAAS,kBAAY,OAAZB,GAA+B,QAAQ,kBAAY,OAApB,IAA/B,GAA6D,K;K;yCAEXG,iB;  
MAA2C,OAAI,QAAQ,CAAZ,GAAe,QAAQ,kBAAY,OAApB,IAAf,GAA6C,K;K;2CAEXf,iB;MACoD,0BAAY,c  
AAO,KAAP,IAAZ,C;K;yCAEPd,iB;MAA2C,OAAI,UAAqB,cAAZ,kBAAY,CAAzB,GAAoC,CAAPc,GAA2C,Q  
AAQ,CAAR,I;K;yCAEtF,iB;MAA2C,OAAI,UAAZ,CAAb,GAA4B,cAAZ,kBAAY,CAA5B,GAA2C,QAAQ,CAA  
R,I;K;mCAEtF,Y;MAAkC,qBAAQ,C;K;iCAE1C,Y;MAGwB,IAAI,cAAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;;  
QAnBIC,Q;QAmBa,OAnBb,2BAmBkG,WAnBiG,4D;;K;uCAqBX,Y;MAG+B,Q;MAAA,IAAI,cAAJ,C;QAAA,O  
AAe,I;;QAxBnC,U;QAwBoB,OAxBpB,6BAwByD,WAxBzD,gE;;MAwBoB,W;K;gCAE/B,Y;MAGuB,IAAI,cAAJ  
,C;QAAe,MAAM,2BAAuB,sBAAvB,C;;QA7BjC,Q;QA6BY,OA7BZ,2BAQyC,mBAAY,cAqB0D,sBarB1D,IAA  
Z,CARzC,4D;;K;sCA+BX,Y;MAG8B,Q;MAAA,IAAI,cAAJ,C;QAAA,OAAe,I;;QAICIC,U;QAKcMB,OAlCnB,6B  
AQyC,mBAAY,cA0BiB,sBA1BjB,IAAZ,CARzC,gE;;MAkCmB,W;K;0CAE9B,mB;MAII,sBAAe,YAAO,CAAP,I  
AAf,C;MAEA,cAAO,mBAAY,WAAZ,C;MACP,mBAAY,WAAZ,IAAoB,O;MACpB,wBAAQ,CAAR,I;K;yCAGJ  
,mB;MAII,sBAAe,YAAO,CAAP,IAAf,C;MAEA,mBA7CgD,mBAAY,cA6CIC,SA7CkC,IAAZ,CA6ChD,IAAmC,  
O;MACnC,wBAAQ,CAAR,I;K;uCAGJ,Y;MAII,IAAI,cAAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;MA7Dd,Q;M  
A+DP,cA/DO,2BA+DmB,WA/DnB,4D;MAGeP,mBAAY,WAAZ,IAAoB,I;MACpB,cAAO,mBAAY,WAAZ,C;M  
ACP,wBAAQ,CAAR,I;MACA,OAAO,O;K;6CAGX,Y;MAGqC,OAAI,cAAJ,GAAe,IAAf,GAAyB,kB;K;sCAE9D,  
Y;MAII,IAAI,cAAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;MAErB,wBAzEgD,mBAAY,cAyEtB,sBAzEsB,IAAZ  
,C;MARzC,Q;MAkFP,cAlFO,2BAkFmB,iBAIfnB,4D;MAMFP,mBAAY,iBAAZ,IAAiC,I;MACjC,wBAAQ,CAA  
R,I;MACA,OAAO,O;K;4CAGX,Y;MAGoC,OAAI,cAAJ,GAAe,IAAf,GAAyB,iB;K;qCAE7D,mB;MAEI,mBAAQ  
,OAAr,C;MACA,OAAO,I;K;uCAGX,0B;MACI,oCAAA,4BAAMb,KAAAnB,EAA0B,SAA1B,C;MAEb,IAAI,UAA  
S,SAAb,C;QACI,mBAAQ,OAAr,C;QACA,M;aACG,IAAI,UAAZ,CAAb,C;QACH,oBAAS,OAAT,C;QACA,M;O  
AGJ,sBAAe,YAAO,CAAP,IAAf,C;MA2BA,oBAjIgD,mBAAY,cAi1B,KAjI0B,IAAZ,C;MAMlhD,IAAI,QAAS,S  
AAD,GAAQ,CAAR,IAAe,CAA3B,C;QAEI,+BAA+B,mBAAY,aAAZ,C;QAC/B,sBAAsB,mBAAY,WAAZ,C;QA  
EtB,IAAI,4BAA4B,WAAhC,C;UACI,mBAAY,eAAZ,IAA+B,mBAAY,WAAZ,C;U9JgrB3C,U8J/qBY,kB9J+qBZ,  
E8J/qBiC,kB9J+qBjC,E8J/qB8C,W9J+qB9C,E8J/qBoD,cAAO,CAAP,I9J+qBpD,E8J/qB8D,2BAA2B,CAA3B,I9J  
+qB9D,C;;UAAA,U8J7qBY,kB9J6qBZ,E8J7qBiC,kB9J6qBjC,E8J7qB8C,cAAO,CAAP,I9J6qB9C,E8J7qBwD,W9  
J6qBxD,E8J7qB8D,kBAAY,O9J6qB1E,C;U8J5qBY,mBAAY,kBAAY,OAAZ,GAAMb,CAAnB,IAAZ,IAAoC,mB  
AAAY,CAAZ,C;U9J4qBhD,U8J3qBY,kB9J2qBZ,E8J3qBiC,kB9J2qBjC,E8J3qB8C,C9J2qB9C,E8J3qBiD,C9J2qBj  
D,E8J3qBoD,2BAA2B,CAA3B,I9J2qBpD,C;;Q8JxqBQ,mBAAY,wBAAZ,IAAwC,O;QACxC,cAAO,e;;QAGP,W  
ArJ4C,mBAAY,cAqJ/B,SArJ+B,IAAZ,C;QAuJ5C,IAAI,gBAAGb,IAApB,C;U9JkqBR,U8JjqBY,kB9JjqBZ,E8Jjq  
BiC,kB9JjqBjC,E8JjqB8C,gBAAGb,CAAhB,I9JjqB9C,E8JjqBiE,a9JjqBjE,E8JjqBgF,I9JjqBhF,C;;UAAA,U8J/pB  
Y,kB9J+pBZ,E8J/pBiC,kB9J+pBjC,E8J/pB8C,C9J+pB9C,E8J/pBiD,C9J+pBjD,E8J/pBoD,I9J+pBpD,C;U8J9pBY,  
mBAAY,CAAZ,IAAiB,mBAAY,kBAAY,OAAZ,GAAMb,CAAnB,IAAZ,C;U9J8pB7B,U8J7pBY,kB9J6pBZ,E8J7  
pBiC,kB9J6pBjC,E8J7pB8C,gBAAGb,CAAhB,I9J6pB9C,E8J7pBiE,a9J6pBjE,E8J7pBgF,kBAAY,OAAZ,GAAM  
b,CAAnB,I9J6pBhF,C;;Q8J1pBQ,mBAAY,aAAZ,IAA6B,O;;MAEjC,wBAAQ,CAAR,I;K;oDAGJ,mC;MAGkD,U  
AlxB,M;MANtB,eAAe,QAAS,W;MAEsB,OAAZ,kBAAY,O;MAA9C,iBAAC,aAAAd,wB;QACI,IAAI,CAAC,QAAS,  
UAAAd,C;UAAyB,K;QACzB,mBAAY,KAAZ,IAAqB,QAAS,O;;MAEZ,oB;MAAtB,mBAAC,CAAd,8B;QACI,IA  
AI,CAAC,QAAS,UAAAd,C;UAAyB,K;QACzB,mBAAY,OAAZ,IAAqB,QAAS,O;;MAGIC,wBAAQ,QAAS,KAAj  
B,I;K;0CAGJ,oB;MACI,IAAI,QAAS,UAAb,C;QAAwB,OAAO,K;MAC/B,sBAAe,IAAK,KAAL,GAAy,QAAS,K  
AArB,IAAf,C;MACA,8BAAtLgD,mBAAY,cAsLvB,SAtLuB,IAAZ,cAsLhD,EAA4C,QAA5C,C;MACA,OAAO,I;K  
;0CAGX,2B;MACI,oCAAA,4BAAMb,KAAAnB,EAA0B,SAA1B,C;MAEb,IAAI,QAAS,UAAb,C;QACI,OAAO,K;a  
ACJ,IAAI,UAAZ,SAAb,C;QACH,OAAO,oBAAO,QAAP,C;OAGX,sBAAe,IAAK,KAAL,GAAy,QAAS,KAArB,I  
AAf,C;MAEA,WArMgD,mBAAY,cAqMnC,SArMmC,IAAZ,C;MAsMhD,oBAAtMgD,mBAAY,cAsM1B,KAtM0B,  
IAAZ,C;MAuMhD,mBAAMb,QAAS,K;MAE5B,IAAI,QAAS,SAAD,GAAQ,CAAR,IAAe,CAA3B,C;QAGI,kBA  
AkB,cAAO,YAAP,I;QAEIB,IAAI,iBAAiB,WAArB,C;UACI,IAAI,eAAe,CAAnB,C;Y9J0mBZ,U8JzmBgB,kB9Jy  
mBhB,E8JzmBqC,kB9JymBrC,E8JzmBkD,W9JymBlD,E8JzmB+D,W9JymB/D,E8JzmBqE,a9JymBrE,C;;Y8Jvmb  
gB,4BAAe,kBAAY,OAA3B,I;YACA,sBAAsB,gBAAGb,WAAhB,I;YAcTB,kBAAkB,kBAAY,OAAZ,GAAMb,W

AAAnB,I;YAEIB,IAAI,eAAe,eAAAnB,C;c9JmmBhB,U8JlmBoB,kB9JkmBpB,E8JlmByC,kB9JkmBzC,E8JlmBsD,W  
9JkmBtD,E8JlmBmE,W9JkmBnE,E8JlmByE,a9JkmBzE,C;;cAAA,U8JhmBoB,kB9JgmBpB,E8JhmByC,kB9JgmB  
zC,E8JhmBsD,W9JgmBtD,E8JhmBmE,W9JgmBnE,E8JhmByE,cAAO,WAAP,I9JgmBzE,C;cAAA,U8JlBoB,kB9  
J+lBpB,E8JlByC,kB9J+lBzC,E8JlBsD,C9J+lBtD,E8JlByD,cAAO,WAAP,I9J+lBzD,E8JlB6E,a9J+lB7E,C;;;UA  
AA,U8J3lBY,kB9J2lBZ,E8J3lBiC,kB9J2lBjC,E8J3lB8C,W9J2lB9C,E8J3lB2D,W9J2lB3D,E8J3lBiE,kBAAY,O9J  
2lB7E,C;U8J1lBY,IAAI,gBAAGB,aAApB,C;Y9J0lBZ,U8JzlBgB,kB9JylBhB,E8JzlBqC,kB9JylBrC,E8JzlBkD,kB  
AAY,OAAZ,GAAMb,YAAnB,I9JylBID,E8JzlBmF,C9JylBnF,E8JzlBsF,a9JylBtF,C;;YAAA,U8JvlBgB,kB9JulBh  
B,E8JvlBqC,kB9JulBrC,E8JvlBkD,kBAAY,OAAZ,GAAMb,YAAnB,I9JulBID,E8JvlBmF,C9JulBnF,E8JvlBsF,Y9  
JulBtF,C;YAAA,U8JtlBgB,kB9JslBhB,E8JtlBqC,kB9JslBrC,E8JtlBkD,C9JslBID,E8JtlBqD,Y9JslBrD,E8JtlBmE,a  
9JslBnE,C;;;Q8JnlBQ,cAAO,W;QACP,8BAAuB,mBAAY,gBAAGB,YAAhB,IAAZ,CAAvB,EAAkE,QAAIE,C;;Q  
AIA,2BAA2B,gBAAGB,YAAhB,I;QAE3B,IAAI,gBAAGB,IAApB,C;UACI,IAAI,QAAO,YAAP,SAAuB,kBAAY,  
OAAvC,C;Y9J2kBZ,U8J1kBgB,kB9J0kBhB,E8J1kBqC,kB9J0kBrC,E8J1kBkD,oB9J0kBID,E8J1kBwE,a9J0kBxE,  
E8J1kBuF,I9J0kBvF,C;;Y8JxkBgB,IAAI,wBAAwB,kBAAY,OAAxC,C;c9JwkBhB,U8JvkBoB,kB9JukBpB,E8Jvk  
ByC,kB9JukBzC,E8JvkBsD,uBAAuB,kBAAY,OAAnc,I9JukBtD,E8JvkB+F,a9JukB/F,E8JvkB8G,I9JukB9G,C;;c  
8JrkBoB,mBAAmB,OAAO,YAAP,GAAsB,kBAAY,OAAIC,I;c9JqkBvC,U8JpkBoB,kB9JokBpB,E8JpkByC,kB9J  
okBzC,E8JpkBsD,C9JokBtD,E8JpkByD,OAAO,YAAP,I9JokBzD,E8JpkB8E,I9JokB9E,C;cAAA,U8JnkBoB,kB9J  
mkBpB,E8JnkByC,kB9JmkBzC,E8JnkBsD,oB9JmkBtD,E8JnkB4E,a9JmkB5E,E8JnkB2F,OAAO,YAAP,I9JmkB3  
F,C;;;UAAA,U8JlJBY,kB9J+lBZ,E8JlJBiC,kB9J+lBjC,E8JlJb8C,Y9J+lB9C,E8JlJb4D,C9J+lB5D,E8JlJb+D,I9J+l  
B/D,C;U8J9jBY,IAAI,wBAAwB,kBAAY,OAAxC,C;Y9J8jBZ,U8J7jBgB,kB9J6jBhB,E8J7jBqC,kB9J6jBrC,E8J7j  
BkD,uBAAuB,kBAAY,OAAnc,I9J6jBID,E8J7jB2F,a9J6jB3F,E8J7jB0G,kBAAY,O9J6jBtH,C;;YAAA,U8J3jBgB,  
kB9J2jBhB,E8J3jBqC,kB9J2jBrC,E8J3jBkD,C9J2jBID,E8J3jBqD,kBAAY,OAAZ,GAAMb,YAAnB,I9J2jBrD,E8J  
3jBsF,kBAAY,O9J2jBtG,C;YAAA,U8J1jBgB,kB9J0jBhB,E8J1jBqC,kB9J0jBrC,E8J1jBkD,oB9J0jBID,E8J1jBwE  
,a9J0jBxE,E8J1jBuF,kBAAY,OAAZ,GAAMb,YAAnB,I9J0jBvF,C;;;Q8JvjBQ,8BAAuB,aAAvB,EAAcC,QAAIC,  
C;;MAGJ,OAAO,I;K;uCAGX,iB;MACI,oCAAa,2BAAkB,KAAIB,EAAyB,SAAzB,C;MAjRN,Q;MAmRP,OAnR  
O,2BAQyC,mBAAY,cA2Q3B,KA3Q2B,IAAZ,CARzC,4D;K;uCAAsRX,0B;MACI,oCAAa,2BAAkB,KAAIB,EAAy  
B,SAAzB,C;MAEb,oBAjRgD,mBAAY,cAiR1B,KAjR0B,IAAZ,C;MARzC,Q;MA0RP,iBA1RO,2BA0RsB,aA1Rt  
B,4D;MA2RP,mBAAY,aAAZ,IAA6B,O;MAE7B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,MAAoB,E;K  
;yCAExE,mB;MAIsB,IAIA,IAJA,EAIuB,M;MAPzC,WA3RgD,mBAAY,cA2RnC,SA3RmC,IAAZ,C;MA6RhD,IA  
AI,cAAO,IAAX,C;QACI,iBAAc,WAAd,UAAyB,IAAzB,U;UACI,IAAI,gBAAW,mBAAY,KAAZ,CAAX,CAAJ,C  
;YAAmC,OAAO,QAAQ,WAAR,I;;aAE3C,IAAI,eAAQ,IAAZ,C;QACW,kB;QAAuB,SAAZ,kBAAY,O;QAAR,c,q  
D;UACI,IAAI,gBAAW,mBAAY,OAAZ,CAAX,CAAJ,C;YAAmC,OAAO,UAAQ,WAAR,I;;QAE9C,mBAAc,CA  
Ad,YAAsB,IAAtB,Y;UACI,IAAI,gBAAW,mBAAY,OAAZ,CAAX,CAAJ,C;YAAmC,OAAO,UAAQ,kBAAY,OA  
ApB,GAA2B,WAA3B,I;;OAIID,OAAO,E;K;6CAGX,mB;MAIsC,UAOJ,MAPI,EAOa,M;MAV/C,WA9SgD,mBA  
AY,cA8SnC,SA9SmC,IAAZ,C;MAGThD,IAAI,cAAO,IAAX,C;QACKc,kB;QAA9B,iBAAc,OAAO,CAAP,IAAd,y  
B;UACI,IAAI,gBAAW,mBAAY,KAAZ,CAAX,CAAJ,C;YAAmC,OAAO,QAAQ,WAAR,I;;aAE3C,IAAI,cAAO,I  
AAX,C;QACH,mBAAc,OAAO,CAAP,IAAd,aAA8B,CAA9B,Y;UACI,IAAI,gBAAW,mBAAY,OAAZ,CAAX,CA  
AJ,C;YAAmC,OAAO,UAAQ,kBAAY,OAAP,GAA2B,WAA3B,I;;QAEpB,uBAAZ,kBAAY,C;QAAiB,oB;QAA  
3C,wD;UACI,IAAI,gBAAW,mBAAY,OAAZ,CAAX,CAAJ,C;YAAmC,OAAO,UAAQ,WAAR,I;;OAIID,OAAO,E  
;K;wCAGX,mB;MACI,YAAY,mBAAQ,OAAR,C;MACZ,IAAI,UAAS,EAAb,C;QAAiB,OAAO,K;MACxB,sBAA  
S,KAAAT,C;MACA,OAAO,I;K;4CAGX,iB;MACI,oCAAa,2BAAkB,KAAIB,EAAyB,SAAzB,C;MAEb,IAAI,UAA  
S,sBAAb,C;QACI,OAAO,iB;aACJ,IAAI,UAAS,CAAb,C;QACH,OAAO,kB;OAGX,oBAhVgD,mBAAY,cAgV1B,  
KAhV0B,IAAZ,C;MARzC,Q;MAyVP,cAzVO,2BAyVmB,aAzVnB,4D;MA2VP,IAAI,QAAQ,aAAS,CAArB,C;Q  
AEI,IAAI,iBAAiB,WAAR,B,C;U9JoeR,U8JneY,kB9JmeZ,E8JneiC,kB9JmejC,E8Jne8C,cAAO,CAAP,I9Jme9C,E8J  
newD,W9JmexD,E8Jne8D,a9Jme9D,C;;UAAA,U8JjeY,kB9JieZ,E8JjeiC,kB9JiejC,E8Jje8C,C9Jie9C,E8JjeiD,C9Ji  
ejD,E8JjeoD,a9JjepD,C;U8JheY,mBAAY,CAAZ,IAAiB,mBAAY,kBAAY,OAAZ,GAAMb,CAAnB,IAAZ,C;U9Jg  
e7B,U8J/dY,kB9J+dZ,E8J/diC,kB9J+djC,E8J/d8C,cAAO,CAAP,I9J+d9C,E8J/dwD,W9J+dxD,E8J/d8D,kBAAY,O  
AAZ,GAAMb,CAAnB,I9J+d9D,C;;Q8J5dQ,mBAAY,WAAZ,IAAoB,I;QACpB,cAAO,mBAAY,WAAZ,C;;QAGP  
,wBAjW4C,mBAAY,cAiWIB,sBAjWkB,IAAZ,C;QAmW5C,IAAI,iBAAiB,iBAArB,C;U9JsdR,U8JrdY,kB9JqdZ,

E8JrdiC,kB9JqdjC,E8Jrd8C,a9Jqd9C,E8Jrd6D,gBAAGB,CAAhB,I9Jqd7D,E8JrdgF,oBAAoB,CAApB,I9JqdhF,C;;  
UAAA,U8JndY,kB9JmdZ,E8JndiC,kB9JmdjC,E8Jnd8C,a9Jmd9C,E8Jnd6D,gBAAGB,CAAhB,I9Jmd7D,E8JndgF,  
kBAAy,O9Jmd5F,C;U8JldY,mBAAy,kBAAy,OAAZ,GAAMb,CAAnB,IAAZ,IAAoC,mBAAy,CAAZ,C;U9Jkdh  
D,U8JjdY,kB9JidZ,E8JjdiC,kB9JidjC,E8Jjd8C,C9Jid9C,E8JjdiD,C9JidjD,E8JjdoD,oBAAoB,CAApB,I9JidpD,C;;  
Q8J9cQ,mBAAy,iBAAZ,IAAiC,I;;MAErC,wBAAQ,CAAR,I;MAEA,OAAO,O;K;6CAGX,oB;MAAkE,OB;;QAa5  
C,wD;QART,aAAL,IAAK,U;QAAL,Y;UAA8B,SAAZ,kB7K6wOnB,YAAQ,C;S6K7wOX,W;UACI,yBAAO,K;U  
AAP,2B;SAEJ,WA1XgD,mBAAy,cA0XnC,SA1XmC,IAAZ,C;QA2XhD,cAAc,W;QACd,eAAe,K;QAEf,IAAI,cA  
AO,IAAX,C;UACI,iBAAc,WAAAd,UAAyB,IAAzB,U;YACI,cAAc,mBAAy,KAAZ,C;YAGd,IAjBsE,CAAU,wBAi  
BIE,0EAjBkE,CAiBhF,C;cACI,mBAAy,gBAAZ,EAAY,wBAAZ,YAAyB,O;;cAEzB,WAAW,I;;UAGP,OAAZ,kB  
AAy,EAk,IAAL,EAAW,OAAx,EAAoB,IAApB,C;;UAGE,oB;UAAuB,SAAZ,kBAAy,O;UAArC,uD;YACI,gB  
AAc,mBAAy,OAAZ,C;YACd,mBAAy,OAAZ,IAAqB,I;YAGrB,IA/BsE,CAAU,wBA+BIE,kFA/BkE,CA+BhF,C;  
cACI,mBAAy,gBAAZ,EAAY,wBAAZ,YAAyB,S;;cAEzB,WAAW,I;;UAGnB,UAAU,mBAAy,OAAZ,C;UAEV,  
mBAAC,CAAd,YAAsB,IAAtB,Y;YACI,gBAAC,mBAAy,OAAZ,C;YACd,mBAAy,OAAZ,IAAqB,I;YAGrB,IA5  
CsE,CAAU,wBA4CIe,kFA5CKe,CA4ChF,C;cACI,mBAAy,OAAZ,IAAuB,S;cACvB,UAAU,mBAAy,OAAZ,C;;  
cAEV,WAAW,I;;;QAIvB,IAAI,QAaJ,C;UACI,YAAO,mBAAy,UAAU,WAAV,IAAZ,C;QAEX,yBAAO,Q;;;MA  
vDuD,6B;K;6CAEIE,oB;MAAkE,OB;;QAW5C,wD;QART,aAAL,IAAK,U;QAAL,Y;UAA8B,SAAZ,kB7K6wOnB  
,YAAQ,C;S6K7wOX,W;UACI,yBAAO,K;UAAp,2B;SAEJ,WA1XgD,mBAAy,cA0XnC,SA1XmC,IAAZ,C;QA2  
XhD,cAAc,W;QACd,eAAe,K;QAEf,IAAI,cAAO,IAAX,C;UACI,iBAAc,WAAAd,UAAyB,IAAzB,U;YACI,cAAc,m  
BAAy,KAAZ,C;YAGd,IAf+E,wBAejE,0EAfiE,CAe/E,C;cACI,mBAAy,gBAAZ,EAAY,wBAAZ,YAAyB,O;;cA  
EzB,WAAW,I;;UAGP,OAAZ,kBAAy,EAk,IAAL,EAAW,OAAx,EAAoB,IAApB,C;;UAGE,oB;UAAuB,SAAZ  
,kBAAy,O;UAArC,uD;YACI,gBAAC,mBAAy,OAAZ,C;YACd,mBAAy,OAAZ,IAAqB,I;YAGrB,IA7B+E,wBA  
6BjE,kFA7BiE,CA6B/E,C;cACI,mBAAy,gBAAZ,EAAY,wBAAZ,YAAyB,S;;cAEzB,WAAW,I;;UAGnB,UAAU,  
mBAAy,OAAZ,C;UAEV,mBAAC,CAAd,YAAsB,IAAtB,Y;YACI,gBAAC,mBAAy,OAAZ,C;YACd,mBAAy,OA  
AZ,IAAqB,I;YAGrB,IA1C+E,wBA0CjE,kFA1CiE,CA0C/E,C;cACI,mBAAy,OAAZ,IAAuB,S;cACvB,UAAU,mB  
AAy,OAAZ,C;;cAEV,WAAW,I;;;QAIvB,IAAI,QAaJ,C;UACI,YAAO,mBAAy,UAAU,WAAV,IAAZ,C;QAEX,  
yBAAO,Q;;;MArDuD,6B;K;2CAEIE,qB;MASSB,IAII,IAJJ,EAKM,MALN,EAaA,MAbA,EAuB,MAbvB,EAkBI,  
MAIBJ,EAmBM,MANBN,EA+BI,M;MAvCb,aAAL,IAAK,U;MAAL,Y;QAA8B,SAAZ,kB7K6wOnB,YAAQ,C;O  
6K7wOX,W;QACI,OAAO,K;MAEX,WA1XgD,mBAAy,cA0XnC,SA1XmC,IAAZ,C;MA2XhD,cAAc,W;MACd,e  
AAe,K;MAEf,IAAI,cAAO,IAAX,C;QACI,iBAAc,WAAAd,UAAyB,IAAzB,U;UACI,cAAc,mBAAy,KAAZ,C;UAG  
d,IAAI,UAAU,0EAAV,CAAJ,C;YACI,mBAAy,gBAAZ,EAAY,wBAAZ,YAAyB,O;;YAEzB,WAAW,I;;QAGP,O  
AAZ,kBAAy,EAk,IAAL,EAAW,OAAx,EAAoB,IAApB,C;;QAGE,oB;QAAuB,SAAZ,kBAAy,O;QAARc,uD;  
UACI,gBAAC,mBAAy,OAAZ,C;UACd,mBAAy,OAAZ,IAAqB,I;UAGrB,IAAI,UAAU,kFAAV,CAAJ,C;YACI,  
mBAAy,gBAAZ,EAAY,wBAAZ,YAAyB,S;;YAEzB,WAAW,I;;QAGnB,UAAU,mBAAy,OAAZ,C;QAEV,mBA  
Ac,CAAd,YAAsB,IAAtB,Y;UACI,gBAAC,mBAAy,OAAZ,C;UACd,mBAAy,OAAZ,IAAqB,I;UAGrB,IAAI,UA  
AU,kFAAV,CAAJ,C;YACI,mBAAy,OAAZ,IAAuB,S;YACvB,UAAU,mBAAy,OAAZ,C;;YAEV,WAAW,I;;;M  
AIvB,IAAI,QAaJ,C;QACI,YAAO,mBAAy,UAAU,WAAV,IAAZ,C;MAEX,OAAO,Q;K;iCAGX,Y;MACI,WA7a  
gD,mBAAy,cA6anC,SA7amC,IAAZ,C;MA8ahD,IAAI,cAAO,IAAX,C;QACgB,OAAZ,kBAAy,EAk,IAAL,EA  
AW,WAAx,EAaiB,IAAjB,C;;QACT,IvKtS6C,CAAC,cuKsS9C,C;UACS,OAAZ,kBAAy,EAk,IAAL,EAAW,  
WAAx,EAaiB,kBAAy,OAA7B,C;UACA,OAAZ,kBAAy,EAk,IAAL,EAAW,CAAX,EAAC,IAAd,C;;MAEhB,  
cAAO,C;MACP,YAAO,C;K;2CAGX,iB;MAGe,IAAC,IAAD,EAAC,J,M;MAfP,WACW,eAAC,OAAI,KAAM,OAA  
N,IAAc,SAAlB,GAawB,KAAxB,GAAMc,aAAa,KAAb,EAAoB,SAApB,CAApC,uB;MAEX,WA7bgD,mBAAy,  
cA6bnC,SA7bmC,IAAZ,C;MA8bhD,IAAI,cAAO,IAAX,C;Q9J2XJ,U8J1XQ,kB9J0XR,E8J1X6B,I9J0X7B,EAD+  
F,CAC/F,E8J1XgD,W9J0XhD,E8J1XiE,I9J0XjE,C;;Q8JzXW,IvKtT6C,CAAC,cuKsT9C,C;U9JyXX,U8JxXQ,kB9J  
wXR,E8JxX6B,I9JwX7B,E8JxXuD,C9JwXvD,E8JxXuE,W9JwXvE,E8JxXwF,kBAAy,O9JwXpG,C;UAAA,U8Jv  
XQ,kB9JuXR,E8JvX6B,I9JuX7B,E8JvXuD,kBAAy,OAAZ,GAAMb,WAAAnB,I9JuXvD,E8JvX6F,C9JuX7F,E8Jv  
X2G,I9JuX3G,C;;M8JrXI,IAAI,IAAK,OAAL,GAAY,SAAhB,C;QACI,KAAK,SAAL,IAAa,I;OAIjB,OAAO,qD;K;  
mCAGX,Y;MAEI,OAAO,qBAAQ,gBAAMb,SAAnB,OAAR,C;K;+CAGX,iB;MAC0D,4BAAQ,KAAAR,C;K;+CA  
C1D,Y;MAA0C,qB;K;IAE1C,gC;MAAA,oC;MACI,0BpHriBuC,E;MoHsiBvC,sBAaiC,U;MACjC,4BAAuC,E;K;

yDAEvC,oC;MAEI,kBAaKB,eAAe,eAAgB,CAA/B,K;MACIB,IAAI,eAAc,WAAAd,QAA4B,CAAhC,C;QACI,cAA  
c,W;MACIB,IAAI,eAAc,UAAAd,QAA6B,CAAjC,C;QACI,cAAkB,cAAc,UAAIB,GAAgC,UAAhC,GAAmD,U;MA  
CrE,OAAO,W;K;;IAZf,4C;MAAA,2C;QAAA,0B;OAAA,oC;K;qDagBA,qB;MAEI,WAvEgD,mBAAy,cAuenC,S  
AvenC,IAAZ,C;MAwehD,WAAe,kBAAa,cAAO,IAAxB,GAA8B,WAA9B,GAAwC,cAAO,kBAAy,OAAnB,I;M  
ACnD,UAAU,IAAV,EAAgB,cAAhB,C;K;;IA5iBJ,iD;MAAA,oD;MAGwC,+B;MApB5C,sB;MAqBsB,Q;MACV,  
wBAAmB,CAAnB,C;QAAwB,4D;WACxB,sBAaKB,CAAIb,C;QAAuB,uBAAa,eAAb,O;;QACf,MAAM,gCAAY  
B,uBAAoB,eAA7C,C;MAHIB,0B;MAJJ,Y;K;IAWA,kC;MAAA,oD;MAGoB,+B;MA/BxB,sB;MAGCQ,sBAAc,qD  
;MAJIB,Y;K;IAOA,4C;MAAA,oD;MAG2C,+B;MATC/C,sB;MAuCQ,sBxJrB8D,YwJqBhD,QxJrBgD,C;MwJsB9D  
,aAAO,mBAAy,O;MACnB,IAAI,mB7K+qPD,YAAQ,C6K/qPX,C;QAA2B,sBAAc,qD;MAN7C,Y;K;IC5BJ,4B;M  
AMoB,Q;M9KghqBA,U;MADhB,UAAe,C;MACf,uD;QAAgB,cAAhB,iB;QACI,YAAgB,O8KlhqBiB,O9KkhqBjC  
,I;;M8KlhqBJ,aAAa,iB9KohqBN,G8KphqBM,C;MACb,wBAAgB,SAAhB,gB;QAAgB,gBAAA,SAAhB,M;QAC  
W,SAAP,MAAO,EAAO,SAAP,C;;MAEX,OAAO,M;K;IAGX,0B;MASiB,Q;MAFb,YAAy,iBAAa,gBAAb,C;MA  
CZ,YAAy,iBAAa,gBAAb,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,KAAM,WAAI,IAAK,MA  
AT,C;QACN,KAAM,WAAI,IAAK,OAAT,C;;MAEV,OAAO,UAAAS,KAAT,C;K;gGAGX,qB;MAWW,4B;MAAA,  
U;QAAqB,OAAL,S9K0qPhB,YAAQ,C;O8K1qPf,W;K;oFAGJ,mC;MAUI,O9K6pPO,qBAAQ,C8K7pPf,GAAe,cA  
Af,GAAmC,S;K;IAGvC,iD;MAMI,IAAI,cAAS,KAAb,C;QAAoB,OAAO,I;MAC3B,IAAI,qBAAgB,aAAhB,IAAI  
C,SAAK,OAAL,KAAa,KAAM,OAAXD,C;QAA8D,OAAO,K;MAErE,4C;QACI,SAAS,UAAK,CAAL,C;QACT,S  
AAS,MAAM,CAAN,C;QAET,IAAI,OAAO,EAAX,C;UACI,Q;eACG,IAAI,cAAc,UAAIB,C;UACH,OAAO,K;SAI  
P,0BAAAsB,kBAAtB,C;UAA4C,IAAI,CAAI,kBAAH,EAAG,EAaKB,EAaIB,CAAR,C;YAA+B,OAAO,K;eACIF,8  
BAAAsB,sBAAtB,C;UAA4C,IAAI,CAAI,cAAH,EAAG,EAAC,EAAd,CAAR,C;YAA2B,OAAO,K;eAC9E,+BAAsB  
,uBAAtB,C;UAA4C,IAAI,CAAI,cAAH,EAAG,EAAC,EAAd,CAAR,C;YAA2B,OAAO,K;eAC9E,6BAAsB,qBAAt  
B,C;UAA4C,IAAI,CAAI,cAAH,EAAG,EAAC,EAAd,CAAR,C;YAA2B,OAAO,K;eAC9E,8BAAsB,sBAAtB,C;U  
AA4C,IAAI,CAAI,cAAH,EAAG,EAAC,EAAd,CAAR,C;YAA2B,OAAO,K;eAC9E,+BAAsB,uBAAtB,C;UAA4C,  
IAAI,CAAI,cAAH,EAAG,EAAC,EAAd,CAAR,C;YAA2B,OAAO,K;eAC9E,gCAAsB,wBAAtB,C;UAA4C,IAAI,  
CAAI,cAAH,EAAG,EAAC,EAAd,CAAR,C;YAA2B,OAAO,K;eAC9E,8BAAsB,sBAAtB,C;UAA4C,IAAI,CAAI,c  
AAH,EAAG,EAAC,EAAd,CAAR,C;YAA2B,OAAO,K;eAC9E,iCAAsB,yBAAtB,C;UAA4C,IAAI,CAAI,cAAH,E  
AAG,EAAC,EAAd,CAAR,C;YAA2B,OAAO,K;eAE9E,qCAAsB,6BAAtB,C;UAA4C,IAAI,CAAI,gBAAH,EAAG,  
EAAC,EAAd,CAAR,C;YAA2B,OAAO,K;eAC9E,sCAAsB,8BAAtB,C;UAA4C,IAAI,CAAI,gBAAH,EAAG,EAAC  
,EAAd,CAAR,C;YAA2B,OAAO,K;eAC9E,oCAAsB,4BAAtB,C;UAA4C,IAAI,CAAI,gBAAH,EAAG,EAAC,EA  
Ad,CAAR,C;YAA2B,OAAO,K;eAC9E,qCAAsB,6BAAtB,C;UAA4C,IAAI,CAAI,gBAAH,EAAG,EAAC,EAAd,CA  
AR,C;YAA2B,OAAO,K;eAEtE,IAAI,YAAM,EAAN,CAAJ,C;UAAc,OAAO,K;;MAIrC,OAAO,I;K;IAGX,4C;MA  
KI,IAAI,iBAAJ,C;QAAkB,OAAO,M;MACzB,aAAa,CAAK,eAAL,gBAAK,EAAa,SAAb,CAAL,GAA6C,CAA7C,  
QAAiD,CAAjD,I;MvC6SkB,kBAAxB,mBuC5SY,MvC4SZ,C;MuC3SH,oDxK5BgD,gBwK4BhD,C;MADJ,O7JnC  
O,WsH+U6C,W;K;IuCvSxD,mE;MAEI,IAAY,SAAR,0BAAJ,C;QACI,MAAO,gBAAO,OAAP,C;QACP,M;OAEJ,  
SAAU,WAAI,SAAJ,C;MACV,MAAO,gBAAO,EAAP,C;MAEP,4C;QACI,IAAI,MAAK,CAAT,C;UACI,MAAO,g  
BAAO,IAAP,C;SAEX,cAAc,UAAK,CAAL,C;QAEV,IADE,OACF,S;UAAmB,MAAO,gBAAO,MAAP,C;aAC1B,  
mBAFE,OAEF,E;UAA2B,4BAAR,OAAQ,EAA4B,MAA5B,EAAoC,SAAP,C;aAC3B,uBAHE,OAGF,E;UAAm  
B,MAAO,gBA Ae,gBAAR,OAAQ,CAAF,C;aAC1B,wBAJE,OAI F,E;UAAmB,MAAO,gBA Ae,gBAAR,OAAQ,CA  
Af,C;aAC1B,sBALE,OAKF,E;UAAmB,MAAO,gBA Ae,gBAAR,OAAQ,CAAF,C;aAC1B,uBANE,OAMF,E;UAA  
mB,MAAO,gBA Ae,gBAAR,OAAQ,CAAF,C;aAC1B,wBAPE,OAO F,E;UAAmB,MAAO,gBA Ae,gBAAR,OAAQ,  
CAAF,C;aAC1B,yBARE,OAQF,E;UAAmB,MAAO,gBA Ae,gBAAR,OAAQ,CAAF,C;aAC1B,uBATE,OASF,E;UA  
AmB,MAAO,gBA Ae,gBAAR,OAAQ,CAAF,C;aAC1B,0BAVE,OAU F,E;UAAmB,MAAO,gBA Ae,gBAAR,OAA  
Q,CAAF,C;aAE1B,kBAZE,OAYF,c;UAAmB,MAAO,gBA Ae,kBAAR,OAAQ,CAAF,C;aAC1B,kBAbE,OAaF,e;U  
AAmB,MAAO,gBA Ae,kBAAR,OAAQ,CAAF,C;aAC1B,kBAdE,OAcF,a;UAAmB,MAAO,gBA Ae,kBAAR,OAA  
Q,CAAF,C;aAC1B,kBAfE,OAeF,c;UAAmB,MAAO,gBA Ae,kBAAR,OAAQ,CAAF,C;;UAEP,MAAO,gBAAO,OA  
AQ,WAAf,C;;MAIIC,MAAO,gBAAO,EAAP,C;MACP,SAAU,kBAAmB,iBAAV,SAAU,CAAnB,C;K;ICpJd,uC;  
MAIqD,+CAAwC,iBAAO,CAA/C,IAAoD,mC;K;IAEZg,4D;MAWQ,kBADE,SACF,O;QADJ,OACc,S;WACV,kB  
AFE,SAEF,c;QAEQ,yCAAwB,MAAO,KAAP,GAAc,CAAT,C;UAJZ,OAIuD,S;;UAJvD,OAK6B,mBAAL,SAAK



,CAAT,GAA+B,sBAA/B,GAAgD,S;;QALpE,OAoGB,oCAAJ,GAA0C,sBAA1C,GAA2D,mB;K;IAG3E,gD;MAW  
Q,kBADE,SACF,O;QADJ,OACc,S;WACV,kBAFE,SAEF,c;QAFJ,OAE8B,mBAAL,SAAK,CAAT,GAA+B,sBAA  
/B,GAAgD,S;;QAFrE,OAGgB,oCAAJ,GAA0C,sBAA1C,GAA2D,mB;K;IAG3E,kD;MAKI,OAAI,oCAAJ,GAA0C  
,sBAA1C,GAA2D,oB;K;IAE/D,kD;MAKI,OAAI,oCAAJ,GAA0C,oBAA1C,GAA2D,iB;K;IzKnD/D,yB;MAAA,6  
B;K;sCACI,Y;MAAkC,Y;K;0CACIC,Y;MAAsC,Y;K;wCACtC,Y;MAAgC,Q;K;4CACChC,Y;MAAoC,S;K;mCACp  
C,Y;MAA+B,MAAM,6B;K;uCACrC,Y;MAAmC,MAAM,6B;K;;IAN7C,qC;MAAA,oC;QAAA,mB;OAAA,6B;K;  
IASA,qB;MAAA,yB;MACI,+C;K;iCAEA,iB;MAA4C,qCAAoB,KAAM,U;K;mCACtE,Y;MAA+B,Q;K;mCAC/B,  
Y;MAAkC,W;K;iFAEX,Y;MAAQ,Q;K;kCAC/B,Y;MAAkC,W;K;yCACIC,mB;MAAmD,Y;K;8CACnD,oB;MAA  
mE,OAAA,QAAS,U;K;sCAE5E,iB;MAAwC,MAAM,8BAA0B,iDAA8C,KAA9C,MAA1B,C;K;wCAC9C,mB;M  
AA8C,S;K;4CAC9C,mB;MAAkD,S;K;mCAEID,Y;MAA6C,kC;K;uCAC7C,Y;MAAqD,kC;K;+CACrD,iB;MACI,  
IAAI,UAAS,CAAb,C;QAAGB,MAAM,8BAA0B,YAAS,KAAnC,C;MACtB,OAAO,2B;K;0CAGX,8B;MACI,IAAI  
,cAAa,CAAb,IAAkB,YAAW,CAAjC,C;QAAoC,OAAO,I;MAC3C,MAAM,8BAA0B,gBAAa,SAAb,mBAAkC,O  
AA5D,C;K;wCAGV,Y;MAAiC,8B;K;;IA5BrC,iC;MAAA,gC;QAAA,e;OAAA,yB;K;IA+BA,iC;MAA8D,6BAAk  
B,SAAlB,EAAoC,KAApC,C;K;IAE5B,8C;MAAC,oB;MAA0B,0B;K;yFACIC,Y;MAAQ,OAAA,WAAO,O;K;0C  
ACtC,Y;MAAkC,OAAA,WNqqP3B,YAAQ,C;K;iDMpqPf,mB;MAA6C,OAAO,SAAP,WAAO,EAAS,OAAT,C;K  
;sDACpD,oB;MAAsE,c;;Qc4nDtD,Q;QADhB,IAAI,cd3nDyD,Qc2nDzD,iBd3nDyD,Qc2nDnC,UAA1B,C;UAAqC  
,aAAO,I;UAAP,e;SACrB,Od5nD6C,Qc4nD7C,W;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,Cd5nDkD  
,oBc4nDvC,Od5nDuC,Cc4nDtD,C;YAAyB,aAAO,K;YAAP,e;;QAC/C,aAAO,I;;Md7nDsD,iB;K;2CAC7D,Y;MA  
AuC,OAAO,qBAAP,WAAO,C;K;0CAC9C,Y;MAC+C,gBAAP,W;MAAA,OAAwB,cAAxB,GegKpC,SfhKoC,Gek  
KpC,SN83BoB,Q;K;;IT7hC5B,qB;MAIsC,8B;K;IAEtC,4B;MAIqD,OAAI,QAAS,OAAT,GAAgB,CAApB,GAAg  
C,OAAT,QAAS,CAAhC,GAA8C,W;K;mFAEnG,yB;MAAA,qD;MAAA,mB;QAK0C,kB;O;KAL1C,C;+FAOA,y  
B;MAAA,+D;MAAA,mB;QAMwD,uB;O;KANxD,C;2FAQA,yB;MAAA,+D;MAAA,mB;QAMoD,uB;O;KANpD,  
C;IAQA,mC;MAKI,OAAI,QAAS,OAAT,KAAiB,CAArB,GAAwB,gBAAxB,GAAyC,iBAAU,sBAAkB,QAAIB,E  
AAwC,IAAxC,CAAV,C;K;IAE7C,iC;MAKI,OAAI,QAAS,OAAT,KAAiB,CAArB,GAAwB,gBAAxB,GAAyC,iB  
AAU,sBAAkB,QAAIB,EAAwC,IAAxC,CAAV,C;K;IAE7C,gC;MAI2D,OAAI,eAAJ,GAAqB,OAAO,OAAP,CAA  
rB,GAA0C,W;K;IAErG,mC;MAImE,OAAS,cAAT,QAAS,C;K;gFAE5E,yB;MAAa,gE;MAbA,6B;QAYBI,WAAW  
,eAduE,IAcvE,C;QWCX,iBAAc,CAAd,UXfkF,IWefI,U;UXA6B,eAf2D,IAevD,CWctB,KXDsb,CAAJ,C;;QAFyC  
,OAGB/D,I;O;KA3BX,C;8FAaA,yB;MAAA,gE;MAAA,6B;QAYI,WAAW,eAAa,IAAb,C;QWCX,iBAAc,CAAd,U  
XAO,IWAP,U;UXA6B,eAAI,KWctB,KXDsb,CAAJ,C;;QAC7B,OAAO,I;O;KAdX,C;wFAiBA,yB;Me1FA,+D;M  
f0FA,gC;QetF0B,gBAAf,gB;QfsGkB,aW3FzB,W;QX2FA,OW1FO,SIZoC,Q;O;KfsF/C,C;yFAwBA,yB;Me3GA,4  
E;MAAA,gE;Mf2GA,0C;QevGI,qBf2HyB,Qe3HzB,C;QAC8B,gBAAvB,ef0HkB,Qe1HIB,C;Qf0H4B,aWvHnC,W;  
QXuHA,OWtHO,SIJ4C,Q;O;KfsGvD,C;IAiCl,mC;MAAQ,uBAAG,iBAAO,CAAP,IAAH,C;K;IAQR,qC;MAAQ,  
OAAA,SAAK,KAAL,GAAY,CAAZ,I;K;4FAEZ,qB;MAK4D,QAAC,mB;K;kGAE7D,qB;MAWI,OAAO,qBAAgB  
,SAAK,U;K;sFAGhC,yB;MAAA,qD;MAAA,4B;QAKgE,uCAAQ,W;O;KALxE,C;sFAOA,yB;MAAA,qD;MAAA,  
4B;QAKoD,uCAAQ,W;O;KAL5D,C;sFAOA,mC;MASI,OAAI,mBAAJ,GAAe,cAAf,GAAMC,S;K;4FAGvC,+B;  
MAQoH,OAAA,SAAK,qBAAY,QAAZ,C;K;IAGzH,uC;MAK+E,kBAAhB,0B;MAAwB,+B;MAAxB,OW5MpD,  
W;K;IX+MX,yC;MAAkD,QAAM,cAAN,C;aAC9C,C;UAD8C,OACzC,W;aACL,C;UAF8C,OAEzC,OAAO,sBAA  
K,CAAL,CAAP,C;gBAFyC,OAGtC,S;;K;IAGZ,8D;MAGbKE,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;M  
ACjG,WAAW,cAAX,EAAiB,SAAjB,EAA4B,OAA5B,C;MAEA,UAAU,S;MACV,WAAW,UAAU,CAAV,I;MAE  
X,OAAO,OAAO,IAAd,C;QACI,UAAW,GAAY,GAAN,IAAM,KAAK,C;QAC5B,aAAa,sBAAI,GAJ,C;QACb,U  
AAU,cAAc,MAAd,EAAsb,OAAtB,C;QAEV,IAAI,MAAM,CAAV,C;UACI,MAAM,MAAM,CAAN,I;aACL,IAAI  
,MAAM,CAAV,C;UACD,OAAO,MAAM,CAAN,I;;UAEP,OAAO,G;;MAEf,OAAO,EAAE,MAAM,CAAN,IAAF,  
K;K;IAGX,4E;MAe8E,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MAC7G,WAAW,cAAX,EAAiB,SAAjB,  
EAA4B,OAA5B,C;MAEA,UAAU,S;MACV,WAAW,UAAU,CAAV,I;MAEX,OAAO,OAAO,IAAd,C;QACI,UAA  
W,GAAY,GAAN,IAAM,KAAK,C;QAC5B,aAAa,sBAAI,GAJ,C;QACb,UAAU,UAAW,SAAQ,MAAR,EAAgB,  
OAAhB,C;QAErB,IAAI,MAAM,CAAV,C;UACI,MAAM,MAAM,CAAN,I;aACL,IAAI,MAAM,CAAV,C;UACD,  
OAAO,MAAM,CAAN,I;;UAEP,OAAO,G;;MAEf,OAAO,EAAE,MAAM,CAAN,IAAF,K;K;kGAGX,yB;MAAA,8  
D;MAAA,4D;MAsBqC,8D;QAAA,qB;UAAE,qBAAc,iBAAS,EAAT,CAAd,EAA4B,WAA5B,C;S;O;MAAtBvC,+D

;QakBI,yB;UAAA,YAAiB,C;QACjB,uB;UAAA,UAAe,c;QAGf,+BAAa,SAAb,EAAwB,OAAxB,EAAiC,oCAAjC ,C;O;KAtBJ,C;IA6BA,mE;MAmBoC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MACnE,WAAW,cAAX,E AAIb,SAAjB,EAA4B,OAA5B,C;MAEA,UAAU,S;MACV,WAAW,UAAU,CAAV,I;MAEX,OAAO,OAAO,IAAd, C;QACI,UAAW,GAAY,GAAN,IAAM,KAAC,C;QAC5B,aAAa,sBAAI,GAAJ,C;QACb,UAAU,WAAW,MAAX,C ;QAEV,IAAI,MAAM,CAAV,C;UACI,MAAM,MAAM,CAAN,I;aACL,IAAI,MAAM,CAAV,C;UACD,OAAO,M AAM,CAAN,I;;UAEP,OAAO,G;;MAEf,OAAO,EAAE,MAAM,CAAN,IAAF,K;K;IAGX,8C;MAMQ,gBAAY,OA AZ,C;QAAuB,MAAM,gCAAYB,gBAAa,SAAb,mCAAKD,OAAID,OAAzB,C;WAC7B,gBAAY,CAAZ,C;QAAiB, MAAM,8BAA0B,gBAAa,SAAb,yBAA1B,C;WACvB,cAAU,IAAV,C;QAAkB,MAAM,8BAA0B,cAAW,OAAx,g CAA2C,IAA3C,OAA1B,C;K;IAchC,8B;MAEoC,MAAM,wBAAoB,8BAApB,C;K;IAE1C,8B;MAEoC,MAAM,w BAAoB,8BAApB,C;K;;;wF2GjB1C,yB;M1GgCA,wE;M0GhCA,uC;QAmBW,kB1GqBiD,oB;Q0GM9C,Q;QAAA, OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAaKB,sBAAY,GAAZ, C;UACIB,W1GuKJ,a0GvKgB,G1GuKhB,E0GrMyC,SA8BIB,CAAU,GAAY,EAAe,WAAf,EAA4B,CAA5B,EAA +B,uBAAuB,CAAC,WAAy,mBAAY,GAAZ,CAAnE,C1GuKvB,C;;Q0GrMA,OAGCO,W;O;KAnDX,C;4FAsBA, 6C;MAwBc,Q;MAAA,OAAA,SAAK,iB;MAAf,OAAU,cAAV,C;QAAU,mB;QACN,UAAU,sBAAM,CAAN,C;Q ACV,kBAaKB,sBAAY,GAAZ,C;QACIB,W1GuKJ,a0GvKgB,G1GuKhB,E0GvKuB,UAAU,GAAY,EAAe,WAAf, EAA4B,CAA5B,EAA+B,uBAAuB,CAAC,WAAy,mBAAY,GAAZ,CAAnE,C1GuKvB,C;;M0GrKA,OAAO,W;K; iFAGX,yB;MAAA,gB;MAAA,8B;M1GtBA,wE;M0GsBA,6D;QAnCW,kB1GqBiD,oB;Q0GM9C,Q;QAAA,OAA K,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAaKB,sBAAY,GAAZ,C;U A8BwE,U;UA7B1F,W1GuKJ,a0GvKgB,G1GuKhB,E0G1IkC,UA7BD,GA6BC,EA7BoB,uBAAuB,CAAC,WAAy ,mBAAY,GAAZ,CA6BzC,GAAW,qBA7B3B,GA6B2B,EA7BT,CA6BS,CAAX,GAA6C,UA7BxD,WA6BwD,6D AA5D,EA7BiB,CA6BjB,C1G0IIC,C;;Q0G3IA,OA1BO,W;O;KAGX,C;kFA0BA,yB;MAAA,gB;MAAA,8B;MAA A,0E;QAICc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,k BA6DQ,WA7DU,WAAy,GAAZ,C;UA6DuF,U;UAAjG,W1G2GZ,a0GvKgB,G1GuKhB,E0G3GiD,UA5DhB,GA4 DgB,EA5DK,uBAAuB,CA4DjE,WA5D8E,mBAAY,GAAZ,CA4D1B,GAAW,qBA5D1C,GA4D0C,EA5DxB,CA4 DwB,CAAX,GAA6C,UA5DvE,WA4DuE,6DAA5D,EA5DE,CA4DF,C1G2GjD,C;;Q0G5GA,OACY,W;O;KA7Bh B,C;iFAgCA,yB;MAAA,gB;MAAA,8B;M1GhFA,wE;M0GgFA,qD;QA7FW,kB1GqBiD,oB;Q0GM9C,Q;QAAA, OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAaKB,sBAAY,GAAZ, C;UAKfID,U;UAjFnE,W1GuKJ,a0GvKgB,G1GuKhB,E0GtFgC,UajFsB,uBAAuB,CAAC,WAAy,mBAAY,GAA Z,CAiFhD,kBAA6B,UajFjC,WaiFiC,6DAAvC,EajFmB,CAiFnB,C1GsFhC,C;;Q0GvFA,OA9EO,W;O;KA6DX, C;oFAoBA,yB;MAAA,gB;MAAA,8B;MAAA,kE;QatFc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB; UACN,UAAU,sBAAM,CAAN,C;UACV,kBA2GQ,WA3GU,WAAy,GAAZ,C;UA2GgE,U;UAA1E,W1G6DZ,a0G vKgB,G1GuKhB,E0G7D+C,UA1GO,uBAAuB,CA0GjE,WA1G8E,mBAAY,GAAZ,CA0GjC,kBAA6B,UA1GhD, WA0GgD,6DAAvC,EA1GI,CA0GJ,C1G6D/C,C;;Q0G9DA,OACY,W;O;KAvBhB,C;qFA0BA,yB;MAAA,gB;MA AA,8B;M1G9HA,wE;M0G8HA,uC;QA3IW,kB1GqBiD,oB;Q0GM9C,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV, C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBA6JQ,WA7JU,WAAy,GAAZ,C;UACC,oB;UA8Jc,U ;UAAjC,IA9JkD,uBAAuB,CA4JjE,WA5J8E,mBAAY,GAAZ,CA8Jf,C;YADA,mBA7J+C,C;;YA6J/C,mBACKB, UA9JW,GA8JX,EAAe,UA9JC,WA8JD,6DAAf,EA9J6B,CA8J7B,C;;UAFV,W1GWZ,a0GvKgB,G1GuKhB,mB;;Q 0GXA,OAAy,W;O;KAvBhB,C;IA6BA,6C;MarKc,Q;MAAA,OAAK,0B;MAAf,OAAU,cAAV,C;QAAU,mB;QA CN,UAAU,sBAAM,CAAN,C;QACV,kBA+KG,WA/Ke,WAAy,GAAZ,C;QA2GgE,U;QAoE/E,W1GPP,a0GvKgB ,G1GuKhB,E0GomC,CA9KmB,uBAAuB,CA8KtE,WA9KmF,mBAAY,GAAZ,CA0GjC,GAoErC,CAPeQc,GAA6 B,UA1GhD,WA0GgD,6DAoEnD,IAAM,CAAN,I1GPnC,C;;M0GOA,OAAO,W;K;I+DnPOB,oC;MAAC,kB;MAA uB,kB;K;;wCAN7D,Y;MAMsC,iB;K;wCANtC,Y;MAM6D,iB;K;0CAN7D,wB;MAAA,wBAMsC,qCANtC,EAM6 D,qCAN7D,C;K;sCAA,Y;MAAA,OAMsC,mDANtC,IAM6D,wCAN7D,O;K;sCAA,Y;MAAA,c;MAMsC,sD; MAAuB,sD;MAN7D,a;K;oCAA,iB;MAAA,4IAMsC,sCANtC,IAM6D,sCAN7D,I;K;wFpKEA,yB;MAAA,kC;M

AAA,4C;MAAA,kD;QAMuF,wC;O;MANvF,4CAOI,Y;QAAuC,8B;O;MAP3C,8E;MAAA,2B;QAMuF,2C;O;KANvF,C;IAcsC,2C;MAAC,wC;K;0CACnC,Y;MAAqD,4BAAiB,wBAAjB,C;K;;IAIzD,yC;MAI4D,OAAI,oCAAJ,GAA2B,SAAK,KAAhC,GAA0C,I;K;IAEtG,uD;MAI0E,OAAI,oCAAJ,GAA2B,SAAK,KAAhC,GAA0C,S;K;IAGpH,8B;MAMoB,Q;MADhB,aAAa,gB;MACG,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACL,OAAP,MAAO,EAAO,OAAP,C;;MAEX,OAAO,M;K;IAGX,4B;MAUiB,Q;MAHb,mBAAmB,mCAAwB,EAAxB,C;MACnB,YAA Y,iBAAa,YAAb,C;MACZ,YAA Y,iBAAa,YAAb,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,KAAM,WAAI,IAAK,MAAT,C;QACN,KAAM,WAAI,IAAK,OAAT,C;;MAEV,OAAO,UAA S,KAAT,C;K;wFUxDX,qB;MAKqE,gB;K;IAErE,iC;MAMoE,4BAAiB,SAAjB,C;K;uFAEpE,gC;MAKI,OAAgB,mBAAhB,C;QAAgB,8B;QAAM,UAAU,OAAV,C;;K;IAMY,oC;MAAC,0B;MACnC,eAAoB,C;K;yCACpB,Y;MAAwC,OAAA,eAAS,U;K;sCACjD,Y;MAA6E,Q;MAAhC,wBAAa,oBAAmB,mBAAnB,EAAmB,2BAAnB,QAAb,EAA0C,eAAS,OAA nD,C;K;;sF2J5BjD,yB;MAAA,4E;MAAA,gB;MAAA,8B;MAAA,+C;QAUiC,Q;QAA7B,OAA6B,wCAAqB,QAAS,aAA9B,0D;O;KAVjC,C;wFAYA,yB;MAAA,4E;MAAA,gB;MAAA,8B;MAAA,+C;QAWiC,Q;QAA7B,OAA6B,wCAAqB,QAAS,aAA9B,0D;O;KAXjC,C;sFAaA,+C;MAQI,SAAK,aAAI,QAAS,aAAb,EAAmB,KAA nB,C;K;ICnCT,8C;MAUI,IAAI,wCAAJ,C;QACI,OAAO,SAAK,4BAAqB,GAARb,C;MAET,4B;M3KoTI,Q;MALX,YAA Y,oB2K/Sa,G3K+Sb,C;MACZ,IAAI,iBAAiB,CAAC,4B2KhTG,G3KgTH,CAAtB,C;Q2KhTgC,MAAM,2BAAuB,wCAA vB,C;;Q3KoTIC,2BAAO,sE;;M2KpTX,+B;K;IAGJ,8C;MAUQ,kBADE,SACF,kB;QADJ,OACkC,YAAT,SAAK,IAAI,EAAY,YAAZ,C;;QADIC,OA EY,uBAAmB,SAAnB,EAAyB,YAAzB,C;K;IAGhB,gD;MAWQ,kBADE,SACF,yB;QADJ,OACyC,cAAT,SAAK,IAAI,EAAY,YAAZ,C;;QADzC,OA EY,8BAA0B,SAAI1B,EAAgC,YAAhC,C;K;;;;IAc0B,4C;MAAC,wB;MAAoC,0B;K;qEAApC,Y;MAAA,yB;K;0CACvC,iB;MAA4C,OAAI,OAAJ,QAAI,EAAO,KAAP,C;K;4CACHD,Y;MAA+B,OAAI,SAAJ,QAAI,C;K;4CACnC,Y;MAAkC,OAAA,QAAI,W;K;0FACf,Y;MAAQ,OAAA,QAAI,K;K;2CACnC,Y;MAAkC,OAAA,QAAI,U;K;qDACtC,e;MAA4C,OAAA,QAAI,mBAAY,GAAZ,C;K;uDACHD,iB;MAAgE,OAAA,QAAI,qBAAc,KAA d,C;K;6CACpE,e;MAA+B,OAAA,QAAI,WAAI,GAAJ,C;K;0FACT,Y;MAAQ,OAAA,QAAI,K;K;4FACH,Y;MAAQ,OAAA,QAAI,O;K;6FACJ,Y;MAAQ,OAAA,QAAI,Q;K;8DAEvD,e;MAAmD,gBAAJ,Q;MAAI,4B;M3K4PxC,Q;MALX,YAA Y,oB2KvPyD,G3KuPzD,C;MACZ,IAAI,iBA AiB,CAAC,4B2KxP+C,G3KwP/C,CAAtB,C;QACI,2B2KzPwE,mB;;Q3K4PxE,2BAAO,sE;;M2K5PoC,+B;K;;IA GN,mD;MAAC,wB;MAA2C,0B;K;4EAA3C,Y;MAAA,yB;K;iDAC1C,iB;MAA4C,OAAI,OAAJ,QAAI,EAAO,KAAP,C;K;mDACHD,Y;MAA+B,OAAI,SAAJ,QAAI,C;K;mDACnC,Y;MAAkC,OAAA,QAAI,W;K;iGACf,Y;MAAQ,OAAA,QAAI,K;K;kDACnC,Y;MAAkC,OAAA,QAAI,U;K;4DACtC,e;MAA4C,OAAA,QAAI,mBAAY,GAAZ,C;K;8DACHD,iB;MAAgE,OAAA,QAAI,qBAAc,KAA d,C;K;oDACpE,e;MAA+B,OAAA,QAAI,WAAI,GAAJ,C;K;iGACf,Y;MAAQ,OAAA,QAAI,K;K;mGACH,Y;MAAQ,OAAA,QAAI,O;K;oGACU,Y;MAAQ,OAAA,QAAI,Q;K;sDAE5E,sB;MAAyC,OAAA,QAAI,aAAI,GAAJ,EAAS,KAAT,C;K;uDAC7C,e;MAAkC,OAAA,QAAI,cAAO,GAAP,C;K;yDACtC,gB;MAA2C,QAAI,gBAAO,IAAP,C;K;gDAC/C,Y;MAAuB,QAAI,Q;K;qEAE3B,e;MAAmD,gBAAJ,Q;MAAI,4B;M3KuOxC,Q;MALX,YAA Y,oB2KIOyD,G3KkOzD,C;MACZ,IAAI,iBAAiB,CAAC,4B2K nO+C,G3KmO/C,CAAtB,C;QACI,2B2KpOwE,mB;;Q3KuOxE,2BAAO,sE;;M2KvOoC,+B;K;;I3KvFnD,oB;MAA A,wB;MACI,8C;K;gCAEA,iB;MAA4C,oCAAsB,KAAM,U;K;kCACxE,Y;MAA+B,Q;K;kCAC/B,Y;MAAkC,W;K;gFAEX,Y;MAAQ,Q;K;iCAC/B,Y;MAAkC,W;K;2CAEIC,e;MAA+C,Y;K;6CAC/C,iB;MAAsD,Y;K;mCACtD,e;MAAwC,W;K;mFACY,Y;MAAQ,6B;K;gFAC/B,Y;MAAQ,6B;K;kFACI,Y;MAAQ,8B;K;uCAEjD,Y;MAAiC,6B;K;;IAjBrC,gC;MAAA,+B;QAAA,c;OAAA,wB;K;IAoBa,oB;MAMuE,Q;MAA7B,OAA6B,uE;K;IAEvE,wB;MAA I,OAAI,KAAM,OAAN,GAAa,CAAjB,GAA0B,QAA N,KAAM,EAAM,qBAAc,YAA Y,KAAM,OAAIB,CAAd,CAAN,CAA1B,GAA6E,U;K;kFAEjF,yB;MAAA,oD;MAAA,mB;QAO8C,iB;O;KAP9C,C;8FASA,yB;MAAA,wE;M AAA,mB;QAQ4D,2B;O;KAR5D,C;IAUA,+B;MAYiD,gBAA7C,qBAAoB,YAA Y,KAAM,OAAIB,CAApB,C;MA AqD,wB;MAArD,OUJO,S;K;wFVMX,yB;MAAA,4D;MAAA,mB;QAOsD,qB;O;KAPtD,C;IASA,4B;MAM8G,gB AAvC,eAAc,YAA Y,KAAM,OAAIB,CAAd,C;MAA+C,wB;MAA/C,OUrB5D,S;K;4FVuBX,yB;MAAA,wE;MAA A,mB;QAK8D,2B;O;KAL9D,C;IAOA,8B;MAU+E,OAAM,QAA N,KAAM,EAAM,qBAAc,YAA Y,KAAM,OAAI B,CAAd,CAAN,C;K;sFAErF,yB;MchBA,wE;MdgBA,gC;QcZiC,gBAAtB,oB;Qd8BiB,aU7DxB,W;QV6DA,OU5 DO,SI8B2C,Q;O;KdYtD,C;uFA0BA,yB;McnCA,uE;MdmCA,0C;Qc/ByC,gBAA9B,mBdqDiB,QcrDjB,C;QdqD2B ,aU3FIC,W;QV2FA,OU1FO,SIqCmD,Q;O;Kd+B9D,C;4FAoCA,qB;MAK+D,QAAC,mB;K;kGAhE,qB;MAWI,O AAO,qBAAgB,mB;K;sFAG3B,yB;MAAA,oD;MAAA,4B;QAM2D,uCAAQ,U;O;KANnE,C;sFAQA,mC;MASI,O

AAI,mBAAJ,GAAe,cAAf,GAAMC,S;K;yFAEvC,yB;MAyBA,kC;MAAA,8B;MAzBA,iC;QAgCiC,Q;QAx2E,O AwBxD,CAAnB,wDAAMb,oBAxBoE,GAwBpE,C;O;KAhCpD,C;+EAUA,yB;MAAA,kC;MAAA,8B;MAAA,iC; QAKiC,Q;QAA7B,OAAgD,CAAnB,wDAAMb,YAAI,GAAJ,C;O;KALpD,C;+EAOA,iC;MAKI,sBAAI,GAAJ,EA AS,KAAT,C;K;4FAGJ,yB;MAAA,kC;MAAA,8B;MAAA,iC;QAOiC,Q;QAA7B,OAAgD,CAAnB,wDAAMb,oBA AY,GAAZ,C;O;KAPpD,C;gGASA,4B;MASsG,OAAA,SAAK,qBAAC,KAAd,C;K;kFAG3G,yB;MAAA,gD;MAA A,8B;MAAA,iC;QASiC,Q;QAA7B,OAAuD,CAA1B,+DAA0B,eAAO,GAAP,C;O;KAT3D,C;6FAWA,qB;MAWo E,oB;K;6FAEpE,qB;MAWoE,sB;K;kFAEpE,yB;MAAA,6B;MAAA,4B;QAIgE,qBAAK,aAAL,EAAU,eAAV,C;O; KAJhE,C;2FAMA,wC;MAMiF,Q;MAAA,mCAAI,GAAJ,oBAAy,c;K;uGAG7F,yB;MAAA,gB;MAAA,8B;MAA A,+C;QAMe,Q;QALX,YAAy,oBAAI,GAAJ,C;QACZ,IAAI,iBAAiB,CAAC,4BAAy,GAAZ,CAAtB,C;UACI,OA AO,c;;UAGP,OAAO,sE;;O;KANf,C;IAUA,oC;MAUkD,uCAAqB,GAARb,C;K;sFAEID,wC;MAUW,Q;MADP,YA AY,oBAAI,GAAJ,C;MACL,IAAI,aAAJ,C;QACH,aAAa,c;QACb,sBAAI,GAAJ,EAAS,MAAT,C;QACA,a;;QAEA ,Y;;MALJ,W;K;wFASJ,qB;MAMwF,OAAA,iBAAQ,W;K;wFAEHg,qB;MAMgH,OAAA,iBAAQ,W;K;4FAExH,6 C;Maq1BoB,Q;MAAA,Obh1BT,iBag1BS,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;Qbh1Ba,Wai1Bb,aAAGB,O bj1Be,Iai1B/B,Ebj1BsC,Sai1BZ,CAAe,OAAf,CAA1B,C;;Mbj1BhB,OAA6B,W;K;wFAGjC,6C;Ma60BoB,Q;MAA A,Obr0BT,iBaq0BS,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;Qbr0Ba,Was0Bb,abt0B0B,Sas0BtB,CAAY,OAAZ ,CAAJ,EAAYC,Obt0BC,Mas0B1C,C;;Mbt0BhB,OAA6B,W;K;IAGjC,kC;MAIyB,Q;MAArB,wBAAqB,KAARb,g B;QAAqB,aAAA,KAARb,M;QAAK,IAAC,yBAAD,EAAM,2B;QACP,sBAAI,GAAJ,EAAS,KAAT,C;;K;IAIR,oC; MAIyB,Q;MAAA,uB;MAArB,OAAqB,cAARb,C;QAAqB,wB;QAAhB,IAAC,yBAAD,EAAM,2B;QACP,sBAAI, GAAJ,EAAS,KAAT,C;;K;IAIR,oC;MAIyB,Q;MAAA,uB;MAArB,OAAqB,cAARb,C;QAAqB,wB;QAAhB,IAAC, yBAAD,EAAM,2B;QACP,sBAAI,GAAJ,EAAS,KAAT,C;;K;wFAIR,yB;MAAA,0D;MAAA,uE;MAAA,uC;QAS W,kBAAy,mBAAoB,YAAy,CAAZ,CAApB,C;Qa8xBH,Q;QAAA,Obh1BT,iBag1BS,W;QAAhB,OAAgB,cAAhB, C;UAAgB,yB;Ubh1Ba,Wai1Bb,aAAGB,Obj1Be,Iai1B/B,Eb/xB2C,Sa+xBjB,CAAe,OAAf,CAA1B,C;;Qb/xBhB,O AID6B,W;O;KAYcJ,C;OFAYa,yB;MAAA,0D;MAAA,uE;MAAA,uC;QAYW,kBAAU,mBAAoB,YAAy,CAAZ, CAApB,C;Qa+wBD,Q;QAAA,Obr0BT,iBaq0BS,W;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;Ubr0Ba,Was0Bb,abh xByC,SagxBrc,CAAY,OAAZ,CAAJ,EAAYC,Obt0BC,Mas0B1C,C;;QbhxBhB,OAtD6B,W;O;KA0CjC,C;0FAeA,y B;MAAA,wE;MAAA,uC;QAQkB,Q;QADd,aAAa,oB;QACC,OAAA,SA3FsE,QAAQ,W;QA2F5F,OAAc,cAAd,C; UAAc,uB;UACV,IAAI,UAAU,KAAM,IAAhB,CAAJ,C;YACI,MAAO,aAAI,KAAM,IAAV,EAae,KAAM,MAAr B,C;;QAGf,OAAO,M;O;KAbX,C;8FAGBA,yB;MAAA,wE;MAAA,uC;QAQkB,Q;QADd,aAAa,oB;QACC,OAAA, SA3GsE,QAAQ,W;QA2G5F,OAAc,cAAd,C;UAAc,uB;UACV,IAAI,UAAU,KAAM,MAAhB,CAAJ,C;YACI,MA AO,aAAI,KAAM,IAAV,EAae,KAAM,MAArB,C;;QAGf,OAAO,M;O;KAbX,C;yFAiBA,6C;MAOoB,Q;MAAA, OAAA,SA3HoE,QAAQ,W;MA2H5F,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI, WAAY,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAZB,C;;MAGpB,OAAO,W;K;qFAGX,yB;MAAA,wE;MAAA,uC; QAOW,kBAAS,oB;QAFa,Q;QAAA,OA3HoE,iBAAQ,W;QA2H5F,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAcmC, SAd/B,CAAU,OAAV,CAAJ,C;YACI,WAAY,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAZB,C;;QAapB,OAVO,W; O;KAGX,C;+FAUA,6C;MAOoB,Q;MAAA,OAAA,SAPJoE,QAAQ,W;MAoJ5F,OAAgB,cAAhB,C;QAAgB,yB;Q ACZ,IAAI,CAAC,UAAU,OAAV,CAAL,C;UACI,WAAY,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAZB,C;;MAGp B,OAAO,W;K;2FAGX,yB;MAAA,wE;MAAA,uC;QAOW,kBAAy,oB;QAFH,Q;QAAA,OAPJoE,iBAAQ,W;QAoJ 5F,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,CACKC,SAdjC,CAAU,OAAV,CAAL,C;YACI,WAAY,aAAI,OAA Q,IAAZ,EAAiB,OAAQ,MAAZB,C;;QAapB,OAVO,W;O;KAGX,C;IAUA,0B;MAQqB,IAAN,I;MADX,IAAI,oCA AJ,C;QACW,QAAM,cAAN,C;eACH,C;YAAK,iB;YAAL,K;eACA,C;YAAK,aAAU,8BAAJ,GAakB,sBAAK,CA AL,CAAIB,GAA+B,oBAAW,OAAhD,C;YAAL,K;kBACQ,0BAAM,qBAAoB,YAAy,CAAZ,CAApB,CAAN,C;Y AHL,K;;QAAP,W;OAMJ,OAAoC,oBAA7B,mBAAM,oBAAN,CAA6B,C;K;IAGxC,yC;MAIwB,SAApB,WAAoB ,Y;MAApB,kB;K;IAEJ,4B;MAM6D,QAAM,gBAAN,C;aAcZD,C;UADyD,OACpD,U;aACL,C;UAFyD,OAEPD, MAAM,UAAK,CAAL,CAAN,C;gBAFoD,OAGjD,mBAAM,qBAAoB,YAAy,gBAAZ,CAApB,CAAN,C;;K;IAG Z,yC;MAIwB,OAApB,WAAoB,Y;MAApB,kB;K;IAEJ,4B;MAM4D,OAA6B,oBAA7B,mBAAM,oBAAN,CAA6B ,C;K;IAEzF,yC;MAIwB,SAApB,WAAoB,Y;MAApB,kB;K;IAEJ,4B;MAMqD,QAAM,cAAN,C;aACjD,C;UADiD ,OAC5C,U;aACL,C;UAFiD,OC/X8B,uB;gBd+X9B,OAGzC,uB;;K;IAGZ,iC;MAMmE,4BAAc,SAAc,C;K;IAEnE, yC;MAKI,WAAoB,0B;MAApB,kB;K;IAEJ,kC;MAOI,Q;MAAA,IAAI,SAAK,UAAT,C;QAAA,OAAoB,MAAM,I

AAN,C;;QAAqC,kBAApB,qBAAc,SAAd,C;QAA4B,wBAAS,UAAT,EAAqB,WAArB,C;QAAjE,OUhiBO,W;;M  
VgiBP,W;K;IAEJ,mC;MAOI,Q;MAAA,IAAI,SAAK,UAAT,C;QAAA,OAA0B,MAAN,KAAM,C;;QAAiC,kBAAp  
B,qBAAc,SAAd,C;QAA4B,4B;QAAAnE,OUziBO,W;;MVyiBP,W;K;IAEJ,mC;MAOI,Q;MAAA,IAAI,SAAK,UA  
T,C;QAAA,OAA0B,QAAN,KAAM,C;;QAAiC,kBAApB,qBAAc,SAAd,C;QAA4B,0B;QAAAnE,OUljBO,W;;MVkj  
BP,W;K;IAEJ,mC;MAOwB,kBAApB,qBAAc,SAAd,C;MAA4B,4B;MAA5B,OAA4C,oBU3jBrC,WV2jBqC,C;K;I  
AEhD,iC;MAOwB,kBAApB,qBAAc,SAAd,C;MAA4B,+B;MAA5B,OUpkBO,W;K;0FVukBX,2B;MAKI,sBAAI,I  
AAK,MAAT,EAAgB,IAAK,OAArB,C;K;4FAGJ,yB;MAAA,gD;MAAA,mC;QAKI,kBAAO,KAAP,C;O;KALJ,C;  
4FAQA,yB;MAAA,gD;MAAA,mC;QAKI,kBAAO,KAAP,C;O;KALJ,C;4FAQA,yB;MAAA,gD;MAAA,mC;QAK  
I,kBAAO,KAAP,C;O;KALJ,C;4FAQA,0B;MAKI,yBAAO,GAAP,C;K;IAGJ,kC;MAOwB,kBAAf,aAAL,SAAK,C;  
MA sCL,6B;MA tCA,OAA+C,oBUtnBxC,WVsnBwC,C;K;IAEnD,mC;MAQwB,kBAAf,aAAL,SAAK,C;MAqCK,  
YAAL,gBAAK,O;MArCV,OAAgD,oBUhoBzC,WVgoByC,C;K;IAEpD,mC;MAQwB,kBAAf,aAAL,SAAK,C;MA  
oCK,YAAL,gBAAK,O;MApCV,OAAgD,oBU1oBzC,WV0oByC,C;K;IAEpD,mC;MAQwB,kBAAf,aAAL,SAAK,  
C;MAMCK,YAAL,gBAAK,O;MANCV,OAAgD,oBUppBzC,WVopByC,C;K;4FAEpD,0B;MAMI,uBAAO,GAAP,  
C;K;8FAGJ,yB;MAAA,sD;MAAA,kC;QAMc,UAAV,SAAK,KAAC,EAAU,IAAV,C;O;KANd,C;8FASA,yB;MA  
AA,sD;MAAA,kC;QAMc,UAAV,SAAK,KAAC,EAAU,IAAV,C;O;KANd,C;8FASA,yB;MAAA,sD;MAAA,kC;Q  
AMc,UAAV,SAAK,KAAC,EAAU,IAAV,C;O;KANd,C;IAUA,wC;MACsD,QAAM,cAAN,C;aACID,C;UADkD,O  
AC7C,U;aACL,C;UAFkD,gB;gBAAA,OAG1C,S;;K;oF4KtwBZ,yB;MAAA,8D;MAAA,8B;MAAA,qC;QAUiC,Q;  
QAA7B,OAA2D,CAA9B,sEAA8B,eAAO,OAAP,C;O;KAV/D,C;wFAYA,yB;MAAA,8D;MAAA,8B;MAAA,sC;  
QASiC,Q;QAA7B,OAA2D,CAA9B,sEAA8B,oBAAU,QAAV,C;O;KAT/D,C;wFAWA,yB;MAAA,8D;MAAA,8B;  
MAAA,sC;QASiC,Q;QAA7B,OAA2D,CAA9B,sEAA8B,oBAAU,QAAV,C;O;KAT/D,C;4FAWA,8B;MAKI,SA  
AK,WAAI,OAAJ,C;K;4FAGT,yB;MAAA,gD;MAAA,sC;QAKS,OAAL,SAAK,EAAO,QAAP,C;O;KALT,C;4FAQ  
A,yB;MAAA,gD;MAAA,sC;QAKS,OAAL,SAAK,EAAO,QAAP,C;O;KALT,C;4FAQA,yB;MAAA,gD;MAAA,sC  
;QAKS,OAAL,SAAK,EAAO,QAAP,C;O;KALT,C;8FAQA,8B;MAKI,SAAK,cAAO,OAAP,C;K;8FAGT,yB;MA  
A,sD;MAAA,sC;QAKS,UAAL,SAAK,EAAU,QAAV,C;O;KALT,C;8FAQA,yB;MAAA,sD;MAAA,sC;QAKS,UA  
AL,SAAK,EAAU,QAAV,C;O;KALT,C;8FAQA,yB;MAAA,sD;MAAA,sC;QAKS,UAAL,SAAK,EAAU,QAAV,C  
;O;KALT,C;IAQA,qC;MAIU,IAIe,I;MAHjB,kBADE,QACF,c;QAAiB,OAAO,yBAAO,QAAP,C;;QAEpB,aAAsB,  
K;QACT,0B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,oBAAL,IAAJ,CAAJ,C;YAAe,SAAS,I;;QAC5B,OAAO  
,M;;K;IAKnB,uC;MAKiB,Q;MADb,aAAsB,K;MACT,0B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,oBAAL,I  
AAJ,CAAJ,C;UAAe,SAAS,I;;MAE5B,OAAO,M;K;IAGX,uC;MAII,OAAO,yBAAGB,OAAT,QAAS,CAAhB,C;K;  
IAGX,0C;MAIW,iBAAmB,gCAAT,QAAS,EAAgC,SAAhC,C;MAIHG,Q;MAKH7B,OAIH2D,CAA9B,sEAA8B,o  
BAAU,UAAV,C;K;IAqH/D,0C;MAII,UAAmB,8BAAT,QAAS,C;MACnB,O7K0EwD,C6K1EjD,G7K0EkD,U6K1  
EID,IAAoB,4BAAU,GAAV,C;K;IAG/B,0C;MAII,OnLqoPO,EmLroPA,QnL6jPA,YAAQ,CAwER,CmLroPA,IAA  
yB,4BAAmB,8BAAT,QAAS,CAAnB,C;K;IAGpC,0C;MAIW,iBAAmB,gCAAT,QAAS,EAAgC,SAAhC,C;MA7H  
G,Q;MA6H7B,OA7H2D,CAA9B,sEAA8B,oBAAU,UAAV,C;K;IAGl/D,0C;MAII,InLunPO,EmLvnPH,QnL+iPG,  
YAAQ,CAwER,CmLvnPP,C;QACI,OAAO,4BAAmB,8BAAT,QAAS,CAAnB,C;;QAEp,OAAO,wB;K;IAGf,0C;  
MAII,UAAmB,8BAAT,QAAS,C;MACnB,I7K0CwD,C6K1CpD,G7K0CqD,U6K1CzD,C;QACI,OAAO,4BAAU,G  
AAV,C;;QAEp,OAAO,wB;K;IAGf,kC;MACI,a7KmCwD,CAAC,mB;M6K1CzD,iB;MACA,OAAO,M;K;IAIX,2C;  
MAKkF,gCAAc,SAAd,EAAyB,IAAzB,C;K;IAEIF,2C;MAKkF,gCAAc,SAAd,EAAyB,KAazB,C;K;IAEIF,sE;MA  
CI,iBAAa,KAAb,C;MIKIJgB,kBkKmjX,oB;MACD,OAAO,qBAAP,C;QACI,IAAI,UAAU,kBAAV,6BAAJ,C;UA  
CI,oB;UACA,WAAS,I;SAGrB,OAAO,Q;K;oFAIX,4B;MAM6D,kCAAS,KAAT,C;K;IAE7D,gC;MAKiD,IAAI,m  
BAAJ,C;QAAe,MAAM,2BAAuB,gBAAvB,C;;QAArB,OAAmE,2BAAS,CAAT,C;K;IAEpH,sC;MAKwD,OAAI,  
mBAAJ,GAAe,IAAf,GAAyB,2BAAS,CAAT,C;K;IAEjF,+B;MAKgD,IAAI,mBAAJ,C;QAAe,MAAM,2BAAuB,g  
BAAvB,C;;QAArB,OAAmE,2BAAS,2BAAT,C;K;IAEnH,qC;MAKuD,OAAI,mBAAJ,GAAe,IAAf,GAAyB,2BA  
AS,2BAAT,C;K;IAEHf,2C;MAK8E,kCAAc,SAAd,EAAyB,IAAzB,C;K;IAE9E,2C;MAK8E,kCAAc,SAAd,EAAy  
B,KAazB,C;K;IAE9E,wE;MAEgB,UAGS,MAHT,EAcY,MAZ,EAc6B,M;MAfzC,IAAI,uCAAJ,C;QACI,OAAo  
C,cAA5B,sEAA4B,EAAc,SAAd,EAAyB,uBAAZB,C;MAExC,iBAAsB,C;MACD,oC;MAArB,qBAAKB,CAAlB,m  
C;QACI,cAAc,sBAAK,SAAL,C;QACd,IAAI,UAAU,OAAV,MAAsB,uBAA1B,C;UACI,Q;QAEJ,IAAI,eAAc,SA  
AlB,C;UACI,sBAAK,UAAL,EAAmB,OAAAnB,C;QAEJ,+B;;MAEJ,IAAI,aAAa,cAAjB,C;QACwB,oC;QAAiB,mB

;QAARc,oE;UACI,2BAAS,WAAT,C;QAEJ,OAAO,I;;QAEP,OAAO,K;;K;IChS+B,wC;MAAkC,uB;MAAjC,0B;K;4FACpB,Y;MAAQ,OAAA,eAAS,K;K;iDACxC,iB;MAAkC,mCAAS,0BAAoB,KAApB,CAAT,C;K;;IAGT,gC;M AAyC,8B;MAAxC,0B;K;oFACH,Y;MAAQ,OAAA,eAAS,K;K;yCACxC,iB;MAAkC,mCAAS,0BAAoB,KAApB,CAAT,C;K;mCAEIC,Y;MAAuB,eAAS,Q;K;8CACHc,iB;MAAuC,OAAA,eAAS,kBAAS,0BAAoB,KAApB,CAA T,C;K;yCAEHd,0B;MAA8C,OAAA,eAAS,aAAI,0BAAoB,KAApB,CAAJ,EAAGC,OAAhC,C;K;yCACvD,0B;MA CI,eAAS,aAAI,2BAAqB,KAArB,CAAJ,EAAGC,OAAjC,C;K;;IAIjB,+C;MACoB,Q;MAAA,kC;MAAhB,IAAa,CA AT,0BAAJ,C;QAAA,OAA2B,8BAA Y,KAAZ,I;;QAAuB,MAAM,8BAA0B,mBAAgB,KAAhB,2BAA0C,gBAAG, 2BAAH,CAA1C,OAA1B,C;K;IAE5D,gD;MACoB,Q;MAAA,qB;MAAhB,IAAa,CAAT,0BAAJ,C;QAAA,OAAsB, iBAAO,KAAP,I;;QAAkB,MAAM,8BAA0B,oBAAiB,KAAjB,2BAA2C,gBAAG,cAAH,CAA3C,OAA1B,C;K;IAG ID,+B;MAK+C,gCAAqB,SAArB,C;K;IAE/C,iC;MAM6D,wBAAa,SAAb,C;K;;;IvKpC7D,oD;MAQuF,wC;K;IAR vF,8CASI,Y;MAAuC,8B;K;IAT3C,gF;IwKY8G,wC;MAAA,mB;QAAE,kBAAS,aAAT,C;O;K;IAThH,yB;MASqG ,oCAAS,sBAAT,C;K;8FAErG,yB;MAAA,kD;MxKdA,kC;MAAA,0C;MAAA,kD;QAQuF,wC;O;MARvF,4CASI, Y;QAAuC,8B;O;MAT3C,8E;MwKiB2I,qD;QAAA,mB;UAAE,gBAAS,qBAAT,C;S;O;MAH7I,gC;QAGkI,kCAAS ,mCAAT,C;O;KAHII,C;IAKA,2B;MAQI,eAAe,6B;MACf,oBAA0B,+BAAN,KAAM,EAAWC,QAAXC,EAAD,D,Q AA/D,C;MAC1B,OAAO,Q;K;8FAGX,yB;MAAA,kD;MAAA,gC;QAGkI,gBAAS,aAAT,C;O;KAHII,C;IAGB0C,y B;K;+CAoBtC,kC;MAOI,IAAI,uCAA0B,QAAS,UAAvC,C;QAAkD,M;MACID,OAAO,sBAAS,QAAS,WAAIB,e; K;+CAGX,kC;MAQqD,6BAAS,QAAS,WAAIB,e;K;;;;;IAezD,mC;MAA2C,wB;MACvC,eAAoB,C;MACpB,mB AA4B,I;MAC5B,sBAAyC,I;MACzC,gBAAoC,I;K;gDAEpC,Y;MACI,OAAO,IAAP,C;QACI,QAAM,YAAN,C;eA CI,C;YAAA,K;eACA,C;YACI,IAAI,kCAAe,UAAAnB,C;cACI,eAAQ,C;cACR,OAAO,I;;cAEP,sBAAE,I;;;YALvB, K;eAOA,C;YAAc,OAAO,K;eACrB,C;eAAA,C;YAAgC,OAAO,I;kBAC/B,MAAM,yB;;QAGIB,eAAQ,C;QACR, WAAW,4B;QACX,gBAAW,I;QACX,IxH/FR,oBDgDQ,WyH+CY,kBzH/CZ,CChDR,C;;K;6CwHmGA,Y;MACU, IASe,I;MATrB,QAAM,YAAN,C;aACI,C;aAAA,C;UAAsC,OAAO,qB;aAC7C,C;UACI,eAAQ,C;UACR,OAAO,k CAAe,O;aAE1B,C;UACI,eAAQ,C;UACR,aACa,mF;UACb,mBAA Y,I;UACZ,OAAO,M;gBAEH,MAAM,yB;;K;u DAItB,Y;MACI,IAAI,CAAC,cAAL,C;QAAgB,MAAM,6B;;QAA8B,OAAO,W;K;2DAG/D,Y;MAA4C,QAAM,Y AAN,C;aACxC,C;UADwC,OAC1B,6B;aACd,C;UAFwC,OAExB,6BAAsB,sBAAtB,C;gBAFwB,OAGhC,6BAAs B,uCAAoC,YAA1D,C;;K;IAOqC,4E;MAAA,oB;QACzC,wCAAW,C;QAAX,OACA,yB;O;K;oDALR,+B;MACI, mBAA Y,K;MACZ,eAAQ,C;MACR,OAA6C,0CAAtC,c;K;IAUsC,+E;MAAA,oB;QACzC,wCAAW,C;QAAX,OA CA,yB;O;K;yDANR,kC;MACI,IAAI,CAAC,QAAS,UAA d,C;QAAYB,M;MACzB,sBAAE,Q;MACf,eAAQ,C;MAC R,OAA6C,6CAAtC,c;K;2DAMX,kB;MzHjBO,Q;MADP,eyHoBI,MzHpBJ,C;MACO,QyHmBH,MzHnBG,+D;My HoBH,eAAQ,C;K;kGAIR,Y;MAAQ,0C;K;;IxK1LhB,oD;MAQuF,wC;K;IARvF,8CASI,Y;MAAuC,8B;K;IAT3C,g F;sFAAA,yB;MAAA,kC;MAAA,0C;MAAA,kD;QAQuF,wC;O;MARvF,4CASI,Y;QAAuC,8B;O;MAT3C,8E;MA AA,2B;QAQuF,2C;O;KARvF,C;IAiBgE,+C;MAAA,mB;QAAE,sB;O;K;IALIE,kC;MAKuD,OAAkB,2CAAT,+BA AS,E;K;IAEzE,8B;MAK6D,OAAI,Qb2rPtD,YAAQ,Ca3rP0C,GAAwB,eAAxB,GAAsD,WAAT,QAAS,C;K;IAEn H,yB;MAG8C,kC;K;IAE9C,yB;MAAA,6B;K;uCACI,Y;MAA6C,kC;K;2CAC7C,a;MAA4B,kC;K;2CAC5B,a;MA A4B,kC;K;;IAHhC,qC;MAAA,oC;QAAA,mB;OAAA,6B;K;oFAMA,yB;MAAA,2D;MAAA,4B;QAM4D,uCAAQ ,e;O;KANpE,C;IAGB4F,mH;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,wC;MAAA,wD;MAAA,kC;K;;;kDAAA, Y;;;cACxF,eAAe,uBAAa,W;cAC5B,IAAI,QAAS,UAAb,C;gBACI,gB;gCAAA,sCAAS,QAAT,O;oBAAA,2C;yB AAA,yB;gBAAA,Q;;gBAEA,gB;gCAAA,sCAAS,iCAAT,O;oBAAA,2C;yBAAA,yB;gBAAA,Q;;;cAJJ,W;;cAA A,W;;;K;IADwF,gE;MAAA,yD;uBAAA,uG;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;IAP5F,4C;MAOmF,g BAAS,uCAAT,C;K;IAGBb,4B;MAAE,OAAA,EAAG,W;K;IAP3E,8B;MAO8D,4BAAQ,cAAR,C;K;IAUQ,8B;MA AE,OAAA,EAAG,W;K;IAR3E,8B;MAQ8D,4BAAQ,gBAAR,C;K;IAM1B,8B;MAAE,S;K;IAJtC,wC;MAEgB,Q; MADZ,IAAI,8CAAJ,C;QACI,OAA4C,CAApC,2EAAoC,kBAAQ,QAAR,C;OAEhD,OAAO,uBAAmB,SAAnB,E AAyB,gBAAzB,EAAGC,QAAjC,C;K;IAGX,4B;MAYiB,Q;MAFb,YAAY,gB;MACZ,YAAY,gB;MACC,2B;MAA b,OAAa,cAAb,C;QAAa,sB;QACT,KAAM,WAAI,IAAK,MAAT,C;QACN,KAAM,WAAI,IAAK,OAAT,C;;MAE V,OAAO,UAA S,KAAT,C;K;IAGX,+B;MAQqD,6BAAS,4BAAT,C;K;IAW0B,+G;MAAA,wC;MAAA,6B;MAAA ,yB;MAAA,0C;MAAA,4C;MAAA,0B;MAAA,kC;K;;;mDAAA,Y;;;kCAC9D,0C;cACb,gB;;;cAAA,IAAO,iBPY FkD,UOzFzD,C;gBAAA,gB;;;cACI,QAAQ,yBAAO,iBAAQ,iBAAO,KAAf,C;cACf,WAAkB,WAAP,iBAAO,C;c ACIB,YAAgB,IAAI,iBAAO,KAAf,GAAqB,iBAAO,aAAI,CAAJ,EAAG,IAAP,CAA5B,GAA8C,I;cAC1D,gB;8BA

AA,iCAAM,KAAN,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cAJJ,gB;;;cAMJ,W;;;;;;;;;;;;;K;IAR+E,4D;MAAA,yD;uBAAA,mG;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;IAT/E,uC;MASmE,gBAAY,kCAAZ,C;K;IAkBhC,0D;MAE/B,W;B;QAAA,WAAgC,I;MADhC,0B;MACA,0B;MACA,4B;K;IAGuC,0E;MAAA,oD;MACnC,gBA Ae,iCAAS,W;MACx B,iBA AqB,E;MACrB,gBA AmB,I;K;oEAEnB,Y;MACI,OAAO,aAAS,UAAhB,C;QACI,WAAW,aAAS,O;QACpB,IAAI,wCAAU,IAAV,MAAmB,sCAA vB,C;UACI,gBA AW,I;UACX,iBAAY,C;UACZ,M;;MAGR,iBAAY,C;K;8DAGhB,Y;MASW,Q;MARP,IAAI,mBAAa,EA AjB,C;QACI,iB;MACJ,IAAI,mBAAa,CAAjB,C;QACI,MAAM,6B;MACV,aAAa,a;MACb,gBA AW,I;MACX,iBAAY,E;MAEZ,OAAO,yE;K;iEAGX,Y;MACI,IAAI,mBAAa,EA AjB,C;QACI,iB;MACJ,OAAO,mBAAa,C;K;;2CAhC5B,Y;MAAuC,yD;K;;IA2C3C,qD;MAAY,0B;MAAmC,gC;K;IACJ,gF;MAAA,0D;MACnC,gBA Ae,oCAAS,W;K;iEACx B,Y;MACI,OAAO,6CAA Y,aAAS,OAArB,C;K;oEAGX,Y;MACI,OAAO,aAAS,U;K;;8CAPx B,Y;MAAuC,4D;K;qDAWvC,oB;MACI,OAAO,uBAA4B,eAA5B,EAAsC,kBAAAtC,EAAMd,QAA nD,C;K;;IAUf,4D;MAAY,0B;MAAmC,gC;K;IACJ,8F;MAAA,wE;MACnC,gBA Ae,2CAAS,W;MACx B,aAAY,C;K;wEACZ,Y;MAC0C,Q;MAAtC,OAAO,oDAAY,oBA AmB,iBA AnB,EAAMb,yBA AnB,QAAZ,EAAYC,aAAS,OAAID,C;K;2EAGX,Y;MACI,OAAO,aAAS,U;K;;qDARx B,Y;MAAuC,mE;K;;IAk3C,oC;MAAY,0B;K;IAC6C,wE;MACjD,gBA Ae,gCAAS,W;MACx B,aAAY,C;K;6DACZ,Y;MAC2C,Q;MAAvC,OAAO,iBAAa,oBA AmB,iBA AnB,EAAMb,yBA AnB,QAAb,EA A0C,aAAS,OAA nD,C;K;gEAGX,Y;MACI,OAAO,aAAS,U;K;;0CARx B,Y;MAAqD,wD;K;;IAmBzD,0D;MACI,4B;MACA,4B;MACA,4B;K;IAEuC,sE;MAAA,gD;MACnC,iBAAgB,gCAAU,W;MAC1B,iBAAgB,gCAAU,W;K;4DAC1B,Y;MACI,OAAO,sCAAU,cAAU,OAApB,EA A4B,cAAU,OAAtC,C;K;+DAGX,Y;MACI,OAAO,cAAU,UAAV,IAAuB,cAAU,U;K;;yCARhD,Y;MAAuC,uD;K;;IAC3C,6D;MACI,0B;MACA,gC;MACA,0B;K;IAEuC,4E;MAAA,sD;MACnC,gBA Ae,kCAAS,W;MACx B,oBAAiC,I;K;+DAEjC,Y;MACI,IAAI,CAAC,2BAAL,C;QACI,MAAM,6B;MACV,OAAO,gCA Ae,O;K;KEAG1B,Y;MACI,OAAO,2B;K;+EAGX,Y;MACQ,Q;MAAJ,IAAI,iEAA2B,KAA/B,C;QACI,oBAAe,I;MAEnB,OAAO,yBAAP,C;QACI,IAAI,CAAC,aAAS,UAA d,C;UACI,OAAO,K;;UAEP,cAAc,aAAS,O;UACvB,uBAAuB,wCAAS,2CAAY,OAAZ,CAAT,C;UACvB,IAAI,gBAAiB,UAArB,C;YACI,oBAAe,gB;YACf,OAAO,I;;MAInB,OAAO,I;K;;4CA9Bf,Y;MAAuC,0D;K;;IAoC9B,6I;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,4C;MAAA,kD;MAAA,gD;MAAA,wB;MAAA,yB;MAAA,kC;K;;;yDAAA,Y;;;;;kBAGyC,I;iCAFIC,C;cACI,sD;cAAhB,gB;;;;;cAAA,KAAgB,yBAAhB,C;gBAAAA,gB;;;cAAgB,oC;cACZ,aAAa,6BAAU,oBA AmB,uBA AnB,EAAMb,+BA AnB,QAAV,EA AuC,OAAvC,C;cACb,gB;8BAAA,sCAAS,4BAAS,MAAT,CAAT,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cAFJ,gB;;;cAIJ,W;;;;;;;;;;;;;K;IANS,0F;MAAA,yD;uBAAA,ii;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;IADb,wD;MACI,gBAAS,kDAAT,C;K;;;IAoByB,qD;MACzB,0B;MACA,8B;MACA,0B;MC3TA,IAAI,ED+TQ,qBAAc,CC/TtB,CAAJ,C;QACI,cD8T2B,+CAA4C,iB;QC7TvE,MAAM,gCAAYB,OAAQ,WAAjC,C;OAFV,IAAI,EDgUQ,mBAAY,CChUpB,CAAJ,C;QACI,gBBD+TyB,6CAA0C,e;QC9TnE,MAAM,gCAAYB,SAAQ,WAAjC,C;OAFV,IAAI,EDiUQ,mBAAY,iBCjUpB,CAAJ,C;QACI,gBDgUkC,0DAAuD,eAAvD,WAAmE,iB;QC/TrG,MAAM,gCAAYB,SAAQ,WAAjC,C;Q;SFDkUa,Y;MAAQ,yBAAW,iBAAX,I;K;yCAE/B,a;MAAYC,OAAI,KAAK,YAAT,GAAGB,eAAhB,GAAqC,gBAAY,eAAZ,EAAsB,oBAAa,CAAb,IAAtB,EAAsC,eAAtC,C;K;yCAC9E,a;MAAYC,OAAI,KAAK,YAAT,GAAGB,IAAhB,GAA0B,gBAAY,eAAZ,EAAsB,iBAAtB,EAakC,oBAAa,CAAb,IAAIC,C;K;IAEzC,8D;MAAA,wC;MAEtB,gBA Ae,2BAAS,W;MACx B,gBA Ae,C;K;0DAEf,Y;MAEI,OAAO,gBA AW,kCAAX,IAAYB,aAAS,UAAzC,C;QACI,aAAS,O;QACT,qC;;K;2DAIR,Y;MACI,a;MACA,OAAQ,gBA AW,gCAAZ,IAAYB,aAAS,U;K;wDAG7C,Y;MACI,a;MACA,IAAI,iBAAY,gCAAhB,C;QACI,MAAM,6B;MACV,qC;MACA,OAAO,aAAS,O;K;;qCAvBxB,Y;MAA0B,mD;K;;IAgCA,uC;MAC1B,0B;MACA,oB;MC3WA,IAAI,ED+WQ,gBAAS,CC/WjB,CAAJ,C;QACI,cD8WsB,yCAAsC,YAAtC,M;QC7WtB,MAAM,gCAAYB,OAAQ,WAAjC,C;Q;0CDgXV,a;MAAYC,OAAI,KAAK,YAAT,GAAGB,eAAhB,GAAqC,gBAAY,eAAZ,EAAsB,CAAtB,EAAYB,YAAzB,C;K;0CAC9E,a;MAAYC,OAAI,KAAK,YAAT,GAAGB,IAAhB,GAA0B,iBAAa,eAAb,EA AuB,CAA vB,C;K;IAE5B,gE;MACnC,YAAW,yB;MACX,gBA Ae,4BAAS,W;K;yDAExB,Y;MACI,IAAI,cAAQ,CAAZ,C;QACI,MAAM,6B;MACV,6B;MACA,OAAO,aAAS,O;K;4DAGpB,Y;MACI,OAAO,YAAO,CAAP,IAAY,aAAS,U;K;;sCAZpC,Y;MAAuC,oD;K;;IAS3C,gD;MACI,0B;MACA,4B;K;IAEuC,0E;MAAA,oD;MACnC,gBA Ae,iCAAS,W;MACx B,iBA AqB,E;MACrB,gBA AmB,I;K;oEAEnB,Y;MACI,IAAI,aAAS,UAA b,C;QACI,WAAW,aAAS,O;QACpB,IAAI,wCAAU,IAAV,CAAJ,C;UACI,iBAAY,C;UACZ,gBA AW,I;UACX,M;UAGR,iBAAY,C;K;8DAGhB,Y;MAMiB,Q;MALb,IAAI,mBAAa,EA AjB,C;QACI,iB;MACJ,IAAI,mBAAa,CAAjB,C;QACI,MAAM,6B;MACV,aCA,gF;MAGb,gBA AW,I;MACX,iBAAY,E;MACZ,OAAO,M;K;

iEAGX,Y;MACI,IAAI,mBAAa,EAAjB,C;QACI,iB;MACJ,OAAO,mBAAa,C;K;;2CAIC5B,Y;MAAuC,yD;K;;IA2  
Cb,uC;MAC1B,0B;MACA,oB;MC5bA,IAAI,ED+bQ,gBAAS,CC/bjB,CAAJ,C;QACI,cD8bsB,yCAAsC,YAAAtC,M  
;QC7btB,MAAM,gCAAyB,OAAQ,WAAjC,C;Q;0CDgcV,a;MItXO,SJsXmC,eAAQ,CAAR,I;MAAD,OAA4B,KA  
AK,CAAT,GAAY,yBAAZ,GAAuC,iBAAa,eAAb,EAAuB,EAAvB,C;K;0CACxG,a;MIvXO,SJuXmC,eAAQ,CAA  
R,I;MAAD,OAA4B,KAAK,CAAT,GAAY,yBAAZ,GAAuC,gBAAY,eAAZ,EAA5B,YAAtB,EAA6B,EAA7B,C;K;  
IAEjE,gE;MACnC,gBAAe,4BAAS,W;MACxB,YAAW,yB;K;2DAEX,Y;MAEI,OAAO,YAAO,CAAP,IAAY,aAA  
S,UAA5B,C;QACI,aAAS,O;QACT,6B;;K;yDAIR,Y;MACI,a;MACA,OAAO,aAAS,O;K;4DAGpB,Y;MACI,a;MA  
CA,OAAO,aAAS,U;K;;sCAnBxB,Y;MAAuC,oD;K;;IA6B3C,gD;MACI,0B;MACA,4B;K;IAGuC,0E;MAAA,oD;  
MACnC,gBAAe,iCAAS,W;MACxB,iBAAqB,E;MACrB,gBAAmB,I;K;gEAEnB,Y;MACI,OAAO,aAAS,UAAhB,  
C;QACI,WAAW,aAAS,O;QACpB,IAAI,CAAC,wCAAU,IAAV,CAAL,C;UACI,gBAAW,I;UACX,iBAAY,C;UA  
CZ,M;;MAGR,iBAAY,C;K;8DAGhB,Y;MAMqB,Q;MALjB,IAAI,mBAAa,EAAjB,C;QACI,a;MAEJ,IAAI,mBAA  
a,CAAjB,C;QACI,aACa,gF;QACb,gBAAW,I;QACX,iBAAY,C;QACZ,OAAO,M;OAEX,OAAO,aAAS,O;K;iEAG  
pB,Y;MACI,IAAI,mBAAa,EAAjB,C;QACI,a;MACJ,OAAO,mBAAa,CAAb,IAAkB,aAAS,U;K;;2CAIC1C,Y;MA  
AuC,yD;K;;IAuCN,+C;MAAC,sB;MAAiC,gC;K;0CACnE,Y;MAAuC,4BAAiB,aAAO,WAAxB,EAAoC,kBAApC  
,C;K;;IAGP,+C;MAAuE,2B;MAAtE,sB;MAAiC,gC;MACIE,kBAAuB,c;K;6CAEvB,Y;MACI,OAAO,aAAO,UAA  
d,C;QACI,WAAW,aAAO,O;QACIB,UAAU,mBAAY,IAAZ,C;QAEV,IAAI,eAAS,WAAI,GAAJ,CAAb,C;UACI,  
mBAAQ,IAAR,C;UACA,M;;MAIR,W;K;;IAKgC,0D;MAAC,wC;MAAuC,kC;K;IACrC,0E;MAAA,oD;MACnC,g  
BAAmB,I;MACnB,iBAAqB,E;K;oEAErB,Y;MACI,gBAAe,mBAAa,EAAjB,GAAqB,+CAArB,GAA4C,2CAAa,4  
BAAb,C;MACvD,iBAAgB,qBAAJ,GAA5B,CAAtB,GAA6B,C;K;8DAG7C,Y;MAMiB,Q;MALb,IAAI,iBAAY,CA  
AhB,C;QACI,iB;MAEJ,IAAI,mBAAa,CAAjB,C;QACI,MAAM,6B;MACV,aAAa,8D;MAEb,iBAAY,E;MACZ,O  
AAO,M;K;iEAGX,Y;MACI,IAAI,iBAAY,CAAhB,C;QACI,iB;MACJ,OAAO,mBAAa,C;K;;2CAxB5B,Y;MAAuC  
,yD;K;;IA6B3C,kC;MAWI,OAAW,iDAAJ,GAAwC,SAAxC,GAakD,4BAAwB,SAAxB,C;K;IAelB,uD;MAAA,q  
B;QAAE,6B;O;K;IAX7C,wC;MAWI,OAA2D,cAApD,sBAAkB,YAAIB,EAAgC,qCAAhC,CAAoD,C;K;IAqBrC,i  
D;MAAA,mB;QAAE,mB;O;K;IALB5B,gD;MAeI,OAAI,YAAJ,GACI,2BADJ,GAGI,sBAAkB,+BAAIB,EAA4B,Y  
AA5B,C;K;IAER,wD;MAcI,6BAAkB,YAAIB,EAAgC,YAAhC,C;K;ILxpBJ,oB;MAAA,wB;MACI,8C;K;gCAEA,  
iB;MAA4C,oCAAmB,KAAM,U;K;kCACrE,Y;MAA+B,Q;K;kCAC/B,Y;MAAkC,W;K;gFAEX,Y;MAAQ,Q;K;iC  
AC/B,Y;MAAkC,W;K;wCACIC,mB;MAAmD,Y;K;6CACnD,oB;MAAmE,OAAA,QAAS,U;K;kCAE5E,Y;MAA6  
C,kC;K;uCAE7C,Y;MAAiC,6B;K;;IAdrC,gC;MAAA,+B;QAAA,c;OAAA,wB;K;IAkBA,oB;MAIoC,6B;K;IAEp  
C,2B;MAMmD,OAAI,QAAS,OAAT,GAAgB,CAApB,GAAgC,MAAT,QAAS,CAAhC,GAA6C,U;K;iFAEHg,yB;  
MAAA,mD;MAAA,mB;QAKwC,iB;O;KALxC,C;6FAOa,yB;MAAA,uE;MAAA,mB;QAQsD,2B;O;KARtD,C;IA  
UA,kC;MAKiE,OAAS,aAAT,QAAS,EAAa,qBAAc,YAAAY,QAAS,OAArB,CAAd,CAAb,C;K;uFAE1E,yB;MAA  
A,2D;MAAA,mB;QAGgD,qB;O;K;KAHhD,C;IAKA,+B;MAC2D,OAAS,aAAT,QAAS,EAAa,eAAQ,YAAAY,QAAS,  
OAArB,CAAR,CAAb,C;K;2FAEpE,yB;MAAA,uE;MAAA,mB;QAMwD,2B;O;KANxD,C;IAQA,iC;MAKME,OA  
AS,aAAT,QAAS,EAAa,qBAAc,YAAAY,QAAS,OAArB,CAAd,CAAb,C;K;IAE5E,+B;MAMyD,OAAI,eAAJ,GAA  
qB,MAAM,OAAO,CAArB,GAAyC,U;K;IAEIG,kC;MAQI,OAAgB,gBAAT,QAAS,EAAgB,sBAAhB,C;K;sFAGp  
B,yB;MavBA,uE;MbuBA,gC;QanB8B,gBAAnB,oB;QbqCiB,aS/CxB,W;QT+CA,OS9CO,SISwC,Q;O;KbmBnD,C;  
wFA0BA,yB;Ma1CA,wE;Mb0CA,0C;QatCsC,gBAA3B,mBb4DiB,Qa5DjB,C;Qb4D2B,aS7EiC,W;QT6EA,OS5E  
O,SIgBgD,Q;O;KbsC3D,C;sFA+BA,yB;MAAA,mD;MAAA,4B;QAEkD,uCAAQ,U;O;KAF1D,C;IAIA,wC;MAAg  
D,QAAM,cAAN,C;aAC5C,C;UAD4C,OACvC,U;aACL,C;UAF4C,OAEvC,MAAM,oBAAW,OAAjB,C;gBAFuC,  
OAGpC,S;;K;IKnKZ,oD;MAQuF,wC;K;IARvF,8CASI,Y;MAAuC,8B;K;IAT3C,gF;IyKLA,yC;MxK4BI,IAAI,Ew  
K3BI,OAAO,CAAP,IAAY,OAAO,CxK2BvB,CAAJ,C;QACI,cwK3BI,aAAJ,GACI,yEADJ,GAGI,8C;QxKyBJ,M  
AAM,gCAAyB,OAAQ,WAAjC,C;Q;IwKnBM,mI;MAAA,mB;QAAE,wBAAiB,gCAAjB,EAA6B,YAA7B,EAAM  
C,YAAnC,EAAyC,sBAAzC,EAAyD,mBAAzD,C;O;K;IAFtB,gF;MACI,oBAAoB,IAApB,EAA0B,IAA1B,C;MAC  
A,oCAAgB,6EAAhB,C;K;IAKyB,yL;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,wC;MAAA,wC;MAAA,gD;MA  
AA,sD;MAAA,4D;MAAA,wB;MAAA,0B;MAAA,uB;MAAA,0B;MAAA,wB;MAAA,qB;MAAA,4B;MAAA,kC;  
K;;;2DAAA,Y;;;cACrB,4BAAiC,eAAL,uBAAK,EAAa,IAAb,C;+BACvB,0BAAO,uBAAP,I;cACV,IAAI,kBAA  
O,CAAX,C;oCACiB,iBAAa,qBAAb,C;kCACF,C;gBACD,6C;gBAAV,iB;;;sCAaa,gBAAc,qBAAd,C;gBACH,+C;  
gBAAV,gB;;;cAAA,KAAU,2BAAV,C;gBAAA,gB;;;cAAU,kC;cACN,mBAAO,WAAI,GAAJ,C;cACP,IAAI,m



BAAO,SAAX,C;gBACI,IAAI,mBAAO,KAAP,GAAc,uBAAIB,C;kBAA0B,sBAAS,mBAAO,kBAAuB,uBAAvB,C;kBAA8B,gB;;;kBAAXE,gB;;;gBADJ,gB;;;cAGI,gB;8BAAA,iCAAU,8BAAJ,GAAiB,mBAAjB,GAA6B,iBAAU,mBAAV,CAAnC,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cACA,mBAAO,qBAAY,uBAAZ,C;cAJX,gB;;;cAFJ,gB;;;cASA,IAAI,iCAAJ,C;gBACI,gB;;;gBADJ,iB;;;;cACI,IAAO,mBAAO,KAAAd,IAAqB,uBAArB,C;gBAAA,gB;;;cACI,gB;8BAAA,iCAAU,8BAAJ,GAAiB,mBAAjB,GAA6B,iBAAU,mBAAV,CAAnC,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cACA,mBAAO,qBAAY,uBAAZ,C;cAFX,gB;;;cAIA,IhL4K4C,CgL5KxC,mBhL4KyC,UgL5K7C,C;gBAAyB,iB;gCAAA,iCAAM,mBAAN,O;oBAAA,2C;yBAAA,yB;gBAAA,Q;;gBAAzB,iB;;;;cAjCR,W;;cA4BI,iB;;;cA1BJ,iB;;;cAGI,KAAU,yBAAV,C;gBAAA,iB;;;6BAAU,sB;cACN,IAAI,kBAAO,CAAX,C;gBAAgB,oCAAQ,C AAR,I;gBAAW,iB;;;gBAA3B,iB;;;;cACA,iBAAO,WAAI,YAAJ,C;cACP,IAAI,iBAAO,KAAP,KAAe,uBAAnB,C ;gBACI,iB;gCAAA,iCAAM,iBAAN,O;oBAAA,2C;yBAAA,yB;gBAAA,Q;;gBADJ,iB;;;;cAEI,IAAI,8BAAJ,C;gB AAiB,iBAAO,Q;;gBAAa,oBAAS,iBAAU,uBAAV,C;cAC9C,kBAAO,c;cAHX,iB;;;cAHJ,iB;;;cASA,IhL+LgD,Cg L/L5C,iBhL+L6C,UgL/LjD,C;gBACI,IAAI,qCAakB,iBAAO,KAAP,KAAe,uBAArC,C;kBAA2C,iB;kCAAA,iCA AM,iBAAN,O;sBAAA,2C;2BAAA,yB;kBAAA,Q;;kBAA3C,iB;;;gBADJ,iB;;;;cAdJ,W;;cAcI,iB;;;cAZJ,iB;;;cAk CJ,W;;;;K;IARCyB,sI;MAAA,yD;uBAAA,6K;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;IAF7B,6E;MACI,IAAI, CAAC,QAAS,UAAAd,C;QAAyB,OAAO,2B;MAChC,OAAO,WAAkB,0EAAIB,C;K;IAwCwB,6B;MAA8B,uB;MA A7B,kB;MAChC,mBAA6B,C;MAC7B,eAAyB,C;K;2CAEzB,8B;MACI,+DAakB,SAAlB,EAA6B,OAA7B,EAAs C,WAAK,KAA3C,C;MACA,mBAAiB,S;MACjB,eAAa,UAAU,SAAV,I;K;0CAGjB,iB;MACI,+DAakB,KAAIB,E AAyB,YAAzB,C;MAEA,OAAO,wBAAK,mBAAy,KAAZ,IAAL,C;K;qFAGY,Y;MAAQ,mB;K;;IASR,wC;MAAQ D,uB;MAApD,sB;MxKrDxB,IAAI,EwKuDQ,cAAc,CxKvDtB,CAAJ,C;QACI,cwKsD2B,wE;QxKrD3B,MAAM,g CAAYB,OAAQ,WAAjC,C;OAFV,IAAI,EwKwDQ,cAAc,aAAO,OxKxD7B,CAAJ,C;QACI,gBwKuDqC,wFAA+E ,aAAO,O;QxKtD3H,MAAM,gCAAYB,SAAQ,WAAjC,C;OwK2DV,kBAAuB,aAAO,O;MAC9B,oBAA8B,C;MAE 9B,sBAAYB,U;K;kFAAZB,Y;MAAA,0B;K;OAAA,gB;MAAA,0B;K;uCAGA,iB;MAGW,Q;MAFP,+DAakB,KA AlB,EAAyB,SAAzB,C;MAEA,OAAO,sBAAmGmC,CAnG5B,iBAAmG6B,GAnGV,KAmGU,IAAD,IAAa,eAnGhD,4 D;K;kCAGX,Y;MAAe,qBAAQ,e;K;IAEgB,4D;MAAA,sC;MAAS,2B;MAC5C,eAAoB,oB;MACpB,eAAoB,4B;K; 8DAEpB,Y;MAKgB,Q;MAJZ,IAAI,iBAAS,CAAb,C;QACI,W;;QAGA,mBAAQ,sCAAQ,YAAP,4DAAR,C;QAC A,eAoFkC,CAPf1B,YAoF2B,GAPfB,CAoFa,IAAD,IAAa,+B;QAnF/C,mC;;K;;oCAXZ,Y;MAAuC,kD;K;2CAGBv C,iB;MAGiE,UAQ1C,MAROC,EAe1C,MAf0C,EAqBtD,M;MAiBP,aACQ,KAAM,OAAN,GAAa,IAAK,KAAtB,G AAkC,UAAN,KAAM,EAAO,IAAK,KAAZ,CAAIC,GAAyD,kD;MAE7D,WAAW,IAAK,K;MAEHb,WAAW,C;M ACX,UAAU,iB;MAEV,OAAO,OAAO,IAAP,IAAe,MAAM,eAA5B,C;QACI,OAAO,IAAP,IAAe,wBAAO,GAAP, gE;QACf,mB;QACA,iB;;MAGJ,MAAM,C;MACN,OAAO,OAAO,IAAd,C;QACI,OAAO,IAAP,IAAe,wBAAO,G AAP,gE;QACf,mB;QACA,iB;;MAEJ,IAAI,MAAO,OAAP,GAAc,IAAK,KAAvB,C;QAA6B,OAAO,IAAK,KAAZ, IAAoB,I;MAEjD,OAAO,uD;K;mCAGX,Y;MACI,OAAO,qBAAQ,gBAAa,SAAb,OAAR,C;K;4CAGX,uB;MAKI, kBAAoD,eAAjC,mBAAy,mBAAa,CAAzB,IAA8B,CAA9B,IAAiC,EAAa,WAAb,C;MACpD,gBAAoB,sBAAC,C AAIB,GAA4B,UAAP,aAAO,EAAO,WAAP,CAA5B,GAAqD,qBAAQ,gBAAa,WAAb,OAAR,C;MACrE,OAAO,e AAW,SAAX,EAA5B,SAAtB,C;K;qCAGX,mB;MAII,IAAI,aAAJ,C;QACI,MAAM,6BAAsB,qBAAtB,C;OAGV,c A6B0C,CA7BnC,iBA6BoC,GA7BjB,SA6BiB,IAAD,IAAa,eA7BvD,IAAmC,O;MACnC,6B;K;+CAGJ,a;MxKhJA, IAAI,EwKoJQ,KAAK,CxKpJb,CAAJ,C;QACI,cwKmjB,wC;QxKlJIB,MAAM,gCAAYB,OAAQ,WAAjC,C;OAF V,IAAI,EwKqJQ,KAAK,SxKrJb,CAAJ,C;QACI,gBwKoJqB,wEAA8D,S;QxKnJnF,MAAM,gCAAYB,SAAQ,WA AjC,C;OwKqJn,IAAI,IAAI,CAAR,C;QACI,YAAy,iB;QACZ,UAGBsC,CAhB5B,KAGb6B,GAhBf,CAGBe,IAAD, IAAa,e;QAdnD,IAAI,QAAQ,GAAZ,C;UACW,OAAP,aAAO,EAAK,IAAL,EAAW,KAAX,EAakB,eAAIB,C;UA CA,OAAP,aAAO,EAAK,IAAL,EAAW,CAAX,EAAC,GAAd,C;;UAEA,OAAP,aAAO,EAAK,IAAL,EAAW,KAA X,EAakB,GAAIB,C;;QAGX,oBAAa,G;QACb,wBAAQ,CAAR,I;Q;qCAKR,wB;MAC8C,QAAC,YAAO,CAAP,I AAD,IAAa,e;K;;IA9G3D,0C;MAAA,oD;MAA6B,uBAAK,gBAAmB,QAAAnB,OAAL,EAAMC,CAAnC,C;MAA7 B,Y;K;ICvFJ,0C;MAII,QAAQ,I;MACR,QAAQ,K;MACR,YAAy,kBAAM,CAAC,OAAO,KAAP,IAAD,IAAiB,C AAjB,IAAN,C;MACZ,OAAO,KAAK,CAAZ,C;QACI,OrL+B4E,0BqL/BrE,kBAAM,CAAN,CrL0Q2B,KAAL,GA AiB,GA3O8B,EqL/B1D,KrL0QgB,KAAL,GAAiB,GA3O8B,CqL/BrE,IAAP,C;UACI,a;;QACJ,OrL6B4E,0BqL7Br E,kBAAM,CAAN,CrLwQ2B,KAAL,GAAiB,GA3O8B,EqL7B1D,KrLwQgB,KAAL,GAAiB,GA3O8B,CqL7BrE,I AAP,C;UACI,a;;QACJ,IAAI,KAAK,CAAT,C;UACI,UAAU,kBAAM,CAAN,C;UACV,kBAAM,CAAN,EAAW,k

BAAM,CAAN,CAAX,C;UACA,kBAAM,CAAN,EAAW,GAAX,C;UACA,a;UACA,a;;MAGR,OAAO,C;K;IAGX,  
uC;MAGI,YAAY,aAAU,KAAV,EAAiB,IAAjB,EAAuB,KAAvB,C;MACZ,IAAI,QAAO,QAAQ,CAAR,IAAP,CA  
AJ,C;QACI,UAAU,KAAV,EAAiB,IAAjB,EAAuB,QAAQ,CAAR,IAAvB,C;MACJ,IAAI,QAAQ,KAAZ,C;QACI,  
UAAU,KAAV,EAAiB,KAAjB,EAAwB,KAAxB,C;K;IAGR,0C;MAII,QAAQ,I;MACR,QAAQ,K;MACR,YAAY,k  
BAAM,CAAC,OAAO,KAAP,IAAD,IAAiB,CAAjB,IAAN,C;MACZ,OAAO,KAAK,CAAZ,C;QACI,OnLM6E,0B  
mLNtE,kBAAM,CAAN,CnL0O2B,KAAL,GAAiB,KApO+B,EmLN3D,KnL0OgB,KAAL,GAAiB,KApO+B,CmL  
NtE,IAAP,C;UACI,a;;QACJ,OnLI6E,0BmLJtE,kBAAM,CAAN,CnLwO2B,KAAL,GAAiB,KApO+B,EmLJ3D,Kn  
LwOgB,KAAL,GAAiB,KApO+B,CmLJtE,IAAP,C;UACI,a;;QACJ,IAAI,KAAK,CAAT,C;UACI,UAAU,kBAAM,  
CAAN,C;UACV,kBAAM,CAAN,EAAW,kBAAM,CAAN,CAAX,C;UACA,kBAAM,CAAN,EAAW,GAAX,C;UA  
CA,a;UACA,a;;MAGR,OAAO,C;K;IAGX,yC;MAGI,YAAY,aAAU,KAAV,EAAiB,IAAjB,EAAuB,KAAvB,C;M  
ACZ,IAAI,QAAO,QAAQ,CAAR,IAAP,CAAJ,C;QACI,YAAU,KAAV,EAAiB,IAAjB,EAAuB,QAAQ,CAAR,IAA  
vB,C;MACJ,IAAI,QAAQ,KAAZ,C;QACI,YAAU,KAAV,EAAiB,KAAjB,EAAwB,KAAxB,C;K;IAGR,0C;MAII,  
QAAQ,I;MACR,QAAQ,K;MACR,YAAY,kBAAM,CAAC,OAAO,KAAP,IAAD,IAAiB,CAAjB,IAAN,C;MACZ,  
OAAO,KAAK,CAAZ,C;QACI,OpLnB8D,YoLmBvD,kBAAM,CAAN,CpLnBwE,KAAjB,EoLmB5C,KpLnByE,K  
AA7B,CoLmBvD,IAAP,C;UACI,a;;QACJ,OpLrB8D,YoLqBvD,kBAAM,CAAN,CpLrBwE,KAAjB,EoLqB5C,Kp  
LrByE,KAA7B,CoLqBvD,IAAP,C;UACI,a;;QACJ,IAAI,KAAK,CAAT,C;UACI,UAAU,kBAAM,CAAN,C;UAC  
V,kBAAM,CAAN,EAAW,kBAAM,CAAN,CAAX,C;UACA,kBAAM,CAAN,EAAW,GAAX,C;UACA,a;UACA,a;  
;MAGR,OAAO,C;K;IAGX,yC;MAGI,YAAY,aAAU,KAAV,EAAiB,IAAjB,EAAuB,KAAvB,C;MACZ,IAAI,QAA  
O,QAAQ,CAAR,IAAP,CAAJ,C;QACI,YAAU,KAAV,EAAiB,IAAjB,EAAuB,QAAQ,CAAR,IAAvB,C;MACJ,IA  
AI,QAAQ,KAAZ,C;QACI,YAAU,KAAV,EAAiB,KAAjB,EAAwB,KAAxB,C;K;IAGR,0C;MAII,QAAQ,I;MACR  
,QAAQ,K;MACR,YAAY,kBAAM,CAAC,OAAO,KAAP,IAAD,IAAiB,CAAjB,IAAN,C;MACZ,OAAO,KAAK,C  
AAZ,C;QACI,OpK5C+D,aoK4CxD,kBAAM,CAAN,CpK5C0E,KAAiB,EoK4C7C,KpK5C2E,KAA9B,CoK4Cx  
D,IAAP,C;UACI,a;;QACJ,OpK9C+D,aoK8CxD,kBAAM,CAAN,CpK9C0E,KAAiB,EoK8C7C,KpK9C2E,KAA9B,C  
oK8CxD,IAAP,C;UACI,a;;QACJ,IAAI,KAAK,CAAT,C;UACI,UAAU,kBAAM,CAAN,C;UACV,kBAAM,CAAN,  
EAAW,kBAAM,CAAN,CAAX,C;UACA,kBAAM,CAAN,EAAW,GAAX,C;UACA,a;UACA,a;;MAGR,OAAO,C;  
K;IAGX,yC;MAGI,YAAY,aAAU,KAAV,EAAiB,IAAjB,EAAuB,KAAvB,C;MACZ,IAAI,QAAO,QAAQ,CAAR,I  
AAP,CAAJ,C;QACI,YAAU,KAAV,EAAiB,IAAjB,EAAuB,QAAQ,CAAR,IAAvB,C;MACJ,IAAI,QAAQ,KAAZ,  
C;QACI,YAAU,KAAV,EAAiB,KAAjB,EAAwB,KAAxB,C;K;IAKR,gD;MAI6E,UAAU,KAAV,EAAiB,SAAjB,E  
AA4B,UAAU,CAAV,IAA5B,C;K;IAC7E,gD;MAC6E,YAAU,KAAV,EAAiB,SAAjB,EAA4B,UAAU,CAAV,IAA  
5B,C;K;IAC7E,gD;MAC6E,YAAU,KAAV,EAAiB,SAAjB,EAA4B,UAAU,CAAV,IAA5B,C;K;IAC7E,gD;MAC6  
E,YAAU,KAAV,EAAiB,SAAjB,EAA4B,UAAU,CAAV,IAA5B,C;K;IvK9I7E,0C;MF0BI,IAAI,EEjBI,SAAU,OA  
AV,GAAiB,CfIBrB,CAAJ,C;QACI,cAda,qB;QAeb,MAAM,gCAAYB,OAAQ,WAAjC,C;OEIBV,OAAO,oBAAoB  
,CAApB,EAAuB,CAAvB,EAA0B,SAA1B,C;K;IAGX,8C;MACe,Q;MAAX,wBAAW,SAAX,gB;QAAW,SAAA,S  
AAX,M;QACI,SAAS,GAAG,CAAH,C;QACT,SAAS,GAAG,CAAH,C;QACT,WAAW,cAAc,EAAc,EAakB,EAA  
IB,C;QACX,IAAI,SAAQ,CAAZ,C;UAAe,OAAO,I;;MAE1B,OAAO,C;K;sGAGX,yB;MAAA,8D;MAAA,iC;QASI  
,OAAO,cAAc,SAAS,CAAT,CAAd,EAA2B,SAAS,CAAT,CAA3B,C;O;KATX,C;sGAYA,sC;MASI,OAAO,UAA  
W,SAAQ,SAAS,CAAT,CAAR,EAAqB,SAAS,CAAT,CAArB,C;K;IAatB,6B;MAWY,Q;MALR,IAAI,MAAM,CA  
AV,C;QAAa,OAAO,C;MACpB,IAAI,SAAJ,C;QAAe,OAAO,E;MACTb,IAAI,SAAJ,C;QAAe,OAAO,C;MAGtB,O  
AA8B,iBAAtB,mDAAsB,EAAU,CAAV,C;K;IAaZ,6C;MAAA,uB;QAAU,2BAAoB,CAApB,EAAuB,CAAvB,EA  
A0B,iBAA1B,C;O;K;IAVhC,8B;MF7CI,IAAI,EEsDI,SAAU,OAAV,GAAiB,CfTDrB,CAAJ,C;QACI,cAda,qB;QA  
eb,MAAM,gCAAYB,OAAQ,WAAjC,C;OEqDV,OAAO,eAAW,2BAAX,C;K;0FAIX,yB;MAAA,sC;MAAA,oC;M  
AAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,C  
AAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MAPf,2B;QAOI,sBAAW,0BAAX,C;O;KAPJ,C;0FASA,  
yB;MAAA,oC;MAQe,gE;QAAA,uB;UAAU,iBAAsB,kB;UAAtB,eAAkC,gB;UAAIC,OA1Dd,UAAW,SAAQ,SA0  
DW,CA1DX,CAAR,EAAqB,SA0DC,CA1DD,CAArB,C;S;O;MAkDtB,uC;QAQI,sBAAW,sCAAX,C;O;KARJ,C;4  
GAUA,yB;MAAA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,  
OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MAPf,2B;QAOI,sBAA  
W,oCAAX,C;O;KAPJ,C;8GASA,yB;MAAA,oC;MAUe,0E;QAAA,uB;UAAU,iBAAsB,kB;UAAtB,eAAkC,gB;U

AAIC,OA/Ed,UAAW,SAAQ,SA+EW,CA/EX,CAAR,EAAqB,SA+EC,CA/ED,CAArB,C;S;O;MAqEtB,uC;QAUI,s  
BAAW,gDAAX,C;O;KAVJ,C;kFAyA,yB;MAAA,sC;MAAA,oC;MAAA,oBAQe,yB;QA9Gf,8D;eA8Ge,yC;UAA  
A,uB;YACP,sBAAsB,WAAy,SAAQ,CAAR,EAAW,CAAX,C;YAClC,Q;YAAA,IAAI,oBAAmB,CAAvB,C;cAA  
A,OAA0B,e;;cAAqB,eAAsB,gB;cAArE,OAvgG,cAAc,SAuG8C,CAvG9C,CAAd,EAA2B,SAuGoC,CAvGpC,CA  
A3B,C;;YAsGH,W;W;S;OADO,C;MARf,sC;QAQI,sBAAW,kCAAX,C;O;KARJ,C;oFAaA,yB;MAAA,oC;MAQe,  
0E;QAAA,uB;UACP,sBAAsB,WAAy,SAAQ,CAAR,EAAW,CAAX,C;UAClC,Q;UAAA,IAAI,oBAAmB,CAAvB  
,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAAtB,eAAkC,gB;YAAjF,OAxGG,UAAW,SAAQ,SAwGyC,CAXGz  
C,CAAR,EAAqB,SAwG+B,CAXG/B,CAArB,C;;UAuGd,W;S;O;MATR,kD;QAQI,sBAAW,8CAAX,C;O;KARJ,C;  
sGAaA,yB;MAAA,sC;MAAA,oC;MAAA,8BAQe,yB;QAXlf,8D;eAwIe,mD;UAAA,uB;YACP,sBAAsB,qBAAsB,  
SAAQ,CAAR,EAAW,CAAX,C;YAC5C,Q;YAAA,IAAI,oBAAmB,CAAvB,C;cAAA,OAA0B,e;;cAAqB,eAAsB,g  
B;cAArE,OAjIG,cAAc,SAiI8C,CAjI9C,CAAd,EAA2B,SAiIoC,CAjIpC,CAA3B,C;;YAgiH,W;W;S;OADO,C;MA  
Rf,sC;QAQI,sBAAW,4CAAX,C;O;KARJ,C;wGAaA,yB;MAAA,oC;MAQe,8F;QAAA,uB;UACP,sBAAsB,qBAAs  
B,SAAQ,CAAR,EAAW,CAAX,C;UAC5C,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBA  
sB,kB;YAAtB,eAAkC,gB;YAAjF,OAIIG,UAAW,SAAQ,SAkIyC,CAlIzC,CAAR,EAAqB,SAkI+B,CAlI/B,CAArB  
,C;;UAIld,W;S;O;MATR,kD;QAQI,sBAAW,wDAAX,C;O;KARJ,C;kGAcA,yB;MAAA,oC;MAOe,wE;QAAA,uB;  
UACP,sBAAsB,mBAAoB,SAAQ,CAAR,EAAW,CAAX,C;UAA1C,OACI,oBAAmB,CAAvB,GAA0B,eAA1B,GA  
A+C,mBAAW,CAAX,EAAc,CAAd,C;S;O;MATvD,wC;QAOI,sBAAW,4CAAX,C;O;KAPJ,C;IAmBe,oD;MAAA,  
uB;QACP,sBAAsB,SAAU,SAAQ,CAAR,EAAW,CAAX,C;QAAhC,OACI,oBAAmB,CAAvB,GAA0B,eAA1B,G  
AA+C,kBAAW,SAAQ,CAAR,EAAW,CAAX,C;O;K;IATIE,uC;MAOI,sBAAW,kCAAX,C;K;IAyC,wE;MAAA,u  
B;QACV,sBAAsB,mBAAoB,SAAQ,CAAR,EAAW,CAAX,C;QAA1C,OACI,oBAAmB,CAAvB,GAA0B,eAA1B,  
GAA+C,kBAAW,SAAQ,CAAR,EAAW,CAAX,C;O;K;IATIE,+C;MAOI,sBAAc,4CAAd,C;K;IAaW,+C;MAAA,u  
B;QAEH,UAAM,CAAN,C;UADJ,OACe,C;aACX,c;UAFJ,OAEiB,E;aAcB,c;UAHJ,OAGiB,C;;UAHjB,OAIY,kB  
AAW,SAAQ,CAAR,EAAW,CAAX,C;O;K;IAZ/B,gC;MAOI,sBAAW,6BAAX,C;K;4FASJ,yB;MAAA,4D;MAAA  
,wD;MAAA,mB;QAOqE,kBAAW,cAAAX,C;O;KAPrE,C;IAGBe,8C;MAAA,uB;QAEH,UAAM,CAAN,C;UADJ,O  
ACe,C;aACX,c;UAFJ,OAEiB,C;aAcB,c;UAHJ,OAGiB,E;;UAHjB,OAIY,kBAAW,SAAQ,CAAR,EAAW,CAAX,  
C;O;K;IAZ/B,+B;MAOI,sBAAW,4BAAX,C;K;0FASJ,yB;MAAA,4D;MAAA,sD;MAAA,mB;QAOoE,iBAAU,cA  
AV,C;O;KAPpE,C;IASA,wB;MAK4F,Q;MAA7B,OAA6B,4F;K;IAE5F,wB;MAK4F,Q;MAA7B,OAA6B,4F;K;IA  
E5F,gC;MAM+D,IAEJ,IAFI,EAGJ,M;MAFvD,kBAD2D,SAC3D,sB;QADqD,OAC5B,SAAK,W;WAC9B,WAF2D  
,SAE3D,wC;QAFqD,OAEE,4F;WACvD,WAH2D,SAG3D,wC;QAHqD,OAGE,gG;;QAHF,OAI7C,uBAAmB,SAA  
nB,C;K;IAIuB,wC;MAAC,4B;K;2CACChC,gB;MAAwC,OAAA,eAAW,SAAQ,CAAR,EAAW,CAAX,C;K;4CACn  
D,Y;MACgC,sB;K;;IAGpC,kC;MAAA,sC;K;+CACI,gB;MAAoE,OAAE,iBAAF,CAAEE,EAAU,CAAV,C;K;gDAC  
tE,Y;MAC8C,2C;K;;IAHID,8C;MAAA,6C;QAAA,4B;OAAA,sC;K;IAMA,kC;MAAA,sC;K;+CACI,gB;MAAoE,  
OAAE,iBAAF,CAAEE,EAAU,CAAV,C;K;gDACtE,Y;MAC8C,2C;K;;IAHID,8C;MAAA,6C;QAAA,4B;OAAA,sC  
;K;8EwKjTA,4B;MAUI,OAAK,iBAAL,SAAK,EAAU,KAav,C;K;ICTT,iC;K;;;oDA2DI,0C;MAiB+D,oB;QAAA  
,2C;aAjB/D,kG;K;;IAoBJ,uC;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,qC;MAAA,wC;O;MASI,4E;MAMA,8E;M  
AOA,4E;MAOA,kE;K;;IApBA,mD;MAAA,2B;MAAA,2C;K;;IAMA,oD;MAAA,2B;MAAA,4C;K;;IAOA,mD;M  
AAA,2B;MAAA,2C;K;;IAOA,8C;MAAA,2B;MAAA,sC;K;;IA7BJ,iC;MAAA,+K;K;;IAAA,sC;MAAA,a;aAAA,c;  
UAAA,gD;aAAA,e;UAAA,iD;aAAA,c;UAAA,gD;aAAA,S;UAAA,2C;gBAAA,oE;;K;;oFAqCA,mB;K;;;;  
;;I5HiBiD,gD;MAAA,oB;QACzC,WAAW,sBAAmB,YAAF,CAAEE,CAAnB,C;QACX,cAAM,IAAN,C;QADA,OA  
EA,IAAK,a;O;K;;;IAthB,+B;K;;iFAUA,yB;MAAA,4B;MAAA,mC;QAMI,6BDgDQ,WChDkB,KDgDIB,CChDR,  
C;O;KANJ,C;2GAQA,yB;MAAA,4B;MDgDQ,kD;MChDR,uC;QAOI,6BDgDQ,WAAO,cChDW,SDgDX,CAAP,C  
ChDR,C;O;KAPJ,C;+FAUA,yB;MAAA,kC;MAAA,mD;MAAA,yE;QASI,sC;QAAA,4C;O;MATJ,iGAWY,Y;QA  
AQ,2B;OAXpB,E;MAAA,0DAaQ,kB;QACI,wBAAW,MAAX,C;O;MAdZ,sF;MAAA,sC;QASI,0D;O;KATJ,C;IAi  
BA,gD;MAaI,4BAA0D,YAAzC,wCAA6B,UAA7B,CAAyC,CAA1D,EAAyE,yBAAZe,C;K;IAEJ,4D;MAcI,4BAA  
oE,YAAAnD,0CAA6B,QAA7B,EAAuC,UAAvC,CAAmD,CAApE,EAAmF,yBAAnF,C;K;IAEJ,+C;MAU6C,YAAz  
C,wCAA6B,UAA7B,CAAyC,CAtEzC,oBDgDQ,WcBsD,kBDtBtD,CChDR,C;K;IAyEJ,2D;MAWuD,YAAAnD,0C  
AA6B,QAA7B,EAAuC,UAAvC,CAAmD,CAPFnD,oBDgDQ,WCoCGE,kBDpChE,CChDR,C;K;IAuFJ,+C;MAYI,  
OAA6C,8BAAAtC,c;K;8EAZX,yB;MAAA,oE;MAAA,6E;MAYiD,gD;QAAA,oB;UACzC,WAAW,sBAAmB,YAA

F,CAAE,CAAnB,C;UACX,cAAM,IAAN,C;UADA,OAEA,IAAK,a;S;O;MAfb,sC;QAYW,mBAAsC,8BAAtC,6B;  
QAAP,OAAO,kD;O;KAZX,C;qGA0BI,yB;MAAA,2D;MAAA,mB;QACI,MAAM,6BAAoB,0BAAPB,C;O;KADV  
,C;;M6HzIA,yC;;IAAA,uC;MAAA,2C;K;;IAAA,mD;MAAA,kD;QAAA,iC;OAAA,2C;K;+EAkBA,wB;K;oDAaA  
,e;MAK2C,IAAI,IAAJ,EAGK,M;MAL5C,IAAI,+CAAJ,C;QAEI,OAAW,GAAl,kBAAS,IAAK,IAAd,CAAR,GAA  
4B,cAAI,OAAJ,GAAl,iBAAQ,IAAR,CAAJ,yCAA5B,GAAyD,I;OAGpE,OAAW,8CAA4B,GAAhC,GAAqC,8EA  
ArC,GAAoD,I;K;yDAI/D,e;MAGI,IAAI,+CAAJ,C;QACI,OAAW,GAAl,kBAAS,IAAK,IAAd,CAAJ,IAA0B,GAA  
I,iBAAQ,IAAR,CAAJ,QAA9B,GAAyD,mCAAzD,GAAoF,I;OAE/F,OAAW,8CAA4B,GAAhC,GAAqC,mCAArC  
,GAAgE,I;K;;;ICtChD,oD;MACf,cAAc,GAAl,kBAAS,OAAQ,IAAjB,C;MACiB,IAAI,YAAY,mCAAhB,C;QAD  
A,OACuC,O;;QAEnC,kBAAkB,oBAAQ,yCAAR,C;QACiB,IAAI,mBAAJ,C;UAJJ,OAI6B,oBAAgB,OAAhB,EA  
AyB,OAAzB,C;;UACrB,WAAW,OAAQ,kBAAS,yCAAT,C;UAL3B,OAMY,SAAS,mCAAb,GAAoC,oBAAgB,O  
AAhB,EAAYB,WAAzB,CAAPC,GACI,oBAAgB,oBAAgB,IAAhB,EAAsB,OAAtB,CAAhB,EAAGD,WAAhD,C;;;  
K;8CAdxB,mB;MAKI,OAAI,YAAY,mCAAhB,GAAuC,IAAvC,GACI,OAAQ,cAAK,IAAL,EAAW,4BAAX,C;K;  
;;;;qDAiCZ,e;MAEyB,Q;MADrB,OACI,OAAA,IAAK,IAAL,EAAY,GAAZ,CAAJ,GAAqB,0EAArB,GAAoC,I;K;  
sDAExC,8B;MACI,iBAAU,OAAV,EAAMB,IAAnB,C;K;0DAEJ,e;MACI,OAAI,OAAA,IAAK,IAAL,EAAY,GAA  
Z,CAAJ,GAAqB,mCAArB,GAAgD,I;K;;;IC1DP,8C;MAAC,wB;K;kFAAA,Y;MAAA,yB;K;;IAiCe,wD;MAEjE,k  
C;MAEA,4BAAqC,mDAAJ,GAAkD,OAAQ,qBAA1D,GAA0E,O;K;4DAE3G,mB;MAA6C,+BAAS,OAAT,C;K;6  
DAC7C,e;MAA8C,eAAQ,IAAR,IAAgB,8BAAe,G;K;;IAGjF,+C;MAW2C,IAAI,IAAJ,EAGV,M;MAL7B,IAAI,+  
CAAJ,C;QAEI,OAAW,GAAl,kBAAS,SAAK,IAAd,CAAR,GAA4B,cAAI,OAAJ,GAAl,iBAAQ,SAAR,CAAJ,yC  
AA5B,GAAyD,I;OAGpE,OAAW,SAAK,IAAL,KAAa,GAAjB,GAAsB,mFAAtB,GAAqC,I;K;IAGhD,6C;MAUI,I  
AAI,+CAAJ,C;QACI,OAAW,GAAl,kBAAS,SAAK,IAAd,CAAJ,IAA0B,GAAl,iBAAQ,SAAR,CAAJ,QAA9B,GA  
AyD,mCAAzD,GAAoF,S;OAE/F,OAAW,SAAK,IAAL,KAAa,GAAjB,GAAsB,mCAAtB,GAAiD,S;K;IAG5D,iC;  
MAAA,qC;MAKI,4B;K;oDACA,Y;MAAiC,0C;K;kDAEjC,e;MAAyD,W;K;mDACzD,8B;MAA4E,c;K;mDAC5E,  
mB;MAAwE,c;K;uDACxE,e;MAA8D,W;K;+CAC9D,Y;MAAsC,Q;K;+CACtC,Y;MAAyC,8B;K;;;Iab7C,6C;MA  
AA,4C;QAAA,2B;OAAA,qC;K;IAqB8B,wC;MAC1B,kB;MACA,wB;K;4CAGA,e;MAGQ,Q;MAFJ,UAAU,I;MA  
CV,OAAO,IAAP,C;QACI,YAAA,GAAl,UAAJ,aAAy,GAAZ,W;UAAwB,W;SACxB,WAAW,GAAl,O;QACf,IA  
AI,oCAAJ,C;UACI,MAAM,I;;UAEN,OAAO,iBAAK,GAAL,C;;;K;6CAKnB,8B;MACI,iBAAU,WAAK,cAAK,O  
AAL,EAAC,SAAd,CAAF,EAAYC,cAAzC,C;K;iDAEJ,e;UAGW,I;MAFP,+BAAQ,GAAR,U;QAAoB,OAAO,W;O  
AC3B,cAAc,WAAK,kBAAS,GAAT,C;MAEf,gBAAy,WAAZ,C;QAAoB,W;WACpB,gBAAy,mCAAZ,C;QAAq  
C,qB;;QAC7B,2BAAgB,OAAhB,EAAYB,cAAzB,C;MAHZ,W;K;uCAOJ,Y;MAIc,IAAI,IAAJ,Q;MAHV,UAAU,I;  
MACV,WAAW,C;MACX,OAAO,IAAP,C;QACU,uBAAI,OAAJ,GAAl,OAAJ,gC;QAAA,mB;UAAgC,OAAO,I;S  
AA7C,MAAM,M;QACN,mB;;K;2CAIR,mB;MACI,+BAAI,OAAQ,IAAZ,GAAoB,OAAPB,C;K;8CAEJ,mB;MAQ  
4B,Q;MAPxB,UAAU,O;MACV,OAAO,IAAP,C;QACI,IAAI,CAAC,gBAAS,GAAl,UAAb,CAAL,C;UAA4B,OA  
AO,K;QACnC,WAAW,GAAl,O;QACf,IAAI,oCAAJ,C;UACI,MAAM,I;;UAEN,OAAO,gBAAS,0EAAT,C;;;K;uC  
AKnB,iB;MACI,gBAAS,KAAT,KAakB,yCAA4B,KAAM,SAAN,KAAGB,aAA5C,IAAsD,KAAM,eAAy,IAAZ,C  
AA9E,C;K;yCAEJ,Y;MAA+B,OAAK,SAAL,WAAK,CAAL,GAA0B,SAAR,cAAQ,CAA1B,I;K;IAGZ,uD;MACX  
,OAAI,G3JyHoC,YAAU,C2JzHID,GAAMB,OAAQ,WAA3B,GAA6C,GAAF,UAAQ,O;K;yCAF3D,Y;MACI,aAA  
M,kBAAK,EAAL,EAAS,+BAAT,CAAN,GAEl,G;K;IAMO,8E;MAAA,6B;QAAyB,Q;QAAT,iBAAS,sBAAT,EA  
AS,8BAAT,UAAoB,O;QAAQ,W;O;K;+CAJ3D,Y;MAOsB,Q;MANIB,QAAQ,a;MACR,eAAe,gBAA+B,CAA/B,O  
;MACf,gBAAy,CAAZ,C;MACA,kBAAK,kBAAL,EAAW,oDAAX,C;M9KtFJ,IAAI,E8KuFM,YAAS,C9KvFf,CA  
AJ,C;QACI,cAdW,e;QAEX,MAAM,6BAAsB,OAAQ,WAA9B,C;O8KuFN,OAAO,+BAAW,qDAAX,C;K;IAGa,8  
C;MACpB,kD;MADqB,wB;K;IACrB,gD;MAAA,oD;MACI,4B;K;;IADJ,4D;MAAA,2D;QAAA,0C;OAAA,oD;K;  
yDAIA,Y;MAA0C,gBAAT,a;M5Lm9YrB,Q;MADhB,kB4LI9YmD,mC;M5Lm9YnD,wBAAgB,SAAhB,gB;QAAG  
B,cAAA,SAAhB,M;QAAsB,cAAwB,yBAAa,OAAb,C;;M4Ln9YT,O5Lo9Y9B,W;K;;;I6LtoZX,oE;MA4BI,MAA  
M,wBAAoB,sEAAPB,C;K;8GA5BV,yB;MAAA,2D;MAAA,sC;QA4BI,MAAM,6BAAoB,sEAAPB,C;O;KA5BV,  
C;IA0CoC,mC;MAAQ,4D;K;IAE5C,4C;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,0C;MAAA,6C;O;MAK0C,oG;  
MAAQB,gF;MAAW,4E;K;;IAAhC,+D;MAAA,gC;MAAA,uD;K;;IAAQB,qD;MAAA,gC;MAAA,6C;K;;IAAW,m  
D;MAAA,gC;MAAA,2C;K;;IAL1E,sC;MAAA,sJ;K;;IAAA,2C;MAAA,a;aaaa,qB;UAAA,4D;aaaa,W;UAAA,k  
D;aaaa,S;UAAA,gD;gBAAA,qF;;K;;6ECnDA,yB;MAAA,0B;MAAA,mC;QAGsD,OAAiC,OAA3B,SAAL,GAA

uB,KAAS,C;O;KAHvF,C;2EAKA,yB;MAAA,0B;MAAA,mC;QAGqD,OAAgC,OAA1B,SAAL,GAAsB,KAAS,C;  
 O;KAHrF,C;6EAKA,yB;MAAA,0B;MAAA,mC;QAGsD,OAAiC,OAA3B,SAAL,GAAuB,KAAS,C;O;KAHvF,C;6  
 EAKA,yB;MAAA,0B;MAAA,4B;QAGqC,OAAqB,OAAP,CAAR,SAAe,C;O;KAH1D,C;+EAMA,yB;MAAA,4B;  
 MAAA,mC;QAGyD,OAAiC,QAA3B,SAAL,GAAuB,KAAS,C;O;KAH1F,C;6EAKA,yB;MAAA,4B;MAAA,mC;  
 QAGwD,OAAgC,QAA1B,SAAL,GAAsB,KAAS,C;O;KAHxF,C;+EAKA,yB;MAAA,4B;MAAA,mC;QAGyD,OA  
 AiC,QAA3B,SAAL,GAAuB,KAAS,C;O;KAH1F,C;+EAKA,yB;MAAA,4B;MAAA,4B;QAGuC,OAAqB,QAAP,C  
 AAR,SAAe,C;O;KAH5D,C;ICpCA,qC;K;;ICAA,mB;K;;IAOA,iB;K;;IAOA,2C;K;;IAOA,wB;K;;IAQA,0B;K;;IA  
 OA,sB;K;;IAOA,4B;K;;IAOA,6C;K;;IA+BuC,wE;MAEnC,uB;QAAA,UAAAsB,E;MACtB,qB;QAAA,8B;MACA,2  
 B;QAAA,qE;MACA,yB;QAAA,YAAqB,E;MAJrB,sB;MACA,sB;MACA,kB;MACA,8B;MACA,0B;K;;IAGJ,iD;  
 MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,+C;MAAA,kD;O;MAKI,wG;MACA,wG;MACA,8F;K;;IAFA,iE;MAAA  
 ,qC;MAAA,yD;K;;IACA,iE;MAAA,qC;MAAA,yD;K;;IACA,4D;MAAA,qC;MAAA,oD;K;;IAPJ,2C;MAAA,6K;K  
 ;;IAAA,gD;MAAA,a;MAAA,kB;UAAA,8D;aAAA,kB;UAAA,8D;aAAA,a;UAAA,yD;gBAAA,6E;;K;;IAUA,wB;K  
 ;;ICjGA,qB;MAAA,yB;K;0CAII,Y;MAO6D,uB;K;2HAE7D,yB;MAAA,+D;MAAA,kC;MAAA,0F;MAAA,6F;MA  
 AA,4E;QAUI,wC;QAAS,2C;O;MAVb,mEAWQ,wC;QAA6E,sBAAS,QAAT,EAAMB,QAANB,EAA6B,QAA7B,C  
 ;O;MAXrF,oG;MAAA,yC;QAUI,wDAA+B,YAA/B,C;O;KAVJ,C;uHAcA,yB;MAAA,+D;MAAA,kC;MAAA,wF;  
 MAAA,yF;MAAA,0E;QAcI,wC;QAAS,2C;O;MADB,kEAeQ,wC;QAAuF,6BAAS,QAAT,EAAMB,QAANB,EAA6  
 B,QAA7B,C;O;MAf/F,kG;MAAA,yC;QAcI,sDAA+B,YAA/B,C;O;KADJ,C;;;IA3BJ,iC;MAAA,gC;QAAA,e;OAA  
 A,yB;K;IAGDiC,sB;MAC7B,eAAwB,I;K;4CAExB,6B;MACW,Q;MAAA,mB;MAAA,iB;QAAS,MAAM,6BAAsB  
 ,cAAY,QAAS,aAArB,uCAAtB,C;OAAtB,OAAO,I;K;4CAGX,oC;MACI,eAAa,K;K;;kDC9CjB,6B;;K;;iEA+  
 CA,6B;;K;;ICrDuC,0C;MACvC,uBAAoB,Y;K;wDAEpB,wC;MAM6F,W;K;uDAE7F,wC;K;oDAMA,6B;MACI,O  
 AAO,oB;K;oDAGX,oC;MACI,eAAe,IAAK,gB;MACpB,IAAI,CAAC,0BAAa,QAAb,EAAuB,QAAvB,EAAiC,KA  
 AjC,CAAL,C;QACI,M;OAEJ,uBAAa,K;MACb,yBAAY,QAAZ,EAAsB,QAAtB,EAAgC,KAAhC,C;K;;4EC9BR,  
 wC;MAqBI,OAAO,e;K;4EAGX,+C;MAuBI,cAAI,KAAJ,C;K;4EAIJ,wC;MAMBI,OAAO,cAAI,OAAJ,C;K;4EAG  
 X,+C;MAqBI,cAAI,OAAJ,EAAa,KAAb,C;K;IC/FJ,kB;MA6PI,4B;K;+BAtOA,Y;MAOiC,6BAAS,EAAT,C;K;uC  
 AEjC,iB;MAW2C,4BAAQ,CAAR,EAAW,KAAX,C;K;uCAE3C,uB;MAAkB,Q;MAHd,iBAAiB,IAAjB,EAAuB,K  
 AAvB,C;MACA,QAAQ,QAAQ,IAAR,I;MACR,IAAI,IAAI,CAAJ,IAAS,MAAK,WAAIB,C;QACc,IAAI,MAAM,  
 CAAC,CAAD,IAAN,OAAy,CAAhB,C;UACN,eAAe,SAAS,CAAT,C;UACf,6BAAS,QAAT,C;;UAEA,K;;YAEI,  
 WAAW,cAAU,KAAK,C;YAC1B,IAAI,OAAO,C;;UACN,gBAAO,CAAP,IAAY,CAAZ,GAAgB,CAAhB,SAAqB,  
 CAArB,C;UACT,Q;;QATJ,c;QAWA,OAAO,OAAO,GAAP,I;;QAEP,OAAO,IAAP,C;UACI,YAAU,c;UACV,IAA  
 W,IAAP,qBAAkB,KAAtB,C;YAA6B,OAAO,K;;K;gCAKhD,Y;MAOmC,OAAU,oBAAV,cAAU,CAAS,WAAI,E  
 AAJ,CAANB,yBAA6B,cAA7B,E;K;wCAEnC,iB;MAW8C,iCAAY,KAAZ,C;K;wCAE9C,uB;MAiBkB,Q;MAPd,m  
 BAAiB,IAAjB,EAAuB,KAAvB,C;MACA,QAAQ,eAAQ,IAAR,C;MACR,IAAI,eAAI,CAAR,C;QACI,O;QACA,I  
 AAI,aAAO,CAAD,aAAN,GAAY,CAAZ,CAAJ,C;UACI,WAAW,CAAE,Q;UACb,YAAa,qBAAO,EAAP,CAAW,  
 Q;UAEpB,aAAQ,CAAR,C;YACI,eAAe,SAAS,IAAT,C;YAEf,OAAmB,oBAAAnB,sBAAS,QAAT,CAAmB,CAAn  
 B,iB;iBAEJ,cAAS,CAAT,C;YAEI,OAAU,oBAAV,cAAU,CAAV,iB;;YAEA,iBAAe,SAAS,KAAT,C;YACf,OAA  
 mB,oBAAAnB,sBAAS,UAAT,CAAmB,CAAS,WAAI,EAAJ,CAA5B,KAAiD,oBAAV,cAAU,CAAV,iBAAvC,C;;U  
 AXR,U;;UAeA,K;;YAEI,WAAW,eAAW,oBAAK,CAAL,C;YACTB,IAAI,YAAO,CAAP,C;;UACC,sBAAO,CAAP  
 ,MAAY,+BAAI,CAAJ,EAAZ,eAAqB,CAArB,C;UACT,MAAM,C;;QAEV,OAAO,SAAO,GAAP,C;;QAEP,OAA  
 O,IAAP,C;UACI,YAAU,e;UACV,IAAW,IAAP,0CAAkB,KAAIB,CAAJ,C;YAA6B,OAAO,K;;K;mCAKhD,Y;M  
 AKyC,6BAAS,CAAT,MAAe,C;K;kCAExD,Y;MAKuC,uBAAgB,sBAAS,EAAT,CAAhB,EAA8B,sBAAS,EAAT,  
 CAA9B,C;K;0CAEvC,iB;MASoD,+BAAW,GAAX,EAAgB,KAAhB,C;K;0CAEpD,uB;MACy,Q;MAFR,mBAAiB  
 ,IAAjB,EAAuB,KAAvB,C;MACA,WAAW,QAAQ,I;MACX,IAAS,WAAI,IAAK,CAAL,IAA0B,SAAL,IAAK,CA  
 A1B,IAA8C,SAAN,KAAM,CAAD,C;QACJ,SAAS,qBAAgB,QAAQ,CAAR,GAAY,OAAO,CAAnC,C;QACT,cA  
 AO,EAAP,GAAY,E;;QAEZ,cAAO,oBAAe,I;;MAJ1B,Y;MAMA,OAAW,KAAK,KAAT,GAAsB,SAAN,KAAM,C  
 AAtB,GAAsC,C;K;iCAGjD,Y;MAKqC,6BAAS,EAAT,IAA0B,Q;K;IAWK,oF;MAAA,mB;QAAE,uBAAa,iBAAb,  
 sBAAqC,eAArC,+BAAqE,aAAM,OAA3E,M;O;K;iDATtE,qC;MvLjLA,IAAI,EuL0LqB,CAAb,8BAAgB,KAAM,  
 OvL1L9B,GuL0LiD,CAAX,0BAAc,KAAM,OvL1L1D,GuL0LsC,KvL1LtC,CAAJ,C;QACI,cuLyLgE,kDvLzLID,E  
 ;QACd,MAAM,gCAAyB,OAAQ,WAAjC,C;OAFV,IAAI,EuL2LQ,aAAa,OvL3LrB,CAAJ,C;QACI,gBuL0LgC,mF

;QvLzLhC,MAAM,gCAAYB,SAAQ,WAAjC,C;OuL2LN,YAAY,CAAC,UAAU,SAAV,IAAD,IAAwB,CAAxB,I;MAEZ,mBA Ae,SAAf,C;MPLzEJ,iBAAC,CAAd,UoL0EW,KpL1EX,U;QoL2EQ,QAAQ,c;QACR,MAAM,UAA N,IAAoB,OAAF,CAAE,C;QACpB,MAAM,aAAW,CAAX,IAAN,IAAgC,OAAV,CAAE,KAAK,CAAG,C;QACHC,M AAM,aAAW,CAAX,IAAN,IAAiC,OAAX,CAAE,KAAK,EAAI,C;QACjC,MAAM,aAAW,CAAX,IAAN,IAAiC,O AAX,CAAE,KAAK,EAAI,C;QACjC,0BAA Y,CAAZ,I;MAGJ,gBAAgB,UAAU,UAAV,I;MACHB,SAAS,sBAAS,YAAY,CAAZ,IAAT,C;MACT,aAAU,CAAV,MAAkB,SAAlB,M;QACI,MAAM,aAAW,CAAX,IAAN,IAAqC,OA Af,EAAG,MAAK,IAAI,CAAJ,IAAL,CAAY,C;MAGzC,OOAO,K;K;yCACX,uD;MAvB4C,yB;QAAA,YAAiB,C; MAAG,uB;QAAA,UAAe,KAAM,O;aArF,0H;K;yCAiCA,iB;MAOyD,8BAAU,KA AV,EA AiB,CAAjB,EAAoB,KAAM,OAA1B,C;K;yCAEzD,gB;MAKkD,8BAAU,cAAU,IAAV,CAAV,C;K;IAGiD,0B;MAAA,8B;MAO2B,iB; MACvB,uBAAoC,uB;K;IAEpC,qC;MAAA,yC;MACI,4B;K;wDAEA,Y;MAAiC,mC;K;IAHrC,iD;MAAA,gD;Q AAA,+B;OAAA,yC;K;8CAMA,Y;MAAkC,8C;K;gDAEIC,oB;MAA4C,OAAA,oBAAc,kBAAS,QAAT,C;K;uCAC 1D,Y;MAA8B,OAAA,oBAAc,U;K;+CAC5C,iB;MAAwC,OAAA,oBAAc,iBAAQ,KAAR,C;K;+CACtD,uB;MAA mD,OAAA,oBAAc,iBAAQ,IAAR,EAAC,KAA d,C;K;wCAEjE,Y;MAAgC,OAAA,oBAAc,W;K;gDAC9C,iB;MAA 2C,OAAA,oBAAc,kBAAS,KAAT,C;K;gDACzD,uB;MAAuD,OAAA,oBAAc,kBAAS,IAAT,EAAe,KAAf,C;K;2C AErE,Y;MAAsC,OAAA,oBAAc,c;K;0CAEpD,Y;MAAoC,OAAA,oBAAc,a;K;kDACID,iB;MAAiD,OAAA,oBAA c,oBAAW,KAA X,C;K;kDAC/D,uB;MAA+D,OAAA,oBAAc,oBAAW,IAAX,EA AiB,KA AjB,C;K;yCAE7E,Y;MA AkC,OAAA,oBAAc,Y;K;iDAEhD,iB;MAAsD,OAAA,oBAAc,mBAAU,KA AV,C;K;iDACpE,gB;MAA+C,OAAA ,oBAAc,mBAAU,IAAV,C;K;yDAC7D,qC;MACI,OAAA,oBAAc,mBAAU,KA AV,EA AiB,SA AjB,EAA4B,OAA5 B,C;K;IAiCtB,sC;MAAA,qC;QAAA,oB;OAAA,8B;K;IA0CJ,wB;MAAuC,yBAAa,IAAb,EA AmB,IAAK,IAAL,EA A5B,C;K;IAEvC,wB;MAAwC,yBAAa,IAAK,QAAlB,EAA2B,IAAK,YAAI,EA AJ,CAAQ,QAAX,C;K;IAGxC, mC;MAUI,IAAA,KAAM,UAA N,C;QAAMB,MAAM,gCAAYB,uCAAoC,KAA7D,C;WACzB,IAAA,KAAM,KAA N,GAAa,UAAb,C;QAF8C,OAEhB,0BAAQ,KAAM,MAAd,EAAqB,KAAM,KAA N,GAAa,CAAb,IAArB,C;WAC 9B,IAAA,KAAM,MAAN,GAAc,WAA d,C;QAH8C,OAGf,0BAAQ,KAAM,MAAN,GAAc,CAAd,IAAR,EAAYB, KAAM,KAA/B,IAAuC,CAA vC,I;QAHe,OAI tC,mB;K;IAGZ,oC;MAUI,IAAA,KAAM,UAA N,C;QAAMB,MAA M,gCAAYB,uCAAoC,KAA7D,C;WACzB,IAAA,KAAM,KAA N,+C;QAFiD,OAEiB,2BAAS,KAAM,MAAf,EAAs B,KAAM,KAA N,yBAAa,CAAb,EAAtB,C;WAC/B,IAAA,KAAM,MAAN,+C;QAHiD,OAGjB,2BAAS,KAAM,M AAN,8BAAC,CAAd,EAAT,EAA0B,KAAM,KAAhC,0BAAwC,CAAxC,E;QAHiB,OAIzC,oB;K;IAOZ,yB;MAAy C,YjFrTkB,MAAO,OiFqTpB,KjFrToB,CiFqTzB,I;K;IAEzC,4C;MAEI,OAAA,SAAK,KAAK,EAAL,GAAU,QAA f,GAAyC,CAAX,CAAC,QAAD,IAAW,KAAI,E;K;IAEjD,uC;MvLtVI,IAAI,EU LsVuD,QAAQ,IvLtV/D,CAAJ,C; QACI,cuLqVuE,+B;QvLpVvE,MAAM,gCAAYB,OAAQ,WAAjC,C;Q;IuLqVd,yC;MvLvVI,IAAI,EU LuVyD,sBA AQ,IAAR,KvLvVzD,CAAJ,C;QACI,cuLsVyE,+B;QvLrVzE,MAAM,gCAAYB,OAAQ,WAAjC,C;Q;IuLsVd,yC;M vLxVI,IAAI,EU LwV6D,QAAQ,IvLxVrE,CAAJ,C;QACI,cuLuV6E,+B;QvLtV7E,MAAM,gCAAYB,OAAQ,WAAj C,C;Q;IuLwVd,yC;MAAyD,oCAA0B,IAA1B,qBAAiC,KAAjC,kB;K;ICrXzD,6B;MAOqC,OnMmYE,SmMnYF,m BnMmYE,C;K;ImMjYvC,sC;MASgD,6BAAS,WAAT,EAAa,KAAb,C;K;IAEhD,4C;MAUI,qBAAqB,IAArB,EAA 2B,KAA3B,C;MAEA,iBA AiB,InMqQgB,KmMrQhB,GA AiB,W;MACiC,kBAAkB,KnMoQe,KmMpQf,GA AkB,W ;MAEpC,mBAAMB,0BAAQ,UAA R,EAAoB,WAApB,IAAqC,W;MACxD,OnMsWmC,SmMtW5B,YnMsW4B,C; K;ImMnWvC,sC;MAWI,IAAA,KAAM,UAA N,C;QAAMB,MAAM,gCAAYB,uCAAoC,KAA7D,C;QACzB,InMG kE,YmMHIE,KAAM,KnMG6E,KAAjB,EmMHRD,4BAAK,UnMG6E,KAA7B,CmMHIE,K;UAFiD,OAEiB,sBAA S,KAAM,MAAf,EnMqBsB,SmMrBA,KAAM,KnMqBI,KAAK,GA AW,CmMrBb,WnMqBa,MAAX,IAAf,CmMrB tB,C;UAC/B,InMEkE,YmMFIE,KAAM,MnME6E,KAAjB,EmMFPD,4BAAK,UnME4E,KAA7B,CmMFIE,K;YA HiD,OnMuBI,SmMpBrB,sBnMiCsB,SmMjCb,KAAM,MnMiCiB,KAAK,GAAY,CmMjC1B,WnMiC0B,MAAZ,IA Af,CmMjCtB,EAA2B,KAAM,KAAjC,CnMoB+B,KAAK,GA AW,CmMpBN,WnMoBM,MAAX,IAAf,C;YmMvB J,OAIzC,mB;K;IAGZ,8B;MAOuC,OnL0VG,Uml1VH,oBnL0VG,C;K;ImLxV1C,uC;MASmD,8BAAU,2BAAV, EAAe,KAAf,C;K;IAEnD,6C;MAUI,sBAAsB,IAAtB,EAA4B,KAA5B,C;MAEA,iBA AiB,InLwNkB,KmLxNIB,8B; MACjB,kBA AkB,KnLuNiB,KmLvNjB,8B;MAEiB,mBAAMB,2BAAS,UAAT,EAAqB,WAArB,+B;MACnB,OnL 6TsC,Uml7T/B,YnL6T+B,C;K;ImL1T1C,uC;MAWI,IAAA,KAAM,UAA N,C;QAAMB,MAAM,gCAAYB,uCAAo C,KAA7D,C;QACzB,InL7CmE,amL6CnE,KAAM,KnL7C+E,KAAIB,EmL6CtD,6BAAM,UnL7C8E,KAA9B,Cm L6CnE,K;UAFoD,OAEpB,uBAAU,KAAM,MAAhB,EnLhCuB,UmlgCA,KAAM,KnLhCK,KAAK,KAAW,ChBs

Q7C,UAAW,oBAAL,CmMtOyB,WnMsOzB,MAAK,CAAL,iBAAN,CgBtQ6C,MAAX,CAAhB,CmLgCvB,C;;UA  
ChC,InL9CmE,amL8CnE,KAAM,MnL9C+E,KAAIB,EmL8CrD,6BAAM,UnL9C6E,KAA9B,CmL8CnE,K;YAHo  
D,OnL9BG,UmLiCtB,uBnLpBuB,UmLoBb,KAAM,MnLpBkB,KAAK,UAAy,ChByP/C,UAAW,oBAAL,CmMrO  
c,WnMqOd,MAAK,CAAL,iBAAN,CgBzP+C,MAAZ,CAAhB,CmLoBvB,EAA4B,KAAM,KAAIC,CnLjCiC,KAA  
K,KAAW,ChBsQ7C,UAAW,oBAAL,CmMrOgC,WnMqOhC,MAAK,CAAL,iBAAN,CgBtQ6C,MAAX,CAAhB,C  
;;YmL8BH,OAI5C,oB;;;K;IAGZ,sC;MAQI,4BAAU,KhK4+FH,QgK5+FP,C;MACA,OAAO,K;K;IAGX,uC;MAKs  
D,OhK2iG3C,egK3iG2C,4BAAU,IAAV,ChK2iG3C,C;K;IgKziGX,4D;MAOgD,yB;QAAA,YAAiB,C;MAAG,uB;  
QAAA,UAAe,KAAM,K;MACrF,4BAAU,KhKy9FH,QgKz9FP,EAA+B,SAA/B,EAA0C,OAA1C,C;MACA,OAA  
O,K;K;IAIX,2C;MxLrHI,IAAI,EX2B8D,YmM0FD,KnM1FkB,KAAjB,EmM0FO,InM1FsB,KAA7B,CmM0FD,Ix  
LrH7D,CAAJ,C;QACI,cwLoH6E,+B;QxLnH7E,MAAM,gCAAYB,OAAQ,WAAjC,C;Q;IwLoHd,4C;MxLTHI,IAAI  
,EKmC+D,amLmFC,KnLnFiB,KAAIB,EmLmFS,InLnFqB,KAA9B,CmLmFC,IxLTHhE,CAAJ,C;QACI,cwLqHgF,  
+B;QxLpHhF,MAAM,gCAAYB,OAAQ,WAAjC,C;Q;IyLpBc,6C;MAsCxB,oC;MA/BA,iB;MANA,Y;MACA,Y;M  
ACA,Y;MACA,Y;MACA,sB;MzLYA,IAAI,EyLLQ,CAAC,WAAK,QAAL,GAAU,QAAY,GAAe,QAaf  
,GAAoB,QAARB,MAA2B,CzLKnC,CAAJ,C;QACI,cyLNwC,wD;QzLOxC,MAAM,gCAAYB,OAAQ,WAAjC,C;O  
GoHV,iBAAc,CAAd,UsLxHW,EtLwHX,U;QsLxHiB,c;;K;qCAGjB,Y;MAGI,QAAQ,Q;MACR,IAAI,IAAO,MAA  
O,C;MACIB,WAAI,Q;MACJ,WAAI,Q;MACJ,WAAI,Q;MACJ,SAAS,Q;MACT,WAAI,E;MACJ,IAAK,IAAO,KA  
AM,CAAd,GAAsB,EAAtB,GAA8B,MAAO,C;MACzC,WAAI,C;MACJ,gCAAU,MAAV,I;MACA,OAAO,IAAI,a  
AAJ,I;K;8CAGX,oB;MACI,OAAU,cAAV,cAAU,EAAC,QAAD,C;K;IAEd,kC;MAAA,sC;MACI,4B;K;;;IADJ,8C;  
MAAA,6C;QAAA,4B;OAAA,sC;K;;IA7BA,gD;MAAA,sD;MACQ,yBAAK,KAAL,EAAy,KAAZ,EAAMB,CAAn  
B,EAAAsB,CAAtB,EAA+B,CAAN,KAAzB,EAAuC,SAAU,EAAX,GAAoB,UAAW,CAArE,C;MADR,Y;K;ICbiD,  
8C;MACjD,4B;MACA,0C;K;oEADA,Y;MAAA,2B;K;2EACA,Y;MAAA,kC;K;uCAGA,iB;MACI,OAAO,0CAA  
C,kBAaA,KAAM,UAAAnB,KAC/B,mBAAS,KAAM,MAAf,KAawB,0BAAGB,KAAM,aAAtB,CADO,CAAhC,C;  
K;yCAIX,Y;MACI,OAAW,cAAJ,GAAe,EAaf,GAAuB,MAAW,SAAN,UAAAM,CAAX,QAAqC,SAAb,iBAaA,CA  
ArC,I;K;yCAGIC,Y;MAAkC,OAAE,UAAf,qBAAU,iB;K;;IAGhD,kC;MAM6E,2BAAGB,SAAhB,EAAAsB,IAAtB,  
C;K;;;0DAYzE,iB;MAA2C,qCAAiB,UAAjB,EAawB,KAAxB,KAAkC,8BAAiB,KAAjB,EAawB,iBAaXB,C;K;i  
DAC7E,Y;MAAkC,QAAC,8BAAiB,UAAjB,EAawB,iBAaXB,C;K;;IAcR,gD;MAI3B,gBAAqB,K;MACrB,uBAA  
4B,Y;K;0FACD,Y;MAAQ,oB;K;iGACD,Y;MAAQ,2B;K;2DAE1C,gB;MAA+D,YAAK,C;K;mDAEPe,iB;MAA  
gD,gBAAS,aAAT,IAAmB,SAAS,oB;K;0CAC5E,Y;MAAkC,SAAE,iBAAU,oBAAZ,C;K;yCAEIC,iB;MACI,OAA  
O,4CAA+B,kBAaA,KAAM,UAAAnB,KAC9B,kBAAU,KAAM,SAAhB,IAA0B,yBAAiB,KAAM,gBADnB,CAA/B,  
C;K;2CAIX,Y;MACI,OAAW,cAAJ,GAAe,EAaf,GAAuB,MAAY,SAAP,aAAO,CAAZ,QAAuC,SAAd,oBAAc,C  
AAvC,I;K;2CAGIC,Y;MAAkC,OAAE,aAAF,qBAAW,oB;K;;IAGjD,oC;MAOqF,6BAaKB,SAAIB,EAawB,IAAx  
B,C;K;IAQvD,+C;MAI1B,gBAAqB,K;MACrB,uBAA4B,Y;K;yFACF,Y;MAAQ,oB;K;gGACD,Y;MAAQ,2B;K;0  
DAEzC,gB;MAA6D,YAAK,C;K;kDAEIE,iB;MAA+C,gBAAS,aAAT,IAAmB,SAAS,oB;K;yCAC3E,Y;MAAkC,S  
AAE,iBAAU,oBAAZ,C;K;wCAEIC,iB;MACI,OAAO,2CAA8B,kBAaA,KAAM,UAAAnB,KAC7B,kBAAU,KAAM  
,SAAhB,IAA0B,yBAAiB,KAAM,gBADpB,CAA9B,C;K;0CAIX,Y;MACI,OAAW,cAAJ,GAAe,EAaf,GAAuB,M  
AAY,SAAP,aAAO,CAAZ,QAAuC,SAAd,oBAAc,CAAvC,I;K;0CAGIC,Y;MAAkC,OAAE,aAAF,qBAAW,oB;K;;  
IAGjD,oC;MAOkF,4BAAiB,SAAjB,EAauB,IAAvB,C;K;oFAGIF,8B;MAQI,0BAAMB,2BAAS,OAAT,C;K;IAGv  
B,+C;MACI,IAAI,CAAC,UAAAL,C;QAAiB,MAAM,gCAAYB,iCAA8B,IAA9B,iBAAzB,C;K;IC5I3B,gC;MACw,  
Q;MADP,IAAI,CAAC,6BAAW,KAAX,CAAL,C;QAAwB,MAAM,uBAAMB,sC/EjBzC,oB+EiByC,CAAnB,C;O  
AC9B,OAAO,sD;K;IAMX,oC;MAAkC,Q;MAA9B,OAAW,6BAAW,KAAX,CAAJ,GAAuB,sDAAvB,GAAuC,I;K;  
;;;;;ICvBhB,yC;MA2B9B,uC;MA1BA,wB;MAIA,gB;M5LQA,IAAI,E4LDS,iBAAY,IAAb,MAAuB,iBAAvB,C5L  
CR,CAAJ,C;QACI,c4LDQ,iBAAY,IAAhB,GACI,8CADJ,GAGI,sCAA0B,aAA1B,qC;Q5LDR,MAAM,gCAAYB,  
OAAQ,WAAjC,C;Q;yC4LKV,Y;MAAwC,Q;MAAA,oB;MACpC,iB;QAD8B,OActB,G;WACR,oD;QAF8B,OAE  
F,SAAL,SAAK,C;WAC5B,6C;QAH8B,OAGd,iBAAK,SAAL,C;WACHB,8C;QAJ8B,OAIb,kBAAM,SAAN,C;;Q  
AJa,mC;K;IAOIC,qC;MAAA,yC;MACI,YAGqC,oBAAGB,IAAhB,EAAAsB,IAAtB,C;K;iGAQJ,Y;MAAQ,gB;K;4D  
AEzC,gB;MAOI,8DAAqC,IAArC,C;K;gEAEJ,gB;MAMI,uDAA8B,IAA9B,C;K;4DAEJ,gB;MAMI,wDAA+B,IA  
A/B,C;K;;;IArCR,iD;MAAA,gD;QAAA,+B;OAAA,yC;K;;2CArCJ,Y;MAWI,oB;K;2CAXJ,Y;MAeI,gB;K;6CAfJ,  
B;MAAA,2BAWI,8CAXJ,EAeI,kCAfJ,C;K;yCAA,Y;MAAA,c;MAWI,yD;MAIA,qD;MAfJ,a;K;uCAAA,iB;MA

AA,4IAWI,4CAXJ,IAeI,oCAfJ,I;K;ICLA,kC;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,gC;MAAA,mC;O;MAYI,4  
D;MAKA,8C;MAKA,gD;K;;IAVA,2C;MAAA,sB;MAAA,mC;K;;IAKA,oC;MAAA,sB;MAAA,4B;K;;IAKA,qC;  
MAAA,sB;MAAA,6B;K;;IAtBJ,4B;MAAA,mG;K;;IAAA,iC;MAAA,a;AAAA,W;UAAA,wC;aAAA,I;UAAA,iC;a  
AAA,K;UAAA,kC;gBAAA,6D;;K;;6ECAA,yB;MAAA,4F;MAAA,2B;QASI,MAAM,mCAA8B,0EAA9B,C;O;KA  
TV,C;ICkCA,+D;MAaW,Q;MAAP,OAAO,8CAA0,KAAP,EAAC,UAAAd,EAA0B,QAA1B,oC;K;IAGX,kC;MAIiB  
,Q;MAAb,wBAaA,KAAb,gB;QAAa,WAAA,KAAb,M;QACI,yBAAO,IAAP,C;;MACJ,OAAO,S;K;mFAGX,qB;M  
AGwD,gCAA0,EAAP,C;K;qFAExD,4B;MAG4E,OAAA,yBAAO,KAAP,CALpB,gBAAO,EAAP,C;K;qFAOxD,4  
B;MAGmE,OAAA,yBAAO,KAAP,CAVX,gBAAO,EAAP,C;K;IAxD,wD;MAEQ,sB;QAAqB,yBAAO,UAAU,O  
AAV,CAAP,C;WACrB,sD;QAA4B,yBAAO,OAAP,C;WAC5B,2B;QAAmB,yBAAO,kBAAP,C;;QACX,yBAaE,S  
AAR,OAAQ,CAAF,C;K;IjL7EhB,+B;MAY6B,kBAaIB,QAAQ,SAAR,EAAC,EAAd,C;MACH,IX0EE,WW1EE,G  
AAK,CAAT,C;QAAY,MAAM,gCAAYB,oEAAzB,C;MADtB,OX4EO,W;K;IWvEX,wC;MAGBW,Q;MAAA,qCA  
AiB,KAAjB,C;MAAA,iB;QAA2B,MAAM,gCAAYB,8BAAO,SAAP,4CAA+C,KAAxE,C;OAAxC,OAAO,I;K;IA  
GX,qC;MAY6B,kBAaIB,QAAQ,SAAR,EAAC,EAAd,C;MAAP,OXmEqB,WWnEa,IAAM,CXmEjC,GAAqB,WA  
ArB,GAA+B,I;K;IWhE1C,8C;MAGBI,WAAW,KAAAX,C;MAC4B,kBAArB,QAAQ,SAAR,EAAC,KAAd,C;MAAP  
,OX+CqB,WW/CgB,IAAM,CX+CpC,GAAqB,WAArB,GAA+B,I;K;IW5C1C,gC;MAW1,IAAY,CAAR,8BAAW,C  
AAf,C;QACI,OAAO,YAAM,SAAN,C;OAEX,MAAM,gCAAYB,SAAM,SAAN,4BAAzB,C;K;IAGV,yC;MAKBW,  
Q;MANP,IAAI,EAAU,CAAV,sBAaA,EAAb,CAAJ,C;QACI,MAAM,gCAAYB,oBAaIB,KAAjB,4CAAzB,C;OAE  
V,IAAI,YAAO,CAAP,IAAY,aAAQ,KAAxB,C;QACI,MAAM,gCAAYB,WAAQ,SAAR,mDAaWd,KAAjF,C;OAE  
EH,IAAI,YAAO,EAAX,C;QACH,mBAAM,SAAN,C;;QAEA,0BAAM,SAAN,IAAa,EAAb,C;;MAHJ,W;K;IAuFJ,  
8B;MAWSc,+B;K;0EAEtC,4B;MAM8D,OAAK,oBAAL,SAAK,CAAL,GAaKB,K;K;IAEHF,gD;MAQoC,0B;QA  
AA,aAAsB,K;MACtD,IAAI,cAAQ,KAAZ,C;QAAmB,OAAO,I;MAC1B,IAAI,CAAC,UAAL,C;QAAiB,OAAO,K;  
MAExB,gBAaQb,cAAL,SAAK,C;MACrB,iBAaU,b,cAAN,KAAM,C;MAEHb,yBAaA,U;MAAb,U;QAA2B,OFr  
MyB,oBEqMzB,SFrMyB,CAAY,cAfrB,YAAY,CAAZ,CEoNhB,KFrMyB,oBEqMI,UFrMJ,CAAY,cAfrB,YAAY,  
CAAZ,C;OEOID,W;K;IAGJ,gC;MAGyC,QAAQ,cAAA,sCAAK,cAAL,EAAoB,sCAAK,cAAzB,CAAR,6B;K;Ik  
L3OzC,6C;MAC6B,4B;QAAA,eAAuB,G;MACHD,wCAAsB,EAAtB,EAA0B,YAA1B,C;K;IAEJ,mE;MAKwC,yB;  
QAAA,YAAoB,E;MAAI,4B;QAAA,eAAuB,G;MhMGnF,IAAI,CmBwR+C,CAAC,Q6K1R5C,Y7K0R4C,CnBxRp  
D,C;QACI,cgMHiC,wC;QhMIjC,MAAM,gCAAYB,OAAQ,WAAjC,C;OgMHV,cAAY,gB;MAEC,yBAAS,mBAA  
S,YAAA,SAAU,OAAV,EAAMB,OAAM,KAAzB,CAAT,I;MAAT,wBAaID,kBAaKB,SAaIB,C;MA0E9D,gBAA  
gB,iBA1ET,OA0ES,C;M1Lg7CT,kBAaOB,gB;MAoSd,gB;MADb,YAAY,C;MACC,00L9xDN,O1L8xDM,W;kB  
AAb,OAAa,cAAb,C;QAAa,sB;QA1RsB,U;QAAA,cA0RT,oBAAMb,cAAnB,EAAMb,sBAAnB,U;Q0L/sDIB,kB;;  
YAHA,CAAC,YAAS,CAAT,IAAc,qBAaf,KAA4C,Q1LktDG,I0LltDH,C;UAC5C,a;;UAEA,4B;UA9E+B,uB;;Y9  
KgHzB,kC;YAAA,wBZ6qDyC,IY7qDzC,C;YAAA,qB;YAAA,oB;YAAA,oB;YAAAd,gE;cACI,I8KjHkD,CAAI,aA  
AH,U9KiHrC,YZ4qDqC,IY5qDrC,YAAK,OAAL,E8KjHqC,CAAG,C9KiHtD,C;gBACI,sBAAO,O;gBAAP,wB;;Y  
AGR,sBAAO,E;;U8KrHH,iD;UAGI,gCAA2B,EAA3B,C;YAHJ,2BAGqC,I;IBACjC,IAAK,a1LyxD0C,I0LzxD1C,  
gBAAYB,uBAAZB,CAAL,C;YAJJ,2B1L6xDmD,IOjmDsB,WmLxLI,0BAaUC,mBAAvC,InLwLJ,C;;YmL5LzE,2  
BAKY,I;;UAYER,iE7LJD,yB6LIC,4B1L+sD+C,I;;QA1RpB,8B;UAA6C,6B;;M0LpgDhF,OAIkFK,S1Lo7CE,W0Lp  
7CF,EAAO,mBAAC,kBAAd,CAAP,EAA0C,IAA1C,CACA,W;K;IAvET,+B;MAeyC,gCAAC,EAAd,C;K;IAEzC,6  
C;MAGgC,yB;QAAA,YAAoB,E;MAM3C,Q;MALL,cAAY,gB;M1LurBL,kBAAS,gB;MA2FA,U;MAAA,S0LhxB  
M,O1LgxBN,W;MAAhB,OAAGB,gBAAhB,C;QAAGB,2B;QAAM,Ia3hB6B,CAAC,Qb2hBhB,Oa3hBgB,Cb2hB9  
B,C;UAAwB,WAAy,WAAI,OAaj,C;;M0L9wBrD,kB1L+wBE,W;MAMrBA,oBAAM,iBAaA,qCAAwB,EAAXB,  
CAAb,C;MAuEA,U;MAAA,+B;MAAb,OAAa,gBAAb,C;QAAa,wB;QACT,aAAY,uBAAC,IAAd,E;;M0L5gDhB,s  
BAASB,CAGjB,oB1L0gDE,a0L1gDF,CAHiB,mBAGf,C;MAEP,yBAAS,mBAAS,YAAA,SAAU,OAAV,EAAMb,  
OAAM,KAAzB,CAAT,I;MAAT,wBAaID,kBAaKB,SAaIB,C;MAMc9D,gBAAGB,iBanCT,OAmCS,C;M1Lg7C  
T,oBAaOB,gB;MAoSd,kB;MADb,YAAY,C;MACC,S0LvDN,O1LuvDM,W;MAAb,OAAa,gBAAb,C;QAAa,0B;  
QA1RsB,U;QAAA,cA0RT,oBAAMb,cAAnB,EAAMb,sBAAnB,U;Q0L/sDIB,kB;Q1Lq7C2B,c0Lx7C3B,CAAC,Y  
AAS,CAAT,IAAc,qBAaf,KAA4C,Q1LktDG,M0LltDH,C1Lw7CjB,G0Lv7C3B,I1Lu7C2B,G0Lr7C3B,oBAxCmG  
,Q1LuvDpD,M0LvDoD,kBAwCnG,Y7LJD,yB6LIC,4B1L+sD+C,MA1RpB,U;UAA6C,+B;;M0L79ChF,OA0CK,  
S1Lo7CE,a0Lp7CF,EAAO,mBAAC,kBAAd,CAAP,EAA0C,IAA1C,CACA,W;K;IAjCI,8C;MAAA,qB;QAEG,IAA



G,QAAH,EAAG,CAAH,C;UAEQ,IAAA,EAAG,OAAH,GAAY,cAAO,OAAhB,C;YAHZ,OAGyC,c;;YAHZC,OAI  
oB,E;;UAJpB,OAoy,iBAAS,E;O;K;IAfjC,0C;MAKgC,sB;QAAA,SAAiB,M;MAC7C,OAYK,eAXA,OADL,uBA  
CK,EAAI,4BAAJ,CAWA,EAAa,IAAb,C;K;IAET,gC;MAAwC,uB;;Q9KmDtB,gC;QAAA,gC;QAAA,mB;QAAA,  
kB;QAAA,kB;QAAd,0D;UACI,I8KpD+C,CAAI,aAAH,U9KoDIC,iCAAK,KAAL,E8KpDkC,CAAG,C9KoDnD,C;  
YACI,sBAAO,K;YAAP,wB;;QAGR,sBAAO,E;;;Mf3CA,4B;M6Lb6B,OAA8C,OAAM,EAAV,GAAC,gBAAAd,GA  
A0B,E;K;IAGpF,wC;MAAkB,W;K;IAC9B,oD;MAAA,uB;QAaKB,wBAAS,I;O;K;IAFvC,mC;MACI,IAAA,M7K  
kMgD,YAAU,C6KIM1D,C;QAD4C,OACxB,wB;;QADwB,OAEPc,kC;K;mBAGZ,yB;M1L86CA,+D;MAoSA,wE  
;M0LltDA,sF;QAKI,gBAAGB,2B;Q1Lg7CT,kBAAoB,gB;QAOsD,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,c  
AAb,C;UAAa,sB;UA1RsB,U;UAAA,cA0RT,oBAAMb,cAAhB,EAAmB,sBAAnB,U;U0L/sDIB,kB;U1Lq7C2B,c0  
Lx7C3B,CAAC,YAAS,CAAT,IAAc,qBAAf,KAA4C,Q1LktDG,I0LltDH,C1Lw7CjB,G0Lv7C3B,I1Lu7C2B,G0Lr  
7C3B,sC1L+sD+C,I0L/sD/C,a7LJD,yB6LIC,4B1L+sD+C,IA1RpB,U;YAA6C,6B;;Q0Lz7ChF,OAMK,S1Lo7CE,  
W0Lp7CF,EAAO,mBAAC,kBAAd,CAAP,EAA0C,IAA1C,CACA,W;O;KAbT,C;6EvEkSA,0B;MAGmE,OAAA,S  
AAK,gBAAO,GAAP,C;K;qFAExE,yB;MAAA,yD;MAAA,gC;QAO2B,gBAAhB,oB;QAAsB,atHrU7B,W;QsHqU  
A,OtHpUO,SsHoUqC,W;O;KAPhD,C;uFAUA,yB;MAAA,iE;MAAA,0C;QAQmC,gBAAXB,mBAAC,QAAd,C;QA  
A8B,atHhVrC,W;QsHgVA,OtH/UO,SsH+U6C,W;O;KARxD,C;IAWA,oC;MAIiB,Q;MAAb,wBAAa,KAAb,gB;Q  
AAa,WAAA,KAAb,M;QACI,yBAAO,IAAP,C;;MACJ,OAAO,S;K;IAGX,oC;MAIiB,Q;MAAb,wBAAa,KAAb,gB  
;QAAa,WAAA,KAAb,M;QACI,yBAAO,IAAP,C;;MACJ,OAAO,S;K;qFAGX,qB;MAG8D,gCAAO,EAAP,C;K;qF  
AE9D,4B;MAGkF,OAAA,yBAAO,KAAP,CALpB,gBAAO,EAAP,C;K;qFAO9D,4B;MAG4E,OAAA,yBAAO,KA  
AP,CAVd,gBAAO,EAAP,C;K;qFAY9D,4B;MAGyE,OAAA,yBAAO,KAAP,CAfX,gBAAO,EAAP,C;K;qFAiB9D  
,4B;MAG8E,OAAA,yBAAO,KAAP,CAPhB,gBAAO,EAAP,C;K;qFAsB9D,4B;MAGyE,OAAA,yBAAO,KAAP,  
CAzBX,gBAAO,EAAP,C;K;qFA2B9D,4B;MAG4E,OAAA,yBAAO,KAAP,CA9Bd,gBAAO,EAAP,C;K;I9H/a9D,  
iC;MAK0C,iCAAqB,EAARb,C;K;IAE1C,0C;MAQmB,Q;MAAA,qBAAL,SAAK,EAAY,KAAZ,C;MAAL,iB;QA  
A2B,OAAO,I;OAA5C,UAAU,I;MACV,IAAI,MAAM,sCAAK,UAAW,IAAwB,MAAM,sCAAK,UAAvC,C;QAAk  
D,OAAO,I;MACzD,OAAW,OAAJ,GAAL,C;K;IAGf,kC;MAK4C,kCAAsB,EAATb,C;K;IAE5C,2C;MAQmB,Q;M  
AAA,qBAAL,SAAK,EAAY,KAAZ,C;MAAL,iB;QAA2B,OAAO,I;OAA5C,UAAU,I;MACV,IAAI,MAAM,uCAA  
M,UAAZ,IAAYB,MAAM,uCAAM,UAAzC,C;QAAoD,OAAO,I;MAC3D,OAAW,QAAJ,GAAL,C;K;IAGf,gC;MA  
KwC,gCAAOB,EAAPb,C;K;IAExC,yC;MAQI,WAAW,KAAX,C;MAEA,aAAa,SAAK,O;MACIB,IAAI,WAAU,C  
AAd,C;QAAiB,OAAO,I;MAExB,S;MACA,c;MACA,S;MAEA,gBAAGB,qBAAK,CAAL,C;MACHb,IAAI,YAAY,  
EAAb,C;QACI,IAAI,WAAU,CAAd,C;UAAiB,OAAO,I;QAExB,QAAQ,C;QAER,IAAI,cAAa,EAAb,C;UACI,a  
AAa,I;UACb,QAAQ,W;eACL,IAAI,cAAa,EAAb,C;UACH,aAAa,K;UACb,QAAQ,W;;UAER,OAAO,I;;QAEX,Q  
AAQ,C;QACR,aAAa,K;QACb,QAAQ,W;;MAIZ,uBAAuB,S;MAEvB,qBAAQb,gB;MACrB,aAAa,C;MACb,aAA  
U,KAAY,MAAsB,MAATb,M;QACI,YAAY,QAAQ,qBAAK,CAAL,CAAR,EAAb,KAAb,C;QAEZ,IAAI,QAAQ  
,CAAZ,C;UAAe,OAAO,I;QACTb,IAAI,SAAS,cAAb,C;UACI,IAAI,mBAAkB,gBAATb,C;YACI,iBAAb,QA  
AAQ,KAAR,I;YAEjB,IAAI,SAAS,cAAb,C;cACI,OAAO,I;;YAGX,OAAO,I;;SAIf,6BAAU,KAAY,C;QAEA,IAAI,UAA  
S,QAAQ,KAAR,IAAT,CAAJ,C;UAA4B,OAAO,I;QAEnc,kBAAU,KAAY,I;;MAGJ,OAAW,UAAJ,GAAGB,MA  
AhB,GAA4B,CAAC,MAAD,I;K;IAGvC,iC;MAK0C,iCAAqB,EAARb,C;K;IAE1C,0C;MAQI,WAAW,KAAX,C;  
MAEA,aAAa,SAAK,O;MACIB,IAAI,WAAU,CAAd,C;QAAiB,OAAO,I;MAExB,S;MACA,c;MACA,S;MAEA,gB  
AAAGB,qBAAK,CAAL,C;MACHb,IAAI,YAAY,EAAb,C;QACI,IAAI,WAAU,CAAd,C;UAAiB,OAAO,I;QAExB,  
QAAQ,C;QAER,IAAI,cAAa,EAAb,C;UACI,aAAa,I;UACb,gC;eACG,IAAI,cAAa,EAAb,C;UACH,aAAa,K;UA  
Cb,6B;;UAEA,OAAO,I;;QAEX,QAAQ,C;QACR,aAAa,K;QACb,6B;;MAIJ,2C;MAEA,qBAAQb,gB;MACrB,e;M  
ACA,aAAU,KAAY,MAAsB,MAATb,M;QACI,YAAY,QAAQ,qBAAK,CAAL,CAAR,EAAb,KAAb,C;QAEZ,IA  
AI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACTb,IAAI,uBAAS,cAAT,KAJ,C;UACI,IAAI,uBAAkB,gBAAlB,CAAJ,  
C;YACI,iBAAb,8BAAQ,KAAR,E;YAEjB,IAAI,uBAAS,cAAT,KAJ,C;cACI,OAAO,I;;YAGX,OAAO,I;;SAIf,6  
CAAU,KAAY,E;QAEA,IAAI,uBAAS,8BAAQ,KAAR,EAAT,KAJ,C;UAA4B,OAAO,I;QAEnc,6CAAU,KAAY,  
E;;MAGJ,OAAW,UAAJ,GAAGB,MAAhB,GAA6B,MAAD,a;K;IAIvC,kC;MAAyD,MAAM,0BAAsB,6BAA0B,K  
AA1B,MAATb,C;K;uEwBhI/D,yB;MAAA,oC;MAAA,uC;QAIi,iBAAb,C;QACjB,eAAe,mBAAS,CAAT,I;QACf,  
iBAAb,K;QAEjB,OAAO,cAAc,QAARb,C;UACI,YAAGB,CAAC,UAAAL,GAAb,UAAjB,GAAiC,Q;UAC7C,YA  
AY,UAAU,iCAAK,KAAL,EAAY,C;UAEZ,IAAI,CAAC,UAAAL,C;YACI,IAAI,CAAC,KAAL,C;cACI,aAAa,I;;cA

Eb,0BAAc,CAAd,I;;YAEJ,IAAI,CAAC,KAAL,C;cACI,K;;cAEA,sBAAY,CAAZ,I;;;QAIZ,OAAO,8BAAY,UAAZ  
,EAAwB,WAAW,CAAX,IAAxB,C;O;KAZBX,C;yEA4BA,yB;MAAA,8B;MA5BA,oC;MA4BA,uC;QAIK,Q;QAA  
sB,kBAAtB,2D;QA5BD,iBAAiB,C;QACjB,eAAe,qBAAS,CAAT,I;QACf,iBAAiB,K;QAEjB,OAAO,cAAc,QAAr  
B,C;UACI,YAAgB,CAAC,UAAAL,GAAiB,UAAjB,GAAiC,Q;UAC7C,YAsBwB,SAtBZ,CAAU,mCAAK,KAAL,E  
AAV,C;UAEZ,IAAI,CAAC,UAAAL,C;YACI,IAAI,CAAC,KAAL,C;cACI,aAAa,I;;cAEb,0BAAc,CAAd,I;;YAEJ,I  
AAI,CAAC,KAAL,C;cACI,K;;cAEA,sBAAY,CAAZ,I;;;QAWZ,OAPO,gCAAY,UAAZ,EAAwB,WAAW,CAAX,I  
AAxB,CAOGC,W;O;KAJ3C,C;iFAMA,yB;MAAA,mD;MAAA,oC;MAAA,uC;QAIuB,UAAAL,MAAK,EAAL,MA  
AK,EAAL,M;QAAK,mBAAL,SAAK,C;QAAL,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,IAAI,CAAC,UAAU,i  
CAAK,KAAL,EAAV,CAAL,C;YACI,OAAO,8BAAY,KAAZ,EAAmB,gBAAnB,C;QAEf,OAAO,E;O;KARX,C;m  
FAWA,yB;MAAA,8B;MAXA,mD;MAAA,oC;MAWA,uC;QAIK,Q;QAAsB,kBAAtB,2D;QAAsB,oB;;UAXJ,kC;  
UAAA,qBAAL,WAAK,C;UAAAL,qB;UAAA,oB;UAAA,oB;UAAAd,0D;YACI,IAAI,CAUyB,SAVxB,CAAU,mCA  
AK,KAAL,EAAV,CAAL,C;cACI,mBAAO,gCAAY,KAAZ,EAAmB,kBAAnB,C;cAAP,qB;aAER,mBAAO,E;;;Q  
AOP,OAA4C,2B;O;KAJhD,C;6EAMA,yB;MAAA,mD;MAAA,+C;MAAA,oC;MAAA,uC;QAIkB,Q;QAAA,OAA  
a,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAAd,C;UAAc,uB;UACV,IAAI,CAAC,UAAU,iCAAK,K  
AAL,EAAV,CAAL,C;YACI,OAAO,8BAAY,CAAZ,EAAe,QAAQ,CAAR,IAAf,C;;QAEf,OAAO,E;O;KARX,C;+  
EAWA,yB;MAAA,8B;MAXA,mD;MAAA,+C;MAAA,oC;MAWA,uC;QAIK,Q;QAAsB,kBAAtB,2D;QAAsB,kB;;  
UAXT,U;UAAA,SAAa,SAAR,YAAL,WAAK,CAAQ,CAAb,W;UAAAd,OAAc,gBAAd,C;YAAc,yB;YACV,IAAI,  
CAUuB,SAVtB,CAAU,mCAAK,KAAL,EAAV,CAAL,C;cACI,iBAAO,gCAAY,CAAZ,EAAe,QAAQ,CAAR,IAA  
f,C;cAAP,mB;;UAER,iBAAO,E;;;QAOP,OAA0C,yB;O;KAJ9C,C;IAMA,kC;MAhEI,iBAAiB,C;MACjB,eAAe,m  
BAAS,CAAT,I;MACf,iBAAiB,K;MAEjB,OAAO,cAAc,QAArB,C;QACI,YAAgB,CAAC,UAAAL,GAAiB,UAAjB,  
GAAiC,Q;QAC7C,YA6DgE,4BA7D1C,iCAAK,KAAL,EA6D0C,E;QA3DhE,IAAI,CAAC,UAAAL,C;UACI,IAAI,  
CAAC,KAAL,C;YACI,aAAa,I;;YAEb,0BAAc,CAAd,I;;UAEJ,IAAI,CAAC,KAAL,C;YACI,K;;YAEA,sBAAY,C  
AAZ,I;;;MAkDiD,OA9CtD,8BAAY,UAAZ,EAAwB,WAAW,CAAX,IAAxB,C;K;IAgDX,kC;MAzCK,Q;MAAsB,  
kBAAtB,2D;MA5BD,iBAAiB,C;MACjB,eAAe,qBAAS,CAAT,I;MACf,iBAAiB,K;MAEjB,OAAO,cAAc,QAArB,  
C;QACI,YAAgB,CAAC,UAAAL,GAAiB,UAAjB,GAAiC,Q;QAC7C,YAkEoD,4BAIE9B,mCAAK,KAAL,EAKe8B  
,E;QAHEpD,IAAI,CAAC,UAAAL,C;UACI,IAAI,CAAC,KAAL,C;YACI,aAAa,I;;YAEb,0BAAc,CAAd,I;;UAEJ,IA  
AI,CAAC,KAAL,C;YACI,K;;YAEA,sBAAY,CAAZ,I;;;MAuDqC,OAnD1C,gCAAY,UAAZ,EAAwB,WAAW,CA  
AX,IAAxB,CAOGC,W;K;IA8C3C,uC;MAGsE,oB;;QA3C/C,gC;QAAA,gC;QAAL,mB;QAAA,kB;QAAA,kB;QA  
Ad,0D;UACI,IAAI,CA0CsE,4BA1C3D,iCAAK,KAAL,EA0C2D,EA1C1E,C;YACI,mBAAO,8BAAY,KAAZ,EAA  
mB,gBAAnB,C;YAAP,qB;;QAER,mBAAO,E;;;MAuC2D,uB;K;IAEtE,uC;MAICK,Q;MAAsB,kBAAtB,2D;MAAs  
B,oB;;QAXJ,kC;QAAA,wBAAL,WAAK,C;QAAL,qB;QAAA,oB;QAAA,oB;QAAd,0D;UACI,IAAI,CA+C0D,4B  
A/C/C,mCAAK,KAAL,EA+C+C,EA/C9D,C;YACI,mBAAO,gCAAY,KAAZ,EAAmB,kBAAnB,C;YAAP,qB;;QA  
ER,mBAAO,E;;;MA4C+C,OArCV,2B;K;IAuChD,qC;MAGoE,kB;;QApCID,Q;QAAA,OAAa,WAAR,yBAAQ,CA  
Ab,W;QAAd,OAAc,cAAAd,C;UAAc,uB;UACV,IAAI,CAMcKE,4BAnCvD,iCAAK,KAAL,EAmCuD,EAnCtE,C;Y  
ACI,iBAAO,8BAAY,CAAZ,EAAe,QAAQ,CAAR,IAAf,C;YAAP,mB;;QAER,iBAAO,E;;;MAGCyD,qB;K;IAEpE,  
qC;MA3BK,Q;MAAsB,kBAAtB,2D;MAAsB,kB;;QAXT,U;QAAA,SAAa,WAAR,eAAL,WAAK,CAAQ,CAAb,W  
;QAAd,OAAc,gBAAd,C;UAAc,yB;UACV,IAAI,CAwCsD,4BAxC3C,mCAAK,KAAL,EAwC2C,EAxC1D,C;YAC  
I,iBAAO,gCAAY,CAAZ,EAAe,QAAQ,CAAR,IAAf,C;YAAP,mB;;QAER,iBAAO,E;;;MAqC6C,OA9BV,yB;K;IA  
gC9C,2B;MA9FI,iBAAiB,C;MACjB,eAAe,mBAAS,CAAT,I;MACf,iBAAiB,K;MAEjB,OAAO,cAAc,QAArB,C;  
QACI,YAAgB,CAAC,UAAAL,GAAiB,UAAjB,GAAiC,Q;QAC7C,mCAAsB,iCAAK,KAAL,EAAtB,E;QAEA,IAA  
I,CAAC,UAAAL,C;UACI,IAAI,CAAC,KAAL,C;YACI,aAAa,I;;YAEb,0BAAc,CAAd,I;;UAEJ,IAAI,CAAC,KAAL,  
C;YACI,K;;YAEA,sBAAY,CAAZ,I;;;MAGf+B,OA5EpC,8BAAY,UAAZ,EAAwB,WAAW,CAAX,IAAxB,C;K;y  
EA8EX,yB;MAAA,8B;MAAA,qC;MAAA,4B;QAI2C,Q;QAAD,OAAuB,KAAtB,2DAAsB,CAAO,W;O;KAJxE,C  
;IAMA,gC;MAGoD,oB;;QA1E7B,gC;QAAA,gC;QAAL,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,IAAI,wBAA  
W,iCAAK,KAAL,EAAX,EAJ,C;YACI,mBAAO,8BAAY,KAAZ,EAAmB,gBAAnB,C;YAAP,qB;;QAER,mBAA  
O,E;;;MASEyC,uB;K;mFAEpD,yB;MAAA,8B;MAAA,+C;MAAA,4B;QAIgD,Q;QAAD,OAAuB,UAAAtB,2DAAs  
B,CAAY,W;O;KAJIF,C;IAMA,8B;MAGkD,kB;;QApEhC,Q;QAAA,OAAa,WAAR,yBAAQ,CAAb,W;QAAd,OA  
Ac,cAAAd,C;UAAc,uB;UACV,IAAI,wBAAW,iCAAK,KAAL,EAAX,EAJ,C;YACI,iBAAO,8BAAY,CAAZ,EAA

e,QAAQ,CAAR,IAAf,C;YAAP,mB;;QAER,iBAAO,E;;;MAGeUC,qB;K;+EAEID,yB;MAAA,8B;MAAA,2C;MAA  
A,4B;QAI8C,Q;QAAD,OAAuB,QAAtB,2DAAsB,CAAU,W;O;KAJ9E,C;IAMA,8C;MAU8C,uB;QAAA,UAAgB,  
E;MAO5C,Q;MANd,IAAI,SAAS,CAAb,C;QACI,MAAM,gCAAyB,oBAAiB,MAAjB,wBAAzB,C;MACV,IAAI,U  
AAU,SAAK,OAAAnB,C;QACI,OAAy,mBAAL,SAAK,EAAY,CAAZ,EA Ae,SAAK,OAApB,C;MAEhB,SAAS,mB  
AAc,MAAd,C;MACK,gBAAS,SAAK,OAAAd,I;MAAd,aAAU,CAAV,iB;QACI,EAAG,gBAAO,OAAp,C;MACP,E  
AAG,gBAAO,SAAP,C;MACH,OAAO,E;K;IAGX,gD;MASwC,uB;QAAA,UAAgB,E;MACnD,Q;MAAD,OAAuB,  
SAAiB,6DAAsB,EAAS,MAAT,EAAiB,OAAjB,CAA0B,W;K;IAErD,4C;MAU4C,uB;QAAA,UAAgB,E;MAQ1C,  
Q;MAPd,IAAI,SAAS,CAAb,C;QACI,MAAM,gCAAyB,oBAAiB,MAAjB,wBAAzB,C;MACV,IAAI,UAAU,SA  
K,OAAAnB,C;QACI,OAAy,mBAAL,SAAK,EAAY,CAAZ,EA Ae,SAAK,OAApB,C;MAEhB,SAAS,mBAAC,MAA  
d,C;MACT,EAAG,gBAAO,SAAP,C;MACW,gBAAS,SAAK,OAAAd,I;MAAd,aAAU,CAAV,iB;QACI,EAAG,gBA  
AO,OAAp,C;MACP,OAAO,E;K;IAGX,8C;MASsC,uB;QAAA,UAAgB,E;MACjD,Q;MAAD,OAAuB,OAAtB,6D  
AAsB,EA AO,MAAP,EA Ae,OA Af,CAAwB,W;K;2FAEnD,qB;MAWI,OAAO,qBAAGB,SAAK,OAAL,KAAe,C;K  
;+EAG1C,qB;MAMoD,4BAAU,C;K;sFAE9D,qB;MAMuD,0BAAS,C;K;mFAMhE,yB;MAAA,2C;MAAA,4B;QA  
MuD,QAAC,kB;O;KANxD,C;yFAQA,yB;MAAA,2C;MAAA,4B;QAWI,OAAO,qBAAqB,QAAL,SAAK,C;O;KA  
XhC,C;IAiB4D,+C;MAAA,kC;MAAS,uB;MACjE,eAAoB,C;K;gDAEpB,Y;MAA2C,gB;MAAA,iE;MAAJ,4C;K;+  
CAEvC,Y;MAAyC,sBAAQ,yB;K;;IARrD,+B;MAG4D,4C;K;+EAQ5D,qB;MAE8C,uCAAQ,E;K;+EAETd,mC;M  
ASI,OA5DgD,qBAAU,CA4D1D,GAAe,cAAf,GAAMC,S;K;6EAEvC,yB;MAAA,2C;MAAA,0C;QASI,OAAI,kBA  
AJ,GAAe,cAAf,GAAMC,S;O;KATvC,C;IAeI,mC;MAAQ,uBAAG,mBAAS,CAAT,IAAH,C;K;IAMR,qC;MAAQ,  
OAAA,SAAK,OAAL,GAAc,CAAd,I;K;IAEZ,8C;MAIuB,Q;MAAA,0BAAS,CAAT,I;MAAnB,OAAgB,CAAT,8B  
ACgB,gBAAZ,qBAAK,KAAL,CAAY,CADhB,IAEoB,eAAhB,qBAAK,QAAQ,CAAR,IAAL,CAAgB,C;K;IAG/B,  
uC;MAGuD,ONpKyC,oBMoK/B,KAAM,MNpKyB,EMoKIB,KAAM,aAAN,GAAqB,CAArB,INpKkB,C;K;IMsK  
hG,yC;MAGqE,qCAAY,KAAM,MAAIB,EAAYB,KAAM,aAAN,GAAqB,CAArB,IAAZB,C;K;uFAErE,iC;MAS2E  
,2BAAy,KAAZ,EAAMB,GAAnB,C;K;mFAE3E,2C;MAOOD,wB;QAAA,WAAgB,gB;MAAkB,OAAA,8BAAy,U  
AAZ,EA AwB,QA AxB,CA AkC,W;K;IAE9H,uC;MAG6D,OAAA,8BAAy,KAAM,MAAIB,EAAYB,KAAM,aAAN  
,GAAqB,CAArB,IAAZB,CAAiD,W;K;IAE9G,sE;MAImD,qC;QAAA,wBAAGC,S;MAC/E,YAAY,sBAAQ,SAAR,  
C;MACZ,OAAW,UAAS,EAAPB,GAAwB,qBAAxB,GN1M4F,oBM0M/B,CN1M+B,EM0M5B,KN1M4B,C;K;IM  
6MhG,wE;MAIqD,qC;QAAA,wBAAGC,S;MACjF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAAPB,GAA  
wB,qBAAxB,GNnN4F,oBMmN/B,CNnN+B,EMmN5B,KNnN4B,C;K;IMsNhG,qE;MAIkD,qC;QAAA,wBAAGC,  
S;MAC9E,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAAPB,GAAwB,qBAAxB,GN5N4F,oBM4N/B,QAA  
Q,CAAR,IN5N+B,EM4NpB,gBN5NoB,C;K;IM+NhG,uE;MAIoD,qC;QAAA,wBAAGC,S;MACHF,YAAY,sBAAQ  
,SAAR,C;MACZ,OAAW,UAAS,EAAPB,GAAwB,qBAAxB,GNrO4F,oBMqO/B,QAAQ,SAAU,OAAIB,INrO+B,  
EMqOL,gBNrOK,C;K;IMwOhG,0E;MAIuD,qC;QAAA,wBAAGC,S;MACnF,YAAY,0BAAy,SAAZ,C;MACZ,OA  
AW,UAAS,EAAPB,GAAwB,qBAAxB,GN9O4F,oBM8O/B,CN9O+B,EM8O5B,KN9O4B,C;K;IMiPhG,4E;MAIy  
D,qC;QAAA,wBAAGC,S;MACrF,YAAY,0BAAy,SAAZ,C;MACZ,OAAW,UAAS,EAAPB,GAAwB,qBAAxB,G  
NvP4F,oBMuP/B,CNvP+B,EMuP5B,KNvP4B,C;K;IM0PhG,yE;MAIsD,qC;QAAA,wBAAGC,S;MACIF,YAAY,0  
BAAy,SAAZ,C;MACZ,OAAW,UAAS,EAAPB,GAAwB,qBAAxB,GNhQ4F,oBMgQ/B,QAAQ,CAAR,INhQ+B,E  
MgQpB,gBNhQoB,C;K;IMmQhG,2E;MAIwD,qC;QAAA,wBAAGC,S;MACpF,YAAY,0BAAy,SAAZ,C;MACZ,  
OAAW,UAAS,EAAPB,GAAwB,qBAAxB,GNzQ4F,oBMyQ/B,QAAQ,SAAU,OAAIB,INzQ+B,EMyQL,gBNzQK  
,C;K;IM4QhG,oE;MAOI,IAAI,WAAW,UAAf,C;QACI,MAAM,8BAA0B,gBAAa,QAAb,oCAAKD,UAAID,OAAI  
B,C;MACV,SAAS,sB;MACT,EAAG,qBAAY,SAAZ,EAakB,CAAIB,EAAqB,UAArB,C;MACH,EAAG,gBAAO,  
WAAP,C;MACH,EAAG,qBAAY,SAAZ,EAakB,QAAlB,EAA4B,gBAA5B,C;MACH,OAAO,E;K;yFAGX,yB;M  
AAA,8B;MAAA,qD;MAAA,+D;QAOK,Q;QAAD,OAAuB,aAAtB,2DAAsB,EA Aa,UAAb,EAAYB,QA AzB,EA  
mC,WAAnc,CAAgD,W;O;KAP3E,C;IASA,uD;MAOI,+BAAa,KAAM,MAAnB,EAA0B,KAAM,aAAN,GAAqB,  
CAArB,IAA1B,EAakD,WAAID,C;K;yFAEJ,yB;MAAA,8B;MAAA,qD;MAAA,gD;QAOK,Q;QAAD,OAAuB,aA  
AtB,2DAAsB,EA Aa,KAAb,EAAoB,WAApB,CAAiC,W;O;KAP5D,C;IASA,sD;MASI,IAAI,WAAW,UAAf,C;QA  
CI,MAAM,8BAA0B,gBAAa,QAAb,oCAAKD,UAAID,OAA1B,C;MAEV,IAAI,aAAY,UAAhB,C;QACI,OAAy,m  
BAAL,SAAK,EAAY,CAAZ,EA Ae,gBA Af,C;MAEhB,SAAS,mBAAC,oBAAU,QA AV,GAAqB,UAArB,KAAd,C;  
MACT,EAAG,qBAAY,SAAZ,EAakB,CAAIB,EAAqB,UAArB,C;MACH,EAAG,qBAAY,SAAZ,EAakB,QAAlB,

EAA4B,gBAA5B,C;MACH,OAAO,E;K;uFAGX,yB;MAAA,8B;MAAA,mD;MAAA,kD;QASK,Q;QAAD,OAAuB ,YAAtB,2DAAsB,EAAY,UAAZ,EAawB,QAAxB,CAAkC,W;O;KAT7D,C;IAWA,yC;MAKqE,8BAAY,KAAM, MAAIB,EAAYB,KAAM,aAN,GAAqB,CAArB,IAAZB,C;K;uFAErE,yB;MAAA,8B;MAAA,mD;MAAA,mC;QA OK,Q;QAAD,OAAuB,YAAtB,2DAAsB,EAAY,KAAY,CAAmB,W;O;KAP9C,C;IASA,yC;MAKI,IAAI,wBAAW, MAAX,CAAJ,C;QACI,OAAO,8BAAY,MAAO,OAAuB,EAA2B,gBAA3B,C;OAEX,OAAO,8BAAY,CAAZ,EAA e,gBAAf,C;K;IAGX,2C;MAKI,IAAI,wBAAW,MAAX,CAAJ,C;QACI,ON3XyE,oBM2XxD,MAAO,ON3XiD,C;O M6X7E,OAAO,S;K;IAGX,yC;MAKI,IAAI,sBAAS,MAAT,CAAJ,C;QACI,OAAO,8BAAY,CAAZ,EAAe,mBAAS ,MAAO,OAAhB,IAAf,C;OAEX,OAAO,8BAAY,CAAZ,EAAe,gBAAf,C;K;IAGX,2C;MAKI,IAAI,sBAAS,MAAT ,CAAJ,C;QACI,ON9YwF,oBM8YvE,CN9YuE,EM8YpE,mBAAS,MAAO,OAAhB,IN9YoE,C;OMgZ5F,OAAO,S; K;IAGX,sD;MAMI,IAAK,qBAAU,MAAO,OAAp,GAAgB,MAAO,OAAvB,IAAV,CAAD,IAA6C,wBAAW,MAA X,CAA7C,IAAmE,sBAAS,MAAT,CAAvE,C;QACI,OAAO,8BAAY,MAAO,OAAuB,EAA2B,mBAAS,MAAO,O AAhB,IAA3B,C;OAEX,OAAO,8BAAY,CAAZ,EAAe,gBAAf,C;K;IAGX,wD;MAMI,IAAK,qBAAU,MAAO,OA AP,GAAgB,MAAO,OAAvB,IAAV,CAAD,IAA6C,wBAAW,MAAX,CAA7C,IAAmE,sBAAS,MAAT,CAAvE,C; QACI,ONtawF,oBMsavE,MAAO,ONtagE,EMsaxD,mBAAS,MAAO,OAAhB,INtawD,C;OMwa5F,OAAO,S;K;IA GX,mD;MAKmf,oCAAKB,SAAIB,EAA6B,SAA7B,C;K;IAEnF,mD;MAKuE,sCAAKB,SAAIB,EAA6B,SAA7B,C ;K;IAEvE,iF;MAIsE,qC;QAAA,wBAAGC,S;MACIG,YAAy,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EA Ab,C;QAAA,OAAiB,qB;;QA5JvB,U;QA4JM,OA5JgB,aAAtB,+DAAsB,EA4JyC,CA5JzC,EA4J4C,KA5J5C,EA4J mD,WA5JnD,CAAgD,W;;MA4JvE,W;K;IAGJ,mF;MAIwE,qC;QAAA,wBAAGC,S;MACpG,YAAy,sBAAQ,SAA R,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QArKvB,U;QAqKM,OArKgB,aAAtB,+DAAsB, EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,gF;MAIqE,qC;QAA A,wBAAGC,S;MACjG,YAAy,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA A2B,iBAaA,QAAQ,CAAR,I;QAAb,eAAwB,gB;QA9K1E,U;QA8KM,OA9KgB,aAAtB,+DAAsB,EAAa,UAAb,E AAYB,QAAzB,EA8K4D,WA9K5D,CAAgD,W;;MA8KvE,W;K;IAGJ,kF;MAIuE,qC;QAAA,wBAAGC,S;MACnG, YAAy,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAA2B,iBAaA,QAAQ,SA AU,OAAIB,I;QAAb,eAAuC,gB;QAvLzF,U;QAuLM,OAvLgB,aAAtB,+DAAsB,EAAa,UAAb,EAAYB,QAAzB,E AuL2E,WAvL3E,CAAgD,W;;MAuLvE,W;K;IAGJ,oF;MAI2E,qC;QAAA,wBAAGC,S;MACvG,YAAy,0BAAY,S AAZ,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAA2B,iBAaA,QAAQ,SAAU,OAAIB,I;QA Ab,eAAuC,gB;QAhMzF,U;QAgMM,OAhMgB,aAAtB,+DAAsB,EAAa,UAAb,EAAYB,QAAzB,EAgm2E,WAhM 3E,CAAgD,W;;MAgMvE,W;K;IAGJ,sF;MAIyE,qC;QAAA,wBAAGC,S;MACrG,YAAy,0BAAY,SAAZ,C;MACL ,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAA2B,iBAaA,QAAQ,CAAR,I;QAAb,eAAwB,gB;QAZM1 E,U;QAYMM,OAzMgB,aAAtB,+DAAsB,EAAa,UAAb,EAAYB,QAAzB,EAyM4D,WzM5D,CAAgD,W;;MAYM vE,W;K;IAGJ,qF;MAI0E,qC;QAAA,wBAAGC,S;MACtG,YAAy,0BAAY,SAAZ,C;MACL,Q;MAAA,IAAI,UAA S,EAAb,C;QAAA,OAAiB,qB;;QAINvB,U;QAKNM,OAINgB,aAAtB,+DAAsB,EAKNyC,CAINzC,EAKN4C,KAIN 5C,EAKNmD,WAINnD,CAAgD,W;;MAkNvE,W;K;IAGJ,uF;MAI4E,qC;QAAA,wBAAGC,S;MACxG,YAAy,0B AAY,SAAZ,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA3NvB,U;QA2NM,OA3NgB,aAAtB ,+DAAsB,EA2NyC,CA3NzC,EA2N4C,KA3N5C,EA2NmD,WA3NnD,CAAgD,W;;MA2NvE,W;K;+EAOJ,yC;MA QoF,OAAA,KAAM,iBAAQ,SAAR,EAAC,WAAd,C;K;+EAE1F,uC;MAOI,OAAA,KAAM,iBAAQ,SAAR,EAAC,S AAd,C;K;yFAEV,yC;MAMyF,OAAA,KAAM,sBAaA,SAAb,EAAMB,WAAAnB,C;K;+FAE/F,yB;MAAA,oC;MAA A,gC;MAAA,uC;QAEW,Q;QAAA,IApe4C,mBAAS,CAoerD,C;uBAAkB,oBAAU,iCAAK,CAAL,EAAY,E;UAA A,YNljBoD,oBMkjBrB,CNljBqB,C;UMkjBtE,OLrjBwD,2BAAL,GAakB,K;;UKqjBrE,OAAyD,S;QAAhE,W;O;K AfJ,C;iGakBA,yB;MAAA,oC;MAAA,uC;QAEI,OatfmD,mBAAS,CAsf5D,GAAyB,UAAU,iCAAK,CAAL,EAA V,CAAmB,WAAAnB,GNpkBoD,oBMokBV,CNpkBU,CMokB7E,GAA2E,S;O;Kaf/E,C;+EAmBA,4B;MAIsE,OA AA,KAAM,iBAAQ,SAAR,C;K;IAE5E,0F;MAKI,IAAK,cAAc,CAAF,IAASB,aAAa,CAAnC,IAA0C,cAAa,SAAK, OAAL,GAAc,MAAd,IAAb,CAA1C,IAAiF,eAAc,KAAM,OAAN,GAAe,MAAf,IAAd,CAArF,C;QACI,OAAO,K; OAGX,iBAAC,CAAd,UAAsB,MAAtB,U;QACI,IAAI,CAA0B,SAAZB,qBAAK,aAAa,KAAb,IAAL,CAAYB,EAA O,iBAAM,cAAc,KAAd,IAAN,CAAP,EAAMC,UAAAnC,CAA9B,C;UACI,OAAO,K;;MAEf,OAAO,I;K;IAGX,mD; MAG+C,0B;QAAA,aAAsB,K;MACjE,OAAA,SAAK,OAAL,GAAc,CAAd,IAA2B,SAAR,qBAAK,CAAL,CAAQ, EAAO,IAAP,EAAa,UAAb,C;K;IAE/B,iD;MAG6C,0B;QAAA,aAAsB,K;MAC/D,OAAA,SAAK,OAAL,GAAc,C

AAd,IAAmC,SAAhB,qBAAK,2BAAL,CAAgB,EAAO,IAAP,EAAa,UAAb,C;K;IAEvC,qD;MAGyD,0B;QAAA,aAAsB,K;MAC3E,IAAI,CAAC,UAAD,IAAe,6BAAf,IAAiC,0BAArC,C;QACI,OAAy,WAAL,SAAK,EAAW,MAX,C;;QAEZ,OAAO,6BAAkB,CAAIB,EAAqB,MAArB,EAA6B,CAA7B,EAAGC,MAAO,OAAvC,EAA+C,UAA/C,C;K;IAGf,iE;MAG0E,0B;QAAA,aAAsB,K;MAC5F,IAAI,CAAC,UAAD,IAAe,6BAAf,IAAiC,0BAArC,C;QACI,OAAy,aAAL,SAAK,EAAW,MAAX,EAAmB,UAAAnB,C;;QAEZ,OAAO,6BAAkB,UAAIB,EAA8B,MAA9B,EAA5C,CAATC,EAAyC,MAAO,OAAhD,EAAwD,UAAxD,C;K;IAGf,mD;MAGuD,0B;QAAA,aAAsB,K;MACzE,IAAI,CAAC,UAAD,IAAe,6BAAf,IAAiC,0BAArC,C;QACI,OAAy,SAAL,SAAK,EAAS,MAAT,C;;QAEZ,OAAO,6BAAkB,mBAAS,MAAO,OAAhB,IAAIB,EAA0C,MAA1C,EAAkD,CAAID,EAAqD,MAAO,OAA5D,EAAoE,UAApE,C;K;IAMf,wD;MAQ8D,0B;QAAA,aAAsB,K;MACHf,qBfjnBO,MAAO,KeinBa,SAAK,OfjnBIB,EinB0B,KAAAM,OfjnBhC,C;MemnBd,QAAQ,C;MACR,OAAO,IAAI,cAAJ,IAA8B,SAAR,qBAAK,CAAL,CAAQ,EAAO,iBAAM,CAAN,CAAP,EAA8B,UAA9B,CAArC,C;QACI,a;;MAEJ,IAAS,mBAAL,SAAK,EAAmB,IAAI,CAAJ,IAAnB,CAAL,IAAwC,mBAAN,KAAM,EAAmB,IAAI,CAAJ,IAAnB,CAA5C,C;QACI,a;OAEJ,OAAO,8BAAY,CAAZ,EAAe,CAAf,CAAkB,W;K;IAG7B,wD;MAQ8D,0B;QAAA,aAAsB,K;MACHf,iBAAiB,SAAK,O;MACtB,kBAAkB,KAAM,O;MACxB,qBfxoBO,MAAO,KewoBa,UfxoBb,EewoByB,WfxoBzB,C;Me0oBd,QAAQ,C;MACR,OAAO,IAAI,cAAJ,IAA+C,SAAzB,qBAAK,aAAa,CAAb,GAAiB,CAAjB,IAAL,CAAyB,EAAO,iBAAM,cAAc,CAAd,GAAkB,CAAIB,IAAN,CAAP,EAAgD,UAAhD,CAAtD,C;QACI,a;;MAEJ,IAAS,mBAAL,SAAK,EAAmB,aAAa,CAAb,GAAiB,CAAjB,IAAnB,CAAL,IAAqD,mBAAN,KAAM,EAAmB,cAAc,CAAd,GAAkB,CAAIB,IAAnB,CAAzD,C;QACI,a;OAEJ,OAAO,8BAAY,aAAa,CAAb,IAAZ,EAA4B,UAA5B,CAAwC,W;K;IAMnD,8D;MAQqD,0B;QAAA,aAakB,C;MAAG,0B;QAAA,aAAsB,K;MAMnE,UAAkB,M;MAL3C,IAAI,CAAC,UAAD,IAAe,KAAAM,OAAAN,KAAc,CAA7B,IAAkC,6BAAtC,C;QACI,WAAiB,SAAN,KAAM,C;QACjB,ONjtBwF,kB6G3ME,oBvG45BrE,IuG55BqE,C7G2MF,EMitB7D,UNjtB6D,C;OMotBnE,uBAAX,UAAW,EAAc,CAAd,C;MAAkB,oC;kBAA3C,gD;QACI,kBAAkB,qBAAI,KAAJ,C;QACR,c;;UjCikXE,U;UAAhB,4BiCjkXQ,KjCikXR,kB;YAAgB,cAAhB,UiCjkXQ,KjCikXR,S;YAAAsB,IiCjkXC,SAAH,UjCikXgB,oBiCjkXhB,CAAG,0BjCikXD,C;cAAwB,aAAO,I;cAAP,e;;UAC9C,aAAO,K;;QiClkXH,e;UACI,OAAO,K;;MAEf,OAAO,E;K;IAGX,KE;MASyD,0B;QAAA,aAakB,2B;MAAW,0B;QAAA,aAAsB,K;MACxG,IAAI,CAAC,UAAD,IAAe,KAAM,OAAAN,KAAc,CAA7B,IAAkC,6BAAtC,C;QACI,WAAiB,SAAN,KAAM,C;QACjB,ONruB4F,sB6G3MM,oBvGg7BzE,IuGh7ByE,C7G2MN,EMquB7D,U NruB6D,C;mBMyuBhG,iBAAYB,eAAX,UAAW,EAAa,2BAAb,CAAzB,WAAwD,CAAxD,U;QACI,kBAAkB,qBAAI,KAAJ,C;QACR,c;;UjCyIXE,Q;UAAhB,wBiCziXQ,KjCyIXR,gB;YAAgB,cAAhB,UiCziXQ,KjCyIXR,O;YAAAsB,IiCziXC,SAAH,UjCyIXgB,oBiCziXhB,CAAG,0BjCyIXD,C;cAAwB,aAAO,I;cAAP,e;;UAC9C,aAAO,K;;QiC1iXH,e;UACI,OAAO,K;;MAGf,OAAO,E;K;IAIX,8E;MAA2G,oB;QAAA,OAAgB,K;MAOrG,UAKA,M;MAXI B,cAAkB,CAAC,IAAL,GACV,aAAW,gBAAX,UAAW,EAAc,CAAd,CAAX,EAAS,cAAT,QAAS,EAAa,gBAAb,CAATC,CADU,GAGV,SAAW,eAAX,UAAW,EAAa,2BAAb,CAAX,EAAmD,gBAAT,QAAS,EAAc,CAAd,CAAnD,C;MAEJ,IAAI,iCAAkB,yBAAtB,C;QACkB,yB;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,IAAU,cAAN,KAAM,EAAc,CAAd,EAAiB,SAAjB,EAAuB,KAAvB,EAA8B,KAAM,OAApC,EAA4C,UAA5C,CAAV,C;YACI,OAAO,K;;QAGD,2B;QAAd,OAAc,gBAAd,C;UAAc,2B;UACV,IAAU,kBAAN,KAAM,EAAkB,CAAIB,EAAqB,SAArB,EAA2B,OAA3B,EAAkC,KAAM,OAAxC,EAAgD,UAAhD,CAAV,C;YACI,OAAO,O;;MAGnB,OAAO,E;K;IAGX,qE;MAUsB,UAMA,M;MAfIB,IAAI,CAAC,UAAD,IAAe,OAAQ,KAAR,KAAgB,CAAnC,C;QACI,aAAqB,UAR,OAAQ,C;QACrB,YAAgB,CAAC,IAAL,GAAW,sBAAQ,MAAR,EAAgB,UAAhB,CAAX,GAA4C,0BAAY,MAAZ,EAAoB,UAApB,C;QACxD,OAAW,QAAQ,CAAZ,GAAe,IAAf,GAAyB,UAAAS,MAAT,C;OAGpC,cAAkB,CAAC,IAAL,GAAW,aAAW,gBAAX,UAAW,EAAc,CAAd,CAAX,EAA6B,gBAA7B,CAAX,GAAoD,SAAW,eAAX,UAAW,EAAa,2BAAb,CAAX,EAA0C,CAA1C,C;MAEIE,IAAI,6BAAJ,C;QACkB,yB;oBAAd,OAAc,cAAd,C;UAAc,yB;UACmB,sB;;Yb7sBrB,U;YAAA,SA6sBa,Ob7sBb,W;YAAhB,OAAgB,gBAAhB,C;cAAgB,2B;cAAM,Ia6sBgC,cb7sBIB,Oa6sBkB,EAAc,CAAd,sBb7sBIB,Oa6sBmD,OAAjC,ab7sBhC,C;gBAAwB,qBAAO,O;gBAAP,uB;;YAC9C,qBAAO,I;;Ua4sBC,uC;UACA,IAAI,sBAAJ,C;YACI,OAAO,YAAS,cAAT,C;;QAGD,2B;oBAAd,OAAc,gBAAd,C;UAAc,2B;UACmB,wB;;YbntBrB,U;YAAA,SamtBa,ObntBb,W;YAAhB,OAAgB,gBAAhB,C;cAAgB,6B;cAAM,IamtBgC,kBbntBIB,SamtBkB,EAAkB,CAAIB,sBbntBIB,SamtBuD,OAArC,abntBhC,C;gBAAwB,uBAAO,S;gBAAP,uB;;YAC9C,uBAAO,I;;UaktBC,2C;UACA,IAAI,wBAAJ,C;YACI,OAAO,YAAS,gBAAT,C;;MAlnB,OAAO,I;K;IAGX,iE;MAY+D,0B;QAAA,aAakB,C;MAAG,0B;QAAA,aAAsB,K;MACtG,4BAAU,OAAV,E

AAmB,UAAAnB,EAA+B,UAA/B,EAakD,KAAID,C;K;IAEJ,mE;MAYmE,0B;QAAA,aAAkB,2B;MAAW,0B;QA  
AA,aAAsB,K;MACIH,4BAAU,OAAV,EAAMb,UAAAnB,EAA+B,UAA/B,EAakD,IAAID,C;K;IAEJ,KE;MAWgE,  
0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MACvG,gB;MAAA,8CAAU,OAAV,EAAMb,UAAAnB,EAA+B  
,UAA/B,EAakD,KAAID,mDAAMe,E;K;IAEvE,sE;MAYoE,0B;QAAA,aAAkB,2B;MAAW,0B;QAAA,aAAsB,K;  
MACnH,gB;MAAA,8CAAU,OAAV,EAAMb,UAAAnB,EAA+B,UAA/B,EAakD,IAAID,mDAaKE,E;K;IAKtE,6D;  
MAM4C,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MACnF,OAAW,cAAc,gCAAzB,GACI,sBAAW,mB  
AAY,IAAZ,CAAX,EAA8B,UAA9B,EAA0C,UAA1C,CADJ,GNz2B4F,kB6G3ME,oBvGujC5E,IuGvjC4E,C7G2  
MF,EM42BpE,UN52BoE,C;K;IM+2BhG,+D;MAQgD,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MACvF  
,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,gBAA5B,EAAoC,UAApC,CADJ,GNx3  
B4F,kBM23B1E,MN33B0E,EM23BIE,UN33BkE,C;K;IM83BhG,iE;MAQgD,0B;QAAA,aAAkB,2B;MAAW,0B;Q  
AAA,aAAsB,K;MAC/F,OAAW,cAAc,gCAAzB,GACI,0BAaE,mBAAY,IAAZ,CAAf,EAakC,UAAIC,EAA8C,U  
AA9C,CADJ,GNp4BgG,sB6G3MM,oBvGklChF,IuGllCgF,C7G2MN,EMu4BpE,UNv4BoE,C;K;IM04BpG,mE;M  
AQoD,0B;QAAA,aAAkB,2B;MAAW,0B;QAAA,aAAsB,K;MACnG,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAA  
R,EAAgB,UAAhB,EAA4B,CAA5B,EAA+B,UAA/B,EAakD,IAAID,CADJ,GNn5BgG,sBMs5B1E,MNt5B0E,EM  
s5BIE,UNT5BkE,C;K;IMy5BpG,mD;MAM+D,0B;QAAA,aAAsB,K;MACjF,OAAI,yBAAJ,GACI,sBAAQ,KAAR,  
UAA4B,UAA5B,KAA2C,CAD/C,GAGI,sBAAQ,KAAR,EAAe,CAAf,EAakB,gBAAIB,EAA0B,UAA1B,KAAYC,  
C;K;IAIjD,kD;MAMsD,0B;QAAA,aAAsB,K;MACxE,6BAAQ,IAAR,UAA2B,UAA3B,KAA0C,C;K;kFAE9C,4B;  
MAI0E,OAAA,KAAM,yBAAgB,SAAhB,C;K;IAM3C,yE;MACjC,oB;MACA,8B;MACA,oB;MACA,kC;K;IAG8  
C,sF;MAAA,gE;MAC1C,iBAAqB,E;MACrB,yBAAwC,WAAx,yCAAW,EAAS,CAAT,EAAY,oCAAM,OAAIB,  
C;MACxC,uBAA2B,sB;MAC3B,gBAA0B,I;MAC1B,eAAmB,C;K;0EAEnB,Y;MACI,IAAI,uBAakB,CAAtB,C;Q  
ACI,iBAAY,C;QACZ,gBAAW,I;QAEX,IAAI,4CAAQ,CAAR,IAAa,uDAaA,yCAA1B,IAAmC,uBAakB,yCAA  
M,OAA/D,C;UACI,gBAAW,qCAAYB,iBAAN,yCAAM,CAAzB,C;UACX,uBAakB,E;UAEIB,YAAkB,iDAAN,y  
CAAM,EAAa,oBAAb,C;UACIB,IAAI,SAAS,IAAb,C;YACI,gBAAW,qCAAYB,iBAAN,yCAAM,CAAzB,C;YAC  
X,uBAakB,E;YAEIB,IAAK,QAAiB,KAAjB,aAAL,EAAY,SAAU,KAAV,a;YACZ,gBAAW,gCAAwB,KAAxB,C  
;YACX,yBAAoB,QAAQ,MAAR,I;YACpB,uBAakB,0BAAwB,WAAU,CAAd,GAAiB,CAAjB,GAAwB,CAA5C,  
K;QAG1B,iBAAY,C;K;oEAIpB,Y;MAKiB,Q;MAJb,IAAI,mBAAa,EAajB,C;QACI,iB;MACJ,IAAI,mBAAa,C  
AAjB,C;QACI,MAAM,6B;MACV,aAAa,mE;MAEb,gBAAW,I;MACX,iBAAY,E;MACZ,OAAO,M;K;uEAGX,Y;  
MACI,IAAI,mBAAa,EAajB,C;QACI,iB;MACJ,OAAO,mBAAa,C;K;IDA9C5B,Y;MAA8C,+D;K;IAGeU,0E;M  
AAA,0C;QhB1mCjD,SgB2mCH,sBAAW,kBAAX,EAAuB,YAAvB,EAakD,kBAaID,C;QAAA,OAAwE,KAAK,  
CAAT,GAAY,IAAZ,GAAsB,OAAAM,CAAN,C;O;K;IAdIG,iF;MAUkE,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,a  
AAsB,K;MAAO,qB;QAAA,QAAa,C;MAC7H,wBAAwB,KAAxB,C;MAEA,OAAO,4BAAwB,SAAXB,EAA8B,U  
AA9B,EAA0C,KAA1C,EAAiD,gDAAjD,C;K;IAwBiD,gF;MAAA,0C;QAAkB,Q;QAAA,oCAAU,sBAAV,EAA0  
B,YAA1B,EAAqD,kBAArD,EAAwE,KAAxE,aAAsF,GAAG,UAAH,EAAe,WAAO,OAAtB,CAAtF,O;O;K;IAIB9  
E,mF;MAC0E,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MACrI,wBAAwB,  
KAAxB,C;MACA,qBAAgC,OAAx,UAAW,C;MAEhC,OAAO,4BAAwB,SAAXB,EAA8B,UAA9B,EAA0C,KAA  
1C,EAAiD,sDAAjD,C;K;IAIX,wC;MnBltCI,IAAI,EmBmtCI,SAAS,CnBntCb,CAAJ,C;QACI,cmBktCkB,8C;QnBj  
tCIB,MAAM,gCAAYB,OAAQ,WAAjC,C;Q;ImBkuCgE,sD;MAAA,qB;QAAE,yCAAU,EAAV,C;O;K;IAZhF,mE;  
MAWmE,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MACzG,OAAe,OAAtE,+BAakB,UAAIB,UAA2C,  
UAA3C,EAA+D,KAA/D,CAAsE,EAAl,iCAAJ,C;K;IAE1E,yD;MAWyD,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,  
QAAa,C;MAC/F,IAAI,UAAW,OAAx,KAAmB,CAAvB,C;QACI,gBAAgB,WAAW,CAAX,C;QACHB,IAAI,EAA  
C,SAh/BuC,YAAU,CAg/BID,CAAJ,C;UACI,OAAO,mBAAM,SAAN,EAAiB,UAAjB,EAA6B,KAA7B,C;UAI2E,  
kBAAb,cAAtE,+BAakB,UAAIB,UAA2C,UAA3C,EAA+D,KAA/D,CAAsE,C;Mb80tE,kBAAM,iBAAa,qCAAw  
B,EAAxB,CAAb,C;MAuEA,Q;MAAA,6B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAy,WatTgF,uBbsTIE,IatT  
kE,CbsThF,C;MatThB,ObuTO,W;K;Ia5SmE,wD;MAAA,qB;QAAE,yCAAU,EAAV,C;O;K;IARhf,qE;MAOiE,0  
B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MACvG,OAAe,OAAtE,6BAakB,UAAIB,UAA2C,UAA3C,EA  
A+D,KAA/D,CAAsE,EAAl,mCAAJ,C;K;IAE1E,2D;MAOuD,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;  
MAC7F,IAAI,UAAW,OAAx,KAAmB,CAAvB,C;QACI,OAAO,mBAAoB,oBAAd,WAAW,CAAX,CAAc,CAAp  
B,EAAgC,UAAhC,EAA4C,KAA5C,C;OAG+E,kBAAb,cAAtE,6BAakB,UAAIB,UAA2C,UAA3C,EAA+D,KAA/

D,CAAsE,C;MbqNtE,kBAAM,iBAAa,qCAAwB,EAAXB,CAAb,C;MAuEA,Q;MAAA,6B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAY,Wa7RgF,uBb6RlE,Ia7RkE,Cb6RhF,C;;Ma7RhB,Ob8RO,W;K;Ia3RX,0D;MASI,wBAAB,B,KAAxB,C;MAEA,oBAAoB,C;MACpB,gBAAgB,sBAAQ,SAAR,EAAMb,aAAnB,EAaKc,UAAIC,C;MACHb,IAAI,cAAa,EAAb,IAAmB,UAAAS,CAAhC,C;QACI,OAAO,OAAO,SAAK,WAAZ,C;OAGX,gBAAgB,QAAQ,C;MACxB,aAAa,iBAAsB,SAAJ,GAAqB,eAAN,KAAM,EAAa,EAAb,CAArB,GAA2C,EAA7D,C;;QAET,MAAO,WA36B6E,8BA26B/D,aA36B+D,EA26BhD,SA36BgD,CAAKC,WA26B/G,C;QACP,gBAAgB,YAAY,SAAU,OAAtB,I;QAEhB,IAAI,aAAa,MAAO,KAAP,MAAe,QAAQ,CAAR,IAAf,CAAjB,C;UAA2C,K;QAC3C,YAAY,sBAAQ,SAAR,EAAMb,aAAnB,EAaKc,UAAIC,C;;MACP,sBAAa,EAAb,C;MAET,MAAO,WAl7BiF,8BAk7BnE,aAl7BmE,Eak7BpD,gBAI7BoD,CAAKC,Wak7BnH,C;MACP,OAAO,M;K;2EAGX,mC;MAOmD,qB;QAAA,QAAa,C;MAAMb,OAAA,KAAM,eAAM,SAAN,EAAY,KAaZ,C;K;+FAEzF,mC;MAU6D,qB;QAAA,QAAa,C;MAAuB,OA AA,KAAM,yBAAGB,SAAhB,EAAsB,KAAtB,C;K;IAEvG,iC;MAK2D,mCAAGB,MAAhB,EAawB,IAAxB,EAA8B,IAA9B,E;K;IAE3D,0B;MAKgD,OAAe,UAAf,uBA Ae,C;K;IAqB/D,uD;MAQsB,Q;MAPIB,IAAI,iCAAKB,yBAAtB,C;QACI,OAAy,SAAL,SAAK,EAAO,KAAP,EAA2B,IAA3B,C;OAGhB,IAAI,cAAS,KAAb,C;QAAoB,OAAO,I;MAC3B,IAAI,qBAAGB,aAhB,IAAiC,SAAK,OAAL,KA Ae,KAAM,OAAID,C;QAAkE,OAAO,K;MAEvD,uB;MAAIb,aAAU,CAAV,gB;QACI,IAAI,CAAS,SAAR,qBAAK,CAAL,CAAQ,EAAO,iBAAM,CAAN,CAAP,EA A8B,IAA9B,CAAb,C;UACI,OAAO,K;;MAIf,OAAO,I;K;IAGX,6C;MAQsB,Q;MAPIB,IAAI,iCAAKB,yBAAtB,C;QACI,OAAO,kBAAQ,KAAR,C;OAGX,IAAI,cAAS,KAAb,C;QAAoB,OAAO,I;MAC3B,IAAI,qBAAGB,aAhB,IAAiC,SAAK,OAAL,KA Ae,KAAM,OAAID,C;QAAkE,OAAO,K;MAEvD,uB;MAAIb,aAAU,CAAV,gB;QACI,IAAI,qBAAK,CAAL,MAAW,iBAAM,CAAN,CAAF,C;UACI,OAAO,K;;MAIf,OAAO,I;K;IAGX,oC;MAU+C,QAAM,SAAN,C;aAC3C,M;UAD2C,OACjC,I;aACV,O;UAF2C,OA EhC,K;gBACH,MAAM,gCAAyB,mDAAGD,SA AzE,C;;K;IAGIB,0C;MAUsD,QAAM,SAAN,C;aACID,M;UADkD,OACx C,I;aACV,O;UAFkD,OA EvC,K;gBAFuC,OAGIC,I;;K;I8Kr8CZ,sB;MAAA,0B;MAII,aAC+B,e;MAC/B,cACgC,e;MACHc,WAC6B,e;MAC7B,YAC8B,e;MAC9B,eACiC,e;MACjC,YAC8B,gB;MAC9B,aAC+B,gB;MAC/B,YAC8B,gB;MAC9B,aAC+B,gB;MAC/B,eACiC,gB;MACjC,iBACmC,gB;MACnC,qBAEuC,gB;MACvC,sBAEwC,gB;MACxC,kBACoC,gB;MACpC,cACgC,gB;MACHc,iBACmC,gB;MACnC,iBACmC,gB;MACnC,iBACmC,gB;MACnC,YAC8B,gB;MAC9B,aAC+B,iB;MAC/B,aAC+B,iB;MAC/B,uBACyC,iB;MACzC,wBAC0C,iB;MAC1C,sBACwC,iB;MACxC,uBACyC,iB;MACzC,wBAC0C,iB;MAC1C,sBACwC,iB;MACxC,cACgC,iB;MACHc,oBACsC,iB;MACTc,cACgC,iB;MACHc,gBACKC,iB;MACIC,aAC+B,iB;MAC/B,mBACqC,iB;MACrC,YAC8B,iB;MAC9B,UAC4B,iB;MAC5B,mBACqC,iB;MACrC,gBACKC,iB;MACIC,mBACqC,iB;MACrC,sBACwC,iB;MAExC,sBAGwC,gB;MAExC,uBAGyC,gB;K;;;IA7F7C,kC;MAAA,iC;QAAA,gB;OAAA,0B;K;;;;2FCuE0C,Y;MAAQ,oCAAa,IAAb,C;K;IAiBpB,yC;MAAQb,kB;K;mIAC3C,Y;MACmD,OAAA,UAAM,YAAN,aAAkB,CAAIB,C;K;mIACnD,Y;MACmD,OAAA,UAAM,YAAN,aAAkB,CAAIB,C;K;mIACnD,Y;MACmD,OAAA,UAAM,YAAN,aAAkB,CAAIB,C;K;mIACnD,Y;MACmD,OAAA,UAAM,YAAN,aAAkB,CAAIB,C;K;mIACnD,Y;MACmD,OAAA,UAAM,YAAN,aAAkB,CAAIB,C;K;mIACnD,Y;MACmD,OAAA,UAAM,YAAN,aAAkB,CAAIB,C;K;mIACnD,Y;MACmD,OAAA,UAAM,YAAN,aAAkB,CAAIB,C;K;qIACnD,Y;MACmD,OAAA,UAAM,YAAN,aAAkB,EAAlB,C;K;gDAEnD,Y;MAMoC,OAAA,UAAM,YAAY,iBAAQ,CAAR,EAAW,UAAM,YAAY,KAA7B,C;K;;;6EhEjH9D,yB;MAAA,iD;MAAA,4B;QAI4C,kBAAM,SAAN,C;O;KAJ5C,C;+EAMA,yB;MAAA,gD;MAAA,oC;QAI+D,kBAAM,SAAN,EAAY,MAAZ,C;O;KAJ/D,C;+EAMA,yB;MAAA,oC;MAAA,qC;QAIqE,sBAAM,SAAN,EAAY,OAAZ,C;O;KAJrE,C;IiY4B,4B;MAMxB,gC;MANB6C,0B;MAW7B,UAEA,MAFA,EAGA,M;MALZ,IiJc8D,IjIc9D,C;QACI,IAAI,kBAAJ,C;UACQ,mB;UAAJ,IAAI,sEAAsB,SAAtB,EAAJ,C;YAAqC,MAAM,sBAAiB,YAAF,+CAAF,C;;UAEvC,qB;UAAJ,IAAI,0EAAuB,UAAvB,EAAJ,C;YAAuC,MAAM,sBAAiB,YAAF,gDAAF,C;UACzC,qB;UAAJ,IAAI,kEAA+B,mBAA/B,CAAJ,C;YAAwD,MAAM,sBAAiB,YAAF,mCAAF,C;;Q;mFAZID,Y;MAAQ,kCAAa,CAAb,C;K;+FACU,Y;MAAQ,OAAA,eAAS,QAAT,GAAqB,C;K;qCACvE,Y;MAA0B,QADwB,eAAS,QAAT,GAAqB,CAC7C,MAAQB,C;K;sCAC/C,Y;MAA2B,QAFuB,eAAS,QAAT,GAAqB,CAE5C,MAAQB,C;K;yFACxB,Y;MAAQ,OAAI,kBAAJ,mF;K;IAAhC,8B;MAAA,kC;MACI,YAC4B,gB;MAE5B,gBACgC,iBAAiB,UAAjB,C;MACHc,4BAAsC,uC;K;mDAEtC,yC;MAGI,2BAAoB,KAAPB,EAA2B,UAA3B,EA AuC,UAAvC,C;K;iJAM8B,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,sD;O;KAAR,C;iJAIC,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,sD;O;KAAR,C;iJAU

E,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,sD;O;KAAR,C;mJAKF,yB;MAAA,6C;MAAA,iD;MAAA,4B;QA  
AQ,uD;O;KAAR,C;mJAIC,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,uD;O;KAAR,C;mJAUE,yB;MAAA,6C;  
MAAA,iD;MAAA,4B;QAAQ,uD;O;KAAR,C;mJAKH,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,uD;O;KAAR  
,C;mJAIC,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,uD;O;KAAR,C;mJAUE,yB;MAAA,6C;MAAA,iD;MAA  
A,4B;QAAQ,uD;O;KAAR,C;yIAKR,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,kD;O;KAAR,C;yIAIC,yB;MA  
AA,6C;MAAA,iD;MAAA,4B;QAAQ,kD;O;KAAR,C;yIAUE,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,kD;O;  
KAAR,C;yIAKH,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,kD;O;KAAR,C;yIAIC,yB;MAAA,6C;MAAA,iD;  
MAAA,4B;QAAQ,kD;O;KAAR,C;yIAUE,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,kD;O;KAAR,C;qIAKL,y  
B;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,gD;O;KAAR,C;qIAIC,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,g  
D;O;KAAR,C;qIAUE,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,gD;O;KAAR,C;mIAKJ,yB;MAAA,6C;MAA  
A,iD;MAAA,4B;QAAQ,+C;O;KAAR,C;mIAIC,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,+C;O;KAAR,C;mIA  
UE,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,+C;O;KAAR,C;uDAK9B,iB;MAK+C,OAAM,WAAN,KAAM,y  
C;K;uDAErD,iB;MAKgD,OAAM,aAN,KAAM,yC;K;uDAEtD,iB;MASKD,OAAM,aAN,KAAM,yC;K;wDAGx  
D,iB;MAKgD,OAAM,WAAN,KAAM,0C;K;wDAEtD,iB;MAKiD,OAAM,aAN,KAAM,0C;K;wDAEvD,iB;MA  
SmD,OAAM,aAN,KAAM,0C;K;wDAGzD,iB;MAKgD,OAAM,WAAN,KAAM,0C;K;wDAEtD,iB;MAKiD,OA  
AM,aAN,KAAM,0C;K;wDAEvD,iB;MASmD,OAAM,aAN,KAAM,0C;K;mDAGzD,iB;MAK2C,OAAM,WA  
AN,KAAM,qC;K;mDAEjD,iB;MAK4C,OAAM,aAN,KAAM,qC;K;mDAEID,iB;MAS8C,OAAM,aAN,KAAM,  
qC;K;mDAGpD,iB;MAK2C,OAAM,WAAN,KAAM,qC;K;mDAEjD,iB;MAK4C,OAAM,aAN,KAAM,qC;K;mD  
AEID,iB;MAS8C,OAAM,aAN,KAAM,qC;K;iDAGpD,iB;MAKyC,OAAM,WAAN,KAAM,mC;K;iDAE/C,iB;M  
AK0C,OAAM,aAN,KAAM,mC;K;iDAEhD,iB;MAS4C,OAAM,aAN,KAAM,mC;K;gDAGID,iB;MAKwC,OA  
AM,WAAN,KAAM,kC;K;gDAE9C,iB;MAKyC,OAAM,aAN,KAAM,kC;K;gDAE/C,iB;MAS2C,OAAM,aAN,  
KAAM,kC;K;iDAEjD,iB;;QAY4C,OACxC,cAAc,KAAd,EAAiC,KAAjC,C;;QACF,+C;UACE,MAAM,6BAAyB,s  
CAAmC,KAAnc,OAazB,EAAe,CAAtE,C;;UAHkC,O;;K;0DAM5C,iB;;QAMqD,OACjD,cAAc,KAAd,EAAiC,I  
AAjC,C;;QACF,+C;UACE,MAAM,6BAAyB,0CAAuC,KAAvC,OAazB,EAA0E,CAA1E,C;;UAH2C,O;;K;uDAM  
rD,iB;;QAWmD,OAC/C,cAAc,KAAd,EAAiC,KAAjC,C;;QACF,+C;UAFiD,OAG/C,I;;UAH+C,O;;K;gEAMnD,iB  
;;QAK4D,OACxD,cAAc,KAAd,EAAiC,IAAjC,C;;QACF,+C;UAF0D,OAGxD,I;;UAHwD,O;;K;;IA/XhE,0C;MA  
AA,yC;QAAA,wB;OAAA,kC;K;oCAwYA,Y;MAC6C,kBAAy,YAAD,aAX,EAzZK,eAAS,QAAT,GAAqB,CAY  
Z1B,C;K;qCAE7C,iB;MAiBW,Q;MATH,IAAA,IAAK,aAAL,C;QACI,IAAI,KAAM,WAAN,IAAqB,IAAK,WAA  
L,KAAkB,KAAM,WAAxB,gBAAoC,CAA7D,C;UACI,OAAO,I;;UAEP,MAAM,gCAAyB,2EAAzB,C;WAEd,IA  
AA,KAAM,aAN,C;QAAsB,OAAO,K;MAI7B,KA7a0C,eAAS,QAAT,GAAqB,CA6a/D,OAA0B,KA7agB,WAAS  
,QAAT,GAAqB,CA6a/D,E;QACI,aAAa,IAAK,QAAL,KAAa,KAAM,QAAnB,C;QAET,uB;UACI,iCAA0B,MAA1  
B,C;;UAEA,kCAA2B,MAA3B,C;aAGZ,IAAA,IAAK,eAAL,C;QACI,mCAAqB,IAAK,QAA1B,EAAiC,KAAM,Q  
AAvC,C;;QAEA,mCAAqB,KAAM,QAA3B,EAAkC,IAAK,QAAvC,C;MabR,W;K;gDAiBJ,kC;MAGW,Q;MAFP,  
kBAaB,cAAc,UAAAd,C;MACIB,mBAAMb,eAAa,WAAb,C;MACZ,IAAI,8EAAsC,mBAATc,CAAJ,C;QACH,yB  
AAyB,oBAAa,cAAc,WAAAd,CAAb,C;QACzB,uBAAgB,cAAc,YAAAd,MAA8B,kBAA9B,CAAhB,C;;QAEA,wBA  
A8B,WAAb,YAAa,yBAAsB,UAAtB,CAA9B,C;;MAJJ,W;K;sCAQJ,iB;MAMuD,wBAAS,KAAD,aAAR,C;K;uCA  
EvD,iB;MAQe,UAUJ,M;MAXP,IAAI,iBAAJ,C;QAEQ,cAAS,CAAT,C;UAAc,MAAM,gCAAyB,mEAAzB,C;aAC  
pB,YAAQ,CAAR,C;UAAa,W;;UACL,OAAC,IAAD,a;qAHZ,W;OAMJ,IAAI,UAAAS,CAAb,C;QAAGB,OAAO,qC  
;MAEvB,YAAy,Y;MACZ,aAAa,mCAAQ,KAAR,E;MACN,IAAI,kBAAJ,C;QACH,IAAI,yEAAJ,C;UAEI,yBAAg  
B,MAAhB,C;;UAEA,IAAI,sCAAS,KAAT,IAAkB,KAAIB,CAAJ,C;YACI,mCAA0B,MAA1B,C;;YAEA,aAAa,cA  
Ac,KAAd,C;YACb,eAAe,eAAQ,cAAc,MAAd,CAAR,C;YACf,mBAAMb,oCAAS,KAAT,E;YACnB,kBAaB,iB  
AAe,cAAc,sCAAW,KAAx,EAAAd,CAAf,C;YACIB,IAAI,4CAAe,KAAf,IAAwB,MAAxB,KAAkC,gBAAgB,YAA  
hB,gBAAgC,CAAtE,C;cACI,0BAA6B,WAAZ,WAAy,EAAS,8BAAa,UAAb,CAAT,CAA7B,C;;cAEA,SAAI,YA  
AM,WAAN,KAAM,CAAN,EAAmB,WAAN,KAAM,CAAnB,IAA0B,CAA9B,GAAiC,yCAAjC,GAA+C,qD;;;;;Q  
AK3D,IAAI,sCAAS,KAAT,IAAkB,KAAIB,CAAJ,C;UACI,0BAAwB,WAAP,MAAO,EAAS,8BAAa,UAAb,CAA  
T,CAAxB,C;;UAEA,SAAI,YAAM,WAAN,KAAM,CAAN,EAAmB,WAAN,KAAM,CAAnB,IAA0B,CAA9B,GA  
AiC,yCAAjC,GAA+C,qD;;;MAvBvD,a;K;uCA4BJ,iB;MASI,eAAqB,WAAN,KAAM,C;MACrB,IAAa,QAAT,KA  
AuB,KAA3B,C;QACI,OAAO,mBAAM,QAAN,C;OAGX,WAAW,kB;MACX,aAAa,sBAAS,IAAT,IAAiB,K;MA



C9B,OAAC,aAAP,MAAO,EAAW,IAAX,C;K;qCAGiB,iB;MAQe,Q;MADX,IAAI,UAAS,CAAb,C;QAEQ,sB;UA  
AgB,gD;aAchB,sB;UAAgB,4D;;UACR,MAAM,gCAAyB,4DAazB,C;QAHIB,W;OAMJ,IAAI,kBAAJ,C;QACI,O  
AAO,gBAAgB,qCAAQ,KAAR,EAahB,C;;QAEP,IAAI,iBAAJ,C;UACI,OAAO,mBAAa,WAAN,KAAM,CAAb,C  
;QAEX,aAAa,qCAAQ,KAAR,E;QAEb,IAAI,kEAAGC,mBAAhC,CAAJ,C;UACI,UAAU,cAAc,sBAAS,oCAAS,K  
AAT,EAAT,CAAd,0BAA0C,KAA1C,E;UACV,OAAO,gBAAgB,cAAc,MAAd,MAAwB,GAAxB,CAAhB,C;SAE  
X,OAAO,iBAAiB,MAAjB,C;;K;qCAIf,iB;MAOI,eAAqB,WAAN,KAAM,C;MACrB,IAAa,QAAT,KAAuB,KAaV  
B,IAAgC,aAAY,CAAhD,C;QACI,OAAO,iBAAI,QA AJ,C;OAGX,WAAW,kB;MACX,aAAa,sBAAS,IAAT,IAAiB  
,K;MAC9B,OAAC,aAAP,MAAO,EAAW,IAAX,C;K;oCAGiB,iB;MAEI,kBAAkB,SAAM,IAAK,cAAX,EAaWB,K  
AAM,cAA9B,C;MACIB,OAAO,IAAK,kBAAS,WAAT,CAAL,GAA6B,KAAM,kBAAS,WAAT,C;K;oCAG9C,Y;  
MACmC,oCAAW,C;K;oCAE9C,Y;MACmC,oCAAW,C;K;oCAE9C,Y;MACmC,+BAAY,yCAAS,WAArB,KAaI  
C,wBAAY,qDAAa,WAAzB,C;K;kCAEpE,Y;MACiC,QAAC,iB;K;yFAGC,Y;MAAQ,OAAI,iBAAJ,GAAMB,IAA  
D,aAaIB,GAA6B,I;K;yCAExE,iB;MACI,kBAAkB,IAAK,WAAL,KAakB,KAAM,WAAxB,C;MACIB,IAAI,yBA  
Ac,CAAd,IAAMB,CAAA,WAAY,QAAZ,GAAwB,CAAXB,MAA6B,CAApD,C;QACI,OAAO,IAAK,WAAS,iBA  
AU,KAAM,WAAhB,C;MAEzB,QAAQ,CA11BsC,eAAS,QAAT,GAAqB,CA01B3D,KAAyB,KA11Ba,WAAS,QAA  
T,GAAqB,CA01B3D,K;MACR,OAAW,iBAAJ,GAakB,CAAC,CAAD,IAAIB,GAA0B,C;K;uHAMrC,kB;MAeI,O  
AAO,OAAO,gBAAP,EAaOB,mBAAPB,EAaOC,qBAAPC,EAAsD,qBAAtD,EAaWE,yBAAXE,C;K;uHAGX,kB;  
MAcI,OAAO,OAAO,iBAAP,EAaQB,qBAArB,EAaUC,qBAAvC,EAAYD,yBAAZD,C;K;uHAGX,kB;MAaI,OAA  
O,OAAO,mBAAP,EAaUB,qBAAvB,EAAYC,yBAAZC,C;K;uHAGX,kB;MAYI,OAAO,OAAO,mBAAP,EAaUB,y  
BAAvB,C;K;0FAKP,Y;MAAQ,OAAI,iBAAJ,GAakB,CAAIB,GAA0B,6CAAE,EAaf,EAAMB,Q;K;4FAIrD,Y;M  
AAQ,OAAI,iBAAJ,GAakB,CAAIB,GAA0B,+CAAiB,EAajB,EAaQB,Q;K;4FAIVD,Y;MAAQ,OAAI,iBAAJ,GA  
AkB,CAAIB,GAA0B,+CAAiB,EAajB,EAaQB,Q;K;gGAIvD,Y;MACI,sB;QADI,OACY,C;WACHB,wB;QAFI,OA  
EY,cAAc,wCAAQ,IAAR,EAAd,CAA6B,Q;;QAFzC,OAGK,wCAAQ,UAAR,EAaUB,Q;K;0CAMx,C,gB;MAQiB,  
UAAN,M;MAAM,sB;MACT,iBAAA,yCAAS,WAAT,E;QAA4B,SAAP,wCAAO,kB;WAC5B,iBAAA,qDAAa,W  
AAb,E;QAAgC,SAAP,wCAAO,kB;;QAG5B,6BAAOB,YAAM,WAA1B,EAAsC,kBAAtC,EAAMd,IAAnD,C;;MA  
LR,a;K;wCAUJ,gB;MAUiB,UAAN,M;MAAM,sB;MACT,iBAAA,yCAAS,WAAT,E;;WACA,iBAAA,qDAAa,W  
AAb,E;;;QACQ,+BAAOB,YAAPB,EAa2B,kBAA3B,EAaWC,IAAx,C,C;MAHZ,a;K;uCAOJ,gB;MAUI,OAAa,WA  
Ab,oBAAO,IAAP,CAAA,4BAAyD,Q;K;kFAKhD,Y;MAAQ,6D;K;mFAKP,Y;MAAQ,8D;K;qFAKN,Y;MAAQ,gE  
;K;qFAKR,Y;MAAQ,gE;K;0FAKH,Y;MAAQ,qE;K;0FAKR,Y;MAAQ,qE;K;yFAKT,Y;MAAQ,oE;K;uFASrC,Y;  
MAAQ,2D;K;wFAQR,Y;MAAQ,4D;K;0FAQR,Y;MAAQ,8D;K;0FAQR,Y;MAAQ,8D;K;+FAQR,Y;MACI,OAA  
W,uBAAgB,eAApB,GAAgC,YAAhC,GAA2C,4D;K;+FAatD,Y;MAAQ,mE;K;8FAYR,Y;MAEW,Q;MADP,YAA  
Y,Y;MAER,uB;QAaE,Y;WACf,8C;;WACA,+C;;;QACQ,qBAAc,KAAd,C;MAJZ,W;K;2CAUR,Y;MASuC,8B;K;  
4CAEvC,Y;MASwC,+B;K;kCAExC,Y;MAuBwC,Q;MAAA,sB;MACpC,qB;QAD8B,OACxB,I;WACN,iBAAA,y  
CAAS,WAAT,E;QAF8B,OAET,U;WACrB,iBAAA,qDAAa,WAAb,E;QAH8B,OAGL,W;;QAErB,iBAAiB,iB;Q6  
HzhBF,gBAAhB,sB;Q7H2hBK,e;UAAgB,yBAAO,EAAP,C;QACF,YAAAd,kB;QA9RD,WAAO,iB;QAAP,YAAOB,  
oB;QAAPB,cAAOC,sB;QAAPC,cAAsD,sB;QAAtD,kBAAwE,0B;QAS/D,0B;QAPI,cAAc,iB;QACd,eAAe,UAAS  
,C;QACxB,iBAAiB,YAAW,C;QAC5B,iBAAiB,YAAW,CAAX,IAAgB,gBAaE,C;QACHD,iBAAiB,C;QACjB,IA  
AI,OAAJ,C;UACI,yBAAO,IAAP,CAAA,gBAAO,GAAP,C;UACb,+B;SAEJ,IAAI,aAAa,YAAY,cAAc,UAA1B,CA  
Ab,CAAJ,C;UACI,IAAI,6DAAe,CAAnB,C;YAAsB,yBAAO,EAAP,C;UACtB,yBAAO,KAAP,CAAc,gBAAO,GA  
AP,C;SAEIB,IAAI,eAAe,eAAe,YAAY,OAA3B,CAAF,CAAJ,C;UACI,IAAI,6DAAe,CAAnB,C;YAAsB,yBAAO,E  
AAP,C;UActB,yBAAO,OAAP,CAAgB,gBAAO,GAAP,C;SAEPB,IAAI,UAAJ,C;UACI,IAAI,6DAAe,CAAnB,C;  
YAAsB,yBAAO,EAAP,C;UAEIB,gBAAW,CAAX,IAAgB,OAahB,IAA2B,QAA3B,IAAuC,UAAvC,C;YACI,mC  
AAiB,OAAjB,EAa0B,WAA1B,EAaUC,CAAvC,EAa0C,GAA1C,EAa2D,KAA3D,C;eACJ,mBAaE,OAaf,C;YA  
CI,mCAAiB,cAAc,OAAd,IAAjB,EAa0C,cAAc,OAAXD,EAAMe,CAAnE,EAAsE,IAAtE,EAaWF,KAAXF,C;eAC  
J,mBAaE,IAAf,C;YACI,mCAAiB,cAAc,IAAd,IAAjB,EAAsC,cAAc,IAApD,EAa2D,CAA3D,EAa8D,IAA9D,EA  
AgF,KAahF,C;;YAEA,yBAAO,WAAP,CAAOB,gBAAO,IAAP,C;SAGhC,IAAI,cAAc,aAAa,CAA/B,C;UAAkC,y  
BAAO,CAAP,EAaU,EAaV,CAAE,gBAAO,EAAP,C;QAvC/B,OOx1B3B,SsHoUqC,W;;K;4C7HikB5C,yE;MACI  
,yBAAO,KAAP,C;MACA,IAAI,eAAc,CAAIB,C;QACI,yBAAO,EAAP,C;QACA,iBAAuC,WAAtB,UAAW,WAA  
W,EAAS,cAAT,EAAYB,EAazB,C;QACR,sB;;UsB5zBzB,Q;UAAA,OAAQ,WAAr,etB4zBc,UsB5zBd,CAAQ,C

AAR,W;UAAAd,OAAC,cAAAd,C;YAAc,uB;YACV,ItB2zBiD,UsB3zBnC,YtB2zBU,UsB3zBV,YAAK,KAAL,EtB2zBmC,MAAM,EsB3zBvD,C;cACI,qBAAO,K;cAAP,uB;;UAGR,qBAAO,E;;;QtBuzBC,oBAAoB,qBAAuC,CAAvc,I;QAEhB,KAAC,SAAD,IAAc,gBAAGB,CAA9B,C;UAAmC,8BAAY,UAAZ,EAAwB,CAAxB,EAA2B,aAA3B,C;UAC3B,8BAAY,UAAZ,EAAwB,CAAxB,EAA2B,CAAC,CAAC,gBAAGB,CAAhB,IAAD,IAAsB,CAAtB,IAAD,IAA4B,CAA5B,IAA3B,C;OAGhB,yBAAO,IAAP,C;K;0CAGJ,0B;MAGBwC,wB;QAAA,WAAgB,C;MIn9BxD,IAAl,EJo9BQ,YAAAY,CIp9BpB,CAAJ,C;QACI,cJm9ByB,oD;QII9BzB,MAAM,gCAAYB,OAAQ,WAAjC,C;OJm9BN,aAAa,sBAAS,IAAT,C;MACb,IAAW,WAAP,MAAO,CAAX,C;QAAyB,OAAO,MAAO,W;MACvC,OAAO,sBAAsB,MAAtB,EAAuC,eAAT,QAAS,EAAa,EAAb,CAAvC,IAAgE,UAAAL,IAAK,C;K;qCAI3E,Y;M6HvmBuB,gBAAhB,sB;M7HqnBH,IAAI,iBAAJ,C;QAAkB,yBAAO,EAAP,C;MACIB,yBAAO,IAAP,C;MAC4B,YAAAd,kB;MAxWP,YAAO,kB;MAAP,cAAqB,sB;MAArB,cAAuC,sB;MAAvC,kBAAYD,0B;MAYW5D,cACY,K;MACZ,IAAI,iBAAJ,C;QAEI,wB;OAEJ,eAAe,oB;MACf,iBAAiB,YAAW,CAAX,IAAgB,gBA Ae,C;MACHd,iBAAiB,YAAW,CAAX,KAAiB,cAAc,QAA/B,C;MACjB,IAAI,QAAJ,C;QACI,yBAAO,OAAp,CAAc,gBAAO,EAAP,C;OAEIB,IAAI,UAAJ,C;QACI,yBAAO,OAAp,CAAgB,gBAAO,EAAP,C;OAEpB,IAAI,eAAe,CAAC,QAAD,IAAa,CAAC,UAA7B,CAAJ,C;QACI,mCAAiB,OAAjB,EAA0B,WAA1B,EAAuC,CAAvC,EAA0C,GAA1C,EAA2D,IAA3D,C;OApBuB,OOx7B5B,SsHoUqC,W;K;;;;kC7H5YhD,Y;MAAA,c;MAuBiD,2D;MAvBjD,a;K;gCAAA,iB;MAAA,2IAuBiD,gDAvBjD,G;K;IA8hCA,qC;MAIW,Q;MAAA,IAAI,6DAAJ,C;QACH,uBAAGB,4BAAiC,oBAAL,SAAK,CAAjC,EAA2C,IAA3C,yCAAhB,C;;QAES,oBAAT,8BAAS,EAAW,IAAX,C;MAHb,W;K;IAMJ,uC;MAII,kBAAkB,4BAA4B,SAA5B,0CAAiE,IAAjE,C;MACIB,IAAa,WAAD,aAAR,yDAAsB,WAAtB,CAAJ,C;QACI,OAAO,gBAAGB,4BAA4B,SAA5B,EAAkC,IAAIC,yCAAhB,C;;QAEp,aAAa,sBAAoB,SAAPB,EAA0B,IAA1B,0C;QACb,OAAO,iBAAwB,WAAP,MAAO,yBAAsB,UAAtB,CAAXB,C;;K;IAIf,uC;MAAw,Q;MAHP,gBAAGB,oBAAoB,SAAPB,EAA0B,IAA1B,yC;MIviChB,IAAI,CJwiCl,CAAW,QAAV,SAAU,CIXiCnB,C;QACI,cJuiC0B,+B;QItiC1B,MAAM,gCAAYB,OAAQ,WAAjC,C;OJuiCV,YAAsB,YAAV,SAAU,C;MACf,IAAI,sEAAqB,SAArB,CAAJ,C;QACH,uBAAGB,KAAhB,C;;QAEA,aAAwE,YAA3D,oBAAoB,SAAPB,EAA0B,IAA1B,0CAA2D,C;QACxE,kCAA2B,MAA3B,C;;MAJJ,W;K;IAgBuB,oC;MAAQ,oE;K;IAOP,sC;MAAQ,sE;K;IAWN,sC;MAAQ,sE;K;IAQV,qC;MAAQ,qE;K;IAOP,uC;MAAQ,uE;K;IAWN,uC;MAAQ,uE;K;IAQX,qC;MAAQ,qE;K;IAOP,uC;MAAQ,uE;K;IAWN,uC;MAAQ,uE;K;IAQhB,gC;MAAQ,gE;K;IAOP,kC;MAAQ,kE;K;IAWN,kC;MAAQ,kE;K;IAQX,gC;MAAQ,gE;K;IAOP,kC;MAAQ,kE;K;IAWN,kC;MAAQ,kE;K;IAQb,8B;MAAQ,8D;K;IAOP,gC;MAAQ,gE;K;IAWN,gC;MAAQ,gE;K;IAQZ,6B;MAAQ,6D;K;IAOP,+B;MAAQ,+D;K;IAWN,+B;MAAQ,+D;K;yEAG/B,+B;MAIqE,8BAAW,SAAX,C;K;2EAERe,+B;MAUwE,8BAAW,SAAX,C;K;IAIxE,yC;MACI,aAAa,KAAM,O;MACnB,IAAI,WAAU,CAAd,C;QAAiB,MAAM,gCAAYB,qBAAzB,C;MACvB,YAAAY,C;MACZ,aAAa,gCAAS,K;MACtB,qBAAqB,U;MACrB,QAAm,iBAAM,KAAN,CAAN,C;aACI,E;aAAA,E;UAAAY,qB;UAAZ,K;;MAEJ,cAAc,QAAQ,C;MACtB,iBAAiB,WAAiB,aAN,KAAM,EAAW,EAAX,C;MAE9B,cAAU,KAAV,C;QACI,MAAM,gCAAYB,eAAzB,C;WACV,qBAAm,KAAN,MAAGB,EAAhB,C;QACI,IAAI,mCAAW,MAAf,C;UAAuB,MAAM,+B;QAC7B,sBAAsB,K;QACtB,sBAAsB,K;QACtB,eAA8B,I;QAC9B,OAAO,QAAQ,MAAf,C;UACI,IAAI,iBAAM,KAAN,MAAGB,EAAPB,C;YACLI,IAAI,mBAAmB,mCAAW,MAAIC,C;CAA0C,MAAM,+B;YACHd,kBAAkB,I;YACIB,Q;WAEkB,iBAAe,K;UA+EjD,QAHGc,U;UAIhC,Y;YAAO,eAhFqB,KAgFjB,O;YAAJ,S;cAAc,SAAU,YAhFH,KAGFG,YAAK,CAAL,E;cAAV,OAhFqC,CAAM,kBAAK,EAAL,CAAN,qCAAkB,2C;;;YAgFnC,a;;UAhF7B,gBAAGB,KiBvlCgE,WjBmqClF,UiBnqCkF,EjBwqCrF,CiBxqCqF,C;UjBwlChF,IAAI,SuBrhCgC,YAAU,CvBqhC9C,C;YAAyB,MAAM,+B;UAC/B,gBAAS,SAAU,OAAAnB,I;UACqB,cAAU,K;UsBzrCpC,U;UAAA,IAAI,WAAS,CAAT,IAAc,WAAS,iBtByrCP,KsBzrCO,CAA3B,C;YAAA,StByrCoB,KsBzrCkB,YAAI,OAAJ,C;;YtByrCO,MAAM,gCAAYB,qCAAzB,C;;UAA9C,qB;UACA,qB;UACA,WAAW,sBAAsB,QAAtB,EAAgC,eAAhC,C;UACX,IAAI,YAAAY,IAAZ,IAAoB,yBAAAY,IAAZ,MAAxB,C;YAA0C,MAAM,gCAAYB,yCAAzB,C;UACHd,WAAW,I;UACX,eAAyB,WAAV,SAAU,EAAQ,EAAR,C;UACzB,IAAI,+CAAgC,WAAW,CAA/C,C;YACI,YAAAY,SiBjmCgE,WjBimC5C,CiBjmC4C,EjBimCzC,QiBjmCyC,C;YjBkmC5E,4BAA2C,aAAJ,C,0BAA0B,KAA1B,CAAiC,EAAW,IAAX,CAA3C,C;YACA,4BAAmD,aAAX,SAA9B,SiBtmCmD,WjBsmC/B,QiBtmC+B,CjBsmCrB,CAAW,EAAW,IAAX,CAAnD,C;;YAEA,4BAA+C,aAArC,0BAA0B,SAA1B,CAAqC,EAAW,IAAX,CAA/C,C;;aAIZ,c;QACI,MAAM,+B;;QACV,IAAM,cAAN,KAAM,EAAC,KAAd,EAAqB,cAArB,EAAqC,CAArC,EQ/xCH,MAAO,KR+xCmD,SAAS,KAAT,IQ/xCnD,ER+xCmE,cAAe,OQ/xClF,CR+xCJ,EAA4G,IAA5G,CAAN,C;UACI,SAAS,gCAAS,S;;UAIIB,iBAA8B,I;UAC9B,iBAAiB,

K;UACjB,kBAaKB,CAAC,O;UACnB,IAAI,WAAW,iBAAM,KAAN,MAAgB,EAA3B,IAAwC,QAAN,KAAM,C  
AAN,KAAGB,EAAtd,C;YACI,cAAc,I;YACd,IAAI,oCAAW,uBAAX,EAAW,MAAX,CAAJ,C;cAAyB,MAAM,g  
CAAyB,eAAzB,C;WAEnC,OAAO,QAAQ,MAAf,C;YACI,IAAI,cAAc,WAAIB,C;cA8CZ,UA7CwC,K;cA8CxC,Y  
;gBAAO,mBA9CiB,KA8Cb,O;gBAAJ,W;kBAAc,SA9C4B,UA8CIB,YA9CP,KA8CO,YAAK,GAAL,EA9CkB,M  
AAM,E;;;gBA8Cd,iB;;cA9CzB,QA+CT,G;aA7CK,aAAa,I;YACS,mBAAe,K;YA0CjD,UAHgC,Y;YAIhC,Y;cAA  
O,mBA3CqB,KA2CjB,O;cAAJ,W;gBAAc,WAAU,YA3CH,KA2CG,YAAK,GAAL,E;gBAAV,SA3CqC,CAAM,k  
BAAK,EAAL,CAAN,uCAAKB,oBAAM,E;;;cA2CzC,iB;;YA3C7B,kBAAGB,KiB5nCgE,WjBmqCIF,YiBnqCkF,Ej  
BwqCrF,GiBxqCqF,C;YjB6nChF,IAAI,WuB1jCgC,YAAU,CvB0jC9C,C;cAAyB,MAAM,+B;YAC/B,gBAAS,WA  
AU,OAAAnB,I;YACqB,mBAAe,K;YAuChD,UAHgC,Y;YAIhC,Y;cAAO,mBAxCoB,KAwChB,O;cAAJ,W;gBAAc,  
WAAU,YAxCJ,KAwCI,YAAK,GAAL,E;gBAAV,SAxCoC,CAAM,kBAAK,GAAL,CAAN,mC;;;cAwChB,iB;;YA  
xC7B,eAAe,KiB/nCiE,WjBmqCIF,YiBnqCkF,EjBwqCrF,GiBxqCqF,C;YjBgoChF,gBAAS,QAAS,OAAIB,I;YAC  
A,aAAW,wBAAwB,QAAXB,C;YACX,IAAI,cAAY,IAAZ,IAAoB,2BAAy,MAAZ,MAAXB,C;cAA0C,MAAM,gC  
AAyB,yCAAzB,C;YACHd,aAAW,M;YACX,iBAAYB,WAAV,WAAU,EAAQ,EAAR,C;YACzB,IAAI,aAAW,CA  
Af,C;cACI,cAAY,WiBtoCgE,WjBsoC5C,CiBtoC4C,EjBsoCzC,UiBtoCyC,C;cjBuoC5E,4BAAyB,aAAT,OAAO,  
AAM,CAAS,EAAW,MAAX,CAAzB,C;cACA,4BAAMd,aAX,SAA9B,WiB3oCmD,WjB2oC/B,UiB3oC+B,CjB  
2oCrB,CAAW,EAAW,MAAX,CAANd,C;cACA,IAAI,QAAQ,MAAZ,C;gBAoB,MAAM,gCAAyB,mCAAzB,C;;  
cAE1B,4BAA6B,aAAT,OAaV,WAAU,CAAS,EAAW,MAAX,CAA7B,C;;;MAKhB,OAaW,UAAJ,GAAiB,MA  
AD,aAAhB,GAA6B,M;K;IAIxC,0C;MACI,aAAa,KAAM,O;MACnB,iBAAiB,C;MACjB,IAAI,SAAS,CAAT,IAA  
c,YAAY,IAAZ,mBAAM,CAAN,EAAIB,C;QAAoC,+B;OACHC,YAAC,SAAS,UAAT,IAAD,IAAwB,E;MAAXB,S  
;QAA4D,gBAA7B,yBAaKB,iBAAN,KAAM,CAAIb,C;QAA6B,c;;UU4ThD,U;UADhB,IAAI,wCAAsB,mBAA1B  
,C;YAAqC,aAAO,I;YAAP,e;WACrB,6B;UAAhB,OAAgB,gBAAhB,C;YAAgB,2B;YAAM,IAAI,CV5T4C,CAAa,  
kBAAK,EAAL,CAAb,oCU4TjC,OV5TiC,EU4ThD,C;cAAyB,aAAO,K;cAAP,e;;UAC/C,aAAO,I;;;QV7TyD,iB;O  
AAhE,S;QAEI,OAaW,iBAAM,CAAN,MAAY,EAAhB,sD;OAGX,OAAiB,WAAN,KAAM,EAAW,GAAX,CAA  
V,GAAyC,OAAR,QAAN,KAAM,EAAC,CAAL,CAAQ,CAAzC,GAA6D,OAAO,KAAM,C;K;IAKxE,0D;MAII,QA  
HgC,U;MAIhC,OAAO,IAAI,gBAAJ,IAJqC,SAIvB,CAAU,iCAAK,CAAL,EAAV,CAArB,C;QAAyC,a;;MAJzC,O  
iBnqC4F,oBjBmqCIF,UiBnqCkF,EjBwqCrF,CiBxqCqF,C;K;IjBqqChG,qD;MACI,QAAQ,U;MACR,OAAO,IAAI,  
gBAAJ,IAAc,UAAU,iCAAK,CAAL,EAAV,CAArB,C;QAAyC,a;;MACzC,OAAO,C;K;;;IAmBX,8B;MAA+C,q  
CAAQ,OAAR,E;K;IAC/C,+B;MAAGD,2CAAS,OAAT,E;K;IAEHd,sC;MAAiD,oBAAS,sBAAGB,CAAhB,CAAT,  
C;K;IACjD,wC;MAAMd,oBAAU,uBAAiB,CAAjB,CAAD,yBAAuB,CAAvB,EAAT,C;K;IACnD,oD;MAAoE,oB  
AAU,sBAAgB,CAAhB,CAAD,yBAAsB,iBAATB,EAAT,C;K;IACpE,0C;MACI,IAAI,sEAAqB,SAArB,CAAJ,C;Q  
AAA,OACI,gBAAgB,KAAhB,C;;QADJ,OAGI,iBAAiB,cAAc,KAAd,CAAjB,C;;K;IAGR,4C;MACI,IAAI,kEAAg  
C,mBAAhC,CAAJ,C;QAAA,OACI,gBAAgB,cAAc,MAAd,CAAhB,C;;QADJ,OAGI,iBAAwB,WAAP,MAAO,yB  
AAsB,UAAAtB,CAAxB,C;;K;IuMI3CR,8B;MAEGD,QAAM,SAAN,M;aAC5C,a;UAD4C,OACHB,I;aAC5B,c;UAF4  
C,OAef,I;aAC7B,c;UAH4C,OAGf,I;aAC7B,S;UAJ4C,OAIpB,G;aACxB,S;UAL4C,OAKpB,G;aACxB,O;UAN4C,  
OAMtB,G;aActB,M;UAP4C,OAovB,G;gBnMuEwB,MAAM,6BAA8B,CmMtEnE,mBAAGB,SnMsEmD,YAA9B,  
C;;K;ImMnevD,4C;MACwE,QAAM,SAAN,C;aACpE,I;UADoE,6C;aAEpE,I;UAFoE,8C;aAGpE,I;UAHoE,8C;aA  
IpE,G;UAJoE,yC;aAKpE,G;UALoE,yC;aAMPe,G;UANoE,uC;aAOpE,G;UAPoE,sC;gBAQ5D,MAAM,gCAAyB,  
uCAAoC,SAA7D,C;;K;IAGIB,yD;MAGQ,KAAC,eAAD,C;QAEQ,IADE,OACF,Q;UAHZ,sC;;UAIoB,MAAM,gC  
AAyB,4EAAqD,OAARd,CAAzB,C;;QAIIB,QAAM,OAAO,C;eACIE,YATZ,uC;eAUyE,YAVZ,yC;eAWY,E;YA  
XZ,yC;kBAYoB,MAAM,gCAAyB,yDAaK,OAAIC,CAAzB,C;;K;IC5F9B,4B;K;;MC4BI,kC;;IAXA,gC;MAAA  
,oC;MAM0B,2BAAc,iC;K;8CACpC,Y;MAAKC,OAAA,iCAAoB,W;K;6CADhC,Y;MAAA,yC;K;;IAN1B,4C;MA  
AA,2C;QAAA,0B;OAAA,oC;K;IAWA,gC;MAAA,oC;K;;IAAA,4C;MAAA,2C;QAAA,0B;OAAA,oC;K;;IAKJ,o  
B;K;qCAcI,oB;MAK8D,4BAAiB,IAAjB,EAAuB,QAAvB,C;K;sCAE9D,oB;MAK+D,wBAAM,QAAD,aAAL,C;K  
;sCAG/D,Y;MAMqC,QAAC,iBAAa,a;K;yCAEnD,Y;MAMwC,OAAA,iBAAa,a;K;;4EAIzD,yB;MAAA,4C;MAA  
A,mC;QAQuE,MAAM,WAAM,0BAAN,C;O;KAR7E,C;mFAUA,yB;MAAA,4C;MAAA,mC;QAQsE,MAAM,WA  
AM,0BAAN,C;O;KAR5E,C;IAY8B,4C;MAAiD,mB;MAAhD,gB;MAAoB,4B;K;4CAC/C,Y;MAAsC,OAAA,SA  
K,aAAL,cAAoB,eAApB,C;K;6CAEtC,oB;MAAKd,4BAAiB,SAAjB,EAAuB,4BAAa,QAAb,CAAvB,C;K;;IChGV  
,sC;MAAC,gB;K;IAOf,4E;MAA8G,mB;MAA7G,4B;MAA6B,8B;MAAGD,sB;K;+DACpG,Y;MAAsC,OAAgC,aA

A/B,iBAAW,OAAx,UAAoB,gBAApB,CAA+B,EAAW,iBAAW,KAAtB,CAAhC,cAA8D,aaa9D,C;K;gEACtC,o  
B;MAAkD,+CAAA,gBAAb,EAAwB,iBAAxB,EAAoC,0BAAS,QAAT,CAApC,C;K;;+CAGtD,Y;MAAmC,+CAAa  
,WAAb,EAAqB,IAArB,EAA2B,gCAAS,KAApC,C;K;;IAUO,wC;MAAC,gB;K;IAOf,gF;MAAkH,mB;MAAjH,4B  
;MAA+B,8B;MAAkD,sB;K;mEAC1G,Y;MAAsC,OAAgC,aaA/B,iBAAW,OAAx,GAAoB,gBAAW,EAAW,iBA  
AW,KAAtB,CAAhC,cAA8D,aaa9D,C;K;oEACtC,oB;MAAkD,mDAAe,gBAAf,EAA0B,iBAA1B,EAAcC,0BAA  
S,QAAT,CAAtC,C;K;;iDAGtD,Y;MAAmC,mDAAe,WAAf,EAAuB,IAAvB,EAA6B,gCAAS,KAAtC,C;K;;IAGvC  
,0B;MAGb8B,yE;MAC1B,mB;K;oCAEA,Y;MAA4B,qB;K;iDAE5B,oB;MAWc,Q;MADV,gBAAgB,QAAS,gBAA  
O,SAAP,C;MACf,IAAI,gDAA+B,4CAAnC,C;QAEN,iBAAiB,mBAAU,SAAV,C;QACjB,IAAI,mBAAY,SAAZ,g  
BAAyB,CAAzB,IAA8B,mBAAY,UAAZ,eAAyB,CAA3D,C;UAA8D,gBAAS,QAAT,C;QAC9D,iB;;QAEA,YAA  
Y,QAAS,kBAAS,SAAT,C;QAErB,mBAAiB,4BAAU,K;QAC3B,IAAI,sDAA+B,kDAAnC,C;UAAgE,gBAAS,QA  
AT,C;QACrD,8BAAX,YAAW,C;;MAVf,qB;K;0CAcJ,oB;MACI,MAAM,6BAASB,iDAA+C,cAA/C,qCAA0E,QA  
AIE,MAAtB,C;K;;qFC7Fd,yB;MAAA,yC;MAAA,wB;QA2BI,WAAW,8B;QAhB6B,KAiBxC,E;QAJBA,OakBO,I  
AAK,a;O;KA7BhB,C;uFAeA,4B;MAYI,WAAW,mB;MACX,O;MACA,OAAO,IAAK,a;K;IAYe,qC;MAAC,kB;M  
AAc,wB;K;;sCAR9C,Y;MAQgC,iB;K;sCARhC,Y;MAQ8C,oB;K;wCAR9C,2B;MAAA,sBAQgC,qCARhC,EAQ8  
C,8CAR9C,C;K;oCAAA,Y;MAAA,OAQgC,iDARhC,IAQ8C,8CAR9C,O;K;oCAAA,Y;MAAA,c;MAQgC,sD;MA  
Ac,yD;MAR9C,a;K;kCAAA,iB;MAAA,4IAQgC,sCARhC,IAQ8C,4CAR9C,I;K;iGAUA,yB;MAAA,yC;MAGBA,8  
C;MAhBA,wB;QA6BI,WAAW,8B;QACX,aAjB8C,KAiBjC,E;QAJBb,OakBO,oBAAW,MAAX,EAAMB,IAAK,a  
AAxB,C;O;KA/BX,C;mGAgBA,yB;MAAA,8C;MAAA,mC;QAaI,WAAW,mB;QACX,aAAa,O;QACb,OAAO,oB  
AAW,MAAX,EAAMB,IAAK,aaAxB,C;O;KAfX,C;IxJZA,2E;MASI,sC;MAAA,4C;K;IATJ,mGAWY,Y;MAAQ,2  
B;KAXpB,E;IAAA,4DAaQ,kB;MACI,wBAAW,MAAX,C;K;IAdZ,wF;IyJewC,sC;MACpC,0B;K;;IAGJ,kC;MAUI  
,OAA2C,CAA3C,2BAA6B,uBAA7B,EAAoC,KAApC,CAA2C,e;K;IAE/C,8B;K;kDAuBI,4B;MASI,MAAM,qCA  
A8B,8CAA9B,C;K;;IAa4B,8C;MAGtC,6B;MAEmD,UAMX,M;MAPxC,kBACmD,mE;MAEnD,eAC0B,K;MAE1  
B,cACwC,kE;MAExC,gBACmC,gB;K;iGAG/B,Y;MAAQ,0C;K;0DAEZ,kB;MACI,cAAY,I;MACZ,gBAAc,M;K;I  
AGsE,iG;MAAA,uB;QAExE,Q;QAAZ,qCAAY,8D;QACZ,sCAAA,a;QAFb,OAGA,yB;O;K;2DAJJ,+B;MAAkD,O  
AAsC,wDAAtC,c;K;IAOyE,uH;MAAA,uB;QAEExG,Q;QAAf,iBAAE,8F;QACf,eAAK,2B;QAA6B,mC;QrMjGtB,g  
BAAT,Q;QqMsG0D,kB;QAJzD,sBAASB,SAAK,W;QAC3B,IAAI,eAAa,eAAjB,C;UAEL,iC;UACA,mBAAY,oCA  
AwB,eAAxB,EAAyC,kEAAzC,C;;UAGZ,mBAAY,kE;;QAEhB,oBAaa,e;QAZjB,OAcA,yB;O;K;6DAfJ,0C;MAA  
qF,OAAcC,qEAAtC,c;K;IAqBzB,mI;MAAA,qB;QACxD,yCAAgB,uB;QAGhB,qCAAY,Y;QACZ,uCAAc,E;QACI  
B,W;O;K;iEATA,iC;MAGwB,wCAAA,mCAAb,EAAoC,kFAApC,C;K;mDAQxB,Y;MAMuB,UADC,MACD,EAI  
H,MAJG,EAaK,M;MAjBxB,OAAO,IAAP,C;QAEI,aAAa,IAAK,S;QACF,SAAL,IAAK,O;QAAL,mB;UACyB,gB  
AArB,0D;U1JxBhB,U;UADP,yB;U0JyBe,O1JxBR,sF;S0JuBC,WAAW,M;QAGX,IAAI,mDAAoB,MAApB,QA  
AJ,C;;YALiB,SAAT,exJxJV,CwJwJuD,IxJxJvD,EwJwJ6D,YxJxJ7D,EwJwJoE,IxJxJpE,EAA8C,KAA9C,C;;YwJyJQ,  
gC;cACE,IzJzJhB,oBDgDQ,WAAO,c0JyG0B,C1JzG1B,CAAP,CChDR,C;cyJ0JgB,Q;;cALI,O;;UAAR,c;UAQA,I  
AAI,MAAM,yBAAV,C;YACI,IzJvKhB,oBDgDQ,W0JuHoB,0E1JvHpB,CChDR,C;;UyJ0KY,gBAAc,gB;UACd,I  
AAK,oBAAW,MAAX,C;;K;;0EC1MrB,4B;MAoKI,QAhKK,SAGKG,GAhKoB,KAgKpB,I;MACR,IAAI,CAjKC,  
SAiKD,GAjKwB,KAiKxB,IAAiB,CAAjB,IAAsB,eAjKE,KAiKF,MAjKrB,SAiKL,C;QAA6C,a;OAJ7C,OakKO,  
C;K;kEAhKX,yB;MAAA,0B;MAAA,mC;QA2KI,QAnKK,SAmKG,GAnKe,K;QAAvB,OAAgC,OAOkzB,KApKg  
B,KAOkX,GAAW,CAAC,CAAC,IAPKF,KAOkC,KAAmB,KAAK,CAAC,CAAD,IAAL,CAAnB,CAAD,KAAkC,  
EAAID,KApKyB,C;O;KARpC,C;4EAUA,4B;MAoJI,QAhJK,SAGJG,GAhJoB,KAgJpB,I;MACR,IAAI,CAjJC,SAi  
JD,GAjJwB,KAiJxB,IAAiB,CAAjB,IAAsB,eAjJE,KAiJF,MAjJrB,SAiJL,C;QAA6C,a;OAJ7C,OakJO,C;K;kEAhJ  
X,yB;MAAA,4B;MAAA,mC;QA2JI,QAnJK,SAmJG,GAnJe,K;QAAvB,OAAgC,QAoJzB,KApJgB,KAOjX,GAA  
W,CAAC,CAAC,IAPJF,KAOJC,KAAmB,KAAK,CAAC,CAAD,IAAL,CAAnB,CAAD,KAAkC,EAAID,KApJyB,  
C;O;KARpC,C;4EAUA,4B;MAoII,QAhIK,SAGIG,GAhIc,KAgId,I;MACR,IAAI,CAjIC,SAiID,GAjIkB,KAiIB,IA  
AiB,CAAjB,IAAsB,eAjIJ,KAiII,MAjIrB,SAiIL,C;QAA6C,a;OAJ7C,OakIO,C;K;kEAhIX,4B;MA2II,QAnIK,SA  
mIG,GAnIS,K;MAAJB,OAoIO,KApIU,KAOIL,GAAW,CAAC,CAAC,IAPIR,KAOIO,KAAmB,KAAK,CAAC,CA  
AD,IAAL,CAAnB,CAAD,KAAkC,EAAID,K;K;4EAIIX,yB;MAqMA,0B;MARMA,mC;QAIkB,kBAAT,oBAAL,S  
AAK,C;QAqML,QAAQ,gBArMe,KAQmf,C;QACR,IAAI,gBAtMmB,KAsMnB,eAAiB,CAAjB,IAAsB,mBAtMH,  
KAsMG,GAAa,WAAb,CAA1B,C;UAA6C,W;SatM7C,OAuMO,C;O;KA3MX,C;kEAMA,4B;MAGNI,QAxMK,o

BAAL, SAAK, CAwMG, QAxMU, KAwmV, C; MAxMR, OAyMO, MAzMW, KAyMN, KAAa, MAzMP, KAyMO, CAAD, KAAM, CAAD, aAAL, CAAnB, CAAD, YAAkC, EAAIC, CAAX, CAAL, C; K; 4EAvmX, 4B; MAoGI, QA hGK, SA gGG, GAhGoB, KA gGpB, I; MACR, IAAI, CAjGC, SAiGD, GAjGwB, KA iGxB, IAAiB, CAAjB, IAAsB, eAjGE, KA iGF, MAjGrB, SA iGL, C; QAA6C, a; OAjG7C, OAkGO, C; K; kEAhGX, yB; MAAA, 0B; MAAA, mC; QA2GI, QAnG K, SAmGG, GAnGe, K; QAAvB, OAAgC, OAoGzB, KApGgB, KAoGX, GAAW, CAAC, CAAC, IApGF, KAoGC, KAA mB, KAAK, CAAC, CAAD, IAAL, CAAnB, CAAD, KAAkC, EAAID, KApGyB, C; O; KARpC, C; 4EAUA, 4B; MAoFI, Q AhFK, SA gFG, GAhFoB, KA gFpB, I; MACR, IAAI, CAjFC, SAiFD, GAjFwB, KA iFxB, IAAiB, CAAjB, IAAsB, eAjFE, KA iFF, MAjFrB, SA iFL, C; QAA6C, a; OAjF7C, OAkFO, C; K; kEAhFX, yB; MAAA, 4B; MAAA, mC; QA2FI, QAnFK, S AmFG, GAnFe, K; QAAvB, OAAgC, QAoFzB, KApFgB, KAoFX, GAAW, CAAC, CAAC, IApFF, KAoFC, KAAM, KA AK, CAAC, CAAD, IAAL, CAAnB, CAAD, KAAkC, EAAID, KApFyB, C; O; KARpC, C; 4EAUA, 4B; MAoEI, QA hEK, S AgEG, GAhEc, KA gEd, I; MACR, IAAI, CAjEC, SAiED, GAjEkB, KA iElB, IAAiB, CAAjB, IAAsB, eAjEJ, KA iEI, MAjE rB, SA iEL, C; QAA6C, a; OAjE7C, OAkEO, C; K; kEAhEX, 4B; MA2EI, QAnEK, SAmEG, GAnES, K; MAAjB, OAoEO, K ApEU, KAoEL, GAAW, CAAC, CAAC, IApER, KAoEO, KAAM, KAAK, CAAC, CAAD, IAAL, CAAnB, CAAD, KAA kC, EAAID, K; K; 4EAIE, yB; MAqIA, 0B; MAriA, mC; QAIkB, kBAAT, oBAAL, SAAK, C; QAqIL, QAAQ, gBArIe, KA qIf, C; QACR, IAAI, gBA tImB, KA sInB, eAAiB, CAAjB, IAAsB, mBA tIH, KA sIG, GAAa, WAAb, CAA1B, C; UAA6C, W; SA tI7C, OAuIO, C; O; KA3IX, C; kEAMA, 4B; MAgJI, QAxIK, oBAAL, SAAK, CAwIG, QAxIU, KA wIV, C; MAxIR, OAyIO, MAzIW, KAyIN, KAAa, MAzIP, KAyIO, CAAD, KAAM, CAAD, aAAL, CAAnB, CAAD, YAAkC, E AAIC, CAAX, CAAL, C; K; 2EA vIX, 4B; MAoCI, QA hCA, SA gCQ, GA hCY, KA gCZ, I; MACR, IAAI, CAjCJ, SA iCI, GA jCgB, KA iChB, IAAiB, CAAjB, IAAsB, eAjCN, KA iCM, MAjC1B, SA iCA, C; QAA6C, a; OAjC7C, OAkCO, C; K; iEA hC X, yB; MAAA, 0B; MAAA, mC; QA2CI, QAnCA, SAmCQ, GAnCO, K; QAaf, OAAwB, OAoCjB, KApCQ, KAoCH, GA AW, CAAC, CAAC, IApCV, KAoCS, KAAM, KAAK, CAAC, CAAD, IAAL, CAAnB, CAAD, KAAkC, EAAID, KApCi B, C; O; KAR5B, C; 4EAUA, 4B; MAoBI, QA hBA, SA gBQ, GA hBY, KA gBZ, I; MACR, IAAI, CAjBJ, SA iBI, GAjBgB, K AiBhB, IAAiB, CAAjB, IAAsB, eAjBN, KA iBM, MAjB1B, SA iBA, C; QAA6C, a; OAjB7C, OAkBO, C; K; mEA hBX, yB; MAAA, 4B; MAAA, mC; QA2BI, QAnBA, SAmBQ, GAnBO, K; QAaf, OAAwB, QAoBjB, KApBQ, KAoBH, GAAW, C AAC, CAAC, IApBV, KAoBS, KAAM, KAAK, CAAC, CAAD, IAAL, CAAnB, CAAD, KAAkC, EAAID, KApBiB, C; O ; KAR5B, C; 4EAUA, 4B; MAII, QAAQ, YAAO, KAAP, I; MACR, IAAI, aAAS, KAAT, IAAiB, CAAjB, IAAsB, eAAI, KA AJ, MAaA, SAAvC, C; QAA6C, a; OAC7C, OAAO, C; K; mEAGX, 4B; MAQI, QAAQ, YAAO, K; MACf, OAAO, KAAK, QA AW, CAAC, CAAC, IAAM, KAAP, KAAM, KAAK, CAAC, CAAD, IAAL, CAAnB, CAAD, KAAkC, EAAID, K; K; 4EAGX, yB; MAgEA, 0B; MAhEA, mC; QAIkB, kBAAT, oBAAL, SAAK, C; QA gEL, QAAQ, gBA hEe, KA gEf, C; QACR, IAAI, gBAjEmB, KA iEnB, eAAiB, CAAjB, IAAsB, mBAjEH, KA iEG, GAAa, WAAb, CAA1B, C; UAA6C, W; SAjE7C, OAkEO, C; O; KA tEX, C; kEAMA, 4B; MA2EI, QAnEK, oBAAL, SAAK, CA mEG, QAnEU, KA mEV, C; MA nER, OAoE O, MApEW, KAoEN, KAAa, MApEP, KAoEO, CAAD, KAAM, CAAD, aAAL, CAAnB, CAAD, YAAkC, EAA IC, CAAX, CAAL, C; K; 6EAIE, yB; MAgDA, 0B; MAhDA, mC; QAIS, cAAe, oBAAN, KAAM, C; QA gDpB, QA hDA, S AgDQ, KAAO, OAAP, C; QACR, IAjDA, SA iDI, KAAS, OAAT, eAAiB, CAAjB, IAAsB, mBAAI, OAAJ, GAjD1B, SA iD 0B, CAA1B, C; UAA6C, W; SAjD7C, OAkDO, C; O; KA tDX, C; mEAMA, yB; MAAA, 0B; MAAA, mC; QAQS, cAAU, oB AAN, KAAM, C; QA mDf, QAnDA, SAmDQ, QAAO, OAAP, C; QAnDR, OAAyB, OAoDIB, MAAK, YAAa, MAAM, OA AN, CAAD, KAAM, CAAD, aAAL, CAAnB, CAAD, YAAkC, EAAIC, CAAX, CAAL, CApDkB, S; O; KAR7B, C; 6EAUA, yB; MAgCA, 0B; MAhCA, mC; QAIS, cAAe, oBAAN, KAAM, C; QA gCpB, QA hCA, SA gCQ, KAAO, OAAP, C; QACR, IAjCA, SA iCI, KAAS, OAAT, eAAiB, CAAjB, IAAsB, mBAAI, OAAJ, GAjC1B, SA iC0B, CAA1B, C; UAA6C, W; SAjC7C, OAkCO, C; O; KA tCX, C; mEAMA, yB; MAAA, 4B; MAAA, mC; QAQS, cAAU, oBAAN, KAAM, C; QA mC f, QAnCA, SAmCQ, QAAO, OAAP, C; QAnCR, OAAyB, QAoCIB, MAAK, YAAa, MAAM, OAAO, CAAD, KAAM, KA AM, CAAD, aAAL, CAAnB, CAAD, YAAkC, EAAIC, CAAX, CAAL, CApCkB, S; O; KAR7B, C; 6EAUA, yB; MAgBA, 0B; MAhBA, mC; QAIS, cAAe, oBAAN, KAAM, C; QA gBpB, QA hBA, SA gBQ, KAAO, OAAP, C; QACR, IAjBA, SA iB I, KAAS, OAAT, eAAiB, CAAjB, IAAsB, mBAAI, OAAJ, GAjB1B, SA iB0B, CAA1B, C; UAA6C, W; SAjB7C, OAkBO, C; O; KA tBX, C; mEAMA, 4B; MAQS, cAAU, oBAAN, KAAM, C; MA mBf, QAnBA, SAmBQ, QAAO, OAAP, C; MA nB R, OAoBO, MAAK, YAAa, MAAM, OAAO, CAAD, KAAM, CAAD, aAAL, CAAnB, CAAD, YAAkC, EAAIC, CAAX, CAAL, CApBkB, Q; K; 6EAE7B, yB; MAAA, 0B; MAAA, mC; QAII, QAAQ, cAAO, KAAP, C; QACR, IAAI, cA AS, KAAT, eAAiB, CAAjB, IAAsB, mBAAI, KAAJ, GAAa, SAAb, CAA1B, C; UAA6C, W; SA C7C, OAAO, C; O; KANX,

C;mEASA,4B;MAQI,QAAQ,iBAAO,KAAP,C;MACR,OAAO,MAAK,UAAa,MAAM,KAAN,CAAD,KAAmB,K  
AAM,CAAD,aAAL,CAAnB,CAAD,YAAkC,EAAIC,CAAX,CAAL,C;K;kEAGX,yB;MpGiqB2C,iB;MoGjqB3C,m  
C;QAUI,QAAQ,YAAO,K;QACJ,iBAAS,G;QAAT,S;UAAsB,OpGspBc,MAAiC,MoGtpB/C,CpGspB+C,CoGtpB/  
C,KpGspBc,MAAiC,MoGtpBrC,KpGspBqC,C;SoGtpBhF,OAAO,OAAGD,IAAI,KAApD,GAA+D,C;O;KAX1E,C;  
mEAcA,yB;MpG0I6C,iB;MoG1I7C,mC;QAKCI,QAxBK,SAwBG,GAXBY,K;QAYBT,iBAAK,G;QAAL,S;UAAY,  
OpGuG0B,MAAW,MoGvGrC,CpGuGqC,CoGvGrC,KpGuG0B,MAAW,MoGhIxC,KpGgIwC,C;SoGhI5D,OAYB  
O,OAAcS,IAzBzB,KAYBb,GAAqD,C;O;KAnChE,C;mEAYA,yB;MpG8H6C,iB;MoG9H7C,mC;QASBI,QAZA,S  
AYQ,GAZO,K;QAaJ,iBAAK,G;QAAL,S;UAAY,OpGuG0B,MAAW,MoGvGrC,CpGuGqC,CoGvGrC,KpGuG0B,  
MAAW,MoGpH7C,KpGoH6C,C;SoGpH5D,OAAO,OAAcS,IAb9B,KAAr,GAAqD,C;O;KAvBhE,C;mEAYA,yB;  
MpGkH6C,iB;MoGIH7C,mC;QAUI,QAAQ,YAAO,K;QACJ,iBAAK,G;QAAL,S;UAAY,OpGuG0B,MAAW,MoG  
vGrC,CpGuGqC,CoGvGrC,KpGuG0B,MAAW,MoGvG3B,KpGuG2B,C;SoGvG5D,OAAO,OAAcS,IAAI,KAA1C,  
GAAqD,C;O;KAXhE,C;4ECnTA,yB;MAAA,8B;MAAA,4B;QAOyC,Q;QAAA,gFAAoB,C;O;KAP7D,C;ICM0B,4  
C;MA+CtB,qC;MA/CuB,kB;MAAgB,kB;MAAgB,kB;MAMvD,iBAAsB,iBAAU,UAAV,EAAiB,UAAjB,EAAwB,  
UAAxB,C;K;OCAEtB,+B;M3MWA,IAAI,E2MViB,CAAT,sBAAY,GAAZ,KAA4C,CAAT,sBAAY,GAA/C,MAA  
+E,CAAT,sBAAY,GAAIF,C3MUR,CAAJ,C;QACI,c2MVI,2E;Q3MWJ,MAAM,gCAAyB,OAAQ,WAAjC,C;O2M  
TN,OAAO,CAAA,KAAm,IAAI,EAAV,KAAgB,KAAm,IAAI,CAA1B,IAA+B,KAA/B,I;K;uCAGX,Y;MAGkC,O  
AAE,UAAF,oBAAS,UAAT,SAAGB,U;K;qCAEID,iB;MAEwB,gB;MADpB,IAAI,SAAS,KAAb,C;QAAoB,OAAO  
,I;MACP,iE;MAAD,mB;QAA6B,OAAO,K;OAAvD,mBAAmB,M;MACnB,OAAO,IAAK,UAAAL,KAAgB,YAAa,  
U;K;uCAGxC,Y;MAA+B,qB;K;8CAE/B,iB;MAAoD,wBAAU,KAAm,UAAhB,I;K;gDAEpD,wB;MAKI,OAAA,I  
AAK,MAAL,GAAa,KAAb,KAAuB,IAAK,MAAL,KAAc,KAAc,KAAc,IACf,IAAK,MAAL,IAAc,KADtB,C;K;gDAGJ,+  
B;MAKI,OAAA,IAAK,MAAL,GAAa,KAAb,KAAuB,IAAK,MAAL,KAAc,KAAc,KAAc,KACd,IAAK,MAAL,GAAa,K  
AAb,KAAcS,IAAK,MAAL,KAAc,KAAc,IACf,IAAK,MAAL,IAAc,KADrB,CADc,CAAvB,C;K;IAIJ,mC;MAAA  
,uC;MACI,2BAIuC,G;MAEvC,eAIoC,uCAA0B,M;K;::IAXIE,+C;MAAA,8C;QAAA,6B;OAAA,uC;K;:IA9CA,iD;  
MAAA,uD;MAG6C,0BAAK,KAAL,EAAy,KAAZ,EAAmB,CAAnB,C;MAH7C,Y;K;IA6DJ,qC;MAAA,yC;K;8C  
AEI,Y;MAC2B,yBAAc,CAAd,EAAiB,CAAjB,EAAoB,EAAPB,C;K;::IAH/B,iD;MAAA,gD;QAAA,+B;OAAA,yC  
;K;4FCxDI,yB;MAAA,2D;MAAA,4B;QAAQ,MAAM,6BAAoB,6BAAPB,C;O;KAAAd,C;::ICSJ,uB;MAG2C,+BA  
AoB,KAApB,C;K;4EAE3C,wC;MAO4F,sB;K;IAE5F,6C;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,2C;MAAA,8C  
;O;MAKI,wF;MAKA,sF;MAMA,wE;K;:IAXA,yD;MAAA,iC;MAAA,iD;K;:IACA,wD;MAAA,iC;MAAA,gD;K;:I  
AMA,iD;MAAA,iC;MAAA,yC;K;:IAhBJ,uC;MAAA,iJ;K;:IAAA,4C;MAAA,a;aAAA,c;UAAA,sD;aAAA,a;UAA  
A,qD;aAAA,M;UAAA,8C;gBAAA,gE;K;:IAyBA,+B;MAAA,mC;K;:IAAA,2C;MAAA,0C;QAAA,yB;OAAA,m  
C;K;IAGoC,qC;MACHc,qBAAsC,W;MACtC,gBAA2B,iC;K;uFAGvB,Y;MAMW,Q;MALP,IAAI,kBAAW,iCAAf  
,C;QACI,gBAAS,mC;QACT,qBAAc,I;OAGIB,OAAO,gF;K;6CAGf,Y;MAAwC,yBAAW,iC;K;wCAEnD,Y;MAA  
kC,OAAI,oBAAJ,GAA2B,SAAN,UAAM,CAA3B,GAA2C,iC;K;8CAE7E,Y;MAAkC,+BAAoB,UAApB,C;K;:IA  
GG,oC;MAAC,4B;K;wEAAA,Y;MAAA,2B;K;kDAEtC,Y;MAAwC,W;K;6CAExC,Y;MAAkC,OAAM,SAAN,UA  
AM,C;K;:oFC2C5C,yB;MAAA,gD;MAAA,4B;QAM6C,OAAMB,aAAIB,YAAy,GAAM,C;O;KANhE,C;oGAQA,  
yB;MxG7FA,iB;MwG6FA,4B;QAMqD,OxG7FM,MAAO,OwG6FZ,YAAy,GxG7FA,CwG6Fb,GAA6C,EAA7C,I;  
O;KANrD,C;sGAQA,yB;MAAA,kE;MAAA,4B;QAMsD,OAAMB,sBAAIB,YAAW,GAAO,C;O;KANzE,C;8FAQ  
A,yB;MAAA,0D;MAAA,0B;MAAA,4B;QAOmD,OAAuC,OAAPB,kBAAlB,YAAy,GAAM,CAAoB,C;O;KAP1F  
,C;4FASA,yB;MAAA,wD;MAAA,0B;MAAA,4B;QAOkD,OAA2B,OAAnB,iBAAR,SAAQ,CAAmB,C;O;KAP7E,  
C;IAUA,2C;MAaI,OAA+E,OAA9E,SAAQ,KAAI,WAAa,CAAjB,CAAR,GAakD,CAAlB,YAAy,GAAM,MAAK,  
CAAL,IAAU,WAAa,CAAvB,CAA4B,C;K;IAEnF,4C;MAaI,OAA+E,OAA9E,SAAQ,IAAI,CAAJ,IAAS,WAAa,C  
AAtB,CAAR,GAAwD,CAAlB,YAAy,GAAM,OAAK,WAAa,CAAlB,CAAsB,C;K;oFAEnF,yB;MAAA,gD;MAA  
A,4B;QAM8C,OAAqB,aAApB,YAAy,KAAQ,C;O;KANnE,C;oGAQA,yB;MxGtKA,iB;MwGsKA,4B;QAOI,OxG  
vKuD,MAAO,OwGuK7D,YAAy,KxGvKiD,CwGuK9D,GAA+C,EAA/C,I;O;KAPJ,C;sGASA,yB;MAAA,kE;MA  
AA,4B;QAMuD,OAAqB,sBAAPB,YAAW,KAAc,C;O;KAN5E,C;8FAQA,yB;MAAA,0D;MAAA,4B;MAAA,4B;  
QAOqD,OAAyC,QAAPB,kBAAPB,YAAy,KAAQ,CAAoB,C;O;KAP9F,C;4FASA,yB;MAAA,wD;MAAA,4B;M  
AAA,4B;QAOoD,OAA2B,QAAnB,iBAAR,SAAQ,CAAmB,C;O;KAP/E,C;IAUA,2C;MAaI,OAAoF,QAAf,SAA  
Q,KAAI,WAAa,EAAjB,CAAR,GAAqD,CAAPB,YAAy,KAAQ,MAAK,EAAL,IAAW,WAAa,EAAXB,CAA8B,C;

K;IAExF,4C;MAaI,OAAoF,QAAnF,SAAQ,IAAI,EAAJ,IAAU,WAAa,EAAvB,CAAR,GAA4D,CAApB,YAAy,KAAQ,OAAK,WAAa,EAAlB,CAAuB,C;K;0E9MIRxY,yB;MAaA,kF;MAbA,wB;QAuBI,IAAI,CaBI,KAaR,C;UACI,cAda,qB;UAeb,MAAM,8BAAYB,OAAQ,WAAjC,C;U;KAZbD,C;0EAaA,yB;MAAA,kF;MAAA,qC;QAUI,IAAI,CAAC,KAAL,C;UACI,cAAc,a;UACd,MAAM,8BAAYB,OAAQ,WAAjC,C;U;KAZd,C;SFAGBA,yB;MAWA,kF;M AXA,wB;QAQW,yB;QAeP,IAfsB,KAelB,QAAJ,C;UACI,cAh2B,0B;UAIb3B,MAAM,8BAAYB,OAAQ,WAAjC ,C;UAEN,wBAnBkB,K;;QAAtB,4B;O;KARJ,C;wFAWA,yB;MAAA,kF;MAAA,qC;QAYI,IAAI,aAAJ,C;UACI,c AAc,a;UACd,MAAM,8BAAYB,OAAQ,WAAjC,C;UAEN,OAAO,K;;O;KAhBf,C;oEAoBA,yB;MAaA,4E;MAbA, wB;QAuBI,IAAI,CaBe,KAaN,C;UACI,cAdW,e;UAeX,MAAM,2BAAsB,OAAQ,WAA9B,C;U;KAZbD,C;SEAAa, yB;MAAA,4E;MAAA,qC;QAUI,IAAI,CAAC,KAAL,C;UACI,cAAc,a;UACd,MAAM,2BAAsB,OAAQ,WAA9B, C;U;KAZd,C;kFAGBA,yB;MAcA,4E;MADa,wB;QAWW,uB;QAeP,IAfoB,KAehB,QAAJ,C;UACI,cAhByB,0B;U AiBzB,MAAM,2BAAsB,OAAQ,WAA9B,C;UAEN,sBAnBgB,K;;QAAPB,0B;O;KAXJ,C;oFAcA,yB;MAAA,4E; MAAA,qC;QAYI,IAAI,aAAJ,C;UACI,cAAc,a;UACd,MAAM,2BAAsB,OAAQ,WAA9B,C;UAEN,OAAO,K;;O; KA hBf,C;oEAqBA,yB;MAAA,4E;MAAA,0B;QAMiD,MAAM,2BAAsB,OAAQ,WAA9B,C;O;KANvD,C;I8CnHi C,uB;MA2D7B,8B;MA1DA,kB;K;mFAS8B,Y;MAAQ,iD;K;mFAMR,Y;MAAQ,gD;K;wFAItC,yB;MAAA,gB;M AAA,8B;MAAA,mB;QAWgB,Q;QADR,mB;UADJ,OACiB,I;;UADjB,OAeY,2E;O;KAXhB,C;uCAcA,Y;MAQQ, kBADe,UACf,kB;QADJ,OACkB,UAAAM,U;;QADxB,OAeY,I;K;gCAGhB,Y;MAOQ,kBADE,UACf,kB;QADJ,O ACkB,UAAAM,W;;QADxB,OAeY,sBAAU,UAAV,O;K;IAKhB,4B;MAAA,gC;K;wHAKI,yB;MAAA,iC;MAAA,w B;QAOL,uBAAO,KAAP,C;O;KAPJ,C;wHASA,yB;MAAA,kD;MAAA,iC;MAAA,4B;QAOL,uBAAO,cAAc,SAAd, CAAP,C;O;KAPJ,C;;;IA dJ,wC;MAAA,uC;QAAA,sB;OAAA,gC;K;IAwBsB,mC;MACIB,0B;K;sCAGA,iB;MAA4 C,+CAAoB,uBAAa,KAAM,UAAAnB,C;K;wCACHe,Y;MAA+B,OAAU,SAAV,cAAU,C;K;wCACzC,Y;MAAKC,o BAAU,cAAV,M;K;;;gCA/FIC,Y;MAAA,c;MAOI,sD;MAPJ,a;K;8BAAA,iB;MAAA,2IAOI,sCAPJ,G;K;IAmGA ,kC;MAOI,OAAO,mBAAQ,SAAR,C;K;IAEX,mC;MAQI,IAAI,8CAAJ,C;QAA6B,MAAM,eAAM,U;K;gFAG7C, yB;MAAA,4B;MAAA,qB;MAx CQ,kD;MAwCR,wB;QAOW,Q;;UACI,OAIDH,WakDW,OAIDX,C;;UAmDN,gC; YACS,OA3CH,WAAO,cA2CI,CA3CJ,CAAP,C;;YAwCD,O;;QAAP,W;O;KAPJ,C;kFAcA,yB;MAAA,4B;MAAA, qB;MatDQ,kD;MA sDR,mC;QAOW,Q;;UACI,OAHEH,WAgEW,gBAhEX,C;;UAIeN,gC;YACS,OAzDH,WAAO, cAyDI,CAzDJ,CAAP,C;;YAsDD,O;;QAAP,W;O;KAPJ,C;8EA gBA,yB;MAAA,oD;MAAA,gB;MAAA,8B;MAAA ,4B;QAUW,Q;QADP,yB;QACA,OAAO,gF;O;KAVX,C;+EAaA,yB;MAAA,gB;MAAA,8B;MAAA,uC;QAegB,U ADL,M;QAAM,gBAAGB,2B;QACzB,sB;UAAQ,yF;;UACA,mBAAU,SAAV,C;QAFZ,a;O;KAdJ,C;kFAoBA,yB; MAAA,gB;MAAA,8B;MAAA,0C;QAUW,Q;QADP,IAAI,mBAAJ,C;UAAe,OAAO,Y;QACTB,OAAO,gF;O;KAV X,C;qEAaA,yB;MAAA,gB;MAAA,8B;MAAA,kD;QAIb0B,UADf,M;QAAM,gBAAGB,2B;QACzB,sB;UAAQ,m BAAU,gFAAV,C;;UACA,mBAAU,SAAV,C;QAFZ,a;O;KAhBJ,C;mEAwBA,yB;MAAA,4B;MAAA,gB;MAAA,8 B;MAAA,uC;YAE8C,I;YADnC,M;QACH,wB;UAAa,gB;UAAO,SA7JhB,WA6JwB,UAAU,gFAAV,CA7JxB,C;;U A8JI,oBAAO,eAAP,C;QAFZ,a;O;KAdJ,C;gFAoBA,yB;MAAA,gB;MAAA,8B;MAAA,iC;MA1GA,qB;MatDQ,k D;MAGKR,uC;QAWW,Q;QACH,wB;UA/GG,U;;YA+GkC,U;YA9G9B,SAhEH,gBA8KuB,UAAU,sFAAV,CA9K vB,C;;YAIeN,gC;cACS,SAzDH,gBAAO,cAyDI,CAzDJ,CAAP,C;;cAsDD,O;;UA+GU,a;;UACL,uBAAO,eAAP,C; QAFZ,W;O;KAXJ,C;wEAIbA,yB;MAAA,4B;MAAA,uC;QA cW,Q;QAAM,gBAAGB,2B;QACzB,sB;UAAQ,gB;; UACO,OAnMX,WAmMmB,UAAU,SAAV,CAnMnB,C;;QAIrM,W;O;KAdJ,C;wFAoBA,yB;MA/IA,4B;MAAA,q B;MatDQ,kD;MAqMR,uC;QAWW,Q;QAAM,gBAAGB,2B;QACzB,sB;UAAQ,gB;;UApJL,U;;YACI,SAhEH,WA oNkB,oBApNIB,C;;YAIeN,gC;cACS,SAzDH,WAAO,cAyDI,CAzDJ,CAAP,C;;cAsDD,O;;UAqJK,a;;QAFZ,W;O; KAXJ,C;4EAmBA,6B;MAUI,Q;MAAA,iD;QAAYB,Y;OACzB,OAAO,S;K;4EAGX,yB;MAAA,gB;MAAA,8B;M AAA,oC;QAU0B,Q;QAAtB,IAAI,mBAAJ,C;UAAe,OAAO,gFAAP,C;SACf,OAAO,S;O;KAXX,C;I3CtTgC,sC;M AAC,uB;QAAA,UAAkB,kC;mBAA4C,O;;K;;0DAE/F,yB;MAAA,2D;MAAA,mB;QAKoC,MAAM,8B;O;KALIC, C;oEAOA,yB;MAAA,2D;MAAA,yB;QAMkD,MAAM,6BAAoB,sCAAmC,MAAvD,C;O;KANxD,C;gEAUA,iB; MAUI,OAAO,O;K;kEAGX,4B;MAUI,OAAO,gB;K;oEAGX,2B;MAUI,OAGB,MAAT,QAAS,C;K;oEAGpB,4B; MAUI,gB;MACA,OAAO,S;K;kEAGX,4B;MAWI,MAAM,SAAN,C;MACA,OAAO,S;K;kEAGX,4B;MAUI,OAA O,MAAM,SAAN,C;K;sEAGX,gC;MAWI,OAAW,UAAU,SAAV,CAAJ,GAAqB,SAArB,GAA+B,I;K;8EAG1C,g C;MAWI,OAAW,CAAC,UAAU,SAAV,CAAL,GAAsB,SAAtB,GAAgC,I;K;wEAG3C,yB;MAWI,iBAAc,CAAd, UAAsB,KAAtB,U;QACI,OAAO,KAAP,C;;K;wE4MjJR,iB;MAIKF,Y;K;ICY9C,6B;MACHc,kB;MACA,oB;K;8B

AGA,Y;MAGyC,aAAG,UAAH,UAAW,WAAX,M;K;;gCAvB7C,Y;MAGBI,iB;K;gCAhBJ,Y;MAiBI,kB;K;kCAjB  
J,yB;MAAA,gBAgBI,qCAhBJ,EAI BI,wCAjBJ,C;K;8BAAA,Y;MAAA,c;MAGBI,sD;MACA,uD;MAjBJ,a;K;4BA  
AA,iB;MAAA,4IAgBI,sCAhBJ,IAiBI,wCAjBJ,I;K;IA0BA,6B;MAMoD,gBAAK,SAAL,EAAW,IAAX,C;K;IAEp  
D,8B;MAI8C,iBAAO,eAAP,EAAc,gBAAd,E;K;IAiBD,sC;MACzC,kB;MACA,oB;MACA,kB;K;gCAGA,Y;MAG  
yC,aAAG,UAAH,UAAW,WAAX,UAAoB,UAApB,M;K;;kCAx7C,Y;MAGBI,iB;K;kCAhBJ,Y;MAiBI,kB;K;kC  
AjBJ,Y;MAkBI,iB;K;oCAI BJ,gC;MAAA,kBAgBI,qCAhBJ,EAI BI,wCAjBJ,EAKBI,qCAI BJ,C;K;gCAA,Y;MAA  
A,c;MAGBI,sD;MACA,uD;MACA,sD;MAIBJ,a;K;8BAAA,iB;MAAA,4IAgBI,sCAhBJ,IAiBI,wCAjBJ,IAkBI,sCA  
IBJ,I;K;IA2BA,8B;MAImD,iBAAO,eAAP,EAAc,gBAAd,EAA sB,eAAtB,E;K;I5NIE1B,qB;MAErB,6B;MAFwD,g  
B;K;IAExD,2B;MAAA,+B;MACI,iBAGoC,UAAM,CAAN,C;MAEpC,iBAGoC,UAAM,MAAN,C;MAEpC,kBAG  
mC,C;MAEnC,iBAGkC,C;K;;;IANtC,uC;MAAA,sC;QAAA,qB;OAAA,+B;K;kGAsBA,iB;MAOmE,OAAa,0BA2  
O1C,SAAL,GAAiB,GA3O8B,EAAU,KA2OpD,KAAL,GAAiB,GA3O8B,C;K;sGAehF,iB;MAM2D,OAAa,0BAm  
O1C,SAAL,GAAiB,GAnOsB,EAAU,KEoO5C,KAAL,GAAiB,KFpOsB,C;K;sGAExE,yB;MA0PA,6B;MC3PA,8C;  
MDCA,wB;QAMyD,OCAS,YAAiB,CD6PhD,cAAU,SAAL,GAAiB,GAAtB,CC7PgD,MAAjB,EDAe,KCAc,KAA  
7B,C;O;KDNIE,C;sGAQA,yB;MA4PA,WAS6D,wB;MAT7D,+B;MiB7PA,gD;MjBCA,wB;QAM0D,OiBAS,aAAk  
B,CjB+PhD,eAAW,oBAAL,SAAK,CAAL,UAAN,CiB/PgD,MAAiB,EjBAgB,KiBAc,KAA9B,C;O;KjBNnE,C;4F  
AQA,yB;MA0OA,6B;MA1OA,wB;QAEsD,OCMD,cAAU,CD2O5B,cAAU,SAAL,GAAiB,GAAtB,CC3O4B,MA  
AK,GAAW,CD2O5C,cAjPsC,KAiP5B,KAAL,GAAiB,GAAtB,CC3O4C,MAAX,IAAf,C;O;KDRrD,C;4FAGA,yB;  
MAuOA,6B;MAvOA,wB;QAEuD,OCGF,cAAU,CD2O5B,cAAU,SAAL,GAAiB,GAAtB,CC3O4B,MAAK,GAA  
W,CC4O5C,cF/OuC,KE+O7B,KAAL,GAAiB,KAAtB,CD5O4C,MAAX,IAAf,C;O;KDLrD,C;4FAGA,yB;MAoOA  
,6B;MApOA,wB;QAEqD,OCAA,cAAU,CD2O5B,cAAU,SAAL,GAAiB,GAAtB,CC3O4B,MAAK,GDAI,KCAO,  
KAAX,IAAf,C;O;KDFrD,C;4FAGA,yB;MA2OA,WAS6D,wB;MAT7D,+B;MA3OA,wB;QAEuD,OiBAA,eAAW,  
CjBkP7B,eAAW,oBAAL,SAAK,CAAL,UAAN,CiBIP6B,MAAK,KjBAI,KiBAO,KAAX,CAAhB,C;O;KjBFvD,C;  
8FAIA,yB;MA6NA,6B;MA7NA,wB;QAEuD,OCMD,cAAU,CD8N7B,cAAU,SAAL,GAAiB,GAAtB,CC9N6B,M  
AAK,GAAAY,CD8N9C,cApOwC,KAO9B,KAAL,GAAiB,GAAtB,CC9N8C,MAAZ,IAAf,C;O;KDRtD,C;8FAGA,  
yB;MA0NA,6B;MA1NA,wB;QAEwD,OCGF,cAAU,CD8N7B,cAAU,SAAL,GAAiB,GAAtB,CC9N6B,MAAK,G  
AAAY,CC+N9C,cFIOyC,KEkO/B,KAAL,GAAiB,KAAtB,CD/N8C,MAAZ,IAAf,C;O;KDLtD,C;8FAGA,yB;MAuN  
A,6B;MAvNA,wB;QAEsD,OCAA,cAAU,CD8N7B,cAAU,SAAL,GAAiB,GAAtB,CC9N6B,MAAK,GDAK,KCA  
O,KAAZ,IAAf,C;O;KDFtD,C;8FAGA,yB;MA8NA,WAS6D,wB;MAT7D,+B;MA9NA,wB;QAEwD,OiBAA,eAA  
W,CjBqO9B,eAAW,oBAAL,SAAK,CAAL,UAAN,CiBrO8B,MAAK,UjBAK,KiBAO,KAAZ,CAAhB,C;O;KjBFx  
D,C;8FAIA,yB;MAGNA,6B;MAhNA,wB;QAEuD,OCMD,cAAe,YAAL,CDiN7B,cAAU,SAAL,GAAiB,GAAtB,C  
CjN6B,MAAK,EAAAY,CDiN9C,cAvNwC,KAuN9B,KAAL,GAAiB,GAAtB,CCjN8C,MAAZ,CAAf,C;O;KDRtD,C  
;8FAGA,yB;MA6MA,6B;MA7MA,wB;QAEwD,OCGF,cAAe,YAAL,CDiN7B,cAAU,SAAL,GAAiB,GAAtB,CCj  
N6B,MAAK,EAAAY,CCkN9C,cFrNyC,KEqN/B,KAAL,GAAiB,KAAtB,CDIN8C,MAAZ,CAAf,C;O;KDLtD,C;8F  
AGA,yB;MA0MA,6B;MA1MA,wB;QAEsD,OCAA,cAAe,YAAL,CDiN7B,cAAU,SAAL,GAAiB,GAAtB,CCjN6B  
,MAAK,EDAK,KCAO,KAAZ,CAAf,C;O;KDFtD,C;8FAGA,yB;MAiNA,WAS6D,wB;MAT7D,+B;MAjNA,wB;Q  
AEwD,OiBAA,eAAW,CjBwN9B,eAAW,oBAAL,SAAK,CAAL,UAAN,CiBxN8B,MAAK,UjBAK,KiBAO,KAAZ  
,CAAhB,C;O;KjBFxD,C;0FAIA,yB;MAmMA,6B;MC7LA,4C;MDNA,wB;QAEqD,OCMD,WDoMjB,cAAU,SA  
L,GAAiB,GAAtB,CCpMiB,EDoMjB,cA1MoC,KA0M1B,KAAL,GAAiB,GAAtB,CCpMiB,C;O;KDRpD,C;0FAG  
A,yB;MAGMA,6B;MC7LA,4C;MDHA,wB;QAEsD,OCGF,WDoMjB,cAAU,SAAL,GAAiB,GAAtB,CCpMiB,ECq  
MjB,cFxMqC,KEwM3B,KAAL,GAAiB,KAAtB,CDrMiB,C;O;KDLpD,C;0FAGA,yB;MA6LA,6B;MC7LA,4C;M  
DAA,wB;QAEoD,OCAA,WDoMjB,cAAU,SAAL,GAAiB,GAAtB,CCpMiB,EDAkB,KCAIB,C;O;KDFpD,C;0FA  
GA,yB;MAoMA,WAS6D,wB;MAT7D,+B;MiBpMA,8C;MjBAA,wB;QAEsD,OiBAA,YjB2MjB,eAAW,oBAAL,S  
AAK,CAAL,UAAN,CiB3MiB,EjBAmb,KiBA nB,C;O;KjBFtD,C;0FAIA,yB;MA sLA,6B;MCxKA,kD;MDdA,wB;  
QAMqD,OCcD,cD2KjB,cAAU,SAAL,GAAiB,GAAtB,CC3KiB,ED2KjB,cAzLoC,KAYL1B,KAAL,GAAiB,GAAt  
B,CC3KiB,C;O;KDPBpD,C;0FAOA,yB;MA+KA,6B;MCxKA,kD;MDPA,wB;QAMsD,OCOF,cD2KjB,cAAU,SA  
AL,GAAiB,GAAtB,CC3KiB,EC4KjB,cFnLqC,KEML3B,KAAL,GAAiB,KAAtB,CD5KiB,C;O;KDbpD,C;0FAOA,  
yB;MAwKA,6B;MCxKA,kD;MDAA,wB;QAMoD,OCAA,cD2KjB,cAAU,SAAL,GAAiB,GAAtB,CC3KiB,EDAK  
B,KCAIB,C;O;KDNpD,C;0FAOA,yB;MA2KA,WAS6D,wB;MAT7D,+B;MiB3KA,oD;MjBAA,wB;QAMsD,OiB



AA,ejB8KjB,eAAW,oBAAL,SAAK,CAAL,UAAN,CiB9KiB,EjBAmb,KiBAnB,C;O;KjBNtD,C;oGAQA,yB;MAY JA,6B;MC7LA,4C;MDoCA,wB;QAMiD,OCxCG,WDoMjB,cAAU,SAAL,GAAiB,GAAtB,CCpMiB,EDoMjB,cA5 JqC,KA4J3B,KAAL,GAAiB,GAAtB,CCpMiB,C;O;KDKCpD,C;oGAOA,yB;MAKJA,6B;MC7LA,4C;MD2CA,wB; QAMkD,OC/CE,WDoMjB,cAAU,SAAL,GAAiB,GAAtB,CCpMiB,ECqMjB,cFtJsC,KEsJ5B,KAAL,GAAiB,KAA tB,CDrMiB,C;O;KDyCpD,C;oGAOA,yB;MA2IA,6B;MC7LA,4C;MDkDA,wB;QAMgD,OCtDI,WDoMjB,cAAU, SAAL,GAAiB,GAAtB,CCpMiB,EDsDmB,KCtDnB,C;O;KDgDpD,C;oGAOA,yB;MA8IA,WAS6D,wB;MAT7D,+ B;MiBpMA,8C;MjBsDA,wB;QAMkD,OiB1DI,YjB2MjB,eAAW,oBAAL,SAAK,CAAL,UAAN,CiB3MiB,EjB0D oB,KiB1DpB,C;O;KjBoDtD,C;0FAQA,yB;MA4HA,6B;MCxKA,kD;MDuOJ,0B;MAAA,+B;MA3LI,wB;QAQ6C, OA8LR,eAAW,OC5OI,cD2KjB,cAAU,SAAL,GAAiB,GAAtB,CC3KiB,ED2KjB,cA7H4B,KA6HIB,KAAL,GAAi B,GAAtB,CC3KiB,CAkLf,KD0DW,CAAX,C;O;KATMrC,C;0FASA,yB;MAMHA,6B;MCxKA,kD;MCwoJ,4B;M AAA,iC;MFnLI,wB;QAQ+C,OEslR,gBAAy,QD7OC,cD2KjB,cAAU,SAAL,GAAiB,GAAtB,CC3KiB,EC4KjB,c FrH8B,KEqHpB,KAAL,GAAiB,KAAtB,CD5KiB,CA4Lb,KCiDY,CAAZ,C;O;KF9LvC,C;0FASA,yB;MA0GA,6B ;MCxKA,kD;MD8DA,wB;QAQ2C,OChES,cD2KjB,cAAU,SAAL,GAAiB,GAAtB,CC3KiB,EDgES,KChET,C;O; KDwDpD,C;0FASA,yB;MA2GA,WAS6D,wB;MAT7D,+B;MiB3KA,oD;MjBgEA,wB;QAQ6C,OiBIES,ejB8KjB,e AAW,oBAAL,SAAK,CAAL,UAAN,CiB9KiB,EjBkEU,KiBIEV,C;O;KjB0DtD,C;0EAUA,yB;MAAA,0B;MAAA, +B;MAAA,mB;QAM0C,sBAAW,OAAL,SAAK,KAAX,C;O;KAN1C,C;0EAQA,yB;MAAA,0B;MAAA,+B;MAA A,mB;QAM0C,sBAAW,OAAL,SAAK,KAAX,C;O;KAN1C,C;kGAQA,yB;MAAA,8C;MAuEA,6B;MAvEA,wB; QAE8D,0BA8E3B,cAAU,SAAL,GAAiB,GAAtB,CA9E2B,EA8E3B,cA9EoD,KA8E1C,KAAL,GAAiB,GAAtB,C A9E2B,C;O;KAF9D,C;0FAIA,yB;MAAA,+B;M4LxOJ,0B;M5LwOI,wB;QAEEmD,sB4LvOgC,O5LuO1B,IAAK,K 4LvOX,G5LuOoB,KAAM,K4LvOM,C5LuOhC,C;O;KAFnD,C;wFAGA,yB;MAAA,+B;M4LtoJ,0B;M5LsOI,wB; QAEkD,sB4LrO+B,O5LqOzB,IAAK,K4LrOX,G5LqOmB,KAAM,K4LrOM,C5LqO/B,C;O;KAFID,C;0FAGA,yB; MAAA,+B;M4LpOJ,0B;M5LoOI,wB;QAEEmD,sB4LnOgC,O5LmO1B,IAAK,K4LnOX,G5LmOoB,KAAM,K4Ln OM,C5LmOhC,C;O;KAFnD,C;0EAGA,yB;MAAA,+B;M4LlOJ,0B;M5LkOI,mB;QAEiC,sB4LjOqB,OAAP,C5Li OR,S4LjOe,C5LiOrB,C;O;KAFjC,C;gFAIA,Y;MASmC,gB;K;kFACnC,yB;M4L1OJ,4B;M5L0OI,mB;QASqC,O4 LhPiD,Q5LgP5C,S4LhPY,G5LgPE,G4LhP8B,C;O;K5LuOtF,C;8EAUA,Y;MASiC,OAAK,SAAL,GAAiB,G;K;gF ACID,yB;MAAA,WASqD,wB;MATrD,mB;QASmC,OAAK,oBAAL,SAAK,CAAL,U;O;KATnC,C;kFAWA,Y;M AEqC,W;K;oFACrC,yB;MAAA,iC;M4L5QJ,4B;M5L4QI,mB;QASuC,uB4LlR+C,Q5LkRnC,S4LlRG,G5LkRW,G 4LlRqB,C5LkR/C,C;O;KATvC,C;gFAUA,yB;MAAA,6B;MAAA,mB;QASmC,qBAAU,SAAL,GAAiB,GAAtB,C; O;KATnC,C;kFAUA,yB;MAAA,WAS6D,wB;MAT7D,+B;MAAA,mB;QASqC,sBAAW,oBAAL,SAAK,CAAL,U AAN,C;O;KATrC,C;kFAWA,Y;MAMqC,OApDC,SAAL,GAAiB,G;K;oFAqDID,Y;MAMuC,OA3DD,SAAL,GA AiB,G;K;+BA6DID,Y;MAAyC,OAAQ,CA7DX,SAAL,GAAiB,GA6DD,Y;K;+BA1UrD,Y;MAAA,c;MAG4D,q D;MAH5D,a;K;6BAAA,iB;MAAA,2IAG4D,oCAH5D,G;K;wEA8UA,yB;MAAA,+B;MAAA,4B;QAu0C,sBAAM ,SAAN,C;O;KAV1C,C;0EAWA,yB;MAAA,0B;MAAA,+B;MAAA,4B;QAW2C,sBAAW,OAAL,SAAK,CAAX,C; O;KAX3C,C;0EAYA,yB;MAAA,0B;MAAA,+B;MAAA,4B;QAWyC,sBAAW,OAAL,SAAK,CAAX,C;O;KAXzC ,C;0EAYA,yB;MAAA,0B;MAAA,+B;MAAA,4B;QAW0C,sBAAW,OAAL,SAAK,SAAX,C;O;KAX1C,C;Igc9W A,6B;MACqB,sB;K;uCAKjB,iB;MAM6C,OhCyUP,UgCzUO,aAAQ,KAAR,ChCyUP,C;K;uCgCvUtC,wB;MAOI, aAAQ,KAAR,IAAiB,KhCiOc,K;K;kFgC7NL,Y;MAAQ,OAAA,YAAQ,O;K;oCAE9C,Y;MAC8E,+BAAS,YAAT, C;K;IAGxD,oC;MAAiC,wB;MAAhC,oB;MACnB,eAAoB,C;K;4CACpB,Y;MAAyB,sBAAQ,YAAM,O;K;8CACv C,Y;MAAyD,Q;MAA9B,IAAI,eAAQ,YAAM,OAAIB,C;QAAA,OhCmTO,UgCnTiB,aAAM,mBAAN,EAAM,2B AAN,OhCmTjB,C;;QgCnT+C,MAAM,2BAAuB,YAAM,WAA7B,C;K;;0CAG3F,mB;MAIS,Q;MAAL,IAAI,eAA C,0EAAD,QAAJ,C;QAAiC,OAAO,K;MAExC,OAAe,WAAR,YAAQ,EAAS,OhC2MO,KgC3MhB,C;K;+CAGnB, oB;MACY,Q;MAA2B,gBAA3B,gE;MAA2B,c;;Qd0nDvB,U;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAAO, I;UAAP,e;SACrB,6B;QAAhB,OAAGB,gBAAhB,C;UAAGB,2B;Uc1nD6B,2Bd0nDR,Oc1nDQ,Q;UAAA,W;YAAu B,oBAAR,YAAQ,Ed0nD/B,OIBn7CF,KgCvMiC,C;Wd0nD9C,IAAI,OAAJ,C;YAAyB,aAAO,K;YAAP,e;;QAC/C, aAAO,I;;Mc3nDH,iB;K;mCAGJ,Y;MAAkC,OAAA,IAAK,QAAQ,OAAb,KAAqB,C;K;;IA/CvD,sC;MAAA,oD; MACgC,uBAAK,cAAU,IAAV,CAAL,C;MADhC,Y;K;;oCAPJ,Y;MAAA,OAKqB,qDALrB,M;K;oCAAA,Y;MA AA,c;MAKqB,wD;MALrB,a;K;kCAAA,iB;MAAA,2IAKqB,0CALrB,G;K;gFAyDA,yB;MAAA,yC;MAWsC,yC; QAAA,wB;UAAW,OAAA,aAAK,KAAL,ChCsLV,K;S;O;MgCjMvC,6B;QAWI,OAAO,oBAAW,+BAAU,IAAV,

GAAgB,uBAAhB,CAAX,C;O;KAXX,C;kFAcA,oB;MAGqE,e;K;I/BtE7C,oB;MAEpB,4B;MAFuD,gB;K;IAEvD,0  
B;MAAA,8B;MACl,iBAGmC,SAAK,CAAL,C;MAEnC,iBAGmC,SAAK,EAAL,C;MAEnC,kBAGmC,C;MAEnC,  
iBAGkC,E;K;;;IANtC,sC;MAAA,qC;QAAA,oB;OAAA,8B;K;oGAsBA,yB;MD2QA,6B;MC3PA,8C;MAhBA,wB  
;QAM0D,OAIbQ,YAAy,IAAK,KAAjB,EAA6B,CD6P5D,cC9QsC,KD8Q5B,KAAL,GAAiB,GAAtB,CC7P4D,M  
AA7B,C;O;KAvBIE,C;oGAQA,yB;MCoQA,6B;MD5PA,8C;MARA,wB;QAM2D,OASO,YAAy,IAAK,KAAjB,E  
AA6B,CC8P5D,cDvQuC,KCuQ7B,KAAL,GAAiB,KAAtB,CD9P4D,MAA7B,C;O;KafIE,C;gGAQA,yB;MAAA,8  
C;MAAA,wB;QAOKE,mBAAY,IAAK,KAAjB,EAAuB,KAAM,KAA7B,C;O;KAPIE,C;oGASA,yB;MAgRA,kBA  
S6D,sB;MAT7D,+B;MgBjRA,gD;MhBCA,wB;QAM0D,OgBAS,aAAkB,ChBmRhD,eAAW,oBAAL,SAAK,CAA  
L,iBAAN,CgBnRgD,MAAiB,EhBAgB,KgBAc,KAA9B,C;O;KhBNnE,C;0FAQA,yB;MD0OA,6B;MC1OA,wB;Q  
AEsD,OAMD,cAAK,IAAK,KAAL,GAAW,CD2O5C,cCjP6B,KDiPnB,KAAL,GAAiB,GAAtB,CC3O4C,MAAX,I  
AAf,C;O;KARrD,C;0FAGA,yB;MCwOA,6B;MDxOA,wB;QAEuD,OAGF,cAAK,IAAK,KAAL,GAAW,CC4O5C,  
cD/O8B,KC+OpB,KAAL,GAAiB,KAAtB,CD5O4C,MAAX,IAAf,C;O;KALrD,C;0FAGA,yB;MAAA,6B;MAAA,  
wB;QAEqD,qBAAK,IAAK,KAAL,GAAL,KAAM,KAAX,IAAf,C;O;KAFrD,C;0FAGA,yB;MA+PA,kBAS6D,sB;  
MAT7D,+B;MA/PA,wB;QAEuD,OgBAA,eAAW,ChBsQ7B,eAAW,oBAAL,SAAK,CAAL,iBAAN,CgBtQ6B,MA  
AK,KhBAI,KgBAO,KAAX,CAAhB,C;O;KhBFvD,C;4FAIA,yB;MD6NA,6B;MC7NA,wB;QAEuD,OAMD,cAAK  
,IAAK,KAAL,GAAY,CD8N9C,cCpO+B,KDoOrB,KAAL,GAAiB,GAAtB,CC9N8C,MAAZ,IAAf,C;O;KARtD,C;  
4FAGA,yB;MC2NA,6B;MD3NA,wB;QAEwD,OAGF,cAAK,IAAK,KAAL,GAAY,CC+N9C,cDIogC,KCkOtB,K  
AAL,GAAiB,KAAtB,CD/N8C,MAAZ,IAAf,C;O;KALtD,C;4FAGA,yB;MAAA,6B;MAAA,wB;QAEsD,qBAAK,I  
AAK,KAAL,GAAM,KAAM,KAAL,IAAf,C;O;KAFtD,C;4FAGA,yB;MAkPA,kBAS6D,sB;MAT7D,+B;MAIPA,  
wB;QAEwD,OgBAA,eAAW,ChByP9B,eAAW,oBAAL,SAAK,CAAL,iBAAN,CgBzP8B,MAAK,UhBAK,KgBAO  
,KAAZ,CAAhB,C;O;KhBFxD,C;4FAIA,yB;MDgNA,6B;MChNA,wB;QAEuD,OAMD,cAAe,YAAV,IAAK,KAA  
K,EAAY,CDiN9C,cCvN+B,KDuNrB,KAAL,GAAiB,GAAtB,CCjN8C,MAAZ,CAAf,C;O;KARtD,C;4FAGA,yB;  
MC8MA,6B;MD9MA,wB;QAEwD,OAGF,cAAe,YAAV,IAAK,KAAL,EAAY,CCkN9C,cDrNgC,KCqNtB,KAAL  
,GAAiB,KAAtB,CDiN8C,MAAZ,CAAf,C;O;KALtD,C;4FAGA,yB;MAAA,6B;MAAA,wB;QAEsD,qBAAE,YAA  
V,IAAK,KAAL,EAAM,KAAM,KAAL,CAAf,C;O;KAFtD,C;4FAGA,yB;MAqOA,kBAS6D,sB;MAT7D,+B;MAr  
OA,wB;QAEwD,OgBAA,eAAW,ChB4O9B,eAAW,oBAAL,SAAK,CAAL,iBAAN,CgB5O8B,MAAK,UhBAK,Kg  
BAO,KAAZ,CAAhB,C;O;KhBFxD,C;wFAIA,yB;MDmMA,6B;MC7LA,4C;MANA,wB;QAEqD,OAMD,WAAW,  
IAAX,EDoMjB,cC1M2B,KD0MjB,KAAL,GAAiB,GAAtB,CCpMiB,C;O;KARpD,C;wFAGA,yB;MCiMA,6B;MD  
9LA,4C;MAHA,wB;QAEsD,OAGF,WAAW,IAAX,ECqMjB,cDxM4B,KCwMIB,KAAL,GAAiB,KAAtB,CDrMiB  
,C;O;KALpD,C;wFAGA,yB;MAAA,4C;MAAA,wB;QAEoD,kBAAW,IAAX,EAiB,KAAjB,C;O;KAFpD,C;wFA  
GA,yB;MAwNA,kBAS6D,sB;MAT7D,+B;MgBxNA,8C;MhBAA,wB;QAEsD,OgBAA,YhB+NjB,eAAW,oBAAL,  
SAAK,CAAL,iBAAN,CgB/NiB,EhBAmb,KgBAnB,C;O;KhBFtD,C;wFAIA,yB;MDsLA,6B;MCxKA,kD;MAAdA,  
wB;QAMqD,OAcD,cAAc,IAAd,ED2KjB,cCzL2B,KDyLjB,KAAL,GAAiB,GAAtB,CC3KiB,C;O;KApBpD,C;wF  
AOA,yB;MCgLA,6B;MDzKA,kD;MAPA,wB;QAMsD,OAOf,cAAc,IAAd,EC4KjB,cDnL4B,KCmLiB,KAAL,GA  
AiB,KAAtB,CD5KiB,C;O;KAbpD,C;wFAOA,yB;MAAA,kD;MAAA,wB;QAMoD,qBAAc,IAAd,EAoB,KAApB  
,C;O;KANpD,C;wFAOA,yB;MA+LA,kBAS6D,sB;MAT7D,+B;MgB/LA,oD;MhBAA,wB;QAMsD,OgBAA,ehBk  
MjB,eAAW,oBAAL,SAAK,CAAL,iBAAN,CgBlMiB,EhBAmb,KgBAnB,C;O;KhBNtD,C;kGAQA,yB;MDyJA,6  
B;MC7LA,4C;MAoCA,wB;QAMiD,OAxcG,WAAW,IAAX,EDoMjB,cC5J4B,KD4JIB,KAAL,GAAiB,GAAtB,C  
CpMiB,C;O;KAKpD,C;kGAOA,yB;MCmJA,6B;MD9LA,4C;MA2CA,wB;QAMkD,OA/CE,WAAW,IAAX,ECq  
MjB,cDtJ6B,KCsJnB,KAAL,GAAiB,KAAtB,CDrMiB,C;O;KAyCpD,C;kGAOA,yB;MAIDA,4C;MAkDA,wB;QA  
MgD,OAtDI,WAAW,IAAX,EAsDA,KAtDA,C;O;KAgDpD,C;kGAOA,yB;MAkKA,kBAS6D,sB;MAT7D,+B;Mg  
BxNA,8C;MhBsDA,wB;QAMkD,OgB1DI,YhB+NjB,eAAW,oBAAL,SAAK,CAAL,iBAAN,CgB/NiB,EhB0DoB,  
KgB1DpB,C;O;KhBoDtD,C;wFAQA,yB;MD4HA,6B;MCxKA,kD;MDuOJ,0B;MAAA,+B;MC3LI,wB;QAQ6C,O  
D8LR,eAAW,OC5OI,cAAc,IAAd,ED2KjB,cC7HmB,KD6HT,KAAL,GAAiB,GAAtB,CC3KiB,CAkLf,KD0DW,C  
AAX,C;O;KcTMrC,C;wFASA,yB;MCoha,6B;MDzKA,kD;MCwOJ,4B;MAAA,iC;MDnLI,wB;QAQ+C,OCsLR,g  
BAAY,QD7OC,cAAc,IAAd,EC4KjB,cDrHqB,KCqHX,KAAL,GAAiB,KAAtB,CD5KiB,CA4Lb,KCiDY,CAAZ,C;  
O;KD9LvC,C;wFASA,yB;MA9DA,kD;MA8DA,wB;QAQ2C,OAhES,cAAc,IAAd,EAgEL,KAhEK,C;O;KAwDpD  
,C;wFASA,yB;MA+HA,kBAS6D,sB;MAT7D,+B;MgB/LA,oD;MhBgEA,wB;QAQ6C,OgBIES,ehBkMjB,eAAW,o

BAAL, SAAK, CAAL, iBAAN, CgBIMiB, EhBkEU, KgBIEV, C; O; KhB0DtD, C; wEAUa, yB; MAAA, 6B; MAAA, mB; QAMyC, qBAAK, SAAK, QAAV, C; O; KANzC, C; wEAQA, yB; MAAA, 6B; MAAA, mB; QAMyC, qBAAK, SAAK, QAAV, C; O; KANzC, C; gGAQA, yB; MAAA, 8C; MAAA, wB; QAE6D, 0BAAU, IAAV, EAAgB, KAAhB, C; O; KAF7D, C; wFAIA, yB; MAAA, 6B; MAAA, 2B; QAOmD, qBAAK, aAAS, QAAaD, C; O; KAPnD, C; wFASA, yB; MAAA, 6B; MAAA, 2B; QAOmD, qBAAK, cAAU, QAAf, C; O; KAPnD, C; wFASA, yB; MAAA, 6B; MAAA, wB; QAEiD, qBAAK, IAAK, KAAL, GAAc, KAAM, KAAzB, C; O; KAFjD, C; sFAGA, yB; MAAA, 6B; MAAA, wB; QAEgD, qBAAK, IAAK, KAAL, GAaA, KAAM, KAAxB, C; O; KAFhD, C; wFAGA, yB; MAAA, 6B; MAAA, wB; QAEiD, qBAAK, IAAK, KAAL, GAAc, KAAM, KAAzB, C; O; KAFjD, C; wEAGA, yB; MAAA, 6B; MAAA, mB; QAEgC, qBAAU, CAAL, SAAL, C; O; KAFhC, C; 8EAIA, yB; MAAA, 0B; MAAA, mB; QAUmC, OAAK, OAAL, SAAK, C; O; KAVxC, C; gFAWA, yB; MAAA, 4B; MAAA, mB; QAUqC, OAAK, QAAAL, SAAK, C; O; KAViC, C; 4EAWA, Y; MASiC, gB; K; 8EACjC, yB; MAAA, kBASqD, sB; MATrD, mB; QASmC, OAAK, oBAAL, SAAK, CAAL, iB; O; KATnC, C; gFAWA, yB; MDwDJ, 0B; MAAA, +B; MCxDI, mB; QASqC, OD0DA, eAAW, OC1DX, SD0DW, CAAX, C; O; KCnErC, C; kFAUA, yB; MC+CJ, 4B; MAAA, iC; MD/CI, mB; QASuC, OCiDA, gBAAY, QDjDZ, SCiDY, CAAZ, C; O; KD1DvC, C; 8EAUA, Y; MAEmC, W; K; gFACnC, yB; MAAA, kBAS6D, sB; MAT7D, +B; MAAA, mB; QASqC, sBAAW, oBAAL, SAAK, CAAL, iBAAN, C; O; KATrC, C; gFAWA, yB; MASA, gD; MATA, mB; QAQqC, OAOE, aAAa, SAAb, C; O; KAFvC, C; kFASA, yB; MAAA, gD; MAAA, mB; QAMuC, oBAAa, SAAb, C; O; KANvC, C; 8BAQA, Y; MAAYC, OArDD, oBAAL, SAAK, CAAL, iBAqDe, W; K; ;;;; 8BAhWtD, Y; MAAA, c; MAG2D, qD; MAH3D, a; K; 4BAAA, iB; MAAA, 2IAG2D, oCAH3D, G; K; sEAoWA, yB; MAAA, 6B; MAAA, 4B; QAWwC, qBAAU, SAAV, C; O; KAXxC, C; wEAYA, yB; MAAA, 6B; MAAA, 4B; QAWyC, qBAAU, SAAV, C; O; KAXzC, C; wEAYA, yB; MAAA, 6B; MAAA, 4B; QAUuC, qBAAK, SAAL, C; O; KAVvC, C; wEAWA, yB; MAAA, 6B; MAAA, 4B; QAWwC, qBAAK, SAAK, QAAV, C; O; KAXxC, C; uEAaA, yB; MAAA, gD; MAAA, 4B; QASyC, oBAAkB, SAAIB, C; O; KATzC, C; wEAUa, yB; MAAA, gD; MAAA, 4B; QAS0C, oBAAa, SAAb, C; O; KATiC, C; IgC3ZA, 4B; MACqB, sB; K; sCAKjB, iB; MAM4C, OhCuXT, SgCvXS, aAAQ, KAAR, ChCuXT, C; K; sCgCrXnC, wB; MAOI, aAAQ, KAAR, IAAiB, KhCyQY, K; K; iFgCrQH, Y; MAAQ, OAAA, YAAQ, O; K; mCAE9C, Y; MAC6E, 8BAAS, YAAT, C; K; IAGvD, mC; MAAgC, uB; MAA/B, oB; MACnB, eAAoB, C; K; 2CACpB, Y; MAAyB, sBAAQ, YAAM, O; K; 4CACvC, Y; MAAwD, Q; MAA9B, IAAI, eAAQ, YAAM, OAAIB, C; QAAA, OhCiWK, SgCjWmB, aAAM, mBAAN, EAAM, 2BAAN, OhCiWnB, C; ; QgCjWgD, MAAM, 2BAAuB, YAAM, WAA7B, C; K; ;; yCAGzF, mB; MAIS, Q; MAAL, IAAI, eAAC, 0EAAD, OAAJ, C; QAAgC, OAAO, K; MAEvC, OAAe, WAAR, YAAQ, EAAS, OhCmPK, KgCnPd, C; K; 8CAGnB, oB; MACY, Q; MAA2B, gBAA3B, gE; MAA2B, c; ; Qf0nDvB, U; QADhB, IAAI, wCAAsB, mBAA1B, C; UAAqC, aAAO, I; UAAP, e; SACrB, 6B; QAAhB, OAAgB, gBAAhB, C; UAAgB, 2B; Ue1nD6B, 2Bf0nDR, Oe1nDQ, O; UAAA, W; YAAaB, oBAAR, YAAQ, Ef0nD9B, OjB34CJ, KgC/OkC, C; Wf0nD7C, IAAI, OAAJ, C; YAAyB, aAAO, K; YAAP, e; ; QAC/C, aAAO, I; ;; Me3nDH, iB; K; kCAGJ, Y; MAAkC, OAAA, IAAK, QAAQ, OAAb, KAAqB, C; K; ;; IA/CvD, qC; MAAA, mD; MACgC, sBAAK, eAAS, IAAT, CAAL, C; MADhC, Y; K; ;; ;; mCAPJ, Y; MAAA, OAKqB, oDALrB, M; K; mCAAA, Y; MAAA, c; MAKqB, wD; MAlrB, a; K; iCAAA, iB; MAAA, 2IAKqB, 0CALrB, G; K; 8EAyDA, yB; MAAA, uC; MAWoC, wC; QAAA, wB; UAAW, OAAA, aAAK, KAAL, ChC8NV, K; S; O; MgCzOrC, 6B; QAWI, OAAO, mBAAU, gCAAS, IAAT, GAAe, sBAAf, CAAV, C; O; KAXX, C; gFACa, oB; MAGkE, e; K; I4LnE5C, wC; MAsBIB, iC; MATBsD, 2BAAgB, KAAhB, EAAuB, YAAvB, EAqC, CAARc, C; K; kFAC7B, Y; MAAQ, iB; K; yFACD, Y; MAAQ, gB; K; 2CAExC, iB; MAA8C, W5NwCoB, Y4NxCPB, U5NwCqC, KAAjB, E4NxCX, K5NwCwC, KAA7B, C4NxCPB, K; MAAA, S; QAAkB, O5NwCE, Y4NxCF, K5NwCmB, KAAjB, E4NxCO, S5NwCsB, KAA7B, C4NxCF, K; OAAIB, W; K; kCAE9C, Y; MAKkC, O5NiCgC, Y4NjChC, U5NiCiD, KAAjB, E4NjCxB, S5NiCqD, KAA7B, C4NjChC, I; K; iCAEIC, iB; MAEY, UAAwB, M; MADhC, 2CAAuB, kBAAa, KAAM, UAAAnB, KACf, 2CAAS, KAAM, MAAf, cAAwB, 6CAAQ, KAAM, KAAd, QAAxB, CADe, CAAvB, C; K; mCAGJ, Y; MACI, OAAI, cAAJ, GAAe, EAAf, GAAwB, MAAK, U5NyQA, K4NzQL, QAAqB, S5NyQhB, K4NzQL, I; K; mCAE5B, Y; MAAkC, OAAE, UAAF, qBAAU, S; K; IAE5C, +B; MAAA, mC; MACI, aAC8B, cAAU, 4BAAK, UAAf, EAA0B, 4BAAK, UAA/B, C; K; ;; IAFIC, 2C; MAAA, 0C; QAAA, yB; OAAA, mC; K; ;; IAYJ, oD; MA4CI, uC; MATCI, IAAI, SAAQ, CAAZ, C; QAAuB, MAAa, gCAAYB, wBAAzB, C; MACpC, IAAI, SAAQ, WAAZ, C; QAA2B, MAAa, gCAAYB, wEAzB, C; MAG5C, aAGyB, K; MAEzB, YAGwB, 4BAA0B, KAA1B, EAAiC, YAAjC, EAA+C, IAA/C, C; MAExB, YAGuB, I; K; yCAEvB, Y; MAAgD, mCAAwB, UAAxB, EAA+B, SAA/B, EAAqC, SAARc, C; K; wCAEHd, Y; MAMqC, OAAI, YAAO, CAAX, G5NvB6B, Y4NuBf, U5NvBgC, KAAjB, E4NuBP, S5NvBoC, KAA7B, C4NuBf, IAAAd, G5NvB6B, Y4NuBG, U5NvBc, KAAjB, E4NuBW, S5NvBkB, KAA7B, C4NuBG, I; K; uCAErE, iB; MAEY, UAAwB, M; MADhC, iDAA

6B,kBAaA,KAAM,UAAAnB,KACrB,2CAAS,KAAM,MAAf,cAAwB,6CAAQ,KAAM,KAAd,QAAxB,KAA8C,cA  
AQ,KAAM,KADvC,CAA7B,C;K;yCAGJ,Y;MACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,OAAM,MAAK,U5NiNN,  
K4NjNC,QAAqB,S5NiNtB,K4NjNC,IAAN,SAAGD,SAAhD,I;K;yCAE5B,Y;MAAkC,OAAI,YAAO,CAAX,GAA  
gB,UAAF,qBAAU,SAAV,cAAqB,SAAnC,GAAgD,UAAF,2BAAGB,SAAhB,eAA4B,CAAC,SAAD,IAA5B,C;K;I  
AEhF,qC;MAAA,yC;K;kEACI,sC;MAQ2F,2BAAGB,UAAhB,EAA4B,QAA5B,EAA5C,IAAtC,C;K;;IAT/F,iD;M  
AAA,gD;QAAA,+B;OAAA,yC;K;;IAoBiC,oD;MAAuC,uB;MACXe,sBAA2B,I;MAC3B,iBAAmC,OAAO,CAA1  
C,G5NxDe,Y4NwDrB,K5NxDsC,KAAjB,E4NwDZ,I5NxDyC,KAA7B,C4NwDrB,KAA7C,G5NxDe,Y4NwDF,  
K5NxDbM,KAAjB,E4NwDO,I5NxDsB,KAA7B,C4NwDF,K;MACHe,c5N2RmC,S4N3RhB,I5N2RgB,C;M4N1Rn  
C,cAAuB,cAAJ,GAAa,KAAb,GAAwB,mB;K;gDAE3C,Y;MAAkC,qB;K;iDAEIC,Y;MACI,YAAY,W;MACZ,IA  
AI,6BAAS,mBAAT,QAAJ,C;QACI,IAAI,CAAC,cAAL,C;UAAc,MAAA,6B;QAC3B,iBAAU,K;;QAEV,c5NID6C,  
S4NkD7C,W5NIDuD,KAAK,G4NkDpD,W5NID+D,KAAX,IAAf,C;;M4NoDjD,OAAO,K;K;;IC3Hf,yB;K;mCAII,  
Y;MAA4B,uB;K;;IAMhC,OB;K;oCAII,Y;MAA4B,wB;K;;IAMhC,wB;K;kCAII,Y;MAA4B,sB;K;;IAMhC,yB;K;m  
CAII,Y;MAA4B,uB;K;;I7M5BP,qB;MAErB,6B;MAFwD,gB;K;IAExD,2B;MAAA,+B;MACI,iBAGoC,a;MAEpC,  
iBAGoC,c;MAEpC,kBAGmC,C;MAEnC,iBAGkC,E;K;;IANtC,uC;MAAA,sC;QAAA,qB;OAAA,+B;K;sGAsBA  
,yB;MjBqRA,WAS6D,wB;MAT7D,+B;MiB7PA,gD;MAxBA,wB;QAM0D,OAYBS,aAAa,IAAK,KAAIB,EAA8B,  
CjB+P5D,eAAW,oBiBxRyB,KjBwR9B,KAAK,CAAL,UAAAN,CiB/P4D,MAA9B,C;O;KA/BnE,C;sGAQA,yB;Mf8  
QA,aAS6D,OB;MAT7D,+B;Me9PA,gD;MAhBA,wB;QAM2D,OAIbQ,aAAa,IAAK,KAAIB,EAA8B,CfgQ5D,eAA  
W,oBeJR0B,KfIR/B,KAAK,CAAL,YAAN,CehQ4D,MAA9B,C;O;KAvBnE,C;sGAQA,yB;MhByRA,kBAS6D,sB;  
MAT7D,+B;MgBjRA,gD;MARA,wB;QAMyD,OASU,aAAa,IAAK,KAAIB,EAA8B,ChBmR5D,eAAW,oBgB5Rw  
B,KhB4R7B,KAAK,CAAL,iBAAN,CgBnR4D,MAA9B,C;O;KafnE,C;kGAQA,yB;MAAA,gD;MAAA,wB;QAO  
mE,oBAAa,IAAK,KAAIB,EAAwB,KAAM,KAA9B,C;O;KAPnE,C;4FASA,yB;MjBoPA,WAS6D,wB;MAT7D,+B  
;MiBpPA,wB;QAEuD,OASA,eAAM,IAAK,KAAK,KAAW,CjBkP7C,eAAW,oBiB3PiB,KjB2PtB,KAAK,CAAL,  
UAAAN,CiBIP6C,MAAX,CAAhB,C;O;KAXvD,C;4FAGA,yB;MfkPA,aAS6D,OB;MAT7D,+B;MeIPa,wB;QAEwD  
,OAMD,eAAM,IAAK,KAAK,KAAW,CfmP7C,eAAW,oBezPkB,KfyPvB,KAAK,CAAL,YAAN,CenP6C,MAAX,  
CAAhB,C;O;KARvD,C;4FAGA,yB;MhBkQA,kBAS6D,sB;MAT7D,+B;MgBlQA,wB;QAEsD,OAGC,eAAM,IAA  
K,KAAK,KAAW,ChBsQ7C,eAAW,oBgBzQgB,KhByQrB,KAAK,CAAL,iBAAN,CgBtQ6C,MAAX,CAAhB,C;O;  
KALvD,C;4FAGA,yB;MAAA,+B;MAAA,wB;QAEuD,sBAAM,IAAK,KAAK,KAAK,KAAM,KAAX,CAAhB,C;  
O;KAFvD,C;8FAIA,yB;MjBuOA,WAS6D,wB;MAT7D,+B;MiBvOA,wB;QAEwD,OASA,eAAM,IAAK,KAAK,U  
AAY,CjBqO/C,eAAW,oBiB9OmB,KjB8OxB,KAAK,CAAL,UAAAN,CiBrO+C,MAAZ,CAAhB,C;O;KAXxD,C;8F  
AGA,yB;MfqOA,aAS6D,OB;MAT7D,+B;MerOA,wB;QAEyD,OAMD,eAAM,IAAK,KAAK,UAAAY,CfsO/C,eAA  
W,oBe5OoB,Kf4OzB,KAAK,CAAL,YAAN,CetO+C,MAAZ,CAAhB,C;O;KARxD,C;8FAGA,yB;MhBqPA,kBAS  
6D,sB;MAT7D,+B;MgBrPA,wB;QAEuD,OAGC,eAAM,IAAK,KAAK,UAAAY,ChByP/C,eAAW,oBgB5PkB,KhB4  
PvB,KAAK,CAAL,iBAAN,CgBzP+C,MAAZ,CAAhB,C;O;KALxD,C;8FAGA,yB;MAAA,+B;MAAA,wB;QAEw  
D,sBAAM,IAAK,KAAK,UAAAM,KAAM,KAAZ,CAAhB,C;O;KAFxD,C;8FAIA,yB;MjB0NA,WAS6D,wB;MAT7  
D,+B;MiB1NA,wB;QAEwD,OASA,eAAM,IAAK,KAAK,UAAAY,CjBwN/C,eAAW,oBiBjOmB,KjBiOxB,KAAK,  
CAAL,UAAAN,CiBxN+C,MAAZ,CAAhB,C;O;KAXxD,C;8FAGA,yB;MfwNA,aAS6D,OB;MAT7D,+B;MexNA,w  
B;QAEyD,OAMD,eAAM,IAAK,KAAK,UAAAY,CfyN/C,eAAW,oBe/NoB,Kf+NzB,KAAK,CAAL,YAAN,CezN+  
C,MAAZ,CAAhB,C;O;KARxD,C;8FAGA,yB;MhBwOA,kBAS6D,sB;MAT7D,+B;MgBxOA,wB;QAEuD,OAGC,  
eAAM,IAAK,KAAK,UAAAY,ChB4O/C,eAAW,oBgB/OkB,KhB+OvB,KAAK,CAAL,iBAAN,CgB5O+C,MAAZ,C  
AAhB,C;O;KALxD,C;8FAGA,yB;MAAA,+B;MAAA,wB;QAEwD,sBAAM,IAAK,KAAK,UAAAM,KAAM,KAAZ  
,CAAhB,C;O;KAFxD,C;0FAIA,yB;MjB6MA,WAS6D,wB;MAT7D,+B;MiBpMA,8C;MATA,wB;QAEsD,OASA,  
YAAY,IAAZ,EjB2MjB,eAAW,oBiBpNe,KjBoNpB,KAAK,CAAL,UAAAN,CiB3MiB,C;O;KAXtD,C;0FAGA,yB;  
Mf2MA,aAS6D,OB;MAT7D,+B;MerMA,8C;MANA,wB;QAEuD,OAMD,YAAY,IAAZ,Ef4MjB,eAAW,oBelNgB,  
KfkNrB,KAAK,CAAL,YAAN,Ce5MiB,C;O;KARtD,C;0FAGA,yB;MhB2NA,kBAS6D,sB;MAT7D,+B;MgBxNA,  
8C;MAHA,wB;QAEqD,OAGC,YAAY,IAAZ,EhB+NjB,eAAW,oBgBlOc,KhBkOnB,KAAK,CAAL,iBAAN,CgB/  
NiB,C;O;KALtD,C;0FAGA,yB;MAAA,8C;MAAA,wB;QAEsD,mBAAY,IAAZ,EAAkB,KAAIB,C;O;KAFtD,C;0F  
AIA,yB;MjBgMA,WAS6D,wB;MAT7D,+B;MiB3KA,oD;MARBA,wB;QAMsD,OaqBA,eAAe,IAAf,EjB8KjB,eA  
AW,oBiBnMe,KjBmMpB,KAAK,CAAL,UAAAN,CiB9KiB,C;O;KA3BtD,C;0FAOA,yB;Mf0LA,aAS6D,OB;MAT7

D,+B;Me5KA,oD;MAAd,wB;QAMuD,OAcD,eAAe,IAAf,Ef+KjB,eAAW,oBe7LgB,Kf6LrB,KAAK,CAAL,YAA  
N,Ce/KiB,C;O;KApBtD,C;0FAOA,yB;MhBsMA,kBAS6D,sB;MAT7D,+B;MgB/LA,oD;MAPA,wB;QAMqD,OA  
OC,eAAe,IAAf,EhBkMjB,eAAW,oBgBzMc,KhByMnB,KAAK,CAAL,iBAAN,CgBIMiB,C;O;KAbtD,C;0FAOA,  
yB;MAAA,oD;MAAA,wB;QAMsD,sBA Ae,IAAf,EAAqB,KAArB,C;O;KANtD,C;oGAQA,yB;MjBmKA,WAS6D,  
wB;MAT7D,+B;MiBpMA,8C;MAiCA,wB;QAMkD,OArCI,YAAY,IAAZ,EjB2MjB,eAAW,oBiBtKgB,KjBsKrB,  
KAAK,CAAL,UAAN,CiB3MiB,C;O;KA+BtD,C;oGAOA,yB;Mf6JA,aAS6D,0B;MAT7D,+B;MerMA,8C;MAwC  
A,wB;QAMmD,OA5CG,YAAY,IAAZ,Ef4MjB,eAAW,oBehKiB,KfgKtB,KAAK,CAAL,YAAN,Ce5MiB,C;O;KA  
sCtD,C;oGAOA,yB;MhByKA,kBAS6D,sB;MAT7D,+B;MgBxNA,8C;MA+CA,wB;QAMiD,OAnDK,YAAY,IAA  
Z,EhB+NjB,eAAW,oBgB5Ke,KhB4KpB,KAAK,CAAL,iBAAN,CgB/NiB,C;O;KA6CtD,C;oGAOA,yB;MatDA,8  
C;MA sDA,wB;QAMkD,OA1DI,YAAY,IAAZ,EA0DA,KA1DA,C;O;KAoDtD,C;0FAQA,yB;MjBsIA,WAS6D,wB  
;MAT7D,+B;MiB3KA,oD;MjB4OJ,0B;MAAA,+B;MiBvMI,wB;QAQ6C,OjB0MP,eAAW,OiBjPK,eAAe,IAAf,Ej  
B8KjB,eAAW,oBiBvIM,KjBuIX,KAAK,CAAL,UAAN,CiB9KiB,CA4KjB,KjBqEY,SAAX,C;O;KiBINtC,C;0FAS  
A,yB;Mf8HA,aAS6D,0B;MAT7D,+B;Me5KA,oD;Mf6OJ,4B;MAAA,iC;Me/LI,wB;QAQ+C,OfkMP,gBAAY,QeIP  
E,eAAe,IAAf,Ef+KjB,eAAW,oBe/HQ,Kf+Hb,KAAK,CAAL,YAAN,Ce/KiB,CAsLf,Kf4Da,SAAZ,C;O;Ke1MxC,  
C;0FASA,yB;MhBwIA,kBAS6D,sB;MAT7D,+B;MgB/LA,oD;MhBkQJ,6B;MgB3MI,wB;QAQ2C,OhB8MP,cgBv  
QkB,eAAe,IAAf,EhBkMjB,eAAW,oBgBzII,KhByIT,KAAK,CAAL,iBAAN,CgBIMiB,CAGMnB,KhBuEW,QAAV  
,C;O;KgBtNpC,C;0FASA,yB;MAhEA,oD;MAGEA,wB;QAQ6C,OAIES,eAAe,IAAf,EAkEL,KAIEK,C;O;KA0DtD  
,C;0EAUA,yB;MAAA,+B;MAAA,mB;QAM0C,sBAAM,SAAK,MAAX,C;O;KAN1C,C;0EAQA,yB;MAAA,+B;  
MAAA,mB;QAM0C,sBAAM,SAAK,MAAX,C;O;KAN1C,C;gGAQA,yB;MAAA,gD;MAAA,wB;QAE+D,2BAA  
W,IAAX,EA AiB,KAAjB,C;O;KAF/D,C;0FAIA,yB;MAAA,+B;MAAA,2B;QAOoD,sBAAM,oBAAS,QAAT,CAA  
N,C;O;KAPpD,C;0FASA,yB;MAAA,+B;MAAA,2B;QAOoD,sBAAM,6BAAU,QAAV,CAAN,C;O;KAPpD,C;0F  
ASA,yB;MAAA,+B;MAAA,wB;QAE mD,sBAAM,IAAK,KAAL,KAAC,KAAM,KAApB,CAAN,C;O;KAFnD,C;w  
FAGA,yB;MAAA,+B;MAAA,wB;QAEkD,sBAAM,IAAK,KAAL,IAAa,KAAM,KAA nB,CAAN,C;O;KAFID,C;0F  
AGA,yB;MAAA,+B;MAAA,wB;QAE mD,sBAAM,IAAK,KAAL,KAAC,KAAM,KAApB,CAAN,C;O;KAFnD,C;0  
EAGA,yB;MAAA,+B;MAAA,mB;QAEiC,sBAAM,SAAK,MAAX,C;O;KAFjC,C;gFAIA,yB;MAAA,0B;MAAA,  
mB;QAUmC,OAAK,OAAAL,SAAK,S;O;KAVx C,C;kFAWA,yB;MAAA,4B;MAAA,mB;QAUqC,OAAK,QAAAL,S  
AAK,S;O;KAV1C,C;8EAWA,Y;MAUiC,OAAA,SAAK,Q;K;gFAcT,C,Y;MASmC,gB;K;kFAEnC,yB;MjBmEJ,0B;  
MAAA,+B;MiBnEI,mB;QASqC,OjBqEC,eAAW,OiBrEZ,SjBqEY,SAAX,C;O;KiB9EtC,C;oFAUA,yB;Mf0DJ,4B;  
MAAA,iC;Me1DI,mB;QASuC,Of4DC,gBAAY,Qe5Db,Sf4Da,SAAZ,C;O;KerExC,C;gFAUA,yB;MhBqEJ,6B;Mg  
BrEI,mB;QASmC,OhBuEC,cgBvED,ShBuEW,QAAV,C;O;KgBhFpC,C;kFAUA,Y;MAEQC,W;K;kFAErC,yB;MA  
SA,kD;MATA,mB;QAQqC,OASE,cAAc,SAAd,C;O;KAjBvC,C;oFASA,yB;MAAA,kD;MAAA,mB;QAQuC,qBA  
Ac,SAAd,C;O;KARvC,C;+BAUA,Y;MAAyC,qBAAc,SAAd,C;K;+;+BAnW7C,Y;MAAA,c;MAG4D,qD;MAH5D  
,a;K;6BAAA,iB;MAAA,2IAG4D,oCAH5D,G;K;wEAuWA,yB;MAAA,+B;MAAA,4B;QAW0C,sBAAW,oBAAL,  
SAAK,CAAX,C;O;KAX1C,C;0EAYA,yB;MAAA,+B;MAAA,4B;QAW2C,sBAAW,oBAAL,SAAK,CAAX,C;O;K  
AX3C,C;0EAYA,yB;MAAA,+B;MAAA,4B;QAWyC,sBAAW,oBAAL,SAAK,CAAX,C;O;KAXzC,C;0EAYA,yB;  
MAAA,+B;MAAA,4B;QAU0C,sBAAM,SAAN,C;O;KAV1C,C;yEAYA,yB;MAAA,kD;MAAA,4B;QAS2C,qBAA  
mB,SAA nB,C;O;KAT3C,C;0EAUA,yB;MAAA,kD;MAAA,4B;QAS4C,qBAAc,SAAd,C;O;KAT5C,C;liB9ZA,6B;  
MACqB,sB;K;uCAKjB,iB;MAM6C,OjBsYP,UiBtYO,aAAQ,KAAr,CjBsYP,C;K;uCiBpYtC,wB;MAOI,aAAQ,K  
AAR,IAAiB,KjBoRc,K;K;kFiBhRL,Y;MAAQ,OAAA,YAAQ,O;K;oCAE9C,Y;MAC8E,+BAAS,YAAT,C;K;IAGx  
D,oC;MAAiC,wB;MAAhC,oB;MACnB,eAAoB,C;K;4CACpB,Y;MAAyB,sBAAQ,YAAM,O;K;8CACvC,Y;MAA  
yD,Q;MAA9B,IAAI,eAAQ,YAAM,OAAIB,C;QAAA,OjBgXO,UiBhXiB,aAAM,mBAAN,EAAM,2BAAN,OjBgX  
jB,C;;QiBhX+C,MAAM,2BAAuB,YAAM,WAA7B,C;K;;0CAG3F,mB;MAIS,Q;MAAL,IAAI,eAAC,0EAAD,QA  
AJ,C;QAAiC,OAAO,K;MAExC,OAAe,WAAR,YAAQ,EAAS,OjB8PO,KiB9PhB,C;K;+CAGnB,oB;MACY,Q;MA  
A2B,gBAA3B,gE;MAA2B,c;;QhB0nDvB,U;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAAO,I;UAAP,e;SACr  
B,6B;QAAhB,OAAgB,gBAAhB,C;UAAgB,2B;UgB1nD6B,2BhB0nDR,OgB1nDQ,Q;UAAA,W;YAAuB,oBAAR,  
YAAQ,EhB0nD/B,ODh4CF,KiB1PiC,C;WhB0nD9C,IAAI,OAAJ,C;YAAyB,aAAO,K;YAAP,e;;QAC/C,aAAO,I;;  
MgB3nDH,iB;K;mCAGJ,Y;MAAkC,OAAA,IAAK,QAAQ,OAAb,KAAqB,C;K;;IA/CvD,sC;MAAA,oD;MACgC,  
uBAAK,iBAAU,IAAV,CAAL,C;MADhC,Y;K;;;oCAPJ,Y;MAAA,OAKqB,qDALrB,M;K;oCAA,Y;MAAA,c;M

AKqB,wD;MALrB,a;K;kCAAA,iB;MAAA,2IAKqB,0CALrB,G;K;gFAyDA,yB;MAAA,yC;MAWsC,yC;QAAA,w  
B;UAAW,OAAA,aAAK,KAAL,CjByOV,K;S;O;MiBpPvC,6B;QAWI,OAAO,oBAAW,kBAAU,IAAV,EAAGB,uB  
AAhB,CAAX,C;O;KAXX,C;kFAcA,oB;MAGqE,e;K;I6LnE9C,2C;MAsBnB,kC;MatByD,4BAAiB,KAAjB,EAA  
wB,YAAxB,K;K;qFAC/B,Y;MAAQ,iB;K;4FACD,Y;MAAQ,gB;K;8CAEzC,iB;MAA+C,W9MgDoB,a8MhDpB,U  
9MgDsC,KAAIB,E8MhDX,K9MgDyC,KAA9B,C8MhDpB,K;MAAA,S;QAAkB,O9MgDE,a8MhDF,K9MgDoB,K  
AAIB,E8MhDO,S9MgDuB,KAA9B,C8MhDF,K;OAAIB,W;K;qCAE/C,Y;MAKkC,O9MyCiC,a8MzCjC,U9MyCm  
D,KAAIB,E8MzCzB,S9MyCuD,KAA9B,C8MzCjC,I;K;oCAEiC,iB;MAEY,UAAwB,M;MADhC,8CAAwB,kBAA  
a,KAAM,UAAAnB,KACbB,2CAAS,KAAM,MAAf,cAAwB,6CAAQ,KAAM,KAAAd,QAAxB,CADgB,CAAXB,C;K;  
sCAGJ,Y;MACI,OAAI,cAAJ,GAAe,EAaf,GAAwB,M9M0QK,CARckB,U8MrOjB,U9MqO4B,KAAL,KAAoB,C  
AVzB,U8M3NP,U9M2Na,yB8M3NH,E9M2NG,CAAN,CAUyB,MAApB,CAAN,CAqCIB,MAAK,Q8M1QV,Q9  
M0QK,CARckB,U8MrOoB,S9MqOT,KAAL,KAAoB,CAVzB,U8M3N6B,S9M2NvB,yB8M3NgC,E9M2NhC,CA  
AN,CAUyB,MAApB,CAAN,CAqCIB,MAAK,Q8M1QV,I;K;sCAE5B,Y;MAAkC,OAAE,UAAF,qBAAU,S;K;IAE  
5C,gC;MAAA,oC;MACI,aAC+B,iBAAW,6BAAM,UAAjB,EAA4B,6BAAM,UAAIC,C;K;;;IAFnC,4C;MAAA,2C;  
QAAA,0B;OAAA,oC;K;IAYJ,qD;MA4CI,wC;MatCI,IAAI,gBAAJ,C;QAAwB,MAAA,gCAAYB,wBAAzB,C;MA  
CrC,IAAI,sCAAJ,C;QAA4B,MAAA,gCAAYB,yEAzB,C;MAG7C,aAG0B,K;MAE1B,YAGyB,4BAA0B,KAA1B,  
EAAiC,YAAjC,EAA+C,IAA/C,C;MAEZB,YAGwB,I;K;0CAExB,Y;MAAiD,oCAAYB,UAAzB,EAAgC,SAAhC,E  
AAsC,SAAtC,C;K;yCAEjD,Y;MAMqC,OAAI,uBAAO,CAAX,G9Mf8B,a8MehB,U9MfkC,KAAIB,E8MeR,S9Mfs  
C,KAA9B,C8MehB,IAAd,G9Mf8B,a8MeE,U9MfgB,KAAIB,E8MeU,S9MfoB,KAA9B,C8MeE,I;K;wCAErE,iB;  
MAEY,UAAwB,M;MADhC,kDAA8B,kBAAa,KAAM,UAAAnB,KACtB,2CAAS,KAAM,MAAf,cAAwB,6CAAQ,  
KAAM,KAAAd,QAAxB,KAA8C,kBAAQ,KAAM,KAAAd,CADxB,CAA9B,C;K;0CAGJ,Y;MACI,OAAI,cAAJ,GAA  
e,EAaf,GAAwB,OAAM,M9MkND,CARckB,U8M7KX,U9M6KsB,KAAL,KAAoB,CAVzB,U8MnKD,U9MmKO,  
yB8MnKG,E9MmKH,CAAN,CAUyB,MAApB,CAAN,CAqCIB,MAAK,Q8MINJ,Q9MkND,CARckB,U8M7K0B,  
S9M6Kf,KAAL,KAAoB,CAVzB,U8MnKmC,S9MmK7B,yB8MnKsC,E9MmKtC,CAAN,CAUyB,MAApB,CAAN  
,CAqCIB,MAAK,Q8MINJ,IAAN,SAAqF,cAAU,6BAAU,EAAY,CAAyB,QAA9G,I;K;0CAE5B,Y;MAAk  
C,OAAI,uBAAO,CAAX,GAAgB,UAAF,qBAAU,SAAY,cAAqB,SAARB,WAAd,GAAgD,UAAF,2BAAgB,SAAh  
B,cAA6B,SAAD,aAA5B,W;K;IAEHf,sC;MAAA,0C;K;mEACI,sC;MAQ+F,4BAAiB,UAAjB,EAA6B,QAA7B,EA  
AuC,IAAvC,C;K;;;IATnG,kD;MAAA,iD;QAAA,gC;OAAA,0C;K;IAoBkC,qD;MAA0C,wB;MAC5E,sBAA2B,I;  
MAC3B,iBAAMc,kBAAO,CAA1C,G9MhDmE,a8MgDtB,K9MhDwC,KAAIB,E8MgDb,I9MhD2C,KAA9B,C8M  
gDtB,KAA7C,G9MhDmE,a8MgDH,K9MhDqB,KAAIB,E8MgDM,I9MhDwB,KAA9B,C8MgDH,K;MACHe,c9M  
0SsC,U8M1SnB,I9M0SmB,C;M8MzStC,cAAuB,cAAJ,GAAa,KAAb,GAAwB,mB;K;iDAE3C,Y;MAAkC,qB;K;m  
DAEIC,Y;MACI,YAAY,W;MACZ,IAAI,6BAAS,mBAAAT,QAAJ,C;QACI,IAAI,CAAC,cAAL,C;UAAc,MAAA,6B  
;QAC3B,iBAAU,K;;QAEV,c9M/C+C,U8M+C/C,W9M/C0D,KAAK,K8M+CvD,W9M/CkE,KAAX,CAAhB,C;;M  
8MiDnD,OAAO,K;K;;wEC7Hf,yB;MAAA,8C;MAAA,uB;QAOI,OAAO,MAAM,CAAN,EAAS,CAAT,C;O;KAP  
X,C;wEAUA,yB;MAAA,8C;MAAA,uB;QAOI,OAAO,MAAM,CAAN,EAAS,CAAT,C;O;KAPX,C;wEAUA,yB;  
MAAA,8C;MAAA,uB;QAOI,OAAO,MAAM,CAAN,EAAS,CAAT,C;O;KAPX,C;wEAUA,yB;MAAA,8C;MAAA  
,uB;QAOI,OAAO,MAAM,CAAN,EAAS,CAAT,C;O;KAPX,C;oFC7BA,yB;MAAA,gD;MAAA,4B;QAM6C,OAA  
Q,ahO+RhB,cgO/RgB,C;O;KANrD,C;oGAQA,yB;M/GwCA,iB;M+GxCA,4B;QAMqD,O/GwCM,MAAO,OjH+O  
7B,ciH/O6B,C;O;K+G9CIE,C;sGAQA,yB;MAAA,kE;MAAA,4B;QAMsD,OAAQ,sBhO+QzB,cgO/QyB,C;O;KA  
N9D,C;8FAQA,yB;MAAA,0D;MhOwWA,6B;MgOxWA,4B;QAOmD,OhO2WZ,cgO3WoB,kBhOsQtB,cgOtQsB,  
ChO2WpB,C;O;KgOIXvC,C;4FASA,yB;MAAA,wD;MhO+VA,6B;MgO/VA,4B;QAOkD,OhOkWX,cgOIWmB,iB  
hO6PrB,cgO7PqB,ChOkWnB,C;O;KgOzWvC,C;gFASA,yB;MAAA,4C;MhOsVA,6B;MgOtVA,sC;QAayD,OhOm  
VIB,cgOnV0B,WhO8O5B,cgO9O4B,EAAW,QAAAX,ChOmV1B,C;O;KgOhWvC,C;kFAgBA,yB;MAAA,8C;MhO  
sUA,6B;MgOtUA,sC;QAa0D,OhOmUnB,cgOnU2B,YhO8N7B,cgO9N6B,EAAY,QAAZ,ChOmU3B,C;O;KgOhV  
vC,C;oFAgBA,yB;MAAA,gD;MAAA,4B;QAM8C,OAAS,ahNgOhB,cgNhOgB,C;O;KANvD,C;oGAQA,yB;MAA  
A,gE;MAAA,4B;QAMsD,OAAS,qBhNwNxB,cgNxNwB,C;O;KAN/D,C;sGAQA,yB;MAAA,kE;MAAA,4B;QAM  
uD,OAAS,sBhNgzB,cgNhNyB,C;O;KANhE,C;8FAQA,yB;MAAA,0D;MhN6SA,+B;MgN7SA,4B;QAOqD,OhN  
gTX,egNhToB,kBhNuMvB,cgNvMuB,ChNgTpB,C;O;KgNvt1C,C;4FASA,yB;MAAA,wD;MhNoSA,+B;MgNpS  
A,4B;QAOoD,OhNuSV,egNvSmB,iBhN8LtB,cgN9LsB,ChNuSnB,C;O;KgN9S1C,C;+EASA,yB;MAAA,4C;MhN

2RA,+B;MgN3RA,sC;QAa2D,OhNwRjB,egNxR0B,WhN+K7B,cgN/K6B,EAAW,QAAX,ChNwR1B,C;O;KgNrS1  
C,C;IFaEa,yB;M/GgEA,4C;MjG4MA,+B;MgN5QA,sC;QAa4D,OhNyQIB,eiGzMuB,WjGgG1B,ciGhG0B,EAAW  
,C+GhEK,Q/GgEL,IAAX,CjGyMvB,C;O;KgNtR1C,C;oFAeA,yB;MjOwJI,6B;MiO1SJ,gD;MAkJA,4B;QAM8C,O  
AlJO,ahO+RhB,CDcE,cAAU,cAAL,GAAiB,GAAtB,CCdF,MgO/RgB,C;O;KA4IrD,C;oGAQA,yB;M/G1GA,iB;M  
+G0GA,4B;QAMsD,O/G1GK,MAAO,OlHuM3B,c0N1Ge,GAAy,GxG7FA,CwG6Fb,GAA6C,EAA7C,I;O;KOO  
rD,C;sGAQA,yB;MPbA,kE;MOaA,4B;QAMuD,OPbkB,sB1NkGlC,c0NIGgB,GAAW,GAAO,C;O;KOOzE,C;8FA  
QA,yB;MAAA,0D;MjO+LA,0B;MAAA,+B;MiO/LA,4B;QAoQd,OjOmMZ,eAAW,OiOnMS,kBjOgGnB,cAAL,G  
AAiB,GiOhGO,CjOmMT,CAAX,C;O;KiO1MzC,C;4FASA,yB;MAAA,wD;MjOsLA,0B;MAAA,+B;MiOtLA,4B;  
QAoOd,OjO0LX,eAAW,OiO1LQ,iBjOuFIB,cAAL,GAAiB,GiOvFM,CjO0LR,CAAX,C;O;KiOjMzC,C;gFAUA,y  
B;MAAA,4C;MjOqJA,+B;MiOrJA,sC;QAa2D,OjOkJjB,eiOlJ0B,WjOmD7B,ciOnD6B,EAAW,QAAX,CjOkJ1B,C  
;O;KiO/J1C,C;kFAeA,yB;MAAA,8C;MjOsIA,+B;MiOtIA,sC;QAa4D,OjOmIIB,eiOnI2B,YjOoC9B,ciOpC8B,EAA  
Y,QA AZ,CjOmI3B,C;O;KiOhJ1C,C;oFAeA,yB;M/NgFI,6B;M+N3SJ,gD;MA2NA,4B;QAM+C,OA3NM,ahO+Rh  
B,CCeE,cAAU,cAAL,GAAiB,KAAtB,CDfF,MgO/RgB,C;O;KAqNrD,C;oGAQA,yB;M/GnLA,iB;M+GmLA,4B;Q  
AMuD,O/GnLI,MAAO,OhHkNzB,cwN3CpC,GAAy,KxGvKiD,CwGuK9D,GAA+C,EAA/C,I;O;KOMJ,C;sGAQ  
A,yB;MPZA,kE;MOYA,4B;QAMwD,OPZoB,sBxNmCnC,cwNnCe,GAAW,KAAS,C;O;KOM5E,C;8FAQA,yB;M  
AAA,0D;M/NuHA,4B;MAAA,iC;M+NvHA,4B;QAoUD,O/N2HZ,gBAAy,Q+N3HQ,kB/NwBrB,cAAL,GAAiB,K  
+NxBS,C/N2HR,CAAZ,C;O;K+NII3C,C;4FASA,yB;MAAA,wD;M/N8GA,4B;MAAA,iC;M+N9GA,4B;QAOSD,  
O/NkHX,gBAAy,Q+NIHO,iB/NepB,cAAL,GAAiB,K+NfQ,C/NkHP,CAAZ,C;O;K+NzH3C,C;gFAUA,yB;MAA  
A,4C;M/NyFA,iC;M+NzFA,sC;QAa6D,O/NsFhB,gB+NtF0B,W/NX9B,c+Nw8B,EAAW,QAAX,C/NsF1B,C;O;K  
+NnG7C,C;kFAeA,yB;MAAA,8C;M/N0EA,iC;M+N1EA,sC;QAa8D,O/NuEjB,gB+NvE2B,Y/N1B/B,c+N0B+B,E  
AAy,QA AZ,C/NuE3B,C;O;K+NpF7C,C;ICtRA,qC;MAEI,SjOuIoD,ciOvI3C,CjOuI2C,EiOvIvC,CjOuIuC,C;MiOt  
IpD,SjOsIoD,ciOtI3C,CjOsI2C,EiOtvC,CjOsIuC,C;MiOrIpD,OjOmDkE,YiOnDvD,EjOmDwE,KAAjB,EiOnDjD,  
EjOmD8E,KAA7B,CiOnDvD,KAAX,GjOkFsD,SiOIFjC,EjOkF2C,KAAK,GiOIF3C,EjOkFuD,KAAZ,IAAf,CiOIFt  
D,GjOqEqD,SAAU,CAaT,SiOIFpB,EjOkF8B,KAAK,GiOIF9B,EjOkF0C,KAAZ,IAAf,CaBS,MAAK,GiOrExB,Cj  
OqEmC,KAAZ,IAAf,C;K;IiOIEzD,qC;MACI,SjNwIsD,eiNxI7C,CjNwI6C,EiNxIzC,CjNwIyC,C;MiNvItD,SjNuIs  
D,eiNvI7C,CjNuI6C,EiNvIzC,CjNuIyC,C;MiNtItD,OjNqDmE,aiNrDxD,EjNqD0E,KAAIB,EiNrDID,EjNqDgF,KA  
A9B,CiNrDxD,KAAX,GjN+EwD,UiN/EnC,EjN+E8C,KAAK,UiN/E9C,EjN+E0D,KAAZ,CAAhB,CiN/ExD,GjNk  
EuD,UAAW,CAaV,UiN/EtB,EjN+EiC,KAAK,UiN/EjC,EjN+E6C,KAAZ,CAAhB,CaBU,MAAK,KiNIE3B,CjNkE  
sC,KAAZ,CAAhB,C;K;IiN/D3D,uD;MAMBI,WAAO,CAAP,C;QAD8E,OjOwBZ,YiOvBID,KjOuBmE,KAAjB,Ei  
OvBzC,GjOvBsE,KAA7B,CiOvBID,KAD8D,GACHD,GADgD,GjOuDxB,SiOtDf,GjOsDyB,KAAK,GiOtDxB,mB  
AAiB,GAAjB,EAA5B,KAAtB,EjO2WV,SiO3WuC,IjO2WvC,CiO3WU,CjOsDoC,KAAZ,IAAf,C;aiOrDtD,WAA  
O,CAAP,C;QAF8E,OjOwBZ,YiOtBID,KjOsBmE,KAAjB,EiOtBzC,GjOsBsE,KAA7B,CiOtBID,KAF8D,GAEhD,  
GAFgD,GjO0CzB,SiOxCd,GjOwCwB,KAAK,GiOxCvB,mBAAiB,KAAjB,EAAwB,GAAxB,EjO0WV,SiO1WwC,  
CAAC,IAAD,IjO0WxC,CiO1WU,CjOwCkC,KAAZ,IAAf,C;QiOvC7C,MAAA,gCAAYB,eAAzB,C;K;IAGzB,uD;  
MAMBI,sBAAO,CAAP,C;QADkF,OjNQf,aiNPNd,KjNOqE,KAAIB,EiNP1C,GjNOwE,KAA9B,CiNPNd,KADkE,  
GACpD,GADoD,GjNkC1B,UiNjCjB,GjNiC4B,KAAK,UiNjC3B,mBAAiB,GAAjB,EAA5B,KAAtB,EjNkWP,UiNl  
WoC,IjNkWP,CiNIWO,CjNiCuC,KAAZ,CAAhB,C;aiNhCxD,sBAAO,CAAP,C;QAFkF,OjNQf,aiNNnD,KjNMq  
E,KAAIB,EiNN1C,GjNMwE,KAA9B,CiNNnD,KAFkE,GAEPD,GAFOd,GjNqB3B,UiNnBhB,GjNmB2B,KAAK,  
KiNnB1B,mBAAiB,KAAjB,EAAwB,GAAxB,EjNiWP,UiNjWsC,IAAD,ajNiWrC,CiNjWO,CjNmBqC,KAAZ,CA  
AhB,C;;QiNIB/C,MAAA,gCAAYB,eAAzB,C;K;IhOIDC,sB;MAEtB,8B;MAFYD,gB;K;IAEzD,4B;MAAA,gC;MAC  
LiBAGqC,WAAO,CAAP,C;MAErC,iBAGqC,WAAO,MAAP,C;MAErC,kBAGmC,C;MAEnC,iBAGkC,E;K;;IAN  
BtC,wC;MAAA,uC;QAAA,sB;OAAA,gC;K;wGAsBA,iB;MAM0D,OAAA,0BA6OjC,SAAL,GAAiB,KA7OqB,EA  
AU,KF403C,KAAL,GAAiB,GE5OqB,C;K;oGAeVe,iB;MAOOE,OAAA,0BAoO3C,SAAL,GAAiB,KApO+B,EA  
U,KAOOrD,KAAL,GAAiB,KApO+B,C;K;wGAejF,yB;MA2PA,6B;MD5PA,8C;MCCA,wB;QAMyD,ODAS,YAA  
iB,CC8PhD,cAAU,SAAL,GAAiB,KAAtB,CD9PgD,MAAjB,ECAe,KDAc,KAA7B,C;O;KCNIE,C;wGAQA,yB;M  
A6PA,aAS6D,0B;MAT7D,+B;Me9PA,gD;MfCA,wB;QAM0D,OeAS,aAAkB,CfgQhD,eAAW,oBAAL,SAAK,CA  
AL,YAAN,CehQgD,MAAIB,EfAgB,KeAc,KAA9B,C;O;KfNnE,C;8FAQA,yB;MA2OA,6B;MA3OA,wB;QAEsD,  
ODMD,cAAU,CC4O5B,cAAU,SAAL,GAAiB,KAAtB,CD5O4B,MAAK,GAAW,CD2O5C,cEjPsC,KFiP5B,KAA

L,GAAiB,GAAtB,CC3O4C,MAAX,IAAf,C;O;KCRrD,C;8FAGA,yB;MAwOA,6B;MAxOA,wB;QAEuD,ODGF,cAAU,CC4O5B,cAAU,SAAL,GAAiB,KAAtB,CD5O4B,MAAK,GAAY,CC4O5C,cA/OuC,KA+O7B,KAAL,GAAiB,KAAtB,CD5O4C,MAAX,IAAf,C;O;KCLrD,C;8FAGA,yB;MAqOA,6B;MArOA,wB;QAEqD,ODAA,cAAU,CC4O5B,cAAU,SAAL,GAAiB,KAAtB,CD5O4B,MAAK,GCAI,KDAO,KAAAX,IAAf,C;O;KCFrD,C;8FAGA,yB;MA4OA,aAS6D,0B;MAT7D,+B;MA5OA,wB;QAEuD,OeAA,eAAW,CfmP7B,eAAW,oBAAL,SAAK,CAAL,YAAN,CenP6B,MAAK,KfAI,KeAO,KAAAX,CAAhB,C;O;KfFvD,C;gGAIA,yB;MA8NA,6B;MA9NA,wB;QAEuD,ODMD,cAAU,CC+N7B,cAAU,SAAL,GAAiB,KAAtB,CD/N6B,MAAK,GAAY,CD8N9C,cEpOwC,KFoO9B,KAAL,GAAiB,GAAtB,CC9N8C,MAAZ,IAAf,C;O;KCRtD,C;gGAGA,yB;MA2NA,6B;MA3NA,wB;QAEwD,ODGF,cAAU,CC+N7B,cAAU,SAAL,GAAiB,KAAtB,CD/N6B,MAAK,GAAY,CC+N9C,cAlOyC,KAKO/B,KAAL,GAAiB,KAAtB,CD/N8C,MAAZ,IAAf,C;O;KCLtD,C;gGAGA,yB;MAwNA,6B;MAXNA,wB;QAEsD,ODAA,cAAU,CC+N7B,cAAU,SAAL,GAAiB,KAAtB,CD/N6B,MAAK,GCAK,KDAO,KAAZ,IAAf,C;O;KCFtD,C;gGAGA,yB;MA+NA,aAS6D,0B;MAT7D,+B;MA/NA,wB;QAEwD,OeAA,eAAW,CfsO9B,eAAW,oBAAL,SAAK,CAAL,YAAN,CetO8B,MAAK,UfAK,KeAO,KAAZ,CAAhB,C;O;KfFxD,C;gGAIA,yB;MAiNA,6B;MAjNA,wB;QAEuD,ODMD,cAAe,YAAL,CCKn7B,cAAU,SAAL,GAAiB,KAAtB,CDiN6B,MAAK,EAAY,CDiN9C,cEvNwC,KFuN9B,KAAL,GAAiB,GAAtB,CCjN8C,MAAZ,CAAf,C;O;KCRtD,C;gGAGA,yB;MA8MA,6B;MA9MA,wB;QAEwD,ODGF,cAAe,YAAL,CCKn7B,cAAU,SAAL,GAAiB,KAAtB,CDiN6B,MAAK,EAAY,CCKn9C,cArNyC,KAqN/B,KAAL,GAAiB,KAAtB,CDiN8C,MAAZ,CAAf,C;O;KCLtD,C;gGAGA,yB;MA2MA,6B;MA3MA,wB;QAEsD,ODAA,cAAe,YAAL,CCKn7B,cAAU,SAAL,GAAiB,KAAtB,CDiN6B,MAAK,ECAK,KDAO,KAAZ,CAAf,C;O;KCFtD,C;gGAGA,yB;MAkNA,aAS6D,0B;MAT7D,+B;MAINA,wB;QAEwD,OeAA,eAAW,CfyN9B,eAAW,oBAAL,SAAK,CAAL,YAAN,CezN8B,MAAK,UfAK,KeAO,KAAZ,CAAhB,C;O;KfFxD,C;4FAIA,yB;MAoMA,6B;MD9LA,4C;MCNA,wB;QAEqD,ODMD,WCqMjB,cAAU,SAAL,GAAiB,KAAtB,CDrMiB,EDoMjB,cE1MoC,KF0M1B,KAAL,GAAiB,GAAtB,CCpMiB,C;O;KCRpD,C;4FAGA,yB;MAiMA,6B;MD9LA,4C;MCHA,wB;QAEsD,ODGF,WCqMjB,cAAU,SAAL,GAAiB,KAAtB,CDrMiB,ECqMjB,cAxMqC,KAwM3B,KAAL,GAAiB,KAAtB,CDrMiB,C;O;KCLpD,C;4FAGA,yB;MA8LA,6B;MD9LA,4C;MCAA,wB;QAEoD,ODAA,WCqMjB,cAAU,SAAL,GAAiB,KAAtB,CDrMiB,ECAkB,KDAIB,C;O;KCFpD,C;4FAGA,yB;MAqMA,aAS6D,0B;MAT7D,+B;MerMA,8C;MfAA,wB;QAEsD,OeAA,Yf4MjB,eAAW,oBAAL,SAAK,CAAL,YAAN,Ce5MiB,EfAmB,KeAnB,C;O;KfFtD,C;4FAIA,yB;MAuLA,6B;MDzKA,kD;MCdA,wB;QAMqD,ODcD,cC4KjB,cAAU,SAAL,GAAiB,KAAtB,CD5KiB,ED2KjB,cEzLoC,KFyL1B,KAAL,GAAiB,GAAtB,CC3KiB,C;O;KCPbD,C;4FAOA,yB;MAGLA,6B;MDzKA,kD;MCPA,wB;QAMsD,ODOF,cC4KjB,cAAU,SAAL,GAAiB,KAAtB,CD5KiB,EC4KjB,cAnLqC,KAmL3B,KAAL,GAAiB,KAAtB,CD5KiB,C;O;KCbD,C;4FAOA,yB;MAyKA,6B;MDzKA,kD;MCAA,wB;QAMoD,ODAA,cC4KjB,cAAU,SAAL,GAAiB,KAAtB,CD5KiB,ECAkB,KDAIB,C;O;KCNpD,C;4FAOA,yB;MA4KA,aAS6D,0B;MAT7D,+B;Me5KA,oD;MfAA,wB;QAMsD,OeAA,ef+KjB,eAAW,oBAAL,SAAK,CAAL,YAAN,Ce/KiB,EfAmB,KeAnB,C;O;KfNtD,C;sgAQA,yB;MA0JA,6B;MD9LA,4C;MCoCA,wB;QAMiD,ODxCG,WCqMjB,cAAU,SAAL,GAAiB,KAAtB,CDrMiB,EDoMjB,cE5JqC,KF4J3B,KAAL,GAAiB,GAAtB,CCpMiB,C;O;KCKcD,C;sgAOA,yB;MAmJA,6B;MD9LA,4C;MC2CA,wB;QAMkD,OD/CE,WCqMjB,cAAU,SAAL,GAAiB,KAAtB,CDrMiB,ECqMjB,cAtJsC,KAsJ5B,KAAL,GAAiB,KAAtB,CDrMiB,C;O;KCycD,C;sgAOA,yB;MA4IA,6B;MD9LA,4C;MCKDA,wB;QAMgD,ODtDI,WCqMjB,cAAU,SAAL,GAAiB,KAAtB,CDrMiB,ECsDmB,KDtDnB,C;O;KCGDpD,C;sgAOA,yB;MA+IA,aAS6D,0B;MAT7D,+B;MerMA,8C;MfsDA,wB;QAMkD,Oe1DI,Yf4MjB,eAAW,oBAAL,SAAK,CAAL,YAAN,Ce5MiB,Ef0DoB,Ke1DpB,C;O;KfoDtD,C;4FAQA,yB;MA6HA,6B;MDzKA,kD;MDuOJ,0B;MAAA,+B;ME3LI,wB;QAQ6C,O F8LR,eAAW,OC5OI,cC4KjB,cAAU,SAAL,GAAiB,KAAtB,CD5KiB,ED2KjB,cE7H4B,KF6HIB,KAAL,GAAiB,GAAtB,CC3KiB,CakLf,KD0DW,CAAX,C;O;KEtMrC,C;4FASA,yB;MAoHA,6B;MDzKA,kD;MCwOJ,4B;MAAA,iC;MANLI,wB;QAQ+C,OAsLR,gBAAY,QD7OC,cC4KjB,cAAU,SAAL,GAAiB,KAAtB,CD5KiB,EC4KjB,cArH8B,KAqHpB,KAAL,GAAiB,KAAtB,CD5KiB,CA4Lb,KCiDY,CAAZ,C;O;KA9LvC,C;4FASA,yB;MA2GA,6B;MDzKA,kD;MC8DA,wB;QAQ2C,ODhES,cC4KjB,cAAU,SAAL,GAAiB,KAAtB,CD5KiB,ECgES,KDhET,C;O;KCwDpD,C;4FASA,yB;MA4GA,aAS6D,0B;MAT7D,+B;Me5KA,oD;MfgEA,wB;QAQ6C,OelES,ef+KjB,eAAW,oBAAL,SAAK,CAAL,YAAN,Ce/KiB,EfkEU,KeLEV,C;O;Kf0DtD,C;4EAUA,yB;MAAA,4B;MAAA,iC;MAAA,mB;QAM2C,uBAAY,QAAL,SAAK,KAAZ,C;O;KAN3C,C;4EAQA,yB;MAAA,4B;MAAA,iC;MAAA,mB;QAM2C,uBAAY,QAAL,SAAK,KAAZ,C;O;KAN3C,C;oGAQA,yB;MAAA,8C;MAwEA,6B;MAxEA,wB;QAE+D,0BA+E



5B,cAAU,SAAL,GAAiB,KAAtB,CA/E4B,EA+E5B,cA/EqD,KA+E3C,KAAL,GAAiB,KAAtB,CA/E4B,C;O;KAF/D,C;4FAIA,yB;MAAA,iC;M0LnNJ,4B;M1LmNI,wB;QAEqD,uB0LlNiC,Q1LkN1B,IAAK,K0LINX,G1LkNoB,K AAM,K0LINM,C1LkNjC,C;O;KAFrD,C;0FAGA,yB;MAAA,iC;M0LjNJ,4B;M1LiNI,wB;QAEoD,uB0LhNgC,Q1 LgNzB,IAAK,K0LhNX,G1LgNmB,KAAM,K0LhNM,C1LgNhC,C;O;KAFpD,C;4FAGA,yB;MAAA,iC;M0L/MJ,4 B;M1L+MI,wB;QAEqD,uB0L9MiC,Q1L8M1B,IAAK,K0L9MX,G1L8MoB,KAAM,K0L9MM,C1L8MjC,C;O;KA FrD,C;4EAGA,yB;MAAA,iC;M0L7MJ,4B;M1L6MI,mB;QAEkC,uB0L5MsB,QAAP,C1L4MR,S0L5Me,C1L4Mt B,C;O;KAFIC,C;kFAIA,yB;MAAA,0B;MAAA,mB;QAUmC,OAAK,OAAL,SAAK,C;O;KAVxC,C;oFAWA,Y;M ASqC,gB;K;gFACrC,Y;MASiC,OAAK,SAAL,GAAiB,K;K;kFACID,yB;MAAA,aASqD,0B;MATrD,mB;QASmC, OAAK,oBAAL,SAAK,CAAL,Y;O;KATnC,C;oFAWA,yB;MF+DJ,0B;MAAA,+B;ME/DI,mB;QASqC,OFiEE,eA AW,OEjEb,SfIEa,CAAX,C;O;KE1EvC,C;sFAUA,Y;MAEuC,W;K;kFACvC,yB;MAAA,6B;MAAA,mB;QASmC, qBAAU,SAAL,GAAiB,KAAtB,C;O;KATnC,C;oFAUA,yB;MAAA,aAS6D,0B;MAT7D,+B;MAAA,mB;QASqC,s BAAW,oBAAL,SAAK,CAAL,YAAN,C;O;KATrC,C;oFAWA,Y;MAMqC,OApDC,SAAL,GAAiB,K;K;sFAqDID, Y;MAMuC,OA3DD,SAAL,GAAiB,K;K;gCA6DID,Y;MAAyC,OAAQ,CA7DX,SAAL,GAAiB,KA6DD,Y;K;,,,;gC A3UrD,Y;MAAA,c;MAG6D,qD;MAH7D,a;K;8BAAA,iB;MAAA,2IAG6D,oCAH7D,G;K;0EA+UA,yB;MAAA,i C;MAAA,4B;QAW4C,uBAAY,SAAZ,C;O;KAX5C,C;4EAYA,yB;MAAA,iC;MAAA,4B;QAU6C,uBAAO,SAAP, C;O;KAV7C,C;4EAWA,yB;MAAA,4B;MAAA,iC;MAAA,4B;QAW2C,uBAAY,QAAL,SAAK,CAAZ,C;O;KAX3 C,C;4EAYA,yB;MAAA,4B;MAAA,iC;MAAA,4B;QAW4C,uBAAY,QAAL,SAAK,SAAZ,C;O;KAX5C,C;liC/W A,8B;MACqB,sB;K;wCAKjB,iB;MAM8C,OjCsVL,WiCtVK,aAAQ,KAAR,CjCsVL,C;K;wCiCpVzC,wB;MAOI,a AAQ,KAAR,IAAiB,KjC4OgB,K;K;mFiCxOP,Y;MAAQ,OAAA,YAAQ,O;K;qCAE9C,Y;MAC+E,gCAAS,YAAT, C;K;IAGzD,qC;MAAkC,yB;MAAjC,oB;MACnB,eAAoB,C;K;6CACpB,Y;MAAyB,sBAAQ,YAAM,O;K;gDACv C,Y;MAA0D,Q;MAA9B,IAAI,eAAQ,YAAM,OAAIB,C;QAAA,OjCgUS,WiChUe,aAAM,mBAAN,EAAM,2BAA N,OjCgUf,C;;QiChU8C,MAAM,2BAAuB,YAAM,WAA7B,C;K;;2CAG7F,mB;MAIS,Q;MAAL,IAAI,eAAC,0EA AD,SAAJ,C;QAAkC,OAAO,K;MAEzC,OAAe,WAAR,YAAQ,EAAS,OjCsNS,KiCtNIB,C;K;gDAGnB,oB;MACY ,Q;MAA2B,gBAA3B,gE;MAA2B,c;;QjB0nDvB,U;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAAO,I;UAAP,e ;SACrB,6B;QAAhB,OAAgB,gBAAhB,C;UAAgB,2B;UiB1nD6B,2BjB0nDR,OiB1nDQ,S;UAAA,W;YAAwB,oB AAR,YAAQ,EjB0nDhC,OhBx6CA,KiCINgC,C;WjB0nD/C,IAAI,OAAJ,C;YAAyB,aAAO,K;YAAP,e;;QAC/C,aA AO,I;;MiB3nDH,iB;K;oCAGJ,Y;MAAkC,OAAA,IAAK,QAAQ,OAAb,KAAqB,C;K;;IA/CvD,uC;MAAA,qD;MA CgC,wBAAK,eAAW,IAAX,CAAL,C;MADhC,Y;K;;;qCAPJ,Y;MAAA,OAKqB,sDALrB,M;K;qCAAA,Y;MAAA ,c;MAKqB,wD;MALrB,a;K;mCAAA,iB;MAAA,2IAKqB,0CALrB,G;K;kFAyDA,yB;MAAA,2C;MAWwC,0C;QA AA,wB;UAAW,OAAA,aAAK,KAAL,CjCiMV,K;S;O;MiC5MzC,6B;QAWI,OAAO,qBAAy,gCAAW,IAAX,GAA iB,wBAAjB,CAAZ,C;O;KAXX,C;oFAcA,oB;MAGwE,e;K;Igm5ExE,sC;MAQ2D,OAAa,WAAb,SnOwQjB,KAA L,GAAiB,GmOxQkB,EAAS,KAAT,C;K;IAExE,sC;MAQ4D,OAAa,WAAb,SjO+PIB,KAAL,GAAiB,KiO/PmB,E AAS,KAAT,C;K;IAGzE,sC;MAQ0D,OAAc,WIOiR5B,oBkOjRc,SIOiRnB,KAAL,CAAL,iBkOjRiC,EAAS,KAAT ,C;K;IAExE,sC;MAOgD,uBAAc,SINyQvB,KkNzQS,EAA6B,WAAW,KAAX,CAA7B,C;K;IAGhD,8B;MAMqC,Q ;MAAA,0DAAmB,kBAAkB,SAAlB,C;K;IAExD,qC;MAO+C,Q;MAAA,0CAAc,KAAd,oBAAwB,kBAAkB,SAAl B,C;K;IAGvE,+B;MAMuC,Q;MAAA,2DAAoB,kBAAkB,SAAlB,C;K;IAE3D,sC;MAOiD,Q;MAAA,2CAAE,KA Af,oBAAyB,kBAAkB,SAAlB,C;K;IAE1E,6B;MAMmC,Q;MAAA,yDAAkB,kBAAkB,SAAlB,C;K;IAErD,oC;MA O6C,Q;MAAA,yCAAA,KAAb,oBAAuB,kBAAkB,SAAlB,C;K;IAEpE,8B;MAMqC,Q;MAAA,0DAAmB,kBAAkB ,SAAlB,C;K;IAExD,qC;MAO+C,Q;MAAA,0CAAc,KAAd,oBAAwB,kBAAkB,SAAlB,C;K;IAMvE,kC;MAM4C, kCAAsB,EAAtB,C;K;IAE5C,2C;MASmB,Q;MAAA,sBAAL,SAAK,EAAa,KAAb,C;MAAL,iB;QAA4B,OAAO,I; OAA7C,UAAU,I;MACV,IIO/EkE,YkO+E9D,GIO/E+E,KAAjB,EAA6B,CD6P5D,SmO9KzB,6BAAM,UnO8K6B, KAAL,GAAiB,GAAIB,CC7P4D,MAA7B,CkO+E9D,IAAJ,C;QAA2B,OAAO,I;MACIC,OnO8OqC,UAAW,OmO9 OzC,GIOoL8B,KD0DW,CAAX,C;K;ImO3OzC,mC;MAM8C,mCAAuB,EAAvB,C;K;IAE9C,4C;MASmB,Q;MAA A,sBAAL,SAAK,EAAa,KAAb,C;MAAL,iB;QAA4B,OAAO,I;OAA7C,UAAU,I;MACV,IIOrGkE,YkOqG9D,GIOr G+E,KAAjB,EAA6B,CC8P5D,SiOzJzB,8BAAO,UjOyJ4B,KAAL,GAAiB,KAAtB,CD9P4D,MAA7B,CkOqG9D,I AAJ,C;QAA4B,OAAO,I;MACnC,OjOyNuC,WAAy,QiOzN5C,GIOwKgC,KCiDY,CAAZ,C;K;liOtN3C,iC;MAM 0C,iCAAqB,EAAR,B,C;K;IAE1C,0C;MASI,WAAW,KAAX,C;MAEA,aAAa,SAAK,O;MACIB,IAAI,WAAU,CAA d,C;QAAiB,OAAO,I;MAExB,YAAkB,4BAAK,U;MACvB,S;MAEA,gBAAGB,qBAAK,CAAL,C;MACHB,IAAI,Y

AAy,EAaHb,C;QACI,IAAI,WAAU,CAAV,IAAe,cAAa,EAaHc,C;UAAqC,OAAO,I;QAC5C,QAAQ,C;;QAER,QAAQ,C;;MAGZ,uBAAuB,mB;MAEvB,qBAAqB,gB;MACrB,alOuMmC,SkOvMtB,KIOuMsB,C;MkOtMnC,aAAa,W;MACb,aAAU,KAAV,MAAsB,MAAtB,M;QACI,YAAy,QAAQ,qBAAK,CAAL,CAAR,EAAiB,KAAjB,C;QAEZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,IIONJ8D,YkOmJ1D,MIONJ2E,KAAjB,EkOmJjD,clOnJ8E,KAA7B,CkOmJ1D,IAAJ,C;UACI,IAAI,+CAAkB,gBAAIB,QAAJ,C;YACI,iBIO5FwC,WkO4FvB,KIO5FuB,EkO4Ff,MIO5Fe,C;YkO8FxC,IIOvJsD,YkOuJlD,MIOvJmE,KAAjB,EkOuJzC,clOvJsE,KAA7B,CkOuJlD,IAAJ,C;cACI,OAAO,I;;YAGX,OAAO,I;;SAIf,SIONHkD,SAaE,YkOmHjE,MIONH4D,KAAK,EkOmHvD,MIONHmE,KAAZ,CAAf,C;QkOqHID,mBAAmB,M;QACnB,SIOhJiD,SkOgJjD,MIOhJ2D,KAAK,GAAW,CAkU5C,SkOILrB,KIOkLqB,CAIU4C,MAAX,IAAf,C;QkOijjD,IIONK8D,YkOmK1D,MIONK2E,KAAjB,EkOmKjD,YIONK8E,KAA7B,CkOmK1D,IAAJ,C;UAA2B,OAAO,I;;MAGtC,OAAO,M;K;IAGX,kC;MAM4C,kCAAsB,EAAtB,C;K;IAE5C,2C;MASI,WAAW,KAAx,C;MAEA,aAAa,SAAK,O;MACIB,IAAI,WAAU,CAAd,C;QAAiB,OAAO,I;MAExB,YAAmB,6BAAM,U;MACzB,S;MAEA,gBAAgB,qBAAK,CAAL,C;MACHB,IAAI,YAAy,EAaHb,C;QACI,IAAI,WAAU,CAAV,IAAe,cAAa,EAaHc,C;UAAqC,OAAO,I;QAC5C,QAAQ,C;;QAER,QAAQ,C;;MAIZ,uBAAuB,gD;MAEvB,qBAAqB,gB;MACrB,alNOIqC,UAAW,oBkN1InC,KIN0ImC,CAAX,C;MkNzIrC,aAAa,2B;MACb,aAAU,KAAV,MAAsB,MAAtB,M;QACI,YAAy,QAAQ,qBAAK,CAAL,CAAR,EAAiB,KAAjB,C;QAEZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,IIN5M+D,akN4M3D,MIN5M6E,KAAIB,EkN4MID,clN5MgF,KAA9B,CkN4M3D,IAAJ,C;UACI,IAAI,+CAAkB,gBAAIB,QAAJ,C;YACI,iBIN1JOC,YkN0JzB,KIN1JyB,EkN0JjB,MIN1JiB,C;YkN4J1C,IINhNuD,akNgNnD,MINhNqE,KAAIB,EkNgN1C,clNhNwE,KAA9B,CkNgNnD,IAAJ,C;cACI,OAAO,I;;YAGX,OAAO,I;;SAIf,SINjLoD,UkNiLpD,MINjL+D,KAAK,UkNiL1D,MINjLsE,KAAZ,CAAhB,C;QkNmLpD,mBAAmB,M;QACnB,SIN9MmD,UkN8MnD,MIN9M8D,KAAK,KAAW,ChBsQ7C,UAAW,oBAAL,CayDR,SkOjHrB,KIOiHqB,CAZDQ,MAAK,CAAL,iBAAN,CgBtQ6C,MAAX,CAAhB,C;QkN+MnD,IIN5N+D,akN4N3D,MIN5N6E,KAAIB,EkN4NID,YIN5NgF,KAA9B,CkN4N3D,IAAJ,C;UAA2B,OAAO,I;;MAGtC,OAAO,M;K;IIN9RX,6B;MACKD,OAAU B,0BAAAtB,KAAO,WAAe,EAAU,KAAO,WAAjB,C;K;IACzE,8B;MACqD,OAAC,gCAAuB,iBAAU,gCAAV,C;K;IAE7E,4B;MACoD,ORiZZ,SAvGI,oBQ1SS,ER0Sd,KAAK,CAAL,iBQ1Sc,KR0ST,oBQ1SuB,ER0S5B,KAAK,CAAL,iBQ1Sc,CRiZH,QAAV,C;K;IQhZxC,+B;MACuD,OR+Yf,SAvGI,oBQxSY,ERwSjB,KAAK,CAAL,iBQxSiB,QRwSZ,oBQxS0B,ERwS/B,KAAK,CAAL,iBQxSiB,CR+YN,QAAV,C;K;IQ1YxC,6B;MAEI,eAAe,EQkSoB,K;MRjSnC,cAAc,EQISqB,K;MRhSnC,IAAI,qBAAU,CAAd,C;QACI,OQ6C+D,aR7CpD,EQ6CsE,KAAIB,ER7C/C,EQ6C6E,KAA9B,CR7CpD,IAAJ,GAAa,aAAb,GAA2B,a;OAIc,IAAI,uBAAy,CAAhB,C;QACI,OAAO,UAAm,aAAW,OAAX,CAAN,C;OAIx,eAAiB,4BAAc,CAAd,CAAD,KAAoB,OAAPB,CAAD,WAAkC,CAAIC,C;MACf,UAAU,kBAAW,kBAAW,OAAX,CAAX,C;MACV,OAAO,UAAm,iCQkCsD,aAAkB,CRICzD,UAAm,GAAN,CQkCyD,MAAIB,EAA8B,CRICvD,UAAm,OAAN,CQkCuD,MAA9B,CRICvC,KAAJ,GAAC,CAAIC,GAAYC,CAAPD,EAAAN,C;K;IAIX,gC;MAKe,Q;MAHX,eAAe,EQ8QoB,K;MR7QnC,cAAc,EQ6QqB,K;MR5QnC,IAAI,qBAAU,C AAd,C;QACW,IQyBwD,aRzBpD,EQyBsE,KAAIB,ERzB/C,EQyB6E,KAA9B,CRzBpD,IAAJ,C;UACH,S;;UAEA,OQgDgD,URhDhD,EQgD2D,KAAK,URhD3D,EQgDuE,KAAZ,CAAhB,C;;QRnDpD,W;OAQJ,IAAI,uBAAy,CAAhB,C;QACI,OAAO,UAAm,gBAAW,OAAX,CAAN,C;OAIx,eAAiB,4BAAc,CAAd,CAAD,KAAoB,OAAPB,C AAD,WAAkC,CAAIC,C;MACf,UAAU,kBAAW,kBAAW,OAAX,CAAX,C;MACV,OAAO,UAAm,aQUsD,aAAk B,CRV9D,UAAm,GAAN,CQU8D,MAAIB,EAA8B,CRV5D,UAAm,OAAN,CQU4D,MAA9B,CRV5C,KAAJ,GA AkC,OAAC,KAAN,CAAN,C;K;IAGX,yB;MAEI,IAAE,QAAF,CAAE,CAAF,C;QADyC,OAC5B,W;;QACb,SRw SuC,aQxSIC,4BAAK,URwS0C,KAAb,CQxSvC,C;UAFyC,OAEP,4BAAK,U;;UACvC,SRuSuC,aQvSIC,4BAAK, URuS0C,KAAb,CQvSvC,C;YAHyC,OAGP,4BAAK,U;eACvC,SAAK,UAAAL,C;YAJyC,ORkVN,SQ9UX,YAAF, CAAE,CR8UW,C;;YQIVM,ORgBY,SAAU,CAkU5B,SQ7UP,YAAAnB,IAAI,UAAe,CR6UO,CAIU4B,MAAK,GA AW,CAkU5C,SQ7UY,UR6UZ,CAIU4C,MAAX,IAAf,C;;;K;IQRzD,0B;MAEI,IAAE,QAAF,CAAE,CAAF,C;QA D2C,OAC9B,2B;;QACb,SQkSuC,cRISIC,6BAAM,UQkS0C,KAAAd,CRISvC,C;UAF2C,OAER,6BAAM,U;;UACz C,SQiSuC,cRjSIC,6BAAM,UQiS0C,KAAAd,CRjSvC,C;YAH2C,OAGR,6BAAM,U;eAcZC,4C;YAJ2C,OQwVL,U RpVd,uBAAF,CAAE,CQoVc,C;;YRxVK,OQUY,UAAW,CA8U5B,URjVF,uBAA3B,IAAI,oBAAuB,CQiVE,CA9 U4B,MAAK,KAAW,CRHzB,gCQGyB,MAAX,CAAhB,C;;;K;IRC3D,yB;MAC4C,QAAC,CAAqB,GAAf,UAAP, IAAMC,CAAC,MAAO,EAAW,IAAJ,EAAf,IAAgC,C;K;IAE/G,0B;MAC8C,OAAC,qBAAO,EAAP,CAAW,WAA Z,GAAyB,IAAZB,GAAiC,YAAjC,W;K;IAG9C,0B;MAA8C,uBAAc,CAAd,EAAiB,EAAjB,C;K;IAE9C,kC;MACI



== in this case for the Apache Camel distribution. ==

=====

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

Please read the different LICENSE files present in the licenses directory of  
this distribution.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the  
direction or management of such entity, whether by contract or  
otherwise, or (ii) ownership of fifty percent (50%) or more of the  
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity  
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,  
including but not limited to software source code, documentation  
source, and configuration files.

"Object" form shall mean any form resulting from mechanical  
transformation or translation of a Source form, including but  
not limited to compiled object code, generated documentation,  
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or  
Object form, made available under the License, as indicated by a  
copyright notice that is included in or attached to the work  
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed

with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate

comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.48 kms 2.17.239

## 1.48.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.



"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed

as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Note: Other license terms may apply to certain, identified software files contained within or distributed with the accompanying software if such terms are included in the directory containing the accompanying software. Such other license terms will then apply in lieu of the terms of the software license above.

AWS SDK for Java 2.0

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

This product includes software developed by Amazon Technologies, Inc (<http://www.amazon.com/>).

\*\*\*\*\*

### THIRD PARTY COMPONENTS

\*\*\*\*\*

This software includes third party software subject to the following copyrights:

- XML parsing and utility functions from JetS3t - Copyright 2006-2009 James Murty.

- PKCS#1 PEM encoded private key parsing and utility functions from [oauth.googlecode.com](https://oauth.googlecode.com) - Copyright 1998-2010 AOL Inc.
- Apache Commons Lang - <https://github.com/apache/commons-lang>
- Netty Reactive Streams - <https://github.com/playframework/netty-reactive-streams>
- Jackson-core - <https://github.com/FasterXML/jackson-core>
- Jackson-dataformat-cbor - <https://github.com/FasterXML/jackson-dataformats-binary>

The licenses for these third party components are included in LICENSE.txt

- For Apache Commons Lang see also this required NOTICE:  
Apache Commons Lang  
Copyright 2001-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

## 1.49 xodus-environment 2.0.1

### 1.49.1 Available under license :

Apache-2.0

## 1.50 annotations 13.0

## 1.51 slf4j 1.6.6

### 1.51.1 Available under license :

No license file was found, but licenses were detected in source scan.

```

/**
 * Copyright (c) 2004-2011 QOS.ch
 * All rights reserved.
 *
 * Permission is hereby granted, free of charge, to any person obtaining
 * a copy of this software and associated documentation files (the
 * "Software"), to deal in the Software without restriction, including
 * without limitation the rights to use, copy, modify, merge, publish,
 * distribute, sublicense, and/or sell copies of the Software, and to
 * permit persons to whom the Software is furnished to do so, subject to
 * the following conditions:
 *
 * The above copyright notice and this permission notice shall be
 * included in all copies or substantial portions of the Software.
 *
 * THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,

```

\* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF  
\* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
\* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE  
\* LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION  
\* OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION  
\* WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.  
\*  
\*/

Found in path(s):

\* /opt/cola/permits/1512417657\_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/IMarkerFactory.java  
\* /opt/cola/permits/1512417657\_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/helpers/BasicMDCAdapter.java  
\* /opt/cola/permits/1512417657\_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/helpers/MarkerIgnoringBase.java  
\* /opt/cola/permits/1512417657\_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/spi/MDCAdapter.java  
\* /opt/cola/permits/1512417657\_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/helpers/SubstituteLoggerFactory.java  
\* /opt/cola/permits/1512417657\_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/LoggerFactory.java  
\* /opt/cola/permits/1512417657\_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/impl/StaticLoggerBinder.java  
\* /opt/cola/permits/1512417657\_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/helpers/NOPMDCAdapter.java  
\* /opt/cola/permits/1512417657\_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/MarkerFactory.java  
\* /opt/cola/permits/1512417657\_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/impl/StaticMDCBinder.java  
\* /opt/cola/permits/1512417657\_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/helpers/BasicMarkerFactory.java  
\* /opt/cola/permits/1512417657\_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/spi/LocationAwareLogger.java  
\* /opt/cola/permits/1512417657\_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/helpers/FormattingTuple.java  
\* /opt/cola/permits/1512417657\_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/spi/MarkerFactoryBinder.java  
\* /opt/cola/permits/1512417657\_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/helpers/MessageFormatter.java  
\* /opt/cola/permits/1512417657\_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/helpers/NamedLoggerBase.java  
\* /opt/cola/permits/1512417657\_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/spi/LoggerFactoryBinder.java  
\* /opt/cola/permits/1512417657\_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/MDC.java  
\* /opt/cola/permits/1512417657\_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/helpers/Util.java  
\* /opt/cola/permits/1512417657\_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/helpers/NOPLLogger.java  
\* /opt/cola/permits/1512417657\_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/ILoggerFactory.java  
\* /opt/cola/permits/1512417657\_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/Logger.java  
\* /opt/cola/permits/1512417657\_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/helpers/NOPLLoggerFactory.java

\* /opt/cola/permits/1512417657\_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/helpers/BasicMarker.java  
\* /opt/cola/permits/1512417657\_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/Marker.java  
\* /opt/cola/permits/1512417657\_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/impl/StaticMarkerBinder.java

## 1.52 oauth2-oidc-sdk 9.43.1

### 1.52.1 Available under license :

No license file was found, but licenses were detected in source scan.

/opt/cola/permits/1609969681\_1681841816.123301/0/oauth2-oidc-sdk-9-43-1-jar/com/nimbusds/oauth2/sdk/client/ClientInformation.class: binary file matches  
/opt/cola/permits/1609969681\_1681841816.123301/0/oauth2-oidc-sdk-9-43-1-jar/com/nimbusds/oauth2/sdk/client/ClientType.class: binary file matches

Found in path(s):

\* /bin/grep

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Created-By: Maven Jar Plugin 3.2.0

Build-Jdk-Spec: 11

Specification-Title: OAuth 2.0 SDK with OpenID Connect extensions

Specification-Version: 9.43

Specification-Vendor: Connect2id Ltd.

Implementation-Title: OAuth 2.0 SDK with OpenID Connect extensions

Implementation-Version: 9.43.1

Implementation-Vendor: Connect2id Ltd.

Build-Date: 20220909.152910.032

Build-Number: e3848927b9884a3f19aa947388ec605a7bcc4d65

Build-Tag: 9.43.1

Built-By: connect2id

Bundle-Description: OAuth 2.0 SDK with OpenID Connection extensions for developing client and server applications.

Bundle-Developers: vdzhuvinov;email="vd@connect2id.com";name="Vladimir Dzhuvinov"

Bundle-DocURL: <https://bitbucket.org/connect2id/oauth-2.0-sdk-with-openid-connect-extensions>

Bundle-License: "Apache License, version 2.0";link="https://www.apache.org/licenses/LICENSE-2.0.html"

Bundle-ManifestVersion: 2

Bundle-Name: OAuth 2.0 SDK with OpenID Connect extensions

Bundle-SCM: url="https://bitbucket.org/connect2id/oauth-2.0-sdk-with-openid-connect-extensions",connection="scm:git:https://bitbucket.org/connect2id/oauth-2.0-sdk-with-openid-connect-extensions.git",developer-connection="scm:git:git@bitbucket.org:connect2id/oauth-2.0-sdk-with-openid-c

connect-extensions.git",tag="9.43.1"  
Bundle-SymbolicName: oauth2-oidc-sdk  
Bundle-Vendor: Connect2id Ltd.  
Bundle-Version: 9.43.1  
Export-Package: com.nimbusds.oauth2.sdk;uses:="com.nimbusds.jose,com.nimbusds.jose.util,com.nimbusds.jwt,com.nimbusds.oauth2.sdk.auth,com.nimbusds.oauth2.sdk.dpop,com.nimbusds.oauth2.sdk.http,com.nimbusds.oauth2.sdk.id,com.nimbusds.oauth2.sdk.jarm,com.nimbusds.oauth2.sdk.pkce,com.nimbusds.oauth2.sdk.token,com.nimbusds.openid.connect.sdk,net.jcip.annotations,net.minidev.json";version="9.43.1",com.nimbusds.oauth2.sdk.as;uses:="com.nimbusds.jose,com.nimbusds.langtag,com.nimbusds.oauth2.sdk,com.nimbusds.oauth2.sdk.auth,com.nimbusds.oauth2.sdk.ciba,com.nimbusds.oauth2.sdk.client,com.nimbusds.oauth2.sdk.id,com.nimbusds.oauth2.sdk.pkce,com.nimbusds.openid.connect.sdk,net.jcip.annotations,net.minidev.json";version="9.43.1",com.nimbusds.oauth2.sdk.assertions;uses:="com.nimbusds.oauth2.sdk.id";version="9.43.1",com.nimbusds.oauth2.sdk.assertions.jwt;uses:="com.nimbusds.jose,com.nimbusds.jose.proc,com.nimbusds.jose.util,com.nimbusds.jwt,com.nimbusds.jwt.proc,com.nimbusds.oauth2.sdk,com.nimbusds.oauth2.sdk.assertions,com.nimbusds.oauth2.sdk.auth,com.nimbusds.oauth2.sdk.id,net.jcip.annotations,net.minidev.json";version="9.43.1",com.nimbusds.oauth2.sdk.assertions.saml2;uses:="com.nimbusds.jwt.proc,com.nimbusds.oauth2.sdk,com.nimbusds.oauth2.sdk.assertions,com.nimbusds.oauth2.sdk.id,com.nimbusds.openid.connect.sdk.claims,net.jcip.annotations,org.opensaml.saml.saml2.core,org.opensaml.security.credential,org.opensaml.xmlsec.signature,org.w3c.dom";version="9.43.1",com.nimbusds.oauth2.sdk.auth;uses:="com.nimbusds.jose,com.nimbusds.jose.util,com.nimbusds.jwt,com.nimbusds.oauth2.sdk,com.nimbusds.oauth2.sdk.assertions.jwt,com.nimbusds.oauth2.sdk.http,com.nimbusds.oauth2.sdk.id,javax.net.ssl,net.jcip.annotations,net.minidev.json";version="9.43.1",com.nimbusds.oauth2.sdk.auth.verifier;uses:="com.nimbusds.jose,com.nimbusds.oauth2.sdk,com.nimbusds.oauth2.sdk.auth,com.nimbusds.oauth2.sdk.id,net.jcip.annotations";version="9.43.1",com.nimbusds.oauth2.sdk.ciba;uses:="com.nimbusds.jwt,com.nimbusds.langtag,com.nimbusds.oauth2.sdk,com.nimbusds.oauth2.sdk.auth,com.nimbusds.oauth2.sdk.http,com.nimbusds.oauth2.sdk.id,com.nimbusds.oauth2.sdk.token,com.nimbusds.openid.connect.sdk,com.nimbusds.openid.connect.sdk.claims,com.nimbusds.openid.connect.sdk.token,net.jcip.annotations,net.minidev.json";version="9.43.1",com.nimbusds.oauth2.sdk.client;uses:="com.nimbusds.jose,com.nimbusds.jose.jwk,com.nimbusds.jwt,com.nimbusds.langtag,com.nimbusds.oauth2.sdk,com.nimbusds.oauth2.sdk.auth,com.nimbusds.oauth2.sdk.ciba,com.nimbusds.oauth2.sdk.http,com.nimbusds.oauth2.sdk.id,com.nimbusds.oauth2.sdk.token,com.nimbusds.openid.connect.sdk.federation.registration,net.jcip.annotations,net.minidev.json";version="9.43.1",com.nimbusds.oauth2.sdk.device;uses:="com.nimbusds.oauth2.sdk,com.nimbusds.oauth2.sdk.auth,com.nimbusds.oauth2.sdk.http,com.nimbusds.oauth2.sdk.id,net.jcip.annotations,net.minidev.json";version="9.43.1",com.nimbusds.oauth2.sdk.dpop;uses:="com.nimbusds.jose,com.nimbusds.jose.jwk,com.nimbusds.jose.util,com.nimbusds.jwt,com.nimbusds.oauth2.sdk.id,com.nimbusds.oauth2.sdk.token,com.nimbusds.openid.connect.sdk,net.jcip



.annotations,net.minidev.json";version="9.43.1",com.nimbusds.oauth2.sdk  
.dpop.verifiers;uses:="com.nimbusds.jose,com.nimbusds.jwt,com.nimbusds.  
oauth2.sdk.dpop,com.nimbusds.oauth2.sdk.id,com.nimbusds.oauth2.sdk.token,  
com.nimbusds.oauth2.sdk.util.singleuse,com.nimbusds.openid.connect.sdk,  
net.jcip.annotations";version="9.43.1",com.nimbusds.oauth2.sdk.http;u  
ses:="com.nimbusds.common.contenttype,com.nimbusds.jwt,com.nimbusds.oau  
th2.sdk,com.nimbusds.openid.connect.sdk,jakarta.servlet,jakarta.servlet  
.http,javax.net.ssl,javax.servlet,javax.servlet.http,net.jcip.annotatio  
ns,net.minidev.json";version="9.43.1",com.nimbusds.oauth2.sdk.id;uses:=  
"com.nimbusds.oauth2.sdk,net.jcip.annotations,net.minidev.json";version  
="9.43.1",com.nimbusds.oauth2.sdk.jarm;uses:="com.nimbusds.jose,com.nim  
busds.jose.jwk,com.nimbusds.jose.jwk.source,com.nimbusds.jose.proc,com.  
nimbusds.jose.util,com.nimbusds.jwt,com.nimbusds.jwt.proc,com.nimbusds.  
oauth2.sdk,com.nimbusds.oauth2.sdk.as,com.nimbusds.oauth2.sdk.auth,com.  
nimbusds.oauth2.sdk.client,com.nimbusds.oauth2.sdk.id,com.nimbusds.open  
id.connect.sdk.validators,net.jcip.annotations";version="9.43.1",com.ni  
mbusds.oauth2.sdk.jose;uses:="com.nimbusds.jose,com.nimbusds.oauth2.sdk  
.auth,javax.crypto";version="9.43.1",com.nimbusds.oauth2.sdk.pkce;uses:  
="com.nimbusds.oauth2.sdk,com.nimbusds.oauth2.sdk.auth,com.nimbusds.oau  
th2.sdk.id,net.jcip.annotations";version="9.43.1",com.nimbusds.oauth2.s  
dk.token;uses:="com.nimbusds.jose,com.nimbusds.oauth2.sdk,com.nimbusds.  
oauth2.sdk.http,com.nimbusds.oauth2.sdk.id,com.nimbusds.openid.connect.  
sdk.token,net.jcip.annotations,net.minidev.json";version="9.43.1",com.n  
imbusds.oauth2.sdk.tokenexchange;uses:="com.nimbusds.oauth2.sdk,com.nim  
busds.oauth2.sdk.id,com.nimbusds.oauth2.sdk.token,net.jcip.annotations"  
;version="9.43.1",com.nimbusds.oauth2.sdk.util;uses:="com.nimbusds.comm  
on.contenttype,com.nimbusds.jose.jwk,com.nimbusds.jwt,com.nimbusds.oaut  
h2.sdk,com.nimbusds.oauth2.sdk.id,javax.security.auth.x500,net.jcip.ann  
notations,net.minidev.json,org.bouncycastle.operator";version="9.43.1",c  
om.nimbusds.oauth2.sdk.util.date;uses:="com.nimbusds.oauth2.sdk";versio  
n="9.43.1",com.nimbusds.oauth2.sdk.util.singleuse;version="9.43.1",com.  
nimbusds.oauth2.sdk.util.tls;uses:="javax.net.ssl";version="9.43.1",com  
.nimbusds.openid.connect.sdk;uses:="com.nimbusds.common.contenttype,com  
.nimbusds.jwt,com.nimbusds.langtag,com.nimbusds.oauth2.sdk,com.nimbusds  
.oauth2.sdk.dpop,com.nimbusds.oauth2.sdk.http,com.nimbusds.oauth2.sdk.i  
d,com.nimbusds.oauth2.sdk.jarm,com.nimbusds.oauth2.sdk.pkce,com.nimbusd  
s.oauth2.sdk.token,com.nimbusds.openid.connect.sdk.assurance.claims,com  
.nimbusds.openid.connect.sdk.assurance.request,com.nimbusds.openid.conn  
ect.sdk.claims,com.nimbusds.openid.connect.sdk.token,net.jcip.annotatio  
ns,net.minidev.json";version="9.43.1",com.nimbusds.openid.connect.sdk.a  
ssurance;uses:="com.nimbusds.oauth2.sdk,com.nimbusds.oauth2.sdk.id,com.  
nimbusds.oauth2.sdk.util.date,com.nimbusds.openid.connect.sdk.assurance  
.evidences,net.jcip.annotations,net.minidev.json";version="9.43.1",com.  
nimbusds.openid.connect.sdk.assurance.claims;uses:="com.nimbusds.langta  
g,com.nimbusds.oauth2.sdk,com.nimbusds.oauth2.sdk.id,com.nimbusds.openi  
d.connect.sdk.assurance,com.nimbusds.openid.connect.sdk.claims,net.jcip  
.annotations,net.minidev.json";version="9.43.1",com.nimbusds.openid.con  
nect.sdk.assurance.evidences;uses:="com.nimbusds.oauth2.sdk,com.nimbusd

s.oauth2.sdk.id,com.nimbusds.oauth2.sdk.util.date,com.nimbusds.openid.c  
onnect.sdk.assurance,com.nimbusds.openid.connect.sdk.assurance.claims,c  
om.nimbusds.openid.connect.sdk.assurance.evidences.attachment,com.nimbu  
sds.openid.connect.sdk.claims,com.nimbusds.secevent.sdk.claims,net.jcip  
.annotations,net.minidev.json";version="9.43.1",com.nimbusds.openid.con  
nect.sdk.assurance.evidences.attachment;uses:="com.nimbusds.common.cont  
enttype,com.nimbusds.jose.util,com.nimbusds.oauth2.sdk,com.nimbusds.oau  
th2.sdk.id,com.nimbusds.oauth2.sdk.token,net.jcip.annotations,net.minid  
ev.json";version="9.43.1",com.nimbusds.openid.connect.sdk.assurance.req  
uest;uses:="com.nimbusds.langtag,com.nimbusds.oauth2.sdk,com.nimbusds.o  
penid.connect.sdk.assurance,com.nimbusds.openid.connect.sdk.claims,net.  
jcip.annotations,net.minidev.json";version="9.43.1",com.nimbusds.openid  
.connect.sdk.claims;uses:="com.nimbusds.jose,com.nimbusds.jose.jwk,com.  
nimbusds.jwt,com.nimbusds.langtag,com.nimbusds.oauth2.sdk,com.nimbusds.  
oauth2.sdk.id,com.nimbusds.oauth2.sdk.token,com.nimbusds.openid.connect  
.sdk,com.nimbusds.openid.connect.sdk.assurance.claims,net.jcip.annotati  
ons,net.minidev.json";version="9.43.1",com.nimbusds.openid.connect.sdk.  
federation.api;uses:="com.nimbusds.oauth2.sdk,com.nimbusds.oauth2.sdk.h  
ttp,com.nimbusds.oauth2.sdk.id,com.nimbusds.openid.connect.sdk.federati  
on.entities,net.jcip.annotations,net.minidev.json";version="9.43.1",com  
.nimbusds.openid.connect.sdk.federation.config;uses:="com.nimbusds.oaut  
h2.sdk,com.nimbusds.oauth2.sdk.http,com.nimbusds.openid.connect.sdk.fed  
eration.entities,net.jcip.annotations";version="9.43.1",com.nimbusds.op  
enid.connect.sdk.federation.entities;uses:="com.nimbusds.jose,com.nimbu  
sds.jose.jwk,com.nimbusds.jose.proc,com.nimbusds.jose.util,com.nimbusds  
.jwt,com.nimbusds.jwt.proc,com.nimbusds.oauth2.sdk,com.nimbusds.oauth2.  
sdk.as,com.nimbusds.oauth2.sdk.client,com.nimbusds.oauth2.sdk.id,com.ni  
mbusds.openid.connect.sdk.claims,com.nimbusds.openid.connect.sdk.federa  
tion.policy,com.nimbusds.openid.connect.sdk.federation.policy.language,  
com.nimbusds.openid.connect.sdk.federation.trust.constraints,com.nimbus  
ds.openid.connect.sdk.op,com.nimbusds.openid.connect.sdk.rp,net.jcip.an  
notations,net.minidev.json";version="9.43.1",com.nimbusds.openid.conne  
ct.sdk.federation.policy;uses:="com.nimbusds.oauth2.sdk,com.nimbusds.o  
penid.connect.sdk.federation.policy.language,com.nimbusds.openid.connect.  
sdk.federation.policy.operations,net.minidev.json";version="9.43.1",com  
.nimbusds.openid.connect.sdk.federation.policy.factories;uses:="com.nim  
busds.openid.connect.sdk.federation.policy,com.nimbusds.openid.connect.  
sdk.rp,net.jcip.annotations";version="9.43.1",com.nimbusds.openid.conne  
ct.sdk.federation.policy.language;uses:="com.nimbusds.oauth2.sdk,com.ni  
mbusds.oauth2.sdk.id,net.jcip.annotations";version="9.43.1",com.nimbusd  
s.openid.connect.sdk.federation.policy.operations;uses:="com.nimbusds.o  
auth2.sdk,com.nimbusds.openid.connect.sdk.federation.policy.language";v  
ersion="9.43.1",com.nimbusds.openid.connect.sdk.federation.registration  
;uses:="com.nimbusds.oauth2.sdk,com.nimbusds.oauth2.sdk.http,com.nimbus  
ds.oauth2.sdk.id,com.nimbusds.openid.connect.sdk.federation.entities,ne  
t.jcip.annotations";version="9.43.1",com.nimbusds.openid.connect.sdk.fe  
deration.trust;uses:="com.nimbusds.jose,com.nimbusds.jose.jwk,com.nimbu  
sds.jose.proc,com.nimbusds.oauth2.sdk,com.nimbusds.openid.connect.sdk.f

ederation.entities,com.nimbusds.openid.connect.sdk.federation.policy,com.nimbusds.openid.connect.sdk.federation.policy.language,com.nimbusds.openid.connect.sdk.federation.policy.operations,com.nimbusds.openid.connect.sdk.federation.trust.constraints,net.jcip.annotations,net.minidev.json";version="9.43.1",com.nimbusds.openid.connect.sdk.federation.trust.constraints;uses:="com.nimbusds.oauth2.sdk,com.nimbusds.openid.connect.sdk.federation.entities,net.jcip.annotations,net.minidev.json";version="9.43.1",com.nimbusds.openid.connect.sdk.federation.trust.marks;uses:="com.nimbusds.jwt,com.nimbusds.oauth2.sdk,com.nimbusds.oauth2.sdk.id,com.nimbusds.openid.connect.sdk.claims";version="9.43.1",com.nimbusds.openid.connect.sdk.id;uses:="com.nimbusds.jose.util,com.nimbusds.oauth2.sdk,com.nimbusds.oauth2.sdk.id,com.nimbusds.openid.connect.sdk.rp,javax.crypto,net.jcip.annotations";version="9.43.1",com.nimbusds.openid.connect.sdk.op;uses:="com.nimbusds.jose,com.nimbusds.jose.proc,com.nimbusds.jose.util,com.nimbusds.jwt,com.nimbusds.jwt.proc,com.nimbusds.langtag,com.nimbusds.oauth2.sdk,com.nimbusds.oauth2.sdk.as,com.nimbusds.oauth2.sdk.auth,com.nimbusds.oauth2.sdk.ciba,com.nimbusds.oauth2.sdk.id,com.nimbusds.openid.connect.sdk,com.nimbusds.openid.connect.sdk.assurance,com.nimbusds.openid.connect.sdk.assurance.evidences,com.nimbusds.openid.connect.sdk.assurance.evidences.attachment,com.nimbusds.openid.connect.sdk.claims,com.nimbusds.openid.connect.sdk.federation.registration,com.nimbusds.openid.connect.sdk.rp,net.jcip.annotations,net.minidev.json";version="9.43.1",com.nimbusds.openid.connect.sdk.rp;uses:="com.nimbusds.jose,com.nimbusds.jwt,com.nimbusds.oauth2.sdk,com.nimbusds.oauth2.sdk.auth,com.nimbusds.oauth2.sdk.client,com.nimbusds.oauth2.sdk.http,com.nimbusds.oauth2.sdk.id,com.nimbusds.oauth2.sdk.token,com.nimbusds.openid.connect.sdk,com.nimbusds.openid.connect.sdk.assurance.evidences.attachment,com.nimbusds.openid.connect.sdk.claims,com.nimbusds.openid.connect.sdk.id,net.jcip.annotations,net.minidev.json";version="9.43.1",com.nimbusds.openid.connect.sdk.rp.statement;uses:="com.nimbusds.jose,com.nimbusds.jose.jwk,com.nimbusds.jose.jwk.source,com.nimbusds.jose.proc,com.nimbusds.oauth2.sdk,com.nimbusds.oauth2.sdk.id,com.nimbusds.openid.connect.sdk.rp,net.jcip.annotations";version="9.43.1",com.nimbusds.openid.connect.sdk.token;uses:="com.nimbusds.jwt,com.nimbusds.oauth2.sdk,com.nimbusds.oauth2.sdk.token,net.minidev.json";version="9.43.1",com.nimbusds.openid.connect.sdk.validators;uses:="com.nimbusds.jose,com.nimbusds.jose.jwk,com.nimbusds.jose.jwk.source,com.nimbusds.jose.proc,com.nimbusds.jose.util,com.nimbusds.jwt,com.nimbusds.jwt.proc,com.nimbusds.oauth2.sdk,com.nimbusds.oauth2.sdk.auth,com.nimbusds.oauth2.sdk.id,com.nimbusds.oauth2.sdk.token,com.nimbusds.openid.connect.sdk,com.nimbusds.openid.connect.sdk.claims,com.nimbusds.openid.connect.sdk.op,com.nimbusds.openid.connect.sdk.rp,net.jcip.annotations";version="9.43.1",com.nimbusds.secevent.sdk.claims;uses:="com.nimbusds.oauth2.sdk.id,net.jcip.annotations";version="9.43.1"

Import-Package: org.bouncycastle.cert;resolution:=optional;version="[1.70,2)",org.bouncycastle.cert.jcajce;resolution:=optional;version="[1.70,2)",org.bouncycastle.operator;resolution:=optional;version="[1.70,2)",org.bouncycastle.operator.jcajce;resolution:=optional;version="[1.70,2)"

,org.cryptomator.siv;resolution:=optional,org.opensaml.core.config;resolution:=optional,org.opensaml.core.xml;resolution:=optional,org.opensaml.core.xml.config;resolution:=optional,org.opensaml.core.xml.io;resolution:=optional,org.opensaml.core.xml.schema;resolution:=optional,org.opensaml.core.xml.schema.impl;resolution:=optional,org.opensaml.saml.saml2.core;resolution:=optional,org.opensaml.saml.security.impl;resolution:=optional,org.opensaml.security.credential;resolution:=optional,org.opensaml.xmlsec.signature;resolution:=optional,org.opensaml.xmlsec.signature.support;resolution:=optional,org.joda.time;resolution:=optional;version="[2.9,3)",net.shibboleth.utilities.java.support.xml;resolution:=optional,javax.servlet;version="[3,5)";resolution:=optional,javax.servlet.http;version="[3,5)";resolution:=optional,jakarta.servlet;version="[5,7)";resolution:=optional,jakarta.servlet.http;version="[5,7)";resolution:=optional,com.nimbusds.common.contenttype;version="[2.2,3)",com.nimbusds.jose;version="[9.24,10)",com.nimbusds.jose.crypto;version="[9.24,10)",com.nimbusds.jose.crypto.factories;version="[9.24,10)",com.nimbusds.jose.crypto.utils;version="[9.24,10)",com.nimbusds.jose.jca;version="[9.24,10)",com.nimbusds.jose.jwk;version="[9.24,10)",com.nimbusds.jose.jwk.source;version="[9.24,10)",com.nimbusds.jose.proc;version="[9.24,10)",com.nimbusds.jose.util;version="[9.24,10)",com.nimbusds.jwt;version="[9.24,10)",com.nimbusds.jwt.proc;version="[9.24,10)",com.nimbusds.jwt.util;version="[9.24,10)",com.nimbusds.langtag;version="[1.7,2)",com.nimbusds.oauth2.sdk,com.nimbusds.oauth2.sdk.as,com.nimbusds.oauth2.sdk.assertions,com.nimbusds.oauth2.sdk.assertions.jwt,com.nimbusds.oauth2.sdk.auth,com.nimbusds.oauth2.sdk.ciba,com.nimbusds.oauth2.sdk.client,com.nimbusds.oauth2.sdk.device,com.nimbusds.oauth2.sdk.dpop,com.nimbusds.oauth2.sdk.http,com.nimbusds.oauth2.sdk.id,com.nimbusds.oauth2.sdk.jarm,com.nimbusds.oauth2.sdk.pkce,com.nimbusds.oauth2.sdk.token,com.nimbusds.oauth2.sdk.tokenexchange,com.nimbusds.oauth2.sdk.util,com.nimbusds.oauth2.sdk.util.date,com.nimbusds.oauth2.sdk.util.singleuse,com.nimbusds.openid.connect.sdk,com.nimbusds.openid.connect.sdk.assurance,com.nimbusds.openid.connect.sdk.assurance.claims,com.nimbusds.openid.connect.sdk.assurance.evidences,com.nimbusds.openid.connect.sdk.assurance.evidences.attachment,com.nimbusds.openid.connect.sdk.assurance.request,com.nimbusds.openid.connect.sdk.claims,com.nimbusds.openid.connect.sdk.federation.api,com.nimbusds.openid.connect.sdk.federation.config,com.nimbusds.openid.connect.sdk.federation.entities,com.nimbusds.openid.connect.sdk.federation.policy,com.nimbusds.openid.connect.sdk.federation.policy.language,com.nimbusds.openid.connect.sdk.federation.policy.operations,com.nimbusds.openid.connect.sdk.federation.registration,com.nimbusds.openid.connect.sdk.federation.trust.constraints,com.nimbusds.openid.connect.sdk.id,com.nimbusds.openid.connect.sdk.op,com.nimbusds.openid.connect.sdk.rp,com.nimbusds.openid.connect.sdk.token,com.nimbusds.openid.connect.sdk.validators,com.nimbusds.secevent.sdk.claims,javax.crypto,javax.crypto.spec,javax.net,javax.net.ssl,javax.security.auth.x500,javax.xml.namespace,javax.xml.parsers,net.jpcc.annotations,net.minidev.json;version="[2.4,3)",net.minidev.json.parser;version="[2.4,3)",net.minidev.json.writer;version="[2.4,3)",org.w3c.dom,org.xml.sax

Require-Capability: osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.7))"

Found in path(s):

\* /opt/cola/permits/1609969681\_1681841816.123301/0/oauth2-oidc-sdk-9-43-1-jar/META-INF/MANIFEST.MF

No license file was found, but licenses were detected in source scan.

<name>Apache License, version 2.0</name>

Found in path(s):

\* /opt/cola/permits/1609969681\_1681841816.123301/0/oauth2-oidc-sdk-9-43-1-jar/META-INF/maven/com.nimbusds/oauth2-oidc-sdk/pom.xml

## 1.53 json-smart 2.4.10

### 1.53.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2011-2014 JSON-SMART authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1619377352\_1680083027.7224898/0/json-smart-2-4-10-sources-jar/net/minidev/json/writer/DefaultMapper.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2011-2023 JSON-SMART authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1619377352\_1680083027.7224898/0/json-smart-2-4-10-sources-jar/net/minidev/json/JSONUtil.java
- \* /opt/cola/permits/1619377352\_1680083027.7224898/0/json-smart-2-4-10-sources-jar/net/minidev/json/writer/ArraysMapper.java
- \* /opt/cola/permits/1619377352\_1680083027.7224898/0/json-smart-2-4-10-sources-jar/net/minidev/json/parser/JSONParserBase.java
- \* /opt/cola/permits/1619377352\_1680083027.7224898/0/json-smart-2-4-10-sources-jar/net/minidev/json/parser/JSONParserStream.java
- \* /opt/cola/permits/1619377352\_1680083027.7224898/0/json-smart-2-4-10-sources-jar/net/minidev/json/writer/DefaultMapperCollection.java
- \* /opt/cola/permits/1619377352\_1680083027.7224898/0/json-smart-2-4-10-sources-jar/net/minidev/json/writer/JsonReaderI.java
- \* /opt/cola/permits/1619377352\_1680083027.7224898/0/json-smart-2-4-10-sources-jar/net/minidev/json/writer/CompressorMapper.java
- \* /opt/cola/permits/1619377352\_1680083027.7224898/0/json-smart-2-4-10-sources-jar/net/minidev/json/writer/FakeMapper.java
- \* /opt/cola/permits/1619377352\_1680083027.7224898/0/json-smart-2-4-10-sources-jar/net/minidev/json/JSONStyle.java
- \* /opt/cola/permits/1619377352\_1680083027.7224898/0/json-smart-2-4-10-sources-jar/net/minidev/json/parser/JSONParserByteArray.java
- \* /opt/cola/permits/1619377352\_1680083027.7224898/0/json-smart-2-4-10-sources-jar/net/minidev/json/writer/JsonReader.java
- \* /opt/cola/permits/1619377352\_1680083027.7224898/0/json-smart-2-4-10-sources-jar/net/minidev/json/parser/ParseException.java
- \* /opt/cola/permits/1619377352\_1680083027.7224898/0/json-smart-2-4-10-sources-jar/net/minidev/json/writer/BeansMapper.java
- \* /opt/cola/permits/1619377352\_1680083027.7224898/0/json-smart-2-4-10-sources-jar/net/minidev/json/JSONAware.java
- \* /opt/cola/permits/1619377352\_1680083027.7224898/0/json-smart-2-4-10-sources-jar/net/minidev/json/JSONStreamAware.java
- \* /opt/cola/permits/1619377352\_1680083027.7224898/0/json-smart-2-4-10-sources-jar/net/minidev/json/writer/DefaultMapperOrdered.java
- \* /opt/cola/permits/1619377352\_1680083027.7224898/0/json-smart-2-4-10-sources-jar/net/minidev/json/JSONStreamAwareEx.java
- \* /opt/cola/permits/1619377352\_1680083027.7224898/0/json-smart-2-4-10-sources-jar/net/minidev/json/JSONValue.java
- \* /opt/cola/permits/1619377352\_1680083027.7224898/0/json-smart-2-4-10-sources-jar/net/minidev/json/writer/CollectionMapper.java
- \* /opt/cola/permits/1619377352\_1680083027.7224898/0/json-smart-2-4-10-sources-jar/net/minidev/json/parser/JSONParserReader.java

\* /opt/cola/permits/1619377352\_1680083027.7224898/0/json-smart-2-4-10-sources-jar/net/minidev/json/JSONObject.java  
\* /opt/cola/permits/1619377352\_1680083027.7224898/0/json-smart-2-4-10-sources-jar/net/minidev/json/parser/JSONParser.java  
\* /opt/cola/permits/1619377352\_1680083027.7224898/0/json-smart-2-4-10-sources-jar/net/minidev/json/JSONAwareEx.java  
\* /opt/cola/permits/1619377352\_1680083027.7224898/0/json-smart-2-4-10-sources-jar/net/minidev/json/parser/JSONParserString.java  
\* /opt/cola/permits/1619377352\_1680083027.7224898/0/json-smart-2-4-10-sources-jar/net/minidev/json/JSONArray.java  
\* /opt/cola/permits/1619377352\_1680083027.7224898/0/json-smart-2-4-10-sources-jar/net/minidev/json/parser/JSONParserInputStream.java  
\* /opt/cola/permits/1619377352\_1680083027.7224898/0/json-smart-2-4-10-sources-jar/net/minidev/json/parser/JSONParserMemory.java  
\* /opt/cola/permits/1619377352\_1680083027.7224898/0/json-smart-2-4-10-sources-jar/net/minidev/json/JStylerObj.java  
\* /opt/cola/permits/1619377352\_1680083027.7224898/0/json-smart-2-4-10-sources-jar/net/minidev/json/JSONNavi.java

No license file was found, but licenses were detected in source scan.

<!--

Copyright 2011-2023 JSON-SMART authors

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

-->

Found in path(s):

\* /opt/cola/permits/1619377352\_1680083027.7224898/0/json-smart-2-4-10-sources-jar/META-INF/maven/net.minidev/json-smart/pom.xml

## 1.54 libpng 1.6.37

### 1.54.1 Available under license :

-----  
Copyright (c) 1998-2008 Greg Roelofs. All rights reserved.

This software is provided "as is," without warranty of any kind, express or implied. In no event shall the author or contributors be held liable for any damages arising in any way from the use of this software.

The contents of this file are DUAL-LICENSED. You may modify and/or redistribute this software according to the terms of one of the following two licenses (at your option):

LICENSE 1 ("BSD-like with advertising clause"):

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. Redistributions of source code must retain the above copyright notice, disclaimer, and this list of conditions.
2. Redistributions in binary form must reproduce the above copyright notice, disclaimer, and this list of conditions in the documentation and/or other materials provided with the distribution.
3. All advertising materials mentioning features or use of this software must display the following acknowledgment:

This product includes software developed by Greg Roelofs and contributors for the book, "PNG: The Definitive Guide," published by O'Reilly and Associates.

LICENSE 2 (GNU GPL v2 or later):

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

-----  
pnm2png / png2pnm --- conversion from PBM/PGM/PPM-file to PNG-file



copyright (C) 1999-2019 by Willem van Schaik <willem at schaik dot com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

The software is provided "as is", without warranty of any kind, express or implied, including but not limited to the warranties of merchantability, fitness for a particular purpose and noninfringement. In no event shall the authors or copyright holders be liable for any claim, damages or other liability, whether in an action of contract, tort or otherwise, arising from, out of or in connection with the software or the use or other dealings in the software.

```
/* intel_init.c - SSE2 optimized filter functions
*
* Copyright (c) 2018 Cosmin Truta
* Copyright (c) 2016-2017 Glenn Randers-Pehrson
* Written by Mike Klein and Matt Sarett, Google, Inc.
* Derived from arm/arm_init.c
*
* This code is released under the libpng license.
* For conditions of distribution and use, see the disclaimer
* and license in png.h
*/
```

COPYRIGHT NOTICE, DISCLAIMER, and LICENSE

=====

PNG Reference Library License version 2

-----

- \* Copyright (c) 1995-2019 The PNG Reference Library Authors.
- \* Copyright (c) 2018-2019 Cosmin Truta.
- \* Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson.
- \* Copyright (c) 1996-1997 Andreas Dilger.
- \* Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

The software is supplied "as is", without warranty of any kind, express or implied, including, without limitation, the warranties of merchantability, fitness for a particular purpose, title, and non-infringement. In no event shall the Copyright owners, or

anyone distributing the software, be liable for any damages or other liability, whether in contract, tort or otherwise, arising from, out of, or in connection with the software, or the use or other dealings in the software, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this software, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated, but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

PNG Reference Library License version 1 (for libpng 0.5 through 1.6.35)

-----  
libpng versions 1.0.7, July 1, 2000, through 1.6.35, July 15, 2018 are Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson, are derived from libpng-1.0.6, and are distributed according to the same disclaimer and license as libpng-1.0.6 with the following individuals added to the list of Contributing Authors:

Simon-Pierre Cadieux  
Eric S. Raymond  
Mans Rullgard  
Cosmin Truta  
Gilles Vollant  
James Yu  
Mandar Sahastrabuddhe  
Google Inc.  
Vadim Barkov

and with the following additions to the disclaimer:

There is no warranty against interference with your enjoyment of the library or against infringement. There is no warranty that our efforts or the library will fulfill any of your particular purposes or needs. This library is provided with all faults, and the entire risk of satisfactory quality, performance, accuracy, and effort is

with the user.

Some files in the "contrib" directory and some configure-generated files that are distributed with libpng have other copyright owners, and are released under other open source licenses.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are Copyright (c) 1998-2000 Glenn Randers-Pehrson, are derived from libpng-0.96, and are distributed according to the same disclaimer and license as libpng-0.96, with the following individuals added to the list of Contributing Authors:

Tom Lane  
Glenn Randers-Pehrson  
Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are Copyright (c) 1996-1997 Andreas Dilger, are derived from libpng-0.88, and are distributed according to the same disclaimer and license as libpng-0.88, with the following individuals added to the list of Contributing Authors:

John Bowler  
Kevin Bracey  
Sam Bushell  
Magnus Holmgren  
Greg Roelofs  
Tom Tanner

Some files in the "scripts" directory have other copyright owners, but are released under this license.

libpng versions 0.5, May 1995, through 0.88, January 1996, are Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors" is defined as the following set of individuals:

Andreas Dilger  
Dave Martindale  
Guy Eric Schalnat  
Paul Schmidt  
Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing Authors and Group 42, Inc. disclaim all warranties, expressed or implied, including, without limitation, the warranties of merchantability and of fitness for any purpose. The Contributing

Authors and Group 42, Inc. assume no liability for direct, indirect, incidental, special, exemplary, or consequential damages, which may result from the use of the PNG Reference Library, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this source code, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this source code must not be misrepresented.
2. Altered versions must be plainly marked as such and must not be misrepresented as being the original source.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit, without fee, and encourage the use of this source code as a component to supporting the PNG file format in commercial products. If you use this source code in a product, acknowledgment is not required but would be appreciated.

#### GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## GNU GENERAL PUBLIC LICENSE

### TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program

is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is



implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE

PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program  
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

## 1.55 accessors-smart 2.4.9

### 1.55.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Bnd-LastModified: 1678198115874

Build-Jdk: 11.0.18

Built-By: uriel

Bundle-Description: Java reflect give poor performance on getter setter  
r an constructor calls, accessors-smart use ASM to speed up those calls.

Bundle-DocURL: <https://urielch.github.io/>

Bundle-License: <http://www.apache.org/licenses/LICENSE-2.0.txt>

Bundle-ManifestVersion: 2

Bundle-Name: accessors-smart

Bundle-SymbolicName: net.minidev.accessors-smart

Bundle-Vendor: Chemouni Uriel

Bundle-Version: 2.4.9

Created-By: Apache Maven Bundle Plugin

Export-Package: net.minidev.asm;version="2.4.9";uses="org.objectweb.asm",net.minidev.asm;version="2.4.9"  
Import-Package: org.objectweb.asm;version="[8.0,10)",net.minidev.asm;version="[2.4,3)"  
Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.8))"  
Tool: Bnd-5.1.1.202006162103

Found in path(s):

\* /opt/cola/permits/1619377400\_1680083041.0246942/0/accessors-smart-2-4-9-jar/META-INF/MANIFEST.MF  
No license file was found, but licenses were detected in source scan.

<!--

Copyright 2011-2023 JSON-SMART authors

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

-->

Found in path(s):

\* /opt/cola/permits/1619377400\_1680083041.0246942/0/accessors-smart-2-4-9-jar/META-INF/maven/net.minidev/accessors-smart/pom.xml

## 1.56 okhttp 2.7.4

### 1.56.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

- \* Licensed to the Apache Software Foundation (ASF) under one or more
- \* contributor license agreements. See the NOTICE file distributed with
- \* this work for additional information regarding copyright ownership.
- \* The ASF licenses this file to You under the Apache License, Version 2.0
- \* (the "License"); you may not use this file except in compliance with
- \* the License. You may obtain a copy of the License at
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \* Unless required by applicable law or agreed to in writing, software

- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/ConnectionPool.java
- \* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/Headers.java
- \* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/tls/OkHostnameVerifier.java
- \* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/http/HttpEngine.java
- \* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/tls/CertificateChainCleaner.java
- \* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/tls/DistinguishedNameParser.java
- \* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/OptionalMethod.java
- \* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/io/RealConnection.java
- \* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/Connection.java

No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright (C) 2016 Square, Inc.
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/tls/TrustRootIndex.java
- \* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/tls/RealTrustRootIndex.java
- \* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/tls/AndroidTrustRootIndex.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2015 Square, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-
jar/com/squareup/okhttp/internal/http/RouteException.java
* /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/HttpUrl.java
* /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-
jar/com/squareup/okhttp/internal/http/StreamAllocation.java
* /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-
jar/com/squareup/okhttp/internal/io/FileSystem.java
* /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-
jar/com/squareup/okhttp/internal/ConnectionSpecSelector.java
* /opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-
jar/com/squareup/okhttp/internal/http/RequestException.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright (C) 2013 Square, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

- \* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/framed/HeadersMode.java
- \* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/framed/ErrorCode.java
- \* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/NamedRunnable.java
- \* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/Handshake.java
- \* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/Response.java
- \* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/RouteDatabase.java
- \* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/Authenticator.java
- \* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/MediaType.java
- \* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/framed/NameValuePairReader.java
- \* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/InternalCache.java
- \* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/framed/Http2.java
- \* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/framed/Hpack.java
- \* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/Dispatcher.java
- \* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/Route.java
- \* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/Request.java
- \* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/http/AuthenticatorAdapter.java
- \* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/framed/Variant.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Android Open Source Project

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/framed/FrameReader.java  
\* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/framed/Spdy3.java  
\* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/framed/FramedStream.java  
\* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/framed/FramedConnection.java  
\* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/http/HeaderParser.java  
\* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/framed/FrameWriter.java  
\* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/http/HttpDate.java  
\* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/DiskLruCache.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2012 Square, Inc.  
\* Copyright (C) 2012 The Android Open Source Project  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/Platform.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2012 The Android Open Source Project  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>



- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/Util.java
- \* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/Address.java
- \* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/http/HttpStream.java
- \* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/http/Http1xStream.java
- \* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/http/Http2xStream.java

No license file was found, but licenses were detected in source scan.

- /\*
- \* Copyright (C) 2012 Square, Inc.
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at

- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*

- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/framed/Ping.java
- \* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/framed/Settings.java
- \* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/Dns.java
- \* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/OkHttpClient.java
- \* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/http/RouteSelector.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2010 The Android Open Source Project
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
*/opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-
jar/com/squareup/okhttp/internal/http/RetryableSink.java
*/opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/Cache.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright 2013 Twitter, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
*/opt/cola/permits/1196234293_1629878885.03/0/okhttp-2-7-4-sources-3-
jar/com/squareup/okhttp/internal/framed/Huffman.java
```

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

## 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent

to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

#### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2014 Square, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/Credentials.java

\* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/Interceptor.java

\* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/framed/PushObserver.java

\* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/RequestBody.java

\* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/Protocol.java

\* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/ConnectionSpec.java

\* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/http/HttpMethod.java

\* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/http/RealResponseBody.java

\* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/CipherSuite.java

\* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/Internal.java

\* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/FormEncodingBuilder.java

\* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/Challenge.java

\* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/Callback.java

\* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/CertificatePinner.java

\* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/Call.java

\* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/ResponseBody.java

\* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/http/CacheRequest.java  
\* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/TlsVersion.java  
\* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/MultipartBuilder.java  
\* /opt/cola/permits/1196234293\_1629878885.03/0/okhttp-2-7-4-sources-3-jar/com/squareup/okhttp/internal/Version.java

# 1.57 jackson-module-parameter-names 2.14.2

## 1.57.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a



copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct

or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following

boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

This copy of Jackson JSON processor streaming parser/generator is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

## 1.58 libssl3 3.0.8-r4

### 1.58.1 Available under license :

This software is copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software; you can redistribute it and/or modify it under the same terms as the Perl 5 programming language system itself.

Terms of the Perl programming language system itself

- a) the GNU General Public License as published by the Free Software Foundation; either version 1, or (at your option) any later version, or
- b) the "Artistic License"

--- The GNU General Public License, Version 1, February 1989 ---

This software is Copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software, licensed under:

The GNU General Public License, Version 1, February 1989

GNU GENERAL PUBLIC LICENSE  
Version 1, February 1989

Copyright (C) 1989 Free Software Foundation, Inc.  
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

Preamble

The license agreements of most software companies try to keep users at the mercy of those companies. By contrast, our General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. The General Public License applies to the Free Software Foundation's software and to any other program whose authors commit to using it. You can use it for your programs, too.

When we speak of free software, we are referring to freedom, not price. Specifically, the General Public License is designed to make sure that you have the freedom to give away or sell copies of free software, that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of a such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must tell them their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free

software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

The precise terms and conditions for copying, distribution and modification follow.

## GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any work containing the Program or a portion of it, either verbatim or with modifications. Each licensee is addressed as "you".

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this General Public License and to the absence of any warranty; and give any other recipients of the Program a copy of this General Public License along with the Program. You may charge a fee for the physical act of transferring a copy.

2. You may modify your copy or copies of the Program or any portion of it, and copy and distribute such modifications under the terms of Paragraph 1 above, provided that you also do the following:

a) cause the modified files to carry prominent notices stating that you changed the files and the date of any change; and

b) cause the whole of any work that you distribute or publish, that in whole or in part contains the Program or any part thereof, either with or without modifications, to be licensed at no charge to all third parties under the terms of this General Public License (except that you may choose to grant warranty protection to some or all third parties, at your option).

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the simplest and most usual way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these

conditions, and telling the user how to view a copy of this General Public License.

d) You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

Mere aggregation of another independent work with the Program (or its derivative) on a volume of a storage or distribution medium does not bring the other work under the scope of these terms.

3. You may copy and distribute the Program (or a portion or derivative of it, under Paragraph 2) in object code or executable form under the terms of Paragraphs 1 and 2 above provided that you also do one of the following:

a) accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Paragraphs 1 and 2 above; or,

b) accompany it with a written offer, valid for at least three years, to give any third party free (except for a nominal charge for the cost of distribution) a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Paragraphs 1 and 2 above; or,

c) accompany it with the information you received as to where the corresponding source code may be obtained. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form alone.)

Source code for a work means the preferred form of the work for making modifications to it. For an executable file, complete source code means all the source code for all modules it contains; but, as a special exception, it need not include source code for modules which are standard libraries that accompany the operating system on which the executable file runs, or for standard header files or definitions files that accompany that operating system.

4. You may not copy, modify, sublicense, distribute or transfer the Program except as expressly provided under this General Public License. Any attempt otherwise to copy, modify, sublicense, distribute or transfer the Program is void, and will automatically terminate your rights to use the Program under this License. However, parties who have received copies, or rights to use copies, from you under this General Public License will not have their licenses terminated so long as such parties remain in full compliance.

5. By copying, distributing or modifying the Program (or any work based

on the Program) you indicate your acceptance of this license to do so, and all its terms and conditions.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein.

7. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of the license which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the license, you may choose any version ever published by the Free Software Foundation.

8. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

9. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

10. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY



YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### Appendix: How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to humanity, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) 19yy <name of author>
```

```
This program is free software; you can redistribute it and/or modify  
it under the terms of the GNU General Public License as published by  
the Free Software Foundation; either version 1, or (at your option)  
any later version.
```

```
This program is distributed in the hope that it will be useful,  
but WITHOUT ANY WARRANTY; without even the implied warranty of  
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the  
GNU General Public License for more details.
```

```
You should have received a copy of the GNU General Public License  
along with this program; if not, write to the Free Software  
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston MA 02110-1301 USA
```

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) 19xx name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the

commands you use may be called something other than `show w` and `show c`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (a program to direct compilers to make passes at assemblers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989  
Ty Coon, President of Vice

That's all there is to it!

--- The Artistic License 1.0 ---

This software is Copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software, licensed under:

The Artistic License 1.0

The Artistic License

Preamble

The intent of this document is to state the conditions under which a Package may be copied, such that the Copyright Holder maintains some semblance of artistic control over the development of the package, while giving the users of the package the right to use and distribute the Package in a more-or-less customary fashion, plus the right to make reasonable modifications.

Definitions:

- "Package" refers to the collection of files distributed by the Copyright Holder, and derivatives of that collection of files created through textual modification.
- "Standard Version" refers to such a Package if it has not been modified, or has been modified in accordance with the wishes of the Copyright Holder.
- "Copyright Holder" is whoever is named in the copyright or copyrights for the package.
- "You" is you, if you're thinking about copying or distributing this Package.
- "Reasonable copying fee" is whatever you can justify on the basis of media

cost, duplication charges, time of people involved, and so on. (You will not be required to justify it to the Copyright Holder, but only to the computing community at large as a market that must bear the fee.)

- "Freely Available" means that no fee is charged for the item itself, though there may be fees involved in handling the item. It also means that recipients of the item may redistribute it under the same conditions they received it.

1. You may make and give away verbatim copies of the source form of the Standard Version of this Package without restriction, provided that you duplicate all of the original copyright notices and associated disclaimers.
2. You may apply bug fixes, portability fixes and other modifications derived from the Public Domain or from the Copyright Holder. A Package modified in such a way shall still be considered the Standard Version.
3. You may otherwise modify your copy of this Package in any way, provided that you insert a prominent notice in each changed file stating how and when you changed that file, and provided that you do at least ONE of the following:
  - a) place your modifications in the Public Domain or otherwise make them Freely Available, such as by posting said modifications to Usenet or an equivalent medium, or placing the modifications on a major archive site such as ftp.uu.net, or by allowing the Copyright Holder to include your modifications in the Standard Version of the Package.
  - b) use the modified Package only within your corporation or organization.
  - c) rename any non-standard executables so the names do not conflict with standard executables, which must also be provided, and provide a separate manual page for each non-standard executable that clearly documents how it differs from the Standard Version.
  - d) make other distribution arrangements with the Copyright Holder.
4. You may distribute the programs of this Package in object code or executable form, provided that you do at least ONE of the following:
  - a) distribute a Standard Version of the executables and library files, together with instructions (in the manual page or equivalent) on where to get the Standard Version.
  - b) accompany the distribution with the machine-readable source of the Package with your modifications.
  - c) accompany any non-standard executables with their corresponding Standard Version executables, giving the non-standard executables non-standard names, and clearly documenting the differences in manual pages (or

equivalent), together with instructions on where to get the Standard Version.

d) make other distribution arrangements with the Copyright Holder.

5. You may charge a reasonable copying fee for any distribution of this Package. You may charge any fee you choose for support of this Package. You may not charge a fee for this Package itself. However, you may distribute this Package in aggregate with other (possibly commercial) programs as part of a larger (possibly commercial) software distribution provided that you do not advertise this Package as a product of your own.

6. The scripts and library files supplied as input to or produced as output from the programs of this Package do not automatically fall under the copyright of this Package, but belong to whomever generated them, and may be sold commercially, and may be aggregated with this Package.

7. C or perl subroutines supplied by you and linked into this Package shall not be considered part of this Package.

8. The name of the Copyright Holder may not be used to endorse or promote products derived from this software without specific prior written permission.

9. THIS PACKAGE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

The End

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

## 1.59 netty-nio-client 2.18.2

### 1.59.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.



"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or

for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason

of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Note: Other license terms may apply to certain, identified software files contained within or distributed with the accompanying software if such terms are included in the directory containing the accompanying software. Such other license terms will then apply in lieu of the terms of the software license above.

AWS SDK for Java 2.0

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

This product includes software developed by Amazon Technologies, Inc (<http://www.amazon.com/>).

\*\*\*\*\*

### THIRD PARTY COMPONENTS

\*\*\*\*\*

This software includes third party software subject to the following copyrights:

- XML parsing and utility functions from JetS3t - Copyright 2006-2009 James Murty.
- PKCS#1 PEM encoded private key parsing and utility functions from [oauth.googlecode.com](http://oauth.googlecode.com) - Copyright 1998-2010 AOL Inc.
- Apache Commons Lang - <https://github.com/apache/commons-lang>
- Netty Reactive Streams - <https://github.com/playframework/netty-reactive-streams>
- Jackson-core - <https://github.com/FasterXML/jackson-core>

- Jackson-dataformat-cbor - <https://github.com/FasterXML/jackson-dataformats-binary>

The licenses for these third party components are included in LICENSE.txt

- For Apache Commons Lang see also this required NOTICE:

Apache Commons Lang

Copyright 2001-2020 The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<https://www.apache.org/>).

# 1.60 nimbus-jose-jwt 9.24.4

## 1.60.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Created-By: Apache Maven Bundle Plugin

Built-By: vd

Build-Jdk: 11.0.16

Specification-Title: Nimbus JOSE+JWT

Specification-Version: 9.24.4

Specification-Vendor: Connect2id Ltd.

Implementation-Title: Nimbus JOSE+JWT

Implementation-Version: 9.24.4

Implementation-Vendor-Id: com.nimbusds

Implementation-Vendor: Connect2id Ltd.

Implementation-URL: <https://bitbucket.org/connect2id/nimbus-jose-jwt>

Automatic-Module-Name: com.nimbusds.jose.jwt

Build-Date: \${timestamp}

Build-Number: \${buildNumber}

Build-Tag: 9.24.4

Bnd-LastModified: 1662706191475

Bundle-Description: Java library for Javascript Object Signing and Encryption (JOSE) and JSON Web Tokens (JWT)

Bundle-DocURL: <https://connect2id.com>

Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0.txt>

Bundle-ManifestVersion: 2

Bundle-Name: Nimbus JOSE+JWT

Bundle-SymbolicName: com.nimbusds.nimbus-jose-jwt

Bundle-Vendor: Connect2id Ltd.

Bundle-Version: 9.24.4

Export-Package: com.nimbusds.jose;uses:="com.nimbusds.jose.jca,com.nimbusds.jose.jwk,com.nimbusds.jose.util,com.nimbusds.jwt,net.jpip.annotations";version="9.24.4",com.nimbusds.jose.crypto;uses:="com.nimbusds.jose,com.nimbusds.jose.crypto.impl,com.nimbusds.jose.jwk,com.nimbusds.jose.util,javax.crypto,net.jpip.annotations";version="9.24.4",com.nimbusds.jo

se.crypto.bc;uses:="org.bouncycastle.jcajce.provider,org.bouncycastle.jce.provider";version="9.24.4",com.nimbusds.jose.crypto.factories;uses:="com.nimbusds.jose,com.nimbusds.jose.jca,com.nimbusds.jose.jwk,com.nimbusds.jose.proc,com.nimbusds.jose.produce,net.jcip.annotations";version="9.24.4",com.nimbusds.jose.crypto.impl;uses:="com.nimbusds.jose,com.nimbusds.jose.jca,com.nimbusds.jose.jwk,com.nimbusds.jose.util,javax.crypto,net.jcip.annotations,org.bouncycastle.crypto.engines";version="9.24.4",com.nimbusds.jose.crypto.opts;uses:="com.nimbusds.jose,net.jcip.annotations";version="9.24.4",com.nimbusds.jose.crypto.utils;version="9.24.4",com.nimbusds.jose.jca;uses:="com.nimbusds.jose";version="9.24.4",com.nimbusds.jose.jwk;uses:="com.nimbusds.jose,com.nimbusds.jose.util,javax.crypto,net.jcip.annotations";version="9.24.4",com.nimbusds.jose.jwk.gen;uses:="com.nimbusds.jose,com.nimbusds.jose.jwk";version="9.24.4",com.nimbusds.jose.jwk.source;uses:="com.nimbusds.jose,com.nimbusds.jose.jwk,com.nimbusds.jose.proc,com.nimbusds.jose.util,javax.crypto,net.jcip.annotations";version="9.24.4",com.nimbusds.jose.mint;uses:="com.nimbusds.jose,com.nimbusds.jose.jwk.source,com.nimbusds.jose.proc,com.nimbusds.jose.produce";version="9.24.4",com.nimbusds.jose.proc;uses:="com.nimbusds.jose,com.nimbusds.jose.jwk,com.nimbusds.jose.jwk.source,net.jcip.annotations";version="9.24.4",com.nimbusds.jose.produce;uses:="com.nimbusds.jose,com.nimbusds.jose.jwk";version="9.24.4",com.nimbusds.jose.util;uses:="com.nimbusds.jose,javax.crypto,javax.net.ssl,net.jcip.annotations";version="9.24.4",com.nimbusds.jwt;uses:="com.nimbusds.jose,com.nimbusds.jose.util,net.jcip.annotations";version="9.24.4",com.nimbusds.jwt.proc;uses:="com.nimbusds.jose,com.nimbusds.jose.proc,com.nimbusds.jwt,net.jcip.annotations";version="9.24.4",com.nimbusds.jwt.util;version="9.24.4"

Import-Package: com.google.crypto.tink.subtle;resolution:=optional,com.google.gson;version="[2.9,3)";resolution:=optional,com.google.gson.internal;resolution:=optional,com.google.gson.reflect;version="[2.9,3)";resolution:=optional,javax.crypto,javax.crypto.spec,javax.net.ssl,net.jcip.annotations,org.bouncycastle.asn1;version="[1.70,2)";resolution:=optional,org.bouncycastle.asn1.pkcs;version="[1.70,2)";resolution:=optional,org.bouncycastle.asn1.x509;version="[1.70,2)";resolution:=optional,org.bouncycastle.cert;version="[1.70,2)";resolution:=optional,org.bouncycastle.cert.jcajce;version="[1.70,2)";resolution:=optional,org.bouncycastle.crypto;version="[1.70,2)";resolution:=optional,org.bouncycastle.crypto.engines;version="[1.70,2)";resolution:=optional,org.bouncycastle.crypto.modes;version="[1.70,2)";resolution:=optional,org.bouncycastle.crypto.params;version="[1.70,2)";resolution:=optional,org.bouncycastle.jcajce.provider;resolution:=optional,org.bouncycastle.jce.provider;version="[1.70,2)";resolution:=optional,org.bouncycastle.openssl;version="[1.70,2)";resolution:=optional,org.bouncycastle.openssl.jcajce;version="[1.70,2)";resolution:=optional

Require-Capability: osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.7))"

Tool: Bnd-2.3.0.201405100607

Found in path(s):

# 1.61 bash 5.2.15-r0

## 1.61.1 Available under license :

GNU Free Documentation License

Version 1.3, 3 November 2008

Copyright (C) 2000, 2001, 2002, 2007, 2008 Free Software Foundation, Inc.

<<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

### 0. PREAMBLE

The purpose of this License is to make a manual, textbook, or other functional and useful document "free" in the sense of freedom: to assure everyone the effective freedom to copy and redistribute it, with or without modifying it, either commercially or noncommercially. Secondly, this License preserves for the author and publisher a way to get credit for their work, while not being considered responsible for modifications made by others.

This License is a kind of "copyleft", which means that derivative works of the document must themselves be free in the same sense. It complements the GNU General Public License, which is a copyleft license designed for free software.

We have designed this License in order to use it for manuals for free software, because free software needs free documentation: a free program should come with manuals providing the same freedoms that the software does. But this License is not limited to software manuals; it can be used for any textual work, regardless of subject matter or whether it is published as a printed book. We recommend this License principally for works whose purpose is instruction or reference.

### 1. APPLICABILITY AND DEFINITIONS

This License applies to any manual or other work, in any medium, that contains a notice placed by the copyright holder saying it can be distributed under the terms of this License. Such a notice grants a world-wide, royalty-free license, unlimited in duration, to use that work under the conditions stated herein. The "Document", below, refers to any such manual or work. Any member of the public is a

licensee, and is addressed as "you". You accept the license if you copy, modify or distribute the work in a way requiring permission under copyright law.

A "Modified Version" of the Document means any work containing the Document or a portion of it, either copied verbatim, or with modifications and/or translated into another language.

A "Secondary Section" is a named appendix or a front-matter section of the Document that deals exclusively with the relationship of the publishers or authors of the Document to the Document's overall subject (or to related matters) and contains nothing that could fall directly within that overall subject. (Thus, if the Document is in part a textbook of mathematics, a Secondary Section may not explain any mathematics.) The relationship could be a matter of historical connection with the subject or with related matters, or of legal, commercial, philosophical, ethical or political position regarding them.

The "Invariant Sections" are certain Secondary Sections whose titles are designated, as being those of Invariant Sections, in the notice that says that the Document is released under this License. If a section does not fit the above definition of Secondary then it is not allowed to be designated as Invariant. The Document may contain zero Invariant Sections. If the Document does not identify any Invariant Sections then there are none.

The "Cover Texts" are certain short passages of text that are listed, as Front-Cover Texts or Back-Cover Texts, in the notice that says that the Document is released under this License. A Front-Cover Text may be at most 5 words, and a Back-Cover Text may be at most 25 words.

A "Transparent" copy of the Document means a machine-readable copy, represented in a format whose specification is available to the general public, that is suitable for revising the document straightforwardly with generic text editors or (for images composed of pixels) generic paint programs or (for drawings) some widely available drawing editor, and that is suitable for input to text formatters or for automatic translation to a variety of formats suitable for input to text formatters. A copy made in an otherwise Transparent file format whose markup, or absence of markup, has been arranged to thwart or discourage subsequent modification by readers is not Transparent. An image format is not Transparent if used for any substantial amount of text. A copy that is not "Transparent" is called "Opaque".

Examples of suitable formats for Transparent copies include plain ASCII without markup, Texinfo input format, LaTeX input format, SGML or XML using a publicly available DTD, and standard-conforming simple



HTML, PostScript or PDF designed for human modification. Examples of transparent image formats include PNG, XCF and JPG. Opaque formats include proprietary formats that can be read and edited only by proprietary word processors, SGML or XML for which the DTD and/or processing tools are not generally available, and the machine-generated HTML, PostScript or PDF produced by some word processors for output purposes only.

The "Title Page" means, for a printed book, the title page itself, plus such following pages as are needed to hold, legibly, the material this License requires to appear in the title page. For works in formats which do not have any title page as such, "Title Page" means the text near the most prominent appearance of the work's title, preceding the beginning of the body of the text.

The "publisher" means any person or entity that distributes copies of the Document to the public.

A section "Entitled XYZ" means a named subunit of the Document whose title either is precisely XYZ or contains XYZ in parentheses following text that translates XYZ in another language. (Here XYZ stands for a specific section name mentioned below, such as "Acknowledgements", "Dedications", "Endorsements", or "History".) To "Preserve the Title" of such a section when you modify the Document means that it remains a section "Entitled XYZ" according to this definition.

The Document may include Warranty Disclaimers next to the notice which states that this License applies to the Document. These Warranty Disclaimers are considered to be included by reference in this License, but only as regards disclaiming warranties: any other implication that these Warranty Disclaimers may have is void and has no effect on the meaning of this License.

## 2. VERBATIM COPYING

You may copy and distribute the Document in any medium, either commercially or noncommercially, provided that this License, the copyright notices, and the license notice saying this License applies to the Document are reproduced in all copies, and that you add no other conditions whatsoever to those of this License. You may not use technical measures to obstruct or control the reading or further copying of the copies you make or distribute. However, you may accept compensation in exchange for copies. If you distribute a large enough number of copies you must also follow the conditions in section 3.

You may also lend copies, under the same conditions stated above, and you may publicly display copies.

### 3. COPYING IN QUANTITY

If you publish printed copies (or copies in media that commonly have printed covers) of the Document, numbering more than 100, and the Document's license notice requires Cover Texts, you must enclose the copies in covers that carry, clearly and legibly, all these Cover Texts: Front-Cover Texts on the front cover, and Back-Cover Texts on the back cover. Both covers must also clearly and legibly identify you as the publisher of these copies. The front cover must present the full title with all words of the title equally prominent and visible. You may add other material on the covers in addition. Copying with changes limited to the covers, as long as they preserve the title of the Document and satisfy these conditions, can be treated as verbatim copying in other respects.

If the required texts for either cover are too voluminous to fit legibly, you should put the first ones listed (as many as fit reasonably) on the actual cover, and continue the rest onto adjacent pages.

If you publish or distribute Opaque copies of the Document numbering more than 100, you must either include a machine-readable Transparent copy along with each Opaque copy, or state in or with each Opaque copy a computer-network location from which the general network-using public has access to download using public-standard network protocols a complete Transparent copy of the Document, free of added material. If you use the latter option, you must take reasonably prudent steps, when you begin distribution of Opaque copies in quantity, to ensure that this Transparent copy will remain thus accessible at the stated location until at least one year after the last time you distribute an Opaque copy (directly or through your agents or retailers) of that edition to the public.

It is requested, but not required, that you contact the authors of the Document well before redistributing any large number of copies, to give them a chance to provide you with an updated version of the Document.

### 4. MODIFICATIONS

You may copy and distribute a Modified Version of the Document under the conditions of sections 2 and 3 above, provided that you release the Modified Version under precisely this License, with the Modified Version filling the role of the Document, thus licensing distribution and modification of the Modified Version to whoever possesses a copy of it. In addition, you must do these things in the Modified Version:

- A. Use in the Title Page (and on the covers, if any) a title distinct from that of the Document, and from those of previous versions (which should, if there were any, be listed in the History section of the Document). You may use the same title as a previous version if the original publisher of that version gives permission.
- B. List on the Title Page, as authors, one or more persons or entities responsible for authorship of the modifications in the Modified Version, together with at least five of the principal authors of the Document (all of its principal authors, if it has fewer than five), unless they release you from this requirement.
- C. State on the Title page the name of the publisher of the Modified Version, as the publisher.
- D. Preserve all the copyright notices of the Document.
- E. Add an appropriate copyright notice for your modifications adjacent to the other copyright notices.
- F. Include, immediately after the copyright notices, a license notice giving the public permission to use the Modified Version under the terms of this License, in the form shown in the Addendum below.
- G. Preserve in that license notice the full lists of Invariant Sections and required Cover Texts given in the Document's license notice.
- H. Include an unaltered copy of this License.
- I. Preserve the section Entitled "History", Preserve its Title, and add to it an item stating at least the title, year, new authors, and publisher of the Modified Version as given on the Title Page. If there is no section Entitled "History" in the Document, create one stating the title, year, authors, and publisher of the Document as given on its Title Page, then add an item describing the Modified Version as stated in the previous sentence.
- J. Preserve the network location, if any, given in the Document for public access to a Transparent copy of the Document, and likewise the network locations given in the Document for previous versions it was based on. These may be placed in the "History" section. You may omit a network location for a work that was published at least four years before the Document itself, or if the original publisher of the version it refers to gives permission.
- K. For any section Entitled "Acknowledgements" or "Dedications", Preserve the Title of the section, and preserve in the section all the substance and tone of each of the contributor acknowledgements and/or dedications given therein.
- L. Preserve all the Invariant Sections of the Document, unaltered in their text and in their titles. Section numbers or the equivalent are not considered part of the section titles.
- M. Delete any section Entitled "Endorsements". Such a section may not be included in the Modified Version.
- N. Do not retitle any existing section to be Entitled "Endorsements" or to conflict in title with any Invariant Section.
- O. Preserve any Warranty Disclaimers.

If the Modified Version includes new front-matter sections or appendices that qualify as Secondary Sections and contain no material copied from the Document, you may at your option designate some or all of these sections as invariant. To do this, add their titles to the list of Invariant Sections in the Modified Version's license notice. These titles must be distinct from any other section titles.

You may add a section Entitled "Endorsements", provided it contains nothing but endorsements of your Modified Version by various parties--for example, statements of peer review or that the text has been approved by an organization as the authoritative definition of a standard.

You may add a passage of up to five words as a Front-Cover Text, and a passage of up to 25 words as a Back-Cover Text, to the end of the list of Cover Texts in the Modified Version. Only one passage of Front-Cover Text and one of Back-Cover Text may be added by (or through arrangements made by) any one entity. If the Document already includes a cover text for the same cover, previously added by you or by arrangement made by the same entity you are acting on behalf of, you may not add another; but you may replace the old one, on explicit permission from the previous publisher that added the old one.

The author(s) and publisher(s) of the Document do not by this License give permission to use their names for publicity for or to assert or imply endorsement of any Modified Version.

## 5. COMBINING DOCUMENTS

You may combine the Document with other documents released under this License, under the terms defined in section 4 above for modified versions, provided that you include in the combination all of the Invariant Sections of all of the original documents, unmodified, and list them all as Invariant Sections of your combined work in its license notice, and that you preserve all their Warranty Disclaimers.

The combined work need only contain one copy of this License, and multiple identical Invariant Sections may be replaced with a single copy. If there are multiple Invariant Sections with the same name but different contents, make the title of each such section unique by adding at the end of it, in parentheses, the name of the original author or publisher of that section if known, or else a unique number. Make the same adjustment to the section titles in the list of Invariant Sections in the license notice of the combined work.

In the combination, you must combine any sections Entitled "History"

in the various original documents, forming one section Entitled "History"; likewise combine any sections Entitled "Acknowledgements", and any sections Entitled "Dedications". You must delete all sections Entitled "Endorsements".

## 6. COLLECTIONS OF DOCUMENTS

You may make a collection consisting of the Document and other documents released under this License, and replace the individual copies of this License in the various documents with a single copy that is included in the collection, provided that you follow the rules of this License for verbatim copying of each of the documents in all other respects.

You may extract a single document from such a collection, and distribute it individually under this License, provided you insert a copy of this License into the extracted document, and follow this License in all other respects regarding verbatim copying of that document.

## 7. AGGREGATION WITH INDEPENDENT WORKS

A compilation of the Document or its derivatives with other separate and independent documents or works, in or on a volume of a storage or distribution medium, is called an "aggregate" if the copyright resulting from the compilation is not used to limit the legal rights of the compilation's users beyond what the individual works permit. When the Document is included in an aggregate, this License does not apply to the other works in the aggregate which are not themselves derivative works of the Document.

If the Cover Text requirement of section 3 is applicable to these copies of the Document, then if the Document is less than one half of the entire aggregate, the Document's Cover Texts may be placed on covers that bracket the Document within the aggregate, or the electronic equivalent of covers if the Document is in electronic form. Otherwise they must appear on printed covers that bracket the whole aggregate.

## 8. TRANSLATION

Translation is considered a kind of modification, so you may distribute translations of the Document under the terms of section 4. Replacing Invariant Sections with translations requires special permission from their copyright holders, but you may include

translations of some or all Invariant Sections in addition to the original versions of these Invariant Sections. You may include a translation of this License, and all the license notices in the Document, and any Warranty Disclaimers, provided that you also include the original English version of this License and the original versions of those notices and disclaimers. In case of a disagreement between the translation and the original version of this License or a notice or disclaimer, the original version will prevail.

If a section in the Document is Entitled "Acknowledgements", "Dedications", or "History", the requirement (section 4) to Preserve its Title (section 1) will typically require changing the actual title.

## 9. TERMINATION

You may not copy, modify, sublicense, or distribute the Document except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, or distribute it is void, and will automatically terminate your rights under this License.

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, receipt of a copy of some or all of the same material does not give you any rights to use it.

## 10. FUTURE REVISIONS OF THIS LICENSE

The Free Software Foundation may publish new, revised versions of the GNU Free Documentation License from time to time. Such new versions will be similar in spirit to the present version, but may differ in

detail to address new problems or concerns. See <http://www.gnu.org/copyleft/>.

Each version of the License is given a distinguishing version number. If the Document specifies that a particular numbered version of this License "or any later version" applies to it, you have the option of following the terms and conditions either of that specified version or of any later version that has been published (not as a draft) by the Free Software Foundation. If the Document does not specify a version number of this License, you may choose any version ever published (not as a draft) by the Free Software Foundation. If the Document specifies that a proxy can decide which future versions of this License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Document.

## 11. RELICENSING

"Massive Multiauthor Collaboration Site" (or "MMC Site") means any World Wide Web server that publishes copyrightable works and also provides prominent facilities for anybody to edit those works. A public wiki that anybody can edit is an example of such a server. A "Massive Multiauthor Collaboration" (or "MMC") contained in the site means any set of copyrightable works thus published on the MMC site.

"CC-BY-SA" means the Creative Commons Attribution-Share Alike 3.0 license published by Creative Commons Corporation, a not-for-profit corporation with a principal place of business in San Francisco, California, as well as future copyleft versions of that license published by that same organization.

"Incorporate" means to publish or republish a Document, in whole or in part, as part of another Document.

An MMC is "eligible for relicensing" if it is licensed under this License, and if all works that were first published under this License somewhere other than this MMC, and subsequently incorporated in whole or in part into the MMC, (1) had no cover texts or invariant sections, and (2) were thus incorporated prior to November 1, 2008.

The operator of an MMC Site may republish an MMC contained in the site under CC-BY-SA on the same site at any time before August 1, 2009, provided the MMC is eligible for relicensing.

ADDENDUM: How to use this License for your documents

To use this License in a document you have written, include a copy of

the License in the document and put the following copyright and license notices just after the title page:

Copyright (c) YEAR YOUR NAME.

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.3 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".

If you have Invariant Sections, Front-Cover Texts and Back-Cover Texts, replace the "with...Texts." line with this:

with the Invariant Sections being LIST THEIR TITLES, with the Front-Cover Texts being LIST, and with the Back-Cover Texts being LIST.

If you have Invariant Sections without Cover Texts, or some other combination of the three, merge those two alternatives to suit the situation.

If your document contains nontrivial examples of program code, we recommend releasing these examples in parallel under your choice of free software license, such as the GNU General Public License, to permit their use in free software.

GNU GENERAL PUBLIC LICENSE  
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA  
Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for



this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based

on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent

access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any

patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED

OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

GNU GENERAL PUBLIC LICENSE  
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>  
Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

#### Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and



modification follow.

## TERMS AND CONDITIONS

### 0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

### 1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

## 2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not

convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

### 3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

### 4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

### 5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

a) The work must carry prominent notices stating that you modified it, and giving a relevant date.

b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".

c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

#### 6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product

model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

## 7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own

removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions;

the above requirements apply either way.

#### 8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

#### 9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

#### 10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.



An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

#### 11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone

to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

## 12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey

the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

#### 13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

#### 14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

#### 15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM

IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the

GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <http://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>  
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <http://www.gnu.org/licenses/>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <http://www.gnu.org/philosophy/why-not-lgpl.html>.

```
@c The GNU Free Documentation License.  
@center Version 1.3, 3 November 2008
```

```
@c This file is intended to be included within another document,  
@c hence no sectioning command or @node.
```

```
@display  
Copyright @copyright{ } 2000, 2001, 2002, 2007, 2008 Free Software Foundation, Inc.  
@uref{http://fsf.org/}
```

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

```
@end display
```

```
@enumerate 0  
@item  
PREAMBLE
```

The purpose of this License is to make a manual, textbook, or other functional and useful document `@dfn{free}` in the sense of freedom: to assure everyone the effective freedom to copy and redistribute it, with or without modifying it, either commercially or noncommercially. Secondly, this License preserves for the author and publisher a way to get credit for their work, while not being considered responsible for modifications made by others.

This License is a kind of ```copyleft```, which means that derivative works of the document must themselves be free in the same sense. It complements the GNU General Public License, which is a copyleft license designed for free software.

We have designed this License in order to use it for manuals for free software, because free software needs free documentation: a free program should come with manuals providing the same freedoms that the software does. But this License is not limited to software manuals; it can be used for any textual work, regardless of subject matter or whether it is published as a printed book. We recommend this License principally for works whose purpose is instruction or reference.

@item

#### APPLICABILITY AND DEFINITIONS

This License applies to any manual or other work, in any medium, that contains a notice placed by the copyright holder saying it can be distributed under the terms of this License. Such a notice grants a world-wide, royalty-free license, unlimited in duration, to use that work under the conditions stated herein. The ```Document```, below, refers to any such manual or work. Any member of the public is a licensee, and is addressed as ```you```. You accept the license if you copy, modify or distribute the work in a way requiring permission under copyright law.

A ```Modified Version``` of the Document means any work containing the Document or a portion of it, either copied verbatim, or with modifications and/or translated into another language.

A ```Secondary Section``` is a named appendix or a front-matter section of the Document that deals exclusively with the relationship of the publishers or authors of the Document to the Document's overall subject (or to related matters) and contains nothing that could fall directly within that overall subject. (Thus, if the Document is in part a textbook of mathematics, a Secondary Section may not explain any mathematics.) The relationship could be a matter of historical connection with the subject or with related matters, or of legal, commercial, philosophical, ethical or political position regarding them.

The "Invariant Sections" are certain Secondary Sections whose titles are designated, as being those of Invariant Sections, in the notice that says that the Document is released under this License. If a section does not fit the above definition of Secondary then it is not allowed to be designated as Invariant. The Document may contain zero Invariant Sections. If the Document does not identify any Invariant Sections then there are none.

The "Cover Texts" are certain short passages of text that are listed, as Front-Cover Texts or Back-Cover Texts, in the notice that says that the Document is released under this License. A Front-Cover Text may be at most 5 words, and a Back-Cover Text may be at most 25 words.

A "Transparent" copy of the Document means a machine-readable copy, represented in a format whose specification is available to the general public, that is suitable for revising the document straightforwardly with generic text editors or (for images composed of pixels) generic paint programs or (for drawings) some widely available drawing editor, and that is suitable for input to text formatters or for automatic translation to a variety of formats suitable for input to text formatters. A copy made in an otherwise Transparent file format whose markup, or absence of markup, has been arranged to thwart or discourage subsequent modification by readers is not Transparent. An image format is not Transparent if used for any substantial amount of text. A copy that is not "Transparent" is called "Opaque".

Examples of suitable formats for Transparent copies include plain @sc{ascii} without markup, Texinfo input format, La@TeX{} input format, @acronym{SGML} or @acronym{XML} using a publicly available @acronym{DTD}, and standard-conforming simple @acronym{HTML}, PostScript or @acronym{PDF} designed for human modification. Examples of transparent image formats include @acronym{PNG}, @acronym{XCF} and @acronym{JPG}. Opaque formats include proprietary formats that can be read and edited only by proprietary word processors, @acronym{SGML} or @acronym{XML} for which the @acronym{DTD} and/or processing tools are not generally available, and the machine-generated @acronym{HTML}, PostScript or @acronym{PDF} produced by some word processors for output purposes only.

The "Title Page" means, for a printed book, the title page itself, plus such following pages as are needed to hold, legibly, the material this License requires to appear in the title page. For works in formats which do not have any title page as such, "Title Page" means the text near the most prominent appearance of the work's title, preceding the beginning of the body of the text.

The "publisher" means any person or entity that distributes copies

of the Document to the public.

A section ``Entitled XYZ" means a named subunit of the Document whose title either is precisely XYZ or contains XYZ in parentheses following text that translates XYZ in another language. (Here XYZ stands for a specific section name mentioned below, such as ``Acknowledgements", ``Dedications", ``Endorsements", or ``History".) To ``Preserve the Title" of such a section when you modify the Document means that it remains a section ``Entitled XYZ" according to this definition.

The Document may include Warranty Disclaimers next to the notice which states that this License applies to the Document. These Warranty Disclaimers are considered to be included by reference in this License, but only as regards disclaiming warranties: any other implication that these Warranty Disclaimers may have is void and has no effect on the meaning of this License.

@item

#### VERBATIM COPYING

You may copy and distribute the Document in any medium, either commercially or noncommercially, provided that this License, the copyright notices, and the license notice saying this License applies to the Document are reproduced in all copies, and that you add no other conditions whatsoever to those of this License. You may not use technical measures to obstruct or control the reading or further copying of the copies you make or distribute. However, you may accept compensation in exchange for copies. If you distribute a large enough number of copies you must also follow the conditions in section 3.

You may also lend copies, under the same conditions stated above, and you may publicly display copies.

@item

#### COPYING IN QUANTITY

If you publish printed copies (or copies in media that commonly have printed covers) of the Document, numbering more than 100, and the Document's license notice requires Cover Texts, you must enclose the copies in covers that carry, clearly and legibly, all these Cover Texts: Front-Cover Texts on the front cover, and Back-Cover Texts on the back cover. Both covers must also clearly and legibly identify you as the publisher of these copies. The front cover must present the full title with all words of the title equally prominent and visible. You may add other material on the covers in addition.

Copying with changes limited to the covers, as long as they preserve the title of the Document and satisfy these conditions, can be treated as verbatim copying in other respects.



If the required texts for either cover are too voluminous to fit legibly, you should put the first ones listed (as many as fit reasonably) on the actual cover, and continue the rest onto adjacent pages.

If you publish or distribute Opaque copies of the Document numbering more than 100, you must either include a machine-readable Transparent copy along with each Opaque copy, or state in or with each Opaque copy a computer-network location from which the general network-using public has access to download using public-standard network protocols a complete Transparent copy of the Document, free of added material. If you use the latter option, you must take reasonably prudent steps, when you begin distribution of Opaque copies in quantity, to ensure that this Transparent copy will remain thus accessible at the stated location until at least one year after the last time you distribute an Opaque copy (directly or through your agents or retailers) of that edition to the public.

It is requested, but not required, that you contact the authors of the Document well before redistributing any large number of copies, to give them a chance to provide you with an updated version of the Document.

@item

## MODIFICATIONS

You may copy and distribute a Modified Version of the Document under the conditions of sections 2 and 3 above, provided that you release the Modified Version under precisely this License, with the Modified Version filling the role of the Document, thus licensing distribution and modification of the Modified Version to whoever possesses a copy of it. In addition, you must do these things in the Modified Version:

@enumerate A

@item

Use in the Title Page (and on the covers, if any) a title distinct from that of the Document, and from those of previous versions (which should, if there were any, be listed in the History section of the Document). You may use the same title as a previous version if the original publisher of that version gives permission.

@item

List on the Title Page, as authors, one or more persons or entities responsible for authorship of the modifications in the Modified Version, together with at least five of the principal authors of the Document (all of its principal authors, if it has fewer than five), unless they release you from this requirement.

@item

State on the Title page the name of the publisher of the Modified Version, as the publisher.

@item

Preserve all the copyright notices of the Document.

@item

Add an appropriate copyright notice for your modifications adjacent to the other copyright notices.

@item

Include, immediately after the copyright notices, a license notice giving the public permission to use the Modified Version under the terms of this License, in the form shown in the Addendum below.

@item

Preserve in that license notice the full lists of Invariant Sections and required Cover Texts given in the Document's license notice.

@item

Include an unaltered copy of this License.

@item

Preserve the section Entitled ``History'', Preserve its Title, and add to it an item stating at least the title, year, new authors, and publisher of the Modified Version as given on the Title Page. If there is no section Entitled ``History'' in the Document, create one stating the title, year, authors, and publisher of the Document as given on its Title Page, then add an item describing the Modified Version as stated in the previous sentence.

@item

Preserve the network location, if any, given in the Document for public access to a Transparent copy of the Document, and likewise the network locations given in the Document for previous versions it was based on. These may be placed in the ``History'' section. You may omit a network location for a work that was published at least four years before the Document itself, or if the original publisher of the version it refers to gives permission.

@item

For any section Entitled ``Acknowledgements'' or ``Dedications'', Preserve the Title of the section, and preserve in the section all the substance and tone of each of the contributor acknowledgements and/or dedications given therein.

@item

Preserve all the Invariant Sections of the Document, unaltered in their text and in their titles. Section numbers or the equivalent are not considered part of the section titles.

@item

Delete any section Entitled ``Endorsements''. Such a section may not be included in the Modified Version.

@item

Do not retitle any existing section to be Entitled ``Endorsements'' or to conflict in title with any Invariant Section.

@item

Preserve any Warranty Disclaimers.

@end enumerate

If the Modified Version includes new front-matter sections or appendices that qualify as Secondary Sections and contain no material copied from the Document, you may at your option designate some or all of these sections as invariant. To do this, add their titles to the list of Invariant Sections in the Modified Version's license notice. These titles must be distinct from any other section titles.

You may add a section Entitled ``Endorsements'', provided it contains nothing but endorsements of your Modified Version by various parties---for example, statements of peer review or that the text has been approved by an organization as the authoritative definition of a standard.

You may add a passage of up to five words as a Front-Cover Text, and a passage of up to 25 words as a Back-Cover Text, to the end of the list of Cover Texts in the Modified Version. Only one passage of Front-Cover Text and one of Back-Cover Text may be added by (or through arrangements made by) any one entity. If the Document already includes a cover text for the same cover, previously added by you or by arrangement made by the same entity you are acting on behalf of, you may not add another; but you may replace the old one, on explicit permission from the previous publisher that added the old one.

The author(s) and publisher(s) of the Document do not by this License give permission to use their names for publicity for or to assert or imply endorsement of any Modified Version.

@item

## COMBINING DOCUMENTS

You may combine the Document with other documents released under this License, under the terms defined in section 4 above for modified

versions, provided that you include in the combination all of the Invariant Sections of all of the original documents, unmodified, and list them all as Invariant Sections of your combined work in its license notice, and that you preserve all their Warranty Disclaimers.

The combined work need only contain one copy of this License, and multiple identical Invariant Sections may be replaced with a single copy. If there are multiple Invariant Sections with the same name but different contents, make the title of each such section unique by adding at the end of it, in parentheses, the name of the original author or publisher of that section if known, or else a unique number. Make the same adjustment to the section titles in the list of Invariant Sections in the license notice of the combined work.

In the combination, you must combine any sections Entitled ``History'' in the various original documents, forming one section Entitled ``History''; likewise combine any sections Entitled ``Acknowledgements'', and any sections Entitled ``Dedications''. You must delete all sections Entitled ``Endorsements.''

@item

#### COLLECTIONS OF DOCUMENTS

You may make a collection consisting of the Document and other documents released under this License, and replace the individual copies of this License in the various documents with a single copy that is included in the collection, provided that you follow the rules of this License for verbatim copying of each of the documents in all other respects.

You may extract a single document from such a collection, and distribute it individually under this License, provided you insert a copy of this License into the extracted document, and follow this License in all other respects regarding verbatim copying of that document.

@item

#### AGGREGATION WITH INDEPENDENT WORKS

A compilation of the Document or its derivatives with other separate and independent documents or works, in or on a volume of a storage or distribution medium, is called an ``aggregate'' if the copyright resulting from the compilation is not used to limit the legal rights of the compilation's users beyond what the individual works permit. When the Document is included in an aggregate, this License does not apply to the other works in the aggregate which are not themselves derivative works of the Document.

If the Cover Text requirement of section 3 is applicable to these copies of the Document, then if the Document is less than one half of

the entire aggregate, the Document's Cover Texts may be placed on covers that bracket the Document within the aggregate, or the electronic equivalent of covers if the Document is in electronic form. Otherwise they must appear on printed covers that bracket the whole aggregate.

@item

## TRANSLATION

Translation is considered a kind of modification, so you may distribute translations of the Document under the terms of section 4. Replacing Invariant Sections with translations requires special permission from their copyright holders, but you may include translations of some or all Invariant Sections in addition to the original versions of these Invariant Sections. You may include a translation of this License, and all the license notices in the Document, and any Warranty Disclaimers, provided that you also include the original English version of this License and the original versions of those notices and disclaimers. In case of a disagreement between the translation and the original version of this License or a notice or disclaimer, the original version will prevail.

If a section in the Document is Entitled ``Acknowledgements'', ``Dedications'', or ``History'', the requirement (section 4) to Preserve its Title (section 1) will typically require changing the actual title.

@item

## TERMINATION

You may not copy, modify, sublicense, or distribute the Document except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, or distribute it is void, and will automatically terminate your rights under this License.

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, receipt of a copy of some or all of the same material does not give you any rights to use it.

@item

## FUTURE REVISIONS OF THIS LICENSE

The Free Software Foundation may publish new, revised versions of the GNU Free Documentation License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns. See [@uref{http://www.gnu.org/copyleft/}](http://www.gnu.org/copyleft/).

Each version of the License is given a distinguishing version number. If the Document specifies that a particular numbered version of this License "or any later version" applies to it, you have the option of following the terms and conditions either of that specified version or of any later version that has been published (not as a draft) by the Free Software Foundation. If the Document does not specify a version number of this License, you may choose any version ever published (not as a draft) by the Free Software Foundation. If the Document specifies that a proxy can decide which future versions of this License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Document.

@item

## RELICENSING

"Massive Multiauthor Collaboration Site" (or "MMC Site") means any World Wide Web server that publishes copyrightable works and also provides prominent facilities for anybody to edit those works. A public wiki that anybody can edit is an example of such a server. A "Massive Multiauthor Collaboration" (or "MMC") contained in the site means any set of copyrightable works thus published on the MMC site.

"CC-BY-SA" means the Creative Commons Attribution-Share Alike 3.0 license published by Creative Commons Corporation, a not-for-profit corporation with a principal place of business in San Francisco, California, as well as future copyleft versions of that license published by that same organization.

"Incorporate" means to publish or republish a Document, in whole or in part, as part of another Document.

An MMC is "eligible for relicensing" if it is licensed under this License, and if all works that were first published under this License somewhere other than this MMC, and subsequently incorporated in whole or in part into the MMC, (1) had no cover texts or invariant sections, and (2) were thus incorporated prior to November 1, 2008.

The operator of an MMC Site may republish an MMC contained in the site under CC-BY-SA on the same site at any time before August 1, 2009, provided the MMC is eligible for relicensing.

@end enumerate

@page

@heading ADDENDUM: How to use this License for your documents

To use this License in a document you have written, include a copy of the License in the document and put the following copyright and license notices just after the title page:

@smallexample

@group

Copyright (C) @var{year} @var{your name}.

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.3 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".

@end group

@end smallexample

If you have Invariant Sections, Front-Cover Texts and Back-Cover Texts, replace the "with@dots{ }Texts." line with this:

@smallexample

@group

with the Invariant Sections being @var{list their titles}, with the Front-Cover Texts being @var{list}, and with the Back-Cover Texts being @var{list}.

@end group

@end smallexample

If you have Invariant Sections without Cover Texts, or some other combination of the three, merge those two alternatives to suit the situation.

If your document contains nontrivial examples of program code, we

recommend releasing these examples in parallel under your choice of free software license, such as the GNU General Public License, to permit their use in free software.

@c Local Variables:

@c ispell-local-pdict: "ispell-dict"

@c End:

Unless otherwise stated, all files in this directory are Copyright (C) 1991,1992,1993,1994,1995,1996,1997,1998,1999,2000,2001,2002,2003, 2004,2005,2006,2007,2008,2009,2010,2011  
Free Software Foundation, Inc.

See the file COPYING in the bash distribution root directory for copying and usage restrictions.

The file ifs-posix.tests is Copyright (C) 2005 Glen Fowler.  
Shellfloat is copyright (c) 2020 by Michael Wood.

---

## GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<https://fsf.org/>>  
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

### Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you



these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS

### 0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of

works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

#### 1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major

Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

## 2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

### 3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

### 4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

### 5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".

c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

#### 6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the

written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

## 7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the

terms of sections 15 and 16 of this License; or

- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

## 8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).



However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

#### 9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

#### 10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

#### 11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work

in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

#### 12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

#### 13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this

License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

#### 14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

#### 15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

#### 16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE

USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### 17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

```
This program is free software: you can redistribute it and/or modify  
it under the terms of the GNU General Public License as published by  
the Free Software Foundation, either version 3 of the License, or  
(at your option) any later version.
```

```
This program is distributed in the hope that it will be useful,  
but WITHOUT ANY WARRANTY; without even the implied warranty of  
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the  
GNU General Public License for more details.
```

```
You should have received a copy of the GNU General Public License  
along with this program. If not, see <https://www.gnu.org/licenses/>.
```

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

<program> Copyright (C) <year> <name of author>

This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.

This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary.

For more information on this, and how to apply and follow the GNU GPL, see <<https://www.gnu.org/licenses/>>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <<https://www.gnu.org/licenses/why-not-lgpl.html>>.

## 1.62 animal-sniffer-annotation 1.19

### 1.62.1 Available under license :

No license file was found, but licenses were detected in source scan.

The MIT License

Copyright (c) 2009 codehaus.org.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN

THE SOFTWARE.

Found in path(s):

\* /opt/cola/permits/1258876677\_1643115784.16/0/animal-sniffer-annotations-1-19-sources-jar/META-INF/maven/org.codehaus.mojo/animal-sniffer-annotations/pom.xml  
No license file was found, but licenses were detected in source scan.

/\*

\* The MIT License

\*

\* Copyright (c) 2008 Kohsuke Kawaguchi and codehaus.org.

\*

\* Permission is hereby granted, free of charge, to any person obtaining a copy  
\* of this software and associated documentation files (the "Software"), to deal  
\* in the Software without restriction, including without limitation the rights  
\* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell  
\* copies of the Software, and to permit persons to whom the Software is  
\* furnished to do so, subject to the following conditions:

\*

\* The above copyright notice and this permission notice shall be included in  
\* all copies or substantial portions of the Software.

\*

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR  
\* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,  
\* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE  
\* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER  
\* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,  
\* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN  
\* THE SOFTWARE.

\*

\*/

Found in path(s):

\* /opt/cola/permits/1258876677\_1643115784.16/0/animal-sniffer-annotations-1-19-sources-jar/org/codehaus/mojo/animal\_sniffer/IgnoreJRERequirement.java

## 1.63 annotations 19.0.0

### 1.63.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2000-2016 JetBrains s.r.o.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1652154255\_1682397533.000666/0/annotations-19-0-0-sources-1-jar/org/jetbrains/annotations/Contract.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2000-2012 JetBrains s.r.o.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1652154255\_1682397533.000666/0/annotations-19-0-0-sources-1-jar/org/intellij/lang/annotations/JdkConstants.java  
\* /opt/cola/permits/1652154255\_1682397533.000666/0/annotations-19-0-0-sources-1-jar/org/jetbrains/annotations/NotNull.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2000-2014 JetBrains s.r.o.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software



- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1652154255\_1682397533.000666/0/annotations-19-0-0-sources-1-jar/org/intellij/lang/annotations/MagicConstant.java
- \* /opt/cola/permits/1652154255\_1682397533.000666/0/annotations-19-0-0-sources-1-jar/org/jetbrains/annotations/Nullable.java

No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright 2000-2015 JetBrains s.r.o.
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1652154255\_1682397533.000666/0/annotations-19-0-0-sources-1-jar/org/intellij/lang/annotations/Flow.java
- \* /opt/cola/permits/1652154255\_1682397533.000666/0/annotations-19-0-0-sources-1-jar/org/jetbrains/annotations/Nls.java
- \* /opt/cola/permits/1652154255\_1682397533.000666/0/annotations-19-0-0-sources-1-jar/org/jetbrains/annotations/TestOnly.java

No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright 2006 Sascha Weinreuter
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1652154255\_1682397533.000666/0/annotations-19-0-0-sources-1-jar/org/intellij/lang/annotations/PrintFormat.java  
\* /opt/cola/permits/1652154255\_1682397533.000666/0/annotations-19-0-0-sources-1-jar/org/intellij/lang/annotations/Subst.java  
\* /opt/cola/permits/1652154255\_1682397533.000666/0/annotations-19-0-0-sources-1-jar/org/intellij/lang/annotations/Identifier.java  
\* /opt/cola/permits/1652154255\_1682397533.000666/0/annotations-19-0-0-sources-1-jar/org/intellij/lang/annotations/Pattern.java  
\* /opt/cola/permits/1652154255\_1682397533.000666/0/annotations-19-0-0-sources-1-jar/org/intellij/lang/annotations/Language.java  
\* /opt/cola/permits/1652154255\_1682397533.000666/0/annotations-19-0-0-sources-1-jar/org/intellij/lang/annotations/RegExp.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2000-2009 JetBrains s.r.o.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1652154255\_1682397533.000666/0/annotations-19-0-0-sources-1-jar/org/jetbrains/annotations/NonNls.java  
\* /opt/cola/permits/1652154255\_1682397533.000666/0/annotations-19-0-0-sources-1-jar/org/jetbrains/annotations/PropertyKey.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2000-2020 JetBrains s.r.o.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1652154255\_1682397533.000666/0/annotations-19-0-0-sources-1-jar/org/jetbrains/annotations/UnmodifiableView.java  
\* /opt/cola/permits/1652154255\_1682397533.000666/0/annotations-19-0-0-sources-1-jar/org/jetbrains/annotations/Unmodifiable.java  
\* /opt/cola/permits/1652154255\_1682397533.000666/0/annotations-19-0-0-sources-1-jar/org/jetbrains/annotations/Range.java

## 1.64 log4j-jcl 2.17.1

### 1.64.1 Available under license :

Apache Log4j Commons Logging Bridge  
Copyright 1999-1969 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
  
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
  
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or,

within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all

other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.65 libcrypto3 3.0.8-r4

## 1.65.1 Available under license :

This software is copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software; you can redistribute it and/or modify it under

the same terms as the Perl 5 programming language system itself.

Terms of the Perl programming language system itself

- a) the GNU General Public License as published by the Free Software Foundation; either version 1, or (at your option) any later version, or
- b) the "Artistic License"

--- The GNU General Public License, Version 1, February 1989 ---

This software is Copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software, licensed under:

The GNU General Public License, Version 1, February 1989

GNU GENERAL PUBLIC LICENSE  
Version 1, February 1989

Copyright (C) 1989 Free Software Foundation, Inc.  
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The license agreements of most software companies try to keep users at the mercy of those companies. By contrast, our General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. The General Public License applies to the Free Software Foundation's software and to any other program whose authors commit to using it. You can use it for your programs, too.

When we speak of free software, we are referring to freedom, not price. Specifically, the General Public License is designed to make sure that you have the freedom to give away or sell copies of free software, that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.



For example, if you distribute copies of a such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must tell them their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

The precise terms and conditions for copying, distribution and modification follow.

## GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any work containing the Program or a portion of it, either verbatim or with modifications. Each licensee is addressed as "you".

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this General Public License and to the absence of any warranty; and give any other recipients of the Program a copy of this General Public License along with the Program. You may charge a fee for the physical act of transferring a copy.

2. You may modify your copy or copies of the Program or any portion of it, and copy and distribute such modifications under the terms of Paragraph 1 above, provided that you also do the following:

a) cause the modified files to carry prominent notices stating that you changed the files and the date of any change; and

b) cause the whole of any work that you distribute or publish, that in whole or in part contains the Program or any part thereof, either

with or without modifications, to be licensed at no charge to all third parties under the terms of this General Public License (except that you may choose to grant warranty protection to some or all third parties, at your option).

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the simplest and most usual way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this General Public License.

d) You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

Mere aggregation of another independent work with the Program (or its derivative) on a volume of a storage or distribution medium does not bring the other work under the scope of these terms.

3. You may copy and distribute the Program (or a portion or derivative of it, under Paragraph 2) in object code or executable form under the terms of Paragraphs 1 and 2 above provided that you also do one of the following:

a) accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Paragraphs 1 and 2 above; or,

b) accompany it with a written offer, valid for at least three years, to give any third party free (except for a nominal charge for the cost of distribution) a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Paragraphs 1 and 2 above; or,

c) accompany it with the information you received as to where the corresponding source code may be obtained. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form alone.)

Source code for a work means the preferred form of the work for making modifications to it. For an executable file, complete source code means all the source code for all modules it contains; but, as a special exception, it need not include source code for modules which are standard libraries that accompany the operating system on which the executable file runs, or for standard header files or definitions files that accompany that operating system.

4. You may not copy, modify, sublicense, distribute or transfer the Program except as expressly provided under this General Public License. Any attempt otherwise to copy, modify, sublicense, distribute or transfer the Program is void, and will automatically terminate your rights to use the Program under this License. However, parties who have received copies, or rights to use copies, from you under this General Public License will not have their licenses terminated so long as such parties remain in full compliance.

5. By copying, distributing or modifying the Program (or any work based on the Program) you indicate your acceptance of this license to do so, and all its terms and conditions.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein.

7. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of the license which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the license, you may choose any version ever published by the Free Software Foundation.

8. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

9. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF

MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

10. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

##### Appendix: How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to humanity, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) 19yy <name of author>
```

```
This program is free software; you can redistribute it and/or modify  
it under the terms of the GNU General Public License as published by  
the Free Software Foundation; either version 1, or (at your option)  
any later version.
```

```
This program is distributed in the hope that it will be useful,  
but WITHOUT ANY WARRANTY; without even the implied warranty of  
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the  
GNU General Public License for more details.
```

```
You should have received a copy of the GNU General Public License  
along with this program; if not, write to the Free Software  
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston MA 02110-1301 USA
```

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) 19xx name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (a program to direct compilers to make passes
at assemblers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

That's all there is to it!

--- The Artistic License 1.0 ---

This software is Copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software, licensed under:

The Artistic License 1.0

The Artistic License

Preamble

The intent of this document is to state the conditions under which a Package may be copied, such that the Copyright Holder maintains some semblance of artistic control over the development of the package, while giving the users of the package the right to use and distribute the Package in a more-or-less customary fashion, plus the right to make reasonable modifications.

Definitions:

- "Package" refers to the collection of files distributed by the Copyright Holder, and derivatives of that collection of files created through textual modification.
- "Standard Version" refers to such a Package if it has not been modified, or has been modified in accordance with the wishes of the Copyright Holder.
- "Copyright Holder" is whoever is named in the copyright or copyrights for the package.
- "You" is you, if you're thinking about copying or distributing this Package.
- "Reasonable copying fee" is whatever you can justify on the basis of media cost, duplication charges, time of people involved, and so on. (You will not be required to justify it to the Copyright Holder, but only to the computing community at large as a market that must bear the fee.)
- "Freely Available" means that no fee is charged for the item itself, though there may be fees involved in handling the item. It also means that recipients of the item may redistribute it under the same conditions they received it.

1. You may make and give away verbatim copies of the source form of the Standard Version of this Package without restriction, provided that you duplicate all of the original copyright notices and associated disclaimers.
2. You may apply bug fixes, portability fixes and other modifications derived from the Public Domain or from the Copyright Holder. A Package modified in such a way shall still be considered the Standard Version.
3. You may otherwise modify your copy of this Package in any way, provided that you insert a prominent notice in each changed file stating how and when you changed that file, and provided that you do at least ONE of the following:
  - a) place your modifications in the Public Domain or otherwise make them Freely Available, such as by posting said modifications to Usenet or an equivalent medium, or placing the modifications on a major archive site such as ftp.uu.net, or by allowing the Copyright Holder to include your modifications in the Standard Version of the Package.
  - b) use the modified Package only within your corporation or organization.
  - c) rename any non-standard executables so the names do not conflict with standard executables, which must also be provided, and provide a separate manual page for each non-standard executable that clearly documents how it differs from the Standard Version.
  - d) make other distribution arrangements with the Copyright Holder.
4. You may distribute the programs of this Package in object code or executable form, provided that you do at least ONE of the following:

- a) distribute a Standard Version of the executables and library files, together with instructions (in the manual page or equivalent) on where to get the Standard Version.
- b) accompany the distribution with the machine-readable source of the Package with your modifications.
- c) accompany any non-standard executables with their corresponding Standard Version executables, giving the non-standard executables non-standard names, and clearly documenting the differences in manual pages (or equivalent), together with instructions on where to get the Standard Version.
- d) make other distribution arrangements with the Copyright Holder.

5. You may charge a reasonable copying fee for any distribution of this Package. You may charge any fee you choose for support of this Package. You may not charge a fee for this Package itself. However, you may distribute this Package in aggregate with other (possibly commercial) programs as part of a larger (possibly commercial) software distribution provided that you do not advertise this Package as a product of your own.

6. The scripts and library files supplied as input to or produced as output from the programs of this Package do not automatically fall under the copyright of this Package, but belong to whomever generated them, and may be sold commercially, and may be aggregated with this Package.

7. C or perl subroutines supplied by you and linked into this Package shall not be considered part of this Package.

8. The name of the Copyright Holder may not be used to endorse or promote products derived from this software without specific prior written permission.

9. THIS PACKAGE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

The End

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,



and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

## 1.66 spring-framework 6.0.7

### 1.66.1 Available under license :

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the

direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and

wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor

has been advised of the possibility of such damages.

9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Spring Framework \${version}

Copyright (c) 2002-\${copyright} Pivotal, Inc.

This product is licensed to you under the Apache License, Version 2.0 (the "License"). You may not use this product except in compliance with the License.

This product may include a number of subcomponents with separate copyright notices and license terms. Your use of the source code for

these subcomponents is subject to the terms and conditions of the subcomponent's license, as noted in the license.txt file.

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.



"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or

Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
  
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

=====

#### SPRING FRAMEWORK \${version} SUBCOMPONENTS:

Spring Framework \${version} includes a number of subcomponents  
with separate copyright notices and license terms. The product that  
includes this file does not necessarily use all the open source  
subcomponents referred to below. Your use of the source  
code for these subcomponents is subject to the terms and  
conditions of the following licenses.

>>> ASM 9.1 (org.ow2.asm:asm:9.1, org.ow2.asm:asm-commons:9.1):

Copyright (c) 2000-2011 INRIA, France Telecom  
All rights reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions  
are met:

1. Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright  
notice, this list of conditions and the following disclaimer in the  
documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its  
contributors may be used to endorse or promote products derived from  
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"  
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 1999-2009, OW2 Consortium <<https://www.ow2.org/>>

>>> CGLIB 3.3 (cglib:cglib:3.3):

Per the LICENSE file in the CGLIB JAR distribution downloaded from [https://github.com/cglib/cglib/releases/download/RELEASE\\_3\\_3\\_0/cglib-3.3.0.jar](https://github.com/cglib/cglib/releases/download/RELEASE_3_3_0/cglib-3.3.0.jar), CGLIB 3.3 is licensed under the Apache License, version 2.0, the text of which is included above.

>>> JavaPoet 1.13.0 (com.squareup:javapoet:1.13.0):

Per the LICENSE file in the JavaPoet JAR distribution downloaded from <https://github.com/square/javapoet/archive/refs/tags/javapoet-1.13.0.zip>, JavaPoet 1.13.0 is licensed under the Apache License, version 2.0, the text of which is included above.

>>> Objenesis 3.2 (org.objenesis:objenesis:3.2):

Per the LICENSE file in the Objenesis ZIP distribution downloaded from <http://objenesis.org/download.html>, Objenesis 3.2 is licensed under the Apache License, version 2.0, the text of which is included above.

Per the NOTICE file in the Objenesis ZIP distribution downloaded from <http://objenesis.org/download.html> and corresponding to section 4d of the Apache License, Version 2.0, in this case for Objenesis:

Objenesis

Copyright 2006-2019 Joe Walnes, Henri Tremblay, Leonardo Mesquita

=====

To the extent any open source components are licensed under the EPL and/or other similar licenses that require the source code and/or modifications to source code to be made available (as would be noted above), you may obtain a copy of the source code corresponding to the binaries for such open source components and modifications thereto, if any, (the "Source Files"), by

downloading the Source Files from <https://spring.io/projects>, Pivotal's website at <https://network.pivotal.io/open-source>, or by sending a request, with your name and address to: Pivotal Software, Inc., 875 Howard Street, 5th floor, San Francisco, CA 94103, Attention: General Counsel. All such requests should clearly specify: OPEN SOURCE FILES REQUEST, Attention General Counsel. Pivotal can mail a copy of the Source Files to you on a CD or equivalent physical medium.

This offer to obtain a copy of the Source Files is valid for three years from the date you acquired this Software product. Alternatively, the Source Files may accompany the Software.

## 1.67 paranamer 2.5.1

### 1.67.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
 *
 * Portions Copyright (c) 2007 Paul Hammant
 * Portions copyright (c) 2000-2007 INRIA, France Telecom
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 * 3. Neither the name of the copyright holders nor the names of its
 * contributors may be used to endorse or promote products derived from
 * this software without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
 * AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
 * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 * ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
 * LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
 * CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
 * SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
 * INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
 * CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
 * ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
 * THE POSSIBILITY OF SUCH DAMAGE.
 */
```

Found in path(s):

\* /opt/cola/permits/1257772269\_1643010353.74/0/paranamer-2-5-1-sources-jar/com/thoughtworks/paranamer/BytecodeReadingParanamer.java

No license file was found, but licenses were detected in source scan.

/\*\*

\*

\* Copyright (c) 2007 Paul Hammant

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. Neither the name of the copyright holders nor the names of its

\* contributors may be used to endorse or promote products derived from

\* this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"

\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF

\* THE POSSIBILITY OF SUCH DAMAGE.

\*

\*/

Found in path(s):

\* /opt/cola/permits/1257772269\_1643010353.74/0/paranamer-2-5-1-sources-jar/com/thoughtworks/paranamer/Paranamer.java

No license file was found, but licenses were detected in source scan.

/\*\*

\*

\* Copyright (c) 2009 Paul Hammant

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions  
\* are met:  
\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\* 3. Neither the name of the copyright holders nor the names of its  
\* contributors may be used to endorse or promote products derived from  
\* this software without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"  
\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE  
\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
\* THE POSSIBILITY OF SUCH DAMAGE.  
\*/

Found in path(s):

\* /opt/cola/permits/1257772269\_1643010353.74/0/paranamer-2-5-1-sources-  
jar/com/thoughtworks/paranamer/AnnotationParanamer.java

No license file was found, but licenses were detected in source scan.

/\*\*

\*

\* Copyright (c) 2007 Paul Hammant

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. Neither the name of the copyright holders nor the names of its

\* contributors may be used to endorse or promote products derived from

\* this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"

\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE



\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE  
\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
\* THE POSSIBILITY OF SUCH DAMAGE.  
\*/

Found in path(s):

\* /opt/cola/permits/1257772269\_1643010353.74/0/paranamer-2-5-1-sources-  
jar/com/thoughtworks/paranamer/NullParanamer.java  
\* /opt/cola/permits/1257772269\_1643010353.74/0/paranamer-2-5-1-sources-  
jar/com/thoughtworks/paranamer/AdaptiveParanamer.java  
\* /opt/cola/permits/1257772269\_1643010353.74/0/paranamer-2-5-1-sources-  
jar/com/thoughtworks/paranamer/ParameterNamesNotFoundException.java  
\* /opt/cola/permits/1257772269\_1643010353.74/0/paranamer-2-5-1-sources-  
jar/com/thoughtworks/paranamer/CachingParanamer.java  
\* /opt/cola/permits/1257772269\_1643010353.74/0/paranamer-2-5-1-sources-  
jar/com/thoughtworks/paranamer/DefaultParanamer.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2007 Paul Hammant

\* Copyright 2007 ThinkTank Maths Limited

\*

\* ThinkTank Maths Limited grants a non-revocable, perpetual licence  
\* to Paul Hammant for unlimited use, relicensing and redistribution. No  
\* explicit permission is required from ThinkTank Maths Limited for  
\* any future decisions made with regard to this file.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:

\*

- \* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.
- \* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.
- \* 3. Neither the name of the copyright holders nor the names of its  
\* contributors may be used to endorse or promote products derived from  
\* this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"  
\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE  
\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
\* THE POSSIBILITY OF SUCH DAMAGE.  
\*/

Found in path(s):

\* /opt/cola/permits/1257772269\_1643010353.74/0/paranamer-2-5-1-sources-  
jar/com/thoughtworks/paranamer/JavadocParanamer.java

# 1.68 commons-io 2.8.0

## 1.68.1 Available under license :

Apache Commons IO

Copyright 2002-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the  
direction or management of such entity, whether by contract or  
otherwise, or (ii) ownership of fifty percent (50%) or more of the  
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.69 cglib 3.2.0

## 1.69.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,

and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the

Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and



(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

# 1.70 netty-handler 4.1.86.Final

## 1.70.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2012 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1509095619_1671044640.6558812/0/netty-handler-4-1-86-final-sources-
jar/io/netty/handler/traffic/TrafficCounter.java
* /opt/cola/permits/1509095619_1671044640.6558812/0/netty-handler-4-1-86-final-sources-
jar/io/netty/handler/traffic/ChannelTrafficShapingHandler.java
* /opt/cola/permits/1509095619_1671044640.6558812/0/netty-handler-4-1-86-final-sources-
jar/io/netty/handler/traffic/package-info.java
* /opt/cola/permits/1509095619_1671044640.6558812/0/netty-handler-4-1-86-final-sources-
jar/io/netty/handler/traffic/GlobalTrafficShapingHandler.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2018 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
```

\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/OpenSslSession.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/DefaultOpenSslKeyMaterial.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/OpenSslCachingX509KeyManagerFactory.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/OpenSslKeyMaterial.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/SignatureAlgorithmConverter.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/OpenSslPrivateKey.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/OpenSslX509KeyManagerFactory.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/OpenSslKeyMaterialProvider.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/OpenSslX509TrustManagerWrapper.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/OpenSslCachingKeyMaterialProvider.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/ExtendedOpenSslSession.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/traffic/GlobalChannelTrafficShapingHandler.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2015 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1509095619_1671044640.6558812/0/netty-handler-4-1-86-final-sources-
jar/io/netty/handler/ssl/SslContextBuilder.java
* /opt/cola/permits/1509095619_1671044640.6558812/0/netty-handler-4-1-86-final-sources-
jar/io/netty/handler/ssl/ApplicationProtocolAccessor.java
* /opt/cola/permits/1509095619_1671044640.6558812/0/netty-handler-4-1-86-final-sources-
jar/io/netty/handler/ssl/ClientAuth.java
* /opt/cola/permits/1509095619_1671044640.6558812/0/netty-handler-4-1-86-final-sources-
jar/io/netty/handler/ssl/OpenSslSessionTicketKey.java
* /opt/cola/permits/1509095619_1671044640.6558812/0/netty-handler-4-1-86-final-sources-
jar/io/netty/handler/ssl/util/LazyJavaxX509Certificate.java
* /opt/cola/permits/1509095619_1671044640.6558812/0/netty-handler-4-1-86-final-sources-
jar/io/netty/handler/ssl/ApplicationProtocolNames.java
* /opt/cola/permits/1509095619_1671044640.6558812/0/netty-handler-4-1-86-final-sources-
jar/io/netty/handler/ssl/ApplicationProtocolNegotiationHandler.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2021 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
```

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/BouncyCastle.java

\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/OpenSslClientSessionCache.java

\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/BouncyCastleAlpnSslUtils.java

\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/AsyncRunnable.java

\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/SslProtocols.java

\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/BouncyCastleAlpnSslEngine.java

\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/OpenSslAsyncPrivateKeyMethod.java

\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/Ciphers.java

\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/OpenSslSessionId.java

\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/SslContextOption.java

\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/OpenSslSessionCache.java

\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/GroupsConverter.java

\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/OpenSslContextOption.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2019 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

```
* /opt/cola/permits/1509095619_1671044640.6558812/0/netty-handler-4-1-86-final-sources-  
jar/io/netty/handler/ssl/util/TrustManagerFactoryWrapper.java  
* /opt/cola/permits/1509095619_1671044640.6558812/0/netty-handler-4-1-86-final-sources-  
jar/io/netty/handler/ssl/SslMasterKeyHandler.java  
* /opt/cola/permits/1509095619_1671044640.6558812/0/netty-handler-4-1-86-final-sources-  
jar/io/netty/handler/ssl/util/KeyManagerFactoryWrapper.java  
* /opt/cola/permits/1509095619_1671044640.6558812/0/netty-handler-4-1-86-final-sources-  
jar/io/netty/handler/ssl/util/X509KeyManagerWrapper.java  
* /opt/cola/permits/1509095619_1671044640.6558812/0/netty-handler-4-1-86-final-sources-  
jar/io/netty/handler/ssl/OpenSslPrivateKeyMethod.java  
* /opt/cola/permits/1509095619_1671044640.6558812/0/netty-handler-4-1-86-final-sources-  
jar/io/netty/handler/ssl/PseudoRandomFunction.java  
* /opt/cola/permits/1509095619_1671044640.6558812/0/netty-handler-4-1-86-final-sources-  
jar/io/netty/handler/address/DynamicAddressConnectHandler.java  
* /opt/cola/permits/1509095619_1671044640.6558812/0/netty-handler-4-1-86-final-sources-  
jar/io/netty/handler/ssl/util/SimpleKeyManagerFactory.java  
* /opt/cola/permits/1509095619_1671044640.6558812/0/netty-handler-4-1-86-final-sources-  
jar/io/netty/handler/address/package-info.java
```

No license file was found, but licenses were detected in source scan.

<!--

~ Copyright 2012 The Netty Project

~

~ The Netty Project licenses this file to you under the Apache License,  
~ version 2.0 (the "License"); you may not use this file except in compliance  
~ with the License. You may obtain a copy of the License at:

~

~ <https://www.apache.org/licenses/LICENSE-2.0>

~

~ Unless required by applicable law or agreed to in writing, software  
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
~ License for the specific language governing permissions and limitations  
~ under the License.

-->

Found in path(s):

```
* /opt/cola/permits/1509095619_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/META-  
INF/maven/io.netty/netty-handler/pom.xml
```

No license file was found, but licenses were detected in source scan.

```
# The Netty Project licenses this file to you under the Apache License,  
# version 2.0 (the "License"); you may not use this file except in compliance  
# with the License. You may obtain a copy of the License at:  
# distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
```

Found in path(s):

\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/META-INF/native-image/io.netty/netty-handler/native-image.properties

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License, version

\* 2.0 (the "License"); you may not use this file except in compliance with the

\* License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/flow/FlowControlHandler.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2011 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/traffic/AbstractTrafficShapingHandler.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016 The Netty Project



\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/PemEncoded.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/DelegatingSslContext.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/PemPrivateKey.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/OpenSslCertificateException.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/ReferenceCountedOpenSslServerContext.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/flow/package-info.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/ReferenceCountedOpenSslContext.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/util/X509TrustManagerWrapper.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/OpenSslKeyMaterialManager.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/Java8SslUtils.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/flush/FlushConsolidationHandler.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/flush/package-info.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/PemX509Certificate.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/PemValue.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/ReferenceCountedOpenSslClientContext.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/ReferenceCountedOpenSslEngine.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2022 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License, version

\* 2.0 (the "License"); you may not use this file except in compliance with the

\* License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/OpenSslCertificateCompressionConfig.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2022 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/OpenSslCertificateCompressionAlgorithm.java

\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/BouncyCastlePemReader.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2020 The Netty Project

```
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1509095619_1671044640.6558812/0/netty-handler-4-1-86-final-sources-
jar/io/netty/handler/ipfilter/IpSubnetFilter.java
* /opt/cola/permits/1509095619_1671044640.6558812/0/netty-handler-4-1-86-final-sources-
jar/io/netty/handler/ipfilter/IpSubnetFilterRuleComparator.java
* /opt/cola/permits/1509095619_1671044640.6558812/0/netty-handler-4-1-86-final-sources-
jar/io/netty/handler/address/ResolveAddressHandler.java
* /opt/cola/permits/1509095619_1671044640.6558812/0/netty-handler-4-1-86-final-sources-
jar/io/netty/handler/logging/ByteBufFormat.java
* /opt/cola/permits/1509095619_1671044640.6558812/0/netty-handler-4-1-86-final-sources-
jar/io/netty/handler/ssl/util/FingerprintTrustManagerFactoryBuilder.java
* /opt/cola/permits/1509095619_1671044640.6558812/0/netty-handler-4-1-86-final-sources-
jar/io/netty/handler/ssl/SslHandshakeTimeoutException.java
* /opt/cola/permits/1509095619_1671044640.6558812/0/netty-handler-4-1-86-final-sources-
jar/io/netty/handler/ssl/SslClosedEngineException.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
// Try the OpenJDK's proprietary implementation.
```

Found in path(s):

\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/util/SelfSignedCertificate.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/JdkSslContext.java

\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ipfilter/package-info.java

\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/util/BouncyCastleSelfSignedCertGenerator.java

\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/util/OpenJdkSelfSignedCertGenerator.java

\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ipfilter/UniqueIpFilter.java

\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/ApplicationProtocolUtil.java

\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/JdkSslServerContext.java

\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/OpenSslDefaultApplicationProtocolNegotiator.java

\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/util/InsecureTrustManagerFactory.java

\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/util/SimpleTrustManagerFactory.java

\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/PemReader.java

\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/OpenSslSessionStats.java

\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/traffic/GlobalChannelTrafficCounter.java

\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/OpenSslEngine.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/ApplicationProtocolConfig.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ipfilter/IpFilterRule.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/SslUtils.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/OpenSslEngineMap.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/SslProvider.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/OpenSslSessionContext.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/OpenSslServerContext.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ipfilter/RuleBasedIpFilter.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/JettyNpnSslEngine.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/JdkBaseApplicationProtocolNegotiator.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/OpenSslContext.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/util/LazyX509Certificate.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ipfilter/IpFilterRuleType.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/CipherSuiteFilter.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/ApplicationProtocolNegotiator.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/JdkApplicationProtocolNegotiator.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/JettyAlpnSslEngine.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/SslContext.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/OpenSslNpnApplicationProtocolNegotiator.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/SniHandler.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/JdkAlpnApplicationProtocolNegotiator.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ipfilter/IpSubnetFilterRule.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/OpenSslClientContext.java

\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/JdkNpnApplicationProtocolNegotiator.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/OpenSslApplicationProtocolNegotiator.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/JdkSslEngine.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/OpenSslServerSessionContext.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/IdentityCipherSuiteFilter.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/JdkSslClientContext.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/util/FingerprintTrustManagerFactory.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/SupportedCipherSuiteFilter.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/JdkDefaultApplicationProtocolNegotiator.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ipfilter/AbstractRemoteAddressFilter.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/Java7SslParametersUtils.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/OpenSsl.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/CipherSuiteConverter.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/util/ThreadLocalInsecureRandom.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-

jar/io/netty/handler/logging/LoggingHandler.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-  
jar/io/netty/handler/timeout/TimeoutException.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-  
jar/io/netty/handler/ssl/SslHandler.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-  
jar/io/netty/handler/timeout/ReadTimeoutHandler.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-  
jar/io/netty/handler/timeout/WriteTimeoutHandler.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-  
jar/io/netty/handler/timeout/package-info.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-  
jar/io/netty/handler/ssl/package-info.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-  
jar/io/netty/handler/logging/LogLevel.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-  
jar/io/netty/handler/stream/ChunkedStream.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-  
jar/io/netty/handler/timeout/IdleStateHandler.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-  
jar/io/netty/handler/logging/package-info.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-  
jar/io/netty/handler/timeout/WriteTimeoutException.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-  
jar/io/netty/handler/stream/ChunkedInput.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-  
jar/io/netty/handler/stream/ChunkedNioFile.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-  
jar/io/netty/handler/stream/ChunkedWriteHandler.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-  
jar/io/netty/handler/stream/ChunkedFile.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-  
jar/io/netty/handler/timeout/IdleStateEvent.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-  
jar/io/netty/handler/stream/package-info.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-  
jar/io/netty/handler/timeout/IdleState.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-  
jar/io/netty/handler/ssl/util/package-info.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-  
jar/io/netty/handler/ssl/NotSslRecordException.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-  
jar/io/netty/handler/stream/ChunkedNioStream.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-  
jar/io/netty/handler/timeout/ReadTimeoutException.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2020 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/pcap/EthernetPacket.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/pcap/PcapWriter.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/pcap/package-info.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/pcap/PcapHeaders.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/pcap/IPPacket.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/pcap/PcapWriteHandler.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/pcap/UDPPacket.java  
\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/pcap/TCPpacket.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2013 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.



\*/

Found in path(s):

\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/SslHandshakeCompletionEvent.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/SslCompletionEvent.java

\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/AbstractSniHandler.java

\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/SslCloseCompletionEvent.java

\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/Conscrypt.java

\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/JdkAlpnSslUtils.java

\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/ConscryptAlpnSslEngine.java

\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/SniCompletionEvent.java

\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/OptionalSslHandler.java

\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/ocsp/package-info.java

\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/SslClientHelloHandler.java

\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/JdkAlpnSslEngine.java

\* /opt/cola/permits/1509095619\_1671044640.6558812/0/netty-handler-4-1-86-final-sources-jar/io/netty/handler/ssl/ocsp/OcspClientHandler.java

# 1.71 ca-certificates 20220614-r4

## 1.71.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/* c_rehash.c - Create hash symlinks for certificates
* C implementation based on the original Perl and shell versions
*
* Copyright (c) 2013-2014 Timo Teräs <timo.teras@iki.fi>
* All rights reserved.
*
* This software is licensed under the MIT License.
* Full license available at: http://opensource.org/licenses/MIT
*/
```

Found in path(s):

```
*/opt/cola/permits/1527795472_1674094687.5907822/0/ca-certificates-20220614-tar-bz2/ca-certificates-20220614/c_rehash.c
```

No license file was found, but licenses were detected in source scan.

```
# * You may opt to use, copy, modify, merge, publish, distribute and/or sell
# * furnished to do so, under the terms of the COPYING file.
```

Found in path(s):

```
*/opt/cola/permits/1527795472_1674094687.5907822/0/ca-certificates-20220614-tar-bz2/ca-certificates-20220614/mk-ca-bundle.pl
```

No license file was found, but licenses were detected in source scan.

```
#
# This Source Code Form is subject to the terms of the Mozilla Public
# License, v. 2.0. If a copy of the MPL was not distributed with this
# file, You can obtain one at http://mozilla.org/MPL/2.0/.
```

```
#
# certdata.txt
#
# This file contains the object definitions for the certs and other
# information "built into" NSS.
#
# Object definitions:
#
# Certificates
#
# -- Attribute --      -- type --      -- value --
# CKA_CLASS            CK_OBJECT_CLASS  CKO_CERTIFICATE
# CKA_TOKEN            CK_BBOOL        CK_TRUE
```

```

# CKA_PRIVATE          CK_BBOOL      CK_FALSE
# CKA_MODIFIABLE      CK_BBOOL      CK_FALSE
# CKA_LABEL            UTF8          (varies)
# CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
# CKA_SUBJECT          DER+base64     (varies)
# CKA_ID               byte array     (varies)
# CKA_ISSUER           DER+base64     (varies)
# CKA_SERIAL_NUMBER    DER+base64     (varies)
# CKA_VALUE            DER+base64     (varies)
# CKA_NSS_EMAIL        ASCII7         (unused here)
# CKA_NSS_SERVER_DISTRUST_AFTER DER+base64     (varies)
# CKA_NSS_EMAIL_DISTRUST_AFTER DER+base64     (varies)
#
# Trust
#
# -- Attribute --      -- type --      -- value --
# CKA_CLASS            CK_OBJECT_CLASS CKO_TRUST
# CKA_TOKEN            CK_BBOOL        CK_TRUE
# CKA_PRIVATE          CK_BBOOL        CK_FALSE
# CKA_MODIFIABLE      CK_BBOOL        CK_FALSE
# CKA_LABEL            UTF8            (varies)
# CKA_ISSUER           DER+base64     (varies)
# CKA_SERIAL_NUMBER    DER+base64     (varies)
# CKA_CERT_HASH        binary+base64   (varies)
# CKA_EXPIRES          CK_DATE         (not used here)
# CKA_TRUST_DIGITAL_SIGNATURE CK_TRUST        (varies)
# CKA_TRUST_NON_REPUDIATION CK_TRUST        (varies)
# CKA_TRUST_KEY_ENCIPHERMENT CK_TRUST        (varies)
# CKA_TRUST_DATA_ENCIPHERMENT CK_TRUST        (varies)
# CKA_TRUST_KEY_AGREEMENT CK_TRUST        (varies)
# CKA_TRUST_KEY_CERT_SIGN CK_TRUST        (varies)
# CKA_TRUST_CRL_SIGN   CK_TRUST        (varies)
# CKA_TRUST_SERVER_AUTH CK_TRUST        (varies)
# CKA_TRUST_CLIENT_AUTH CK_TRUST        (varies)
# CKA_TRUST_CODE_SIGNING CK_TRUST        (varies)
# CKA_TRUST_EMAIL_PROTECTION CK_TRUST        (varies)
# CKA_TRUST_IPSEC_END_SYSTEM CK_TRUST        (varies)
# CKA_TRUST_IPSEC_TUNNEL CK_TRUST        (varies)
# CKA_TRUST_IPSEC_USER CK_TRUST        (varies)
# CKA_TRUST_TIME_STAMPING CK_TRUST        (varies)
# CKA_TRUST_STEP_UP_APPROVED CK_BBOOL        (varies)
# (other trust attributes can be defined)
#
#
# The object to tell NSS that this is a root list and we don't
# have to go looking for others.
#

```

```

BEGINDATA
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_BUILTIN_ROOT_LIST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Mozilla Builtin Roots"

#
# Certificate "GlobalSign Root CA"
#
# Issuer: CN=GlobalSign Root CA,OU=Root CA,O=GlobalSign nv-sa,C=BE
# Serial Number:04:00:00:00:00:01:15:4b:5a:c3:94
# Subject: CN=GlobalSign Root CA,OU=Root CA,O=GlobalSign nv-sa,C=BE
# Not Valid Before: Tue Sep 01 12:00:00 1998
# Not Valid After : Fri Jan 28 12:00:00 2028
# Fingerprint (SHA-256):
EB:D4:10:40:E4:BB:3E:C7:42:C9:E3:81:D3:1E:F2:A4:1A:48:B6:68:5C:96:E7:CE:F3:C1:DF:6C:D4:33:1C:99
# Fingerprint (SHA1): B1:BC:96:8B:D4:F4:9D:62:2A:A8:9A:81:F2:15:01:52:A4:1D:82:9C
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "GlobalSign Root CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\127\061\013\060\011\006\003\125\004\006\023\002\102\105\061
\031\060\027\006\003\125\004\012\023\020\107\154\157\142\141\154
\123\151\147\156\040\156\166\055\163\141\061\020\060\016\006\003
\125\004\013\023\007\122\157\157\164\040\103\101\061\033\060\031
\006\003\125\004\003\023\022\107\154\157\142\141\154\123\151\147
\156\040\122\157\157\164\040\103\101
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\127\061\013\060\011\006\003\125\004\006\023\002\102\105\061
\031\060\027\006\003\125\004\012\023\020\107\154\157\142\141\154
\123\151\147\156\040\156\166\055\163\141\061\020\060\016\006\003
\125\004\013\023\007\122\157\157\164\040\103\101\061\033\060\031
\006\003\125\004\003\023\022\107\154\157\142\141\154\123\151\147
\156\040\122\157\157\164\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\013\004\000\000\000\000\001\025\113\132\303\224
END
CKA_VALUE MULTILINE_OCTAL
\060\202\003\165\060\202\002\135\240\003\002\001\002\002\013\004
\000\000\000\000\001\025\113\132\303\224\060\015\006\011\052\206
\110\206\367\015\001\001\005\005\000\060\127\061\013\060\011\006

```

\003\125\004\006\023\002\102\105\061\031\060\027\006\003\125\004  
\012\023\020\107\154\157\142\141\154\123\151\147\156\040\156\166  
\055\163\141\061\020\060\016\006\003\125\004\013\023\007\122\157  
\157\164\040\103\101\061\033\060\031\006\003\125\004\003\023\022  
\107\154\157\142\141\154\123\151\147\156\040\122\157\157\164\040  
\103\101\060\036\027\015\071\070\060\071\060\061\061\062\060\060  
\060\060\132\027\015\062\070\060\061\062\070\061\062\060\060\060  
\060\132\060\127\061\013\060\011\006\003\125\004\006\023\002\102  
\105\061\031\060\027\006\003\125\004\012\023\020\107\154\157\142  
\141\154\123\151\147\156\040\156\166\055\163\141\061\020\060\016  
\006\003\125\004\013\023\007\122\157\157\164\040\103\101\061\033  
\060\031\006\003\125\004\003\023\022\107\154\157\142\141\154\123  
\151\147\156\040\122\157\157\164\040\103\101\060\202\001\042\060  
\015\006\011\052\206\110\206\367\015\001\001\001\005\000\003\202  
\001\017\000\060\202\001\012\002\202\001\001\000\332\016\346\231  
\215\316\243\343\117\212\176\373\361\213\203\045\153\352\110\037  
\361\052\260\271\225\021\004\275\360\143\321\342\147\146\317\034  
\335\317\033\110\053\356\215\211\216\232\257\051\200\145\253\351  
\307\055\022\313\253\034\114\160\007\241\075\012\060\315\025\215  
\117\370\335\324\214\120\025\034\357\120\356\304\056\367\374\351  
\122\362\221\175\340\155\325\065\060\216\136\103\163\362\101\351  
\325\152\343\262\211\072\126\071\070\157\006\074\210\151\133\052  
\115\305\247\124\270\154\211\314\233\371\074\312\345\375\211\365  
\022\074\222\170\226\326\334\164\156\223\104\141\321\215\307\106  
\262\165\016\206\350\031\212\325\155\154\325\170\026\225\242\351  
\310\012\070\353\362\044\023\117\163\124\223\023\205\072\033\274  
\036\064\265\213\005\214\271\167\213\261\333\037\040\221\253\011  
\123\156\220\316\173\067\164\271\160\107\221\042\121\143\026\171  
\256\261\256\101\046\010\310\031\053\321\106\252\110\326\144\052  
\327\203\064\377\054\052\301\154\031\103\112\007\205\347\323\174  
\366\041\150\357\352\362\122\237\177\223\220\317\002\003\001\000  
\001\243\102\060\100\060\016\006\003\125\035\017\001\001\377\004  
\004\003\002\001\006\060\017\006\003\125\035\023\001\001\377\004  
\005\060\003\001\001\377\060\035\006\003\125\035\016\004\026\004  
\024\140\173\146\032\105\015\227\312\211\120\057\175\004\315\064  
\250\377\374\375\113\060\015\006\011\052\206\110\206\367\015\001  
\001\005\005\000\003\202\001\001\000\326\163\347\174\117\166\320  
\215\277\354\272\242\276\064\305\050\062\265\174\374\154\234\054  
\053\275\011\236\123\277\153\136\252\021\110\266\345\010\243\263  
\312\075\141\115\323\106\011\263\076\303\240\343\143\125\033\362  
\272\357\255\071\341\103\271\070\243\346\057\212\046\073\357\240  
\120\126\371\306\012\375\070\315\304\013\160\121\224\227\230\004  
\337\303\137\224\325\025\311\024\101\234\304\135\165\144\025\015  
\377\125\060\354\206\217\377\015\357\054\271\143\106\366\252\374  
\337\274\151\375\056\022\110\144\232\340\225\360\246\357\051\217  
\001\261\025\265\014\035\245\376\151\054\151\044\170\036\263\247  
\034\161\142\356\312\310\227\254\027\135\212\302\370\107\206\156  
\052\304\126\061\225\320\147\211\205\053\371\154\246\135\106\235

```
\014\252\202\344\231\121\335\160\267\333\126\075\141\344\152\341
\134\326\366\376\075\336\101\314\007\256\143\122\277\123\123\364
\053\351\307\375\266\367\202\137\205\322\101\030\333\201\263\004
\034\305\037\244\200\157\025\040\311\336\014\210\012\035\326\146
\125\342\374\110\311\051\046\151\340
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "GlobalSign Root CA"
```

```
# Issuer: CN=GlobalSign Root CA,OU=Root CA,O=GlobalSign nv-sa,C=BE
```

```
# Serial Number:04:00:00:00:00:01:15:4b:5a:c3:94
```

```
# Subject: CN=GlobalSign Root CA,OU=Root CA,O=GlobalSign nv-sa,C=BE
```

```
# Not Valid Before: Tue Sep 01 12:00:00 1998
```

```
# Not Valid After : Fri Jan 28 12:00:00 2028
```

```
# Fingerprint (SHA-256):
```

```
EB:D4:10:40:E4:BB:3E:C7:42:C9:E3:81:D3:1E:F2:A4:1A:48:B6:68:5C:96:E7:CE:F3:C1:DF:6C:D4:33:1C:99
```

```
# Fingerprint (SHA1): B1:BC:96:8B:D4:F4:9D:62:2A:A8:9A:81:F2:15:01:52:A4:1D:82:9C
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "GlobalSign Root CA"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\261\274\226\213\324\364\235\142\052\250\232\201\362\025\001\122
\244\035\202\234
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\076\105\122\025\011\121\222\341\267\135\067\237\261\207\051\212
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\127\061\013\060\011\006\003\125\004\006\023\002\102\105\061
\031\060\027\006\003\125\004\012\023\020\107\154\157\142\141\154
\123\151\147\156\040\156\166\055\163\141\061\020\060\016\006\003
\125\004\013\023\007\122\157\157\164\040\103\101\061\033\060\031
\006\003\125\004\003\023\022\107\154\157\142\141\154\123\151\147
\156\040\122\157\157\164\040\103\101
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\013\004\000\000\000\000\001\025\113\132\303\224
```

END

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

```
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE
```

```
#
```

```
# Certificate "Verisign Class 1 Public Primary Certification Authority - G3"
#
# Issuer: CN=VeriSign Class 1 Public Primary Certification Authority - G3,OU="(c) 1999 VeriSign, Inc. - For
authorized use only",OU=VeriSign Trust Network,O="VeriSign, Inc.",C=US
# Serial Number:00:8b:5b:75:56:84:54:85:0b:00:cf:af:38:48:ce:b1:a4
# Subject: CN=VeriSign Class 1 Public Primary Certification Authority - G3,OU="(c) 1999 VeriSign, Inc. - For
authorized use only",OU=VeriSign Trust Network,O="VeriSign, Inc.",C=US
# Not Valid Before: Fri Oct 01 00:00:00 1999
# Not Valid After : Wed Jul 16 23:59:59 2036
# Fingerprint (SHA-256):
CB:B5:AF:18:5E:94:2A:24:02:F9:EA:CB:C0:ED:5B:B8:76:EE:A3:C1:22:36:23:D0:04:47:E4:F3:BA:55:4B:65
# Fingerprint (SHA1): 20:42:85:DC:F7:EB:76:41:95:57:8E:13:6B:D4:B7:D1:E9:8E:46:A5
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Verisign Class 1 Public Primary Certification Authority - G3"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\312\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\027\060\025\006\003\125\004\012\023\016\126\145\162\151\123
\151\147\156\054\040\111\156\143\056\061\037\060\035\006\003\125
\004\013\023\026\126\145\162\151\123\151\147\156\040\124\162\165
\163\164\040\116\145\164\167\157\162\153\061\072\060\070\006\003
\125\004\013\023\061\050\143\051\040\061\071\071\071\040\126\145
\162\151\123\151\147\156\054\040\111\156\143\056\040\055\040\106
\157\162\040\141\165\164\150\157\162\151\172\145\144\040\165\163
\145\040\157\156\154\171\061\105\060\103\006\003\125\004\003\023
\074\126\145\162\151\123\151\147\156\040\103\154\141\163\163\040
\061\040\120\165\142\154\151\143\040\120\162\151\155\141\162\171
\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040\101
\165\164\150\157\162\151\164\171\040\055\040\107\063
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\312\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\027\060\025\006\003\125\004\012\023\016\126\145\162\151\123
\151\147\156\054\040\111\156\143\056\061\037\060\035\006\003\125
\004\013\023\026\126\145\162\151\123\151\147\156\040\124\162\165
\163\164\040\116\145\164\167\157\162\153\061\072\060\070\006\003
\125\004\013\023\061\050\143\051\040\061\071\071\071\040\126\145
\162\151\123\151\147\156\054\040\111\156\143\056\040\055\040\106
\157\162\040\141\165\164\150\157\162\151\172\145\144\040\165\163
\145\040\157\156\154\171\061\105\060\103\006\003\125\004\003\023
\074\126\145\162\151\123\151\147\156\040\103\154\141\163\163\040
\061\040\120\165\142\154\151\143\040\120\162\151\155\141\162\171
\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040\101
\165\164\150\157\162\151\164\171\040\055\040\107\063
```

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\021\000\213\133\165\126\204\124\205\013\000\317\257\070\110  
\316\261\244

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\004\032\060\202\003\002\002\021\000\213\133\165\126\204  
\124\205\013\000\317\257\070\110\316\261\244\060\015\006\011\052  
\206\110\206\367\015\001\001\005\005\000\060\201\312\061\013\060  
\011\006\003\125\004\006\023\002\125\123\061\027\060\025\006\003  
\125\004\012\023\016\126\145\162\151\123\151\147\156\054\040\111  
\156\143\056\061\037\060\035\006\003\125\004\013\023\026\126\145  
\162\151\123\151\147\156\040\124\162\165\163\164\040\116\145\164  
\167\157\162\153\061\072\060\070\006\003\125\004\013\023\061\050  
\143\051\040\061\071\071\071\040\126\145\162\151\123\151\147\156  
\054\040\111\156\143\056\040\055\040\106\157\162\040\141\165\164  
\150\157\162\151\172\145\144\040\165\163\145\040\157\156\154\171  
\061\105\060\103\006\003\125\004\003\023\074\126\145\162\151\123  
\151\147\156\040\103\154\141\163\163\040\061\040\120\165\142\154  
\151\143\040\120\162\151\155\141\162\171\040\103\145\162\164\151  
\146\151\143\141\164\151\157\156\040\101\165\164\150\157\162\151  
\164\171\040\055\040\107\063\060\036\027\015\071\071\061\060\060  
\061\060\060\060\060\060\060\132\027\015\063\066\060\067\061\066  
\062\063\065\071\065\071\132\060\201\312\061\013\060\011\006\003  
\125\004\006\023\002\125\123\061\027\060\025\006\003\125\004\012  
\023\016\126\145\162\151\123\151\147\156\054\040\111\156\143\056  
\061\037\060\035\006\003\125\004\013\023\026\126\145\162\151\123  
\151\147\156\040\124\162\165\163\164\040\116\145\164\167\157\162  
\153\061\072\060\070\006\003\125\004\013\023\061\050\143\051\040  
\061\071\071\071\040\126\145\162\151\123\151\147\156\054\040\111  
\156\143\056\040\055\040\106\157\162\040\141\165\164\150\157\162  
\151\172\145\144\040\165\163\145\040\157\156\154\171\061\105\060  
\103\006\003\125\004\003\023\074\126\145\162\151\123\151\147\156  
\040\103\154\141\163\163\040\061\040\120\165\142\154\151\143\040  
\120\162\151\155\141\162\171\040\103\145\162\164\151\146\151\143  
\141\164\151\157\156\040\101\165\164\150\157\162\151\164\171\040  
\055\040\107\063\060\202\001\042\060\015\006\011\052\206\110\206  
\367\015\001\001\001\005\000\003\202\001\017\000\060\202\001\012  
\002\202\001\001\000\335\204\324\271\264\371\247\330\363\004\170  
\234\336\075\334\154\023\026\331\172\335\044\121\146\300\307\046  
\131\015\254\006\010\302\224\321\063\037\360\203\065\037\156\033  
\310\336\252\156\025\116\124\047\357\304\155\032\354\013\343\016  
\360\104\245\127\307\100\130\036\243\107\037\161\354\140\366\155  
\224\310\030\071\355\376\102\030\126\337\344\114\111\020\170\116  
\001\166\065\143\022\066\335\146\274\001\004\066\243\125\150\325  
\242\066\011\254\253\041\046\124\006\255\077\312\024\340\254\312  
\255\006\035\225\342\370\235\361\340\140\377\302\177\165\053\114  
\314\332\376\207\231\041\352\272\376\076\124\327\322\131\170\333



\074\156\317\240\023\000\032\270\047\241\344\276\147\226\312\240  
\305\263\234\335\311\165\236\353\060\232\137\243\315\331\256\170  
\031\077\043\351\134\333\051\275\255\125\310\033\124\214\143\366  
\350\246\352\307\067\022\134\243\051\036\002\331\333\037\073\264  
\327\017\126\107\201\025\004\112\257\203\047\321\305\130\210\301  
\335\366\252\247\243\030\332\150\252\155\021\121\341\277\145\153  
\237\226\166\321\075\002\003\001\000\001\060\015\006\011\052\206  
\110\206\367\015\001\001\005\005\000\003\202\001\001\000\253\146  
\215\327\263\272\307\232\266\346\125\320\005\361\237\061\215\132  
\252\331\252\106\046\017\161\355\245\255\123\126\142\001\107\052  
\104\351\376\077\164\013\023\233\271\364\115\033\262\321\137\262  
\266\322\210\134\263\237\315\313\324\247\331\140\225\204\072\370  
\301\067\035\141\312\347\260\305\345\221\332\124\246\254\061\201  
\256\227\336\315\010\254\270\300\227\200\177\156\162\244\347\151  
\023\225\145\037\304\223\074\375\171\217\004\324\076\117\352\367  
\236\316\315\147\174\117\145\002\377\221\205\124\163\307\377\066  
\367\206\055\354\320\136\117\377\021\237\162\006\326\270\032\361  
\114\015\046\145\342\104\200\036\307\237\343\335\350\012\332\354  
\245\040\200\151\150\241\117\176\341\153\317\007\101\372\203\216  
\274\070\335\260\056\021\261\153\262\102\314\232\274\371\110\042  
\171\112\031\017\262\034\076\040\164\331\152\303\276\362\050\170  
\023\126\171\117\155\120\352\033\260\265\127\261\067\146\130\043  
\363\334\017\337\012\207\304\357\206\005\325\070\024\140\231\243  
\113\336\006\226\161\054\362\333\266\037\244\357\077\356

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# For Email Distrust After: Wed Aug 31 00:00:00 2022

CKA\_NSS\_EMAIL\_DISTRICT\_AFTER MULTILINE\_OCTAL

\062\062\060\070\063\061\060\060\060\060\060\060\132

END

# Trust for "Verisign Class 1 Public Primary Certification Authority - G3"

# Issuer: CN=VeriSign Class 1 Public Primary Certification Authority - G3,OU="(c) 1999 VeriSign, Inc. - For authorized use only",OU=VeriSign Trust Network,O="VeriSign, Inc.",C=US

# Serial Number:00:8b:5b:75:56:84:54:85:0b:00:cf:af:38:48:ce:b1:a4

# Subject: CN=VeriSign Class 1 Public Primary Certification Authority - G3,OU="(c) 1999 VeriSign, Inc. - For authorized use only",OU=VeriSign Trust Network,O="VeriSign, Inc.",C=US

# Not Valid Before: Fri Oct 01 00:00:00 1999

# Not Valid After : Wed Jul 16 23:59:59 2036

# Fingerprint (SHA-256):

CB:B5:AF:18:5E:94:2A:24:02:F9:EA:CB:C0:ED:5B:B8:76:EE:A3:C1:22:36:23:D0:04:47:E4:F3:BA:55:4B:65

# Fingerprint (SHA1): 20:42:85:DC:F7:EB:76:41:95:57:8E:13:6B:D4:B7:D1:E9:8E:46:A5

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "Verisign Class 1 Public Primary Certification Authority - G3"

CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL  
\040\102\205\334\367\353\166\101\225\127\216\023\153\324\267\321  
\351\216\106\245  
END

CKA\_CERT\_MD5\_HASH MULTILINE\_OCTAL  
\261\107\274\030\127\321\030\240\170\055\354\161\350\052\225\163  
END

CKA\_ISSUER MULTILINE\_OCTAL  
\060\201\312\061\013\060\011\006\003\125\004\006\023\002\125\123  
\061\027\060\025\006\003\125\004\012\023\016\126\145\162\151\123  
\151\147\156\054\040\111\156\143\056\061\037\060\035\006\003\125  
\004\013\023\026\126\145\162\151\123\151\147\156\040\124\162\165  
\163\164\040\116\145\164\167\157\162\153\061\072\060\070\006\003  
\125\004\013\023\061\050\143\051\040\061\071\071\071\040\126\145  
\162\151\123\151\147\156\054\040\111\156\143\056\040\055\040\106  
\157\162\040\141\165\164\150\157\162\151\172\145\144\040\165\163  
\145\040\157\156\154\171\061\105\060\103\006\003\125\004\003\023  
\074\126\145\162\151\123\151\147\156\040\103\154\141\163\163\040  
\061\040\120\165\142\154\151\143\040\120\162\151\155\141\162\171  
\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040\101  
\165\164\150\157\162\151\164\171\040\055\040\107\063  
END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL  
\002\021\000\213\133\165\126\204\124\205\013\000\317\257\070\110  
\316\261\244  
END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST  
CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR  
CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST  
CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#  
# Certificate "Verisign Class 2 Public Primary Certification Authority - G3"  
#  
# Issuer: CN=VeriSign Class 2 Public Primary Certification Authority - G3,OU="(c) 1999 VeriSign, Inc. - For  
authorized use only",OU=VeriSign Trust Network,O="VeriSign, Inc.",C=US  
# Serial Number:61:70:cb:49:8c:5f:98:45:29:e7:b0:a6:d9:50:5b:7a  
# Subject: CN=VeriSign Class 2 Public Primary Certification Authority - G3,OU="(c) 1999 VeriSign, Inc. - For  
authorized use only",OU=VeriSign Trust Network,O="VeriSign, Inc.",C=US  
# Not Valid Before: Fri Oct 01 00:00:00 1999  
# Not Valid After : Wed Jul 16 23:59:59 2036  
# Fingerprint (SHA-256):  
92:A9:D9:83:3F:E1:94:4D:B3:66:E8:BF:AE:7A:95:B6:48:0C:2D:6C:6C:2A:1B:E6:5D:42:36:B6:08:FC:A1:BB  
# Fingerprint (SHA1): 61:EF:43:D7:7F:CA:D4:61:51:BC:98:E0:C3:59:12:AF:9F:EB:63:11  
CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE  
CKA\_TOKEN CK\_BBOOL CK\_TRUE  
CKA\_PRIVATE CK\_BBOOL CK\_FALSE  
CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "Verisign Class 2 Public Primary Certification Authority - G3"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

\060\201\312\061\013\060\011\006\003\125\004\006\023\002\125\123  
\061\027\060\025\006\003\125\004\012\023\016\126\145\162\151\123  
\151\147\156\054\040\111\156\143\056\061\037\060\035\006\003\125  
\004\013\023\026\126\145\162\151\123\151\147\156\040\124\162\165  
\163\164\040\116\145\164\167\157\162\153\061\072\060\070\006\003  
\125\004\013\023\061\050\143\051\040\061\071\071\071\040\126\145  
\162\151\123\151\147\156\054\040\111\156\143\056\040\055\040\106  
\157\162\040\141\165\164\150\157\162\151\172\145\144\040\165\163  
\145\040\157\156\154\171\061\105\060\103\006\003\125\004\003\023  
\074\126\145\162\151\123\151\147\156\040\103\154\141\163\163\040  
\062\040\120\165\142\154\151\143\040\120\162\151\155\141\162\171  
\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040\101  
\165\164\150\157\162\151\164\171\040\055\040\107\063

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\201\312\061\013\060\011\006\003\125\004\006\023\002\125\123  
\061\027\060\025\006\003\125\004\012\023\016\126\145\162\151\123  
\151\147\156\054\040\111\156\143\056\061\037\060\035\006\003\125  
\004\013\023\026\126\145\162\151\123\151\147\156\040\124\162\165  
\163\164\040\116\145\164\167\157\162\153\061\072\060\070\006\003  
\125\004\013\023\061\050\143\051\040\061\071\071\071\040\126\145  
\162\151\123\151\147\156\054\040\111\156\143\056\040\055\040\106  
\157\162\040\141\165\164\150\157\162\151\172\145\144\040\165\163  
\145\040\157\156\154\171\061\105\060\103\006\003\125\004\003\023  
\074\126\145\162\151\123\151\147\156\040\103\154\141\163\163\040  
\062\040\120\165\142\154\151\143\040\120\162\151\155\141\162\171  
\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040\101  
\165\164\150\157\162\151\164\171\040\055\040\107\063

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\020\141\160\313\111\214\137\230\105\051\347\260\246\331\120  
\133\172

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\004\031\060\202\003\001\002\020\141\160\313\111\214\137  
\230\105\051\347\260\246\331\120\133\172\060\015\006\011\052\206  
\110\206\367\015\001\001\005\005\000\060\201\312\061\013\060\011  
\006\003\125\004\006\023\002\125\123\061\027\060\025\006\003\125  
\004\012\023\016\126\145\162\151\123\151\147\156\054\040\111\156  
\143\056\061\037\060\035\006\003\125\004\013\023\026\126\145\162  
\151\123\151\147\156\040\124\162\165\163\164\040\116\145\164\167  
\157\162\153\061\072\060\070\006\003\125\004\013\023\061\050\143  
\051\040\061\071\071\071\040\126\145\162\151\123\151\147\156\054  
\040\111\156\143\056\040\055\040\106\157\162\040\141\165\164\150

\157\162\151\172\145\144\040\165\163\145\040\157\156\154\171\061  
\105\060\103\006\003\125\004\003\023\074\126\145\162\151\123\151  
\147\156\040\103\154\141\163\163\040\062\040\120\165\142\154\151  
\143\040\120\162\151\155\141\162\171\040\103\145\162\164\151\146  
\151\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164  
\171\040\055\040\107\063\060\036\027\015\071\071\061\060\060\061  
\060\060\060\060\060\060\132\027\015\063\066\060\067\061\066\062  
\063\065\071\065\071\132\060\201\312\061\013\060\011\006\003\125  
\004\006\023\002\125\123\061\027\060\025\006\003\125\004\012\023  
\016\126\145\162\151\123\151\147\156\054\040\111\156\143\056\061  
\037\060\035\006\003\125\004\013\023\026\126\145\162\151\123\151  
\147\156\040\124\162\165\163\164\040\116\145\164\167\157\162\153  
\061\072\060\070\006\003\125\004\013\023\061\050\143\051\040\061  
\071\071\071\040\126\145\162\151\123\151\147\156\054\040\111\156  
\143\056\040\055\040\106\157\162\040\141\165\164\150\157\162\151  
\172\145\144\040\165\163\145\040\157\156\154\171\061\105\060\103  
\006\003\125\004\003\023\074\126\145\162\151\123\151\147\156\040  
\103\154\141\163\163\040\062\040\120\165\142\154\151\143\040\120  
\162\151\155\141\162\171\040\103\145\162\164\151\146\151\143\141  
\164\151\157\156\040\101\165\164\150\157\162\151\164\171\040\055  
\040\107\063\060\202\001\042\060\015\006\011\052\206\110\206\367  
\015\001\001\001\005\000\003\202\001\017\000\060\202\001\012\002  
\202\001\001\000\257\012\015\302\325\054\333\147\271\055\345\224  
\047\335\245\276\340\260\115\217\263\141\126\074\326\174\303\364  
\315\076\206\313\242\210\342\341\330\244\151\305\265\342\277\301  
\246\107\120\136\106\071\213\325\226\272\265\157\024\277\020\316  
\047\023\236\005\107\233\061\172\023\330\037\331\323\002\067\213  
\255\054\107\360\216\201\006\247\015\060\014\353\367\074\017\040  
\035\334\162\106\356\245\002\310\133\303\311\126\151\114\305\030  
\301\221\173\013\325\023\000\233\274\357\303\110\076\106\140\040  
\205\052\325\220\266\315\213\240\314\062\335\267\375\100\125\262  
\120\034\126\256\314\215\167\115\307\040\115\247\061\166\357\150  
\222\212\220\036\010\201\126\262\255\151\243\122\320\313\034\304  
\043\075\037\231\376\114\350\026\143\216\306\010\216\366\061\366  
\322\372\345\166\335\265\034\222\243\111\315\315\001\315\150\315  
\251\151\272\243\353\035\015\234\244\040\246\301\240\305\321\106  
\114\027\155\322\254\146\077\226\214\340\204\324\066\377\042\131  
\305\371\021\140\250\137\004\175\362\032\366\045\102\141\017\304  
\112\270\076\211\002\003\001\000\001\060\015\006\011\052\206\110  
\206\367\015\001\001\005\005\000\003\202\001\001\000\064\046\025  
\074\300\215\115\103\111\035\275\351\041\222\327\146\234\267\336  
\305\270\320\344\135\137\166\042\300\046\371\204\072\072\371\214  
\265\373\354\140\361\350\316\004\260\310\335\247\003\217\060\363  
\230\337\244\346\244\061\337\323\034\013\106\334\162\040\077\256  
\356\005\074\244\063\077\013\071\254\160\170\163\113\231\053\337  
\060\302\124\260\250\073\125\241\376\026\050\315\102\275\164\156  
\200\333\047\104\247\316\104\135\324\033\220\230\015\036\102\224  
\261\000\054\004\320\164\243\002\005\042\143\143\315\203\265\373

```
\301\155\142\153\151\165\375\135\160\101\271\365\277\174\337\276
\301\062\163\042\041\213\130\201\173\025\221\172\272\343\144\110
\260\177\373\066\045\332\225\320\361\044\024\027\335\030\200\153
\106\043\071\124\365\216\142\011\004\035\224\220\246\233\346\045
\342\102\105\252\270\220\255\276\010\217\251\013\102\030\224\317
\162\071\341\261\103\340\050\317\267\347\132\154\023\153\111\263
\377\343\030\174\211\213\063\135\254\063\327\247\371\332\072\125
\311\130\020\371\252\357\132\266\317\113\113\337\052
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
# For Email Distrust After: Wed Aug 31 00:00:00 2022
CKA_NSS_EMAIL_DISTRICT_AFTER MULTILINE_OCTAL
\062\062\060\070\063\061\060\060\060\060\060\060\132
```

END

```
# Trust for "Verisign Class 2 Public Primary Certification Authority - G3"
# Issuer: CN=VeriSign Class 2 Public Primary Certification Authority - G3,OU="(c) 1999 VeriSign, Inc. - For
authorized use only",OU=VeriSign Trust Network,O="VeriSign, Inc.",C=US
# Serial Number:61:70:cb:49:8c:5f:98:45:29:e7:b0:a6:d9:50:5b:7a
# Subject: CN=VeriSign Class 2 Public Primary Certification Authority - G3,OU="(c) 1999 VeriSign, Inc. - For
authorized use only",OU=VeriSign Trust Network,O="VeriSign, Inc.",C=US
# Not Valid Before: Fri Oct 01 00:00:00 1999
# Not Valid After : Wed Jul 16 23:59:59 2036
# Fingerprint (SHA-256):
92:A9:D9:83:3F:E1:94:4D:B3:66:E8:BF:AE:7A:95:B6:48:0C:2D:6C:6C:2A:1B:E6:5D:42:36:B6:08:FC:A1:BB
# Fingerprint (SHA1): 61:EF:43:D7:7F:CA:D4:61:51:BC:98:E0:C3:59:12:AF:9F:EB:63:11
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Verisign Class 2 Public Primary Certification Authority - G3"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\141\357\103\327\177\312\324\141\121\274\230\340\303\131\022\257
\237\353\143\021
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\370\276\304\143\042\311\250\106\164\213\270\035\036\112\053\366
```

END

```
CKA_ISSUER MULTILINE_OCTAL
\060\201\312\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\027\060\025\006\003\125\004\012\023\016\126\145\162\151\123
\151\147\156\054\040\111\156\143\056\061\037\060\035\006\003\125
\004\013\023\026\126\145\162\151\123\151\147\156\040\124\162\165
\163\164\040\116\145\164\167\157\162\153\061\072\060\070\006\003
\125\004\013\023\061\050\143\051\040\061\071\071\071\040\126\145
\162\151\123\151\147\156\054\040\111\156\143\056\040\055\040\106
\157\162\040\141\165\164\150\157\162\151\172\145\144\040\165\163
```

```
\145\040\157\156\154\171\061\105\060\103\006\003\125\004\003\023
\074\126\145\162\151\123\151\147\156\040\103\154\141\163\163\040
\062\040\120\165\142\154\151\143\040\120\162\151\155\141\162\171
\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040\101
\165\164\150\157\162\151\164\171\040\055\040\107\063
```

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

```
\002\020\141\160\313\111\214\137\230\105\051\347\260\246\331\120
\133\172
```

END

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE
```

#

# Certificate "Entrust.net Premium 2048 Secure Server CA"

#

# Issuer: CN=Entrust.net Certification Authority (2048),OU=(c) 1999 Entrust.net Limited,OU=www.entrust.net/CPS\_2048 incorp. by ref. (limits liab.),O=Entrust.net

# Serial Number: 946069240 (0x3863def8)

# Subject: CN=Entrust.net Certification Authority (2048),OU=(c) 1999 Entrust.net Limited,OU=www.entrust.net/CPS\_2048 incorp. by ref. (limits liab.),O=Entrust.net

# Not Valid Before: Fri Dec 24 17:50:51 1999

# Not Valid After : Tue Jul 24 14:15:12 2029

# Fingerprint (SHA-256):

6D:C4:71:72:E0:1C:BC:B0:BF:62:58:0D:89:5F:E2:B8:AC:9A:D4:F8:73:80:1E:0C:10:B9:C8:37:D2:1E:B1:77

# Fingerprint (SHA1): 50:30:06:09:1D:97:D4:F5:AE:39:F7:CB:E7:92:7D:7D:65:2D:34:31

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "Entrust.net Premium 2048 Secure Server CA"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

```
\060\201\264\061\024\060\022\006\003\125\004\012\023\013\105\156
\164\162\165\163\164\056\156\145\164\061\100\060\076\006\003\125
\004\013\024\067\167\167\167\056\145\156\164\162\165\163\164\056
\156\145\164\057\103\120\123\137\062\060\064\070\040\151\156\143
\157\162\160\056\040\142\171\040\162\145\146\056\040\050\154\151
\155\151\164\163\040\154\151\141\142\056\051\061\045\060\043\006
\003\125\004\013\023\034\050\143\051\040\061\071\071\071\040\105
\156\164\162\165\163\164\056\156\145\164\040\114\151\155\151\164
\145\144\061\063\060\061\006\003\125\004\003\023\052\105\156\164
\162\165\163\164\056\156\145\164\040\103\145\162\164\151\146\151
\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164\171
\040\050\062\060\064\070\051
```

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\201\264\061\024\060\022\006\003\125\004\012\023\013\105\156  
\164\162\165\163\164\056\156\145\164\061\100\060\076\006\003\125  
\004\013\024\067\167\167\167\056\145\156\164\162\165\163\164\056  
\156\145\164\057\103\120\123\137\062\060\064\070\040\151\156\143  
\157\162\160\056\040\142\171\040\162\145\146\056\040\050\154\151  
\155\151\164\163\040\154\151\141\142\056\051\061\045\060\043\006  
\003\125\004\013\023\034\050\143\051\040\061\071\071\071\040\105  
\156\164\162\165\163\164\056\156\145\164\040\114\151\155\151\164  
\145\144\061\063\060\061\006\003\125\004\003\023\052\105\156\164  
\162\165\163\164\056\156\145\164\040\103\145\162\164\151\146\151  
\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164\171  
\040\050\062\060\064\070\051

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\004\070\143\336\370

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\004\052\060\202\003\022\240\003\002\001\002\002\004\070  
\143\336\370\060\015\006\011\052\206\110\206\367\015\001\001\005  
\005\000\060\201\264\061\024\060\022\006\003\125\004\012\023\013  
\105\156\164\162\165\163\164\056\156\145\164\061\100\060\076\006  
\003\125\004\013\024\067\167\167\167\056\145\156\164\162\165\163  
\164\056\156\145\164\057\103\120\123\137\062\060\064\070\040\151  
\156\143\157\162\160\056\040\142\171\040\162\145\146\056\040\050  
\154\151\155\151\164\163\040\154\151\141\142\056\051\061\045\060  
\043\006\003\125\004\013\023\034\050\143\051\040\061\071\071\071  
\040\105\156\164\162\165\163\164\056\156\145\164\040\114\151\155  
\151\164\145\144\061\063\060\061\006\003\125\004\003\023\052\105  
\156\164\162\165\163\164\056\156\145\164\040\103\145\162\164\151  
\146\151\143\141\164\151\157\156\040\101\165\164\150\157\162\151  
\164\171\040\050\062\060\064\070\051\060\036\027\015\071\071\061  
\062\062\064\061\067\065\060\065\061\132\027\015\062\071\060\067  
\062\064\061\064\061\065\061\062\132\060\201\264\061\024\060\022  
\006\003\125\004\012\023\013\105\156\164\162\165\163\164\056\156  
\145\164\061\100\060\076\006\003\125\004\013\024\067\167\167\167  
\056\145\156\164\162\165\163\164\056\156\145\164\057\103\120\123  
\137\062\060\064\070\040\151\156\143\157\162\160\056\040\142\171  
\040\162\145\146\056\040\050\154\151\155\151\164\163\040\154\151  
\141\142\056\051\061\045\060\043\006\003\125\004\013\023\034\050  
\143\051\040\061\071\071\071\040\105\156\164\162\165\163\164\056  
\156\145\164\040\114\151\155\151\164\145\144\061\063\060\061\006  
\003\125\004\003\023\052\105\156\164\162\165\163\164\056\156\145  
\164\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040  
\101\165\164\150\157\162\151\164\171\040\050\062\060\064\070\051  
\060\202\001\042\060\015\006\011\052\206\110\206\367\015\001\001  
\001\005\000\003\202\001\017\000\060\202\001\012\002\202\001\001

\000\255\115\113\251\022\206\262\352\243\040\007\025\026\144\052  
\053\113\321\277\013\112\115\216\355\200\166\245\147\267\170\100  
\300\163\102\310\150\300\333\123\053\335\136\270\166\230\065\223  
\213\032\235\174\023\072\016\037\133\267\036\317\345\044\024\036  
\261\201\251\215\175\270\314\153\113\003\361\002\014\334\253\245  
\100\044\000\177\164\224\241\235\010\051\263\210\013\365\207\167  
\235\125\315\344\303\176\327\152\144\253\205\024\206\225\133\227  
\062\120\157\075\310\272\146\014\343\374\275\270\111\301\166\211  
\111\031\375\300\250\275\211\243\147\057\306\237\274\161\031\140  
\270\055\351\054\311\220\166\146\173\224\342\257\170\326\145\123  
\135\074\326\234\262\317\051\003\371\057\244\120\262\324\110\316  
\005\062\125\212\375\262\144\114\016\344\230\007\165\333\177\337  
\271\010\125\140\205\060\051\371\173\110\244\151\206\343\065\077  
\036\206\135\172\172\025\275\357\000\216\025\042\124\027\000\220  
\046\223\274\016\111\150\221\277\370\107\323\235\225\102\301\016  
\115\337\157\046\317\303\030\041\142\146\103\160\326\325\300\007  
\341\002\003\001\000\001\243\102\060\100\060\016\006\003\125\035  
\017\001\001\377\004\004\003\002\001\006\060\017\006\003\125\035  
\023\001\001\377\004\005\060\003\001\001\377\060\035\006\003\125  
\035\016\004\026\004\024\125\344\201\321\021\200\276\330\211\271  
\010\243\061\371\241\044\011\026\271\160\060\015\006\011\052\206  
\110\206\367\015\001\001\005\005\000\003\202\001\001\000\073\233  
\217\126\233\060\347\123\231\174\172\171\247\115\227\327\031\225  
\220\373\006\037\312\063\174\106\143\217\226\146\044\372\100\033  
\041\047\312\346\162\163\362\117\376\061\231\375\310\014\114\150  
\123\306\200\202\023\230\372\266\255\332\135\075\361\316\156\366  
\025\021\224\202\014\356\077\225\257\021\253\017\327\057\336\037  
\003\217\127\054\036\311\273\232\032\104\225\353\030\117\246\037  
\315\175\127\020\057\233\004\011\132\204\265\156\330\035\072\341  
\326\236\321\154\171\136\171\034\024\305\343\320\114\223\073\145  
\074\355\337\075\276\246\345\225\032\303\265\031\303\275\136\133  
\273\377\043\357\150\031\313\022\223\047\134\003\055\157\060\320  
\036\266\032\254\336\132\367\321\252\250\047\246\376\171\201\304  
\171\231\063\127\272\022\260\251\340\102\154\223\312\126\336\376  
\155\204\013\010\213\176\215\352\327\230\041\306\363\347\074\171  
\057\136\234\321\114\025\215\341\354\042\067\314\232\103\013\227  
\334\200\220\215\263\147\233\157\110\010\025\126\317\277\361\053  
\174\136\232\166\351\131\220\305\174\203\065\021\145\121

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRUST\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRUST\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "Entrust.net Premium 2048 Secure Server CA"

# Issuer: CN=Entrust.net Certification Authority (2048),OU=(c) 1999 Entrust.net

Limited,OU=www.entrust.net/CPS\_2048 incorp. by ref. (limits liab.),O=Entrust.net

# Serial Number: 946069240 (0x3863def8)

# Subject: CN=Entrust.net Certification Authority (2048),OU=(c) 1999 Entrust.net



```
Limited,OU=www.entrust.net/CPS_2048 incorp. by ref. (limits liab.),O=Entrust.net
# Not Valid Before: Fri Dec 24 17:50:51 1999
# Not Valid After : Tue Jul 24 14:15:12 2029
# Fingerprint (SHA-256):
6D:C4:71:72:E0:1C:BC:B0:BF:62:58:0D:89:5F:E2:B8:AC:9A:D4:F8:73:80:1E:0C:10:B9:C8:37:D2:1E:B1:77
# Fingerprint (SHA1): 50:30:06:09:1D:97:D4:F5:AE:39:F7:CB:E7:92:7D:7D:65:2D:34:31
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Entrust.net Premium 2048 Secure Server CA"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\120\060\006\011\035\227\324\365\256\071\367\313\347\222\175\175
\145\055\064\061
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\356\051\061\274\062\176\232\346\350\265\367\121\264\064\161\220
END
CKA_ISSUER MULTILINE_OCTAL
\060\201\264\061\024\060\022\006\003\125\004\012\023\013\105\156
\164\162\165\163\164\056\156\145\164\061\100\060\076\006\003\125
\004\013\024\067\167\167\167\056\145\156\164\162\165\163\164\056
\156\145\164\057\103\120\123\137\062\060\064\070\040\151\156\143
\157\162\160\056\040\142\171\040\162\145\146\056\040\050\154\151
\155\151\164\163\040\154\151\141\142\056\051\061\045\060\043\006
\003\125\004\013\023\034\050\143\051\040\061\071\071\071\040\105
\156\164\162\165\163\164\056\156\145\164\040\114\151\155\151\164
\145\144\061\063\060\061\006\003\125\004\003\023\052\105\156\164
\162\165\163\164\056\156\145\164\040\103\145\162\164\151\146\151
\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164\171
\040\050\062\060\064\070\051
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\004\070\143\336\370
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Baltimore CyberTrust Root"
#
# Issuer: CN=Baltimore CyberTrust Root,OU=CyberTrust,O=Baltimore,C=IE
# Serial Number: 33554617 (0x20000b9)
# Subject: CN=Baltimore CyberTrust Root,OU=CyberTrust,O=Baltimore,C=IE
# Not Valid Before: Fri May 12 18:46:00 2000
# Not Valid After : Mon May 12 23:59:00 2025
```

```
# Fingerprint (SHA-256):
16:AF:57:A9:F6:76:B0:AB:12:60:95:AA:5E:BA:DE:F2:2A:B3:11:19:D6:44:AC:95:CD:4B:93:DB:F3:F2:6A:EB
# Fingerprint (SHA1): D4:DE:20:D0:5E:66:FC:53:FE:1A:50:88:2C:78:DB:28:52:CA:E4:74
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Baltimore CyberTrust Root"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\132\061\013\060\011\006\003\125\004\006\023\002\111\105\061
\022\060\020\006\003\125\004\012\023\011\102\141\154\164\151\155
\157\162\145\061\023\060\021\006\003\125\004\013\023\012\103\171
\142\145\162\124\162\165\163\164\061\042\060\040\006\003\125\004
\003\023\031\102\141\154\164\151\155\157\162\145\040\103\171\142
\145\162\124\162\165\163\164\040\122\157\157\164
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\132\061\013\060\011\006\003\125\004\006\023\002\111\105\061
\022\060\020\006\003\125\004\012\023\011\102\141\154\164\151\155
\157\162\145\061\023\060\021\006\003\125\004\013\023\012\103\171
\142\145\162\124\162\165\163\164\061\042\060\040\006\003\125\004
\003\023\031\102\141\154\164\151\155\157\162\145\040\103\171\142
\145\162\124\162\165\163\164\040\122\157\157\164
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\004\002\000\000\271
END
CKA_VALUE MULTILINE_OCTAL
\060\202\003\167\060\202\002\137\240\003\002\001\002\002\004\002
\000\000\271\060\015\006\011\052\206\110\206\367\015\001\001\005
\005\000\060\132\061\013\060\011\006\003\125\004\006\023\002\111
\105\061\022\060\020\006\003\125\004\012\023\011\102\141\154\164
\151\155\157\162\145\061\023\060\021\006\003\125\004\013\023\012
\103\171\142\145\162\124\162\165\163\164\061\042\060\040\006\003
\125\004\003\023\031\102\141\154\164\151\155\157\162\145\040\103
\171\142\145\162\124\162\165\163\164\040\122\157\157\164\060\036
\027\015\060\060\060\065\061\062\061\070\064\066\060\060\132\027
\015\062\065\060\065\061\062\062\063\065\071\060\060\132\060\132
\061\013\060\011\006\003\125\004\006\023\002\111\105\061\022\060
\020\006\003\125\004\012\023\011\102\141\154\164\151\155\157\162
\145\061\023\060\021\006\003\125\004\013\023\012\103\171\142\145
\162\124\162\165\163\164\061\042\060\040\006\003\125\004\003\023
\031\102\141\154\164\151\155\157\162\145\040\103\171\142\145\162
\124\162\165\163\164\040\122\157\157\164\060\202\001\042\060\015
\006\011\052\206\110\206\367\015\001\001\001\005\000\003\202\001
\017\000\060\202\001\012\002\202\001\001\000\243\004\273\042\253
```

\230\075\127\350\046\162\232\265\171\324\051\342\341\350\225\200  
\261\260\343\133\216\053\051\232\144\337\241\135\355\260\011\005  
\155\333\050\056\316\142\242\142\376\264\210\332\022\353\070\353  
\041\235\300\101\053\001\122\173\210\167\323\034\217\307\272\271  
\210\265\152\011\347\163\350\021\100\247\321\314\312\142\215\055  
\345\217\013\246\120\322\250\120\303\050\352\365\253\045\207\212  
\232\226\034\251\147\270\077\014\325\367\371\122\023\057\302\033  
\325\160\160\360\217\300\022\312\006\313\232\341\331\312\063\172  
\167\326\370\354\271\361\150\104\102\110\023\322\300\302\244\256  
\136\140\376\266\246\005\374\264\335\007\131\002\324\131\030\230  
\143\365\245\143\340\220\014\175\135\262\006\172\363\205\352\353  
\324\003\256\136\204\076\137\377\025\355\151\274\371\071\066\162  
\165\317\167\122\115\363\311\220\054\271\075\345\311\043\123\077  
\037\044\230\041\134\007\231\051\275\306\072\354\347\156\206\072  
\153\227\164\143\063\275\150\030\061\360\170\215\166\277\374\236  
\216\135\052\206\247\115\220\334\047\032\071\002\003\001\000\001  
\243\105\060\103\060\035\006\003\125\035\016\004\026\004\024\345  
\235\131\060\202\107\130\314\254\372\010\124\066\206\173\072\265  
\004\115\360\060\022\006\003\125\035\023\001\001\377\004\010\060  
\006\001\001\377\002\001\003\060\016\006\003\125\035\017\001\001  
\377\004\004\003\002\001\006\060\015\006\011\052\206\110\206\367  
\015\001\001\005\005\000\003\202\001\001\000\205\014\135\216\344  
\157\121\150\102\005\240\335\273\117\047\045\204\003\275\367\144  
\375\055\327\060\343\244\020\027\353\332\051\051\266\171\077\166  
\366\031\023\043\270\020\012\371\130\244\324\141\160\275\004\141  
\152\022\212\027\325\012\275\305\274\060\174\326\351\014\045\215  
\206\100\117\354\314\243\176\070\306\067\021\117\355\335\150\061  
\216\114\322\263\001\164\356\276\165\136\007\110\032\177\160\377  
\026\134\204\300\171\205\270\005\375\177\276\145\021\243\017\300  
\002\264\370\122\067\071\004\325\251\061\172\030\277\240\052\364  
\022\231\367\243\105\202\343\074\136\365\235\236\265\310\236\174  
\056\310\244\236\116\010\024\113\155\375\160\155\153\032\143\275  
\144\346\037\267\316\360\362\237\056\273\033\267\362\120\210\163  
\222\302\342\343\026\215\232\062\002\253\216\030\335\351\020\021  
\356\176\065\253\220\257\076\060\224\172\320\063\075\247\145\017  
\365\374\216\236\142\317\107\104\054\001\135\273\035\265\062\322  
\107\322\070\056\320\376\201\334\062\152\036\265\356\074\325\374  
\347\201\035\031\303\044\102\352\143\071\251

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRUST\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRUST\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "Baltimore CyberTrust Root"

# Issuer: CN=Baltimore CyberTrust Root,OU=CyberTrust,O=Baltimore,C=IE

# Serial Number: 33554617 (0x20000b9)

# Subject: CN=Baltimore CyberTrust Root,OU=CyberTrust,O=Baltimore,C=IE

# Not Valid Before: Fri May 12 18:46:00 2000

```

# Not Valid After : Mon May 12 23:59:00 2025
# Fingerprint (SHA-256):
16:AF:57:A9:F6:76:B0:AB:12:60:95:AA:5E:BA:DE:F2:2A:B3:11:19:D6:44:AC:95:CD:4B:93:DB:F3:F2:6A:EB
# Fingerprint (SHA1): D4:DE:20:D0:5E:66:FC:53:FE:1A:50:88:2C:78:DB:28:52:CA:E4:74
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Baltimore CyberTrust Root"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\324\336\040\320\136\146\374\123\376\032\120\210\054\170\333\050
\122\312\344\164
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\254\266\224\245\234\027\340\327\221\122\233\261\227\006\246\344
END
CKA_ISSUER MULTILINE_OCTAL
\060\132\061\013\060\011\006\003\125\004\006\023\002\111\105\061
\022\060\020\006\003\125\004\012\023\011\102\141\154\164\151\155
\157\162\145\061\023\060\021\006\003\125\004\013\023\012\103\171
\142\145\162\124\162\165\163\164\061\042\060\040\006\003\125\004
\003\023\031\102\141\154\164\151\155\157\162\145\040\103\171\142
\145\162\124\162\165\163\164\040\122\157\157\164
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\004\002\000\000\271
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Entrust Root Certification Authority"
#
# Issuer: CN=Entrust Root Certification Authority,OU="(c) 2006 Entrust, Inc.",OU=www.entrust.net/CPS is
incorporated by reference,O="Entrust, Inc.",C=US
# Serial Number: 1164660820 (0x456b5054)
# Subject: CN=Entrust Root Certification Authority,OU="(c) 2006 Entrust, Inc.",OU=www.entrust.net/CPS is
incorporated by reference,O="Entrust, Inc.",C=US
# Not Valid Before: Mon Nov 27 20:23:42 2006
# Not Valid After : Fri Nov 27 20:53:42 2026
# Fingerprint (SHA-256):
73:C1:76:43:4F:1B:C6:D5:AD:F4:5B:0E:76:E7:27:28:7C:8D:E5:76:16:C1:E6:E6:14:1A:2B:2C:BC:7D:8E:4C
# Fingerprint (SHA1): B3:1E:B1:B7:40:E3:6C:84:02:DA:DC:37:D4:4D:F5:D4:67:49:52:F9
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE

```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Entrust Root Certification Authority"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\260\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\026\060\024\006\003\125\004\012\023\015\105\156\164\162\165
\163\164\054\040\111\156\143\056\061\071\060\067\006\003\125\004
\013\023\060\167\167\167\056\145\156\164\162\165\163\164\056\156
\145\164\057\103\120\123\040\151\163\040\151\156\143\157\162\160
\157\162\141\164\145\144\040\142\171\040\162\145\146\145\162\145
\156\143\145\061\037\060\035\006\003\125\004\013\023\026\050\143
\051\040\062\060\060\066\040\105\156\164\162\165\163\164\054\040
\111\156\143\056\061\055\060\053\006\003\125\004\003\023\044\105
\156\164\162\165\163\164\040\122\157\157\164\040\103\145\162\164
\151\146\151\143\141\164\151\157\156\040\101\165\164\150\157\162
\151\164\171
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\260\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\026\060\024\006\003\125\004\012\023\015\105\156\164\162\165
\163\164\054\040\111\156\143\056\061\071\060\067\006\003\125\004
\013\023\060\167\167\167\056\145\156\164\162\165\163\164\056\156
\145\164\057\103\120\123\040\151\163\040\151\156\143\157\162\160
\157\162\141\164\145\144\040\142\171\040\162\145\146\145\162\145
\156\143\145\061\037\060\035\006\003\125\004\013\023\026\050\143
\051\040\062\060\060\066\040\105\156\164\162\165\163\164\054\040
\111\156\143\056\061\055\060\053\006\003\125\004\003\023\044\105
\156\164\162\165\163\164\040\122\157\157\164\040\103\145\162\164
\151\146\151\143\141\164\151\157\156\040\101\165\164\150\157\162
\151\164\171
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\004\105\153\120\124
END
CKA_VALUE MULTILINE_OCTAL
\060\202\004\221\060\202\003\171\240\003\002\001\002\002\004\105
\153\120\124\060\015\006\011\052\206\110\206\367\015\001\001\005
\005\000\060\201\260\061\013\060\011\006\003\125\004\006\023\002
\125\123\061\026\060\024\006\003\125\004\012\023\015\105\156\164
\162\165\163\164\054\040\111\156\143\056\061\071\060\067\006\003
\125\004\013\023\060\167\167\167\056\145\156\164\162\165\163\164
\056\156\145\164\057\103\120\123\040\151\163\040\151\156\143\157
\162\160\157\162\141\164\145\144\040\142\171\040\162\145\146\145
\162\145\156\143\145\061\037\060\035\006\003\125\004\013\023\026
\050\143\051\040\062\060\060\066\040\105\156\164\162\165\163\164
\054\040\111\156\143\056\061\055\060\053\006\003\125\004\003\023
\044\105\156\164\162\165\163\164\040\122\157\157\164\040\103\145
```

\162\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150  
\157\162\151\164\171\060\036\027\015\060\066\061\061\062\067\062  
\060\062\063\064\062\132\027\015\062\066\061\061\062\067\062\060  
\065\063\064\062\132\060\201\260\061\013\060\011\006\003\125\004  
\006\023\002\125\123\061\026\060\024\006\003\125\004\012\023\015  
\105\156\164\162\165\163\164\054\040\111\156\143\056\061\071\060  
\067\006\003\125\004\013\023\060\167\167\167\056\145\156\164\162  
\165\163\164\056\156\145\164\057\103\120\123\040\151\163\040\151  
\156\143\157\162\160\157\162\141\164\145\144\040\142\171\040\162  
\145\146\145\162\145\156\143\145\061\037\060\035\006\003\125\004  
\013\023\026\050\143\051\040\062\060\060\066\040\105\156\164\162  
\165\163\164\054\040\111\156\143\056\061\055\060\053\006\003\125  
\004\003\023\044\105\156\164\162\165\163\164\040\122\157\157\164  
\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040\101  
\165\164\150\157\162\151\164\171\060\202\001\042\060\015\006\011  
\052\206\110\206\367\015\001\001\001\005\000\003\202\001\017\000  
\060\202\001\012\002\202\001\001\000\266\225\266\103\102\372\306  
\155\052\157\110\337\224\114\071\127\005\356\303\171\021\101\150  
\066\355\354\376\232\001\217\241\070\050\374\367\020\106\146\056  
\115\036\032\261\032\116\306\321\300\225\210\260\311\377\061\213  
\063\003\333\267\203\173\076\040\204\136\355\262\126\050\247\370  
\340\271\100\161\067\305\313\107\016\227\052\150\300\042\225\142  
\025\333\107\331\365\320\053\377\202\113\311\255\076\336\114\333  
\220\200\120\077\011\212\204\000\354\060\012\075\030\315\373\375  
\052\131\232\043\225\027\054\105\236\037\156\103\171\155\014\134  
\230\376\110\247\305\043\107\134\136\375\156\347\036\264\366\150  
\105\321\206\203\133\242\212\215\261\343\051\200\376\045\161\210  
\255\276\274\217\254\122\226\113\252\121\215\344\023\061\031\350  
\116\115\237\333\254\263\152\325\274\071\124\161\312\172\172\177  
\220\335\175\035\200\331\201\273\131\046\302\021\376\346\223\342  
\367\200\344\145\373\064\067\016\051\200\160\115\257\070\206\056  
\236\177\127\257\236\027\256\353\034\313\050\041\137\266\034\330  
\347\242\004\042\371\323\332\330\313\002\003\001\000\001\243\201  
\260\060\201\255\060\016\006\003\125\035\017\001\001\377\004\004  
\003\002\001\006\060\017\006\003\125\035\023\001\001\377\004\005  
\060\003\001\001\377\060\053\006\003\125\035\020\004\044\060\042  
\200\017\062\060\060\066\061\061\062\067\062\060\062\063\064\062  
\132\201\017\062\060\062\066\061\061\062\067\062\060\065\063\064  
\062\132\060\037\006\003\125\035\043\004\030\060\026\200\024\150  
\220\344\147\244\246\123\200\307\206\146\244\361\367\113\103\373  
\204\275\155\060\035\006\003\125\035\016\004\026\004\024\150\220  
\344\147\244\246\123\200\307\206\146\244\361\367\113\103\373\204  
\275\155\060\035\006\011\052\206\110\206\366\175\007\101\000\004  
\020\060\016\033\010\126\067\056\061\072\064\056\060\003\002\004  
\220\060\015\006\011\052\206\110\206\367\015\001\001\005\005\000  
\003\202\001\001\000\223\324\060\260\327\003\040\052\320\371\143  
\350\221\014\005\040\251\137\031\312\173\162\116\324\261\333\320  
\226\373\124\132\031\054\014\010\367\262\274\205\250\235\177\155

```
\073\122\263\052\333\347\324\204\214\143\366\017\313\046\001\221
\120\154\364\137\024\342\223\164\300\023\236\060\072\120\343\264
\140\305\034\360\042\104\215\161\107\254\310\032\311\351\233\232
\000\140\023\377\160\176\137\021\115\111\033\263\025\122\173\311
\124\332\277\235\225\257\153\232\330\236\351\361\344\103\215\342
\021\104\072\277\257\275\203\102\163\122\213\252\273\247\051\317
\365\144\034\012\115\321\274\252\254\237\052\320\377\177\177\332
\175\352\261\355\060\045\301\204\332\064\322\133\170\203\126\354
\234\066\303\046\342\021\366\147\111\035\222\253\214\373\353\377
\172\356\205\112\247\120\200\360\247\134\112\224\056\137\005\231
\074\122\101\340\315\264\143\317\001\103\272\234\203\334\217\140
\073\363\132\264\264\173\256\332\013\220\070\165\357\201\035\146
\322\367\127\160\066\263\277\374\050\257\161\045\205\133\023\376
\036\177\132\264\074
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "Entrust Root Certification Authority"
```

```
# Issuer: CN=Entrust Root Certification Authority,OU="(c) 2006 Entrust, Inc.",OU=www.entrust.net/CPS is
incorporated by reference,O="Entrust, Inc.",C=US
```

```
# Serial Number: 1164660820 (0x456b5054)
```

```
# Subject: CN=Entrust Root Certification Authority,OU="(c) 2006 Entrust, Inc.",OU=www.entrust.net/CPS is
incorporated by reference,O="Entrust, Inc.",C=US
```

```
# Not Valid Before: Mon Nov 27 20:23:42 2006
```

```
# Not Valid After : Fri Nov 27 20:53:42 2026
```

```
# Fingerprint (SHA-256):
```

```
73:C1:76:43:4F:1B:C6:D5:AD:F4:5B:0E:76:E7:27:28:7C:8D:E5:76:16:C1:E6:E6:14:1A:2B:2C:BC:7D:8E:4C
```

```
# Fingerprint (SHA1): B3:1E:B1:B7:40:E3:6C:84:02:DA:DC:37:D4:4D:F5:D4:67:49:52:F9
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Entrust Root Certification Authority"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\263\036\261\267\100\343\154\204\002\332\334\067\324\115\365\324
\147\111\122\371
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\326\245\303\355\135\335\076\000\301\075\207\222\037\035\077\344
```

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\201\260\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\026\060\024\006\003\125\004\012\023\015\105\156\164\162\165
\163\164\054\040\111\156\143\056\061\071\060\067\006\003\125\004
\013\023\060\167\167\167\056\145\156\164\162\165\163\164\056\156
\145\164\057\103\120\123\040\151\163\040\151\156\143\157\162\160
```

```
\157\162\141\164\145\144\040\142\171\040\162\145\146\145\162\145
\156\143\145\061\037\060\035\006\003\125\004\013\023\026\050\143
\051\040\062\060\060\066\040\105\156\164\162\165\163\164\054\040
\111\156\143\056\061\055\060\053\006\003\125\004\003\023\044\105
\156\164\162\165\163\164\040\122\157\157\164\040\103\145\162\164
\151\146\151\143\141\164\151\157\156\040\101\165\164\150\157\162
\151\164\171
```

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

```
\002\004\105\153\120\124
```

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "Certum Root CA"

#

# Issuer: CN=Certum CA,O=Unizeto Sp. z o.o.,C=PL

# Serial Number: 65568 (0x10020)

# Subject: CN=Certum CA,O=Unizeto Sp. z o.o.,C=PL

# Not Valid Before: Tue Jun 11 10:46:39 2002

# Not Valid After : Fri Jun 11 10:46:39 2027

# Fingerprint (SHA-256):

D8:E0:FE:BC:1D:B2:E3:8D:00:94:0F:37:D2:7D:41:34:4D:99:3E:73:4B:99:D5:65:6D:97:78:D4:D8:14:36:24

# Fingerprint (SHA1): 62:52:DC:40:F7:11:43:A2:2F:DE:9E:F7:34:8E:06:42:51:B1:81:18

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "Certum Root CA"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

```
\060\076\061\013\060\011\006\003\125\004\006\023\002\120\114\061
\033\060\031\006\003\125\004\012\023\022\125\156\151\172\145\164
\157\040\123\160\056\040\172\040\157\056\157\056\061\022\060\020
\006\003\125\004\003\023\011\103\145\162\164\165\155\040\103\101
```

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

```
\060\076\061\013\060\011\006\003\125\004\006\023\002\120\114\061
\033\060\031\006\003\125\004\012\023\022\125\156\151\172\145\164
\157\040\123\160\056\040\172\040\157\056\157\056\061\022\060\020
\006\003\125\004\003\023\011\103\145\162\164\165\155\040\103\101
```

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

```
\002\003\001\000\040
```



END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\003\014\060\202\001\364\240\003\002\001\002\002\003\001  
\000\040\060\015\006\011\052\206\110\206\367\015\001\001\005\005  
\000\060\076\061\013\060\011\006\003\125\004\006\023\002\120\114  
\061\033\060\031\006\003\125\004\012\023\022\125\156\151\172\145  
\164\157\040\123\160\056\040\172\040\157\056\157\056\061\022\060  
\020\006\003\125\004\003\023\011\103\145\162\164\165\155\040\103  
\101\060\036\027\015\060\062\060\066\061\061\061\060\064\066\063  
\071\132\027\015\062\067\060\066\061\061\061\060\064\066\063\071  
\132\060\076\061\013\060\011\006\003\125\004\006\023\002\120\114  
\061\033\060\031\006\003\125\004\012\023\022\125\156\151\172\145  
\164\157\040\123\160\056\040\172\040\157\056\157\056\061\022\060  
\020\006\003\125\004\003\023\011\103\145\162\164\165\155\040\103  
\101\060\202\001\042\060\015\006\011\052\206\110\206\367\015\001  
\001\001\005\000\003\202\001\017\000\060\202\001\012\002\202\001  
\001\000\316\261\301\056\323\117\174\315\045\316\030\076\117\304  
\214\157\200\152\163\310\133\121\370\233\322\334\273\000\134\261  
\240\374\165\003\356\201\360\210\356\043\122\351\346\025\063\215  
\254\055\011\305\166\371\053\071\200\211\344\227\113\220\245\250  
\170\370\163\103\173\244\141\260\330\130\314\341\154\146\176\234  
\363\011\136\125\143\204\325\250\357\363\261\056\060\150\263\304  
\074\330\254\156\215\231\132\220\116\064\334\066\232\217\201\210  
\120\267\155\226\102\011\363\327\225\203\015\101\113\260\152\153  
\370\374\017\176\142\237\147\304\355\046\137\020\046\017\010\117  
\360\244\127\050\316\217\270\355\105\366\156\356\045\135\252\156  
\071\276\344\223\057\331\107\240\162\353\372\246\133\257\312\123  
\077\342\016\306\226\126\021\156\367\351\146\251\046\330\177\225  
\123\355\012\205\210\272\117\051\245\102\214\136\266\374\205\040  
\000\252\150\013\241\032\205\001\234\304\106\143\202\210\266\042  
\261\356\376\252\106\131\176\317\065\054\325\266\332\135\367\110  
\063\024\124\266\353\331\157\316\315\210\326\253\033\332\226\073  
\035\131\002\003\001\000\001\243\023\060\021\060\017\006\003\125  
\035\023\001\001\377\004\005\060\003\001\001\377\060\015\006\011  
\052\206\110\206\367\015\001\001\005\005\000\003\202\001\001\000  
\270\215\316\357\347\024\272\317\356\260\104\222\154\264\071\076  
\242\204\156\255\270\041\167\322\324\167\202\207\346\040\101\201  
\356\342\370\021\267\143\321\027\067\276\031\166\044\034\004\032  
\114\353\075\252\147\157\055\324\315\376\145\061\160\305\033\246  
\002\012\272\140\173\155\130\302\232\111\376\143\062\013\153\343  
\072\300\254\253\073\260\350\323\011\121\214\020\203\306\064\340  
\305\053\340\032\266\140\024\047\154\062\167\214\274\262\162\230  
\317\315\314\077\271\310\044\102\024\326\127\374\346\046\103\251  
\035\345\200\220\316\003\124\050\076\367\077\323\370\115\355\152  
\012\072\223\023\233\073\024\043\023\143\234\077\321\207\047\171  
\345\114\121\343\001\255\205\135\032\073\261\325\163\020\244\323  
\362\274\156\144\365\132\126\220\250\307\016\114\164\017\056\161  
\073\367\310\107\364\151\157\025\362\021\136\203\036\234\174\122

```
\256\375\002\332\022\250\131\147\030\333\274\160\335\233\261\151
\355\200\316\211\100\110\152\016\065\312\051\146\025\041\224\054
\350\140\052\233\205\112\100\363\153\212\044\354\006\026\054\163
END
```

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "Certum Root CA"
```

```
# Issuer: CN=Certum CA,O=Unizeto Sp. z o.o.,C=PL
```

```
# Serial Number: 65568 (0x10020)
```

```
# Subject: CN=Certum CA,O=Unizeto Sp. z o.o.,C=PL
```

```
# Not Valid Before: Tue Jun 11 10:46:39 2002
```

```
# Not Valid After : Fri Jun 11 10:46:39 2027
```

```
# Fingerprint (SHA-256):
```

```
D8:E0:FE:BC:1D:B2:E3:8D:00:94:0F:37:D2:7D:41:34:4D:99:3E:73:4B:99:D5:65:6D:97:78:D4:D8:14:36:24
```

```
# Fingerprint (SHA1): 62:52:DC:40:F7:11:43:A2:2F:DE:9E:F7:34:8E:06:42:51:B1:81:18
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Certum Root CA"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\142\122\334\100\367\021\103\242\057\336\236\367\064\216\006\102
```

```
\121\261\201\030
```

```
END
```

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\054\217\237\146\035\030\220\261\107\046\235\216\206\202\214\251
```

```
END
```

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\076\061\013\060\011\006\003\125\004\006\023\002\120\114\061
```

```
\033\060\031\006\003\125\004\012\023\022\125\156\151\172\145\164
```

```
\157\040\123\160\056\040\172\040\157\056\157\056\061\022\060\020
```

```
\006\003\125\004\003\023\011\103\145\162\164\165\155\040\103\101
```

```
END
```

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\003\001\000\040
```

```
END
```

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

```
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

```
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE
```

```
#
```

```
# Certificate "Comodo AAA Services root"
```

```
#
```

```
# Issuer: CN=AAA Certificate Services,O=Comodo CA Limited,L=Salford,ST=Greater Manchester,C=GB
```

```
# Serial Number: 1 (0x1)
```

```
# Subject: CN=AAA Certificate Services,O=Comodo CA Limited,L=Salford,ST=Greater Manchester,C=GB
# Not Valid Before: Thu Jan 01 00:00:00 2004
# Not Valid After : Sun Dec 31 23:59:59 2028
# Fingerprint (SHA-256):
D7:A7:A0:FB:5D:7E:27:31:D7:71:E9:48:4E:BC:DE:F7:1D:5F:0C:3E:0A:29:48:78:2B:C8:3E:E0:EA:69:9E:F4
# Fingerprint (SHA1): D1:EB:23:A4:6D:17:D6:8F:D9:25:64:C2:F1:F1:60:17:64:D8:E3:49
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Comodo AAA Services root"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\173\061\013\060\011\006\003\125\004\006\023\002\107\102\061
\033\060\031\006\003\125\004\010\014\022\107\162\145\141\164\145
\162\040\115\141\156\143\150\145\163\164\145\162\061\020\060\016
\006\003\125\004\007\014\007\123\141\154\146\157\162\144\061\032
\060\030\006\003\125\004\012\014\021\103\157\155\157\144\157\040
\103\101\040\114\151\155\151\164\145\144\061\041\060\037\006\003
\125\004\003\014\030\101\101\101\040\103\145\162\164\151\146\151
\143\141\164\145\040\123\145\162\166\151\143\145\163
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\173\061\013\060\011\006\003\125\004\006\023\002\107\102\061
\033\060\031\006\003\125\004\010\014\022\107\162\145\141\164\145
\162\040\115\141\156\143\150\145\163\164\145\162\061\020\060\016
\006\003\125\004\007\014\007\123\141\154\146\157\162\144\061\032
\060\030\006\003\125\004\012\014\021\103\157\155\157\144\157\040
\103\101\040\114\151\155\151\164\145\144\061\041\060\037\006\003
\125\004\003\014\030\101\101\101\040\103\145\162\164\151\146\151
\143\141\164\145\040\123\145\162\166\151\143\145\163
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\001
END
CKA_VALUE MULTILINE_OCTAL
\060\202\004\062\060\202\003\032\240\003\002\001\002\002\001\001
\060\015\006\011\052\206\110\206\367\015\001\001\005\005\000\060
\173\061\013\060\011\006\003\125\004\006\023\002\107\102\061\033
\060\031\006\003\125\004\010\014\022\107\162\145\141\164\145\162
\040\115\141\156\143\150\145\163\164\145\162\061\020\060\016\006
\003\125\004\007\014\007\123\141\154\146\157\162\144\061\032\060
\030\006\003\125\004\012\014\021\103\157\155\157\144\157\040\103
\101\040\114\151\155\151\164\145\144\061\041\060\037\006\003\125
\004\003\014\030\101\101\101\040\103\145\162\164\151\146\151\143
\141\164\145\040\123\145\162\166\151\143\145\163\060\036\027\015
\060\064\060\061\060\061\060\060\060\060\060\060\132\027\015\062
```

\070\061\062\063\061\062\063\065\071\065\071\132\060\173\061\013  
\060\011\006\003\125\004\006\023\002\107\102\061\033\060\031\006  
\003\125\004\010\014\022\107\162\145\141\164\145\162\040\115\141  
\156\143\150\145\163\164\145\162\061\020\060\016\006\003\125\004  
\007\014\007\123\141\154\146\157\162\144\061\032\060\030\006\003  
\125\004\012\014\021\103\157\155\157\144\157\040\103\101\040\114  
\151\155\151\164\145\144\061\041\060\037\006\003\125\004\003\014  
\030\101\101\101\040\103\145\162\164\151\146\151\143\141\164\145  
\040\123\145\162\166\151\143\145\163\060\202\001\042\060\015\006  
\011\052\206\110\206\367\015\001\001\001\005\000\003\202\001\017  
\000\060\202\001\012\002\202\001\001\000\276\100\235\364\156\341  
\352\166\207\034\115\105\104\216\276\106\310\203\006\235\301\052  
\376\030\037\216\344\002\372\363\253\135\120\212\026\061\013\232  
\006\320\305\160\042\315\111\055\124\143\314\266\156\150\106\013  
\123\352\313\114\044\300\274\162\116\352\361\025\256\364\124\232  
\022\012\303\172\262\063\140\342\332\211\125\363\042\130\363\336  
\334\317\357\203\206\242\214\224\117\237\150\362\230\220\106\204  
\047\307\166\277\343\314\065\054\213\136\007\144\145\202\300\110  
\260\250\221\371\141\237\166\040\120\250\221\307\146\265\353\170  
\142\003\126\360\212\032\023\352\061\243\036\240\231\375\070\366  
\366\047\062\130\157\007\365\153\270\373\024\053\257\267\252\314  
\326\143\137\163\214\332\005\231\250\070\250\313\027\170\066\121  
\254\351\236\364\170\072\215\317\017\331\102\342\230\014\253\057  
\237\016\001\336\357\237\231\111\361\055\337\254\164\115\033\230  
\265\107\305\345\051\321\371\220\030\307\142\234\276\203\307\046  
\173\076\212\045\307\300\335\235\346\065\150\020\040\235\217\330  
\336\322\303\204\234\015\136\350\057\311\002\003\001\000\001\243  
\201\300\060\201\275\060\035\006\003\125\035\016\004\026\004\024  
\240\021\012\043\076\226\361\007\354\342\257\051\357\202\245\177  
\320\060\244\264\060\016\006\003\125\035\017\001\001\377\004\004  
\003\002\001\006\060\017\006\003\125\035\023\001\001\377\004\005  
\060\003\001\001\377\060\173\006\003\125\035\037\004\164\060\162  
\060\070\240\066\240\064\206\062\150\164\164\160\072\057\057\143  
\162\154\056\143\157\155\157\144\157\143\141\056\143\157\155\057  
\101\101\101\103\145\162\164\151\146\151\143\141\164\145\123\145  
\162\166\151\143\145\163\056\143\162\154\060\066\240\064\240\062  
\206\060\150\164\164\160\072\057\057\143\162\154\056\143\157\155  
\157\144\157\056\156\145\164\057\101\101\101\103\145\162\164\151  
\146\151\143\141\164\145\123\145\162\166\151\143\145\163\056\143  
\162\154\060\015\006\011\052\206\110\206\367\015\001\001\005\005  
\000\003\202\001\001\000\010\126\374\002\360\233\350\377\244\372  
\326\173\306\104\200\316\117\304\305\366\000\130\314\246\266\274  
\024\111\150\004\166\350\346\356\135\354\002\017\140\326\215\120  
\030\117\046\116\001\343\346\260\245\356\277\274\164\124\101\277  
\375\374\022\270\307\117\132\364\211\140\005\177\140\267\005\112  
\363\366\361\302\277\304\271\164\206\266\055\175\153\314\322\363  
\106\335\057\306\340\152\303\303\064\003\054\175\226\335\132\302  
\016\247\012\231\301\005\213\253\014\057\363\134\072\317\154\067

```
\125\011\207\336\123\100\154\130\357\374\266\253\145\156\004\366
\033\334\074\340\132\025\306\236\331\361\131\110\060\041\145\003
\154\354\351\041\163\354\233\003\241\340\067\255\240\025\030\217
\372\272\002\316\247\054\251\020\023\054\324\345\010\046\253\042
\227\140\370\220\136\164\324\242\232\123\275\362\251\150\340\242
\156\302\327\154\261\243\017\236\277\353\150\347\126\362\256\362
\343\053\070\072\011\201\265\153\205\327\276\055\355\077\032\267
\262\143\342\365\142\054\202\324\152\000\101\120\361\071\203\237
\225\351\066\226\230\156
```

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "Comodo AAA Services root"

# Issuer: CN=AAA Certificate Services,O=Comodo CA Limited,L=Salford,ST=Greater Manchester,C=GB

# Serial Number: 1 (0x1)

# Subject: CN=AAA Certificate Services,O=Comodo CA Limited,L=Salford,ST=Greater Manchester,C=GB

# Not Valid Before: Thu Jan 01 00:00:00 2004

# Not Valid After : Sun Dec 31 23:59:59 2028

# Fingerprint (SHA-256):

D7:A7:A0:FB:5D:7E:27:31:D7:71:E9:48:4E:BC:DE:F7:1D:5F:0C:3E:0A:29:48:78:2B:C8:3E:E0:EA:69:9E:F4

# Fingerprint (SHA1): D1:EB:23:A4:6D:17:D6:8F:D9:25:64:C2:F1:F1:60:17:64:D8:E3:49

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "Comodo AAA Services root"

CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL

```
\321\353\043\244\155\027\326\217\331\045\144\302\361\361\140\027
\144\330\343\111
```

END

CKA\_CERT\_MD5\_HASH MULTILINE\_OCTAL

```
\111\171\004\260\353\207\031\254\107\260\274\021\121\233\164\320
END
```

CKA\_ISSUER MULTILINE\_OCTAL

```
\060\173\061\013\060\011\006\003\125\004\006\023\002\107\102\061
\033\060\031\006\003\125\004\010\014\022\107\162\145\141\164\145
\162\040\115\141\156\143\150\145\163\164\145\162\061\020\060\016
\006\003\125\004\007\014\007\123\141\154\146\157\162\144\061\032
\060\030\006\003\125\004\012\014\021\103\157\155\157\144\157\040
\103\101\040\114\151\155\151\164\145\144\061\041\060\037\006\003
\125\004\003\014\030\101\101\101\040\103\145\162\164\151\146\151
\143\141\164\145\040\123\145\162\166\151\143\145\163
```

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

```
\002\001\001
```

END

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE
```

```
#
```

```
# Certificate "QuoVadis Root CA 2"
```

```
#
```

```
# Issuer: CN=QuoVadis Root CA 2,O=QuoVadis Limited,C=BM
```

```
# Serial Number: 1289 (0x509)
```

```
# Subject: CN=QuoVadis Root CA 2,O=QuoVadis Limited,C=BM
```

```
# Not Valid Before: Fri Nov 24 18:27:00 2006
```

```
# Not Valid After : Mon Nov 24 18:23:33 2031
```

```
# Fingerprint (SHA-256):
```

```
85:A0:DD:7D:D7:20:AD:B7:FF:05:F8:3D:54:2B:20:9D:C7:FF:45:28:F7:D6:77:B1:83:89:FE:A5:E5:C4:9E:86
```

```
# Fingerprint (SHA1): CA:3A:FB:CF:12:40:36:4B:44:B2:16:20:88:80:48:39:19:93:7C:F7
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "QuoVadis Root CA 2"
```

```
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
```

```
CKA_SUBJECT MULTILINE_OCTAL
```

```
\060\105\061\013\060\011\006\003\125\004\006\023\002\102\115\061
\031\060\027\006\003\125\004\012\023\020\121\165\157\126\141\144
\151\163\040\114\151\155\151\164\145\144\061\033\060\031\006\003
\125\004\003\023\022\121\165\157\126\141\144\151\163\040\122\157
\157\164\040\103\101\040\062
```

```
END
```

```
CKA_ID UTF8 "0"
```

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\105\061\013\060\011\006\003\125\004\006\023\002\102\115\061
\031\060\027\006\003\125\004\012\023\020\121\165\157\126\141\144
\151\163\040\114\151\155\151\164\145\144\061\033\060\031\006\003
\125\004\003\023\022\121\165\157\126\141\144\151\163\040\122\157
\157\164\040\103\101\040\062
```

```
END
```

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\002\005\011
```

```
END
```

```
CKA_VALUE MULTILINE_OCTAL
```

```
\060\202\005\267\060\202\003\237\240\003\002\001\002\002\002\005
\011\060\015\006\011\052\206\110\206\367\015\001\001\005\005\000
\060\105\061\013\060\011\006\003\125\004\006\023\002\102\115\061
\031\060\027\006\003\125\004\012\023\020\121\165\157\126\141\144
\151\163\040\114\151\155\151\164\145\144\061\033\060\031\006\003
\125\004\003\023\022\121\165\157\126\141\144\151\163\040\122\157
\157\164\040\103\101\040\062\060\036\027\015\060\066\061\061\062
```

\064\061\070\062\067\060\060\132\027\015\063\061\061\061\062\064  
\061\070\062\063\063\063\132\060\105\061\013\060\011\006\003\125  
\004\006\023\002\102\115\061\031\060\027\006\003\125\004\012\023  
\020\121\165\157\126\141\144\151\163\040\114\151\155\151\164\145  
\144\061\033\060\031\006\003\125\004\003\023\022\121\165\157\126  
\141\144\151\163\040\122\157\157\164\040\103\101\040\062\060\202  
\002\042\060\015\006\011\052\206\110\206\367\015\001\001\001\005  
\000\003\202\002\017\000\060\202\002\012\002\202\002\001\000\232  
\030\312\113\224\015\000\055\257\003\051\212\360\017\201\310\256  
\114\031\205\035\010\237\253\051\104\205\363\057\201\255\062\036  
\220\106\277\243\206\046\032\036\376\176\034\030\072\134\234\140  
\027\052\072\164\203\063\060\175\141\124\021\313\355\253\340\346  
\322\242\176\365\153\157\030\267\012\013\055\375\351\076\357\012  
\306\263\020\351\334\302\106\027\370\135\375\244\332\377\236\111  
\132\234\346\063\346\044\226\367\077\272\133\053\034\172\065\302  
\326\147\376\253\146\120\213\155\050\140\053\357\327\140\303\307  
\223\274\215\066\221\363\177\370\333\021\023\304\234\167\166\301  
\256\267\002\152\201\172\251\105\203\342\005\346\271\126\301\224  
\067\217\110\161\143\042\354\027\145\007\225\212\113\337\217\306  
\132\012\345\260\343\137\136\153\021\253\014\371\205\353\104\351  
\370\004\163\362\351\376\134\230\214\365\163\257\153\264\176\315  
\324\134\002\053\114\071\341\262\225\225\055\102\207\327\325\263  
\220\103\267\154\023\361\336\335\366\304\370\211\077\321\165\365  
\222\303\221\325\212\210\320\220\354\334\155\336\211\302\145\161  
\226\213\015\003\375\234\277\133\026\254\222\333\352\376\171\174  
\255\353\257\367\026\313\333\315\045\053\345\037\373\232\237\342  
\121\314\072\123\014\110\346\016\275\311\264\166\006\122\346\021  
\023\205\162\143\003\004\340\004\066\053\040\031\002\350\164\247  
\037\266\311\126\146\360\165\045\334\147\301\016\141\140\210\263  
\076\321\250\374\243\332\035\260\321\261\043\124\337\104\166\155  
\355\101\330\301\262\042\266\123\034\337\065\035\334\241\167\052  
\061\344\055\365\345\345\333\310\340\377\345\200\327\013\143\240  
\377\063\241\017\272\054\025\025\352\227\263\322\242\265\276\362  
\214\226\036\032\217\035\154\244\141\067\271\206\163\063\327\227  
\226\236\043\175\202\244\114\201\342\241\321\272\147\137\225\007  
\243\047\021\356\026\020\173\274\105\112\114\262\004\322\253\357  
\325\375\014\121\316\120\152\010\061\371\221\332\014\217\144\134  
\003\303\072\213\040\077\156\215\147\075\072\326\376\175\133\210  
\311\136\373\314\141\334\213\063\167\323\104\062\065\011\142\004  
\222\026\020\330\236\047\107\373\073\041\343\370\353\035\133\002  
\003\001\000\001\243\201\260\060\201\255\060\017\006\003\125\035  
\023\001\001\377\004\005\060\003\001\001\377\060\013\006\003\125  
\035\017\004\004\003\002\001\006\060\035\006\003\125\035\016\004  
\026\004\024\032\204\142\274\110\114\063\045\004\324\356\320\366  
\003\304\031\106\321\224\153\060\156\006\003\125\035\043\004\147  
\060\145\200\024\032\204\142\274\110\114\063\045\004\324\356\320  
\366\003\304\031\106\321\224\153\241\111\244\107\060\105\061\013  
\060\011\006\003\125\004\006\023\002\102\115\061\031\060\027\006

\003\125\004\012\023\020\121\165\157\126\141\144\151\163\040\114  
\151\155\151\164\145\144\061\033\060\031\006\003\125\004\003\023  
\022\121\165\157\126\141\144\151\163\040\122\157\157\164\040\103  
\101\040\062\202\002\005\011\060\015\006\011\052\206\110\206\367  
\015\001\001\005\005\000\003\202\002\001\000\076\012\026\115\237  
\006\133\250\256\161\135\057\005\057\147\346\023\105\203\304\066  
\366\363\300\046\014\015\265\107\144\135\370\264\162\311\106\245  
\003\030\047\125\211\170\175\166\352\226\064\200\027\040\334\347  
\203\370\215\374\007\270\332\137\115\056\147\262\204\375\331\104  
\374\167\120\201\346\174\264\311\015\013\162\123\370\166\007\007  
\101\107\226\014\373\340\202\046\223\125\214\376\042\037\140\145  
\174\137\347\046\263\367\062\220\230\120\324\067\161\125\366\222  
\041\170\367\225\171\372\370\055\046\207\146\126\060\167\246\067  
\170\063\122\020\130\256\077\141\216\362\152\261\357\030\176\112  
\131\143\312\215\242\126\325\247\057\274\126\037\317\071\301\342  
\373\012\250\025\054\175\115\172\143\306\154\227\104\074\322\157  
\303\112\027\012\370\220\322\127\242\031\121\245\055\227\101\332  
\007\117\251\120\332\220\215\224\106\341\076\360\224\375\020\000  
\070\365\073\350\100\341\264\156\126\032\040\314\157\130\215\355  
\056\105\217\326\351\223\077\347\261\054\337\072\326\042\214\334  
\204\273\042\157\320\370\344\306\071\351\004\210\074\303\272\353  
\125\172\155\200\231\044\365\154\001\373\370\227\260\224\133\353  
\375\322\157\361\167\150\015\065\144\043\254\270\125\241\003\321  
\115\102\031\334\370\165\131\126\243\371\250\111\171\370\257\016  
\271\021\240\174\267\152\355\064\320\266\046\142\070\032\207\014  
\370\350\375\056\323\220\177\007\221\052\035\326\176\134\205\203  
\231\260\070\010\077\351\136\371\065\007\344\311\142\156\127\177  
\247\120\225\367\272\310\233\346\216\242\001\305\326\146\277\171  
\141\363\074\034\341\271\202\134\135\240\303\351\330\110\275\031  
\242\021\024\031\156\262\206\033\150\076\110\067\032\210\267\135  
\226\136\234\307\357\047\142\010\342\221\031\134\322\361\041\335  
\272\027\102\202\227\161\201\123\061\251\237\366\175\142\277\162  
\341\243\223\035\314\212\046\132\011\070\320\316\327\015\200\026  
\264\170\245\072\207\114\215\212\245\325\106\227\362\054\020\271  
\274\124\042\300\001\120\151\103\236\364\262\357\155\370\354\332  
\361\343\261\357\337\221\217\124\052\013\045\301\046\031\304\122  
\020\005\145\325\202\020\352\302\061\315\056

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "QuoVadis Root CA 2"  
# Issuer: CN=QuoVadis Root CA 2,O=QuoVadis Limited,C=BM  
# Serial Number: 1289 (0x509)  
# Subject: CN=QuoVadis Root CA 2,O=QuoVadis Limited,C=BM  
# Not Valid Before: Fri Nov 24 18:27:00 2006  
# Not Valid After : Mon Nov 24 18:23:33 2031



```

# Fingerprint (SHA-256):
85:A0:DD:7D:D7:20:AD:B7:FF:05:F8:3D:54:2B:20:9D:C7:FF:45:28:F7:D6:77:B1:83:89:FE:A5:E5:C4:9E:86
# Fingerprint (SHA1): CA:3A:FB:CF:12:40:36:4B:44:B2:16:20:88:80:48:39:19:93:7C:F7
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "QuoVadis Root CA 2"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\312\072\373\317\022\100\066\113\104\262\026\040\210\200\110\071
\031\223\174\367
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\136\071\173\335\370\272\354\202\351\254\142\272\014\124\000\053
END
CKA_ISSUER MULTILINE_OCTAL
\060\105\061\013\060\011\006\003\125\004\006\023\002\102\115\061
\031\060\027\006\003\125\004\012\023\020\121\165\157\126\141\144
\151\163\040\114\151\155\151\164\145\144\061\033\060\031\006\003
\125\004\003\023\022\121\165\157\126\141\144\151\163\040\122\157
\157\164\040\103\101\040\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\002\005\011
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "QuoVadis Root CA 3"
#
# Issuer: CN=QuoVadis Root CA 3,O=QuoVadis Limited,C=BM
# Serial Number: 1478 (0x5c6)
# Subject: CN=QuoVadis Root CA 3,O=QuoVadis Limited,C=BM
# Not Valid Before: Fri Nov 24 19:11:23 2006
# Not Valid After : Mon Nov 24 19:06:44 2031
# Fingerprint (SHA-256):
18:F1:FC:7F:20:5D:F8:AD:DD:EB:7F:E0:07:DD:57:E3:AF:37:5A:9C:4D:8D:73:54:6B:F4:F1:FE:D1:E1:8D:35
# Fingerprint (SHA1): 1F:49:14:F7:D8:74:95:1D:DD:AE:02:C0:BE:FD:3A:2D:82:75:51:85
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "QuoVadis Root CA 3"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL

```

\060\105\061\013\060\011\006\003\125\004\006\023\002\102\115\061  
\031\060\027\006\003\125\004\012\023\020\121\165\157\126\141\144  
\151\163\040\114\151\155\151\164\145\144\061\033\060\031\006\003  
\125\004\003\023\022\121\165\157\126\141\144\151\163\040\122\157  
\157\164\040\103\101\040\063

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\105\061\013\060\011\006\003\125\004\006\023\002\102\115\061  
\031\060\027\006\003\125\004\012\023\020\121\165\157\126\141\144  
\151\163\040\114\151\155\151\164\145\144\061\033\060\031\006\003  
\125\004\003\023\022\121\165\157\126\141\144\151\163\040\122\157  
\157\164\040\103\101\040\063

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\002\005\306

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\006\235\060\202\004\205\240\003\002\001\002\002\002\005  
\306\060\015\006\011\052\206\110\206\367\015\001\001\005\005\000  
\060\105\061\013\060\011\006\003\125\004\006\023\002\102\115\061  
\031\060\027\006\003\125\004\012\023\020\121\165\157\126\141\144  
\151\163\040\114\151\155\151\164\145\144\061\033\060\031\006\003  
\125\004\003\023\022\121\165\157\126\141\144\151\163\040\122\157  
\157\164\040\103\101\040\063\060\036\027\015\060\066\061\061\062  
\064\061\071\061\061\062\063\132\027\015\063\061\061\061\062\064  
\061\071\060\066\064\064\132\060\105\061\013\060\011\006\003\125  
\004\006\023\002\102\115\061\031\060\027\006\003\125\004\012\023  
\020\121\165\157\126\141\144\151\163\040\114\151\155\151\164\145  
\144\061\033\060\031\006\003\125\004\003\023\022\121\165\157\126  
\141\144\151\163\040\122\157\157\164\040\103\101\040\063\060\202  
\002\042\060\015\006\011\052\206\110\206\367\015\001\001\001\005  
\000\003\202\002\017\000\060\202\002\012\002\202\002\001\000\314  
\127\102\026\124\234\346\230\323\323\115\356\376\355\307\237\103  
\071\112\145\263\350\026\210\064\333\015\131\221\164\317\222\270  
\004\100\255\002\113\061\253\274\215\221\150\330\040\016\032\001  
\342\032\173\116\027\135\342\212\267\077\231\032\315\353\141\253  
\302\145\246\037\267\267\275\267\217\374\375\160\217\013\240\147  
\276\001\242\131\317\161\346\017\051\166\377\261\126\171\105\053  
\037\236\172\124\350\243\051\065\150\244\001\117\017\244\056\067  
\357\033\277\343\217\020\250\162\253\130\127\347\124\206\310\311  
\363\133\332\054\332\135\216\156\074\243\076\332\373\202\345\335  
\362\134\262\005\063\157\212\066\316\320\023\116\377\277\112\014  
\064\114\246\303\041\275\120\004\125\353\261\273\235\373\105\036  
\144\025\336\125\001\214\002\166\265\313\241\077\102\151\274\057  
\275\150\103\026\126\211\052\067\141\221\375\246\256\116\300\313  
\024\145\224\067\113\222\006\357\004\320\310\234\210\333\013\173  
\201\257\261\075\052\304\145\072\170\266\356\334\200\261\322\323

\231\234\072\356\153\132\153\263\215\267\325\316\234\302\276\245  
\113\057\026\261\236\150\073\006\157\256\175\237\370\336\354\314  
\051\247\230\243\045\103\057\357\361\137\046\341\210\115\370\136  
\156\327\331\024\156\031\063\151\247\073\204\211\223\304\123\125  
\023\241\121\170\100\370\270\311\242\356\173\272\122\102\203\236  
\024\355\005\122\132\131\126\247\227\374\235\077\012\051\330\334  
\117\221\016\023\274\336\225\244\337\213\231\276\254\233\063\210  
\357\265\201\257\033\306\042\123\310\366\307\356\227\024\260\305  
\174\170\122\310\360\316\156\167\140\204\246\351\052\166\040\355  
\130\001\027\060\223\351\032\213\340\163\143\331\152\222\224\111  
\116\264\255\112\205\304\243\042\060\374\011\355\150\042\163\246  
\210\014\125\041\130\305\341\072\237\052\335\312\341\220\340\331  
\163\253\154\200\270\350\013\144\223\240\234\214\031\377\263\322  
\014\354\221\046\207\212\263\242\341\160\217\054\012\345\315\155  
\150\121\353\332\077\005\177\213\062\346\023\134\153\376\137\100  
\342\042\310\264\264\144\117\326\272\175\110\076\250\151\014\327  
\273\206\161\311\163\270\077\073\235\045\113\332\377\100\353\002  
\003\001\000\001\243\202\001\225\060\202\001\221\060\017\006\003  
\125\035\023\001\001\377\004\005\060\003\001\001\377\060\201\341  
\006\003\125\035\040\004\201\331\060\201\326\060\201\323\006\011  
\053\006\001\004\001\276\130\000\003\060\201\305\060\201\223\006  
\010\053\006\001\005\005\007\002\002\060\201\206\032\201\203\101  
\156\171\040\165\163\145\040\157\146\040\164\150\151\163\040\103  
\145\162\164\151\146\151\143\141\164\145\040\143\157\156\163\164  
\151\164\165\164\145\163\040\141\143\143\145\160\164\141\156\143  
\145\040\157\146\040\164\150\145\040\121\165\157\126\141\144\151  
\163\040\122\157\157\164\040\103\101\040\063\040\103\145\162\164  
\151\146\151\143\141\164\145\040\120\157\154\151\143\171\040\057  
\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040\120  
\162\141\143\164\151\143\145\040\123\164\141\164\145\155\145\156  
\164\056\060\055\006\010\053\006\001\005\005\007\002\001\026\041  
\150\164\164\160\072\057\057\167\167\167\056\161\165\157\166\141  
\144\151\163\147\154\157\142\141\154\056\143\157\155\057\143\160  
\163\060\013\006\003\125\035\017\004\004\003\002\001\006\060\035  
\006\003\125\035\016\004\026\004\024\362\300\023\340\202\103\076  
\373\356\057\147\062\226\065\134\333\270\313\002\320\060\156\006  
\003\125\035\043\004\147\060\145\200\024\362\300\023\340\202\103  
\076\373\356\057\147\062\226\065\134\333\270\313\002\320\241\111  
\244\107\060\105\061\013\060\011\006\003\125\004\006\023\002\102  
\115\061\031\060\027\006\003\125\004\012\023\020\121\165\157\126  
\141\144\151\163\040\114\151\155\151\164\145\144\061\033\060\031  
\006\003\125\004\003\023\022\121\165\157\126\141\144\151\163\040  
\122\157\157\164\040\103\101\040\063\202\002\005\306\060\015\006  
\011\052\206\110\206\367\015\001\001\005\005\000\003\202\002\001  
\000\117\255\240\054\114\372\300\362\157\367\146\125\253\043\064  
\356\347\051\332\303\133\266\260\203\331\320\320\342\041\373\363  
\140\247\073\135\140\123\047\242\233\366\010\042\052\347\277\240  
\162\345\234\044\152\061\261\220\172\047\333\204\021\211\047\246

\167\132\070\327\277\254\206\374\356\135\203\274\006\306\321\167  
\153\017\155\044\057\113\172\154\247\007\226\312\343\204\237\255  
\210\213\035\253\026\215\133\146\027\331\026\364\213\200\322\335  
\370\262\166\303\374\070\023\252\014\336\102\151\053\156\363\074  
\353\200\047\333\365\246\104\015\237\132\125\131\013\325\015\122  
\110\305\256\237\362\057\200\305\352\062\120\065\022\227\056\301  
\341\377\361\043\210\121\070\237\362\146\126\166\347\017\121\227  
\245\122\014\115\111\121\225\066\075\277\242\113\014\020\035\206  
\231\114\252\363\162\021\223\344\352\366\233\332\250\135\247\115  
\267\236\002\256\163\000\310\332\043\003\350\371\352\031\164\142  
\000\224\313\042\040\276\224\247\131\265\202\152\276\231\171\172  
\251\362\112\044\122\367\164\375\272\116\346\250\035\002\156\261  
\015\200\104\301\256\323\043\067\137\273\205\174\053\222\056\350  
\176\245\213\335\231\341\277\047\157\055\135\252\173\207\376\012  
\335\113\374\216\365\046\344\156\160\102\156\063\354\061\236\173  
\223\301\344\311\151\032\075\300\153\116\042\155\356\253\130\115  
\306\320\101\301\053\352\117\022\207\136\353\105\330\154\365\230  
\002\323\240\330\125\212\006\231\031\242\240\167\321\060\236\254  
\314\165\356\203\365\260\142\071\317\154\127\342\114\322\221\013  
\016\165\050\033\232\277\375\032\103\361\312\167\373\073\217\141  
\270\151\050\026\102\004\136\160\052\034\041\330\217\341\275\043  
\133\055\164\100\222\331\143\031\015\163\335\151\274\142\107\274  
\340\164\053\262\353\175\276\101\033\265\300\106\305\241\042\313  
\137\116\301\050\222\336\030\272\325\052\050\273\021\213\027\223  
\230\231\140\224\134\043\317\132\047\227\136\013\005\006\223\067  
\036\073\151\066\353\251\236\141\035\217\062\332\216\014\326\164  
\076\173\011\044\332\001\167\107\304\073\315\064\214\231\365\312  
\341\045\141\063\262\131\033\342\156\327\067\127\266\015\251\022  
\332

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "QuoVadis Root CA 3"

# Issuer: CN=QuoVadis Root CA 3,O=QuoVadis Limited,C=BM

# Serial Number: 1478 (0x5c6)

# Subject: CN=QuoVadis Root CA 3,O=QuoVadis Limited,C=BM

# Not Valid Before: Fri Nov 24 19:11:23 2006

# Not Valid After : Mon Nov 24 19:06:44 2031

# Fingerprint (SHA-256):

18:F1:FC:7F:20:5D:F8:AD:DD:EB:7F:E0:07:DD:57:E3:AF:37:5A:9C:4D:8D:73:54:6B:F4:F1:FE:D1:E1:8D:35

# Fingerprint (SHA1): 1F:49:14:F7:D8:74:95:1D:DD:AE:02:C0:BE:FD:3A:2D:82:75:51:85

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "QuoVadis Root CA 3"

```

CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\037\111\024\367\330\164\225\035\335\256\002\300\276\375\072\055
\202\165\121\205
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\061\205\074\142\224\227\143\271\252\375\211\116\257\157\340\317
END
CKA_ISSUER MULTILINE_OCTAL
\060\105\061\013\060\011\006\003\125\004\006\023\002\102\115\061
\031\060\027\006\003\125\004\012\023\020\121\165\157\126\141\144
\151\163\040\114\151\155\151\164\145\144\061\033\060\031\006\003
\125\004\003\023\022\121\165\157\126\141\144\151\163\040\122\157
\157\164\040\103\101\040\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\002\005\306
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Security Communication Root CA"
#
# Issuer: OU=Security Communication RootCA1,O=SECOM Trust.net,C=JP
# Serial Number: 0 (0x0)
# Subject: OU=Security Communication RootCA1,O=SECOM Trust.net,C=JP
# Not Valid Before: Tue Sep 30 04:20:49 2003
# Not Valid After : Sat Sep 30 04:20:49 2023
# Fingerprint (SHA-256):
E7:5E:72:ED:9F:56:0E:EC:6E:B4:80:00:73:A4:3F:C3:AD:19:19:5A:39:22:82:01:78:95:97:4A:99:02:6B:6C
# Fingerprint (SHA1): 36:B1:2B:49:F9:81:9E:D7:4C:9E:BC:38:0F:C6:56:8F:5D:AC:B2:F7
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Security Communication Root CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\120\061\013\060\011\006\003\125\004\006\023\002\112\120\061
\030\060\026\006\003\125\004\012\023\017\123\105\103\117\115\040
\124\162\165\163\164\056\156\145\164\061\047\060\045\006\003\125
\004\013\023\036\123\145\143\165\162\151\164\171\040\103\157\155
\155\165\156\151\143\141\164\151\157\156\040\122\157\157\164\103
\101\061
END
CKA_ID UTF8 "0"

```

CKA\_ISSUER MULTILINE\_OCTAL

\060\120\061\013\060\011\006\003\125\004\006\023\002\112\120\061  
\030\060\026\006\003\125\004\012\023\017\123\105\103\117\115\040  
\124\162\165\163\164\056\156\145\164\061\047\060\045\006\003\125  
\004\013\023\036\123\145\143\165\162\151\164\171\040\103\157\155  
\155\165\156\151\143\141\164\151\157\156\040\122\157\157\164\103  
\101\061

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\001\000

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\003\132\060\202\002\102\240\003\002\001\002\002\001\000  
\060\015\006\011\052\206\110\206\367\015\001\001\005\005\000\060  
\120\061\013\060\011\006\003\125\004\006\023\002\112\120\061\030  
\060\026\006\003\125\004\012\023\017\123\105\103\117\115\040\124  
\162\165\163\164\056\156\145\164\061\047\060\045\006\003\125\004  
\013\023\036\123\145\143\165\162\151\164\171\040\103\157\155\155  
\165\156\151\143\141\164\151\157\156\040\122\157\157\164\103\101  
\061\060\036\027\015\060\063\060\071\063\060\060\064\062\060\064  
\071\132\027\015\062\063\060\071\063\060\060\064\062\060\064\071  
\132\060\120\061\013\060\011\006\003\125\004\006\023\002\112\120  
\061\030\060\026\006\003\125\004\012\023\017\123\105\103\117\115  
\040\124\162\165\163\164\056\156\145\164\061\047\060\045\006\003  
\125\004\013\023\036\123\145\143\165\162\151\164\171\040\103\157  
\155\155\165\156\151\143\141\164\151\157\156\040\122\157\157\164  
\103\101\061\060\202\001\042\060\015\006\011\052\206\110\206\367  
\015\001\001\001\005\000\003\202\001\017\000\060\202\001\012\002  
\202\001\001\000\263\263\376\177\323\155\261\357\026\174\127\245  
\014\155\166\212\057\113\277\144\373\114\356\212\360\363\051\174  
\365\377\356\052\340\351\351\272\133\144\042\232\232\157\054\072  
\046\151\121\005\231\046\334\325\034\152\161\306\232\175\036\235  
\335\174\154\306\214\147\147\112\076\370\161\260\031\047\251\011  
\014\246\225\277\113\214\014\372\125\230\073\330\350\042\241\113  
\161\070\171\254\227\222\151\263\211\176\352\041\150\006\230\024  
\226\207\322\141\066\274\155\047\126\236\127\356\300\300\126\375  
\062\317\244\331\216\302\043\327\215\250\363\330\045\254\227\344  
\160\070\364\266\072\264\235\073\227\046\103\243\241\274\111\131  
\162\114\043\060\207\001\130\366\116\276\034\150\126\146\257\315  
\101\135\310\263\115\052\125\106\253\037\332\036\342\100\075\333  
\315\175\271\222\200\234\067\335\014\226\144\235\334\042\367\144  
\213\337\141\336\025\224\122\025\240\175\122\311\113\250\041\311  
\306\261\355\313\303\225\140\321\017\360\253\160\370\337\313\115  
\176\354\326\372\253\331\275\177\124\362\245\351\171\372\331\326  
\166\044\050\163\002\003\001\000\001\243\077\060\075\060\035\006  
\003\125\035\016\004\026\004\024\240\163\111\231\150\334\205\133  
\145\343\233\050\057\127\237\275\063\274\007\110\060\013\006\003  
\125\035\017\004\004\003\002\001\006\060\017\006\003\125\035\023

```
\001\001\377\004\005\060\003\001\001\377\060\015\006\011\052\206
\110\206\367\015\001\001\005\005\000\003\202\001\001\000\150\100
\251\250\273\344\117\135\171\263\005\265\027\263\140\023\353\306
\222\135\340\321\323\152\376\373\276\233\155\277\307\005\155\131
\040\304\034\360\267\332\204\130\002\143\372\110\026\357\117\245
\013\367\112\230\362\077\236\033\255\107\153\143\316\010\107\353
\122\077\170\234\257\115\256\370\325\117\317\232\230\052\020\101
\071\122\304\335\331\233\016\357\223\001\256\262\056\312\150\102
\044\102\154\260\263\072\076\315\351\332\110\304\025\313\351\371
\007\017\222\120\111\212\335\061\227\137\311\351\067\252\073\131
\145\227\224\062\311\263\237\076\072\142\130\305\111\255\142\016
\161\245\062\252\057\306\211\166\103\100\023\023\147\075\242\124
\045\020\313\361\072\362\331\372\333\111\126\273\246\376\247\101
\065\303\340\210\141\311\210\307\337\066\020\042\230\131\352\260
\112\373\126\026\163\156\254\115\367\042\241\117\255\035\172\055
\105\047\345\060\301\136\362\332\023\313\045\102\121\225\107\003
\214\154\041\314\164\102\355\123\377\063\213\217\017\127\001\026
\057\317\246\356\311\160\042\024\275\375\276\154\013\003
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "Security Communication Root CA"
```

```
# Issuer: OU=Security Communication RootCA1,O=SECOM Trust.net,C=JP
```

```
# Serial Number: 0 (0x0)
```

```
# Subject: OU=Security Communication RootCA1,O=SECOM Trust.net,C=JP
```

```
# Not Valid Before: Tue Sep 30 04:20:49 2003
```

```
# Not Valid After : Sat Sep 30 04:20:49 2023
```

```
# Fingerprint (SHA-256):
```

```
E7:5E:72:ED:9F:56:0E:EC:6E:B4:80:00:73:A4:3F:C3:AD:19:19:5A:39:22:82:01:78:95:97:4A:99:02:6B:6C
```

```
# Fingerprint (SHA1): 36:B1:2B:49:F9:81:9E:D7:4C:9E:BC:38:0F:C6:56:8F:5D:AC:B2:F7
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Security Communication Root CA"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\066\261\053\111\371\201\236\327\114\236\274\070\017\306\126\217
\135\254\262\367
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\361\274\143\152\124\340\265\047\365\315\347\032\343\115\156\112
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\120\061\013\060\011\006\003\125\004\006\023\002\112\120\061
\030\060\026\006\003\125\004\012\023\017\123\105\103\117\115\040
\124\162\165\163\164\056\156\145\164\061\047\060\045\006\003\125
```

\004\013\023\036\123\145\143\165\162\151\164\171\040\103\157\155  
\155\165\156\151\143\141\164\151\157\156\040\122\157\157\164\103  
\101\061

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\001\000

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "Camerfirma Chambers of Commerce Root"

#

# Issuer: CN=Chambers of Commerce Root,OU=http://www.chambersign.org,O=AC Camerfirma SA CIF  
A82743287,C=EU

# Serial Number: 0 (0x0)

# Subject: CN=Chambers of Commerce Root,OU=http://www.chambersign.org,O=AC Camerfirma SA CIF  
A82743287,C=EU

# Not Valid Before: Tue Sep 30 16:13:43 2003

# Not Valid After : Wed Sep 30 16:13:44 2037

# Fingerprint (SHA-256):

0C:25:8A:12:A5:67:4A:EF:25:F2:8B:A7:DC:FA:EC:EE:A3:48:E5:41:E6:F5:CC:4E:E6:3B:71:B3:61:60:6A:C3

# Fingerprint (SHA1): 6E:3A:55:A4:19:0C:19:5C:93:84:3C:C0:DB:72:2E:31:30:61:F0:B1

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "Camerfirma Chambers of Commerce Root"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

\060\177\061\013\060\011\006\003\125\004\006\023\002\105\125\061  
\047\060\045\006\003\125\004\012\023\036\101\103\040\103\141\155  
\145\162\146\151\162\155\141\040\123\101\040\103\111\106\040\101  
\070\062\067\064\063\062\070\067\061\043\060\041\006\003\125\004  
\013\023\032\150\164\164\160\072\057\057\167\167\167\056\143\150  
\141\155\142\145\162\163\151\147\156\056\157\162\147\061\042\060  
\040\006\003\125\004\003\023\031\103\150\141\155\142\145\162\163  
\040\157\146\040\103\157\155\155\145\162\143\145\040\122\157\157  
\164

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\177\061\013\060\011\006\003\125\004\006\023\002\105\125\061  
\047\060\045\006\003\125\004\012\023\036\101\103\040\103\141\155  
\145\162\146\151\162\155\141\040\123\101\040\103\111\106\040\101  
\070\062\067\064\063\062\070\067\061\043\060\041\006\003\125\004



\013\023\032\150\164\164\160\072\057\057\167\167\167\056\143\150  
\141\155\142\145\162\163\151\147\156\056\157\162\147\061\042\060  
\040\006\003\125\004\003\023\031\103\150\141\155\142\145\162\163  
\040\157\146\040\103\157\155\155\145\162\143\145\040\122\157\157  
\164

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\001\000

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\004\275\060\202\003\245\240\003\002\001\002\002\001\000  
\060\015\006\011\052\206\110\206\367\015\001\001\005\005\000\060  
\177\061\013\060\011\006\003\125\004\006\023\002\105\125\061\047  
\060\045\006\003\125\004\012\023\036\101\103\040\103\141\155\145  
\162\146\151\162\155\141\040\123\101\040\103\111\106\040\101\070  
\062\067\064\063\062\070\067\061\043\060\041\006\003\125\004\013  
\023\032\150\164\164\160\072\057\057\167\167\167\056\143\150\141  
\155\142\145\162\163\151\147\156\056\157\162\147\061\042\060\040  
\006\003\125\004\003\023\031\103\150\141\155\142\145\162\163\040  
\157\146\040\103\157\155\155\145\162\143\145\040\122\157\157\164  
\060\036\027\015\060\063\060\071\063\060\061\066\061\063\064\063  
\132\027\015\063\067\060\071\063\060\061\066\061\063\064\064\132  
\060\177\061\013\060\011\006\003\125\004\006\023\002\105\125\061  
\047\060\045\006\003\125\004\012\023\036\101\103\040\103\141\155  
\145\162\146\151\162\155\141\040\123\101\040\103\111\106\040\101  
\070\062\067\064\063\062\070\067\061\043\060\041\006\003\125\004  
\013\023\032\150\164\164\160\072\057\057\167\167\167\056\143\150  
\141\155\142\145\162\163\151\147\156\056\157\162\147\061\042\060  
\040\006\003\125\004\003\023\031\103\150\141\155\142\145\162\163  
\040\157\146\040\103\157\155\155\145\162\143\145\040\122\157\157  
\164\060\202\001\040\060\015\006\011\052\206\110\206\367\015\001  
\001\001\005\000\003\202\001\015\000\060\202\001\010\002\202\001  
\001\000\267\066\125\345\245\135\030\060\340\332\211\124\221\374  
\310\307\122\370\057\120\331\357\261\165\163\145\107\175\033\133  
\272\165\305\374\241\210\044\372\057\355\312\010\112\071\124\304  
\121\172\265\332\140\352\070\074\201\262\313\361\273\331\221\043  
\077\110\001\160\165\251\005\052\255\037\161\363\311\124\075\035  
\006\152\100\076\263\014\205\356\134\033\171\302\142\304\270\066  
\216\065\135\001\014\043\004\107\065\252\233\140\116\240\146\075  
\313\046\012\234\100\241\364\135\230\277\161\253\245\000\150\052  
\355\203\172\017\242\024\265\324\042\263\200\260\074\014\132\121  
\151\055\130\030\217\355\231\236\361\256\342\225\346\366\107\250  
\326\014\017\260\130\130\333\303\146\067\236\233\221\124\063\067  
\322\224\034\152\110\311\311\362\245\332\245\014\043\367\043\016  
\234\062\125\136\161\234\204\005\121\232\055\375\346\116\052\064  
\132\336\312\100\067\147\014\124\041\125\167\332\012\014\314\227  
\256\200\334\224\066\112\364\076\316\066\023\036\123\344\254\116  
\072\005\354\333\256\162\234\070\213\320\071\073\211\012\076\167

\376\165\002\001\003\243\202\001\104\060\202\001\100\060\022\006  
\003\125\035\023\001\001\377\004\010\060\006\001\001\377\002\001  
\014\060\074\006\003\125\035\037\004\065\060\063\060\061\240\057  
\240\055\206\053\150\164\164\160\072\057\057\143\162\154\056\143  
\150\141\155\142\145\162\163\151\147\156\056\157\162\147\057\143  
\150\141\155\142\145\162\163\162\157\157\164\056\143\162\154\060  
\035\006\003\125\035\016\004\026\004\024\343\224\365\261\115\351  
\333\241\051\133\127\213\115\166\006\166\341\321\242\212\060\016  
\006\003\125\035\017\001\001\377\004\004\003\002\001\006\060\021  
\006\011\140\206\110\001\206\370\102\001\001\004\004\003\002\000  
\007\060\047\006\003\125\035\021\004\040\060\036\201\034\143\150  
\141\155\142\145\162\163\162\157\157\164\100\143\150\141\155\142  
\145\162\163\151\147\156\056\157\162\147\060\047\006\003\125\035  
\022\004\040\060\036\201\034\143\150\141\155\142\145\162\163\162  
\157\157\164\100\143\150\141\155\142\145\162\163\151\147\156\056  
\157\162\147\060\130\006\003\125\035\040\004\121\060\117\060\115  
\006\013\053\006\001\004\001\201\207\056\012\003\001\060\076\060  
\074\006\010\053\006\001\005\005\007\002\001\026\060\150\164\164  
\160\072\057\057\143\160\163\056\143\150\141\155\142\145\162\163  
\151\147\156\056\157\162\147\057\143\160\163\057\143\150\141\155  
\142\145\162\163\162\157\157\164\056\150\164\155\154\060\015\006  
\011\052\206\110\206\367\015\001\001\005\005\000\003\202\001\001  
\000\014\101\227\302\032\206\300\042\174\237\373\220\363\032\321  
\003\261\357\023\371\041\137\004\234\332\311\245\215\047\154\226  
\207\221\276\101\220\001\162\223\347\036\175\137\366\211\306\135  
\247\100\011\075\254\111\105\105\334\056\215\060\150\262\011\272  
\373\303\057\314\272\013\337\077\167\173\106\175\072\022\044\216  
\226\217\074\005\012\157\322\224\050\035\155\014\300\056\210\042  
\325\330\317\035\023\307\360\110\327\327\005\247\317\307\107\236  
\073\074\064\310\200\117\324\024\273\374\015\120\367\372\263\354  
\102\137\251\335\155\310\364\165\317\173\301\162\046\261\001\034  
\134\054\375\172\116\264\001\305\005\127\271\347\074\252\005\331  
\210\351\007\106\101\316\357\101\201\256\130\337\203\242\256\312  
\327\167\037\347\000\074\235\157\216\344\062\011\035\115\170\064  
\170\064\074\224\233\046\355\117\161\306\031\172\275\040\042\110  
\132\376\113\175\003\267\347\130\276\306\062\116\164\036\150\335  
\250\150\133\263\076\356\142\175\331\200\350\012\165\172\267\356  
\264\145\232\041\220\340\252\320\230\274\070\265\163\074\213\370  
\334

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
# For Email Distrust After: Mon Mar 01 00:00:00 2021  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER MULTILINE\_OCTAL  
\062\061\060\063\060\061\060\060\060\060\060\060\132  
END

# Trust for "Camerfirma Chambers of Commerce Root"

```
# Issuer: CN=Chambers of Commerce Root,OU=http://www.chambersign.org,O=AC Camerfirma SA CIF
A82743287,C=EU
# Serial Number: 0 (0x0)
# Subject: CN=Chambers of Commerce Root,OU=http://www.chambersign.org,O=AC Camerfirma SA CIF
A82743287,C=EU
# Not Valid Before: Tue Sep 30 16:13:43 2003
# Not Valid After : Wed Sep 30 16:13:44 2037
# Fingerprint (SHA-256):
0C:25:8A:12:A5:67:4A:EF:25:F2:8B:A7:DC:FA:EC:EE:A3:48:E5:41:E6:F5:CC:4E:E6:3B:71:B3:61:60:6A:C3
# Fingerprint (SHA1): 6E:3A:55:A4:19:0C:19:5C:93:84:3C:C0:DB:72:2E:31:30:61:F0:B1
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Camerfirma Chambers of Commerce Root"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\156\072\125\244\031\014\031\134\223\204\074\300\333\162\056\061
\060\141\360\261
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\260\001\356\024\331\257\051\030\224\166\216\361\151\063\052\204
END
CKA_ISSUER MULTILINE_OCTAL
\060\177\061\013\060\011\006\003\125\004\006\023\002\105\125\061
\047\060\045\006\003\125\004\012\023\036\101\103\040\103\141\155
\145\162\146\151\162\155\141\040\123\101\040\103\111\106\040\101
\070\062\067\064\063\062\070\067\061\043\060\041\006\003\125\004
\013\023\032\150\164\164\160\072\057\057\167\167\167\056\143\150
\141\155\142\145\162\163\151\147\156\056\157\162\147\061\042\060
\040\006\003\125\004\003\023\031\103\150\141\155\142\145\162\163
\040\157\146\040\103\157\155\155\145\162\143\145\040\122\157\157
\164
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\000
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Camerfirma Global Chambersign Root"
#
# Issuer: CN=Global Chambersign Root,OU=http://www.chambersign.org,O=AC Camerfirma SA CIF
A82743287,C=EU
# Serial Number: 0 (0x0)
# Subject: CN=Global Chambersign Root,OU=http://www.chambersign.org,O=AC Camerfirma SA CIF
```

A82743287,C=EU

# Not Valid Before: Tue Sep 30 16:14:18 2003

# Not Valid After : Wed Sep 30 16:14:18 2037

# Fingerprint (SHA-256):

EF:3C:B4:17:FC:8E:BF:6F:97:87:6C:9E:4E:CE:39:DE:1E:A5:FE:64:91:41:D1:02:8B:7D:11:C0:B2:29:8C:ED

# Fingerprint (SHA1): 33:9B:6B:14:50:24:9B:55:7A:01:87:72:84:D9:E0:2F:C3:D2:D8:E9

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "Camerfirma Global Chambersign Root"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

\060\175\061\013\060\011\006\003\125\004\006\023\002\105\125\061  
\047\060\045\006\003\125\004\012\023\036\101\103\040\103\141\155  
\145\162\146\151\162\155\141\040\123\101\040\103\111\106\040\101  
\070\062\067\064\063\062\070\067\061\043\060\041\006\003\125\004  
\013\023\032\150\164\164\160\072\057\057\167\167\167\056\143\150  
\141\155\142\145\162\163\151\147\156\056\157\162\147\061\040\060  
\036\006\003\125\004\003\023\027\107\154\157\142\141\154\040\103  
\150\141\155\142\145\162\163\151\147\156\040\122\157\157\164

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\175\061\013\060\011\006\003\125\004\006\023\002\105\125\061  
\047\060\045\006\003\125\004\012\023\036\101\103\040\103\141\155  
\145\162\146\151\162\155\141\040\123\101\040\103\111\106\040\101  
\070\062\067\064\063\062\070\067\061\043\060\041\006\003\125\004  
\013\023\032\150\164\164\160\072\057\057\167\167\167\056\143\150  
\141\155\142\145\162\163\151\147\156\056\157\162\147\061\040\060  
\036\006\003\125\004\003\023\027\107\154\157\142\141\154\040\103  
\150\141\155\142\145\162\163\151\147\156\040\122\157\157\164

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\001\000

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\004\305\060\202\003\255\240\003\002\001\002\002\001\000  
\060\015\006\011\052\206\110\206\367\015\001\001\005\005\000\060  
\175\061\013\060\011\006\003\125\004\006\023\002\105\125\061\047  
\060\045\006\003\125\004\012\023\036\101\103\040\103\141\155\145  
\162\146\151\162\155\141\040\123\101\040\103\111\106\040\101\070  
\062\067\064\063\062\070\067\061\043\060\041\006\003\125\004\013  
\023\032\150\164\164\160\072\057\057\167\167\167\056\143\150\141  
\155\142\145\162\163\151\147\156\056\157\162\147\061\040\060\036  
\006\003\125\004\003\023\027\107\154\157\142\141\154\040\103\150  
\141\155\142\145\162\163\151\147\156\040\122\157\157\164\060\036  
\027\015\060\063\060\071\063\060\061\066\061\064\061\070\132\027

\015\063\067\060\071\063\060\061\066\061\064\061\070\132\060\175  
\061\013\060\011\006\003\125\004\006\023\002\105\125\061\047\060  
\045\006\003\125\004\012\023\036\101\103\040\103\141\155\145\162  
\146\151\162\155\141\040\123\101\040\103\111\106\040\101\070\062  
\067\064\063\062\070\067\061\043\060\041\006\003\125\004\013\023  
\032\150\164\164\160\072\057\057\167\167\167\056\143\150\141\155  
\142\145\162\163\151\147\156\056\157\162\147\061\040\060\036\006  
\003\125\004\003\023\027\107\154\157\142\141\154\040\103\150\141  
\155\142\145\162\163\151\147\156\040\122\157\157\164\060\202\001  
\040\060\015\006\011\052\206\110\206\367\015\001\001\001\005\000  
\003\202\001\015\000\060\202\001\010\002\202\001\001\000\242\160  
\242\320\237\102\256\133\027\307\330\175\317\024\203\374\117\311  
\241\267\023\257\212\327\236\076\004\012\222\213\140\126\372\264  
\062\057\210\115\241\140\010\364\267\011\116\240\111\057\111\326  
\323\337\235\227\132\237\224\004\160\354\077\131\331\267\314\146  
\213\230\122\050\011\002\337\305\057\204\215\172\227\167\277\354  
\100\235\045\162\253\265\077\062\230\373\267\267\374\162\204\345  
\065\207\371\125\372\243\037\016\157\056\050\335\151\240\331\102  
\020\306\370\265\104\302\320\103\177\333\274\344\242\074\152\125  
\170\012\167\251\330\352\031\062\267\057\376\134\077\033\356\261  
\230\354\312\255\172\151\105\343\226\017\125\366\346\355\165\352  
\145\350\062\126\223\106\211\250\045\212\145\006\356\153\277\171  
\007\320\361\267\257\355\054\115\222\273\300\250\137\247\147\175  
\004\362\025\010\160\254\222\326\175\004\322\063\373\114\266\013  
\013\373\032\311\304\215\003\251\176\134\362\120\253\022\245\241  
\317\110\120\245\357\322\310\032\023\372\260\177\261\202\034\167  
\152\017\137\334\013\225\217\357\103\176\346\105\011\045\002\001  
\003\243\202\001\120\060\202\001\114\060\022\006\003\125\035\023  
\001\001\377\004\010\060\006\001\001\377\002\001\014\060\077\006  
\003\125\035\037\004\070\060\066\060\064\240\062\240\060\206\056  
\150\164\164\160\072\057\057\143\162\154\056\143\150\141\155\142  
\145\162\163\151\147\156\056\157\162\147\057\143\150\141\155\142  
\145\162\163\151\147\156\162\157\157\164\056\143\162\154\060\035  
\006\003\125\035\016\004\026\004\024\103\234\066\237\260\236\060  
\115\306\316\137\255\020\253\345\003\245\372\251\024\060\016\006  
\003\125\035\017\001\001\377\004\004\003\002\001\006\060\021\006  
\011\140\206\110\001\206\370\102\001\001\004\004\003\002\000\007  
\060\052\006\003\125\035\021\004\043\060\041\201\037\143\150\141  
\155\142\145\162\163\151\147\156\162\157\157\164\100\143\150\141  
\155\142\145\162\163\151\147\156\056\157\162\147\060\052\006\003  
\125\035\022\004\043\060\041\201\037\143\150\141\155\142\145\162  
\163\151\147\156\162\157\157\164\100\143\150\141\155\142\145\162  
\163\151\147\156\056\157\162\147\060\133\006\003\125\035\040\004  
\124\060\122\060\120\006\013\053\006\001\004\001\201\207\056\012  
\001\001\060\101\060\077\006\010\053\006\001\005\005\007\002\001  
\026\063\150\164\164\160\072\057\057\143\160\163\056\143\150\141  
\155\142\145\162\163\151\147\156\056\157\162\147\057\143\160\163  
\057\143\150\141\155\142\145\162\163\151\147\156\162\157\157\164

```
\056\150\164\155\154\060\015\006\011\052\206\110\206\367\015\001
\001\005\005\000\003\202\001\001\000\074\073\160\221\371\004\124
\047\221\341\355\355\376\150\177\141\135\345\101\145\117\062\361
\030\005\224\152\034\336\037\160\333\076\173\062\002\064\265\014
\154\241\212\174\245\364\217\377\324\330\255\027\325\055\004\321
\077\130\200\342\201\131\210\276\300\343\106\223\044\376\220\275
\046\242\060\055\350\227\046\127\065\211\164\226\030\366\025\342
\257\044\031\126\002\002\262\272\017\024\352\306\212\146\301\206
\105\125\213\276\222\276\234\244\004\307\111\074\236\350\051\172
\211\327\376\257\377\150\365\245\027\220\275\254\231\314\245\206
\127\011\147\106\333\326\026\302\106\361\344\251\120\365\217\321
\222\025\323\137\076\306\000\111\072\156\130\262\321\321\047\015
\045\310\062\370\040\021\315\175\062\063\110\224\124\114\335\334
\171\304\060\237\353\216\270\125\265\327\210\134\305\152\044\075
\262\323\005\003\121\306\007\357\314\024\162\164\075\156\162\316
\030\050\214\112\240\167\345\011\053\105\104\107\254\267\147\177
\001\212\005\132\223\276\241\301\377\370\347\016\147\244\107\111
\166\135\165\220\032\365\046\217\360
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRUST_AFTER CK_BBOOL CK_FALSE
# For Email Distrust After: Mon Mar 01 00:00:00 2021
CKA_NSS_EMAIL_DISTRUST_AFTER MULTILINE_OCTAL
\062\061\060\063\060\061\060\060\060\060\060\060\132
END
```

```
# Trust for "Camerfirma Global Chambersign Root"
# Issuer: CN=Global Chambersign Root,OU=http://www.chambersign.org,O=AC Camerfirma SA CIF
A82743287,C=EU
# Serial Number: 0 (0x0)
# Subject: CN=Global Chambersign Root,OU=http://www.chambersign.org,O=AC Camerfirma SA CIF
A82743287,C=EU
# Not Valid Before: Tue Sep 30 16:14:18 2003
# Not Valid After : Wed Sep 30 16:14:18 2037
# Fingerprint (SHA-256):
EF:3C:B4:17:FC:8E:BF:6F:97:87:6C:9E:4E:CE:39:DE:1E:A5:FE:64:91:41:D1:02:8B:7D:11:C0:B2:29:8C:ED
# Fingerprint (SHA1): 33:9B:6B:14:50:24:9B:55:7A:01:87:72:84:D9:E0:2F:C3:D2:D8:E9
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Camerfirma Global Chambersign Root"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\063\233\153\024\120\044\233\125\172\001\207\162\204\331\340\057
\303\322\330\351
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\305\346\173\277\006\320\117\103\355\304\172\145\212\373\153\031
```

END

CKA\_ISSUER MULTILINE\_OCTAL

\060\175\061\013\060\011\006\003\125\004\006\023\002\105\125\061  
\047\060\045\006\003\125\004\012\023\036\101\103\040\103\141\155  
\145\162\146\151\162\155\141\040\123\101\040\103\111\106\040\101  
\070\062\067\064\063\062\070\067\061\043\060\041\006\003\125\004  
\013\023\032\150\164\164\160\072\057\057\167\167\167\056\143\150  
\141\155\142\145\162\163\151\147\156\056\157\162\147\061\040\060  
\036\006\003\125\004\003\023\027\107\154\157\142\141\154\040\103  
\150\141\155\142\145\162\163\151\147\156\040\122\157\157\164

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\001\000

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "XRamp Global CA Root"

#

# Issuer: CN=XRamp Global Certification Authority,O=XRamp Security Services  
Inc,OU=www.xrampsecurity.com,C=US

# Serial Number:50:94:6c:ec:18:ea:d5:9c:4d:d5:97:ef:75:8f:a0:ad

# Subject: CN=XRamp Global Certification Authority,O=XRamp Security Services  
Inc,OU=www.xrampsecurity.com,C=US

# Not Valid Before: Mon Nov 01 17:14:04 2004

# Not Valid After : Mon Jan 01 05:37:19 2035

# Fingerprint (SHA-256):

CE:CD:DC:90:50:99:D8:DA:DF:C5:B1:D2:09:B7:37:CB:E2:C1:8C:FB:2C:10:C0:FF:0B:CF:0D:32:86:FC:1A:A2

# Fingerprint (SHA1): B8:01:86:D1:EB:9C:86:A5:41:04:CF:30:54:F3:4C:52:B7:E5:58:C6

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "XRamp Global CA Root"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

\060\201\202\061\013\060\011\006\003\125\004\006\023\002\125\123  
\061\036\060\034\006\003\125\004\013\023\025\167\167\167\056\170  
\162\141\155\160\163\145\143\165\162\151\164\171\056\143\157\155  
\061\044\060\042\006\003\125\004\012\023\033\130\122\141\155\160  
\040\123\145\143\165\162\151\164\171\040\123\145\162\166\151\143  
\145\163\040\111\156\143\061\055\060\053\006\003\125\004\003\023  
\044\130\122\141\155\160\040\107\154\157\142\141\154\040\103\145  
\162\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150  
\157\162\151\164\171

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\201\202\061\013\060\011\006\003\125\004\006\023\002\125\123  
\061\036\060\034\006\003\125\004\013\023\025\167\167\167\056\170  
\162\141\155\160\163\145\143\165\162\151\164\171\056\143\157\155  
\061\044\060\042\006\003\125\004\012\023\033\130\122\141\155\160  
\040\123\145\143\165\162\151\164\171\040\123\145\162\166\151\143  
\145\163\040\111\156\143\061\055\060\053\006\003\125\004\003\023  
\044\130\122\141\155\160\040\107\154\157\142\141\154\040\103\145  
\162\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150  
\157\162\151\164\171

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\020\120\224\154\354\030\352\325\234\115\325\227\357\165\217  
\240\255

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\004\060\060\202\003\030\240\003\002\001\002\002\020\120  
\224\154\354\030\352\325\234\115\325\227\357\165\217\240\255\060  
\015\006\011\052\206\110\206\367\015\001\001\005\005\000\060\201  
\202\061\013\060\011\006\003\125\004\006\023\002\125\123\061\036  
\060\034\006\003\125\004\013\023\025\167\167\167\056\170\162\141  
\155\160\163\145\143\165\162\151\164\171\056\143\157\155\061\044  
\060\042\006\003\125\004\012\023\033\130\122\141\155\160\040\123  
\145\143\165\162\151\164\171\040\123\145\162\166\151\143\145\163  
\040\111\156\143\061\055\060\053\006\003\125\004\003\023\044\130  
\122\141\155\160\040\107\154\157\142\141\154\040\103\145\162\164  
\151\146\151\143\141\164\151\157\156\040\101\165\164\150\157\162  
\151\164\171\060\036\027\015\060\064\061\061\060\061\061\067\061  
\064\060\064\132\027\015\063\065\060\061\060\061\060\065\063\067  
\061\071\132\060\201\202\061\013\060\011\006\003\125\004\006\023  
\002\125\123\061\036\060\034\006\003\125\004\013\023\025\167\167  
\167\056\170\162\141\155\160\163\145\143\165\162\151\164\171\056  
\143\157\155\061\044\060\042\006\003\125\004\012\023\033\130\122  
\141\155\160\040\123\145\143\165\162\151\164\171\040\123\145\162  
\166\151\143\145\163\040\111\156\143\061\055\060\053\006\003\125  
\004\003\023\044\130\122\141\155\160\040\107\154\157\142\141\154  
\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040\101  
\165\164\150\157\162\151\164\171\060\202\001\042\060\015\006\011  
\052\206\110\206\367\015\001\001\001\005\000\003\202\001\017\000  
\060\202\001\012\002\202\001\001\000\230\044\036\275\025\264\272  
\337\307\214\245\047\266\070\013\151\363\266\116\250\054\056\041  
\035\134\104\337\041\135\176\043\164\376\136\176\264\112\267\246  
\255\037\256\340\006\026\342\233\133\331\147\164\153\135\200\217  
\051\235\206\033\331\234\015\230\155\166\020\050\130\344\145\260  
\177\112\230\171\237\340\303\061\176\200\053\265\214\300\100\073  
\021\206\320\313\242\206\066\140\244\325\060\202\155\331\156\320



\017\022\004\063\227\137\117\141\132\360\344\371\221\253\347\035  
\073\274\350\317\364\153\055\064\174\342\110\141\034\216\363\141  
\104\314\157\240\112\251\224\260\115\332\347\251\064\172\162\070  
\250\101\314\074\224\021\175\353\310\246\214\267\206\313\312\063  
\073\331\075\067\213\373\172\076\206\054\347\163\327\012\127\254  
\144\233\031\353\364\017\004\010\212\254\003\027\031\144\364\132  
\045\042\215\064\054\262\366\150\035\022\155\323\212\036\024\332  
\304\217\246\342\043\205\325\172\015\275\152\340\351\354\354\027  
\273\102\033\147\252\045\355\105\203\041\374\301\311\174\325\142  
\076\372\362\305\055\323\375\324\145\002\003\001\000\001\243\201  
\237\060\201\234\060\023\006\011\053\006\001\004\001\202\067\024  
\002\004\006\036\004\000\103\000\101\060\013\006\003\125\035\017  
\004\004\003\002\001\206\060\017\006\003\125\035\023\001\001\377  
\004\005\060\003\001\001\377\060\035\006\003\125\035\016\004\026  
\004\024\306\117\242\075\006\143\204\011\234\316\142\344\004\254  
\215\134\265\351\266\033\060\066\006\003\125\035\037\004\057\060  
\055\060\053\240\051\240\047\206\045\150\164\164\160\072\057\057  
\143\162\154\056\170\162\141\155\160\163\145\143\165\162\151\164  
\171\056\143\157\155\057\130\107\103\101\056\143\162\154\060\020  
\006\011\053\006\001\004\001\202\067\025\001\004\003\002\001\001  
\060\015\006\011\052\206\110\206\367\015\001\001\005\005\000\003  
\202\001\001\000\221\025\071\003\001\033\147\373\112\034\371\012  
\140\133\241\332\115\227\142\371\044\123\047\327\202\144\116\220  
\056\303\111\033\053\232\334\374\250\170\147\065\361\035\360\021  
\275\267\110\343\020\366\015\337\077\322\311\266\252\125\244\110  
\272\002\333\336\131\056\025\133\073\235\026\175\107\327\067\352  
\137\115\166\022\066\273\037\327\241\201\004\106\040\243\054\155  
\251\236\001\176\077\051\316\000\223\337\375\311\222\163\211\211  
\144\236\347\053\344\034\221\054\322\271\316\175\316\157\061\231  
\323\346\276\322\036\220\360\011\024\171\134\043\253\115\322\332  
\041\037\115\231\171\235\341\317\047\237\020\233\034\210\015\260  
\212\144\101\061\270\016\154\220\044\244\233\134\161\217\272\273  
\176\034\033\333\152\200\017\041\274\351\333\246\267\100\364\262  
\213\251\261\344\357\232\032\320\075\151\231\356\250\050\243\341  
\074\263\360\262\021\234\317\174\100\346\335\347\103\175\242\330  
\072\265\251\215\362\064\231\304\324\020\341\006\375\011\204\020  
\073\356\304\114\364\354\047\174\102\302\164\174\202\212\011\311  
\264\003\045\274

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "XRamp Global CA Root"

# Issuer: CN=XRamp Global Certification Authority,O=XRamp Security Services  
Inc,OU=www.xrampsecurity.com,C=US

# Serial Number:50:94:6c:ec:18:ea:d5:9c:4d:d5:97:ef:75:8f:a0:ad

# Subject: CN=XRamp Global Certification Authority,O=XRamp Security Services

```
Inc,OU=www.xrampsecurity.com,C=US
# Not Valid Before: Mon Nov 01 17:14:04 2004
# Not Valid After : Mon Jan 01 05:37:19 2035
# Fingerprint (SHA-256):
CE:CD:DC:90:50:99:D8:DA:DF:C5:B1:D2:09:B7:37:CB:E2:C1:8C:FB:2C:10:C0:FF:0B:CF:0D:32:86:FC:1A:A2
# Fingerprint (SHA1): B8:01:86:D1:EB:9C:86:A5:41:04:CF:30:54:F3:4C:52:B7:E5:58:C6
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "XRamp Global CA Root"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\270\001\206\321\353\234\206\245\101\004\317\060\124\363\114\122
\267\345\130\306
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\241\013\104\263\312\020\330\000\156\235\017\330\017\222\012\321
END
CKA_ISSUER MULTILINE_OCTAL
\060\201\202\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\036\060\034\006\003\125\004\013\023\025\167\167\167\056\170
\162\141\155\160\163\145\143\165\162\151\164\171\056\143\157\155
\061\044\060\042\006\003\125\004\012\023\033\130\122\141\155\160
\040\123\145\143\165\162\151\164\171\040\123\145\162\166\151\143
\145\163\040\111\156\143\061\055\060\053\006\003\125\004\003\023
\044\130\122\141\155\160\040\107\154\157\142\141\154\040\103\145
\162\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150
\157\162\151\164\171
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\120\224\154\354\030\352\325\234\115\325\227\357\165\217
\240\255
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Go Daddy Class 2 CA"
#
# Issuer: OU=Go Daddy Class 2 Certification Authority,O="The Go Daddy Group, Inc.",C=US
# Serial Number: 0 (0x0)
# Subject: OU=Go Daddy Class 2 Certification Authority,O="The Go Daddy Group, Inc.",C=US
# Not Valid Before: Tue Jun 29 17:06:20 2004
# Not Valid After : Thu Jun 29 17:06:20 2034
# Fingerprint (SHA-256):
C3:84:6B:F2:4B:9E:93:CA:64:27:4C:0E:C6:7C:1E:CC:5E:02:4F:FC:AC:D2:D7:40:19:35:0E:81:FE:54:6A:E4
```

# Fingerprint (SHA1): 27:96:BA:E6:3F:18:01:E2:77:26:1B:A0:D7:77:70:02:8F:20:EE:E4

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE  
CKA\_TOKEN CK\_BBOOL CK\_TRUE  
CKA\_PRIVATE CK\_BBOOL CK\_FALSE  
CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE  
CKA\_LABEL UTF8 "Go Daddy Class 2 CA"  
CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509  
CKA\_SUBJECT MULTILINE\_OCTAL  
\060\143\061\013\060\011\006\003\125\004\006\023\002\125\123\061  
\041\060\037\006\003\125\004\012\023\030\124\150\145\040\107\157  
\040\104\141\144\144\171\040\107\162\157\165\160\054\040\111\156  
\143\056\061\061\060\057\006\003\125\004\013\023\050\107\157\040  
\104\141\144\144\171\040\103\154\141\163\163\040\062\040\103\145  
\162\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150  
\157\162\151\164\171

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL  
\060\143\061\013\060\011\006\003\125\004\006\023\002\125\123\061  
\041\060\037\006\003\125\004\012\023\030\124\150\145\040\107\157  
\040\104\141\144\144\171\040\107\162\157\165\160\054\040\111\156  
\143\056\061\061\060\057\006\003\125\004\013\023\050\107\157\040  
\104\141\144\144\171\040\103\154\141\163\163\040\062\040\103\145  
\162\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150  
\157\162\151\164\171

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\001\000

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\004\000\060\202\002\350\240\003\002\001\002\002\001\000  
\060\015\006\011\052\206\110\206\367\015\001\001\005\005\000\060  
\143\061\013\060\011\006\003\125\004\006\023\002\125\123\061\041  
\060\037\006\003\125\004\012\023\030\124\150\145\040\107\157\040  
\104\141\144\144\171\040\107\162\157\165\160\054\040\111\156\143  
\056\061\061\060\057\006\003\125\004\013\023\050\107\157\040\104  
\141\144\144\171\040\103\154\141\163\163\040\062\040\103\145\162  
\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150\157  
\162\151\164\171\060\036\027\015\060\064\060\066\062\071\061\067  
\060\066\062\060\132\027\015\063\064\060\066\062\071\061\067\060  
\066\062\060\132\060\143\061\013\060\011\006\003\125\004\006\023  
\002\125\123\061\041\060\037\006\003\125\004\012\023\030\124\150  
\145\040\107\157\040\104\141\144\144\171\040\107\162\157\165\160  
\054\040\111\156\143\056\061\061\060\057\006\003\125\004\013\023  
\050\107\157\040\104\141\144\144\171\040\103\154\141\163\163\040  
\062\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040  
\101\165\164\150\157\162\151\164\171\060\202\001\040\060\015\006  
\011\052\206\110\206\367\015\001\001\001\005\000\003\202\001\015

\000\060\202\001\010\002\202\001\001\000\336\235\327\352\127\030  
\111\241\133\353\327\137\110\206\352\276\335\377\344\357\147\034  
\364\145\150\263\127\161\240\136\167\273\355\233\111\351\160\200  
\075\126\030\143\010\157\332\362\314\320\077\177\002\124\042\124  
\020\330\262\201\324\300\165\075\113\177\307\167\303\076\170\253  
\032\003\265\040\153\057\152\053\261\305\210\176\304\273\036\260  
\301\330\105\047\157\252\067\130\367\207\046\327\330\055\366\251  
\027\267\037\162\066\116\246\027\077\145\230\222\333\052\156\135  
\242\376\210\340\013\336\177\345\215\025\341\353\313\072\325\342  
\022\242\023\055\330\216\257\137\022\075\240\010\005\010\266\134  
\245\145\070\004\105\231\036\243\140\140\164\305\101\245\162\142  
\033\142\305\037\157\137\032\102\276\002\121\145\250\256\043\030  
\152\374\170\003\251\115\177\200\303\372\253\132\374\241\100\244  
\312\031\026\376\262\310\357\136\163\015\356\167\275\232\366\171  
\230\274\261\007\147\242\025\015\335\240\130\306\104\173\012\076  
\142\050\137\272\101\007\123\130\317\021\176\070\164\305\370\377  
\265\151\220\217\204\164\352\227\033\257\002\001\003\243\201\300  
\060\201\275\060\035\006\003\125\035\016\004\026\004\024\322\304  
\260\322\221\324\114\021\161\263\141\313\075\241\376\335\250\152  
\324\343\060\201\215\006\003\125\035\043\004\201\205\060\201\202  
\200\024\322\304\260\322\221\324\114\021\161\263\141\313\075\241  
\376\335\250\152\324\343\241\147\244\145\060\143\061\013\060\011  
\006\003\125\004\006\023\002\125\123\061\041\060\037\006\003\125  
\004\012\023\030\124\150\145\040\107\157\040\104\141\144\144\171  
\040\107\162\157\165\160\054\040\111\156\143\056\061\061\060\057  
\006\003\125\004\013\023\050\107\157\040\104\141\144\144\171\040  
\103\154\141\163\163\040\062\040\103\145\162\164\151\146\151\143  
\141\164\151\157\156\040\101\165\164\150\157\162\151\164\171\202  
\001\000\060\014\006\003\125\035\023\004\005\060\003\001\001\377  
\060\015\006\011\052\206\110\206\367\015\001\001\005\005\000\003  
\202\001\001\000\062\113\363\262\312\076\221\374\022\306\241\007  
\214\216\167\240\063\006\024\134\220\036\030\367\010\246\075\012  
\031\371\207\200\021\156\151\344\226\027\060\377\064\221\143\162  
\070\356\314\034\001\243\035\224\050\244\061\366\172\304\124\327  
\366\345\061\130\003\242\314\316\142\333\224\105\163\265\277\105  
\311\044\265\325\202\002\255\043\171\151\215\270\266\115\316\317  
\114\312\063\043\350\034\210\252\235\213\101\156\026\311\040\345  
\211\236\315\073\332\160\367\176\231\046\040\024\124\045\253\156  
\163\205\346\233\041\235\012\154\202\016\250\370\302\014\372\020  
\036\154\226\357\207\015\304\017\141\213\255\356\203\053\225\370  
\216\222\204\162\071\353\040\352\203\355\203\315\227\156\010\274  
\353\116\046\266\163\053\344\323\366\114\376\046\161\342\141\021  
\164\112\377\127\032\207\017\165\110\056\317\121\151\027\240\002  
\022\141\225\325\321\100\262\020\114\356\304\254\020\103\246\245  
\236\012\325\225\142\232\015\317\210\202\305\062\014\344\053\237  
\105\346\015\237\050\234\261\271\052\132\127\255\067\017\257\035  
\177\333\275\237

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "Go Daddy Class 2 CA"

# Issuer: OU=Go Daddy Class 2 Certification Authority,O="The Go Daddy Group, Inc.",C=US

# Serial Number: 0 (0x0)

# Subject: OU=Go Daddy Class 2 Certification Authority,O="The Go Daddy Group, Inc.",C=US

# Not Valid Before: Tue Jun 29 17:06:20 2004

# Not Valid After : Thu Jun 29 17:06:20 2034

# Fingerprint (SHA-256):

C3:84:6B:F2:4B:9E:93:CA:64:27:4C:0E:C6:7C:1E:CC:5E:02:4F:FC:AC:D2:D7:40:19:35:0E:81:FE:54:6A:E4

# Fingerprint (SHA1): 27:96:BA:E6:3F:18:01:E2:77:26:1B:A0:D7:77:70:02:8F:20:EE:E4

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "Go Daddy Class 2 CA"

CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL

\047\226\272\346\077\030\001\342\167\046\033\240\327\167\160\002  
\217\040\356\344

END

CKA\_CERT\_MD5\_HASH MULTILINE\_OCTAL

\221\336\006\045\253\332\375\062\027\014\273\045\027\052\204\147

END

CKA\_ISSUER MULTILINE\_OCTAL

\060\143\061\013\060\011\006\003\125\004\006\023\002\125\123\061  
\041\060\037\006\003\125\004\012\023\030\124\150\145\040\107\157  
\040\104\141\144\144\171\040\107\162\157\165\160\054\040\111\156  
\143\056\061\061\060\057\006\003\125\004\013\023\050\107\157\040  
\104\141\144\144\171\040\103\154\141\163\163\040\062\040\103\145  
\162\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150  
\157\162\151\164\171

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\001\000

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "Starfield Class 2 CA"

#

# Issuer: OU=Starfield Class 2 Certification Authority,O="Starfield Technologies, Inc.",C=US

# Serial Number: 0 (0x0)

# Subject: OU=Starfield Class 2 Certification Authority,O="Starfield Technologies, Inc.",C=US

```
# Not Valid Before: Tue Jun 29 17:39:16 2004
# Not Valid After : Thu Jun 29 17:39:16 2034
# Fingerprint (SHA-256):
14:65:FA:20:53:97:B8:76:FA:A6:F0:A9:95:8E:55:90:E4:0F:CC:7F:AA:4F:B7:C2:C8:67:75:21:FB:5F:B6:58
# Fingerprint (SHA1): AD:7E:1C:28:B0:64:EF:8F:60:03:40:20:14:C3:D0:E3:37:0E:B5:8A
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Starfield Class 2 CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\150\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\045\060\043\006\003\125\004\012\023\034\123\164\141\162\146\151
\145\154\144\040\124\145\143\150\156\157\154\157\147\151\145\163
\054\040\111\156\143\056\061\062\060\060\006\003\125\004\013\023
\051\123\164\141\162\146\151\145\154\144\040\103\154\141\163\163
\040\062\040\103\145\162\164\151\146\151\143\141\164\151\157\156
\040\101\165\164\150\157\162\151\164\171
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\150\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\045\060\043\006\003\125\004\012\023\034\123\164\141\162\146\151
\145\154\144\040\124\145\143\150\156\157\154\157\147\151\145\163
\054\040\111\156\143\056\061\062\060\060\006\003\125\004\013\023
\051\123\164\141\162\146\151\145\154\144\040\103\154\141\163\163
\040\062\040\103\145\162\164\151\146\151\143\141\164\151\157\156
\040\101\165\164\150\157\162\151\164\171
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\000
END
CKA_VALUE MULTILINE_OCTAL
\060\202\004\017\060\202\002\367\240\003\002\001\002\002\001\000
\060\015\006\011\052\206\110\206\367\015\001\001\005\005\000\060
\150\061\013\060\011\006\003\125\004\006\023\002\125\123\061\045
\060\043\006\003\125\004\012\023\034\123\164\141\162\146\151\145
\154\144\040\124\145\143\150\156\157\154\157\147\151\145\163\054
\040\111\156\143\056\061\062\060\060\006\003\125\004\013\023\051
\123\164\141\162\146\151\145\154\144\040\103\154\141\163\163\040
\062\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040
\101\165\164\150\157\162\151\164\171\060\036\027\015\060\064\060
\066\062\071\061\067\063\071\061\066\132\027\015\063\064\060\066
\062\071\061\067\063\071\061\066\132\060\150\061\013\060\011\006
\003\125\004\006\023\002\125\123\061\045\060\043\006\003\125\004
\012\023\034\123\164\141\162\146\151\145\154\144\040\124\145\143
\150\156\157\154\157\147\151\145\163\054\040\111\156\143\056\061
```

\062\060\060\006\003\125\004\013\023\051\123\164\141\162\146\151  
\145\154\144\040\103\154\141\163\163\040\062\040\103\145\162\164  
\151\146\151\143\141\164\151\157\156\040\101\165\164\150\157\162  
\151\164\171\060\202\001\040\060\015\006\011\052\206\110\206\367  
\015\001\001\001\005\000\003\202\001\015\000\060\202\001\010\002  
\202\001\001\000\267\062\310\376\351\161\246\004\205\255\014\021  
\144\337\316\115\357\310\003\030\207\077\241\253\373\074\246\237  
\360\303\241\332\324\330\156\053\123\220\373\044\244\076\204\360  
\236\350\137\354\345\047\104\365\050\246\077\173\336\340\052\360  
\310\257\123\057\236\312\005\001\223\036\217\146\034\071\247\115  
\372\132\266\163\004\045\146\353\167\177\347\131\306\112\231\045  
\024\124\353\046\307\363\177\031\325\060\160\217\257\260\106\052  
\377\255\353\051\355\327\237\252\004\207\243\324\371\211\245\064  
\137\333\103\221\202\066\331\146\074\261\270\271\202\375\234\072  
\076\020\310\073\357\006\145\146\172\233\031\030\075\377\161\121  
\074\060\056\137\276\075\167\163\262\135\006\154\303\043\126\232  
\053\205\046\222\034\247\002\263\344\077\015\257\010\171\202\270  
\066\075\352\234\323\065\263\274\151\312\365\314\235\350\375\144  
\215\027\200\063\156\136\112\135\231\311\036\207\264\235\032\300  
\325\156\023\065\043\136\337\233\137\075\357\326\367\166\302\352  
\076\273\170\015\034\102\147\153\004\330\370\326\332\157\213\362  
\104\240\001\253\002\001\003\243\201\305\060\201\302\060\035\006  
\003\125\035\016\004\026\004\024\277\137\267\321\316\335\037\206  
\364\133\125\254\334\327\020\302\016\251\210\347\060\201\222\006  
\003\125\035\043\004\201\212\060\201\207\200\024\277\137\267\321  
\316\335\037\206\364\133\125\254\334\327\020\302\016\251\210\347  
\241\154\244\152\060\150\061\013\060\011\006\003\125\004\006\023  
\002\125\123\061\045\060\043\006\003\125\004\012\023\034\123\164  
\141\162\146\151\145\154\144\040\124\145\143\150\156\157\154\157  
\147\151\145\163\054\040\111\156\143\056\061\062\060\060\006\003  
\125\004\013\023\051\123\164\141\162\146\151\145\154\144\040\103  
\154\141\163\163\040\062\040\103\145\162\164\151\146\151\143\141  
\164\151\157\156\040\101\165\164\150\157\162\151\164\171\202\001  
\000\060\014\006\003\125\035\023\004\005\060\003\001\001\377\060  
\015\006\011\052\206\110\206\367\015\001\001\005\005\000\003\202  
\001\001\000\005\235\077\210\235\321\311\032\125\241\254\151\363  
\363\131\332\233\001\207\032\117\127\251\241\171\011\052\333\367  
\057\262\036\314\307\136\152\330\203\207\241\227\357\111\065\076  
\167\006\101\130\142\277\216\130\270\012\147\077\354\263\335\041  
\146\037\311\124\372\162\314\075\114\100\330\201\257\167\236\203  
\172\273\242\307\365\064\027\216\331\021\100\364\374\054\052\115  
\025\177\247\142\135\056\045\323\000\013\040\032\035\150\371\027  
\270\364\275\213\355\050\131\335\115\026\213\027\203\310\262\145  
\307\055\172\245\252\274\123\206\155\335\127\244\312\370\040\101  
\013\150\360\364\373\164\276\126\135\172\171\365\371\035\205\343  
\055\225\276\365\161\220\103\314\215\037\232\000\012\207\051\351  
\125\042\130\000\043\352\343\022\103\051\133\107\010\335\214\101  
\152\145\006\250\345\041\252\101\264\225\041\225\271\175\321\064

```
\253\023\326\255\274\334\342\075\071\315\275\076\165\160\241\030
\131\003\311\042\264\217\234\325\136\052\327\245\266\324\012\155
\370\267\100\021\106\232\037\171\016\142\277\017\227\354\340\057
\037\027\224
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "Starfield Class 2 CA"
```

```
# Issuer: OU=Starfield Class 2 Certification Authority,O="Starfield Technologies, Inc.",C=US
```

```
# Serial Number: 0 (0x0)
```

```
# Subject: OU=Starfield Class 2 Certification Authority,O="Starfield Technologies, Inc.",C=US
```

```
# Not Valid Before: Tue Jun 29 17:39:16 2004
```

```
# Not Valid After : Thu Jun 29 17:39:16 2034
```

```
# Fingerprint (SHA-256):
```

```
14:65:FA:20:53:97:B8:76:FA:A6:F0:A9:95:8E:55:90:E4:0F:CC:7F:AA:4F:B7:C2:C8:67:75:21:FB:5F:B6:58
```

```
# Fingerprint (SHA1): AD:7E:1C:28:B0:64:EF:8F:60:03:40:20:14:C3:D0:E3:37:0E:B5:8A
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Starfield Class 2 CA"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\255\176\034\050\260\144\357\217\140\003\100\040\024\303\320\343
\067\016\265\212
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\062\112\113\273\310\143\151\233\276\164\232\306\335\035\106\044
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\150\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\045\060\043\006\003\125\004\012\023\034\123\164\141\162\146\151
\145\154\144\040\124\145\143\150\156\157\154\157\147\151\145\163
\054\040\111\156\143\056\061\062\060\060\006\003\125\004\013\023
\051\123\164\141\162\146\151\145\154\144\040\103\154\141\163\163
\040\062\040\103\145\162\164\151\146\151\143\141\164\151\157\156
\040\101\165\164\150\157\162\151\164\171
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\001\000
```

END

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

```
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE
```

```
#
```



```

# Certificate "DigiCert Assured ID Root CA"
#
# Issuer: CN=DigiCert Assured ID Root CA,OU=www.digicert.com,O=DigiCert Inc,C=US
# Serial Number:0c:e7:e0:e5:17:d8:46:fe:8f:e5:60:fc:1b:f0:30:39
# Subject: CN=DigiCert Assured ID Root CA,OU=www.digicert.com,O=DigiCert Inc,C=US
# Not Valid Before: Fri Nov 10 00:00:00 2006
# Not Valid After : Mon Nov 10 00:00:00 2031
# Fingerprint (SHA-256):
3E:90:99:B5:01:5E:8F:48:6C:00:BC:EA:9D:11:1E:E7:21:FA:BA:35:5A:89:BC:F1:DF:69:56:1E:3D:C6:32:5C
# Fingerprint (SHA1): 05:63:B8:63:0D:62:D7:5A:BB:C8:AB:1E:4B:DF:B5:A8:99:B2:4D:43
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "DigiCert Assured ID Root CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\145\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157
\155\061\044\060\042\006\003\125\004\003\023\033\104\151\147\151
\103\145\162\164\040\101\163\163\165\162\145\144\040\111\104\040
\122\157\157\164\040\103\101
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\145\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157
\155\061\044\060\042\006\003\125\004\003\023\033\104\151\147\151
\103\145\162\164\040\101\163\163\165\162\145\144\040\111\104\040
\122\157\157\164\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\014\347\340\345\027\330\106\376\217\345\140\374\033\360
\060\071
END
CKA_VALUE MULTILINE_OCTAL
\060\202\003\267\060\202\002\237\240\003\002\001\002\002\020\014
\347\340\345\027\330\106\376\217\345\140\374\033\360\060\071\060
\015\006\011\052\206\110\206\367\015\001\001\005\005\000\060\145
\061\013\060\011\006\003\125\004\006\023\002\125\123\061\025\060
\023\006\003\125\004\012\023\014\104\151\147\151\103\145\162\164
\040\111\156\143\061\031\060\027\006\003\125\004\013\023\020\167
\167\167\056\144\151\147\151\143\145\162\164\056\143\157\155\061
\044\060\042\006\003\125\004\003\023\033\104\151\147\151\103\145

```

\162\164\040\101\163\163\165\162\145\144\040\111\104\040\122\157  
\157\164\040\103\101\060\036\027\015\060\066\061\061\061\060\060  
\060\060\060\060\060\132\027\015\063\061\061\061\061\060\060\060  
\060\060\060\060\132\060\145\061\013\060\011\006\003\125\004\006  
\023\002\125\123\061\025\060\023\006\003\125\004\012\023\014\104  
\151\147\151\103\145\162\164\040\111\156\143\061\031\060\027\006  
\003\125\004\013\023\020\167\167\167\056\144\151\147\151\143\145  
\162\164\056\143\157\155\061\044\060\042\006\003\125\004\003\023  
\033\104\151\147\151\103\145\162\164\040\101\163\163\165\162\145  
\144\040\111\104\040\122\157\157\164\040\103\101\060\202\001\042  
\060\015\006\011\052\206\110\206\367\015\001\001\001\005\000\003  
\202\001\017\000\060\202\001\012\002\202\001\001\000\255\016\025  
\316\344\103\200\134\261\207\363\267\140\371\161\022\245\256\334  
\046\224\210\252\364\316\365\040\071\050\130\140\014\370\200\332  
\251\025\225\062\141\074\265\261\050\204\212\212\334\237\012\014  
\203\027\172\217\220\254\212\347\171\123\134\061\204\052\366\017  
\230\062\066\166\314\336\335\074\250\242\357\152\373\041\362\122  
\141\337\237\040\327\037\342\261\331\376\030\144\322\022\133\137  
\371\130\030\065\274\107\315\241\066\371\153\177\324\260\070\076  
\301\033\303\214\063\331\330\057\030\376\050\017\263\247\203\326  
\303\156\104\300\141\065\226\026\376\131\234\213\166\155\327\361  
\242\113\015\053\377\013\162\332\236\140\320\216\220\065\306\170  
\125\207\040\241\317\345\155\012\310\111\174\061\230\063\154\042  
\351\207\320\062\132\242\272\023\202\021\355\071\027\235\231\072  
\162\241\346\372\244\331\325\027\061\165\256\205\175\042\256\077  
\001\106\206\366\050\171\310\261\332\344\127\027\304\176\034\016  
\260\264\222\246\126\263\275\262\227\355\252\247\360\267\305\250  
\077\225\026\320\377\241\226\353\010\137\030\167\117\002\003\001  
\000\001\243\143\060\141\060\016\006\003\125\035\017\001\001\377  
\004\004\003\002\001\206\060\017\006\003\125\035\023\001\001\377  
\004\005\060\003\001\001\377\060\035\006\003\125\035\016\004\026  
\004\024\105\353\242\257\364\222\313\202\061\055\121\213\247\247  
\041\235\363\155\310\017\060\037\006\003\125\035\043\004\030\060  
\026\200\024\105\353\242\257\364\222\313\202\061\055\121\213\247  
\247\041\235\363\155\310\017\060\015\006\011\052\206\110\206\367  
\015\001\001\005\005\000\003\202\001\001\000\242\016\274\337\342  
\355\360\343\162\163\172\144\224\277\367\162\146\330\062\344\102  
\165\142\256\207\353\362\325\331\336\126\263\237\314\316\024\050  
\271\015\227\140\134\022\114\130\344\323\075\203\111\105\130\227  
\065\151\032\250\107\352\126\306\171\253\022\330\147\201\204\337  
\177\011\074\224\346\270\046\054\040\275\075\263\050\211\367\137  
\377\042\342\227\204\037\351\145\357\207\340\337\301\147\111\263  
\135\353\262\011\052\353\046\355\170\276\175\077\053\363\267\046  
\065\155\137\211\001\266\111\133\237\001\005\233\253\075\045\301  
\314\266\177\302\361\157\206\306\372\144\150\353\201\055\224\353  
\102\267\372\214\036\335\142\361\276\120\147\267\154\275\363\361  
\037\153\014\066\007\026\177\067\174\251\133\155\172\361\022\106  
\140\203\327\047\004\276\113\316\227\276\303\147\052\150\021\337

```
\200\347\014\063\146\277\023\015\024\156\363\177\037\143\020\036
\372\215\033\045\155\154\217\245\267\141\001\261\322\243\046\241
\020\161\235\255\342\303\371\303\231\121\267\053\007\010\316\056
\346\120\262\247\372\012\105\057\242\360\362
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "DigiCert Assured ID Root CA"
```

```
# Issuer: CN=DigiCert Assured ID Root CA,OU=www.digicert.com,O=DigiCert Inc,C=US
```

```
# Serial Number:0c:e7:e0:e5:17:d8:46:fe:8f:e5:60:fc:1b:f0:30:39
```

```
# Subject: CN=DigiCert Assured ID Root CA,OU=www.digicert.com,O=DigiCert Inc,C=US
```

```
# Not Valid Before: Fri Nov 10 00:00:00 2006
```

```
# Not Valid After : Mon Nov 10 00:00:00 2031
```

```
# Fingerprint (SHA-256):
```

```
3E:90:99:B5:01:5E:8F:48:6C:00:BC:EA:9D:11:1E:E7:21:FA:BA:35:5A:89:BC:F1:DF:69:56:1E:3D:C6:32:5C
```

```
# Fingerprint (SHA1): 05:63:B8:63:0D:62:D7:5A:BB:C8:AB:1E:4B:DF:B5:A8:99:B2:4D:43
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "DigiCert Assured ID Root CA"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\005\143\270\143\015\142\327\132\273\310\253\036\113\337\265\250
\231\262\115\103
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\207\316\013\173\052\016\111\000\341\130\161\233\067\250\223\162
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\145\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157
\155\061\044\060\042\006\003\125\004\003\023\033\104\151\147\151
\103\145\162\164\040\101\163\163\165\162\145\144\040\111\104\040
\122\157\157\164\040\103\101
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\020\014\347\340\345\027\330\106\376\217\345\140\374\033\360
\060\071
```

END

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

```
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE
```

```

#
# Certificate "DigiCert Global Root CA"
#
# Issuer: CN=DigiCert Global Root CA,OU=www.digicert.com,O=DigiCert Inc,C=US
# Serial Number:08:3b:e0:56:90:42:46:b1:a1:75:6a:c9:59:91:c7:4a
# Subject: CN=DigiCert Global Root CA,OU=www.digicert.com,O=DigiCert Inc,C=US
# Not Valid Before: Fri Nov 10 00:00:00 2006
# Not Valid After : Mon Nov 10 00:00:00 2031
# Fingerprint (SHA-256):
43:48:A0:E9:44:4C:78:CB:26:5E:05:8D:5E:89:44:B4:D8:4F:96:62:BD:26:DB:25:7F:89:34:A4:43:C7:01:61
# Fingerprint (SHA1): A8:98:5D:3A:65:E5:E5:C4:B2:D7:D6:6D:40:C6:DD:2F:B1:9C:54:36
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "DigiCert Global Root CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\141\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157
\155\061\040\060\036\006\003\125\004\003\023\027\104\151\147\151
\103\145\162\164\040\107\154\157\142\141\154\040\122\157\157\164
\040\103\101
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\141\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157
\155\061\040\060\036\006\003\125\004\003\023\027\104\151\147\151
\103\145\162\164\040\107\154\157\142\141\154\040\122\157\157\164
\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\010\073\340\126\220\102\106\261\241\165\152\311\131\221
\307\112
END
CKA_VALUE MULTILINE_OCTAL
\060\202\003\257\060\202\002\227\240\003\002\001\002\002\020\010
\073\340\126\220\102\106\261\241\165\152\311\131\221\307\112\060
\015\006\011\052\206\110\206\367\015\001\001\005\005\000\060\141
\061\013\060\011\006\003\125\004\006\023\002\125\123\061\025\060
\023\006\003\125\004\012\023\014\104\151\147\151\103\145\162\164
\040\111\156\143\061\031\060\027\006\003\125\004\013\023\020\167
\167\167\056\144\151\147\151\143\145\162\164\056\143\157\155\061

```

\040\060\036\006\003\125\004\003\023\027\104\151\147\151\103\145  
\162\164\040\107\154\157\142\141\154\040\122\157\157\164\040\103  
\101\060\036\027\015\060\066\061\061\061\060\060\060\060\060\060  
\060\132\027\015\063\061\061\061\061\060\060\060\060\060\060  
\132\060\141\061\013\060\011\006\003\125\004\006\023\002\125\123  
\061\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103  
\145\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013  
\023\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143  
\157\155\061\040\060\036\006\003\125\004\003\023\027\104\151\147  
\151\103\145\162\164\040\107\154\157\142\141\154\040\122\157\157  
\164\040\103\101\060\202\001\042\060\015\006\011\052\206\110\206  
\367\015\001\001\001\005\000\003\202\001\017\000\060\202\001\012  
\002\202\001\001\000\342\073\341\021\162\336\250\244\323\243\127  
\252\120\242\217\013\167\220\311\242\245\356\022\316\226\133\001  
\011\040\314\001\223\247\116\060\267\123\367\103\304\151\000\127  
\235\342\215\042\335\207\006\100\000\201\011\316\316\033\203\277  
\337\315\073\161\106\342\326\146\307\005\263\166\047\026\217\173  
\236\036\225\175\356\267\110\243\010\332\326\257\172\014\071\006  
\145\177\112\135\037\274\027\370\253\276\356\050\327\164\177\172  
\170\231\131\205\150\156\134\043\062\113\277\116\300\350\132\155  
\343\160\277\167\020\277\374\001\366\205\331\250\104\020\130\062  
\251\165\030\325\321\242\276\107\342\047\152\364\232\063\370\111  
\010\140\213\324\137\264\072\204\277\241\252\112\114\175\076\317  
\117\137\154\166\136\240\113\067\221\236\334\042\346\155\316\024  
\032\216\152\313\376\315\263\024\144\027\307\133\051\236\062\277  
\362\356\372\323\013\102\324\253\267\101\062\332\014\324\357\370  
\201\325\273\215\130\077\265\033\350\111\050\242\160\332\061\004  
\335\367\262\026\362\114\012\116\007\250\355\112\075\136\265\177  
\243\220\303\257\047\002\003\001\000\001\243\143\060\141\060\016  
\006\003\125\035\017\001\001\377\004\004\003\002\001\206\060\017  
\006\003\125\035\023\001\001\377\004\005\060\003\001\001\377\060  
\035\006\003\125\035\016\004\026\004\024\003\336\120\065\126\321  
\114\273\146\360\243\342\033\033\303\227\262\075\321\125\060\037  
\006\003\125\035\043\004\030\060\026\200\024\003\336\120\065\126  
\321\114\273\146\360\243\342\033\033\303\227\262\075\321\125\060  
\015\006\011\052\206\110\206\367\015\001\001\005\005\000\003\202  
\001\001\000\313\234\067\252\110\023\022\012\372\335\104\234\117  
\122\260\364\337\256\004\365\171\171\010\243\044\030\374\113\053  
\204\300\055\271\325\307\376\364\301\037\130\313\270\155\234\172  
\164\347\230\051\253\021\265\343\160\240\241\315\114\210\231\223  
\214\221\160\342\253\017\034\276\223\251\377\143\325\344\007\140  
\323\243\277\235\133\011\361\325\216\343\123\364\216\143\372\077  
\247\333\264\146\337\142\146\326\321\156\101\215\362\055\265\352  
\167\112\237\235\130\342\053\131\300\100\043\355\055\050\202\105  
\076\171\124\222\046\230\340\200\110\250\067\357\360\326\171\140  
\026\336\254\350\016\315\156\254\104\027\070\057\111\332\341\105  
\076\052\271\066\123\317\072\120\006\367\056\350\304\127\111\154  
\141\041\030\325\004\255\170\074\054\072\200\153\247\353\257\025

```
\024\351\330\211\301\271\070\154\342\221\154\212\377\144\271\167
\045\127\060\300\033\044\243\341\334\351\337\107\174\265\264\044
\010\005\060\354\055\275\013\277\105\277\120\271\251\363\353\230
\001\022\255\310\210\306\230\064\137\215\012\074\306\351\325\225
\225\155\336
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "DigiCert Global Root CA"
```

```
# Issuer: CN=DigiCert Global Root CA,OU=www.digicert.com,O=DigiCert Inc,C=US
```

```
# Serial Number:08:3b:e0:56:90:42:46:b1:a1:75:6a:c9:59:91:c7:4a
```

```
# Subject: CN=DigiCert Global Root CA,OU=www.digicert.com,O=DigiCert Inc,C=US
```

```
# Not Valid Before: Fri Nov 10 00:00:00 2006
```

```
# Not Valid After : Mon Nov 10 00:00:00 2031
```

```
# Fingerprint (SHA-256):
```

```
43:48:A0:E9:44:4C:78:CB:26:5E:05:8D:5E:89:44:B4:D8:4F:96:62:BD:26:DB:25:7F:89:34:A4:43:C7:01:61
```

```
# Fingerprint (SHA1): A8:98:5D:3A:65:E5:E5:C4:B2:D7:D6:6D:40:C6:DD:2F:B1:9C:54:36
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "DigiCert Global Root CA"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\250\230\135\072\145\345\345\304\262\327\326\155\100\306\335\057
\261\234\124\066
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\171\344\251\204\015\175\072\226\327\300\117\342\103\114\211\056
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\141\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157
\155\061\040\060\036\006\003\125\004\003\023\027\104\151\147\151
\103\145\162\164\040\107\154\157\142\141\154\040\122\157\157\164
\040\103\101
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\020\010\073\340\126\220\102\106\261\241\165\152\311\131\221
\307\112
```

END

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

```
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE
```

```
#
# Certificate "DigiCert High Assurance EV Root CA"
#
# Issuer: CN=DigiCert High Assurance EV Root CA,OU=www.digicert.com,O=DigiCert Inc,C=US
# Serial Number:02:ac:5c:26:6a:0b:40:9b:8f:0b:79:f2:ae:46:25:77
# Subject: CN=DigiCert High Assurance EV Root CA,OU=www.digicert.com,O=DigiCert Inc,C=US
# Not Valid Before: Fri Nov 10 00:00:00 2006
# Not Valid After : Mon Nov 10 00:00:00 2031
# Fingerprint (SHA-256):
74:31:E5:F4:C3:C1:CE:46:90:77:4F:0B:61:E0:54:40:88:3B:A9:A0:1E:D0:0B:A6:AB:D7:80:6E:D3:B1:18:CF
# Fingerprint (SHA1): 5F:B7:EE:06:33:E2:59:DB:AD:0C:4C:9A:E6:D3:8F:1A:61:C7:DC:25
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "DigiCert High Assurance EV Root CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\154\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157
\155\061\053\060\051\006\003\125\004\003\023\042\104\151\147\151
\103\145\162\164\040\110\151\147\150\040\101\163\163\165\162\141
\156\143\145\040\105\126\040\122\157\157\164\040\103\101
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\154\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157
\155\061\053\060\051\006\003\125\004\003\023\042\104\151\147\151
\103\145\162\164\040\110\151\147\150\040\101\163\163\165\162\141
\156\143\145\040\105\126\040\122\157\157\164\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\002\254\134\046\152\013\100\233\217\013\171\362\256\106
\045\167
END
CKA_VALUE MULTILINE_OCTAL
\060\202\003\305\060\202\002\255\240\003\002\001\002\002\020\002
\254\134\046\152\013\100\233\217\013\171\362\256\106\045\167\060
\015\006\011\052\206\110\206\367\015\001\001\005\005\000\060\154
\061\013\060\011\006\003\125\004\006\023\002\125\123\061\025\060
\023\006\003\125\004\012\023\014\104\151\147\151\103\145\162\164
\040\111\156\143\061\031\060\027\006\003\125\004\013\023\020\167
```

\167\167\056\144\151\147\151\143\145\162\164\056\143\157\155\061  
\053\060\051\006\003\125\004\003\023\042\104\151\147\151\103\145  
\162\164\040\110\151\147\150\040\101\163\163\165\162\141\156\143  
\145\040\105\126\040\122\157\157\164\040\103\101\060\036\027\015  
\060\066\061\061\061\060\060\060\060\060\060\060\132\027\015\063  
\061\061\061\061\060\060\060\060\060\060\060\132\060\154\061\013  
\060\011\006\003\125\004\006\023\002\125\123\061\025\060\023\006  
\003\125\004\012\023\014\104\151\147\151\103\145\162\164\040\111  
\156\143\061\031\060\027\006\003\125\004\013\023\020\167\167\167  
\056\144\151\147\151\143\145\162\164\056\143\157\155\061\053\060  
\051\006\003\125\004\003\023\042\104\151\147\151\103\145\162\164  
\040\110\151\147\150\040\101\163\163\165\162\141\156\143\145\040  
\105\126\040\122\157\157\164\040\103\101\060\202\001\042\060\015  
\006\011\052\206\110\206\367\015\001\001\001\005\000\003\202\001  
\017\000\060\202\001\012\002\202\001\001\000\306\314\345\163\346  
\373\324\273\345\055\055\062\246\337\345\201\077\311\315\045\111  
\266\161\052\303\325\224\064\147\242\012\034\260\137\151\246\100  
\261\304\267\262\217\320\230\244\251\101\131\072\323\334\224\326  
\074\333\164\070\244\112\314\115\045\202\367\112\245\123\022\070  
\356\363\111\155\161\221\176\143\266\253\246\137\303\244\204\370  
\117\142\121\276\370\305\354\333\070\222\343\006\345\010\221\014  
\304\050\101\125\373\313\132\211\025\176\161\350\065\277\115\162  
\011\075\276\072\070\120\133\167\061\033\215\263\307\044\105\232  
\247\254\155\000\024\132\004\267\272\023\353\121\012\230\101\101  
\042\116\145\141\207\201\101\120\246\171\134\211\336\031\112\127  
\325\056\346\135\034\123\054\176\230\315\032\006\026\244\150\163  
\320\064\004\023\134\241\161\323\132\174\125\333\136\144\341\067  
\207\060\126\004\345\021\264\051\200\022\361\171\071\210\242\002  
\021\174\047\146\267\210\267\170\362\312\012\250\070\253\012\144  
\302\277\146\135\225\204\301\241\045\036\207\135\032\120\013\040  
\022\314\101\273\156\013\121\070\270\113\313\002\003\001\000\001  
\243\143\060\141\060\016\006\003\125\035\017\001\001\377\004\004  
\003\002\001\206\060\017\006\003\125\035\023\001\001\377\004\005  
\060\003\001\001\377\060\035\006\003\125\035\016\004\026\004\024  
\261\076\303\151\003\370\277\107\001\324\230\046\032\010\002\357  
\143\144\053\303\060\037\006\003\125\035\043\004\030\060\026\200  
\024\261\076\303\151\003\370\277\107\001\324\230\046\032\010\002  
\357\143\144\053\303\060\015\006\011\052\206\110\206\367\015\001  
\001\005\005\000\003\202\001\001\000\034\032\006\227\334\327\234  
\237\074\210\146\006\010\127\041\333\041\107\370\052\147\252\277  
\030\062\166\100\020\127\301\212\363\172\331\021\145\216\065\372  
\236\374\105\265\236\331\114\061\113\270\221\350\103\054\216\263  
\170\316\333\343\123\171\161\326\345\041\224\001\332\125\207\232  
\044\144\366\212\146\314\336\234\067\315\250\064\261\151\233\043  
\310\236\170\042\053\160\103\343\125\107\061\141\031\357\130\305  
\205\057\116\060\366\240\061\026\043\310\347\342\145\026\063\313  
\277\032\033\240\075\370\312\136\213\061\213\140\010\211\055\014  
\006\134\122\267\304\371\012\230\321\025\137\237\022\276\174\066



```
\143\070\275\104\244\177\344\046\053\012\304\227\151\015\351\214
\342\300\020\127\270\310\166\022\221\125\362\110\151\330\274\052
\002\133\017\104\324\040\061\333\364\272\160\046\135\220\140\236
\274\113\027\011\057\264\313\036\103\150\311\007\047\301\322\134
\367\352\041\271\150\022\234\074\234\277\236\374\200\134\233\143
\315\354\107\252\045\047\147\240\067\363\000\202\175\124\327\251
\370\351\056\023\243\167\350\037\112
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "DigiCert High Assurance EV Root CA"
```

```
# Issuer: CN=DigiCert High Assurance EV Root CA,OU=www.digicert.com,O=DigiCert Inc,C=US
```

```
# Serial Number:02:ac:5c:26:6a:0b:40:9b:8f:0b:79:f2:ae:46:25:77
```

```
# Subject: CN=DigiCert High Assurance EV Root CA,OU=www.digicert.com,O=DigiCert Inc,C=US
```

```
# Not Valid Before: Fri Nov 10 00:00:00 2006
```

```
# Not Valid After : Mon Nov 10 00:00:00 2031
```

```
# Fingerprint (SHA-256):
```

```
74:31:E5:F4:C3:C1:CE:46:90:77:4F:0B:61:E0:54:40:88:3B:A9:A0:1E:D0:0B:A6:AB:D7:80:6E:D3:B1:18:CF
```

```
# Fingerprint (SHA1): 5F:B7:EE:06:33:E2:59:DB:AD:0C:4C:9A:E6:D3:8F:1A:61:C7:DC:25
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "DigiCert High Assurance EV Root CA"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\137\267\356\006\063\342\131\333\255\014\114\232\346\323\217\032
```

```
\141\307\334\045
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\324\164\336\127\134\071\262\323\234\205\203\305\300\145\111\212
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\154\061\013\060\011\006\003\125\004\006\023\002\125\123\061
```

```
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145
```

```
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023
```

```
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157
```

```
\155\061\053\060\051\006\003\125\004\003\023\042\104\151\147\151
```

```
\103\145\162\164\040\110\151\147\150\040\101\163\163\165\162\141
```

```
\156\143\145\040\105\126\040\122\157\157\164\040\103\101
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\020\002\254\134\046\152\013\100\233\217\013\171\362\256\106
```

```
\045\167
```

END

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST  
CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "SwissSign Platinum CA - G2"

#

# Issuer: CN=SwissSign Platinum CA - G2,O=SwissSign AG,C=CH

# Serial Number:4e:b2:00:67:0c:03:5d:4f

# Subject: CN=SwissSign Platinum CA - G2,O=SwissSign AG,C=CH

# Not Valid Before: Wed Oct 25 08:36:00 2006

# Not Valid After : Sat Oct 25 08:36:00 2036

# Fingerprint (SHA-256):

3B:22:2E:56:67:11:E9:92:30:0D:C0:B1:5A:B9:47:3D:AF:DE:F8:C8:4D:0C:EF:7D:33:17:B4:C1:82:1D:14:36

# Fingerprint (SHA1): 56:E0:FA:C0:3B:8F:18:23:55:18:E5:D3:11:CA:E8:C2:43:31:AB:66

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "SwissSign Platinum CA - G2"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

\060\111\061\013\060\011\006\003\125\004\006\023\002\103\110\061  
\025\060\023\006\003\125\004\012\023\014\123\167\151\163\163\123  
\151\147\156\040\101\107\061\043\060\041\006\003\125\004\003\023  
\032\123\167\151\163\163\123\151\147\156\040\120\154\141\164\151  
\156\165\155\040\103\101\040\055\040\107\062

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\111\061\013\060\011\006\003\125\004\006\023\002\103\110\061  
\025\060\023\006\003\125\004\012\023\014\123\167\151\163\163\123  
\151\147\156\040\101\107\061\043\060\041\006\003\125\004\003\023  
\032\123\167\151\163\163\123\151\147\156\040\120\154\141\164\151  
\156\165\155\040\103\101\040\055\040\107\062

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\010\116\262\000\147\014\003\135\117

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\005\301\060\202\003\251\240\003\002\001\002\002\010\116  
\262\000\147\014\003\135\117\060\015\006\011\052\206\110\206\367  
\015\001\001\005\005\000\060\111\061\013\060\011\006\003\125\004  
\006\023\002\103\110\061\025\060\023\006\003\125\004\012\023\014  
\123\167\151\163\163\123\151\147\156\040\101\107\061\043\060\041  
\006\003\125\004\003\023\032\123\167\151\163\163\123\151\147\156  
\040\120\154\141\164\151\156\165\155\040\103\101\040\055\040\107  
\062\060\036\027\015\060\066\061\060\062\065\060\070\063\066\060  
\060\132\027\015\063\066\061\060\062\065\060\070\063\066\060\060

\132\060\111\061\013\060\011\006\003\125\004\006\023\002\103\110  
\061\025\060\023\006\003\125\004\012\023\014\123\167\151\163\163  
\123\151\147\156\040\101\107\061\043\060\041\006\003\125\004\003  
\023\032\123\167\151\163\163\123\151\147\156\040\120\154\141\164  
\151\156\165\155\040\103\101\040\055\040\107\062\060\202\002\042  
\060\015\006\011\052\206\110\206\367\015\001\001\001\005\000\003  
\202\002\017\000\060\202\002\012\002\202\002\001\000\312\337\242  
\002\342\332\370\374\007\026\261\336\140\252\336\226\134\144\037  
\307\057\176\317\147\372\104\102\326\166\143\225\256\353\257\162  
\040\212\105\107\206\142\170\206\326\040\071\046\364\256\243\375  
\043\347\245\234\265\042\041\031\267\067\223\042\300\120\234\202  
\173\324\325\004\104\134\313\264\302\237\222\276\044\330\173\147  
\042\342\151\137\345\005\170\324\207\331\161\160\063\045\123\264  
\207\073\051\220\050\066\232\125\104\060\150\244\203\227\177\015  
\036\234\166\377\025\235\140\227\000\215\212\205\003\354\200\276  
\352\054\156\020\121\222\314\176\325\243\063\330\326\111\336\130  
\052\257\366\026\353\113\173\220\062\227\271\272\235\130\361\370  
\127\111\004\036\242\135\006\160\335\161\333\371\335\213\232\033  
\214\317\075\243\115\316\313\174\366\273\234\240\372\011\316\043  
\142\262\351\015\037\342\162\050\217\237\254\150\040\175\157\073  
\250\205\061\011\177\013\307\350\145\351\343\170\016\011\147\060  
\213\064\202\373\135\340\314\235\201\155\142\356\010\036\004\054  
\116\233\354\376\251\117\137\375\151\170\357\011\037\241\264\277  
\372\363\357\220\036\114\005\213\036\352\172\221\172\303\327\345  
\373\060\274\154\033\020\130\230\367\032\137\320\051\062\003\023  
\106\115\141\152\205\114\122\164\057\006\037\173\021\342\204\227  
\306\231\363\155\177\327\147\203\176\023\150\330\161\050\132\330  
\316\335\350\020\024\232\376\155\043\207\156\216\132\160\074\325  
\215\011\000\247\252\274\260\061\067\155\310\204\024\036\133\275  
\105\143\040\153\113\164\214\275\333\072\016\301\317\132\026\217  
\245\230\362\166\211\262\023\022\073\013\167\167\254\273\345\074  
\051\112\222\162\312\141\032\053\136\114\342\203\164\167\372\065  
\110\172\205\115\215\232\123\304\337\170\312\227\221\110\053\105  
\053\001\367\034\032\242\355\030\272\012\275\203\372\157\274\215  
\127\223\073\324\324\246\316\036\361\240\261\316\253\375\053\050  
\232\117\033\327\303\162\333\244\304\277\135\114\365\335\173\226  
\151\356\150\200\346\347\230\272\066\267\376\156\355\053\275\040  
\370\145\031\332\125\011\176\045\334\376\141\142\162\371\176\030  
\002\357\143\264\320\373\257\345\073\143\214\147\217\002\003\001  
\000\001\243\201\254\060\201\251\060\016\006\003\125\035\017\001  
\001\377\004\004\003\002\001\006\060\017\006\003\125\035\023\001  
\001\377\004\005\060\003\001\001\377\060\035\006\003\125\035\016  
\004\026\004\024\120\257\314\007\207\025\107\157\070\305\264\145  
\321\336\225\252\351\337\234\314\060\037\006\003\125\035\043\004  
\030\060\026\200\024\120\257\314\007\207\025\107\157\070\305\264  
\145\321\336\225\252\351\337\234\314\060\106\006\003\125\035\040  
\004\077\060\075\060\073\006\011\140\205\164\001\131\001\001\001  
\001\060\056\060\054\006\010\053\006\001\005\005\007\002\001\026

\040\150\164\164\160\072\057\057\162\145\160\157\163\151\164\157  
\162\171\056\163\167\151\163\163\163\151\147\156\056\143\157\155  
\057\060\015\006\011\052\206\110\206\367\015\001\001\005\005\000  
\003\202\002\001\000\010\205\246\365\026\014\374\104\032\301\143  
\340\371\125\106\010\374\160\034\102\050\226\216\267\305\301\101  
\165\116\011\161\171\345\155\226\312\113\245\210\140\320\060\164  
\270\312\010\334\264\060\236\100\007\026\153\145\225\167\001\256  
\244\267\065\013\201\332\161\025\251\164\027\070\173\130\312\371  
\057\373\300\145\166\215\133\001\271\175\336\202\075\144\270\276  
\024\164\243\012\124\323\054\225\030\027\065\365\121\153\077\217  
\242\226\141\071\170\153\113\345\246\240\370\123\337\121\020\223  
\142\347\200\057\342\321\340\274\216\066\106\167\063\354\270\373  
\216\232\054\211\115\061\021\017\046\236\004\273\267\004\215\013  
\362\271\374\132\235\073\026\267\057\310\230\253\376\212\120\131  
\056\243\073\374\051\135\213\301\113\311\342\212\023\035\261\277  
\273\102\035\122\335\116\330\024\136\020\306\061\007\357\161\047  
\367\033\071\011\334\202\352\213\263\225\206\136\375\365\332\135  
\061\246\340\061\266\224\346\104\111\164\305\026\345\367\037\003  
\141\050\305\310\313\022\240\102\113\371\153\210\010\215\264\062  
\030\363\165\237\304\177\000\117\005\225\234\243\027\002\303\263  
\123\233\252\040\071\051\053\146\372\235\257\136\263\222\322\265  
\246\341\032\371\055\101\151\201\024\264\264\265\355\211\075\316  
\373\251\235\065\102\104\261\034\024\163\201\317\052\001\065\232  
\061\325\055\217\155\204\337\200\115\127\343\077\305\204\165\332  
\211\306\060\273\353\217\313\042\010\240\256\252\361\003\154\072  
\113\115\011\245\016\162\306\126\153\041\102\116\043\045\024\150  
\256\166\012\174\014\007\160\144\371\232\057\366\005\071\046\306  
\014\217\031\177\103\136\156\364\133\025\057\333\141\135\346\147  
\057\077\010\224\371\140\264\230\061\332\164\361\204\223\161\115  
\137\373\140\130\321\373\304\301\155\211\242\273\040\037\235\161  
\221\313\062\233\023\075\076\175\222\122\065\254\222\224\242\323  
\030\302\174\307\352\257\166\005\026\335\147\047\302\176\034\007  
\042\041\363\100\012\033\064\007\104\023\302\204\152\216\337\031  
\132\277\177\353\035\342\032\070\321\134\257\107\222\153\200\265  
\060\245\311\215\330\253\061\201\037\337\302\146\067\323\223\251  
\205\206\171\145\322

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "SwissSign Platinum CA - G2"  
# Issuer: CN=SwissSign Platinum CA - G2,O=SwissSign AG,C=CH  
# Serial Number:4e:b2:00:67:0c:03:5d:4f  
# Subject: CN=SwissSign Platinum CA - G2,O=SwissSign AG,C=CH  
# Not Valid Before: Wed Oct 25 08:36:00 2006  
# Not Valid After : Sat Oct 25 08:36:00 2036  
# Fingerprint (SHA-256):

```

3B:22:2E:56:67:11:E9:92:30:0D:C0:B1:5A:B9:47:3D:AF:DE:F8:C8:4D:0C:EF:7D:33:17:B4:C1:82:1D:14:36
# Fingerprint (SHA1): 56:E0:FA:C0:3B:8F:18:23:55:18:E5:D3:11:CA:E8:C2:43:31:AB:66
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "SwissSign Platinum CA - G2"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\126\340\372\300\073\217\030\043\125\030\345\323\021\312\350\302
\103\061\253\146
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\311\230\047\167\050\036\075\016\025\074\204\000\270\205\003\346
END
CKA_ISSUER MULTILINE_OCTAL
\060\111\061\013\060\011\006\003\125\004\006\023\002\103\110\061
\025\060\023\006\003\125\004\012\023\014\123\167\151\163\163\123
\151\147\156\040\101\107\061\043\060\041\006\003\125\004\003\023
\032\123\167\151\163\163\123\151\147\156\040\120\154\141\164\151
\156\165\155\040\103\101\040\055\040\107\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\010\116\262\000\147\014\003\135\117
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "SwissSign Gold CA - G2"
#
# Issuer: CN=SwissSign Gold CA - G2,O=SwissSign AG,C=CH
# Serial Number:00:bb:40:1c:43:f5:5e:4f:b0
# Subject: CN=SwissSign Gold CA - G2,O=SwissSign AG,C=CH
# Not Valid Before: Wed Oct 25 08:30:35 2006
# Not Valid After : Sat Oct 25 08:30:35 2036
# Fingerprint (SHA-256):
62:DD:0B:E9:B9:F5:0A:16:3E:A0:F8:E7:5C:05:3B:1E:CA:57:EA:55:C8:68:8F:64:7C:68:81:F2:C8:35:7B:95
# Fingerprint (SHA1): D8:C5:38:8A:B7:30:1B:1B:6E:D4:7A:E6:45:25:3A:6F:9F:1A:27:61
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "SwissSign Gold CA - G2"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\105\061\013\060\011\006\003\125\004\006\023\002\103\110\061

```

\025\060\023\006\003\125\004\012\023\014\123\167\151\163\163\123  
\151\147\156\040\101\107\061\037\060\035\006\003\125\004\003\023  
\026\123\167\151\163\163\123\151\147\156\040\107\157\154\144\040  
\103\101\040\055\040\107\062

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\105\061\013\060\011\006\003\125\004\006\023\002\103\110\061  
\025\060\023\006\003\125\004\012\023\014\123\167\151\163\163\123  
\151\147\156\040\101\107\061\037\060\035\006\003\125\004\003\023  
\026\123\167\151\163\163\123\151\147\156\040\107\157\154\144\040  
\103\101\040\055\040\107\062

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\011\000\273\100\034\103\365\136\117\260

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\005\272\060\202\003\242\240\003\002\001\002\002\011\000  
\273\100\034\103\365\136\117\260\060\015\006\011\052\206\110\206  
\367\015\001\001\005\005\000\060\105\061\013\060\011\006\003\125  
\004\006\023\002\103\110\061\025\060\023\006\003\125\004\012\023  
\014\123\167\151\163\163\123\151\147\156\040\101\107\061\037\060  
\035\006\003\125\004\003\023\026\123\167\151\163\163\123\151\147  
\156\040\107\157\154\144\040\103\101\040\055\040\107\062\060\036  
\027\015\060\066\061\060\062\065\060\070\063\060\063\065\132\027  
\015\063\066\061\060\062\065\060\070\063\060\063\065\132\060\105  
\061\013\060\011\006\003\125\004\006\023\002\103\110\061\025\060  
\023\006\003\125\004\012\023\014\123\167\151\163\163\123\151\147  
\156\040\101\107\061\037\060\035\006\003\125\004\003\023\026\123  
\167\151\163\163\123\151\147\156\040\107\157\154\144\040\103\101  
\040\055\040\107\062\060\202\002\042\060\015\006\011\052\206\110  
\206\367\015\001\001\001\005\000\003\202\002\017\000\060\202\002  
\012\002\202\002\001\000\257\344\356\176\213\044\016\022\156\251  
\120\055\026\104\073\222\222\134\312\270\135\204\222\102\023\052  
\274\145\127\202\100\076\127\044\315\120\213\045\052\267\157\374  
\357\242\320\300\037\002\044\112\023\226\217\043\023\346\050\130  
\000\243\107\307\006\247\204\043\053\273\275\226\053\177\125\314  
\213\301\127\037\016\142\145\017\335\075\126\212\163\332\256\176  
\155\272\201\034\176\102\214\040\065\331\103\115\204\372\204\333  
\122\054\363\016\047\167\013\153\277\021\057\162\170\237\056\330  
\076\346\030\067\132\052\162\371\332\142\220\222\225\312\037\234  
\351\263\074\053\313\363\001\023\277\132\317\301\265\012\140\275  
\335\265\231\144\123\270\240\226\263\157\342\046\167\221\214\340  
\142\020\002\237\064\017\244\325\222\063\121\336\276\215\272\204  
\172\140\074\152\333\237\053\354\336\336\001\077\156\115\345\120  
\206\313\264\257\355\104\100\305\312\132\214\332\322\053\174\250  
\356\276\246\345\012\252\016\245\337\005\122\267\125\307\042\135  
\062\152\227\227\143\023\333\311\333\171\066\173\205\072\112\305

|122|211|371|044|347|235|167|251|202|377|125|034|245|161|151|053  
|321|002|044|362|263|046|324|153|332|004|125|345|301|012|307|155  
|060|067|220|052|344|236|024|063|136|026|027|125|305|133|265|313  
|064|211|222|361|235|046|217|241|007|324|306|262|170|120|333|014  
|014|013|174|013|214|101|327|271|351|335|214|210|367|243|115|262  
|062|314|330|027|332|315|267|316|146|235|324|375|136|377|275|227  
|076|051|165|347|176|247|142|130|257|045|064|245|101|307|075|274  
|015|120|312|003|003|017|010|132|037|225|163|170|142|277|257|162  
|024|151|016|245|345|003|016|170|216|046|050|102|360|007|013|142  
|040|020|147|071|106|372|251|003|314|004|070|172|146|357|040|203  
|265|214|112|126|216|221|000|374|216|134|202|336|210|240|303|342  
|150|156|175|215|357|074|335|145|364|135|254|121|357|044|200|256  
|252|126|227|157|371|255|175|332|141|077|230|167|074|245|221|266  
|034|214|046|332|145|242|011|155|301|342|124|343|271|312|114|114  
|200|217|167|173|140|232|036|337|266|362|110|036|016|272|116|124  
|155|230|340|341|242|032|242|167|120|317|304|143|222|354|107|031  
|235|353|346|153|316|301|002|003|001|000|001|243|201|254|060|201  
|251|060|016|006|003|125|035|017|001|001|377|004|004|003|002|001  
|006|060|017|006|003|125|035|023|001|001|377|004|005|060|003|001  
|001|377|060|035|006|003|125|035|016|004|026|004|024|133|045|173  
|226|244|145|121|176|270|071|363|300|170|146|136|350|072|347|360  
|356|060|037|006|003|125|035|043|004|030|060|026|200|024|133|045  
|173|226|244|145|121|176|270|071|363|300|170|146|136|350|072|347  
|360|356|060|106|006|003|125|035|040|004|077|060|075|060|073|006  
|011|140|205|164|001|131|001|002|001|001|060|056|060|054|006|010  
|053|006|001|005|005|007|002|001|026|040|150|164|164|160|072|057  
|057|162|145|160|157|163|151|164|157|162|171|056|163|167|151|163  
|163|163|151|147|156|056|143|157|155|057|060|015|006|011|052|206  
|110|206|367|015|001|001|005|005|000|003|202|002|001|000|047|272  
|343|224|174|361|256|300|336|027|346|345|330|325|365|124|260|203  
|364|273|315|136|005|173|117|237|165|146|257|074|350|126|176|374  
|162|170|070|003|331|053|142|033|000|271|370|351|140|315|314|316  
|121|212|307|120|061|156|341|112|176|030|057|151|131|266|075|144  
|201|053|343|203|204|346|042|207|216|175|340|356|002|231|141|270  
|036|364|270|053|210|022|026|204|302|061|223|070|226|061|246|271  
|073|123|077|303|044|223|126|133|151|222|354|305|301|273|070|000  
|343|354|027|251|270|334|307|174|001|203|237|062|107|272|122|042  
|064|035|062|172|011|126|247|174|045|066|251|075|113|332|300|202  
|157|012|273|022|310|207|113|047|021|371|036|055|307|223|077|236  
|333|137|046|153|122|331|056|212|361|024|306|104|215|025|251|267  
|277|275|336|246|032|356|256|055|373|110|167|027|376|273|354|257  
|030|365|052|121|360|071|204|227|225|154|156|033|303|053|304|164  
|140|171|045|260|012|047|337|337|136|322|071|317|105|175|102|113  
|337|263|054|036|305|306|135|312|125|072|240|234|151|232|217|332  
|357|262|260|074|237|207|154|022|053|145|160|025|122|061|032|044  
|317|157|061|043|120|037|214|117|217|043|303|164|101|143|034|125  
|250|024|335|076|340|121|120|317|361|033|060|126|016|222|260|202  
|205|330|203|313|042|144|274|055|270|045|325|124|242|270|006|352

```
\255\222\244\044\240\301\206\265\112\023\152\107\317\056\013\126
\225\124\313\316\232\333\152\264\246\262\333\101\010\206\047\167
\367\152\240\102\154\013\070\316\327\165\120\062\222\302\337\053
\060\042\110\320\325\101\070\045\135\244\351\135\237\306\224\165
\320\105\375\060\227\103\217\220\253\012\307\206\163\140\112\151
\055\336\245\170\327\006\332\152\236\113\076\167\072\040\023\042
\001\320\277\150\236\143\140\153\065\115\013\155\272\241\075\300
\223\340\177\043\263\125\255\162\045\116\106\371\322\026\357\260
\144\301\001\236\351\312\240\152\230\016\317\330\140\362\057\111
\270\344\102\341\070\065\026\364\310\156\117\367\201\126\350\272
\243\276\043\257\256\375\157\003\340\002\073\060\166\372\033\155
\101\317\001\261\351\270\311\146\364\333\046\363\072\244\164\362
\111\044\133\311\260\320\127\301\372\076\172\341\227\311
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "SwissSign Gold CA - G2"
```

```
# Issuer: CN=SwissSign Gold CA - G2,O=SwissSign AG,C=CH
```

```
# Serial Number:00:bb:40:1c:43:f5:5e:4f:b0
```

```
# Subject: CN=SwissSign Gold CA - G2,O=SwissSign AG,C=CH
```

```
# Not Valid Before: Wed Oct 25 08:30:35 2006
```

```
# Not Valid After : Sat Oct 25 08:30:35 2036
```

```
# Fingerprint (SHA-256):
```

```
62:DD:0B:E9:B9:F5:0A:16:3E:A0:F8:E7:5C:05:3B:1E:CA:57:EA:55:C8:68:8F:64:7C:68:81:F2:C8:35:7B:95
```

```
# Fingerprint (SHA1): D8:C5:38:8A:B7:30:1B:1B:6E:D4:7A:E6:45:25:3A:6F:9F:1A:27:61
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "SwissSign Gold CA - G2"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\330\305\070\212\267\060\033\033\156\324\172\346\105\045\072\157
\237\032\047\141
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\044\167\331\250\221\321\073\372\210\055\302\377\370\315\063\223
END
```

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\105\061\013\060\011\006\003\125\004\006\023\002\103\110\061
\025\060\023\006\003\125\004\012\023\014\123\167\151\163\163\123
\151\147\156\040\101\107\061\037\060\035\006\003\125\004\003\023
\026\123\167\151\163\163\123\151\147\156\040\107\157\154\144\040
\103\101\040\055\040\107\062
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\011\000\273\100\034\103\365\136\117\260
```



```

END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "SwissSign Silver CA - G2"
#
# Issuer: CN=SwissSign Silver CA - G2,O=SwissSign AG,C=CH
# Serial Number:4f:1b:d4:2f:54:bb:2f:4b
# Subject: CN=SwissSign Silver CA - G2,O=SwissSign AG,C=CH
# Not Valid Before: Wed Oct 25 08:32:46 2006
# Not Valid After : Sat Oct 25 08:32:46 2036
# Fingerprint (SHA-256):
BE:6C:4D:A2:BB:B9:BA:59:B6:F3:93:97:68:37:42:46:C3:C0:05:99:3F:A9:8F:02:0D:1D:ED:BE:D4:8A:81:D5
# Fingerprint (SHA1): 9B:AA:E5:9F:56:EE:21:CB:43:5A:BE:25:93:DF:A7:F0:40:D1:1D:CB
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "SwissSign Silver CA - G2"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\107\061\013\060\011\006\003\125\004\006\023\002\103\110\061
\025\060\023\006\003\125\004\012\023\014\123\167\151\163\163\123
\151\147\156\040\101\107\061\041\060\037\006\003\125\004\003\023
\030\123\167\151\163\163\123\151\147\156\040\123\151\154\166\145
\162\040\103\101\040\055\040\107\062
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\107\061\013\060\011\006\003\125\004\006\023\002\103\110\061
\025\060\023\006\003\125\004\012\023\014\123\167\151\163\163\123
\151\147\156\040\101\107\061\041\060\037\006\003\125\004\003\023
\030\123\167\151\163\163\123\151\147\156\040\123\151\154\166\145
\162\040\103\101\040\055\040\107\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\010\117\033\324\057\124\273\057\113
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\275\060\202\003\245\240\003\002\001\002\002\010\117
\033\324\057\124\273\057\113\060\015\006\011\052\206\110\206\367
\015\001\001\005\005\000\060\107\061\013\060\011\006\003\125\004
\006\023\002\103\110\061\025\060\023\006\003\125\004\012\023\014
\123\167\151\163\163\123\151\147\156\040\101\107\061\041\060\037
\006\003\125\004\003\023\030\123\167\151\163\163\123\151\147\156

```

\040\123\151\154\166\145\162\040\103\101\040\055\040\107\062\060  
\036\027\015\060\066\061\060\062\065\060\070\063\062\064\066\132  
\027\015\063\066\061\060\062\065\060\070\063\062\064\066\132\060  
\107\061\013\060\011\006\003\125\004\006\023\002\103\110\061\025  
\060\023\006\003\125\004\012\023\014\123\167\151\163\163\123\151  
\147\156\040\101\107\061\041\060\037\006\003\125\004\003\023\030  
\123\167\151\163\163\123\151\147\156\040\123\151\154\166\145\162  
\040\103\101\040\055\040\107\062\060\202\002\042\060\015\006\011  
\052\206\110\206\367\015\001\001\001\005\000\003\202\002\017\000  
\060\202\002\012\002\202\002\001\000\304\361\207\177\323\170\061  
\367\070\311\370\303\231\103\274\307\367\274\067\347\116\161\272  
\113\217\245\163\035\134\156\230\256\003\127\256\070\067\103\057  
\027\075\037\310\316\150\020\301\170\256\031\003\053\020\372\054  
\171\203\366\350\271\150\271\125\362\004\104\247\071\371\374\004  
\213\036\361\242\115\047\371\141\173\272\267\345\242\023\266\353  
\141\076\320\154\321\346\373\372\136\355\035\264\236\240\065\133  
\241\222\313\360\111\222\376\205\012\005\076\346\331\013\342\117  
\273\334\225\067\374\221\351\062\065\042\321\037\072\116\047\205  
\235\260\025\224\062\332\141\015\107\115\140\102\256\222\107\350  
\203\132\120\130\351\212\213\271\135\241\334\335\231\112\037\066  
\147\273\110\344\203\266\067\353\110\072\257\017\147\217\027\007  
\350\004\312\357\152\061\207\324\300\266\371\224\161\173\147\144  
\270\266\221\112\102\173\145\056\060\152\014\365\220\356\225\346  
\362\315\202\354\331\241\112\354\366\262\113\345\105\205\346\155  
\170\223\004\056\234\202\155\066\251\304\061\144\037\206\203\013  
\052\364\065\012\170\311\125\317\101\260\107\351\060\237\231\276  
\141\250\006\204\271\050\172\137\070\331\033\251\070\260\203\177  
\163\301\303\073\110\052\202\017\041\233\270\314\250\065\303\204  
\033\203\263\076\276\244\225\151\001\072\211\000\170\004\331\311  
\364\231\031\253\126\176\133\213\206\071\025\221\244\020\054\011  
\062\200\140\263\223\300\052\266\030\013\235\176\215\111\362\020  
\112\177\371\325\106\057\031\222\243\231\247\046\254\273\214\074  
\346\016\274\107\007\334\163\121\361\160\144\057\010\371\264\107  
\035\060\154\104\352\051\067\205\222\150\146\274\203\070\376\173  
\071\056\323\120\360\037\373\136\140\266\251\246\372\047\101\361  
\233\030\162\362\365\204\164\112\311\147\304\124\256\110\144\337  
\214\321\156\260\035\341\007\217\010\036\231\234\161\351\114\330  
\245\367\107\022\037\164\321\121\236\206\363\302\242\043\100\013  
\163\333\113\246\347\163\006\214\301\240\351\301\131\254\106\372  
\346\057\370\317\161\234\106\155\271\304\025\215\070\171\003\105  
\110\357\304\135\327\010\356\207\071\042\206\262\015\017\130\103  
\367\161\251\110\056\375\352\326\037\002\003\001\000\001\243\201  
\254\060\201\251\060\016\006\003\125\035\017\001\001\377\004\004  
\003\002\001\006\060\017\006\003\125\035\023\001\001\377\004\005  
\060\003\001\001\377\060\035\006\003\125\035\016\004\026\004\024  
\027\240\315\301\344\101\266\072\133\073\313\105\235\275\034\302  
\230\372\206\130\060\037\006\003\125\035\043\004\030\060\026\200  
\024\027\240\315\301\344\101\266\072\133\073\313\105\235\275\034

\302\230\372\206\130\060\106\006\003\125\035\040\004\077\060\075  
\060\073\006\011\140\205\164\001\131\001\003\001\001\060\056\060  
\054\006\010\053\006\001\005\005\007\002\001\026\040\150\164\164  
\160\072\057\057\162\145\160\157\163\151\164\157\162\171\056\163  
\167\151\163\163\163\151\147\156\056\143\157\155\057\060\015\006  
\011\052\206\110\206\367\015\001\001\005\005\000\003\202\002\001  
\000\163\306\201\340\047\322\055\017\340\225\060\342\232\101\177  
\120\054\137\137\142\141\251\206\152\151\030\014\164\111\326\135  
\204\352\101\122\030\157\130\255\120\126\040\152\306\275\050\151  
\130\221\334\221\021\065\251\072\035\274\032\245\140\236\330\037  
\177\105\221\151\331\176\273\170\162\301\006\017\052\316\217\205  
\160\141\254\240\315\013\270\071\051\126\204\062\116\206\273\075  
\304\052\331\327\037\162\356\376\121\241\042\101\261\161\002\143  
\032\202\260\142\253\136\127\022\037\337\313\335\165\240\300\135  
\171\220\214\033\340\120\346\336\061\376\230\173\160\137\245\220  
\330\255\370\002\266\157\323\140\335\100\113\042\305\075\255\072  
\172\237\032\032\107\221\171\063\272\202\334\062\151\003\226\156  
\037\113\360\161\376\343\147\162\240\261\277\134\213\344\372\231  
\042\307\204\271\033\215\043\227\077\355\045\340\317\145\273\365  
\141\004\357\335\036\262\132\101\042\132\241\237\135\054\350\133  
\311\155\251\014\014\170\252\140\306\126\217\001\132\014\150\274  
\151\031\171\304\037\176\227\005\277\305\351\044\121\136\324\325  
\113\123\355\331\043\132\066\003\145\243\301\003\255\101\060\363  
\106\033\205\220\257\145\265\325\261\344\026\133\170\165\035\227  
\172\155\131\251\052\217\173\336\303\207\211\020\231\111\163\170  
\310\075\275\121\065\164\052\325\361\176\151\033\052\273\073\275  
\045\270\232\132\075\162\141\220\146\207\356\014\326\115\324\021  
\164\013\152\376\013\003\374\243\125\127\211\376\112\313\256\133  
\027\005\310\362\215\043\061\123\070\322\055\152\077\202\271\215  
\010\152\367\136\101\164\156\303\021\176\007\254\051\140\221\077  
\070\312\127\020\015\275\060\057\307\245\346\101\240\332\256\005  
\207\232\240\244\145\154\114\011\014\211\272\270\323\271\300\223  
\212\060\372\215\345\232\153\025\001\116\147\252\332\142\126\076  
\204\010\146\322\304\066\175\247\076\020\374\210\340\324\200\345  
\000\275\252\363\116\006\243\172\152\371\142\162\343\011\117\353  
\233\016\001\043\361\237\273\174\334\334\154\021\227\045\262\362  
\264\143\024\322\006\052\147\214\203\365\316\352\007\330\232\152  
\036\354\344\012\273\052\114\353\011\140\071\316\312\142\330\056  
\156

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "SwissSign Silver CA - G2"  
# Issuer: CN=SwissSign Silver CA - G2,O=SwissSign AG,C=CH  
# Serial Number:4f:1b:d4:2f:54:bb:2f:4b  
# Subject: CN=SwissSign Silver CA - G2,O=SwissSign AG,C=CH

```

# Not Valid Before: Wed Oct 25 08:32:46 2006
# Not Valid After : Sat Oct 25 08:32:46 2036
# Fingerprint (SHA-256):
BE:6C:4D:A2:BB:B9:BA:59:B6:F3:93:97:68:37:42:46:C3:C0:05:99:3F:A9:8F:02:0D:1D:ED:BE:D4:8A:81:D5
# Fingerprint (SHA1): 9B:AA:E5:9F:56:EE:21:CB:43:5A:BE:25:93:DF:A7:F0:40:D1:1D:CB
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "SwissSign Silver CA - G2"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\233\252\345\237\126\356\041\313\103\132\276\045\223\337\247\360
\100\321\035\313
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\340\006\241\311\175\317\311\374\015\300\126\165\226\330\142\023
END
CKA_ISSUER MULTILINE_OCTAL
\060\107\061\013\060\011\006\003\125\004\006\023\002\103\110\061
\025\060\023\006\003\125\004\012\023\014\123\167\151\163\163\123
\151\147\156\040\101\107\061\041\060\037\006\003\125\004\003\023
\030\123\167\151\163\163\123\151\147\156\040\123\151\154\166\145
\162\040\103\101\040\055\040\107\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\010\117\033\324\057\124\273\057\113
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "SecureTrust CA"
#
# Issuer: CN=SecureTrust CA,O=SecureTrust Corporation,C=US
# Serial Number:0c:f0:8e:5c:08:16:a5:ad:42:7f:f0:eb:27:18:59:d0
# Subject: CN=SecureTrust CA,O=SecureTrust Corporation,C=US
# Not Valid Before: Tue Nov 07 19:31:18 2006
# Not Valid After : Mon Dec 31 19:40:55 2029
# Fingerprint (SHA-256):
F1:C1:B5:0A:E5:A2:0D:D8:03:0E:C9:F6:BC:24:82:3D:D3:67:B5:25:57:59:B4:E7:1B:61:FC:E9:F7:37:5D:73
# Fingerprint (SHA1): 87:82:C6:C3:04:35:3B:CF:D2:96:92:D2:59:3E:7D:44:D9:34:FF:11
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "SecureTrust CA"

```

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

\060\110\061\013\060\011\006\003\125\004\006\023\002\125\123\061  
\040\060\036\006\003\125\004\012\023\027\123\145\143\165\162\145  
\124\162\165\163\164\040\103\157\162\160\157\162\141\164\151\157  
\156\061\027\060\025\006\003\125\004\003\023\016\123\145\143\165  
\162\145\124\162\165\163\164\040\103\101

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\110\061\013\060\011\006\003\125\004\006\023\002\125\123\061  
\040\060\036\006\003\125\004\012\023\027\123\145\143\165\162\145  
\124\162\165\163\164\040\103\157\162\160\157\162\141\164\151\157  
\156\061\027\060\025\006\003\125\004\003\023\016\123\145\143\165  
\162\145\124\162\165\163\164\040\103\101

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\020\014\360\216\134\010\026\245\255\102\177\360\353\047\030  
\131\320

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\003\270\060\202\002\240\240\003\002\001\002\002\020\014  
\360\216\134\010\026\245\255\102\177\360\353\047\030\131\320\060  
\015\006\011\052\206\110\206\367\015\001\001\005\005\000\060\110  
\061\013\060\011\006\003\125\004\006\023\002\125\123\061\040\060  
\036\006\003\125\004\012\023\027\123\145\143\165\162\145\124\162  
\165\163\164\040\103\157\162\160\157\162\141\164\151\157\156\061  
\027\060\025\006\003\125\004\003\023\016\123\145\143\165\162\145  
\124\162\165\163\164\040\103\101\060\036\027\015\060\066\061\061  
\060\067\061\071\063\061\061\070\132\027\015\062\071\061\062\063  
\061\061\071\064\060\065\065\132\060\110\061\013\060\011\006\003  
\125\004\006\023\002\125\123\061\040\060\036\006\003\125\004\012  
\023\027\123\145\143\165\162\145\124\162\165\163\164\040\103\157  
\162\160\157\162\141\164\151\157\156\061\027\060\025\006\003\125  
\004\003\023\016\123\145\143\165\162\145\124\162\165\163\164\040  
\103\101\060\202\001\042\060\015\006\011\052\206\110\206\367\015  
\001\001\001\005\000\003\202\001\017\000\060\202\001\012\002\202  
\001\001\000\253\244\201\345\225\315\365\366\024\216\302\117\312  
\324\342\170\225\130\234\101\341\015\231\100\044\027\071\221\063  
\146\351\276\341\203\257\142\134\211\321\374\044\133\141\263\340  
\021\021\101\034\035\156\360\270\273\370\336\247\201\272\246\110  
\306\237\035\275\276\216\251\101\076\270\224\355\051\032\324\216  
\322\003\035\003\357\155\015\147\034\127\327\006\255\312\310\365  
\376\016\257\146\045\110\004\226\013\135\243\272\026\303\010\117  
\321\106\370\024\134\362\310\136\001\231\155\375\210\314\206\250  
\301\157\061\102\154\122\076\150\313\363\031\064\337\273\207\030  
\126\200\046\304\320\334\300\157\337\336\240\302\221\026\240\144  
\021\113\104\274\036\366\347\372\143\336\146\254\166\244\161\243

\354\066\224\150\172\167\244\261\347\016\057\201\172\342\265\162  
\206\357\242\153\213\360\017\333\323\131\077\272\162\274\104\044  
\234\343\163\263\367\257\127\057\102\046\235\251\164\272\000\122  
\362\113\315\123\174\107\013\066\205\016\146\251\010\227\026\064  
\127\301\146\367\200\343\355\160\124\307\223\340\056\050\025\131  
\207\272\273\002\003\001\000\001\243\201\235\060\201\232\060\023  
\006\011\053\006\001\004\001\202\067\024\002\004\006\036\004\000  
\103\000\101\060\013\006\003\125\035\017\004\004\003\002\001\206  
\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001  
\377\060\035\006\003\125\035\016\004\026\004\024\102\062\266\026  
\372\004\375\376\135\113\172\303\375\367\114\100\035\132\103\257  
\060\064\006\003\125\035\037\004\055\060\053\060\051\240\047\240  
\045\206\043\150\164\164\160\072\057\057\143\162\154\056\163\145  
\143\165\162\145\164\162\165\163\164\056\143\157\155\057\123\124  
\103\101\056\143\162\154\060\020\006\011\053\006\001\004\001\202  
\067\025\001\004\003\002\001\000\060\015\006\011\052\206\110\206  
\367\015\001\001\005\005\000\003\202\001\001\000\060\355\117\112  
\341\130\072\122\162\133\265\246\243\145\030\246\273\121\073\167  
\351\235\352\323\237\134\340\105\145\173\015\312\133\342\160\120  
\262\224\005\024\256\111\307\215\101\007\022\163\224\176\014\043  
\041\375\274\020\177\140\020\132\162\365\230\016\254\354\271\177  
\335\172\157\135\323\034\364\377\210\005\151\102\251\005\161\310  
\267\254\046\350\056\264\214\152\377\161\334\270\261\337\231\274  
\174\041\124\053\344\130\242\273\127\051\256\236\251\243\031\046  
\017\231\056\010\260\357\375\151\317\231\032\011\215\343\247\237  
\053\311\066\064\173\044\263\170\114\225\027\244\006\046\036\266  
\144\122\066\137\140\147\331\234\305\005\164\013\347\147\043\322  
\010\374\210\351\256\213\177\341\060\364\067\176\375\306\062\332  
\055\236\104\060\060\154\356\007\336\322\064\374\322\377\100\366  
\113\364\146\106\006\124\246\362\062\012\143\046\060\153\233\321  
\334\213\107\272\341\271\325\142\320\242\240\364\147\005\170\051  
\143\032\157\004\326\370\306\114\243\232\261\067\264\215\345\050  
\113\035\236\054\302\270\150\274\355\002\356\061

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "SecureTrust CA"

# Issuer: CN=SecureTrust CA,O=SecureTrust Corporation,C=US

# Serial Number:0c:f0:8e:5c:08:16:a5:ad:42:7f:f0:eb:27:18:59:d0

# Subject: CN=SecureTrust CA,O=SecureTrust Corporation,C=US

# Not Valid Before: Tue Nov 07 19:31:18 2006

# Not Valid After : Mon Dec 31 19:40:55 2029

# Fingerprint (SHA-256):

F1:C1:B5:0A:E5:A2:0D:D8:03:0E:C9:F6:BC:24:82:3D:D3:67:B5:25:57:59:B4:E7:1B:61:FC:E9:F7:37:5D:73

# Fingerprint (SHA1): 87:82:C6:C3:04:35:3B:CF:D2:96:92:D2:59:3E:7D:44:D9:34:FF:11

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

```
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "SecureTrust CA"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\207\202\306\303\004\065\073\317\322\226\222\322\131\076\175\104
\331\064\377\021
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\334\062\303\247\155\045\127\307\150\011\235\352\055\251\242\321
END
CKA_ISSUER MULTILINE_OCTAL
\060\110\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\040\060\036\006\003\125\004\012\023\027\123\145\143\165\162\145
\124\162\165\163\164\040\103\157\162\160\157\162\141\164\151\157
\156\061\027\060\025\006\003\125\004\003\023\016\123\145\143\165
\162\145\124\162\165\163\164\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\014\360\216\134\010\026\245\255\102\177\360\353\047\030
\131\320
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE
```

```
#
```

```
# Certificate "Secure Global CA"
```

```
#
```

```
# Issuer: CN=Secure Global CA,O=SecureTrust Corporation,C=US
```

```
# Serial Number:07:56:22:a4:e8:d4:8a:89:4d:f4:13:c8:f0:f8:ea:a5
```

```
# Subject: CN=Secure Global CA,O=SecureTrust Corporation,C=US
```

```
# Not Valid Before: Tue Nov 07 19:42:28 2006
```

```
# Not Valid After : Mon Dec 31 19:52:06 2029
```

```
# Fingerprint (SHA-256):
```

```
42:00:F5:04:3A:C8:59:0E:BB:52:7D:20:9E:D1:50:30:29:FB:CB:D4:1C:A1:B5:06:EC:27:F1:5A:DE:7D:AC:69
```

```
# Fingerprint (SHA1): 3A:44:73:5A:E5:81:90:1F:24:86:61:46:1E:3B:9C:C4:5F:F5:3A:1B
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Secure Global CA"
```

```
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
```

```
CKA_SUBJECT MULTILINE_OCTAL
```

```
\060\112\061\013\060\011\006\003\125\004\006\023\002\125\123\061
```

```
\040\060\036\006\003\125\004\012\023\027\123\145\143\165\162\145
```

```
\124\162\165\163\164\040\103\157\162\160\157\162\141\164\151\157
```

\156\061\031\060\027\006\003\125\004\003\023\020\123\145\143\165  
\162\145\040\107\154\157\142\141\154\040\103\101  
END  
CKA\_ID UTF8 "0"  
CKA\_ISSUER MULTILINE\_OCTAL  
\060\112\061\013\060\011\006\003\125\004\006\023\002\125\123\061  
\040\060\036\006\003\125\004\012\023\027\123\145\143\165\162\145  
\124\162\165\163\164\040\103\157\162\160\157\162\141\164\151\157  
\156\061\031\060\027\006\003\125\004\003\023\020\123\145\143\165  
\162\145\040\107\154\157\142\141\154\040\103\101  
END  
CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL  
\002\020\007\126\042\244\350\324\212\211\115\364\023\310\360\370  
\352\245  
END  
CKA\_VALUE MULTILINE\_OCTAL  
\060\202\003\274\060\202\002\244\240\003\002\001\002\002\020\007  
\126\042\244\350\324\212\211\115\364\023\310\360\370\352\245\060  
\015\006\011\052\206\110\206\367\015\001\001\005\005\000\060\112  
\061\013\060\011\006\003\125\004\006\023\002\125\123\061\040\060  
\036\006\003\125\004\012\023\027\123\145\143\165\162\145\124\162  
\165\163\164\040\103\157\162\160\157\162\141\164\151\157\156\061  
\031\060\027\006\003\125\004\003\023\020\123\145\143\165\162\145  
\040\107\154\157\142\141\154\040\103\101\060\036\027\015\060\066  
\061\061\060\067\061\071\064\062\062\070\132\027\015\062\071\061  
\062\063\061\061\071\065\062\060\066\132\060\112\061\013\060\011  
\006\003\125\004\006\023\002\125\123\061\040\060\036\006\003\125  
\004\012\023\027\123\145\143\165\162\145\124\162\165\163\164\040  
\103\157\162\160\157\162\141\164\151\157\156\061\031\060\027\006  
\003\125\004\003\023\020\123\145\143\165\162\145\040\107\154\157  
\142\141\154\040\103\101\060\202\001\042\060\015\006\011\052\206  
\110\206\367\015\001\001\001\005\000\003\202\001\017\000\060\202  
\001\012\002\202\001\001\000\257\065\056\330\254\154\125\151\006  
\161\345\023\150\044\263\117\330\314\041\107\370\361\140\070\211  
\211\003\351\275\352\136\106\123\011\334\134\365\132\350\367\105  
\052\002\353\061\141\327\051\063\114\316\307\174\012\067\176\017  
\272\062\230\341\035\227\257\217\307\334\311\070\226\363\333\032  
\374\121\355\150\306\320\156\244\174\044\321\256\102\310\226\120  
\143\056\340\376\165\376\230\247\137\111\056\225\343\071\063\144  
\216\036\244\137\220\322\147\074\262\331\376\101\271\125\247\011  
\216\162\005\036\213\335\104\205\202\102\320\111\300\035\140\360  
\321\027\054\225\353\366\245\301\222\243\305\302\247\010\140\015  
\140\004\020\226\171\236\026\064\346\251\266\372\045\105\071\310  
\036\145\371\223\365\252\361\122\334\231\230\075\245\206\032\014  
\065\063\372\113\245\004\006\025\034\061\200\357\252\030\153\302  
\173\327\332\316\371\063\040\325\365\275\152\063\055\201\004\373  
\260\134\324\234\243\342\134\035\343\251\102\165\136\173\324\167  
\357\071\124\272\311\012\030\033\022\231\111\057\210\113\375\120



```
\142\321\163\347\217\172\103\002\003\001\000\001\243\201\235\060
\201\232\060\023\006\011\053\006\001\004\001\202\067\024\002\004
\006\036\004\000\103\000\101\060\013\006\003\125\035\017\004\004
\003\002\001\206\060\017\006\003\125\035\023\001\001\377\004\005
\060\003\001\001\377\060\035\006\003\125\035\016\004\026\004\024
\257\104\004\302\101\176\110\203\333\116\071\002\354\354\204\172
\346\316\311\244\060\064\006\003\125\035\037\004\055\060\053\060
\051\240\047\240\045\206\043\150\164\164\160\072\057\057\143\162
\154\056\163\145\143\165\162\145\164\162\165\163\164\056\143\157
\155\057\123\107\103\101\056\143\162\154\060\020\006\011\053\006
\001\004\001\202\067\025\001\004\003\002\001\000\060\015\006\011
\052\206\110\206\367\015\001\001\005\005\000\003\202\001\001\000
\143\032\010\100\175\244\136\123\015\167\330\172\256\037\015\013
\121\026\003\357\030\174\310\343\257\152\130\223\024\140\221\262
\204\334\210\116\276\071\212\072\363\346\202\211\135\001\067\263
\253\044\244\025\016\222\065\132\112\104\136\116\127\372\165\316
\037\110\316\146\364\074\100\046\222\230\154\033\356\044\106\014
\027\263\122\245\333\245\221\221\317\067\323\157\347\047\010\072
\116\031\037\072\247\130\134\027\317\171\077\213\344\247\323\046
\043\235\046\017\130\151\374\107\176\262\320\215\213\223\277\051
\117\103\151\164\166\147\113\317\007\214\346\002\367\265\341\264
\103\265\113\055\024\237\371\334\046\015\277\246\107\164\006\330
\210\321\072\051\060\204\316\322\071\200\142\033\250\307\127\111
\274\152\125\121\147\025\112\276\065\007\344\325\165\230\067\171
\060\024\333\051\235\154\305\151\314\107\125\242\060\367\314\134
\177\302\303\230\034\153\116\026\200\353\172\170\145\105\242\000
\032\257\014\015\125\144\064\110\270\222\271\361\264\120\051\362
\117\043\037\332\154\254\037\104\341\335\043\170\121\133\307\026
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "Secure Global CA"
```

```
# Issuer: CN=Secure Global CA,O=SecureTrust Corporation,C=US
```

```
# Serial Number:07:56:22:a4:e8:d4:8a:89:4d:f4:13:c8:f0:f8:ea:a5
```

```
# Subject: CN=Secure Global CA,O=SecureTrust Corporation,C=US
```

```
# Not Valid Before: Tue Nov 07 19:42:28 2006
```

```
# Not Valid After : Mon Dec 31 19:52:06 2029
```

```
# Fingerprint (SHA-256):
```

```
42:00:F5:04:3A:C8:59:0E:BB:52:7D:20:9E:D1:50:30:29:FB:CB:D4:1C:A1:B5:06:EC:27:F1:5A:DE:7D:AC:69
```

```
# Fingerprint (SHA1): 3A:44:73:5A:E5:81:90:1F:24:86:61:46:1E:3B:9C:C4:5F:F5:3A:1B
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Secure Global CA"
```

```
CKA_CERT_SHA1_HASH MULTILINE OCTAL
```

\072\104\163\132\345\201\220\037\044\206\141\106\036\073\234\304  
\137\365\072\033

END

CKA\_CERT\_MD5\_HASH MULTILINE\_OCTAL

\317\364\047\015\324\355\334\145\026\111\155\075\332\277\156\336

END

CKA\_ISSUER MULTILINE\_OCTAL

\060\112\061\013\060\011\006\003\125\004\006\023\002\125\123\061  
\040\060\036\006\003\125\004\012\023\027\123\145\143\165\162\145  
\124\162\165\163\164\040\103\157\162\160\157\162\141\164\151\157  
\156\061\031\060\027\006\003\125\004\003\023\020\123\145\143\165  
\162\145\040\107\154\157\142\141\154\040\103\101

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\020\007\126\042\244\350\324\212\211\115\364\023\310\360\370  
\352\245

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "COMODO Certification Authority"

#

# Issuer: CN=COMODO Certification Authority,O=COMODO CA Limited,L=Salford,ST=Greater  
Manchester,C=GB

# Serial Number:4e:81:2d:8a:82:65:e0:0b:02:ee:3e:35:02:46:e5:3d

# Subject: CN=COMODO Certification Authority,O=COMODO CA Limited,L=Salford,ST=Greater  
Manchester,C=GB

# Not Valid Before: Fri Dec 01 00:00:00 2006

# Not Valid After : Mon Dec 31 23:59:59 2029

# Fingerprint (SHA-256):

0C:2C:D6:3D:F7:80:6F:A3:99:ED:E8:09:11:6B:57:5B:F8:79:89:F0:65:18:F9:80:8C:86:05:03:17:8B:AF:66

# Fingerprint (SHA1): 66:31:BF:9E:F7:4F:9E:B6:C9:D5:A6:0C:BA:6A:BE:D1:F7:BD:EF:7B

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "COMODO Certification Authority"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

\060\201\201\061\013\060\011\006\003\125\004\006\023\002\107\102  
\061\033\060\031\006\003\125\004\010\023\022\107\162\145\141\164  
\145\162\040\115\141\156\143\150\145\163\164\145\162\061\020\060  
\016\006\003\125\004\007\023\007\123\141\154\146\157\162\144\061  
\032\060\030\006\003\125\004\012\023\021\103\117\115\117\104\117  
\040\103\101\040\114\151\155\151\164\145\144\061\047\060\045\006

\003\125\004\003\023\036\103\117\115\117\104\117\040\103\145\162  
\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150\157  
\162\151\164\171

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\201\201\061\013\060\011\006\003\125\004\006\023\002\107\102  
\061\033\060\031\006\003\125\004\010\023\022\107\162\145\141\164  
\145\162\040\115\141\156\143\150\145\163\164\145\162\061\020\060  
\016\006\003\125\004\007\023\007\123\141\154\146\157\162\144\061  
\032\060\030\006\003\125\004\012\023\021\103\117\115\117\104\117  
\040\103\101\040\114\151\155\151\164\145\144\061\047\060\045\006  
\003\125\004\003\023\036\103\117\115\117\104\117\040\103\145\162  
\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150\157  
\162\151\164\171

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\020\116\201\055\212\202\145\340\013\002\356\076\065\002\106  
\345\075

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\004\035\060\202\003\005\240\003\002\001\002\002\020\116  
\201\055\212\202\145\340\013\002\356\076\065\002\106\345\075\060  
\015\006\011\052\206\110\206\367\015\001\001\005\005\000\060\201  
\201\061\013\060\011\006\003\125\004\006\023\002\107\102\061\033  
\060\031\006\003\125\004\010\023\022\107\162\145\141\164\145\162  
\040\115\141\156\143\150\145\163\164\145\162\061\020\060\016\006  
\003\125\004\007\023\007\123\141\154\146\157\162\144\061\032\060  
\030\006\003\125\004\012\023\021\103\117\115\117\104\117\040\103  
\101\040\114\151\155\151\164\145\144\061\047\060\045\006\003\125  
\004\003\023\036\103\117\115\117\104\117\040\103\145\162\164\151  
\146\151\143\141\164\151\157\156\040\101\165\164\150\157\162\151  
\164\171\060\036\027\015\060\066\061\062\060\061\060\060\060\060  
\060\060\132\027\015\062\071\061\062\063\061\062\063\065\071\065  
\071\132\060\201\201\061\013\060\011\006\003\125\004\006\023\002  
\107\102\061\033\060\031\006\003\125\004\010\023\022\107\162\145  
\141\164\145\162\040\115\141\156\143\150\145\163\164\145\162\061  
\020\060\016\006\003\125\004\007\023\007\123\141\154\146\157\162  
\144\061\032\060\030\006\003\125\004\012\023\021\103\117\115\117  
\104\117\040\103\101\040\114\151\155\151\164\145\144\061\047\060  
\045\006\003\125\004\003\023\036\103\117\115\117\104\117\040\103  
\145\162\164\151\146\151\143\141\164\151\157\156\040\101\165\164  
\150\157\162\151\164\171\060\202\001\042\060\015\006\011\052\206  
\110\206\367\015\001\001\001\005\000\003\202\001\017\000\060\202  
\001\012\002\202\001\001\000\320\100\213\213\162\343\221\033\367  
\121\301\033\124\004\230\323\251\277\301\346\212\135\073\207\373  
\273\210\316\015\343\057\077\006\226\360\242\051\120\231\256\333  
\073\241\127\260\164\121\161\315\355\102\221\115\101\376\251\310

\330\152\206\167\104\273\131\146\227\120\136\264\324\054\160\104  
\317\332\067\225\102\151\074\060\304\161\263\122\360\041\115\241  
\330\272\071\174\034\236\243\044\235\362\203\026\230\252\026\174  
\103\233\025\133\267\256\064\221\376\324\142\046\030\106\232\077  
\353\301\371\361\220\127\353\254\172\015\213\333\162\060\152\146  
\325\340\106\243\160\334\150\331\377\004\110\211\167\336\265\351  
\373\147\155\101\351\274\071\275\062\331\142\002\361\261\250\075  
\156\067\234\342\057\342\323\242\046\213\306\270\125\103\210\341  
\043\076\245\322\044\071\152\107\253\000\324\241\263\251\045\376  
\015\077\247\035\272\323\121\301\013\244\332\254\070\357\125\120  
\044\005\145\106\223\064\117\055\215\255\306\324\041\031\322\216  
\312\005\141\161\007\163\107\345\212\031\022\275\004\115\316\116  
\234\245\110\254\273\046\367\002\003\001\000\001\243\201\216\060  
\201\213\060\035\006\003\125\035\016\004\026\004\024\013\130\345  
\213\306\114\025\067\244\100\251\060\251\041\276\107\066\132\126  
\377\060\016\006\003\125\035\017\001\001\377\004\004\003\002\001  
\006\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001  
\001\377\060\111\006\003\125\035\037\004\102\060\100\060\076\240  
\074\240\072\206\070\150\164\164\160\072\057\057\143\162\154\056  
\143\157\155\157\144\157\143\141\056\143\157\155\057\103\117\115  
\117\104\117\103\145\162\164\151\146\151\143\141\164\151\157\156  
\101\165\164\150\157\162\151\164\171\056\143\162\154\060\015\006  
\011\052\206\110\206\367\015\001\001\005\005\000\003\202\001\001  
\000\076\230\236\233\366\033\351\327\071\267\170\256\035\162\030  
\111\323\207\344\103\202\353\077\311\252\365\250\265\357\125\174  
\041\122\145\371\325\015\341\154\364\076\214\223\163\221\056\002  
\304\116\007\161\157\300\217\070\141\010\250\036\201\012\300\057  
\040\057\101\213\221\334\110\105\274\361\306\336\272\166\153\063  
\310\000\055\061\106\114\355\347\235\317\210\224\377\063\300\126  
\350\044\206\046\270\330\070\070\337\052\153\335\022\314\307\077  
\107\027\114\242\302\006\226\011\326\333\376\077\074\106\101\337  
\130\342\126\017\074\073\301\034\223\065\331\070\122\254\356\310  
\354\056\060\116\224\065\264\044\037\113\170\151\332\362\002\070  
\314\225\122\223\360\160\045\131\234\040\147\304\356\371\213\127  
\141\364\222\166\175\077\204\215\125\267\350\345\254\325\361\365  
\031\126\246\132\373\220\034\257\223\353\345\034\324\147\227\135  
\004\016\276\013\203\246\027\203\271\060\022\240\305\063\025\005  
\271\015\373\307\005\166\343\330\112\215\374\064\027\243\306\041  
\050\276\060\105\061\036\307\170\276\130\141\070\254\073\342\001  
\145

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "COMODO Certification Authority"

# Issuer: CN=COMODO Certification Authority,O=COMODO CA Limited,L=Salford,ST=Greater  
Manchester,C=GB

```

# Serial Number:4e:81:2d:8a:82:65:e0:0b:02:ee:3e:35:02:46:e5:3d
# Subject: CN=COMODO Certification Authority,O=COMODO CA Limited,L=Salford,ST=Greater
Manchester,C=GB
# Not Valid Before: Fri Dec 01 00:00:00 2006
# Not Valid After : Mon Dec 31 23:59:59 2029
# Fingerprint (SHA-256):
0C:2C:D6:3D:F7:80:6F:A3:99:ED:E8:09:11:6B:57:5B:F8:79:89:F0:65:18:F9:80:8C:86:05:03:17:8B:AF:66
# Fingerprint (SHA1): 66:31:BF:9E:F7:4F:9E:B6:C9:D5:A6:0C:BA:6A:BE:D1:F7:BD:EF:7B
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "COMODO Certification Authority"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\146\061\277\236\367\117\236\266\311\325\246\014\272\152\276\321
\367\275\357\173
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\134\110\334\367\102\162\354\126\224\155\034\314\161\065\200\165
END
CKA_ISSUER MULTILINE_OCTAL
\060\201\201\061\013\060\011\006\003\125\004\006\023\002\107\102
\061\033\060\031\006\003\125\004\010\023\022\107\162\145\141\164
\145\162\040\115\141\156\143\150\145\163\164\145\162\061\020\060
\016\006\003\125\004\007\023\007\123\141\154\146\157\162\144\061
\032\060\030\006\003\125\004\012\023\021\103\117\115\117\104\117
\040\103\101\040\114\151\155\151\164\145\144\061\047\060\045\006
\003\125\004\003\023\036\103\117\115\117\104\117\040\103\145\162
\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150\157
\162\151\164\171
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\116\201\055\212\202\145\340\013\002\356\076\065\002\106
\345\075
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Network Solutions Certificate Authority"
#
# Issuer: CN=Network Solutions Certificate Authority,O=Network Solutions L.L.C.,C=US
# Serial Number:57:cb:33:6f:c2:5c:16:e6:47:16:17:e3:90:31:68:e0
# Subject: CN=Network Solutions Certificate Authority,O=Network Solutions L.L.C.,C=US
# Not Valid Before: Fri Dec 01 00:00:00 2006
# Not Valid After : Mon Dec 31 23:59:59 2029

```

```

# Fingerprint (SHA-256):
15:F0:BA:00:A3:AC:7A:F3:AC:88:4C:07:2B:10:11:A0:77:BD:77:C0:97:F4:01:64:B2:F8:59:8A:BD:83:86:0C
# Fingerprint (SHA1): 74:F8:A3:C3:EF:E7:B3:90:06:4B:83:90:3C:21:64:60:20:E5:DF:CE
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Network Solutions Certificate Authority"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\142\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\041\060\037\006\003\125\004\012\023\030\116\145\164\167\157\162
\153\040\123\157\154\165\164\151\157\156\163\040\114\056\114\056
\103\056\061\060\060\056\006\003\125\004\003\023\047\116\145\164
\167\157\162\153\040\123\157\154\165\164\151\157\156\163\040\103
\145\162\164\151\146\151\143\141\164\145\040\101\165\164\150\157
\162\151\164\171
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\142\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\041\060\037\006\003\125\004\012\023\030\116\145\164\167\157\162
\153\040\123\157\154\165\164\151\157\156\163\040\114\056\114\056
\103\056\061\060\060\056\006\003\125\004\003\023\047\116\145\164
\167\157\162\153\040\123\157\154\165\164\151\157\156\163\040\103
\145\162\164\151\146\151\143\141\164\145\040\101\165\164\150\157
\162\151\164\171
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\127\313\063\157\302\134\026\346\107\026\027\343\220\061
\150\340
END
CKA_VALUE MULTILINE_OCTAL
\060\202\003\346\060\202\002\316\240\003\002\001\002\002\020\127
\313\063\157\302\134\026\346\107\026\027\343\220\061\150\340\060
\015\006\011\052\206\110\206\367\015\001\001\005\005\000\060\142
\061\013\060\011\006\003\125\004\006\023\002\125\123\061\041\060
\037\006\003\125\004\012\023\030\116\145\164\167\157\162\153\040
\123\157\154\165\164\151\157\156\163\040\114\056\114\056\103\056
\061\060\060\056\006\003\125\004\003\023\047\116\145\164\167\157
\162\153\040\123\157\154\165\164\151\157\156\163\040\103\145\162
\164\151\146\151\143\141\164\145\040\101\165\164\150\157\162\151
\164\171\060\036\027\015\060\066\061\062\060\061\060\060\060\060
\060\060\132\027\015\062\071\061\062\063\061\062\063\065\071\065
\071\132\060\142\061\013\060\011\006\003\125\004\006\023\002\125
\123\061\041\060\037\006\003\125\004\012\023\030\116\145\164\167
\157\162\153\040\123\157\154\165\164\151\157\156\163\040\114\056
\114\056\103\056\061\060\060\056\006\003\125\004\003\023\047\116

```

\145\164\167\157\162\153\040\123\157\154\165\164\151\157\156\163  
\040\103\145\162\164\151\146\151\143\141\164\145\040\101\165\164  
\150\157\162\151\164\171\060\202\001\042\060\015\006\011\052\206  
\110\206\367\015\001\001\001\005\000\003\202\001\017\000\060\202  
\001\012\002\202\001\001\000\344\274\176\222\060\155\306\330\216  
\053\013\274\106\316\340\047\226\336\336\371\372\022\323\074\063  
\163\263\004\057\274\161\214\345\237\266\042\140\076\137\135\316  
\011\377\202\014\033\232\121\120\032\046\211\335\325\141\135\031  
\334\022\017\055\012\242\103\135\027\320\064\222\040\352\163\317  
\070\054\006\046\011\172\162\367\372\120\062\370\302\223\323\151  
\242\043\316\101\261\314\344\325\037\066\321\212\072\370\214\143  
\342\024\131\151\355\015\323\177\153\350\270\003\345\117\152\345  
\230\143\151\110\005\276\056\377\063\266\351\227\131\151\370\147  
\031\256\223\141\226\104\025\323\162\260\077\274\152\175\354\110  
\177\215\303\253\252\161\053\123\151\101\123\064\265\260\271\305  
\006\012\304\260\105\365\101\135\156\211\105\173\075\073\046\214  
\164\302\345\322\321\175\262\021\324\373\130\062\042\232\200\311  
\334\375\014\351\177\136\003\227\316\073\000\024\207\047\160\070  
\251\216\156\263\047\166\230\121\340\005\343\041\253\032\325\205  
\042\074\051\265\232\026\305\200\250\364\273\153\060\217\057\106  
\002\242\261\014\042\340\323\002\003\001\000\001\243\201\227\060  
\201\224\060\035\006\003\125\035\016\004\026\004\024\041\060\311  
\373\000\327\116\230\332\207\252\052\320\247\056\261\100\061\247  
\114\060\016\006\003\125\035\017\001\001\377\004\004\003\002\001  
\006\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001  
\001\377\060\122\006\003\125\035\037\004\113\060\111\060\107\240  
\105\240\103\206\101\150\164\164\160\072\057\057\143\162\154\056  
\156\145\164\163\157\154\163\163\154\056\143\157\155\057\116\145  
\164\167\157\162\153\123\157\154\165\164\151\157\156\163\103\145  
\162\164\151\146\151\143\141\164\145\101\165\164\150\157\162\151  
\164\171\056\143\162\154\060\015\006\011\052\206\110\206\367\015  
\001\001\005\005\000\003\202\001\001\000\273\256\113\347\267\127  
\353\177\252\055\267\163\107\205\152\301\344\245\035\344\347\074  
\351\364\131\145\167\265\172\133\132\215\045\066\340\172\227\056  
\070\300\127\140\203\230\006\203\237\271\166\172\156\120\340\272  
\210\054\374\105\314\030\260\231\225\121\016\354\035\270\210\377  
\207\120\034\202\302\343\340\062\200\277\240\013\107\310\303\061  
\357\231\147\062\200\117\027\041\171\014\151\134\336\136\064\256  
\002\265\046\352\120\337\177\030\145\054\311\362\143\341\251\007  
\376\174\161\037\153\063\044\152\036\005\367\005\150\300\152\022  
\313\056\136\141\313\256\050\323\176\302\264\146\221\046\137\074  
\056\044\137\313\130\017\353\050\354\257\021\226\363\334\173\157  
\300\247\210\362\123\167\263\140\136\256\256\050\332\065\054\157  
\064\105\323\046\341\336\354\133\117\047\153\026\174\275\104\004  
\030\202\263\211\171\027\020\161\075\172\242\026\116\365\001\315  
\244\154\145\150\241\111\166\134\103\311\330\274\066\147\154\245  
\224\265\324\314\271\275\152\065\126\041\336\330\303\353\373\313  
\244\140\114\260\125\240\240\173\127\262

```

END
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

# Trust for "Network Solutions Certificate Authority"
# Issuer: CN=Network Solutions Certificate Authority,O=Network Solutions L.L.C.,C=US
# Serial Number:57:cb:33:6f:c2:5c:16:e6:47:16:17:e3:90:31:68:e0
# Subject: CN=Network Solutions Certificate Authority,O=Network Solutions L.L.C.,C=US
# Not Valid Before: Fri Dec 01 00:00:00 2006
# Not Valid After : Mon Dec 31 23:59:59 2029
# Fingerprint (SHA-256):
15:F0:BA:00:A3:AC:7A:F3:AC:88:4C:07:2B:10:11:A0:77:BD:77:C0:97:F4:01:64:B2:F8:59:8A:BD:83:86:0C
# Fingerprint (SHA1): 74:F8:A3:C3:EF:E7:B3:90:06:4B:83:90:3C:21:64:60:20:E5:DF:CE
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Network Solutions Certificate Authority"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\164\370\243\303\357\347\263\220\006\113\203\220\074\041\144\140
\040\345\337\316
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\323\363\246\026\300\372\153\035\131\261\055\226\115\016\021\056
END
CKA_ISSUER MULTILINE_OCTAL
\060\142\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\041\060\037\006\003\125\004\012\023\030\116\145\164\167\157\162
\153\040\123\157\154\165\164\151\157\156\163\040\114\056\114\056
\103\056\061\060\060\056\006\003\125\004\003\023\047\116\145\164
\167\157\162\153\040\123\157\154\165\164\151\157\156\163\040\103
\145\162\164\151\146\151\143\141\164\145\040\101\165\164\150\157
\162\151\164\171
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\127\313\063\157\302\134\026\346\107\026\027\343\220\061
\150\340
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "COMODO ECC Certification Authority"
#
# Issuer: CN=COMODO ECC Certification Authority,O=COMODO CA Limited,L=Salford,ST=Greater

```



```
Manchester,C=GB
# Serial Number:1f:47:af:aa:62:00:70:50:54:4c:01:9e:9b:63:99:2a
# Subject: CN=COMODO ECC Certification Authority,O=COMODO CA Limited,L=Salford,ST=Greater
Manchester,C=GB
# Not Valid Before: Thu Mar 06 00:00:00 2008
# Not Valid After : Mon Jan 18 23:59:59 2038
# Fingerprint (SHA-256):
17:93:92:7A:06:14:54:97:89:AD:CE:2F:8F:34:F7:F0:B6:6D:0F:3A:E3:A3:B8:4D:21:EC:15:DB:BA:4F:AD:C7
# Fingerprint (SHA1): 9F:74:4E:9F:2B:4D:BA:EC:0F:31:2C:50:B6:56:3B:8E:2D:93:C3:11
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "COMODO ECC Certification Authority"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\205\061\013\060\011\006\003\125\004\006\023\002\107\102
\061\033\060\031\006\003\125\004\010\023\022\107\162\145\141\164
\145\162\040\115\141\156\143\150\145\163\164\145\162\061\020\060
\016\006\003\125\004\007\023\007\123\141\154\146\157\162\144\061
\032\060\030\006\003\125\004\012\023\021\103\117\115\117\104\117
\040\103\101\040\114\151\155\151\164\145\144\061\053\060\051\006
\003\125\004\003\023\042\103\117\115\117\104\117\040\105\103\103
\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040\101
\165\164\150\157\162\151\164\171
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\205\061\013\060\011\006\003\125\004\006\023\002\107\102
\061\033\060\031\006\003\125\004\010\023\022\107\162\145\141\164
\145\162\040\115\141\156\143\150\145\163\164\145\162\061\020\060
\016\006\003\125\004\007\023\007\123\141\154\146\157\162\144\061
\032\060\030\006\003\125\004\012\023\021\103\117\115\117\104\117
\040\103\101\040\114\151\155\151\164\145\144\061\053\060\051\006
\003\125\004\003\023\042\103\117\115\117\104\117\040\105\103\103
\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040\101
\165\164\150\157\162\151\164\171
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\037\107\257\252\142\000\160\120\124\114\001\236\233\143
\231\052
END
CKA_VALUE MULTILINE_OCTAL
\060\202\002\211\060\202\002\017\240\003\002\001\002\002\020\037
\107\257\252\142\000\160\120\124\114\001\236\233\143\231\052\060
\012\006\010\052\206\110\316\075\004\003\003\060\201\205\061\013
\060\011\006\003\125\004\006\023\002\107\102\061\033\060\031\006
\003\125\004\010\023\022\107\162\145\141\164\145\162\040\115\141
```

\156\143\150\145\163\164\145\162\061\020\060\016\006\003\125\004  
\007\023\007\123\141\154\146\157\162\144\061\032\060\030\006\003  
\125\004\012\023\021\103\117\115\117\104\117\040\103\101\040\114  
\151\155\151\164\145\144\061\053\060\051\006\003\125\004\003\023  
\042\103\117\115\117\104\117\040\105\103\103\040\103\145\162\164  
\151\146\151\143\141\164\151\157\156\040\101\165\164\150\157\162  
\151\164\171\060\036\027\015\060\070\060\063\060\066\060\060\060  
\060\060\060\132\027\015\063\070\060\061\061\070\062\063\065\071  
\065\071\132\060\201\205\061\013\060\011\006\003\125\004\006\023  
\002\107\102\061\033\060\031\006\003\125\004\010\023\022\107\162  
\145\141\164\145\162\040\115\141\156\143\150\145\163\164\145\162  
\061\020\060\016\006\003\125\004\007\023\007\123\141\154\146\157  
\162\144\061\032\060\030\006\003\125\004\012\023\021\103\117\115  
\117\104\117\040\103\101\040\114\151\155\151\164\145\144\061\053  
\060\051\006\003\125\004\003\023\042\103\117\115\117\104\117\040  
\105\103\103\040\103\145\162\164\151\146\151\143\141\164\151\157  
\156\040\101\165\164\150\157\162\151\164\171\060\166\060\020\006  
\007\052\206\110\316\075\002\001\006\005\053\201\004\000\042\003  
\142\000\004\003\107\173\057\165\311\202\025\205\373\165\344\221  
\026\324\253\142\231\365\076\122\013\006\316\101\000\177\227\341  
\012\044\074\035\001\004\356\075\322\215\011\227\014\340\165\344  
\372\373\167\212\052\365\003\140\113\066\213\026\043\026\255\011  
\161\364\112\364\050\120\264\376\210\034\156\077\154\057\057\011  
\131\133\245\133\013\063\231\342\303\075\211\371\152\054\357\262  
\323\006\351\243\102\060\100\060\035\006\003\125\035\016\004\026  
\004\024\165\161\247\031\110\031\274\235\235\352\101\107\337\224  
\304\110\167\231\323\171\060\016\006\003\125\035\017\001\001\377  
\004\004\003\002\001\006\060\017\006\003\125\035\023\001\001\377  
\004\005\060\003\001\001\377\060\012\006\010\052\206\110\316\075  
\004\003\003\003\150\000\060\145\002\061\000\357\003\133\172\254  
\267\170\012\162\267\210\337\377\265\106\024\011\012\372\240\346  
\175\010\306\032\207\275\030\250\163\275\046\312\140\014\235\316  
\231\237\317\134\017\060\341\276\024\061\352\002\060\024\364\223  
\074\111\247\063\172\220\106\107\263\143\175\023\233\116\267\157  
\030\067\200\123\376\335\040\340\065\232\066\321\307\001\271\346  
\334\335\363\377\035\054\072\026\127\331\222\071\326

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "COMODO ECC Certification Authority"  
# Issuer: CN=COMODO ECC Certification Authority,O=COMODO CA Limited,L=Salford,ST=Greater  
Manchester,C=GB  
# Serial Number:1f:47:af:aa:62:00:70:50:54:4c:01:9e:9b:63:99:2a  
# Subject: CN=COMODO ECC Certification Authority,O=COMODO CA Limited,L=Salford,ST=Greater  
Manchester,C=GB  
# Not Valid Before: Thu Mar 06 00:00:00 2008

```

# Not Valid After : Mon Jan 18 23:59:59 2038
# Fingerprint (SHA-256):
17:93:92:7A:06:14:54:97:89:AD:CE:2F:8F:34:F7:F0:B6:6D:0F:3A:E3:A3:B8:4D:21:EC:15:DB:BA:4F:AD:C7
# Fingerprint (SHA1): 9F:74:4E:9F:2B:4D:BA:EC:0F:31:2C:50:B6:56:3B:8E:2D:93:C3:11
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "COMODO ECC Certification Authority"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\237\164\116\237\053\115\272\354\017\061\054\120\266\126\073\216
\055\223\303\021
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\174\142\377\164\235\061\123\136\150\112\325\170\252\036\277\043
END
CKA_ISSUER MULTILINE_OCTAL
\060\201\205\061\013\060\011\006\003\125\004\006\023\002\107\102
\061\033\060\031\006\003\125\004\010\023\022\107\162\145\141\164
\145\162\040\115\141\156\143\150\145\163\164\145\162\061\020\060
\016\006\003\125\004\007\023\007\123\141\154\146\157\162\144\061
\032\060\030\006\003\125\004\012\023\021\103\117\115\117\104\117
\040\103\101\040\114\151\155\151\164\145\144\061\053\060\051\006
\003\125\004\003\023\042\103\117\115\117\104\117\040\105\103\103
\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040\101
\165\164\150\157\162\151\164\171
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\037\107\257\252\142\000\160\120\124\114\001\236\233\143
\231\052
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "OISTE WISeKey Global Root GA CA"
#
# Issuer: CN=OISTE WISeKey Global Root GA CA,OU=OISTE Foundation Endorsed,OU=Copyright (c)
2005,O=WISeKey,C=CH
# Serial Number:41:3d:72:c7:f4:6b:1f:81:43:7d:f1:d2:28:54:df:9a
# Subject: CN=OISTE WISeKey Global Root GA CA,OU=OISTE Foundation Endorsed,OU=Copyright (c)
2005,O=WISeKey,C=CH
# Not Valid Before: Sun Dec 11 16:03:44 2005
# Not Valid After : Fri Dec 11 16:09:51 2037
# Fingerprint (SHA-256):
41:C9:23:86:6A:B4:CA:D6:B7:AD:57:80:81:58:2E:02:07:97:A6:CB:DF:4F:FF:78:CE:83:96:B3:89:37:D7:F5

```

# Fingerprint (SHA1): 59:22:A1:E1:5A:EA:16:35:21:F8:98:39:6A:46:46:B0:44:1B:0F:A9

```
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "OISTE WISeKey Global Root GA CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\212\061\013\060\011\006\003\125\004\006\023\002\103\110
\061\020\060\016\006\003\125\004\012\023\007\127\111\123\145\113
\145\171\061\033\060\031\006\003\125\004\013\023\022\103\157\160
\171\162\151\147\150\164\040\050\143\051\040\062\060\060\065\061
\042\060\040\006\003\125\004\013\023\031\117\111\123\124\105\040
\106\157\165\156\144\141\164\151\157\156\040\105\156\144\157\162
\163\145\144\061\050\060\046\006\003\125\004\003\023\037\117\111
\123\124\105\040\127\111\123\145\113\145\171\040\107\154\157\142
\141\154\040\122\157\157\164\040\107\101\040\103\101
```

END

CKA\_ID UTF8 "0"

```
CKA_ISSUER MULTILINE_OCTAL
\060\201\212\061\013\060\011\006\003\125\004\006\023\002\103\110
\061\020\060\016\006\003\125\004\012\023\007\127\111\123\145\113
\145\171\061\033\060\031\006\003\125\004\013\023\022\103\157\160
\171\162\151\147\150\164\040\050\143\051\040\062\060\060\065\061
\042\060\040\006\003\125\004\013\023\031\117\111\123\124\105\040
\106\157\165\156\144\141\164\151\157\156\040\105\156\144\157\162
\163\145\144\061\050\060\046\006\003\125\004\003\023\037\117\111
\123\124\105\040\127\111\123\145\113\145\171\040\107\154\157\142
\141\154\040\122\157\157\164\040\107\101\040\103\101
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\101\075\162\307\364\153\037\201\103\175\361\322\050\124
\337\232
```

END

```
CKA_VALUE MULTILINE_OCTAL
\060\202\003\361\060\202\002\331\240\003\002\001\002\002\020\101
\075\162\307\364\153\037\201\103\175\361\322\050\124\337\232\060
\015\006\011\052\206\110\206\367\015\001\001\005\005\000\060\201
\212\061\013\060\011\006\003\125\004\006\023\002\103\110\061\020
\060\016\006\003\125\004\012\023\007\127\111\123\145\113\145\171
\061\033\060\031\006\003\125\004\013\023\022\103\157\160\171\162
\151\147\150\164\040\050\143\051\040\062\060\060\065\061\042\060
\040\006\003\125\004\013\023\031\117\111\123\124\105\040\106\157
\165\156\144\141\164\151\157\156\040\105\156\144\157\162\163\145
\144\061\050\060\046\006\003\125\004\003\023\037\117\111\123\124
\105\040\127\111\123\145\113\145\171\040\107\154\157\142\141\154
\040\122\157\157\164\040\107\101\040\103\101\060\036\027\015\060
\065\061\062\061\061\061\066\060\063\064\064\132\027\015\063\067
```

\061\062\061\061\061\066\060\071\065\061\132\060\201\212\061\013  
\060\011\006\003\125\004\006\023\002\103\110\061\020\060\016\006  
\003\125\004\012\023\007\127\111\123\145\113\145\171\061\033\060  
\031\006\003\125\004\013\023\022\103\157\160\171\162\151\147\150  
\164\040\050\143\051\040\062\060\060\065\061\042\060\040\006\003  
\125\004\013\023\031\117\111\123\124\105\040\106\157\165\156\144  
\141\164\151\157\156\040\105\156\144\157\162\163\145\144\061\050  
\060\046\006\003\125\004\003\023\037\117\111\123\124\105\040\127  
\111\123\145\113\145\171\040\107\154\157\142\141\154\040\122\157  
\157\164\040\107\101\040\103\101\060\202\001\042\060\015\006\011  
\052\206\110\206\367\015\001\001\001\005\000\003\202\001\017\000  
\060\202\001\012\002\202\001\001\000\313\117\263\000\233\075\066  
\335\371\321\111\152\153\020\111\037\354\330\053\262\306\370\062  
\201\051\103\225\114\232\031\043\041\025\105\336\343\310\034\121  
\125\133\256\223\350\067\377\053\153\351\324\352\276\052\335\250  
\121\053\327\146\303\141\134\140\002\310\365\316\162\173\073\270  
\362\116\145\010\232\315\244\152\031\301\001\273\163\246\327\366  
\303\335\315\274\244\213\265\231\141\270\001\242\243\324\115\324  
\005\075\221\255\370\264\010\161\144\257\160\361\034\153\176\366  
\303\167\235\044\163\173\344\014\214\341\331\066\341\231\213\005  
\231\013\355\105\061\011\312\302\000\333\367\162\240\226\252\225  
\207\320\216\307\266\141\163\015\166\146\214\334\033\264\143\242  
\237\177\223\023\060\361\241\047\333\331\377\054\125\210\221\240  
\340\117\007\260\050\126\214\030\033\227\104\216\211\335\340\027  
\156\347\052\357\217\071\012\061\204\202\330\100\024\111\056\172  
\101\344\247\376\343\144\314\301\131\161\113\054\041\247\133\175  
\340\035\321\056\201\233\303\330\150\367\275\226\033\254\160\261  
\026\024\013\333\140\271\046\001\005\002\003\001\000\001\243\121  
\060\117\060\013\006\003\125\035\017\004\004\003\002\001\206\060  
\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001\377  
\060\035\006\003\125\035\016\004\026\004\024\263\003\176\256\066  
\274\260\171\321\334\224\046\266\021\276\041\262\151\206\224\060  
\020\006\011\053\006\001\004\001\202\067\025\001\004\003\002\001  
\000\060\015\006\011\052\206\110\206\367\015\001\001\005\005\000  
\003\202\001\001\000\113\241\377\013\207\156\263\371\301\103\261  
\110\363\050\300\035\056\311\011\101\372\224\000\034\244\244\253  
\111\117\217\075\036\357\115\157\275\274\244\366\362\046\060\311  
\020\312\035\210\373\164\031\037\205\105\275\260\154\121\371\066  
\176\333\365\114\062\072\101\117\133\107\317\350\013\055\266\304  
\031\235\164\305\107\306\073\152\017\254\024\333\074\364\163\234  
\251\005\337\000\334\164\170\372\370\065\140\131\002\023\030\174  
\274\373\115\260\040\155\103\273\140\060\172\147\063\134\305\231  
\321\370\055\071\122\163\373\214\252\227\045\134\162\331\010\036  
\253\116\074\343\201\061\237\003\246\373\300\376\051\210\125\332  
\204\325\120\003\266\342\204\243\246\066\252\021\072\001\341\030  
\113\326\104\150\263\075\371\123\164\204\263\106\221\106\226\000  
\267\200\054\266\341\343\020\342\333\242\347\050\217\001\226\142  
\026\076\000\343\034\245\066\201\030\242\114\122\166\300\021\243

```
\156\346\035\272\343\132\276\066\123\305\076\165\217\206\151\051
\130\123\265\234\273\157\237\134\305\030\354\335\057\341\230\311
\374\276\337\012\015
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRUST_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRUST_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "OISTE WISeKey Global Root GA CA"
```

```
# Issuer: CN=OISTE WISeKey Global Root GA CA,OU=OISTE Foundation Endorsed,OU=Copyright (c)
2005,O=WISeKey,C=CH
```

```
# Serial Number:41:3d:72:c7:f4:6b:1f:81:43:7d:f1:d2:28:54:df:9a
```

```
# Subject: CN=OISTE WISeKey Global Root GA CA,OU=OISTE Foundation Endorsed,OU=Copyright (c)
2005,O=WISeKey,C=CH
```

```
# Not Valid Before: Sun Dec 11 16:03:44 2005
```

```
# Not Valid After : Fri Dec 11 16:09:51 2037
```

```
# Fingerprint (SHA-256):
```

```
41:C9:23:86:6A:B4:CA:D6:B7:AD:57:80:81:58:2E:02:07:97:A6:CB:DF:4F:FF:78:CE:83:96:B3:89:37:D7:F5
```

```
# Fingerprint (SHA1): 59:22:A1:E1:5A:EA:16:35:21:F8:98:39:6A:46:46:B0:44:1B:0F:A9
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "OISTE WISeKey Global Root GA CA"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\131\042\241\341\132\352\026\065\041\370\230\071\152\106\106\260
\104\033\017\251
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\274\154\121\063\247\351\323\146\143\124\025\162\033\041\222\223
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\201\212\061\013\060\011\006\003\125\004\006\023\002\103\110
\061\020\060\016\006\003\125\004\012\023\007\127\111\123\145\113
\145\171\061\033\060\031\006\003\125\004\013\023\022\103\157\160
\171\162\151\147\150\164\040\050\143\051\040\062\060\060\065\061
\042\060\040\006\003\125\004\013\023\031\117\111\123\124\105\040
\106\157\165\156\144\141\164\151\157\156\040\105\156\144\157\162
\163\145\144\061\050\060\046\006\003\125\004\003\023\037\117\111
\123\124\105\040\127\111\123\145\113\145\171\040\107\154\157\142
\141\154\040\122\157\157\164\040\107\101\040\103\101
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\020\101\075\162\307\364\153\037\201\103\175\361\322\050\124
\337\232
```

END

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

```
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST  
CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "Certigna"

#

# Issuer: CN=Certigna,O=Dhimyotis,C=FR

# Serial Number:00:fe:dc:e3:01:0f:c9:48:ff

# Subject: CN=Certigna,O=Dhimyotis,C=FR

# Not Valid Before: Fri Jun 29 15:13:05 2007

# Not Valid After : Tue Jun 29 15:13:05 2027

# Fingerprint (SHA-256):

E3:B6:A2:DB:2E:D7:CE:48:84:2F:7A:C5:32:41:C7:B7:1D:54:14:4B:FB:40:C1:1F:3F:1D:0B:42:F5:EE:A1:2D

# Fingerprint (SHA1): B1:2E:13:63:45:86:A4:6F:1A:B2:60:68:37:58:2D:C4:AC:FD:94:97

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "Certigna"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

\060\064\061\013\060\011\006\003\125\004\006\023\002\106\122\061  
\022\060\020\006\003\125\004\012\014\011\104\150\151\155\171\157  
\164\151\163\061\021\060\017\006\003\125\004\003\014\010\103\145  
\162\164\151\147\156\141

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\064\061\013\060\011\006\003\125\004\006\023\002\106\122\061  
\022\060\020\006\003\125\004\012\014\011\104\150\151\155\171\157  
\164\151\163\061\021\060\017\006\003\125\004\003\014\010\103\145  
\162\164\151\147\156\141

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\011\000\376\334\343\001\017\311\110\377

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\003\250\060\202\002\220\240\003\002\001\002\002\011\000  
\376\334\343\001\017\311\110\377\060\015\006\011\052\206\110\206  
\367\015\001\001\005\005\000\060\064\061\013\060\011\006\003\125  
\004\006\023\002\106\122\061\022\060\020\006\003\125\004\012\014  
\011\104\150\151\155\171\157\164\151\163\061\021\060\017\006\003  
\125\004\003\014\010\103\145\162\164\151\147\156\141\060\036\027  
\015\060\067\060\066\062\071\061\065\061\063\060\065\132\027\015  
\062\067\060\066\062\071\061\065\061\063\060\065\132\060\064\061  
\013\060\011\006\003\125\004\006\023\002\106\122\061\022\060\020  
\006\003\125\004\012\014\011\104\150\151\155\171\157\164\151\163  
\061\021\060\017\006\003\125\004\003\014\010\103\145\162\164\151

\147\156\141\060\202\001\042\060\015\006\011\052\206\110\206\367  
\015\001\001\001\005\000\003\202\001\017\000\060\202\001\012\002  
\202\001\001\000\310\150\361\311\326\326\263\064\165\046\202\036  
\354\264\276\352\134\341\046\355\021\107\141\341\242\174\026\170  
\100\041\344\140\236\132\310\143\341\304\261\226\222\377\030\155  
\151\043\341\053\142\367\335\342\066\057\221\007\271\110\317\016  
\354\171\266\054\347\064\113\160\010\045\243\074\207\033\031\362  
\201\007\017\070\220\031\323\021\376\206\264\362\321\136\036\036  
\226\315\200\154\316\073\061\223\266\362\240\320\251\225\022\175  
\245\232\314\153\310\204\126\212\063\251\347\042\025\123\026\360  
\314\027\354\127\137\351\242\012\230\011\336\343\137\234\157\334  
\110\343\205\013\025\132\246\272\237\254\110\343\011\262\367\364  
\062\336\136\064\276\034\170\135\102\133\316\016\042\217\115\220  
\327\175\062\030\263\013\054\152\277\216\077\024\021\211\040\016  
\167\024\265\075\224\010\207\367\045\036\325\262\140\000\354\157  
\052\050\045\156\052\076\030\143\027\045\077\076\104\040\026\366  
\046\310\045\256\005\112\264\347\143\054\363\214\026\123\176\134  
\373\021\032\010\301\106\142\237\042\270\361\302\215\151\334\372  
\072\130\006\337\002\003\001\000\001\243\201\274\060\201\271\060  
\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001\377  
\060\035\006\003\125\035\016\004\026\004\024\032\355\376\101\071  
\220\264\044\131\276\001\362\122\325\105\366\132\071\334\021\060  
\144\006\003\125\035\043\004\135\060\133\200\024\032\355\376\101  
\071\220\264\044\131\276\001\362\122\325\105\366\132\071\334\021  
\241\070\244\066\060\064\061\013\060\011\006\003\125\004\006\023  
\002\106\122\061\022\060\020\006\003\125\004\012\014\011\104\150  
\151\155\171\157\164\151\163\061\021\060\017\006\003\125\004\003  
\014\010\103\145\162\164\151\147\156\141\202\011\000\376\334\343  
\001\017\311\110\377\060\016\006\003\125\035\017\001\001\377\004  
\004\003\002\001\006\060\021\006\011\140\206\110\001\206\370\102  
\001\001\004\004\003\002\000\007\060\015\006\011\052\206\110\206  
\367\015\001\001\005\005\000\003\202\001\001\000\205\003\036\222  
\161\366\102\257\341\243\141\236\353\363\300\017\362\245\324\332  
\225\346\326\276\150\066\075\176\156\037\114\212\357\321\017\041  
\155\136\245\122\143\316\022\370\357\052\332\157\353\067\376\023  
\002\307\313\073\076\042\153\332\141\056\177\324\162\075\335\060  
\341\036\114\100\031\214\017\327\234\321\203\060\173\230\131\334  
\175\306\271\014\051\114\241\063\242\353\147\072\145\204\323\226  
\342\355\166\105\160\217\265\053\336\371\043\326\111\156\074\024  
\265\306\237\065\036\120\320\301\217\152\160\104\002\142\313\256  
\035\150\101\247\252\127\350\123\252\007\322\006\366\325\024\006  
\013\221\003\165\054\154\162\265\141\225\232\015\213\271\015\347  
\365\337\124\315\336\346\330\326\011\010\227\143\345\301\056\260  
\267\104\046\300\046\300\257\125\060\236\073\325\066\052\031\004  
\364\134\036\377\317\054\267\377\320\375\207\100\021\325\021\043  
\273\110\300\041\251\244\050\055\375\025\370\260\116\053\364\060  
\133\041\374\021\221\064\276\101\357\173\235\227\165\377\227\225  
\300\226\130\057\352\273\106\327\273\344\331\056



```

END
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

# Trust for "Certigna"
# Issuer: CN=Certigna,O=Dhimyotis,C=FR
# Serial Number:00:fe:dc:e3:01:0f:c9:48:ff
# Subject: CN=Certigna,O=Dhimyotis,C=FR
# Not Valid Before: Fri Jun 29 15:13:05 2007
# Not Valid After : Tue Jun 29 15:13:05 2027
# Fingerprint (SHA-256):
E3:B6:A2:DB:2E:D7:CE:48:84:2F:7A:C5:32:41:C7:B7:1D:54:14:4B:FB:40:C1:1F:3F:1D:0B:42:F5:EE:A1:2D
# Fingerprint (SHA1): B1:2E:13:63:45:86:A4:6F:1A:B2:60:68:37:58:2D:C4:AC:FD:94:97
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Certigna"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\261\056\023\143\105\206\244\157\032\262\140\150\067\130\055\304
\254\375\224\227
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\253\127\246\133\175\102\202\031\265\330\130\046\050\136\375\377
END
CKA_ISSUER MULTILINE_OCTAL
\060\064\061\013\060\011\006\003\125\004\006\023\002\106\122\061
\022\060\020\006\003\125\004\012\014\011\104\150\151\155\171\157
\164\151\163\061\021\060\017\006\003\125\004\003\014\010\103\145
\162\164\151\147\156\141
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\011\000\376\334\343\001\017\311\110\377
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "ePKI Root Certification Authority"
#
# Issuer: OU=ePKI Root Certification Authority,O="Chunghwa Telecom Co., Ltd.",C=TW
# Serial Number:15:c8:bd:65:47:5c:af:b8:97:00:5e:e4:06:d2:bc:9d
# Subject: OU=ePKI Root Certification Authority,O="Chunghwa Telecom Co., Ltd.",C=TW
# Not Valid Before: Mon Dec 20 02:31:27 2004
# Not Valid After : Wed Dec 20 02:31:27 2034

```

# Fingerprint (SHA-256):

C0:A6:F4:DC:63:A2:4B:FD:CF:54:EF:2A:6A:08:2A:0A:72:DE:35:80:3E:2F:F5:FF:52:7A:E5:D8:72:06:DF:D5

# Fingerprint (SHA1): 67:65:0D:F1:7E:8E:7E:5B:82:40:A4:F4:56:4B:CF:E2:3D:69:C6:F0

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "ePKI Root Certification Authority"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

\060\136\061\013\060\011\006\003\125\004\006\023\002\124\127\061  
\043\060\041\006\003\125\004\012\014\032\103\150\165\156\147\150  
\167\141\040\124\145\154\145\143\157\155\040\103\157\056\054\040  
\114\164\144\056\061\052\060\050\006\003\125\004\013\014\041\145  
\120\113\111\040\122\157\157\164\040\103\145\162\164\151\146\151  
\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164\171

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\136\061\013\060\011\006\003\125\004\006\023\002\124\127\061  
\043\060\041\006\003\125\004\012\014\032\103\150\165\156\147\150  
\167\141\040\124\145\154\145\143\157\155\040\103\157\056\054\040  
\114\164\144\056\061\052\060\050\006\003\125\004\013\014\041\145  
\120\113\111\040\122\157\157\164\040\103\145\162\164\151\146\151  
\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164\171

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\020\025\310\275\145\107\134\257\270\227\000\136\344\006\322  
\274\235

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\005\260\060\202\003\230\240\003\002\001\002\002\020\025  
\310\275\145\107\134\257\270\227\000\136\344\006\322\274\235\060  
\015\006\011\052\206\110\206\367\015\001\001\005\005\000\060\136  
\061\013\060\011\006\003\125\004\006\023\002\124\127\061\043\060  
\041\006\003\125\004\012\014\032\103\150\165\156\147\150\167\141  
\040\124\145\154\145\143\157\155\040\103\157\056\054\040\114\164  
\144\056\061\052\060\050\006\003\125\004\013\014\041\145\120\113  
\111\040\122\157\157\164\040\103\145\162\164\151\146\151\143\141  
\164\151\157\156\040\101\165\164\150\157\162\151\164\171\060\036  
\027\015\060\064\061\062\062\060\060\062\063\061\062\067\132\027  
\015\063\064\061\062\062\060\060\062\063\061\062\067\132\060\136  
\061\013\060\011\006\003\125\004\006\023\002\124\127\061\043\060  
\041\006\003\125\004\012\014\032\103\150\165\156\147\150\167\141  
\040\124\145\154\145\143\157\155\040\103\157\056\054\040\114\164  
\144\056\061\052\060\050\006\003\125\004\013\014\041\145\120\113  
\111\040\122\157\157\164\040\103\145\162\164\151\146\151\143\141  
\164\151\157\156\040\101\165\164\150\157\162\151\164\171\060\202

\002\042\060\015\006\011\052\206\110\206\367\015\001\001\001\005  
\000\003\202\002\017\000\060\202\002\012\002\202\002\001\000\341  
\045\017\356\215\333\210\063\165\147\315\255\037\175\072\116\155  
\235\323\057\024\363\143\164\313\001\041\152\067\352\204\120\007  
\113\046\133\011\103\154\041\236\152\310\325\003\365\140\151\217  
\314\360\042\344\037\347\367\152\042\061\267\054\025\362\340\376  
\000\152\103\377\207\145\306\265\032\301\247\114\155\042\160\041  
\212\061\362\227\164\211\011\022\046\034\236\312\331\022\242\225  
\074\332\351\147\277\010\240\144\343\326\102\267\105\357\227\364  
\366\365\327\265\112\025\002\130\175\230\130\113\140\274\315\327  
\015\232\023\063\123\321\141\371\172\325\327\170\263\232\063\367  
\000\206\316\035\115\224\070\257\250\354\170\121\160\212\134\020  
\203\121\041\367\021\075\064\206\136\345\110\315\227\201\202\065  
\114\031\354\145\366\153\305\005\241\356\107\023\326\263\041\047  
\224\020\012\331\044\073\272\276\104\023\106\060\077\227\074\330  
\327\327\152\356\073\070\343\053\324\227\016\271\033\347\007\111  
\177\067\052\371\167\170\317\124\355\133\106\235\243\200\016\221  
\103\301\326\133\137\024\272\237\246\215\044\107\100\131\277\162  
\070\262\066\154\067\377\231\321\135\016\131\012\253\151\367\300  
\262\004\105\172\124\000\256\276\123\366\265\347\341\370\074\243  
\061\322\251\376\041\122\144\305\246\147\360\165\007\006\224\024  
\201\125\306\047\344\001\217\027\301\152\161\327\276\113\373\224  
\130\175\176\021\063\261\102\367\142\154\030\326\317\011\150\076  
\177\154\366\036\217\142\255\245\143\333\011\247\037\042\102\101  
\036\157\231\212\076\327\371\077\100\172\171\260\245\001\222\322  
\235\075\010\025\245\020\001\055\263\062\166\250\225\015\263\172  
\232\373\007\020\170\021\157\341\217\307\272\017\045\032\164\052  
\345\034\230\101\231\337\041\207\350\225\006\152\012\263\152\107  
\166\145\366\072\317\217\142\027\031\173\012\050\315\032\322\203  
\036\041\307\054\277\276\377\141\150\267\147\033\273\170\115\215  
\316\147\345\344\301\216\267\043\146\342\235\220\165\064\230\251  
\066\053\212\232\224\271\235\354\314\212\261\370\045\211\134\132  
\266\057\214\037\155\171\044\247\122\150\303\204\065\342\146\215  
\143\016\045\115\325\031\262\346\171\067\247\042\235\124\061\002  
\003\001\000\001\243\152\060\150\060\035\006\003\125\035\016\004  
\026\004\024\036\014\367\266\147\362\341\222\046\011\105\300\125  
\071\056\167\077\102\112\242\060\014\006\003\125\035\023\004\005  
\060\003\001\001\377\060\071\006\004\147\052\007\000\004\061\060  
\057\060\055\002\001\000\060\011\006\005\053\016\003\002\032\005  
\000\060\007\006\005\147\052\003\000\000\004\024\105\260\302\307  
\012\126\174\356\133\170\014\225\371\030\123\301\246\034\330\020  
\060\015\006\011\052\206\110\206\367\015\001\001\005\005\000\003  
\202\002\001\000\011\263\203\123\131\001\076\225\111\271\361\201  
\272\371\166\040\043\265\047\140\164\324\152\231\064\136\154\000  
\123\331\237\362\246\261\044\007\104\152\052\306\245\216\170\022  
\350\107\331\130\033\023\052\136\171\233\237\012\052\147\246\045  
\077\006\151\126\163\303\212\146\110\373\051\201\127\164\006\312  
\234\352\050\350\070\147\046\053\361\325\265\077\145\223\370\066

\135\216\215\215\100\040\207\031\352\357\047\300\075\264\071\017  
\045\173\150\120\164\125\234\014\131\175\132\075\101\224\045\122  
\010\340\107\054\025\061\031\325\277\007\125\306\273\022\265\227  
\364\137\203\205\272\161\301\331\154\201\021\166\012\012\260\277  
\202\227\367\352\075\372\372\354\055\251\050\224\073\126\335\322  
\121\056\256\300\275\010\025\214\167\122\064\226\326\233\254\323  
\035\216\141\017\065\173\233\256\071\151\013\142\140\100\040\066  
\217\257\373\066\356\055\010\112\035\270\277\233\134\370\352\245  
\033\240\163\246\330\370\156\340\063\004\137\150\252\047\207\355  
\331\301\220\234\355\275\343\152\065\257\143\337\253\030\331\272  
\346\351\112\352\120\212\017\141\223\036\342\055\031\342\060\224  
\065\222\135\016\266\007\257\031\200\217\107\220\121\113\056\115  
\335\205\342\322\012\122\012\027\232\374\032\260\120\002\345\001  
\243\143\067\041\114\104\304\233\121\231\021\016\163\234\006\217  
\124\056\247\050\136\104\071\207\126\055\067\275\205\104\224\341  
\014\113\054\234\303\222\205\064\141\313\017\270\233\112\103\122  
\376\064\072\175\270\351\051\334\166\251\310\060\370\024\161\200  
\306\036\066\110\164\042\101\134\207\202\350\030\161\213\101\211  
\104\347\176\130\133\250\270\215\023\351\247\154\303\107\355\263  
\032\235\142\256\215\202\352\224\236\335\131\020\303\255\335\342  
\115\343\061\325\307\354\350\362\260\376\222\036\026\012\032\374  
\331\363\370\047\266\311\276\035\264\154\144\220\177\364\344\304  
\133\327\067\256\102\016\335\244\032\157\174\210\124\305\026\156  
\341\172\150\056\370\072\277\015\244\074\211\073\170\247\116\143  
\203\004\041\010\147\215\362\202\111\320\133\375\261\315\017\203  
\204\324\076\040\205\367\112\075\053\234\375\052\012\011\115\352  
\201\370\021\234

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "ePKI Root Certification Authority"

# Issuer: OU=ePKI Root Certification Authority,O="Chunghwa Telecom Co., Ltd.",C=TW

# Serial Number:15:c8:bd:65:47:5c:af:b8:97:00:5e:e4:06:d2:bc:9d

# Subject: OU=ePKI Root Certification Authority,O="Chunghwa Telecom Co., Ltd.",C=TW

# Not Valid Before: Mon Dec 20 02:31:27 2004

# Not Valid After : Wed Dec 20 02:31:27 2034

# Fingerprint (SHA-256):

C0:A6:F4:DC:63:A2:4B:FD:CF:54:EF:2A:6A:08:2A:0A:72:DE:35:80:3E:2F:F5:FF:52:7A:E5:D8:72:06:DF:D5

# Fingerprint (SHA1): 67:65:0D:F1:7E:8E:7E:5B:82:40:A4:F4:56:4B:CF:E2:3D:69:C6:F0

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "ePKI Root Certification Authority"

CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL

\147\145\015\361\176\216\176\133\202\100\244\364\126\113\317\342

```

\075\151\306\360
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\033\056\000\312\046\006\220\075\255\376\157\025\150\323\153\263
END
CKA_ISSUER MULTILINE_OCTAL
\060\136\061\013\060\011\006\003\125\004\006\023\002\124\127\061
\043\060\041\006\003\125\004\012\014\032\103\150\165\156\147\150
\167\141\040\124\145\154\145\143\157\155\040\103\157\056\054\040
\114\164\144\056\061\052\060\050\006\003\125\004\013\014\041\145
\120\113\111\040\122\157\157\164\040\103\145\162\164\151\146\151
\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164\171
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\025\310\275\145\107\134\257\270\227\000\136\344\006\322
\274\235
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "certSIGN ROOT CA"
#
# Issuer: OU=certSIGN ROOT CA,O=certSIGN,C=RO
# Serial Number:20:06:05:16:70:02
# Subject: OU=certSIGN ROOT CA,O=certSIGN,C=RO
# Not Valid Before: Tue Jul 04 17:20:04 2006
# Not Valid After : Fri Jul 04 17:20:04 2031
# Fingerprint (SHA-256):
EA:A9:62:C4:FA:4A:6B:AF:EB:E4:15:19:6D:35:1C:CD:88:8D:4F:53:F3:FA:8A:E6:D7:C4:66:A9:4E:60:42:BB
# Fingerprint (SHA1): FA:B7:EE:36:97:26:62:FB:2D:B0:2A:F6:BF:03:FD:E8:7C:4B:2F:9B
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "certSIGN ROOT CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\073\061\013\060\011\006\003\125\004\006\023\002\122\117\061
\021\060\017\006\003\125\004\012\023\010\143\145\162\164\123\111
\107\116\061\031\060\027\006\003\125\004\013\023\020\143\145\162
\164\123\111\107\116\040\122\117\117\124\040\103\101
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\073\061\013\060\011\006\003\125\004\006\023\002\122\117\061

```

\021\060\017\006\003\125\004\012\023\010\143\145\162\164\123\111  
\107\116\061\031\060\027\006\003\125\004\013\023\020\143\145\162  
\164\123\111\107\116\040\122\117\117\124\040\103\101

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\006\040\006\005\026\160\002

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\003\070\060\202\002\040\240\003\002\001\002\002\006\040  
\006\005\026\160\002\060\015\006\011\052\206\110\206\367\015\001  
\001\005\005\000\060\073\061\013\060\011\006\003\125\004\006\023  
\002\122\117\061\021\060\017\006\003\125\004\012\023\010\143\145  
\162\164\123\111\107\116\061\031\060\027\006\003\125\004\013\023  
\020\143\145\162\164\123\111\107\116\040\122\117\117\124\040\103  
\101\060\036\027\015\060\066\060\067\060\064\061\067\062\060\060  
\064\132\027\015\063\061\060\067\060\064\061\067\062\060\060\064  
\132\060\073\061\013\060\011\006\003\125\004\006\023\002\122\117  
\061\021\060\017\006\003\125\004\012\023\010\143\145\162\164\123  
\111\107\116\061\031\060\027\006\003\125\004\013\023\020\143\145  
\162\164\123\111\107\116\040\122\117\117\124\040\103\101\060\202  
\001\042\060\015\006\011\052\206\110\206\367\015\001\001\001\005  
\000\003\202\001\017\000\060\202\001\012\002\202\001\001\000\267  
\063\271\176\310\045\112\216\265\333\264\050\033\252\127\220\350  
\321\042\323\144\272\323\223\350\324\254\206\141\100\152\140\127  
\150\124\204\115\274\152\124\002\005\377\337\233\232\052\256\135  
\007\217\112\303\050\177\357\373\053\372\171\361\307\255\360\020  
\123\044\220\213\146\311\250\210\253\257\132\243\000\351\276\272  
\106\356\133\163\173\054\027\202\201\136\142\054\241\002\145\263  
\275\305\053\000\176\304\374\003\063\127\015\355\342\372\316\135  
\105\326\070\315\065\266\262\301\320\234\201\112\252\344\262\001  
\134\035\217\137\231\304\261\255\333\210\041\353\220\010\202\200  
\363\060\243\103\346\220\202\256\125\050\111\355\133\327\251\020  
\070\016\376\217\114\133\233\106\352\101\365\260\010\164\303\320  
\210\063\266\174\327\164\337\334\204\321\103\016\165\071\241\045  
\100\050\352\170\313\016\054\056\071\235\214\213\156\026\034\057  
\046\202\020\342\343\145\224\012\004\300\136\367\135\133\370\020  
\342\320\272\172\113\373\336\067\000\000\032\133\050\343\322\234  
\163\076\062\207\230\241\311\121\057\327\336\254\063\263\117\002  
\003\001\000\001\243\102\060\100\060\017\006\003\125\035\023\001  
\001\377\004\005\060\003\001\001\377\060\016\006\003\125\035\017  
\001\001\377\004\004\003\002\001\306\060\035\006\003\125\035\016  
\004\026\004\024\340\214\233\333\045\111\263\361\174\206\326\262  
\102\207\013\320\153\240\331\344\060\015\006\011\052\206\110\206  
\367\015\001\001\005\005\000\003\202\001\001\000\076\322\034\211  
\056\065\374\370\165\335\346\177\145\210\364\162\114\311\054\327  
\062\116\363\335\031\171\107\275\216\073\133\223\017\120\111\044  
\023\153\024\006\162\357\011\323\241\241\343\100\204\311\347\030  
\062\164\074\110\156\017\237\113\324\367\036\323\223\206\144\124

```
\227\143\162\120\325\125\317\372\040\223\002\242\233\303\043\223
\116\026\125\166\240\160\171\155\315\041\037\317\057\055\274\031
\343\210\061\370\131\032\201\011\310\227\246\164\307\140\304\133
\314\127\216\262\165\375\033\002\011\333\131\157\162\223\151\367
\061\101\326\210\070\277\207\262\275\026\171\371\252\344\276\210
\045\335\141\047\043\034\265\061\007\004\066\264\032\220\275\240
\164\161\120\211\155\274\024\343\017\206\256\361\253\076\307\240
\011\314\243\110\321\340\333\144\347\222\265\317\257\162\103\160
\213\371\303\204\074\023\252\176\222\233\127\123\223\372\160\302
\221\016\061\371\233\147\135\351\226\070\136\137\263\163\116\210
\025\147\336\236\166\020\142\040\276\125\151\225\103\000\071\115
\366\356\260\132\116\111\104\124\130\137\102\203
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "certSIGN ROOT CA"
```

```
# Issuer: OU=certSIGN ROOT CA,O=certSIGN,C=RO
```

```
# Serial Number:20:06:05:16:70:02
```

```
# Subject: OU=certSIGN ROOT CA,O=certSIGN,C=RO
```

```
# Not Valid Before: Tue Jul 04 17:20:04 2006
```

```
# Not Valid After : Fri Jul 04 17:20:04 2031
```

```
# Fingerprint (SHA-256):
```

```
EA:A9:62:C4:FA:4A:6B:AF:EB:E4:15:19:6D:35:1C:CD:88:8D:4F:53:F3:FA:8A:E6:D7:C4:66:A9:4E:60:42:BB
```

```
# Fingerprint (SHA1): FA:B7:EE:36:97:26:62:FB:2D:B0:2A:F6:BF:03:FD:E8:7C:4B:2F:9B
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "certSIGN ROOT CA"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\372\267\356\066\227\046\142\373\055\260\052\366\277\003\375\350
\174\113\057\233
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\030\230\300\326\351\072\374\371\260\365\014\367\113\001\104\027
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\073\061\013\060\011\006\003\125\004\006\023\002\122\117\061
\021\060\017\006\003\125\004\012\023\010\143\145\162\164\123\111
\107\116\061\031\060\027\006\003\125\004\013\023\020\143\145\162
\164\123\111\107\116\040\122\117\117\124\040\103\101
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\006\040\006\005\026\160\002
```

END

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR  
CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST  
CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "NetLock Arany (Class Gold) Ftanúsítvány"

#

# Issuer: CN=NetLock Arany (Class Gold) F..tan..s..tv..ny,OU=Tan..s..tv..nykiad..k (Certification Services),O=NetLock Kft.,L=Budapest,C=HU

# Serial Number:49:41:2c:e4:00:10

# Subject: CN=NetLock Arany (Class Gold) F..tan..s..tv..ny,OU=Tan..s..tv..nykiad..k (Certification Services),O=NetLock Kft.,L=Budapest,C=HU

# Not Valid Before: Thu Dec 11 15:08:21 2008

# Not Valid After : Wed Dec 06 15:08:21 2028

# Fingerprint (SHA-256):

6C:61:DA:C3:A2:DE:F0:31:50:6B:E0:36:D2:A6:FE:40:19:94:FB:D1:3D:F9:C8:D4:66:59:92:74:C4:46:EC:98

# Fingerprint (SHA1): 06:08:3F:59:3F:15:A1:04:A0:69:A4:6B:A9:03:D0:06:B7:97:09:91

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "NetLock Arany (Class Gold) Ftanúsítvány"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

\060\201\247\061\013\060\011\006\003\125\004\006\023\002\110\125  
\061\021\060\017\006\003\125\004\007\014\010\102\165\144\141\160  
\145\163\164\061\025\060\023\006\003\125\004\012\014\014\116\145  
\164\114\157\143\153\040\113\146\164\056\061\067\060\065\006\003  
\125\004\013\014\056\124\141\156\303\272\163\303\255\164\166\303  
\241\156\171\153\151\141\144\303\263\153\040\050\103\145\162\164  
\151\146\151\143\141\164\151\157\156\040\123\145\162\166\151\143  
\145\163\051\061\065\060\063\006\003\125\004\003\014\054\116\145  
\164\114\157\143\153\040\101\162\141\156\171\040\050\103\154\141  
\163\163\040\107\157\154\144\051\040\106\305\221\164\141\156\303  
\272\163\303\255\164\166\303\241\156\171

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\201\247\061\013\060\011\006\003\125\004\006\023\002\110\125  
\061\021\060\017\006\003\125\004\007\014\010\102\165\144\141\160  
\145\163\164\061\025\060\023\006\003\125\004\012\014\014\116\145  
\164\114\157\143\153\040\113\146\164\056\061\067\060\065\006\003  
\125\004\013\014\056\124\141\156\303\272\163\303\255\164\166\303  
\241\156\171\153\151\141\144\303\263\153\040\050\103\145\162\164  
\151\146\151\143\141\164\151\157\156\040\123\145\162\166\151\143  
\145\163\051\061\065\060\063\006\003\125\004\003\014\054\116\145  
\164\114\157\143\153\040\101\162\141\156\171\040\050\103\154\141  
\163\163\040\107\157\154\144\051\040\106\305\221\164\141\156\303



\272\163\303\255\164\166\303\241\156\171

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\006\111\101\054\344\000\020

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\004\025\060\202\002\375\240\003\002\001\002\002\006\111  
\101\054\344\000\020\060\015\006\011\052\206\110\206\367\015\001  
\001\013\005\000\060\201\247\061\013\060\011\006\003\125\004\006  
\023\002\110\125\061\021\060\017\006\003\125\004\007\014\010\102  
\165\144\141\160\145\163\164\061\025\060\023\006\003\125\004\012  
\014\014\116\145\164\114\157\143\153\040\113\146\164\056\061\067  
\060\065\006\003\125\004\013\014\056\124\141\156\303\272\163\303  
\255\164\166\303\241\156\171\153\151\141\144\303\263\153\040\050  
\103\145\162\164\151\146\151\143\141\164\151\157\156\040\123\145  
\162\166\151\143\145\163\051\061\065\060\063\006\003\125\004\003  
\014\054\116\145\164\114\157\143\153\040\101\162\141\156\171\040  
\050\103\154\141\163\163\040\107\157\154\144\051\040\106\305\221  
\164\141\156\303\272\163\303\255\164\166\303\241\156\171\060\036  
\027\015\060\070\061\062\061\061\061\065\060\070\062\061\132\027  
\015\062\070\061\062\060\066\061\065\060\070\062\061\132\060\201  
\247\061\013\060\011\006\003\125\004\006\023\002\110\125\061\021  
\060\017\006\003\125\004\007\014\010\102\165\144\141\160\145\163  
\164\061\025\060\023\006\003\125\004\012\014\014\116\145\164\114  
\157\143\153\040\113\146\164\056\061\067\060\065\006\003\125\004  
\013\014\056\124\141\156\303\272\163\303\255\164\166\303\241\156  
\171\153\151\141\144\303\263\153\040\050\103\145\162\164\151\146  
\151\143\141\164\151\157\156\040\123\145\162\166\151\143\145\163  
\051\061\065\060\063\006\003\125\004\003\014\054\116\145\164\114  
\157\143\153\040\101\162\141\156\171\040\050\103\154\141\163\163  
\040\107\157\154\144\051\040\106\305\221\164\141\156\303\272\163  
\303\255\164\166\303\241\156\171\060\202\001\042\060\015\006\011  
\052\206\110\206\367\015\001\001\001\005\000\003\202\001\017\000  
\060\202\001\012\002\202\001\001\000\304\044\136\163\276\113\155  
\024\303\241\364\343\227\220\156\322\060\105\036\074\356\147\331  
\144\340\032\212\177\312\060\312\203\343\040\301\343\364\072\323  
\224\137\032\174\133\155\277\060\117\204\047\366\237\037\111\274  
\306\231\012\220\362\017\365\177\103\204\067\143\121\213\172\245  
\160\374\172\130\315\216\233\355\303\106\154\204\160\135\332\363  
\001\220\043\374\116\060\251\176\341\047\143\347\355\144\074\240  
\270\311\063\143\376\026\220\377\260\270\375\327\250\300\300\224  
\103\013\266\325\131\246\236\126\320\044\037\160\171\257\333\071  
\124\015\145\165\331\025\101\224\001\257\136\354\366\215\361\377  
\255\144\376\040\232\327\134\353\376\246\037\010\144\243\213\166  
\125\255\036\073\050\140\056\207\045\350\252\257\037\306\144\106  
\040\267\160\177\074\336\110\333\226\123\267\071\167\344\032\342  
\307\026\204\166\227\133\057\273\031\025\205\370\151\205\365\231  
\247\251\362\064\247\251\266\246\003\374\157\206\075\124\174\166

\004\233\153\371\100\135\000\064\307\056\231\165\235\345\210\003  
\252\115\370\003\322\102\166\300\033\002\003\000\250\213\243\105  
\060\103\060\022\006\003\125\035\023\001\001\377\004\010\060\006  
\001\001\377\002\001\004\060\016\006\003\125\035\017\001\001\377  
\004\004\003\002\001\006\060\035\006\003\125\035\016\004\026\004  
\024\314\372\147\223\360\266\270\320\245\300\036\363\123\375\214  
\123\337\203\327\226\060\015\006\011\052\206\110\206\367\015\001  
\001\013\005\000\003\202\001\001\000\253\177\356\034\026\251\234  
\074\121\000\240\300\021\010\005\247\231\346\157\001\210\124\141  
\156\361\271\030\255\112\255\376\201\100\043\224\057\373\165\174  
\057\050\113\142\044\201\202\013\365\141\361\034\156\270\141\070  
\353\201\372\142\241\073\132\142\323\224\145\304\341\346\155\202  
\370\057\045\160\262\041\046\301\162\121\037\214\054\303\204\220  
\303\132\217\272\317\364\247\145\245\353\230\321\373\005\262\106  
\165\025\043\152\157\205\143\060\200\360\325\236\037\051\034\302  
\154\260\120\131\135\220\133\073\250\015\060\317\277\175\177\316  
\361\235\203\275\311\106\156\040\246\371\141\121\272\041\057\173  
\276\245\025\143\241\324\225\207\361\236\271\363\211\363\075\205  
\270\270\333\276\265\271\051\371\332\067\005\000\111\224\003\204  
\104\347\277\103\061\317\165\213\045\321\364\246\144\365\222\366  
\253\005\353\075\351\245\013\066\142\332\314\006\137\066\213\266  
\136\061\270\052\373\136\366\161\337\104\046\236\304\346\015\221  
\264\056\165\225\200\121\152\113\060\246\260\142\241\223\361\233  
\330\316\304\143\165\077\131\107\261

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "NetLock Arany (Class Gold) Ftanúsítvány"

# Issuer: CN=NetLock Arany (Class Gold) F..tan..s..tv..ny,OU=Tan..s..tv..nykiad..k (Certification Services),O=NetLock Kft.,L=Budapest,C=HU

# Serial Number:49:41:2c:e4:00:10

# Subject: CN=NetLock Arany (Class Gold) F..tan..s..tv..ny,OU=Tan..s..tv..nykiad..k (Certification Services),O=NetLock Kft.,L=Budapest,C=HU

# Not Valid Before: Thu Dec 11 15:08:21 2008

# Not Valid After : Wed Dec 06 15:08:21 2028

# Fingerprint (SHA-256):

6C:61:DA:C3:A2:DE:F0:31:50:6B:E0:36:D2:A6:FE:40:19:94:FB:D1:3D:F9:C8:D4:66:59:92:74:C4:46:EC:98

# Fingerprint (SHA1): 06:08:3F:59:3F:15:A1:04:A0:69:A4:6B:A9:03:D0:06:B7:97:09:91

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "NetLock Arany (Class Gold) Ftanúsítvány"

CKA\_CERT\_SHA1\_HASH MULTILINE OCTAL

\006\010\077\131\077\025\241\004\240\151\244\153\251\003\320\006  
\267\227\011\221

```

END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\305\241\267\377\163\335\326\327\064\062\030\337\374\074\255\210
END
CKA_ISSUER MULTILINE_OCTAL
\060\201\247\061\013\060\011\006\003\125\004\006\023\002\110\125
\061\021\060\017\006\003\125\004\007\014\010\102\165\144\141\160
\145\163\164\061\025\060\023\006\003\125\004\012\014\014\116\145
\164\114\157\143\153\040\113\146\164\056\061\067\060\065\006\003
\125\004\013\014\056\124\141\156\303\272\163\303\255\164\166\303
\241\156\171\153\151\141\144\303\263\153\040\050\103\145\162\164
\151\146\151\143\141\164\151\157\156\040\123\145\162\166\151\143
\145\163\051\061\065\060\063\006\003\125\004\003\014\054\116\145
\164\114\157\143\153\040\101\162\141\156\171\040\050\103\154\141
\163\163\040\107\157\154\144\051\040\106\305\221\164\141\156\303
\272\163\303\255\164\166\303\241\156\171
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\006\111\101\054\344\000\020
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Hongkong Post Root CA 1"
#
# Issuer: CN=Hongkong Post Root CA 1,O=Hongkong Post,C=HK
# Serial Number: 1000 (0x3e8)
# Subject: CN=Hongkong Post Root CA 1,O=Hongkong Post,C=HK
# Not Valid Before: Thu May 15 05:13:14 2003
# Not Valid After : Mon May 15 04:52:29 2023
# Fingerprint (SHA-256):
F9:E6:7D:33:6C:51:00:2A:C0:54:C6:32:02:2D:66:DD:A2:E7:E3:FF:F1:0A:D0:61:ED:31:D8:BB:B4:10:CF:B2
# Fingerprint (SHA1): D6:DA:A8:20:8D:09:D2:15:4D:24:B5:2F:CB:34:6E:B2:58:B2:8A:58
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Hongkong Post Root CA 1"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\107\061\013\060\011\006\003\125\004\006\023\002\110\113\061
\026\060\024\006\003\125\004\012\023\015\110\157\156\147\153\157
\156\147\040\120\157\163\164\061\040\060\036\006\003\125\004\003
\023\027\110\157\156\147\153\157\156\147\040\120\157\163\164\040
\122\157\157\164\040\103\101\040\061

```

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\107\061\013\060\011\006\003\125\004\006\023\002\110\113\061  
\026\060\024\006\003\125\004\012\023\015\110\157\156\147\153\157  
\156\147\040\120\157\163\164\061\040\060\036\006\003\125\004\003  
\023\027\110\157\156\147\153\157\156\147\040\120\157\163\164\040  
\122\157\157\164\040\103\101\040\061

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\002\003\350

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\003\060\060\202\002\030\240\003\002\001\002\002\002\003  
\350\060\015\006\011\052\206\110\206\367\015\001\001\005\005\000  
\060\107\061\013\060\011\006\003\125\004\006\023\002\110\113\061  
\026\060\024\006\003\125\004\012\023\015\110\157\156\147\153\157  
\156\147\040\120\157\163\164\061\040\060\036\006\003\125\004\003  
\023\027\110\157\156\147\153\157\156\147\040\120\157\163\164\040  
\122\157\157\164\040\103\101\040\061\060\036\027\015\060\063\060  
\065\061\065\060\065\061\063\061\064\132\027\015\062\063\060\065  
\061\065\060\064\065\062\062\071\132\060\107\061\013\060\011\006  
\003\125\004\006\023\002\110\113\061\026\060\024\006\003\125\004  
\012\023\015\110\157\156\147\153\157\156\147\040\120\157\163\164  
\061\040\060\036\006\003\125\004\003\023\027\110\157\156\147\153  
\157\156\147\040\120\157\163\164\040\122\157\157\164\040\103\101  
\040\061\060\202\001\042\060\015\006\011\052\206\110\206\367\015  
\001\001\001\005\000\003\202\001\017\000\060\202\001\012\002\202  
\001\001\000\254\377\070\266\351\146\002\111\343\242\264\341\220  
\371\100\217\171\371\342\275\171\376\002\275\356\044\222\035\042  
\366\332\205\162\151\376\327\077\011\324\335\221\265\002\234\320  
\215\132\341\125\303\120\206\271\051\046\302\343\331\240\361\151  
\003\050\040\200\105\042\055\126\247\073\124\225\126\042\131\037  
\050\337\037\040\075\155\242\066\276\043\240\261\156\265\261\047  
\077\071\123\011\352\253\152\350\164\262\302\145\134\216\277\174  
\303\170\204\315\236\026\374\365\056\117\040\052\010\237\167\363  
\305\036\304\232\122\146\036\110\136\343\020\006\217\042\230\341  
\145\216\033\135\043\146\073\270\245\062\121\310\206\252\241\251  
\236\177\166\224\302\246\154\267\101\360\325\310\006\070\346\324  
\014\342\363\073\114\155\120\214\304\203\047\301\023\204\131\075  
\236\165\164\266\330\002\136\072\220\172\300\102\066\162\354\152  
\115\334\357\304\000\337\023\030\127\137\046\170\310\326\012\171  
\167\277\367\257\267\166\271\245\013\204\027\135\020\352\157\341  
\253\225\021\137\155\074\243\134\115\203\133\362\263\031\212\200  
\213\013\207\002\003\001\000\001\243\046\060\044\060\022\006\003  
\125\035\023\001\001\377\004\010\060\006\001\001\377\002\001\003  
\060\016\006\003\125\035\017\001\001\377\004\004\003\002\001\306  
\060\015\006\011\052\206\110\206\367\015\001\001\005\005\000\003

```
\202\001\001\000\016\106\325\074\256\342\207\331\136\201\213\002
\230\101\010\214\114\274\332\333\356\047\033\202\347\152\105\354
\026\213\117\205\240\363\262\160\275\132\226\272\312\156\155\356
\106\213\156\347\052\056\226\263\031\063\353\264\237\250\262\067
\356\230\250\227\266\056\266\147\047\324\246\111\375\034\223\145
\166\236\102\057\334\042\154\232\117\362\132\025\071\261\161\327
\053\121\350\155\034\230\300\331\052\364\241\202\173\325\311\101
\242\043\001\164\070\125\213\017\271\056\147\242\040\004\067\332
\234\013\323\027\041\340\217\227\171\064\157\204\110\002\040\063
\033\346\064\104\237\221\160\364\200\136\204\103\302\051\322\154
\022\024\344\141\215\254\020\220\236\204\120\273\360\226\157\105
\237\212\363\312\154\117\372\021\072\025\025\106\303\315\037\203
\133\055\101\022\355\120\147\101\023\075\041\253\224\212\252\116
\174\301\261\373\247\326\265\047\057\227\253\156\340\035\342\321
\034\054\037\104\342\374\276\221\241\234\373\326\051\123\163\206
\237\123\330\103\016\135\326\143\202\161\035\200\164\312\366\342
\002\153\331\132
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "Hongkong Post Root CA 1"
```

```
# Issuer: CN=Hongkong Post Root CA 1,O=Hongkong Post,C=HK
```

```
# Serial Number: 1000 (0x3e8)
```

```
# Subject: CN=Hongkong Post Root CA 1,O=Hongkong Post,C=HK
```

```
# Not Valid Before: Thu May 15 05:13:14 2003
```

```
# Not Valid After : Mon May 15 04:52:29 2023
```

```
# Fingerprint (SHA-256):
```

```
F9:E6:7D:33:6C:51:00:2A:C0:54:C6:32:02:2D:66:DD:A2:E7:E3:FF:F1:0A:D0:61:ED:31:D8:BB:B4:10:CF:B2
```

```
# Fingerprint (SHA1): D6:DA:A8:20:8D:09:D2:15:4D:24:B5:2F:CB:34:6E:B2:58:B2:8A:58
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Hongkong Post Root CA 1"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\326\332\250\040\215\011\322\025\115\044\265\057\313\064\156\262
\130\262\212\130
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\250\015\157\071\170\271\103\155\167\102\155\230\132\314\043\312
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\107\061\013\060\011\006\003\125\004\006\023\002\110\113\061
\026\060\024\006\003\125\004\012\023\015\110\157\156\147\153\157
\156\147\040\120\157\163\164\061\040\060\036\006\003\125\004\003
\023\027\110\157\156\147\153\157\156\147\040\120\157\163\164\040
```

```

\122\157\157\164\040\103\101\040\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\002\003\350
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "SecureSign RootCA11"
#
# Issuer: CN=SecureSign RootCA11,O="Japan Certification Services, Inc.",C=JP
# Serial Number: 1 (0x1)
# Subject: CN=SecureSign RootCA11,O="Japan Certification Services, Inc.",C=JP
# Not Valid Before: Wed Apr 08 04:56:47 2009
# Not Valid After : Sun Apr 08 04:56:47 2029
# Fingerprint (SHA-256):
BF:0F:EE:FB:9E:3A:58:1A:D5:F9:E9:DB:75:89:98:57:43:D2:61:08:5C:4D:31:4F:6F:5D:72:59:AA:42:16:12
# Fingerprint (SHA1): 3B:C4:9F:48:F8:F3:73:A0:9C:1E:BD:F8:5B:B1:C3:65:C7:D8:11:B3
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "SecureSign RootCA11"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\130\061\013\060\011\006\003\125\004\006\023\002\112\120\061
\053\060\051\006\003\125\004\012\023\042\112\141\160\141\156\040
\103\145\162\164\151\146\151\143\141\164\151\157\156\040\123\145
\162\166\151\143\145\163\054\040\111\156\143\056\061\034\060\032
\006\003\125\004\003\023\023\123\145\143\165\162\145\123\151\147
\156\040\122\157\157\164\103\101\061\061
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\130\061\013\060\011\006\003\125\004\006\023\002\112\120\061
\053\060\051\006\003\125\004\012\023\042\112\141\160\141\156\040
\103\145\162\164\151\146\151\143\141\164\151\157\156\040\123\145
\162\166\151\143\145\163\054\040\111\156\143\056\061\034\060\032
\006\003\125\004\003\023\023\123\145\143\165\162\145\123\151\147
\156\040\122\157\157\164\103\101\061\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\001
END
CKA_VALUE MULTILINE_OCTAL

```

\060\202\003\155\060\202\002\125\240\003\002\001\002\002\001\001  
\060\015\006\011\052\206\110\206\367\015\001\001\005\005\000\060  
\130\061\013\060\011\006\003\125\004\006\023\002\112\120\061\053  
\060\051\006\003\125\004\012\023\042\112\141\160\141\156\040\103  
\145\162\164\151\146\151\143\141\164\151\157\156\040\123\145\162  
\166\151\143\145\163\054\040\111\156\143\056\061\034\060\032\006  
\003\125\004\003\023\023\123\145\143\165\162\145\123\151\147\156  
\040\122\157\157\164\103\101\061\061\060\036\027\015\060\071\060  
\064\060\070\060\064\065\066\064\067\132\027\015\062\071\060\064  
\060\070\060\064\065\066\064\067\132\060\130\061\013\060\011\006  
\003\125\004\006\023\002\112\120\061\053\060\051\006\003\125\004  
\012\023\042\112\141\160\141\156\040\103\145\162\164\151\146\151  
\143\141\164\151\157\156\040\123\145\162\166\151\143\145\163\054  
\040\111\156\143\056\061\034\060\032\006\003\125\004\003\023\023  
\123\145\143\165\162\145\123\151\147\156\040\122\157\157\164\103  
\101\061\061\060\202\001\042\060\015\006\011\052\206\110\206\367  
\015\001\001\001\005\000\003\202\001\017\000\060\202\001\012\002  
\202\001\001\000\375\167\252\245\034\220\005\073\313\114\233\063  
\213\132\024\105\244\347\220\026\321\337\127\322\041\020\244\027  
\375\337\254\326\037\247\344\333\174\367\354\337\270\003\332\224  
\130\375\135\162\174\214\077\137\001\147\164\025\226\343\002\074  
\207\333\256\313\001\216\302\363\146\306\205\105\364\002\306\072  
\265\142\262\257\372\234\277\244\346\324\200\060\230\363\015\266  
\223\217\251\324\330\066\362\260\374\212\312\054\241\025\063\225  
\061\332\300\033\362\356\142\231\206\143\077\277\335\223\052\203  
\250\166\271\023\037\267\316\116\102\205\217\042\347\056\032\362  
\225\011\262\005\265\104\116\167\241\040\275\251\362\116\012\175  
\120\255\365\005\015\105\117\106\161\375\050\076\123\373\004\330  
\055\327\145\035\112\033\372\317\073\260\061\232\065\156\310\213  
\006\323\000\221\362\224\010\145\114\261\064\006\000\172\211\342  
\360\307\003\131\317\325\326\350\247\062\263\346\230\100\206\305  
\315\047\022\213\314\173\316\267\021\074\142\140\007\043\076\053  
\100\156\224\200\011\155\266\263\157\167\157\065\010\120\373\002  
\207\305\076\211\002\003\001\000\001\243\102\060\100\060\035\006  
\003\125\035\016\004\026\004\024\133\370\115\117\262\245\206\324  
\072\322\361\143\232\240\276\011\366\127\267\336\060\016\006\003  
\125\035\017\001\001\377\004\004\003\002\001\006\060\017\006\003  
\125\035\023\001\001\377\004\005\060\003\001\001\377\060\015\006  
\011\052\206\110\206\367\015\001\001\005\005\000\003\202\001\001  
\000\240\241\070\026\146\056\247\126\037\041\234\006\372\035\355  
\271\042\305\070\046\330\116\117\354\243\177\171\336\106\041\241  
\207\167\217\007\010\232\262\244\305\257\017\062\230\013\174\146  
\051\266\233\175\045\122\111\103\253\114\056\053\156\172\160\257  
\026\016\343\002\154\373\102\346\030\235\105\330\125\310\350\073  
\335\347\341\364\056\013\034\064\134\154\130\112\373\214\210\120  
\137\225\034\277\355\253\042\265\145\263\205\272\236\017\270\255  
\345\172\033\212\120\072\035\275\015\274\173\124\120\013\271\102  
\257\125\240\030\201\255\145\231\357\276\344\234\277\304\205\253

```
\101\262\124\157\334\045\315\355\170\342\216\014\215\011\111\335
\143\173\132\151\226\002\041\250\275\122\131\351\175\065\313\310
\122\312\177\201\376\331\153\323\367\021\355\045\337\370\347\371
\244\372\162\227\204\123\015\245\320\062\030\121\166\131\024\154
\017\353\354\137\200\214\165\103\203\303\205\230\377\114\236\055
\015\344\167\203\223\116\265\226\007\213\050\023\233\214\031\215
\101\047\111\100\356\336\346\043\104\071\334\241\042\326\272\003
\362
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "SecureSign RootCA11"
```

```
# Issuer: CN=SecureSign RootCA11,O="Japan Certification Services, Inc.",C=JP
```

```
# Serial Number: 1 (0x1)
```

```
# Subject: CN=SecureSign RootCA11,O="Japan Certification Services, Inc.",C=JP
```

```
# Not Valid Before: Wed Apr 08 04:56:47 2009
```

```
# Not Valid After : Sun Apr 08 04:56:47 2029
```

```
# Fingerprint (SHA-256):
```

```
BF:0F:EE:FB:9E:3A:58:1A:D5:F9:E9:DB:75:89:98:57:43:D2:61:08:5C:4D:31:4F:6F:5D:72:59:AA:42:16:12
```

```
# Fingerprint (SHA1): 3B:C4:9F:48:F8:F3:73:A0:9C:1E:BD:F8:5B:B1:C3:65:C7:D8:11:B3
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "SecureSign RootCA11"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\073\304\237\110\370\363\163\240\234\036\275\370\133\261\303\145
\307\330\021\263
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\267\122\164\342\222\264\200\223\362\165\344\314\327\362\352\046
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\130\061\013\060\011\006\003\125\004\006\023\002\112\120\061
\053\060\051\006\003\125\004\012\023\042\112\141\160\141\156\040
\103\145\162\164\151\146\151\143\141\164\151\157\156\040\123\145
\162\166\151\143\145\163\054\040\111\156\143\056\061\034\060\032
\006\003\125\004\003\023\023\123\145\143\165\162\145\123\151\147
\156\040\122\157\157\164\103\101\061\061
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\001\001
```

END

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

```
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```



CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "Microsec e-Szigno Root CA 2009"

#

# Issuer: E=info@e-szigno.hu,CN=Microsec e-Szigno Root CA 2009,O=Microsec Ltd.,L=Budapest,C=HU

# Serial Number:00:c2:7e:43:04:4e:47:3f:19

# Subject: E=info@e-szigno.hu,CN=Microsec e-Szigno Root CA 2009,O=Microsec Ltd.,L=Budapest,C=HU

# Not Valid Before: Tue Jun 16 11:30:18 2009

# Not Valid After : Sun Dec 30 11:30:18 2029

# Fingerprint (SHA-256):

3C:5F:81:FE:A5:FA:B8:2C:64:BF:A2:EA:EC:AF:CD:E8:E0:77:FC:86:20:A7:CA:E5:37:16:3D:F3:6E:DB:F3:78

# Fingerprint (SHA1): 89:DF:74:FE:5C:F4:0F:4A:80:F9:E3:37:7D:54:DA:91:E1:01:31:8E

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "Microsec e-Szigno Root CA 2009"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

\060\201\202\061\013\060\011\006\003\125\004\006\023\002\110\125  
\061\021\060\017\006\003\125\004\007\014\010\102\165\144\141\160  
\145\163\164\061\026\060\024\006\003\125\004\012\014\015\115\151  
\143\162\157\163\145\143\040\114\164\144\056\061\047\060\045\006  
\003\125\004\003\014\036\115\151\143\162\157\163\145\143\040\145  
\055\123\172\151\147\156\157\040\122\157\157\164\040\103\101\040  
\062\060\060\071\061\037\060\035\006\011\052\206\110\206\367\015  
\001\011\001\026\020\151\156\146\157\100\145\055\163\172\151\147  
\156\157\056\150\165

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\201\202\061\013\060\011\006\003\125\004\006\023\002\110\125  
\061\021\060\017\006\003\125\004\007\014\010\102\165\144\141\160  
\145\163\164\061\026\060\024\006\003\125\004\012\014\015\115\151  
\143\162\157\163\145\143\040\114\164\144\056\061\047\060\045\006  
\003\125\004\003\014\036\115\151\143\162\157\163\145\143\040\145  
\055\123\172\151\147\156\157\040\122\157\157\164\040\103\101\040  
\062\060\060\071\061\037\060\035\006\011\052\206\110\206\367\015  
\001\011\001\026\020\151\156\146\157\100\145\055\163\172\151\147  
\156\157\056\150\165

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\011\000\302\176\103\004\116\107\077\031

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\004\012\060\202\002\362\240\003\002\001\002\002\011\000  
\302\176\103\004\116\107\077\031\060\015\006\011\052\206\110\206

\367\015\001\001\013\005\000\060\201\202\061\013\060\011\006\003  
\125\004\006\023\002\110\125\061\021\060\017\006\003\125\004\007  
\014\010\102\165\144\141\160\145\163\164\061\026\060\024\006\003  
\125\004\012\014\015\115\151\143\162\157\163\145\143\040\114\164  
\144\056\061\047\060\045\006\003\125\004\003\014\036\115\151\143  
\162\157\163\145\143\040\145\055\123\172\151\147\156\157\040\122  
\157\157\164\040\103\101\040\062\060\060\071\061\037\060\035\006  
\011\052\206\110\206\367\015\001\011\001\026\020\151\156\146\157  
\100\145\055\163\172\151\147\156\157\056\150\165\060\036\027\015  
\060\071\060\066\061\066\061\061\063\060\061\070\132\027\015\062  
\071\061\062\063\060\061\061\063\060\061\070\132\060\201\202\061  
\013\060\011\006\003\125\004\006\023\002\110\125\061\021\060\017  
\006\003\125\004\007\014\010\102\165\144\141\160\145\163\164\061  
\026\060\024\006\003\125\004\012\014\015\115\151\143\162\157\163  
\145\143\040\114\164\144\056\061\047\060\045\006\003\125\004\003  
\014\036\115\151\143\162\157\163\145\143\040\145\055\123\172\151  
\147\156\157\040\122\157\157\164\040\103\101\040\062\060\060\071  
\061\037\060\035\006\011\052\206\110\206\367\015\001\011\001\026  
\020\151\156\146\157\100\145\055\163\172\151\147\156\157\056\150  
\165\060\202\001\042\060\015\006\011\052\206\110\206\367\015\001  
\001\001\005\000\003\202\001\017\000\060\202\001\012\002\202\001  
\001\000\351\370\217\363\143\255\332\206\330\247\340\102\373\317  
\221\336\246\046\370\231\245\143\160\255\233\256\312\063\100\175  
\155\226\156\241\016\104\356\341\023\235\224\102\122\232\275\165  
\205\164\054\250\016\035\223\266\030\267\214\054\250\317\373\134  
\161\271\332\354\376\350\176\217\344\057\035\262\250\165\207\330  
\267\241\345\073\317\231\112\106\320\203\031\175\300\241\022\034  
\225\155\112\364\330\307\245\115\063\056\205\071\100\165\176\024  
\174\200\022\230\120\307\101\147\270\240\200\141\124\246\154\116  
\037\340\235\016\007\351\311\272\063\347\376\300\125\050\054\002  
\200\247\031\365\236\334\125\123\003\227\173\007\110\377\231\373  
\067\212\044\304\131\314\120\020\143\216\252\251\032\260\204\032  
\206\371\137\273\261\120\156\244\321\012\314\325\161\176\037\247  
\033\174\365\123\156\042\137\313\053\346\324\174\135\256\326\302  
\306\114\345\005\001\331\355\127\374\301\043\171\374\372\310\044  
\203\225\363\265\152\121\001\320\167\326\351\022\241\371\032\203  
\373\202\033\271\260\227\364\166\006\063\103\111\240\377\013\265  
\372\265\002\003\001\000\001\243\201\200\060\176\060\017\006\003  
\125\035\023\001\001\377\004\005\060\003\001\001\377\060\016\006  
\003\125\035\017\001\001\377\004\004\003\002\001\006\060\035\006  
\003\125\035\016\004\026\004\024\313\017\306\337\102\103\314\075  
\313\265\110\043\241\032\172\246\052\273\064\150\060\037\006\003  
\125\035\043\004\030\060\026\200\024\313\017\306\337\102\103\314  
\075\313\265\110\043\241\032\172\246\052\273\064\150\060\033\006  
\003\125\035\021\004\024\060\022\201\020\151\156\146\157\100\145  
\055\163\172\151\147\156\157\056\150\165\060\015\006\011\052\206  
\110\206\367\015\001\001\013\005\000\003\202\001\001\000\311\321  
\016\136\056\325\314\263\174\076\313\374\075\377\015\050\225\223

```
\004\310\277\332\315\171\270\103\220\360\244\276\357\362\357\041
\230\274\324\324\135\006\366\356\102\354\060\154\240\252\251\312
\361\257\212\372\077\013\163\152\076\352\056\100\176\037\256\124
\141\171\353\056\010\067\327\043\363\214\237\276\035\261\341\244
\165\333\240\342\124\024\261\272\034\051\244\030\366\022\272\242
\024\024\343\061\065\310\100\377\267\340\005\166\127\301\034\131
\362\370\277\344\355\045\142\134\204\360\176\176\037\263\276\371
\267\041\021\314\003\001\126\160\247\020\222\036\033\064\201\036
\255\234\032\303\004\074\355\002\141\326\036\006\363\137\072\207
\362\053\361\105\207\345\075\254\321\307\127\204\275\153\256\334
\330\371\266\033\142\160\013\075\066\311\102\362\062\327\172\141
\346\322\333\075\317\310\251\311\233\334\333\130\104\327\157\070
\257\177\170\323\243\255\032\165\272\034\301\066\174\217\036\155
\034\303\165\106\256\065\005\246\366\134\075\041\356\126\360\311
\202\042\055\172\124\253\160\303\175\042\145\202\160\226
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRUST_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRUST_AFTER CK_BBOOL CK_FALSE
```

# Trust for "Microsec e-Szigno Root CA 2009"

# Issuer: E=info@e-szigno.hu,CN=Microsec e-Szigno Root CA 2009,O=Microsec Ltd.,L=Budapest,C=HU

# Serial Number:00:c2:7e:43:04:4e:47:3f:19

# Subject: E=info@e-szigno.hu,CN=Microsec e-Szigno Root CA 2009,O=Microsec Ltd.,L=Budapest,C=HU

# Not Valid Before: Tue Jun 16 11:30:18 2009

# Not Valid After : Sun Dec 30 11:30:18 2029

# Fingerprint (SHA-256):

3C:5F:81:FE:A5:FA:B8:2C:64:BF:A2:EA:EC:AF:CD:E8:E0:77:FC:86:20:A7:CA:E5:37:16:3D:F3:6E:DB:F3:78

# Fingerprint (SHA1): 89:DF:74:FE:5C:F4:0F:4A:80:F9:E3:37:7D:54:DA:91:E1:01:31:8E

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Microsec e-Szigno Root CA 2009"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\211\337\164\376\134\364\017\112\200\371\343\067\175\124\332\221
\341\001\061\216
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\370\111\364\003\274\104\055\203\276\110\151\175\051\144\374\261
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\201\202\061\013\060\011\006\003\125\004\006\023\002\110\125
\061\021\060\017\006\003\125\004\007\014\010\102\165\144\141\160
\145\163\164\061\026\060\024\006\003\125\004\012\014\015\115\151
\143\162\157\163\145\143\040\114\164\144\056\061\047\060\045\006
\003\125\004\003\014\036\115\151\143\162\157\163\145\143\040\145
\055\123\172\151\147\156\157\040\122\157\157\164\040\103\101\040
```

```

\062\060\060\071\061\037\060\035\006\011\052\206\110\206\367\015
\001\011\001\026\020\151\156\146\157\100\145\055\163\172\151\147
\156\157\056\150\165
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\011\000\302\176\103\004\116\107\077\031
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "GlobalSign Root CA - R3"
#
# Issuer: CN=GlobalSign,O=GlobalSign,OU=GlobalSign Root CA - R3
# Serial Number:04:00:00:00:01:21:58:53:08:a2
# Subject: CN=GlobalSign,O=GlobalSign,OU=GlobalSign Root CA - R3
# Not Valid Before: Wed Mar 18 10:00:00 2009
# Not Valid After : Sun Mar 18 10:00:00 2029
# Fingerprint (SHA-256):
CB:B5:22:D7:B7:F1:27:AD:6A:01:13:86:5B:DF:1C:D4:10:2E:7D:07:59:AF:63:5A:7C:F4:72:0D:C9:63:C5:3B
# Fingerprint (SHA1): D6:9B:56:11:48:F0:1C:77:C5:45:78:C1:09:26:DF:5B:85:69:76:AD
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "GlobalSign Root CA - R3"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\114\061\040\060\036\006\003\125\004\013\023\027\107\154\157
\142\141\154\123\151\147\156\040\122\157\157\164\040\103\101\040
\055\040\122\063\061\023\060\021\006\003\125\004\012\023\012\107
\154\157\142\141\154\123\151\147\156\061\023\060\021\006\003\125
\004\003\023\012\107\154\157\142\141\154\123\151\147\156
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\114\061\040\060\036\006\003\125\004\013\023\027\107\154\157
\142\141\154\123\151\147\156\040\122\157\157\164\040\103\101\040
\055\040\122\063\061\023\060\021\006\003\125\004\012\023\012\107
\154\157\142\141\154\123\151\147\156\061\023\060\021\006\003\125
\004\003\023\012\107\154\157\142\141\154\123\151\147\156
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\013\004\000\000\000\000\001\041\130\123\010\242
END
CKA_VALUE MULTILINE_OCTAL

```

\060\202\003\137\060\202\002\107\240\003\002\001\002\002\013\004  
\000\000\000\000\001\041\130\123\010\242\060\015\006\011\052\206  
\110\206\367\015\001\001\013\005\000\060\114\061\040\060\036\006  
\003\125\004\013\023\027\107\154\157\142\141\154\123\151\147\156  
\040\122\157\157\164\040\103\101\040\055\040\122\063\061\023\060  
\021\006\003\125\004\012\023\012\107\154\157\142\141\154\123\151  
\147\156\061\023\060\021\006\003\125\004\003\023\012\107\154\157  
\142\141\154\123\151\147\156\060\036\027\015\060\071\060\063\061  
\070\061\060\060\060\060\060\132\027\015\062\071\060\063\061\070  
\061\060\060\060\060\060\132\060\114\061\040\060\036\006\003\125  
\004\013\023\027\107\154\157\142\141\154\123\151\147\156\040\122  
\157\157\164\040\103\101\040\055\040\122\063\061\023\060\021\006  
\003\125\004\012\023\012\107\154\157\142\141\154\123\151\147\156  
\061\023\060\021\006\003\125\004\003\023\012\107\154\157\142\141  
\154\123\151\147\156\060\202\001\042\060\015\006\011\052\206\110  
\206\367\015\001\001\001\005\000\003\202\001\017\000\060\202\001  
\012\002\202\001\001\000\314\045\166\220\171\006\170\042\026\365  
\300\203\266\204\312\050\236\375\005\166\021\305\255\210\162\374  
\106\002\103\307\262\212\235\004\137\044\313\056\113\341\140\202  
\106\341\122\253\014\201\107\160\154\335\144\321\353\365\054\243  
\017\202\075\014\053\256\227\327\266\024\206\020\171\273\073\023  
\200\167\214\010\341\111\322\152\142\057\037\136\372\226\150\337  
\211\047\225\070\237\006\327\076\311\313\046\131\015\163\336\260  
\310\351\046\016\203\025\306\357\133\213\322\004\140\312\111\246  
\050\366\151\073\366\313\310\050\221\345\235\212\141\127\067\254  
\164\024\334\164\340\072\356\162\057\056\234\373\320\273\277\365  
\075\000\341\006\063\350\202\053\256\123\246\072\026\163\214\335  
\101\016\040\072\300\264\247\241\351\262\117\220\056\062\140\351  
\127\313\271\004\222\150\150\345\070\046\140\165\262\237\167\377  
\221\024\357\256\040\111\374\255\100\025\110\321\002\061\141\031  
\136\270\227\357\255\167\267\144\232\172\277\137\301\023\357\233  
\142\373\015\154\340\124\151\026\251\003\332\156\351\203\223\161  
\166\306\151\205\202\027\002\003\001\000\001\243\102\060\100\060  
\016\006\003\125\035\017\001\001\377\004\004\003\002\001\006\060  
\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001\377  
\060\035\006\003\125\035\016\004\026\004\024\217\360\113\177\250  
\056\105\044\256\115\120\372\143\232\213\336\342\335\033\274\060  
\015\006\011\052\206\110\206\367\015\001\001\013\005\000\003\202  
\001\001\000\113\100\333\300\120\252\376\310\014\357\367\226\124  
\105\111\273\226\000\011\101\254\263\023\206\206\050\007\063\312  
\153\346\164\271\272\000\055\256\244\012\323\365\361\361\017\212  
\277\163\147\112\203\307\104\173\170\340\257\156\154\157\003\051  
\216\063\071\105\303\216\344\271\127\154\252\374\022\226\354\123  
\306\055\344\044\154\271\224\143\373\334\123\150\147\126\076\203  
\270\317\065\041\303\311\150\376\316\332\302\123\252\314\220\212  
\351\360\135\106\214\225\335\172\130\050\032\057\035\336\315\000  
\067\101\217\355\104\155\327\123\050\227\176\363\147\004\036\025  
\327\212\226\264\323\336\114\047\244\114\033\163\163\166\364\027

```
\231\302\037\172\016\343\055\010\255\012\034\054\377\074\253\125
\016\017\221\176\066\353\303\127\111\276\341\056\055\174\140\213
\303\101\121\023\043\235\316\367\062\153\224\001\250\231\347\054
\063\037\072\073\045\322\206\100\316\073\054\206\170\311\141\057
\024\272\356\333\125\157\337\204\356\005\011\115\275\050\330\162
\316\323\142\120\145\036\353\222\227\203\061\331\263\265\312\107
\130\077\137
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "GlobalSign Root CA - R3"
```

```
# Issuer: CN=GlobalSign,O=GlobalSign,OU=GlobalSign Root CA - R3
```

```
# Serial Number:04:00:00:00:00:01:21:58:53:08:a2
```

```
# Subject: CN=GlobalSign,O=GlobalSign,OU=GlobalSign Root CA - R3
```

```
# Not Valid Before: Wed Mar 18 10:00:00 2009
```

```
# Not Valid After : Sun Mar 18 10:00:00 2029
```

```
# Fingerprint (SHA-256):
```

```
CB:B5:22:D7:B7:F1:27:AD:6A:01:13:86:5B:DF:1C:D4:10:2E:7D:07:59:AF:63:5A:7C:F4:72:0D:C9:63:C5:3B
```

```
# Fingerprint (SHA1): D6:9B:56:11:48:F0:1C:77:C5:45:78:C1:09:26:DF:5B:85:69:76:AD
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "GlobalSign Root CA - R3"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\326\233\126\021\110\360\034\167\305\105\170\301\011\046\337\133
```

```
\205\151\166\255
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\305\337\270\111\312\005\023\125\356\055\272\032\303\076\260\050
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\114\061\040\060\036\006\003\125\004\013\023\027\107\154\157
```

```
\142\141\154\123\151\147\156\040\122\157\157\164\040\103\101\040
```

```
\055\040\122\063\061\023\060\021\006\003\125\004\012\023\012\107
```

```
\154\157\142\141\154\123\151\147\156\061\023\060\021\006\003\125
```

```
\004\003\023\012\107\154\157\142\141\154\123\151\147\156
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\013\004\000\000\000\000\001\041\130\123\010\242
```

END

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

```
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE
```

```

#
# Certificate "Autoridad de Certificacion Firmaprofesional CIF A62634068"
#
# Issuer: CN=Autoridad de Certificacion Firmaprofesional CIF A62634068,C=ES
# Serial Number:53:ec:3b:ee:fb:b2:48:5f
# Subject: CN=Autoridad de Certificacion Firmaprofesional CIF A62634068,C=ES
# Not Valid Before: Wed May 20 08:38:15 2009
# Not Valid After : Tue Dec 31 08:38:15 2030
# Fingerprint (SHA-256):
04:04:80:28:BF:1F:28:64:D4:8F:9A:D4:D8:32:94:36:6A:82:88:56:55:3F:3B:14:30:3F:90:14:7F:5D:40:EF
# Fingerprint (SHA1): AE:C5:FB:3F:C8:E1:BF:C4:E5:4F:03:07:5A:9A:E8:00:B7:F7:B6:FA
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Autoridad de Certificacion Firmaprofesional CIF A62634068"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\121\061\013\060\011\006\003\125\004\006\023\002\105\123\061
\102\060\100\006\003\125\004\003\014\071\101\165\164\157\162\151
\144\141\144\040\144\145\040\103\145\162\164\151\146\151\143\141
\143\151\157\156\040\106\151\162\155\141\160\162\157\146\145\163
\151\157\156\141\154\040\103\111\106\040\101\066\062\066\063\064
\060\066\070
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\121\061\013\060\011\006\003\125\004\006\023\002\105\123\061
\102\060\100\006\003\125\004\003\014\071\101\165\164\157\162\151
\144\141\144\040\144\145\040\103\145\162\164\151\146\151\143\141
\143\151\157\156\040\106\151\162\155\141\160\162\157\146\145\163
\151\157\156\141\154\040\103\111\106\040\101\066\062\066\063\064
\060\066\070
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\010\123\354\073\356\373\262\110\137
END
CKA_VALUE MULTILINE_OCTAL
\060\202\006\024\060\202\003\374\240\003\002\001\002\002\010\123
\354\073\356\373\262\110\137\060\015\006\011\052\206\110\206\367
\015\001\001\005\005\000\060\121\061\013\060\011\006\003\125\004
\006\023\002\105\123\061\102\060\100\006\003\125\004\003\014\071
\101\165\164\157\162\151\144\141\144\040\144\145\040\103\145\162
\164\151\146\151\143\141\143\151\157\156\040\106\151\162\155\141
\160\162\157\146\145\163\151\157\156\141\154\040\103\111\106\040
\101\066\062\066\063\064\060\066\070\060\036\027\015\060\071\060
\065\062\060\060\070\063\070\061\065\132\027\015\063\060\061\062
\063\061\060\070\063\070\061\065\132\060\121\061\013\060\011\006

```

\003\125\004\006\023\002\105\123\061\102\060\100\006\003\125\004  
\003\014\071\101\165\164\157\162\151\144\141\144\040\144\145\040  
\103\145\162\164\151\146\151\143\141\143\151\157\156\040\106\151  
\162\155\141\160\162\157\146\145\163\151\157\156\141\154\040\103  
\111\106\040\101\066\062\066\063\064\060\066\070\060\202\002\042  
\060\015\006\011\052\206\110\206\367\015\001\001\001\005\000\003  
\202\002\017\000\060\202\002\012\002\202\002\001\000\312\226\153  
\216\352\370\373\361\242\065\340\177\114\332\340\303\122\327\175  
\266\020\310\002\136\263\103\052\304\117\152\262\312\034\135\050  
\232\170\021\032\151\131\127\257\265\040\102\344\213\017\346\337  
\133\246\003\222\057\365\021\344\142\327\062\161\070\331\004\014  
\161\253\075\121\176\017\007\337\143\005\134\351\277\224\157\301  
\051\202\300\264\332\121\260\301\074\273\255\067\112\134\312\361  
\113\066\016\044\253\277\303\204\167\375\250\120\364\261\347\306  
\057\322\055\131\215\172\012\116\226\151\122\002\252\066\230\354  
\374\372\024\203\014\067\037\311\222\067\177\327\201\055\345\304  
\271\340\076\064\376\147\364\076\146\321\323\364\100\317\136\142  
\064\017\160\006\076\040\030\132\316\367\162\033\045\154\223\164  
\024\223\243\163\261\016\252\207\020\043\131\137\040\005\031\107  
\355\150\216\222\022\312\135\374\326\053\262\222\074\040\317\341  
\137\257\040\276\240\166\177\166\345\354\032\206\141\063\076\347  
\173\264\077\240\017\216\242\271\152\157\271\207\046\157\101\154  
\210\246\120\375\152\143\013\365\223\026\033\031\217\262\355\233  
\233\311\220\365\001\014\337\031\075\017\076\070\043\311\057\217  
\014\321\002\376\033\125\326\116\320\215\074\257\117\244\363\376  
\257\052\323\005\235\171\010\241\313\127\061\264\234\310\220\262  
\147\364\030\026\223\072\374\107\330\321\170\226\061\037\272\053  
\014\137\135\231\255\143\211\132\044\040\166\330\337\375\253\116  
\246\042\252\235\136\346\047\212\175\150\051\243\347\212\270\332  
\021\273\027\055\231\235\023\044\106\367\305\342\330\237\216\177  
\307\217\164\155\132\262\350\162\365\254\356\044\020\255\057\024  
\332\377\055\232\106\161\107\276\102\337\273\001\333\364\177\323  
\050\217\061\131\133\323\311\002\246\264\122\312\156\227\373\103  
\305\010\046\157\212\364\273\375\237\050\252\015\325\105\363\023  
\072\035\330\300\170\217\101\147\074\036\224\144\256\173\013\305  
\350\331\001\210\071\032\227\206\144\101\325\073\207\014\156\372  
\017\306\275\110\024\277\071\115\324\236\101\266\217\226\035\143  
\226\223\331\225\006\170\061\150\236\067\006\073\200\211\105\141  
\071\043\307\033\104\243\025\345\034\370\222\060\273\002\003\001  
\000\001\243\201\357\060\201\354\060\022\006\003\125\035\023\001  
\001\377\004\010\060\006\001\001\377\002\001\001\060\016\006\003  
\125\035\017\001\001\377\004\004\003\002\001\006\060\035\006\003  
\125\035\016\004\026\004\024\145\315\353\253\065\036\000\076\176  
\325\164\300\034\264\163\107\016\032\144\057\060\201\246\006\003  
\125\035\040\004\201\236\060\201\233\060\201\230\006\004\125\035  
\040\000\060\201\217\060\057\006\010\053\006\001\005\005\007\002  
\001\026\043\150\164\164\160\072\057\057\167\167\167\056\146\151  
\162\155\141\160\162\157\146\145\163\151\157\156\141\154\056\143



\157\155\057\143\160\163\060\134\006\010\053\006\001\005\005\007  
\002\002\060\120\036\116\000\120\000\141\000\163\000\145\000\157  
\000\040\000\144\000\145\000\040\000\154\000\141\000\040\000\102  
\000\157\000\156\000\141\000\156\000\157\000\166\000\141\000\040  
\000\064\000\067\000\040\000\102\000\141\000\162\000\143\000\145  
\000\154\000\157\000\156\000\141\000\040\000\060\000\070\000\060  
\000\061\000\067\060\015\006\011\052\206\110\206\367\015\001\001  
\005\005\000\003\202\002\001\000\027\175\240\371\264\335\305\305  
\353\255\113\044\265\241\002\253\335\245\210\112\262\017\125\113  
\053\127\214\073\345\061\335\376\304\062\361\347\133\144\226\066  
\062\030\354\245\062\167\327\343\104\266\300\021\052\200\271\075  
\152\156\174\233\323\255\374\303\326\243\346\144\051\174\321\341  
\070\036\202\053\377\047\145\257\373\026\025\304\056\161\204\345  
\265\377\372\244\107\275\144\062\273\366\045\204\242\047\102\365  
\040\260\302\023\020\021\315\020\025\272\102\220\052\322\104\341  
\226\046\353\061\110\022\375\052\332\311\006\317\164\036\251\113  
\325\207\050\371\171\064\222\076\056\104\350\366\217\117\217\065  
\077\045\263\071\334\143\052\220\153\040\137\304\122\022\116\227  
\054\052\254\235\227\336\110\362\243\146\333\302\322\203\225\246  
\146\247\236\045\017\351\013\063\221\145\012\132\303\331\124\022  
\335\257\303\116\016\037\046\136\015\334\263\215\354\325\201\160  
\336\322\117\044\005\363\154\116\365\114\111\146\215\321\377\322  
\013\045\101\110\376\121\204\306\102\257\200\004\317\320\176\144  
\111\344\362\337\242\354\261\114\300\052\035\347\264\261\145\242  
\304\274\361\230\364\252\160\007\143\264\270\332\073\114\372\100  
\042\060\133\021\246\360\005\016\306\002\003\110\253\206\233\205  
\335\333\335\352\242\166\200\163\175\365\234\004\304\105\215\347  
\271\034\213\236\352\327\165\321\162\261\336\165\104\347\102\175  
\342\127\153\175\334\231\274\075\203\050\352\200\223\215\305\114  
\145\301\160\201\270\070\374\103\061\262\366\003\064\107\262\254  
\373\042\006\313\036\335\027\107\034\137\146\271\323\032\242\332  
\021\261\244\274\043\311\344\276\207\377\271\224\266\370\135\040  
\112\324\137\347\275\150\173\145\362\025\036\322\072\251\055\351  
\330\153\044\254\227\130\104\107\255\131\030\361\041\145\160\336  
\316\064\140\250\100\361\363\074\244\303\050\043\214\376\047\063  
\103\100\240\027\074\353\352\073\260\162\246\243\271\112\113\136  
\026\110\364\262\274\310\214\222\305\235\237\254\162\066\274\064  
\200\064\153\251\213\222\300\270\027\355\354\166\123\365\044\001  
\214\263\042\350\113\174\125\306\235\372\243\024\273\145\205\156  
\156\117\022\176\012\074\235\225

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "Autoridad de Certificacion Firmaprofesional CIF A62634068"

# Issuer: CN=Autoridad de Certificacion Firmaprofesional CIF A62634068,C=ES

# Serial Number:53:ec:3b:ee:fb:b2:48:5f

```

# Subject: CN=Autoridad de Certificacion Firmaprofesional CIF A62634068,C=ES
# Not Valid Before: Wed May 20 08:38:15 2009
# Not Valid After : Tue Dec 31 08:38:15 2030
# Fingerprint (SHA-256):
04:04:80:28:BF:1F:28:64:D4:8F:9A:D4:D8:32:94:36:6A:82:88:56:55:3F:3B:14:30:3F:90:14:7F:5D:40:EF
# Fingerprint (SHA1): AE:C5:FB:3F:C8:E1:BF:C4:E5:4F:03:07:5A:9A:E8:00:B7:F7:B6:FA
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Autoridad de Certificacion Firmaprofesional CIF A62634068"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\256\305\373\077\310\341\277\304\345\117\003\007\132\232\350\000
\267\367\266\372
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\163\072\164\172\354\273\243\226\246\302\344\342\310\233\300\303
END
CKA_ISSUER MULTILINE_OCTAL
\060\121\061\013\060\011\006\003\125\004\006\023\002\105\123\061
\102\060\100\006\003\125\004\003\014\071\101\165\164\157\162\151
\144\141\144\040\144\145\040\103\145\162\164\151\146\151\143\141
\143\151\157\156\040\106\151\162\155\141\160\162\157\146\145\163
\151\157\156\141\154\040\103\111\106\040\101\066\062\066\063\064
\060\066\070
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\010\123\354\073\356\373\262\110\137
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Izenpe.com"
#
# Issuer: CN=Izenpe.com,O=IZENPE S.A.,C=ES
# Serial Number:00:b0:b7:5a:16:48:5f:bf:e1:cb:f5:8b:d7:19:e6:7d
# Subject: CN=Izenpe.com,O=IZENPE S.A.,C=ES
# Not Valid Before: Thu Dec 13 13:08:28 2007
# Not Valid After : Sun Dec 13 08:27:25 2037
# Fingerprint (SHA-256):
25:30:CC:8E:98:32:15:02:BA:D9:6F:9B:1F:BA:1B:09:9E:2D:29:9E:0F:45:48:BB:91:4F:36:3B:C0:D4:53:1F
# Fingerprint (SHA1): 2F:78:3D:25:52:18:A7:4A:65:39:71:B5:2C:A2:9C:45:15:6F:E9:19
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE

```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Izenpe.com"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\070\061\013\060\011\006\003\125\004\006\023\002\105\123\061
\024\060\022\006\003\125\004\012\014\013\111\132\105\116\120\105
\040\123\056\101\056\061\023\060\021\006\003\125\004\003\014\012
\111\172\145\156\160\145\056\143\157\155
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\070\061\013\060\011\006\003\125\004\006\023\002\105\123\061
\024\060\022\006\003\125\004\012\014\013\111\132\105\116\120\105
\040\123\056\101\056\061\023\060\021\006\003\125\004\003\014\012
\111\172\145\156\160\145\056\143\157\155
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\000\260\267\132\026\110\137\277\341\313\365\213\327\031
\346\175
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\361\060\202\003\331\240\003\002\001\002\002\020\000
\260\267\132\026\110\137\277\341\313\365\213\327\031\346\175\060
\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060\070
\061\013\060\011\006\003\125\004\006\023\002\105\123\061\024\060
\022\006\003\125\004\012\014\013\111\132\105\116\120\105\040\123
\056\101\056\061\023\060\021\006\003\125\004\003\014\012\111\172
\145\156\160\145\056\143\157\155\060\036\027\015\060\067\061\062
\061\063\061\063\060\070\062\070\132\027\015\063\067\061\062\061
\063\060\070\062\067\062\065\132\060\070\061\013\060\011\006\003
\125\004\006\023\002\105\123\061\024\060\022\006\003\125\004\012
\014\013\111\132\105\116\120\105\040\123\056\101\056\061\023\060
\021\006\003\125\004\003\014\012\111\172\145\156\160\145\056\143
\157\155\060\202\002\042\060\015\006\011\052\206\110\206\367\015
\001\001\001\005\000\003\202\002\017\000\060\202\002\012\002\202
\002\001\000\311\323\172\312\017\036\254\247\206\350\026\145\152
\261\302\033\105\062\161\225\331\376\020\133\314\257\347\245\171
\001\217\211\303\312\362\125\161\367\167\276\167\224\363\162\244
\054\104\330\236\222\233\024\072\241\347\044\220\012\012\126\216
\305\330\046\224\341\331\110\341\055\076\332\012\162\335\243\231
\025\332\201\242\207\364\173\156\046\167\211\130\255\326\353\014
\262\101\172\163\156\155\333\172\170\101\351\010\210\022\176\207
\056\146\021\143\154\124\373\074\235\162\300\274\056\377\302\267
\335\015\166\343\072\327\367\264\150\276\242\365\343\201\156\301
\106\157\135\215\340\115\306\124\125\211\032\063\061\012\261\127
\271\243\212\230\303\354\073\064\305\225\101\151\176\165\302\074
\040\305\141\272\121\107\240\040\220\223\241\220\113\363\116\174
\205\105\124\232\321\005\046\101\260\265\115\035\063\276\304\003
```

\310\045\174\301\160\333\073\364\011\055\124\047\110\254\057\341  
\304\254\076\310\313\222\114\123\071\067\043\354\323\001\371\340  
\011\104\115\115\144\300\341\015\132\207\042\274\255\033\243\376  
\046\265\025\363\247\374\204\031\351\354\241\210\264\104\151\204  
\203\363\211\321\164\006\251\314\013\326\302\336\047\205\120\046  
\312\027\270\311\172\207\126\054\032\001\036\154\276\023\255\020  
\254\265\044\365\070\221\241\326\113\332\361\273\322\336\107\265  
\361\274\201\366\131\153\317\031\123\351\215\025\313\112\313\251  
\157\104\345\033\101\317\341\206\247\312\320\152\237\274\114\215  
\006\063\132\242\205\345\220\065\240\142\134\026\116\360\343\242  
\372\003\032\264\054\161\263\130\054\336\173\013\333\032\017\353  
\336\041\037\006\167\006\003\260\311\357\231\374\300\271\117\013  
\206\050\376\322\271\352\343\332\245\303\107\151\022\340\333\360  
\366\031\213\355\173\160\327\002\326\355\207\030\050\054\004\044  
\114\167\344\110\212\032\306\073\232\324\017\312\372\165\322\001  
\100\132\215\171\277\213\317\113\317\252\026\301\225\344\255\114  
\212\076\027\221\324\261\142\345\202\345\200\004\244\003\176\215  
\277\332\177\242\017\227\117\014\323\015\373\327\321\345\162\176  
\034\310\167\377\133\232\017\267\256\005\106\345\361\250\026\354  
\107\244\027\002\003\001\000\001\243\201\366\060\201\363\060\201  
\260\006\003\125\035\021\004\201\250\060\201\245\201\017\151\156  
\146\157\100\151\172\145\156\160\145\056\143\157\155\244\201\221  
\060\201\216\061\107\060\105\006\003\125\004\012\014\076\111\132  
\105\116\120\105\040\123\056\101\056\040\055\040\103\111\106\040  
\101\060\061\063\063\067\062\066\060\055\122\115\145\162\143\056  
\126\151\164\157\162\151\141\055\107\141\163\164\145\151\172\040  
\124\061\060\065\065\040\106\066\062\040\123\070\061\103\060\101  
\006\003\125\004\011\014\072\101\166\144\141\040\144\145\154\040  
\115\145\144\151\164\145\162\162\141\156\145\157\040\105\164\157  
\162\142\151\144\145\141\040\061\064\040\055\040\060\061\060\061  
\060\040\126\151\164\157\162\151\141\055\107\141\163\164\145\151  
\172\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001  
\001\377\060\016\006\003\125\035\017\001\001\377\004\004\003\002  
\001\006\060\035\006\003\125\035\016\004\026\004\024\035\034\145  
\016\250\362\045\173\264\221\317\344\261\261\346\275\125\164\154  
\005\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000  
\003\202\002\001\000\170\246\014\026\112\237\114\210\072\300\313  
\016\245\026\175\237\271\110\137\030\217\015\142\066\366\315\031  
\153\254\253\325\366\221\175\256\161\363\077\263\016\170\205\233  
\225\244\047\041\107\102\112\174\110\072\365\105\174\263\014\216  
\121\170\254\225\023\336\306\375\175\270\032\220\114\253\222\003  
\307\355\102\001\316\017\330\261\372\242\222\341\140\155\256\172  
\153\011\252\306\051\356\150\111\147\060\200\044\172\061\026\071  
\133\176\361\034\056\335\154\011\255\362\061\301\202\116\271\273  
\371\276\277\052\205\077\300\100\243\072\131\374\131\113\074\050  
\044\333\264\025\165\256\015\210\272\056\163\300\275\130\207\345  
\102\362\353\136\356\036\060\042\231\313\067\321\304\041\154\201  
\354\276\155\046\346\034\344\102\040\236\107\260\254\203\131\160

```
\054\065\326\257\066\064\264\315\073\370\062\250\357\343\170\211
\373\215\105\054\332\234\270\176\100\034\141\347\076\242\222\054
\113\362\315\372\230\266\051\377\363\362\173\251\037\056\240\223
\127\053\336\205\003\371\151\067\313\236\170\152\005\264\305\061
\170\211\354\172\247\205\341\271\173\074\336\276\036\171\204\316
\237\160\016\131\302\065\056\220\052\061\331\344\105\172\101\244
\056\023\233\064\016\146\173\111\253\144\227\320\106\303\171\235
\162\120\143\246\230\133\006\275\110\155\330\071\203\160\350\065
\360\005\321\252\274\343\333\310\002\352\174\375\202\332\302\133
\122\065\256\230\072\255\272\065\223\043\247\037\110\335\065\106
\230\262\020\150\344\245\061\302\012\130\056\031\201\020\311\120
\165\374\352\132\026\316\021\327\356\357\120\210\055\141\377\077
\102\163\005\224\103\325\216\074\116\001\072\031\245\037\106\116
\167\320\135\345\201\042\041\207\376\224\175\204\330\223\255\326
\150\103\110\262\333\353\163\044\347\221\177\124\244\266\200\076
\235\243\074\114\162\302\127\304\240\324\314\070\047\316\325\006
\236\242\110\331\351\237\316\202\160\066\223\232\073\337\226\041
\343\131\267\014\332\221\067\360\375\131\132\263\231\310\151\154
\103\046\001\065\143\140\125\211\003\072\165\330\272\112\331\124
\377\356\336\200\330\055\321\070\325\136\055\013\230\175\076\154
\333\374\046\210\307
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "Izenpe.com"
```

```
# Issuer: CN=Izenpe.com,O=IZENPE S.A.,C=ES
```

```
# Serial Number:00:b0:b7:5a:16:48:5f:bf:e1:cb:f5:8b:d7:19:e6:7d
```

```
# Subject: CN=Izenpe.com,O=IZENPE S.A.,C=ES
```

```
# Not Valid Before: Thu Dec 13 13:08:28 2007
```

```
# Not Valid After : Sun Dec 13 08:27:25 2037
```

```
# Fingerprint (SHA-256):
```

```
25:30:CC:8E:98:32:15:02:BA:D9:6F:9B:1F:BA:1B:09:9E:2D:29:9E:0F:45:48:BB:91:4F:36:3B:C0:D4:53:1F
```

```
# Fingerprint (SHA1): 2F:78:3D:25:52:18:A7:4A:65:39:71:B5:2C:A2:9C:45:15:6F:E9:19
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Izenpe.com"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\057\170\075\045\122\030\247\112\145\071\161\265\054\242\234\105
\025\157\351\031
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\246\260\315\205\200\332\134\120\064\243\071\220\057\125\147\163
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\070\061\013\060\011\006\003\125\004\006\023\002\105\123\061
\024\060\022\006\003\125\004\012\014\013\111\132\105\116\120\105
\040\123\056\101\056\061\023\060\021\006\003\125\004\003\014\012
\111\172\145\156\160\145\056\143\157\155
```

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

```
\002\020\000\260\267\132\026\110\137\277\341\313\365\213\327\031
\346\175
```

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "Chambers of Commerce Root - 2008"

#

# Issuer: CN=Chambers of Commerce Root - 2008,O=AC Camerfirma S.A.,serialNumber=A82743287,L=Madrid  
(see current address at [www.camerfirma.com/address](http://www.camerfirma.com/address)),C=EU

# Serial Number:00:a3:da:42:7e:a4:b1:ae:da

# Subject: CN=Chambers of Commerce Root - 2008,O=AC Camerfirma S.A.,serialNumber=A82743287,L=Madrid  
(see current address at [www.camerfirma.com/address](http://www.camerfirma.com/address)),C=EU

# Not Valid Before: Fri Aug 01 12:29:50 2008

# Not Valid After : Sat Jul 31 12:29:50 2038

# Fingerprint (SHA-256):

06:3E:4A:FA:C4:91:DF:D3:32:F3:08:9B:85:42:E9:46:17:D8:93:D7:FE:94:4E:10:A7:93:7E:E2:9D:96:93:C0

# Fingerprint (SHA1): 78:6A:74:AC:76:AB:14:7F:9C:6A:30:50:BA:9E:A8:7E:FE:9A:CE:3C

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "Chambers of Commerce Root - 2008"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

```
\060\201\256\061\013\060\011\006\003\125\004\006\023\002\105\125
\061\103\060\101\006\003\125\004\007\023\072\115\141\144\162\151
\144\040\050\163\145\145\040\143\165\162\162\145\156\164\040\141
\144\144\162\145\163\163\040\141\164\040\167\167\167\056\143\141
\155\145\162\146\151\162\155\141\056\143\157\155\057\141\144\144
\162\145\163\163\051\061\022\060\020\006\003\125\004\005\023\011
\101\070\062\067\064\063\062\070\067\061\033\060\031\006\003\125
\004\012\023\022\101\103\040\103\141\155\145\162\146\151\162\155
\141\040\123\056\101\056\061\051\060\047\006\003\125\004\003\023
\040\103\150\141\155\142\145\162\163\040\157\146\040\103\157\155
\155\145\162\143\145\040\122\157\157\164\040\055\040\062\060\060
\070
```

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\201\256\061\013\060\011\006\003\125\004\006\023\002\105\125  
\061\103\060\101\006\003\125\004\007\023\072\115\141\144\162\151  
\144\040\050\163\145\145\040\143\165\162\162\145\156\164\040\141  
\144\144\162\145\163\163\040\141\164\040\167\167\167\056\143\141  
\155\145\162\146\151\162\155\141\056\143\157\155\057\141\144\144  
\162\145\163\163\051\061\022\060\020\006\003\125\004\005\023\011  
\101\070\062\067\064\063\062\070\067\061\033\060\031\006\003\125  
\004\012\023\022\101\103\040\103\141\155\145\162\146\151\162\155  
\141\040\123\056\101\056\061\051\060\047\006\003\125\004\003\023  
\040\103\150\141\155\142\145\162\163\040\157\146\040\103\157\155  
\155\145\162\143\145\040\122\157\157\164\040\055\040\062\060\060  
\070

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\011\000\243\332\102\176\244\261\256\332

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\007\117\060\202\005\067\240\003\002\001\002\002\011\000  
\243\332\102\176\244\261\256\332\060\015\006\011\052\206\110\206  
\367\015\001\001\005\005\000\060\201\256\061\013\060\011\006\003  
\125\004\006\023\002\105\125\061\103\060\101\006\003\125\004\007  
\023\072\115\141\144\162\151\144\040\050\163\145\145\040\143\165  
\162\162\145\156\164\040\141\144\144\162\145\163\163\040\141\164  
\040\167\167\167\056\143\141\155\145\162\146\151\162\155\141\056  
\143\157\155\057\141\144\144\162\145\163\163\051\061\022\060\020  
\006\003\125\004\005\023\011\101\070\062\067\064\063\062\070\067  
\061\033\060\031\006\003\125\004\012\023\022\101\103\040\103\141  
\155\145\162\146\151\162\155\141\040\123\056\101\056\061\051\060  
\047\006\003\125\004\003\023\040\103\150\141\155\142\145\162\163  
\040\157\146\040\103\157\155\155\145\162\143\145\040\122\157\157  
\164\040\055\040\062\060\060\070\060\036\027\015\060\070\060\070  
\060\061\061\062\062\071\065\060\132\027\015\063\070\060\067\063  
\061\061\062\062\071\065\060\132\060\201\256\061\013\060\011\006  
\003\125\004\006\023\002\105\125\061\103\060\101\006\003\125\004  
\007\023\072\115\141\144\162\151\144\040\050\163\145\145\040\143  
\165\162\162\145\156\164\040\141\144\144\162\145\163\163\040\141  
\164\040\167\167\167\056\143\141\155\145\162\146\151\162\155\141  
\056\143\157\155\057\141\144\144\162\145\163\163\051\061\022\060  
\020\006\003\125\004\005\023\011\101\070\062\067\064\063\062\070  
\067\061\033\060\031\006\003\125\004\012\023\022\101\103\040\103  
\141\155\145\162\146\151\162\155\141\040\123\056\101\056\061\051  
\060\047\006\003\125\004\003\023\040\103\150\141\155\142\145\162  
\163\040\157\146\040\103\157\155\155\145\162\143\145\040\122\157  
\157\164\040\055\040\062\060\060\070\060\202\002\042\060\015\006  
\011\052\206\110\206\367\015\001\001\001\005\000\003\202\002\017  
\000\060\202\002\012\002\202\002\001\000\257\000\313\160\067\053  
\200\132\112\072\154\170\224\175\243\177\032\037\366\065\325\275

\333\313\015\104\162\076\046\262\220\122\272\143\073\050\130\157  
\245\263\155\224\246\363\335\144\014\125\366\366\347\362\042\042  
\200\136\341\142\306\266\051\341\201\154\362\277\345\175\062\152  
\124\240\062\031\131\376\037\213\327\075\140\206\205\044\157\343  
\021\263\167\076\040\226\065\041\153\263\010\331\160\056\144\367  
\204\222\123\326\016\260\220\212\212\343\207\215\006\323\275\220  
\016\342\231\241\033\206\016\332\232\012\273\013\141\120\006\122  
\361\236\177\166\354\313\017\320\036\015\317\231\060\075\034\304  
\105\020\130\254\326\323\350\327\345\352\305\001\007\167\326\121  
\346\003\177\212\110\245\115\150\165\271\351\274\236\116\031\161  
\365\062\113\234\155\140\031\013\373\314\235\165\334\277\046\315  
\217\223\170\071\171\163\136\045\016\312\134\353\167\022\007\313  
\144\101\107\162\223\253\120\303\353\011\166\144\064\322\071\267  
\166\021\011\015\166\105\304\251\256\075\152\257\265\175\145\057  
\224\130\020\354\134\174\257\176\342\266\030\331\320\233\116\132  
\111\337\251\146\013\314\074\306\170\174\247\234\035\343\316\216  
\123\276\005\336\140\017\153\345\032\333\077\343\341\041\311\051  
\301\361\353\007\234\122\033\001\104\121\074\173\045\327\304\345  
\122\124\135\045\007\312\026\040\270\255\344\101\356\172\010\376  
\231\157\203\246\221\002\260\154\066\125\152\347\175\365\226\346  
\312\201\326\227\361\224\203\351\355\260\261\153\022\151\036\254  
\373\135\251\305\230\351\264\133\130\172\276\075\242\104\072\143  
\131\324\013\045\336\033\117\275\345\001\236\315\322\051\325\237  
\027\031\012\157\277\014\220\323\011\137\331\343\212\065\314\171  
\132\115\031\067\222\267\304\301\255\257\364\171\044\232\262\001  
\013\261\257\134\226\363\200\062\373\134\075\230\361\240\077\112  
\336\276\257\224\056\331\125\232\027\156\140\235\143\154\270\143  
\311\256\201\134\030\065\340\220\273\276\074\117\067\042\271\176  
\353\317\236\167\041\246\075\070\201\373\110\332\061\075\053\343  
\211\365\320\265\275\176\340\120\304\022\211\263\043\232\020\061  
\205\333\256\157\357\070\063\030\166\021\002\003\001\000\001\243  
\202\001\154\060\202\001\150\060\022\006\003\125\035\023\001\001  
\377\004\010\060\006\001\001\377\002\001\014\060\035\006\003\125  
\035\016\004\026\004\024\371\044\254\017\262\265\370\171\300\372  
\140\210\033\304\331\115\002\236\027\031\060\201\343\006\003\125  
\035\043\004\201\333\060\201\330\200\024\371\044\254\017\262\265  
\370\171\300\372\140\210\033\304\331\115\002\236\027\031\241\201  
\264\244\201\261\060\201\256\061\013\060\011\006\003\125\004\006  
\023\002\105\125\061\103\060\101\006\003\125\004\007\023\072\115  
\141\144\162\151\144\040\050\163\145\145\040\143\165\162\162\145  
\156\164\040\141\144\144\162\145\163\163\040\141\164\040\167\167  
\167\056\143\141\155\145\162\146\151\162\155\141\056\143\157\155  
\057\141\144\144\162\145\163\163\051\061\022\060\020\006\003\125  
\004\005\023\011\101\070\062\067\064\063\062\070\067\061\033\060  
\031\006\003\125\004\012\023\022\101\103\040\103\141\155\145\162  
\146\151\162\155\141\040\123\056\101\056\061\051\060\047\006\003  
\125\004\003\023\040\103\150\141\155\142\145\162\163\040\157\146  
\040\103\157\155\155\145\162\143\145\040\122\157\157\164\040\055



\040\062\060\060\070\202\011\000\243\332\102\176\244\261\256\332  
\060\016\006\003\125\035\017\001\001\377\004\004\003\002\001\006  
\060\075\006\003\125\035\040\004\066\060\064\060\062\006\004\125  
\035\040\000\060\052\060\050\006\010\053\006\001\005\005\007\002  
\001\026\034\150\164\164\160\072\057\057\160\157\154\151\143\171  
\056\143\141\155\145\162\146\151\162\155\141\056\143\157\155\060  
\015\006\011\052\206\110\206\367\015\001\001\005\005\000\003\202  
\002\001\000\220\022\257\042\065\302\243\071\360\056\336\351\265  
\351\170\174\110\276\077\175\105\222\136\351\332\261\031\374\026  
\074\237\264\133\146\236\152\347\303\271\135\210\350\017\255\317  
\043\017\336\045\072\136\314\117\245\301\265\055\254\044\322\130  
\007\336\242\317\151\204\140\063\350\020\015\023\251\043\320\205  
\345\216\173\246\236\075\162\023\162\063\365\252\175\306\143\037  
\010\364\376\001\177\044\317\053\054\124\011\336\342\053\155\222  
\306\071\117\026\352\074\176\172\106\324\105\152\106\250\353\165  
\202\126\247\253\240\174\150\023\063\366\235\060\360\157\047\071  
\044\043\052\220\375\220\051\065\362\223\337\064\245\306\367\370  
\357\214\017\142\112\174\256\323\365\124\370\215\266\232\126\207  
\026\202\072\063\253\132\042\010\367\202\272\352\056\340\107\232  
\264\265\105\243\005\073\331\334\056\105\100\073\352\334\177\350  
\073\353\321\354\046\330\065\244\060\305\072\254\127\236\263\166  
\245\040\173\371\036\112\005\142\001\246\050\165\140\227\222\015  
\156\076\115\067\103\015\222\025\234\030\042\315\121\231\240\051  
\032\074\137\212\062\063\133\060\307\211\057\107\230\017\243\003  
\306\366\361\254\337\062\360\331\201\032\344\234\275\366\200\024  
\360\321\054\271\205\365\330\243\261\310\245\041\345\034\023\227  
\356\016\275\337\051\251\357\064\123\133\323\344\152\023\204\006  
\266\062\002\304\122\256\042\322\334\262\041\102\032\332\100\360  
\051\311\354\012\014\134\342\320\272\314\110\323\067\012\314\022  
\012\212\171\260\075\003\177\151\113\364\064\040\175\263\064\352  
\216\113\144\365\076\375\263\043\147\025\015\004\270\360\055\301  
\011\121\074\262\154\025\360\245\043\327\203\164\344\345\056\311  
\376\230\047\102\306\253\306\236\260\320\133\070\245\233\120\336  
\176\030\230\265\105\073\366\171\264\350\367\032\173\006\203\373  
\320\213\332\273\307\275\030\253\010\157\074\200\153\100\077\031  
\031\272\145\212\346\276\325\134\323\066\327\357\100\122\044\140  
\070\147\004\061\354\217\363\202\306\336\271\125\363\073\061\221  
\132\334\265\010\025\255\166\045\012\015\173\056\207\342\014\246  
\006\274\046\020\155\067\235\354\335\170\214\174\200\305\360\331  
\167\110\320

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "Chambers of Commerce Root - 2008"

# Issuer: CN=Chambers of Commerce Root - 2008,O=AC Camerfirma S.A.,serialNumber=A82743287,L=Madrid  
(see current address at [www.camerfirma.com/address](http://www.camerfirma.com/address)),C=EU

```
# Serial Number:00:a3:da:42:7e:a4:b1:ae:da
# Subject: CN=Chambers of Commerce Root - 2008,O=AC Camerfirma S.A.,serialNumber=A82743287,L=Madrid
(see current address at www.camerfirma.com/address),C=EU
# Not Valid Before: Fri Aug 01 12:29:50 2008
# Not Valid After : Sat Jul 31 12:29:50 2038
# Fingerprint (SHA-256):
06:3E:4A:FA:C4:91:DF:D3:32:F3:08:9B:85:42:E9:46:17:D8:93:D7:FE:94:4E:10:A7:93:7E:E2:9D:96:93:C0
# Fingerprint (SHA1): 78:6A:74:AC:76:AB:14:7F:9C:6A:30:50:BA:9E:A8:7E:FE:9A:CE:3C
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Chambers of Commerce Root - 2008"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\170\152\164\254\166\253\024\177\234\152\060\120\272\236\250\176
\376\232\316\074
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\136\200\236\204\132\016\145\013\027\002\363\125\030\052\076\327
END
CKA_ISSUER MULTILINE_OCTAL
\060\201\256\061\013\060\011\006\003\125\004\006\023\002\105\125
\061\103\060\101\006\003\125\004\007\023\072\115\141\144\162\151
\144\040\050\163\145\145\040\143\165\162\162\145\156\164\040\141
\144\144\162\145\163\163\040\141\164\040\167\167\167\056\143\141
\155\145\162\146\151\162\155\141\056\143\157\155\057\141\144\144
\162\145\163\163\051\061\022\060\020\006\003\125\004\005\023\011
\101\070\062\067\064\063\062\070\067\061\033\060\031\006\003\125
\004\012\023\022\101\103\040\103\141\155\145\162\146\151\162\155
\141\040\123\056\101\056\061\051\060\047\006\003\125\004\003\023
\040\103\150\141\155\142\145\162\163\040\157\146\040\103\157\155
\155\145\162\143\145\040\122\157\157\164\040\055\040\062\060\060
\070
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\011\000\243\332\102\176\244\261\256\332
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Global Chambersign Root - 2008"
#
# Issuer: CN=Global Chambersign Root - 2008,O=AC Camerfirma S.A.,serialNumber=A82743287,L=Madrid (see
current address at www.camerfirma.com/address),C=EU
# Serial Number:00:c9:cd:d3:e9:d5:7d:23:ce
```

```
# Subject: CN=Global Chambersign Root - 2008,O=AC Camerfirma S.A.,serialNumber=A82743287,L=Madrid
(see current address at www.camerfirma.com/address),C=EU
# Not Valid Before: Fri Aug 01 12:31:40 2008
# Not Valid After : Sat Jul 31 12:31:40 2038
# Fingerprint (SHA-256):
13:63:35:43:93:34:A7:69:80:16:A0:D3:24:DE:72:28:4E:07:9D:7B:52:20:BB:8F:BD:74:78:16:EE:BE:BA:CA
# Fingerprint (SHA1): 4A:BD:EE:EC:95:0D:35:9C:89:AE:C7:52:A1:2C:5B:29:F6:D6:AA:0C
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Global Chambersign Root - 2008"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\254\061\013\060\011\006\003\125\004\006\023\002\105\125
\061\103\060\101\006\003\125\004\007\023\072\115\141\144\162\151
\144\040\050\163\145\145\040\143\165\162\162\145\156\164\040\141
\144\144\162\145\163\163\040\141\164\040\167\167\167\056\143\141
\155\145\162\146\151\162\155\141\056\143\157\155\057\141\144\144
\162\145\163\163\051\061\022\060\020\006\003\125\004\005\023\011
\101\070\062\067\064\063\062\070\067\061\033\060\031\006\003\125
\004\012\023\022\101\103\040\103\141\155\145\162\146\151\162\155
\141\040\123\056\101\056\061\047\060\045\006\003\125\004\003\023
\036\107\154\157\142\141\154\040\103\150\141\155\142\145\162\163
\151\147\156\040\122\157\157\164\040\055\040\062\060\060\070
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\254\061\013\060\011\006\003\125\004\006\023\002\105\125
\061\103\060\101\006\003\125\004\007\023\072\115\141\144\162\151
\144\040\050\163\145\145\040\143\165\162\162\145\156\164\040\141
\144\144\162\145\163\163\040\141\164\040\167\167\167\056\143\141
\155\145\162\146\151\162\155\141\056\143\157\155\057\141\144\144
\162\145\163\163\051\061\022\060\020\006\003\125\004\005\023\011
\101\070\062\067\064\063\062\070\067\061\033\060\031\006\003\125
\004\012\023\022\101\103\040\103\141\155\145\162\146\151\162\155
\141\040\123\056\101\056\061\047\060\045\006\003\125\004\003\023
\036\107\154\157\142\141\154\040\103\150\141\155\142\145\162\163
\151\147\156\040\122\157\157\164\040\055\040\062\060\060\070
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\011\000\311\315\323\351\325\175\043\316
END
CKA_VALUE MULTILINE_OCTAL
\060\202\007\111\060\202\005\061\240\003\002\001\002\002\011\000
\311\315\323\351\325\175\043\316\060\015\006\011\052\206\110\206
\367\015\001\001\005\005\000\060\201\254\061\013\060\011\006\003
\125\004\006\023\002\105\125\061\103\060\101\006\003\125\004\007
```

\023\072\115\141\144\162\151\144\040\050\163\145\145\040\143\165  
\162\162\145\156\164\040\141\144\144\162\145\163\163\040\141\164  
\040\167\167\167\056\143\141\155\145\162\146\151\162\155\141\056  
\143\157\155\057\141\144\144\162\145\163\163\051\061\022\060\020  
\006\003\125\004\005\023\011\101\070\062\067\064\063\062\070\067  
\061\033\060\031\006\003\125\004\012\023\022\101\103\040\103\141  
\155\145\162\146\151\162\155\141\040\123\056\101\056\061\047\060  
\045\006\003\125\004\003\023\036\107\154\157\142\141\154\040\103  
\150\141\155\142\145\162\163\151\147\156\040\122\157\157\164\040  
\055\040\062\060\060\070\060\036\027\015\060\070\060\070\060\061  
\061\062\063\061\064\060\132\027\015\063\070\060\067\063\061\061  
\062\063\061\064\060\132\060\201\254\061\013\060\011\006\003\125  
\004\006\023\002\105\125\061\103\060\101\006\003\125\004\007\023  
\072\115\141\144\162\151\144\040\050\163\145\145\040\143\165\162  
\162\145\156\164\040\141\144\144\162\145\163\163\040\141\164\040  
\167\167\167\056\143\141\155\145\162\146\151\162\155\141\056\143  
\157\155\057\141\144\144\162\145\163\163\051\061\022\060\020\006  
\003\125\004\005\023\011\101\070\062\067\064\063\062\070\067\061  
\033\060\031\006\003\125\004\012\023\022\101\103\040\103\141\155  
\145\162\146\151\162\155\141\040\123\056\101\056\061\047\060\045  
\006\003\125\004\003\023\036\107\154\157\142\141\154\040\103\150  
\141\155\142\145\162\163\151\147\156\040\122\157\157\164\040\055  
\040\062\060\060\070\060\202\002\042\060\015\006\011\052\206\110  
\206\367\015\001\001\001\005\000\003\202\002\017\000\060\202\002  
\012\002\202\002\001\000\300\337\126\323\344\072\233\166\105\264  
\023\333\377\301\266\031\213\067\101\030\225\122\107\353\027\235  
\051\210\216\065\154\006\062\056\107\142\363\111\004\277\175\104  
\066\261\161\314\275\132\011\163\325\331\205\104\377\221\127\045  
\337\136\066\216\160\321\134\161\103\035\331\332\357\134\322\373  
\033\275\072\265\313\255\243\314\104\247\015\256\041\025\077\271  
\172\133\222\165\330\244\022\070\211\031\212\267\200\322\342\062  
\157\126\234\221\326\210\020\013\263\164\144\222\164\140\363\366  
\317\030\117\140\262\043\320\307\073\316\141\113\231\217\302\014  
\320\100\262\230\334\015\250\116\243\271\012\256\140\240\255\105  
\122\143\272\146\275\150\340\371\276\032\250\201\273\036\101\170  
\165\323\301\376\000\125\260\207\124\350\047\220\065\035\114\063  
\255\227\374\227\056\230\204\277\054\311\243\277\321\230\021\024  
\355\143\370\312\230\210\130\027\231\355\105\003\227\176\074\206  
\036\210\214\276\362\221\204\217\145\064\330\000\114\175\267\061  
\027\132\051\172\012\030\044\060\243\067\265\172\251\001\175\046  
\326\371\016\216\131\361\375\033\063\265\051\073\027\073\101\266  
\041\335\324\300\075\245\237\237\037\103\120\311\273\274\154\172  
\227\230\356\315\214\037\373\234\121\256\213\160\275\047\237\161  
\300\153\254\175\220\146\350\327\135\072\015\260\325\302\215\325  
\310\235\235\301\155\320\320\277\121\344\343\370\303\070\066\256  
\326\247\165\346\257\204\103\135\223\222\014\152\007\336\073\035  
\230\042\326\254\301\065\333\243\240\045\377\162\265\166\035\336  
\155\351\054\146\054\122\204\320\105\222\316\034\345\345\063\035

\334\007\123\124\243\252\202\073\232\067\057\334\335\240\144\351  
\346\335\275\256\374\144\205\035\074\247\311\006\336\204\377\153  
\350\153\032\074\305\242\263\102\373\213\011\076\137\010\122\307  
\142\304\324\005\161\277\304\144\344\370\241\203\350\076\022\233  
\250\036\324\066\115\057\161\366\215\050\366\203\251\023\322\141  
\301\221\273\110\300\064\217\101\214\113\114\333\151\022\377\120  
\224\234\040\203\131\163\355\174\241\362\361\375\335\367\111\323  
\103\130\240\126\143\312\075\075\345\065\126\131\351\016\312\040  
\314\053\113\223\051\017\002\003\001\000\001\243\202\001\152\060  
\202\001\146\060\022\006\003\125\035\023\001\001\377\004\010\060  
\006\001\001\377\002\001\014\060\035\006\003\125\035\016\004\026  
\004\024\271\011\312\234\036\333\323\154\072\153\256\355\124\361  
\133\223\006\065\056\136\060\201\341\006\003\125\035\043\004\201  
\331\060\201\326\200\024\271\011\312\234\036\333\323\154\072\153  
\256\355\124\361\133\223\006\065\056\136\241\201\262\244\201\257  
\060\201\254\061\013\060\011\006\003\125\004\006\023\002\105\125  
\061\103\060\101\006\003\125\004\007\023\072\115\141\144\162\151  
\144\040\050\163\145\145\040\143\165\162\162\145\156\164\040\141  
\144\144\162\145\163\163\040\141\164\040\167\167\167\056\143\141  
\155\145\162\146\151\162\155\141\056\143\157\155\057\141\144\144  
\162\145\163\163\051\061\022\060\020\006\003\125\004\005\023\011  
\101\070\062\067\064\063\062\070\067\061\033\060\031\006\003\125  
\004\012\023\022\101\103\040\103\141\155\145\162\146\151\162\155  
\141\040\123\056\101\056\061\047\060\045\006\003\125\004\003\023  
\036\107\154\157\142\141\154\040\103\150\141\155\142\145\162\163  
\151\147\156\040\122\157\157\164\040\055\040\062\060\060\070\202  
\011\000\311\315\323\351\325\175\043\316\060\016\006\003\125\035  
\017\001\001\377\004\004\003\002\001\006\060\075\006\003\125\035  
\040\004\066\060\064\060\062\006\004\125\035\040\000\060\052\060  
\050\006\010\053\006\001\005\005\007\002\001\026\034\150\164\164  
\160\072\057\057\160\157\154\151\143\171\056\143\141\155\145\162  
\146\151\162\155\141\056\143\157\155\060\015\006\011\052\206\110  
\206\367\015\001\001\005\005\000\003\202\002\001\000\200\210\177  
\160\336\222\050\331\005\224\106\377\220\127\251\361\057\337\032  
\015\153\372\174\016\034\111\044\171\047\330\106\252\157\051\131  
\122\210\160\022\352\335\075\365\233\123\124\157\341\140\242\250  
\011\271\354\353\131\174\306\065\361\334\030\351\361\147\345\257  
\272\105\340\011\336\312\104\017\302\027\016\167\221\105\172\063  
\137\137\226\054\150\213\301\107\217\230\233\075\300\354\313\365  
\325\202\222\204\065\321\276\066\070\126\162\061\133\107\055\252  
\027\244\143\121\353\012\001\255\177\354\165\236\313\241\037\361  
\177\022\261\271\344\144\177\147\326\043\052\364\270\071\135\230  
\350\041\247\341\275\075\102\032\164\232\160\257\150\154\120\135  
\111\317\377\373\016\135\346\054\107\327\201\072\131\000\265\163  
\153\143\040\366\061\105\010\071\016\364\160\176\100\160\132\077  
\320\153\102\251\164\075\050\057\002\155\165\162\225\011\215\110  
\143\306\306\043\127\222\223\136\065\301\215\371\012\367\054\235  
\142\034\366\255\174\335\246\061\036\266\261\307\176\205\046\372

```
\244\152\265\332\143\060\321\357\223\067\262\146\057\175\005\367
\347\267\113\230\224\065\300\331\072\051\301\235\262\120\063\035
\112\251\132\246\311\003\357\355\364\347\250\156\212\264\127\204
\353\244\077\320\356\252\252\207\133\143\350\223\342\153\250\324
\270\162\170\153\033\355\071\344\135\313\233\252\207\325\117\116
\000\376\331\152\237\074\061\017\050\002\001\175\230\350\247\260
\242\144\236\171\370\110\362\025\251\314\346\310\104\353\077\170
\231\362\173\161\076\074\361\230\247\305\030\022\077\346\273\050
\063\102\351\105\012\174\155\362\206\171\057\305\202\031\175\011
\211\174\262\124\166\210\256\336\301\363\314\341\156\333\061\326
\223\256\231\240\357\045\152\163\230\211\133\072\056\023\210\036
\277\300\222\224\064\033\343\047\267\213\036\157\102\377\347\351
\067\233\120\035\055\242\371\002\356\313\130\130\072\161\274\150
\343\252\301\257\034\050\037\242\334\043\145\077\201\352\256\231
\323\330\060\317\023\015\117\025\311\204\274\247\110\055\370\060
\043\167\330\106\113\171\155\366\214\355\072\177\140\021\170\364
\351\233\256\325\124\300\164\200\321\013\102\237\301
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "Global Chambersign Root - 2008"
```

```
# Issuer: CN=Global Chambersign Root - 2008,O=AC Camerfirma S.A.,serialNumber=A82743287,L=Madrid (see
current address at www.camerfirma.com/address),C=EU
```

```
# Serial Number:00:c9:cd:d3:e9:d5:7d:23:ce
```

```
# Subject: CN=Global Chambersign Root - 2008,O=AC Camerfirma S.A.,serialNumber=A82743287,L=Madrid
(see current address at www.camerfirma.com/address),C=EU
```

```
# Not Valid Before: Fri Aug 01 12:31:40 2008
```

```
# Not Valid After : Sat Jul 31 12:31:40 2038
```

```
# Fingerprint (SHA-256):
```

```
13:63:35:43:93:34:A7:69:80:16:A0:D3:24:DE:72:28:4E:07:9D:7B:52:20:BB:8F:BD:74:78:16:EE:BE:BA:CA
```

```
# Fingerprint (SHA1): 4A:BD:EE:EC:95:0D:35:9C:89:AE:C7:52:A1:2C:5B:29:F6:D6:AA:0C
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Global Chambersign Root - 2008"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\112\275\356\354\225\015\065\234\211\256\307\122\241\054\133\051
\366\326\252\014
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\236\200\377\170\001\014\056\301\066\275\376\226\220\156\010\363
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\201\254\061\013\060\011\006\003\125\004\006\023\002\105\125
\061\103\060\101\006\003\125\004\007\023\072\115\141\144\162\151
```

```
\144\040\050\163\145\145\040\143\165\162\162\145\156\164\040\141
\144\144\162\145\163\163\040\141\164\040\167\167\167\056\143\141
\155\145\162\146\151\162\155\141\056\143\157\155\057\141\144\144
\162\145\163\163\051\061\022\060\020\006\003\125\004\005\023\011
\101\070\062\067\064\063\062\070\067\061\033\060\031\006\003\125
\004\012\023\022\101\103\040\103\141\155\145\162\146\151\162\155
\141\040\123\056\101\056\061\047\060\045\006\003\125\004\003\023
\036\107\154\157\142\141\154\040\103\150\141\155\142\145\162\163
\151\147\156\040\122\157\157\164\040\055\040\062\060\060\070
```

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

```
\002\011\000\311\315\323\351\325\175\043\316
```

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "Go Daddy Root Certificate Authority - G2"

#

# Issuer: CN=Go Daddy Root Certificate Authority - G2,O="GoDaddy.com, Inc.",L=Scottsdale,ST=Arizona,C=US

# Serial Number: 0 (0x0)

# Subject: CN=Go Daddy Root Certificate Authority - G2,O="GoDaddy.com,

Inc.",L=Scottsdale,ST=Arizona,C=US

# Not Valid Before: Tue Sep 01 00:00:00 2009

# Not Valid After : Thu Dec 31 23:59:59 2037

# Fingerprint (SHA-256):

```
45:14:0B:32:47:EB:9C:C8:C5:B4:F0:D7:B5:30:91:F7:32:92:08:9E:6E:5A:63:E2:74:9D:D3:AC:A9:19:8E:DA
```

# Fingerprint (SHA1): 47:BE:AB:C9:22:EA:E8:0E:78:78:34:62:A7:9F:45:C2:54:FD:E6:8B

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "Go Daddy Root Certificate Authority - G2"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

```
\060\201\203\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\020\060\016\006\003\125\004\010\023\007\101\162\151\172\157
\156\141\061\023\060\021\006\003\125\004\007\023\012\123\143\157
\164\164\163\144\141\154\145\061\032\060\030\006\003\125\004\012
\023\021\107\157\104\141\144\144\171\056\143\157\155\054\040\111
\156\143\056\061\061\060\057\006\003\125\004\003\023\050\107\157
\040\104\141\144\144\171\040\122\157\157\164\040\103\145\162\164
\151\146\151\143\141\164\145\040\101\165\164\150\157\162\151\164
\171\040\055\040\107\062
```

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\201\203\061\013\060\011\006\003\125\004\006\023\002\125\123  
\061\020\060\016\006\003\125\004\010\023\007\101\162\151\172\157  
\156\141\061\023\060\021\006\003\125\004\007\023\012\123\143\157  
\164\164\163\144\141\154\145\061\032\060\030\006\003\125\004\012  
\023\021\107\157\104\141\144\144\171\056\143\157\155\054\040\111  
\156\143\056\061\061\060\057\006\003\125\004\003\023\050\107\157  
\040\104\141\144\144\171\040\122\157\157\164\040\103\145\162\164  
\151\146\151\143\141\164\145\040\101\165\164\150\157\162\151\164  
\171\040\055\040\107\062

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\001\000

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\003\305\060\202\002\255\240\003\002\001\002\002\001\000  
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060  
\201\203\061\013\060\011\006\003\125\004\006\023\002\125\123\061  
\020\060\016\006\003\125\004\010\023\007\101\162\151\172\157\156  
\141\061\023\060\021\006\003\125\004\007\023\012\123\143\157\164  
\164\163\144\141\154\145\061\032\060\030\006\003\125\004\012\023  
\021\107\157\104\141\144\144\171\056\143\157\155\054\040\111\156  
\143\056\061\061\060\057\006\003\125\004\003\023\050\107\157\040  
\104\141\144\144\171\040\122\157\157\164\040\103\145\162\164\151  
\146\151\143\141\164\145\040\101\165\164\150\157\162\151\164\171  
\040\055\040\107\062\060\036\027\015\060\071\060\071\060\061\060  
\060\060\060\060\060\132\027\015\063\067\061\062\063\061\062\063  
\065\071\065\071\132\060\201\203\061\013\060\011\006\003\125\004  
\006\023\002\125\123\061\020\060\016\006\003\125\004\010\023\007  
\101\162\151\172\157\156\141\061\023\060\021\006\003\125\004\007  
\023\012\123\143\157\164\164\163\144\141\154\145\061\032\060\030  
\006\003\125\004\012\023\021\107\157\104\141\144\144\171\056\143  
\157\155\054\040\111\156\143\056\061\061\060\057\006\003\125\004  
\003\023\050\107\157\040\104\141\144\144\171\040\122\157\157\164  
\040\103\145\162\164\151\146\151\143\141\164\145\040\101\165\164  
\150\157\162\151\164\171\040\055\040\107\062\060\202\001\042\060  
\015\006\011\052\206\110\206\367\015\001\001\001\005\000\003\202  
\001\017\000\060\202\001\012\002\202\001\001\000\277\161\142\010  
\361\372\131\064\367\033\311\030\243\367\200\111\130\351\042\203  
\023\246\305\040\103\001\073\204\361\346\205\111\237\047\352\366  
\204\033\116\240\264\333\160\230\307\062\001\261\005\076\007\116  
\356\364\372\117\057\131\060\042\347\253\031\126\153\342\200\007  
\374\363\026\165\200\071\121\173\345\371\065\266\164\116\251\215  
\202\023\344\266\077\251\003\203\372\242\276\212\025\152\177\336  
\013\303\266\031\024\005\312\352\303\250\004\224\073\106\174\062  
\015\363\000\146\042\310\215\151\155\066\214\021\030\267\323\262  
\034\140\264\070\372\002\214\316\323\335\106\007\336\012\076\353  
\135\174\310\174\373\260\053\123\244\222\142\151\121\045\005\141



\032\104\201\214\054\251\103\226\043\337\254\072\201\232\016\051  
\305\034\251\351\135\036\266\236\236\060\012\071\316\361\210\200  
\373\113\135\314\062\354\205\142\103\045\064\002\126\047\001\221  
\264\073\160\052\077\156\261\350\234\210\001\175\237\324\371\333  
\123\155\140\235\277\054\347\130\253\270\137\106\374\316\304\033  
\003\074\011\353\111\061\134\151\106\263\340\107\002\003\001\000  
\001\243\102\060\100\060\017\006\003\125\035\023\001\001\377\004  
\005\060\003\001\001\377\060\016\006\003\125\035\017\001\001\377  
\004\004\003\002\001\006\060\035\006\003\125\035\016\004\026\004  
\024\072\232\205\007\020\147\050\266\357\366\275\005\101\156\040  
\301\224\332\017\336\060\015\006\011\052\206\110\206\367\015\001  
\001\013\005\000\003\202\001\001\000\231\333\135\171\325\371\227  
\131\147\003\141\361\176\073\006\061\165\055\241\040\216\117\145  
\207\264\367\246\234\274\330\351\057\320\333\132\356\317\164\214  
\163\264\070\102\332\005\173\370\002\165\270\375\245\261\327\256  
\366\327\336\023\313\123\020\176\212\106\321\227\372\267\056\053  
\021\253\220\260\047\200\371\350\237\132\351\067\237\253\344\337  
\154\263\205\027\235\075\331\044\117\171\221\065\326\137\004\353  
\200\203\253\232\002\055\265\020\364\330\220\307\004\163\100\355  
\162\045\240\251\237\354\236\253\150\022\231\127\306\217\022\072  
\011\244\275\104\375\006\025\067\301\233\344\062\243\355\070\350  
\330\144\363\054\176\024\374\002\352\237\315\377\007\150\027\333  
\042\220\070\055\172\215\321\124\361\151\343\137\063\312\172\075  
\173\012\343\312\177\137\071\345\342\165\272\305\166\030\063\316  
\054\360\057\114\255\367\261\347\316\117\250\304\233\112\124\006  
\305\177\175\325\010\017\342\034\376\176\027\270\254\136\366\324  
\026\262\103\011\014\115\366\247\153\264\231\204\145\312\172\210  
\342\342\104\276\134\367\352\034\365

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "Go Daddy Root Certificate Authority - G2"

# Issuer: CN=Go Daddy Root Certificate Authority - G2,O="GoDaddy.com, Inc.",L=Scottsdale,ST=Arizona,C=US

# Serial Number: 0 (0x0)

# Subject: CN=Go Daddy Root Certificate Authority - G2,O="GoDaddy.com, Inc.",L=Scottsdale,ST=Arizona,C=US

# Not Valid Before: Tue Sep 01 00:00:00 2009

# Not Valid After : Thu Dec 31 23:59:59 2037

# Fingerprint (SHA-256):

45:14:0B:32:47:EB:9C:C8:C5:B4:F0:D7:B5:30:91:F7:32:92:08:9E:6E:5A:63:E2:74:9D:D3:AC:A9:19:8E:DA

# Fingerprint (SHA1): 47:BE:AB:C9:22:EA:E8:0E:78:78:34:62:A7:9F:45:C2:54:FD:E6:8B

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "Go Daddy Root Certificate Authority - G2"

```

CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\107\276\253\311\042\352\350\016\170\170\064\142\247\237\105\302
\124\375\346\213
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\200\072\274\042\301\346\373\215\233\073\047\112\062\033\232\001
END
CKA_ISSUER MULTILINE_OCTAL
\060\201\203\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\020\060\016\006\003\125\004\010\023\007\101\162\151\172\157
\156\141\061\023\060\021\006\003\125\004\007\023\012\123\143\157
\164\164\163\144\141\154\145\061\032\060\030\006\003\125\004\012
\023\021\107\157\104\141\144\144\171\056\143\157\155\054\040\111
\156\143\056\061\061\060\057\006\003\125\004\003\023\050\107\157
\040\104\141\144\144\171\040\122\157\157\164\040\103\145\162\164
\151\146\151\143\141\164\145\040\101\165\164\150\157\162\151\164
\171\040\055\040\107\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\000
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Starfield Root Certificate Authority - G2"
#
# Issuer: CN=Starfield Root Certificate Authority - G2,O="Starfield Technologies,
Inc.",L=Scottsdale,ST=Arizona,C=US
# Serial Number: 0 (0x0)
# Subject: CN=Starfield Root Certificate Authority - G2,O="Starfield Technologies,
Inc.",L=Scottsdale,ST=Arizona,C=US
# Not Valid Before: Tue Sep 01 00:00:00 2009
# Not Valid After : Thu Dec 31 23:59:59 2037
# Fingerprint (SHA-256):
2C:E1:CB:0B:F9:D2:F9:E1:02:99:3F:BE:21:51:52:C3:B2:DD:0C:AB:DE:1C:68:E5:31:9B:83:91:54:DB:B7:F5
# Fingerprint (SHA1): B5:1C:06:7C:EE:2B:0C:3D:F8:55:AB:2D:92:F4:FE:39:D4:E7:0F:0E
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Starfield Root Certificate Authority - G2"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\217\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\020\060\016\006\003\125\004\010\023\007\101\162\151\172\157

```

\156\141\061\023\060\021\006\003\125\004\007\023\012\123\143\157  
\164\164\163\144\141\154\145\061\045\060\043\006\003\125\004\012  
\023\034\123\164\141\162\146\151\145\154\144\040\124\145\143\150  
\156\157\154\157\147\151\145\163\054\040\111\156\143\056\061\062  
\060\060\006\003\125\004\003\023\051\123\164\141\162\146\151\145  
\154\144\040\122\157\157\164\040\103\145\162\164\151\146\151\143  
\141\164\145\040\101\165\164\150\157\162\151\164\171\040\055\040  
\107\062

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\201\217\061\013\060\011\006\003\125\004\006\023\002\125\123  
\061\020\060\016\006\003\125\004\010\023\007\101\162\151\172\157  
\156\141\061\023\060\021\006\003\125\004\007\023\012\123\143\157  
\164\164\163\144\141\154\145\061\045\060\043\006\003\125\004\012  
\023\034\123\164\141\162\146\151\145\154\144\040\124\145\143\150  
\156\157\154\157\147\151\145\163\054\040\111\156\143\056\061\062  
\060\060\006\003\125\004\003\023\051\123\164\141\162\146\151\145  
\154\144\040\122\157\157\164\040\103\145\162\164\151\146\151\143  
\141\164\145\040\101\165\164\150\157\162\151\164\171\040\055\040  
\107\062

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\001\000

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\003\335\060\202\002\305\240\003\002\001\002\002\001\000  
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060  
\201\217\061\013\060\011\006\003\125\004\006\023\002\125\123\061  
\020\060\016\006\003\125\004\010\023\007\101\162\151\172\157\156  
\141\061\023\060\021\006\003\125\004\007\023\012\123\143\157\164  
\164\163\144\141\154\145\061\045\060\043\006\003\125\004\012\023  
\034\123\164\141\162\146\151\145\154\144\040\124\145\143\150\156  
\157\154\157\147\151\145\163\054\040\111\156\143\056\061\062\060  
\060\006\003\125\004\003\023\051\123\164\141\162\146\151\145\154  
\144\040\122\157\157\164\040\103\145\162\164\151\146\151\143\141  
\164\145\040\101\165\164\150\157\162\151\164\171\040\055\040\107  
\062\060\036\027\015\060\071\060\071\060\061\060\060\060\060\060  
\060\132\027\015\063\067\061\062\063\061\062\063\065\071\065\071  
\132\060\201\217\061\013\060\011\006\003\125\004\006\023\002\125  
\123\061\020\060\016\006\003\125\004\010\023\007\101\162\151\172  
\157\156\141\061\023\060\021\006\003\125\004\007\023\012\123\143  
\157\164\164\163\144\141\154\145\061\045\060\043\006\003\125\004  
\012\023\034\123\164\141\162\146\151\145\154\144\040\124\145\143  
\150\156\157\154\157\147\151\145\163\054\040\111\156\143\056\061  
\062\060\060\006\003\125\004\003\023\051\123\164\141\162\146\151  
\145\154\144\040\122\157\157\164\040\103\145\162\164\151\146\151  
\143\141\164\145\040\101\165\164\150\157\162\151\164\171\040\055

\040\107\062\060\202\001\042\060\015\006\011\052\206\110\206\367  
\015\001\001\001\005\000\003\202\001\017\000\060\202\001\012\002  
\202\001\001\000\275\355\301\003\374\366\217\374\002\261\157\133  
\237\110\331\235\171\342\242\267\003\141\126\030\303\107\266\327  
\312\075\065\056\211\103\367\241\151\233\336\212\032\375\023\040  
\234\264\111\167\062\051\126\375\271\354\214\335\042\372\162\334  
\047\141\227\356\366\132\204\354\156\031\271\211\054\334\204\133  
\325\164\373\153\137\305\211\245\020\122\211\106\125\364\270\165  
\034\346\177\344\124\256\113\370\125\162\127\002\031\370\027\161  
\131\353\036\050\007\164\305\235\110\276\154\264\364\244\260\363  
\144\067\171\222\300\354\106\136\177\341\155\123\114\142\257\315  
\037\013\143\273\072\235\373\374\171\000\230\141\164\317\046\202  
\100\143\363\262\162\152\031\015\231\312\324\016\165\314\067\373  
\213\211\301\131\361\142\177\137\263\137\145\060\370\247\267\115  
\166\132\036\166\136\064\300\350\226\126\231\212\263\360\177\244  
\315\275\334\062\061\174\221\317\340\137\021\370\153\252\111\134  
\321\231\224\321\242\343\143\133\011\166\265\126\142\341\113\164  
\035\226\324\046\324\010\004\131\320\230\016\016\346\336\374\303  
\354\037\220\361\002\003\001\000\001\243\102\060\100\060\017\006  
\003\125\035\023\001\001\377\004\005\060\003\001\001\377\060\016  
\006\003\125\035\017\001\001\377\004\004\003\002\001\006\060\035  
\006\003\125\035\016\004\026\004\024\174\014\062\037\247\331\060  
\177\304\175\150\243\142\250\241\316\253\007\133\047\060\015\006  
\011\052\206\110\206\367\015\001\001\013\005\000\003\202\001\001  
\000\021\131\372\045\117\003\157\224\231\073\232\037\202\205\071  
\324\166\005\224\136\341\050\223\155\142\135\011\302\240\250\324  
\260\165\070\361\064\152\235\344\237\212\206\046\121\346\054\321  
\306\055\156\225\040\112\222\001\354\270\212\147\173\061\342\147  
\056\214\225\003\046\056\103\235\112\061\366\016\265\014\273\267  
\342\067\177\042\272\000\243\016\173\122\373\153\273\073\304\323  
\171\121\116\315\220\364\147\007\031\310\074\106\172\015\001\175  
\305\130\347\155\346\205\060\027\232\044\304\020\340\004\367\340  
\362\177\324\252\012\377\102\035\067\355\224\345\144\131\022\040  
\167\070\323\062\076\070\201\165\226\163\372\150\217\261\313\316  
\037\305\354\372\234\176\317\176\261\361\007\055\266\374\277\312  
\244\277\320\227\005\112\274\352\030\050\002\220\275\124\170\011  
\041\161\323\321\175\035\331\026\260\251\141\075\320\012\000\042  
\374\307\173\313\011\144\105\013\073\100\201\367\175\174\062\365  
\230\312\130\216\175\052\356\220\131\163\144\371\066\164\136\045  
\241\365\146\005\056\177\071\025\251\052\373\120\213\216\205\151  
\364

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "Starfield Root Certificate Authority - G2"

# Issuer: CN=Starfield Root Certificate Authority - G2,O="Starfield Technologies,

```

Inc.",L=Scottsdale,ST=Arizona,C=US
# Serial Number: 0 (0x0)
# Subject: CN=Starfield Root Certificate Authority - G2,O="Starfield Technologies,
Inc.",L=Scottsdale,ST=Arizona,C=US
# Not Valid Before: Tue Sep 01 00:00:00 2009
# Not Valid After : Thu Dec 31 23:59:59 2037
# Fingerprint (SHA-256):
2C:E1:CB:0B:F9:D2:F9:E1:02:99:3F:BE:21:51:52:C3:B2:DD:0C:AB:DE:1C:68:E5:31:9B:83:91:54:DB:B7:F5
# Fingerprint (SHA1): B5:1C:06:7C:EE:2B:0C:3D:F8:55:AB:2D:92:F4:FE:39:D4:E7:0F:0E
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Starfield Root Certificate Authority - G2"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\265\034\006\174\356\053\014\075\370\125\253\055\222\364\376\071
\324\347\017\016
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\326\071\201\306\122\176\226\151\374\374\312\146\355\005\362\226
END
CKA_ISSUER MULTILINE_OCTAL
\060\201\217\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\020\060\016\006\003\125\004\010\023\007\101\162\151\172\157
\156\141\061\023\060\021\006\003\125\004\007\023\012\123\143\157
\164\164\163\144\141\154\145\061\045\060\043\006\003\125\004\012
\023\034\123\164\141\162\146\151\145\154\144\040\124\145\143\150
\156\157\154\157\147\151\145\163\054\040\111\156\143\056\061\062
\060\060\006\003\125\004\003\023\051\123\164\141\162\146\151\145
\154\144\040\122\157\157\164\040\103\145\162\164\151\146\151\143
\141\164\145\040\101\165\164\150\157\162\151\164\171\040\055\040
\107\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\000
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Starfield Services Root Certificate Authority - G2"
#
# Issuer: CN=Starfield Services Root Certificate Authority - G2,O="Starfield Technologies,
Inc.",L=Scottsdale,ST=Arizona,C=US
# Serial Number: 0 (0x0)
# Subject: CN=Starfield Services Root Certificate Authority - G2,O="Starfield Technologies,

```

```
Inc.",L=Scottsdale,ST=Arizona,C=US
# Not Valid Before: Tue Sep 01 00:00:00 2009
# Not Valid After : Thu Dec 31 23:59:59 2037
# Fingerprint (SHA-256):
56:8D:69:05:A2:C8:87:08:A4:B3:02:51:90:ED:CF:ED:B1:97:4A:60:6A:13:C6:E5:29:0F:CB:2A:E6:3E:DA:B5
# Fingerprint (SHA1): 92:5A:8F:8D:2C:6D:04:E0:66:5F:59:6A:FF:22:D8:63:E8:25:6F:3F
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Starfield Services Root Certificate Authority - G2"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\230\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\020\060\016\006\003\125\004\010\023\007\101\162\151\172\157
\156\141\061\023\060\021\006\003\125\004\007\023\012\123\143\157
\164\164\163\144\141\154\145\061\045\060\043\006\003\125\004\012
\023\034\123\164\141\162\146\151\145\154\144\040\124\145\143\150
\156\157\154\157\147\151\145\163\054\040\111\156\143\056\061\073
\060\071\006\003\125\004\003\023\062\123\164\141\162\146\151\145
\154\144\040\123\145\162\166\151\143\145\163\040\122\157\157\164
\040\103\145\162\164\151\146\151\143\141\164\145\040\101\165\164
\150\157\162\151\164\171\040\055\040\107\062
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\230\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\020\060\016\006\003\125\004\010\023\007\101\162\151\172\157
\156\141\061\023\060\021\006\003\125\004\007\023\012\123\143\157
\164\164\163\144\141\154\145\061\045\060\043\006\003\125\004\012
\023\034\123\164\141\162\146\151\145\154\144\040\124\145\143\150
\156\157\154\157\147\151\145\163\054\040\111\156\143\056\061\073
\060\071\006\003\125\004\003\023\062\123\164\141\162\146\151\145
\154\144\040\123\145\162\166\151\143\145\163\040\122\157\157\164
\040\103\145\162\164\151\146\151\143\141\164\145\040\101\165\164
\150\157\162\151\164\171\040\055\040\107\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\000
END
CKA_VALUE MULTILINE_OCTAL
\060\202\003\357\060\202\002\327\240\003\002\001\002\002\001\000
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060
\201\230\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\020\060\016\006\003\125\004\010\023\007\101\162\151\172\157\156
\141\061\023\060\021\006\003\125\004\007\023\012\123\143\157\164
\164\163\144\141\154\145\061\045\060\043\006\003\125\004\012\023
\034\123\164\141\162\146\151\145\154\144\040\124\145\143\150\156
```

\157\154\157\147\151\145\163\054\040\111\156\143\056\061\073\060  
\071\006\003\125\004\003\023\062\123\164\141\162\146\151\145\154  
\144\040\123\145\162\166\151\143\145\163\040\122\157\157\164\040  
\103\145\162\164\151\146\151\143\141\164\145\040\101\165\164\150  
\157\162\151\164\171\040\055\040\107\062\060\036\027\015\060\071  
\060\071\060\061\060\060\060\060\060\060\132\027\015\063\067\061  
\062\063\061\062\063\065\071\065\071\132\060\201\230\061\013\060  
\011\006\003\125\004\006\023\002\125\123\061\020\060\016\006\003  
\125\004\010\023\007\101\162\151\172\157\156\141\061\023\060\021  
\006\003\125\004\007\023\012\123\143\157\164\164\163\144\141\154  
\145\061\045\060\043\006\003\125\004\012\023\034\123\164\141\162  
\146\151\145\154\144\040\124\145\143\150\156\157\154\157\147\151  
\145\163\054\040\111\156\143\056\061\073\060\071\006\003\125\004  
\003\023\062\123\164\141\162\146\151\145\154\144\040\123\145\162  
\166\151\143\145\163\040\122\157\157\164\040\103\145\162\164\151  
\146\151\143\141\164\145\040\101\165\164\150\157\162\151\164\171  
\040\055\040\107\062\060\202\001\042\060\015\006\011\052\206\110  
\206\367\015\001\001\001\005\000\003\202\001\017\000\060\202\001  
\012\002\202\001\001\000\325\014\072\304\052\371\116\342\365\276  
\031\227\137\216\210\123\261\037\077\313\317\237\040\023\155\051  
\072\310\017\175\074\367\153\166\070\143\331\066\140\250\233\136  
\134\000\200\262\057\131\177\366\207\371\045\103\206\347\151\033  
\122\232\220\341\161\343\330\055\015\116\157\366\310\111\331\266  
\363\032\126\256\053\266\164\024\353\317\373\046\343\032\272\035  
\226\056\152\073\130\224\211\107\126\377\045\240\223\160\123\203  
\332\204\164\024\303\147\236\004\150\072\337\216\100\132\035\112  
\116\317\103\221\073\347\126\326\000\160\313\122\356\173\175\256  
\072\347\274\061\371\105\366\302\140\317\023\131\002\053\200\314  
\064\107\337\271\336\220\145\155\002\317\054\221\246\246\347\336  
\205\030\111\174\146\116\243\072\155\251\265\356\064\056\272\015  
\003\270\063\337\107\353\261\153\215\045\331\233\316\201\321\105  
\106\062\226\160\207\336\002\016\111\103\205\266\154\163\273\144  
\352\141\101\254\311\324\124\337\207\057\307\042\262\046\314\237  
\131\124\150\237\374\276\052\057\304\125\034\165\100\140\027\205  
\002\125\071\213\177\005\002\003\001\000\001\243\102\060\100\060  
\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001\377  
\060\016\006\003\125\035\017\001\001\377\004\004\003\002\001\006  
\060\035\006\003\125\035\016\004\026\004\024\234\137\000\337\252  
\001\327\060\053\070\210\242\270\155\112\234\362\021\221\203\060  
\015\006\011\052\206\110\206\367\015\001\001\013\005\000\003\202  
\001\001\000\113\066\246\204\167\151\335\073\031\237\147\043\010  
\157\016\141\311\375\204\334\137\330\066\201\315\330\033\101\055  
\237\140\335\307\032\150\331\321\156\206\341\210\043\317\023\336  
\103\317\342\064\263\004\235\037\051\325\277\370\136\310\325\301  
\275\356\222\157\062\164\362\221\202\057\275\202\102\172\255\052  
\267\040\175\115\274\172\125\022\302\025\352\275\367\152\225\056  
\154\164\237\317\034\264\362\305\001\243\205\320\162\076\255\163  
\253\013\233\165\014\155\105\267\216\224\254\226\067\265\240\320

```
\217\025\107\016\343\350\203\335\217\375\357\101\001\167\314\047
\251\142\205\063\362\067\010\357\161\317\167\006\336\310\031\035
\210\100\317\175\106\035\377\036\307\341\316\377\043\333\306\372
\215\125\116\251\002\347\107\021\106\076\364\375\275\173\051\046
\273\251\141\142\067\050\266\055\052\366\020\206\144\311\160\247
\322\255\267\051\160\171\352\074\332\143\045\237\375\150\267\060
\354\160\373\165\212\267\155\140\147\262\036\310\271\351\330\250
\157\002\213\147\015\115\046\127\161\332\040\374\301\112\120\215
\261\050\272
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "Starfield Services Root Certificate Authority - G2"
```

```
# Issuer: CN=Starfield Services Root Certificate Authority - G2,O="Starfield Technologies,
Inc.",L=Scottsdale,ST=Arizona,C=US
```

```
# Serial Number: 0 (0x0)
```

```
# Subject: CN=Starfield Services Root Certificate Authority - G2,O="Starfield Technologies,
Inc.",L=Scottsdale,ST=Arizona,C=US
```

```
# Not Valid Before: Tue Sep 01 00:00:00 2009
```

```
# Not Valid After : Thu Dec 31 23:59:59 2037
```

```
# Fingerprint (SHA-256):
```

```
56:8D:69:05:A2:C8:87:08:A4:B3:02:51:90:ED:CF:ED:B1:97:4A:60:6A:13:C6:E5:29:0F:CB:2A:E6:3E:DA:B5
```

```
# Fingerprint (SHA1): 92:5A:8F:8D:2C:6D:04:E0:66:5F:59:6A:FF:22:D8:63:E8:25:6F:3F
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Starfield Services Root Certificate Authority - G2"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\222\132\217\215\054\155\004\340\146\137\131\152\377\042\330\143
\350\045\157\077
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\027\065\164\257\173\141\034\353\364\371\074\342\356\100\371\242
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\201\230\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\020\060\016\006\003\125\004\010\023\007\101\162\151\172\157
\156\141\061\023\060\021\006\003\125\004\007\023\012\123\143\157
\164\164\163\144\141\154\145\061\045\060\043\006\003\125\004\012
\023\034\123\164\141\162\146\151\145\154\144\040\124\145\143\150
\156\157\154\157\147\151\145\163\054\040\111\156\143\056\061\073
\060\071\006\003\125\004\003\023\062\123\164\141\162\146\151\145
\154\144\040\123\145\162\166\151\143\145\163\040\122\157\157\164
\040\103\145\162\164\151\146\151\143\141\164\145\040\101\165\164
\150\157\162\151\164\171\040\055\040\107\062
```



```

END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\000
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "AffirmTrust Commercial"
#
# Issuer: CN=AffirmTrust Commercial,O=AffirmTrust,C=US
# Serial Number:77:77:06:27:26:a9:b1:7c
# Subject: CN=AffirmTrust Commercial,O=AffirmTrust,C=US
# Not Valid Before: Fri Jan 29 14:06:06 2010
# Not Valid After : Tue Dec 31 14:06:06 2030
# Fingerprint (SHA-256):
03:76:AB:1D:54:C5:F9:80:3C:E4:B2:E2:01:A0:EE:7E:EF:7B:57:B6:36:E8:A9:3C:9B:8D:48:60:C9:6F:5F:A7
# Fingerprint (SHA1): F9:B5:B6:32:45:5F:9C:BE:EC:57:5F:80:DC:E9:6E:2C:C7:B2:78:B7
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "AffirmTrust Commercial"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\104\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\024\060\022\006\003\125\004\012\014\013\101\146\146\151\162\155
\124\162\165\163\164\061\037\060\035\006\003\125\004\003\014\026
\101\146\146\151\162\155\124\162\165\163\164\040\103\157\155\155
\145\162\143\151\141\154
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\104\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\024\060\022\006\003\125\004\012\014\013\101\146\146\151\162\155
\124\162\165\163\164\061\037\060\035\006\003\125\004\003\014\026
\101\146\146\151\162\155\124\162\165\163\164\040\103\157\155\155
\145\162\143\151\141\154
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\010\167\167\006\047\046\251\261\174
END
CKA_VALUE MULTILINE_OCTAL
\060\202\003\114\060\202\002\064\240\003\002\001\002\002\010\167
\167\006\047\046\251\261\174\060\015\006\011\052\206\110\206\367
\015\001\001\013\005\000\060\104\061\013\060\011\006\003\125\004

```

\006\023\002\125\123\061\024\060\022\006\003\125\004\012\014\013  
\101\146\146\151\162\155\124\162\165\163\164\061\037\060\035\006  
\003\125\004\003\014\026\101\146\146\151\162\155\124\162\165\163  
\164\040\103\157\155\155\145\162\143\151\141\154\060\036\027\015  
\061\060\060\061\062\071\061\064\060\066\060\066\132\027\015\063  
\060\061\062\063\061\061\064\060\066\060\066\132\060\104\061\013  
\060\011\006\003\125\004\006\023\002\125\123\061\024\060\022\006  
\003\125\004\012\014\013\101\146\146\151\162\155\124\162\165\163  
\164\061\037\060\035\006\003\125\004\003\014\026\101\146\146\151  
\162\155\124\162\165\163\164\040\103\157\155\155\145\162\143\151  
\141\154\060\202\001\042\060\015\006\011\052\206\110\206\367\015  
\001\001\001\005\000\003\202\001\017\000\060\202\001\012\002\202  
\001\001\000\366\033\117\147\007\053\241\025\365\006\042\313\037  
\001\262\343\163\105\006\104\111\054\273\111\045\024\326\316\303  
\267\253\054\117\306\101\062\224\127\372\022\247\133\016\342\217  
\037\036\206\031\247\252\265\055\271\137\015\212\302\257\205\065  
\171\062\055\273\034\142\067\362\261\133\112\075\312\315\161\137  
\351\102\276\224\350\310\336\371\042\110\144\306\345\253\306\053  
\155\255\005\360\372\325\013\317\232\345\360\120\244\213\073\107  
\245\043\133\172\172\370\063\077\270\357\231\227\343\040\301\326  
\050\211\317\224\373\271\105\355\343\100\027\021\324\164\360\013  
\061\342\053\046\152\233\114\127\256\254\040\076\272\105\172\005  
\363\275\233\151\025\256\175\116\040\143\304\065\166\072\007\002  
\311\067\375\307\107\356\350\361\166\035\163\025\362\227\244\265  
\310\172\171\331\102\252\053\177\134\376\316\046\117\243\146\201  
\065\257\104\272\124\036\034\060\062\145\235\346\074\223\136\120  
\116\172\343\072\324\156\314\032\373\371\322\067\256\044\052\253  
\127\003\042\050\015\111\165\177\267\050\332\165\277\216\343\334  
\016\171\061\002\003\001\000\001\243\102\060\100\060\035\006\003  
\125\035\016\004\026\004\024\235\223\306\123\213\136\312\257\077  
\237\036\017\345\231\225\274\044\366\224\217\060\017\006\003\125  
\035\023\001\001\377\004\005\060\003\001\001\377\060\016\006\003  
\125\035\017\001\001\377\004\004\003\002\001\006\060\015\006\011  
\052\206\110\206\367\015\001\001\013\005\000\003\202\001\001\000  
\130\254\364\004\016\315\300\015\377\012\375\324\272\026\137\051  
\275\173\150\231\130\111\322\264\035\067\115\177\047\175\106\006  
\135\103\306\206\056\076\163\262\046\175\117\223\251\266\304\052  
\232\253\041\227\024\261\336\214\323\253\211\025\330\153\044\324  
\361\026\256\330\244\134\324\177\121\216\355\030\001\261\223\143  
\275\274\370\141\200\232\236\261\316\102\160\342\251\175\006\045  
\175\047\241\376\157\354\263\036\044\332\343\113\125\032\000\073  
\065\264\073\331\327\135\060\375\201\023\211\362\302\006\053\355  
\147\304\216\311\103\262\134\153\025\211\002\274\142\374\116\362  
\265\063\252\262\157\323\012\242\120\343\366\073\350\056\104\302  
\333\146\070\251\063\126\110\361\155\033\063\215\015\214\077\140  
\067\235\323\312\155\176\064\176\015\237\162\166\213\033\237\162  
\375\122\065\101\105\002\226\057\034\262\232\163\111\041\261\111  
\107\105\107\264\357\152\064\021\311\115\232\314\131\267\326\002

\236\132\116\145\265\224\256\033\337\051\260\026\361\277\000\236

\007\072\027\144\265\004\265\043\041\231\012\225\073\227\174\357

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "AffirmTrust Commercial"

# Issuer: CN=AffirmTrust Commercial,O=AffirmTrust,C=US

# Serial Number:77:77:06:27:26:a9:b1:7c

# Subject: CN=AffirmTrust Commercial,O=AffirmTrust,C=US

# Not Valid Before: Fri Jan 29 14:06:06 2010

# Not Valid After : Tue Dec 31 14:06:06 2030

# Fingerprint (SHA-256):

03:76:AB:1D:54:C5:F9:80:3C:E4:B2:E2:01:A0:EE:7E:EF:7B:57:B6:36:E8:A9:3C:9B:8D:48:60:C9:6F:5F:A7

# Fingerprint (SHA1): F9:B5:B6:32:45:5F:9C:BE:EC:57:5F:80:DC:E9:6E:2C:C7:B2:78:B7

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "AffirmTrust Commercial"

CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL

\371\265\266\062\105\137\234\276\354\127\137\200\334\351\156\054

\307\262\170\267

END

CKA\_CERT\_MD5\_HASH MULTILINE\_OCTAL

\202\222\272\133\357\315\212\157\246\075\125\371\204\366\326\267

END

CKA\_ISSUER MULTILINE\_OCTAL

\060\104\061\013\060\011\006\003\125\004\006\023\002\125\123\061

\024\060\022\006\003\125\004\012\014\013\101\146\146\151\162\155

\124\162\165\163\164\061\037\060\035\006\003\125\004\003\014\026

\101\146\146\151\162\155\124\162\165\163\164\040\103\157\155\155

\145\162\143\151\141\154

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\010\167\167\006\047\046\251\261\174

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "AffirmTrust Networking"

#

# Issuer: CN=AffirmTrust Networking,O=AffirmTrust,C=US

# Serial Number:7c:4f:04:39:1c:d4:99:2d

```
# Subject: CN=AffirmTrust Networking,O=AffirmTrust,C=US
# Not Valid Before: Fri Jan 29 14:08:24 2010
# Not Valid After : Tue Dec 31 14:08:24 2030
# Fingerprint (SHA-256):
0A:81:EC:5A:92:97:77:F1:45:90:4A:F3:8D:5D:50:9F:66:B5:E2:C5:8F:CD:B5:31:05:8B:0E:17:F3:F0:B4:1B
# Fingerprint (SHA1): 29:36:21:02:8B:20:ED:02:F5:66:C5:32:D1:D6:ED:90:9F:45:00:2F
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "AffirmTrust Networking"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\104\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\024\060\022\006\003\125\004\012\014\013\101\146\146\151\162\155
\124\162\165\163\164\061\037\060\035\006\003\125\004\003\014\026
\101\146\146\151\162\155\124\162\165\163\164\040\116\145\164\167
\157\162\153\151\156\147
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\104\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\024\060\022\006\003\125\004\012\014\013\101\146\146\151\162\155
\124\162\165\163\164\061\037\060\035\006\003\125\004\003\014\026
\101\146\146\151\162\155\124\162\165\163\164\040\116\145\164\167
\157\162\153\151\156\147
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\010\174\117\004\071\034\324\231\055
END
CKA_VALUE MULTILINE_OCTAL
\060\202\003\114\060\202\002\064\240\003\002\001\002\002\010\174
\117\004\071\034\324\231\055\060\015\006\011\052\206\110\206\367
\015\001\001\005\005\000\060\104\061\013\060\011\006\003\125\004
\006\023\002\125\123\061\024\060\022\006\003\125\004\012\014\013
\101\146\146\151\162\155\124\162\165\163\164\061\037\060\035\006
\003\125\004\003\014\026\101\146\146\151\162\155\124\162\165\163
\164\040\116\145\164\167\157\162\153\151\156\147\060\036\027\015
\061\060\060\061\062\071\061\064\060\070\062\064\132\027\015\063
\060\061\062\063\061\061\064\060\070\062\064\132\060\104\061\013
\060\011\006\003\125\004\006\023\002\125\123\061\024\060\022\006
\003\125\004\012\014\013\101\146\146\151\162\155\124\162\165\163
\164\061\037\060\035\006\003\125\004\003\014\026\101\146\146\151
\162\155\124\162\165\163\164\040\116\145\164\167\157\162\153\151
\156\147\060\202\001\042\060\015\006\011\052\206\110\206\367\015
\001\001\001\005\000\003\202\001\017\000\060\202\001\012\002\202
\001\001\000\264\204\314\063\027\056\153\224\154\153\141\122\240
\353\243\317\171\224\114\345\224\200\231\313\125\144\104\145\217
```

\147\144\342\006\343\134\067\111\366\057\233\204\204\036\055\362  
\140\235\060\116\314\204\205\342\054\317\036\236\376\066\253\063  
\167\065\104\330\065\226\032\075\066\350\172\016\330\325\107\241  
\152\151\213\331\374\273\072\256\171\132\325\364\326\161\273\232  
\220\043\153\232\267\210\164\207\014\036\137\271\236\055\372\253  
\123\053\334\273\166\076\223\114\010\010\214\036\242\043\034\324  
\152\255\042\272\231\001\056\155\145\313\276\044\146\125\044\113  
\100\104\261\033\327\341\302\205\300\336\020\077\075\355\270\374  
\361\361\043\123\334\277\145\227\157\331\371\100\161\215\175\275  
\225\324\316\276\240\136\047\043\336\375\246\320\046\016\000\051  
\353\074\106\360\075\140\277\077\120\322\334\046\101\121\236\024  
\067\102\004\243\160\127\250\033\207\355\055\372\173\356\214\012  
\343\251\146\211\031\313\101\371\335\104\066\141\317\342\167\106  
\310\175\366\364\222\201\066\375\333\064\361\162\176\363\014\026  
\275\264\025\002\003\001\000\001\243\102\060\100\060\035\006\003  
\125\035\016\004\026\004\024\007\037\322\347\234\332\302\156\242  
\100\264\260\172\120\020\120\164\304\310\275\060\017\006\003\125  
\035\023\001\001\377\004\005\060\003\001\001\377\060\016\006\003  
\125\035\017\001\001\377\004\004\003\002\001\006\060\015\006\011  
\052\206\110\206\367\015\001\001\005\005\000\003\202\001\001\000  
\211\127\262\026\172\250\302\375\326\331\233\233\064\302\234\264  
\062\024\115\247\244\337\354\276\247\276\370\103\333\221\067\316  
\264\062\056\120\125\032\065\116\166\103\161\040\357\223\167\116  
\025\160\056\207\303\301\035\155\334\313\265\047\324\054\126\321  
\122\123\072\104\322\163\310\304\033\005\145\132\142\222\234\356  
\101\215\061\333\347\064\352\131\041\325\001\172\327\144\270\144  
\071\315\311\355\257\355\113\003\110\247\240\231\001\200\334\145  
\243\066\256\145\131\110\117\202\113\310\145\361\127\035\345\131  
\056\012\077\154\330\321\365\345\011\264\154\124\000\012\340\025  
\115\207\165\155\267\130\226\132\335\155\322\000\240\364\233\110  
\276\303\067\244\272\066\340\174\207\205\227\032\025\242\336\056  
\242\133\275\257\030\371\220\120\315\160\131\370\047\147\107\313  
\307\240\007\072\175\321\054\135\154\031\072\146\265\175\375\221  
\157\202\261\276\010\223\333\024\107\361\242\067\307\105\236\074  
\307\167\257\144\250\223\337\366\151\203\202\140\362\111\102\064  
\355\132\000\124\205\034\026\066\222\014\134\372\246\255\277\333

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "AffirmTrust Networking"  
# Issuer: CN=AffirmTrust Networking,O=AffirmTrust,C=US  
# Serial Number:7c:4f:04:39:1c:d4:99:2d  
# Subject: CN=AffirmTrust Networking,O=AffirmTrust,C=US  
# Not Valid Before: Fri Jan 29 14:08:24 2010  
# Not Valid After : Tue Dec 31 14:08:24 2030  
# Fingerprint (SHA-256):

```

0A:81:EC:5A:92:97:77:F1:45:90:4A:F3:8D:5D:50:9F:66:B5:E2:C5:8F:CD:B5:31:05:8B:0E:17:F3:F0:B4:1B
# Fingerprint (SHA1): 29:36:21:02:8B:20:ED:02:F5:66:C5:32:D1:D6:ED:90:9F:45:00:2F
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "AffirmTrust Networking"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\051\066\041\002\213\040\355\002\365\146\305\062\321\326\355\220
\237\105\000\057
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\102\145\312\276\001\232\232\114\251\214\101\111\315\300\325\177
END
CKA_ISSUER MULTILINE_OCTAL
\060\104\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\024\060\022\006\003\125\004\012\014\013\101\146\146\151\162\155
\124\162\165\163\164\061\037\060\035\006\003\125\004\003\014\026
\101\146\146\151\162\155\124\162\165\163\164\040\116\145\164\167
\157\162\153\151\156\147
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\010\174\117\004\071\034\324\231\055
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "AffirmTrust Premium"
#
# Issuer: CN=AffirmTrust Premium,O=AffirmTrust,C=US
# Serial Number:6d:8c:14:46:b1:a6:0a:ee
# Subject: CN=AffirmTrust Premium,O=AffirmTrust,C=US
# Not Valid Before: Fri Jan 29 14:10:36 2010
# Not Valid After : Mon Dec 31 14:10:36 2040
# Fingerprint (SHA-256):
70:A7:3F:7F:37:6B:60:07:42:48:90:45:34:B1:14:82:D5:BF:0E:69:8E:CC:49:8D:F5:25:77:EB:F2:E9:3B:9A
# Fingerprint (SHA1): D8:A6:33:2C:E0:03:6F:B1:85:F6:63:4F:7D:6A:06:65:26:32:28:27
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "AffirmTrust Premium"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\101\061\013\060\011\006\003\125\004\006\023\002\125\123\061

```

\024\060\022\006\003\125\004\012\014\013\101\146\146\151\162\155  
\124\162\165\163\164\061\034\060\032\006\003\125\004\003\014\023  
\101\146\146\151\162\155\124\162\165\163\164\040\120\162\145\155  
\151\165\155

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\101\061\013\060\011\006\003\125\004\006\023\002\125\123\061  
\024\060\022\006\003\125\004\012\014\013\101\146\146\151\162\155  
\124\162\165\163\164\061\034\060\032\006\003\125\004\003\014\023  
\101\146\146\151\162\155\124\162\165\163\164\040\120\162\145\155  
\151\165\155

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\010\155\214\024\106\261\246\012\356

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\005\106\060\202\003\056\240\003\002\001\002\002\010\155  
\214\024\106\261\246\012\356\060\015\006\011\052\206\110\206\367  
\015\001\001\014\005\000\060\101\061\013\060\011\006\003\125\004  
\006\023\002\125\123\061\024\060\022\006\003\125\004\012\014\013  
\101\146\146\151\162\155\124\162\165\163\164\061\034\060\032\006  
\003\125\004\003\014\023\101\146\146\151\162\155\124\162\165\163  
\164\040\120\162\145\155\151\165\155\060\036\027\015\061\060\060  
\061\062\071\061\064\061\060\063\066\132\027\015\064\060\061\062  
\063\061\061\064\061\060\063\066\132\060\101\061\013\060\011\006  
\003\125\004\006\023\002\125\123\061\024\060\022\006\003\125\004  
\012\014\013\101\146\146\151\162\155\124\162\165\163\164\061\034  
\060\032\006\003\125\004\003\014\023\101\146\146\151\162\155\124  
\162\165\163\164\040\120\162\145\155\151\165\155\060\202\002\042  
\060\015\006\011\052\206\110\206\367\015\001\001\001\005\000\003  
\202\002\017\000\060\202\002\012\002\202\002\001\000\304\022\337  
\251\137\376\101\335\335\365\237\212\343\366\254\341\074\170\232  
\274\330\360\177\172\240\063\052\334\215\040\133\256\055\157\347  
\223\331\066\160\152\150\317\216\121\243\205\133\147\004\240\020  
\044\157\135\050\202\301\227\127\330\110\051\023\266\341\276\221  
\115\337\205\014\123\030\232\036\044\242\117\217\360\242\205\013  
\313\364\051\177\322\244\130\356\046\115\311\252\250\173\232\331  
\372\070\336\104\127\025\345\370\214\310\331\110\342\015\026\047  
\035\036\310\203\205\045\267\272\252\125\101\314\003\042\113\055  
\221\215\213\346\211\257\146\307\351\377\053\351\074\254\332\322  
\263\303\341\150\234\211\370\172\000\126\336\364\125\225\154\373  
\272\144\335\142\213\337\013\167\062\353\142\314\046\232\233\273  
\252\142\203\114\264\006\172\060\310\051\277\355\006\115\227\271  
\034\304\061\053\325\137\274\123\022\027\234\231\127\051\146\167  
\141\041\061\007\056\045\111\235\030\362\356\363\053\161\214\265  
\272\071\007\111\167\374\357\056\222\220\005\215\055\057\167\173  
\357\103\277\065\273\232\330\371\163\247\054\362\320\127\356\050

|116|046|137|217|220|150|011|057|270|370|334|006|351|056|232|076  
|121|247|321|042|304|012|247|070|110|154|263|371|377|175|253|206  
|127|343|272|326|205|170|167|272|103|352|110|177|366|330|276|043  
|155|036|277|321|066|154|130|134|361|356|244|031|124|032|365|003  
|322|166|346|341|214|275|074|263|323|110|113|342|310|370|177|222  
|250|166|106|234|102|145|076|244|036|301|007|003|132|106|055|270  
|227|363|267|325|262|125|041|357|272|334|114|000|227|373|024|225  
|047|063|277|350|103|107|106|322|010|231|026|140|073|232|176|322  
|346|355|070|352|354|001|036|074|110|126|111|011|307|114|067|000  
|236|210|016|300|163|341|157|146|351|162|107|060|076|020|345|013  
|003|311|232|102|000|154|305|224|176|141|304|212|337|177|202|032  
|013|131|304|131|062|167|263|274|140|151|126|071|375|264|006|173  
|054|326|144|066|331|275|110|355|204|037|176|245|042|217|052|270  
|102|364|202|267|324|123|220|170|116|055|032|375|201|157|104|327  
|073|001|164|226|102|340|000|342|056|153|352|305|356|162|254|273  
|277|376|352|252|250|370|334|366|262|171|212|266|147|002|003|001  
|000|001|243|102|060|100|060|035|006|003|125|035|016|004|026|004  
|024|235|300|147|246|014|042|331|046|365|105|253|246|145|122|021  
|047|330|105|254|143|060|017|006|003|125|035|023|001|001|377|004  
|005|060|003|001|001|377|060|016|006|003|125|035|017|001|001|377  
|004|004|003|002|001|006|060|015|006|011|052|206|110|206|367|015  
|001|001|014|005|000|003|202|002|001|000|263|127|115|020|142|116  
|072|344|254|352|270|034|257|062|043|310|263|111|132|121|234|166  
|050|215|171|252|127|106|027|325|365|122|366|267|104|350|010|104  
|277|030|204|322|013|200|315|305|022|375|000|125|005|141|207|101  
|334|265|044|236|074|304|330|310|373|160|236|057|170|226|203|040  
|066|336|174|017|151|023|210|245|165|066|230|010|246|306|337|254  
|316|343|130|326|267|076|336|272|363|353|064|100|330|242|201|365  
|170|077|057|325|245|374|331|242|324|136|004|016|027|255|376|101  
|360|345|262|162|372|104|202|063|102|350|055|130|367|126|214|142  
|077|272|102|260|234|014|134|176|056|145|046|134|123|117|000|262  
|170|176|241|015|231|055|215|270|035|216|242|304|260|375|140|320  
|060|244|216|310|004|142|251|304|355|065|336|172|227|355|016|070  
|136|222|057|223|160|245|251|234|157|247|175|023|035|176|306|010  
|110|261|136|147|353|121|010|045|351|346|045|153|122|051|221|234  
|322|071|163|010|127|336|231|006|264|133|235|020|006|341|302|000  
|250|270|034|112|002|012|024|320|301|101|312|373|214|065|041|175  
|202|070|362|251|124|221|031|065|223|224|155|152|072|305|262|320  
|273|211|206|223|350|233|311|017|072|247|172|270|241|360|170|106  
|372|374|067|057|345|212|204|363|337|376|004|331|241|150|240|057  
|044|342|011|225|006|325|225|312|341|044|226|353|174|366|223|005  
|273|355|163|351|055|321|165|071|327|347|044|333|330|116|137|103  
|217|236|320|024|071|277|125|160|110|231|127|061|264|234|356|112  
|230|003|226|060|037|140|006|356|033|043|376|201|140|043|032|107  
|142|205|245|314|031|064|200|157|263|254|032|343|237|360|173|110  
|255|325|001|331|147|266|251|162|223|352|055|146|265|262|270|344  
|075|074|262|357|114|214|352|353|007|277|253|065|232|125|206|274  
|030|246|265|250|136|264|203|154|153|151|100|323|237|334|361|303



```
\151\153\271\341\155\011\364\361\252\120\166\012\172\175\172\027
\241\125\226\102\231\061\011\335\140\021\215\005\060\176\346\216
\106\321\235\024\332\307\027\344\005\226\214\304\044\265\033\317
\024\007\262\100\370\243\236\101\206\274\004\320\153\226\310\052
\200\064\375\277\357\006\243\335\130\305\205\075\076\217\376\236
\051\340\266\270\011\150\031\034\030\103
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "AffirmTrust Premium"
```

```
# Issuer: CN=AffirmTrust Premium,O=AffirmTrust,C=US
```

```
# Serial Number:6d:8c:14:46:b1:a6:0a:ee
```

```
# Subject: CN=AffirmTrust Premium,O=AffirmTrust,C=US
```

```
# Not Valid Before: Fri Jan 29 14:10:36 2010
```

```
# Not Valid After : Mon Dec 31 14:10:36 2040
```

```
# Fingerprint (SHA-256):
```

```
70:A7:3F:7F:37:6B:60:07:42:48:90:45:34:B1:14:82:D5:BF:0E:69:8E:CC:49:8D:F5:25:77:EB:F2:E9:3B:9A
```

```
# Fingerprint (SHA1): D8:A6:33:2C:E0:03:6F:B1:85:F6:63:4F:7D:6A:06:65:26:32:28:27
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "AffirmTrust Premium"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\330\246\063\054\340\003\157\261\205\366\143\117\175\152\006\145
\046\062\050\047
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\304\135\016\110\266\254\050\060\116\012\274\371\070\026\207\127
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\101\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\024\060\022\006\003\125\004\012\014\013\101\146\146\151\162\155
\124\162\165\163\164\061\034\060\032\006\003\125\004\003\014\023
\101\146\146\151\162\155\124\162\165\163\164\040\120\162\145\155
\151\165\155
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\010\155\214\024\106\261\246\012\356
```

END

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

```
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

```
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE
```

```
#
```

```
# Certificate "AffirmTrust Premium ECC"
#
# Issuer: CN=AffirmTrust Premium ECC,O=AffirmTrust,C=US
# Serial Number:74:97:25:8a:c7:3f:7a:54
# Subject: CN=AffirmTrust Premium ECC,O=AffirmTrust,C=US
# Not Valid Before: Fri Jan 29 14:20:24 2010
# Not Valid After : Mon Dec 31 14:20:24 2040
# Fingerprint (SHA-256):
BD:71:FD:F6:DA:97:E4:CF:62:D1:64:7A:DD:25:81:B0:7D:79:AD:F8:39:7E:B4:EC:BA:9C:5E:84:88:82:14:23
# Fingerprint (SHA1): B8:23:6B:00:2F:1D:16:86:53:01:55:6C:11:A4:37:CA:EB:FF:C3:BB
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "AffirmTrust Premium ECC"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\105\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\024\060\022\006\003\125\004\012\014\013\101\146\146\151\162\155
\124\162\165\163\164\061\040\060\036\006\003\125\004\003\014\027
\101\146\146\151\162\155\124\162\165\163\164\040\120\162\145\155
\151\165\155\040\105\103\103
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\105\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\024\060\022\006\003\125\004\012\014\013\101\146\146\151\162\155
\124\162\165\163\164\061\040\060\036\006\003\125\004\003\014\027
\101\146\146\151\162\155\124\162\165\163\164\040\120\162\145\155
\151\165\155\040\105\103\103
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\010\164\227\045\212\307\077\172\124
END
CKA_VALUE MULTILINE_OCTAL
\060\202\001\376\060\202\001\205\240\003\002\001\002\002\010\164
\227\045\212\307\077\172\124\060\012\006\010\052\206\110\316\075
\004\003\003\060\105\061\013\060\011\006\003\125\004\006\023\002
\125\123\061\024\060\022\006\003\125\004\012\014\013\101\146\146
\151\162\155\124\162\165\163\164\061\040\060\036\006\003\125\004
\003\014\027\101\146\146\151\162\155\124\162\165\163\164\040\120
\162\145\155\151\165\155\040\105\103\103\060\036\027\015\061\060
\060\061\062\071\061\064\062\060\062\064\132\027\015\064\060\061
\062\063\061\061\064\062\060\062\064\132\060\105\061\013\060\011
\006\003\125\004\006\023\002\125\123\061\024\060\022\006\003\125
\004\012\014\013\101\146\146\151\162\155\124\162\165\163\164\061
\040\060\036\006\003\125\004\003\014\027\101\146\146\151\162\155
\124\162\165\163\164\040\120\162\145\155\151\165\155\040\105\103
```

```
\103\060\166\060\020\006\007\052\206\110\316\075\002\001\006\005
\053\201\004\000\042\003\142\000\004\015\060\136\033\025\235\003
\320\241\171\065\267\072\074\222\172\312\025\034\315\142\363\234
\046\134\007\075\345\124\372\243\326\314\022\352\364\024\137\350
\216\031\253\057\056\110\346\254\030\103\170\254\320\067\303\275
\262\315\054\346\107\342\032\346\143\270\075\056\057\170\304\117
\333\364\017\244\150\114\125\162\153\225\035\116\030\102\225\170
\314\067\074\221\342\233\145\053\051\243\102\060\100\060\035\006
\003\125\035\016\004\026\004\024\232\257\051\172\300\021\065\065
\046\121\060\000\303\152\376\100\325\256\326\074\060\017\006\003
\125\035\023\001\001\377\004\005\060\003\001\001\377\060\016\006
\003\125\035\017\001\001\377\004\004\003\002\001\006\060\012\006
\010\052\206\110\316\075\004\003\003\003\147\000\060\144\002\060
\027\011\363\207\210\120\132\257\310\300\102\277\107\137\365\154
\152\206\340\304\047\164\344\070\123\327\005\177\033\064\343\306
\057\263\312\011\074\067\235\327\347\270\106\361\375\241\342\161
\002\060\102\131\207\103\324\121\337\272\323\011\062\132\316\210
\176\127\075\234\137\102\153\365\007\055\265\360\202\223\371\131
\157\256\144\372\130\345\213\036\343\143\276\265\201\315\157\002
\214\171
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "AffirmTrust Premium ECC"
```

```
# Issuer: CN=AffirmTrust Premium ECC,O=AffirmTrust,C=US
```

```
# Serial Number:74:97:25:8a:c7:3f:7a:54
```

```
# Subject: CN=AffirmTrust Premium ECC,O=AffirmTrust,C=US
```

```
# Not Valid Before: Fri Jan 29 14:20:24 2010
```

```
# Not Valid After : Mon Dec 31 14:20:24 2040
```

```
# Fingerprint (SHA-256):
```

```
BD:71:FD:F6:DA:97:E4:CF:62:D1:64:7A:DD:25:81:B0:7D:79:AD:F8:39:7E:B4:EC:BA:9C:5E:84:88:82:14:23
```

```
# Fingerprint (SHA1): B8:23:6B:00:2F:1D:16:86:53:01:55:6C:11:A4:37:CA:EB:FF:C3:BB
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "AffirmTrust Premium ECC"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\270\043\153\000\057\035\026\206\123\001\125\154\021\244\067\312
\353\377\303\273
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\144\260\011\125\317\261\325\231\342\276\023\253\246\135\352\115
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\105\061\013\060\011\006\003\125\004\006\023\002\125\123\061
```

```
\024\060\022\006\003\125\004\012\014\013\101\146\146\151\162\155  
\124\162\165\163\164\061\040\060\036\006\003\125\004\003\014\027  
\101\146\146\151\162\155\124\162\165\163\164\040\120\162\145\155  
\151\165\155\040\105\103\103
```

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

```
\002\010\164\227\045\212\307\077\172\124
```

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "Certum Trusted Network CA"

#

# Issuer: CN=Certum Trusted Network CA,OU=Certum Certification Authority,O=Unizeto Technologies  
S.A.,C=PL

# Serial Number: 279744 (0x444c0)

# Subject: CN=Certum Trusted Network CA,OU=Certum Certification Authority,O=Unizeto Technologies  
S.A.,C=PL

# Not Valid Before: Wed Oct 22 12:07:37 2008

# Not Valid After : Mon Dec 31 12:07:37 2029

# Fingerprint (SHA-256):

5C:58:46:8D:55:F5:8E:49:7E:74:39:82:D2:B5:00:10:B6:D1:65:37:4A:CF:83:A7:D4:A3:2D:B7:68:C4:40:8E

# Fingerprint (SHA1): 07:E0:32:E0:20:B7:2C:3F:19:2F:06:28:A2:59:3A:19:A7:0F:06:9E

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "Certum Trusted Network CA"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

```
\060\176\061\013\060\011\006\003\125\004\006\023\002\120\114\061  
\042\060\040\006\003\125\004\012\023\031\125\156\151\172\145\164  
\157\040\124\145\143\150\156\157\154\157\147\151\145\163\040\123  
\056\101\056\061\047\060\045\006\003\125\004\013\023\036\103\145  
\162\164\165\155\040\103\145\162\164\151\146\151\143\141\164\151  
\157\156\040\101\165\164\150\157\162\151\164\171\061\042\060\040  
\006\003\125\004\003\023\031\103\145\162\164\165\155\040\124\162  
\165\163\164\145\144\040\116\145\164\167\157\162\153\040\103\101
```

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

```
\060\176\061\013\060\011\006\003\125\004\006\023\002\120\114\061  
\042\060\040\006\003\125\004\012\023\031\125\156\151\172\145\164  
\157\040\124\145\143\150\156\157\154\157\147\151\145\163\040\123  
\056\101\056\061\047\060\045\006\003\125\004\013\023\036\103\145
```

\162\164\165\155\040\103\145\162\164\151\146\151\143\141\164\151  
\157\156\040\101\165\164\150\157\162\151\164\171\061\042\060\040  
\006\003\125\004\003\023\031\103\145\162\164\165\155\040\124\162  
\165\163\164\145\144\040\116\145\164\167\157\162\153\040\103\101  
END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\003\004\104\300

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\003\273\060\202\002\243\240\003\002\001\002\002\003\004  
\104\300\060\015\006\011\052\206\110\206\367\015\001\001\005\005  
\000\060\176\061\013\060\011\006\003\125\004\006\023\002\120\114  
\061\042\060\040\006\003\125\004\012\023\031\125\156\151\172\145  
\164\157\040\124\145\143\150\156\157\154\157\147\151\145\163\040  
\123\056\101\056\061\047\060\045\006\003\125\004\013\023\036\103  
\145\162\164\165\155\040\103\145\162\164\151\146\151\143\141\164  
\151\157\156\040\101\165\164\150\157\162\151\164\171\061\042\060  
\040\006\003\125\004\003\023\031\103\145\162\164\165\155\040\124  
\162\165\163\164\145\144\040\116\145\164\167\157\162\153\040\103  
\101\060\036\027\015\060\070\061\060\062\062\061\062\060\067\063  
\067\132\027\015\062\071\061\062\063\061\061\062\060\067\063\067  
\132\060\176\061\013\060\011\006\003\125\004\006\023\002\120\114  
\061\042\060\040\006\003\125\004\012\023\031\125\156\151\172\145  
\164\157\040\124\145\143\150\156\157\154\157\147\151\145\163\040  
\123\056\101\056\061\047\060\045\006\003\125\004\013\023\036\103  
\145\162\164\165\155\040\103\145\162\164\151\146\151\143\141\164  
\151\157\156\040\101\165\164\150\157\162\151\164\171\061\042\060  
\040\006\003\125\004\003\023\031\103\145\162\164\165\155\040\124  
\162\165\163\164\145\144\040\116\145\164\167\157\162\153\040\103  
\101\060\202\001\042\060\015\006\011\052\206\110\206\367\015\001  
\001\001\005\000\003\202\001\017\000\060\202\001\012\002\202\001  
\001\000\343\373\175\243\162\272\302\360\311\024\207\365\153\001  
\116\341\156\100\007\272\155\047\135\177\367\133\055\263\132\307  
\121\137\253\244\062\246\141\207\266\156\017\206\322\060\002\227  
\370\327\151\127\241\030\071\135\152\144\171\306\001\131\254\074  
\061\112\070\174\322\004\322\113\050\350\040\137\073\007\242\314  
\115\163\333\363\256\117\307\126\325\132\247\226\211\372\363\253  
\150\324\043\206\131\047\317\011\047\274\254\156\162\203\034\060  
\162\337\340\242\351\322\341\164\165\031\275\052\236\173\025\124  
\004\033\327\103\071\255\125\050\305\342\032\273\364\300\344\256  
\070\111\063\314\166\205\237\071\105\322\244\236\362\022\214\121  
\370\174\344\055\177\365\254\137\353\026\237\261\055\321\272\314  
\221\102\167\114\045\311\220\070\157\333\360\314\373\216\036\227  
\131\076\325\140\116\346\005\050\355\111\171\023\113\272\110\333  
\057\371\162\323\071\312\376\037\330\064\162\365\264\100\317\061  
\001\303\354\336\021\055\027\135\037\270\120\321\136\031\247\151  
\336\007\063\050\312\120\225\371\247\124\313\124\206\120\105\251  
\371\111\002\003\001\000\001\243\102\060\100\060\017\006\003\125

```
\035\023\001\001\377\004\005\060\003\001\001\377\060\035\006\003
\125\035\016\004\026\004\024\010\166\315\313\007\377\044\366\305
\315\355\273\220\274\342\204\067\106\165\367\060\016\006\003\125
\035\017\001\001\377\004\004\003\002\001\006\060\015\006\011\052
\206\110\206\367\015\001\001\005\005\000\003\202\001\001\000\246
\250\255\042\316\001\075\246\243\377\142\320\110\235\213\136\162
\260\170\104\343\334\034\257\011\375\043\110\372\275\052\304\271
\125\004\265\020\243\215\047\336\013\202\143\320\356\336\014\067
\171\101\133\042\262\260\232\101\134\246\160\340\324\320\167\313
\043\323\000\340\154\126\057\341\151\015\015\331\252\277\041\201
\120\331\006\245\250\377\225\067\320\252\376\342\263\365\231\055
\105\204\212\345\102\011\327\164\002\057\367\211\330\231\351\274
\047\324\107\215\272\015\106\034\167\317\024\244\034\271\244\061
\304\234\050\164\003\064\377\063\031\046\245\351\015\164\267\076
\227\306\166\350\047\226\243\146\335\341\256\362\101\133\312\230
\126\203\163\160\344\206\032\322\061\101\272\057\276\055\023\132
\166\157\116\350\116\201\016\077\133\003\042\240\022\276\146\130
\021\112\313\003\304\264\052\052\055\226\027\340\071\124\274\110
\323\166\047\235\232\055\006\246\311\354\071\322\253\333\237\232
\013\047\002\065\051\261\100\225\347\371\350\234\125\210\031\106
\326\267\064\365\176\316\071\232\331\070\361\121\367\117\054
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "Certum Trusted Network CA"
```

```
# Issuer: CN=Certum Trusted Network CA,OU=Certum Certification Authority,O=Unizeto Technologies
S.A.,C=PL
```

```
# Serial Number: 279744 (0x444c0)
```

```
# Subject: CN=Certum Trusted Network CA,OU=Certum Certification Authority,O=Unizeto Technologies
S.A.,C=PL
```

```
# Not Valid Before: Wed Oct 22 12:07:37 2008
```

```
# Not Valid After : Mon Dec 31 12:07:37 2029
```

```
# Fingerprint (SHA-256):
```

```
5C:58:46:8D:55:F5:8E:49:7E:74:39:82:D2:B5:00:10:B6:D1:65:37:4A:CF:83:A7:D4:A3:2D:B7:68:C4:40:8E
```

```
# Fingerprint (SHA1): 07:E0:32:E0:20:B7:2C:3F:19:2F:06:28:A2:59:3A:19:A7:0F:06:9E
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Certum Trusted Network CA"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\007\340\062\340\040\267\054\077\031\057\006\050\242\131\072\031
\247\017\006\236
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\325\351\201\100\305\030\151\374\106\054\211\165\142\017\252\170
```

```

END
CKA_ISSUER MULTILINE_OCTAL
\060\176\061\013\060\011\006\003\125\004\006\023\002\120\114\061
\042\060\040\006\003\125\004\012\023\031\125\156\151\172\145\164
\157\040\124\145\143\150\156\157\154\157\147\151\145\163\040\123
\056\101\056\061\047\060\045\006\003\125\004\013\023\036\103\145
\162\164\165\155\040\103\145\162\164\151\146\151\143\141\164\151
\157\156\040\101\165\164\150\157\162\151\164\171\061\042\060\040
\006\003\125\004\003\023\031\103\145\162\164\165\155\040\124\162
\165\163\164\145\144\040\116\145\164\167\157\162\153\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\003\004\104\300
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "TWCA Root Certification Authority"
#
# Issuer: CN=TWCA Root Certification Authority,OU=Root CA,O=TAIWAN-CA,C=TW
# Serial Number: 1 (0x1)
# Subject: CN=TWCA Root Certification Authority,OU=Root CA,O=TAIWAN-CA,C=TW
# Not Valid Before: Thu Aug 28 07:24:33 2008
# Not Valid After : Tue Dec 31 15:59:59 2030
# Fingerprint (SHA-256):
BF:D8:8F:E1:10:1C:41:AE:3E:80:1B:F8:BE:56:35:0E:E9:BA:D1:A6:B9:BD:51:5E:DC:5C:6D:5B:87:11:AC:44
# Fingerprint (SHA1): CF:9E:87:6D:D3:EB:FC:42:26:97:A3:B5:A3:7A:A0:76:A9:06:23:48
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "TWCA Root Certification Authority"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\137\061\013\060\011\006\003\125\004\006\023\002\124\127\061
\022\060\020\006\003\125\004\012\014\011\124\101\111\127\101\116
\055\103\101\061\020\060\016\006\003\125\004\013\014\007\122\157
\157\164\040\103\101\061\052\060\050\006\003\125\004\003\014\041
\124\127\103\101\040\122\157\157\164\040\103\145\162\164\151\146
\151\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164
\171
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\137\061\013\060\011\006\003\125\004\006\023\002\124\127\061

```

\022\060\020\006\003\125\004\012\014\011\124\101\111\127\101\116  
\055\103\101\061\020\060\016\006\003\125\004\013\014\007\122\157  
\157\164\040\103\101\061\052\060\050\006\003\125\004\003\014\041  
\124\127\103\101\040\122\157\157\164\040\103\145\162\164\151\146  
\151\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164  
\171

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\001\001

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\003\173\060\202\002\143\240\003\002\001\002\002\001\001  
\060\015\006\011\052\206\110\206\367\015\001\001\005\005\000\060  
\137\061\013\060\011\006\003\125\004\006\023\002\124\127\061\022  
\060\020\006\003\125\004\012\014\011\124\101\111\127\101\116\055  
\103\101\061\020\060\016\006\003\125\004\013\014\007\122\157\157  
\164\040\103\101\061\052\060\050\006\003\125\004\003\014\041\124  
\127\103\101\040\122\157\157\164\040\103\145\162\164\151\146\151  
\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164\171  
\060\036\027\015\060\070\060\070\062\070\060\067\062\064\063\063  
\132\027\015\063\060\061\062\063\061\061\065\065\071\065\071\132  
\060\137\061\013\060\011\006\003\125\004\006\023\002\124\127\061  
\022\060\020\006\003\125\004\012\014\011\124\101\111\127\101\116  
\055\103\101\061\020\060\016\006\003\125\004\013\014\007\122\157  
\157\164\040\103\101\061\052\060\050\006\003\125\004\003\014\041  
\124\127\103\101\040\122\157\157\164\040\103\145\162\164\151\146  
\151\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164  
\171\060\202\001\042\060\015\006\011\052\206\110\206\367\015\001  
\001\001\005\000\003\202\001\017\000\060\202\001\012\002\202\001  
\001\000\260\176\162\270\244\003\224\346\247\336\011\070\221\112  
\021\100\207\247\174\131\144\024\173\265\021\020\335\376\277\325  
\300\273\126\342\205\045\364\065\162\017\370\123\320\101\341\104  
\001\302\264\034\303\061\102\026\107\205\063\042\166\262\012\157  
\017\345\045\120\117\205\206\276\277\230\056\020\147\036\276\021  
\005\206\005\220\304\131\320\174\170\020\260\200\134\267\341\307  
\053\165\313\174\237\256\265\321\235\043\067\143\247\334\102\242  
\055\222\004\033\120\301\173\270\076\033\311\126\004\213\057\122  
\233\255\251\126\351\301\377\255\251\130\207\060\266\201\367\227  
\105\374\031\127\073\053\157\344\107\364\231\105\376\035\361\370  
\227\243\210\035\067\034\134\217\340\166\045\232\120\370\240\124  
\377\104\220\166\043\322\062\306\303\253\006\277\374\373\277\363  
\255\175\222\142\002\133\051\323\065\243\223\232\103\144\140\135  
\262\372\062\377\073\004\257\115\100\152\371\307\343\357\043\375  
\153\313\345\017\213\070\015\356\012\374\376\017\230\237\060\061  
\335\154\122\145\371\213\201\276\042\341\034\130\003\272\221\033  
\211\007\002\003\001\000\001\243\102\060\100\060\016\006\003\125  
\035\017\001\001\377\004\004\003\002\001\006\060\017\006\003\125  
\035\023\001\001\377\004\005\060\003\001\001\377\060\035\006\003



```
\125\035\016\004\026\004\024\152\070\133\046\215\336\213\132\362
\117\172\124\203\031\030\343\010\065\246\272\060\015\006\011\052
\206\110\206\367\015\001\001\005\005\000\003\202\001\001\000\074
\325\167\075\332\337\211\272\207\014\010\124\152\040\120\222\276
\260\101\075\271\046\144\203\012\057\350\100\300\227\050\047\202
\060\112\311\223\377\152\347\246\000\177\211\102\232\326\021\345
\123\316\057\314\362\332\005\304\376\342\120\304\072\206\175\314
\332\176\020\011\073\222\065\052\123\262\376\353\053\005\331\154
\135\346\320\357\323\152\146\236\025\050\205\172\350\202\000\254
\036\247\011\151\126\102\323\150\121\030\276\124\232\277\104\101
\272\111\276\040\272\151\134\356\270\167\315\316\154\037\255\203
\226\030\175\016\265\024\071\204\361\050\351\055\243\236\173\036
\172\162\132\203\263\171\157\357\264\374\320\012\245\130\117\106
\337\373\155\171\131\362\204\042\122\256\017\314\373\174\073\347
\152\312\107\141\303\172\370\323\222\004\037\270\040\204\341\066
\124\026\307\100\336\073\212\163\334\337\306\011\114\337\354\332
\377\324\123\102\241\311\362\142\035\042\203\074\227\305\371\031
\142\047\254\145\042\327\323\074\306\345\216\262\123\314\111\316
\274\060\376\173\016\063\220\373\355\322\024\221\037\007\257
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "TWCA Root Certification Authority"
```

```
# Issuer: CN=TWCA Root Certification Authority,OU=Root CA,O=TAIWAN-CA,C=TW
```

```
# Serial Number: 1 (0x1)
```

```
# Subject: CN=TWCA Root Certification Authority,OU=Root CA,O=TAIWAN-CA,C=TW
```

```
# Not Valid Before: Thu Aug 28 07:24:33 2008
```

```
# Not Valid After : Tue Dec 31 15:59:59 2030
```

```
# Fingerprint (SHA-256):
```

```
BF:D8:8F:E1:10:1C:41:AE:3E:80:1B:F8:BE:56:35:0E:E9:BA:D1:A6:B9:BD:51:5E:DC:5C:6D:5B:87:11:AC:44
```

```
# Fingerprint (SHA1): CF:9E:87:6D:D3:EB:FC:42:26:97:A3:B5:A3:7A:A0:76:A9:06:23:48
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "TWCA Root Certification Authority"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\317\236\207\155\323\353\374\102\046\227\243\265\243\172\240\166
\251\006\043\110
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\252\010\217\366\371\173\267\362\261\247\036\233\352\352\275\171
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\137\061\013\060\011\006\003\125\004\006\023\002\124\127\061
\022\060\020\006\003\125\004\012\014\011\124\101\111\127\101\116
```

```

\055\103\101\061\020\060\016\006\003\125\004\013\014\007\122\157
\157\164\040\103\101\061\052\060\050\006\003\125\004\003\014\041
\124\127\103\101\040\122\157\157\164\040\103\145\162\164\151\146
\151\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164
\171
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\001
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Explicitly Distrust DigiNotar Root CA"
#
# Issuer: E=info@diginotar.nl,CN=DigiNotar Root CA,O=DigiNotar,C=NL
# Serial Number:0f:ff:ff:ff:ff:ff:ff:ff:ff:ff:ff:ff:ff:ff:ff:ff
# Subject: E=info@diginotar.nl,CN=DigiNotar Root CA,O=DigiNotar,C=NL
# Not Valid Before: Fri Jul 27 17:19:37 2007
# Not Valid After : Mon Mar 31 18:19:22 2025
# Fingerprint (MD5): 0A:A4:D5:CC:BA:B4:FB:A3:59:E3:E6:01:DD:53:D9:4E
# Fingerprint (SHA1): C1:77:CB:4B:E0:B4:26:8E:F5:C7:CF:45:99:22:B9:B0:CE:BA:21:2F
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Explicitly Distrust DigiNotar Root CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\137\061\013\060\011\006\003\125\004\006\023\002\116\114\061
\022\060\020\006\003\125\004\012\023\011\104\151\147\151\116\157
\164\141\162\061\032\060\030\006\003\125\004\003\023\021\104\151
\147\151\116\157\164\141\162\040\122\157\157\164\040\103\101\061
\040\060\036\006\011\052\206\110\206\367\015\001\011\001\026\021
\151\156\146\157\100\144\151\147\151\156\157\164\141\162\056\156
\154
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\137\061\013\060\011\006\003\125\004\006\023\002\116\114\061
\022\060\020\006\003\125\004\012\023\011\104\151\147\151\116\157
\164\141\162\061\032\060\030\006\003\125\004\003\023\021\104\151
\147\151\116\157\164\141\162\040\122\157\157\164\040\103\101\061
\040\060\036\006\011\052\206\110\206\367\015\001\011\001\026\021
\151\156\146\157\100\144\151\147\151\156\157\164\141\162\056\156
\154

```

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\020\017\377\377\377\377\377\377\377\377\377\377\377\377\377\377\377\377\377

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\005\212\060\202\003\162\240\003\002\001\002\002\020\017  
\377\377\377\377\377\377\377\377\377\377\377\377\377\377\377\377\377\377\377\060  
\015\006\011\052\206\110\206\367\015\001\001\005\005\000\060\137  
\061\013\060\011\006\003\125\004\006\023\002\116\114\061\022\060  
\020\006\003\125\004\012\023\011\104\151\147\151\116\157\164\141  
\162\061\032\060\030\006\003\125\004\003\023\021\104\151\147\151  
\116\157\164\141\162\040\122\157\157\164\040\103\101\061\040\060  
\036\006\011\052\206\110\206\367\015\001\011\001\026\021\151\156  
\146\157\100\144\151\147\151\156\157\164\141\162\056\156\154\060  
\036\027\015\060\067\060\067\062\067\061\067\061\071\063\067\132  
\027\015\062\065\060\063\063\061\061\070\061\071\062\062\132\060  
\137\061\013\060\011\006\003\125\004\006\023\002\116\114\061\022  
\060\020\006\003\125\004\012\023\011\104\151\147\151\116\157\164  
\141\162\061\032\060\030\006\003\125\004\003\023\021\104\151\147  
\151\116\157\164\141\162\040\122\157\157\164\040\103\101\061\040  
\060\036\006\011\052\206\110\206\367\015\001\011\001\026\021\151  
\156\146\157\100\144\151\147\151\156\157\164\141\162\056\156\154  
\060\202\002\042\060\015\006\011\052\206\110\206\367\015\001\001  
\001\005\000\003\202\002\017\000\060\202\002\012\002\202\002\001  
\000\254\260\130\301\000\275\330\041\010\013\053\232\376\156\126  
\060\005\237\033\167\220\020\101\134\303\015\207\021\167\216\201  
\361\312\174\351\214\152\355\070\164\065\273\332\337\371\273\300  
\011\067\264\226\163\201\175\063\032\230\071\367\223\157\225\177  
\075\271\261\165\207\272\121\110\350\213\160\076\225\004\305\330  
\266\303\026\331\210\260\261\207\035\160\332\206\264\017\024\213  
\172\317\020\321\164\066\242\022\173\167\206\112\171\346\173\337  
\002\021\150\245\116\206\256\064\130\233\044\023\170\126\042\045  
\036\001\213\113\121\161\373\202\314\131\226\151\210\132\150\123  
\305\271\015\002\067\313\113\274\146\112\220\176\052\013\005\007  
\355\026\137\125\220\165\330\106\311\033\203\342\010\276\361\043  
\314\231\035\326\052\017\203\040\025\130\047\202\056\372\342\042  
\302\111\261\271\001\201\152\235\155\235\100\167\150\166\116\041  
\052\155\204\100\205\116\166\231\174\202\363\363\267\002\131\324  
\046\001\033\216\337\255\123\006\321\256\030\335\342\262\072\313  
\327\210\070\216\254\133\051\271\031\323\230\371\030\003\317\110  
\202\206\146\013\033\151\017\311\353\070\210\172\046\032\005\114  
\222\327\044\324\226\362\254\122\055\243\107\325\122\366\077\376  
\316\204\006\160\246\252\076\242\362\266\126\064\030\127\242\344  
\201\155\347\312\360\152\323\307\221\153\002\203\101\174\025\357  
\153\232\144\136\343\320\074\345\261\353\173\135\206\373\313\346  
\167\111\315\243\145\334\367\271\234\270\344\013\137\223\317\314  
\060\032\062\034\316\034\143\225\245\371\352\341\164\213\236\351

\053\251\060\173\240\030\037\016\030\013\345\133\251\323\321\154  
\036\007\147\217\221\113\251\212\274\322\146\252\223\001\210\262  
\221\372\061\134\325\246\301\122\010\011\315\012\143\242\323\042  
\246\350\241\331\071\006\227\365\156\215\002\220\214\024\173\077  
\200\315\033\234\272\304\130\162\043\257\266\126\237\306\172\102  
\063\051\007\077\202\311\346\037\005\015\315\114\050\066\213\323  
\310\076\034\306\210\357\136\356\211\144\351\035\353\332\211\176  
\062\246\151\321\335\314\210\237\321\320\311\146\041\334\006\147  
\305\224\172\232\155\142\114\175\314\340\144\200\262\236\107\216  
\243\002\003\001\000\001\243\102\060\100\060\017\006\003\125\035  
\023\001\001\377\004\005\060\003\001\001\377\060\016\006\003\125  
\035\017\001\001\377\004\004\003\002\001\006\060\035\006\003\125  
\035\016\004\026\004\024\210\150\277\340\216\065\304\073\070\153  
\142\367\050\073\204\201\310\014\327\115\060\015\006\011\052\206  
\110\206\367\015\001\001\005\005\000\003\202\002\001\000\073\002  
\215\313\074\060\350\156\240\255\362\163\263\137\236\045\023\004  
\005\323\366\343\213\273\013\171\316\123\336\344\226\305\321\257  
\163\274\325\303\320\100\125\174\100\177\315\033\137\011\325\362  
\174\237\150\035\273\135\316\172\071\302\214\326\230\173\305\203  
\125\250\325\175\100\312\340\036\367\211\136\143\135\241\023\302  
\135\212\266\212\174\000\363\043\303\355\205\137\161\166\360\150  
\143\252\105\041\071\110\141\170\066\334\361\103\223\324\045\307  
\362\200\145\341\123\002\165\121\374\172\072\357\067\253\204\050  
\127\014\330\324\324\231\126\154\343\242\376\131\204\264\061\350  
\063\370\144\224\224\121\227\253\071\305\113\355\332\335\200\013  
\157\174\051\015\304\216\212\162\015\347\123\024\262\140\101\075  
\204\221\061\150\075\047\104\333\345\336\364\372\143\105\310\114  
\076\230\365\077\101\272\116\313\067\015\272\146\230\361\335\313  
\237\134\367\124\066\202\153\054\274\023\141\227\102\370\170\273  
\314\310\242\237\312\360\150\275\153\035\262\337\215\157\007\235  
\332\216\147\307\107\036\312\271\277\052\102\221\267\143\123\146  
\361\102\243\341\364\132\115\130\153\265\344\244\063\255\134\160  
\035\334\340\362\353\163\024\221\232\003\301\352\000\145\274\007  
\374\317\022\021\042\054\256\240\275\072\340\242\052\330\131\351  
\051\323\030\065\244\254\021\137\031\265\265\033\377\042\112\134  
\306\172\344\027\357\040\251\247\364\077\255\212\247\232\004\045  
\235\016\312\067\346\120\375\214\102\051\004\232\354\271\317\113  
\162\275\342\010\066\257\043\057\142\345\312\001\323\160\333\174  
\202\043\054\026\061\014\306\066\007\220\172\261\037\147\130\304  
\073\130\131\211\260\214\214\120\263\330\206\313\150\243\304\012  
\347\151\113\040\316\301\036\126\113\225\251\043\150\330\060\330  
\303\353\260\125\121\315\345\375\053\270\365\273\021\237\123\124  
\366\064\031\214\171\011\066\312\141\027\045\027\013\202\230\163  
\014\167\164\303\325\015\307\250\022\114\307\247\124\161\107\056  
\054\032\175\311\343\053\073\110\336\047\204\247\143\066\263\175  
\217\240\144\071\044\015\075\173\207\257\146\134\164\033\113\163  
\262\345\214\360\206\231\270\345\305\337\204\301\267\353

END

```

# Trust for Certificate "Explicitly Distrust DigiNotar Root CA"
# Issuer: E=info@diginotar.nl,CN=DigiNotar Root CA,O=DigiNotar,C=NL
# Serial Number:0f:ff:ff:ff:ff:ff:ff:ff:ff:ff:ff:ff:ff:ff:ff:ff
# Subject: E=info@diginotar.nl,CN=DigiNotar Root CA,O=DigiNotar,C=NL
# Not Valid Before: Fri Jul 27 17:19:37 2007
# Not Valid After : Mon Mar 31 18:19:22 2025
# Fingerprint (MD5): 0A:A4:D5:CC:BA:B4:FB:A3:59:E3:E6:01:DD:53:D9:4E
# Fingerprint (SHA1): C1:77:CB:4B:E0:B4:26:8E:F5:C7:CF:45:99:22:B9:B0:CE:BA:21:2F
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Explicitly Distrust DigiNotar Root CA"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\301\167\313\113\340\264\046\216\365\307\317\105\231\042\271\260
\316\272\041\057
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\012\244\325\314\272\264\373\243\131\343\346\001\335\123\331\116
END
CKA_ISSUER MULTILINE_OCTAL
\060\137\061\013\060\011\006\003\125\004\006\023\002\116\114\061
\022\060\020\006\003\125\004\012\023\011\104\151\147\151\116\157
\164\141\162\061\032\060\030\006\003\125\004\003\023\021\104\151
\147\151\116\157\164\141\162\040\122\157\157\164\040\103\101\061
\040\060\036\006\011\052\206\110\206\367\015\001\011\001\026\021
\151\156\146\157\100\144\151\147\151\156\157\164\141\162\056\156
\154
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\017\377\377\377\377\377\377\377\377\377\377\377\377\377
\377\377
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_NOT_TRUSTED
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_NOT_TRUSTED
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_NOT_TRUSTED
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Security Communication RootCA2"
#
# Issuer: OU=Security Communication RootCA2,O="SECOM Trust Systems CO.,LTD.",C=JP
# Serial Number: 0 (0x0)
# Subject: OU=Security Communication RootCA2,O="SECOM Trust Systems CO.,LTD.",C=JP
# Not Valid Before: Fri May 29 05:00:39 2009
# Not Valid After : Tue May 29 05:00:39 2029
# Fingerprint (SHA-256):

```

51:3B:2C:EC:B8:10:D4:CD:E5:DD:85:39:1A:DF:C6:C2:DD:60:D8:7B:B7:36:D2:B5:21:48:4A:A4:7A:0E:BE:F6  
# Fingerprint (SHA1): 5F:3B:8C:F2:F8:10:B3:7D:78:B4:CE:EC:19:19:C3:73:34:B9:C7:74  
CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE  
CKA\_TOKEN CK\_BBOOL CK\_TRUE  
CKA\_PRIVATE CK\_BBOOL CK\_FALSE  
CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE  
CKA\_LABEL UTF8 "Security Communication RootCA2"  
CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509  
CKA\_SUBJECT MULTILINE\_OCTAL  
\060\135\061\013\060\011\006\003\125\004\006\023\002\112\120\061  
\045\060\043\006\003\125\004\012\023\034\123\105\103\117\115\040  
\124\162\165\163\164\040\123\171\163\164\145\155\163\040\103\117  
\056\054\114\124\104\056\061\047\060\045\006\003\125\004\013\023  
\036\123\145\143\165\162\151\164\171\040\103\157\155\155\165\156  
\151\143\141\164\151\157\156\040\122\157\157\164\103\101\062  
END  
CKA\_ID UTF8 "0"  
CKA\_ISSUER MULTILINE\_OCTAL  
\060\135\061\013\060\011\006\003\125\004\006\023\002\112\120\061  
\045\060\043\006\003\125\004\012\023\034\123\105\103\117\115\040  
\124\162\165\163\164\040\123\171\163\164\145\155\163\040\103\117  
\056\054\114\124\104\056\061\047\060\045\006\003\125\004\013\023  
\036\123\145\143\165\162\151\164\171\040\103\157\155\155\165\156  
\151\143\141\164\151\157\156\040\122\157\157\164\103\101\062  
END  
CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL  
\002\001\000  
END  
CKA\_VALUE MULTILINE\_OCTAL  
\060\202\003\167\060\202\002\137\240\003\002\001\002\002\001\000  
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060  
\135\061\013\060\011\006\003\125\004\006\023\002\112\120\061\045  
\060\043\006\003\125\004\012\023\034\123\105\103\117\115\040\124  
\162\165\163\164\040\123\171\163\164\145\155\163\040\103\117\056  
\054\114\124\104\056\061\047\060\045\006\003\125\004\013\023\036  
\123\145\143\165\162\151\164\171\040\103\157\155\155\165\156\151  
\143\141\164\151\157\156\040\122\157\157\164\103\101\062\060\036  
\027\015\060\071\060\065\062\071\060\065\060\060\063\071\132\027  
\015\062\071\060\065\062\071\060\065\060\060\063\071\132\060\135  
\061\013\060\011\006\003\125\004\006\023\002\112\120\061\045\060  
\043\006\003\125\004\012\023\034\123\105\103\117\115\040\124\162  
\165\163\164\040\123\171\163\164\145\155\163\040\103\117\056\054  
\114\124\104\056\061\047\060\045\006\003\125\004\013\023\036\123  
\145\143\165\162\151\164\171\040\103\157\155\155\165\156\151\143  
\141\164\151\157\156\040\122\157\157\164\103\101\062\060\202\001  
\042\060\015\006\011\052\206\110\206\367\015\001\001\001\005\000  
\003\202\001\017\000\060\202\001\012\002\202\001\001\000\320\025  
\071\122\261\122\263\272\305\131\202\304\135\122\256\072\103\145

\200\113\307\362\226\274\333\066\227\326\246\144\214\250\136\360  
\343\012\034\367\337\227\075\113\256\366\135\354\041\265\101\253  
\315\271\176\166\237\276\371\076\066\064\240\073\301\366\061\021  
\105\164\223\075\127\200\305\371\211\231\312\345\253\152\324\265  
\332\101\220\020\301\326\326\102\211\302\277\364\070\022\225\114  
\124\005\367\066\344\105\203\173\024\145\326\334\014\115\321\336  
\176\014\253\073\304\025\276\072\126\246\132\157\166\151\122\251  
\172\271\310\353\152\232\135\122\320\055\012\153\065\026\011\020  
\204\320\152\312\072\006\000\067\107\344\176\127\117\077\213\353  
\147\270\210\252\305\276\123\125\262\221\304\175\271\260\205\031  
\006\170\056\333\141\032\372\205\365\112\221\241\347\026\325\216  
\242\071\337\224\270\160\037\050\077\213\374\100\136\143\203\074  
\203\052\032\231\153\317\336\131\152\073\374\157\026\327\037\375  
\112\020\353\116\202\026\072\254\047\014\123\361\255\325\044\260  
\153\003\120\301\055\074\026\335\104\064\047\032\165\373\002\003  
\001\000\001\243\102\060\100\060\035\006\003\125\035\016\004\026  
\004\024\012\205\251\167\145\005\230\174\100\201\370\017\227\054  
\070\361\012\354\074\317\060\016\006\003\125\035\017\001\001\377  
\004\004\003\002\001\006\060\017\006\003\125\035\023\001\001\377  
\004\005\060\003\001\001\377\060\015\006\011\052\206\110\206\367  
\015\001\001\013\005\000\003\202\001\001\000\114\072\243\104\254  
\271\105\261\307\223\176\310\013\012\102\337\144\352\034\356\131  
\154\010\272\211\137\152\312\112\225\236\172\217\007\305\332\105  
\162\202\161\016\072\322\314\157\247\264\241\043\273\366\044\237  
\313\027\376\214\246\316\302\322\333\314\215\374\161\374\003\051  
\301\154\135\063\137\144\266\145\073\211\157\030\166\170\365\334  
\242\110\037\031\077\216\223\353\361\372\027\356\315\116\343\004  
\022\125\326\345\344\335\373\076\005\174\342\035\136\306\247\274  
\227\117\150\072\365\351\056\012\103\266\257\127\134\142\150\174  
\267\375\243\212\204\240\254\142\276\053\011\207\064\360\152\001  
\273\233\051\126\074\376\000\067\317\043\154\361\116\252\266\164  
\106\022\154\221\356\064\325\354\232\221\347\104\276\220\061\162  
\325\111\002\366\002\345\364\037\353\174\331\226\125\251\377\354  
\212\371\231\107\377\065\132\002\252\004\313\212\133\207\161\051  
\221\275\244\264\172\015\275\232\365\127\043\000\007\041\027\077  
\112\071\321\005\111\013\247\266\067\201\245\135\214\252\063\136  
\201\050\174\247\175\047\353\000\256\215\067

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "Security Communication RootCA2"

# Issuer: OU=Security Communication RootCA2,O="SECOM Trust Systems CO.,LTD.",C=JP

# Serial Number: 0 (0x0)

# Subject: OU=Security Communication RootCA2,O="SECOM Trust Systems CO.,LTD.",C=JP

# Not Valid Before: Fri May 29 05:00:39 2009

# Not Valid After : Tue May 29 05:00:39 2029

```

# Fingerprint (SHA-256):
51:3B:2C:EC:B8:10:D4:CD:E5:DD:85:39:1A:DF:C6:C2:DD:60:D8:7B:B7:36:D2:B5:21:48:4A:A4:7A:0E:BE:F6
# Fingerprint (SHA1): 5F:3B:8C:F2:F8:10:B3:7D:78:B4:CE:EC:19:19:C3:73:34:B9:C7:74
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Security Communication RootCA2"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\137\073\214\362\370\020\263\175\170\264\316\354\031\031\303\163
\064\271\307\164
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\154\071\175\244\016\125\131\262\077\326\101\261\022\120\336\103
END
CKA_ISSUER MULTILINE_OCTAL
\060\135\061\013\060\011\006\003\125\004\006\023\002\112\120\061
\045\060\043\006\003\125\004\012\023\034\123\105\103\117\115\040
\124\162\165\163\164\040\123\171\163\164\145\155\163\040\103\117
\056\054\114\124\104\056\061\047\060\045\006\003\125\004\013\023
\036\123\145\143\165\162\151\164\171\040\103\157\155\155\165\156
\151\143\141\164\151\157\156\040\122\157\157\164\103\101\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\000
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "EC-ACC"
#
# Issuer: CN=EC-ACC,OU=Jerarquia Entitats de Certificacio Catalanes,OU=Vegeu https://www.catcert.net/verarrel
(c)03,OU=Serveis Publics de Certificacio,O=Agencia Catalana de Certificacio (NIF Q-0801176-I),C=ES
# Serial Number:ee:2b:3d:eb:d4:21:de:14:a8:62:ac:04:f3:dd:c4:01
# Subject: CN=EC-ACC,OU=Jerarquia Entitats de Certificacio Catalanes,OU=Vegeu
https://www.catcert.net/verarrel (c)03,OU=Serveis Publics de Certificacio,O=Agencia Catalana de Certificacio (NIF
Q-0801176-I),C=ES
# Not Valid Before: Tue Jan 07 23:00:00 2003
# Not Valid After : Tue Jan 07 22:59:59 2031
# Fingerprint (SHA-256):
88:49:7F:01:60:2F:31:54:24:6A:E2:8C:4D:5A:EF:10:F1:D8:7E:BB:76:62:6F:4A:E0:B7:F9:5B:A7:96:87:99
# Fingerprint (SHA1): 28:90:3A:63:5B:52:80:FA:E6:77:4C:0B:6D:A7:D6:BA:A6:4A:F2:E8
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE

```



```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "EC-ACC"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\363\061\013\060\011\006\003\125\004\006\023\002\105\123
\061\073\060\071\006\003\125\004\012\023\062\101\147\145\156\143
\151\141\040\103\141\164\141\154\141\156\141\040\144\145\040\103
\145\162\164\151\146\151\143\141\143\151\157\040\050\116\111\106
\040\121\055\060\070\060\061\061\067\066\055\111\051\061\050\060
\046\006\003\125\004\013\023\037\123\145\162\166\145\151\163\040
\120\165\142\154\151\143\163\040\144\145\040\103\145\162\164\151
\146\151\143\141\143\151\157\061\065\060\063\006\003\125\004\013
\023\054\126\145\147\145\165\040\150\164\164\160\163\072\057\057
\167\167\167\056\143\141\164\143\145\162\164\056\156\145\164\057
\166\145\162\141\162\162\145\154\040\050\143\051\060\063\061\065
\060\063\006\003\125\004\013\023\054\112\145\162\141\162\161\165
\151\141\040\105\156\164\151\164\141\164\163\040\144\145\040\103
\145\162\164\151\146\151\143\141\143\151\157\040\103\141\164\141
\154\141\156\145\163\061\017\060\015\006\003\125\004\003\023\006
\105\103\055\101\103\103
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\363\061\013\060\011\006\003\125\004\006\023\002\105\123
\061\073\060\071\006\003\125\004\012\023\062\101\147\145\156\143
\151\141\040\103\141\164\141\154\141\156\141\040\144\145\040\103
\145\162\164\151\146\151\143\141\143\151\157\040\050\116\111\106
\040\121\055\060\070\060\061\061\067\066\055\111\051\061\050\060
\046\006\003\125\004\013\023\037\123\145\162\166\145\151\163\040
\120\165\142\154\151\143\163\040\144\145\040\103\145\162\164\151
\146\151\143\141\143\151\157\061\065\060\063\006\003\125\004\013
\023\054\126\145\147\145\165\040\150\164\164\160\163\072\057\057
\167\167\167\056\143\141\164\143\145\162\164\056\156\145\164\057
\166\145\162\141\162\162\145\154\040\050\143\051\060\063\061\065
\060\063\006\003\125\004\013\023\054\112\145\162\141\162\161\165
\151\141\040\105\156\164\151\164\141\164\163\040\144\145\040\103
\145\162\164\151\146\151\143\141\143\151\157\040\103\141\164\141
\154\141\156\145\163\061\017\060\015\006\003\125\004\003\023\006
\105\103\055\101\103\103
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\356\053\075\353\324\041\336\024\250\142\254\004\363\335
\304\001
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\126\060\202\004\076\240\003\002\001\002\002\020\356
\053\075\353\324\041\336\024\250\142\254\004\363\335\304\001\060
\015\006\011\052\206\110\206\367\015\001\001\005\005\000\060\201
```

\363\061\013\060\011\006\003\125\004\006\023\002\105\123\061\073  
\060\071\006\003\125\004\012\023\062\101\147\145\156\143\151\141  
\040\103\141\164\141\154\141\156\141\040\144\145\040\103\145\162  
\164\151\146\151\143\141\143\151\157\040\050\116\111\106\040\121  
\055\060\070\060\061\061\067\066\055\111\051\061\050\060\046\006  
\003\125\004\013\023\037\123\145\162\166\145\151\163\040\120\165  
\142\154\151\143\163\040\144\145\040\103\145\162\164\151\146\151  
\143\141\143\151\157\061\065\060\063\006\003\125\004\013\023\054  
\126\145\147\145\165\040\150\164\164\160\163\072\057\057\167\167  
\167\056\143\141\164\143\145\162\164\056\156\145\164\057\166\145  
\162\141\162\162\145\154\040\050\143\051\060\063\061\065\060\063  
\006\003\125\004\013\023\054\112\145\162\141\162\161\165\151\141  
\040\105\156\164\151\164\141\164\163\040\144\145\040\103\145\162  
\164\151\146\151\143\141\143\151\157\040\103\141\164\141\154\141  
\156\145\163\061\017\060\015\006\003\125\004\003\023\006\105\103  
\055\101\103\103\060\036\027\015\060\063\060\061\060\067\062\062\063  
\060\060\060\060\132\027\015\063\061\060\061\060\067\062\062\065  
\071\065\071\132\060\201\363\061\013\060\011\006\003\125\004\006  
\023\002\105\123\061\073\060\071\006\003\125\004\012\023\062\101  
\147\145\156\143\151\141\040\103\141\164\141\154\141\156\141\040  
\144\145\040\103\145\162\164\151\146\151\143\141\143\151\157\040  
\050\116\111\106\040\121\055\060\070\060\061\061\067\066\055\111  
\051\061\050\060\046\006\003\125\004\013\023\037\123\145\162\166  
\145\151\163\040\120\165\142\154\151\143\163\040\144\145\040\103  
\145\162\164\151\146\151\143\141\143\151\157\061\065\060\063\006  
\003\125\004\013\023\054\126\145\147\145\165\040\150\164\164\160  
\163\072\057\057\167\167\167\056\143\141\164\143\145\162\164\056  
\156\145\164\057\166\145\162\141\162\162\145\154\040\050\143\051  
\060\063\061\065\060\063\006\003\125\004\013\023\054\112\145\162  
\141\162\161\165\151\141\040\105\156\164\151\164\141\164\163\040  
\144\145\040\103\145\162\164\151\146\151\143\141\143\151\157\040  
\103\141\164\141\154\141\156\145\163\061\017\060\015\006\003\125  
\004\003\023\006\105\103\055\101\103\103\060\202\001\042\060\015  
\006\011\052\206\110\206\367\015\001\001\001\005\000\003\202\001  
\017\000\060\202\001\012\002\202\001\001\000\263\042\307\117\342  
\227\102\225\210\107\203\100\366\035\027\363\203\163\044\036\121  
\363\230\212\303\222\270\377\100\220\005\160\207\140\311\000\251  
\265\224\145\031\042\025\027\302\103\154\146\104\232\015\004\076  
\071\157\245\113\172\252\143\267\212\104\235\331\143\221\204\146  
\340\050\017\272\102\343\156\216\367\024\047\223\151\356\221\016  
\243\137\016\261\353\146\242\162\117\022\023\206\145\172\076\333  
\117\007\364\247\011\140\332\072\102\231\307\262\177\263\026\225  
\034\307\371\064\265\224\205\325\231\136\240\110\240\176\347\027  
\145\270\242\165\270\036\363\345\102\175\257\355\363\212\110\144  
\135\202\024\223\330\300\344\377\263\120\162\362\166\366\263\135  
\102\120\171\320\224\076\153\014\000\276\330\153\016\116\052\354  
\076\322\314\202\242\030\145\063\023\167\236\232\135\032\023\330  
\303\333\075\310\227\172\356\160\355\247\346\174\333\161\317\055

\224\142\337\155\326\365\070\276\077\245\205\012\031\270\250\330  
\011\165\102\160\304\352\357\313\016\310\064\250\022\042\230\014  
\270\023\224\266\113\354\360\320\220\347\047\002\003\001\000\001  
\243\201\343\060\201\340\060\035\006\003\125\035\021\004\026\060  
\024\201\022\145\143\137\141\143\143\100\143\141\164\143\145\162  
\164\056\156\145\164\060\017\006\003\125\035\023\001\001\377\004  
\005\060\003\001\001\377\060\016\006\003\125\035\017\001\001\377  
\004\004\003\002\001\006\060\035\006\003\125\035\016\004\026\004  
\024\240\303\213\104\252\067\245\105\277\227\200\132\321\361\170  
\242\233\351\135\215\060\177\006\003\125\035\040\004\170\060\166  
\060\164\006\013\053\006\001\004\001\365\170\001\003\001\012\060  
\145\060\054\006\010\053\006\001\005\005\007\002\001\026\040\150  
\164\164\160\163\072\057\057\167\167\167\056\143\141\164\143\145  
\162\164\056\156\145\164\057\166\145\162\141\162\162\145\154\060  
\065\006\010\053\006\001\005\005\007\002\002\060\051\032\047\126  
\145\147\145\165\040\150\164\164\160\163\072\057\057\167\167\167  
\056\143\141\164\143\145\162\164\056\156\145\164\057\166\145\162  
\141\162\162\145\154\040\060\015\006\011\052\206\110\206\367\015  
\001\001\005\005\000\003\202\001\001\000\240\110\133\202\001\366  
\115\110\270\071\125\065\234\200\172\123\231\325\132\377\261\161  
\073\314\071\011\224\136\326\332\357\276\001\133\135\323\036\330  
\375\175\117\315\240\101\340\064\223\277\313\342\206\234\067\222  
\220\126\034\334\353\051\005\345\304\236\307\065\337\212\014\315  
\305\041\103\351\252\210\345\065\300\031\102\143\132\002\136\244  
\110\030\072\205\157\334\235\274\077\235\234\301\207\270\172\141  
\010\351\167\013\177\160\253\172\335\331\227\054\144\036\205\277  
\274\164\226\241\303\172\022\354\014\032\156\203\014\074\350\162  
\106\237\373\110\325\136\227\346\261\241\370\344\357\106\045\224  
\234\211\333\151\070\276\354\134\016\126\307\145\121\345\120\210  
\210\277\102\325\053\075\345\371\272\236\056\263\312\364\163\222  
\002\013\276\114\146\353\040\376\271\313\265\231\177\346\266\023  
\372\312\113\115\331\356\123\106\006\073\306\116\255\223\132\201  
\176\154\052\113\152\005\105\214\362\041\244\061\220\207\154\145  
\234\235\245\140\225\072\122\177\365\321\253\010\156\363\356\133  
\371\210\075\176\270\157\156\003\344\102

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

# For Server Distrust After: Sat Dec 28 00:00:00 2019

CKA\_NSS\_SERVER\_DISTRUSTRUST\_AFTER MULTILINE\_OCTAL

\061\071\061\062\062\070\060\060\060\060\060\060\132

END

# For Email Distrust After: Wed Aug 31 00:00:00 2022

CKA\_NSS\_EMAIL\_DISTRUSTRUST\_AFTER MULTILINE\_OCTAL

\062\062\060\070\063\061\060\060\060\060\060\060\132

END

# Trust for "EC-ACC"

# Issuer: CN=EC-ACC,OU=Jerarquia Entitats de Certificacio Catalanes,OU=Vegeu <https://www.catcert.net/verarrel>

(c)03,OU=Serveis Publics de Certificacio,O=Agencia Catalana de Certificacio (NIF Q-0801176-I),C=ES  
# Serial Number:ee:2b:3d:eb:d4:21:de:14:a8:62:ac:04:f3:dd:c4:01  
# Subject: CN=EC-ACC,OU=Jerarquia Entitats de Certificacio Catalanes,OU=Vegeu  
https://www.catcert.net/verarrel (c)03,OU=Serveis Publics de Certificacio,O=Agencia Catalana de Certificacio (NIF Q-0801176-I),C=ES  
# Not Valid Before: Tue Jan 07 23:00:00 2003  
# Not Valid After : Tue Jan 07 22:59:59 2031  
# Fingerprint (SHA-256):  
88:49:7F:01:60:2F:31:54:24:6A:E2:8C:4D:5A:EF:10:F1:D8:7E:BB:76:62:6F:4A:E0:B7:F9:5B:A7:96:87:99  
# Fingerprint (SHA1): 28:90:3A:63:5B:52:80:FA:E6:77:4C:0B:6D:A7:D6:BA:A6:4A:F2:E8  
CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST  
CKA\_TOKEN CK\_BBOOL CK\_TRUE  
CKA\_PRIVATE CK\_BBOOL CK\_FALSE  
CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE  
CKA\_LABEL UTF8 "EC-ACC"  
CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL  
\050\220\072\143\133\122\200\372\346\167\114\013\155\247\326\272  
\246\112\362\350  
END  
CKA\_CERT\_MD5\_HASH MULTILINE\_OCTAL  
\353\365\235\051\015\141\371\102\037\174\302\272\155\343\025\011  
END  
CKA\_ISSUER MULTILINE\_OCTAL  
\060\201\363\061\013\060\011\006\003\125\004\006\023\002\105\123  
\061\073\060\071\006\003\125\004\012\023\062\101\147\145\156\143  
\151\141\040\103\141\164\141\154\141\156\141\040\144\145\040\103  
\145\162\164\151\146\151\143\141\143\151\157\040\050\116\111\106  
\040\121\055\060\070\060\061\061\067\066\055\111\051\061\050\060  
\046\006\003\125\004\013\023\037\123\145\162\166\145\151\163\040  
\120\165\142\154\151\143\163\040\144\145\040\103\145\162\164\151  
\146\151\143\141\143\151\157\061\065\060\063\006\003\125\004\013  
\023\054\126\145\147\145\165\040\150\164\164\160\163\072\057\057  
\167\167\167\056\143\141\164\143\145\162\164\056\156\145\164\057  
\166\145\162\141\162\162\145\154\040\050\143\051\060\063\061\065  
\060\063\006\003\125\004\013\023\054\112\145\162\141\162\161\165  
\151\141\040\105\156\164\151\164\141\164\163\040\144\145\040\103  
\145\162\164\151\146\151\143\141\143\151\157\040\103\141\164\141  
\154\141\156\145\163\061\017\060\015\006\003\125\004\003\023\006  
\105\103\055\101\103\103  
END  
CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL  
\002\020\356\053\075\353\324\041\336\024\250\142\254\004\363\335  
\304\001  
END  
CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR  
CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST  
CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST  
CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

```

#
# Certificate "Actalis Authentication Root CA"
#
# Issuer: CN=Actalis Authentication Root CA,O=Actalis S.p.A./03358520967,L=Milan,C=IT
# Serial Number:57:0a:11:97:42:c4:e3:cc
# Subject: CN=Actalis Authentication Root CA,O=Actalis S.p.A./03358520967,L=Milan,C=IT
# Not Valid Before: Thu Sep 22 11:22:02 2011
# Not Valid After : Sun Sep 22 11:22:02 2030
# Fingerprint (SHA-256):
55:92:60:84:EC:96:3A:64:B9:6E:2A:BE:01:CE:0B:A8:6A:64:FB:FE:BC:C7:AA:B5:AF:C1:55:B3:7F:D7:60:66
# Fingerprint (SHA1): F3:73:B3:87:06:5A:28:84:8A:F2:F3:4A:CE:19:2B:DD:C7:8E:9C:AC
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Actalis Authentication Root CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\153\061\013\060\011\006\003\125\004\006\023\002\111\124\061
\016\060\014\006\003\125\004\007\014\005\115\151\154\141\156\061
\043\060\041\006\003\125\004\012\014\032\101\143\164\141\154\151
\163\040\123\056\160\056\101\056\057\060\063\063\065\070\065\062
\060\071\066\067\061\047\060\045\006\003\125\004\003\014\036\101
\143\164\141\154\151\163\040\101\165\164\150\145\156\164\151\143
\141\164\151\157\156\040\122\157\157\164\040\103\101
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\153\061\013\060\011\006\003\125\004\006\023\002\111\124\061
\016\060\014\006\003\125\004\007\014\005\115\151\154\141\156\061
\043\060\041\006\003\125\004\012\014\032\101\143\164\141\154\151
\163\040\123\056\160\056\101\056\057\060\063\063\065\070\065\062
\060\071\066\067\061\047\060\045\006\003\125\004\003\014\036\101
\143\164\141\154\151\163\040\101\165\164\150\145\156\164\151\143
\141\164\151\157\156\040\122\157\157\164\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\010\127\012\021\227\102\304\343\314
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\273\060\202\003\243\240\003\002\001\002\002\010\127
\012\021\227\102\304\343\314\060\015\006\011\052\206\110\206\367
\015\001\001\013\005\000\060\153\061\013\060\011\006\003\125\004
\006\023\002\111\124\061\016\060\014\006\003\125\004\007\014\005
\115\151\154\141\156\061\043\060\041\006\003\125\004\012\014\032
\101\143\164\141\154\151\163\040\123\056\160\056\101\056\057\060
\063\063\065\070\065\062\060\071\066\067\061\047\060\045\006\003

```

\125\004\003\014\036\101\143\164\141\154\151\163\040\101\165\164  
\150\145\156\164\151\143\141\164\151\157\156\040\122\157\157\164  
\040\103\101\060\036\027\015\061\061\060\071\062\062\061\061\062  
\062\060\062\132\027\015\063\060\060\071\062\062\061\061\062\062  
\060\062\132\060\153\061\013\060\011\006\003\125\004\006\023\002  
\111\124\061\016\060\014\006\003\125\004\007\014\005\115\151\154  
\141\156\061\043\060\041\006\003\125\004\012\014\032\101\143\164  
\141\154\151\163\040\123\056\160\056\101\056\057\060\063\063\065  
\070\065\062\060\071\066\067\061\047\060\045\006\003\125\004\003  
\014\036\101\143\164\141\154\151\163\040\101\165\164\150\145\156  
\164\151\143\141\164\151\157\156\040\122\157\157\164\040\103\101  
\060\202\002\042\060\015\006\011\052\206\110\206\367\015\001\001  
\001\005\000\003\202\002\017\000\060\202\002\012\002\202\002\001  
\000\247\306\304\245\051\244\054\357\345\030\305\260\120\243\157  
\121\073\237\012\132\311\302\110\070\012\302\034\240\030\177\221  
\265\207\271\100\077\335\035\150\037\010\203\325\055\036\210\240  
\370\217\126\217\155\231\002\222\220\026\325\137\010\154\211\327  
\341\254\274\040\302\261\340\203\121\212\151\115\000\226\132\157  
\057\300\104\176\243\016\344\221\315\130\356\334\373\307\036\105  
\107\335\047\271\010\001\237\246\041\035\365\101\055\057\114\375  
\050\255\340\212\255\042\264\126\145\216\206\124\217\223\103\051  
\336\071\106\170\243\060\043\272\315\360\175\023\127\300\135\322  
\203\153\110\114\304\253\237\200\132\133\072\275\311\247\042\077  
\200\047\063\133\016\267\212\014\135\007\067\010\313\154\322\172  
\107\042\104\065\305\314\314\056\216\335\052\355\267\175\146\015  
\137\141\121\042\125\033\343\106\343\343\075\320\065\142\232\333  
\257\024\310\133\241\314\211\033\341\060\046\374\240\233\037\201  
\247\107\037\004\353\243\071\222\006\237\231\323\277\323\352\117  
\120\234\031\376\226\207\036\074\145\366\243\030\044\203\206\020  
\347\124\076\250\072\166\044\117\201\041\305\343\017\002\370\223  
\224\107\040\273\376\324\016\323\150\271\335\304\172\204\202\343  
\123\124\171\335\333\234\322\362\007\233\056\266\274\076\355\205  
\155\357\045\021\362\227\032\102\141\367\112\227\350\213\261\020  
\007\372\145\201\262\242\071\317\367\074\377\030\373\306\361\132  
\213\131\342\002\254\173\222\320\116\024\117\131\105\366\014\136  
\050\137\260\350\077\105\317\317\257\233\157\373\204\323\167\132  
\225\157\254\224\204\236\356\274\300\112\217\112\223\370\104\041  
\342\061\105\141\120\116\020\330\343\065\174\114\031\264\336\005  
\277\243\006\237\310\265\315\344\037\327\027\006\015\172\225\164  
\125\015\150\032\374\020\033\142\144\235\155\340\225\240\303\224  
\007\127\015\024\346\275\005\373\270\237\346\337\213\342\306\347  
\176\226\366\123\305\200\064\120\050\130\360\022\120\161\027\060  
\272\346\170\143\274\364\262\255\233\053\262\376\341\071\214\136  
\272\013\040\224\336\173\203\270\377\343\126\215\267\021\351\073  
\214\362\261\301\135\235\244\013\114\053\331\262\030\365\265\237  
\113\002\003\001\000\001\243\143\060\141\060\035\006\003\125\035  
\016\004\026\004\024\122\330\210\072\310\237\170\146\355\211\363  
\173\070\160\224\311\002\002\066\320\060\017\006\003\125\035\023

\001\001\377\004\005\060\003\001\001\377\060\037\006\003\125\035  
\043\004\030\060\026\200\024\122\330\210\072\310\237\170\146\355  
\211\363\173\070\160\224\311\002\002\066\320\060\016\006\003\125  
\035\017\001\001\377\004\004\003\002\001\006\060\015\006\011\052  
\206\110\206\367\015\001\001\013\005\000\003\202\002\001\000\013  
\173\162\207\300\140\246\111\114\210\130\346\035\210\367\024\144  
\110\246\330\130\012\016\117\023\065\337\065\035\324\355\006\061  
\310\201\076\152\325\335\073\032\062\356\220\075\021\322\056\364  
\216\303\143\056\043\146\260\147\276\157\266\300\023\071\140\252  
\242\064\045\223\165\122\336\247\235\255\016\207\211\122\161\152  
\026\074\031\035\203\370\232\051\145\276\364\077\232\331\360\363  
\132\207\041\161\200\115\313\340\070\233\077\273\372\340\060\115  
\317\206\323\145\020\031\030\321\227\002\261\053\162\102\150\254  
\240\275\116\132\332\030\277\153\230\201\320\375\232\276\136\025  
\110\315\021\025\271\300\051\134\264\350\210\367\076\066\256\267  
\142\375\036\142\336\160\170\020\034\110\133\332\274\244\070\272  
\147\355\125\076\136\127\337\324\003\100\114\201\244\322\117\143  
\247\011\102\011\024\374\000\251\302\200\163\117\056\300\100\331  
\021\173\110\352\172\002\300\323\353\050\001\046\130\164\301\300  
\163\042\155\223\225\375\071\175\273\052\343\366\202\343\054\227  
\137\116\037\221\224\372\376\054\243\330\166\032\270\115\262\070  
\117\233\372\035\110\140\171\046\342\363\375\251\320\232\350\160  
\217\111\172\326\345\275\012\016\333\055\363\215\277\353\343\244  
\175\313\307\225\161\350\332\243\174\305\302\370\164\222\004\033  
\206\254\244\042\123\100\266\254\376\114\166\317\373\224\062\300  
\065\237\166\077\156\345\220\156\240\246\046\242\270\054\276\321  
\053\205\375\247\150\310\272\001\053\261\154\164\035\270\163\225  
\347\356\267\307\045\360\000\114\000\262\176\266\013\213\034\363  
\300\120\236\045\271\340\010\336\066\146\377\067\245\321\273\124  
\144\054\311\047\265\113\222\176\145\377\323\055\341\271\116\274  
\177\244\101\041\220\101\167\246\071\037\352\236\343\237\320\146  
\157\005\354\252\166\176\277\153\026\240\353\265\307\374\222\124  
\057\053\021\047\045\067\170\114\121\152\260\363\314\130\135\024  
\361\152\110\025\377\302\007\266\261\215\017\216\134\120\106\263  
\075\277\001\230\117\262\131\124\107\076\064\173\170\155\126\223  
\056\163\352\146\050\170\315\035\024\277\240\217\057\056\270\056  
\216\362\024\212\314\351\265\174\373\154\235\014\245\341\226

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "Actalis Authentication Root CA"

# Issuer: CN=Actalis Authentication Root CA,O=Actalis S.p.A./03358520967,L=Milan,C=IT

# Serial Number:57:0a:11:97:42:c4:e3:cc

# Subject: CN=Actalis Authentication Root CA,O=Actalis S.p.A./03358520967,L=Milan,C=IT

# Not Valid Before: Thu Sep 22 11:22:02 2011

# Not Valid After : Sun Sep 22 11:22:02 2030

```

# Fingerprint (SHA-256):
55:92:60:84:EC:96:3A:64:B9:6E:2A:BE:01:CE:0B:A8:6A:64:FB:FE:BC:C7:AA:B5:AF:C1:55:B3:7F:D7:60:66
# Fingerprint (SHA1): F3:73:B3:87:06:5A:28:84:8A:F2:F3:4A:CE:19:2B:DD:C7:8E:9C:AC
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Actalis Authentication Root CA"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\363\163\263\207\006\132\050\204\212\362\363\112\316\031\053\335
\307\216\234\254
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\151\301\015\117\007\243\033\303\376\126\075\004\274\021\366\246
END
CKA_ISSUER MULTILINE_OCTAL
\060\153\061\013\060\011\006\003\125\004\006\023\002\111\124\061
\016\060\014\006\003\125\004\007\014\005\115\151\154\141\156\061
\043\060\041\006\003\125\004\012\014\032\101\143\164\141\154\151
\163\040\123\056\160\056\101\056\057\060\063\063\065\070\065\062
\060\071\066\067\061\047\060\045\006\003\125\004\003\014\036\101
\143\164\141\154\151\163\040\101\165\164\150\145\156\164\151\143
\141\164\151\157\156\040\122\157\157\164\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\010\127\012\021\227\102\304\343\314
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Buypass Class 2 Root CA"
#
# Issuer: CN=Buypass Class 2 Root CA,O=Buypass AS-983163327,C=NO
# Serial Number: 2 (0x2)
# Subject: CN=Buypass Class 2 Root CA,O=Buypass AS-983163327,C=NO
# Not Valid Before: Tue Oct 26 08:38:03 2010
# Not Valid After : Fri Oct 26 08:38:03 2040
# Fingerprint (SHA-256):
9A:11:40:25:19:7C:5B:B9:5D:94:E6:3D:55:CD:43:79:08:47:B6:46:B2:3C:DF:11:AD:A4:A0:0E:FF:15:FB:48
# Fingerprint (SHA1): 49:0A:75:74:DE:87:0A:47:FE:58:EE:F6:C7:6B:EB:C6:0B:12:40:99
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Buypass Class 2 Root CA"

```



CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

\060\116\061\013\060\011\006\003\125\004\006\023\002\116\117\061  
\035\060\033\006\003\125\004\012\014\024\102\165\171\160\141\163  
\163\040\101\123\055\071\070\063\061\066\063\063\062\067\061\040  
\060\036\006\003\125\004\003\014\027\102\165\171\160\141\163\163  
\040\103\154\141\163\163\040\062\040\122\157\157\164\040\103\101  
END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\116\061\013\060\011\006\003\125\004\006\023\002\116\117\061  
\035\060\033\006\003\125\004\012\014\024\102\165\171\160\141\163  
\163\040\101\123\055\071\070\063\061\066\063\063\062\067\061\040  
\060\036\006\003\125\004\003\014\027\102\165\171\160\141\163\163  
\040\103\154\141\163\163\040\062\040\122\157\157\164\040\103\101  
END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\001\002

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\005\131\060\202\003\101\240\003\002\001\002\002\001\002  
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060  
\116\061\013\060\011\006\003\125\004\006\023\002\116\117\061\035  
\060\033\006\003\125\004\012\014\024\102\165\171\160\141\163\163  
\040\101\123\055\071\070\063\061\066\063\063\062\067\061\040\060  
\036\006\003\125\004\003\014\027\102\165\171\160\141\163\163\040  
\103\154\141\163\163\040\062\040\122\157\157\164\040\103\101\060  
\036\027\015\061\060\061\060\062\066\060\070\063\070\060\063\132  
\027\015\064\060\061\060\062\066\060\070\063\070\060\063\132\060  
\116\061\013\060\011\006\003\125\004\006\023\002\116\117\061\035  
\060\033\006\003\125\004\012\014\024\102\165\171\160\141\163\163  
\040\101\123\055\071\070\063\061\066\063\063\062\067\061\040\060  
\036\006\003\125\004\003\014\027\102\165\171\160\141\163\163\040  
\103\154\141\163\163\040\062\040\122\157\157\164\040\103\101\060  
\202\002\042\060\015\006\011\052\206\110\206\367\015\001\001\001  
\005\000\003\202\002\017\000\060\202\002\012\002\202\002\001\000  
\327\307\136\367\301\007\324\167\373\103\041\364\364\365\151\344  
\356\062\001\333\243\206\037\344\131\015\272\347\165\203\122\353  
\352\034\141\025\110\273\035\007\312\214\256\260\334\226\235\352  
\303\140\222\206\202\050\163\234\126\006\377\113\144\360\014\052  
\067\111\265\345\317\014\174\356\361\112\273\163\060\145\363\325  
\057\203\266\176\343\347\365\236\253\140\371\323\361\235\222\164  
\212\344\034\226\254\133\200\351\265\364\061\207\243\121\374\307  
\176\241\157\216\123\167\324\227\301\125\063\222\076\030\057\165  
\324\255\206\111\313\225\257\124\006\154\330\006\023\215\133\377  
\341\046\031\131\300\044\272\201\161\171\220\104\120\150\044\224  
\137\270\263\021\361\051\101\141\243\101\313\043\066\325\301\361  
\062\120\020\116\177\364\206\223\354\204\323\216\274\113\277\134

\001\116\007\075\334\024\212\224\012\244\352\163\373\013\121\350  
\023\007\030\372\016\361\053\321\124\025\175\074\341\367\264\031  
\102\147\142\136\167\340\242\125\354\266\331\151\027\325\072\257  
\104\355\112\305\236\344\172\047\174\345\165\327\252\313\045\347  
\337\153\012\333\017\115\223\116\250\240\315\173\056\362\131\001  
\152\267\015\270\007\201\176\213\070\033\070\346\012\127\231\075  
\356\041\350\243\365\014\026\335\213\354\064\216\234\052\034\000  
\025\027\215\150\203\322\160\237\030\010\315\021\150\325\311\153  
\122\315\304\106\217\334\265\363\330\127\163\036\351\224\071\004  
\277\323\336\070\336\264\123\354\151\034\242\176\304\217\344\033  
\160\255\362\242\371\373\367\026\144\146\151\237\111\121\242\342  
\025\030\147\006\112\177\325\154\265\115\263\063\340\141\353\135  
\276\351\230\017\062\327\035\113\074\056\132\001\122\221\011\362  
\337\352\215\330\006\100\143\252\021\344\376\303\067\236\024\122  
\077\364\342\314\362\141\223\321\375\147\153\327\122\256\277\150  
\253\100\103\240\127\065\123\170\360\123\370\141\102\007\144\306  
\327\157\233\114\070\015\143\254\142\257\066\213\242\163\012\015  
\365\041\275\164\252\115\352\162\003\111\333\307\137\035\142\143  
\307\375\335\221\354\063\356\365\155\264\156\060\150\336\310\326  
\046\260\165\136\173\264\007\040\230\241\166\062\270\115\154\117  
\002\003\001\000\001\243\102\060\100\060\017\006\003\125\035\023  
\001\001\377\004\005\060\003\001\001\377\060\035\006\003\125\035  
\016\004\026\004\024\311\200\167\340\142\222\202\365\106\234\363  
\272\367\114\303\336\270\243\255\071\060\016\006\003\125\035\017  
\001\001\377\004\004\003\002\001\006\060\015\006\011\052\206\110  
\206\367\015\001\001\013\005\000\003\202\002\001\000\123\137\041  
\365\272\260\072\122\071\054\222\260\154\000\311\357\316\040\357  
\006\362\226\236\351\244\164\177\172\026\374\267\365\266\373\025  
\033\077\253\246\300\162\135\020\261\161\356\274\117\343\255\254  
\003\155\056\161\056\257\304\343\255\243\275\014\021\247\264\377  
\112\262\173\020\020\037\247\127\101\262\300\256\364\054\131\326  
\107\020\210\363\041\121\051\060\312\140\206\257\106\253\035\355  
\072\133\260\224\336\104\343\101\010\242\301\354\035\326\375\117  
\266\326\107\320\024\013\312\346\312\265\173\167\176\101\037\136  
\203\307\266\214\071\226\260\077\226\201\101\157\140\220\342\350  
\371\373\042\161\331\175\263\075\106\277\264\204\257\220\034\017  
\217\022\152\257\357\356\036\172\256\002\112\212\027\053\166\376  
\254\124\211\044\054\117\077\266\262\247\116\214\250\221\227\373  
\051\306\173\134\055\271\313\146\266\267\250\133\022\121\205\265  
\011\176\142\170\160\376\251\152\140\266\035\016\171\014\375\312  
\352\044\200\162\303\227\077\362\167\253\103\042\012\307\353\266  
\014\204\202\054\200\153\101\212\010\300\353\245\153\337\231\022  
\313\212\325\136\200\014\221\340\046\010\066\110\305\372\070\021  
\065\377\045\203\055\362\172\277\332\375\216\376\245\313\105\054  
\037\304\210\123\256\167\016\331\232\166\305\216\054\035\243\272  
\325\354\062\256\300\252\254\367\321\172\115\353\324\007\342\110  
\367\042\216\260\244\237\152\316\216\262\262\140\364\243\042\320  
\043\353\224\132\172\151\335\017\277\100\127\254\153\131\120\331

```
\243\231\341\156\376\215\001\171\047\043\025\336\222\235\173\011
\115\132\347\113\110\060\132\030\346\012\155\346\217\340\322\273
\346\337\174\156\041\202\301\150\071\115\264\230\130\146\142\314
\112\220\136\303\372\047\004\261\171\025\164\231\314\276\255\040
\336\046\140\034\353\126\121\246\243\352\344\243\077\247\377\141
\334\361\132\115\154\062\043\103\356\254\250\356\356\112\022\011
\074\135\161\302\276\171\372\302\207\150\035\013\375\134\151\314
\006\320\232\175\124\231\052\311\071\032\031\257\113\052\103\363
\143\135\132\130\342\057\343\035\344\251\326\320\012\320\236\277
\327\201\011\361\311\307\046\015\254\230\026\126\240
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "Buypass Class 2 Root CA"
```

```
# Issuer: CN=Buypass Class 2 Root CA,O=Buypass AS-983163327,C=NO
```

```
# Serial Number: 2 (0x2)
```

```
# Subject: CN=Buypass Class 2 Root CA,O=Buypass AS-983163327,C=NO
```

```
# Not Valid Before: Tue Oct 26 08:38:03 2010
```

```
# Not Valid After : Fri Oct 26 08:38:03 2040
```

```
# Fingerprint (SHA-256):
```

```
9A:11:40:25:19:7C:5B:B9:5D:94:E6:3D:55:CD:43:79:08:47:B6:46:B2:3C:DF:11:AD:A4:A0:0E:FF:15:FB:48
```

```
# Fingerprint (SHA1): 49:0A:75:74:DE:87:0A:47:FE:58:EE:F6:C7:6B:EB:C6:0B:12:40:99
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Buypass Class 2 Root CA"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\111\012\165\164\336\207\012\107\376\130\356\366\307\153\353\306
\013\022\100\231
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\106\247\322\376\105\373\144\132\250\131\220\233\170\104\233\051
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\116\061\013\060\011\006\003\125\004\006\023\002\116\117\061
\035\060\033\006\003\125\004\012\014\024\102\165\171\160\141\163
\163\040\101\123\055\071\070\063\061\066\063\063\062\067\061\040
\060\036\006\003\125\004\003\014\027\102\165\171\160\141\163\163
\040\103\154\141\163\163\040\062\040\122\157\157\164\040\103\101
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\001\002
```

END

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST  
CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "Buypass Class 3 Root CA"

#

# Issuer: CN=Buypass Class 3 Root CA,O=Buypass AS-983163327,C=NO

# Serial Number: 2 (0x2)

# Subject: CN=Buypass Class 3 Root CA,O=Buypass AS-983163327,C=NO

# Not Valid Before: Tue Oct 26 08:28:58 2010

# Not Valid After : Fri Oct 26 08:28:58 2040

# Fingerprint (SHA-256):

ED:F7:EB:BC:A2:7A:2A:38:4D:38:7B:7D:40:10:C6:66:E2:ED:B4:84:3E:4C:29:B4:AE:1D:5B:93:32:E6:B2:4D

# Fingerprint (SHA1): DA:FA:F7:FA:66:84:EC:06:8F:14:50:BD:C7:C2:81:A5:BC:A9:64:57

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "Buypass Class 3 Root CA"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

\060\116\061\013\060\011\006\003\125\004\006\023\002\116\117\061  
\035\060\033\006\003\125\004\012\014\024\102\165\171\160\141\163  
\163\040\101\123\055\071\070\063\061\066\063\063\062\067\061\040  
\060\036\006\003\125\004\003\014\027\102\165\171\160\141\163\163  
\040\103\154\141\163\163\040\063\040\122\157\157\164\040\103\101  
END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\116\061\013\060\011\006\003\125\004\006\023\002\116\117\061  
\035\060\033\006\003\125\004\012\014\024\102\165\171\160\141\163  
\163\040\101\123\055\071\070\063\061\066\063\063\062\067\061\040  
\060\036\006\003\125\004\003\014\027\102\165\171\160\141\163\163  
\040\103\154\141\163\163\040\063\040\122\157\157\164\040\103\101  
END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\001\002

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\005\131\060\202\003\101\240\003\002\001\002\002\001\002  
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060  
\116\061\013\060\011\006\003\125\004\006\023\002\116\117\061\035  
\060\033\006\003\125\004\012\014\024\102\165\171\160\141\163\163  
\040\101\123\055\071\070\063\061\066\063\063\062\067\061\040\060  
\036\006\003\125\004\003\014\027\102\165\171\160\141\163\163\040  
\103\154\141\163\163\040\063\040\122\157\157\164\040\103\101\060  
\036\027\015\061\060\061\060\062\066\060\070\062\070\065\070\132  
\027\015\064\060\061\060\062\066\060\070\062\070\065\070\132\060

\116\061\013\060\011\006\003\125\004\006\023\002\116\117\061\035  
\060\033\006\003\125\004\012\014\024\102\165\171\160\141\163\163  
\040\101\123\055\071\070\063\061\066\063\063\062\067\061\040\060  
\036\006\003\125\004\003\014\027\102\165\171\160\141\163\163\040  
\103\154\141\163\163\040\063\040\122\157\157\164\040\103\101\060  
\202\002\042\060\015\006\011\052\206\110\206\367\015\001\001\001  
\005\000\003\202\002\017\000\060\202\002\012\002\202\002\001\000  
\245\332\012\225\026\120\343\225\362\136\235\166\061\006\062\172  
\233\361\020\166\270\000\232\265\122\066\315\044\107\260\237\030  
\144\274\232\366\372\325\171\330\220\142\114\042\057\336\070\075  
\326\340\250\351\034\054\333\170\021\351\216\150\121\025\162\307  
\363\063\207\344\240\135\013\134\340\127\007\052\060\365\315\304  
\067\167\050\115\030\221\346\277\325\122\375\161\055\160\076\347  
\306\304\212\343\360\050\013\364\166\230\241\213\207\125\262\072  
\023\374\267\076\047\067\216\042\343\250\117\052\357\140\273\075  
\267\071\303\016\001\107\231\135\022\117\333\103\372\127\241\355  
\371\235\276\021\107\046\133\023\230\253\135\026\212\260\067\034  
\127\235\105\377\210\226\066\277\273\312\007\173\157\207\143\327  
\320\062\152\326\135\154\014\361\263\156\071\342\153\061\056\071  
\000\047\024\336\070\300\354\031\146\206\022\350\235\162\026\023  
\144\122\307\251\067\034\375\202\060\355\204\030\035\364\256\134  
\377\160\023\000\353\261\365\063\172\113\326\125\370\005\215\113  
\151\260\365\263\050\066\134\024\304\121\163\115\153\013\361\064  
\007\333\027\071\327\334\050\173\153\365\237\363\056\301\117\027  
\052\020\363\314\312\350\353\375\153\253\056\232\237\055\202\156  
\004\324\122\001\223\055\075\206\374\176\374\337\357\102\035\246  
\153\357\271\040\306\367\275\240\247\225\375\247\346\211\044\330  
\314\214\064\154\342\043\057\331\022\032\041\271\125\221\157\013  
\221\171\031\014\255\100\210\013\160\342\172\322\016\330\150\110  
\273\202\023\071\020\130\351\330\052\007\306\022\333\130\333\322  
\073\125\020\107\005\025\147\142\176\030\143\246\106\077\011\016  
\124\062\136\277\015\142\172\047\357\200\350\333\331\113\006\132  
\067\132\045\320\010\022\167\324\157\011\120\227\075\310\035\303  
\337\214\105\060\126\306\323\144\253\146\363\300\136\226\234\303  
\304\357\303\174\153\213\072\171\177\263\111\317\075\342\211\237  
\240\060\113\205\271\234\224\044\171\217\175\153\251\105\150\017  
\053\320\361\332\034\313\151\270\312\111\142\155\310\320\143\142  
\335\140\017\130\252\217\241\274\005\245\146\242\317\033\166\262  
\204\144\261\114\071\122\300\060\272\360\214\113\002\260\266\267  
\002\003\001\000\001\243\102\060\100\060\017\006\003\125\035\023  
\001\001\377\004\005\060\003\001\001\377\060\035\006\003\125\035  
\016\004\026\004\024\107\270\315\377\345\157\356\370\262\354\057  
\116\016\371\045\260\216\074\153\303\060\016\006\003\125\035\017  
\001\001\377\004\004\003\002\001\006\060\015\006\011\052\206\110  
\206\367\015\001\001\013\005\000\003\202\002\001\000\000\040\043  
\101\065\004\220\302\100\142\140\357\342\065\114\327\077\254\342  
\064\220\270\241\157\166\372\026\026\244\110\067\054\351\220\302  
\362\074\370\012\237\330\201\345\273\133\332\045\054\244\247\125

\161\044\062\366\310\013\362\274\152\370\223\254\262\007\302\137  
\237\333\314\310\212\252\276\152\157\341\111\020\314\061\327\200  
\273\273\310\330\242\016\144\127\352\242\365\302\251\061\025\322  
\040\152\354\374\042\001\050\317\206\270\200\036\251\314\021\245  
\074\362\026\263\107\235\374\322\200\041\304\313\320\107\160\101  
\241\312\203\031\010\054\155\362\135\167\234\212\024\023\324\066  
\034\222\360\345\006\067\334\246\346\220\233\070\217\134\153\033  
\106\206\103\102\137\076\001\007\123\124\135\145\175\367\212\163  
\241\232\124\132\037\051\103\024\047\302\205\017\265\210\173\032  
\073\224\267\035\140\247\265\234\347\051\151\127\132\233\223\172  
\103\060\033\003\327\142\310\100\246\252\374\144\344\112\327\221  
\123\001\250\040\210\156\234\137\104\271\313\140\201\064\354\157  
\323\175\332\110\137\353\264\220\274\055\251\034\013\254\034\325  
\242\150\040\200\004\326\374\261\217\057\273\112\061\015\112\206  
\034\353\342\066\051\046\365\332\330\304\362\165\141\317\176\256  
\166\143\112\172\100\145\223\207\370\036\200\214\206\345\206\326  
\217\016\374\123\054\140\350\026\141\032\242\076\103\173\315\071  
\140\124\152\365\362\211\046\001\150\203\110\242\063\350\311\004  
\221\262\021\064\021\076\352\320\103\031\037\003\223\220\014\377  
\121\075\127\364\101\156\341\313\240\276\353\311\143\315\155\314  
\344\370\066\252\150\235\355\275\135\227\160\104\015\266\016\065  
\334\341\014\135\273\240\121\224\313\176\026\353\021\057\243\222  
\105\310\114\161\331\274\311\231\122\127\106\057\120\317\275\065  
\151\364\075\025\316\006\245\054\017\076\366\201\272\224\273\303  
\273\277\145\170\322\206\171\377\111\073\032\203\014\360\336\170  
\354\310\362\115\114\032\336\202\051\370\301\132\332\355\356\346  
\047\136\350\105\320\235\034\121\250\150\253\104\343\320\213\152  
\343\370\073\273\334\115\327\144\362\121\276\346\252\253\132\351  
\061\356\006\274\163\277\023\142\012\237\307\271\227

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "Buypass Class 3 Root CA"

# Issuer: CN=Buypass Class 3 Root CA,O=Buypass AS-983163327,C=NO

# Serial Number: 2 (0x2)

# Subject: CN=Buypass Class 3 Root CA,O=Buypass AS-983163327,C=NO

# Not Valid Before: Tue Oct 26 08:28:58 2010

# Not Valid After : Fri Oct 26 08:28:58 2040

# Fingerprint (SHA-256):

ED:F7:EB:BC:A2:7A:2A:38:4D:38:7B:7D:40:10:C6:66:E2:ED:B4:84:3E:4C:29:B4:AE:1D:5B:93:32:E6:B2:4D

# Fingerprint (SHA1): DA:FA:F7:FA:66:84:EC:06:8F:14:50:BD:C7:C2:81:A5:BC:A9:64:57

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "Buypass Class 3 Root CA"

```

CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\332\372\367\372\146\204\354\006\217\024\120\275\307\302\201\245
\274\251\144\127
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\075\073\030\236\054\144\132\350\325\210\316\016\371\067\302\354
END
CKA_ISSUER MULTILINE_OCTAL
\060\116\061\013\060\011\006\003\125\004\006\023\002\116\117\061
\035\060\033\006\003\125\004\012\014\024\102\165\171\160\141\163
\163\040\101\123\055\071\070\063\061\066\063\063\062\067\061\040
\060\036\006\003\125\004\003\014\027\102\165\171\160\141\163\163
\040\103\154\141\163\163\040\063\040\122\157\157\164\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\002
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "T-TeleSec GlobalRoot Class 3"
#
# Issuer: CN=T-TeleSec GlobalRoot Class 3,OU=T-Systems Trust Center,O=T-Systems Enterprise Services
GmbH,C=DE
# Serial Number: 1 (0x1)
# Subject: CN=T-TeleSec GlobalRoot Class 3,OU=T-Systems Trust Center,O=T-Systems Enterprise Services
GmbH,C=DE
# Not Valid Before: Wed Oct 01 10:29:56 2008
# Not Valid After : Sat Oct 01 23:59:59 2033
# Fingerprint (SHA-256):
FD:73:DA:D3:1C:64:4F:F1:B4:3B:EF:0C:CD:DA:96:71:0B:9C:D9:87:5E:CA:7E:31:70:7A:F3:E9:6D:52:2B:BD
# Fingerprint (SHA1): 55:A6:72:3E:CB:F2:EC:CD:C3:23:74:70:19:9D:2A:BE:11:E3:81:D1
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "T-TeleSec GlobalRoot Class 3"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\202\061\013\060\011\006\003\125\004\006\023\002\104\105
\061\053\060\051\006\003\125\004\012\014\042\124\055\123\171\163
\164\145\155\163\040\105\156\164\145\162\160\162\151\163\145\040
\123\145\162\166\151\143\145\163\040\107\155\142\110\061\037\060
\035\006\003\125\004\013\014\026\124\055\123\171\163\164\145\155
\163\040\124\162\165\163\164\040\103\145\156\164\145\162\061\045

```

\060\043\006\003\125\004\003\014\034\124\055\124\145\154\145\123  
\145\143\040\107\154\157\142\141\154\122\157\157\164\040\103\154  
\141\163\163\040\063

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\201\202\061\013\060\011\006\003\125\004\006\023\002\104\105  
\061\053\060\051\006\003\125\004\012\014\042\124\055\123\171\163  
\164\145\155\163\040\105\156\164\145\162\160\162\151\163\145\040  
\123\145\162\166\151\143\145\163\040\107\155\142\110\061\037\060  
\035\006\003\125\004\013\014\026\124\055\123\171\163\164\145\155  
\163\040\124\162\165\163\164\040\103\145\156\164\145\162\061\045  
\060\043\006\003\125\004\003\014\034\124\055\124\145\154\145\123  
\145\143\040\107\154\157\142\141\154\122\157\157\164\040\103\154  
\141\163\163\040\063

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\001\001

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\003\303\060\202\002\253\240\003\002\001\002\002\001\001  
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060  
\201\202\061\013\060\011\006\003\125\004\006\023\002\104\105\061  
\053\060\051\006\003\125\004\012\014\042\124\055\123\171\163\164  
\145\155\163\040\105\156\164\145\162\160\162\151\163\145\040\123  
\145\162\166\151\143\145\163\040\107\155\142\110\061\037\060\035  
\006\003\125\004\013\014\026\124\055\123\171\163\164\145\155\163  
\040\124\162\165\163\164\040\103\145\156\164\145\162\061\045\060  
\043\006\003\125\004\003\014\034\124\055\124\145\154\145\123\145  
\143\040\107\154\157\142\141\154\122\157\157\164\040\103\154\141  
\163\163\040\063\060\036\027\015\060\070\061\060\060\061\061\060  
\062\071\065\066\132\027\015\063\063\061\060\060\061\062\063\065  
\071\065\071\132\060\201\202\061\013\060\011\006\003\125\004\006  
\023\002\104\105\061\053\060\051\006\003\125\004\012\014\042\124  
\055\123\171\163\164\145\155\163\040\105\156\164\145\162\160\162  
\151\163\145\040\123\145\162\166\151\143\145\163\040\107\155\142  
\110\061\037\060\035\006\003\125\004\013\014\026\124\055\123\171  
\163\164\145\155\163\040\124\162\165\163\164\040\103\145\156\164  
\145\162\061\045\060\043\006\003\125\004\003\014\034\124\055\124  
\145\154\145\123\145\143\040\107\154\157\142\141\154\122\157\157  
\164\040\103\154\141\163\163\040\063\060\202\001\042\060\015\006  
\011\052\206\110\206\367\015\001\001\001\005\000\003\202\001\017  
\000\060\202\001\012\002\202\001\001\000\275\165\223\360\142\042  
\157\044\256\340\172\166\254\175\275\331\044\325\270\267\374\315  
\360\102\340\353\170\210\126\136\233\232\124\035\115\014\212\366  
\323\317\160\364\122\265\330\223\004\343\106\206\161\101\112\053  
\360\052\054\125\003\326\110\303\340\071\070\355\362\134\074\077  
\104\274\223\075\141\253\116\315\015\276\360\040\047\130\016\104



\177\004\032\207\245\327\226\024\066\220\320\111\173\241\165\373  
\032\153\163\261\370\316\251\011\054\362\123\325\303\024\104\270  
\206\245\366\213\053\071\332\243\063\124\331\372\162\032\367\042  
\025\034\210\221\153\177\146\345\303\152\200\260\044\363\337\206  
\105\210\375\031\177\165\207\037\037\261\033\012\163\044\133\271  
\145\340\054\124\310\140\323\146\027\077\341\314\124\063\163\221  
\002\072\246\177\173\166\071\242\037\226\266\070\256\265\310\223  
\164\035\236\271\264\345\140\235\057\126\321\340\353\136\133\114  
\022\160\014\154\104\040\253\021\330\364\031\366\322\234\122\067  
\347\372\266\302\061\073\112\324\024\231\255\307\032\365\135\137  
\372\007\270\174\015\037\326\203\036\263\002\003\001\000\001\243  
\102\060\100\060\017\006\003\125\035\023\001\001\377\004\005\060  
\003\001\001\377\060\016\006\003\125\035\017\001\001\377\004\004  
\003\002\001\006\060\035\006\003\125\035\016\004\026\004\024\265  
\003\367\166\073\141\202\152\022\252\030\123\353\003\041\224\277  
\376\316\312\060\015\006\011\052\206\110\206\367\015\001\001\013  
\005\000\003\202\001\001\000\126\075\357\224\325\275\332\163\262  
\130\276\256\220\255\230\047\227\376\001\261\260\122\000\270\115  
\344\033\041\164\033\176\300\356\136\151\052\045\257\134\326\035  
\332\322\171\311\363\227\051\340\206\207\336\004\131\017\361\131  
\324\144\205\113\231\257\045\004\036\311\106\251\227\336\202\262  
\033\160\237\234\366\257\161\061\335\173\005\245\054\323\271\312  
\107\366\312\362\366\347\255\271\110\077\274\026\267\301\155\364  
\352\011\257\354\363\265\347\005\236\246\036\212\123\121\326\223  
\201\314\164\223\366\271\332\246\045\005\164\171\132\176\100\076  
\202\113\046\021\060\156\341\077\101\307\107\000\065\325\365\323  
\367\124\076\201\075\332\111\152\232\263\357\020\075\346\353\157  
\321\310\042\107\313\314\317\001\061\222\331\030\343\042\276\011  
\036\032\076\132\262\344\153\014\124\172\175\103\116\270\211\245  
\173\327\242\075\226\206\314\362\046\064\055\152\222\235\232\032  
\320\060\342\135\116\004\260\137\213\040\176\167\301\075\225\202  
\321\106\232\073\074\170\270\157\241\320\015\144\242\170\036\051  
\116\223\303\244\124\024\133

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "T-TeleSec GlobalRoot Class 3"

# Issuer: CN=T-TeleSec GlobalRoot Class 3,OU=T-Systems Trust Center,O=T-Systems Enterprise Services GmbH,C=DE

# Serial Number: 1 (0x1)

# Subject: CN=T-TeleSec GlobalRoot Class 3,OU=T-Systems Trust Center,O=T-Systems Enterprise Services GmbH,C=DE

# Not Valid Before: Wed Oct 01 10:29:56 2008

# Not Valid After : Sat Oct 01 23:59:59 2033

# Fingerprint (SHA-256):

FD:73:DA:D3:1C:64:4F:F1:B4:3B:EF:0C:CD:DA:96:71:0B:9C:D9:87:5E:CA:7E:31:70:7A:F3:E9:6D:52:2B:BD

```

# Fingerprint (SHA1): 55:A6:72:3E:CB:F2:EC:CD:C3:23:74:70:19:9D:2A:BE:11:E3:81:D1
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "T-TeleSec GlobalRoot Class 3"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\125\246\162\076\313\362\354\315\303\043\164\160\031\235\052\276
\021\343\201\321
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\312\373\100\250\116\071\222\212\035\376\216\057\304\047\352\357
END
CKA_ISSUER MULTILINE_OCTAL
\060\201\202\061\013\060\011\006\003\125\004\006\023\002\104\105
\061\053\060\051\006\003\125\004\012\014\042\124\055\123\171\163
\164\145\155\163\040\105\156\164\145\162\160\162\151\163\145\040
\123\145\162\166\151\143\145\163\040\107\155\142\110\061\037\060
\035\006\003\125\004\013\014\026\124\055\123\171\163\164\145\155
\163\040\124\162\165\163\164\040\103\145\156\164\145\162\061\045
\060\043\006\003\125\004\003\014\034\124\055\124\145\154\145\123
\145\143\040\107\154\157\142\141\154\122\157\157\164\040\103\154
\141\163\163\040\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\001
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "D-TRUST Root Class 3 CA 2 2009"
#
# Issuer: CN=D-TRUST Root Class 3 CA 2 2009,O=D-Trust GmbH,C=DE
# Serial Number: 623603 (0x983f3)
# Subject: CN=D-TRUST Root Class 3 CA 2 2009,O=D-Trust GmbH,C=DE
# Not Valid Before: Thu Nov 05 08:35:58 2009
# Not Valid After : Mon Nov 05 08:35:58 2029
# Fingerprint (SHA-256):
49:E7:A4:42:AC:F0:EA:62:87:05:00:54:B5:25:64:B6:50:E4:F4:9E:42:E3:48:D6:AA:38:E0:39:E9:57:B1:C1
# Fingerprint (SHA1): 58:E8:AB:B0:36:15:33:FB:80:F7:9B:1B:6D:29:D3:FF:8D:5F:00:F0
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "D-TRUST Root Class 3 CA 2 2009"

```

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

\060\115\061\013\060\011\006\003\125\004\006\023\002\104\105\061  
\025\060\023\006\003\125\004\012\014\014\104\055\124\162\165\163  
\164\040\107\155\142\110\061\047\060\045\006\003\125\004\003\014  
\036\104\055\124\122\125\123\124\040\122\157\157\164\040\103\154  
\141\163\163\040\063\040\103\101\040\062\040\062\060\060\071

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\115\061\013\060\011\006\003\125\004\006\023\002\104\105\061  
\025\060\023\006\003\125\004\012\014\014\104\055\124\162\165\163  
\164\040\107\155\142\110\061\047\060\045\006\003\125\004\003\014  
\036\104\055\124\122\125\123\124\040\122\157\157\164\040\103\154  
\141\163\163\040\063\040\103\101\040\062\040\062\060\060\071

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\003\011\203\363

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\004\063\060\202\003\033\240\003\002\001\002\002\003\011  
\203\363\060\015\006\011\052\206\110\206\367\015\001\001\013\005  
\000\060\115\061\013\060\011\006\003\125\004\006\023\002\104\105  
\061\025\060\023\006\003\125\004\012\014\014\104\055\124\162\165  
\163\164\040\107\155\142\110\061\047\060\045\006\003\125\004\003  
\014\036\104\055\124\122\125\123\124\040\122\157\157\164\040\103  
\154\141\163\163\040\063\040\103\101\040\062\040\062\060\060\071  
\060\036\027\015\060\071\061\061\060\065\060\070\063\065\065\070  
\132\027\015\062\071\061\061\060\065\060\070\063\065\065\070\132  
\060\115\061\013\060\011\006\003\125\004\006\023\002\104\105\061  
\025\060\023\006\003\125\004\012\014\014\104\055\124\162\165\163  
\164\040\107\155\142\110\061\047\060\045\006\003\125\004\003\014  
\036\104\055\124\122\125\123\124\040\122\157\157\164\040\103\154  
\141\163\163\040\063\040\103\101\040\062\040\062\060\060\071\060  
\202\001\042\060\015\006\011\052\206\110\206\367\015\001\001\001  
\005\000\003\202\001\017\000\060\202\001\012\002\202\001\001\000  
\323\262\112\317\172\107\357\165\233\043\372\072\057\326\120\105  
\211\065\072\306\153\333\376\333\000\150\250\340\003\021\035\067  
\120\010\237\115\112\150\224\065\263\123\321\224\143\247\040\126  
\257\336\121\170\354\052\075\363\110\110\120\076\012\337\106\125  
\213\047\155\303\020\115\015\221\122\103\330\207\340\135\116\066  
\265\041\312\137\071\100\004\137\133\176\314\243\306\053\251\100  
\036\331\066\204\326\110\363\222\036\064\106\040\044\301\244\121  
\216\112\032\357\120\077\151\135\031\177\105\303\307\001\217\121  
\311\043\350\162\256\264\274\126\011\177\022\313\034\261\257\051  
\220\012\311\125\314\017\323\264\032\355\107\065\132\112\355\234  
\163\004\041\320\252\275\014\023\265\000\312\046\154\304\153\014  
\224\132\225\224\332\120\232\361\377\245\053\146\061\244\311\070

\240\337\035\037\270\011\056\363\247\350\147\122\253\225\037\340  
\106\076\330\244\303\312\132\305\061\200\350\110\232\237\224\151  
\376\031\335\330\163\174\201\312\226\336\216\355\263\062\005\145  
\204\064\346\346\375\127\020\265\137\166\277\057\260\020\015\305  
\002\003\001\000\001\243\202\001\032\060\202\001\026\060\017\006  
\003\125\035\023\001\001\377\004\005\060\003\001\001\377\060\035  
\006\003\125\035\016\004\026\004\024\375\332\024\304\237\060\336  
\041\275\036\102\071\374\253\143\043\111\340\361\204\060\016\006  
\003\125\035\017\001\001\377\004\004\003\002\001\006\060\201\323  
\006\003\125\035\037\004\201\313\060\201\310\060\201\200\240\176  
\240\174\206\172\154\144\141\160\072\057\057\144\151\162\145\143  
\164\157\162\171\056\144\055\164\162\165\163\164\056\156\145\164  
\057\103\116\075\104\055\124\122\125\123\124\045\062\060\122\157  
\157\164\045\062\060\103\154\141\163\163\045\062\060\063\045\062  
\060\103\101\045\062\060\062\045\062\060\062\060\060\071\054\117  
\075\104\055\124\162\165\163\164\045\062\060\107\155\142\110\054  
\103\075\104\105\077\143\145\162\164\151\146\151\143\141\164\145  
\162\145\166\157\143\141\164\151\157\156\154\151\163\164\060\103  
\240\101\240\077\206\075\150\164\164\160\072\057\057\167\167\167  
\056\144\055\164\162\165\163\164\056\156\145\164\057\143\162\154  
\057\144\055\164\162\165\163\164\137\162\157\157\164\137\143\154  
\141\163\163\137\063\137\143\141\137\062\137\062\060\060\071\056  
\143\162\154\060\015\006\011\052\206\110\206\367\015\001\001\013  
\005\000\003\202\001\001\000\177\227\333\060\310\337\244\234\175  
\041\172\200\160\316\024\022\151\210\024\225\140\104\001\254\262  
\351\060\117\233\120\302\146\330\176\215\060\265\160\061\351\342  
\151\307\363\160\333\040\025\206\320\015\360\276\254\001\165\204  
\316\176\237\115\277\267\140\073\234\363\312\035\342\136\150\330  
\243\235\227\345\100\140\322\066\041\376\320\264\270\027\332\164  
\243\177\324\337\260\230\002\254\157\153\153\054\045\044\162\241  
\145\356\045\132\345\346\062\347\362\337\253\111\372\363\220\151  
\043\333\004\331\347\134\130\374\145\324\227\276\314\374\056\012  
\314\045\052\065\004\370\140\221\025\165\075\101\377\043\037\031  
\310\154\353\202\123\004\246\344\114\042\115\215\214\272\316\133  
\163\354\144\124\120\155\321\234\125\373\151\303\066\303\214\274  
\074\205\246\153\012\046\015\340\223\230\140\256\176\306\044\227  
\212\141\137\221\216\146\222\011\207\066\315\213\233\055\076\366  
\121\324\120\324\131\050\275\203\362\314\050\173\123\206\155\330  
\046\210\160\327\352\221\315\076\271\312\300\220\156\132\306\136  
\164\145\327\134\376\243\342

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "D-TRUST Root Class 3 CA 2 2009"  
# Issuer: CN=D-TRUST Root Class 3 CA 2 2009,O=D-Trust GmbH,C=DE  
# Serial Number: 623603 (0x983f3)

```
# Subject: CN=D-TRUST Root Class 3 CA 2 2009,O=D-Trust GmbH,C=DE
# Not Valid Before: Thu Nov 05 08:35:58 2009
# Not Valid After : Mon Nov 05 08:35:58 2029
# Fingerprint (SHA-256):
49:E7:A4:42:AC:F0:EA:62:87:05:00:54:B5:25:64:B6:50:E4:F4:9E:42:E3:48:D6:AA:38:E0:39:E9:57:B1:C1
# Fingerprint (SHA1): 58:E8:AB:B0:36:15:33:FB:80:F7:9B:1B:6D:29:D3:FF:8D:5F:00:F0
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "D-TRUST Root Class 3 CA 2 2009"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\130\350\253\260\066\025\063\373\200\367\233\033\155\051\323\377
\215\137\000\360
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\315\340\045\151\215\107\254\234\211\065\220\367\375\121\075\057
END
CKA_ISSUER MULTILINE_OCTAL
\060\115\061\013\060\011\006\003\125\004\006\023\002\104\105\061
\025\060\023\006\003\125\004\012\014\014\104\055\124\162\165\163
\164\040\107\155\142\110\061\047\060\045\006\003\125\004\003\014
\036\104\055\124\122\125\123\124\040\122\157\157\164\040\103\154
\141\163\163\040\063\040\103\101\040\062\040\062\060\060\071
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\003\011\203\363
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "D-TRUST Root Class 3 CA 2 EV 2009"
#
# Issuer: CN=D-TRUST Root Class 3 CA 2 EV 2009,O=D-Trust GmbH,C=DE
# Serial Number: 623604 (0x983f4)
# Subject: CN=D-TRUST Root Class 3 CA 2 EV 2009,O=D-Trust GmbH,C=DE
# Not Valid Before: Thu Nov 05 08:50:46 2009
# Not Valid After : Mon Nov 05 08:50:46 2029
# Fingerprint (SHA-256):
EE:C5:49:6B:98:8C:E9:86:25:B9:34:09:2E:EC:29:08:BE:D0:B0:F3:16:C2:D4:73:0C:84:EA:F1:F3:D3:48:81
# Fingerprint (SHA1): 96:C9:1B:0B:95:B4:10:98:42:FA:D0:D8:22:79:FE:60:FA:B9:16:83
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "D-TRUST Root Class 3 CA 2 EV 2009"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\120\061\013\060\011\006\003\125\004\006\023\002\104\105\061
\025\060\023\006\003\125\004\012\014\014\104\055\124\162\165\163
\164\040\107\155\142\110\061\052\060\050\006\003\125\004\003\014
\041\104\055\124\122\125\123\124\040\122\157\157\164\040\103\154
\141\163\163\040\063\040\103\101\040\062\040\105\126\040\062\060
\060\071
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\120\061\013\060\011\006\003\125\004\006\023\002\104\105\061
\025\060\023\006\003\125\004\012\014\014\104\055\124\162\165\163
\164\040\107\155\142\110\061\052\060\050\006\003\125\004\003\014
\041\104\055\124\122\125\123\124\040\122\157\157\164\040\103\154
\141\163\163\040\063\040\103\101\040\062\040\105\126\040\062\060
\060\071
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\003\011\203\364
END
CKA_VALUE MULTILINE_OCTAL
\060\202\004\103\060\202\003\053\240\003\002\001\002\002\003\011
\203\364\060\015\006\011\052\206\110\206\367\015\001\001\013\005
\000\060\120\061\013\060\011\006\003\125\004\006\023\002\104\105
\061\025\060\023\006\003\125\004\012\014\014\104\055\124\162\165
\163\164\040\107\155\142\110\061\052\060\050\006\003\125\004\003
\014\041\104\055\124\122\125\123\124\040\122\157\157\164\040\103
\154\141\163\163\040\063\040\103\101\040\062\040\105\126\040\062
\060\060\071\060\036\027\015\060\071\061\061\060\065\060\070\065
\060\064\066\132\027\015\062\071\061\061\060\065\060\070\065\060
\064\066\132\060\120\061\013\060\011\006\003\125\004\006\023\002
\104\105\061\025\060\023\006\003\125\004\012\014\014\104\055\124
\162\165\163\164\040\107\155\142\110\061\052\060\050\006\003\125
\004\003\014\041\104\055\124\122\125\123\124\040\122\157\157\164
\040\103\154\141\163\163\040\063\040\103\101\040\062\040\105\126
\040\062\060\060\071\060\202\001\042\060\015\006\011\052\206\110
\206\367\015\001\001\001\005\000\003\202\001\017\000\060\202\001
\012\002\202\001\001\000\231\361\204\064\160\272\057\267\060\240
\216\275\174\004\317\276\142\274\231\375\202\227\322\172\012\147
\226\070\011\366\020\116\225\042\163\231\215\332\025\055\347\005
\374\031\163\042\267\216\230\000\274\074\075\254\241\154\373\326
\171\045\113\255\360\314\144\332\210\076\051\270\017\011\323\064
\335\063\365\142\321\341\315\031\351\356\030\117\114\130\256\342
\036\326\014\133\025\132\330\072\270\304\030\144\036\343\063\262
\265\211\167\116\014\277\331\224\153\023\227\157\022\243\376\231
\251\004\314\025\354\140\150\066\355\010\173\267\365\277\223\355
```

\146\061\203\214\306\161\064\207\116\027\352\257\213\221\215\034  
\126\101\256\042\067\136\067\362\035\331\321\055\015\057\151\121  
\247\276\146\246\212\072\052\275\307\032\261\341\024\360\276\072  
\035\271\317\133\261\152\376\264\261\106\040\242\373\036\073\160  
\357\223\230\175\214\163\226\362\305\357\205\160\255\051\046\374  
\036\004\076\034\240\330\017\313\122\203\142\174\356\213\123\225  
\220\251\127\242\352\141\005\330\371\115\304\047\372\156\255\355  
\371\327\121\367\153\245\002\003\001\000\001\243\202\001\044\060  
\202\001\040\060\017\006\003\125\035\023\001\001\377\004\005\060  
\003\001\001\377\060\035\006\003\125\035\016\004\026\004\024\323  
\224\212\114\142\023\052\031\056\314\257\162\212\175\066\327\232  
\034\334\147\060\016\006\003\125\035\017\001\001\377\004\004\003  
\002\001\006\060\201\335\006\003\125\035\037\004\201\325\060\201  
\322\060\201\207\240\201\204\240\201\201\206\177\154\144\141\160  
\072\057\057\144\151\162\145\143\164\157\162\171\056\144\055\164  
\162\165\163\164\056\156\145\164\057\103\116\075\104\055\124\122  
\125\123\124\045\062\060\122\157\157\164\045\062\060\103\154\141  
\163\163\045\062\060\063\045\062\060\103\101\045\062\060\062\045  
\062\060\105\126\045\062\060\062\060\060\071\054\117\075\104\055  
\124\162\165\163\164\045\062\060\107\155\142\110\054\103\075\104  
\105\077\143\145\162\164\151\146\151\143\141\164\145\162\145\166  
\157\143\141\164\151\157\156\154\151\163\164\060\106\240\104\240  
\102\206\100\150\164\164\160\072\057\057\167\167\167\056\144\055  
\164\162\165\163\164\056\156\145\164\057\143\162\154\057\144\055  
\164\162\165\163\164\137\162\157\157\164\137\143\154\141\163\163  
\137\063\137\143\141\137\062\137\145\166\137\062\060\060\071\056  
\143\162\154\060\015\006\011\052\206\110\206\367\015\001\001\013  
\005\000\003\202\001\001\000\064\355\173\132\074\244\224\210\357  
\032\021\165\007\057\263\376\074\372\036\121\046\353\207\366\051  
\336\340\361\324\306\044\011\351\301\317\125\033\264\060\331\316  
\032\376\006\121\246\025\244\055\357\262\113\277\040\050\045\111  
\321\246\066\167\064\350\144\337\122\261\021\307\163\172\315\071  
\236\302\255\214\161\041\362\132\153\257\337\074\116\125\257\262  
\204\145\024\211\271\167\313\052\061\276\317\243\155\317\157\110  
\224\062\106\157\347\161\214\240\246\204\031\067\007\362\003\105  
\011\053\206\165\174\337\137\151\127\000\333\156\330\246\162\042  
\113\120\324\165\230\126\337\267\030\377\103\103\120\256\172\104  
\173\360\171\121\327\103\075\247\323\201\323\360\311\117\271\332  
\306\227\206\320\202\303\344\102\155\376\260\342\144\116\016\046  
\347\100\064\046\265\010\211\327\010\143\143\070\047\165\036\063  
\352\156\250\335\237\231\117\164\115\201\211\200\113\335\232\227  
\051\134\057\276\201\101\271\214\377\352\175\140\006\236\315\327  
\075\323\056\243\025\274\250\346\046\345\157\303\334\270\003\041  
\352\237\026\361\054\124\265

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

```

# Trust for "D-TRUST Root Class 3 CA 2 EV 2009"
# Issuer: CN=D-TRUST Root Class 3 CA 2 EV 2009,O=D-Trust GmbH,C=DE
# Serial Number: 623604 (0x983f4)
# Subject: CN=D-TRUST Root Class 3 CA 2 EV 2009,O=D-Trust GmbH,C=DE
# Not Valid Before: Thu Nov 05 08:50:46 2009
# Not Valid After : Mon Nov 05 08:50:46 2029
# Fingerprint (SHA-256):
EE:C5:49:6B:98:8C:E9:86:25:B9:34:09:2E:EC:29:08:BE:D0:B0:F3:16:C2:D4:73:0C:84:EA:F1:F3:D3:48:81
# Fingerprint (SHA1): 96:C9:1B:0B:95:B4:10:98:42:FA:D0:D8:22:79:FE:60:FA:B9:16:83
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "D-TRUST Root Class 3 CA 2 EV 2009"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\226\311\033\013\225\264\020\230\102\372\320\330\042\171\376\140
\372\271\026\203
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\252\306\103\054\136\055\315\304\064\300\120\117\021\002\117\266
END
CKA_ISSUER MULTILINE_OCTAL
\060\120\061\013\060\011\006\003\125\004\006\023\002\104\105\061
\025\060\023\006\003\125\004\012\014\014\104\055\124\162\165\163
\164\040\107\155\142\110\061\052\060\050\006\003\125\004\003\014
\041\104\055\124\122\125\123\124\040\122\157\157\164\040\103\154
\141\163\163\040\063\040\103\101\040\062\040\105\126\040\062\060
\060\071
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\003\011\203\364
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "CA Disig Root R2"
#
# Issuer: CN=CA Disig Root R2,O=Disig a.s.,L=Bratislava,C=SK
# Serial Number:00:92:b8:88:db:b0:8a:c1:63
# Subject: CN=CA Disig Root R2,O=Disig a.s.,L=Bratislava,C=SK
# Not Valid Before: Thu Jul 19 09:15:30 2012
# Not Valid After : Sat Jul 19 09:15:30 2042
# Fingerprint (SHA-256):
E2:3D:4A:03:6D:7B:70:E9:F5:95:B1:42:20:79:D2:B9:1E:DF:BB:1F:B6:51:A0:63:3E:AA:8A:9D:C5:F8:07:03

```



# Fingerprint (SHA1): B5:61:EB:EA:A4:DE:E4:25:4B:69:1A:98:A5:57:47:C2:34:C7:D9:71

```
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "CA Disig Root R2"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\122\061\013\060\011\006\003\125\004\006\023\002\123\113\061
\023\060\021\006\003\125\004\007\023\012\102\162\141\164\151\163
\154\141\166\141\061\023\060\021\006\003\125\004\012\023\012\104
\151\163\151\147\040\141\056\163\056\061\031\060\027\006\003\125
\004\003\023\020\103\101\040\104\151\163\151\147\040\122\157\157
\164\040\122\062
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\122\061\013\060\011\006\003\125\004\006\023\002\123\113\061
\023\060\021\006\003\125\004\007\023\012\102\162\141\164\151\163
\154\141\166\141\061\023\060\021\006\003\125\004\012\023\012\104
\151\163\151\147\040\141\056\163\056\061\031\060\027\006\003\125
\004\003\023\020\103\101\040\104\151\163\151\147\040\122\157\157
\164\040\122\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\011\000\222\270\210\333\260\212\301\143
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\151\060\202\003\121\240\003\002\001\002\002\011\000
\222\270\210\333\260\212\301\143\060\015\006\011\052\206\110\206
\367\015\001\001\013\005\000\060\122\061\013\060\011\006\003\125
\004\006\023\002\123\113\061\023\060\021\006\003\125\004\007\023
\012\102\162\141\164\151\163\154\141\166\141\061\023\060\021\006
\003\125\004\012\023\012\104\151\163\151\147\040\141\056\163\056
\061\031\060\027\006\003\125\004\003\023\020\103\101\040\104\151
\163\151\147\040\122\157\157\164\040\122\062\060\036\027\015\061
\062\060\067\061\071\060\071\061\065\063\060\132\027\015\064\062
\060\067\061\071\060\071\061\065\063\060\132\060\122\061\013\060
\011\006\003\125\004\006\023\002\123\113\061\023\060\021\006\003
\125\004\007\023\012\102\162\141\164\151\163\154\141\166\141\061
\023\060\021\006\003\125\004\012\023\012\104\151\163\151\147\040
\141\056\163\056\061\031\060\027\006\003\125\004\003\023\020\103
\101\040\104\151\163\151\147\040\122\157\157\164\040\122\062\060
\202\002\042\060\015\006\011\052\206\110\206\367\015\001\001\001
\005\000\003\202\002\017\000\060\202\002\012\002\202\002\001\000
\242\243\304\000\011\326\205\135\055\155\024\366\302\303\163\236
\065\302\161\125\176\201\373\253\106\120\340\301\174\111\170\346
\253\171\130\074\332\377\174\034\237\330\227\002\170\076\153\101
```

\004\351\101\275\276\003\054\105\366\057\144\324\253\135\243\107  
\075\144\233\351\150\232\306\314\033\077\272\276\262\213\064\002  
\056\230\125\031\374\214\157\252\137\332\114\316\115\003\041\243  
\330\322\064\223\126\226\313\114\014\000\026\074\137\032\315\310  
\307\154\246\255\323\061\247\274\350\345\341\146\326\322\373\003  
\264\101\145\311\020\256\016\005\143\306\200\152\151\060\375\322  
\356\220\357\015\047\337\237\225\163\364\341\045\332\154\026\336  
\101\070\064\352\213\374\321\350\004\024\141\055\101\176\254\307  
\167\116\313\121\124\373\136\222\030\033\004\132\150\306\311\304  
\372\267\023\240\230\267\021\053\267\326\127\314\174\236\027\321  
\313\045\376\206\116\044\056\126\014\170\115\236\001\022\246\053  
\247\001\145\156\174\142\035\204\204\337\352\300\153\265\245\052  
\225\203\303\123\021\014\163\035\013\262\106\220\321\102\072\316  
\100\156\225\255\377\306\224\255\156\227\204\216\175\157\236\212  
\200\015\111\155\163\342\173\222\036\303\363\301\363\353\056\005  
\157\331\033\317\067\166\004\310\264\132\344\027\247\313\335\166  
\037\320\031\166\350\054\005\263\326\234\064\330\226\334\141\207  
\221\005\344\104\010\063\301\332\271\010\145\324\256\262\066\015  
\353\272\070\272\014\345\233\236\353\215\146\335\231\317\326\211  
\101\366\004\222\212\051\051\155\153\072\034\347\165\175\002\161  
\016\363\300\347\275\313\031\335\235\140\262\302\146\140\266\261  
\004\356\311\346\206\271\232\146\100\250\347\021\355\201\105\003  
\213\366\147\131\350\301\006\021\275\335\317\200\002\117\145\100  
\170\134\107\120\310\233\346\037\201\173\344\104\250\133\205\232  
\342\336\132\325\307\371\072\104\146\113\344\062\124\174\344\154  
\234\263\016\075\027\242\262\064\022\326\176\262\250\111\273\321  
\172\050\100\276\242\026\037\337\344\067\037\021\163\373\220\012  
\145\103\242\015\174\370\006\001\125\063\175\260\015\270\364\365  
\256\245\102\127\174\066\021\214\173\136\304\003\235\214\171\235  
\002\003\001\000\001\243\102\060\100\060\017\006\003\125\035\023  
\001\001\377\004\005\060\003\001\001\377\060\016\006\003\125\035  
\017\001\001\377\004\004\003\002\001\006\060\035\006\003\125\035  
\016\004\026\004\024\265\231\370\257\260\224\365\343\040\326\012  
\255\316\116\126\244\056\156\102\355\060\015\006\011\052\206\110  
\206\367\015\001\001\013\005\000\003\202\002\001\000\046\006\136  
\160\347\145\063\310\202\156\331\234\027\072\033\172\146\262\001  
\366\170\073\151\136\057\352\377\116\371\050\303\230\052\141\114  
\264\044\022\212\175\155\021\024\367\234\265\312\346\274\236\047  
\216\114\031\310\251\275\172\300\327\066\016\155\205\162\156\250  
\306\242\155\366\372\163\143\177\274\156\171\010\034\235\212\237  
\032\212\123\246\330\273\331\065\125\261\021\305\251\003\263\126  
\073\271\204\223\042\136\176\301\366\022\122\213\352\054\147\274  
\376\066\114\365\270\317\321\263\111\222\073\323\051\016\231\033  
\226\367\141\270\073\304\053\266\170\154\264\043\157\360\375\323  
\262\136\165\037\231\225\250\254\366\332\341\305\061\173\373\321  
\106\263\322\274\147\264\142\124\272\011\367\143\260\223\242\232  
\371\351\122\056\213\140\022\253\374\365\140\126\357\020\134\213  
\304\032\102\334\203\133\144\016\313\265\274\326\117\301\174\074

```
\156\215\023\155\373\173\353\060\320\334\115\257\305\325\266\245
\114\133\161\311\350\061\276\350\070\006\110\241\032\342\352\322
\336\022\071\130\032\377\200\016\202\165\346\267\311\007\154\016
\357\377\070\361\230\161\304\267\177\016\025\320\045\151\275\042
\235\053\355\005\366\106\107\254\355\300\360\324\073\342\354\356
\226\133\220\023\116\036\126\072\353\260\357\226\273\226\043\021
\272\362\103\206\164\144\225\310\050\165\337\035\065\272\322\067
\203\070\123\070\066\073\317\154\351\371\153\016\320\373\004\350
\117\167\327\145\001\170\206\014\172\076\041\142\361\177\143\161
\014\311\237\104\333\250\047\242\165\276\156\201\076\327\300\353
\033\230\017\160\134\064\262\212\314\300\205\030\353\156\172\263
\367\132\241\007\277\251\102\222\363\140\042\227\344\024\241\007
\233\116\166\300\216\175\375\244\045\307\107\355\377\037\163\254
\314\303\245\351\157\012\216\233\145\302\120\205\265\243\240\123
\022\314\125\207\141\363\201\256\020\106\141\275\104\041\270\302
\075\164\317\176\044\065\372\034\007\016\233\075\042\312\357\061
\057\214\254\022\275\357\100\050\374\051\147\237\262\023\117\146
\044\304\123\031\351\036\051\025\357\346\155\260\177\055\147\375
\363\154\033\165\106\243\345\112\027\351\244\327\013
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

# Trust for "CA Disig Root R2"

# Issuer: CN=CA Disig Root R2,O=Disig a.s.,L=Bratislava,C=SK

# Serial Number:00:92:b8:88:db:b0:8a:c1:63

# Subject: CN=CA Disig Root R2,O=Disig a.s.,L=Bratislava,C=SK

# Not Valid Before: Thu Jul 19 09:15:30 2012

# Not Valid After : Sat Jul 19 09:15:30 2042

# Fingerprint (SHA-256):

E2:3D:4A:03:6D:7B:70:E9:F5:95:B1:42:20:79:D2:B9:1E:DF:BB:1F:B6:51:A0:63:3E:AA:8A:9D:C5:F8:07:03

# Fingerprint (SHA1): B5:61:EB:EA:A4:DE:E4:25:4B:69:1A:98:A5:57:47:C2:34:C7:D9:71

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "CA Disig Root R2"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\265\141\353\352\244\336\344\045\113\151\032\230\245\127\107\302
\064\307\331\161
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\046\001\373\330\047\247\027\232\105\124\070\032\103\001\073\003
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\122\061\013\060\011\006\003\125\004\006\023\002\123\113\061
\023\060\021\006\003\125\004\007\023\012\102\162\141\164\151\163
```

```
\154\141\166\141\061\023\060\021\006\003\125\004\012\023\012\104
\151\163\151\147\040\141\056\163\056\061\031\060\027\006\003\125
\004\003\023\020\103\101\040\104\151\163\151\147\040\122\157\157
\164\040\122\062
```

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

```
\002\011\000\222\270\210\333\260\212\301\143
```

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "ACCVRAIZ1"

#

# Issuer: C=ES,O=ACCV,OU=PKIACCV,CN=ACCVRAIZ1

# Serial Number:5e:c3:b7:a6:43:7f:a4:e0

# Subject: C=ES,O=ACCV,OU=PKIACCV,CN=ACCVRAIZ1

# Not Valid Before: Thu May 05 09:37:37 2011

# Not Valid After : Tue Dec 31 09:37:37 2030

# Fingerprint (SHA-256):

```
9A:6E:C0:12:E1:A7:DA:9D:BE:34:19:4D:47:8A:D7:C0:DB:18:22:FB:07:1D:F1:29:81:49:6E:D1:04:38:41:13
```

# Fingerprint (SHA1): 93:05:7A:88:15:C6:4F:CE:88:2F:FA:91:16:52:28:78:BC:53:64:17

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "ACCVRAIZ1"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

```
\060\102\061\022\060\020\006\003\125\004\003\014\011\101\103\103
\126\122\101\111\132\061\061\020\060\016\006\003\125\004\013\014
\007\120\113\111\101\103\103\126\061\015\060\013\006\003\125\004
\012\014\004\101\103\103\126\061\013\060\011\006\003\125\004\006
\023\002\105\123
```

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

```
\060\102\061\022\060\020\006\003\125\004\003\014\011\101\103\103
\126\122\101\111\132\061\061\020\060\016\006\003\125\004\013\014
\007\120\113\111\101\103\103\126\061\015\060\013\006\003\125\004
\012\014\004\101\103\103\126\061\013\060\011\006\003\125\004\006
\023\002\105\123
```

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

```
\002\010\136\303\267\246\103\177\244\340
```

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\007\323\060\202\005\273\240\003\002\001\002\002\010\136  
\303\267\246\103\177\244\340\060\015\006\011\052\206\110\206\367  
\015\001\001\005\005\000\060\102\061\022\060\020\006\003\125\004  
\003\014\011\101\103\103\126\122\101\111\132\061\061\020\060\016  
\006\003\125\004\013\014\007\120\113\111\101\103\103\126\061\015  
\060\013\006\003\125\004\012\014\004\101\103\103\126\061\013\060  
\011\006\003\125\004\006\023\002\105\123\060\036\027\015\061\061  
\060\065\060\065\060\071\063\067\063\067\132\027\015\063\060\061  
\062\063\061\060\071\063\067\063\067\132\060\102\061\022\060\020  
\006\003\125\004\003\014\011\101\103\103\126\122\101\111\132\061  
\061\020\060\016\006\003\125\004\013\014\007\120\113\111\101\103  
\103\126\061\015\060\013\006\003\125\004\012\014\004\101\103\103  
\126\061\013\060\011\006\003\125\004\006\023\002\105\123\060\202  
\002\042\060\015\006\011\052\206\110\206\367\015\001\001\001\005  
\000\003\202\002\017\000\060\202\002\012\002\202\002\001\000\233  
\251\253\277\141\112\227\257\057\227\146\232\164\137\320\331\226  
\375\317\342\344\146\357\037\037\107\063\302\104\243\337\232\336  
\037\265\124\335\025\174\151\065\021\157\273\310\014\216\152\030  
\036\330\217\331\026\274\020\110\066\134\360\143\263\220\132\134  
\044\067\327\243\326\313\011\161\271\361\001\162\204\260\175\333  
\115\200\315\374\323\157\311\370\332\266\016\202\322\105\205\250  
\033\150\250\075\350\364\104\154\275\241\302\313\003\276\214\076  
\023\000\204\337\112\110\300\343\042\012\350\351\067\247\030\114  
\261\011\015\043\126\177\004\115\331\027\204\030\245\310\332\100  
\224\163\353\316\016\127\074\003\201\072\235\012\241\127\103\151  
\254\127\155\171\220\170\345\265\264\073\330\274\114\215\050\241  
\247\243\247\272\002\116\045\321\052\256\355\256\003\042\270\153  
\040\017\060\050\124\225\177\340\356\316\012\146\235\321\100\055  
\156\042\257\235\032\301\005\031\322\157\300\362\237\370\173\263  
\002\102\373\120\251\035\055\223\017\043\253\306\301\017\222\377  
\320\242\025\365\123\011\161\034\377\105\023\204\346\046\136\370  
\340\210\034\012\374\026\266\250\163\006\270\360\143\204\002\240  
\306\132\354\347\164\337\160\256\243\203\045\352\326\307\227\207  
\223\247\306\212\212\063\227\140\067\020\076\227\076\156\051\025  
\326\241\017\321\210\054\022\237\157\252\244\306\102\353\101\242  
\343\225\103\323\001\205\155\216\273\073\363\043\066\307\376\073  
\340\241\045\007\110\253\311\211\164\377\010\217\200\277\300\226  
\145\363\356\354\113\150\275\235\210\303\061\263\100\361\350\317  
\366\070\273\234\344\321\177\324\345\130\233\174\372\324\363\016  
\233\165\221\344\272\122\056\031\176\321\365\315\132\031\374\272  
\006\366\373\122\250\113\231\004\335\370\371\264\213\120\243\116  
\142\211\360\207\044\372\203\102\301\207\372\325\055\051\052\132  
\161\172\144\152\327\047\140\143\015\333\316\111\365\215\037\220  
\211\062\027\370\163\103\270\322\132\223\206\141\326\341\165\012  
\352\171\146\166\210\117\161\353\004\045\326\012\132\172\223\345  
\271\113\027\100\017\261\266\271\365\336\117\334\340\263\254\073  
\021\160\140\204\112\103\156\231\040\300\051\161\012\300\145\002

\003\001\000\001\243\202\002\313\060\202\002\307\060\175\006\010  
\053\006\001\005\005\007\001\001\004\161\060\157\060\114\006\010  
\053\006\001\005\005\007\060\002\206\100\150\164\164\160\072\057  
\057\167\167\167\056\141\143\143\166\056\145\163\057\146\151\154  
\145\141\144\155\151\156\057\101\162\143\150\151\166\157\163\057  
\143\145\162\164\151\146\151\143\141\144\157\163\057\162\141\151  
\172\141\143\143\166\061\056\143\162\164\060\037\006\010\053\006  
\001\005\005\007\060\001\206\023\150\164\164\160\072\057\057\157  
\143\163\160\056\141\143\143\166\056\145\163\060\035\006\003\125  
\035\016\004\026\004\024\322\207\264\343\337\067\047\223\125\366  
\126\352\201\345\066\314\214\036\077\275\060\017\006\003\125\035  
\023\001\001\377\004\005\060\003\001\001\377\060\037\006\003\125  
\035\043\004\030\060\026\200\024\322\207\264\343\337\067\047\223  
\125\366\126\352\201\345\066\314\214\036\077\275\060\202\001\163  
\006\003\125\035\040\004\202\001\152\060\202\001\146\060\202\001  
\142\006\004\125\035\040\000\060\202\001\130\060\202\001\042\006  
\010\053\006\001\005\005\007\002\002\060\202\001\024\036\202\001  
\020\000\101\000\165\000\164\000\157\000\162\000\151\000\144\000  
\141\000\144\000\040\000\144\000\145\000\040\000\103\000\145\000  
\162\000\164\000\151\000\146\000\151\000\143\000\141\000\143\000  
\151\000\363\000\156\000\040\000\122\000\141\000\355\000\172\000  
\040\000\144\000\145\000\040\000\154\000\141\000\040\000\101\000  
\103\000\103\000\126\000\040\000\050\000\101\000\147\000\145\000  
\156\000\143\000\151\000\141\000\040\000\144\000\145\000\040\000  
\124\000\145\000\143\000\156\000\157\000\154\000\157\000\147\000  
\355\000\141\000\040\000\171\000\040\000\103\000\145\000\162\000  
\164\000\151\000\146\000\151\000\143\000\141\000\143\000\151\000  
\363\000\156\000\040\000\105\000\154\000\145\000\143\000\164\000  
\162\000\363\000\156\000\151\000\143\000\141\000\054\000\040\000  
\103\000\111\000\106\000\040\000\121\000\064\000\066\000\060\000  
\061\000\061\000\065\000\066\000\105\000\051\000\056\000\040\000  
\103\000\120\000\123\000\040\000\145\000\156\000\040\000\150\000  
\164\000\164\000\160\000\072\000\057\000\057\000\167\000\167\000  
\167\000\056\000\141\000\143\000\143\000\166\000\056\000\145\000  
\163\060\060\006\010\053\006\001\005\005\007\002\001\026\044\150  
\164\164\160\072\057\057\167\167\167\056\141\143\143\166\056\145  
\163\057\154\145\147\151\163\154\141\143\151\157\156\137\143\056  
\150\164\155\060\125\006\003\125\035\037\004\116\060\114\060\112  
\240\110\240\106\206\104\150\164\164\160\072\057\057\167\167\167  
\056\141\143\143\166\056\145\163\057\146\151\154\145\141\144\155  
\151\156\057\101\162\143\150\151\166\157\163\057\143\145\162\164  
\151\146\151\143\141\144\157\163\057\162\141\151\172\141\143\143  
\166\061\137\144\145\162\056\143\162\154\060\016\006\003\125\035  
\017\001\001\377\004\004\003\002\001\006\060\027\006\003\125\035  
\021\004\020\060\016\201\014\141\143\143\166\100\141\143\143\166  
\056\145\163\060\015\006\011\052\206\110\206\367\015\001\001\005  
\005\000\003\202\002\001\000\227\061\002\237\347\375\103\147\110  
\104\024\344\051\207\355\114\050\146\320\217\065\332\115\141\267

\112\227\115\265\333\220\340\005\056\016\306\171\320\362\227\151  
\017\275\004\107\331\276\333\265\051\332\233\331\256\251\231\325  
\323\074\060\223\365\215\241\250\374\006\215\104\364\312\026\225  
\174\063\334\142\213\250\067\370\047\330\011\055\033\357\310\024  
\047\040\251\144\104\377\056\326\165\252\154\115\140\100\031\111  
\103\124\143\332\342\314\272\146\345\117\104\172\133\331\152\201  
\053\100\325\177\371\001\047\130\054\310\355\110\221\174\077\246  
\000\317\304\051\163\021\066\336\206\031\076\235\356\031\212\033  
\325\260\355\216\075\234\052\300\015\330\075\146\343\074\015\275  
\325\224\134\342\342\247\065\033\004\000\366\077\132\215\352\103  
\275\137\211\035\251\301\260\314\231\342\115\000\012\332\311\047  
\133\347\023\220\134\344\365\063\242\125\155\334\340\011\115\057  
\261\046\133\047\165\000\011\304\142\167\051\010\137\236\131\254  
\266\176\255\237\124\060\042\003\301\036\161\144\376\371\070\012  
\226\030\335\002\024\254\043\313\006\034\036\244\175\215\015\336  
\047\101\350\255\332\025\267\260\043\335\053\250\323\332\045\207  
\355\350\125\104\115\210\364\066\176\204\232\170\254\367\016\126  
\111\016\326\063\045\326\204\120\102\154\040\022\035\052\325\276  
\274\362\160\201\244\160\140\276\005\265\233\236\004\104\276\141  
\043\254\351\245\044\214\021\200\224\132\242\242\271\111\322\301  
\334\321\247\355\061\021\054\236\031\246\356\341\125\341\300\352  
\317\015\204\344\027\267\242\174\245\336\125\045\006\356\314\300  
\207\134\100\332\314\225\077\125\340\065\307\270\204\276\264\135  
\315\172\203\001\162\356\207\346\137\035\256\265\205\306\046\337  
\346\301\232\351\036\002\107\237\052\250\155\251\133\317\354\105  
\167\177\230\047\232\062\135\052\343\204\356\305\230\146\057\226  
\040\035\335\330\303\047\327\260\371\376\331\175\315\320\237\217  
\013\024\130\121\237\057\213\303\070\055\336\350\217\326\215\207  
\244\365\126\103\026\231\054\364\244\126\264\064\270\141\067\311  
\302\130\200\033\240\227\241\374\131\215\351\021\366\321\017\113  
\125\064\106\052\213\206\073

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "ACCVRAIZ1"

# Issuer: C=ES,O=ACCV,OU=PKIACCV,CN=ACCVRAIZ1

# Serial Number:5e:c3:b7:a6:43:7f:a4:e0

# Subject: C=ES,O=ACCV,OU=PKIACCV,CN=ACCVRAIZ1

# Not Valid Before: Thu May 05 09:37:37 2011

# Not Valid After : Tue Dec 31 09:37:37 2030

# Fingerprint (SHA-256):

9A:6E:C0:12:E1:A7:DA:9D:BE:34:19:4D:47:8A:D7:C0:DB:18:22:FB:07:1D:F1:29:81:49:6E:D1:04:38:41:13

# Fingerprint (SHA1): 93:05:7A:88:15:C6:4F:CE:88:2F:FA:91:16:52:28:78:BC:53:64:17

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

```

CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "ACCVRAIZ1"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\223\005\172\210\025\306\117\316\210\057\372\221\026\122\050\170
\274\123\144\027
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\320\240\132\356\005\266\011\224\041\241\175\361\262\051\202\002
END
CKA_ISSUER MULTILINE_OCTAL
\060\102\061\022\060\020\006\003\125\004\003\014\011\101\103\103
\126\122\101\111\132\061\061\020\060\016\006\003\125\004\013\014
\007\120\113\111\101\103\103\126\061\015\060\013\006\003\125\004
\012\014\004\101\103\103\126\061\013\060\011\006\003\125\004\006
\023\002\105\123
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\010\136\303\267\246\103\177\244\340
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "TWCA Global Root CA"
#
# Issuer: CN=TWCA Global Root CA,OU=Root CA,O=TAIWAN-CA,C=TW
# Serial Number: 3262 (0xcbe)
# Subject: CN=TWCA Global Root CA,OU=Root CA,O=TAIWAN-CA,C=TW
# Not Valid Before: Wed Jun 27 06:28:33 2012
# Not Valid After : Tue Dec 31 15:59:59 2030
# Fingerprint (SHA-256):
59:76:90:07:F7:68:5D:0F:CD:50:87:2F:9F:95:D5:75:5A:5B:2B:45:7D:81:F3:69:2B:61:0A:98:67:2F:0E:1B
# Fingerprint (SHA1): 9C:BB:48:53:F6:A4:F6:D3:52:A4:E8:32:52:55:60:13:F5:AD:AF:65
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "TWCA Global Root CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\121\061\013\060\011\006\003\125\004\006\023\002\124\127\061
\022\060\020\006\003\125\004\012\023\011\124\101\111\127\101\116
\055\103\101\061\020\060\016\006\003\125\004\013\023\007\122\157
\157\164\040\103\101\061\034\060\032\006\003\125\004\003\023\023
\124\127\103\101\040\107\154\157\142\141\154\040\122\157\157\164
\040\103\101

```



END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\121\061\013\060\011\006\003\125\004\006\023\002\124\127\061  
\022\060\020\006\003\125\004\012\023\011\124\101\111\127\101\116  
\055\103\101\061\020\060\016\006\003\125\004\013\023\007\122\157  
\157\164\040\103\101\061\034\060\032\006\003\125\004\003\023\023  
\124\127\103\101\040\107\154\157\142\141\154\040\122\157\157\164  
\040\103\101

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\002\014\276

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\005\101\060\202\003\051\240\003\002\001\002\002\002\014  
\276\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000  
\060\121\061\013\060\011\006\003\125\004\006\023\002\124\127\061  
\022\060\020\006\003\125\004\012\023\011\124\101\111\127\101\116  
\055\103\101\061\020\060\016\006\003\125\004\013\023\007\122\157  
\157\164\040\103\101\061\034\060\032\006\003\125\004\003\023\023  
\124\127\103\101\040\107\154\157\142\141\154\040\122\157\157\164  
\040\103\101\060\036\027\015\061\062\060\066\062\067\060\066\062  
\070\063\063\132\027\015\063\060\061\062\063\061\061\065\065\071  
\065\071\132\060\121\061\013\060\011\006\003\125\004\006\023\002  
\124\127\061\022\060\020\006\003\125\004\012\023\011\124\101\111  
\127\101\116\055\103\101\061\020\060\016\006\003\125\004\013\023  
\007\122\157\157\164\040\103\101\061\034\060\032\006\003\125\004  
\003\023\023\124\127\103\101\040\107\154\157\142\141\154\040\122  
\157\157\164\040\103\101\060\202\002\042\060\015\006\011\052\206  
\110\206\367\015\001\001\001\005\000\003\202\002\017\000\060\202  
\002\012\002\202\002\001\000\260\005\333\310\353\214\304\156\212  
\041\357\216\115\234\161\012\037\122\160\355\155\202\234\227\305  
\327\114\116\105\111\313\100\102\265\022\064\154\031\302\164\244  
\061\137\205\002\227\354\103\063\012\123\322\234\214\216\267\270  
\171\333\053\325\152\362\216\146\304\356\053\001\007\222\324\263  
\320\002\337\120\366\125\257\146\016\313\340\107\140\057\053\062  
\071\065\122\072\050\203\370\173\026\306\030\270\142\326\107\045  
\221\316\360\031\022\115\255\143\365\323\077\165\137\051\360\241  
\060\034\052\240\230\246\025\275\356\375\031\066\360\342\221\103  
\217\372\312\326\020\047\111\114\357\335\301\361\205\160\233\312  
\352\250\132\103\374\155\206\157\163\351\067\105\251\360\066\307  
\314\210\165\036\273\154\006\377\233\153\076\027\354\141\252\161  
\174\306\035\242\367\111\351\025\265\074\326\241\141\365\021\367  
\005\157\035\375\021\276\320\060\007\302\051\260\011\116\046\334  
\343\242\250\221\152\037\302\221\105\210\134\345\230\270\161\245  
\025\031\311\174\165\021\314\160\164\117\055\233\035\221\104\375  
\126\050\240\376\273\206\152\310\372\134\013\130\334\306\113\166  
\310\253\042\331\163\017\245\364\132\002\211\077\117\236\042\202

\356\242\164\123\052\075\123\047\151\035\154\216\062\054\144\000  
\046\143\141\066\116\243\106\267\077\175\263\055\254\155\220\242  
\225\242\316\317\332\202\347\007\064\031\226\351\270\041\252\051  
\176\246\070\276\216\051\112\041\146\171\037\263\303\265\011\147  
\336\326\324\007\106\363\052\332\346\042\067\140\313\201\266\017  
\240\017\351\310\225\177\277\125\221\005\172\317\075\025\300\157  
\336\011\224\001\203\327\064\033\314\100\245\360\270\233\147\325  
\230\221\073\247\204\170\225\046\244\132\010\370\053\164\264\000  
\004\074\337\270\024\216\350\337\251\215\154\147\222\063\035\300  
\267\322\354\222\310\276\011\277\054\051\005\157\002\153\236\357  
\274\277\052\274\133\300\120\217\101\160\161\207\262\115\267\004  
\251\204\243\062\257\256\356\153\027\213\262\261\376\154\341\220  
\214\210\250\227\110\316\310\115\313\363\006\317\137\152\012\102  
\261\036\036\167\057\216\240\346\222\016\006\374\005\042\322\046  
\341\061\121\175\062\334\017\002\003\001\000\001\243\043\060\041  
\060\016\006\003\125\035\017\001\001\377\004\004\003\002\001\006  
\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001  
\377\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000  
\003\202\002\001\000\137\064\201\166\357\226\035\325\345\265\331  
\002\143\204\026\301\256\240\160\121\247\367\114\107\065\310\013  
\327\050\075\211\161\331\252\063\101\352\024\033\154\041\000\300  
\154\102\031\176\237\151\133\040\102\337\242\322\332\304\174\227  
\113\215\260\350\254\310\356\245\151\004\231\012\222\246\253\047  
\056\032\115\201\277\204\324\160\036\255\107\376\375\112\235\063  
\340\362\271\304\105\010\041\012\332\151\151\163\162\015\276\064  
\376\224\213\255\303\036\065\327\242\203\357\345\070\307\245\205  
\037\253\317\064\354\077\050\376\014\361\127\206\116\311\125\367  
\034\324\330\245\175\006\172\157\325\337\020\337\201\116\041\145  
\261\266\341\027\171\225\105\006\316\137\314\334\106\211\143\150  
\104\215\223\364\144\160\240\075\235\050\005\303\071\160\270\142  
\173\040\375\344\333\351\010\241\270\236\075\011\307\117\373\054  
\370\223\166\101\336\122\340\341\127\322\235\003\274\167\236\376  
\236\051\136\367\301\121\140\037\336\332\013\262\055\165\267\103  
\110\223\347\366\171\306\204\135\200\131\140\224\374\170\230\217  
\074\223\121\355\100\220\007\337\144\143\044\313\116\161\005\241  
\327\224\032\210\062\361\042\164\042\256\245\246\330\022\151\114  
\140\243\002\356\053\354\324\143\222\013\136\276\057\166\153\243  
\266\046\274\217\003\330\012\362\114\144\106\275\071\142\345\226  
\353\064\143\021\050\314\225\361\255\357\357\334\200\130\110\351  
\113\270\352\145\254\351\374\200\265\265\310\105\371\254\301\237  
\331\271\352\142\210\216\304\361\113\203\022\255\346\213\204\326  
\236\302\353\203\030\237\152\273\033\044\140\063\160\314\354\367  
\062\363\134\331\171\175\357\236\244\376\311\043\303\044\356\025  
\222\261\075\221\117\046\206\275\146\163\044\023\352\244\256\143  
\301\255\175\204\003\074\020\170\206\033\171\343\304\363\362\004  
\225\040\256\043\202\304\263\072\000\142\277\346\066\044\341\127  
\272\307\036\220\165\325\137\077\225\141\053\301\073\315\345\263  
\150\141\320\106\046\251\041\122\151\055\353\056\307\353\167\316

```
\246\072\265\003\063\117\166\321\347\134\124\001\135\313\170\364
\311\014\277\317\022\216\027\055\043\150\224\347\253\376\251\262
\053\006\320\004\315
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

# Trust for "TWCA Global Root CA"

# Issuer: CN=TWCA Global Root CA,OU=Root CA,O=TAIWAN-CA,C=TW

# Serial Number: 3262 (0xcbe)

# Subject: CN=TWCA Global Root CA,OU=Root CA,O=TAIWAN-CA,C=TW

# Not Valid Before: Wed Jun 27 06:28:33 2012

# Not Valid After : Tue Dec 31 15:59:59 2030

# Fingerprint (SHA-256):

59:76:90:07:F7:68:5D:0F:CD:50:87:2F:9F:95:D5:75:5A:5B:2B:45:7D:81:F3:69:2B:61:0A:98:67:2F:0E:1B

# Fingerprint (SHA1): 9C:BB:48:53:F6:A4:F6:D3:52:A4:E8:32:52:55:60:13:F5:AD:AF:65

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "TWCA Global Root CA"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\234\273\110\123\366\244\366\323\122\244\350\062\122\125\140\023
```

```
\365\255\257\145
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\371\003\176\317\346\236\074\163\172\052\220\007\151\377\053\226
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\121\061\013\060\011\006\003\125\004\006\023\002\124\127\061
```

```
\022\060\020\006\003\125\004\012\023\011\124\101\111\127\101\116
```

```
\055\103\101\061\020\060\016\006\003\125\004\013\023\007\122\157
```

```
\157\164\040\103\101\061\034\060\032\006\003\125\004\003\023\023
```

```
\124\127\103\101\040\107\154\157\142\141\154\040\122\157\157\164
```

```
\040\103\101
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\002\014\276
```

END

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

```
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE
```

#

# Certificate "TeliaSonera Root CA v1"

#

```
# Issuer: CN=TeliaSonera Root CA v1,O=TeliaSonera
# Serial Number:00:95:be:16:a0:f7:2e:46:f1:7b:39:82:72:fa:8b:cd:96
# Subject: CN=TeliaSonera Root CA v1,O=TeliaSonera
# Not Valid Before: Thu Oct 18 12:00:50 2007
# Not Valid After : Mon Oct 18 12:00:50 2032
# Fingerprint (SHA-256):
DD:69:36:FE:21:F8:F0:77:C1:23:A1:A5:21:C1:22:24:F7:22:55:B7:3E:03:A7:26:06:93:E8:A2:4B:0F:A3:89
# Fingerprint (SHA1): 43:13:BB:96:F1:D5:86:9B:C1:4E:6A:92:F6:CF:F6:34:69:87:82:37
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "TeliaSonera Root CA v1"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\067\061\024\060\022\006\003\125\004\012\014\013\124\145\154
\151\141\123\157\156\145\162\141\061\037\060\035\006\003\125\004
\003\014\026\124\145\154\151\141\123\157\156\145\162\141\040\122
\157\157\164\040\103\101\040\166\061
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\067\061\024\060\022\006\003\125\004\012\014\013\124\145\154
\151\141\123\157\156\145\162\141\061\037\060\035\006\003\125\004
\003\014\026\124\145\154\151\141\123\157\156\145\162\141\040\122
\157\157\164\040\103\101\040\166\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\021\000\225\276\026\240\367\056\106\361\173\071\202\162\372
\213\315\226
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\070\060\202\003\040\240\003\002\001\002\002\021\000
\225\276\026\240\367\056\106\361\173\071\202\162\372\213\315\226
\060\015\006\011\052\206\110\206\367\015\001\001\005\005\000\060
\067\061\024\060\022\006\003\125\004\012\014\013\124\145\154\151
\141\123\157\156\145\162\141\061\037\060\035\006\003\125\004\003
\014\026\124\145\154\151\141\123\157\156\145\162\141\040\122\157
\157\164\040\103\101\040\166\061\060\036\027\015\060\067\061\060
\061\070\061\062\060\060\065\060\132\027\015\063\062\061\060\061
\070\061\062\060\060\065\060\132\060\067\061\024\060\022\006\003
\125\004\012\014\013\124\145\154\151\141\123\157\156\145\162\141
\061\037\060\035\006\003\125\004\003\014\026\124\145\154\151\141
\123\157\156\145\162\141\040\122\157\157\164\040\103\101\040\166
\061\060\202\002\042\060\015\006\011\052\206\110\206\367\015\001
\001\001\005\000\003\202\002\017\000\060\202\002\012\002\202\002
\001\000\302\276\353\047\360\041\243\363\151\046\125\176\235\305
\125\026\221\134\375\357\041\277\123\200\172\055\322\221\214\143
```

\061\360\354\044\360\303\245\322\162\174\020\155\364\067\267\345  
\346\174\171\352\214\265\202\213\256\110\266\254\000\334\145\165  
\354\052\115\137\301\207\365\040\145\053\201\250\107\076\211\043  
\225\060\026\220\177\350\127\007\110\347\031\256\277\105\147\261  
\067\033\006\052\376\336\371\254\175\203\373\136\272\344\217\227  
\147\276\113\216\215\144\007\127\070\125\151\064\066\075\023\110  
\357\117\342\323\146\036\244\317\032\267\136\066\063\324\264\006  
\275\030\001\375\167\204\120\000\105\365\214\135\350\043\274\176  
\376\065\341\355\120\173\251\060\215\031\323\011\216\150\147\135  
\277\074\227\030\123\273\051\142\305\312\136\162\301\307\226\324  
\333\055\240\264\037\151\003\354\352\342\120\361\014\074\360\254  
\363\123\055\360\034\365\355\154\071\071\163\200\026\310\122\260  
\043\315\340\076\334\335\074\107\240\273\065\212\342\230\150\213  
\276\345\277\162\356\322\372\245\355\022\355\374\230\030\251\046  
\166\334\050\113\020\040\034\323\177\026\167\055\355\157\200\367  
\111\273\123\005\273\135\150\307\324\310\165\026\077\211\132\213  
\367\027\107\324\114\361\322\211\171\076\115\075\230\250\141\336  
\072\036\322\370\136\003\340\301\311\034\214\323\215\115\323\225  
\066\263\067\137\143\143\233\063\024\360\055\046\153\123\174\211  
\214\062\302\156\354\075\041\000\071\311\241\150\342\120\203\056  
\260\072\053\363\066\240\254\057\344\157\141\302\121\011\071\076  
\213\123\271\273\147\332\334\123\271\166\131\066\235\103\345\040  
\340\075\062\140\205\042\121\267\307\063\273\335\025\057\244\170  
\246\007\173\201\106\066\004\206\335\171\065\307\225\054\073\260  
\243\027\065\345\163\037\264\134\131\357\332\352\020\145\173\172  
\320\177\237\263\264\052\067\073\160\213\233\133\271\053\267\354  
\262\121\022\227\123\051\132\324\360\022\020\334\117\002\273\022  
\222\057\142\324\077\151\103\174\015\326\374\130\165\001\210\235  
\130\026\113\336\272\220\377\107\001\211\006\152\366\137\262\220  
\152\263\002\246\002\210\277\263\107\176\052\331\325\372\150\170  
\065\115\002\003\001\000\001\243\077\060\075\060\017\006\003\125  
\035\023\001\001\377\004\005\060\003\001\001\377\060\013\006\003  
\125\035\017\004\004\003\002\001\006\060\035\006\003\125\035\016  
\004\026\004\024\360\217\131\070\000\263\365\217\232\226\014\325  
\353\372\173\252\027\350\023\022\060\015\006\011\052\206\110\206  
\367\015\001\001\005\005\000\003\202\002\001\000\276\344\134\142  
\116\044\364\014\010\377\360\323\014\150\344\223\111\042\077\104  
\047\157\273\155\336\203\146\316\250\314\015\374\365\232\006\345  
\167\024\221\353\235\101\173\231\052\204\345\377\374\041\301\135  
\360\344\037\127\267\165\251\241\137\002\046\377\327\307\367\116  
\336\117\370\367\034\106\300\172\117\100\054\042\065\360\031\261  
\320\153\147\054\260\250\340\300\100\067\065\366\204\134\134\343  
\257\102\170\376\247\311\015\120\352\015\204\166\366\121\357\203  
\123\306\172\377\016\126\111\056\217\172\326\014\346\047\124\343  
\115\012\140\162\142\315\221\007\326\245\277\310\231\153\355\304  
\031\346\253\114\021\070\305\157\061\342\156\111\310\077\166\200  
\046\003\046\051\340\066\366\366\040\123\343\027\160\064\027\235  
\143\150\036\153\354\303\115\206\270\023\060\057\135\106\015\107

```
\103\325\033\252\131\016\271\134\215\006\110\255\164\207\137\307
\374\061\124\101\023\342\307\041\016\236\340\036\015\341\300\173
\103\205\220\305\212\130\306\145\012\170\127\362\306\043\017\001
\331\040\113\336\017\373\222\205\165\052\134\163\215\155\173\045
\221\312\356\105\256\006\113\000\314\323\261\131\120\332\072\210
\073\051\103\106\136\227\053\124\316\123\157\215\112\347\226\372
\277\161\016\102\213\174\375\050\240\320\110\312\332\304\201\114
\273\242\163\223\046\310\353\014\326\046\210\266\300\044\317\273
\275\133\353\165\175\351\010\216\206\063\054\171\167\011\151\245
\211\374\263\160\220\207\166\217\323\042\273\102\316\275\163\013
\040\046\052\320\233\075\160\036\044\154\315\207\166\251\027\226
\267\317\015\222\373\216\030\251\230\111\321\236\376\140\104\162
\041\271\031\355\302\365\061\361\071\110\210\220\044\165\124\026
\255\316\364\370\151\024\144\071\373\243\270\272\160\100\307\047
\034\277\304\126\123\372\143\145\320\363\034\016\026\365\153\206
\130\115\030\324\344\015\216\245\235\133\221\334\166\044\120\077
\306\052\373\331\267\234\265\326\346\320\331\350\031\213\025\161
\110\255\267\352\330\131\210\324\220\277\026\263\331\351\254\131
\141\124\310\034\272\312\301\312\341\271\040\114\217\072\223\211
\245\240\314\277\323\366\165\244\165\226\155\126
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "TeliaSonera Root CA v1"
```

```
# Issuer: CN=TeliaSonera Root CA v1,O=TeliaSonera
```

```
# Serial Number:00:95:be:16:a0:f7:2e:46:f1:7b:39:82:72:fa:8b:cd:96
```

```
# Subject: CN=TeliaSonera Root CA v1,O=TeliaSonera
```

```
# Not Valid Before: Thu Oct 18 12:00:50 2007
```

```
# Not Valid After : Mon Oct 18 12:00:50 2032
```

```
# Fingerprint (SHA-256):
```

```
DD:69:36:FE:21:F8:F0:77:C1:23:A1:A5:21:C1:22:24:F7:22:55:B7:3E:03:A7:26:06:93:E8:A2:4B:0F:A3:89
```

```
# Fingerprint (SHA1): 43:13:BB:96:F1:D5:86:9B:C1:4E:6A:92:F6:CF:F6:34:69:87:82:37
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "TeliaSonera Root CA v1"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\103\023\273\226\361\325\206\233\301\116\152\222\366\317\366\064
\151\207\202\067
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\067\101\111\033\030\126\232\046\365\255\302\146\373\100\245\114
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\067\061\024\060\022\006\003\125\004\012\014\013\124\145\154
```

```
\151\141\123\157\156\145\162\141\061\037\060\035\006\003\125\004
\003\014\026\124\145\154\151\141\123\157\156\145\162\141\040\122
\157\157\164\040\103\101\040\166\061
```

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

```
\002\021\000\225\276\026\240\367\056\106\361\173\071\202\162\372
\213\315\226
```

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "E-Tugra Certification Authority"

#

# Issuer: CN=E-Tugra Certification Authority,OU=E-Tugra Sertifikasyon Merkezi,O=E-Tu..ra EBG Bili..im  
Teknolojileri ve Hizmetleri A...,L=Ankara,C=TR

# Serial Number:6a:68:3e:9c:51:9b:cb:53

# Subject: CN=E-Tugra Certification Authority,OU=E-Tugra Sertifikasyon Merkezi,O=E-Tu..ra EBG Bili..im  
Teknolojileri ve Hizmetleri A...,L=Ankara,C=TR

# Not Valid Before: Tue Mar 05 12:09:48 2013

# Not Valid After : Fri Mar 03 12:09:48 2023

# Fingerprint (SHA-256):

B0:BF:D5:2B:B0:D7:D9:BD:92:BF:5D:4D:C1:3D:A2:55:C0:2C:54:2F:37:83:65:EA:89:39:11:F5:5E:55:F2:3C

# Fingerprint (SHA1): 51:C6:E7:08:49:06:6E:F3:92:D4:5C:A0:0D:6D:A3:62:8F:C3:52:39

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "E-Tugra Certification Authority"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

```
\060\201\262\061\013\060\011\006\003\125\004\006\023\002\124\122
\061\017\060\015\006\003\125\004\007\014\006\101\156\153\141\162
\141\061\100\060\076\006\003\125\004\012\014\067\105\055\124\165
\304\237\162\141\040\105\102\107\040\102\151\154\151\305\237\151
\155\040\124\145\153\156\157\154\157\152\151\154\145\162\151\040
\166\145\040\110\151\172\155\145\164\154\145\162\151\040\101\056
\305\236\056\061\046\060\044\006\003\125\004\013\014\035\105\055
\124\165\147\162\141\040\123\145\162\164\151\146\151\153\141\163
\171\157\156\040\115\145\162\153\145\172\151\061\050\060\046\006
\003\125\004\003\014\037\105\055\124\165\147\162\141\040\103\145
\162\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150
\157\162\151\164\171
```

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\201\262\061\013\060\011\006\003\125\004\006\023\002\124\122  
\061\017\060\015\006\003\125\004\007\014\006\101\156\153\141\162  
\141\061\100\060\076\006\003\125\004\012\014\067\105\055\124\165  
\304\237\162\141\040\105\102\107\040\102\151\154\151\305\237\151  
\155\040\124\145\153\156\157\154\157\152\151\154\145\162\151\040  
\166\145\040\110\151\172\155\145\164\154\145\162\151\040\101\056  
\305\236\056\061\046\060\044\006\003\125\004\013\014\035\105\055  
\124\165\147\162\141\040\123\145\162\164\151\146\151\153\141\163  
\171\157\156\040\115\145\162\153\145\172\151\061\050\060\046\006  
\003\125\004\003\014\037\105\055\124\165\147\162\141\040\103\145  
\162\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150  
\157\162\151\164\171

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\010\152\150\076\234\121\233\313\123

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\006\113\060\202\004\063\240\003\002\001\002\002\010\152  
\150\076\234\121\233\313\123\060\015\006\011\052\206\110\206\367  
\015\001\001\013\005\000\060\201\262\061\013\060\011\006\003\125  
\004\006\023\002\124\122\061\017\060\015\006\003\125\004\007\014  
\006\101\156\153\141\162\141\061\100\060\076\006\003\125\004\012  
\014\067\105\055\124\165\304\237\162\141\040\105\102\107\040\102  
\151\154\151\305\237\151\155\040\124\145\153\156\157\154\157\152  
\151\154\145\162\151\040\166\145\040\110\151\172\155\145\164\154  
\145\162\151\040\101\056\305\236\056\061\046\060\044\006\003\125  
\004\013\014\035\105\055\124\165\147\162\141\040\123\145\162\164  
\151\146\151\153\141\163\171\157\156\040\115\145\162\153\145\172  
\151\061\050\060\046\006\003\125\004\003\014\037\105\055\124\165  
\147\162\141\040\103\145\162\164\151\146\151\143\141\164\151\157  
\156\040\101\165\164\150\157\162\151\164\171\060\036\027\015\061  
\063\060\063\060\065\061\062\060\071\064\070\132\027\015\062\063  
\060\063\060\063\061\062\060\071\064\070\132\060\201\262\061\013  
\060\011\006\003\125\004\006\023\002\124\122\061\017\060\015\006  
\003\125\004\007\014\006\101\156\153\141\162\141\061\100\060\076  
\006\003\125\004\012\014\067\105\055\124\165\304\237\162\141\040  
\105\102\107\040\102\151\154\151\305\237\151\155\040\124\145\153  
\156\157\154\157\152\151\154\145\162\151\040\166\145\040\110\151  
\172\155\145\164\154\145\162\151\040\101\056\305\236\056\061\046  
\060\044\006\003\125\004\013\014\035\105\055\124\165\147\162\141  
\040\123\145\162\164\151\146\151\153\141\163\171\157\156\040\115  
\145\162\153\145\172\151\061\050\060\046\006\003\125\004\003\014  
\037\105\055\124\165\147\162\141\040\103\145\162\164\151\146\151  
\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164\171  
\060\202\002\042\060\015\006\011\052\206\110\206\367\015\001\001  
\001\005\000\003\202\002\017\000\060\202\002\012\002\202\002\001  
\000\342\365\077\223\005\121\036\205\142\124\136\172\013\365\030  
\007\203\256\176\257\174\367\324\212\153\245\143\103\071\271\113



\367\303\306\144\211\075\224\056\124\200\122\071\071\007\113\113  
\335\205\007\166\207\314\277\057\225\114\314\175\247\075\274\107  
\017\230\160\370\214\205\036\164\216\222\155\033\100\321\231\015  
\273\165\156\310\251\153\232\300\204\061\257\312\103\313\353\053  
\064\350\217\227\153\001\233\325\016\112\010\252\133\222\164\205  
\103\323\200\256\241\210\133\256\263\352\136\313\026\232\167\104  
\310\241\366\124\150\316\336\217\227\053\272\133\100\002\014\144  
\027\300\265\223\315\341\361\023\146\316\014\171\357\321\221\050  
\253\137\240\022\122\060\163\031\216\217\341\214\007\242\303\273  
\112\360\352\037\025\250\356\045\314\244\106\370\033\042\357\263  
\016\103\272\054\044\270\305\054\134\324\034\370\135\144\275\303  
\223\136\050\247\077\047\361\216\036\323\052\120\005\243\125\331  
\313\347\071\123\300\230\236\214\124\142\213\046\260\367\175\215  
\174\344\306\236\146\102\125\202\107\347\262\130\215\146\367\007  
\174\056\066\346\120\034\077\333\103\044\305\277\206\107\171\263  
\171\034\367\132\364\023\354\154\370\077\342\131\037\225\356\102  
\076\271\255\250\062\205\111\227\106\376\113\061\217\132\313\255  
\164\107\037\351\221\267\337\050\004\042\240\324\017\135\342\171  
\117\352\154\205\206\275\250\246\316\344\372\303\341\263\256\336  
\074\121\356\313\023\174\001\177\204\016\135\121\224\236\023\014  
\266\056\245\114\371\071\160\066\157\226\312\056\014\104\125\305  
\312\372\135\002\243\337\326\144\214\132\263\001\012\251\265\012  
\107\027\377\357\221\100\052\216\241\106\072\061\230\345\021\374  
\314\273\111\126\212\374\271\320\141\232\157\145\154\346\303\313  
\076\165\111\376\217\247\342\211\305\147\327\235\106\023\116\061  
\166\073\044\263\236\021\145\206\253\177\357\035\324\370\274\347  
\254\132\134\267\132\107\134\125\316\125\264\042\161\133\133\013  
\360\317\334\240\141\144\352\251\327\150\012\143\247\340\015\077  
\240\257\323\252\322\176\357\121\240\346\121\053\125\222\025\027  
\123\313\267\146\016\146\114\370\371\165\114\220\347\022\160\307  
\105\002\003\001\000\001\243\143\060\141\060\035\006\003\125\035  
\016\004\026\004\024\056\343\333\262\111\320\234\124\171\134\372  
\047\052\376\314\116\322\350\116\124\060\017\006\003\125\035\023  
\001\001\377\004\005\060\003\001\001\377\060\037\006\003\125\035  
\043\004\030\060\026\200\024\056\343\333\262\111\320\234\124\171  
\134\372\047\052\376\314\116\322\350\116\124\060\016\006\003\125  
\035\017\001\001\377\004\004\003\002\001\006\060\015\006\011\052  
\206\110\206\367\015\001\001\013\005\000\003\202\002\001\000\005  
\067\072\364\115\267\105\342\105\165\044\217\266\167\122\350\034  
\330\020\223\145\363\362\131\006\244\076\036\051\354\135\321\320  
\253\174\340\012\220\110\170\355\116\230\003\231\376\050\140\221  
\035\060\035\270\143\174\250\346\065\265\372\323\141\166\346\326  
\007\113\312\151\232\262\204\172\167\223\105\027\025\237\044\320  
\230\023\022\377\273\240\056\375\116\114\207\370\316\134\252\230  
\033\005\340\000\106\112\202\200\245\063\213\050\334\355\070\323  
\337\345\076\351\376\373\131\335\141\204\117\322\124\226\023\141  
\023\076\217\200\151\276\223\107\265\065\103\322\132\273\075\134  
\357\263\102\107\315\073\125\023\006\260\011\333\375\143\366\072

```
\210\012\231\157\176\341\316\033\123\152\104\146\043\121\010\173
\274\133\122\242\375\006\067\070\100\141\217\112\226\270\220\067
\370\146\307\170\220\000\025\056\213\255\121\065\123\007\250\153
\150\256\371\116\074\007\046\315\010\005\160\314\071\077\166\275
\245\323\147\046\001\206\246\123\322\140\073\174\103\177\125\212
\274\225\032\301\050\071\114\037\103\322\221\364\162\131\212\271
\126\374\077\264\235\332\160\234\166\132\214\103\120\356\216\060
\162\115\337\377\111\367\306\251\147\331\155\254\002\021\342\072
\026\045\247\130\010\313\157\123\101\234\110\070\107\150\063\321
\327\307\217\324\164\041\324\303\005\220\172\377\316\226\210\261
\025\051\135\043\253\320\140\241\022\117\336\364\027\315\062\345
\311\277\310\103\255\375\056\216\361\257\342\364\230\372\022\037
\040\330\300\247\014\205\305\220\364\073\055\226\046\261\054\276
\114\253\353\261\322\212\311\333\170\023\017\036\011\235\155\217
\000\237\002\332\301\372\037\172\172\011\304\112\346\210\052\227
\237\211\213\375\067\137\137\072\316\070\131\206\113\257\161\013
\264\330\362\160\117\237\062\023\343\260\247\127\345\332\332\103
\313\204\064\362\050\304\352\155\364\052\357\301\153\166\332\373
\176\273\205\074\322\123\302\115\276\161\341\105\321\375\043\147
\015\023\165\373\317\145\147\042\235\256\260\011\321\011\377\035
\064\277\376\043\227\067\322\071\372\075\015\006\013\264\333\073
\243\253\157\134\035\266\176\350\263\202\064\355\006\134\044
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "E-Tugra Certification Authority"
```

```
# Issuer: CN=E-Tugra Certification Authority,OU=E-Tugra Sertifikasyon Merkezi,O=E-Tu..ra EBG Bili..im
Teknolojileri ve Hizmetleri A....,L=Ankara,C=TR
```

```
# Serial Number:6a:68:3e:9c:51:9b:cb:53
```

```
# Subject: CN=E-Tugra Certification Authority,OU=E-Tugra Sertifikasyon Merkezi,O=E-Tu..ra EBG Bili..im
Teknolojileri ve Hizmetleri A....,L=Ankara,C=TR
```

```
# Not Valid Before: Tue Mar 05 12:09:48 2013
```

```
# Not Valid After : Fri Mar 03 12:09:48 2023
```

```
# Fingerprint (SHA-256):
```

```
B0:BF:D5:2B:B0:D7:D9:BD:92:BF:5D:4D:C1:3D:A2:55:C0:2C:54:2F:37:83:65:EA:89:39:11:F5:5E:55:F2:3C
```

```
# Fingerprint (SHA1): 51:C6:E7:08:49:06:6E:F3:92:D4:5C:A0:0D:6D:A3:62:8F:C3:52:39
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "E-Tugra Certification Authority"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\121\306\347\010\111\006\156\363\222\324\134\240\015\155\243\142
\217\303\122\071
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

\270\241\003\143\260\275\041\161\160\212\157\023\072\273\171\111

END

CKA\_ISSUER MULTILINE\_OCTAL

\060\201\262\061\013\060\011\006\003\125\004\006\023\002\124\122  
\061\017\060\015\006\003\125\004\007\014\006\101\156\153\141\162  
\141\061\100\060\076\006\003\125\004\012\014\067\105\055\124\165  
\304\237\162\141\040\105\102\107\040\102\151\154\151\305\237\151  
\155\040\124\145\153\156\157\154\157\152\151\154\145\162\151\040  
\166\145\040\110\151\172\155\145\164\154\145\162\151\040\101\056  
\305\236\056\061\046\060\044\006\003\125\004\013\014\035\105\055  
\124\165\147\162\141\040\123\145\162\164\151\146\151\153\141\163  
\171\157\156\040\115\145\162\153\145\172\151\061\050\060\046\006  
\003\125\004\003\014\037\105\055\124\165\147\162\141\040\103\145  
\162\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150  
\157\162\151\164\171

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\010\152\150\076\234\121\233\313\123

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "T-TeleSec GlobalRoot Class 2"

#

# Issuer: CN=T-TeleSec GlobalRoot Class 2,OU=T-Systems Trust Center,O=T-Systems Enterprise Services  
GmbH,C=DE

# Serial Number: 1 (0x1)

# Subject: CN=T-TeleSec GlobalRoot Class 2,OU=T-Systems Trust Center,O=T-Systems Enterprise Services  
GmbH,C=DE

# Not Valid Before: Wed Oct 01 10:40:14 2008

# Not Valid After : Sat Oct 01 23:59:59 2033

# Fingerprint (SHA-256):

91:E2:F5:78:8D:58:10:EB:A7:BA:58:73:7D:E1:54:8A:8E:CA:CD:01:45:98:BC:0B:14:3E:04:1B:17:05:25:52

# Fingerprint (SHA1): 59:0D:2D:7D:88:4F:40:2E:61:7E:A5:62:32:17:65:CF:17:D8:94:E9

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "T-TeleSec GlobalRoot Class 2"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

\060\201\202\061\013\060\011\006\003\125\004\006\023\002\104\105  
\061\053\060\051\006\003\125\004\012\014\042\124\055\123\171\163  
\164\145\155\163\040\105\156\164\145\162\160\162\151\163\145\040  
\123\145\162\166\151\143\145\163\040\107\155\142\110\061\037\060

\035\006\003\125\004\013\014\026\124\055\123\171\163\164\145\155  
\163\040\124\162\165\163\164\040\103\145\156\164\145\162\061\045  
\060\043\006\003\125\004\003\014\034\124\055\124\145\154\145\123  
\145\143\040\107\154\157\142\141\154\122\157\157\164\040\103\154  
\141\163\163\040\062

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\201\202\061\013\060\011\006\003\125\004\006\023\002\104\105  
\061\053\060\051\006\003\125\004\012\014\042\124\055\123\171\163  
\164\145\155\163\040\105\156\164\145\162\160\162\151\163\145\040  
\123\145\162\166\151\143\145\163\040\107\155\142\110\061\037\060  
\035\006\003\125\004\013\014\026\124\055\123\171\163\164\145\155  
\163\040\124\162\165\163\164\040\103\145\156\164\145\162\061\045  
\060\043\006\003\125\004\003\014\034\124\055\124\145\154\145\123  
\145\143\040\107\154\157\142\141\154\122\157\157\164\040\103\154  
\141\163\163\040\062

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\001\001

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\003\303\060\202\002\253\240\003\002\001\002\002\001\001  
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060  
\201\202\061\013\060\011\006\003\125\004\006\023\002\104\105\061  
\053\060\051\006\003\125\004\012\014\042\124\055\123\171\163\164  
\145\155\163\040\105\156\164\145\162\160\162\151\163\145\040\123  
\145\162\166\151\143\145\163\040\107\155\142\110\061\037\060\035  
\006\003\125\004\013\014\026\124\055\123\171\163\164\145\155\163  
\040\124\162\165\163\164\040\103\145\156\164\145\162\061\045\060  
\043\006\003\125\004\003\014\034\124\055\124\145\154\145\123\145  
\143\040\107\154\157\142\141\154\122\157\157\164\040\103\154\141  
\163\163\040\062\060\036\027\015\060\070\061\060\060\061\061\060  
\064\060\061\064\132\027\015\063\063\061\060\060\061\062\063\065  
\071\065\071\132\060\201\202\061\013\060\011\006\003\125\004\006  
\023\002\104\105\061\053\060\051\006\003\125\004\012\014\042\124  
\055\123\171\163\164\145\155\163\040\105\156\164\145\162\160\162  
\151\163\145\040\123\145\162\166\151\143\145\163\040\107\155\142  
\110\061\037\060\035\006\003\125\004\013\014\026\124\055\123\171  
\163\164\145\155\163\040\124\162\165\163\164\040\103\145\156\164  
\145\162\061\045\060\043\006\003\125\004\003\014\034\124\055\124  
\145\154\145\123\145\143\040\107\154\157\142\141\154\122\157\157  
\164\040\103\154\141\163\163\040\062\060\202\001\042\060\015\006  
\011\052\206\110\206\367\015\001\001\001\005\000\003\202\001\017  
\000\060\202\001\012\002\202\001\001\000\252\137\332\033\137\350  
\163\221\345\332\134\364\242\346\107\345\363\150\125\140\005\035  
\002\244\263\233\131\363\036\212\257\064\255\374\015\302\331\110  
\031\356\151\217\311\040\374\041\252\007\031\355\260\134\254\145

\307\137\355\002\174\173\174\055\033\326\272\271\200\302\030\202  
\026\204\372\146\260\010\306\124\043\201\344\315\271\111\077\366  
\117\156\067\110\050\070\017\305\276\347\150\160\375\071\227\115  
\322\307\230\221\120\252\304\104\263\043\175\071\107\351\122\142  
\326\022\223\136\267\061\226\102\005\373\166\247\036\243\365\302  
\374\351\172\305\154\251\161\117\352\313\170\274\140\257\307\336  
\364\331\313\276\176\063\245\156\224\203\360\064\372\041\253\352  
\216\162\240\077\244\336\060\133\357\206\115\152\225\133\103\104  
\250\020\025\034\345\001\127\305\230\361\346\006\050\221\252\040  
\305\267\123\046\121\103\262\013\021\225\130\341\300\017\166\331  
\300\215\174\201\363\162\160\236\157\376\032\216\331\137\065\306  
\262\157\064\174\276\110\117\342\132\071\327\330\235\170\236\237  
\206\076\003\136\031\213\104\242\325\307\002\003\001\000\001\243  
\102\060\100\060\017\006\003\125\035\023\001\001\377\004\005\060  
\003\001\001\377\060\016\006\003\125\035\017\001\001\377\004\004  
\003\002\001\006\060\035\006\003\125\035\016\004\026\004\024\277  
\131\040\066\000\171\240\240\042\153\214\325\362\141\322\270\054  
\313\202\112\060\015\006\011\052\206\110\206\367\015\001\001\013  
\005\000\003\202\001\001\000\061\003\242\141\013\037\164\350\162  
\066\306\155\371\115\236\372\042\250\341\201\126\317\315\273\237  
\352\253\221\031\070\257\252\174\025\115\363\266\243\215\245\364  
\216\366\104\251\247\350\041\225\255\076\000\142\026\210\360\002  
\272\374\141\043\346\063\233\060\172\153\066\142\173\255\004\043  
\204\130\145\342\333\053\212\347\045\123\067\142\123\137\274\332  
\001\142\051\242\246\047\161\346\072\042\176\301\157\035\225\160  
\040\112\007\064\337\352\377\025\200\345\272\327\172\330\133\165  
\174\005\172\051\107\176\100\250\061\023\167\315\100\073\264\121  
\107\172\056\021\343\107\021\336\235\146\320\213\325\124\146\372  
\203\125\352\174\302\051\211\033\351\157\263\316\342\005\204\311  
\057\076\170\205\142\156\311\137\301\170\143\164\130\300\110\030  
\014\231\071\353\244\314\032\265\171\132\215\025\234\330\024\015  
\366\172\007\127\307\042\203\005\055\074\233\045\046\075\030\263  
\251\103\174\310\310\253\144\217\016\243\277\234\033\235\060\333  
\332\320\031\056\252\074\361\373\063\200\166\344\315\255\031\117  
\005\047\216\023\241\156\302

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "T-TeleSec GlobalRoot Class 2"

# Issuer: CN=T-TeleSec GlobalRoot Class 2,OU=T-Systems Trust Center,O=T-Systems Enterprise Services GmbH,C=DE

# Serial Number: 1 (0x1)

# Subject: CN=T-TeleSec GlobalRoot Class 2,OU=T-Systems Trust Center,O=T-Systems Enterprise Services GmbH,C=DE

# Not Valid Before: Wed Oct 01 10:40:14 2008

# Not Valid After : Sat Oct 01 23:59:59 2033

```

# Fingerprint (SHA-256):
91:E2:F5:78:8D:58:10:EB:A7:BA:58:73:7D:E1:54:8A:8E:CA:CD:01:45:98:BC:0B:14:3E:04:1B:17:05:25:52
# Fingerprint (SHA1): 59:0D:2D:7D:88:4F:40:2E:61:7E:A5:62:32:17:65:CF:17:D8:94:E9
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "T-TeleSec GlobalRoot Class 2"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\131\015\055\175\210\117\100\056\141\176\245\142\062\027\145\317
\027\330\224\351
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\053\233\236\344\173\154\037\000\162\032\314\301\167\171\337\152
END
CKA_ISSUER MULTILINE_OCTAL
\060\201\202\061\013\060\011\006\003\125\004\006\023\002\104\105
\061\053\060\051\006\003\125\004\012\014\042\124\055\123\171\163
\164\145\155\163\040\105\156\164\145\162\160\162\151\163\145\040
\123\145\162\166\151\143\145\163\040\107\155\142\110\061\037\060
\035\006\003\125\004\013\014\026\124\055\123\171\163\164\145\155
\163\040\124\162\165\163\164\040\103\145\156\164\145\162\061\045
\060\043\006\003\125\004\003\014\034\124\055\124\145\154\145\123
\145\143\040\107\154\157\142\141\154\122\157\157\164\040\103\154
\141\163\163\040\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\001
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Atos TrustedRoot 2011"
#
# Issuer: C=DE,O=Atos,CN=Atos TrustedRoot 2011
# Serial Number:5c:33:cb:62:2c:5f:b3:32
# Subject: C=DE,O=Atos,CN=Atos TrustedRoot 2011
# Not Valid Before: Thu Jul 07 14:58:30 2011
# Not Valid After : Tue Dec 31 23:59:59 2030
# Fingerprint (SHA-256):
F3:56:BE:A2:44:B7:A9:1E:B3:5D:53:CA:9A:D7:86:4A:CE:01:8E:2D:35:D5:F8:F9:6D:DF:68:A6:F4:1A:A4:74
# Fingerprint (SHA1): 2B:B1:F5:3E:55:0C:1D:C5:F1:D4:E6:B7:6A:46:4B:55:06:02:AC:21
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE

```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Atos TrustedRoot 2011"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\074\061\036\060\034\006\003\125\004\003\014\025\101\164\157
\163\040\124\162\165\163\164\145\144\122\157\157\164\040\062\060
\061\061\061\015\060\013\006\003\125\004\012\014\004\101\164\157
\163\061\013\060\011\006\003\125\004\006\023\002\104\105
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\074\061\036\060\034\006\003\125\004\003\014\025\101\164\157
\163\040\124\162\165\163\164\145\144\122\157\157\164\040\062\060
\061\061\061\015\060\013\006\003\125\004\012\014\004\101\164\157
\163\061\013\060\011\006\003\125\004\006\023\002\104\105
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\010\134\063\313\142\054\137\263\062
END
CKA_VALUE MULTILINE_OCTAL
\060\202\003\167\060\202\002\137\240\003\002\001\002\002\010\134
\063\313\142\054\137\263\062\060\015\006\011\052\206\110\206\367
\015\001\001\013\005\000\060\074\061\036\060\034\006\003\125\004
\003\014\025\101\164\157\163\040\124\162\165\163\164\145\144\122
\157\157\164\040\062\060\061\061\061\015\060\013\006\003\125\004
\012\014\004\101\164\157\163\061\013\060\011\006\003\125\004\006
\023\002\104\105\060\036\027\015\061\061\060\067\060\067\061\064
\065\070\063\060\132\027\015\063\060\061\062\063\061\062\063\065
\071\065\071\132\060\074\061\036\060\034\006\003\125\004\003\014
\025\101\164\157\163\040\124\162\165\163\164\145\144\122\157\157
\164\040\062\060\061\061\061\015\060\013\006\003\125\004\012\014
\004\101\164\157\163\061\013\060\011\006\003\125\004\006\023\002
\104\105\060\202\001\042\060\015\006\011\052\206\110\206\367\015
\001\001\001\005\000\003\202\001\017\000\060\202\001\012\002\202
\001\001\000\225\205\073\227\157\052\073\056\073\317\246\363\051
\065\276\317\030\254\076\252\331\370\115\240\076\032\107\271\274
\232\337\362\376\314\076\107\350\172\226\302\044\216\065\364\251
\014\374\202\375\155\301\162\142\047\275\352\153\353\347\212\314
\124\076\220\120\317\200\324\225\373\350\265\202\324\024\305\266
\251\125\045\127\333\261\120\366\260\140\144\131\172\151\317\003
\267\157\015\276\312\076\157\164\162\352\252\060\052\163\142\276
\111\221\141\310\021\376\016\003\052\367\152\040\334\002\025\015
\136\025\152\374\343\202\301\265\305\235\144\011\154\243\131\230
\007\047\307\033\226\053\141\164\161\154\103\361\367\065\211\020
\340\236\354\125\241\067\042\242\207\004\005\054\107\175\264\034
\271\142\051\146\050\312\267\341\223\365\244\224\003\231\271\160
\205\265\346\110\352\215\120\374\331\336\314\157\007\016\335\013
\162\235\200\060\026\007\225\077\050\016\375\305\165\117\123\326
```

\164\232\264\044\056\216\002\221\317\166\305\233\036\125\164\234  
\170\041\261\360\055\361\013\237\302\325\226\030\037\360\124\042  
\172\214\007\002\003\001\000\001\243\175\060\173\060\035\006\003  
\125\035\016\004\026\004\024\247\245\006\261\054\246\011\140\356  
\321\227\351\160\256\274\073\031\154\333\041\060\017\006\003\125  
\035\023\001\001\377\004\005\060\003\001\001\377\060\037\006\003  
\125\035\043\004\030\060\026\200\024\247\245\006\261\054\246\011  
\140\356\321\227\351\160\256\274\073\031\154\333\041\060\030\006  
\003\125\035\040\004\021\060\017\060\015\006\013\053\006\001\004  
\001\260\055\003\004\001\001\060\016\006\003\125\035\017\001\001  
\377\004\004\003\002\001\206\060\015\006\011\052\206\110\206\367  
\015\001\001\013\005\000\003\202\001\001\000\046\167\064\333\224  
\110\206\052\101\235\054\076\006\220\140\304\214\254\013\124\270  
\037\271\173\323\007\071\344\372\076\173\262\075\116\355\237\043  
\275\227\363\153\134\357\356\375\100\246\337\241\223\241\012\206  
\254\357\040\320\171\001\275\170\367\031\330\044\061\064\004\001  
\246\272\025\232\303\047\334\330\117\017\314\030\143\377\231\017  
\016\221\153\165\026\341\041\374\330\046\307\107\267\246\317\130  
\162\161\176\272\341\115\225\107\073\311\257\155\241\264\301\354  
\211\366\264\017\070\265\342\144\334\045\317\246\333\353\232\134  
\231\241\305\010\336\375\346\332\325\326\132\105\014\304\267\302  
\265\024\357\264\021\377\016\025\265\365\365\333\306\275\353\132  
\247\360\126\042\251\074\145\124\306\025\250\275\206\236\315\203  
\226\150\172\161\201\211\341\013\341\352\021\033\150\010\314\151  
\236\354\236\101\236\104\062\046\172\342\207\012\161\075\353\344  
\132\244\322\333\305\315\306\336\140\177\271\363\117\104\222\357  
\052\267\030\076\247\031\331\013\175\261\067\101\102\260\272\140  
\035\362\376\011\021\260\360\207\173\247\235

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "Atos TrustedRoot 2011"

# Issuer: C=DE,O=Atos,CN=Atos TrustedRoot 2011

# Serial Number:5c:33:cb:62:2c:5f:b3:32

# Subject: C=DE,O=Atos,CN=Atos TrustedRoot 2011

# Not Valid Before: Thu Jul 07 14:58:30 2011

# Not Valid After : Tue Dec 31 23:59:59 2030

# Fingerprint (SHA-256):

F3:56:BE:A2:44:B7:A9:1E:B3:5D:53:CA:9A:D7:86:4A:CE:01:8E:2D:35:D5:F8:F9:6D:DF:68:A6:F4:1A:A4:74

# Fingerprint (SHA1): 2B:B1:F5:3E:55:0C:1D:C5:F1:D4:E6:B7:6A:46:4B:55:06:02:AC:21

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "Atos TrustedRoot 2011"

CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL



\053\261\365\076\125\014\035\305\361\324\346\267\152\106\113\125

\006\002\254\041

END

CKA\_CERT\_MD5\_HASH MULTILINE\_OCTAL

\256\271\304\062\113\254\177\135\146\314\167\224\273\052\167\126

END

CKA\_ISSUER MULTILINE\_OCTAL

\060\074\061\036\060\034\006\003\125\004\003\014\025\101\164\157

\163\040\124\162\165\163\164\145\144\122\157\157\164\040\062\060

\061\061\061\015\060\013\006\003\125\004\012\014\004\101\164\157

\163\061\013\060\011\006\003\125\004\006\023\002\104\105

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\010\134\063\313\142\054\137\263\062

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "QuoVadis Root CA 1 G3"

#

# Issuer: CN=QuoVadis Root CA 1 G3,O=QuoVadis Limited,C=BM

# Serial Number:78:58:5f:2e:ad:2c:19:4b:e3:37:07:35:34:13:28:b5:96:d4:65:93

# Subject: CN=QuoVadis Root CA 1 G3,O=QuoVadis Limited,C=BM

# Not Valid Before: Thu Jan 12 17:27:44 2012

# Not Valid After : Sun Jan 12 17:27:44 2042

# Fingerprint (SHA-256):

8A:86:6F:D1:B2:76:B5:7E:57:8E:92:1C:65:82:8A:2B:ED:58:E9:F2:F2:88:05:41:34:B7:F1:F4:BF:C9:CC:74

# Fingerprint (SHA1): 1B:8E:EA:57:96:29:1A:C9:39:EA:B8:0A:81:1A:73:73:C0:93:79:67

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "QuoVadis Root CA 1 G3"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

\060\110\061\013\060\011\006\003\125\004\006\023\002\102\115\061

\031\060\027\006\003\125\004\012\023\020\121\165\157\126\141\144

\151\163\040\114\151\155\151\164\145\144\061\036\060\034\006\003

\125\004\003\023\025\121\165\157\126\141\144\151\163\040\122\157

\157\164\040\103\101\040\061\040\107\063

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\110\061\013\060\011\006\003\125\004\006\023\002\102\115\061

\031\060\027\006\003\125\004\012\023\020\121\165\157\126\141\144

\151\163\040\114\151\155\151\164\145\144\061\036\060\034\006\003  
\125\004\003\023\025\121\165\157\126\141\144\151\163\040\122\157  
\157\164\040\103\101\040\061\040\107\063

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\024\170\130\137\056\255\054\031\113\343\067\007\065\064\023  
\050\265\226\324\145\223

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\005\140\060\202\003\110\240\003\002\001\002\002\024\170  
\130\137\056\255\054\031\113\343\067\007\065\064\023\050\265\226  
\324\145\223\060\015\006\011\052\206\110\206\367\015\001\001\013  
\005\000\060\110\061\013\060\011\006\003\125\004\006\023\002\102  
\115\061\031\060\027\006\003\125\004\012\023\020\121\165\157\126  
\141\144\151\163\040\114\151\155\151\164\145\144\061\036\060\034  
\006\003\125\004\003\023\025\121\165\157\126\141\144\151\163\040  
\122\157\157\164\040\103\101\040\061\040\107\063\060\036\027\015  
\061\062\060\061\061\062\061\067\062\067\064\064\132\027\015\064  
\062\060\061\061\062\061\067\062\067\064\064\132\060\110\061\013  
\060\011\006\003\125\004\006\023\002\102\115\061\031\060\027\006  
\003\125\004\012\023\020\121\165\157\126\141\144\151\163\040\114  
\151\155\151\164\145\144\061\036\060\034\006\003\125\004\003\023  
\025\121\165\157\126\141\144\151\163\040\122\157\157\164\040\103  
\101\040\061\040\107\063\060\202\002\042\060\015\006\011\052\206  
\110\206\367\015\001\001\001\005\000\003\202\002\017\000\060\202  
\002\012\002\202\002\001\000\240\276\120\020\216\351\362\154\100  
\264\004\234\205\271\061\312\334\055\344\021\251\004\074\033\125  
\301\347\130\060\035\044\264\303\357\205\336\214\054\341\301\075  
\337\202\346\117\255\107\207\154\354\133\111\301\112\325\273\217  
\354\207\254\177\202\232\206\354\075\003\231\122\001\322\065\236  
\254\332\360\123\311\146\074\324\254\002\001\332\044\323\073\250  
\002\106\257\244\034\343\370\163\130\166\267\366\016\220\015\265  
\360\317\314\372\371\306\114\345\303\206\060\012\215\027\176\065  
\353\305\337\273\016\234\300\215\207\343\210\070\205\147\372\076  
\307\253\340\023\234\005\030\230\317\223\365\261\222\264\374\043  
\323\317\325\304\047\111\340\236\074\233\010\243\213\135\052\041  
\340\374\071\252\123\332\175\176\317\032\011\123\274\135\005\004  
\317\241\112\217\213\166\202\015\241\370\322\307\024\167\133\220  
\066\007\201\233\076\006\372\122\136\143\305\246\000\376\245\351  
\122\033\122\265\222\071\162\003\011\142\275\260\140\026\156\246  
\335\045\302\003\146\335\363\004\321\100\342\116\213\206\364\157  
\345\203\240\047\204\136\004\301\365\220\275\060\075\304\357\250  
\151\274\070\233\244\244\226\321\142\332\151\300\001\226\256\313  
\304\121\064\352\014\252\377\041\216\131\217\112\134\344\141\232  
\247\322\351\052\170\215\121\075\072\025\356\242\131\216\251\134  
\336\305\371\220\042\345\210\105\161\335\221\231\154\172\237\075  
\075\230\174\136\366\276\026\150\240\136\256\013\043\374\132\017  
\252\042\166\055\311\241\020\035\344\323\104\043\220\210\237\306

\052\346\327\365\232\263\130\036\057\060\211\010\033\124\242\265  
\230\043\354\010\167\034\225\135\141\321\313\211\234\137\242\112  
\221\232\357\041\252\111\026\010\250\275\141\050\061\311\164\255  
\205\366\331\305\261\213\321\345\020\062\115\137\213\040\072\074  
\111\037\063\205\131\015\333\313\011\165\103\151\163\373\153\161  
\175\360\337\304\114\175\306\243\056\310\225\171\313\163\242\216  
\116\115\044\373\136\344\004\276\162\033\246\047\055\111\132\231  
\172\327\134\011\040\267\177\224\271\117\361\015\034\136\210\102  
\033\021\267\347\221\333\236\154\364\152\337\214\006\230\003\255  
\314\050\357\245\107\363\123\002\003\001\000\001\243\102\060\100  
\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001  
\377\060\016\006\003\125\035\017\001\001\377\004\004\003\002\001  
\006\060\035\006\003\125\035\016\004\026\004\024\243\227\326\363  
\136\242\020\341\253\105\237\074\027\144\074\356\001\160\234\314  
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\003  
\202\002\001\000\030\372\133\165\374\076\172\307\137\167\307\312  
\337\317\137\303\022\304\100\135\324\062\252\270\152\327\325\025  
\025\106\230\043\245\346\220\133\030\231\114\343\255\102\243\202  
\061\066\210\315\351\373\304\004\226\110\213\001\307\215\001\317  
\133\063\006\226\106\146\164\035\117\355\301\266\271\264\015\141  
\314\143\176\327\056\167\214\226\034\052\043\150\153\205\127\166  
\160\063\023\376\341\117\246\043\167\030\372\032\214\350\275\145  
\311\317\077\364\311\027\334\353\307\274\300\004\056\055\106\057  
\151\146\303\033\217\376\354\076\323\312\224\277\166\012\045\015  
\251\173\002\034\251\320\073\137\013\300\201\072\075\144\341\277  
\247\055\116\275\115\304\330\051\306\042\030\320\305\254\162\002  
\202\077\252\072\242\072\042\227\061\335\010\143\303\165\024\271  
\140\050\055\133\150\340\026\251\146\202\043\121\365\353\123\330  
\061\233\173\351\267\235\113\353\210\026\317\371\135\070\212\111  
\060\217\355\361\353\031\364\167\032\061\030\115\147\124\154\057  
\157\145\371\333\075\354\041\354\136\364\364\213\312\140\145\124  
\321\161\144\364\371\246\243\201\063\066\063\161\360\244\170\137  
\116\255\203\041\336\064\111\215\350\131\254\235\362\166\132\066  
\362\023\364\257\340\011\307\141\052\154\367\340\235\256\273\206  
\112\050\157\056\356\264\171\315\220\063\303\263\166\372\365\360  
\154\235\001\220\372\236\220\366\234\162\317\107\332\303\037\344  
\065\040\123\362\124\321\337\141\203\246\002\342\045\070\336\205  
\062\055\136\163\220\122\135\102\304\316\075\113\341\371\031\204  
\035\325\242\120\314\101\373\101\024\303\275\326\311\132\243\143  
\146\002\200\275\005\072\073\107\234\354\000\046\114\365\210\121  
\277\250\043\177\030\007\260\013\355\213\046\241\144\323\141\112  
\353\134\237\336\263\257\147\003\263\037\335\155\135\151\150\151  
\253\136\072\354\174\151\274\307\073\205\116\236\025\271\264\025  
\117\303\225\172\130\327\311\154\351\154\271\363\051\143\136\264  
\054\360\055\075\355\132\145\340\251\133\100\302\110\231\201\155  
\236\037\006\052\074\022\264\213\017\233\242\044\360\246\215\326  
\172\340\113\266\144\226\143\225\204\302\112\315\034\056\044\207  
\063\140\345\303

```

END
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRUST_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRUST_AFTER CK_BBOOL CK_FALSE

# Trust for "QuoVadis Root CA 1 G3"
# Issuer: CN=QuoVadis Root CA 1 G3,O=QuoVadis Limited,C=BM
# Serial Number:78:58:5f:2e:ad:2c:19:4b:e3:37:07:35:34:13:28:b5:96:d4:65:93
# Subject: CN=QuoVadis Root CA 1 G3,O=QuoVadis Limited,C=BM
# Not Valid Before: Thu Jan 12 17:27:44 2012
# Not Valid After : Sun Jan 12 17:27:44 2042
# Fingerprint (SHA-256):
8A:86:6F:D1:B2:76:B5:7E:57:8E:92:1C:65:82:8A:2B:ED:58:E9:F2:F2:88:05:41:34:B7:F1:F4:BF:C9:CC:74
# Fingerprint (SHA1): 1B:8E:EA:57:96:29:1A:C9:39:EA:B8:0A:81:1A:73:73:C0:93:79:67
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "QuoVadis Root CA 1 G3"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\033\216\352\127\226\051\032\311\071\352\270\012\201\032\163\163
\300\223\171\147
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\244\274\133\077\376\067\232\372\144\360\342\372\005\075\013\253
END
CKA_ISSUER MULTILINE_OCTAL
\060\110\061\013\060\011\006\003\125\004\006\023\002\102\115\061
\031\060\027\006\003\125\004\012\023\020\121\165\157\126\141\144
\151\163\040\114\151\155\151\164\145\144\061\036\060\034\006\003
\125\004\003\023\025\121\165\157\126\141\144\151\163\040\122\157
\157\164\040\103\101\040\061\040\107\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\024\170\130\137\056\255\054\031\113\343\067\007\065\064\023
\050\265\226\324\145\223
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "QuoVadis Root CA 2 G3"
#
# Issuer: CN=QuoVadis Root CA 2 G3,O=QuoVadis Limited,C=BM
# Serial Number:44:57:34:24:5b:81:89:9b:35:f2:ce:b8:2b:3b:5b:a7:26:f0:75:28
# Subject: CN=QuoVadis Root CA 2 G3,O=QuoVadis Limited,C=BM

```

```
# Not Valid Before: Thu Jan 12 18:59:32 2012
# Not Valid After : Sun Jan 12 18:59:32 2042
# Fingerprint (SHA-256):
8F:E4:FB:0A:F9:3A:4D:0D:67:DB:0B:EB:B2:3E:37:C7:1B:F3:25:DC:BC:DD:24:0E:A0:4D:AF:58:B4:7E:18:40
# Fingerprint (SHA1): 09:3C:61:F3:8B:8B:DC:7D:55:DF:75:38:02:05:00:E1:25:F5:C8:36
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "QuoVadis Root CA 2 G3"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\110\061\013\060\011\006\003\125\004\006\023\002\102\115\061
\031\060\027\006\003\125\004\012\023\020\121\165\157\126\141\144
\151\163\040\114\151\155\151\164\145\144\061\036\060\034\006\003
\125\004\003\023\025\121\165\157\126\141\144\151\163\040\122\157
\157\164\040\103\101\040\062\040\107\063
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\110\061\013\060\011\006\003\125\004\006\023\002\102\115\061
\031\060\027\006\003\125\004\012\023\020\121\165\157\126\141\144
\151\163\040\114\151\155\151\164\145\144\061\036\060\034\006\003
\125\004\003\023\025\121\165\157\126\141\144\151\163\040\122\157
\157\164\040\103\101\040\062\040\107\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\024\104\127\064\044\133\201\211\233\065\362\316\270\053\073
\133\247\046\360\165\050
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\140\060\202\003\110\240\003\002\001\002\002\024\104
\127\064\044\133\201\211\233\065\362\316\270\053\073\133\247\046
\360\165\050\060\015\006\011\052\206\110\206\367\015\001\001\013
\005\000\060\110\061\013\060\011\006\003\125\004\006\023\002\102
\115\061\031\060\027\006\003\125\004\012\023\020\121\165\157\126
\141\144\151\163\040\114\151\155\151\164\145\144\061\036\060\034
\006\003\125\004\003\023\025\121\165\157\126\141\144\151\163\040
\122\157\157\164\040\103\101\040\062\040\107\063\060\036\027\015
\061\062\060\061\061\062\061\070\065\071\063\062\132\027\015\064
\062\060\061\061\062\061\070\065\071\063\062\132\060\110\061\013
\060\011\006\003\125\004\006\023\002\102\115\061\031\060\027\006
\003\125\004\012\023\020\121\165\157\126\141\144\151\163\040\114
\151\155\151\164\145\144\061\036\060\034\006\003\125\004\003\023
\025\121\165\157\126\141\144\151\163\040\122\157\157\164\040\103
\101\040\062\040\107\063\060\202\002\042\060\015\006\011\052\206
\110\206\367\015\001\001\001\005\000\003\202\002\017\000\060\202
\002\012\002\202\002\001\000\241\256\045\262\001\030\334\127\210
```

\077\106\353\371\257\342\353\043\161\342\232\321\141\146\041\137  
\252\257\047\121\345\156\033\026\324\055\175\120\260\123\167\275  
\170\072\140\342\144\002\233\174\206\233\326\032\216\255\377\037  
\025\177\325\225\036\022\313\346\024\204\004\301\337\066\263\026  
\237\212\343\311\333\230\064\316\330\063\027\050\106\374\247\311  
\360\322\264\325\115\011\162\111\371\362\207\343\251\332\175\241  
\175\153\262\072\045\251\155\122\104\254\370\276\156\373\334\246  
\163\221\220\141\246\003\024\040\362\347\207\243\210\255\255\240  
\214\377\246\013\045\122\045\347\026\001\325\313\270\065\201\014  
\243\073\360\341\341\374\132\135\316\200\161\155\370\111\253\076  
\073\272\270\327\200\001\373\245\353\133\263\305\136\140\052\061  
\240\257\067\350\040\072\237\250\062\054\014\314\011\035\323\236  
\216\135\274\114\230\356\305\032\150\173\354\123\246\351\024\065  
\243\337\315\200\237\014\110\373\034\364\361\277\112\270\372\325  
\214\161\112\307\037\255\376\101\232\263\203\135\362\204\126\357  
\245\127\103\316\051\255\214\253\125\277\304\373\133\001\335\043  
\041\241\130\000\216\303\320\152\023\355\023\343\022\053\200\334  
\147\346\225\262\315\036\042\156\052\370\101\324\362\312\024\007  
\215\212\125\022\306\151\365\270\206\150\057\123\136\260\322\252  
\041\301\230\346\060\343\147\125\307\233\156\254\031\250\125\246  
\105\006\320\043\072\333\353\145\135\052\021\021\360\073\117\312  
\155\364\064\304\161\344\377\000\132\366\134\256\043\140\205\163  
\361\344\020\261\045\256\325\222\273\023\301\014\340\071\332\264  
\071\127\265\253\065\252\162\041\073\203\065\347\061\337\172\041  
\156\270\062\010\175\035\062\221\025\112\142\162\317\343\167\241  
\274\325\021\033\166\001\147\010\340\101\013\303\353\025\156\370  
\244\031\331\242\253\257\342\047\122\126\053\002\212\054\024\044  
\371\277\102\002\277\046\310\306\217\340\156\070\175\123\055\345  
\355\230\263\225\143\150\177\371\065\364\337\210\305\140\065\222  
\300\174\151\034\141\225\026\320\353\336\013\257\076\004\020\105  
\145\130\120\070\257\110\362\131\266\026\362\074\015\220\002\306  
\160\056\001\255\074\025\327\002\003\001\000\001\243\102\060\100  
\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001  
\377\060\016\006\003\125\035\017\001\001\377\004\004\003\002\001  
\006\060\035\006\003\125\035\016\004\026\004\024\355\347\157\166  
\132\277\140\354\111\133\306\245\167\273\162\026\161\233\304\075  
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\003  
\202\002\001\000\221\337\200\077\103\011\176\161\302\367\353\263  
\210\217\341\121\262\274\075\165\371\050\135\310\274\231\233\173  
\135\252\345\312\341\012\367\350\262\323\237\335\147\061\176\272  
\001\252\307\152\101\073\220\324\010\134\262\140\152\220\360\310  
\316\003\142\371\213\355\373\156\052\334\006\115\074\051\017\211  
\026\212\130\114\110\017\350\204\141\352\074\162\246\167\344\102  
\256\210\243\103\130\171\176\256\312\245\123\015\251\075\160\275  
\040\031\141\244\154\070\374\103\062\341\301\107\377\370\354\361  
\021\042\062\226\234\302\366\133\151\226\173\040\014\103\101\232  
\133\366\131\031\210\336\125\210\067\121\013\170\134\012\036\243  
\102\375\307\235\210\017\300\362\170\002\044\124\223\257\211\207

```
\210\311\112\200\035\352\320\156\076\141\056\066\273\065\016\047
\226\375\146\064\073\141\162\163\361\026\134\107\006\124\111\000
\172\130\022\260\012\357\205\375\261\270\063\165\152\223\034\022
\346\140\136\157\035\177\311\037\043\313\204\141\237\036\202\104
\371\137\255\142\125\044\232\122\230\355\121\347\241\176\227\072
\346\057\037\021\332\123\200\054\205\236\253\065\020\333\042\137
\152\305\136\227\123\362\062\002\011\060\243\130\360\015\001\325
\162\306\261\174\151\173\303\365\066\105\314\141\156\136\114\224
\305\136\256\350\016\136\213\277\367\315\340\355\241\016\033\063
\356\124\030\376\017\276\357\176\204\153\103\343\160\230\333\135
\165\262\015\131\007\205\025\043\071\326\361\337\251\046\017\326
\110\307\263\246\042\365\063\067\132\225\107\237\173\272\030\025
\157\377\326\024\144\203\111\322\012\147\041\333\017\065\143\140
\050\042\343\261\225\203\315\205\246\335\057\017\347\147\122\156
\273\057\205\174\365\112\163\347\305\076\300\275\041\022\005\077
\374\267\003\111\002\133\310\045\346\342\124\070\365\171\207\214
\035\123\262\116\205\173\006\070\307\054\370\370\260\162\215\045
\345\167\122\364\003\034\110\246\120\137\210\040\060\156\362\202
\103\253\075\227\204\347\123\373\041\301\117\017\042\232\206\270
\131\052\366\107\075\031\210\055\350\205\341\236\354\205\010\152
\261\154\064\311\035\354\110\053\073\170\355\146\304\216\171\151
\203\336\177\214
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "QuoVadis Root CA 2 G3"
```

```
# Issuer: CN=QuoVadis Root CA 2 G3,O=QuoVadis Limited,C=BM
```

```
# Serial Number:44:57:34:24:5b:81:89:9b:35:f2:ce:b8:2b:3b:5b:a7:26:f0:75:28
```

```
# Subject: CN=QuoVadis Root CA 2 G3,O=QuoVadis Limited,C=BM
```

```
# Not Valid Before: Thu Jan 12 18:59:32 2012
```

```
# Not Valid After : Sun Jan 12 18:59:32 2042
```

```
# Fingerprint (SHA-256):
```

```
8F:E4:FB:0A:F9:3A:4D:0D:67:DB:0B:EB:B2:3E:37:C7:1B:F3:25:DC:BC:DD:24:0E:A0:4D:AF:58:B4:7E:18:40
```

```
# Fingerprint (SHA1): 09:3C:61:F3:8B:8B:DC:7D:55:DF:75:38:02:05:00:E1:25:F5:C8:36
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "QuoVadis Root CA 2 G3"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\011\074\141\363\213\213\334\175\125\337\165\070\002\005\000\341
\045\365\310\066
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\257\014\206\156\277\100\055\177\013\076\022\120\272\022\075\006
```

END

```

CKA_ISSUER MULTILINE_OCTAL
\060\110\061\013\060\011\006\003\125\004\006\023\002\102\115\061
\031\060\027\006\003\125\004\012\023\020\121\165\157\126\141\144
\151\163\040\114\151\155\151\164\145\144\061\036\060\034\006\003
\125\004\003\023\025\121\165\157\126\141\144\151\163\040\122\157
\157\164\040\103\101\040\062\040\107\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\024\104\127\064\044\133\201\211\233\065\362\316\270\053\073
\133\247\046\360\165\050
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "QuoVadis Root CA 3 G3"
#
# Issuer: CN=QuoVadis Root CA 3 G3,O=QuoVadis Limited,C=BM
# Serial Number:2e:f5:9b:02:28:a7:db:7a:ff:d5:a3:a9:ee:bd:03:a0:cf:12:6a:1d
# Subject: CN=QuoVadis Root CA 3 G3,O=QuoVadis Limited,C=BM
# Not Valid Before: Thu Jan 12 20:26:32 2012
# Not Valid After : Sun Jan 12 20:26:32 2042
# Fingerprint (SHA-256):
88:EF:81:DE:20:2E:B0:18:45:2E:43:F8:64:72:5C:EA:5F:BD:1F:C2:D9:D2:05:73:07:09:C5:D8:B8:69:0F:46
# Fingerprint (SHA1): 48:12:BD:92:3C:A8:C4:39:06:E7:30:6D:27:96:E6:A4:CF:22:2E:7D
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "QuoVadis Root CA 3 G3"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\110\061\013\060\011\006\003\125\004\006\023\002\102\115\061
\031\060\027\006\003\125\004\012\023\020\121\165\157\126\141\144
\151\163\040\114\151\155\151\164\145\144\061\036\060\034\006\003
\125\004\003\023\025\121\165\157\126\141\144\151\163\040\122\157
\157\164\040\103\101\040\063\040\107\063
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\110\061\013\060\011\006\003\125\004\006\023\002\102\115\061
\031\060\027\006\003\125\004\012\023\020\121\165\157\126\141\144
\151\163\040\114\151\155\151\164\145\144\061\036\060\034\006\003
\125\004\003\023\025\121\165\157\126\141\144\151\163\040\122\157
\157\164\040\103\101\040\063\040\107\063
END

```



CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\024\056\365\233\002\050\247\333\172\377\325\243\251\356\275  
\003\240\317\022\152\035

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\005\140\060\202\003\110\240\003\002\001\002\002\024\056  
\365\233\002\050\247\333\172\377\325\243\251\356\275\003\240\317  
\022\152\035\060\015\006\011\052\206\110\206\367\015\001\001\013  
\005\000\060\110\061\013\060\011\006\003\125\004\006\023\002\102  
\115\061\031\060\027\006\003\125\004\012\023\020\121\165\157\126  
\141\144\151\163\040\114\151\155\151\164\145\144\061\036\060\034  
\006\003\125\004\003\023\025\121\165\157\126\141\144\151\163\040  
\122\157\157\164\040\103\101\040\063\040\107\063\060\036\027\015  
\061\062\060\061\061\062\062\060\062\066\063\062\132\027\015\064  
\062\060\061\061\062\062\060\062\066\063\062\132\060\110\061\013  
\060\011\006\003\125\004\006\023\002\102\115\061\031\060\027\006  
\003\125\004\012\023\020\121\165\157\126\141\144\151\163\040\114  
\151\155\151\164\145\144\061\036\060\034\006\003\125\004\003\023  
\025\121\165\157\126\141\144\151\163\040\122\157\157\164\040\103  
\101\040\063\040\107\063\060\202\002\042\060\015\006\011\052\206  
\110\206\367\015\001\001\001\005\000\003\202\002\017\000\060\202  
\002\012\002\202\002\001\000\263\313\016\020\147\216\352\024\227  
\247\062\052\012\126\066\177\150\114\307\263\157\072\043\024\221  
\377\031\177\245\312\254\356\263\166\235\172\351\213\033\253\153  
\061\333\372\013\123\114\257\305\245\032\171\074\212\114\377\254  
\337\045\336\116\331\202\062\013\104\336\312\333\214\254\243\156  
\026\203\073\246\144\113\062\211\373\026\026\070\176\353\103\342  
\323\164\112\302\142\012\163\012\335\111\263\127\322\260\012\205  
\235\161\074\336\243\313\300\062\363\001\071\040\103\033\065\321  
\123\263\261\356\305\223\151\202\076\026\265\050\106\241\336\352  
\211\011\355\103\270\005\106\212\206\365\131\107\276\033\157\001  
\041\020\271\375\251\322\050\312\020\071\011\312\023\066\317\234  
\255\255\100\164\171\053\002\077\064\377\372\040\151\175\323\356  
\141\365\272\263\347\060\320\067\043\206\162\141\105\051\110\131  
\150\157\167\246\056\201\276\007\115\157\257\316\304\105\023\221  
\024\160\006\217\037\237\370\207\151\261\016\357\303\211\031\353  
\352\034\141\374\172\154\212\334\326\003\013\236\046\272\022\335  
\324\124\071\253\046\243\063\352\165\201\332\055\315\017\117\344  
\003\321\357\025\227\033\153\220\305\002\220\223\146\002\041\261  
\107\336\213\232\112\200\271\125\217\265\242\057\300\326\063\147  
\332\176\304\247\264\004\104\353\107\373\346\130\271\367\014\360  
\173\053\261\300\160\051\303\100\142\055\073\110\151\334\043\074  
\110\353\173\011\171\251\155\332\250\060\230\317\200\162\003\210  
\246\133\106\256\162\171\174\010\003\041\145\256\267\341\034\245  
\261\052\242\061\336\146\004\367\300\164\350\161\336\377\075\131  
\314\226\046\022\213\205\225\127\032\253\153\165\013\104\075\021  
\050\074\173\141\267\342\217\147\117\345\354\074\114\140\200\151  
\127\070\036\001\133\215\125\350\307\337\300\314\167\043\064\111

\165\174\366\230\021\353\055\336\355\101\056\024\005\002\177\340  
\376\040\353\065\347\021\254\042\316\127\075\336\311\060\155\020  
\003\205\315\361\377\214\026\265\301\262\076\210\154\140\177\220  
\117\225\367\366\055\255\001\071\007\004\372\165\200\175\277\111  
\120\355\357\311\304\174\034\353\200\176\333\266\320\335\023\376  
\311\323\234\327\262\227\251\002\003\001\000\001\243\102\060\100  
\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001  
\377\060\016\006\003\125\035\017\001\001\377\004\004\003\002\001  
\006\060\035\006\003\125\035\016\004\026\004\024\306\027\320\274  
\250\352\002\103\362\033\006\231\135\053\220\040\271\327\234\344  
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\003  
\202\002\001\000\064\141\331\126\265\022\207\125\115\335\243\065  
\061\106\273\244\007\162\274\137\141\142\350\245\373\013\067\261  
\074\266\263\372\051\235\177\002\365\244\311\250\223\267\172\161  
\050\151\217\163\341\122\220\332\325\276\072\345\267\166\152\126  
\200\041\337\135\346\351\072\236\345\076\366\242\151\307\052\012  
\260\030\107\334\040\160\175\122\243\076\131\174\301\272\311\310  
\025\100\141\312\162\326\160\254\322\267\360\034\344\206\051\360  
\316\357\150\143\320\265\040\212\025\141\232\176\206\230\264\311  
\302\166\373\314\272\060\026\314\243\141\306\164\023\345\153\357  
\243\025\352\003\376\023\213\144\344\323\301\322\350\204\373\111  
\321\020\115\171\146\353\252\375\364\215\061\036\160\024\255\334  
\336\147\023\114\201\025\141\274\267\331\221\167\161\031\201\140  
\273\360\130\245\265\234\013\367\217\042\125\047\300\113\001\155  
\073\231\015\324\035\233\143\147\057\320\356\015\312\146\274\224  
\117\246\255\355\374\356\143\254\127\077\145\045\317\262\206\217  
\320\010\377\270\166\024\156\336\345\047\354\253\170\265\123\271  
\266\077\350\040\371\322\250\276\141\106\312\207\214\204\363\371  
\361\240\150\233\042\036\201\046\233\020\004\221\161\300\006\037  
\334\240\323\271\126\247\343\230\055\177\203\235\337\214\053\234  
\062\216\062\224\360\001\074\042\052\237\103\302\056\303\230\071  
\007\070\173\374\136\000\102\037\363\062\046\171\203\204\366\345  
\360\301\121\022\300\013\036\004\043\014\124\245\114\057\111\305  
\112\321\266\156\140\015\153\374\153\213\205\044\144\267\211\016  
\253\045\107\133\074\317\176\111\275\307\351\012\306\332\367\176  
\016\027\010\323\110\227\320\161\222\360\017\071\076\064\152\034  
\175\330\362\042\256\273\151\364\063\264\246\110\125\321\017\016  
\046\350\354\266\013\055\247\205\065\315\375\131\310\237\321\315  
\076\132\051\064\271\075\204\316\261\145\324\131\221\221\126\165  
\041\301\167\236\371\172\341\140\235\323\255\004\030\364\174\353  
\136\223\217\123\112\042\051\370\110\053\076\115\206\254\133\177  
\313\006\231\131\140\330\130\145\225\215\104\321\367\177\176\047  
\177\175\256\200\365\007\114\266\076\234\161\124\231\004\113\375  
\130\371\230\364

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

```

# Trust for "QuoVadis Root CA 3 G3"
# Issuer: CN=QuoVadis Root CA 3 G3,O=QuoVadis Limited,C=BM
# Serial Number:2e:f5:9b:02:28:a7:db:7a:ff:d5:a3:a9:ee:bd:03:a0:cf:12:6a:1d
# Subject: CN=QuoVadis Root CA 3 G3,O=QuoVadis Limited,C=BM
# Not Valid Before: Thu Jan 12 20:26:32 2012
# Not Valid After : Sun Jan 12 20:26:32 2042
# Fingerprint (SHA-256):
88:EF:81:DE:20:2E:B0:18:45:2E:43:F8:64:72:5C:EA:5F:BD:1F:C2:D9:D2:05:73:07:09:C5:D8:B8:69:0F:46
# Fingerprint (SHA1): 48:12:BD:92:3C:A8:C4:39:06:E7:30:6D:27:96:E6:A4:CF:22:2E:7D
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "QuoVadis Root CA 3 G3"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\110\022\275\222\074\250\304\071\006\347\060\155\047\226\346\244
\317\042\056\175
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\337\175\271\255\124\157\150\241\337\211\127\003\227\103\260\327
END
CKA_ISSUER MULTILINE_OCTAL
\060\110\061\013\060\011\006\003\125\004\006\023\002\102\115\061
\031\060\027\006\003\125\004\012\023\020\121\165\157\126\141\144
\151\163\040\114\151\155\151\164\145\144\061\036\060\034\006\003
\125\004\003\023\025\121\165\157\126\141\144\151\163\040\122\157
\157\164\040\103\101\040\063\040\107\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\024\056\365\233\002\050\247\333\172\377\325\243\251\356\275
\003\240\317\022\152\035
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "DigiCert Assured ID Root G2"
#
# Issuer: CN=DigiCert Assured ID Root G2,OU=www.digicert.com,O=DigiCert Inc,C=US
# Serial Number:0b:93:1c:3a:d6:39:67:ea:67:23:bf:c3:af:9a:f4:4b
# Subject: CN=DigiCert Assured ID Root G2,OU=www.digicert.com,O=DigiCert Inc,C=US
# Not Valid Before: Thu Aug 01 12:00:00 2013
# Not Valid After : Fri Jan 15 12:00:00 2038
# Fingerprint (SHA-256):
7D:05:EB:B6:82:33:9F:8C:94:51:EE:09:4E:EB:FE:FA:79:53:A1:14:ED:B2:F4:49:49:45:2F:AB:7D:2F:C1:85

```

# Fingerprint (SHA1): A1:4B:48:D9:43:EE:0A:0E:40:90:4F:3C:E0:A4:C0:91:93:51:5D:3F

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE  
CKA\_TOKEN CK\_BBOOL CK\_TRUE  
CKA\_PRIVATE CK\_BBOOL CK\_FALSE  
CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE  
CKA\_LABEL UTF8 "DigiCert Assured ID Root G2"  
CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509  
CKA\_SUBJECT MULTILINE\_OCTAL  
\060\145\061\013\060\011\006\003\125\004\006\023\002\125\123\061  
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145  
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023  
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157  
\155\061\044\060\042\006\003\125\004\003\023\033\104\151\147\151  
\103\145\162\164\040\101\163\163\165\162\145\144\040\111\104\040  
\122\157\157\164\040\107\062

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL  
\060\145\061\013\060\011\006\003\125\004\006\023\002\125\123\061  
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145  
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023  
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157  
\155\061\044\060\042\006\003\125\004\003\023\033\104\151\147\151  
\103\145\162\164\040\101\163\163\165\162\145\144\040\111\104\040  
\122\157\157\164\040\107\062

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL  
\002\020\013\223\034\072\326\071\147\352\147\043\277\303\257\232  
\364\113

END

CKA\_VALUE MULTILINE\_OCTAL  
\060\202\003\226\060\202\002\176\240\003\002\001\002\002\020\013  
\223\034\072\326\071\147\352\147\043\277\303\257\232\364\113\060  
\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060\145  
\061\013\060\011\006\003\125\004\006\023\002\125\123\061\025\060  
\023\006\003\125\004\012\023\014\104\151\147\151\103\145\162\164  
\040\111\156\143\061\031\060\027\006\003\125\004\013\023\020\167  
\167\167\056\144\151\147\151\143\145\162\164\056\143\157\155\061  
\044\060\042\006\003\125\004\003\023\033\104\151\147\151\103\145  
\162\164\040\101\163\163\165\162\145\144\040\111\104\040\122\157  
\157\164\040\107\062\060\036\027\015\061\063\060\070\060\061\061  
\062\060\060\060\060\132\027\015\063\070\060\061\061\065\061\062  
\060\060\060\060\132\060\145\061\013\060\011\006\003\125\004\006  
\023\002\125\123\061\025\060\023\006\003\125\004\012\023\014\104  
\151\147\151\103\145\162\164\040\111\156\143\061\031\060\027\006  
\003\125\004\013\023\020\167\167\167\056\144\151\147\151\143\145  
\162\164\056\143\157\155\061\044\060\042\006\003\125\004\003\023  
\033\104\151\147\151\103\145\162\164\040\101\163\163\165\162\145

\144\040\111\104\040\122\157\157\164\040\107\062\060\202\001\042  
\060\015\006\011\052\206\110\206\367\015\001\001\001\005\000\003  
\202\001\017\000\060\202\001\012\002\202\001\001\000\331\347\050  
\057\122\077\066\162\111\210\223\064\363\370\152\036\061\124\200  
\237\255\124\101\265\107\337\226\250\324\257\200\055\271\012\317  
\165\375\211\245\175\044\372\343\042\014\053\274\225\027\013\063  
\277\031\115\101\006\220\000\275\014\115\020\376\007\265\347\034  
\156\042\125\061\145\227\275\323\027\322\036\142\363\333\352\154  
\120\214\077\204\014\226\317\267\313\003\340\312\155\241\024\114  
\033\211\335\355\000\260\122\174\257\221\154\261\070\023\321\351  
\022\010\300\000\260\034\053\021\332\167\160\066\233\256\316\171  
\207\334\202\160\346\011\164\160\125\151\257\243\150\237\277\335  
\266\171\263\362\235\160\051\125\364\253\377\225\141\363\311\100  
\157\035\321\276\223\273\323\210\052\273\235\277\162\132\126\161  
\073\077\324\363\321\012\376\050\357\243\356\331\231\257\003\323  
\217\140\267\362\222\241\261\275\211\211\037\060\315\303\246\056  
\142\063\256\026\002\167\104\132\347\201\012\074\247\104\056\171  
\270\077\004\274\134\240\207\341\033\257\121\216\315\354\054\372  
\370\376\155\360\072\174\252\213\344\147\225\061\215\002\003\001  
\000\001\243\102\060\100\060\017\006\003\125\035\023\001\001\377  
\004\005\060\003\001\001\377\060\016\006\003\125\035\017\001\001  
\377\004\004\003\002\001\206\060\035\006\003\125\035\016\004\026  
\004\024\316\303\112\271\231\125\362\270\333\140\277\251\176\275  
\126\265\227\066\247\326\060\015\006\011\052\206\110\206\367\015  
\001\001\013\005\000\003\202\001\001\000\312\245\125\214\343\310  
\101\156\151\047\247\165\021\357\074\206\066\157\322\235\306\170  
\070\035\151\226\242\222\151\056\070\154\233\175\004\324\211\245  
\261\061\067\212\311\041\314\253\154\315\213\034\232\326\277\110  
\322\062\146\301\212\300\363\057\072\357\300\343\324\221\206\321  
\120\343\003\333\163\167\157\112\071\123\355\336\046\307\265\175  
\257\053\102\321\165\142\343\112\053\002\307\120\113\340\151\342  
\226\154\016\104\146\020\104\217\255\005\353\370\171\254\246\033  
\350\067\064\235\123\311\141\252\242\122\257\112\160\026\206\302  
\072\310\261\023\160\066\330\317\356\364\012\064\325\133\114\375  
\007\234\242\272\331\001\162\134\363\115\301\335\016\261\034\015  
\304\143\276\255\364\024\373\211\354\242\101\016\114\314\310\127  
\100\320\156\003\252\315\014\216\211\231\231\154\360\074\060\257  
\070\337\157\274\243\276\051\040\047\253\164\377\023\042\170\336  
\227\122\125\036\203\265\124\040\003\356\256\300\117\126\336\067  
\314\303\177\252\004\047\273\323\167\270\142\333\027\174\234\050  
\042\023\163\154\317\046\365\212\051\347

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "DigiCert Assured ID Root G2"

# Issuer: CN=DigiCert Assured ID Root G2,OU=www.digicert.com,O=DigiCert Inc,C=US

```
# Serial Number:0b:93:1c:3a:d6:39:67:ea:67:23:bf:c3:af:9a:f4:4b
# Subject: CN=DigiCert Assured ID Root G2,OU=www.digicert.com,O=DigiCert Inc,C=US
# Not Valid Before: Thu Aug 01 12:00:00 2013
# Not Valid After : Fri Jan 15 12:00:00 2038
# Fingerprint (SHA-256):
7D:05:EB:B6:82:33:9F:8C:94:51:EE:09:4E:EB:FE:FA:79:53:A1:14:ED:B2:F4:49:49:45:2F:AB:7D:2F:C1:85
# Fingerprint (SHA1): A1:4B:48:D9:43:EE:0A:0E:40:90:4F:3C:E0:A4:C0:91:93:51:5D:3F
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "DigiCert Assured ID Root G2"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\241\113\110\331\103\356\012\016\100\220\117\074\340\244\300\221
\223\121\135\077
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\222\070\271\370\143\044\202\145\054\127\063\346\376\201\217\235
END
CKA_ISSUER MULTILINE_OCTAL
\060\145\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157
\155\061\044\060\042\006\003\125\004\003\023\033\104\151\147\151
\103\145\162\164\040\101\163\163\165\162\145\144\040\111\104\040
\122\157\157\164\040\107\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\013\223\034\072\326\071\147\352\147\043\277\303\257\232
\364\113
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "DigiCert Assured ID Root G3"
#
# Issuer: CN=DigiCert Assured ID Root G3,OU=www.digicert.com,O=DigiCert Inc,C=US
# Serial Number:0b:a1:5a:fa:1d:df:a0:b5:49:44:af:cd:24:a0:6c:ec
# Subject: CN=DigiCert Assured ID Root G3,OU=www.digicert.com,O=DigiCert Inc,C=US
# Not Valid Before: Thu Aug 01 12:00:00 2013
# Not Valid After : Fri Jan 15 12:00:00 2038
# Fingerprint (SHA-256):
7E:37:CB:8B:4C:47:09:0C:AB:36:55:1B:A6:F4:5D:B8:40:68:0F:BA:16:6A:95:2D:B1:00:71:7F:43:05:3F:C2
# Fingerprint (SHA1): F5:17:A2:4F:9A:48:C6:C9:F8:A2:00:26:9F:DC:0F:48:2C:AB:30:89
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "DigiCert Assured ID Root G3"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\145\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157
\155\061\044\060\042\006\003\125\004\003\023\033\104\151\147\151
\103\145\162\164\040\101\163\163\165\162\145\144\040\111\104\040
\122\157\157\164\040\107\063
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\145\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157
\155\061\044\060\042\006\003\125\004\003\023\033\104\151\147\151
\103\145\162\164\040\101\163\163\165\162\145\144\040\111\104\040
\122\157\157\164\040\107\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\013\241\132\372\035\337\240\265\111\104\257\315\044\240
\154\354
END
CKA_VALUE MULTILINE_OCTAL
\060\202\002\106\060\202\001\315\240\003\002\001\002\002\020\013
\241\132\372\035\337\240\265\111\104\257\315\044\240\154\354\060
\012\006\010\052\206\110\316\075\004\003\003\060\145\061\013\060
\011\006\003\125\004\006\023\002\125\123\061\025\060\023\006\003
\125\004\012\023\014\104\151\147\151\103\145\162\164\040\111\156
\143\061\031\060\027\006\003\125\004\013\023\020\167\167\167\056
\144\151\147\151\143\145\162\164\056\143\157\155\061\044\060\042
\006\003\125\004\003\023\033\104\151\147\151\103\145\162\164\040
\101\163\163\165\162\145\144\040\111\104\040\122\157\157\164\040
\107\063\060\036\027\015\061\063\060\070\060\061\061\062\060\060
\060\060\132\027\015\063\070\060\061\061\065\061\062\060\060\060
\060\132\060\145\061\013\060\011\006\003\125\004\006\023\002\125
\123\061\025\060\023\006\003\125\004\012\023\014\104\151\147\151
\103\145\162\164\040\111\156\143\061\031\060\027\006\003\125\004
\013\023\020\167\167\167\056\144\151\147\151\143\145\162\164\056
\143\157\155\061\044\060\042\006\003\125\004\003\023\033\104\151
\147\151\103\145\162\164\040\101\163\163\165\162\145\144\040\111
\104\040\122\157\157\164\040\107\063\060\166\060\020\006\007\052
```

\206\110\316\075\002\001\006\005\053\201\004\000\042\003\142\000  
\004\031\347\274\254\104\145\355\315\270\077\130\373\215\261\127  
\251\104\055\005\025\362\357\013\377\020\164\237\265\142\122\137  
\146\176\037\345\334\033\105\171\013\314\306\123\012\235\215\135  
\002\331\251\131\336\002\132\366\225\052\016\215\070\112\212\111  
\306\274\306\003\070\007\137\125\332\176\011\156\342\177\136\320  
\105\040\017\131\166\020\326\240\044\360\055\336\066\362\154\051  
\071\243\102\060\100\060\017\006\003\125\035\023\001\001\377\004  
\005\060\003\001\001\377\060\016\006\003\125\035\017\001\001\377  
\004\004\003\002\001\206\060\035\006\003\125\035\016\004\026\004  
\024\313\320\275\251\341\230\005\121\241\115\067\242\203\171\316  
\215\035\052\344\204\060\012\006\010\052\206\110\316\075\004\003  
\003\003\147\000\060\144\002\060\045\244\201\105\002\153\022\113  
\165\164\117\310\043\343\160\362\165\162\336\174\211\360\317\221  
\162\141\236\136\020\222\131\126\271\203\307\020\347\070\351\130  
\046\066\175\325\344\064\206\071\002\060\174\066\123\360\060\345  
\142\143\072\231\342\266\243\073\233\064\372\036\332\020\222\161  
\136\221\023\247\335\244\156\222\314\062\326\365\041\146\307\057  
\352\226\143\152\145\105\222\225\001\264

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRUST\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRUST\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "DigiCert Assured ID Root G3"

# Issuer: CN=DigiCert Assured ID Root G3,OU=www.digicert.com,O=DigiCert Inc,C=US

# Serial Number:0b:a1:5a:fa:1d:df:a0:b5:49:44:af:cd:24:a0:6c:ec

# Subject: CN=DigiCert Assured ID Root G3,OU=www.digicert.com,O=DigiCert Inc,C=US

# Not Valid Before: Thu Aug 01 12:00:00 2013

# Not Valid After : Fri Jan 15 12:00:00 2038

# Fingerprint (SHA-256):

7E:37:CB:8B:4C:47:09:0C:AB:36:55:1B:A6:F4:5D:B8:40:68:0F:BA:16:6A:95:2D:B1:00:71:7F:43:05:3F:C2

# Fingerprint (SHA1): F5:17:A2:4F:9A:48:C6:C9:F8:A2:00:26:9F:DC:0F:48:2C:AB:30:89

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "DigiCert Assured ID Root G3"

CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL

\365\027\242\117\232\110\306\311\370\242\000\046\237\334\017\110  
\054\253\060\211

END

CKA\_CERT\_MD5\_HASH MULTILINE\_OCTAL

\174\177\145\061\014\201\337\215\272\076\231\342\134\255\156\373

END

CKA\_ISSUER MULTILINE\_OCTAL

\060\145\061\013\060\011\006\003\125\004\006\023\002\125\123\061  
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145



```
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157
\155\061\044\060\042\006\003\125\004\003\023\033\104\151\147\151
\103\145\162\164\040\101\163\163\165\162\145\144\040\111\104\040
\122\157\157\164\040\107\063
```

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

```
\002\020\013\241\132\372\035\337\240\265\111\104\257\315\044\240
\154\354
```

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "DigiCert Global Root G2"

#

# Issuer: CN=DigiCert Global Root G2,OU=www.digicert.com,O=DigiCert Inc,C=US

# Serial Number:03:3a:f1:e6:a7:11:a9:a0:bb:28:64:b1:1d:09:fa:e5

# Subject: CN=DigiCert Global Root G2,OU=www.digicert.com,O=DigiCert Inc,C=US

# Not Valid Before: Thu Aug 01 12:00:00 2013

# Not Valid After : Fri Jan 15 12:00:00 2038

# Fingerprint (SHA-256):

CB:3C:CB:B7:60:31:E5:E0:13:8F:8D:D3:9A:23:F9:DE:47:FF:C3:5E:43:C1:14:4C:EA:27:D4:6A:5A:B1:CB:5F

# Fingerprint (SHA1): DF:3C:24:F9:BF:D6:66:76:1B:26:80:73:FE:06:D1:CC:8D:4F:82:A4

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "DigiCert Global Root G2"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

```
\060\141\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157
\155\061\040\060\036\006\003\125\004\003\023\027\104\151\147\151
\103\145\162\164\040\107\154\157\142\141\154\040\122\157\157\164
\040\107\062
```

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

```
\060\141\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157
\155\061\040\060\036\006\003\125\004\003\023\027\104\151\147\151
```

\103\145\162\164\040\107\154\157\142\141\154\040\122\157\157\164  
\040\107\062

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\020\003\072\361\346\247\021\251\240\273\050\144\261\035\011  
\372\345

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\003\216\060\202\002\166\240\003\002\001\002\002\020\003  
\072\361\346\247\021\251\240\273\050\144\261\035\011\372\345\060  
\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060\141  
\061\013\060\011\006\003\125\004\006\023\002\125\123\061\025\060  
\023\006\003\125\004\012\023\014\104\151\147\151\103\145\162\164  
\040\111\156\143\061\031\060\027\006\003\125\004\013\023\020\167  
\167\167\056\144\151\147\151\143\145\162\164\056\143\157\155\061  
\040\060\036\006\003\125\004\003\023\027\104\151\147\151\103\145  
\162\164\040\107\154\157\142\141\154\040\122\157\157\164\040\107  
\062\060\036\027\015\061\063\060\070\060\061\061\062\060\060\060  
\060\132\027\015\063\070\060\061\061\065\061\062\060\060\060\060  
\132\060\141\061\013\060\011\006\003\125\004\006\023\002\125\123  
\061\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103  
\145\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013  
\023\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143  
\157\155\061\040\060\036\006\003\125\004\003\023\027\104\151\147  
\151\103\145\162\164\040\107\154\157\142\141\154\040\122\157\157  
\164\040\107\062\060\202\001\042\060\015\006\011\052\206\110\206  
\367\015\001\001\001\005\000\003\202\001\017\000\060\202\001\012  
\002\202\001\001\000\273\067\315\064\334\173\153\311\262\150\220  
\255\112\165\377\106\272\041\012\010\215\365\031\124\311\373\210  
\333\363\256\362\072\211\221\074\172\346\253\006\032\153\317\254  
\055\350\136\011\044\104\272\142\232\176\326\243\250\176\340\124  
\165\040\005\254\120\267\234\143\032\154\060\334\332\037\031\261  
\327\036\336\375\327\340\313\224\203\067\256\354\037\103\116\335  
\173\054\322\275\056\245\057\344\251\270\255\072\324\231\244\266  
\045\351\233\153\000\140\222\140\377\117\041\111\030\367\147\220  
\253\141\006\234\217\362\272\351\264\351\222\062\153\265\363\127  
\350\135\033\315\214\035\253\225\004\225\111\363\065\055\226\343  
\111\155\335\167\343\373\111\113\264\254\125\007\251\217\225\263  
\264\043\273\114\155\105\360\366\251\262\225\060\264\375\114\125  
\214\047\112\127\024\174\202\235\315\163\222\323\026\112\006\014  
\214\120\321\217\036\011\276\027\241\346\041\312\375\203\345\020  
\274\203\245\012\304\147\050\366\163\024\024\075\106\166\303\207  
\024\211\041\064\115\257\017\105\014\246\111\241\272\273\234\305  
\261\063\203\051\205\002\003\001\000\001\243\102\060\100\060\017  
\006\003\125\035\023\001\001\377\004\005\060\003\001\001\377\060  
\016\006\003\125\035\017\001\001\377\004\004\003\002\001\206\060  
\035\006\003\125\035\016\004\026\004\024\116\042\124\040\030\225  
\346\343\156\346\017\372\372\271\022\355\006\027\217\071\060\015

```
\006\011\052\206\110\206\367\015\001\001\013\005\000\003\202\001
\001\000\140\147\050\224\157\016\110\143\353\061\335\352\147\030
\325\211\175\074\305\213\112\177\351\276\333\053\027\337\260\137
\163\167\052\062\023\071\201\147\102\204\043\362\105\147\065\354
\210\277\370\217\260\141\014\064\244\256\040\114\204\306\333\370
\065\341\166\331\337\246\102\273\307\104\010\206\177\066\164\044
\132\332\154\015\024\131\065\275\362\111\335\266\037\311\263\015
\107\052\075\231\057\273\134\273\265\324\040\341\231\137\123\106
\025\333\150\233\360\363\060\325\076\061\342\215\204\236\343\212
\332\332\226\076\065\023\245\137\360\371\160\120\160\107\101\021
\127\031\116\300\217\256\006\304\225\023\027\057\033\045\237\165
\362\261\216\231\241\157\023\261\101\161\376\210\052\310\117\020
\040\125\327\363\024\105\345\340\104\364\352\207\225\062\223\016
\376\123\106\372\054\235\377\213\042\271\113\331\011\105\244\336
\244\270\232\130\335\033\175\122\237\216\131\103\210\201\244\236
\046\325\157\255\335\015\306\067\175\355\003\222\033\345\167\137
\166\356\074\215\304\135\126\133\242\331\146\156\263\065\067\345
\062\266
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "DigiCert Global Root G2"
```

```
# Issuer: CN=DigiCert Global Root G2,OU=www.digicert.com,O=DigiCert Inc,C=US
```

```
# Serial Number:03:3a:f1:e6:a7:11:a9:a0:bb:28:64:b1:1d:09:fa:e5
```

```
# Subject: CN=DigiCert Global Root G2,OU=www.digicert.com,O=DigiCert Inc,C=US
```

```
# Not Valid Before: Thu Aug 01 12:00:00 2013
```

```
# Not Valid After : Fri Jan 15 12:00:00 2038
```

```
# Fingerprint (SHA-256):
```

```
CB:3C:CB:B7:60:31:E5:E0:13:8F:8D:D3:9A:23:F9:DE:47:FF:C3:5E:43:C1:14:4C:EA:27:D4:6A:5A:B1:CB:5F
```

```
# Fingerprint (SHA1): DF:3C:24:F9:BF:D6:66:76:1B:26:80:73:FE:06:D1:CC:8D:4F:82:A4
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "DigiCert Global Root G2"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\337\074\044\371\277\326\146\166\033\046\200\163\376\006\321\314
\215\117\202\244
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\344\246\212\310\124\254\122\102\106\012\375\162\110\033\052\104
END
```

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\141\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023
```

```
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157
\155\061\040\060\036\006\003\125\004\003\023\027\104\151\147\151
\103\145\162\164\040\107\154\157\142\141\154\040\122\157\157\164
\040\107\062
```

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

```
\002\020\003\072\361\346\247\021\251\240\273\050\144\261\035\011
\372\345
```

END

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE
```

#

# Certificate "DigiCert Global Root G3"

#

# Issuer: CN=DigiCert Global Root G3,OU=www.digicert.com,O=DigiCert Inc,C=US

# Serial Number:05:55:56:bc:f2:5e:a4:35:35:c3:a4:0f:d5:ab:45:72

# Subject: CN=DigiCert Global Root G3,OU=www.digicert.com,O=DigiCert Inc,C=US

# Not Valid Before: Thu Aug 01 12:00:00 2013

# Not Valid After : Fri Jan 15 12:00:00 2038

# Fingerprint (SHA-256):

31:AD:66:48:F8:10:41:38:C7:38:F3:9E:A4:32:01:33:39:3E:3A:18:CC:02:29:6E:F9:7C:2A:C9:EF:67:31:D0

# Fingerprint (SHA1): 7E:04:DE:89:6A:3E:66:6D:00:E6:87:D3:3F:FA:D9:3B:E8:3D:34:9E

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "DigiCert Global Root G3"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

```
\060\141\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157
\155\061\040\060\036\006\003\125\004\003\023\027\104\151\147\151
\103\145\162\164\040\107\154\157\142\141\154\040\122\157\157\164
\040\107\063
```

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

```
\060\141\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157
\155\061\040\060\036\006\003\125\004\003\023\027\104\151\147\151
\103\145\162\164\040\107\154\157\142\141\154\040\122\157\157\164
```

```
\040\107\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\005\125\126\274\362\136\244\065\065\303\244\017\325\253
\105\162
END
CKA_VALUE MULTILINE_OCTAL
\060\202\002\077\060\202\001\305\240\003\002\001\002\002\020\005
\125\126\274\362\136\244\065\065\303\244\017\325\253\105\162\060
\012\006\010\052\206\110\316\075\004\003\003\060\141\061\013\060
\011\006\003\125\004\006\023\002\125\123\061\025\060\023\006\003
\125\004\012\023\014\104\151\147\151\103\145\162\164\040\111\156
\143\061\031\060\027\006\003\125\004\013\023\020\167\167\167\056
\144\151\147\151\143\145\162\164\056\143\157\155\061\040\060\036
\006\003\125\004\003\023\027\104\151\147\151\103\145\162\164\040
\107\154\157\142\141\154\040\122\157\157\164\040\107\063\060\036
\027\015\061\063\060\070\060\061\061\062\060\060\060\060\132\027
\015\063\070\060\061\061\065\061\062\060\060\060\060\132\060\141
\061\013\060\011\006\003\125\004\006\023\002\125\123\061\025\060
\023\006\003\125\004\012\023\014\104\151\147\151\103\145\162\164
\040\111\156\143\061\031\060\027\006\003\125\004\013\023\020\167
\167\167\056\144\151\147\151\143\145\162\164\056\143\157\155\061
\040\060\036\006\003\125\004\003\023\027\104\151\147\151\103\145
\162\164\040\107\154\157\142\141\154\040\122\157\157\164\040\107
\063\060\166\060\020\006\007\052\206\110\316\075\002\001\006\005
\053\201\004\000\042\003\142\000\004\335\247\331\273\212\270\013
\373\013\177\041\322\360\276\276\163\363\063\135\032\274\064\352
\336\306\233\274\320\225\366\360\314\320\013\272\141\133\121\106
\176\236\055\237\356\216\143\014\027\354\007\160\365\317\204\056
\100\203\234\350\077\101\155\073\255\323\244\024\131\066\170\235
\003\103\356\020\023\154\162\336\256\210\247\241\153\265\103\316
\147\334\043\377\003\034\243\342\076\243\102\060\100\060\017\006
\003\125\035\023\001\001\377\004\005\060\003\001\001\377\060\016
\006\003\125\035\017\001\001\377\004\004\003\002\001\206\060\035
\006\003\125\035\016\004\026\004\024\263\333\110\244\371\241\305
\330\256\066\101\314\021\143\151\142\051\274\113\306\060\012\006
\010\052\206\110\316\075\004\003\003\003\150\000\060\145\002\061
\000\255\274\362\154\077\022\112\321\055\071\303\012\011\227\163
\364\210\066\214\210\047\273\346\210\215\120\205\247\143\371\236
\062\336\146\223\017\361\314\261\011\217\335\154\253\372\153\177
\240\002\060\071\146\133\302\144\215\270\236\120\334\250\325\111
\242\355\307\334\321\111\177\027\001\270\310\206\217\116\214\210
\053\250\232\251\212\305\321\000\275\370\124\342\232\345\133\174
\263\047\027
END
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```

# Trust for "DigiCert Global Root G3"
# Issuer: CN=DigiCert Global Root G3,OU=www.digicert.com,O=DigiCert Inc,C=US
# Serial Number:05:55:56:bc:f2:5e:a4:35:35:c3:a4:0f:d5:ab:45:72
# Subject: CN=DigiCert Global Root G3,OU=www.digicert.com,O=DigiCert Inc,C=US
# Not Valid Before: Thu Aug 01 12:00:00 2013
# Not Valid After : Fri Jan 15 12:00:00 2038
# Fingerprint (SHA-256):
31:AD:66:48:F8:10:41:38:C7:38:F3:9E:A4:32:01:33:39:3E:3A:18:CC:02:29:6E:F9:7C:2A:C9:EF:67:31:D0
# Fingerprint (SHA1): 7E:04:DE:89:6A:3E:66:6D:00:E6:87:D3:3F:FA:D9:3B:E8:3D:34:9E
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "DigiCert Global Root G3"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\176\004\336\211\152\076\146\155\000\346\207\323\077\372\331\073
\350\075\064\236
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\365\135\244\120\245\373\050\176\036\017\015\314\226\127\126\312
END
CKA_ISSUER MULTILINE_OCTAL
\060\141\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157
\155\061\040\060\036\006\003\125\004\003\023\027\104\151\147\151
\103\145\162\164\040\107\154\157\142\141\154\040\122\157\157\164
\040\107\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\005\125\126\274\362\136\244\065\065\303\244\017\325\253
\105\162
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "DigiCert Trusted Root G4"
#
# Issuer: CN=DigiCert Trusted Root G4,OU=www.digicert.com,O=DigiCert Inc,C=US
# Serial Number:05:9b:1b:57:9e:8e:21:32:e2:39:07:bd:a7:77:75:5c
# Subject: CN=DigiCert Trusted Root G4,OU=www.digicert.com,O=DigiCert Inc,C=US
# Not Valid Before: Thu Aug 01 12:00:00 2013
# Not Valid After : Fri Jan 15 12:00:00 2038

```

```
# Fingerprint (SHA-256):
55:2F:7B:DC:F1:A7:AF:9E:6C:E6:72:01:7F:4F:12:AB:F7:72:40:C7:8E:76:1A:C2:03:D1:D9:D2:0A:C8:99:88
# Fingerprint (SHA1): DD:FB:16:CD:49:31:C9:73:A2:03:7D:3F:C8:3A:4D:7D:77:5D:05:E4
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "DigiCert Trusted Root G4"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\142\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157
\155\061\041\060\037\006\003\125\004\003\023\030\104\151\147\151
\103\145\162\164\040\124\162\165\163\164\145\144\040\122\157\157
\164\040\107\064
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\142\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157
\155\061\041\060\037\006\003\125\004\003\023\030\104\151\147\151
\103\145\162\164\040\124\162\165\163\164\145\144\040\122\157\157
\164\040\107\064
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\005\233\033\127\236\216\041\062\342\071\007\275\247\167
\165\134
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\220\060\202\003\170\240\003\002\001\002\002\020\005
\233\033\127\236\216\041\062\342\071\007\275\247\167\165\134\060
\015\006\011\052\206\110\206\367\015\001\001\014\005\000\060\142
\061\013\060\011\006\003\125\004\006\023\002\125\123\061\025\060
\023\006\003\125\004\012\023\014\104\151\147\151\103\145\162\164
\040\111\156\143\061\031\060\027\006\003\125\004\013\023\020\167
\167\167\056\144\151\147\151\143\145\162\164\056\143\157\155\061
\041\060\037\006\003\125\004\003\023\030\104\151\147\151\103\145
\162\164\040\124\162\165\163\164\145\144\040\122\157\157\164\040
\107\064\060\036\027\015\061\063\060\070\060\061\061\062\060\060\060
\060\060\132\027\015\063\070\060\061\061\065\061\062\060\060\060
\060\132\060\142\061\013\060\011\006\003\125\004\006\023\002\125
\123\061\025\060\023\006\003\125\004\012\023\014\104\151\147\151
\103\145\162\164\040\111\156\143\061\031\060\027\006\003\125\004
\013\023\020\167\167\167\056\144\151\147\151\143\145\162\164\056
```

\143\157\155\061\041\060\037\006\003\125\004\003\023\030\104\151  
\147\151\103\145\162\164\040\124\162\165\163\164\145\144\040\122  
\157\157\164\040\107\064\060\202\002\042\060\015\006\011\052\206  
\110\206\367\015\001\001\001\005\000\003\202\002\017\000\060\202  
\002\012\002\202\002\001\000\277\346\220\163\150\336\273\344\135  
\112\074\060\042\060\151\063\354\302\247\045\056\311\041\075\362  
\212\330\131\302\341\051\247\075\130\253\166\232\315\256\173\033  
\204\015\304\060\037\363\033\244\070\026\353\126\306\227\155\035  
\253\262\171\362\312\021\322\344\137\326\005\074\122\017\122\037  
\306\236\025\245\176\276\237\251\127\026\131\125\162\257\150\223  
\160\302\262\272\165\231\152\163\062\224\321\020\104\020\056\337  
\202\363\007\204\346\164\073\155\161\342\055\014\033\356\040\325  
\311\040\035\143\051\055\316\354\136\116\310\223\370\041\141\233  
\064\353\005\306\136\354\133\032\274\353\311\317\315\254\064\100  
\137\261\172\146\356\167\310\110\250\146\127\127\237\124\130\216  
\014\053\267\117\247\060\331\126\356\312\173\135\343\255\311\117  
\136\345\065\347\061\313\332\223\136\334\216\217\200\332\266\221  
\230\100\220\171\303\170\307\266\261\304\265\152\030\070\003\020  
\215\330\324\067\244\056\005\175\210\365\202\076\020\221\160\253  
\125\202\101\062\327\333\004\163\052\156\221\001\174\041\114\324  
\274\256\033\003\165\135\170\146\331\072\061\104\232\063\100\277  
\010\327\132\111\244\302\346\251\240\147\335\244\047\274\241\117  
\071\265\021\130\027\367\044\134\106\217\144\367\301\151\210\166  
\230\166\075\131\135\102\166\207\211\227\151\172\110\360\340\242  
\022\033\146\232\164\312\336\113\036\347\016\143\256\346\324\357  
\222\222\072\236\075\334\000\344\105\045\211\266\232\104\031\053  
\176\300\224\264\322\141\155\353\063\331\305\337\113\004\000\314  
\175\034\225\303\217\367\041\262\262\021\267\273\177\362\325\214  
\160\054\101\140\252\261\143\030\104\225\032\166\142\176\366\200  
\260\373\350\144\246\063\321\211\007\341\275\267\346\103\244\030  
\270\246\167\001\341\017\224\014\041\035\262\124\051\045\211\154  
\345\016\122\121\107\164\276\046\254\266\101\165\336\172\254\137  
\215\077\311\274\323\101\021\022\133\345\020\120\353\061\305\312  
\162\026\042\011\337\174\114\165\077\143\354\041\137\304\040\121  
\153\157\261\253\206\213\117\302\326\105\137\235\040\374\241\036  
\305\300\217\242\261\176\012\046\231\365\344\151\057\230\035\055  
\365\331\251\262\035\345\033\002\003\001\000\001\243\102\060\100  
\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001  
\377\060\016\006\003\125\035\017\001\001\377\004\004\003\002\001  
\206\060\035\006\003\125\035\016\004\026\004\024\354\327\343\202  
\322\161\135\144\114\337\056\147\077\347\272\230\256\034\017\117  
\060\015\006\011\052\206\110\206\367\015\001\001\014\005\000\003  
\202\002\001\000\273\141\331\175\251\154\276\027\304\221\033\303  
\241\242\000\215\343\144\150\017\126\317\167\256\160\371\375\232  
\112\231\271\311\170\134\014\014\137\344\346\024\051\126\013\066  
\111\135\104\143\340\255\234\226\030\146\033\043\015\075\171\351  
\155\153\326\124\370\322\074\301\103\100\256\035\120\365\122\374  
\220\073\273\230\231\151\153\307\301\247\250\150\244\047\334\235



\371\047\256\060\205\271\366\147\115\072\076\217\131\071\042\123  
\104\353\310\135\003\312\355\120\172\175\142\041\012\200\310\163  
\146\321\240\005\140\137\350\245\264\247\257\250\367\155\065\234  
\174\132\212\326\242\070\231\363\170\213\364\115\322\040\013\336  
\004\356\214\233\107\201\162\015\300\024\062\357\060\131\056\256  
\340\161\362\126\344\152\227\157\222\120\155\226\215\150\172\232  
\262\066\024\172\006\362\044\271\011\021\120\327\010\261\270\211  
\172\204\043\141\102\051\345\243\315\242\040\101\327\321\234\144  
\331\352\046\241\213\024\327\114\031\262\120\101\161\075\077\115  
\160\043\206\014\112\334\201\322\314\062\224\204\015\010\011\227  
\034\117\300\356\153\040\164\060\322\340\071\064\020\205\041\025  
\001\010\350\125\062\336\161\111\331\050\027\120\115\346\276\115  
\321\165\254\320\312\373\101\270\103\245\252\323\303\005\104\117  
\054\066\233\342\372\342\105\270\043\123\154\006\157\147\125\177  
\106\265\114\077\156\050\132\171\046\322\244\250\142\227\322\036  
\342\355\112\213\274\033\375\107\112\015\337\147\146\176\262\133  
\101\320\073\344\364\073\364\004\143\351\357\302\124\000\121\240  
\212\052\311\316\170\314\325\352\207\004\030\263\316\257\111\210  
\257\363\222\231\266\263\346\141\017\322\205\000\347\120\032\344  
\033\225\235\031\241\271\234\261\233\261\000\036\357\320\017\117  
\102\154\311\012\274\356\103\372\072\161\245\310\115\046\245\065  
\375\211\135\274\205\142\035\062\322\240\053\124\355\232\127\301  
\333\372\020\317\031\267\213\112\033\217\001\266\047\225\123\350  
\266\211\155\133\274\150\324\043\350\213\121\242\126\371\360\246  
\200\240\326\036\263\274\017\017\123\165\051\252\352\023\167\344  
\336\214\201\041\255\007\020\107\021\255\207\075\007\321\165\274  
\317\363\146\176

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "DigiCert Trusted Root G4"

# Issuer: CN=DigiCert Trusted Root G4,OU=www.digicert.com,O=DigiCert Inc,C=US

# Serial Number:05:9b:1b:57:9e:8e:21:32:e2:39:07:bd:a7:77:75:5c

# Subject: CN=DigiCert Trusted Root G4,OU=www.digicert.com,O=DigiCert Inc,C=US

# Not Valid Before: Thu Aug 01 12:00:00 2013

# Not Valid After : Fri Jan 15 12:00:00 2038

# Fingerprint (SHA-256):

55:2F:7B:DC:F1:A7:AF:9E:6C:E6:72:01:7F:4F:12:AB:F7:72:40:C7:8E:76:1A:C2:03:D1:D9:D2:0A:C8:99:88

# Fingerprint (SHA1): DD:FB:16:CD:49:31:C9:73:A2:03:7D:3F:C8:3A:4D:7D:77:5D:05:E4

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "DigiCert Trusted Root G4"

CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL

\335\373\026\315\111\061\311\163\242\003\175\077\310\072\115\175

```
\167\135\005\344
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\170\362\374\252\140\037\057\264\353\311\067\272\123\056\165\111
END
CKA_ISSUER MULTILINE_OCTAL
\060\142\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\025\060\023\006\003\125\004\012\023\014\104\151\147\151\103\145
\162\164\040\111\156\143\061\031\060\027\006\003\125\004\013\023
\020\167\167\167\056\144\151\147\151\143\145\162\164\056\143\157
\155\061\041\060\037\006\003\125\004\003\023\030\104\151\147\151
\103\145\162\164\040\124\162\165\163\164\145\144\040\122\157\157
\164\040\107\064
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\005\233\033\127\236\216\041\062\342\071\007\275\247\167
\165\134
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "COMODO RSA Certification Authority"
#
# Issuer: CN=COMODO RSA Certification Authority,O=COMODO CA Limited,L=Salford,ST=Greater
Manchester,C=GB
# Serial Number:4c:aa:f9:ca:db:63:6f:e0:1f:f7:4e:d8:5b:03:86:9d
# Subject: CN=COMODO RSA Certification Authority,O=COMODO CA Limited,L=Salford,ST=Greater
Manchester,C=GB
# Not Valid Before: Tue Jan 19 00:00:00 2010
# Not Valid After : Mon Jan 18 23:59:59 2038
# Fingerprint (SHA-256):
52:F0:E1:C4:E5:8E:C6:29:29:1B:60:31:7F:07:46:71:B8:5D:7E:A8:0D:5B:07:27:34:63:53:4B:32:B4:02:34
# Fingerprint (SHA1): AF:E5:D2:44:A8:D1:19:42:30:FF:47:9F:E2:F8:97:BB:CD:7A:8C:B4
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "COMODO RSA Certification Authority"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\205\061\013\060\011\006\003\125\004\006\023\002\107\102
\061\033\060\031\006\003\125\004\010\023\022\107\162\145\141\164
\145\162\040\115\141\156\143\150\145\163\164\145\162\061\020\060
\016\006\003\125\004\007\023\007\123\141\154\146\157\162\144\061
\032\060\030\006\003\125\004\012\023\021\103\117\115\117\104\117
```

\040\103\101\040\114\151\155\151\164\145\144\061\053\060\051\006  
\003\125\004\003\023\042\103\117\115\117\104\117\040\122\123\101  
\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040\101  
\165\164\150\157\162\151\164\171

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\201\205\061\013\060\011\006\003\125\004\006\023\002\107\102  
\061\033\060\031\006\003\125\004\010\023\022\107\162\145\141\164  
\145\162\040\115\141\156\143\150\145\163\164\145\162\061\020\060  
\016\006\003\125\004\007\023\007\123\141\154\146\157\162\144\061  
\032\060\030\006\003\125\004\012\023\021\103\117\115\117\104\117  
\040\103\101\040\114\151\155\151\164\145\144\061\053\060\051\006  
\003\125\004\003\023\042\103\117\115\117\104\117\040\122\123\101  
\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040\101  
\165\164\150\157\162\151\164\171

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\020\114\252\371\312\333\143\157\340\037\367\116\330\133\003  
\206\235

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\005\330\060\202\003\300\240\003\002\001\002\002\020\114  
\252\371\312\333\143\157\340\037\367\116\330\133\003\206\235\060  
\015\006\011\052\206\110\206\367\015\001\001\014\005\000\060\201  
\205\061\013\060\011\006\003\125\004\006\023\002\107\102\061\033  
\060\031\006\003\125\004\010\023\022\107\162\145\141\164\145\162  
\040\115\141\156\143\150\145\163\164\145\162\061\020\060\016\006  
\003\125\004\007\023\007\123\141\154\146\157\162\144\061\032\060  
\030\006\003\125\004\012\023\021\103\117\115\117\104\117\040\103  
\101\040\114\151\155\151\164\145\144\061\053\060\051\006\003\125  
\004\003\023\042\103\117\115\117\104\117\040\122\123\101\040\103  
\145\162\164\151\146\151\143\141\164\151\157\156\040\101\165\164  
\150\157\162\151\164\171\060\036\027\015\061\060\060\061\061\071  
\060\060\060\060\060\060\132\027\015\063\070\060\061\061\070\062  
\063\065\071\065\071\132\060\201\205\061\013\060\011\006\003\125  
\004\006\023\002\107\102\061\033\060\031\006\003\125\004\010\023  
\022\107\162\145\141\164\145\162\040\115\141\156\143\150\145\163  
\164\145\162\061\020\060\016\006\003\125\004\007\023\007\123\141  
\154\146\157\162\144\061\032\060\030\006\003\125\004\012\023\021  
\103\117\115\117\104\117\040\103\101\040\114\151\155\151\164\145  
\144\061\053\060\051\006\003\125\004\003\023\042\103\117\115\117  
\104\117\040\122\123\101\040\103\145\162\164\151\146\151\143\141  
\164\151\157\156\040\101\165\164\150\157\162\151\164\171\060\202  
\002\042\060\015\006\011\052\206\110\206\367\015\001\001\001\005  
\000\003\202\002\017\000\060\202\002\012\002\202\002\001\000\221  
\350\124\222\322\012\126\261\254\015\044\335\305\317\104\147\164  
\231\053\067\243\175\043\160\000\161\274\123\337\304\372\052\022

\217\113\177\020\126\275\237\160\162\267\141\177\311\113\017\027  
\247\075\343\260\004\141\356\377\021\227\307\364\206\076\012\372  
\076\134\371\223\346\064\172\331\024\153\347\234\263\205\240\202  
\172\166\257\161\220\327\354\375\015\372\234\154\372\337\260\202  
\364\024\176\371\276\304\246\057\117\177\231\177\265\374\147\103  
\162\275\014\000\326\211\353\153\054\323\355\217\230\034\024\253  
\176\345\343\156\374\330\250\344\222\044\332\103\153\142\270\125  
\375\352\301\274\154\266\213\363\016\215\232\344\233\154\151\231  
\370\170\110\060\105\325\255\341\015\074\105\140\374\062\226\121  
\047\274\147\303\312\056\266\153\352\106\307\307\040\240\261\037  
\145\336\110\010\272\244\116\251\362\203\106\067\204\353\350\314  
\201\110\103\147\116\162\052\233\134\275\114\033\050\212\134\042  
\173\264\253\230\331\356\340\121\203\303\011\106\116\155\076\231  
\372\225\027\332\174\063\127\101\074\215\121\355\013\266\134\257  
\054\143\032\337\127\310\077\274\351\135\304\233\257\105\231\342  
\243\132\044\264\272\251\126\075\317\157\252\377\111\130\276\360  
\250\377\364\270\255\351\067\373\272\270\364\013\072\371\350\103  
\102\036\211\330\204\313\023\361\331\273\341\211\140\270\214\050  
\126\254\024\035\234\012\347\161\353\317\016\335\075\251\226\241  
\110\275\074\367\257\265\015\042\114\300\021\201\354\126\073\366  
\323\242\342\133\267\262\004\042\122\225\200\223\151\350\216\114  
\145\361\221\003\055\160\164\002\352\213\147\025\051\151\122\002  
\273\327\337\120\152\125\106\277\240\243\050\141\177\160\320\303  
\242\252\054\041\252\107\316\050\234\006\105\166\277\202\030\047  
\264\325\256\264\313\120\346\153\364\114\206\161\060\351\246\337  
\026\206\340\330\377\100\335\373\320\102\210\177\243\063\072\056  
\134\036\101\021\201\143\316\030\161\153\053\354\246\212\267\061  
\134\072\152\107\340\303\171\131\326\040\032\257\362\152\230\252  
\162\274\127\112\322\113\235\273\020\374\260\114\101\345\355\035  
\075\136\050\235\234\314\277\263\121\332\247\107\345\204\123\002  
\003\001\000\001\243\102\060\100\060\035\006\003\125\035\016\004  
\026\004\024\273\257\176\002\075\372\246\361\074\204\216\255\356  
\070\230\354\331\062\062\324\060\016\006\003\125\035\017\001\001  
\377\004\004\003\002\001\006\060\017\006\003\125\035\023\001\001  
\377\004\005\060\003\001\001\377\060\015\006\011\052\206\110\206  
\367\015\001\001\014\005\000\003\202\002\001\000\012\361\325\106  
\204\267\256\121\273\154\262\115\101\024\000\223\114\234\313\345  
\300\124\317\240\045\216\002\371\375\260\242\015\365\040\230\074  
\023\055\254\126\242\260\326\176\021\222\351\056\272\236\056\232  
\162\261\275\031\104\154\141\065\242\232\264\026\022\151\132\214  
\341\327\076\244\032\350\057\003\364\256\141\035\020\033\052\244  
\213\172\305\376\005\246\341\300\326\310\376\236\256\217\053\272  
\075\231\370\330\163\011\130\106\156\246\234\364\327\047\323\225  
\332\067\203\162\034\323\163\340\242\107\231\003\070\135\325\111  
\171\000\051\034\307\354\233\040\034\007\044\151\127\170\262\071  
\374\072\204\240\265\234\174\215\277\056\223\142\047\267\071\332  
\027\030\256\275\074\011\150\377\204\233\074\325\326\013\003\343  
\127\236\024\367\321\353\117\310\275\207\043\267\266\111\103\171

```
\205\134\272\353\222\013\241\306\350\150\250\114\026\261\032\231
\012\350\123\054\222\273\241\011\030\165\014\145\250\173\313\043
\267\032\302\050\205\303\033\377\320\053\142\357\244\173\011\221
\230\147\214\024\001\315\150\006\152\143\041\165\003\200\210\212
\156\201\306\205\362\251\244\055\347\364\245\044\020\107\203\312
\315\364\215\171\130\261\006\233\347\032\052\331\235\001\327\224
\175\355\003\112\312\360\333\350\251\001\076\365\126\231\311\036
\216\111\075\273\345\011\271\340\117\111\222\075\026\202\100\314
\314\131\306\346\072\355\022\056\151\074\154\225\261\375\252\035
\173\177\206\276\036\016\062\106\373\373\023\217\165\177\114\213
\113\106\143\376\000\064\100\160\301\303\271\241\335\246\160\342
\004\263\101\274\351\200\221\352\144\234\172\341\042\003\251\234
\156\157\016\145\117\154\207\207\136\363\156\240\371\165\245\233
\100\350\123\262\047\235\112\271\300\167\041\215\377\207\362\336
\274\214\357\027\337\267\111\013\321\362\156\060\013\032\016\116
\166\355\021\374\365\351\126\262\175\277\307\155\012\223\214\245
\320\300\266\035\276\072\116\224\242\327\156\154\013\302\212\174
\372\040\363\304\344\345\315\015\250\313\221\222\261\174\205\354
\265\024\151\146\016\202\347\315\316\310\055\246\121\177\041\301
\065\123\205\006\112\135\237\255\273\033\137\164
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "COMODO RSA Certification Authority"
```

```
# Issuer: CN=COMODO RSA Certification Authority,O=COMODO CA Limited,L=Salford,ST=Greater
Manchester,C=GB
```

```
# Serial Number:4c:aa:f9:ca:db:63:6f:e0:1f:f7:4e:d8:5b:03:86:9d
```

```
# Subject: CN=COMODO RSA Certification Authority,O=COMODO CA Limited,L=Salford,ST=Greater
Manchester,C=GB
```

```
# Not Valid Before: Tue Jan 19 00:00:00 2010
```

```
# Not Valid After : Mon Jan 18 23:59:59 2038
```

```
# Fingerprint (SHA-256):
```

```
52:F0:E1:C4:E5:8E:C6:29:29:1B:60:31:7F:07:46:71:B8:5D:7E:A8:0D:5B:07:27:34:63:53:4B:32:B4:02:34
```

```
# Fingerprint (SHA1): AF:E5:D2:44:A8:D1:19:42:30:FF:47:9F:E2:F8:97:BB:CD:7A:8C:B4
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "COMODO RSA Certification Authority"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\257\345\322\104\250\321\031\102\060\377\107\237\342\370\227\273
\315\172\214\264
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\033\061\260\161\100\066\314\024\066\221\255\304\076\375\354\030
```

END

```
CKA_ISSUER MULTILINE_OCTAL
\060\201\205\061\013\060\011\006\003\125\004\006\023\002\107\102
\061\033\060\031\006\003\125\004\010\023\022\107\162\145\141\164
\145\162\040\115\141\156\143\150\145\163\164\145\162\061\020\060
\016\006\003\125\004\007\023\007\123\141\154\146\157\162\144\061
\032\060\030\006\003\125\004\012\023\021\103\117\115\117\104\117
\040\103\101\040\114\151\155\151\164\145\144\061\053\060\051\006
\003\125\004\003\023\042\103\117\115\117\104\117\040\122\123\101
\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040\101
\165\164\150\157\162\151\164\171
```

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

```
\002\020\114\252\371\312\333\143\157\340\037\367\116\330\133\003
\206\235
```

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "USERTrust RSA Certification Authority"

#

# Issuer: CN=USERTrust RSA Certification Authority,O=The USERTRUST Network,L=Jersey City,ST=New Jersey,C=US

# Serial Number:01:fd:6d:30:fc:a3:ca:51:a8:1b:bc:64:0e:35:03:2d

# Subject: CN=USERTrust RSA Certification Authority,O=The USERTRUST Network,L=Jersey City,ST=New Jersey,C=US

# Not Valid Before: Mon Feb 01 00:00:00 2010

# Not Valid After : Mon Jan 18 23:59:59 2038

# Fingerprint (SHA-256):

E7:93:C9:B0:2F:D8:AA:13:E2:1C:31:22:8A:CC:B0:81:19:64:3B:74:9C:89:89:64:B1:74:6D:46:C3:D4:CB:D2

# Fingerprint (SHA1): 2B:8F:1B:57:33:0D:BB:A2:D0:7A:6C:51:F7:0E:E9:0D:DA:B9:AD:8E

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "USERTrust RSA Certification Authority"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

```
\060\201\210\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\023\060\021\006\003\125\004\010\023\012\116\145\167\040\112
\145\162\163\145\171\061\024\060\022\006\003\125\004\007\023\013
\112\145\162\163\145\171\040\103\151\164\171\061\036\060\034\006
\003\125\004\012\023\025\124\150\145\040\125\123\105\122\124\122
\125\123\124\040\116\145\164\167\157\162\153\061\056\060\054\006
\003\125\004\003\023\045\125\123\105\122\124\162\165\163\164\040
\122\123\101\040\103\145\162\164\151\146\151\143\141\164\151\157
```

\156\040\101\165\164\150\157\162\151\164\171

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\201\210\061\013\060\011\006\003\125\004\006\023\002\125\123  
\061\023\060\021\006\003\125\004\010\023\012\116\145\167\040\112  
\145\162\163\145\171\061\024\060\022\006\003\125\004\007\023\013  
\112\145\162\163\145\171\040\103\151\164\171\061\036\060\034\006  
\003\125\004\012\023\025\124\150\145\040\125\123\105\122\124\122  
\125\123\124\040\116\145\164\167\157\162\153\061\056\060\054\006  
\003\125\004\003\023\045\125\123\105\122\124\162\165\163\164\040  
\122\123\101\040\103\145\162\164\151\146\151\143\141\164\151\157  
\156\040\101\165\164\150\157\162\151\164\171

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\020\001\375\155\060\374\243\312\121\250\033\274\144\016\065  
\003\055

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\005\336\060\202\003\306\240\003\002\001\002\002\020\001  
\375\155\060\374\243\312\121\250\033\274\144\016\065\003\055\060  
\015\006\011\052\206\110\206\367\015\001\001\014\005\000\060\201  
\210\061\013\060\011\006\003\125\004\006\023\002\125\123\061\023  
\060\021\006\003\125\004\010\023\012\116\145\167\040\112\145\162  
\163\145\171\061\024\060\022\006\003\125\004\007\023\013\112\145  
\162\163\145\171\040\103\151\164\171\061\036\060\034\006\003\125  
\004\012\023\025\124\150\145\040\125\123\105\122\124\122\125\123  
\124\040\116\145\164\167\157\162\153\061\056\060\054\006\003\125  
\004\003\023\045\125\123\105\122\124\162\165\163\164\040\122\123  
\101\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040  
\101\165\164\150\157\162\151\164\171\060\036\027\015\061\060\060  
\062\060\061\060\060\060\060\060\060\132\027\015\063\070\060\061  
\061\070\062\063\065\071\065\071\132\060\201\210\061\013\060\011  
\006\003\125\004\006\023\002\125\123\061\023\060\021\006\003\125  
\004\010\023\012\116\145\167\040\112\145\162\163\145\171\061\024  
\060\022\006\003\125\004\007\023\013\112\145\162\163\145\171\040  
\103\151\164\171\061\036\060\034\006\003\125\004\012\023\025\124  
\150\145\040\125\123\105\122\124\122\125\123\124\040\116\145\164  
\167\157\162\153\061\056\060\054\006\003\125\004\003\023\045\125  
\123\105\122\124\162\165\163\164\040\122\123\101\040\103\145\162  
\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150\157  
\162\151\164\171\060\202\002\042\060\015\006\011\052\206\110\206  
\367\015\001\001\001\005\000\003\202\002\017\000\060\202\002\012  
\002\202\002\001\000\200\022\145\027\066\016\303\333\010\263\320  
\254\127\015\166\355\315\047\323\114\255\120\203\141\342\252\040  
\115\011\055\144\011\334\316\211\237\314\075\251\354\366\317\301  
\334\361\323\261\326\173\067\050\021\053\107\332\071\306\274\072  
\031\264\137\246\275\175\235\243\143\102\266\166\362\251\073\053

\221\370\342\157\320\354\026\040\220\011\076\342\350\164\311\030  
\264\221\324\142\144\333\177\243\006\361\210\030\152\220\042\074  
\274\376\023\360\207\024\173\366\344\037\216\324\344\121\306\021  
\147\106\010\121\313\206\024\124\077\274\063\376\176\154\234\377  
\026\235\030\275\121\216\065\246\247\146\310\162\147\333\041\146  
\261\324\233\170\003\300\120\072\350\314\360\334\274\236\114\376  
\257\005\226\065\037\127\132\267\377\316\371\075\267\054\266\366  
\124\335\310\347\022\072\115\256\114\212\267\134\232\264\267\040  
\075\312\177\042\064\256\176\073\150\146\001\104\347\001\116\106  
\123\233\063\140\367\224\276\123\067\220\163\103\363\062\303\123  
\357\333\252\376\164\116\151\307\153\214\140\223\336\304\307\014  
\337\341\062\256\314\223\073\121\170\225\147\213\356\075\126\376  
\014\320\151\017\033\017\363\045\046\153\063\155\367\156\107\372  
\163\103\345\176\016\245\146\261\051\174\062\204\143\125\211\304  
\015\301\223\124\060\031\023\254\323\175\067\247\353\135\072\154  
\065\134\333\101\327\022\332\251\111\013\337\330\200\212\011\223  
\142\216\265\146\317\045\210\315\204\270\261\077\244\071\017\331  
\002\236\353\022\114\225\174\363\153\005\251\136\026\203\314\270  
\147\342\350\023\235\314\133\202\323\114\263\355\133\377\336\345  
\163\254\043\073\055\000\277\065\125\164\011\111\330\111\130\032  
\177\222\066\346\121\222\016\363\046\175\034\115\027\274\311\354  
\103\046\320\277\101\137\100\251\104\104\364\231\347\127\207\236  
\120\037\127\124\250\076\375\164\143\057\261\120\145\011\346\130  
\102\056\103\032\114\264\360\045\107\131\372\004\036\223\324\046  
\106\112\120\201\262\336\276\170\267\374\147\025\341\311\127\204  
\036\017\143\326\351\142\272\326\137\125\056\352\134\306\050\010  
\004\045\071\270\016\053\251\362\114\227\034\007\077\015\122\365  
\355\357\057\202\017\002\003\001\000\001\243\102\060\100\060\035  
\006\003\125\035\016\004\026\004\024\123\171\277\132\252\053\112  
\317\124\200\341\330\233\300\235\362\262\003\146\313\060\016\006  
\003\125\035\017\001\001\377\004\004\003\002\001\006\060\017\006  
\003\125\035\023\001\001\377\004\005\060\003\001\001\377\060\015  
\006\011\052\206\110\206\367\015\001\001\014\005\000\003\202\002  
\001\000\134\324\174\015\317\367\001\175\101\231\145\014\163\305  
\122\237\313\370\317\231\006\177\033\332\103\025\237\236\002\125  
\127\226\024\361\122\074\047\207\224\050\355\037\072\001\067\242  
\166\374\123\120\300\204\233\306\153\116\272\214\041\117\242\216  
\125\142\221\363\151\025\330\274\210\343\304\252\013\375\357\250  
\351\113\125\052\006\040\155\125\170\051\031\356\137\060\134\113  
\044\021\125\377\044\232\156\136\052\053\356\013\115\237\177\367  
\001\070\224\024\225\103\007\011\373\140\251\356\034\253\022\214  
\240\232\136\247\230\152\131\155\213\077\010\373\310\321\105\257  
\030\025\144\220\022\017\163\050\056\305\342\044\116\374\130\354  
\360\364\105\376\042\263\353\057\216\322\331\105\141\005\301\227  
\157\250\166\162\217\213\214\066\257\277\015\005\316\161\215\346  
\246\157\037\154\246\161\142\305\330\320\203\162\014\361\147\021  
\211\014\234\023\114\162\064\337\274\325\161\337\252\161\335\341  
\271\154\214\074\022\135\145\332\275\127\022\266\103\153\377\345



\336\115\146\021\121\317\231\256\354\027\266\350\161\221\214\336  
\111\376\335\065\161\242\025\047\224\034\317\141\343\046\273\157  
\243\147\045\041\135\346\335\035\013\056\150\033\073\202\257\354  
\203\147\205\324\230\121\164\261\271\231\200\211\377\177\170\031  
\134\171\112\140\056\222\100\256\114\067\052\054\311\307\142\310  
\016\135\367\066\133\312\340\045\045\001\264\335\032\007\234\167  
\000\077\320\334\325\354\075\324\372\273\077\314\205\326\157\177  
\251\055\337\271\002\367\365\227\232\265\065\332\303\147\260\207  
\112\251\050\236\043\216\377\134\047\153\341\260\117\363\007\356  
\000\056\324\131\207\313\122\101\225\352\364\107\327\356\144\101  
\125\174\215\131\002\225\335\142\235\302\271\356\132\050\164\204  
\245\233\267\220\307\014\007\337\365\211\066\164\062\326\050\301  
\260\260\013\340\234\114\303\034\326\374\343\151\265\107\106\201  
\057\242\202\253\323\143\104\160\304\215\377\055\063\272\255\217  
\173\265\160\210\256\076\031\317\100\050\330\374\310\220\273\135  
\231\042\365\122\346\130\305\037\210\061\103\356\210\035\327\306  
\216\074\103\152\035\247\030\336\175\075\026\361\142\371\312\220  
\250\375

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "USERTrust RSA Certification Authority"

# Issuer: CN=USERTrust RSA Certification Authority,O=The USERTRUST Network,L=Jersey City,ST=New Jersey,C=US

# Serial Number:01:fd:6d:30:fc:a3:ca:51:a8:1b:bc:64:0e:35:03:2d

# Subject: CN=USERTrust RSA Certification Authority,O=The USERTRUST Network,L=Jersey City,ST=New Jersey,C=US

# Not Valid Before: Mon Feb 01 00:00:00 2010

# Not Valid After : Mon Jan 18 23:59:59 2038

# Fingerprint (SHA-256):

E7:93:C9:B0:2F:D8:AA:13:E2:1C:31:22:8A:CC:B0:81:19:64:3B:74:9C:89:89:64:B1:74:6D:46:C3:D4:CB:D2

# Fingerprint (SHA1): 2B:8F:1B:57:33:0D:BB:A2:D0:7A:6C:51:F7:0E:E9:0D:DA:B9:AD:8E

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "USERTrust RSA Certification Authority"

CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL

\053\217\033\127\063\015\273\242\320\172\154\121\367\016\351\015  
\332\271\255\216

END

CKA\_CERT\_MD5\_HASH MULTILINE\_OCTAL

\033\376\151\321\221\267\031\063\243\162\250\017\341\125\345\265

END

CKA\_ISSUER MULTILINE\_OCTAL

\060\201\210\061\013\060\011\006\003\125\004\006\023\002\125\123

```
\061\023\060\021\006\003\125\004\010\023\012\116\145\167\040\112
\145\162\163\145\171\061\024\060\022\006\003\125\004\007\023\013
\112\145\162\163\145\171\040\103\151\164\171\061\036\060\034\006
\003\125\004\012\023\025\124\150\145\040\125\123\105\122\124\122
\125\123\124\040\116\145\164\167\157\162\153\061\056\060\054\006
\003\125\004\003\023\045\125\123\105\122\124\162\165\163\164\040
\122\123\101\040\103\145\162\164\151\146\151\143\141\164\151\157
\156\040\101\165\164\150\157\162\151\164\171
```

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

```
\002\020\001\375\155\060\374\243\312\121\250\033\274\144\016\065
\003\055
```

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "USERTrust ECC Certification Authority"

#

# Issuer: CN=USERTrust ECC Certification Authority,O=The USERTRUST Network,L=Jersey City,ST=New Jersey,C=US

# Serial Number:5c:8b:99:c5:5a:94:c5:d2:71:56:de:cd:89:80:cc:26

# Subject: CN=USERTrust ECC Certification Authority,O=The USERTRUST Network,L=Jersey City,ST=New Jersey,C=US

# Not Valid Before: Mon Feb 01 00:00:00 2010

# Not Valid After : Mon Jan 18 23:59:59 2038

# Fingerprint (SHA-256):

4F:F4:60:D5:4B:9C:86:DA:BF:BC:FC:57:12:E0:40:0D:2B:ED:3F:BC:4D:4F:BD:AA:86:E0:6A:DC:D2:A9:AD:7A

# Fingerprint (SHA1): D1:CB:CA:5D:B2:D5:2A:7F:69:3B:67:4D:E5:F0:5A:1D:0C:95:7D:F0

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "USERTrust ECC Certification Authority"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

```
\060\201\210\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\023\060\021\006\003\125\004\010\023\012\116\145\167\040\112
\145\162\163\145\171\061\024\060\022\006\003\125\004\007\023\013
\112\145\162\163\145\171\040\103\151\164\171\061\036\060\034\006
\003\125\004\012\023\025\124\150\145\040\125\123\105\122\124\122
\125\123\124\040\116\145\164\167\157\162\153\061\056\060\054\006
\003\125\004\003\023\045\125\123\105\122\124\162\165\163\164\040
\105\103\103\040\103\145\162\164\151\146\151\143\141\164\151\157
\156\040\101\165\164\150\157\162\151\164\171
```

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\201\210\061\013\060\011\006\003\125\004\006\023\002\125\123  
\061\023\060\021\006\003\125\004\010\023\012\116\145\167\040\112  
\145\162\163\145\171\061\024\060\022\006\003\125\004\007\023\013  
\112\145\162\163\145\171\040\103\151\164\171\061\036\060\034\006  
\003\125\004\012\023\025\124\150\145\040\125\123\105\122\124\122  
\125\123\124\040\116\145\164\167\157\162\153\061\056\060\054\006  
\003\125\004\003\023\045\125\123\105\122\124\162\165\163\164\040  
\105\103\103\040\103\145\162\164\151\146\151\143\141\164\151\157  
\156\040\101\165\164\150\157\162\151\164\171

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\020\134\213\231\305\132\224\305\322\161\126\336\315\211\200  
\314\046

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\002\217\060\202\002\025\240\003\002\001\002\002\020\134  
\213\231\305\132\224\305\322\161\126\336\315\211\200\314\046\060  
\012\006\010\052\206\110\316\075\004\003\003\060\201\210\061\013  
\060\011\006\003\125\004\006\023\002\125\123\061\023\060\021\006  
\003\125\004\010\023\012\116\145\167\040\112\145\162\163\145\171  
\061\024\060\022\006\003\125\004\007\023\013\112\145\162\163\145  
\171\040\103\151\164\171\061\036\060\034\006\003\125\004\012\023  
\025\124\150\145\040\125\123\105\122\124\122\125\123\124\040\116  
\145\164\167\157\162\153\061\056\060\054\006\003\125\004\003\023  
\045\125\123\105\122\124\162\165\163\164\040\105\103\103\040\103  
\145\162\164\151\146\151\143\141\164\151\157\156\040\101\165\164  
\150\157\162\151\164\171\060\036\027\015\061\060\060\062\060\061  
\060\060\060\060\060\060\132\027\015\063\070\060\061\061\070\062  
\063\065\071\065\071\132\060\201\210\061\013\060\011\006\003\125  
\004\006\023\002\125\123\061\023\060\021\006\003\125\004\010\023  
\012\116\145\167\040\112\145\162\163\145\171\061\024\060\022\006  
\003\125\004\007\023\013\112\145\162\163\145\171\040\103\151\164  
\171\061\036\060\034\006\003\125\004\012\023\025\124\150\145\040  
\125\123\105\122\124\122\125\123\124\040\116\145\164\167\157\162  
\153\061\056\060\054\006\003\125\004\003\023\045\125\123\105\122  
\124\162\165\163\164\040\105\103\103\040\103\145\162\164\151\146  
\151\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164  
\171\060\166\060\020\006\007\052\206\110\316\075\002\001\006\005  
\053\201\004\000\042\003\142\000\004\032\254\124\132\251\371\150  
\043\347\172\325\044\157\123\306\132\330\113\253\306\325\266\321  
\346\163\161\256\335\234\326\014\141\375\333\240\211\003\270\005  
\024\354\127\316\356\135\077\342\041\263\316\367\324\212\171\340  
\243\203\176\055\227\320\141\304\361\231\334\045\221\143\253\177  
\060\243\264\160\342\307\241\063\234\363\277\056\134\123\261\137  
\263\175\062\177\212\064\343\171\171\243\102\060\100\060\035\006  
\003\125\035\016\004\026\004\024\072\341\011\206\324\317\031\302

```
\226\166\164\111\166\334\340\065\306\143\143\232\060\016\006\003
\125\035\017\001\001\377\004\004\003\002\001\006\060\017\006\003
\125\035\023\001\001\377\004\005\060\003\001\001\377\060\012\006
\010\052\206\110\316\075\004\003\003\003\150\000\060\145\002\060
\066\147\241\026\010\334\344\227\000\101\035\116\276\341\143\001
\317\073\252\102\021\144\240\235\224\071\002\021\171\134\173\035
\372\144\271\356\026\102\263\277\212\302\011\304\354\344\261\115
\002\061\000\351\052\141\107\214\122\112\113\116\030\160\366\326
\104\326\156\365\203\272\155\130\275\044\331\126\110\352\357\304
\242\106\201\210\152\072\106\321\251\233\115\311\141\332\321\135
\127\152\030
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "USERTrust ECC Certification Authority"
```

```
# Issuer: CN=USERTrust ECC Certification Authority,O=The USERTRUST Network,L=Jersey City,ST=New
Jersey,C=US
```

```
# Serial Number:5c:8b:99:c5:5a:94:c5:d2:71:56:de:cd:89:80:cc:26
```

```
# Subject: CN=USERTrust ECC Certification Authority,O=The USERTRUST Network,L=Jersey City,ST=New
Jersey,C=US
```

```
# Not Valid Before: Mon Feb 01 00:00:00 2010
```

```
# Not Valid After : Mon Jan 18 23:59:59 2038
```

```
# Fingerprint (SHA-256):
```

```
4F:F4:60:D5:4B:9C:86:DA:BF:BC:FC:57:12:E0:40:0D:2B:ED:3F:BC:4D:4F:BD:AA:86:E0:6A:DC:D2:A9:AD:7A
```

```
# Fingerprint (SHA1): D1:CB:CA:5D:B2:D5:2A:7F:69:3B:67:4D:E5:F0:5A:1D:0C:95:7D:F0
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "USERTrust ECC Certification Authority"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\321\313\312\135\262\325\052\177\151\073\147\115\345\360\132\035
\014\225\175\360
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\372\150\274\331\265\177\255\375\311\035\006\203\050\314\044\301
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\201\210\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\023\060\021\006\003\125\004\010\023\012\116\145\167\040\112
\145\162\163\145\171\061\024\060\022\006\003\125\004\007\023\013
\112\145\162\163\145\171\040\103\151\164\171\061\036\060\034\006
\003\125\004\012\023\025\124\150\145\040\125\123\105\122\124\122
\125\123\124\040\116\145\164\167\157\162\153\061\056\060\054\006
\003\125\004\003\023\045\125\123\105\122\124\162\165\163\164\040
\105\103\103\040\103\145\162\164\151\146\151\143\141\164\151\157
```

```

\156\040\101\165\164\150\157\162\151\164\171
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\134\213\231\305\132\224\305\322\161\126\336\315\211\200
\314\046
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "GlobalSign ECC Root CA - R5"
#
# Issuer: CN=GlobalSign,O=GlobalSign,OU=GlobalSign ECC Root CA - R5
# Serial Number:60:59:49:e0:26:2e:bb:55:f9:0a:77:8a:71:f9:4a:d8:6c
# Subject: CN=GlobalSign,O=GlobalSign,OU=GlobalSign ECC Root CA - R5
# Not Valid Before: Tue Nov 13 00:00:00 2012
# Not Valid After : Tue Jan 19 03:14:07 2038
# Fingerprint (SHA-256):
17:9F:BC:14:8A:3D:D0:0F:D2:4E:A1:34:58:CC:43:BF:A7:F5:9C:81:82:D7:83:A5:13:F6:EB:EC:10:0C:89:24
# Fingerprint (SHA1): 1F:24:C6:30:CD:A4:18:EF:20:69:FF:AD:4F:DD:5F:46:3A:1B:69:AA
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "GlobalSign ECC Root CA - R5"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\120\061\044\060\042\006\003\125\004\013\023\033\107\154\157
\142\141\154\123\151\147\156\040\105\103\103\040\122\157\157\164
\040\103\101\040\055\040\122\065\061\023\060\021\006\003\125\004
\012\023\012\107\154\157\142\141\154\123\151\147\156\061\023\060
\021\006\003\125\004\003\023\012\107\154\157\142\141\154\123\151
\147\156
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\120\061\044\060\042\006\003\125\004\013\023\033\107\154\157
\142\141\154\123\151\147\156\040\105\103\103\040\122\157\157\164
\040\103\101\040\055\040\122\065\061\023\060\021\006\003\125\004
\012\023\012\107\154\157\142\141\154\123\151\147\156\061\023\060
\021\006\003\125\004\003\023\012\107\154\157\142\141\154\123\151
\147\156
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\021\140\131\111\340\046\056\273\125\371\012\167\212\161\371
\112\330\154

```

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\002\036\060\202\001\244\240\003\002\001\002\002\021\140  
\131\111\340\046\056\273\125\371\012\167\212\161\371\112\330\154  
\060\012\006\010\052\206\110\316\075\004\003\003\060\120\061\044  
\060\042\006\003\125\004\013\023\033\107\154\157\142\141\154\123  
\151\147\156\040\105\103\103\040\122\157\157\164\040\103\101\040  
\055\040\122\065\061\023\060\021\006\003\125\004\012\023\012\107  
\154\157\142\141\154\123\151\147\156\061\023\060\021\006\003\125  
\004\003\023\012\107\154\157\142\141\154\123\151\147\156\060\036  
\027\015\061\062\061\061\061\063\060\060\060\060\060\132\027  
\015\063\070\060\061\061\071\060\063\061\064\060\067\132\060\120  
\061\044\060\042\006\003\125\004\013\023\033\107\154\157\142\141  
\154\123\151\147\156\040\105\103\103\040\122\157\157\164\040\103  
\101\040\055\040\122\065\061\023\060\021\006\003\125\004\012\023  
\012\107\154\157\142\141\154\123\151\147\156\061\023\060\021\006  
\003\125\004\003\023\012\107\154\157\142\141\154\123\151\147\156  
\060\166\060\020\006\007\052\206\110\316\075\002\001\006\005\053  
\201\004\000\042\003\142\000\004\107\105\016\226\373\175\135\277  
\351\071\321\041\370\237\013\266\325\173\036\222\072\110\131\034  
\360\142\061\055\300\172\050\376\032\247\134\263\266\314\227\347  
\105\324\130\372\321\167\155\103\242\300\207\145\064\012\037\172  
\335\353\074\063\241\305\235\115\244\157\101\225\070\177\311\036  
\204\353\321\236\111\222\207\224\207\014\072\205\112\146\237\235  
\131\223\115\227\141\006\206\112\243\102\060\100\060\016\006\003  
\125\035\017\001\001\377\004\004\003\002\001\006\060\017\006\003  
\125\035\023\001\001\377\004\005\060\003\001\001\377\060\035\006  
\003\125\035\016\004\026\004\024\075\346\051\110\233\352\007\312  
\041\104\112\046\336\156\336\322\203\320\237\131\060\012\006\010  
\052\206\110\316\075\004\003\003\003\150\000\060\145\002\061\000  
\345\151\022\311\156\333\306\061\272\011\101\341\227\370\373\375  
\232\342\175\022\311\355\174\144\323\313\005\045\213\126\331\240  
\347\136\135\116\013\203\234\133\166\051\240\011\046\041\152\142  
\002\060\161\322\265\217\134\352\073\341\170\011\205\250\165\222  
\073\310\134\375\110\357\015\164\042\250\010\342\156\305\111\316  
\307\014\274\247\141\151\361\367\073\341\052\313\371\053\363\146  
\220\067

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "GlobalSign ECC Root CA - R5"

# Issuer: CN=GlobalSign,O=GlobalSign,OU=GlobalSign ECC Root CA - R5

# Serial Number:60:59:49:e0:26:2e:bb:55:f9:0a:77:8a:71:f9:4a:d8:6c

# Subject: CN=GlobalSign,O=GlobalSign,OU=GlobalSign ECC Root CA - R5

# Not Valid Before: Tue Nov 13 00:00:00 2012

# Not Valid After : Tue Jan 19 03:14:07 2038

```

# Fingerprint (SHA-256):
17:9F:BC:14:8A:3D:D0:0F:D2:4E:A1:34:58:CC:43:BF:A7:F5:9C:81:82:D7:83:A5:13:F6:EB:EC:10:0C:89:24
# Fingerprint (SHA1): 1F:24:C6:30:CD:A4:18:EF:20:69:FF:AD:4F:DD:5F:46:3A:1B:69:AA
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "GlobalSign ECC Root CA - R5"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\037\044\306\060\315\244\030\357\040\151\377\255\117\335\137\106
\072\033\151\252
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\237\255\073\034\002\036\212\272\027\164\070\201\014\242\274\010
END
CKA_ISSUER MULTILINE_OCTAL
\060\120\061\044\060\042\006\003\125\004\013\023\033\107\154\157
\142\141\154\123\151\147\156\040\105\103\103\040\122\157\157\164
\040\103\101\040\055\040\122\065\061\023\060\021\006\003\125\004
\012\023\012\107\154\157\142\141\154\123\151\147\156\061\023\060
\021\006\003\125\004\003\023\012\107\154\157\142\141\154\123\151
\147\156
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\021\140\131\111\340\046\056\273\125\371\012\167\212\161\371
\112\330\154
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Staat der Nederlanden Root CA - G3"
#
# Issuer: CN=Staat der Nederlanden Root CA - G3,O=Staat der Nederlanden,C=NL
# Serial Number: 10003001 (0x98a239)
# Subject: CN=Staat der Nederlanden Root CA - G3,O=Staat der Nederlanden,C=NL
# Not Valid Before: Thu Nov 14 11:28:42 2013
# Not Valid After : Mon Nov 13 23:00:00 2028
# Fingerprint (SHA-256):
3C:4F:B0:B9:5A:B8:B3:00:32:F4:32:B8:6F:53:5F:E1:72:C1:85:D0:FD:39:86:58:37:CF:36:18:7F:A6:F4:28
# Fingerprint (SHA1): D8:EB:6B:41:51:92:59:E0:F3:E7:85:00:C0:3D:B6:88:97:C9:EE:FC
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Staat der Nederlanden Root CA - G3"

```

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

\060\132\061\013\060\011\006\003\125\004\006\023\002\116\114\061  
\036\060\034\006\003\125\004\012\014\025\123\164\141\141\164\040  
\144\145\162\040\116\145\144\145\162\154\141\156\144\145\156\061  
\053\060\051\006\003\125\004\003\014\042\123\164\141\141\164\040  
\144\145\162\040\116\145\144\145\162\154\141\156\144\145\156\040  
\122\157\157\164\040\103\101\040\055\040\107\063

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\132\061\013\060\011\006\003\125\004\006\023\002\116\114\061  
\036\060\034\006\003\125\004\012\014\025\123\164\141\141\164\040  
\144\145\162\040\116\145\144\145\162\154\141\156\144\145\156\061  
\053\060\051\006\003\125\004\003\014\042\123\164\141\141\164\040  
\144\145\162\040\116\145\144\145\162\154\141\156\144\145\156\040  
\122\157\157\164\040\103\101\040\055\040\107\063

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\004\000\230\242\071

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\005\164\060\202\003\134\240\003\002\001\002\002\004\000  
\230\242\071\060\015\006\011\052\206\110\206\367\015\001\001\013  
\005\000\060\132\061\013\060\011\006\003\125\004\006\023\002\116  
\114\061\036\060\034\006\003\125\004\012\014\025\123\164\141\141  
\164\040\144\145\162\040\116\145\144\145\162\154\141\156\144\145  
\156\061\053\060\051\006\003\125\004\003\014\042\123\164\141\141  
\164\040\144\145\162\040\116\145\144\145\162\154\141\156\144\145  
\156\040\122\157\157\164\040\103\101\040\055\040\107\063\060\036  
\027\015\061\063\061\061\061\064\061\061\062\070\064\062\132\027  
\015\062\070\061\061\061\063\062\063\060\060\060\060\132\060\132  
\061\013\060\011\006\003\125\004\006\023\002\116\114\061\036\060  
\034\006\003\125\004\012\014\025\123\164\141\141\164\040\144\145  
\162\040\116\145\144\145\162\154\141\156\144\145\156\061\053\060  
\051\006\003\125\004\003\014\042\123\164\141\141\164\040\144\145  
\162\040\116\145\144\145\162\154\141\156\144\145\156\040\122\157  
\157\164\040\103\101\040\055\040\107\063\060\202\002\042\060\015  
\006\011\052\206\110\206\367\015\001\001\001\005\000\003\202\002  
\017\000\060\202\002\012\002\202\002\001\000\276\062\242\124\017  
\160\373\054\134\131\353\154\304\244\121\350\205\052\263\314\112  
\064\362\260\137\363\016\307\034\075\123\036\210\010\150\330\157  
\075\255\302\236\314\202\147\007\047\207\150\161\072\237\165\226  
\042\106\005\260\355\255\307\133\236\052\336\234\374\072\306\225  
\247\365\027\147\030\347\057\111\010\014\134\317\346\314\064\355  
\170\373\120\261\334\153\062\360\242\376\266\074\344\354\132\227  
\307\077\036\160\010\060\240\334\305\263\155\157\320\202\162\021  
\253\322\201\150\131\202\027\267\170\222\140\372\314\336\077\204



\353\215\070\063\220\012\162\043\372\065\314\046\161\061\321\162  
\050\222\331\133\043\155\146\265\155\007\102\353\246\063\316\222  
\333\300\366\154\143\170\315\312\116\075\265\345\122\233\361\276  
\073\346\124\140\260\146\036\011\253\007\376\124\211\021\102\321  
\367\044\272\140\170\032\230\367\311\021\375\026\301\065\032\124  
\165\357\103\323\345\256\116\316\347\173\303\306\116\141\121\113  
\253\232\105\113\241\037\101\275\110\123\025\161\144\013\206\263  
\345\056\276\316\244\033\301\051\204\242\265\313\010\043\166\103  
\042\044\037\027\004\324\156\234\306\374\177\053\146\032\354\212  
\345\326\317\115\365\143\011\267\025\071\326\173\254\353\343\174  
\351\116\374\165\102\310\355\130\225\014\006\102\242\234\367\344  
\160\263\337\162\157\132\067\100\211\330\205\244\327\361\013\336  
\103\031\324\112\130\054\214\212\071\236\277\204\207\361\026\073  
\066\014\351\323\264\312\154\031\101\122\011\241\035\260\152\277  
\202\357\160\121\041\062\334\005\166\214\313\367\144\344\003\120  
\257\214\221\147\253\305\362\356\130\330\336\276\367\347\061\317  
\154\311\073\161\301\325\210\265\145\274\300\350\027\027\007\022  
\265\134\322\253\040\223\264\346\202\203\160\066\305\315\243\215  
\255\213\354\243\301\103\207\346\103\342\064\276\225\213\065\355  
\007\071\332\250\035\172\237\066\236\022\260\014\145\022\220\025  
\140\331\046\100\104\343\126\140\245\020\324\152\074\375\101\334  
\016\132\107\266\357\227\141\165\117\331\376\307\262\035\324\355  
\135\111\263\251\152\313\146\204\023\325\134\240\334\337\156\167  
\006\321\161\165\310\127\157\257\017\167\133\002\003\001\000\001  
\243\102\060\100\060\017\006\003\125\035\023\001\001\377\004\005  
\060\003\001\001\377\060\016\006\003\125\035\017\001\001\377\004  
\004\003\002\001\006\060\035\006\003\125\035\016\004\026\004\024  
\124\255\372\307\222\127\256\312\065\234\056\022\373\344\272\135  
\040\334\224\127\060\015\006\011\052\206\110\206\367\015\001\001  
\013\005\000\003\202\002\001\000\060\231\235\005\062\310\136\016  
\073\230\001\072\212\244\347\007\367\172\370\347\232\337\120\103  
\123\227\052\075\312\074\107\230\056\341\025\173\361\222\363\141  
\332\220\045\026\145\300\237\124\135\016\003\073\133\167\002\234  
\204\266\015\230\137\064\335\073\143\302\303\050\201\302\234\051  
\056\051\342\310\303\001\362\063\352\052\252\314\011\010\367\145  
\147\306\315\337\323\266\053\247\275\314\321\016\160\137\270\043  
\321\313\221\116\012\364\310\172\345\331\143\066\301\324\337\374  
\042\227\367\140\135\352\051\057\130\262\275\130\275\215\226\117  
\020\165\277\110\173\075\121\207\241\074\164\042\302\374\007\177  
\200\334\304\254\376\152\301\160\060\260\351\216\151\342\054\151  
\201\224\011\272\335\376\115\300\203\214\224\130\300\106\040\257  
\234\037\002\370\065\125\111\057\106\324\300\360\240\226\002\017  
\063\305\161\363\236\043\175\224\267\375\072\323\011\203\006\041  
\375\140\075\256\062\300\322\356\215\246\360\347\264\202\174\012  
\314\160\311\171\200\370\376\114\367\065\204\031\212\061\373\012  
\331\327\177\233\360\242\232\153\303\005\112\355\101\140\024\060  
\321\252\021\102\156\323\043\002\004\013\306\145\335\335\122\167  
\332\201\153\262\250\372\001\070\271\226\352\052\154\147\227\211

```
\224\236\274\341\124\325\344\152\170\357\112\275\053\232\075\100
\176\306\300\165\322\156\373\150\060\354\354\213\235\371\111\065
\232\032\054\331\263\225\071\325\036\222\367\246\271\145\057\345
\075\155\072\110\114\010\334\344\050\022\050\276\175\065\134\352
\340\026\176\023\033\152\327\076\327\236\374\055\165\262\301\024
\325\043\003\333\133\157\013\076\170\057\015\336\063\215\026\267
\110\347\203\232\201\017\173\301\103\115\125\004\027\070\112\121
\325\131\242\211\164\323\237\276\036\113\327\306\155\267\210\044
\157\140\221\244\202\205\133\126\101\274\320\104\253\152\023\276
\321\054\130\267\022\063\130\262\067\143\334\023\365\224\035\077
\100\121\365\117\365\072\355\310\305\353\302\036\035\026\225\172
\307\176\102\161\223\156\113\025\267\060\337\252\355\127\205\110
\254\035\152\335\071\151\344\341\171\170\276\316\005\277\241\014
\367\200\173\041\147\047\060\131
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "Staat der Nederlanden Root CA - G3"
```

```
# Issuer: CN=Staat der Nederlanden Root CA - G3,O=Staat der Nederlanden,C=NL
```

```
# Serial Number: 10003001 (0x98a239)
```

```
# Subject: CN=Staat der Nederlanden Root CA - G3,O=Staat der Nederlanden,C=NL
```

```
# Not Valid Before: Thu Nov 14 11:28:42 2013
```

```
# Not Valid After : Mon Nov 13 23:00:00 2028
```

```
# Fingerprint (SHA-256):
```

```
3C:4F:B0:B9:5A:B8:B3:00:32:F4:32:B8:6F:53:5F:E1:72:C1:85:D0:FD:39:86:58:37:CF:36:18:7F:A6:F4:28
```

```
# Fingerprint (SHA1): D8:EB:6B:41:51:92:59:E0:F3:E7:85:00:C0:3D:B6:88:97:C9:EE:FC
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Staat der Nederlanden Root CA - G3"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\330\353\153\101\121\222\131\340\363\347\205\000\300\075\266\210
\227\311\356\374
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\013\106\147\007\333\020\057\031\214\065\120\140\321\013\364\067
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\132\061\013\060\011\006\003\125\004\006\023\002\116\114\061
\036\060\034\006\003\125\004\012\014\025\123\164\141\141\164\040
\144\145\162\040\116\145\144\145\162\154\141\156\144\145\156\061
\053\060\051\006\003\125\004\003\014\042\123\164\141\141\164\040
\144\145\162\040\116\145\144\145\162\154\141\156\144\145\156\040
\122\157\157\164\040\103\101\040\055\040\107\063
```

END

```

CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\004\000\230\242\071
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Staat der Nederlanden EV Root CA"
#
# Issuer: CN=Staat der Nederlanden EV Root CA,O=Staat der Nederlanden,C=NL
# Serial Number: 10000013 (0x98968d)
# Subject: CN=Staat der Nederlanden EV Root CA,O=Staat der Nederlanden,C=NL
# Not Valid Before: Wed Dec 08 11:19:29 2010
# Not Valid After : Thu Dec 08 11:10:28 2022
# Fingerprint (SHA-256):
4D:24:91:41:4C:FE:95:67:46:EC:4C:EF:A6:CF:6F:72:E2:8A:13:29:43:2F:9D:8A:90:7A:C4:CB:5D:AD:C1:5A
# Fingerprint (SHA1): 76:E2:7E:C1:4F:DB:82:C1:C0:A6:75:B5:05:BE:3D:29:B4:ED:DB:BB
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Staat der Nederlanden EV Root CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\130\061\013\060\011\006\003\125\004\006\023\002\116\114\061
\036\060\034\006\003\125\004\012\014\025\123\164\141\141\164\040
\144\145\162\040\116\145\144\145\162\154\141\156\144\145\156\061
\051\060\047\006\003\125\004\003\014\040\123\164\141\141\164\040
\144\145\162\040\116\145\144\145\162\154\141\156\144\145\156\040
\105\126\040\122\157\157\164\040\103\101
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\130\061\013\060\011\006\003\125\004\006\023\002\116\114\061
\036\060\034\006\003\125\004\012\014\025\123\164\141\141\164\040
\144\145\162\040\116\145\144\145\162\154\141\156\144\145\156\061
\051\060\047\006\003\125\004\003\014\040\123\164\141\141\164\040
\144\145\162\040\116\145\144\145\162\154\141\156\144\145\156\040
\105\126\040\122\157\157\164\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\004\000\230\226\215
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\160\060\202\003\130\240\003\002\001\002\002\004\000
\230\226\215\060\015\006\011\052\206\110\206\367\015\001\001\013

```

\005\000\060\130\061\013\060\011\006\003\125\004\006\023\002\116  
\114\061\036\060\034\006\003\125\004\012\014\025\123\164\141\141  
\164\040\144\145\162\040\116\145\144\145\162\154\141\156\144\145  
\156\061\051\060\047\006\003\125\004\003\014\040\123\164\141\141  
\164\040\144\145\162\040\116\145\144\145\162\154\141\156\144\145  
\156\040\105\126\040\122\157\157\164\040\103\101\060\036\027\015  
\061\060\061\062\060\070\061\061\061\071\062\071\132\027\015\062  
\062\061\062\060\070\061\061\061\060\062\070\132\060\130\061\013  
\060\011\006\003\125\004\006\023\002\116\114\061\036\060\034\006  
\003\125\004\012\014\025\123\164\141\141\164\040\144\145\162\040  
\116\145\144\145\162\154\141\156\144\145\156\061\051\060\047\006  
\003\125\004\003\014\040\123\164\141\141\164\040\144\145\162\040  
\116\145\144\145\162\154\141\156\144\145\156\040\105\126\040\122  
\157\157\164\040\103\101\060\202\002\042\060\015\006\011\052\206  
\110\206\367\015\001\001\001\005\000\003\202\002\017\000\060\202  
\002\012\002\202\002\001\000\343\307\176\211\371\044\113\072\322  
\063\203\065\054\151\354\334\011\244\343\121\250\045\053\171\270  
\010\075\340\221\272\204\205\306\205\244\312\346\311\056\123\244  
\311\044\036\375\125\146\161\135\054\305\140\150\004\267\331\302  
\122\046\070\210\244\326\073\100\246\302\315\077\315\230\223\263  
\124\024\130\226\125\325\120\376\206\255\244\143\177\134\207\366  
\216\346\047\222\147\027\222\002\003\054\334\326\146\164\355\335  
\147\377\301\141\215\143\117\017\233\155\027\060\046\357\253\322  
\037\020\240\371\305\177\026\151\201\003\107\355\036\150\215\162  
\241\115\262\046\306\272\154\137\155\326\257\321\261\023\216\251  
\255\363\136\151\165\046\030\076\101\053\041\177\356\213\135\007  
\006\235\103\304\051\012\053\374\052\076\206\313\074\203\072\371  
\311\015\332\305\231\342\274\170\101\063\166\341\277\057\135\345  
\244\230\120\014\025\335\340\372\234\177\070\150\320\262\246\172  
\247\321\061\275\176\212\130\047\103\263\272\063\221\323\247\230  
\025\134\232\346\323\017\165\331\374\101\230\227\076\252\045\333  
\217\222\056\260\173\014\137\361\143\251\067\371\233\165\151\114  
\050\046\045\332\325\362\022\160\105\125\343\337\163\136\067\365  
\041\154\220\216\065\132\311\323\043\353\323\300\276\170\254\102  
\050\130\146\245\106\155\160\002\327\020\371\113\124\374\135\206  
\112\207\317\177\312\105\254\021\132\265\040\121\215\057\210\107  
\227\071\300\317\272\300\102\001\100\231\110\041\013\153\247\322  
\375\226\325\321\276\106\235\111\340\013\246\240\042\116\070\320  
\301\074\060\274\160\217\054\165\314\320\305\214\121\073\075\224  
\010\144\046\141\175\271\303\145\217\024\234\041\320\252\375\027  
\162\003\217\275\233\214\346\136\123\236\271\235\357\202\273\341  
\274\342\162\101\133\041\224\323\105\067\224\321\337\011\071\135  
\347\043\252\232\035\312\155\250\012\206\205\212\202\276\102\007  
\326\362\070\202\163\332\207\133\345\074\323\236\076\247\073\236  
\364\003\263\371\361\175\023\164\002\377\273\241\345\372\000\171  
\034\246\146\101\210\134\140\127\246\056\011\304\272\375\232\317  
\247\037\100\303\273\314\132\012\125\113\073\070\166\121\270\143  
\213\204\224\026\346\126\363\002\003\001\000\001\243\102\060\100

\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001  
\377\060\016\006\003\125\035\017\001\001\377\004\004\003\002\001  
\006\060\035\006\003\125\035\016\004\026\004\024\376\253\000\220  
\230\236\044\374\251\314\032\212\373\047\270\277\060\156\250\073  
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\003  
\202\002\001\000\317\167\054\156\126\276\116\263\266\204\000\224  
\253\107\311\015\322\166\307\206\237\035\007\323\266\264\273\010  
\170\257\151\322\013\111\336\063\305\254\255\302\210\002\175\006  
\267\065\002\301\140\311\277\304\350\224\336\324\323\251\023\045  
\132\376\156\242\256\175\005\334\175\363\154\360\176\246\215\356  
\331\327\316\130\027\350\251\051\256\163\110\207\347\233\312\156  
\051\241\144\137\031\023\367\256\006\020\377\121\306\233\115\125  
\045\117\223\231\020\001\123\165\361\023\316\307\246\101\101\322  
\277\210\245\177\105\374\254\270\245\265\063\014\202\304\373\007  
\366\152\345\045\204\137\006\312\301\206\071\021\333\130\315\167  
\073\054\302\114\017\136\232\343\360\253\076\141\033\120\044\302  
\300\364\361\031\360\021\051\266\245\030\002\233\327\143\114\160  
\214\107\243\003\103\134\271\135\106\240\015\157\377\131\216\276  
\335\237\162\303\133\053\337\214\133\316\345\014\106\154\222\262  
\012\243\114\124\102\030\025\022\030\275\332\374\272\164\156\377  
\301\266\240\144\330\251\137\125\256\237\134\152\166\226\330\163  
\147\207\373\115\177\134\356\151\312\163\020\373\212\251\375\236  
\275\066\070\111\111\207\364\016\024\360\351\207\270\077\247\117  
\172\132\216\171\324\223\344\273\150\122\204\254\154\351\363\230  
\160\125\162\062\371\064\253\053\111\265\315\040\142\344\072\172  
\147\143\253\226\334\155\256\227\354\374\237\166\126\210\056\146  
\317\133\266\311\244\260\327\005\272\341\047\057\223\273\046\052  
\242\223\260\033\363\216\276\035\100\243\271\066\217\076\202\032  
\032\136\210\352\120\370\131\342\203\106\051\013\343\104\134\341  
\225\266\151\220\232\024\157\227\256\201\317\150\357\231\232\276  
\265\347\341\177\370\372\023\107\026\114\314\155\010\100\347\213  
\170\157\120\202\104\120\077\146\006\212\253\103\204\126\112\017  
\040\055\206\016\365\322\333\322\172\212\113\315\245\350\116\361  
\136\046\045\001\131\043\240\176\322\366\176\041\127\327\047\274  
\025\127\114\244\106\301\340\203\036\014\114\115\037\117\006\031  
\342\371\250\364\072\202\241\262\171\103\171\326\255\157\172\047  
\220\003\244\352\044\207\077\331\275\331\351\362\137\120\111\034  
\356\354\327\056

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRUST\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRUST\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "Staat der Nederlanden EV Root CA"

# Issuer: CN=Staat der Nederlanden EV Root CA,O=Staat der Nederlanden,C=NL

# Serial Number: 10000013 (0x98968d)

# Subject: CN=Staat der Nederlanden EV Root CA,O=Staat der Nederlanden,C=NL

# Not Valid Before: Wed Dec 08 11:19:29 2010

```

# Not Valid After : Thu Dec 08 11:10:28 2022
# Fingerprint (SHA-256):
4D:24:91:41:4C:FE:95:67:46:EC:4C:EF:A6:CF:6F:72:E2:8A:13:29:43:2F:9D:8A:90:7A:C4:CB:5D:AD:C1:5A
# Fingerprint (SHA1): 76:E2:7E:C1:4F:DB:82:C1:C0:A6:75:B5:05:BE:3D:29:B4:ED:DB:BB
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Staat der Nederlanden EV Root CA"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\166\342\176\301\117\333\202\301\300\246\165\265\005\276\075\051
\264\355\333\273
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\374\006\257\173\350\032\361\232\264\350\322\160\037\300\365\272
END
CKA_ISSUER MULTILINE_OCTAL
\060\130\061\013\060\011\006\003\125\004\006\023\002\116\114\061
\036\060\034\006\003\125\004\012\014\025\123\164\141\141\164\040
\144\145\162\040\116\145\144\145\162\154\141\156\144\145\156\061
\051\060\047\006\003\125\004\003\014\040\123\164\141\141\164\040
\144\145\162\040\116\145\144\145\162\154\141\156\144\145\156\040
\105\126\040\122\157\157\164\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\004\000\230\226\215
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "IdenTrust Commercial Root CA 1"
#
# Issuer: CN=IdenTrust Commercial Root CA 1,O=IdenTrust,C=US
# Serial Number:0a:01:42:80:00:00:01:45:23:c8:44:b5:00:00:00:02
# Subject: CN=IdenTrust Commercial Root CA 1,O=IdenTrust,C=US
# Not Valid Before: Thu Jan 16 18:12:23 2014
# Not Valid After : Mon Jan 16 18:12:23 2034
# Fingerprint (SHA-256):
5D:56:49:9B:E4:D2:E0:8B:CF:CA:D0:8A:3E:38:72:3D:50:50:3B:DE:70:69:48:E4:2F:55:60:30:19:E5:28:AE
# Fingerprint (SHA1): DF:71:7E:AA:4A:D9:4E:C9:55:84:99:60:2D:48:DE:5F:BC:F0:3A:25
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "IdenTrust Commercial Root CA 1"

```

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

\060\112\061\013\060\011\006\003\125\004\006\023\002\125\123\061  
\022\060\020\006\003\125\004\012\023\011\111\144\145\156\124\162  
\165\163\164\061\047\060\045\006\003\125\004\003\023\036\111\144  
\145\156\124\162\165\163\164\040\103\157\155\155\145\162\143\151  
\141\154\040\122\157\157\164\040\103\101\040\061

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\112\061\013\060\011\006\003\125\004\006\023\002\125\123\061  
\022\060\020\006\003\125\004\012\023\011\111\144\145\156\124\162  
\165\163\164\061\047\060\045\006\003\125\004\003\023\036\111\144  
\145\156\124\162\165\163\164\040\103\157\155\155\145\162\143\151  
\141\154\040\122\157\157\164\040\103\101\040\061

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\020\012\001\102\200\000\000\001\105\043\310\104\265\000\000  
\000\002

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\005\140\060\202\003\110\240\003\002\001\002\002\020\012  
\001\102\200\000\000\001\105\043\310\104\265\000\000\000\002\060  
\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060\112  
\061\013\060\011\006\003\125\004\006\023\002\125\123\061\022\060  
\020\006\003\125\004\012\023\011\111\144\145\156\124\162\165\163  
\164\061\047\060\045\006\003\125\004\003\023\036\111\144\145\156  
\124\162\165\163\164\040\103\157\155\155\145\162\143\151\141\154  
\040\122\157\157\164\040\103\101\040\061\060\036\027\015\061\064  
\060\061\061\066\061\070\061\062\062\063\132\027\015\063\064\060  
\061\061\066\061\070\061\062\062\063\132\060\112\061\013\060\011  
\006\003\125\004\006\023\002\125\123\061\022\060\020\006\003\125  
\004\012\023\011\111\144\145\156\124\162\165\163\164\061\047\060  
\045\006\003\125\004\003\023\036\111\144\145\156\124\162\165\163  
\164\040\103\157\155\155\145\162\143\151\141\154\040\122\157\157  
\164\040\103\101\040\061\060\202\002\042\060\015\006\011\052\206  
\110\206\367\015\001\001\001\005\000\003\202\002\017\000\060\202  
\002\012\002\202\002\001\000\247\120\031\336\077\231\075\324\063  
\106\361\157\121\141\202\262\251\117\217\147\211\135\204\331\123  
\335\014\050\331\327\360\377\256\225\103\162\231\371\265\135\174  
\212\301\102\341\061\120\164\321\201\015\174\315\233\041\253\103  
\342\254\255\136\206\156\363\011\212\037\132\062\275\242\353\224  
\371\350\134\012\354\377\230\322\257\161\263\264\123\237\116\207  
\357\222\274\275\354\117\062\060\210\113\027\136\127\304\123\302  
\366\002\227\215\331\142\053\277\044\037\142\215\337\303\270\051  
\113\111\170\074\223\140\210\042\374\231\332\066\310\302\242\324  
\054\124\000\147\065\156\163\277\002\130\360\244\335\345\260\242  
\046\172\312\340\066\245\031\026\365\375\267\357\256\077\100\365

\155\132\004\375\316\064\312\044\334\164\043\033\135\063\023\022  
\135\304\001\045\366\060\335\002\135\237\340\325\107\275\264\353  
\033\241\273\111\111\330\237\133\002\363\212\344\044\220\344\142  
\117\117\301\257\213\016\164\027\250\321\162\210\152\172\001\111  
\314\264\106\171\306\027\261\332\230\036\007\131\372\165\041\205  
\145\335\220\126\316\373\253\245\140\235\304\235\371\122\260\213  
\275\207\371\217\053\043\012\043\166\073\367\063\341\311\000\363  
\151\371\113\242\340\116\274\176\223\071\204\007\367\104\160\176  
\376\007\132\345\261\254\321\030\314\362\065\345\111\111\010\312  
\126\311\075\373\017\030\175\213\073\301\023\302\115\217\311\117  
\016\067\351\037\241\016\152\337\142\056\313\065\006\121\171\054  
\310\045\070\364\372\113\247\211\134\234\322\343\015\071\206\112  
\164\174\325\131\207\302\077\116\014\134\122\364\075\367\122\202  
\361\352\243\254\375\111\064\032\050\363\101\210\072\023\356\350  
\336\377\231\035\137\272\313\350\036\362\271\120\140\300\061\323  
\163\345\357\276\240\355\063\013\164\276\040\040\304\147\154\360  
\010\003\172\125\200\177\106\116\226\247\364\036\076\341\366\330  
\011\341\063\144\053\143\327\062\136\237\371\300\173\017\170\157  
\227\274\223\232\371\234\022\220\170\172\200\207\025\327\162\164  
\234\125\164\170\261\272\341\156\160\004\272\117\240\272\150\303  
\173\377\061\360\163\075\075\224\052\261\013\101\016\240\376\115  
\210\145\153\171\063\264\327\002\003\001\000\001\243\102\060\100  
\060\016\006\003\125\035\017\001\001\377\004\004\003\002\001\006  
\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001  
\377\060\035\006\003\125\035\016\004\026\004\024\355\104\031\300  
\323\360\006\213\356\244\173\276\102\347\046\124\310\216\066\166  
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\003  
\202\002\001\000\015\256\220\062\366\246\113\174\104\166\031\141  
\036\047\050\315\136\124\357\045\274\343\010\220\371\051\327\256  
\150\010\341\224\000\130\357\056\056\176\123\122\214\266\134\007  
\352\210\272\231\213\120\224\327\202\200\337\141\011\000\223\255  
\015\024\346\316\301\362\067\224\170\260\137\234\263\242\163\270  
\217\005\223\070\315\215\076\260\270\373\300\317\261\362\354\055  
\055\033\314\354\252\232\263\252\140\202\033\055\073\303\204\075  
\127\212\226\036\234\165\270\323\060\315\140\010\203\220\323\216  
\124\361\115\146\300\135\164\003\100\243\356\205\176\302\037\167  
\234\006\350\301\247\030\135\122\225\355\311\335\045\236\155\372  
\251\355\243\072\064\320\131\173\332\355\120\363\065\277\355\353  
\024\115\061\307\140\364\332\361\207\234\342\110\342\306\305\067  
\373\006\020\372\165\131\146\061\107\051\332\166\232\034\351\202  
\256\357\232\271\121\367\210\043\232\151\225\142\074\345\125\200  
\066\327\124\002\377\361\271\135\316\324\043\157\330\105\204\112  
\133\145\357\211\014\335\024\247\040\313\030\245\045\264\015\371  
\001\360\242\322\364\000\310\164\216\241\052\110\216\145\333\023  
\304\342\045\027\175\353\276\207\133\027\040\124\121\223\112\123  
\003\013\354\135\312\063\355\142\375\105\307\057\133\334\130\240  
\200\071\346\372\327\376\023\024\246\355\075\224\112\102\164\324  
\303\167\131\163\315\217\106\276\125\070\357\372\350\221\062\352



```
\227\130\004\042\336\070\303\314\274\155\311\063\072\152\012\151
\077\240\310\352\162\217\214\143\206\043\275\155\074\226\236\225
\340\111\114\252\242\271\052\033\234\066\201\170\355\303\350\106
\342\046\131\104\165\036\331\165\211\121\315\020\204\235\141\140
\313\135\371\227\042\115\216\230\346\343\177\366\133\273\256\315
\312\112\201\153\136\013\363\121\341\164\053\351\176\047\247\331
\231\111\116\370\245\200\333\045\017\034\143\142\212\311\063\147
\153\074\020\203\306\255\336\250\315\026\216\215\360\007\067\161
\237\362\253\374\101\365\301\213\354\000\067\135\011\345\116\200
\357\372\261\134\070\006\245\033\112\341\334\070\055\074\334\253
\037\220\032\325\112\234\356\321\160\154\314\356\364\127\370\030
\272\204\156\207
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "IdenTrust Commercial Root CA 1"
```

```
# Issuer: CN=IdenTrust Commercial Root CA 1,O=IdenTrust,C=US
```

```
# Serial Number:0a:01:42:80:00:00:01:45:23:c8:44:b5:00:00:00:02
```

```
# Subject: CN=IdenTrust Commercial Root CA 1,O=IdenTrust,C=US
```

```
# Not Valid Before: Thu Jan 16 18:12:23 2014
```

```
# Not Valid After : Mon Jan 16 18:12:23 2034
```

```
# Fingerprint (SHA-256):
```

```
5D:56:49:9B:E4:D2:E0:8B:CF:CA:D0:8A:3E:38:72:3D:50:50:3B:DE:70:69:48:E4:2F:55:60:30:19:E5:28:AE
```

```
# Fingerprint (SHA1): DF:71:7E:AA:4A:D9:4E:C9:55:84:99:60:2D:48:DE:5F:BC:F0:3A:25
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "IdenTrust Commercial Root CA 1"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\337\161\176\252\112\331\116\311\125\204\231\140\055\110\336\137
```

```
\274\360\072\045
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\263\076\167\163\165\356\240\323\343\176\111\143\111\131\273\307
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\112\061\013\060\011\006\003\125\004\006\023\002\125\123\061
```

```
\022\060\020\006\003\125\004\012\023\011\111\144\145\156\124\162
```

```
\165\163\164\061\047\060\045\006\003\125\004\003\023\036\111\144
```

```
\145\156\124\162\165\163\164\040\103\157\155\155\145\162\143\151
```

```
\141\154\040\122\157\157\164\040\103\101\040\061
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\020\012\001\102\200\000\000\001\105\043\310\104\265\000\000
```

```
\000\002
```

```

END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "IdenTrust Public Sector Root CA 1"
#
# Issuer: CN=IdenTrust Public Sector Root CA 1,O=IdenTrust,C=US
# Serial Number:0a:01:42:80:00:00:01:45:23:cf:46:7c:00:00:00:02
# Subject: CN=IdenTrust Public Sector Root CA 1,O=IdenTrust,C=US
# Not Valid Before: Thu Jan 16 17:53:32 2014
# Not Valid After : Mon Jan 16 17:53:32 2034
# Fingerprint (SHA-256):
30:D0:89:5A:9A:44:8A:26:20:91:63:55:22:D1:F5:20:10:B5:86:7A:CA:E1:2C:78:EF:95:8F:D4:F4:38:9F:2F
# Fingerprint (SHA1): BA:29:41:60:77:98:3F:F4:F3:EF:F2:31:05:3B:2E:EA:6D:4D:45:FD
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "IdenTrust Public Sector Root CA 1"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\115\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\022\060\020\006\003\125\004\012\023\011\111\144\145\156\124\162
\165\163\164\061\052\060\050\006\003\125\004\003\023\041\111\144
\145\156\124\162\165\163\164\040\120\165\142\154\151\143\040\123
\145\143\164\157\162\040\122\157\157\164\040\103\101\040\061
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\115\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\022\060\020\006\003\125\004\012\023\011\111\144\145\156\124\162
\165\163\164\061\052\060\050\006\003\125\004\003\023\041\111\144
\145\156\124\162\165\163\164\040\120\165\142\154\151\143\040\123
\145\143\164\157\162\040\122\157\157\164\040\103\101\040\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\012\001\102\200\000\000\001\105\043\317\106\174\000\000
\000\002
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\146\060\202\003\116\240\003\002\001\002\002\020\012
\001\102\200\000\000\001\105\043\317\106\174\000\000\000\002\060
\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060\115
\061\013\060\011\006\003\125\004\006\023\002\125\123\061\022\060
\020\006\003\125\004\012\023\011\111\144\145\156\124\162\165\163

```

\164\061\052\060\050\006\003\125\004\003\023\041\111\144\145\156  
\124\162\165\163\164\040\120\165\142\154\151\143\040\123\145\143  
\164\157\162\040\122\157\157\164\040\103\101\040\061\060\036\027  
\015\061\064\060\061\061\066\061\067\065\063\063\062\132\027\015  
\063\064\060\061\061\066\061\067\065\063\063\062\132\060\115\061  
\013\060\011\006\003\125\004\006\023\002\125\123\061\022\060\020  
\006\003\125\004\012\023\011\111\144\145\156\124\162\165\163\164  
\061\052\060\050\006\003\125\004\003\023\041\111\144\145\156\124  
\162\165\163\164\040\120\165\142\154\151\143\040\123\145\143\164  
\157\162\040\122\157\157\164\040\103\101\040\061\060\202\002\042  
\060\015\006\011\052\206\110\206\367\015\001\001\001\005\000\003  
\202\002\017\000\060\202\002\012\002\202\002\001\000\266\042\224  
\374\244\110\257\350\107\153\012\373\047\166\344\362\077\212\073  
\172\112\054\061\052\214\215\260\251\303\061\153\250\167\166\204  
\046\266\254\201\102\015\010\353\125\130\273\172\370\274\145\175  
\362\240\155\213\250\107\351\142\166\036\021\356\010\024\321\262  
\104\026\364\352\320\372\036\057\136\333\313\163\101\256\274\000  
\260\112\053\100\262\254\341\073\113\302\055\235\344\241\233\354  
\032\072\036\360\010\263\320\344\044\065\007\237\234\264\311\122  
\155\333\007\312\217\265\133\360\203\363\117\307\055\245\310\255  
\313\225\040\244\061\050\127\130\132\344\215\033\232\253\236\015  
\014\362\012\063\071\042\071\012\227\056\363\123\167\271\104\105  
\375\204\313\066\040\201\131\055\232\157\155\110\110\141\312\114  
\337\123\321\257\122\274\104\237\253\057\153\203\162\357\165\200  
\332\006\063\033\135\310\332\143\306\115\315\254\146\061\315\321  
\336\076\207\020\066\341\271\244\172\357\140\120\262\313\312\246  
\126\340\067\257\253\064\023\071\045\350\071\146\344\230\172\252  
\022\230\234\131\146\206\076\255\361\260\312\076\006\017\173\360  
\021\113\067\240\104\155\173\313\250\214\161\364\325\265\221\066  
\314\360\025\306\053\336\121\027\261\227\114\120\075\261\225\131  
\174\005\175\055\041\325\000\277\001\147\242\136\173\246\134\362  
\367\042\361\220\015\223\333\252\104\121\146\314\175\166\003\353  
\152\250\052\070\031\227\166\015\153\212\141\371\274\366\356\166  
\375\160\053\335\051\074\370\012\036\133\102\034\213\126\057\125  
\033\034\241\056\265\307\026\346\370\252\074\222\216\151\266\001  
\301\265\206\235\211\017\013\070\224\124\350\352\334\236\075\045  
\274\123\046\355\325\253\071\252\305\100\114\124\253\262\264\331  
\331\370\327\162\333\034\274\155\275\145\137\357\210\065\052\146  
\057\356\366\263\145\360\063\215\174\230\101\151\106\017\103\034  
\151\372\233\265\320\141\152\315\312\113\331\114\220\106\253\025  
\131\241\107\124\051\056\203\050\137\034\302\242\253\162\027\000  
\006\216\105\354\213\342\063\075\177\332\031\104\344\142\162\303  
\337\042\306\362\126\324\335\137\225\162\355\155\137\367\110\003  
\133\375\305\052\240\366\163\043\204\020\033\001\347\002\003\001  
\000\001\243\102\060\100\060\016\006\003\125\035\017\001\001\377  
\004\004\003\002\001\006\060\017\006\003\125\035\023\001\001\377  
\004\005\060\003\001\001\377\060\035\006\003\125\035\016\004\026  
\004\024\343\161\340\236\330\247\102\331\333\161\221\153\224\223

\353\303\243\321\024\243\060\015\006\011\052\206\110\206\367\015  
\001\001\013\005\000\003\202\002\001\000\107\372\335\012\260\021  
\221\070\255\115\135\367\345\016\227\124\031\202\110\207\124\214  
\252\144\231\330\132\376\210\001\305\130\245\231\261\043\124\043  
\267\152\035\040\127\345\001\142\101\027\323\011\333\165\313\156  
\124\220\165\376\032\237\201\012\302\335\327\367\011\320\133\162  
\025\344\036\011\152\075\063\363\041\232\346\025\176\255\121\325  
\015\020\355\175\102\300\217\356\300\232\010\325\101\326\134\016  
\041\151\156\200\141\016\025\300\270\317\305\111\022\122\314\276  
\072\314\324\056\070\005\336\065\375\037\157\270\200\150\230\075  
\115\240\312\100\145\322\163\174\365\213\331\012\225\077\330\077  
\043\155\032\321\052\044\031\331\205\263\027\357\170\156\251\130  
\321\043\323\307\023\355\162\045\177\135\261\163\160\320\177\006  
\227\011\204\051\200\141\035\372\136\377\163\254\240\343\211\270  
\034\161\025\306\336\061\177\022\334\341\155\233\257\347\350\237  
\165\170\114\253\106\073\232\316\277\005\030\135\115\025\074\026  
\232\031\120\004\232\262\232\157\145\213\122\137\074\130\004\050  
\045\300\146\141\061\176\271\340\165\271\032\250\201\326\162\027  
\263\305\003\061\065\021\170\170\242\340\351\060\214\177\200\337  
\130\337\074\272\047\226\342\200\064\155\343\230\323\144\047\254  
\110\176\050\167\134\306\045\141\045\370\205\014\145\372\304\062  
\057\245\230\005\344\370\013\147\026\026\306\202\270\062\031\371  
\371\271\171\334\037\315\353\257\253\016\335\033\333\105\344\172  
\347\002\342\225\135\374\151\360\123\151\141\225\165\171\013\136  
\125\346\070\034\224\251\131\063\236\310\161\164\171\177\121\211  
\266\310\152\270\060\310\152\070\303\156\236\341\067\026\352\005  
\142\114\133\022\107\355\247\264\263\130\126\307\111\363\177\022  
\150\011\061\161\360\155\370\116\107\373\326\205\356\305\130\100  
\031\244\035\247\371\113\103\067\334\150\132\117\317\353\302\144  
\164\336\264\025\331\364\124\124\032\057\034\327\227\161\124\220  
\216\331\040\235\123\053\177\253\217\342\352\060\274\120\067\357  
\361\107\265\175\174\054\004\354\150\235\264\111\104\020\364\162  
\113\034\144\347\374\346\153\220\335\151\175\151\375\000\126\245  
\267\254\266\255\267\312\076\001\357\234

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "IdenTrust Public Sector Root CA 1"

# Issuer: CN=IdenTrust Public Sector Root CA 1,O=IdenTrust,C=US

# Serial Number:0a:01:42:80:00:00:01:45:23:cf:46:7c:00:00:00:02

# Subject: CN=IdenTrust Public Sector Root CA 1,O=IdenTrust,C=US

# Not Valid Before: Thu Jan 16 17:53:32 2014

# Not Valid After : Mon Jan 16 17:53:32 2034

# Fingerprint (SHA-256):

30:D0:89:5A:9A:44:8A:26:20:91:63:55:22:D1:F5:20:10:B5:86:7A:CA:E1:2C:78:EF:95:8F:D4:F4:38:9F:2F

# Fingerprint (SHA1): BA:29:41:60:77:98:3F:F4:F3:EF:F2:31:05:3B:2E:EA:6D:4D:45:FD

```

CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "IdenTrust Public Sector Root CA 1"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\272\051\101\140\167\230\077\364\363\357\362\061\005\073\056\352
\155\115\105\375
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\067\006\245\260\374\211\235\272\364\153\214\032\144\315\325\272
END
CKA_ISSUER MULTILINE_OCTAL
\060\115\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\022\060\020\006\003\125\004\012\023\011\111\144\145\156\124\162
\165\163\164\061\052\060\050\006\003\125\004\003\023\041\111\144
\145\156\124\162\165\163\164\040\120\165\142\154\151\143\040\123
\145\143\164\157\162\040\122\157\157\164\040\103\101\040\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\012\001\102\200\000\000\001\105\043\317\106\174\000\000
\000\002
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Entrust Root Certification Authority - G2"
#
# Issuer: CN=Entrust Root Certification Authority - G2,OU="(c) 2009 Entrust, Inc. - for authorized use
only",OU=See www.entrust.net/legal-terms,O="Entrust, Inc.",C=US
# Serial Number: 1246989352 (0x4a538c28)
# Subject: CN=Entrust Root Certification Authority - G2,OU="(c) 2009 Entrust, Inc. - for authorized use
only",OU=See www.entrust.net/legal-terms,O="Entrust, Inc.",C=US
# Not Valid Before: Tue Jul 07 17:25:54 2009
# Not Valid After : Sat Dec 07 17:55:54 2030
# Fingerprint (SHA-256):
43:DF:57:74:B0:3E:7F:EF:5F:E4:0D:93:1A:7B:ED:F1:BB:2E:6B:42:73:8C:4E:6D:38:41:10:3D:3A:A7:F3:39
# Fingerprint (SHA1): 8C:F4:27:FD:79:0C:3A:D1:66:06:8D:E8:1E:57:EF:BB:93:22:72:D4
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Entrust Root Certification Authority - G2"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL

```

\060\201\276\061\013\060\011\006\003\125\004\006\023\002\125\123  
\061\026\060\024\006\003\125\004\012\023\015\105\156\164\162\165  
\163\164\054\040\111\156\143\056\061\050\060\046\006\003\125\004  
\013\023\037\123\145\145\040\167\167\167\056\145\156\164\162\165  
\163\164\056\156\145\164\057\154\145\147\141\154\055\164\145\162  
\155\163\061\071\060\067\006\003\125\004\013\023\060\050\143\051  
\040\062\060\060\071\040\105\156\164\162\165\163\164\054\040\111  
\156\143\056\040\055\040\146\157\162\040\141\165\164\150\157\162  
\151\172\145\144\040\165\163\145\040\157\156\154\171\061\062\060  
\060\006\003\125\004\003\023\051\105\156\164\162\165\163\164\040  
\122\157\157\164\040\103\145\162\164\151\146\151\143\141\164\151  
\157\156\040\101\165\164\150\157\162\151\164\171\040\055\040\107  
\062

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\201\276\061\013\060\011\006\003\125\004\006\023\002\125\123  
\061\026\060\024\006\003\125\004\012\023\015\105\156\164\162\165  
\163\164\054\040\111\156\143\056\061\050\060\046\006\003\125\004  
\013\023\037\123\145\145\040\167\167\167\056\145\156\164\162\165  
\163\164\056\156\145\164\057\154\145\147\141\154\055\164\145\162  
\155\163\061\071\060\067\006\003\125\004\013\023\060\050\143\051  
\040\062\060\060\071\040\105\156\164\162\165\163\164\054\040\111  
\156\143\056\040\055\040\146\157\162\040\141\165\164\150\157\162  
\151\172\145\144\040\165\163\145\040\157\156\154\171\061\062\060  
\060\006\003\125\004\003\023\051\105\156\164\162\165\163\164\040  
\122\157\157\164\040\103\145\162\164\151\146\151\143\141\164\151  
\157\156\040\101\165\164\150\157\162\151\164\171\040\055\040\107  
\062

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\004\112\123\214\050

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\004\076\060\202\003\046\240\003\002\001\002\002\004\112  
\123\214\050\060\015\006\011\052\206\110\206\367\015\001\001\013  
\005\000\060\201\276\061\013\060\011\006\003\125\004\006\023\002  
\125\123\061\026\060\024\006\003\125\004\012\023\015\105\156\164  
\162\165\163\164\054\040\111\156\143\056\061\050\060\046\006\003  
\125\004\013\023\037\123\145\145\040\167\167\167\056\145\156\164  
\162\165\163\164\056\156\145\164\057\154\145\147\141\154\055\164  
\145\162\155\163\061\071\060\067\006\003\125\004\013\023\060\050  
\143\051\040\062\060\060\071\040\105\156\164\162\165\163\164\054  
\040\111\156\143\056\040\055\040\146\157\162\040\141\165\164\150  
\157\162\151\172\145\144\040\165\163\145\040\157\156\154\171\061  
\062\060\060\006\003\125\004\003\023\051\105\156\164\162\165\163  
\164\040\122\157\157\164\040\103\145\162\164\151\146\151\143\141  
\164\151\157\156\040\101\165\164\150\157\162\151\164\171\040\055

\040\107\062\060\036\027\015\060\071\060\067\060\067\061\067\062  
\065\065\064\132\027\015\063\060\061\062\060\067\061\067\065\065  
\065\064\132\060\201\276\061\013\060\011\006\003\125\004\006\023  
\002\125\123\061\026\060\024\006\003\125\004\012\023\015\105\156  
\164\162\165\163\164\054\040\111\156\143\056\061\050\060\046\006  
\003\125\004\013\023\037\123\145\145\040\167\167\167\056\145\156  
\164\162\165\163\164\056\156\145\164\057\154\145\147\141\154\055  
\164\145\162\155\163\061\071\060\067\006\003\125\004\013\023\060  
\050\143\051\040\062\060\060\071\040\105\156\164\162\165\163\164  
\054\040\111\156\143\056\040\055\040\146\157\162\040\141\165\164  
\150\157\162\151\172\145\144\040\165\163\145\040\157\156\154\171  
\061\062\060\060\006\003\125\004\003\023\051\105\156\164\162\165  
\163\164\040\122\157\157\164\040\103\145\162\164\151\146\151\143  
\141\164\151\157\156\040\101\165\164\150\157\162\151\164\171\040  
\055\040\107\062\060\202\001\042\060\015\006\011\052\206\110\206  
\367\015\001\001\001\005\000\003\202\001\017\000\060\202\001\012  
\002\202\001\001\000\272\204\266\162\333\236\014\153\342\231\351  
\060\001\247\166\352\062\270\225\101\032\311\332\141\116\130\162  
\317\376\366\202\171\277\163\141\006\012\245\047\330\263\137\323  
\105\116\034\162\326\116\062\362\162\212\017\367\203\031\320\152  
\200\200\000\105\036\260\307\347\232\277\022\127\047\034\243\150  
\057\012\207\275\152\153\016\136\145\363\034\167\325\324\205\215  
\160\041\264\263\062\347\213\242\325\206\071\002\261\270\322\107  
\316\344\311\111\304\073\247\336\373\124\175\127\276\360\350\156  
\302\171\262\072\013\125\342\120\230\026\062\023\134\057\170\126  
\301\302\224\263\362\132\344\047\232\237\044\327\306\354\320\233  
\045\202\343\314\302\304\105\305\214\227\172\006\153\052\021\237  
\251\012\156\110\073\157\333\324\021\031\102\367\217\007\277\365  
\123\137\234\076\364\027\054\346\151\254\116\062\114\142\167\352  
\267\350\345\273\064\274\031\213\256\234\121\347\267\176\265\123  
\261\063\042\345\155\317\160\074\032\372\342\233\147\266\203\364  
\215\245\257\142\114\115\340\130\254\144\064\022\003\370\266\215  
\224\143\044\244\161\002\003\001\000\001\243\102\060\100\060\016  
\006\003\125\035\017\001\001\377\004\004\003\002\001\006\060\017  
\006\003\125\035\023\001\001\377\004\005\060\003\001\001\377\060  
\035\006\003\125\035\016\004\026\004\024\152\162\046\172\320\036  
\357\175\347\073\151\121\324\154\215\237\220\022\146\253\060\015  
\006\011\052\206\110\206\367\015\001\001\013\005\000\003\202\001  
\001\000\171\237\035\226\306\266\171\077\042\215\207\323\207\003  
\004\140\152\153\232\056\131\211\163\021\254\103\321\365\023\377  
\215\071\053\300\362\275\117\160\214\251\057\352\027\304\013\124  
\236\324\033\226\230\063\074\250\255\142\242\000\166\253\131\151  
\156\006\035\176\304\271\104\215\230\257\022\324\141\333\012\031  
\106\107\363\353\367\143\301\100\005\100\245\322\267\364\265\232  
\066\277\251\210\166\210\004\125\004\053\234\207\177\032\067\074  
\176\055\245\032\330\324\211\136\312\275\254\075\154\330\155\257  
\325\363\166\017\315\073\210\070\042\235\154\223\232\304\075\277  
\202\033\145\077\246\017\135\252\374\345\262\025\312\265\255\306

```
\274\075\320\204\350\352\006\162\260\115\071\062\170\277\076\021
\234\013\244\235\232\041\363\360\233\013\060\170\333\301\334\207
\103\376\274\143\232\312\305\302\034\311\307\215\377\073\022\130
\010\346\266\075\354\172\054\116\373\203\226\316\014\074\151\207
\124\163\244\163\302\223\377\121\020\254\025\124\001\330\374\005
\261\211\241\177\164\203\232\111\327\334\116\173\212\110\157\213
\105\366
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

# Trust for "Entrust Root Certification Authority - G2"

# Issuer: CN=Entrust Root Certification Authority - G2,OU="(c) 2009 Entrust, Inc. - for authorized use only",OU=See www.entrust.net/legal-terms,O="Entrust, Inc.",C=US

# Serial Number: 1246989352 (0x4a538c28)

# Subject: CN=Entrust Root Certification Authority - G2,OU="(c) 2009 Entrust, Inc. - for authorized use only",OU=See www.entrust.net/legal-terms,O="Entrust, Inc.",C=US

# Not Valid Before: Tue Jul 07 17:25:54 2009

# Not Valid After : Sat Dec 07 17:55:54 2030

# Fingerprint (SHA-256):

43:DF:57:74:B0:3E:7F:EF:5F:E4:0D:93:1A:7B:ED:F1:BB:2E:6B:42:73:8C:4E:6D:38:41:10:3D:3A:A7:F3:39

# Fingerprint (SHA1): 8C:F4:27:FD:79:0C:3A:D1:66:06:8D:E8:1E:57:EF:BB:93:22:72:D4

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Entrust Root Certification Authority - G2"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\214\364\047\375\171\014\072\321\146\006\215\350\036\127\357\273
\223\042\162\324
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\113\342\311\221\226\145\014\364\016\132\223\222\240\012\376\262
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\201\276\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\026\060\024\006\003\125\004\012\023\015\105\156\164\162\165
\163\164\054\040\111\156\143\056\061\050\060\046\006\003\125\004
\013\023\037\123\145\145\040\167\167\167\056\145\156\164\162\165
\163\164\056\156\145\164\057\154\145\147\141\154\055\164\145\162
\155\163\061\071\060\067\006\003\125\004\013\023\060\050\143\051
\040\062\060\060\071\040\105\156\164\162\165\163\164\054\040\111
\156\143\056\040\055\040\146\157\162\040\141\165\164\150\157\162
\151\172\145\144\040\165\163\145\040\157\156\154\171\061\062\060
\060\006\003\125\004\003\023\051\105\156\164\162\165\163\164\040
\122\157\157\164\040\103\145\162\164\151\146\151\143\141\164\151
\157\156\040\101\165\164\150\157\162\151\164\171\040\055\040\107
```



```

\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\004\112\123\214\050
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Entrust Root Certification Authority - EC1"
#
# Issuer: CN=Entrust Root Certification Authority - EC1,OU="(c) 2012 Entrust, Inc. - for authorized use
only",OU=See www.entrust.net/legal-terms,O="Entrust, Inc.",C=US
# Serial Number:00:a6:8b:79:29:00:00:00:00:50:d0:91:f9
# Subject: CN=Entrust Root Certification Authority - EC1,OU="(c) 2012 Entrust, Inc. - for authorized use
only",OU=See www.entrust.net/legal-terms,O="Entrust, Inc.",C=US
# Not Valid Before: Tue Dec 18 15:25:36 2012
# Not Valid After : Fri Dec 18 15:55:36 2037
# Fingerprint (SHA-256):
02:ED:0E:B2:8C:14:DA:45:16:5C:56:67:91:70:0D:64:51:D7:FB:56:F0:B2:AB:1D:3B:8E:B0:70:E5:6E:DF:F5
# Fingerprint (SHA1): 20:D8:06:40:DF:9B:25:F5:12:25:3A:11:EA:F7:59:8A:EB:14:B5:47
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Entrust Root Certification Authority - EC1"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\277\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\026\060\024\006\003\125\004\012\023\015\105\156\164\162\165
\163\164\054\040\111\156\143\056\061\050\060\046\006\003\125\004
\013\023\037\123\145\145\040\167\167\167\056\145\156\164\162\165
\163\164\056\156\145\164\057\154\145\147\141\154\055\164\145\162
\155\163\061\071\060\067\006\003\125\004\013\023\060\050\143\051
\040\062\060\061\062\040\105\156\164\162\165\163\164\054\040\111
\156\143\056\040\055\040\146\157\162\040\141\165\164\150\157\162
\151\172\145\144\040\165\163\145\040\157\156\154\171\061\063\060
\061\006\003\125\004\003\023\052\105\156\164\162\165\163\164\040
\122\157\157\164\040\103\145\162\164\151\146\151\143\141\164\151
\157\156\040\101\165\164\150\157\162\151\164\171\040\055\040\105
\103\061
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\277\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\026\060\024\006\003\125\004\012\023\015\105\156\164\162\165

```

\163\164\054\040\111\156\143\056\061\050\060\046\006\003\125\004  
\013\023\037\123\145\145\040\167\167\167\056\145\156\164\162\165  
\163\164\056\156\145\164\057\154\145\147\141\154\055\164\145\162  
\155\163\061\071\060\067\006\003\125\004\013\023\060\050\143\051  
\040\062\060\061\062\040\105\156\164\162\165\163\164\054\040\111  
\156\143\056\040\055\040\146\157\162\040\141\165\164\150\157\162  
\151\172\145\144\040\165\163\145\040\157\156\154\171\061\063\060  
\061\006\003\125\004\003\023\052\105\156\164\162\165\163\164\040  
\122\157\157\164\040\103\145\162\164\151\146\151\143\141\164\151  
\157\156\040\101\165\164\150\157\162\151\164\171\040\055\040\105  
\103\061

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\015\000\246\213\171\051\000\000\000\000\120\320\221\371

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\002\371\060\202\002\200\240\003\002\001\002\002\015\000  
\246\213\171\051\000\000\000\000\120\320\221\371\060\012\006\010  
\052\206\110\316\075\004\003\003\060\201\277\061\013\060\011\006  
\003\125\004\006\023\002\125\123\061\026\060\024\006\003\125\004  
\012\023\015\105\156\164\162\165\163\164\054\040\111\156\143\056  
\061\050\060\046\006\003\125\004\013\023\037\123\145\145\040\167  
\167\167\056\145\156\164\162\165\163\164\056\156\145\164\057\154  
\145\147\141\154\055\164\145\162\155\163\061\071\060\067\006\003  
\125\004\013\023\060\050\143\051\040\062\060\061\062\040\105\156  
\164\162\165\163\164\054\040\111\156\143\056\040\055\040\146\157  
\162\040\141\165\164\150\157\162\151\172\145\144\040\165\163\145  
\040\157\156\154\171\061\063\060\061\006\003\125\004\003\023\052  
\105\156\164\162\165\163\164\040\122\157\157\164\040\103\145\162  
\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150\157  
\162\151\164\171\040\055\040\105\103\061\060\036\027\015\061\062  
\061\062\061\070\061\065\062\065\063\066\132\027\015\063\067\061  
\062\061\070\061\065\065\065\063\066\132\060\201\277\061\013\060  
\011\006\003\125\004\006\023\002\125\123\061\026\060\024\006\003  
\125\004\012\023\015\105\156\164\162\165\163\164\054\040\111\156  
\143\056\061\050\060\046\006\003\125\004\013\023\037\123\145\145  
\040\167\167\167\056\145\156\164\162\165\163\164\056\156\145\164  
\057\154\145\147\141\154\055\164\145\162\155\163\061\071\060\067  
\006\003\125\004\013\023\060\050\143\051\040\062\060\061\062\040  
\105\156\164\162\165\163\164\054\040\111\156\143\056\040\055\040  
\146\157\162\040\141\165\164\150\157\162\151\172\145\144\040\165  
\163\145\040\157\156\154\171\061\063\060\061\006\003\125\004\003  
\023\052\105\156\164\162\165\163\164\040\122\157\157\164\040\103  
\145\162\164\151\146\151\143\141\164\151\157\156\040\101\165\164  
\150\157\162\151\164\171\040\055\040\105\103\061\060\166\060\020  
\006\007\052\206\110\316\075\002\001\006\005\053\201\004\000\042  
\003\142\000\004\204\023\311\320\272\155\101\173\342\154\320\353  
\125\137\146\002\032\044\364\133\211\151\107\343\270\302\175\361

```
\362\002\305\237\240\366\133\325\213\006\031\206\117\123\020\155
\007\044\047\241\240\370\325\107\031\141\114\175\312\223\047\352
\164\014\357\157\226\011\376\143\354\160\135\066\255\147\167\256
\311\235\174\125\104\072\242\143\121\037\365\343\142\324\251\107
\007\076\314\040\243\102\060\100\060\016\006\003\125\035\017\001
\001\377\004\004\003\002\001\006\060\017\006\003\125\035\023\001
\001\377\004\005\060\003\001\001\377\060\035\006\003\125\035\016
\004\026\004\024\267\143\347\032\335\215\351\010\246\125\203\244
\340\152\120\101\145\021\102\111\060\012\006\010\052\206\110\316
\075\004\003\003\003\147\000\060\144\002\060\141\171\330\345\102
\107\337\034\256\123\231\027\266\157\034\175\341\277\021\224\321
\003\210\165\344\215\211\244\212\167\106\336\155\141\357\002\365
\373\265\337\314\376\116\377\376\251\346\247\002\060\133\231\327
\205\067\006\265\173\010\375\353\047\213\112\224\371\341\372\247
\216\046\010\350\174\222\150\155\163\330\157\046\254\041\002\270
\231\267\046\101\133\045\140\256\320\110\032\356\006
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "Entrust Root Certification Authority - EC1"
```

```
# Issuer: CN=Entrust Root Certification Authority - EC1,OU="(c) 2012 Entrust, Inc. - for authorized use
only",OU=See www.entrust.net/legal-terms,O="Entrust, Inc.",C=US
```

```
# Serial Number:00:a6:8b:79:29:00:00:00:00:50:d0:91:f9
```

```
# Subject: CN=Entrust Root Certification Authority - EC1,OU="(c) 2012 Entrust, Inc. - for authorized use
only",OU=See www.entrust.net/legal-terms,O="Entrust, Inc.",C=US
```

```
# Not Valid Before: Tue Dec 18 15:25:36 2012
```

```
# Not Valid After : Fri Dec 18 15:55:36 2037
```

```
# Fingerprint (SHA-256):
```

```
02:ED:0E:B2:8C:14:DA:45:16:5C:56:67:91:70:0D:64:51:D7:FB:56:F0:B2:AB:1D:3B:8E:B0:70:E5:6E:DF:F5
```

```
# Fingerprint (SHA1): 20:D8:06:40:DF:9B:25:F5:12:25:3A:11:EA:F7:59:8A:EB:14:B5:47
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Entrust Root Certification Authority - EC1"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\040\330\006\100\337\233\045\365\022\045\072\021\352\367\131\212
\353\024\265\107
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\266\176\035\360\130\305\111\154\044\073\075\355\230\030\355\274
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\201\277\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\026\060\024\006\003\125\004\012\023\015\105\156\164\162\165
\163\164\054\040\111\156\143\056\061\050\060\046\006\003\125\004
```

```
\013\023\037\123\145\145\040\167\167\167\056\145\156\164\162\165
\163\164\056\156\145\164\057\154\145\147\141\154\055\164\145\162
\155\163\061\071\060\067\006\003\125\004\013\023\060\050\143\051
\040\062\060\061\062\040\105\156\164\162\165\163\164\054\040\111
\156\143\056\040\055\040\146\157\162\040\141\165\164\150\157\162
\151\172\145\144\040\165\163\145\040\157\156\154\171\061\063\060
\061\006\003\125\004\003\023\052\105\156\164\162\165\163\164\040
\122\157\157\164\040\103\145\162\164\151\146\151\143\141\164\151
\157\156\040\101\165\164\150\157\162\151\164\171\040\055\040\105
\103\061
```

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

```
\002\015\000\246\213\171\051\000\000\000\000\120\320\221\371
```

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "CFCA EV ROOT"

#

# Issuer: CN=CFCA EV ROOT,O=China Financial Certification Authority,C=CN

# Serial Number: 407555286 (0x184accd6)

# Subject: CN=CFCA EV ROOT,O=China Financial Certification Authority,C=CN

# Not Valid Before: Wed Aug 08 03:07:01 2012

# Not Valid After : Mon Dec 31 03:07:01 2029

# Fingerprint (SHA-256):

5C:C3:D7:8E:4E:1D:5E:45:54:7A:04:E6:87:3E:64:F9:0C:F9:53:6D:1C:CC:2E:F8:00:F3:55:C4:C5:FD:70:FD

# Fingerprint (SHA1): E2:B8:29:4B:55:84:AB:6B:58:C2:90:46:6C:AC:3F:B8:39:8F:84:83

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "CFCA EV ROOT"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

```
\060\126\061\013\060\011\006\003\125\004\006\023\002\103\116\061
\060\060\056\006\003\125\004\012\014\047\103\150\151\156\141\040
\106\151\156\141\156\143\151\141\154\040\103\145\162\164\151\146
\151\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164
\171\061\025\060\023\006\003\125\004\003\014\014\103\106\103\101
\040\105\126\040\122\117\117\124
```

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

```
\060\126\061\013\060\011\006\003\125\004\006\023\002\103\116\061
\060\060\056\006\003\125\004\012\014\047\103\150\151\156\141\040
```

\106\151\156\141\156\143\151\141\154\040\103\145\162\164\151\146  
\151\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164  
\171\061\025\060\023\006\003\125\004\003\014\014\103\106\103\101  
\040\105\126\040\122\117\117\124

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\004\030\112\314\326

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\005\215\060\202\003\165\240\003\002\001\002\002\004\030  
\112\314\326\060\015\006\011\052\206\110\206\367\015\001\001\013  
\005\000\060\126\061\013\060\011\006\003\125\004\006\023\002\103  
\116\061\060\060\056\006\003\125\004\012\014\047\103\150\151\156  
\141\040\106\151\156\141\156\143\151\141\154\040\103\145\162\164  
\151\146\151\143\141\164\151\157\156\040\101\165\164\150\157\162  
\151\164\171\061\025\060\023\006\003\125\004\003\014\014\103\106  
\103\101\040\105\126\040\122\117\117\124\060\036\027\015\061\062  
\060\070\060\070\060\063\060\067\060\061\132\027\015\062\071\061  
\062\063\061\060\063\060\067\060\061\132\060\126\061\013\060\011  
\006\003\125\004\006\023\002\103\116\061\060\060\056\006\003\125  
\004\012\014\047\103\150\151\156\141\040\106\151\156\141\156\143  
\151\141\154\040\103\145\162\164\151\146\151\143\141\164\151\157  
\156\040\101\165\164\150\157\162\151\164\171\061\025\060\023\006  
\003\125\004\003\014\014\103\106\103\101\040\105\126\040\122\117  
\117\124\060\202\002\042\060\015\006\011\052\206\110\206\367\015  
\001\001\001\005\000\003\202\002\017\000\060\202\002\012\002\202  
\002\001\000\327\135\153\315\020\077\037\005\131\325\005\115\067  
\261\016\354\230\053\216\025\035\372\223\113\027\202\041\161\020  
\122\327\121\144\160\026\302\125\151\115\216\025\155\237\277\014  
\033\302\340\243\147\326\014\254\317\042\256\257\167\124\052\113  
\114\212\123\122\172\303\356\056\336\263\161\045\301\351\135\075  
\356\241\057\243\367\052\074\311\043\035\152\253\035\241\247\361  
\363\354\240\325\104\317\025\317\162\057\035\143\227\350\231\371  
\375\223\244\124\200\114\122\324\122\253\056\111\337\220\315\270  
\137\276\077\336\241\312\115\040\324\045\350\204\051\123\267\261  
\210\037\377\372\332\220\237\012\251\055\101\077\261\361\030\051  
\356\026\131\054\064\111\032\250\006\327\250\210\322\003\162\172  
\062\342\352\150\115\156\054\226\145\173\312\131\372\362\342\335  
\356\060\054\373\314\106\254\304\143\353\157\177\066\053\064\163  
\022\224\177\337\314\046\236\361\162\135\120\145\131\217\151\263  
\207\136\062\157\303\030\212\265\225\217\260\172\067\336\132\105  
\073\307\066\341\357\147\321\071\323\227\133\163\142\031\110\055  
\207\034\006\373\164\230\040\111\163\360\005\322\033\261\240\243  
\267\033\160\323\210\151\271\132\326\070\364\142\334\045\213\170  
\277\370\350\176\270\134\311\225\117\137\247\055\271\040\153\317  
\153\335\365\015\364\202\267\364\262\146\056\020\050\366\227\132  
\173\226\026\217\001\031\055\154\156\177\071\130\006\144\203\001  
\203\203\303\115\222\335\062\306\207\244\067\351\026\316\252\055

\150\257\012\201\145\072\160\301\233\255\115\155\124\312\052\055  
\113\205\033\263\200\346\160\105\015\153\136\065\360\177\073\270  
\234\344\004\160\211\022\045\223\332\012\231\042\140\152\143\140  
\116\166\006\230\116\275\203\255\035\130\212\045\205\322\307\145  
\036\055\216\306\337\266\306\341\177\212\004\041\025\051\164\360  
\076\234\220\235\014\056\361\212\076\132\252\014\011\036\307\325  
\074\243\355\227\303\036\064\372\070\371\010\016\343\300\135\053  
\203\321\126\152\311\266\250\124\123\056\170\062\147\075\202\177  
\164\320\373\341\266\005\140\271\160\333\216\013\371\023\130\157  
\161\140\020\122\020\271\301\101\011\357\162\037\147\061\170\377  
\226\005\215\002\003\001\000\001\243\143\060\141\060\037\006\003  
\125\035\043\004\030\060\026\200\024\343\376\055\375\050\320\013  
\265\272\266\242\304\277\006\252\005\214\223\373\057\060\017\006  
\003\125\035\023\001\001\377\004\005\060\003\001\001\377\060\016  
\006\003\125\035\017\001\001\377\004\004\003\002\001\006\060\035  
\006\003\125\035\016\004\026\004\024\343\376\055\375\050\320\013  
\265\272\266\242\304\277\006\252\005\214\223\373\057\060\015\006  
\011\052\206\110\206\367\015\001\001\013\005\000\003\202\002\001  
\000\045\306\272\153\353\207\313\336\202\071\226\075\360\104\247  
\153\204\163\003\336\235\053\117\272\040\177\274\170\262\317\227  
\260\033\234\363\327\171\056\365\110\266\322\373\027\210\346\323  
\172\077\355\123\023\320\342\057\152\171\313\000\043\050\346\036  
\067\127\065\211\204\302\166\117\064\066\255\147\303\316\101\006  
\210\305\367\356\330\032\270\326\013\177\120\377\223\252\027\113  
\214\354\355\122\140\262\244\006\352\116\353\364\153\031\375\353  
\365\032\340\045\052\232\334\307\101\066\367\310\164\005\204\071  
\225\071\326\013\073\244\047\372\010\330\134\036\370\004\140\122  
\021\050\050\003\377\357\123\146\000\245\112\064\026\146\174\375  
\011\244\256\236\147\032\157\101\013\153\006\023\233\217\206\161  
\005\264\057\215\211\146\063\051\166\124\232\021\370\047\372\262  
\077\221\340\316\015\033\363\060\032\255\277\042\135\033\323\277  
\045\005\115\341\222\032\177\231\237\074\104\223\312\324\100\111  
\154\200\207\327\004\072\303\062\122\065\016\126\370\245\335\175  
\304\213\015\021\037\123\313\036\262\027\266\150\167\132\340\324  
\313\310\007\256\365\072\056\216\067\267\320\001\113\103\051\167  
\214\071\227\217\202\132\370\121\345\211\240\030\347\150\177\135  
\012\056\373\243\107\016\075\246\043\172\306\001\307\217\310\136  
\277\155\200\126\276\212\044\272\063\352\237\341\062\021\236\361  
\322\117\200\366\033\100\257\070\236\021\120\171\163\022\022\315  
\346\154\235\054\210\162\074\060\201\006\221\042\352\131\255\332  
\031\056\042\302\215\271\214\207\340\146\274\163\043\137\041\144  
\143\200\110\365\240\074\030\075\224\310\110\101\035\100\272\136  
\376\376\126\071\241\310\317\136\236\031\144\106\020\332\027\221  
\267\005\200\254\213\231\222\175\347\242\330\007\013\066\047\347  
\110\171\140\212\303\327\023\134\370\162\100\337\112\313\317\231  
\000\012\000\013\021\225\332\126\105\003\210\012\237\147\320\325  
\171\261\250\215\100\155\015\302\172\100\372\363\137\144\107\222  
\313\123\271\273\131\316\117\375\320\025\123\001\330\337\353\331

```
\346\166\357\320\043\273\073\251\171\263\325\002\051\315\211\243
\226\017\112\065\347\116\102\300\165\315\007\317\346\054\353\173
\056
END
```

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "CFCA EV ROOT"
```

```
# Issuer: CN=CFCA EV ROOT,O=China Financial Certification Authority,C=CN
```

```
# Serial Number: 407555286 (0x184accd6)
```

```
# Subject: CN=CFCA EV ROOT,O=China Financial Certification Authority,C=CN
```

```
# Not Valid Before: Wed Aug 08 03:07:01 2012
```

```
# Not Valid After : Mon Dec 31 03:07:01 2029
```

```
# Fingerprint (SHA-256):
```

```
5C:C3:D7:8E:4E:1D:5E:45:54:7A:04:E6:87:3E:64:F9:0C:F9:53:6D:1C:CC:2E:F8:00:F3:55:C4:C5:FD:70:FD
```

```
# Fingerprint (SHA1): E2:B8:29:4B:55:84:AB:6B:58:C2:90:46:6C:AC:3F:B8:39:8F:84:83
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "CFCA EV ROOT"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\342\270\051\113\125\204\253\153\130\302\220\106\154\254\077\270
\071\217\204\203
```

```
END
```

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\164\341\266\355\046\172\172\104\060\063\224\253\173\047\201\060
```

```
END
```

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\126\061\013\060\011\006\003\125\004\006\023\002\103\116\061
\060\060\056\006\003\125\004\012\014\047\103\150\151\156\141\040
\106\151\156\141\156\143\151\141\154\040\103\145\162\164\151\146
\151\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164
\171\061\025\060\023\006\003\125\004\003\014\014\103\106\103\101
\040\105\126\040\122\117\117\124
```

```
END
```

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\004\030\112\314\326
```

```
END
```

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

```
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

```
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE
```

```
#
```

```
# Certificate "OISTE WISeKey Global Root GB CA"
```

```
#
```

```
# Issuer: CN=OISTE WISEKey Global Root GB CA,OU=OISTE Foundation Endorsed,O=WISEKey,C=CH
# Serial Number:76:b1:20:52:74:f0:85:87:46:b3:f8:23:1a:f6:c2:c0
# Subject: CN=OISTE WISEKey Global Root GB CA,OU=OISTE Foundation Endorsed,O=WISEKey,C=CH
# Not Valid Before: Mon Dec 01 15:00:32 2014
# Not Valid After : Thu Dec 01 15:10:31 2039
# Fingerprint (SHA-256):
6B:9C:08:E8:6E:B0:F7:67:CF:AD:65:CD:98:B6:21:49:E5:49:4A:67:F5:84:5E:7B:D1:ED:01:9F:27:B8:6B:D6
# Fingerprint (SHA1): 0F:F9:40:76:18:D3:D7:6A:4B:98:F0:A8:35:9E:0C:FD:27:AC:CC:ED
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "OISTE WISEKey Global Root GB CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\155\061\013\060\011\006\003\125\004\006\023\002\103\110\061
\020\060\016\006\003\125\004\012\023\007\127\111\123\145\113\145
\171\061\042\060\040\006\003\125\004\013\023\031\117\111\123\124
\105\040\106\157\165\156\144\141\164\151\157\156\040\105\156\144
\157\162\163\145\144\061\050\060\046\006\003\125\004\003\023\037
\117\111\123\124\105\040\127\111\123\145\113\145\171\040\107\154
\157\142\141\154\040\122\157\157\164\040\107\102\040\103\101
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\155\061\013\060\011\006\003\125\004\006\023\002\103\110\061
\020\060\016\006\003\125\004\012\023\007\127\111\123\145\113\145
\171\061\042\060\040\006\003\125\004\013\023\031\117\111\123\124
\105\040\106\157\165\156\144\141\164\151\157\156\040\105\156\144
\157\162\163\145\144\061\050\060\046\006\003\125\004\003\023\037
\117\111\123\124\105\040\127\111\123\145\113\145\171\040\107\154
\157\142\141\154\040\122\157\157\164\040\107\102\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\166\261\040\122\164\360\205\207\106\263\370\043\032\366
\302\300
END
CKA_VALUE MULTILINE_OCTAL
\060\202\003\265\060\202\002\235\240\003\002\001\002\002\020\166
\261\040\122\164\360\205\207\106\263\370\043\032\366\302\300\060
\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060\155
\061\013\060\011\006\003\125\004\006\023\002\103\110\061\020\060
\016\006\003\125\004\012\023\007\127\111\123\145\113\145\171\061
\042\060\040\006\003\125\004\013\023\031\117\111\123\124\105\040
\106\157\165\156\144\141\164\151\157\156\040\105\156\144\157\162
\163\145\144\061\050\060\046\006\003\125\004\003\023\037\117\111
\123\124\105\040\127\111\123\145\113\145\171\040\107\154\157\142
\141\154\040\122\157\157\164\040\107\102\040\103\101\060\036\027
```



\015\061\064\061\062\060\061\061\065\060\060\063\062\132\027\015  
\063\071\061\062\060\061\061\065\061\060\063\061\132\060\155\061  
\013\060\011\006\003\125\004\006\023\002\103\110\061\020\060\016  
\006\003\125\004\012\023\007\127\111\123\145\113\145\171\061\042  
\060\040\006\003\125\004\013\023\031\117\111\123\124\105\040\106  
\157\165\156\144\141\164\151\157\156\040\105\156\144\157\162\163  
\145\144\061\050\060\046\006\003\125\004\003\023\037\117\111\123  
\124\105\040\127\111\123\145\113\145\171\040\107\154\157\142\141  
\154\040\122\157\157\164\040\107\102\040\103\101\060\202\001\042  
\060\015\006\011\052\206\110\206\367\015\001\001\001\005\000\003  
\202\001\017\000\060\202\001\012\002\202\001\001\000\330\027\267  
\034\112\044\052\326\227\261\312\342\036\373\175\070\357\230\365  
\262\071\230\116\047\270\021\135\173\322\045\224\210\202\025\046  
\152\033\061\273\250\133\041\041\053\330\017\116\237\132\361\261  
\132\344\171\326\062\043\053\341\123\314\231\105\134\173\117\255  
\274\277\207\112\013\113\227\132\250\366\110\354\175\173\015\315  
\041\006\337\236\025\375\101\212\110\267\040\364\241\172\033\127  
\324\135\120\377\272\147\330\043\231\037\310\077\343\336\377\157  
\133\167\261\153\156\270\311\144\367\341\312\101\106\016\051\161  
\320\271\043\374\311\201\137\116\367\157\337\277\204\255\163\144  
\273\267\102\216\151\366\324\166\035\176\235\247\270\127\212\121  
\147\162\327\324\250\270\225\124\100\163\003\366\352\364\353\376  
\050\102\167\077\235\043\033\262\266\075\200\024\007\114\056\117  
\367\325\012\026\015\275\146\103\067\176\043\103\171\303\100\206  
\365\114\051\332\216\232\255\015\245\004\207\210\036\205\343\351  
\123\325\233\310\213\003\143\170\353\340\031\112\156\273\057\153  
\063\144\130\223\255\151\277\217\033\357\202\110\307\002\003\001  
\000\001\243\121\060\117\060\013\006\003\125\035\017\004\004\003  
\002\001\206\060\017\006\003\125\035\023\001\001\377\004\005\060  
\003\001\001\377\060\035\006\003\125\035\016\004\026\004\024\065  
\017\310\066\143\136\342\243\354\371\073\146\025\316\121\122\343  
\221\232\075\060\020\006\011\053\006\001\004\001\202\067\025\001  
\004\003\002\001\000\060\015\006\011\052\206\110\206\367\015\001  
\001\013\005\000\003\202\001\001\000\100\114\373\207\262\231\201  
\220\176\235\305\260\260\046\315\210\173\053\062\215\156\270\041  
\161\130\227\175\256\067\024\257\076\347\367\232\342\175\366\161  
\230\231\004\252\103\164\170\243\343\111\141\076\163\214\115\224  
\340\371\161\304\266\026\016\123\170\037\326\242\207\057\002\071  
\201\051\074\257\025\230\041\060\376\050\220\000\214\321\341\313  
\372\136\310\375\370\020\106\073\242\170\102\221\027\164\125\012  
\336\120\147\115\146\321\247\377\375\331\300\265\250\243\212\316  
\146\365\017\103\315\247\053\127\173\143\106\152\252\056\122\330  
\364\355\341\155\255\051\220\170\110\272\341\043\252\243\211\354  
\265\253\226\300\264\113\242\035\227\236\172\362\156\100\161\337  
\150\361\145\115\316\174\005\337\123\145\251\245\360\261\227\004  
\160\025\106\003\230\324\322\277\124\264\240\130\175\122\157\332  
\126\046\142\324\330\333\211\061\157\034\360\042\302\323\142\034  
\065\315\114\151\025\124\032\220\230\336\353\036\137\312\167\307

```

\313\216\075\103\151\234\232\130\320\044\073\337\033\100\226\176
\065\255\201\307\116\161\272\210\023
END
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

# Trust for "OISTE WISEKey Global Root GB CA"
# Issuer: CN=OISTE WISEKey Global Root GB CA,OU=OISTE Foundation Endorsed,O=WISEKey,C=CH
# Serial Number:76:b1:20:52:74:f0:85:87:46:b3:f8:23:1a:f6:c2:c0
# Subject: CN=OISTE WISEKey Global Root GB CA,OU=OISTE Foundation Endorsed,O=WISEKey,C=CH
# Not Valid Before: Mon Dec 01 15:00:32 2014
# Not Valid After : Thu Dec 01 15:10:31 2039
# Fingerprint (SHA-256):
6B:9C:08:E8:6E:B0:F7:67:CF:AD:65:CD:98:B6:21:49:E5:49:4A:67:F5:84:5E:7B:D1:ED:01:9F:27:B8:6B:D6
# Fingerprint (SHA1): 0F:F9:40:76:18:D3:D7:6A:4B:98:F0:A8:35:9E:0C:FD:27:AC:CC:ED
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "OISTE WISEKey Global Root GB CA"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\017\371\100\166\030\323\327\152\113\230\360\250\065\236\014\375
\047\254\314\355
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\244\353\271\141\050\056\267\057\230\260\065\046\220\231\121\035
END
CKA_ISSUER MULTILINE_OCTAL
\060\155\061\013\060\011\006\003\125\004\006\023\002\103\110\061
\020\060\016\006\003\125\004\012\023\007\127\111\123\145\113\145
\171\061\042\060\040\006\003\125\004\013\023\031\117\111\123\124
\105\040\106\157\165\156\144\141\164\151\157\156\040\105\156\144
\157\162\163\145\144\061\050\060\046\006\003\125\004\003\023\037
\117\111\123\124\105\040\127\111\123\145\113\145\171\040\107\154
\157\142\141\154\040\122\157\157\164\040\107\102\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\166\261\040\122\164\360\205\207\106\263\370\043\032\366
\302\300
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "SZAFIR ROOT CA2"

```

```
#
# Issuer: CN=SZAFIR ROOT CA2,O=Krajowa Izba Rozliczeniowa S.A.,C=PL
# Serial Number:3e:8a:5d:07:ec:55:d2:32:d5:b7:e3:b6:5f:01:eb:2d:dc:e4:d6:e4
# Subject: CN=SZAFIR ROOT CA2,O=Krajowa Izba Rozliczeniowa S.A.,C=PL
# Not Valid Before: Mon Oct 19 07:43:30 2015
# Not Valid After : Fri Oct 19 07:43:30 2035
# Fingerprint (SHA-256):
A1:33:9D:33:28:1A:0B:56:E5:57:D3:D3:2B:1C:E7:F9:36:7E:B0:94:BD:5F:A7:2A:7E:50:04:C8:DE:D7:CA:FE
# Fingerprint (SHA1): E2:52:FA:95:3F:ED:DB:24:60:BD:6E:28:F3:9C:CC:CF:5E:B3:3F:DE
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "SZAFIR ROOT CA2"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\121\061\013\060\011\006\003\125\004\006\023\002\120\114\061
\050\060\046\006\003\125\004\012\014\037\113\162\141\152\157\167
\141\040\111\172\142\141\040\122\157\172\154\151\143\172\145\156
\151\157\167\141\040\123\056\101\056\061\030\060\026\006\003\125
\004\003\014\017\123\132\101\106\111\122\040\122\117\117\124\040
\103\101\062
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\121\061\013\060\011\006\003\125\004\006\023\002\120\114\061
\050\060\046\006\003\125\004\012\014\037\113\162\141\152\157\167
\141\040\111\172\142\141\040\122\157\172\154\151\143\172\145\156
\151\157\167\141\040\123\056\101\056\061\030\060\026\006\003\125
\004\003\014\017\123\132\101\106\111\122\040\122\117\117\124\040
\103\101\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\024\076\212\135\007\354\125\322\062\325\267\343\266\137\001
\353\055\334\344\326\344
END
CKA_VALUE MULTILINE_OCTAL
\060\202\003\162\060\202\002\132\240\003\002\001\002\002\024\076
\212\135\007\354\125\322\062\325\267\343\266\137\001\353\055\334
\344\326\344\060\015\006\011\052\206\110\206\367\015\001\001\013
\005\000\060\121\061\013\060\011\006\003\125\004\006\023\002\120
\114\061\050\060\046\006\003\125\004\012\014\037\113\162\141\152
\157\167\141\040\111\172\142\141\040\122\157\172\154\151\143\172
\145\156\151\157\167\141\040\123\056\101\056\061\030\060\026\006
\003\125\004\003\014\017\123\132\101\106\111\122\040\122\117\117
\124\040\103\101\062\060\036\027\015\061\065\061\060\061\071\060
\067\064\063\063\060\132\027\015\063\065\061\060\061\071\060\067
\064\063\063\060\132\060\121\061\013\060\011\006\003\125\004\006
```

\023\002\120\114\061\050\060\046\006\003\125\004\012\014\037\113  
\162\141\152\157\167\141\040\111\172\142\141\040\122\157\172\154  
\151\143\172\145\156\151\157\167\141\040\123\056\101\056\061\030  
\060\026\006\003\125\004\003\014\017\123\132\101\106\111\122\040  
\122\117\117\124\040\103\101\062\060\202\001\042\060\015\006\011  
\052\206\110\206\367\015\001\001\001\005\000\003\202\001\017\000  
\060\202\001\012\002\202\001\001\000\267\274\076\120\250\113\315  
\100\265\316\141\347\226\312\264\241\332\014\042\260\372\265\173  
\166\000\167\214\013\317\175\250\206\314\046\121\344\040\075\205  
\014\326\130\343\347\364\052\030\235\332\321\256\046\356\353\123  
\334\364\220\326\023\112\014\220\074\303\364\332\322\216\015\222  
\072\334\261\261\377\070\336\303\272\055\137\200\271\002\275\112  
\235\033\017\264\303\302\301\147\003\335\334\033\234\075\263\260  
\336\000\036\250\064\107\273\232\353\376\013\024\275\066\204\332  
\015\040\277\372\133\313\251\026\040\255\071\140\356\057\165\266  
\347\227\234\371\076\375\176\115\157\115\057\357\210\015\152\372  
\335\361\075\156\040\245\240\022\264\115\160\271\316\327\162\073  
\211\223\247\200\204\034\047\111\162\111\265\377\073\225\236\301  
\314\310\001\354\350\016\212\012\226\347\263\246\207\345\326\371  
\005\053\015\227\100\160\074\272\254\165\132\234\325\115\235\002  
\012\322\113\233\146\113\106\007\027\145\255\237\154\210\000\334  
\042\211\340\341\144\324\147\274\061\171\141\074\273\312\101\315  
\134\152\000\310\074\070\216\130\257\002\003\001\000\001\243\102  
\060\100\060\017\006\003\125\035\023\001\001\377\004\005\060\003  
\001\001\377\060\016\006\003\125\035\017\001\001\377\004\004\003  
\002\001\006\060\035\006\003\125\035\016\004\026\004\024\056\026  
\251\112\030\265\313\314\365\157\120\363\043\137\370\135\347\254  
\360\310\060\015\006\011\052\206\110\206\367\015\001\001\013\005  
\000\003\202\001\001\000\265\163\370\003\334\131\133\035\166\351  
\243\052\173\220\050\262\115\300\063\117\252\232\261\324\270\344  
\047\377\251\226\231\316\106\340\155\174\114\242\070\244\006\160  
\360\364\101\021\354\077\107\215\077\162\207\371\073\375\244\157  
\053\123\000\340\377\071\271\152\007\016\353\035\034\366\242\162  
\220\313\202\075\021\202\213\322\273\237\052\257\041\346\143\206  
\235\171\031\357\367\273\014\065\220\303\212\355\117\017\365\314  
\022\331\244\076\273\240\374\040\225\137\117\046\057\021\043\203  
\116\165\007\017\277\233\321\264\035\351\020\004\376\312\140\217  
\242\114\270\255\317\341\220\017\315\256\012\307\135\173\267\120  
\322\324\141\372\325\025\333\327\237\207\121\124\353\245\343\353  
\311\205\240\045\040\067\373\216\316\014\064\204\341\074\201\262  
\167\116\103\245\210\137\206\147\241\075\346\264\134\141\266\076  
\333\376\267\050\305\242\007\256\265\312\312\215\052\022\357\227  
\355\302\060\244\311\052\172\373\363\115\043\033\231\063\064\240  
\056\365\251\013\077\324\135\341\317\204\237\342\031\302\137\212  
\326\040\036\343\163\267

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "SZAFIR ROOT CA2"

# Issuer: CN=SZAFIR ROOT CA2,O=Krajowa Izba Rozliczeniowa S.A.,C=PL

# Serial Number:3e:8a:5d:07:ec:55:d2:32:d5:b7:e3:b6:5f:01:eb:2d:dc:e4:d6:e4

# Subject: CN=SZAFIR ROOT CA2,O=Krajowa Izba Rozliczeniowa S.A.,C=PL

# Not Valid Before: Mon Oct 19 07:43:30 2015

# Not Valid After : Fri Oct 19 07:43:30 2035

# Fingerprint (SHA-256):

A1:33:9D:33:28:1A:0B:56:E5:57:D3:D3:2B:1C:E7:F9:36:7E:B0:94:BD:5F:A7:2A:7E:50:04:C8:DE:D7:CA:FE

# Fingerprint (SHA1): E2:52:FA:95:3F:ED:DB:24:60:BD:6E:28:F3:9C:CC:CF:5E:B3:3F:DE

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "SZAFIR ROOT CA2"

CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL

\342\122\372\225\077\355\333\044\140\275\156\050\363\234\314\317  
\136\263\077\336

END

CKA\_CERT\_MD5\_HASH MULTILINE\_OCTAL

\021\144\301\211\260\044\261\214\261\007\176\211\236\121\236\231

END

CKA\_ISSUER MULTILINE\_OCTAL

\060\121\061\013\060\011\006\003\125\004\006\023\002\120\114\061  
\050\060\046\006\003\125\004\012\014\037\113\162\141\152\157\167  
\141\040\111\172\142\141\040\122\157\172\154\151\143\172\145\156  
\151\157\167\141\040\123\056\101\056\061\030\060\026\006\003\125  
\004\003\014\017\123\132\101\106\111\122\040\122\117\117\124\040  
\103\101\062

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\024\076\212\135\007\354\125\322\062\325\267\343\266\137\001  
\353\055\334\344\326\344

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "Certum Trusted Network CA 2"

#

# Issuer: CN=Certum Trusted Network CA 2,OU=Certum Certification Authority,O=Unizeto Technologies  
S.A.,C=PL

# Serial Number:21:d6:d0:4a:4f:25:0f:c9:32:37:fc:aa:5e:12:8d:e9

# Subject: CN=Certum Trusted Network CA 2,OU=Certum Certification Authority,O=Unizeto Technologies  
S.A.,C=PL

```
# Not Valid Before: Thu Oct 06 08:39:56 2011
# Not Valid After : Sat Oct 06 08:39:56 2046
# Fingerprint (SHA-256):
B6:76:F2:ED:DA:E8:77:5C:D3:6C:B0:F6:3C:D1:D4:60:39:61:F4:9E:62:65:BA:01:3A:2F:03:07:B6:D0:B8:04
# Fingerprint (SHA1): D3:DD:48:3E:2B:BF:4C:05:E8:AF:10:F5:FA:76:26:CF:D3:DC:30:92
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Certum Trusted Network CA 2"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\200\061\013\060\011\006\003\125\004\006\023\002\120\114
\061\042\060\040\006\003\125\004\012\023\031\125\156\151\172\145
\164\157\040\124\145\143\150\156\157\154\157\147\151\145\163\040
\123\056\101\056\061\047\060\045\006\003\125\004\013\023\036\103
\145\162\164\165\155\040\103\145\162\164\151\146\151\143\141\164
\151\157\156\040\101\165\164\150\157\162\151\164\171\061\044\060
\042\006\003\125\004\003\023\033\103\145\162\164\165\155\040\124
\162\165\163\164\145\144\040\116\145\164\167\157\162\153\040\103
\101\040\062
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\200\061\013\060\011\006\003\125\004\006\023\002\120\114
\061\042\060\040\006\003\125\004\012\023\031\125\156\151\172\145
\164\157\040\124\145\143\150\156\157\154\157\147\151\145\163\040
\123\056\101\056\061\047\060\045\006\003\125\004\013\023\036\103
\145\162\164\165\155\040\103\145\162\164\151\146\151\143\141\164
\151\157\156\040\101\165\164\150\157\162\151\164\171\061\044\060
\042\006\003\125\004\003\023\033\103\145\162\164\165\155\040\124
\162\165\163\164\145\144\040\116\145\164\167\157\162\153\040\103
\101\040\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\041\326\320\112\117\045\017\311\062\067\374\252\136\022
\215\351
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\322\060\202\003\272\240\003\002\001\002\002\020\041
\326\320\112\117\045\017\311\062\067\374\252\136\022\215\351\060
\015\006\011\052\206\110\206\367\015\001\001\015\005\000\060\201
\200\061\013\060\011\006\003\125\004\006\023\002\120\114\061\042
\060\040\006\003\125\004\012\023\031\125\156\151\172\145\164\157
\040\124\145\143\150\156\157\154\157\147\151\145\163\040\123\056
\101\056\061\047\060\045\006\003\125\004\013\023\036\103\145\162
\164\165\155\040\103\145\162\164\151\146\151\143\141\164\151\157
\156\040\101\165\164\150\157\162\151\164\171\061\044\060\042\006
```

\003\125\004\003\023\033\103\145\162\164\165\155\040\124\162\165  
\163\164\145\144\040\116\145\164\167\157\162\153\040\103\101\040  
\062\060\042\030\017\062\060\061\061\061\060\060\066\060\070\063  
\071\065\066\132\030\017\062\060\064\066\061\060\060\066\060\070  
\063\071\065\066\132\060\201\200\061\013\060\011\006\003\125\004  
\006\023\002\120\114\061\042\060\040\006\003\125\004\012\023\031  
\125\156\151\172\145\164\157\040\124\145\143\150\156\157\154\157  
\147\151\145\163\040\123\056\101\056\061\047\060\045\006\003\125  
\004\013\023\036\103\145\162\164\165\155\040\103\145\162\164\151  
\146\151\143\141\164\151\157\156\040\101\165\164\150\157\162\151  
\164\171\061\044\060\042\006\003\125\004\003\023\033\103\145\162  
\164\165\155\040\124\162\165\163\164\145\144\040\116\145\164\167  
\157\162\153\040\103\101\040\062\060\202\002\042\060\015\006\011  
\052\206\110\206\367\015\001\001\001\005\000\003\202\002\017\000  
\060\202\002\012\002\202\002\001\000\275\371\170\370\346\325\200  
\014\144\235\206\033\226\144\147\077\042\072\036\165\001\175\357  
\373\134\147\214\311\314\134\153\251\221\346\271\102\345\040\113  
\233\332\233\173\271\231\135\331\233\200\113\327\204\100\053\047  
\323\350\272\060\273\076\011\032\247\111\225\357\053\100\044\302  
\227\307\247\356\233\045\357\250\012\000\227\205\132\252\235\334  
\051\311\342\065\007\353\160\115\112\326\301\263\126\270\241\101  
\070\233\321\373\061\177\217\340\137\341\261\077\017\216\026\111  
\140\327\006\215\030\371\252\046\020\253\052\323\320\321\147\215  
\033\106\276\107\060\325\056\162\321\305\143\332\347\143\171\104  
\176\113\143\044\211\206\056\064\077\051\114\122\213\052\247\300  
\342\221\050\211\271\300\133\371\035\331\347\047\255\377\232\002  
\227\301\306\120\222\233\002\054\275\251\271\064\131\012\277\204  
\112\377\337\376\263\237\353\331\236\340\230\043\354\246\153\167  
\026\052\333\314\255\073\034\244\207\334\106\163\136\031\142\150  
\105\127\344\220\202\102\273\102\326\360\141\340\301\243\075\146  
\243\135\364\030\356\210\311\215\027\105\051\231\062\165\002\061  
\356\051\046\310\153\002\346\265\142\105\177\067\025\132\043\150  
\211\324\076\336\116\047\260\360\100\014\274\115\027\313\115\242  
\263\036\320\006\132\335\366\223\317\127\165\231\365\372\206\032  
\147\170\263\277\226\376\064\334\275\347\122\126\345\263\345\165  
\173\327\101\221\005\334\135\151\343\225\015\103\271\374\203\226  
\071\225\173\154\200\132\117\023\162\306\327\175\051\172\104\272  
\122\244\052\325\101\106\011\040\376\042\240\266\133\060\215\274  
\211\014\325\327\160\370\207\122\375\332\357\254\121\056\007\263  
\116\376\320\011\332\160\357\230\372\126\346\155\333\265\127\113  
\334\345\054\045\025\310\236\056\170\116\370\332\234\236\206\054  
\312\127\363\032\345\310\222\213\032\202\226\172\303\274\120\022  
\151\330\016\132\106\213\072\353\046\372\043\311\266\260\201\276  
\102\000\244\370\326\376\060\056\307\322\106\366\345\216\165\375  
\362\314\271\320\207\133\314\006\020\140\273\203\065\267\136\147  
\336\107\354\231\110\361\244\241\025\376\255\214\142\216\071\125  
\117\071\026\271\261\143\235\377\267\002\003\001\000\001\243\102  
\060\100\060\017\006\003\125\035\023\001\001\377\004\005\060\003

\001\001\377\060\035\006\003\125\035\016\004\026\004\024\266\241  
\124\071\002\303\240\077\216\212\274\372\324\370\034\246\321\072  
\016\375\060\016\006\003\125\035\017\001\001\377\004\004\003\002  
\001\006\060\015\006\011\052\206\110\206\367\015\001\001\015\005  
\000\003\202\002\001\000\161\245\016\316\344\351\277\077\070\325  
\211\132\304\002\141\373\114\305\024\027\055\213\117\123\153\020  
\027\374\145\204\307\020\111\220\336\333\307\046\223\210\046\157  
\160\326\002\136\071\240\367\217\253\226\265\245\023\134\201\024  
\155\016\201\202\021\033\212\116\306\117\245\335\142\036\104\337  
\011\131\364\133\167\013\067\351\213\040\306\370\012\116\056\130  
\034\353\063\320\317\206\140\311\332\373\200\057\236\114\140\204  
\170\075\041\144\326\373\101\037\030\017\347\311\165\161\275\275  
\134\336\064\207\076\101\260\016\366\271\326\077\011\023\226\024  
\057\336\232\035\132\271\126\316\065\072\260\137\160\115\136\343  
\051\361\043\050\162\131\266\253\302\214\146\046\034\167\054\046  
\166\065\213\050\247\151\240\371\073\365\043\335\205\020\164\311  
\220\003\126\221\347\257\272\107\324\022\227\021\042\343\242\111  
\224\154\347\267\224\113\272\055\244\332\063\213\114\246\104\377  
\132\074\306\035\144\330\265\061\344\246\074\172\250\127\013\333  
\355\141\032\313\361\316\163\167\143\244\207\157\114\121\070\326  
\344\137\307\237\266\201\052\344\205\110\171\130\136\073\370\333  
\002\202\147\301\071\333\303\164\113\075\066\036\371\051\223\210  
\150\133\250\104\031\041\360\247\350\201\015\054\350\223\066\264  
\067\262\312\260\033\046\172\232\045\037\232\232\200\236\113\052  
\077\373\243\232\376\163\062\161\302\236\306\162\341\212\150\047  
\361\344\017\264\304\114\245\141\223\370\227\020\007\052\060\045  
\251\271\310\161\270\357\150\314\055\176\365\340\176\017\202\250  
\157\266\272\154\203\103\167\315\212\222\027\241\236\133\170\026  
\075\105\342\063\162\335\341\146\312\231\323\311\305\046\375\015  
\150\004\106\256\266\331\233\214\276\031\276\261\306\362\031\343  
\134\002\312\054\330\157\112\007\331\311\065\332\100\165\362\304  
\247\031\157\236\102\020\230\165\346\225\213\140\274\355\305\022  
\327\212\316\325\230\134\126\226\003\305\356\167\006\065\377\317  
\344\356\077\023\141\356\333\332\055\205\360\315\256\235\262\030  
\011\105\303\222\241\162\027\374\107\266\240\013\054\361\304\336  
\103\150\010\152\137\073\360\166\143\373\314\006\054\246\306\342  
\016\265\271\276\044\217

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "Certum Trusted Network CA 2"

# Issuer: CN=Certum Trusted Network CA 2,OU=Certum Certification Authority,O=Unizeto Technologies  
S.A.,C=PL

# Serial Number:21:d6:d0:4a:4f:25:0f:c9:32:37:fc:aa:5e:12:8d:e9

# Subject: CN=Certum Trusted Network CA 2,OU=Certum Certification Authority,O=Unizeto Technologies  
S.A.,C=PL



```
# Not Valid Before: Thu Oct 06 08:39:56 2011
# Not Valid After : Sat Oct 06 08:39:56 2046
# Fingerprint (SHA-256):
B6:76:F2:ED:DA:E8:77:5C:D3:6C:B0:F6:3C:D1:D4:60:39:61:F4:9E:62:65:BA:01:3A:2F:03:07:B6:D0:B8:04
# Fingerprint (SHA1): D3:DD:48:3E:2B:BF:4C:05:E8:AF:10:F5:FA:76:26:CF:D3:DC:30:92
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Certum Trusted Network CA 2"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\323\335\110\076\053\277\114\005\350\257\020\365\372\166\046\317
\323\334\060\222
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\155\106\236\331\045\155\010\043\133\136\164\175\036\047\333\362
END
CKA_ISSUER MULTILINE_OCTAL
\060\201\200\061\013\060\011\006\003\125\004\006\023\002\120\114
\061\042\060\040\006\003\125\004\012\023\031\125\156\151\172\145
\164\157\040\124\145\143\150\156\157\154\157\147\151\145\163\040
\123\056\101\056\061\047\060\045\006\003\125\004\013\023\036\103
\145\162\164\165\155\040\103\145\162\164\151\146\151\143\141\164
\151\157\156\040\101\165\164\150\157\162\151\164\171\061\044\060
\042\006\003\125\004\003\023\033\103\145\162\164\165\155\040\124
\162\165\163\164\145\144\040\116\145\164\167\157\162\153\040\103
\101\040\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\041\326\320\112\117\045\017\311\062\067\374\252\136\022
\215\351
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Hellenic Academic and Research Institutions RootCA 2015"
#
# Issuer: CN=Hellenic Academic and Research Institutions RootCA 2015,O=Hellenic Academic and Research
Institutions Cert. Authority,L=Athens,C=GR
# Serial Number: 0 (0x0)
# Subject: CN=Hellenic Academic and Research Institutions RootCA 2015,O=Hellenic Academic and Research
Institutions Cert. Authority,L=Athens,C=GR
# Not Valid Before: Tue Jul 07 10:11:21 2015
# Not Valid After : Sat Jun 30 10:11:21 2040
# Fingerprint (SHA-256):
```

```
A0:40:92:9A:02:CE:53:B4:AC:F4:F2:FF:C6:98:1C:E4:49:6F:75:5E:6D:45:FE:0B:2A:69:2B:CD:52:52:3F:36
# Fingerprint (SHA1): 01:0C:06:95:A6:98:19:14:FF:BF:5F:C6:B0:B6:95:EA:29:E9:12:A6
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Hellenic Academic and Research Institutions RootCA 2015"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\246\061\013\060\011\006\003\125\004\006\023\002\107\122
\061\017\060\015\006\003\125\004\007\023\006\101\164\150\145\156
\163\061\104\060\102\006\003\125\004\012\023\073\110\145\154\154
\145\156\151\143\040\101\143\141\144\145\155\151\143\040\141\156
\144\040\122\145\163\145\141\162\143\150\040\111\156\163\164\151
\164\165\164\151\157\156\163\040\103\145\162\164\056\040\101\165
\164\150\157\162\151\164\171\061\100\060\076\006\003\125\004\003
\023\067\110\145\154\154\145\156\151\143\040\101\143\141\144\145
\155\151\143\040\141\156\144\040\122\145\163\145\141\162\143\150
\040\111\156\163\164\151\164\165\164\151\157\156\163\040\122\157
\157\164\103\101\040\062\060\061\065
END
CKA_ID UTF8 ""
CKA_ISSUER MULTILINE_OCTAL
\060\201\246\061\013\060\011\006\003\125\004\006\023\002\107\122
\061\017\060\015\006\003\125\004\007\023\006\101\164\150\145\156
\163\061\104\060\102\006\003\125\004\012\023\073\110\145\154\154
\145\156\151\143\040\101\143\141\144\145\155\151\143\040\141\156
\144\040\122\145\163\145\141\162\143\150\040\111\156\163\164\151
\164\165\164\151\157\156\163\040\103\145\162\164\056\040\101\165
\164\150\157\162\151\164\171\061\100\060\076\006\003\125\004\003
\023\067\110\145\154\154\145\156\151\143\040\101\143\141\144\145
\155\151\143\040\141\156\144\040\122\145\163\145\141\162\143\150
\040\111\156\163\164\151\164\165\164\151\157\156\163\040\122\157
\157\164\103\101\040\062\060\061\065
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\000
END
CKA_VALUE MULTILINE_OCTAL
\060\202\006\013\060\202\003\363\240\003\002\001\002\002\001\000
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060
\201\246\061\013\060\011\006\003\125\004\006\023\002\107\122\061
\017\060\015\006\003\125\004\007\023\006\101\164\150\145\156\163
\061\104\060\102\006\003\125\004\012\023\073\110\145\154\154\145
\156\151\143\040\101\143\141\144\145\155\151\143\040\141\156\144
\040\122\145\163\145\141\162\143\150\040\111\156\163\164\151\164
\165\164\151\157\156\163\040\103\145\162\164\056\040\101\165\164
\150\157\162\151\164\171\061\100\060\076\006\003\125\004\003\023
```

\067\110\145\154\154\145\156\151\143\040\101\143\141\144\145\155  
\151\143\040\141\156\144\040\122\145\163\145\141\162\143\150\040  
\111\156\163\164\151\164\165\164\151\157\156\163\040\122\157\157  
\164\103\101\040\062\060\061\065\060\036\027\015\061\065\060\067  
\060\067\061\060\061\061\062\061\132\027\015\064\060\060\066\063  
\060\061\060\061\061\062\061\132\060\201\246\061\013\060\011\006  
\003\125\004\006\023\002\107\122\061\017\060\015\006\003\125\004  
\007\023\006\101\164\150\145\156\163\061\104\060\102\006\003\125  
\004\012\023\073\110\145\154\154\145\156\151\143\040\101\143\141  
\144\145\155\151\143\040\141\156\144\040\122\145\163\145\141\162  
\143\150\040\111\156\163\164\151\164\165\164\151\157\156\163\040  
\103\145\162\164\056\040\101\165\164\150\157\162\151\164\171\061  
\100\060\076\006\003\125\004\003\023\067\110\145\154\154\145\156  
\151\143\040\101\143\141\144\145\155\151\143\040\141\156\144\040  
\122\145\163\145\141\162\143\150\040\111\156\163\164\151\164\165  
\164\151\157\156\163\040\122\157\157\164\103\101\040\062\060\061  
\065\060\202\002\042\060\015\006\011\052\206\110\206\367\015\001  
\001\001\005\000\003\202\002\017\000\060\202\002\012\002\202\002  
\001\000\302\370\251\077\033\211\374\074\074\004\135\075\220\066  
\260\221\072\171\074\146\132\357\155\071\001\111\032\264\267\317  
\177\115\043\123\267\220\000\343\023\052\050\246\061\361\221\000  
\343\050\354\256\041\101\316\037\332\375\175\022\133\001\203\017  
\271\260\137\231\341\362\022\203\200\115\006\076\337\254\257\347  
\241\210\153\061\257\360\213\320\030\063\270\333\105\152\064\364  
\002\200\044\050\012\002\025\225\136\166\052\015\231\072\024\133  
\366\313\313\123\274\023\115\001\210\067\224\045\033\102\274\042  
\330\216\243\226\136\072\331\062\333\076\350\360\020\145\355\164  
\341\057\247\174\257\047\064\273\051\175\233\266\317\011\310\345  
\323\012\374\210\145\145\164\012\334\163\034\134\315\100\261\034  
\324\266\204\214\114\120\317\150\216\250\131\256\302\047\116\202  
\242\065\335\024\364\037\377\262\167\325\207\057\252\156\175\044  
\047\347\306\313\046\346\345\376\147\007\143\330\105\015\335\072  
\131\145\071\130\172\222\231\162\075\234\204\136\210\041\270\325  
\364\054\374\331\160\122\117\170\270\275\074\053\213\225\230\365  
\263\321\150\317\040\024\176\114\134\137\347\213\345\365\065\201  
\031\067\327\021\010\267\146\276\323\112\316\203\127\000\072\303  
\201\370\027\313\222\066\135\321\243\330\165\033\341\213\047\352  
\172\110\101\375\105\031\006\255\047\231\116\301\160\107\335\265  
\237\201\123\022\345\261\214\110\135\061\103\027\343\214\306\172  
\143\226\113\051\060\116\204\116\142\031\136\074\316\227\220\245  
\177\001\353\235\340\370\213\211\335\045\230\075\222\266\176\357  
\331\361\121\121\175\055\046\310\151\131\141\340\254\152\270\052  
\066\021\004\172\120\275\062\204\276\057\334\162\325\327\035\026  
\107\344\107\146\040\077\364\226\305\257\216\001\172\245\017\172  
\144\365\015\030\207\331\256\210\325\372\204\301\072\300\151\050  
\055\362\015\150\121\252\343\245\167\306\244\220\016\241\067\213  
\061\043\107\301\011\010\353\156\367\170\233\327\202\374\204\040  
\231\111\031\266\022\106\261\373\105\125\026\251\243\145\254\234

\007\017\352\153\334\037\056\006\162\354\206\210\022\344\055\333  
\137\005\057\344\360\003\323\046\063\347\200\302\315\102\241\027  
\064\013\002\003\001\000\001\243\102\060\100\060\017\006\003\125  
\035\023\001\001\377\004\005\060\003\001\001\377\060\016\006\003  
\125\035\017\001\001\377\004\004\003\002\001\006\060\035\006\003  
\125\035\016\004\026\004\024\161\025\147\310\310\311\275\165\135  
\162\320\070\030\152\235\363\161\044\124\013\060\015\006\011\052  
\206\110\206\367\015\001\001\013\005\000\003\202\002\001\000\165  
\273\155\124\113\252\020\130\106\064\362\142\327\026\066\135\010  
\136\325\154\310\207\275\264\056\106\362\061\370\174\352\102\265  
\223\026\125\334\241\014\022\240\332\141\176\017\130\130\163\144  
\162\307\350\105\216\334\251\362\046\077\306\171\214\261\123\010  
\063\201\260\126\023\276\346\121\134\330\233\012\117\113\234\126  
\123\002\351\117\366\015\140\352\115\102\125\350\174\033\041\041  
\323\033\072\314\167\362\270\220\361\150\307\371\132\376\372\055  
\364\277\311\365\105\033\316\070\020\052\067\212\171\243\264\343  
\011\154\205\206\223\377\211\226\047\170\201\217\147\343\106\164  
\124\216\331\015\151\342\112\364\115\164\003\377\262\167\355\225  
\147\227\344\261\305\253\277\152\043\350\324\224\342\104\050\142  
\304\113\342\360\330\342\051\153\032\160\176\044\141\223\173\117  
\003\062\045\015\105\044\053\226\264\106\152\277\112\013\367\232  
\217\301\254\032\305\147\363\157\064\322\372\163\143\214\357\026  
\260\250\244\106\052\370\353\022\354\162\264\357\370\053\176\214  
\122\300\213\204\124\371\057\076\343\125\250\334\146\261\331\341  
\137\330\263\214\131\064\131\244\253\117\154\273\037\030\333\165  
\253\330\313\222\315\224\070\141\016\007\006\037\113\106\020\361  
\025\276\215\205\134\073\112\053\201\171\017\264\151\237\111\120  
\227\115\367\016\126\135\300\225\152\302\066\303\033\150\311\365  
\052\334\107\232\276\262\316\305\045\350\372\003\271\332\371\026  
\156\221\204\365\034\050\310\374\046\314\327\034\220\126\247\137  
\157\072\004\274\315\170\211\013\216\017\057\243\252\117\242\033  
\022\075\026\010\100\017\361\106\114\327\252\173\010\301\012\365  
\155\047\336\002\217\312\303\265\053\312\351\353\310\041\123\070  
\245\314\073\330\167\067\060\242\117\331\157\321\362\100\255\101  
\172\027\305\326\112\065\211\267\101\325\174\206\177\125\115\203  
\112\245\163\040\300\072\257\220\361\232\044\216\331\216\161\312  
\173\270\206\332\262\217\231\076\035\023\015\022\021\356\324\253  
\360\351\025\166\002\344\340\337\252\040\036\133\141\205\144\100  
\251\220\227\015\255\123\322\132\035\207\152\000\227\145\142\264  
\276\157\152\247\365\054\102\355\062\255\266\041\236\276\274

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "Hellenic Academic and Research Institutions RootCA 2015"

# Issuer: CN=Hellenic Academic and Research Institutions RootCA 2015,O=Hellenic Academic and Research  
Institutions Cert. Authority,L=Athens,C=GR

```

# Serial Number: 0 (0x0)
# Subject: CN=Hellenic Academic and Research Institutions RootCA 2015,O=Hellenic Academic and Research
Institutions Cert. Authority,L=Athens,C=GR
# Not Valid Before: Tue Jul 07 10:11:21 2015
# Not Valid After : Sat Jun 30 10:11:21 2040
# Fingerprint (SHA-256):
A0:40:92:9A:02:CE:53:B4:AC:F4:F2:FF:C6:98:1C:E4:49:6F:75:5E:6D:45:FE:0B:2A:69:2B:CD:52:52:3F:36
# Fingerprint (SHA1): 01:0C:06:95:A6:98:19:14:FF:BF:5F:C6:B0:B6:95:EA:29:E9:12:A6
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Hellenic Academic and Research Institutions RootCA 2015"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\001\014\006\225\246\230\031\024\377\277\137\306\260\266\225\352
\051\351\022\246
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\312\377\342\333\003\331\313\113\351\017\255\204\375\173\030\316
END
CKA_ISSUER MULTILINE_OCTAL
\060\201\246\061\013\060\011\006\003\125\004\006\023\002\107\122
\061\017\060\015\006\003\125\004\007\023\006\101\164\150\145\156
\163\061\104\060\102\006\003\125\004\012\023\073\110\145\154\154
\145\156\151\143\040\101\143\141\144\145\155\151\143\040\141\156
\144\040\122\145\163\145\141\162\143\150\040\111\156\163\164\151
\164\165\164\151\157\156\163\040\103\145\162\164\056\040\101\165
\164\150\157\162\151\164\171\061\100\060\076\006\003\125\004\003
\023\067\110\145\154\154\145\156\151\143\040\101\143\141\144\145
\155\151\143\040\141\156\144\040\122\145\163\145\141\162\143\150
\040\111\156\163\164\151\164\165\164\151\157\156\163\040\122\157
\157\164\103\101\040\062\060\061\065
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\000
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Hellenic Academic and Research Institutions ECC RootCA 2015"
#
# Issuer: CN=Hellenic Academic and Research Institutions ECC RootCA 2015,O=Hellenic Academic and Research
Institutions Cert. Authority,L=Athens,C=GR
# Serial Number: 0 (0x0)
# Subject: CN=Hellenic Academic and Research Institutions ECC RootCA 2015,O=Hellenic Academic and

```

Research Institutions Cert. Authority,L=Athens,C=GR

# Not Valid Before: Tue Jul 07 10:37:12 2015

# Not Valid After : Sat Jun 30 10:37:12 2040

# Fingerprint (SHA-256):

44:B5:45:AA:8A:25:E6:5A:73:CA:15:DC:27:FC:36:D2:4C:1C:B9:95:3A:06:65:39:B1:15:82:DC:48:7B:48:33

# Fingerprint (SHA1): 9F:F1:71:8D:92:D5:9A:F3:7D:74:97:B4:BC:6F:84:68:0B:BA:B6:66

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "Hellenic Academic and Research Institutions ECC RootCA 2015"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

\060\201\252\061\013\060\011\006\003\125\004\006\023\002\107\122  
\061\017\060\015\006\003\125\004\007\023\006\101\164\150\145\156  
\163\061\104\060\102\006\003\125\004\012\023\073\110\145\154\154  
\145\156\151\143\040\101\143\141\144\145\155\151\143\040\141\156  
\144\040\122\145\163\145\141\162\143\150\040\111\156\163\164\151  
\164\165\164\151\157\156\163\040\103\145\162\164\056\040\101\165  
\164\150\157\162\151\164\171\061\104\060\102\006\003\125\004\003  
\023\073\110\145\154\154\145\156\151\143\040\101\143\141\144\145  
\155\151\143\040\141\156\144\040\122\145\163\145\141\162\143\150  
\040\111\156\163\164\151\164\165\164\151\157\156\163\040\105\103  
\103\040\122\157\157\164\103\101\040\062\060\061\065

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\201\252\061\013\060\011\006\003\125\004\006\023\002\107\122  
\061\017\060\015\006\003\125\004\007\023\006\101\164\150\145\156  
\163\061\104\060\102\006\003\125\004\012\023\073\110\145\154\154  
\145\156\151\143\040\101\143\141\144\145\155\151\143\040\141\156  
\144\040\122\145\163\145\141\162\143\150\040\111\156\163\164\151  
\164\165\164\151\157\156\163\040\103\145\162\164\056\040\101\165  
\164\150\157\162\151\164\171\061\104\060\102\006\003\125\004\003  
\023\073\110\145\154\154\145\156\151\143\040\101\143\141\144\145  
\155\151\143\040\141\156\144\040\122\145\163\145\141\162\143\150  
\040\111\156\163\164\151\164\165\164\151\157\156\163\040\105\103  
\103\040\122\157\157\164\103\101\040\062\060\061\065

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\001\000

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\002\303\060\202\002\112\240\003\002\001\002\002\001\000  
\060\012\006\010\052\206\110\316\075\004\003\002\060\201\252\061  
\013\060\011\006\003\125\004\006\023\002\107\122\061\017\060\015  
\006\003\125\004\007\023\006\101\164\150\145\156\163\061\104\060  
\102\006\003\125\004\012\023\073\110\145\154\154\145\156\151\143

\040\101\143\141\144\145\155\151\143\040\141\156\144\040\122\145  
\163\145\141\162\143\150\040\111\156\163\164\151\164\165\164\151  
\157\156\163\040\103\145\162\164\056\040\101\165\164\150\157\162  
\151\164\171\061\104\060\102\006\003\125\004\003\023\073\110\145  
\154\154\145\156\151\143\040\101\143\141\144\145\155\151\143\040  
\141\156\144\040\122\145\163\145\141\162\143\150\040\111\156\163  
\164\151\164\165\164\151\157\156\163\040\105\103\103\040\122\157  
\157\164\103\101\040\062\060\061\065\060\036\027\015\061\065\060  
\067\060\067\061\060\063\067\061\062\132\027\015\064\060\060\066  
\063\060\061\060\063\067\061\062\132\060\201\252\061\013\060\011  
\006\003\125\004\006\023\002\107\122\061\017\060\015\006\003\125  
\004\007\023\006\101\164\150\145\156\163\061\104\060\102\006\003  
\125\004\012\023\073\110\145\154\154\145\156\151\143\040\101\143  
\141\144\145\155\151\143\040\141\156\144\040\122\145\163\145\141  
\162\143\150\040\111\156\163\164\151\164\165\164\151\157\156\163  
\040\103\145\162\164\056\040\101\165\164\150\157\162\151\164\171  
\061\104\060\102\006\003\125\004\003\023\073\110\145\154\154\145  
\156\151\143\040\101\143\141\144\145\155\151\143\040\141\156\144  
\040\122\145\163\145\141\162\143\150\040\111\156\163\164\151\164  
\165\164\151\157\156\163\040\105\103\103\040\122\157\157\164\103  
\101\040\062\060\061\065\060\166\060\020\006\007\052\206\110\316  
\075\002\001\006\005\053\201\004\000\042\003\142\000\004\222\240  
\101\350\113\202\204\134\342\370\061\021\231\206\144\116\011\045  
\057\235\101\057\012\256\065\117\164\225\262\121\144\153\215\153  
\346\077\160\225\360\005\104\107\246\162\070\120\166\225\002\132  
\216\256\050\236\371\055\116\231\357\054\110\157\114\045\051\350  
\321\161\133\337\035\301\165\067\264\327\372\173\172\102\234\152  
\012\126\132\174\151\013\252\200\011\044\154\176\301\106\243\102  
\060\100\060\017\006\003\125\035\023\001\001\377\004\005\060\003  
\001\001\377\060\016\006\003\125\035\017\001\001\377\004\004\003  
\002\001\006\060\035\006\003\125\035\016\004\026\004\024\264\042  
\013\202\231\044\001\016\234\273\344\016\375\277\373\227\040\223  
\231\052\060\012\006\010\052\206\110\316\075\004\003\002\003\147  
\000\060\144\002\060\147\316\026\142\070\242\254\142\105\247\251  
\225\044\300\032\047\234\062\073\300\300\325\272\251\347\370\004  
\103\123\205\356\122\041\336\235\365\045\203\076\236\130\113\057  
\327\147\023\016\041\002\060\005\341\165\001\336\150\355\052\037  
\115\114\011\010\015\354\113\255\144\027\050\347\165\316\105\145  
\162\041\027\313\042\101\016\214\023\230\070\232\124\155\233\312  
\342\174\352\002\130\042\221

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "Hellenic Academic and Research Institutions ECC RootCA 2015"

# Issuer: CN=Hellenic Academic and Research Institutions ECC RootCA 2015,O=Hellenic Academic and Research  
Institutions Cert. Authority,L=Athens,C=GR

```
# Serial Number: 0 (0x0)
# Subject: CN=Hellenic Academic and Research Institutions ECC RootCA 2015,O=Hellenic Academic and
Research Institutions Cert. Authority,L=Athens,C=GR
# Not Valid Before: Tue Jul 07 10:37:12 2015
# Not Valid After : Sat Jun 30 10:37:12 2040
# Fingerprint (SHA-256):
44:B5:45:AA:8A:25:E6:5A:73:CA:15:DC:27:FC:36:D2:4C:1C:B9:95:3A:06:65:39:B1:15:82:DC:48:7B:48:33
# Fingerprint (SHA1): 9F:F1:71:8D:92:D5:9A:F3:7D:74:97:B4:BC:6F:84:68:0B:BA:B6:66
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Hellenic Academic and Research Institutions ECC RootCA 2015"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\237\361\161\215\222\325\232\363\175\164\227\264\274\157\204\150
\013\272\266\146
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\201\345\264\027\353\302\365\341\113\015\101\173\111\222\376\357
END
CKA_ISSUER MULTILINE_OCTAL
\060\201\252\061\013\060\011\006\003\125\004\006\023\002\107\122
\061\017\060\015\006\003\125\004\007\023\006\101\164\150\145\156
\163\061\104\060\102\006\003\125\004\012\023\073\110\145\154\154
\145\156\151\143\040\101\143\141\144\145\155\151\143\040\141\156
\144\040\122\145\163\145\141\162\143\150\040\111\156\163\164\151
\164\165\164\151\157\156\163\040\103\145\162\164\056\040\101\165
\164\150\157\162\151\164\171\061\104\060\102\006\003\125\004\003
\023\073\110\145\154\154\145\156\151\143\040\101\143\141\144\145
\155\151\143\040\141\156\144\040\122\145\163\145\141\162\143\150
\040\111\156\163\164\151\164\165\164\151\157\156\163\040\105\103
\103\040\122\157\157\164\103\101\040\062\060\061\065
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\000
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "ISRG Root X1"
#
# Issuer: CN=ISRG Root X1,O=Internet Security Research Group,C=US
# Serial Number:00:82:10:cf:b0:d2:40:e3:59:44:63:e0:bb:63:82:8b:00
# Subject: CN=ISRG Root X1,O=Internet Security Research Group,C=US
# Not Valid Before: Thu Jun 04 11:04:38 2015
```



```
# Not Valid After : Mon Jun 04 11:04:38 2035
# Fingerprint (SHA-256):
96:BC:EC:06:26:49:76:F3:74:60:77:9A:CF:28:C5:A7:CF:E8:A3:C0:AA:E1:1A:8F:FC:EE:05:C0:BD:DF:08:C6
# Fingerprint (SHA1): CA:BD:2A:79:A1:07:6A:31:F2:1D:25:36:35:CB:03:9D:43:29:A5:E8
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "ISRG Root X1"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\117\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\051\060\047\006\003\125\004\012\023\040\111\156\164\145\162\156
\145\164\040\123\145\143\165\162\151\164\171\040\122\145\163\145
\141\162\143\150\040\107\162\157\165\160\061\025\060\023\006\003
\125\004\003\023\014\111\123\122\107\040\122\157\157\164\040\130
\061
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\117\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\051\060\047\006\003\125\004\012\023\040\111\156\164\145\162\156
\145\164\040\123\145\143\165\162\151\164\171\040\122\145\163\145
\141\162\143\150\040\107\162\157\165\160\061\025\060\023\006\003
\125\004\003\023\014\111\123\122\107\040\122\157\157\164\040\130
\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\021\000\202\020\317\260\322\100\343\131\104\143\340\273\143
\202\213\000
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\153\060\202\003\123\240\003\002\001\002\002\021\000
\202\020\317\260\322\100\343\131\104\143\340\273\143\202\213\000
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060
\117\061\013\060\011\006\003\125\004\006\023\002\125\123\061\051
\060\047\006\003\125\004\012\023\040\111\156\164\145\162\156\145
\164\040\123\145\143\165\162\151\164\171\040\122\145\163\145\141
\162\143\150\040\107\162\157\165\160\061\025\060\023\006\003\125
\004\003\023\014\111\123\122\107\040\122\157\157\164\040\130\061
\060\036\027\015\061\065\060\066\060\064\061\061\060\064\063\070
\132\027\015\063\065\060\066\060\064\061\061\060\064\063\070\132
\060\117\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\051\060\047\006\003\125\004\012\023\040\111\156\164\145\162\156
\145\164\040\123\145\143\165\162\151\164\171\040\122\145\163\145
\141\162\143\150\040\107\162\157\165\160\061\025\060\023\006\003
\125\004\003\023\014\111\123\122\107\040\122\157\157\164\040\130
\061\060\202\002\042\060\015\006\011\052\206\110\206\367\015\001
```

\001\001\005\000\003\202\002\017\000\060\202\002\012\002\202\002  
\001\000\255\350\044\163\364\024\067\363\233\236\053\127\050\034  
\207\276\334\267\337\070\220\214\156\074\346\127\240\170\367\165  
\302\242\376\365\152\156\366\000\117\050\333\336\150\206\154\104  
\223\266\261\143\375\024\022\153\277\037\322\352\061\233\041\176  
\321\063\074\272\110\365\335\171\337\263\270\377\022\361\041\232  
\113\301\212\206\161\151\112\146\146\154\217\176\074\160\277\255  
\051\042\006\363\344\300\346\200\256\342\113\217\267\231\176\224  
\003\237\323\107\227\174\231\110\043\123\350\070\256\117\012\157  
\203\056\321\111\127\214\200\164\266\332\057\320\070\215\173\003  
\160\041\033\165\362\060\074\372\217\256\335\332\143\253\353\026  
\117\302\216\021\113\176\317\013\350\377\265\167\056\364\262\173  
\112\340\114\022\045\014\160\215\003\051\240\341\123\044\354\023  
\331\356\031\277\020\263\112\214\077\211\243\141\121\336\254\207  
\007\224\364\143\161\354\056\342\157\133\230\201\341\211\134\064  
\171\154\166\357\073\220\142\171\346\333\244\232\057\046\305\320  
\020\341\016\336\331\020\216\026\373\267\367\250\367\307\345\002  
\007\230\217\066\010\225\347\342\067\226\015\066\165\236\373\016  
\162\261\035\233\274\003\371\111\005\330\201\335\005\264\052\326  
\101\351\254\001\166\225\012\017\330\337\325\275\022\037\065\057  
\050\027\154\322\230\301\250\011\144\167\156\107\067\272\316\254  
\131\136\150\235\177\162\326\211\305\006\101\051\076\131\076\335  
\046\365\044\311\021\247\132\243\114\100\037\106\241\231\265\247  
\072\121\156\206\073\236\175\162\247\022\005\170\131\355\076\121  
\170\025\013\003\217\215\320\057\005\262\076\173\112\034\113\163  
\005\022\374\306\352\340\120\023\174\103\223\164\263\312\164\347  
\216\037\001\010\320\060\324\133\161\066\264\007\272\301\060\060  
\134\110\267\202\073\230\246\175\140\212\242\243\051\202\314\272  
\275\203\004\033\242\203\003\101\241\326\005\361\033\302\266\360  
\250\174\206\073\106\250\110\052\210\334\166\232\166\277\037\152  
\245\075\031\217\353\070\363\144\336\310\053\015\012\050\377\367  
\333\342\025\102\324\042\320\047\135\341\171\376\030\347\160\210  
\255\116\346\331\213\072\306\335\047\121\156\377\274\144\365\063  
\103\117\002\003\001\000\001\243\102\060\100\060\016\006\003\125  
\035\017\001\001\377\004\004\003\002\001\006\060\017\006\003\125  
\035\023\001\001\377\004\005\060\003\001\001\377\060\035\006\003  
\125\035\016\004\026\004\024\171\264\131\346\173\266\345\344\001  
\163\200\010\210\310\032\130\366\351\233\156\060\015\006\011\052  
\206\110\206\367\015\001\001\013\005\000\003\202\002\001\000\125  
\037\130\251\274\262\250\120\320\014\261\330\032\151\040\047\051  
\010\254\141\165\134\212\156\370\202\345\151\057\325\366\126\113  
\271\270\163\020\131\323\041\227\176\347\114\161\373\262\322\140  
\255\071\250\013\352\027\041\126\205\361\120\016\131\353\316\340  
\131\351\272\311\025\357\206\235\217\204\200\366\344\351\221\220  
\334\027\233\142\033\105\360\146\225\322\174\157\302\352\073\357  
\037\317\313\326\256\047\361\251\260\310\256\375\175\176\232\372  
\042\004\353\377\331\177\352\221\053\042\261\027\016\217\362\212  
\064\133\130\330\374\001\311\124\271\270\046\314\212\210\063\211

```
\114\055\204\074\202\337\356\226\127\005\272\054\273\367\304\267
\307\116\073\202\276\061\310\042\163\163\222\321\302\200\244\071
\071\020\063\043\202\114\074\237\206\262\125\230\035\276\051\206
\214\042\233\236\342\153\073\127\072\202\160\115\334\011\307\211
\313\012\007\115\154\350\135\216\311\357\316\253\307\273\265\053
\116\105\326\112\320\046\314\345\162\312\010\152\245\225\343\025
\241\367\244\355\311\054\137\245\373\377\254\050\002\056\276\327
\173\273\343\161\173\220\026\323\007\136\106\123\174\067\007\102
\214\323\304\226\234\325\231\265\052\340\225\032\200\110\256\114
\071\007\316\314\107\244\122\225\053\272\270\373\255\322\063\123
\175\345\035\115\155\325\241\261\307\102\157\346\100\047\065\134
\243\050\267\007\215\347\215\063\220\347\043\237\373\120\234\171
\154\106\325\264\025\263\226\156\176\233\014\226\072\270\122\055
\077\326\133\341\373\010\302\204\376\044\250\243\211\332\254\152
\341\030\052\261\250\103\141\133\323\037\334\073\215\166\362\055
\350\215\165\337\027\063\154\075\123\373\173\313\101\137\377\334
\242\320\141\070\341\226\270\254\135\213\067\327\165\325\063\300
\231\021\256\235\101\301\162\165\204\276\002\101\102\137\147\044
\110\224\321\233\047\276\007\077\271\270\117\201\164\121\341\172
\267\355\235\043\342\276\340\325\050\004\023\074\061\003\236\335
\172\154\217\306\007\030\306\177\336\107\216\077\050\236\004\006
\317\245\124\064\167\275\354\211\233\351\027\103\337\133\333\137
\376\216\036\127\242\315\100\235\176\142\042\332\336\030\047
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "ISRG Root X1"
```

```
# Issuer: CN=ISRG Root X1,O=Internet Security Research Group,C=US
```

```
# Serial Number:00:82:10:cf:b0:d2:40:e3:59:44:63:e0:bb:63:82:8b:00
```

```
# Subject: CN=ISRG Root X1,O=Internet Security Research Group,C=US
```

```
# Not Valid Before: Thu Jun 04 11:04:38 2015
```

```
# Not Valid After : Mon Jun 04 11:04:38 2035
```

```
# Fingerprint (SHA-256):
```

```
96:BC:EC:06:26:49:76:F3:74:60:77:9A:CF:28:C5:A7:CF:E8:A3:C0:AA:E1:1A:8F:FC:EE:05:C0:BD:DF:08:C6
```

```
# Fingerprint (SHA1): CA:BD:2A:79:A1:07:6A:31:F2:1D:25:36:35:CB:03:9D:43:29:A5:E8
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "ISRG Root X1"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\312\275\052\171\241\007\152\061\362\035\045\066\065\313\003\235
\103\051\245\350
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\014\322\371\340\332\027\163\351\355\206\115\245\343\160\347\116
```

```

END
CKA_ISSUER MULTILINE_OCTAL
\060\117\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\051\060\047\006\003\125\004\012\023\040\111\156\164\145\162\156
\145\164\040\123\145\143\165\162\151\164\171\040\122\145\163\145
\141\162\143\150\040\107\162\157\165\160\061\025\060\023\006\003
\125\004\003\023\014\111\123\122\107\040\122\157\157\164\040\130
\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\021\000\202\020\317\260\322\100\343\131\104\143\340\273\143
\202\213\000
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "AC RAIZ FNMT-RCM"
#
# Issuer: OU=AC RAIZ FNMT-RCM,O=FNMT-RCM,C=ES
# Serial Number:5d:93:8d:30:67:36:c8:06:1d:1a:c7:54:84:69:07
# Subject: OU=AC RAIZ FNMT-RCM,O=FNMT-RCM,C=ES
# Not Valid Before: Wed Oct 29 15:59:56 2008
# Not Valid After : Tue Jan 01 00:00:00 2030
# Fingerprint (SHA-256):
EB:C5:57:0C:29:01:8C:4D:67:B1:AA:12:7B:AF:12:F7:03:B4:61:1E:BC:17:B7:DA:B5:57:38:94:17:9B:93:FA
# Fingerprint (SHA1): EC:50:35:07:B2:15:C4:95:62:19:E2:A8:9A:5B:42:99:2C:4C:2C:20
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "AC RAIZ FNMT-RCM"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\073\061\013\060\011\006\003\125\004\006\023\002\105\123\061
\021\060\017\006\003\125\004\012\014\010\106\116\115\124\055\122
\103\115\061\031\060\027\006\003\125\004\013\014\020\101\103\040
\122\101\111\132\040\106\116\115\124\055\122\103\115
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\073\061\013\060\011\006\003\125\004\006\023\002\105\123\061
\021\060\017\006\003\125\004\012\014\010\106\116\115\124\055\122
\103\115\061\031\060\027\006\003\125\004\013\014\020\101\103\040
\122\101\111\132\040\106\116\115\124\055\122\103\115
END

```

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\017\135\223\215\060\147\066\310\006\035\032\307\124\204\151  
\007

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\005\203\060\202\003\153\240\003\002\001\002\002\017\135  
\223\215\060\147\066\310\006\035\032\307\124\204\151\007\060\015  
\006\011\052\206\110\206\367\015\001\001\013\005\000\060\073\061  
\013\060\011\006\003\125\004\006\023\002\105\123\061\021\060\017  
\006\003\125\004\012\014\010\106\116\115\124\055\122\103\115\061  
\031\060\027\006\003\125\004\013\014\020\101\103\040\122\101\111  
\132\040\106\116\115\124\055\122\103\115\060\036\027\015\060\070  
\061\060\062\071\061\065\065\071\065\066\132\027\015\063\060\060  
\061\060\061\060\060\060\060\060\132\060\073\061\013\060\011  
\006\003\125\004\006\023\002\105\123\061\021\060\017\006\003\125  
\004\012\014\010\106\116\115\124\055\122\103\115\061\031\060\027  
\006\003\125\004\013\014\020\101\103\040\122\101\111\132\040\106  
\116\115\124\055\122\103\115\060\202\002\042\060\015\006\011\052  
\206\110\206\367\015\001\001\001\005\000\003\202\002\017\000\060  
\202\002\012\002\202\002\001\000\272\161\200\172\114\206\156\177  
\310\023\155\300\306\175\034\000\227\217\054\014\043\273\020\232  
\100\251\032\267\207\210\370\233\126\152\373\346\173\216\213\222  
\216\247\045\135\131\021\333\066\056\267\121\027\037\251\010\037  
\004\027\044\130\252\067\112\030\337\345\071\324\127\375\327\301  
\054\221\001\221\342\042\324\003\300\130\374\167\107\354\217\076  
\164\103\272\254\064\215\115\070\166\147\216\260\310\157\060\063  
\130\161\134\264\365\153\156\324\001\120\270\023\176\154\112\243  
\111\321\040\031\356\274\300\051\030\145\247\336\376\357\335\012  
\220\041\347\032\147\222\102\020\230\137\117\060\274\076\034\105  
\264\020\327\150\100\024\300\100\372\347\167\027\172\346\013\217  
\145\133\074\331\232\122\333\265\275\236\106\317\075\353\221\005  
\002\300\226\262\166\114\115\020\226\073\222\372\234\177\017\231  
\337\276\043\065\105\036\002\134\376\265\250\233\231\045\332\136  
\363\042\303\071\365\344\052\056\323\306\037\304\154\252\305\034  
\152\001\005\112\057\322\305\301\250\064\046\135\146\245\322\002  
\041\371\030\267\006\365\116\231\157\250\253\114\121\350\317\120  
\030\305\167\310\071\011\054\111\222\062\231\250\273\027\027\171  
\260\132\305\346\243\304\131\145\107\065\203\136\251\350\065\013  
\231\273\344\315\040\306\233\112\006\071\265\150\374\042\272\356  
\125\214\053\116\352\363\261\343\374\266\231\232\325\102\372\161  
\115\010\317\207\036\152\161\175\371\323\264\351\245\161\201\173  
\302\116\107\226\245\366\166\205\243\050\217\351\200\156\201\123  
\245\155\137\270\110\371\302\371\066\246\056\111\377\270\226\302  
\214\007\263\233\210\130\374\353\033\034\336\055\160\342\227\222  
\060\241\211\343\274\125\250\047\326\113\355\220\255\213\372\143  
\045\131\055\250\065\335\312\227\063\274\345\315\307\235\321\354  
\357\136\016\112\220\006\046\143\255\271\331\065\055\007\272\166  
\145\054\254\127\217\175\364\007\224\327\201\002\226\135\243\007

\111\325\172\320\127\371\033\347\123\106\165\252\260\171\102\313  
\150\161\010\351\140\275\071\151\316\364\257\303\126\100\307\255  
\122\242\011\344\157\206\107\212\037\353\050\047\135\203\040\257  
\004\311\154\126\232\213\106\365\002\003\001\000\001\243\201\203  
\060\201\200\060\017\006\003\125\035\023\001\001\377\004\005\060  
\003\001\001\377\060\016\006\003\125\035\017\001\001\377\004\004  
\003\002\001\006\060\035\006\003\125\035\016\004\026\004\024\367  
\175\305\375\304\350\232\033\167\144\247\365\035\240\314\277\207  
\140\232\155\060\076\006\003\125\035\040\004\067\060\065\060\063  
\006\004\125\035\040\000\060\053\060\051\006\010\053\006\001\005  
\005\007\002\001\026\035\150\164\164\160\072\057\057\167\167\167  
\056\143\145\162\164\056\146\156\155\164\056\145\163\057\144\160  
\143\163\057\060\015\006\011\052\206\110\206\367\015\001\001\013  
\005\000\003\202\002\001\000\007\220\112\337\363\043\116\360\303  
\234\121\145\233\234\042\242\212\014\205\363\163\051\153\115\376  
\001\342\251\014\143\001\277\004\147\245\235\230\137\375\001\023  
\372\354\232\142\351\206\376\266\142\322\156\114\224\373\300\165  
\105\174\145\014\370\262\067\317\254\017\317\215\157\371\031\367  
\217\354\036\362\160\236\360\312\270\357\267\377\166\067\166\133  
\366\156\210\363\257\142\062\042\223\015\072\152\216\024\146\014  
\055\123\164\127\145\036\325\262\335\043\201\073\245\146\043\047  
\147\011\217\341\167\252\103\315\145\121\010\355\121\130\376\346  
\071\371\313\107\204\244\025\361\166\273\244\356\244\073\304\137  
\357\262\063\226\021\030\267\311\145\276\030\341\243\244\334\372  
\030\371\323\274\023\233\071\172\064\272\323\101\373\372\062\212  
\052\267\053\206\013\151\203\070\276\315\212\056\013\160\255\215  
\046\222\356\036\365\001\053\012\331\326\227\233\156\340\250\031  
\034\072\041\213\014\036\100\255\003\347\335\146\176\365\271\040  
\015\003\350\226\371\202\105\324\071\340\240\000\135\327\230\346  
\175\236\147\163\303\232\052\367\253\213\241\072\024\357\064\274  
\122\016\211\230\232\004\100\204\035\176\105\151\223\127\316\353  
\316\370\120\174\117\034\156\004\103\233\371\326\073\043\030\351  
\352\216\321\115\106\215\361\073\344\152\312\272\373\043\267\233  
\372\231\001\051\132\130\132\055\343\371\324\155\016\046\255\301  
\156\064\274\062\370\014\005\372\145\243\333\073\067\203\042\351  
\326\334\162\063\375\135\362\040\275\166\074\043\332\050\367\371  
\033\353\131\144\325\334\137\162\176\040\374\315\211\265\220\147  
\115\142\172\077\116\255\035\303\071\376\172\364\050\026\337\101  
\366\110\200\005\327\017\121\171\254\020\253\324\354\003\146\346  
\152\260\272\061\222\102\100\152\276\072\323\162\341\152\067\125  
\274\254\035\225\267\151\141\362\103\221\164\346\240\323\012\044  
\106\241\010\257\326\332\105\031\226\324\123\035\133\204\171\360  
\300\367\107\357\213\217\305\006\256\235\114\142\235\377\106\004  
\370\323\311\266\020\045\100\165\376\026\252\311\112\140\206\057  
\272\357\060\167\344\124\342\270\204\231\130\200\252\023\213\121  
\072\117\110\366\213\266\263

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "AC RAIZ FNMT-RCM"

# Issuer: OU=AC RAIZ FNMT-RCM,O=FNMT-RCM,C=ES

# Serial Number:5d:93:8d:30:67:36:c8:06:1d:1a:c7:54:84:69:07

# Subject: OU=AC RAIZ FNMT-RCM,O=FNMT-RCM,C=ES

# Not Valid Before: Wed Oct 29 15:59:56 2008

# Not Valid After : Tue Jan 01 00:00:00 2030

# Fingerprint (SHA-256):

EB:C5:57:0C:29:01:8C:4D:67:B1:AA:12:7B:AF:12:F7:03:B4:61:1E:BC:17:B7:DA:B5:57:38:94:17:9B:93:FA

# Fingerprint (SHA1): EC:50:35:07:B2:15:C4:95:62:19:E2:A8:9A:5B:42:99:2C:4C:2C:20

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "AC RAIZ FNMT-RCM"

CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL

\354\120\065\007\262\025\304\225\142\031\342\250\232\133\102\231

\054\114\054\040

END

CKA\_CERT\_MD5\_HASH MULTILINE\_OCTAL

\342\011\004\264\323\275\321\240\024\375\032\322\107\304\127\035

END

CKA\_ISSUER MULTILINE\_OCTAL

\060\073\061\013\060\011\006\003\125\004\006\023\002\105\123\061

\021\060\017\006\003\125\004\012\014\010\106\116\115\124\055\122

\103\115\061\031\060\027\006\003\125\004\013\014\020\101\103\040

\122\101\111\132\040\106\116\115\124\055\122\103\115

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\017\135\223\215\060\147\066\310\006\035\032\307\124\204\151

\007

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "Amazon Root CA 1"

#

# Issuer: CN=Amazon Root CA 1,O=Amazon,C=US

# Serial Number:06:6c:9f:cf:99:bf:8c:0a:39:e2:f0:78:8a:43:e6:96:36:5b:ca

# Subject: CN=Amazon Root CA 1,O=Amazon,C=US

# Not Valid Before: Tue May 26 00:00:00 2015

# Not Valid After : Sun Jan 17 00:00:00 2038

# Fingerprint (SHA-256):

8E:CD:E6:88:4F:3D:87:B1:12:5B:A3:1A:C3:FC:B1:3D:70:16:DE:7F:57:CC:90:4F:E1:CB:97:C6:AE:98:19:6E  
# Fingerprint (SHA1): 8D:A7:F9:65:EC:5E:FC:37:91:0F:1C:6E:59:FD:C1:CC:6A:6E:DE:16  
CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE  
CKA\_TOKEN CK\_BBOOL CK\_TRUE  
CKA\_PRIVATE CK\_BBOOL CK\_FALSE  
CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE  
CKA\_LABEL UTF8 "Amazon Root CA 1"  
CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509  
CKA\_SUBJECT MULTILINE\_OCTAL  
\060\071\061\013\060\011\006\003\125\004\006\023\002\125\123\061  
\017\060\015\006\003\125\004\012\023\006\101\155\141\172\157\156  
\061\031\060\027\006\003\125\004\003\023\020\101\155\141\172\157  
\156\040\122\157\157\164\040\103\101\040\061  
END  
CKA\_ID UTF8 "0"  
CKA\_ISSUER MULTILINE\_OCTAL  
\060\071\061\013\060\011\006\003\125\004\006\023\002\125\123\061  
\017\060\015\006\003\125\004\012\023\006\101\155\141\172\157\156  
\061\031\060\027\006\003\125\004\003\023\020\101\155\141\172\157  
\156\040\122\157\157\164\040\103\101\040\061  
END  
CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL  
\002\023\006\154\237\317\231\277\214\012\071\342\360\170\212\103  
\346\226\066\133\312  
END  
CKA\_VALUE MULTILINE\_OCTAL  
\060\202\003\101\060\202\002\051\240\003\002\001\002\002\023\006  
\154\237\317\231\277\214\012\071\342\360\170\212\103\346\226\066  
\133\312\060\015\006\011\052\206\110\206\367\015\001\001\013\005  
\000\060\071\061\013\060\011\006\003\125\004\006\023\002\125\123  
\061\017\060\015\006\003\125\004\012\023\006\101\155\141\172\157  
\156\061\031\060\027\006\003\125\004\003\023\020\101\155\141\172  
\157\156\040\122\157\157\164\040\103\101\040\061\060\036\027\015  
\061\065\060\065\062\066\060\060\060\060\060\132\027\015\063  
\070\060\061\061\067\060\060\060\060\060\132\060\071\061\013  
\060\011\006\003\125\004\006\023\002\125\123\061\017\060\015\006  
\003\125\004\012\023\006\101\155\141\172\157\156\061\031\060\027  
\006\003\125\004\003\023\020\101\155\141\172\157\156\040\122\157  
\157\164\040\103\101\040\061\060\202\001\042\060\015\006\011\052  
\206\110\206\367\015\001\001\001\005\000\003\202\001\017\000\060  
\202\001\012\002\202\001\001\000\262\170\200\161\312\170\325\343  
\161\257\107\200\120\164\175\156\330\327\210\166\364\231\150\367  
\130\041\140\371\164\204\001\057\254\002\055\206\323\240\103\172  
\116\262\244\320\066\272\001\276\215\333\110\310\007\027\066\114  
\364\356\210\043\307\076\353\067\365\265\031\370\111\150\260\336  
\327\271\166\070\035\141\236\244\376\202\066\245\345\112\126\344  
\105\341\371\375\264\026\372\164\332\234\233\065\071\057\372\260  
\040\120\006\154\172\320\200\262\246\371\257\354\107\031\217\120



\070\007\334\242\207\071\130\370\272\325\251\371\110\147\060\226  
\356\224\170\136\157\211\243\121\300\060\206\146\241\105\146\272  
\124\353\243\303\221\371\110\334\377\321\350\060\055\175\055\164  
\160\065\327\210\044\367\236\304\131\156\273\163\207\027\362\062  
\106\050\270\103\372\267\035\252\312\264\362\237\044\016\055\113  
\367\161\134\136\151\377\352\225\002\313\070\212\256\120\070\157  
\333\373\055\142\033\305\307\036\124\341\167\340\147\310\017\234  
\207\043\326\077\100\040\177\040\200\304\200\114\076\073\044\046  
\216\004\256\154\232\310\252\015\002\003\001\000\001\243\102\060  
\100\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001  
\001\377\060\016\006\003\125\035\017\001\001\377\004\004\003\002  
\001\206\060\035\006\003\125\035\016\004\026\004\024\204\030\314  
\205\064\354\274\014\224\224\056\010\131\234\307\262\020\116\012  
\010\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000  
\003\202\001\001\000\230\362\067\132\101\220\241\032\305\166\121  
\050\040\066\043\016\256\346\050\273\252\370\224\256\110\244\060  
\177\033\374\044\215\113\264\310\241\227\366\266\361\172\160\310  
\123\223\314\010\050\343\230\045\317\043\244\371\336\041\323\174  
\205\011\255\116\232\165\072\302\013\152\211\170\166\104\107\030  
\145\154\215\101\216\073\177\232\313\364\265\247\120\327\005\054  
\067\350\003\113\255\351\141\240\002\156\365\362\360\305\262\355  
\133\267\334\372\224\134\167\236\023\245\177\122\255\225\362\370  
\223\073\336\213\134\133\312\132\122\133\140\257\024\367\113\357  
\243\373\237\100\225\155\061\124\374\102\323\307\106\037\043\255  
\331\017\110\160\232\331\165\170\161\321\162\103\064\165\156\127  
\131\302\002\134\046\140\051\317\043\031\026\216\210\103\245\324  
\344\313\010\373\043\021\103\350\103\051\162\142\241\251\135\136  
\010\324\220\256\270\330\316\024\302\320\125\362\206\366\304\223  
\103\167\146\141\300\271\350\101\327\227\170\140\003\156\112\162  
\256\245\321\175\272\020\236\206\154\033\212\271\131\063\370\353  
\304\220\276\361\271

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "Amazon Root CA 1"

# Issuer: CN=Amazon Root CA 1,O=Amazon,C=US

# Serial Number:06:6c:9f:cf:99:bf:8c:0a:39:e2:f0:78:8a:43:e6:96:36:5b:ca

# Subject: CN=Amazon Root CA 1,O=Amazon,C=US

# Not Valid Before: Tue May 26 00:00:00 2015

# Not Valid After : Sun Jan 17 00:00:00 2038

# Fingerprint (SHA-256):

8E:CD:E6:88:4F:3D:87:B1:12:5B:A3:1A:C3:FC:B1:3D:70:16:DE:7F:57:CC:90:4F:E1:CB:97:C6:AE:98:19:6E

# Fingerprint (SHA1): 8D:A7:F9:65:EC:5E:FC:37:91:0F:1C:6E:59:FD:C1:CC:6A:6E:DE:16

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

```

CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Amazon Root CA 1"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\215\247\371\145\354\136\374\067\221\017\034\156\131\375\301\314
\152\156\336\026
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\103\306\277\256\354\376\255\057\030\306\210\150\060\374\310\346
END
CKA_ISSUER MULTILINE_OCTAL
\060\071\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\017\060\015\006\003\125\004\012\023\006\101\155\141\172\157\156
\061\031\060\027\006\003\125\004\003\023\020\101\155\141\172\157
\156\040\122\157\157\164\040\103\101\040\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\023\006\154\237\317\231\277\214\012\071\342\360\170\212\103
\346\226\066\133\312
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Amazon Root CA 2"
#
# Issuer: CN=Amazon Root CA 2,O=Amazon,C=US
# Serial Number:06:6c:9f:d2:96:35:86:9f:0a:0f:e5:86:78:f8:5b:26:bb:8a:37
# Subject: CN=Amazon Root CA 2,O=Amazon,C=US
# Not Valid Before: Tue May 26 00:00:00 2015
# Not Valid After : Sat May 26 00:00:00 2040
# Fingerprint (SHA-256):
1B:A5:B2:AA:8C:65:40:1A:82:96:01:18:F8:0B:EC:4F:62:30:4D:83:CE:C4:71:3A:19:C3:9C:01:1E:A4:6D:B4
# Fingerprint (SHA1): 5A:8C:EF:45:D7:A6:98:59:76:7A:8C:8B:44:96:B5:78:CF:47:4B:1A
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Amazon Root CA 2"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\071\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\017\060\015\006\003\125\004\012\023\006\101\155\141\172\157\156
\061\031\060\027\006\003\125\004\003\023\020\101\155\141\172\157
\156\040\122\157\157\164\040\103\101\040\062
END
CKA_ID UTF8 "0"

```

CKA\_ISSUER MULTILINE\_OCTAL

\060\071\061\013\060\011\006\003\125\004\006\023\002\125\123\061  
\017\060\015\006\003\125\004\012\023\006\101\155\141\172\157\156  
\061\031\060\027\006\003\125\004\003\023\020\101\155\141\172\157  
\156\040\122\157\157\164\040\103\101\040\062

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\023\006\154\237\322\226\065\206\237\012\017\345\206\170\370  
\133\046\273\212\067

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\005\101\060\202\003\051\240\003\002\001\002\002\023\006  
\154\237\322\226\065\206\237\012\017\345\206\170\370\133\046\273  
\212\067\060\015\006\011\052\206\110\206\367\015\001\001\014\005  
\000\060\071\061\013\060\011\006\003\125\004\006\023\002\125\123  
\061\017\060\015\006\003\125\004\012\023\006\101\155\141\172\157  
\156\061\031\060\027\006\003\125\004\003\023\020\101\155\141\172  
\157\156\040\122\157\157\164\040\103\101\040\062\060\036\027\015  
\061\065\060\065\062\066\060\060\060\060\060\060\132\027\015\064  
\060\060\065\062\066\060\060\060\060\060\060\132\060\071\061\013  
\060\011\006\003\125\004\006\023\002\125\123\061\017\060\015\006  
\003\125\004\012\023\006\101\155\141\172\157\156\061\031\060\027  
\006\003\125\004\003\023\020\101\155\141\172\157\156\040\122\157  
\157\164\040\103\101\040\062\060\202\002\042\060\015\006\011\052  
\206\110\206\367\015\001\001\001\005\000\003\202\002\017\000\060  
\202\002\012\002\202\002\001\000\255\226\237\055\234\112\114\112  
\201\171\121\231\354\212\313\153\140\121\023\274\115\155\006\374  
\260\010\215\335\031\020\152\307\046\014\065\330\300\157\040\204  
\351\224\261\233\205\003\303\133\333\112\350\310\370\220\166\331  
\133\117\343\114\350\006\066\115\314\232\254\075\014\220\053\222  
\324\006\031\140\254\067\104\171\205\201\202\255\132\067\340\015  
\314\235\246\114\122\166\352\103\235\267\004\321\120\366\125\340  
\325\322\246\111\205\351\067\351\312\176\256\134\225\115\110\232  
\077\256\040\132\155\210\225\331\064\270\122\032\103\220\260\277  
\154\005\271\266\170\267\352\320\344\072\074\022\123\142\377\112  
\362\173\276\065\005\251\022\064\343\363\144\164\142\054\075\000  
\111\132\050\376\062\104\273\207\335\145\047\002\161\073\332\112  
\367\037\332\315\367\041\125\220\117\017\354\256\202\341\237\153  
\331\105\323\273\360\137\207\355\074\054\071\206\332\077\336\354  
\162\125\353\171\243\255\333\335\174\260\272\034\316\374\336\117  
\065\166\317\017\370\170\037\152\066\121\106\047\141\133\351\236  
\317\360\242\125\175\174\045\212\157\057\264\305\317\204\056\053  
\375\015\121\020\154\373\137\033\274\033\176\305\256\073\230\001  
\061\222\377\013\127\364\232\262\271\127\351\253\357\015\166\321  
\360\356\364\316\206\247\340\156\351\264\151\241\337\151\366\063  
\306\151\056\227\023\236\245\207\260\127\020\201\067\311\123\263  
\273\177\366\222\321\234\320\030\364\222\156\332\203\117\246\143  
\231\114\245\373\136\357\041\144\172\040\137\154\144\205\025\313

\067\351\142\014\013\052\026\334\001\056\062\332\076\113\365\236  
\072\366\027\100\224\357\236\221\010\206\372\276\143\250\132\063  
\354\313\164\103\225\371\154\151\122\066\307\051\157\374\125\003  
\134\037\373\237\275\107\353\347\111\107\225\013\116\211\042\011  
\111\340\365\141\036\361\277\056\212\162\156\200\131\377\127\072  
\371\165\062\243\116\137\354\355\050\142\331\115\163\362\314\201  
\027\140\355\315\353\334\333\247\312\305\176\002\275\362\124\010  
\124\375\264\055\011\054\027\124\112\230\321\124\341\121\147\010  
\322\355\156\176\157\077\322\055\201\131\051\146\313\220\071\225  
\021\036\164\047\376\335\353\257\002\003\001\000\001\243\102\060  
\100\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001  
\001\377\060\016\006\003\125\035\017\001\001\377\004\004\003\002  
\001\206\060\035\006\003\125\035\016\004\026\004\024\260\014\360  
\114\060\364\005\130\002\110\375\063\345\122\257\113\204\343\146  
\122\060\015\006\011\052\206\110\206\367\015\001\001\014\005\000  
\003\202\002\001\000\252\250\200\217\016\170\243\340\242\324\315  
\346\365\230\172\073\352\000\003\260\227\016\223\274\132\250\366  
\054\214\162\207\251\261\374\177\163\375\143\161\170\245\207\131  
\317\060\341\015\020\262\023\132\155\202\365\152\346\200\237\240  
\005\013\150\344\107\153\307\152\337\266\375\167\062\162\345\030  
\372\011\364\240\223\054\135\322\214\165\205\166\145\220\014\003  
\171\267\061\043\143\255\170\203\011\206\150\204\312\377\371\317  
\046\232\222\171\347\315\113\305\347\141\247\027\313\363\251\022  
\223\223\153\247\350\057\123\222\304\140\130\260\314\002\121\030  
\133\205\215\142\131\143\266\255\264\336\232\373\046\367\000\047  
\300\135\125\067\164\231\311\120\177\343\131\056\104\343\054\045  
\356\354\114\062\167\264\237\032\351\113\135\040\305\332\375\034  
\207\026\306\103\350\324\273\046\232\105\160\136\251\013\067\123  
\342\106\173\047\375\340\106\362\211\267\314\102\266\313\050\046  
\156\331\245\311\072\310\101\023\140\367\120\214\025\256\262\155  
\032\025\032\127\170\346\222\052\331\145\220\202\077\154\002\257  
\256\022\072\047\226\066\004\327\035\242\200\143\251\233\361\345  
\272\264\174\024\260\116\311\261\037\164\137\070\366\121\352\233  
\372\054\242\021\324\251\055\047\032\105\261\257\262\116\161\015  
\300\130\106\326\151\006\313\123\313\263\376\153\101\315\101\176  
\175\114\017\174\162\171\172\131\315\136\112\016\254\233\251\230  
\163\171\174\264\364\314\271\270\007\014\262\164\134\270\307\157  
\210\241\220\247\364\252\371\277\147\072\364\032\025\142\036\267  
\237\276\075\261\051\257\147\241\022\362\130\020\031\123\003\060  
\033\270\032\211\366\234\275\227\003\216\243\011\363\035\213\041  
\361\264\337\344\034\321\237\145\002\006\352\134\326\023\263\204  
\357\242\245\134\214\167\051\247\150\300\153\256\100\322\250\264  
\352\315\360\215\113\070\234\031\232\033\050\124\270\211\220\357  
\312\165\201\076\036\362\144\044\307\030\257\116\377\107\236\007  
\366\065\145\244\323\012\126\377\365\027\144\154\357\250\042\045  
\111\223\266\337\000\027\332\130\176\135\356\305\033\260\321\321  
\137\041\020\307\371\363\272\002\012\047\007\305\361\326\307\323  
\340\373\011\140\154

```

END
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

# Trust for "Amazon Root CA 2"
# Issuer: CN=Amazon Root CA 2,O=Amazon,C=US
# Serial Number:06:6c:9f:d2:96:35:86:9f:0a:0f:e5:86:78:f8:5b:26:bb:8a:37
# Subject: CN=Amazon Root CA 2,O=Amazon,C=US
# Not Valid Before: Tue May 26 00:00:00 2015
# Not Valid After : Sat May 26 00:00:00 2040
# Fingerprint (SHA-256):
1B:A5:B2:AA:8C:65:40:1A:82:96:01:18:F8:0B:EC:4F:62:30:4D:83:CE:C4:71:3A:19:C3:9C:01:1E:A4:6D:B4
# Fingerprint (SHA1): 5A:8C:EF:45:D7:A6:98:59:76:7A:8C:8B:44:96:B5:78:CF:47:4B:1A
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Amazon Root CA 2"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\132\214\357\105\327\246\230\131\166\172\214\213\104\226\265\170
\317\107\113\032
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\310\345\215\316\250\102\342\172\300\052\134\174\236\046\277\146
END
CKA_ISSUER MULTILINE_OCTAL
\060\071\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\017\060\015\006\003\125\004\012\023\006\101\155\141\172\157\156
\061\031\060\027\006\003\125\004\003\023\020\101\155\141\172\157
\156\040\122\157\157\164\040\103\101\040\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\023\006\154\237\322\226\065\206\237\012\017\345\206\170\370
\133\046\273\212\067
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Amazon Root CA 3"
#
# Issuer: CN=Amazon Root CA 3,O=Amazon,C=US
# Serial Number:06:6c:9f:d5:74:97:36:66:3f:3b:0b:9a:d9:e8:9e:76:03:f2:4a
# Subject: CN=Amazon Root CA 3,O=Amazon,C=US
# Not Valid Before: Tue May 26 00:00:00 2015

```

```
# Not Valid After : Sat May 26 00:00:00 2040
# Fingerprint (SHA-256):
18:CE:6C:FE:7B:F1:4E:60:B2:E3:47:B8:DF:E8:68:CB:31:D0:2E:BB:3A:DA:27:15:69:F5:03:43:B4:6D:B3:A4
# Fingerprint (SHA1): 0D:44:DD:8C:3C:8C:1A:1A:58:75:64:81:E9:0F:2E:2A:FF:B3:D2:6E
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Amazon Root CA 3"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\071\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\017\060\015\006\003\125\004\012\023\006\101\155\141\172\157\156
\061\031\060\027\006\003\125\004\003\023\020\101\155\141\172\157
\156\040\122\157\157\164\040\103\101\040\063
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\071\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\017\060\015\006\003\125\004\012\023\006\101\155\141\172\157\156
\061\031\060\027\006\003\125\004\003\023\020\101\155\141\172\157
\156\040\122\157\157\164\040\103\101\040\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\023\006\154\237\325\164\227\066\146\077\073\013\232\331\350
\236\166\003\362\112
END
CKA_VALUE MULTILINE_OCTAL
\060\202\001\266\060\202\001\133\240\003\002\001\002\002\023\006
\154\237\325\164\227\066\146\077\073\013\232\331\350\236\166\003
\362\112\060\012\006\010\052\206\110\316\075\004\003\002\060\071
\061\013\060\011\006\003\125\004\006\023\002\125\123\061\017\060
\015\006\003\125\004\012\023\006\101\155\141\172\157\156\061\031
\060\027\006\003\125\004\003\023\020\101\155\141\172\157\156\040
\122\157\157\164\040\103\101\040\063\060\036\027\015\061\065\060
\065\062\066\060\060\060\060\060\132\027\015\064\060\060\065
\062\066\060\060\060\060\060\060\132\060\071\061\013\060\011\006
\003\125\004\006\023\002\125\123\061\017\060\015\006\003\125\004
\012\023\006\101\155\141\172\157\156\061\031\060\027\006\003\125
\004\003\023\020\101\155\141\172\157\156\040\122\157\157\164\040
\103\101\040\063\060\131\060\023\006\007\052\206\110\316\075\002
\001\006\010\052\206\110\316\075\003\001\007\003\102\000\004\051
\227\247\306\101\177\300\015\233\350\001\033\126\306\362\122\245
\272\055\262\022\350\322\056\327\372\311\305\330\252\155\037\163
\201\073\073\230\153\071\174\063\245\305\116\206\216\200\027\150
\142\105\127\175\104\130\035\263\067\345\147\010\353\146\336\243
\102\060\100\060\017\006\003\125\035\023\001\001\377\004\005\060
\003\001\001\377\060\016\006\003\125\035\017\001\001\377\004\004
```

```
\003\002\001\206\060\035\006\003\125\035\016\004\026\004\024\253
\266\333\327\006\236\067\254\060\206\007\221\160\307\234\304\031
\261\170\300\060\012\006\010\052\206\110\316\075\004\003\002\003
\111\000\060\106\002\041\000\340\205\222\243\027\267\215\371\053
\006\245\223\254\032\230\150\141\162\372\341\241\320\373\034\170
\140\246\103\231\305\270\304\002\041\000\234\002\357\361\224\234
\263\226\371\353\306\052\370\266\054\376\072\220\024\026\327\214
\143\044\110\034\337\060\175\325\150\073
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "Amazon Root CA 3"
```

```
# Issuer: CN=Amazon Root CA 3,O=Amazon,C=US
```

```
# Serial Number:06:6c:9f:d5:74:97:36:66:3f:3b:0b:9a:d9:e8:9e:76:03:f2:4a
```

```
# Subject: CN=Amazon Root CA 3,O=Amazon,C=US
```

```
# Not Valid Before: Tue May 26 00:00:00 2015
```

```
# Not Valid After : Sat May 26 00:00:00 2040
```

```
# Fingerprint (SHA-256):
```

```
18:CE:6C:FE:7B:F1:4E:60:B2:E3:47:B8:DF:E8:68:CB:31:D0:2E:BB:3A:DA:27:15:69:F5:03:43:B4:6D:B3:A4
```

```
# Fingerprint (SHA1): 0D:44:DD:8C:3C:8C:1A:1A:58:75:64:81:E9:0F:2E:2A:FF:B3:D2:6E
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Amazon Root CA 3"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\015\104\335\214\074\214\032\032\130\165\144\201\351\017\056\052
\377\263\322\156
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\240\324\357\013\367\265\330\111\225\052\354\365\304\374\201\207
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\071\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\017\060\015\006\003\125\004\012\023\006\101\155\141\172\157\156
\061\031\060\027\006\003\125\004\003\023\020\101\155\141\172\157
\156\040\122\157\157\164\040\103\101\040\063
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\023\006\154\237\325\164\227\066\146\077\073\013\232\331\350
\236\166\003\362\112
```

END

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

```
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE
```

```
#
# Certificate "Amazon Root CA 4"
#
# Issuer: CN=Amazon Root CA 4,O=Amazon,C=US
# Serial Number:06:6c:9f:d7:c1:bb:10:4c:29:43:e5:71:7b:7b:2c:c8:1a:c1:0e
# Subject: CN=Amazon Root CA 4,O=Amazon,C=US
# Not Valid Before: Tue May 26 00:00:00 2015
# Not Valid After : Sat May 26 00:00:00 2040
# Fingerprint (SHA-256):
E3:5D:28:41:9E:D0:20:25:CF:A6:90:38:CD:62:39:62:45:8D:A5:C6:95:FB:DE:A3:C2:2B:0B:FB:25:89:70:92
# Fingerprint (SHA1): F6:10:84:07:D6:F8:BB:67:98:0C:C2:E2:44:C2:EB:AE:1C:EF:63:BE
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Amazon Root CA 4"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\071\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\017\060\015\006\003\125\004\012\023\006\101\155\141\172\157\156
\061\031\060\027\006\003\125\004\003\023\020\101\155\141\172\157
\156\040\122\157\157\164\040\103\101\040\064
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\071\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\017\060\015\006\003\125\004\012\023\006\101\155\141\172\157\156
\061\031\060\027\006\003\125\004\003\023\020\101\155\141\172\157
\156\040\122\157\157\164\040\103\101\040\064
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\023\006\154\237\327\301\273\020\114\051\103\345\161\173\173
\054\310\032\301\016
END
CKA_VALUE MULTILINE_OCTAL
\060\202\001\362\060\202\001\170\240\003\002\001\002\002\023\006
\154\237\327\301\273\020\114\051\103\345\161\173\173\054\310\032
\301\016\060\012\006\010\052\206\110\316\075\004\003\003\060\071
\061\013\060\011\006\003\125\004\006\023\002\125\123\061\017\060
\015\006\003\125\004\012\023\006\101\155\141\172\157\156\061\031
\060\027\006\003\125\004\003\023\020\101\155\141\172\157\156\040
\122\157\157\164\040\103\101\040\064\060\036\027\015\061\065\060
\065\062\066\060\060\060\060\060\132\027\015\064\060\060\065
\062\066\060\060\060\060\060\060\132\060\071\061\013\060\011\006
\003\125\004\006\023\002\125\123\061\017\060\015\006\003\125\004
\012\023\006\101\155\141\172\157\156\061\031\060\027\006\003\125
\004\003\023\020\101\155\141\172\157\156\040\122\157\157\164\040
```



```
\103\101\040\064\060\166\060\020\006\007\052\206\110\316\075\002
\001\006\005\053\201\004\000\042\003\142\000\004\322\253\212\067
\117\243\123\015\376\301\212\173\113\250\173\106\113\143\260\142
\366\055\033\333\010\161\041\322\000\350\143\275\232\047\373\360
\071\156\135\352\075\245\311\201\252\243\133\040\230\105\135\026
\333\375\350\020\155\343\234\340\343\275\137\204\142\363\160\144
\063\240\313\044\057\160\272\210\241\052\240\165\370\201\256\142
\006\304\201\333\071\156\051\260\036\372\056\134\243\102\060\100
\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001
\377\060\016\006\003\125\035\017\001\001\377\004\004\003\002\001
\206\060\035\006\003\125\035\016\004\026\004\024\323\354\307\072
\145\156\314\341\332\166\232\126\373\234\363\206\155\127\345\201
\060\012\006\010\052\206\110\316\075\004\003\003\003\150\000\060
\145\002\060\072\213\041\361\275\176\021\255\320\357\130\226\057
\326\353\235\176\220\215\053\317\146\125\303\054\343\050\251\160
\012\107\016\360\067\131\022\377\055\231\224\050\116\052\117\065
\115\063\132\002\061\000\352\165\000\116\073\304\072\224\022\221
\311\130\106\235\041\023\162\247\210\234\212\344\114\112\333\226
\324\254\213\153\153\111\022\123\063\255\327\344\276\044\374\265
\012\166\324\245\274\020
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "Amazon Root CA 4"
```

```
# Issuer: CN=Amazon Root CA 4,O=Amazon,C=US
```

```
# Serial Number:06:6c:9f:d7:c1:bb:10:4c:29:43:e5:71:7b:7b:2c:c8:1a:c1:0e
```

```
# Subject: CN=Amazon Root CA 4,O=Amazon,C=US
```

```
# Not Valid Before: Tue May 26 00:00:00 2015
```

```
# Not Valid After : Sat May 26 00:00:00 2040
```

```
# Fingerprint (SHA-256):
```

```
E3:5D:28:41:9E:D0:20:25:CF:A6:90:38:CD:62:39:62:45:8D:A5:C6:95:FB:DE:A3:C2:2B:0B:FB:25:89:70:92
```

```
# Fingerprint (SHA1): F6:10:84:07:D6:F8:BB:67:98:0C:C2:E2:44:C2:EB:AE:1C:EF:63:BE
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Amazon Root CA 4"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\366\020\204\007\326\370\273\147\230\014\302\342\104\302\353\256
\034\357\143\276
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\211\274\047\325\353\027\215\006\152\151\325\375\211\107\264\315
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\071\061\013\060\011\006\003\125\004\006\023\002\125\123\061
```

```
\017\060\015\006\003\125\004\012\023\006\101\155\141\172\157\156
\061\031\060\027\006\003\125\004\003\023\020\101\155\141\172\157
\156\040\122\157\157\164\040\103\101\040\064
END
```

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\023\006\154\237\327\301\273\020\114\051\103\345\161\173\173
\054\310\032\301\016
END
```

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE
```

```
#
# Certificate "Symantec Class 1 Public Primary Certification Authority - G6"
#
# Issuer: CN=Symantec Class 1 Public Primary Certification Authority - G6,OU=Symantec Trust
Network,O=Symantec Corporation,C=US
# Serial Number:24:32:75:f2:1d:2f:d2:09:33:f7:b4:6a:ca:d0:f3:98
# Subject: CN=Symantec Class 1 Public Primary Certification Authority - G6,OU=Symantec Trust
Network,O=Symantec Corporation,C=US
# Not Valid Before: Tue Oct 18 00:00:00 2011
# Not Valid After : Tue Dec 01 23:59:59 2037
# Fingerprint (SHA-256):
9D:19:0B:2E:31:45:66:68:5B:E8:A8:89:E2:7A:A8:C7:D7:AE:1D:8A:AD:DB:A3:C1:EC:F9:D2:48:63:CD:34:B9
# Fingerprint (SHA1): 51:7F:61:1E:29:91:6B:53:82:FB:72:E7:44:D9:8D:C3:CC:53:6D:64
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Symantec Class 1 Public Primary Certification Authority - G6"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
```

```
CKA_SUBJECT MULTILINE_OCTAL
\060\201\224\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\035\060\033\006\003\125\004\012\023\024\123\171\155\141\156
\164\145\143\040\103\157\162\160\157\162\141\164\151\157\156\061
\037\060\035\006\003\125\004\013\023\026\123\171\155\141\156\164
\145\143\040\124\162\165\163\164\040\116\145\164\167\157\162\153
\061\105\060\103\006\003\125\004\003\023\074\123\171\155\141\156
\164\145\143\040\103\154\141\163\163\040\061\040\120\165\142\154
\151\143\040\120\162\151\155\141\162\171\040\103\145\162\164\151
\146\151\143\141\164\151\157\156\040\101\165\164\150\157\162\151
\164\171\040\055\040\107\066
END
```

```
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\224\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\035\060\033\006\003\125\004\012\023\024\123\171\155\141\156
```

\164\145\143\040\103\157\162\160\157\162\141\164\151\157\156\061  
\037\060\035\006\003\125\004\013\023\026\123\171\155\141\156\164  
\145\143\040\124\162\165\163\164\040\116\145\164\167\157\162\153  
\061\105\060\103\006\003\125\004\003\023\074\123\171\155\141\156  
\164\145\143\040\103\154\141\163\163\040\061\040\120\165\142\154  
\151\143\040\120\162\151\155\141\162\171\040\103\145\162\164\151  
\146\151\143\141\164\151\157\156\040\101\165\164\150\157\162\151  
\164\171\040\055\040\107\066

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\020\044\062\165\362\035\057\322\011\063\367\264\152\312\320  
\363\230

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\003\366\060\202\002\336\240\003\002\001\002\002\020\044  
\062\165\362\035\057\322\011\063\367\264\152\312\320\363\230\060  
\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060\201  
\224\061\013\060\011\006\003\125\004\006\023\002\125\123\061\035  
\060\033\006\003\125\004\012\023\024\123\171\155\141\156\164\145  
\143\040\103\157\162\160\157\162\141\164\151\157\156\061\037\060  
\035\006\003\125\004\013\023\026\123\171\155\141\156\164\145\143  
\040\124\162\165\163\164\040\116\145\164\167\157\162\153\061\105  
\060\103\006\003\125\004\003\023\074\123\171\155\141\156\164\145  
\143\040\103\154\141\163\163\040\061\040\120\165\142\154\151\143  
\040\120\162\151\155\141\162\171\040\103\145\162\164\151\146\151  
\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164\171  
\040\055\040\107\066\060\036\027\015\061\061\061\060\061\070\060  
\060\060\060\060\060\132\027\015\063\067\061\062\060\061\062\063  
\065\071\065\071\132\060\201\224\061\013\060\011\006\003\125\004  
\006\023\002\125\123\061\035\060\033\006\003\125\004\012\023\024  
\123\171\155\141\156\164\145\143\040\103\157\162\160\157\162\141  
\164\151\157\156\061\037\060\035\006\003\125\004\013\023\026\123  
\171\155\141\156\164\145\143\040\124\162\165\163\164\040\116\145  
\164\167\157\162\153\061\105\060\103\006\003\125\004\003\023\074  
\123\171\155\141\156\164\145\143\040\103\154\141\163\163\040\061  
\040\120\165\142\154\151\143\040\120\162\151\155\141\162\171\040  
\103\145\162\164\151\146\151\143\141\164\151\157\156\040\101\165  
\164\150\157\162\151\164\171\040\055\040\107\066\060\202\001\042  
\060\015\006\011\052\206\110\206\367\015\001\001\001\005\000\003  
\202\001\017\000\060\202\001\012\002\202\001\001\000\307\071\327  
\111\144\251\231\202\042\114\352\105\331\007\026\343\173\364\203  
\350\231\163\372\153\261\066\340\232\167\240\100\302\201\215\001  
\307\314\214\275\217\175\367\171\343\172\114\003\115\331\373\375  
\207\070\050\054\335\232\213\124\010\333\147\373\033\214\376\050  
\222\057\276\267\262\110\247\201\241\330\136\210\303\314\071\100  
\101\132\321\334\345\332\020\237\057\332\001\115\375\056\106\174  
\371\056\047\012\151\067\356\221\243\033\152\314\104\277\033\307  
\303\324\021\262\120\140\227\011\275\056\042\365\101\204\146\237

\315\100\246\251\000\200\301\037\225\222\237\336\363\110\357\333  
\035\167\141\374\177\337\356\226\244\162\320\266\076\377\170\047  
\257\313\222\025\151\010\333\143\020\342\346\227\254\156\334\254  
\366\242\316\036\107\231\271\211\267\022\346\241\324\315\131\021  
\147\303\157\205\330\102\116\050\276\131\125\131\004\225\253\217  
\067\200\277\015\360\374\037\072\144\061\130\201\170\327\342\065  
\366\040\077\051\270\217\026\156\076\110\334\265\114\007\341\362  
\032\352\176\012\171\326\250\275\353\135\206\053\115\002\003\001  
\000\001\243\102\060\100\060\016\006\003\125\035\017\001\001\377  
\004\004\003\002\001\006\060\017\006\003\125\035\023\001\001\377  
\004\005\060\003\001\001\377\060\035\006\003\125\035\016\004\026  
\004\024\063\101\350\310\071\022\025\223\110\362\226\062\056\132  
\365\332\224\137\123\140\060\015\006\011\052\206\110\206\367\015  
\001\001\013\005\000\003\202\001\001\000\025\343\163\127\261\027  
\266\137\111\151\104\246\366\136\172\147\254\322\336\165\111\253  
\376\045\125\307\072\311\104\025\020\156\277\061\153\313\331\007  
\223\177\034\205\143\000\343\062\022\340\314\313\373\071\154\217  
\342\123\342\074\100\063\331\244\214\107\346\255\130\373\211\257  
\343\336\206\051\126\064\054\105\270\022\372\104\211\156\055\024  
\045\050\044\001\145\326\352\122\254\005\156\126\022\011\075\320  
\164\364\327\275\006\312\250\072\215\126\102\372\215\162\076\164  
\361\003\162\337\207\033\136\016\172\125\226\054\070\267\230\205  
\315\115\063\104\311\224\217\132\061\060\067\113\243\072\022\263  
\347\066\321\041\150\113\055\070\346\123\256\034\045\126\010\126  
\003\147\204\235\306\303\316\044\142\307\114\066\317\260\006\104  
\267\365\137\002\335\331\124\351\057\220\116\172\310\116\203\100  
\014\232\227\074\067\277\277\354\366\360\264\205\167\050\301\013  
\310\147\202\020\027\070\242\267\006\352\233\277\072\370\351\043  
\007\277\164\340\230\070\025\125\170\356\162\000\134\031\243\364  
\322\063\340\377\275\321\124\071\051\017

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# For Email Distrust After: Wed Aug 31 00:00:00 2022

CKA\_NSS\_EMAIL\_DISTRICT\_AFTER MULTILINE\_OCTAL

\062\062\060\070\063\061\060\060\060\060\060\060\132

END

# Trust for "Symantec Class 1 Public Primary Certification Authority - G6"

# Issuer: CN=Symantec Class 1 Public Primary Certification Authority - G6,OU=Symantec Trust  
Network,O=Symantec Corporation,C=US

# Serial Number:24:32:75:f2:1d:2f:d2:09:33:f7:b4:6a:ca:d0:f3:98

# Subject: CN=Symantec Class 1 Public Primary Certification Authority - G6,OU=Symantec Trust  
Network,O=Symantec Corporation,C=US

# Not Valid Before: Tue Oct 18 00:00:00 2011

# Not Valid After : Tue Dec 01 23:59:59 2037

# Fingerprint (SHA-256):

9D:19:0B:2E:31:45:66:68:5B:E8:A8:89:E2:7A:A8:C7:D7:AE:1D:8A:AD:DB:A3:C1:EC:F9:D2:48:63:CD:34:B9

```

# Fingerprint (SHA1): 51:7F:61:1E:29:91:6B:53:82:FB:72:E7:44:D9:8D:C3:CC:53:6D:64
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Symantec Class 1 Public Primary Certification Authority - G6"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\121\177\141\036\051\221\153\123\202\373\162\347\104\331\215\303
\314\123\155\144
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\057\250\264\332\366\144\113\036\202\371\106\075\124\032\174\260
END
CKA_ISSUER MULTILINE_OCTAL
\060\201\224\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\035\060\033\006\003\125\004\012\023\024\123\171\155\141\156
\164\145\143\040\103\157\162\160\157\162\141\164\151\157\156\061
\037\060\035\006\003\125\004\013\023\026\123\171\155\141\156\164
\145\143\040\124\162\165\163\164\040\116\145\164\167\157\162\153
\061\105\060\103\006\003\125\004\003\023\074\123\171\155\141\156
\164\145\143\040\103\154\141\163\163\040\061\040\120\165\142\154
\151\143\040\120\162\151\155\141\162\171\040\103\145\162\164\151
\146\151\143\141\164\151\157\156\040\101\165\164\150\157\162\151
\164\171\040\055\040\107\066
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\044\062\165\362\035\057\322\011\063\367\264\152\312\320
\363\230
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Symantec Class 2 Public Primary Certification Authority - G6"
#
# Issuer: CN=Symantec Class 2 Public Primary Certification Authority - G6,OU=Symantec Trust
Network,O=Symantec Corporation,C=US
# Serial Number:64:82:9e:fc:37:1e:74:5d:fc:97:ff:97:c8:b1:ff:41
# Subject: CN=Symantec Class 2 Public Primary Certification Authority - G6,OU=Symantec Trust
Network,O=Symantec Corporation,C=US
# Not Valid Before: Tue Oct 18 00:00:00 2011
# Not Valid After : Tue Dec 01 23:59:59 2037
# Fingerprint (SHA-256):
CB:62:7D:18:B5:8A:D5:6D:DE:33:1A:30:45:6B:C6:5C:60:1A:4E:9B:18:DE:DC:EA:08:E7:DA:AA:07:81:5F:F0
# Fingerprint (SHA1): 40:B3:31:A0:E9:BF:E8:55:BC:39:93:CA:70:4F:4E:C2:51:D4:1D:8F
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE

```

```
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Symantec Class 2 Public Primary Certification Authority - G6"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\224\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\035\060\033\006\003\125\004\012\023\024\123\171\155\141\156
\164\145\143\040\103\157\162\160\157\162\141\164\151\157\156\061
\037\060\035\006\003\125\004\013\023\026\123\171\155\141\156\164
\145\143\040\124\162\165\163\164\040\116\145\164\167\157\162\153
\061\105\060\103\006\003\125\004\003\023\074\123\171\155\141\156
\164\145\143\040\103\154\141\163\163\040\062\040\120\165\142\154
\151\143\040\120\162\151\155\141\162\171\040\103\145\162\164\151
\146\151\143\141\164\151\157\156\040\101\165\164\150\157\162\151
\164\171\040\055\040\107\066
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\224\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\035\060\033\006\003\125\004\012\023\024\123\171\155\141\156
\164\145\143\040\103\157\162\160\157\162\141\164\151\157\156\061
\037\060\035\006\003\125\004\013\023\026\123\171\155\141\156\164
\145\143\040\124\162\165\163\164\040\116\145\164\167\157\162\153
\061\105\060\103\006\003\125\004\003\023\074\123\171\155\141\156
\164\145\143\040\103\154\141\163\163\040\062\040\120\165\142\154
\151\143\040\120\162\151\155\141\162\171\040\103\145\162\164\151
\146\151\143\141\164\151\157\156\040\101\165\164\150\157\162\151
\164\171\040\055\040\107\066
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\144\202\236\374\067\036\164\135\374\227\377\227\310\261
\377\101
END
CKA_VALUE MULTILINE_OCTAL
\060\202\003\366\060\202\002\336\240\003\002\001\002\002\020\144
\202\236\374\067\036\164\135\374\227\377\227\310\261\377\101\060
\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060\201
\224\061\013\060\011\006\003\125\004\006\023\002\125\123\061\035
\060\033\006\003\125\004\012\023\024\123\171\155\141\156\164\145
\143\040\103\157\162\160\157\162\141\164\151\157\156\061\037\060
\035\006\003\125\004\013\023\026\123\171\155\141\156\164\145\143
\040\124\162\165\163\164\040\116\145\164\167\157\162\153\061\105
\060\103\006\003\125\004\003\023\074\123\171\155\141\156\164\145
\143\040\103\154\141\163\163\040\062\040\120\165\142\154\151\143
\040\120\162\151\155\141\162\171\040\103\145\162\164\151\146\151
\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164\171
\040\055\040\107\066\060\036\027\015\061\061\061\060\061\070\060
```

\060\060\060\060\060\060\132\027\015\063\067\061\062\060\061\062\063  
\065\071\065\071\132\060\201\224\061\013\060\011\006\003\125\004  
\006\023\002\125\123\061\035\060\033\006\003\125\004\012\023\024  
\123\171\155\141\156\164\145\143\040\103\157\162\160\157\162\141  
\164\151\157\156\061\037\060\035\006\003\125\004\013\023\026\123  
\171\155\141\156\164\145\143\040\124\162\165\163\164\040\116\145  
\164\167\157\162\153\061\105\060\103\006\003\125\004\003\023\074  
\123\171\155\141\156\164\145\143\040\103\154\141\163\163\040\062  
\040\120\165\142\154\151\143\040\120\162\151\155\141\162\171\040  
\103\145\162\164\151\146\151\143\141\164\151\157\156\040\101\165  
\164\150\157\162\151\164\171\040\055\040\107\066\060\202\001\042  
\060\015\006\011\052\206\110\206\367\015\001\001\001\005\000\003  
\202\001\017\000\060\202\001\012\002\202\001\001\000\315\314\351  
\005\310\143\205\313\077\100\143\027\275\030\372\065\346\004\147  
\127\145\230\051\244\117\311\134\217\017\064\322\370\332\250\023  
\142\252\270\036\120\147\170\260\026\114\240\071\251\025\172\256  
\355\322\242\300\360\220\067\051\030\046\134\350\015\074\266\154  
\111\077\301\340\334\331\113\266\024\031\013\246\323\226\341\326  
\011\343\031\046\034\371\037\145\113\371\032\103\034\000\203\326  
\320\252\111\242\324\333\346\142\070\272\120\024\103\155\371\061  
\370\126\026\331\070\002\221\317\353\154\335\273\071\116\231\341  
\060\147\105\361\324\360\215\303\337\376\362\070\007\041\175\000  
\136\126\104\263\344\140\275\221\053\234\253\133\004\162\017\262  
\050\331\162\253\005\040\102\045\251\133\003\152\040\020\314\061  
\360\053\332\065\054\320\373\232\227\116\360\202\113\053\330\137  
\066\243\013\055\257\143\015\035\045\177\241\156\134\142\241\215  
\050\076\241\374\034\040\370\001\057\272\125\232\021\260\031\322  
\310\120\171\153\016\152\005\327\252\004\066\262\243\362\341\137  
\167\247\167\234\345\036\334\351\337\152\301\145\135\002\003\001  
\000\001\243\102\060\100\060\016\006\003\125\035\017\001\001\377  
\004\004\003\002\001\006\060\017\006\003\125\035\023\001\001\377  
\004\005\060\003\001\001\377\060\035\006\003\125\035\016\004\026  
\004\024\207\214\040\225\310\230\112\321\326\200\006\112\220\064  
\104\337\034\115\277\260\060\015\006\011\052\206\110\206\367\015  
\001\001\013\005\000\003\202\001\001\000\201\216\262\245\146\226  
\267\041\245\266\357\157\043\132\137\333\201\305\102\245\170\301  
\151\375\364\074\327\371\134\153\160\162\032\374\132\227\115\000  
\200\210\210\202\212\303\161\015\216\305\211\233\054\355\215\013  
\322\162\124\365\175\324\134\103\127\351\363\256\245\002\021\366  
\166\053\201\127\335\175\332\164\060\375\124\107\366\340\026\156  
\246\264\012\110\346\347\165\007\017\051\031\071\316\171\364\266  
\154\305\137\231\325\037\113\372\337\155\054\074\015\124\200\160  
\360\210\013\200\317\306\150\242\270\035\160\331\166\214\374\356  
\245\311\317\255\035\317\231\045\127\132\142\105\313\026\153\275  
\111\315\245\243\214\151\171\045\256\270\114\154\213\100\146\113  
\026\077\317\002\032\335\341\154\153\007\141\152\166\025\051\231  
\177\033\335\210\200\301\277\265\217\163\305\246\226\043\204\246  
\050\206\044\063\152\001\056\127\163\045\266\136\277\217\346\035

```
\141\250\100\051\147\035\207\233\035\177\233\237\231\315\061\326
\124\276\142\273\071\254\150\022\110\221\040\245\313\261\335\376
\157\374\132\344\202\125\131\257\061\251
END
```

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
# For Email Distrust After: Wed Aug 31 00:00:00 2022
CKA_NSS_EMAIL_DISTRICT_AFTER MULTILINE_OCTAL
\062\062\060\070\063\061\060\060\060\060\060\060\132
END
```

```
# Trust for "Symantec Class 2 Public Primary Certification Authority - G6"
# Issuer: CN=Symantec Class 2 Public Primary Certification Authority - G6,OU=Symantec Trust
Network,O=Symantec Corporation,C=US
# Serial Number:64:82:9e:fc:37:1e:74:5d:fc:97:ff:97:c8:b1:ff:41
# Subject: CN=Symantec Class 2 Public Primary Certification Authority - G6,OU=Symantec Trust
Network,O=Symantec Corporation,C=US
# Not Valid Before: Tue Oct 18 00:00:00 2011
# Not Valid After : Tue Dec 01 23:59:59 2037
# Fingerprint (SHA-256):
CB:62:7D:18:B5:8A:D5:6D:DE:33:1A:30:45:6B:C6:5C:60:1A:4E:9B:18:DE:DC:EA:08:E7:DA:AA:07:81:5F:F0
# Fingerprint (SHA1): 40:B3:31:A0:E9:BF:E8:55:BC:39:93:CA:70:4F:4E:C2:51:D4:1D:8F
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Symantec Class 2 Public Primary Certification Authority - G6"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\100\263\061\240\351\277\350\125\274\071\223\312\160\117\116\302
\121\324\035\217
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\175\013\203\345\373\174\255\007\117\040\251\265\337\143\355\171
END
```

```
CKA_ISSUER MULTILINE_OCTAL
\060\201\224\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\035\060\033\006\003\125\004\012\023\024\123\171\155\141\156
\164\145\143\040\103\157\162\160\157\162\141\164\151\157\156\061
\037\060\035\006\003\125\004\013\023\026\123\171\155\141\156\164
\145\143\040\124\162\165\163\164\040\116\145\164\167\157\162\153
\061\105\060\103\006\003\125\004\003\023\074\123\171\155\141\156
\164\145\143\040\103\154\141\163\163\040\062\040\120\165\142\154
\151\143\040\120\162\151\155\141\162\171\040\103\145\162\164\151
\146\151\143\141\164\151\157\156\040\101\165\164\150\157\162\151
\164\171\040\055\040\107\066
END
```

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\144\202\236\374\067\036\164\135\374\227\377\227\310\261
```



```

\377\101
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "D-TRUST Root CA 3 2013"
#
# Issuer: CN=D-TRUST Root CA 3 2013,O=D-Trust GmbH,C=DE
# Serial Number: 1039788 (0xfddac)
# Subject: CN=D-TRUST Root CA 3 2013,O=D-Trust GmbH,C=DE
# Not Valid Before: Fri Sep 20 08:25:51 2013
# Not Valid After : Wed Sep 20 08:25:51 2028
# Fingerprint (SHA-256):
A1:A8:6D:04:12:1E:B8:7F:02:7C:66:F5:33:03:C2:8E:57:39:F9:43:FC:84:B3:8A:D6:AF:00:90:35:DD:94:57
# Fingerprint (SHA1): 6C:7C:CC:E7:D4:AE:51:5F:99:08:CD:3F:F6:E8:C3:78:DF:6F:EF:97
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "D-TRUST Root CA 3 2013"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\105\061\013\060\011\006\003\125\004\006\023\002\104\105\061
\025\060\023\006\003\125\004\012\014\014\104\055\124\162\165\163
\164\040\107\155\142\110\061\037\060\035\006\003\125\004\003\014
\026\104\055\124\122\125\123\124\040\122\157\157\164\040\103\101
\040\063\040\062\060\061\063
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\105\061\013\060\011\006\003\125\004\006\023\002\104\105\061
\025\060\023\006\003\125\004\012\014\014\104\055\124\162\165\163
\164\040\107\155\142\110\061\037\060\035\006\003\125\004\003\014
\026\104\055\124\122\125\123\124\040\122\157\157\164\040\103\101
\040\063\040\062\060\061\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\003\017\335\254
END
CKA_VALUE MULTILINE_OCTAL
\060\202\004\016\060\202\002\366\240\003\002\001\002\002\003\017
\335\254\060\015\006\011\052\206\110\206\367\015\001\001\013\005
\000\060\105\061\013\060\011\006\003\125\004\006\023\002\104\105
\061\025\060\023\006\003\125\004\012\014\014\104\055\124\162\165
\163\164\040\107\155\142\110\061\037\060\035\006\003\125\004\003

```

\014\026\104\055\124\122\125\123\124\040\122\157\157\164\040\103  
\101\040\063\040\062\060\061\063\060\036\027\015\061\063\060\071  
\062\060\060\070\062\065\065\061\132\027\015\062\070\060\071\062  
\060\060\070\062\065\065\061\132\060\105\061\013\060\011\006\003  
\125\004\006\023\002\104\105\061\025\060\023\006\003\125\004\012  
\014\014\104\055\124\162\165\163\164\040\107\155\142\110\061\037  
\060\035\006\003\125\004\003\014\026\104\055\124\122\125\123\124  
\040\122\157\157\164\040\103\101\040\063\040\062\060\061\063\060  
\202\001\042\060\015\006\011\052\206\110\206\367\015\001\001\001  
\005\000\003\202\001\017\000\060\202\001\012\002\202\001\001\000  
\304\173\102\222\202\037\354\355\124\230\216\022\300\312\011\337  
\223\156\072\223\134\033\344\020\167\236\116\151\210\154\366\341  
\151\362\366\233\242\141\261\275\007\040\164\230\145\361\214\046  
\010\315\250\065\312\200\066\321\143\155\350\104\172\202\303\154  
\136\336\273\350\066\322\304\150\066\214\237\062\275\204\042\340  
\334\302\356\020\106\071\155\257\223\071\256\207\346\303\274\011  
\311\054\153\147\133\331\233\166\165\114\013\340\273\305\327\274  
\076\171\362\137\276\321\220\127\371\256\366\146\137\061\277\323  
\155\217\247\272\112\363\043\145\273\267\357\243\045\327\012\352  
\130\266\357\210\372\372\171\262\122\130\325\360\254\214\241\121  
\164\051\225\252\121\073\220\062\003\237\034\162\164\220\336\075  
\355\141\322\345\343\375\144\107\345\271\267\112\251\367\037\256  
\226\206\004\254\057\343\244\201\167\267\132\026\377\330\017\077  
\366\267\170\314\244\257\372\133\074\022\133\250\122\211\162\357  
\210\363\325\104\201\206\225\043\237\173\335\274\331\064\357\174  
\224\074\252\300\101\302\343\235\120\032\300\344\031\042\374\263  
\002\003\001\000\001\243\202\001\005\060\202\001\001\060\017\006  
\003\125\035\023\001\001\377\004\005\060\003\001\001\377\060\035  
\006\003\125\035\016\004\026\004\024\077\220\310\175\307\025\157  
\363\044\217\251\303\057\113\242\017\041\262\057\347\060\016\006  
\003\125\035\017\001\001\377\004\004\003\002\001\006\060\201\276  
\006\003\125\035\037\004\201\266\060\201\263\060\164\240\162\240  
\160\206\156\154\144\141\160\072\057\057\144\151\162\145\143\164  
\157\162\171\056\144\055\164\162\165\163\164\056\156\145\164\057  
\103\116\075\104\055\124\122\125\123\124\045\062\060\122\157\157  
\164\045\062\060\103\101\045\062\060\063\045\062\060\062\060\061  
\063\054\117\075\104\055\124\162\165\163\164\045\062\060\107\155  
\142\110\054\103\075\104\105\077\143\145\162\164\151\146\151\143  
\141\164\145\162\145\166\157\143\141\164\151\157\156\154\151\163  
\164\060\073\240\071\240\067\206\065\150\164\164\160\072\057\057  
\143\162\154\056\144\055\164\162\165\163\164\056\156\145\164\057  
\143\162\154\057\144\055\164\162\165\163\164\137\162\157\157\164  
\137\143\141\137\063\137\062\060\061\063\056\143\162\154\060\015  
\006\011\052\206\110\206\367\015\001\001\013\005\000\003\202\001  
\001\000\016\131\016\130\344\164\110\043\104\317\064\041\265\234  
\024\032\255\232\113\267\263\210\155\134\251\027\160\360\052\237  
\215\173\371\173\205\372\307\071\350\020\010\260\065\053\137\317  
\002\322\323\234\310\013\036\356\005\124\256\067\223\004\011\175

```
\154\217\302\164\274\370\034\224\276\061\001\100\055\363\044\040
\267\204\125\054\134\310\365\164\112\020\031\213\243\307\355\065
\326\011\110\323\016\300\272\071\250\260\106\002\260\333\306\210
\131\302\276\374\173\261\053\317\176\142\207\125\226\314\001\157
\233\147\041\225\065\213\370\020\374\161\033\267\113\067\151\246
\073\326\354\213\356\301\260\363\045\311\217\222\175\241\352\303
\312\104\277\046\245\164\222\234\343\164\353\235\164\331\313\115
\207\330\374\264\151\154\213\240\103\007\140\170\227\351\331\223
\174\302\106\274\233\067\122\243\355\212\074\023\251\173\123\113
\111\232\021\005\054\013\156\126\254\037\056\202\154\340\151\147
\265\016\155\055\331\344\300\025\361\077\372\030\162\341\025\155
\047\133\055\060\050\053\237\110\232\144\053\231\357\362\165\111
\137\134
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "D-TRUST Root CA 3 2013"
```

```
# Issuer: CN=D-TRUST Root CA 3 2013,O=D-Trust GmbH,C=DE
```

```
# Serial Number: 1039788 (0xfddac)
```

```
# Subject: CN=D-TRUST Root CA 3 2013,O=D-Trust GmbH,C=DE
```

```
# Not Valid Before: Fri Sep 20 08:25:51 2013
```

```
# Not Valid After : Wed Sep 20 08:25:51 2028
```

```
# Fingerprint (SHA-256):
```

```
A1:A8:6D:04:12:1E:B8:7F:02:7C:66:F5:33:03:C2:8E:57:39:F9:43:FC:84:B3:8A:D6:AF:00:90:35:DD:94:57
```

```
# Fingerprint (SHA1): 6C:7C:CC:E7:D4:AE:51:5F:99:08:CD:3F:F6:E8:C3:78:DF:6F:EF:97
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "D-TRUST Root CA 3 2013"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\154\174\314\347\324\256\121\137\231\010\315\077\366\350\303\170
\337\157\357\227
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\267\042\146\230\176\326\003\340\301\161\346\165\315\126\105\277
END
```

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\105\061\013\060\011\006\003\125\004\006\023\002\104\105\061
\025\060\023\006\003\125\004\012\014\014\104\055\124\162\165\163
\164\040\107\155\142\110\061\037\060\035\006\003\125\004\003\014
\026\104\055\124\122\125\123\124\040\122\157\157\164\040\103\101
\040\063\040\062\060\061\063
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\003\017\335\254
```

```

END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "TUBITAK Kamu SM SSL Kok Sertifikasi - Surum 1"
#
# Issuer: CN=TUBITAK Kamu SM SSL Kok Sertifikasi - Surum 1,OU=Kamu Sertifikasyon Merkezi - Kamu
SM,O=Turkiye Bilimsel ve Teknolojik Arastirma Kurumu - TUBITAK,L=Gebze - Kocaeli,C=TR
# Serial Number: 1 (0x1)
# Subject: CN=TUBITAK Kamu SM SSL Kok Sertifikasi - Surum 1,OU=Kamu Sertifikasyon Merkezi - Kamu
SM,O=Turkiye Bilimsel ve Teknolojik Arastirma Kurumu - TUBITAK,L=Gebze - Kocaeli,C=TR
# Not Valid Before: Mon Nov 25 08:25:55 2013
# Not Valid After : Sun Oct 25 08:25:55 2043
# Fingerprint (SHA-256):
46:ED:C3:68:90:46:D5:3A:45:3F:B3:10:4A:B8:0D:CA:EC:65:8B:26:60:EA:16:29:DD:7E:86:79:90:64:87:16
# Fingerprint (SHA1): 31:43:64:9B:EC:CE:27:EC:ED:3A:3F:0B:8F:0D:E4:E8:91:DD:EE:CA
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "TUBITAK Kamu SM SSL Kok Sertifikasi - Surum 1"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\322\061\013\060\011\006\003\125\004\006\023\002\124\122
\061\030\060\026\006\003\125\004\007\023\017\107\145\142\172\145
\040\055\040\113\157\143\141\145\154\151\061\102\060\100\006\003
\125\004\012\023\071\124\165\162\153\151\171\145\040\102\151\154
\151\155\163\145\154\040\166\145\040\124\145\153\156\157\154\157
\152\151\153\040\101\162\141\163\164\151\162\155\141\040\113\165
\162\165\155\165\040\055\040\124\125\102\111\124\101\113\061\055
\060\053\006\003\125\004\013\023\044\113\141\155\165\040\123\145
\162\164\151\146\151\153\141\163\171\157\156\040\115\145\162\153
\145\172\151\040\055\040\113\141\155\165\040\123\115\061\066\060
\064\006\003\125\004\003\023\055\124\125\102\111\124\101\113\040
\113\141\155\165\040\123\115\040\123\123\114\040\113\157\153\040
\123\145\162\164\151\146\151\153\141\163\151\040\055\040\123\165
\162\165\155\040\061
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\322\061\013\060\011\006\003\125\004\006\023\002\124\122
\061\030\060\026\006\003\125\004\007\023\017\107\145\142\172\145
\040\055\040\113\157\143\141\145\154\151\061\102\060\100\006\003
\125\004\012\023\071\124\165\162\153\151\171\145\040\102\151\154
\151\155\163\145\154\040\166\145\040\124\145\153\156\157\154\157

```

\152\151\153\040\101\162\141\163\164\151\162\155\141\040\113\165  
\162\165\155\165\040\055\040\124\125\102\111\124\101\113\061\055  
\060\053\006\003\125\004\013\023\044\113\141\155\165\040\123\145  
\162\164\151\146\151\153\141\163\171\157\156\040\115\145\162\153  
\145\172\151\040\055\040\113\141\155\165\040\123\115\061\066\060  
\064\006\003\125\004\003\023\055\124\125\102\111\124\101\113\040  
\113\141\155\165\040\123\115\040\123\123\114\040\113\157\153\040  
\123\145\162\164\151\146\151\153\141\163\151\040\055\040\123\165  
\162\165\155\040\061

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\001\001

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\004\143\060\202\003\113\240\003\002\001\002\002\001\001  
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060  
\201\322\061\013\060\011\006\003\125\004\006\023\002\124\122\061  
\030\060\026\006\003\125\004\007\023\017\107\145\142\172\145\040  
\055\040\113\157\143\141\145\154\151\061\102\060\100\006\003\125  
\004\012\023\071\124\165\162\153\151\171\145\040\102\151\154\151  
\155\163\145\154\040\166\145\040\124\145\153\156\157\154\157\152  
\151\153\040\101\162\141\163\164\151\162\155\141\040\113\165\162  
\165\155\165\040\055\040\124\125\102\111\124\101\113\061\055\060  
\053\006\003\125\004\013\023\044\113\141\155\165\040\123\145\162  
\164\151\146\151\153\141\163\171\157\156\040\115\145\162\153\145  
\172\151\040\055\040\113\141\155\165\040\123\115\061\066\060\064  
\006\003\125\004\003\023\055\124\125\102\111\124\101\113\040\113  
\141\155\165\040\123\115\040\123\123\114\040\113\157\153\040\123  
\145\162\164\151\146\151\153\141\163\151\040\055\040\123\165\162  
\165\155\040\061\060\036\027\015\061\063\061\061\062\065\060\070  
\062\065\065\065\132\027\015\064\063\061\060\062\065\060\070\062  
\065\065\065\132\060\201\322\061\013\060\011\006\003\125\004\006  
\023\002\124\122\061\030\060\026\006\003\125\004\007\023\017\107  
\145\142\172\145\040\055\040\113\157\143\141\145\154\151\061\102  
\060\100\006\003\125\004\012\023\071\124\165\162\153\151\171\145  
\040\102\151\154\151\155\163\145\154\040\166\145\040\124\145\153  
\156\157\154\157\152\151\153\040\101\162\141\163\164\151\162\155  
\141\040\113\165\162\165\155\165\040\055\040\124\125\102\111\124  
\101\113\061\055\060\053\006\003\125\004\013\023\044\113\141\155  
\165\040\123\145\162\164\151\146\151\153\141\163\171\157\156\040  
\115\145\162\153\145\172\151\040\055\040\113\141\155\165\040\123  
\115\061\066\060\064\006\003\125\004\003\023\055\124\125\102\111  
\124\101\113\040\113\141\155\165\040\123\115\040\123\123\114\040  
\113\157\153\040\123\145\162\164\151\146\151\153\141\163\151\040  
\055\040\123\165\162\165\155\040\061\060\202\001\042\060\015\006  
\011\052\206\110\206\367\015\001\001\001\005\000\003\202\001\017  
\000\060\202\001\012\002\202\001\001\000\257\165\060\063\252\273  
\153\323\231\054\022\067\204\331\215\173\227\200\323\156\347\377

\233\120\225\076\220\225\126\102\327\031\174\046\204\215\222\372  
\001\035\072\017\342\144\070\267\214\274\350\210\371\213\044\253  
\056\243\365\067\344\100\216\030\045\171\203\165\037\073\377\154  
\250\305\306\126\370\264\355\212\104\243\253\154\114\374\035\320  
\334\357\150\275\317\344\252\316\360\125\367\242\064\324\203\153  
\067\174\034\302\376\265\003\354\127\316\274\264\265\305\355\000  
\017\123\067\052\115\364\117\014\203\373\206\317\313\376\214\116  
\275\207\371\247\213\041\127\234\172\337\003\147\211\054\235\227  
\141\247\020\270\125\220\177\016\055\047\070\164\337\347\375\332  
\116\022\343\115\025\042\002\310\340\340\374\017\255\212\327\311  
\124\120\314\073\017\312\026\200\204\320\121\126\303\216\126\177  
\211\042\063\057\346\205\012\275\245\250\033\066\336\323\334\054  
\155\073\307\023\275\131\043\054\346\345\244\367\330\013\355\352  
\220\100\104\250\225\273\223\325\320\200\064\266\106\170\016\037  
\000\223\106\341\356\351\371\354\117\027\002\003\001\000\001\243  
\102\060\100\060\035\006\003\125\035\016\004\026\004\024\145\077  
\307\212\206\306\074\335\074\124\134\065\370\072\355\122\014\107  
\127\310\060\016\006\003\125\035\017\001\001\377\004\004\003\002  
\001\006\060\017\006\003\125\035\023\001\001\377\004\005\060\003  
\001\001\377\060\015\006\011\052\206\110\206\367\015\001\001\013  
\005\000\003\202\001\001\000\052\077\341\361\062\216\256\341\230  
\134\113\136\317\153\036\152\011\322\042\251\022\307\136\127\175  
\163\126\144\200\204\172\223\344\011\271\020\315\237\052\047\341  
\000\167\276\110\310\065\250\201\237\344\270\054\311\177\016\260  
\322\113\067\135\352\271\325\013\136\064\275\364\163\051\303\355  
\046\025\234\176\010\123\212\130\215\320\113\050\337\301\263\337  
\040\363\371\343\343\072\337\314\234\224\330\116\117\303\153\027  
\267\367\162\350\255\146\063\265\045\123\253\340\370\114\251\235  
\375\362\015\272\256\271\331\252\306\153\371\223\273\256\253\270  
\227\074\003\032\272\103\306\226\271\105\162\070\263\247\241\226  
\075\221\173\176\300\041\123\114\207\355\362\013\124\225\121\223  
\325\042\245\015\212\361\223\016\076\124\016\260\330\311\116\334  
\362\061\062\126\352\144\371\352\265\235\026\146\102\162\363\177  
\323\261\061\103\374\244\216\027\361\155\043\253\224\146\370\255  
\373\017\010\156\046\055\177\027\007\011\262\214\373\120\300\237  
\226\215\317\266\375\000\235\132\024\232\277\002\104\365\301\302  
\237\042\136\242\017\241\343

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "TUBITAK Kamu SM SSL Kok Sertifikasi - Surum 1"

# Issuer: CN=TUBITAK Kamu SM SSL Kok Sertifikasi - Surum 1,OU=Kamu Sertifikasyon Merkezi - Kamu SM,O=Turkiye Bilimsel ve Teknolojik Arastirma Kurumu - TUBITAK,L=Gebze - Kocaeli,C=TR

# Serial Number: 1 (0x1)

# Subject: CN=TUBITAK Kamu SM SSL Kok Sertifikasi - Surum 1,OU=Kamu Sertifikasyon Merkezi - Kamu SM,O=Turkiye Bilimsel ve Teknolojik Arastirma Kurumu - TUBITAK,L=Gebze - Kocaeli,C=TR

```

# Not Valid Before: Mon Nov 25 08:25:55 2013
# Not Valid After : Sun Oct 25 08:25:55 2043
# Fingerprint (SHA-256):
46:ED:C3:68:90:46:D5:3A:45:3F:B3:10:4A:B8:0D:CA:EC:65:8B:26:60:EA:16:29:DD:7E:86:79:90:64:87:16
# Fingerprint (SHA1): 31:43:64:9B:EC:CE:27:EC:ED:3A:3F:0B:8F:0D:E4:E8:91:DD:EE:CA
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "TUBITAK Kamu SM SSL Kok Sertifikasi - Surum 1"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\061\103\144\233\354\316\047\354\355\072\077\013\217\015\344\350
\221\335\356\312
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\334\000\201\334\151\057\076\057\260\073\366\075\132\221\216\111
END
CKA_ISSUER MULTILINE_OCTAL
\060\201\322\061\013\060\011\006\003\125\004\006\023\002\124\122
\061\030\060\026\006\003\125\004\007\023\017\107\145\142\172\145
\040\055\040\113\157\143\141\145\154\151\061\102\060\100\006\003
\125\004\012\023\071\124\165\162\153\151\171\145\040\102\151\154
\151\155\163\145\154\040\166\145\040\124\145\153\156\157\154\157
\152\151\153\040\101\162\141\163\164\151\162\155\141\040\113\165
\162\165\155\165\040\055\040\124\125\102\111\124\101\113\061\055
\060\053\006\003\125\004\013\023\044\113\141\155\165\040\123\145
\162\164\151\146\151\153\141\163\171\157\156\040\115\145\162\153
\145\172\151\040\055\040\113\141\155\165\040\123\115\061\066\060
\064\006\003\125\004\003\023\055\124\125\102\111\124\101\113\040
\113\141\155\165\040\123\115\040\123\123\114\040\113\157\153\040
\123\145\162\164\151\146\151\153\141\163\151\040\055\040\123\165
\162\165\155\040\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\001\001
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "GDCA TrustAUTH R5 ROOT"
#
# Issuer: CN=GDCA TrustAUTH R5 ROOT,O="GUANG DONG CERTIFICATE AUTHORITY
CO.,LTD.",C=CN
# Serial Number:7d:09:97:fe:f0:47:ea:7a
# Subject: CN=GDCA TrustAUTH R5 ROOT,O="GUANG DONG CERTIFICATE AUTHORITY

```

CO.,LTD.",C=CN

# Not Valid Before: Wed Nov 26 05:13:15 2014

# Not Valid After : Mon Dec 31 15:59:59 2040

# Fingerprint (SHA-256):

BF:FF:8F:D0:44:33:48:7D:6A:8A:A6:0C:1A:29:76:7A:9F:C2:BB:B0:5E:42:0F:71:3A:13:B9:92:89:1D:38:93

# Fingerprint (SHA1): 0F:36:38:5B:81:1A:25:C3:9B:31:4E:83:CA:E9:34:66:70:CC:74:B4

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "GDCA TrustAUTH R5 ROOT"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

\060\142\061\013\060\011\006\003\125\004\006\023\002\103\116\061  
\062\060\060\006\003\125\004\012\014\051\107\125\101\116\107\040  
\104\117\116\107\040\103\105\122\124\111\106\111\103\101\124\105  
\040\101\125\124\110\117\122\111\124\131\040\103\117\056\054\114  
\124\104\056\061\037\060\035\006\003\125\004\003\014\026\107\104  
\103\101\040\124\162\165\163\164\101\125\124\110\040\122\065\040  
\122\117\117\124

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\142\061\013\060\011\006\003\125\004\006\023\002\103\116\061  
\062\060\060\006\003\125\004\012\014\051\107\125\101\116\107\040  
\104\117\116\107\040\103\105\122\124\111\106\111\103\101\124\105  
\040\101\125\124\110\117\122\111\124\131\040\103\117\056\054\114  
\124\104\056\061\037\060\035\006\003\125\004\003\014\026\107\104  
\103\101\040\124\162\165\163\164\101\125\124\110\040\122\065\040  
\122\117\117\124

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\010\175\011\227\376\360\107\352\172

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\005\210\060\202\003\160\240\003\002\001\002\002\010\175  
\011\227\376\360\107\352\172\060\015\006\011\052\206\110\206\367  
\015\001\001\013\005\000\060\142\061\013\060\011\006\003\125\004  
\006\023\002\103\116\061\062\060\060\006\003\125\004\012\014\051  
\107\125\101\116\107\040\104\117\116\107\040\103\105\122\124\111  
\106\111\103\101\124\105\040\101\125\124\110\117\122\111\124\131  
\040\103\117\056\054\114\124\104\056\061\037\060\035\006\003\125  
\004\003\014\026\107\104\103\101\040\124\162\165\163\164\101\125  
\124\110\040\122\065\040\122\117\117\124\060\036\027\015\061\064  
\061\061\062\066\060\065\061\063\061\065\132\027\015\064\060\061  
\062\063\061\061\065\065\071\065\071\132\060\142\061\013\060\011  
\006\003\125\004\006\023\002\103\116\061\062\060\060\006\003\125  
\004\012\014\051\107\125\101\116\107\040\104\117\116\107\040\103



\105\122\124\111\106\111\103\101\124\105\040\101\125\124\110\117  
\122\111\124\131\040\103\117\056\054\114\124\104\056\061\037\060  
\035\006\003\125\004\003\014\026\107\104\103\101\040\124\162\165  
\163\164\101\125\124\110\040\122\065\040\122\117\117\124\060\202  
\002\042\060\015\006\011\052\206\110\206\367\015\001\001\001\005  
\000\003\202\002\017\000\060\202\002\012\002\202\002\001\000\331  
\243\026\360\310\164\164\167\233\357\063\015\073\006\176\125\374  
\265\140\217\166\206\022\102\175\126\146\076\210\202\355\162\143  
\016\236\213\335\064\054\002\121\121\303\031\375\131\124\204\311  
\361\153\263\114\260\351\350\106\135\070\306\242\247\056\021\127  
\272\202\025\242\234\217\155\260\231\112\012\362\353\211\160\143  
\116\171\304\267\133\275\242\135\261\362\101\002\053\255\251\072  
\243\354\171\012\354\137\072\343\375\357\200\074\255\064\233\032  
\253\210\046\173\126\242\202\206\037\353\065\211\203\177\137\256  
\051\116\075\266\156\354\256\301\360\047\233\256\343\364\354\357  
\256\177\367\206\075\162\172\353\245\373\131\116\247\353\225\214  
\042\071\171\341\055\010\217\314\274\221\270\101\367\024\301\043  
\251\303\255\232\105\104\263\262\327\054\315\306\051\342\120\020  
\256\134\313\202\216\027\030\066\175\227\346\210\232\260\115\064  
\011\364\054\271\132\146\052\260\027\233\236\036\166\235\112\146  
\061\101\337\077\373\305\006\357\033\266\176\032\106\066\367\144  
\143\073\343\071\030\043\347\147\165\024\325\165\127\222\067\275  
\276\152\033\046\120\362\066\046\006\220\305\160\001\144\155\166  
\146\341\221\333\156\007\300\141\200\056\262\056\057\214\160\247  
\321\073\074\263\221\344\156\266\304\073\160\362\154\222\227\011  
\315\107\175\030\300\363\273\236\017\326\213\256\007\266\132\017  
\316\013\014\107\247\345\076\270\275\175\307\233\065\240\141\227  
\072\101\165\027\314\053\226\167\052\222\041\036\331\225\166\040  
\147\150\317\015\275\337\326\037\011\152\232\342\314\163\161\244  
\057\175\022\200\267\123\060\106\136\113\124\231\017\147\311\245  
\310\362\040\301\202\354\235\021\337\302\002\373\032\073\321\355  
\040\232\357\145\144\222\020\015\052\342\336\160\361\030\147\202  
\214\141\336\270\274\321\057\234\373\017\320\053\355\033\166\271  
\344\071\125\370\370\241\035\270\252\200\000\114\202\347\262\177  
\011\270\274\060\240\057\015\365\122\236\216\367\222\263\012\000  
\035\000\124\227\006\340\261\007\331\307\017\134\145\175\074\155  
\131\127\344\355\245\215\351\100\123\237\025\113\240\161\366\032  
\041\343\332\160\006\041\130\024\207\205\167\171\252\202\171\002  
\003\001\000\001\243\102\060\100\060\035\006\003\125\035\016\004  
\026\004\024\342\311\100\237\115\316\350\232\241\174\317\016\077  
\145\305\051\210\152\031\121\060\017\006\003\125\035\023\001\001  
\377\004\005\060\003\001\001\377\060\016\006\003\125\035\017\001  
\001\377\004\004\003\002\001\206\060\015\006\011\052\206\110\206  
\367\015\001\001\013\005\000\003\202\002\001\000\321\111\127\340  
\247\314\150\130\272\001\017\053\031\315\215\260\141\105\254\021  
\355\143\120\151\370\037\177\276\026\217\375\235\353\013\252\062  
\107\166\322\147\044\355\275\174\063\062\227\052\307\005\206\146  
\015\027\175\024\025\033\324\353\375\037\232\366\136\227\151\267

\032\045\244\012\263\221\077\137\066\254\213\354\127\250\076\347  
\201\212\030\127\071\205\164\032\102\307\351\133\023\137\217\371  
\010\351\222\164\215\365\107\322\253\073\326\373\170\146\116\066  
\175\371\351\222\351\004\336\375\111\143\374\155\373\024\161\223  
\147\057\107\112\267\271\377\036\052\163\160\106\060\277\132\362  
\057\171\245\341\215\014\331\371\262\143\067\214\067\145\205\160  
\152\134\133\011\162\271\255\143\074\261\335\370\374\062\277\067  
\206\344\273\216\230\047\176\272\037\026\341\160\021\362\003\337  
\045\142\062\047\046\030\062\204\237\377\000\072\023\272\232\115  
\364\117\270\024\160\042\261\312\053\220\316\051\301\160\364\057  
\235\177\362\220\036\326\132\337\267\106\374\346\206\372\313\340  
\040\166\172\272\246\313\365\174\336\142\245\261\213\356\336\202  
\146\212\116\072\060\037\077\200\313\255\047\272\014\136\327\320  
\261\126\312\167\161\262\265\165\241\120\251\100\103\027\302\050  
\331\317\122\213\133\310\143\324\102\076\240\063\172\106\056\367  
\012\040\106\124\176\152\117\061\361\201\176\102\164\070\145\163  
\047\356\306\174\270\216\327\245\072\327\230\241\234\214\020\125  
\323\333\113\354\100\220\362\315\156\127\322\142\016\174\127\223  
\261\247\155\315\235\203\273\052\347\345\266\073\161\130\255\375  
\321\105\274\132\221\356\123\025\157\323\105\011\165\156\272\220  
\135\036\004\317\067\337\036\250\146\261\214\346\040\152\357\374  
\110\116\164\230\102\257\051\157\056\152\307\373\175\321\146\061  
\042\314\206\000\176\146\203\014\102\364\275\064\222\303\032\352  
\117\312\176\162\115\013\160\214\246\110\273\246\241\024\366\373  
\130\104\231\024\256\252\013\223\151\240\051\045\112\245\313\053  
\335\212\146\007\026\170\025\127\161\033\354\365\107\204\363\236  
\061\067\172\325\177\044\255\344\274\375\375\314\156\203\350\014  
\250\267\101\154\007\335\275\074\206\227\057\322

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "GDCA TrustAUTH R5 ROOT"

# Issuer: CN=GDCA TrustAUTH R5 ROOT,O="GUANG DONG CERTIFICATE AUTHORITY  
CO.,LTD.",C=CN

# Serial Number:7d:09:97:fe:f0:47:ea:7a

# Subject: CN=GDCA TrustAUTH R5 ROOT,O="GUANG DONG CERTIFICATE AUTHORITY  
CO.,LTD.",C=CN

# Not Valid Before: Wed Nov 26 05:13:15 2014

# Not Valid After : Mon Dec 31 15:59:59 2040

# Fingerprint (SHA-256):

BF:FF:8F:D0:44:33:48:7D:6A:8A:A6:0C:1A:29:76:7A:9F:C2:BB:B0:5E:42:0F:71:3A:13:B9:92:89:1D:38:93

# Fingerprint (SHA1): 0F:36:38:5B:81:1A:25:C3:9B:31:4E:83:CA:E9:34:66:70:CC:74:B4

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

```

CKA_LABEL UTF8 "GDCA TrustAUTH R5 ROOT"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\017\066\070\133\201\032\045\303\233\061\116\203\312\351\064\146
\160\314\164\264
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\143\314\331\075\064\065\134\157\123\243\342\010\160\110\037\264
END
CKA_ISSUER MULTILINE_OCTAL
\060\142\061\013\060\011\006\003\125\004\006\023\002\103\116\061
\062\060\060\006\003\125\004\012\014\051\107\125\101\116\107\040
\104\117\116\107\040\103\105\122\124\111\106\111\103\101\124\105
\040\101\125\124\110\117\122\111\124\131\040\103\117\056\054\114
\124\104\056\061\037\060\035\006\003\125\004\003\014\026\107\104
\103\101\040\124\162\165\163\164\101\125\124\110\040\122\065\040
\122\117\117\124
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\010\175\011\227\376\360\107\352\172
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "TrustCor RootCert CA-1"
#
# Issuer: CN=TrustCor RootCert CA-1,OU=TrustCor Certificate Authority,O=TrustCor Systems S. de
R.L.,L=Panama City,ST=Panama,C=PA
# Serial Number:00:da:9b:ec:71:f3:03:b0:19
# Subject: CN=TrustCor RootCert CA-1,OU=TrustCor Certificate Authority,O=TrustCor Systems S. de
R.L.,L=Panama City,ST=Panama,C=PA
# Not Valid Before: Thu Feb 04 12:32:16 2016
# Not Valid After : Mon Dec 31 17:23:16 2029
# Fingerprint (SHA-256):
D4:0E:9C:86:CD:8F:E4:68:C1:77:69:59:F4:9E:A7:74:FA:54:86:84:B6:C4:06:F3:90:92:61:F4:DC:E2:57:5C
# Fingerprint (SHA1): FF:BD:CD:E7:82:C8:43:5E:3C:6F:26:86:5C:CA:A8:3A:45:5B:C3:0A
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "TrustCor RootCert CA-1"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\244\061\013\060\011\006\003\125\004\006\023\002\120\101
\061\017\060\015\006\003\125\004\010\014\006\120\141\156\141\155
\141\061\024\060\022\006\003\125\004\007\014\013\120\141\156\141

```

\155\141\040\103\151\164\171\061\044\060\042\006\003\125\004\012  
\014\033\124\162\165\163\164\103\157\162\040\123\171\163\164\145  
\155\163\040\123\056\040\144\145\040\122\056\114\056\061\047\060  
\045\006\003\125\004\013\014\036\124\162\165\163\164\103\157\162  
\040\103\145\162\164\151\146\151\143\141\164\145\040\101\165\164  
\150\157\162\151\164\171\061\037\060\035\006\003\125\004\003\014  
\026\124\162\165\163\164\103\157\162\040\122\157\157\164\103\145  
\162\164\040\103\101\055\061

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\201\244\061\013\060\011\006\003\125\004\006\023\002\120\101  
\061\017\060\015\006\003\125\004\010\014\006\120\141\156\141\155  
\141\061\024\060\022\006\003\125\004\007\014\013\120\141\156\141  
\155\141\040\103\151\164\171\061\044\060\042\006\003\125\004\012  
\014\033\124\162\165\163\164\103\157\162\040\123\171\163\164\145  
\155\163\040\123\056\040\144\145\040\122\056\114\056\061\047\060  
\045\006\003\125\004\013\014\036\124\162\165\163\164\103\157\162  
\040\103\145\162\164\151\146\151\143\141\164\145\040\101\165\164  
\150\157\162\151\164\171\061\037\060\035\006\003\125\004\003\014  
\026\124\162\165\163\164\103\157\162\040\122\157\157\164\103\145  
\162\164\040\103\101\055\061

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\011\000\332\233\354\161\363\003\260\031

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\004\060\060\202\003\030\240\003\002\001\002\002\011\000  
\332\233\354\161\363\003\260\031\060\015\006\011\052\206\110\206  
\367\015\001\001\013\005\000\060\201\244\061\013\060\011\006\003  
\125\004\006\023\002\120\101\061\017\060\015\006\003\125\004\010  
\014\006\120\141\156\141\155\141\061\024\060\022\006\003\125\004  
\007\014\013\120\141\156\141\155\141\040\103\151\164\171\061\044  
\060\042\006\003\125\004\012\014\033\124\162\165\163\164\103\157  
\162\040\123\171\163\164\145\155\163\040\123\056\040\144\145\040  
\122\056\114\056\061\047\060\045\006\003\125\004\013\014\036\124  
\162\165\163\164\103\157\162\040\103\145\162\164\151\146\151\143  
\141\164\145\040\101\165\164\150\157\162\151\164\171\061\037\060  
\035\006\003\125\004\003\014\026\124\162\165\163\164\103\157\162  
\040\122\157\157\164\103\145\162\164\040\103\101\055\061\060\036  
\027\015\061\066\060\062\060\064\061\062\063\062\061\066\132\027  
\015\062\071\061\062\063\061\061\067\062\063\061\066\132\060\201  
\244\061\013\060\011\006\003\125\004\006\023\002\120\101\061\017  
\060\015\006\003\125\004\010\014\006\120\141\156\141\155\141\061  
\024\060\022\006\003\125\004\007\014\013\120\141\156\141\155\141  
\040\103\151\164\171\061\044\060\042\006\003\125\004\012\014\033  
\124\162\165\163\164\103\157\162\040\123\171\163\164\145\155\163  
\040\123\056\040\144\145\040\122\056\114\056\061\047\060\045\006

\003\125\004\013\014\036\124\162\165\163\164\103\157\162\040\103  
\145\162\164\151\146\151\143\141\164\145\040\101\165\164\150\157  
\162\151\164\171\061\037\060\035\006\003\125\004\003\014\026\124  
\162\165\163\164\103\157\162\040\122\157\157\164\103\145\162\164  
\040\103\101\055\061\060\202\001\042\060\015\006\011\052\206\110  
\206\367\015\001\001\001\005\000\003\202\001\017\000\060\202\001  
\012\002\202\001\001\000\277\216\267\225\342\302\046\022\153\063  
\031\307\100\130\012\253\131\252\215\000\243\374\200\307\120\173  
\216\324\040\046\272\062\022\330\043\124\111\045\020\042\230\235  
\106\322\301\311\236\116\033\056\054\016\070\363\032\045\150\034  
\246\132\005\346\036\213\110\277\230\226\164\076\151\312\351\265  
\170\245\006\274\325\000\136\011\012\362\047\172\122\374\055\325  
\261\352\264\211\141\044\363\032\023\333\251\317\122\355\014\044  
\272\271\236\354\176\000\164\372\223\255\154\051\222\256\121\264  
\273\323\127\277\263\363\250\215\234\364\044\113\052\326\231\236  
\364\236\376\300\176\102\072\347\013\225\123\332\267\150\016\220  
\114\373\160\077\217\112\054\224\363\046\335\143\151\251\224\330  
\020\116\305\107\010\220\231\033\027\115\271\154\156\357\140\225  
\021\216\041\200\265\275\240\163\330\320\262\167\304\105\352\132  
\046\373\146\166\166\370\006\037\141\155\017\125\305\203\267\020  
\126\162\006\007\245\363\261\032\003\005\144\016\235\132\212\326  
\206\160\033\044\336\376\050\212\053\320\152\260\374\172\242\334  
\262\171\016\213\145\017\002\003\001\000\001\243\143\060\141\060  
\035\006\003\125\035\016\004\026\004\024\356\153\111\074\172\077  
\015\343\261\011\267\212\310\253\031\237\163\063\120\347\060\037  
\006\003\125\035\043\004\030\060\026\200\024\356\153\111\074\172  
\077\015\343\261\011\267\212\310\253\031\237\163\063\120\347\060  
\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001\377  
\060\016\006\003\125\035\017\001\001\377\004\004\003\002\001\206  
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\003  
\202\001\001\000\045\030\324\221\217\023\356\217\036\035\021\123  
\332\055\104\051\031\240\036\153\061\236\115\016\236\255\075\134  
\101\157\225\053\044\241\171\230\072\070\066\373\273\146\236\110  
\377\220\220\357\075\324\270\233\264\207\165\077\040\233\316\162  
\317\241\125\301\115\144\242\031\006\241\007\063\014\013\051\345  
\361\352\253\243\354\265\012\164\220\307\175\162\362\327\134\237  
\221\357\221\213\267\334\355\146\242\317\216\146\073\274\237\072  
\002\340\047\335\026\230\300\225\324\012\244\344\201\232\165\224  
\065\234\220\137\210\067\006\255\131\225\012\260\321\147\323\031  
\312\211\347\062\132\066\034\076\202\250\132\223\276\306\320\144  
\221\266\317\331\266\030\317\333\176\322\145\243\246\304\216\027  
\061\301\373\176\166\333\323\205\343\130\262\167\172\166\073\154  
\057\120\034\347\333\366\147\171\037\365\202\225\232\007\247\024  
\257\217\334\050\041\147\011\322\326\115\132\034\031\034\216\167  
\134\303\224\044\075\062\153\113\176\324\170\224\203\276\067\115  
\316\137\307\036\116\074\340\211\063\225\013\017\245\062\326\074  
\132\171\054\031

END

```

CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

# Trust for "TrustCor RootCert CA-1"
# Issuer: CN=TrustCor RootCert CA-1,OU=TrustCor Certificate Authority,O=TrustCor Systems S. de
R.L.,L=Panama City,ST=Panama,C=PA
# Serial Number:00:da:9b:ec:71:f3:03:b0:19
# Subject: CN=TrustCor RootCert CA-1,OU=TrustCor Certificate Authority,O=TrustCor Systems S. de
R.L.,L=Panama City,ST=Panama,C=PA
# Not Valid Before: Thu Feb 04 12:32:16 2016
# Not Valid After : Mon Dec 31 17:23:16 2029
# Fingerprint (SHA-256):
D4:0E:9C:86:CD:8F:E4:68:C1:77:69:59:F4:9E:A7:74:FA:54:86:84:B6:C4:06:F3:90:92:61:F4:DC:E2:57:5C
# Fingerprint (SHA1): FF:BD:CD:E7:82:C8:43:5E:3C:6F:26:86:5C:CA:A8:3A:45:5B:C3:0A
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "TrustCor RootCert CA-1"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\377\275\315\347\202\310\103\136\074\157\046\206\134\312\250\072
\105\133\303\012
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\156\205\361\334\032\000\323\042\325\262\262\254\153\067\005\105
END
CKA_ISSUER MULTILINE_OCTAL
\060\201\244\061\013\060\011\006\003\125\004\006\023\002\120\101
\061\017\060\015\006\003\125\004\010\014\006\120\141\156\141\155
\141\061\024\060\022\006\003\125\004\007\014\013\120\141\156\141
\155\141\040\103\151\164\171\061\044\060\042\006\003\125\004\012
\014\033\124\162\165\163\164\103\157\162\040\123\171\163\164\145
\155\163\040\123\056\040\144\145\040\122\056\114\056\061\047\060
\045\006\003\125\004\013\014\036\124\162\165\163\164\103\157\162
\040\103\145\162\164\151\146\151\143\141\164\145\040\101\165\164
\150\157\162\151\164\171\061\037\060\035\006\003\125\004\003\014
\026\124\162\165\163\164\103\157\162\040\122\157\157\164\103\145
\162\164\040\103\101\055\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\011\000\332\233\354\161\363\003\260\031
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

```

```

#
# Certificate "TrustCor RootCert CA-2"
#
# Issuer: CN=TrustCor RootCert CA-2,OU=TrustCor Certificate Authority,O=TrustCor Systems S. de
R.L.,L=Panama City,ST=Panama,C=PA
# Serial Number:25:a1:df:ca:33:cb:59:02
# Subject: CN=TrustCor RootCert CA-2,OU=TrustCor Certificate Authority,O=TrustCor Systems S. de
R.L.,L=Panama City,ST=Panama,C=PA
# Not Valid Before: Thu Feb 04 12:32:23 2016
# Not Valid After : Sun Dec 31 17:26:39 2034
# Fingerprint (SHA-256):
07:53:E9:40:37:8C:1B:D5:E3:83:6E:39:5D:AE:A5:CB:83:9E:50:46:F1:BD:0E:AE:19:51:CF:10:FE:C7:C9:65
# Fingerprint (SHA1): B8:BE:6D:CB:56:F1:55:B9:63:D4:12:CA:4E:06:34:C7:94:B2:1C:C0
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "TrustCor RootCert CA-2"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\244\061\013\060\011\006\003\125\004\006\023\002\120\101
\061\017\060\015\006\003\125\004\010\014\006\120\141\156\141\155
\141\061\024\060\022\006\003\125\004\007\014\013\120\141\156\141
\155\141\040\103\151\164\171\061\044\060\042\006\003\125\004\012
\014\033\124\162\165\163\164\103\157\162\040\123\171\163\164\145
\155\163\040\123\056\040\144\145\040\122\056\114\056\061\047\060
\045\006\003\125\004\013\014\036\124\162\165\163\164\103\157\162
\040\103\145\162\164\151\146\151\143\141\164\145\040\101\165\164
\150\157\162\151\164\171\061\037\060\035\006\003\125\004\003\014
\026\124\162\165\163\164\103\157\162\040\122\157\157\164\103\145
\162\164\040\103\101\055\062
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\244\061\013\060\011\006\003\125\004\006\023\002\120\101
\061\017\060\015\006\003\125\004\010\014\006\120\141\156\141\155
\141\061\024\060\022\006\003\125\004\007\014\013\120\141\156\141
\155\141\040\103\151\164\171\061\044\060\042\006\003\125\004\012
\014\033\124\162\165\163\164\103\157\162\040\123\171\163\164\145
\155\163\040\123\056\040\144\145\040\122\056\114\056\061\047\060
\045\006\003\125\004\013\014\036\124\162\165\163\164\103\157\162
\040\103\145\162\164\151\146\151\143\141\164\145\040\101\165\164
\150\157\162\151\164\171\061\037\060\035\006\003\125\004\003\014
\026\124\162\165\163\164\103\157\162\040\122\157\157\164\103\145
\162\164\040\103\101\055\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\010\045\241\337\312\063\313\131\002

```

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\006\057\060\202\004\027\240\003\002\001\002\002\010\045  
\241\337\312\063\313\131\002\060\015\006\011\052\206\110\206\367  
\015\001\001\013\005\000\060\201\244\061\013\060\011\006\003\125  
\004\006\023\002\120\101\061\017\060\015\006\003\125\004\010\014  
\006\120\141\156\141\155\141\061\024\060\022\006\003\125\004\007  
\014\013\120\141\156\141\155\141\040\103\151\164\171\061\044\060  
\042\006\003\125\004\012\014\033\124\162\165\163\164\103\157\162  
\040\123\171\163\164\145\155\163\040\123\056\040\144\145\040\122  
\056\114\056\061\047\060\045\006\003\125\004\013\014\036\124\162  
\165\163\164\103\157\162\040\103\145\162\164\151\146\151\143\141  
\164\145\040\101\165\164\150\157\162\151\164\171\061\037\060\035  
\006\003\125\004\003\014\026\124\162\165\163\164\103\157\162\040  
\122\157\157\164\103\145\162\164\040\103\101\055\062\060\036\027  
\015\061\066\060\062\060\064\061\062\063\062\062\063\132\027\015  
\063\064\061\062\063\061\061\067\062\066\063\071\132\060\201\244  
\061\013\060\011\006\003\125\004\006\023\002\120\101\061\017\060  
\015\006\003\125\004\010\014\006\120\141\156\141\155\141\061\024  
\060\022\006\003\125\004\007\014\013\120\141\156\141\155\141\040  
\103\151\164\171\061\044\060\042\006\003\125\004\012\014\033\124  
\162\165\163\164\103\157\162\040\123\171\163\164\145\155\163\040  
\123\056\040\144\145\040\122\056\114\056\061\047\060\045\006\003  
\125\004\013\014\036\124\162\165\163\164\103\157\162\040\103\145  
\162\164\151\146\151\143\141\164\145\040\101\165\164\150\157\162  
\151\164\171\061\037\060\035\006\003\125\004\003\014\026\124\162  
\165\163\164\103\157\162\040\122\157\157\164\103\145\162\164\040  
\103\101\055\062\060\202\002\042\060\015\006\011\052\206\110\206  
\367\015\001\001\001\005\000\003\202\002\017\000\060\202\002\012  
\002\202\002\001\000\247\040\156\302\052\242\142\044\225\220\166  
\310\070\176\200\322\253\301\233\145\005\224\364\301\012\020\325  
\002\254\355\237\223\307\207\310\260\047\053\102\014\075\012\076  
\101\132\236\165\335\215\312\340\233\354\150\062\244\151\222\150  
\214\013\201\016\126\240\076\032\335\054\045\024\202\057\227\323  
\144\106\364\124\251\334\072\124\055\061\053\231\202\362\331\052  
\327\357\161\000\270\061\244\276\172\044\007\303\102\040\362\212  
\324\222\004\033\145\126\114\154\324\373\266\141\132\107\043\264  
\330\151\264\267\072\320\164\074\014\165\241\214\116\166\241\351  
\333\052\245\073\372\316\260\377\176\152\050\375\047\034\310\261  
\351\051\361\127\156\144\264\320\301\025\155\016\276\056\016\106  
\310\136\364\121\376\357\016\143\072\073\161\272\317\157\131\312  
\014\343\233\135\111\270\114\342\127\261\230\212\102\127\234\166  
\357\357\275\321\150\250\322\364\011\273\167\065\276\045\202\010  
\304\026\054\104\040\126\251\104\021\167\357\135\264\035\252\136  
\153\076\213\062\366\007\057\127\004\222\312\365\376\235\302\351  
\350\263\216\114\113\002\061\331\344\074\110\202\047\367\030\202  
\166\110\072\161\261\023\241\071\325\056\305\064\302\035\142\205  
\337\003\376\115\364\257\075\337\134\133\215\372\160\341\245\176



\047\307\206\056\152\217\022\306\204\136\103\121\120\234\031\233  
\170\346\374\366\355\107\176\173\075\146\357\023\023\210\137\074  
\241\143\373\371\254\207\065\237\363\202\236\244\077\012\234\061  
\151\213\231\244\210\112\216\156\146\115\357\026\304\017\171\050  
\041\140\015\205\026\175\327\124\070\361\222\126\375\265\063\114  
\203\334\327\020\237\113\375\306\370\102\275\272\174\163\002\340  
\377\175\315\133\341\324\254\141\173\127\325\112\173\133\324\205  
\130\047\135\277\370\053\140\254\240\046\256\024\041\047\306\167  
\232\063\200\074\136\106\077\367\303\261\243\206\063\306\350\136  
\015\271\065\054\252\106\301\205\002\165\200\240\353\044\373\025  
\252\344\147\177\156\167\077\364\004\212\057\174\173\343\027\141  
\360\335\011\251\040\310\276\011\244\320\176\104\303\262\060\112  
\070\252\251\354\030\232\007\202\053\333\270\234\030\255\332\340  
\106\027\254\317\135\002\003\001\000\001\243\143\060\141\060\035  
\006\003\125\035\016\004\026\004\024\331\376\041\100\156\224\236  
\274\233\075\234\175\230\040\031\345\214\060\142\262\060\037\006  
\003\125\035\043\004\030\060\026\200\024\331\376\041\100\156\224  
\236\274\233\075\234\175\230\040\031\345\214\060\142\262\060\017  
\006\003\125\035\023\001\001\377\004\005\060\003\001\001\377\060  
\016\006\003\125\035\017\001\001\377\004\004\003\002\001\206\060  
\015\006\011\052\206\110\206\367\015\001\001\013\005\000\003\202  
\002\001\000\236\105\236\014\073\266\357\341\072\310\174\321\000  
\075\317\342\352\006\265\262\072\273\006\113\150\172\320\043\227  
\164\247\054\360\010\330\171\132\327\132\204\212\330\022\232\033  
\331\175\134\115\160\305\245\371\253\345\243\211\211\335\001\372  
\354\335\371\351\222\227\333\260\106\102\363\323\142\252\225\376  
\061\147\024\151\130\220\012\252\013\356\067\043\307\120\121\264  
\365\176\236\343\173\367\344\314\102\062\055\111\014\313\377\111  
\014\233\036\064\375\156\156\226\212\171\003\266\157\333\011\313  
\375\137\145\024\067\341\070\365\363\141\026\130\344\265\155\015  
\013\004\033\077\120\055\177\263\307\172\032\026\200\140\370\212  
\037\351\033\052\306\371\272\001\032\151\277\322\130\307\124\127  
\010\217\341\071\140\167\113\254\131\204\032\210\361\335\313\117  
\170\327\347\341\063\055\374\356\101\372\040\260\276\313\367\070  
\224\300\341\320\205\017\273\355\054\163\253\355\376\222\166\032  
\144\177\133\015\063\011\007\063\173\006\077\021\244\134\160\074  
\205\300\317\343\220\250\203\167\372\333\346\305\214\150\147\020  
\147\245\122\055\360\304\231\217\177\277\321\153\342\265\107\326  
\331\320\205\231\115\224\233\017\113\215\356\000\132\107\035\021  
\003\254\101\030\257\207\267\157\014\072\217\312\317\334\003\301  
\242\011\310\345\375\200\136\310\140\102\001\033\032\123\132\273  
\067\246\267\274\272\204\351\036\154\032\324\144\332\324\103\376  
\223\213\113\362\054\171\026\020\324\223\013\210\217\241\330\206  
\024\106\221\107\233\050\044\357\127\122\116\134\102\234\252\367  
\111\354\047\350\100\036\263\246\211\042\162\234\365\015\063\264  
\130\243\060\073\335\324\152\124\223\276\032\115\363\223\224\367  
\374\204\013\077\204\040\134\064\003\104\305\332\255\274\012\301  
\002\317\036\345\224\331\363\216\133\330\114\360\235\354\141\027

```
\273\024\062\124\014\002\051\223\036\222\206\366\177\357\347\222
\005\016\131\335\231\010\056\056\372\234\000\122\323\305\146\051
\344\247\227\104\244\016\050\201\023\065\305\366\157\144\346\101
\304\325\057\314\064\105\045\317\101\000\226\075\112\056\302\226
\230\117\116\112\234\227\267\333\037\222\062\310\377\017\121\156
\326\354\011
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "TrustCor RootCert CA-2"
```

```
# Issuer: CN=TrustCor RootCert CA-2,OU=TrustCor Certificate Authority,O=TrustCor Systems S. de
R.L.,L=Panama City,ST=Panama,C=PA
```

```
# Serial Number:25:a1:df:ca:33:cb:59:02
```

```
# Subject: CN=TrustCor RootCert CA-2,OU=TrustCor Certificate Authority,O=TrustCor Systems S. de
R.L.,L=Panama City,ST=Panama,C=PA
```

```
# Not Valid Before: Thu Feb 04 12:32:23 2016
```

```
# Not Valid After : Sun Dec 31 17:26:39 2034
```

```
# Fingerprint (SHA-256):
```

```
07:53:E9:40:37:8C:1B:D5:E3:83:6E:39:5D:AE:A5:CB:83:9E:50:46:F1:BD:0E:AE:19:51:CF:10:FE:C7:C9:65
```

```
# Fingerprint (SHA1): B8:BE:6D:CB:56:F1:55:B9:63:D4:12:CA:4E:06:34:C7:94:B2:1C:C0
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "TrustCor RootCert CA-2"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\270\276\155\313\126\361\125\271\143\324\022\312\116\006\064\307
\224\262\034\300
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\242\341\370\030\013\272\105\325\307\101\052\273\067\122\105\144
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\201\244\061\013\060\011\006\003\125\004\006\023\002\120\101
\061\017\060\015\006\003\125\004\010\014\006\120\141\156\141\155
\141\061\024\060\022\006\003\125\004\007\014\013\120\141\156\141
\155\141\040\103\151\164\171\061\044\060\042\006\003\125\004\012
\014\033\124\162\165\163\164\103\157\162\040\123\171\163\164\145
\155\163\040\123\056\040\144\145\040\122\056\114\056\061\047\060
\045\006\003\125\004\013\014\036\124\162\165\163\164\103\157\162
\040\103\145\162\164\151\146\151\143\141\164\145\040\101\165\164
\150\157\162\151\164\171\061\037\060\035\006\003\125\004\003\014
\026\124\162\165\163\164\103\157\162\040\122\157\157\164\103\145
\162\164\040\103\101\055\062
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\010\045\241\337\312\063\313\131\002
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "TrustCor ECA-1"
#
# Issuer: CN=TrustCor ECA-1,OU=TrustCor Certificate Authority,O=TrustCor Systems S. de R.L.,L=Panama
City,ST=Panama,C=PA
# Serial Number:00:84:82:2c:5f:1c:62:d0:40
# Subject: CN=TrustCor ECA-1,OU=TrustCor Certificate Authority,O=TrustCor Systems S. de R.L.,L=Panama
City,ST=Panama,C=PA
# Not Valid Before: Thu Feb 04 12:32:33 2016
# Not Valid After : Mon Dec 31 17:28:07 2029
# Fingerprint (SHA-256):
5A:88:5D:B1:9C:01:D9:12:C5:75:93:88:93:8C:AF:BB:DF:03:1A:B2:D4:8E:91:EE:15:58:9B:42:97:1D:03:9C
# Fingerprint (SHA1): 58:D1:DF:95:95:67:6B:63:C0:F0:5B:1C:17:4D:8B:84:0B:C8:78:BD
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "TrustCor ECA-1"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\234\061\013\060\011\006\003\125\004\006\023\002\120\101
\061\017\060\015\006\003\125\004\010\014\006\120\141\156\141\155
\141\061\024\060\022\006\003\125\004\007\014\013\120\141\156\141
\155\141\040\103\151\164\171\061\044\060\042\006\003\125\004\012
\014\033\124\162\165\163\164\103\157\162\040\123\171\163\164\145
\155\163\040\123\056\040\144\145\040\122\056\114\056\061\047\060
\045\006\003\125\004\013\014\036\124\162\165\163\164\103\157\162
\040\103\145\162\164\151\146\151\143\141\164\145\040\101\165\164
\150\157\162\151\164\171\061\027\060\025\006\003\125\004\003\014
\016\124\162\165\163\164\103\157\162\040\105\103\101\055\061
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\234\061\013\060\011\006\003\125\004\006\023\002\120\101
\061\017\060\015\006\003\125\004\010\014\006\120\141\156\141\155
\141\061\024\060\022\006\003\125\004\007\014\013\120\141\156\141
\155\141\040\103\151\164\171\061\044\060\042\006\003\125\004\012
\014\033\124\162\165\163\164\103\157\162\040\123\171\163\164\145
\155\163\040\123\056\040\144\145\040\122\056\114\056\061\047\060
\045\006\003\125\004\013\014\036\124\162\165\163\164\103\157\162
\040\103\145\162\164\151\146\151\143\141\164\145\040\101\165\164
```

\150\157\162\151\164\171\061\027\060\025\006\003\125\004\003\014  
\016\124\162\165\163\164\103\157\162\040\105\103\101\055\061

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\011\000\204\202\054\137\034\142\320\100

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\004\040\060\202\003\010\240\003\002\001\002\002\011\000  
\204\202\054\137\034\142\320\100\060\015\006\011\052\206\110\206  
\367\015\001\001\013\005\000\060\201\234\061\013\060\011\006\003  
\125\004\006\023\002\120\101\061\017\060\015\006\003\125\004\010  
\014\006\120\141\156\141\155\141\061\024\060\022\006\003\125\004  
\007\014\013\120\141\156\141\155\141\040\103\151\164\171\061\044  
\060\042\006\003\125\004\012\014\033\124\162\165\163\164\103\157  
\162\040\123\171\163\164\145\155\163\040\123\056\040\144\145\040  
\122\056\114\056\061\047\060\045\006\003\125\004\013\014\036\124  
\162\165\163\164\103\157\162\040\103\145\162\164\151\146\151\143  
\141\164\145\040\101\165\164\150\157\162\151\164\171\061\027\060  
\025\006\003\125\004\003\014\016\124\162\165\163\164\103\157\162  
\040\105\103\101\055\061\060\036\027\015\061\066\060\062\060\064  
\061\062\063\062\063\063\132\027\015\062\071\061\062\063\061\061  
\067\062\070\060\067\132\060\201\234\061\013\060\011\006\003\125  
\004\006\023\002\120\101\061\017\060\015\006\003\125\004\010\014  
\006\120\141\156\141\155\141\061\024\060\022\006\003\125\004\007  
\014\013\120\141\156\141\155\141\040\103\151\164\171\061\044\060  
\042\006\003\125\004\012\014\033\124\162\165\163\164\103\157\162  
\040\123\171\163\164\145\155\163\040\123\056\040\144\145\040\122  
\056\114\056\061\047\060\045\006\003\125\004\013\014\036\124\162  
\165\163\164\103\157\162\040\103\145\162\164\151\146\151\143\141  
\164\145\040\101\165\164\150\157\162\151\164\171\061\027\060\025  
\006\003\125\004\003\014\016\124\162\165\163\164\103\157\162\040  
\105\103\101\055\061\060\202\001\042\060\015\006\011\052\206\110  
\206\367\015\001\001\001\005\000\003\202\001\017\000\060\202\001  
\012\002\202\001\001\000\317\217\340\021\265\237\250\166\166\333  
\337\017\124\357\163\143\051\202\255\107\306\243\153\355\376\137  
\063\370\103\121\351\032\063\221\061\027\240\164\304\324\247\001  
\346\262\222\076\152\235\355\016\371\164\230\100\323\077\003\200  
\006\202\100\350\261\342\247\121\247\035\203\046\153\253\336\372  
\027\221\053\330\306\254\036\261\236\031\001\325\227\246\352\015  
\267\304\125\037\047\174\322\010\325\166\037\051\025\207\100\071  
\335\070\105\021\165\320\232\247\064\340\277\315\310\122\035\271  
\107\176\015\270\273\306\014\366\163\127\026\132\176\103\221\037  
\125\072\306\155\104\004\252\234\251\234\247\114\211\027\203\256  
\243\004\136\122\200\213\036\022\045\021\031\327\014\175\175\061  
\104\101\352\333\257\260\034\357\201\320\054\305\232\041\233\075  
\355\102\073\120\046\362\354\316\161\141\006\142\041\124\116\177  
\301\235\076\177\040\214\200\313\052\330\227\142\310\203\063\221  
\175\260\242\132\017\127\350\073\314\362\045\262\324\174\057\354

\115\306\241\072\025\172\347\266\135\065\365\366\110\112\066\105  
\146\324\272\230\130\301\002\003\001\000\001\243\143\060\141\060  
\035\006\003\125\035\016\004\026\004\024\104\236\110\365\314\155  
\110\324\240\113\177\376\131\044\057\203\227\231\232\206\060\037  
\006\003\125\035\043\004\030\060\026\200\024\104\236\110\365\314  
\155\110\324\240\113\177\376\131\044\057\203\227\231\232\206\060  
\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001\377  
\060\016\006\003\125\035\017\001\001\377\004\004\003\002\001\206  
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\003  
\202\001\001\000\005\076\065\134\025\160\233\311\307\163\141\157  
\162\053\324\302\217\362\103\135\002\316\304\224\271\224\021\203  
\147\135\342\147\154\165\166\277\273\014\252\066\306\255\107\223  
\143\334\036\176\326\336\056\376\351\031\062\070\003\177\024\366  
\000\163\054\131\261\041\006\341\373\254\030\225\014\243\377\231  
\226\367\053\047\233\325\044\314\035\335\301\072\340\230\104\260  
\304\344\076\167\261\163\251\144\054\366\034\001\174\077\135\105  
\205\300\205\347\045\217\225\334\027\363\074\237\032\156\260\312  
\343\035\052\351\114\143\372\044\141\142\326\332\176\266\034\154  
\365\002\035\324\052\335\125\220\353\052\021\107\074\056\136\164  
\262\202\042\245\175\123\037\105\354\047\221\175\347\042\026\350  
\300\150\066\330\306\361\117\200\104\062\371\341\321\321\035\252  
\336\250\253\234\004\257\255\040\016\144\230\115\245\153\300\110  
\130\226\151\115\334\007\214\121\223\242\337\237\017\075\213\140  
\264\202\215\252\010\116\142\105\340\371\013\322\340\340\074\133  
\336\134\161\047\045\302\346\003\201\213\020\123\343\307\125\242  
\264\237\327\346

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "TrustCor ECA-1"

# Issuer: CN=TrustCor ECA-1,OU=TrustCor Certificate Authority,O=TrustCor Systems S. de R.L.,L=Panama City,ST=Panama,C=PA

# Serial Number:00:84:82:2c:5f:1c:62:d0:40

# Subject: CN=TrustCor ECA-1,OU=TrustCor Certificate Authority,O=TrustCor Systems S. de R.L.,L=Panama City,ST=Panama,C=PA

# Not Valid Before: Thu Feb 04 12:32:33 2016

# Not Valid After : Mon Dec 31 17:28:07 2029

# Fingerprint (SHA-256):

5A:88:5D:B1:9C:01:D9:12:C5:75:93:88:93:8C:AF:BB:DF:03:1A:B2:D4:8E:91:EE:15:58:9B:42:97:1D:03:9C

# Fingerprint (SHA1): 58:D1:DF:95:95:67:6B:63:C0:F0:5B:1C:17:4D:8B:84:0B:C8:78:BD

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "TrustCor ECA-1"

CKA\_CERT\_SHA1\_HASH MULTILINE OCTAL

\130\321\337\225\225\147\153\143\300\360\133\034\027\115\213\204  
\013\310\170\275

END

CKA\_CERT\_MD5\_HASH MULTILINE\_OCTAL

\047\222\043\035\012\365\100\174\351\346\153\235\330\365\347\154

END

CKA\_ISSUER MULTILINE\_OCTAL

\060\201\234\061\013\060\011\006\003\125\004\006\023\002\120\101  
\061\017\060\015\006\003\125\004\010\014\006\120\141\156\141\155  
\141\061\024\060\022\006\003\125\004\007\014\013\120\141\156\141  
\155\141\040\103\151\164\171\061\044\060\042\006\003\125\004\012  
\014\033\124\162\165\163\164\103\157\162\040\123\171\163\164\145  
\155\163\040\123\056\040\144\145\040\122\056\114\056\061\047\060  
\045\006\003\125\004\013\014\036\124\162\165\163\164\103\157\162  
\040\103\145\162\164\151\146\151\143\141\164\145\040\101\165\164  
\150\157\162\151\164\171\061\027\060\025\006\003\125\004\003\014  
\016\124\162\165\163\164\103\157\162\040\105\103\101\055\061

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\011\000\204\202\054\137\034\142\320\100

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "SSL.com Root Certification Authority RSA"

#

# Issuer: CN=SSL.com Root Certification Authority RSA,O=SSL Corporation,L=Houston,ST=Texas,C=US

# Serial Number:7b:2c:9b:d3:16:80:32:99

# Subject: CN=SSL.com Root Certification Authority RSA,O=SSL Corporation,L=Houston,ST=Texas,C=US

# Not Valid Before: Fri Feb 12 17:39:39 2016

# Not Valid After : Tue Feb 12 17:39:39 2041

# Fingerprint (SHA-256):

85:66:6A:56:2E:E0:BE:5C:E9:25:C1:D8:89:0A:6F:76:A8:7E:C1:6D:4D:7D:5F:29:EA:74:19:CF:20:12:3B:69

# Fingerprint (SHA1): B7:AB:33:08:D1:EA:44:77:BA:14:80:12:5A:6F:BD:A9:36:49:0C:BB

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "SSL.com Root Certification Authority RSA"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

\060\174\061\013\060\011\006\003\125\004\006\023\002\125\123\061  
\016\060\014\006\003\125\004\010\014\005\124\145\170\141\163\061  
\020\060\016\006\003\125\004\007\014\007\110\157\165\163\164\157  
\156\061\030\060\026\006\003\125\004\012\014\017\123\123\114\040

\103\157\162\160\157\162\141\164\151\157\156\061\061\060\057\006  
\003\125\004\003\014\050\123\123\114\056\143\157\155\040\122\157  
\157\164\040\103\145\162\164\151\146\151\143\141\164\151\157\156  
\040\101\165\164\150\157\162\151\164\171\040\122\123\101

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\174\061\013\060\011\006\003\125\004\006\023\002\125\123\061  
\016\060\014\006\003\125\004\010\014\005\124\145\170\141\163\061  
\020\060\016\006\003\125\004\007\014\007\110\157\165\163\164\157  
\156\061\030\060\026\006\003\125\004\012\014\017\123\123\114\040  
\103\157\162\160\157\162\141\164\151\157\156\061\061\060\057\006  
\003\125\004\003\014\050\123\123\114\056\143\157\155\040\122\157  
\157\164\040\103\145\162\164\151\146\151\143\141\164\151\157\156  
\040\101\165\164\150\157\162\151\164\171\040\122\123\101

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\010\173\054\233\323\026\200\062\231

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\005\335\060\202\003\305\240\003\002\001\002\002\010\173  
\054\233\323\026\200\062\231\060\015\006\011\052\206\110\206\367  
\015\001\001\013\005\000\060\174\061\013\060\011\006\003\125\004  
\006\023\002\125\123\061\016\060\014\006\003\125\004\010\014\005  
\124\145\170\141\163\061\020\060\016\006\003\125\004\007\014\007  
\110\157\165\163\164\157\156\061\030\060\026\006\003\125\004\012  
\014\017\123\123\114\040\103\157\162\160\157\162\141\164\151\157  
\156\061\061\060\057\006\003\125\004\003\014\050\123\123\114\056  
\143\157\155\040\122\157\157\164\040\103\145\162\164\151\146\151  
\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164\171  
\040\122\123\101\060\036\027\015\061\066\060\062\061\062\061\067  
\063\071\063\071\132\027\015\064\061\060\062\061\062\061\067\063  
\071\063\071\132\060\174\061\013\060\011\006\003\125\004\006\023  
\002\125\123\061\016\060\014\006\003\125\004\010\014\005\124\145  
\170\141\163\061\020\060\016\006\003\125\004\007\014\007\110\157  
\165\163\164\157\156\061\030\060\026\006\003\125\004\012\014\017  
\123\123\114\040\103\157\162\160\157\162\141\164\151\157\156\061  
\061\060\057\006\003\125\004\003\014\050\123\123\114\056\143\157  
\155\040\122\157\157\164\040\103\145\162\164\151\146\151\143\141  
\164\151\157\156\040\101\165\164\150\157\162\151\164\171\040\122  
\123\101\060\202\002\042\060\015\006\011\052\206\110\206\367\015  
\001\001\001\005\000\003\202\002\017\000\060\202\002\012\002\202  
\002\001\000\371\017\335\243\053\175\313\320\052\376\354\147\205  
\246\347\056\033\272\167\341\343\365\257\244\354\372\112\135\221  
\304\127\107\153\030\167\153\166\362\375\223\344\075\017\302\026  
\236\013\146\303\126\224\236\027\203\205\316\126\357\362\026\375  
\000\142\365\042\011\124\350\145\027\116\101\271\340\117\106\227  
\252\033\310\270\156\142\136\151\261\137\333\052\002\176\374\154

|312|363|101|330|355|320|350|374|077|141|110|355|260|003|024|035  
|020|016|113|031|340|273|116|354|206|145|377|066|363|136|147|002  
|013|235|206|125|141|375|172|070|355|376|342|031|000|267|157|241  
|120|142|165|164|074|240|372|310|045|222|264|156|172|042|307|370  
|036|241|343|262|335|221|061|253|053|035|004|377|245|112|004|067  
|351|205|244|063|053|375|342|326|125|064|174|031|244|112|150|307  
|262|250|323|267|312|241|223|210|353|301|227|274|214|371|035|331  
|042|204|044|164|307|004|075|152|251|051|223|314|353|270|133|341  
|376|137|045|252|064|130|310|301|043|124|235|033|230|021|303|070  
|234|176|075|206|154|245|017|100|206|174|002|364|134|002|117|050  
|313|256|161|237|017|072|310|063|376|021|045|065|352|374|272|305  
|140|075|331|174|030|325|262|251|323|165|170|003|162|042|312|072  
|303|037|357|054|345|056|251|372|236|054|266|121|106|375|257|003  
|326|352|140|150|352|205|026|066|153|205|351|036|300|263|335|304  
|044|334|200|052|201|101|155|224|076|310|340|311|201|101|000|236  
|136|277|177|305|010|230|242|030|054|102|100|263|371|157|070|047  
|113|116|200|364|075|201|107|340|210|174|352|034|316|265|165|134  
|121|056|034|053|177|032|162|050|347|000|265|321|164|306|327|344  
|237|255|007|223|266|123|065|065|374|067|344|303|366|135|026|276  
|041|163|336|222|012|370|240|143|152|274|226|222|152|076|370|274  
|145|125|233|336|365|015|211|046|004|374|045|032|246|045|151|313  
|302|155|312|174|342|131|137|227|254|353|357|056|310|274|327|033  
|131|074|053|314|362|031|310|223|153|047|143|031|317|374|351|046  
|370|312|161|233|177|223|376|064|147|204|116|231|353|374|263|170  
|011|063|160|272|146|246|166|355|033|163|353|032|245|015|304|042  
|023|040|224|126|012|116|054|154|116|261|375|317|234|011|272|242  
|063|355|207|002|003|001|000|001|243|143|060|141|060|035|006|003  
|125|035|016|004|026|004|024|335|004|011|007|242|365|172|175|122  
|123|022|222|225|356|070|200|045|015|246|131|060|017|006|003|125  
|035|023|001|001|377|004|005|060|003|001|001|377|060|037|006|003  
|125|035|043|004|030|060|026|200|024|335|004|011|007|242|365|172  
|175|122|123|022|222|225|356|070|200|045|015|246|131|060|016|006  
|003|125|035|017|001|001|377|004|004|003|002|001|206|060|015|006  
|011|052|206|110|206|367|015|001|001|013|005|000|003|202|002|001  
|000|040|030|021|224|051|373|046|235|034|036|036|160|141|361|225  
|162|223|161|044|255|150|223|130|216|062|257|033|263|160|003|374  
|045|053|164|205|220|075|170|152|364|271|213|245|227|073|265|030  
|221|273|036|247|371|100|133|221|371|125|231|257|036|021|320|134  
|035|247|146|343|261|224|007|014|062|071|246|352|033|260|171|330  
|035|234|160|104|343|212|335|304|371|225|037|212|070|103|077|001  
|205|245|107|247|075|106|262|274|345|042|150|367|173|234|330|054  
|076|012|041|310|055|063|254|277|305|201|231|061|164|301|165|161  
|305|276|261|360|043|105|364|235|153|374|031|143|235|243|274|004  
|306|030|013|045|273|123|211|017|263|200|120|336|105|356|104|177  
|253|224|170|144|230|323|366|050|335|207|330|160|145|164|373|016  
|271|023|353|247|017|141|251|062|226|314|336|273|355|143|114|030  
|273|251|100|367|240|124|156|040|210|161|165|030|352|172|264|064  
|162|340|043|047|167|134|266|220|352|206|045|100|253|357|063|017



\313\237\202\276\242\040\373\366\265\055\032\346\302\205\261\164  
\017\373\310\145\002\244\122\001\107\335\111\042\301\277\330\353  
\153\254\176\336\354\143\063\025\267\043\010\217\306\017\215\101  
\132\335\216\305\271\217\345\105\077\170\333\272\322\033\100\261  
\376\161\115\077\340\201\242\272\136\264\354\025\340\223\335\010  
\037\176\341\125\231\013\041\336\223\236\012\373\346\243\111\275  
\066\060\376\347\167\262\240\165\227\265\055\201\210\027\145\040  
\367\332\220\000\237\311\122\314\062\312\065\174\365\075\017\330  
\053\327\365\046\154\311\006\064\226\026\352\160\131\032\062\171  
\171\013\266\210\177\017\122\110\075\277\154\330\242\104\056\321  
\116\267\162\130\323\211\023\225\376\104\253\370\327\213\033\156  
\234\274\054\240\133\325\152\000\257\137\067\341\325\372\020\013  
\230\234\206\347\046\217\316\360\354\156\212\127\013\200\343\116  
\262\300\240\143\141\220\272\125\150\067\164\152\266\222\333\237  
\241\206\042\266\145\047\016\354\266\237\102\140\344\147\302\265  
\332\101\013\304\323\213\141\033\274\372\037\221\053\327\104\007  
\136\272\051\254\331\305\351\357\123\110\132\353\200\361\050\130  
\041\315\260\006\125\373\047\077\123\220\160\251\004\036\127\047  
\271

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "SSL.com Root Certification Authority RSA"

# Issuer: CN=SSL.com Root Certification Authority RSA,O=SSL Corporation,L=Houston,ST=Texas,C=US

# Serial Number:7b:2c:9b:d3:16:80:32:99

# Subject: CN=SSL.com Root Certification Authority RSA,O=SSL Corporation,L=Houston,ST=Texas,C=US

# Not Valid Before: Fri Feb 12 17:39:39 2016

# Not Valid After : Tue Feb 12 17:39:39 2041

# Fingerprint (SHA-256):

85:66:6A:56:2E:E0:BE:5C:E9:25:C1:D8:89:0A:6F:76:A8:7E:C1:6D:4D:7D:5F:29:EA:74:19:CF:20:12:3B:69

# Fingerprint (SHA1): B7:AB:33:08:D1:EA:44:77:BA:14:80:12:5A:6F:BD:A9:36:49:0C:BB

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "SSL.com Root Certification Authority RSA"

CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL

\267\253\063\010\321\352\104\167\272\024\200\022\132\157\275\251  
\066\111\014\273

END

CKA\_CERT\_MD5\_HASH MULTILINE\_OCTAL

\206\151\022\300\160\361\354\254\254\302\325\274\245\133\241\051

END

CKA\_ISSUER MULTILINE\_OCTAL

\060\174\061\013\060\011\006\003\125\004\006\023\002\125\123\061  
\016\060\014\006\003\125\004\010\014\005\124\145\170\141\163\061

```
\020\060\016\006\003\125\004\007\014\007\110\157\165\163\164\157
\156\061\030\060\026\006\003\125\004\012\014\017\123\123\114\040
\103\157\162\160\157\162\141\164\151\157\156\061\061\060\057\006
\003\125\004\003\014\050\123\123\114\056\143\157\155\040\122\157
\157\164\040\103\145\162\164\151\146\151\143\141\164\151\157\156
\040\101\165\164\150\157\162\151\164\171\040\122\123\101
```

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

```
\002\010\173\054\233\323\026\200\062\231
```

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "SSL.com Root Certification Authority ECC"

#

# Issuer: CN=SSL.com Root Certification Authority ECC,O=SSL Corporation,L=Houston,ST=Texas,C=US

# Serial Number:75:e6:df:cb:c1:68:5b:a8

# Subject: CN=SSL.com Root Certification Authority ECC,O=SSL Corporation,L=Houston,ST=Texas,C=US

# Not Valid Before: Fri Feb 12 18:14:03 2016

# Not Valid After : Tue Feb 12 18:14:03 2041

# Fingerprint (SHA-256):

34:17:BB:06:CC:60:07:DA:1B:96:1C:92:0B:8A:B4:CE:3F:AD:82:0E:4A:A3:0B:9A:CB:C4:A7:4E:BD:CE:BC:65

# Fingerprint (SHA1): C3:19:7C:39:24:E6:54:AF:1B:C4:AB:20:95:7A:E2:C3:0E:13:02:6A

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "SSL.com Root Certification Authority ECC"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

```
\060\174\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\016\060\014\006\003\125\004\010\014\005\124\145\170\141\163\061
\020\060\016\006\003\125\004\007\014\007\110\157\165\163\164\157
\156\061\030\060\026\006\003\125\004\012\014\017\123\123\114\040
\103\157\162\160\157\162\141\164\151\157\156\061\061\060\057\006
\003\125\004\003\014\050\123\123\114\056\143\157\155\040\122\157
\157\164\040\103\145\162\164\151\146\151\143\141\164\151\157\156
\040\101\165\164\150\157\162\151\164\171\040\105\103\103
```

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

```
\060\174\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\016\060\014\006\003\125\004\010\014\005\124\145\170\141\163\061
\020\060\016\006\003\125\004\007\014\007\110\157\165\163\164\157
\156\061\030\060\026\006\003\125\004\012\014\017\123\123\114\040
```

\103\157\162\160\157\162\141\164\151\157\156\061\061\060\057\006  
\003\125\004\003\014\050\123\123\114\056\143\157\155\040\122\157  
\157\164\040\103\145\162\164\151\146\151\143\141\164\151\157\156  
\040\101\165\164\150\157\162\151\164\171\040\105\103\103

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\010\165\346\337\313\301\150\133\250

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\002\215\060\202\002\024\240\003\002\001\002\002\010\165  
\346\337\313\301\150\133\250\060\012\006\010\052\206\110\316\075  
\004\003\002\060\174\061\013\060\011\006\003\125\004\006\023\002  
\125\123\061\016\060\014\006\003\125\004\010\014\005\124\145\170  
\141\163\061\020\060\016\006\003\125\004\007\014\007\110\157\165  
\163\164\157\156\061\030\060\026\006\003\125\004\012\014\017\123  
\123\114\040\103\157\162\160\157\162\141\164\151\157\156\061\061  
\060\057\006\003\125\004\003\014\050\123\123\114\056\143\157\155  
\040\122\157\157\164\040\103\145\162\164\151\146\151\143\141\164  
\151\157\156\040\101\165\164\150\157\162\151\164\171\040\105\103  
\103\060\036\027\015\061\066\060\062\061\062\061\070\061\064\060\060  
\063\132\027\015\064\061\060\062\061\062\061\070\061\064\060\063  
\132\060\174\061\013\060\011\006\003\125\004\006\023\002\125\123  
\061\016\060\014\006\003\125\004\010\014\005\124\145\170\141\163  
\061\020\060\016\006\003\125\004\007\014\007\110\157\165\163\164  
\157\156\061\030\060\026\006\003\125\004\012\014\017\123\123\114  
\040\103\157\162\160\157\162\141\164\151\157\156\061\061\060\057  
\006\003\125\004\003\014\050\123\123\114\056\143\157\155\040\122  
\157\157\164\040\103\145\162\164\151\146\151\143\141\164\151\157  
\156\040\101\165\164\150\157\162\151\164\171\040\105\103\103\060  
\166\060\020\006\007\052\206\110\316\075\002\001\006\005\053\201  
\004\000\042\003\142\000\004\105\156\251\120\304\246\043\066\236  
\137\050\215\027\313\226\042\144\077\334\172\216\035\314\010\263  
\242\161\044\272\216\111\271\004\033\107\226\130\253\055\225\310  
\355\236\010\065\310\047\353\211\214\123\130\353\142\212\376\360  
\133\017\153\061\122\143\101\073\211\315\354\354\266\215\031\323  
\064\007\334\273\306\006\177\302\105\225\354\313\177\250\043\340  
\011\351\201\372\363\107\323\243\143\060\141\060\035\006\003\125  
\035\016\004\026\004\024\202\321\205\163\060\347\065\004\323\216  
\002\222\373\345\244\321\304\041\350\315\060\017\006\003\125\035  
\023\001\001\377\004\005\060\003\001\001\377\060\037\006\003\125  
\035\043\004\030\060\026\200\024\202\321\205\163\060\347\065\004  
\323\216\002\222\373\345\244\321\304\041\350\315\060\016\006\003  
\125\035\017\001\001\377\004\004\003\002\001\206\060\012\006\010  
\052\206\110\316\075\004\003\002\003\147\000\060\144\002\060\157  
\347\353\131\021\244\140\317\141\260\226\173\355\005\371\057\023  
\221\334\355\345\374\120\153\021\106\106\263\034\041\000\142\273  
\276\303\347\350\315\007\231\371\015\013\135\162\076\304\252\002  
\060\037\274\272\013\342\060\044\373\174\155\200\125\012\231\076

```
\200\015\063\345\146\243\263\243\273\245\325\213\217\011\054\246
\135\176\342\360\007\010\150\155\322\174\151\156\137\337\345\152
\145
END
```

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "SSL.com Root Certification Authority ECC"
# Issuer: CN=SSL.com Root Certification Authority ECC,O=SSL Corporation,L=Houston,ST=Texas,C=US
# Serial Number:75:e6:df:cb:c1:68:5b:a8
# Subject: CN=SSL.com Root Certification Authority ECC,O=SSL Corporation,L=Houston,ST=Texas,C=US
# Not Valid Before: Fri Feb 12 18:14:03 2016
# Not Valid After : Tue Feb 12 18:14:03 2041
# Fingerprint (SHA-256):
```

```
34:17:BB:06:CC:60:07:DA:1B:96:1C:92:0B:8A:B4:CE:3F:AD:82:0E:4A:A3:0B:9A:CB:C4:A7:4E:BD:CE:BC:65
# Fingerprint (SHA1): C3:19:7C:39:24:E6:54:AF:1B:C4:AB:20:95:7A:E2:C3:0E:13:02:6A
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "SSL.com Root Certification Authority ECC"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\303\031\174\071\044\346\124\257\033\304\253\040\225\172\342\303
\016\023\002\152
END
```

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\056\332\344\071\177\234\217\067\321\160\237\046\027\121\072\216
END
```

```
CKA_ISSUER MULTILINE_OCTAL
\060\174\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\016\060\014\006\003\125\004\010\014\005\124\145\170\141\163\061
\020\060\016\006\003\125\004\007\014\007\110\157\165\163\164\157
\156\061\030\060\026\006\003\125\004\012\014\017\123\123\114\040
\103\157\162\160\157\162\141\164\151\157\156\061\061\060\057\006
\003\125\004\003\014\050\123\123\114\056\143\157\155\040\122\157
\157\164\040\103\145\162\164\151\146\151\143\141\164\151\157\156
\040\101\165\164\150\157\162\151\164\171\040\105\103\103
END
```

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\010\165\346\337\313\301\150\133\250
END
```

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE
```

```
#
```

```
# Certificate "SSL.com EV Root Certification Authority RSA R2"
#
# Issuer: CN=SSL.com EV Root Certification Authority RSA R2,O=SSL Corporation,L=Houston,ST=Texas,C=US
# Serial Number:56:b6:29:cd:34:bc:78:f6
# Subject: CN=SSL.com EV Root Certification Authority RSA R2,O=SSL
Corporation,L=Houston,ST=Texas,C=US
# Not Valid Before: Wed May 31 18:14:37 2017
# Not Valid After : Fri May 30 18:14:37 2042
# Fingerprint (SHA-256):
2E:7B:F1:6C:C2:24:85:A7:BB:E2:AA:86:96:75:07:61:B0:AE:39:BE:3B:2F:E9:D0:CC:6D:4E:F7:34:91:42:5C
# Fingerprint (SHA1): 74:3A:F0:52:9B:D0:32:A0:F4:4A:83:CD:D4:BA:A9:7B:7C:2E:C4:9A
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "SSL.com EV Root Certification Authority RSA R2"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\202\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\016\060\014\006\003\125\004\010\014\005\124\145\170\141\163
\061\020\060\016\006\003\125\004\007\014\007\110\157\165\163\164
\157\156\061\030\060\026\006\003\125\004\012\014\017\123\123\114
\040\103\157\162\160\157\162\141\164\151\157\156\061\067\060\065
\006\003\125\004\003\014\056\123\123\114\056\143\157\155\040\105
\126\040\122\157\157\164\040\103\145\162\164\151\146\151\143\141
\164\151\157\156\040\101\165\164\150\157\162\151\164\171\040\122
\123\101\040\122\062
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\202\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\016\060\014\006\003\125\004\010\014\005\124\145\170\141\163
\061\020\060\016\006\003\125\004\007\014\007\110\157\165\163\164
\157\156\061\030\060\026\006\003\125\004\012\014\017\123\123\114
\040\103\157\162\160\157\162\141\164\151\157\156\061\067\060\065
\006\003\125\004\003\014\056\123\123\114\056\143\157\155\040\105
\126\040\122\157\157\164\040\103\145\162\164\151\146\151\143\141
\164\151\157\156\040\101\165\164\150\157\162\151\164\171\040\122
\123\101\040\122\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\010\126\266\051\315\064\274\170\366
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\353\060\202\003\323\240\003\002\001\002\002\010\126
\266\051\315\064\274\170\366\060\015\006\011\052\206\110\206\367
\015\001\001\013\005\000\060\201\202\061\013\060\011\006\003\125
\004\006\023\002\125\123\061\016\060\014\006\003\125\004\010\014
```

\005\124\145\170\141\163\061\020\060\016\006\003\125\004\007\014  
\007\110\157\165\163\164\157\156\061\030\060\026\006\003\125\004  
\012\014\017\123\123\114\040\103\157\162\160\157\162\141\164\151  
\157\156\061\067\060\065\006\003\125\004\003\014\056\123\123\114  
\056\143\157\155\040\105\126\040\122\157\157\164\040\103\145\162  
\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150\157  
\162\151\164\171\040\122\123\101\040\122\062\060\036\027\015\061  
\067\060\065\063\061\061\070\061\064\063\067\132\027\015\064\062  
\060\065\063\060\061\070\061\064\063\067\132\060\201\202\061\013  
\060\011\006\003\125\004\006\023\002\125\123\061\016\060\014\006  
\003\125\004\010\014\005\124\145\170\141\163\061\020\060\016\006  
\003\125\004\007\014\007\110\157\165\163\164\157\156\061\030\060  
\026\006\003\125\004\012\014\017\123\123\114\040\103\157\162\160  
\157\162\141\164\151\157\156\061\067\060\065\006\003\125\004\003  
\014\056\123\123\114\056\143\157\155\040\105\126\040\122\157\157  
\164\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040  
\101\165\164\150\157\162\151\164\171\040\122\123\101\040\122\062  
\060\202\002\042\060\015\006\011\052\206\110\206\367\015\001\001  
\001\005\000\003\202\002\017\000\060\202\002\012\002\202\002\001  
\000\217\066\145\100\341\326\115\300\327\264\351\106\332\153\352  
\063\107\315\114\371\175\175\276\275\055\075\360\333\170\341\206  
\245\331\272\011\127\150\355\127\076\240\320\010\101\203\347\050  
\101\044\037\343\162\025\320\001\032\373\136\160\043\262\313\237  
\071\343\317\305\116\306\222\155\046\306\173\273\263\332\047\235  
\012\206\351\201\067\005\376\360\161\161\354\303\034\351\143\242  
\027\024\235\357\033\147\323\205\125\002\002\326\111\311\314\132  
\341\261\367\157\062\237\311\324\073\210\101\250\234\275\313\253  
\333\155\173\011\037\242\114\162\220\332\053\010\374\317\074\124  
\316\147\017\250\317\135\226\031\013\304\343\162\353\255\321\175  
\035\047\357\222\353\020\277\133\353\073\257\317\200\335\301\322  
\226\004\133\172\176\244\251\074\070\166\244\142\216\240\071\136  
\352\167\317\135\000\131\217\146\054\076\007\242\243\005\046\021  
\151\227\352\205\267\017\226\013\113\310\100\341\120\272\056\212  
\313\367\017\232\042\347\177\232\067\023\315\362\115\023\153\041  
\321\300\314\042\362\241\106\366\104\151\234\312\141\065\007\000  
\157\326\141\010\021\352\272\270\366\351\263\140\345\115\271\354  
\237\024\146\311\127\130\333\315\207\151\370\212\206\022\003\107  
\277\146\023\166\254\167\175\064\044\205\203\315\327\252\234\220  
\032\237\041\054\177\170\267\144\270\330\350\246\364\170\263\125  
\313\204\322\062\304\170\256\243\217\141\335\316\010\123\255\354  
\210\374\025\344\232\015\346\237\032\167\316\114\217\270\024\025  
\075\142\234\206\070\006\000\146\022\344\131\166\132\123\300\002  
\230\242\020\053\150\104\173\216\171\316\063\112\166\252\133\201  
\026\033\265\212\330\320\000\173\136\142\264\011\326\206\143\016  
\246\005\225\111\272\050\213\210\223\262\064\034\330\244\125\156  
\267\034\320\336\231\125\073\043\364\042\340\371\051\146\046\354  
\040\120\167\333\112\013\217\276\345\002\140\160\101\136\324\256  
\120\071\042\024\046\313\262\073\163\164\125\107\007\171\201\071

\250\060\023\104\345\004\212\256\226\023\045\102\017\271\123\304  
\233\374\315\344\034\336\074\372\253\326\006\112\037\147\246\230  
\060\034\335\054\333\334\030\225\127\146\306\377\134\213\126\365  
\167\002\003\001\000\001\243\143\060\141\060\017\006\003\125\035  
\023\001\001\377\004\005\060\003\001\001\377\060\037\006\003\125  
\035\043\004\030\060\026\200\024\371\140\273\324\343\325\064\366  
\270\365\006\200\045\247\163\333\106\151\250\236\060\035\006\003  
\125\035\016\004\026\004\024\371\140\273\324\343\325\064\366\270  
\365\006\200\045\247\163\333\106\151\250\236\060\016\006\003\125  
\035\017\001\001\377\004\004\003\002\001\206\060\015\006\011\052  
\206\110\206\367\015\001\001\013\005\000\003\202\002\001\000\126  
\263\216\313\012\235\111\216\277\244\304\221\273\146\027\005\121  
\230\165\373\345\120\054\172\236\361\024\372\253\323\212\076\377  
\221\051\217\143\213\330\264\251\124\001\015\276\223\206\057\371  
\112\155\307\136\365\127\371\312\125\034\022\276\107\017\066\305  
\337\152\267\333\165\302\107\045\177\271\361\143\370\150\055\125  
\004\321\362\215\260\244\317\274\074\136\037\170\347\245\240\040  
\160\260\004\305\267\367\162\247\336\042\015\275\063\045\106\214  
\144\222\046\343\076\056\143\226\332\233\214\075\370\030\011\327  
\003\314\175\206\202\340\312\004\007\121\120\327\377\222\325\014  
\357\332\206\237\231\327\353\267\257\150\342\071\046\224\272\150  
\267\277\203\323\352\172\147\075\142\147\256\045\345\162\350\342  
\344\354\256\022\366\113\053\074\237\351\260\100\363\070\124\263  
\375\267\150\310\332\306\217\121\074\262\373\221\334\034\347\233  
\235\341\267\015\162\217\342\244\304\251\170\371\353\024\254\306  
\103\005\302\145\071\050\030\002\303\202\262\235\005\276\145\355  
\226\137\145\164\074\373\011\065\056\173\234\023\375\033\017\135  
\307\155\201\072\126\017\314\073\341\257\002\057\042\254\106\312  
\106\074\240\034\114\326\104\264\136\056\134\025\146\011\341\046  
\051\376\306\122\141\272\261\163\377\303\014\234\345\154\152\224  
\077\024\312\100\026\225\204\363\131\251\254\137\114\141\223\155  
\321\073\314\242\225\014\042\246\147\147\104\056\271\331\322\212  
\101\263\146\013\132\373\175\043\245\362\032\260\377\336\233\203  
\224\056\321\077\337\222\267\221\257\005\073\145\307\240\154\261  
\315\142\022\303\220\033\343\045\316\064\274\157\167\166\261\020  
\303\367\005\032\300\326\257\164\142\110\027\167\222\151\220\141  
\034\336\225\200\164\124\217\030\034\303\363\003\320\277\244\103  
\165\206\123\030\172\012\056\011\034\066\237\221\375\202\212\042  
\113\321\016\120\045\335\313\003\014\027\311\203\000\010\116\065  
\115\212\213\355\360\002\224\146\054\104\177\313\225\047\226\027  
\255\011\060\254\266\161\027\156\213\027\366\034\011\324\055\073  
\230\245\161\323\124\023\331\140\363\365\113\146\117\372\361\356  
\040\022\215\264\254\127\261\105\143\241\254\166\251\302\373

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

```

# Trust for "SSL.com EV Root Certification Authority RSA R2"
# Issuer: CN=SSL.com EV Root Certification Authority RSA R2,O=SSL Corporation,L=Houston,ST=Texas,C=US
# Serial Number:56:b6:29:cd:34:bc:78:f6
# Subject: CN=SSL.com EV Root Certification Authority RSA R2,O=SSL
Corporation,L=Houston,ST=Texas,C=US
# Not Valid Before: Wed May 31 18:14:37 2017
# Not Valid After : Fri May 30 18:14:37 2042
# Fingerprint (SHA-256):
2E:7B:F1:6C:C2:24:85:A7:BB:E2:AA:86:96:75:07:61:B0:AE:39:BE:3B:2F:E9:D0:CC:6D:4E:F7:34:91:42:5C
# Fingerprint (SHA1): 74:3A:F0:52:9B:D0:32:A0:F4:4A:83:CD:D4:BA:A9:7B:7C:2E:C4:9A
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "SSL.com EV Root Certification Authority RSA R2"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\164\072\360\122\233\320\062\240\364\112\203\315\324\272\251\173
\174\056\304\232
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\341\036\061\130\032\256\124\123\002\366\027\152\021\173\115\225
END
CKA_ISSUER MULTILINE_OCTAL
\060\201\202\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\016\060\014\006\003\125\004\010\014\005\124\145\170\141\163
\061\020\060\016\006\003\125\004\007\014\007\110\157\165\163\164
\157\156\061\030\060\026\006\003\125\004\012\014\017\123\123\114
\040\103\157\162\160\157\162\141\164\151\157\156\061\067\060\065
\006\003\125\004\003\014\056\123\123\114\056\143\157\155\040\105
\126\040\122\157\157\164\040\103\145\162\164\151\146\151\143\141
\164\151\157\156\040\101\165\164\150\157\162\151\164\171\040\122
\123\101\040\122\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\010\126\266\051\315\064\274\170\366
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "SSL.com EV Root Certification Authority ECC"
#
# Issuer: CN=SSL.com EV Root Certification Authority ECC,O=SSL Corporation,L=Houston,ST=Texas,C=US
# Serial Number:2c:29:9c:5b:16:ed:05:95
# Subject: CN=SSL.com EV Root Certification Authority ECC,O=SSL Corporation,L=Houston,ST=Texas,C=US
# Not Valid Before: Fri Feb 12 18:15:23 2016

```



```
# Not Valid After : Tue Feb 12 18:15:23 2041
# Fingerprint (SHA-256):
22:A2:C1:F7:BD:ED:70:4C:C1:E7:01:B5:F4:08:C3:10:88:0F:E9:56:B5:DE:2A:4A:44:F9:9C:87:3A:25:A7:C8
# Fingerprint (SHA1): 4C:DD:51:A3:D1:F5:20:32:14:B0:C6:C5:32:23:03:91:C7:46:42:6D
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "SSL.com EV Root Certification Authority ECC"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\177\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\016\060\014\006\003\125\004\010\014\005\124\145\170\141\163\061
\020\060\016\006\003\125\004\007\014\007\110\157\165\163\164\157
\156\061\030\060\026\006\003\125\004\012\014\017\123\123\114\040
\103\157\162\160\157\162\141\164\151\157\156\061\064\060\062\006
\003\125\004\003\014\053\123\123\114\056\143\157\155\040\105\126
\040\122\157\157\164\040\103\145\162\164\151\146\151\143\141\164
\151\157\156\040\101\165\164\150\157\162\151\164\171\040\105\103
\103
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\177\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\016\060\014\006\003\125\004\010\014\005\124\145\170\141\163\061
\020\060\016\006\003\125\004\007\014\007\110\157\165\163\164\157
\156\061\030\060\026\006\003\125\004\012\014\017\123\123\114\040
\103\157\162\160\157\162\141\164\151\157\156\061\064\060\062\006
\003\125\004\003\014\053\123\123\114\056\143\157\155\040\105\126
\040\122\157\157\164\040\103\145\162\164\151\146\151\143\141\164
\151\157\156\040\101\165\164\150\157\162\151\164\171\040\105\103
\103
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\010\054\051\234\133\026\355\005\225
END
CKA_VALUE MULTILINE_OCTAL
\060\202\002\224\060\202\002\032\240\003\002\001\002\002\010\054
\051\234\133\026\355\005\225\060\012\006\010\052\206\110\316\075
\004\003\002\060\177\061\013\060\011\006\003\125\004\006\023\002
\125\123\061\016\060\014\006\003\125\004\010\014\005\124\145\170
\141\163\061\020\060\016\006\003\125\004\007\014\007\110\157\165
\163\164\157\156\061\030\060\026\006\003\125\004\012\014\017\123
\123\114\040\103\157\162\160\157\162\141\164\151\157\156\061\064
\060\062\006\003\125\004\003\014\053\123\123\114\056\143\157\155
\040\105\126\040\122\157\157\164\040\103\145\162\164\151\146\151
\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164\171
\040\105\103\103\060\036\027\015\061\066\060\062\061\062\061\070
```

\061\065\062\063\132\027\015\064\061\060\062\061\062\061\070\061  
\065\062\063\132\060\177\061\013\060\011\006\003\125\004\006\023  
\002\125\123\061\016\060\014\006\003\125\004\010\014\005\124\145  
\170\141\163\061\020\060\016\006\003\125\004\007\014\007\110\157  
\165\163\164\157\156\061\030\060\026\006\003\125\004\012\014\017  
\123\123\114\040\103\157\162\160\157\162\141\164\151\157\156\061  
\064\060\062\006\003\125\004\003\014\053\123\123\114\056\143\157  
\155\040\105\126\040\122\157\157\164\040\103\145\162\164\151\146  
\151\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164  
\171\040\105\103\103\060\166\060\020\006\007\052\206\110\316\075  
\002\001\006\005\053\201\004\000\042\003\142\000\004\252\022\107  
\220\230\033\373\357\303\100\007\203\040\116\361\060\202\242\006  
\321\362\222\206\141\362\366\041\150\312\000\304\307\352\103\000  
\124\206\334\375\037\337\000\270\101\142\134\334\160\026\062\336  
\037\231\324\314\305\007\310\010\037\141\026\007\121\075\175\134  
\007\123\343\065\070\214\337\315\237\331\056\015\112\266\031\056  
\132\160\132\006\355\276\360\241\260\312\320\011\051\243\143\060  
\141\060\035\006\003\125\035\016\004\026\004\024\133\312\136\345  
\336\322\201\252\315\250\055\144\121\266\331\162\233\227\346\117  
\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001  
\377\060\037\006\003\125\035\043\004\030\060\026\200\024\133\312  
\136\345\336\322\201\252\315\250\055\144\121\266\331\162\233\227  
\346\117\060\016\006\003\125\035\017\001\001\377\004\004\003\002  
\001\206\060\012\006\010\052\206\110\316\075\004\003\002\003\150  
\000\060\145\002\061\000\212\346\100\211\067\353\351\325\023\331  
\312\324\153\044\363\260\075\207\106\130\032\354\261\337\157\373  
\126\272\160\153\307\070\314\350\261\214\117\017\367\361\147\166  
\016\203\320\036\121\217\002\060\075\366\043\050\046\114\306\140  
\207\223\046\233\262\065\036\272\326\367\074\321\034\316\372\045  
\074\246\032\201\025\133\363\022\017\154\356\145\212\311\207\250  
\371\007\340\142\232\214\134\112

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "SSL.com EV Root Certification Authority ECC"  
# Issuer: CN=SSL.com EV Root Certification Authority ECC,O=SSL Corporation,L=Houston,ST=Texas,C=US  
# Serial Number:2c:29:9c:5b:16:ed:05:95  
# Subject: CN=SSL.com EV Root Certification Authority ECC,O=SSL Corporation,L=Houston,ST=Texas,C=US  
# Not Valid Before: Fri Feb 12 18:15:23 2016  
# Not Valid After : Tue Feb 12 18:15:23 2041  
# Fingerprint (SHA-256):  
22:A2:C1:F7:BD:ED:70:4C:C1:E7:01:B5:F4:08:C3:10:88:0F:E9:56:B5:DE:2A:4A:44:F9:9C:87:3A:25:A7:C8  
# Fingerprint (SHA1): 4C:DD:51:A3:D1:F5:20:32:14:B0:C6:C5:32:23:03:91:C7:46:42:6D  
CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST  
CKA\_TOKEN CK\_BBOOL CK\_TRUE  
CKA\_PRIVATE CK\_BBOOL CK\_FALSE

```

CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "SSL.com EV Root Certification Authority ECC"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\114\335\121\243\321\365\040\062\024\260\306\305\062\043\003\221
\307\106\102\155
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\131\123\042\145\203\102\001\124\300\316\102\271\132\174\362\220
END
CKA_ISSUER MULTILINE_OCTAL
\060\177\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\016\060\014\006\003\125\004\010\014\005\124\145\170\141\163\061
\020\060\016\006\003\125\004\007\014\007\110\157\165\163\164\157
\156\061\030\060\026\006\003\125\004\012\014\017\123\123\114\040
\103\157\162\160\157\162\141\164\151\157\156\061\064\060\062\006
\003\125\004\003\014\053\123\123\114\056\143\157\155\040\105\126
\040\122\157\157\164\040\103\145\162\164\151\146\151\143\141\164
\151\157\156\040\101\165\164\150\157\162\151\164\171\040\105\103
\103
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\010\054\051\234\133\026\355\005\225
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "GlobalSign Root CA - R6"
#
# Issuer: CN=GlobalSign,O=GlobalSign,OU=GlobalSign Root CA - R6
# Serial Number:45:e6:bb:03:83:33:c3:85:65:48:e6:ff:45:51
# Subject: CN=GlobalSign,O=GlobalSign,OU=GlobalSign Root CA - R6
# Not Valid Before: Wed Dec 10 00:00:00 2014
# Not Valid After : Sun Dec 10 00:00:00 2034
# Fingerprint (SHA-256):
2C:AB:EA:FE:37:D0:6C:A2:2A:BA:73:91:C0:03:3D:25:98:29:52:C4:53:64:73:49:76:3A:3A:B5:AD:6C:CF:69
# Fingerprint (SHA1): 80:94:64:0E:B5:A7:A1:CA:11:9C:1F:DD:D5:9F:81:02:63:A7:FB:D1
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "GlobalSign Root CA - R6"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\114\061\040\060\036\006\003\125\004\013\023\027\107\154\157
\142\141\154\123\151\147\156\040\122\157\157\164\040\103\101\040

```

\055\040\122\066\061\023\060\021\006\003\125\004\012\023\012\107  
\154\157\142\141\154\123\151\147\156\061\023\060\021\006\003\125  
\004\003\023\012\107\154\157\142\141\154\123\151\147\156

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\114\061\040\060\036\006\003\125\004\013\023\027\107\154\157  
\142\141\154\123\151\147\156\040\122\157\157\164\040\103\101\040  
\055\040\122\066\061\023\060\021\006\003\125\004\012\023\012\107  
\154\157\142\141\154\123\151\147\156\061\023\060\021\006\003\125  
\004\003\023\012\107\154\157\142\141\154\123\151\147\156

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\016\105\346\273\003\203\063\303\205\145\110\346\377\105\121

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\005\203\060\202\003\153\240\003\002\001\002\002\016\105  
\346\273\003\203\063\303\205\145\110\346\377\105\121\060\015\006  
\011\052\206\110\206\367\015\001\001\014\005\000\060\114\061\040  
\060\036\006\003\125\004\013\023\027\107\154\157\142\141\154\123  
\151\147\156\040\122\157\157\164\040\103\101\040\055\040\122\066  
\061\023\060\021\006\003\125\004\012\023\012\107\154\157\142\141  
\154\123\151\147\156\061\023\060\021\006\003\125\004\003\023\012  
\107\154\157\142\141\154\123\151\147\156\060\036\027\015\061\064  
\061\062\061\060\060\060\060\060\060\060\132\027\015\063\064\061  
\062\061\060\060\060\060\060\060\060\132\060\114\061\040\060\036  
\006\003\125\004\013\023\027\107\154\157\142\141\154\123\151\147  
\156\040\122\157\157\164\040\103\101\040\055\040\122\066\061\023  
\060\021\006\003\125\004\012\023\012\107\154\157\142\141\154\123  
\151\147\156\061\023\060\021\006\003\125\004\003\023\012\107\154  
\157\142\141\154\123\151\147\156\060\202\002\042\060\015\006\011  
\052\206\110\206\367\015\001\001\001\005\000\003\202\002\017\000  
\060\202\002\012\002\202\002\001\000\225\007\350\163\312\146\371  
\354\024\312\173\074\367\015\010\361\264\105\013\054\202\264\110  
\306\353\133\074\256\203\270\101\222\063\024\244\157\177\351\052  
\314\306\260\210\153\305\266\211\321\306\262\377\024\316\121\024  
\041\354\112\335\033\132\306\326\207\356\115\072\025\006\355\144  
\146\013\222\200\312\104\336\163\224\116\363\247\211\177\117\170  
\143\010\310\022\120\155\102\146\057\115\271\171\050\115\122\032  
\212\032\200\267\031\201\016\176\304\212\274\144\114\041\034\103  
\150\327\075\074\212\305\262\146\325\220\232\267\061\006\305\276  
\342\155\062\006\246\036\371\271\353\252\243\270\277\276\202\143  
\120\320\360\030\211\337\344\017\171\365\352\242\037\052\322\160  
\056\173\347\274\223\273\155\123\342\110\174\214\020\007\070\377  
\146\262\167\141\176\340\352\214\074\252\264\244\366\363\225\112  
\022\007\155\375\214\262\211\317\320\240\141\167\310\130\164\260  
\324\043\072\367\135\072\312\242\333\235\011\336\135\104\055\220  
\361\201\315\127\222\372\176\274\120\004\143\064\337\153\223\030

\276\153\066\262\071\344\254\044\066\267\360\357\266\034\023\127  
\223\266\336\262\370\342\205\267\163\242\270\065\252\105\362\340  
\235\066\241\157\124\212\361\162\126\156\056\210\305\121\102\104  
\025\224\356\243\305\070\226\233\116\116\132\013\107\363\006\066  
\111\167\060\274\161\067\345\246\354\041\010\165\374\346\141\026  
\077\167\325\331\221\227\204\012\154\324\002\115\164\300\024\355  
\375\071\373\203\362\136\024\241\004\260\013\351\376\356\217\341  
\156\013\262\010\263\141\146\011\152\261\006\072\145\226\131\300  
\360\065\375\311\332\050\215\032\021\207\160\201\012\250\232\165  
\035\236\072\206\005\000\236\333\200\326\045\371\334\005\236\047  
\131\114\166\071\133\352\371\245\241\330\203\017\321\377\337\060  
\021\371\205\317\063\110\365\312\155\144\024\054\172\130\117\323  
\113\010\111\305\225\144\032\143\016\171\075\365\263\214\312\130  
\255\234\102\105\171\156\016\207\031\134\124\261\145\266\277\214  
\233\334\023\351\015\157\270\056\334\147\156\311\213\021\265\204  
\024\212\000\031\160\203\171\221\227\221\324\032\047\277\067\036  
\062\007\330\024\143\074\050\114\257\002\003\001\000\001\243\143  
\060\141\060\016\006\003\125\035\017\001\001\377\004\004\003\002  
\001\006\060\017\006\003\125\035\023\001\001\377\004\005\060\003  
\001\001\377\060\035\006\003\125\035\016\004\026\004\024\256\154  
\005\243\223\023\342\242\347\342\327\034\326\307\360\177\310\147  
\123\240\060\037\006\003\125\035\043\004\030\060\026\200\024\256  
\154\005\243\223\023\342\242\347\342\327\034\326\307\360\177\310  
\147\123\240\060\015\006\011\052\206\110\206\367\015\001\001\014  
\005\000\003\202\002\001\000\203\045\355\350\321\375\225\122\315  
\236\300\004\240\221\151\346\134\320\204\336\334\255\242\117\350  
\107\170\326\145\230\251\133\250\074\207\174\002\212\321\156\267  
\026\163\346\137\300\124\230\325\164\276\301\315\342\021\221\255  
\043\030\075\335\341\162\104\226\264\225\136\300\173\216\231\170  
\026\103\023\126\127\263\242\263\073\265\167\334\100\162\254\243  
\353\233\065\076\261\010\041\241\347\304\103\067\171\062\276\265  
\347\234\054\114\274\103\051\231\216\060\323\254\041\340\343\035  
\372\330\007\063\166\124\000\042\052\271\115\040\056\160\150\332  
\345\123\374\203\134\323\235\362\377\104\014\104\146\362\322\343  
\275\106\000\032\155\002\272\045\135\215\241\061\121\335\124\106  
\034\115\333\231\226\357\032\034\004\134\246\025\357\170\340\171  
\376\135\333\076\252\114\125\375\232\025\251\157\341\246\373\337  
\160\060\351\303\356\102\106\355\302\223\005\211\372\175\143\173  
\077\320\161\201\174\000\350\230\256\016\170\064\303\045\373\257  
\012\237\040\153\335\073\023\217\022\214\342\101\032\110\172\163  
\240\167\151\307\266\134\177\202\310\036\376\130\033\050\053\250  
\154\255\136\155\300\005\322\173\267\353\200\376\045\067\376\002  
\233\150\254\102\135\303\356\365\314\334\360\120\165\322\066\151  
\234\346\173\004\337\156\006\151\266\336\012\011\110\131\207\353  
\173\024\140\172\144\252\151\103\357\221\307\114\354\030\335\154  
\357\123\055\214\231\341\136\362\162\076\317\124\310\275\147\354  
\244\017\114\105\377\323\271\060\043\007\114\217\020\277\206\226  
\331\231\132\264\231\127\034\244\314\273\025\211\123\272\054\005

```
\017\344\304\236\031\261\030\064\325\114\235\272\355\367\037\257
\044\225\004\170\250\003\273\356\201\345\332\137\174\213\112\241
\220\164\045\247\263\076\113\310\054\126\275\307\310\357\070\342
\134\222\360\171\367\234\204\272\164\055\141\001\040\176\176\321
\362\117\007\131\137\213\055\103\122\353\106\014\224\341\365\146
\107\171\167\325\124\133\037\255\044\067\313\105\132\116\240\104
\110\310\330\260\231\305\025\204\011\366\326\111\111\300\145\270
\346\032\161\156\240\250\361\202\350\105\076\154\326\002\327\012
\147\203\005\132\311\244\020
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "GlobalSign Root CA - R6"
```

```
# Issuer: CN=GlobalSign,O=GlobalSign,OU=GlobalSign Root CA - R6
```

```
# Serial Number:45:e6:bb:03:83:33:c3:85:65:48:e6:ff:45:51
```

```
# Subject: CN=GlobalSign,O=GlobalSign,OU=GlobalSign Root CA - R6
```

```
# Not Valid Before: Wed Dec 10 00:00:00 2014
```

```
# Not Valid After : Sun Dec 10 00:00:00 2034
```

```
# Fingerprint (SHA-256):
```

```
2C:AB:EA:FE:37:D0:6C:A2:2A:BA:73:91:C0:03:3D:25:98:29:52:C4:53:64:73:49:76:3A:3A:B5:AD:6C:CF:69
```

```
# Fingerprint (SHA1): 80:94:64:0E:B5:A7:A1:CA:11:9C:1F:DD:D5:9F:81:02:63:A7:FB:D1
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "GlobalSign Root CA - R6"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\200\224\144\016\265\247\241\312\021\234\037\335\325\237\201\002
\143\247\373\321
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\117\335\007\344\324\042\144\071\036\014\067\102\352\321\306\256
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\114\061\040\060\036\006\003\125\004\013\023\027\107\154\157
\142\141\154\123\151\147\156\040\122\157\157\164\040\103\101\040
\055\040\122\066\061\023\060\021\006\003\125\004\012\023\012\107
\154\157\142\141\154\123\151\147\156\061\023\060\021\006\003\125
\004\003\023\012\107\154\157\142\141\154\123\151\147\156
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\016\105\346\273\003\203\063\303\205\145\110\346\377\105\121
```

END

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "OISTE WISeKey Global Root GC CA"

#

# Issuer: CN=OISTE WISeKey Global Root GC CA,OU=OISTE Foundation Endorsed,O=WISeKey,C=CH

# Serial Number:21:2a:56:0c:ae:da:0c:ab:40:45:bf:2b:a2:2d:3a:ea

# Subject: CN=OISTE WISeKey Global Root GC CA,OU=OISTE Foundation Endorsed,O=WISeKey,C=CH

# Not Valid Before: Tue May 09 09:48:34 2017

# Not Valid After : Fri May 09 09:58:33 2042

# Fingerprint (SHA-256):

85:60:F9:1C:36:24:DA:BA:95:70:B5:FE:A0:DB:E3:6F:F1:1A:83:23:BE:94:86:85:4F:B3:F3:4A:55:71:19:8D

# Fingerprint (SHA1): E0:11:84:5E:34:DE:BE:88:81:B9:9C:F6:16:26:D1:96:1F:C3:B9:31

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "OISTE WISeKey Global Root GC CA"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

\060\155\061\013\060\011\006\003\125\004\006\023\002\103\110\061  
\020\060\016\006\003\125\004\012\023\007\127\111\123\145\113\145  
\171\061\042\060\040\006\003\125\004\013\023\031\117\111\123\124  
\105\040\106\157\165\156\144\141\164\151\157\156\040\105\156\144  
\157\162\163\145\144\061\050\060\046\006\003\125\004\003\023\037  
\117\111\123\124\105\040\127\111\123\145\113\145\171\040\107\154  
\157\142\141\154\040\122\157\157\164\040\107\103\040\103\101

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\155\061\013\060\011\006\003\125\004\006\023\002\103\110\061  
\020\060\016\006\003\125\004\012\023\007\127\111\123\145\113\145  
\171\061\042\060\040\006\003\125\004\013\023\031\117\111\123\124  
\105\040\106\157\165\156\144\141\164\151\157\156\040\105\156\144  
\157\162\163\145\144\061\050\060\046\006\003\125\004\003\023\037  
\117\111\123\124\105\040\127\111\123\145\113\145\171\040\107\154  
\157\142\141\154\040\122\157\157\164\040\107\103\040\103\101

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\020\041\052\126\014\256\332\014\253\100\105\277\053\242\055  
\072\352

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\002\151\060\202\001\357\240\003\002\001\002\002\020\041  
\052\126\014\256\332\014\253\100\105\277\053\242\055\072\352\060  
\012\006\010\052\206\110\316\075\004\003\003\060\155\061\013\060  
\011\006\003\125\004\006\023\002\103\110\061\020\060\016\006\003  
\125\004\012\023\007\127\111\123\145\113\145\171\061\042\060\040

\006\003\125\004\013\023\031\117\111\123\124\105\040\106\157\165  
\156\144\141\164\151\157\156\040\105\156\144\157\162\163\145\144  
\061\050\060\046\006\003\125\004\003\023\037\117\111\123\124\105  
\040\127\111\123\145\113\145\171\040\107\154\157\142\141\154\040  
\122\157\157\164\040\107\103\040\103\101\060\036\027\015\061\067  
\060\065\060\071\060\071\064\070\063\064\132\027\015\064\062\060  
\065\060\071\060\071\065\070\063\063\132\060\155\061\013\060\011  
\006\003\125\004\006\023\002\103\110\061\020\060\016\006\003\125  
\004\012\023\007\127\111\123\145\113\145\171\061\042\060\040\006  
\003\125\004\013\023\031\117\111\123\124\105\040\106\157\165\156  
\144\141\164\151\157\156\040\105\156\144\157\162\163\145\144\061  
\050\060\046\006\003\125\004\003\023\037\117\111\123\124\105\040  
\127\111\123\145\113\145\171\040\107\154\157\142\141\154\040\122  
\157\157\164\040\107\103\040\103\101\060\166\060\020\006\007\052  
\206\110\316\075\002\001\006\005\053\201\004\000\042\003\142\000  
\004\114\351\120\300\306\017\162\030\274\330\361\272\263\211\342  
\171\112\243\026\247\153\124\044\333\121\377\352\364\011\044\303  
\013\042\237\313\152\047\202\201\015\322\300\257\061\344\164\202  
\156\312\045\331\214\165\235\361\333\320\232\242\113\041\176\026  
\247\143\220\322\071\324\261\207\170\137\030\226\017\120\033\065  
\067\017\152\306\334\331\023\115\244\216\220\067\346\275\133\061  
\221\243\124\060\122\060\016\006\003\125\035\017\001\001\377\004  
\004\003\002\001\006\060\017\006\003\125\035\023\001\001\377\004  
\005\060\003\001\001\377\060\035\006\003\125\035\016\004\026\004  
\024\110\207\024\254\343\303\236\220\140\072\327\312\211\356\323  
\255\214\264\120\146\060\020\006\011\053\006\001\004\001\202\067  
\025\001\004\003\002\001\000\060\012\006\010\052\206\110\316\075  
\004\003\003\003\150\000\060\145\002\060\046\307\151\133\334\325  
\347\262\347\310\014\214\214\303\335\171\214\033\143\325\311\122  
\224\116\115\202\112\163\036\262\200\204\251\045\300\114\132\155  
\111\051\140\170\023\342\176\110\353\144\002\061\000\333\064\040  
\062\010\377\232\111\002\266\210\336\024\257\135\154\231\161\215  
\032\077\213\327\340\242\066\206\034\007\202\072\166\123\375\302  
\242\355\357\173\260\200\117\130\017\113\123\071\275

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "OISTE WISEKey Global Root GC CA"

# Issuer: CN=OISTE WISEKey Global Root GC CA,OU=OISTE Foundation Endorsed,O=WISEKey,C=CH

# Serial Number:21:2a:56:0c:ae:da:0c:ab:40:45:bf:2b:a2:2d:3a:ea

# Subject: CN=OISTE WISEKey Global Root GC CA,OU=OISTE Foundation Endorsed,O=WISEKey,C=CH

# Not Valid Before: Tue May 09 09:48:34 2017

# Not Valid After : Fri May 09 09:58:33 2042

# Fingerprint (SHA-256):

85:60:F9:1C:36:24:DA:BA:95:70:B5:FE:A0:DB:E3:6F:F1:1A:83:23:BE:94:86:85:4F:B3:F3:4A:55:71:19:8D

# Fingerprint (SHA1): E0:11:84:5E:34:DE:BE:88:81:B9:9C:F6:16:26:D1:96:1F:C3:B9:31



```

CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "OISTE WISeKey Global Root GC CA"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\340\021\204\136\064\336\276\210\201\271\234\366\026\046\321\226
\037\303\271\061
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\251\326\271\055\057\223\144\370\245\151\312\221\351\150\007\043
END
CKA_ISSUER MULTILINE_OCTAL
\060\155\061\013\060\011\006\003\125\004\006\023\002\103\110\061
\020\060\016\006\003\125\004\012\023\007\127\111\123\145\113\145
\171\061\042\060\040\006\003\125\004\013\023\031\117\111\123\124
\105\040\106\157\165\156\144\141\164\151\157\156\040\105\156\144
\157\162\163\145\144\061\050\060\046\006\003\125\004\003\023\037
\117\111\123\124\105\040\127\111\123\145\113\145\171\040\107\154
\157\142\141\154\040\122\157\157\164\040\107\103\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\041\052\126\014\256\332\014\253\100\105\277\053\242\055
\072\352
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "UCA Global G2 Root"
#
# Issuer: CN=UCA Global G2 Root,O=UniTrust,C=CN
# Serial Number:5d:df:b1:da:5a:a3:ed:5d:be:5a:65:20:65:03:90:ef
# Subject: CN=UCA Global G2 Root,O=UniTrust,C=CN
# Not Valid Before: Fri Mar 11 00:00:00 2016
# Not Valid After : Mon Dec 31 00:00:00 2040
# Fingerprint (SHA-256):
9B:EA:11:C9:76:FE:01:47:64:C1:BE:56:A6:F9:14:B5:A5:60:31:7A:BD:99:88:39:33:82:E5:16:1A:A0:49:3C
# Fingerprint (SHA1): 28:F9:78:16:19:7A:FF:18:25:18:AA:44:FE:C1:A0:CE:5C:B6:4C:8A
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "UCA Global G2 Root"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL

```

\060\075\061\013\060\011\006\003\125\004\006\023\002\103\116\061  
\021\060\017\006\003\125\004\012\014\010\125\156\151\124\162\165  
\163\164\061\033\060\031\006\003\125\004\003\014\022\125\103\101  
\040\107\154\157\142\141\154\040\107\062\040\122\157\157\164

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\075\061\013\060\011\006\003\125\004\006\023\002\103\116\061  
\021\060\017\006\003\125\004\012\014\010\125\156\151\124\162\165  
\163\164\061\033\060\031\006\003\125\004\003\014\022\125\103\101  
\040\107\154\157\142\141\154\040\107\062\040\122\157\157\164

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\020\135\337\261\332\132\243\355\135\276\132\145\040\145\003  
\220\357

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\005\106\060\202\003\056\240\003\002\001\002\002\020\135  
\337\261\332\132\243\355\135\276\132\145\040\145\003\220\357\060  
\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060\075  
\061\013\060\011\006\003\125\004\006\023\002\103\116\061\021\060  
\017\006\003\125\004\012\014\010\125\156\151\124\162\165\163\164  
\061\033\060\031\006\003\125\004\003\014\022\125\103\101\040\107  
\154\157\142\141\154\040\107\062\040\122\157\157\164\060\036\027  
\015\061\066\060\063\061\061\060\060\060\060\060\060\132\027\015  
\064\060\061\062\063\061\060\060\060\060\060\060\132\060\075\061  
\013\060\011\006\003\125\004\006\023\002\103\116\061\021\060\017  
\006\003\125\004\012\014\010\125\156\151\124\162\165\163\164\061  
\033\060\031\006\003\125\004\003\014\022\125\103\101\040\107\154  
\157\142\141\154\040\107\062\040\122\157\157\164\060\202\002\042  
\060\015\006\011\052\206\110\206\367\015\001\001\001\005\000\003  
\202\002\017\000\060\202\002\012\002\202\002\001\000\305\346\053  
\157\174\357\046\005\047\243\201\044\332\157\313\001\371\231\232  
\251\062\302\042\207\141\101\221\073\313\303\150\033\006\305\114  
\251\053\301\147\027\042\035\053\355\371\051\211\223\242\170\275  
\222\153\240\243\015\242\176\312\223\263\246\321\214\065\325\165  
\371\027\366\317\105\305\345\172\354\167\223\240\217\043\256\016  
\032\003\177\276\324\320\355\056\173\253\106\043\133\377\054\346  
\124\172\224\300\052\025\360\311\215\260\172\073\044\341\327\150  
\342\061\074\006\063\106\266\124\021\246\245\057\042\124\052\130  
\015\001\002\361\372\025\121\147\154\300\372\327\266\033\177\321  
\126\210\057\032\072\215\073\273\202\021\340\107\000\320\122\207  
\253\373\206\176\017\044\153\100\235\064\147\274\215\307\055\206  
\157\171\076\216\251\074\027\113\177\260\231\343\260\161\140\334  
\013\365\144\303\316\103\274\155\161\271\322\336\047\133\212\350  
\330\306\256\341\131\175\317\050\055\065\270\225\126\032\361\262  
\130\113\267\022\067\310\174\263\355\113\200\341\215\372\062\043  
\266\157\267\110\225\010\261\104\116\205\214\072\002\124\040\057

\337\277\127\117\073\072\220\041\327\301\046\065\124\040\354\307  
\077\107\354\357\132\277\113\172\301\255\073\027\120\134\142\330  
\017\113\112\334\053\372\156\274\163\222\315\354\307\120\350\101  
\226\327\251\176\155\330\351\035\217\212\265\271\130\222\272\112  
\222\053\014\126\375\200\353\010\360\136\051\156\033\034\014\257  
\217\223\211\255\333\275\243\236\041\312\211\031\354\337\265\303  
\032\353\026\376\170\066\114\326\156\320\076\027\034\220\027\153  
\046\272\373\172\057\277\021\034\030\016\055\163\003\217\240\345  
\065\240\132\342\114\165\035\161\341\071\070\123\170\100\314\203  
\223\327\012\236\235\133\217\212\344\345\340\110\344\110\262\107  
\315\116\052\165\052\173\362\042\366\311\276\011\221\226\127\172  
\210\210\254\356\160\254\371\334\051\343\014\034\073\022\116\104  
\326\247\116\260\046\310\363\331\032\227\221\150\352\357\215\106  
\006\322\126\105\130\232\074\014\017\203\270\005\045\303\071\317  
\073\244\064\211\267\171\022\057\107\305\347\251\227\151\374\246  
\167\147\265\337\173\361\172\145\025\344\141\126\145\002\003\001  
\000\001\243\102\060\100\060\016\006\003\125\035\017\001\001\377  
\004\004\003\002\001\006\060\017\006\003\125\035\023\001\001\377  
\004\005\060\003\001\001\377\060\035\006\003\125\035\016\004\026  
\004\024\201\304\214\314\365\344\060\377\245\014\010\137\214\025  
\147\041\164\001\337\337\060\015\006\011\052\206\110\206\367\015  
\001\001\013\005\000\003\202\002\001\000\023\145\042\365\216\053  
\255\104\344\313\377\271\150\346\303\200\110\075\004\173\372\043  
\057\172\355\066\332\262\316\155\366\346\236\345\137\130\217\313  
\067\062\241\310\145\266\256\070\075\065\033\076\274\073\266\004  
\320\274\371\111\365\233\367\205\305\066\266\313\274\370\310\071  
\325\344\137\007\275\025\124\227\164\312\312\355\117\272\272\144  
\166\237\201\270\204\105\111\114\215\157\242\353\261\314\321\303  
\224\332\104\302\346\342\352\030\350\242\037\047\005\272\327\345  
\326\251\315\335\357\166\230\215\000\016\315\033\372\003\267\216  
\200\130\016\047\077\122\373\224\242\312\136\145\311\326\204\332  
\271\065\161\363\046\300\117\167\346\201\047\322\167\073\232\024  
\157\171\364\366\320\341\323\224\272\320\127\121\275\047\005\015  
\301\375\310\022\060\356\157\215\021\053\010\235\324\324\277\200  
\105\024\232\210\104\332\060\352\264\247\343\356\357\133\202\325  
\076\326\255\170\222\333\134\074\363\330\255\372\270\153\177\304  
\066\050\266\002\025\212\124\054\234\260\027\163\216\320\067\243  
\024\074\230\225\000\014\051\005\133\236\111\111\261\137\307\343  
\313\317\047\145\216\065\027\267\127\310\060\331\101\133\271\024  
\266\350\302\017\224\061\247\224\230\314\152\353\265\341\047\365  
\020\250\001\350\216\022\142\350\210\314\265\177\106\227\300\233  
\020\146\070\032\066\106\137\042\150\075\337\311\306\023\047\253  
\123\006\254\242\074\206\006\145\157\261\176\261\051\104\232\243  
\272\111\151\050\151\217\327\345\137\255\004\206\144\157\032\240  
\014\305\010\142\316\200\243\320\363\354\150\336\276\063\307\027  
\133\177\200\304\114\114\261\246\204\212\303\073\270\011\315\024  
\201\272\030\343\124\127\066\376\333\057\174\107\241\072\063\310  
\371\130\073\104\117\261\312\002\211\004\226\050\150\305\113\270

```
\046\211\273\326\063\057\120\325\376\232\211\272\030\062\222\124
\306\133\340\235\371\136\345\015\042\233\366\332\342\310\041\262
\142\041\252\206\100\262\056\144\323\137\310\343\176\021\147\105
\037\005\376\343\242\357\263\250\263\363\175\217\370\014\037\042
\037\055\160\264\270\001\064\166\060\000\345\043\170\247\126\327
\120\037\212\373\006\365\302\031\360\320
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

# Trust for "UCA Global G2 Root"

# Issuer: CN=UCA Global G2 Root,O=UniTrust,C=CN

# Serial Number:5d:df:b1:da:5a:a3:ed:5d:be:5a:65:20:65:03:90:ef

# Subject: CN=UCA Global G2 Root,O=UniTrust,C=CN

# Not Valid Before: Fri Mar 11 00:00:00 2016

# Not Valid After : Mon Dec 31 00:00:00 2040

# Fingerprint (SHA-256):

9B:EA:11:C9:76:FE:01:47:64:C1:BE:56:A6:F9:14:B5:A5:60:31:7A:BD:99:88:39:33:82:E5:16:1A:A0:49:3C

# Fingerprint (SHA1): 28:F9:78:16:19:7A:FF:18:25:18:AA:44:FE:C1:A0:CE:5C:B6:4C:8A

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "UCA Global G2 Root"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\050\371\170\026\031\172\377\030\045\030\252\104\376\301\240\316
\134\266\114\212
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\200\376\360\304\112\360\134\142\062\237\034\272\170\251\120\370
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\075\061\013\060\011\006\003\125\004\006\023\002\103\116\061
\021\060\017\006\003\125\004\012\014\010\125\156\151\124\162\165
\163\164\061\033\060\031\006\003\125\004\003\014\022\125\103\101
\040\107\154\157\142\141\154\040\107\062\040\122\157\157\164
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\020\135\337\261\332\132\243\355\135\276\132\145\040\145\003
\220\357
```

END

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

```
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE
```

#

```

# Certificate "UCA Extended Validation Root"
#
# Issuer: CN=UCA Extended Validation Root,O=UniTrust,C=CN
# Serial Number:4f:d2:2b:8f:f5:64:c8:33:9e:4f:34:58:66:23:70:60
# Subject: CN=UCA Extended Validation Root,O=UniTrust,C=CN
# Not Valid Before: Fri Mar 13 00:00:00 2015
# Not Valid After : Fri Dec 31 00:00:00 2038
# Fingerprint (SHA-256):
D4:3A:F9:B3:54:73:75:5C:96:84:FC:06:D7:D8:CB:70:EE:5C:28:E7:73:FB:29:4E:B4:1E:E7:17:22:92:4D:24
# Fingerprint (SHA1): A3:A1:B0:6F:24:61:23:4A:E3:36:A5:C2:37:FC:A6:FF:DD:F0:D7:3A
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "UCA Extended Validation Root"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\107\061\013\060\011\006\003\125\004\006\023\002\103\116\061
\021\060\017\006\003\125\004\012\014\010\125\156\151\124\162\165
\163\164\061\045\060\043\006\003\125\004\003\014\034\125\103\101
\040\105\170\164\145\156\144\145\144\040\126\141\154\151\144\141
\164\151\157\156\040\122\157\157\164
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\107\061\013\060\011\006\003\125\004\006\023\002\103\116\061
\021\060\017\006\003\125\004\012\014\010\125\156\151\124\162\165
\163\164\061\045\060\043\006\003\125\004\003\014\034\125\103\101
\040\105\170\164\145\156\144\145\144\040\126\141\154\151\144\141
\164\151\157\156\040\122\157\157\164
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\117\322\053\217\365\144\310\063\236\117\064\130\146\043
\160\140
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\132\060\202\003\102\240\003\002\001\002\002\020\117
\322\053\217\365\144\310\063\236\117\064\130\146\043\160\140\060
\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060\107
\061\013\060\011\006\003\125\004\006\023\002\103\116\061\021\060
\017\006\003\125\004\012\014\010\125\156\151\124\162\165\163\164
\061\045\060\043\006\003\125\004\003\014\034\125\103\101\040\105
\170\164\145\156\144\145\144\040\126\141\154\151\144\141\164\151
\157\156\040\122\157\157\164\060\036\027\015\061\065\060\063\061
\063\060\060\060\060\060\060\132\027\015\063\070\061\062\063\061
\060\060\060\060\060\060\132\060\107\061\013\060\011\006\003\125
\004\006\023\002\103\116\061\021\060\017\006\003\125\004\012\014
\010\125\156\151\124\162\165\163\164\061\045\060\043\006\003\125

```

\004\003\014\034\125\103\101\040\105\170\164\145\156\144\145\144  
\040\126\141\154\151\144\141\164\151\157\156\040\122\157\157\164  
\060\202\002\042\060\015\006\011\052\206\110\206\367\015\001\001  
\001\005\000\003\202\002\017\000\060\202\002\012\002\202\002\001  
\000\251\011\007\050\023\002\260\231\340\144\252\036\103\026\172  
\163\261\221\240\165\076\250\372\343\070\000\172\354\211\152\040  
\017\213\305\260\233\063\003\132\206\306\130\206\325\301\205\273  
\117\306\234\100\115\312\276\356\151\226\270\255\201\060\232\174  
\222\005\353\005\053\232\110\320\270\166\076\226\310\040\273\322  
\260\361\217\330\254\105\106\377\252\147\140\264\167\176\152\037  
\074\032\122\172\004\075\007\074\205\015\204\320\037\166\012\367  
\152\024\337\162\343\064\174\127\116\126\001\076\171\361\252\051  
\073\154\372\370\217\155\115\310\065\337\256\353\334\044\356\171  
\105\247\205\266\005\210\336\210\135\045\174\227\144\147\011\331  
\277\132\025\005\206\363\011\036\354\130\062\063\021\363\167\144  
\260\166\037\344\020\065\027\033\362\016\261\154\244\052\243\163  
\374\011\037\036\062\031\123\021\347\331\263\054\056\166\056\241  
\243\336\176\152\210\011\350\362\007\212\370\262\315\020\347\342  
\163\100\223\273\010\321\077\341\374\013\224\263\045\357\174\246  
\327\321\257\237\377\226\232\365\221\173\230\013\167\324\176\350  
\007\322\142\265\225\071\343\363\361\155\017\016\145\204\212\143  
\124\305\200\266\340\236\113\175\107\046\247\001\010\135\321\210  
\236\327\303\062\104\372\202\112\012\150\124\177\070\123\003\314  
\244\000\063\144\121\131\013\243\202\221\172\136\354\026\302\363  
\052\346\142\332\052\333\131\142\020\045\112\052\201\013\107\007  
\103\006\160\207\322\372\223\021\051\172\110\115\353\224\307\160  
\115\257\147\325\121\261\200\040\001\001\264\172\010\246\220\177  
\116\340\357\007\101\207\257\152\245\136\213\373\317\120\262\232  
\124\257\303\211\272\130\055\365\060\230\261\066\162\071\176\111  
\004\375\051\247\114\171\344\005\127\333\224\271\026\123\215\106  
\263\035\225\141\127\126\177\257\360\026\133\141\130\157\066\120  
\021\013\330\254\053\225\026\032\016\037\010\315\066\064\145\020  
\142\146\325\200\137\024\040\137\055\014\240\170\012\150\326\054  
\327\351\157\053\322\112\005\223\374\236\157\153\147\377\210\361  
\116\245\151\112\122\067\005\352\306\026\215\322\304\231\321\202  
\053\073\272\065\165\367\121\121\130\363\310\007\335\344\264\003  
\177\002\003\001\000\001\243\102\060\100\060\035\006\003\125\035  
\016\004\026\004\024\331\164\072\344\060\075\015\367\022\334\176  
\132\005\237\036\064\232\367\341\024\060\017\006\003\125\035\023  
\001\001\377\004\005\060\003\001\001\377\060\016\006\003\125\035  
\017\001\001\377\004\004\003\002\001\206\060\015\006\011\052\206  
\110\206\367\015\001\001\013\005\000\003\202\002\001\000\066\215  
\227\314\102\025\144\051\067\233\046\054\326\373\256\025\151\054  
\153\032\032\367\137\266\371\007\114\131\352\363\311\310\271\256  
\314\272\056\172\334\300\365\260\055\300\073\257\237\160\005\021  
\152\237\045\117\001\051\160\343\345\014\341\352\132\174\334\111  
\273\301\036\052\201\365\026\113\162\221\310\242\061\271\252\332  
\374\235\037\363\135\100\002\023\374\116\034\006\312\263\024\220

\124\027\031\022\032\361\037\327\014\151\132\366\161\170\364\224  
\175\221\013\216\354\220\124\216\274\157\241\114\253\374\164\144  
\375\161\232\370\101\007\241\315\221\344\074\232\340\233\062\071  
\163\253\052\325\151\310\170\221\046\061\175\342\307\060\361\374  
\024\170\167\022\016\023\364\335\026\224\277\113\147\173\160\123  
\205\312\260\273\363\070\115\054\220\071\300\015\302\135\153\351  
\342\345\325\210\215\326\054\277\253\033\276\265\050\207\022\027  
\164\156\374\175\374\217\320\207\046\260\033\373\271\154\253\342  
\236\075\025\301\073\056\147\002\130\221\237\357\370\102\037\054  
\267\150\365\165\255\317\265\366\377\021\175\302\360\044\245\255  
\323\372\240\074\251\372\135\334\245\240\357\104\244\276\326\350  
\345\344\023\226\027\173\006\076\062\355\307\267\102\274\166\243  
\330\145\070\053\070\065\121\041\016\016\157\056\064\023\100\341  
\053\147\014\155\112\101\060\030\043\132\062\125\231\311\027\340  
\074\336\366\354\171\255\053\130\031\242\255\054\042\032\225\216  
\276\226\220\135\102\127\304\371\024\003\065\053\034\055\121\127  
\010\247\072\336\077\344\310\264\003\163\302\301\046\200\273\013  
\102\037\255\015\257\046\162\332\314\276\263\243\203\130\015\202  
\305\037\106\121\343\234\030\314\215\233\215\354\111\353\165\120  
\325\214\050\131\312\164\064\332\214\013\041\253\036\352\033\345  
\307\375\025\076\300\027\252\373\043\156\046\106\313\372\371\261  
\162\153\151\317\042\204\013\142\017\254\331\031\000\224\242\166  
\074\324\055\232\355\004\236\055\006\142\020\067\122\034\205\162  
\033\047\345\314\306\061\354\067\354\143\131\233\013\035\166\314  
\176\062\232\210\225\010\066\122\273\336\166\137\166\111\111\255  
\177\275\145\040\262\311\301\053\166\030\166\237\126\261

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "UCA Extended Validation Root"

# Issuer: CN=UCA Extended Validation Root,O=UniTrust,C=CN

# Serial Number:4f:d2:2b:8f:f5:64:c8:33:9e:4f:34:58:66:23:70:60

# Subject: CN=UCA Extended Validation Root,O=UniTrust,C=CN

# Not Valid Before: Fri Mar 13 00:00:00 2015

# Not Valid After : Fri Dec 31 00:00:00 2038

# Fingerprint (SHA-256):

D4:3A:F9:B3:54:73:75:5C:96:84:FC:06:D7:D8:CB:70:EE:5C:28:E7:73:FB:29:4E:B4:1E:E7:17:22:92:4D:24

# Fingerprint (SHA1): A3:A1:B0:6F:24:61:23:4A:E3:36:A5:C2:37:FC:A6:FF:DD:F0:D7:3A

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "UCA Extended Validation Root"

CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL

\243\241\260\157\044\141\043\112\343\066\245\302\067\374\246\377

\335\360\327\072

```

END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\241\363\137\103\306\064\233\332\277\214\176\005\123\255\226\342
END
CKA_ISSUER MULTILINE_OCTAL
\060\107\061\013\060\011\006\003\125\004\006\023\002\103\116\061
\021\060\017\006\003\125\004\012\014\010\125\156\151\124\162\165
\163\164\061\045\060\043\006\003\125\004\003\014\034\125\103\101
\040\105\170\164\145\156\144\145\144\040\126\141\154\151\144\141
\164\151\157\156\040\122\157\157\164
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\117\322\053\217\365\144\310\063\236\117\064\130\146\043
\160\140
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Certigna Root CA"
#
# Issuer: CN=Certigna Root CA,OU=0002 48146308100036,O=Dhimyotis,C=FR
# Serial Number:00:ca:e9:1b:89:f1:55:03:0d:a3:e6:41:6d:c4:e3:a6:e1
# Subject: CN=Certigna Root CA,OU=0002 48146308100036,O=Dhimyotis,C=FR
# Not Valid Before: Tue Oct 01 08:32:27 2013
# Not Valid After : Sat Oct 01 08:32:27 2033
# Fingerprint (SHA-256):
D4:8D:3D:23:EE:DB:50:A4:59:E5:51:97:60:1C:27:77:4B:9D:7B:18:C9:4D:5A:05:95:11:A1:02:50:B9:31:68
# Fingerprint (SHA1): 2D:0D:52:14:FF:9E:AD:99:24:01:74:20:47:6E:6C:85:27:27:F5:43
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Certigna Root CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\132\061\013\060\011\006\003\125\004\006\023\002\106\122\061
\022\060\020\006\003\125\004\012\014\011\104\150\151\155\171\157
\164\151\163\061\034\060\032\006\003\125\004\013\014\023\060\060
\060\062\040\064\070\061\064\066\063\060\070\061\060\060\060\063
\066\061\031\060\027\006\003\125\004\003\014\020\103\145\162\164
\151\147\156\141\040\122\157\157\164\040\103\101
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\132\061\013\060\011\006\003\125\004\006\023\002\106\122\061

```



\022\060\020\006\003\125\004\012\014\011\104\150\151\155\171\157  
\164\151\163\061\034\060\032\006\003\125\004\013\014\023\060\060  
\060\062\040\064\070\061\064\066\063\060\070\061\060\060\060\063  
\066\061\031\060\027\006\003\125\004\003\014\020\103\145\162\164  
\151\147\156\141\040\122\157\157\164\040\103\101

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\021\000\312\351\033\211\361\125\003\015\243\346\101\155\304  
\343\246\341

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\006\133\060\202\004\103\240\003\002\001\002\002\021\000  
\312\351\033\211\361\125\003\015\243\346\101\155\304\343\246\341  
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060  
\132\061\013\060\011\006\003\125\004\006\023\002\106\122\061\022  
\060\020\006\003\125\004\012\014\011\104\150\151\155\171\157\164  
\151\163\061\034\060\032\006\003\125\004\013\014\023\060\060\060  
\062\040\064\070\061\064\066\063\060\070\061\060\060\060\063\066  
\061\031\060\027\006\003\125\004\003\014\020\103\145\162\164\151  
\147\156\141\040\122\157\157\164\040\103\101\060\036\027\015\061  
\063\061\060\060\061\060\070\063\062\062\067\132\027\015\063\063  
\061\060\060\061\060\070\063\062\062\067\132\060\132\061\013\060  
\011\006\003\125\004\006\023\002\106\122\061\022\060\020\006\003  
\125\004\012\014\011\104\150\151\155\171\157\164\151\163\061\034  
\060\032\006\003\125\004\013\014\023\060\060\060\062\040\064\070  
\061\064\066\063\060\070\061\060\060\060\063\066\061\031\060\027  
\006\003\125\004\003\014\020\103\145\162\164\151\147\156\141\040  
\122\157\157\164\040\103\101\060\202\002\042\060\015\006\011\052  
\206\110\206\367\015\001\001\001\005\000\003\202\002\017\000\060  
\202\002\012\002\202\002\001\000\315\030\071\145\032\131\261\352  
\144\026\016\214\224\044\225\174\203\323\305\071\046\334\014\357  
\026\127\215\327\330\254\243\102\177\202\312\355\315\133\333\016  
\267\055\355\105\010\027\262\331\263\313\326\027\122\162\050\333  
\216\116\236\212\266\013\371\236\204\232\115\166\336\042\051\134  
\322\263\322\006\076\060\071\251\164\243\222\126\034\241\157\114  
\012\040\155\237\043\172\264\306\332\054\344\035\054\334\263\050  
\320\023\362\114\116\002\111\241\124\100\236\346\345\005\240\055  
\204\310\377\230\154\320\353\212\032\204\010\036\267\150\043\356  
\043\325\160\316\155\121\151\020\356\241\172\302\321\042\061\302  
\202\205\322\362\125\166\120\174\045\172\311\204\134\013\254\335  
\102\116\053\347\202\242\044\211\313\220\262\320\356\043\272\146  
\114\273\142\244\371\123\132\144\173\174\230\372\243\110\236\017  
\225\256\247\030\364\152\354\056\003\105\257\360\164\370\052\315  
\172\135\321\276\104\046\062\051\361\361\365\154\314\176\002\041  
\013\237\157\244\077\276\235\123\342\317\175\251\054\174\130\032  
\227\341\075\067\067\030\146\050\322\100\305\121\212\214\303\055  
\316\123\210\044\130\144\060\026\305\252\340\326\012\246\100\337  
\170\366\365\004\174\151\023\204\274\321\321\247\006\317\001\367

\150\300\250\127\273\072\141\255\004\214\223\343\255\374\360\333  
\104\155\131\334\111\131\256\254\232\231\066\060\101\173\166\063  
\042\207\243\302\222\206\156\371\160\356\256\207\207\225\033\304  
\172\275\061\363\324\322\345\231\377\276\110\354\165\365\170\026  
\035\246\160\301\177\074\033\241\222\373\317\310\074\326\305\223  
\012\217\365\125\072\166\225\316\131\230\212\011\225\167\062\232  
\203\272\054\004\072\227\275\324\057\276\327\154\233\242\312\175  
\155\046\311\125\325\317\303\171\122\010\011\231\007\044\055\144  
\045\153\246\041\151\233\152\335\164\115\153\227\172\101\275\253  
\027\371\220\027\110\217\066\371\055\325\305\333\356\252\205\105  
\101\372\315\072\105\261\150\346\066\114\233\220\127\354\043\271  
\207\010\302\304\011\361\227\206\052\050\115\342\164\300\332\304  
\214\333\337\342\241\027\131\316\044\131\164\061\332\177\375\060  
\155\331\334\341\152\341\374\137\002\003\001\000\001\243\202\001  
\032\060\202\001\026\060\017\006\003\125\035\023\001\001\377\004  
\005\060\003\001\001\377\060\016\006\003\125\035\017\001\001\377  
\004\004\003\002\001\006\060\035\006\003\125\035\016\004\026\004  
\024\030\207\126\340\156\167\356\044\065\074\116\163\232\037\326  
\341\342\171\176\053\060\037\006\003\125\035\043\004\030\060\026  
\200\024\030\207\126\340\156\167\356\044\065\074\116\163\232\037  
\326\341\342\171\176\053\060\104\006\003\125\035\040\004\075\060  
\073\060\071\006\004\125\035\040\000\060\061\060\057\006\010\053  
\006\001\005\005\007\002\001\026\043\150\164\164\160\163\072\057  
\057\167\167\167\167\056\143\145\162\164\151\147\156\141\056\146  
\162\057\141\165\164\157\162\151\164\145\163\057\060\155\006\003  
\125\035\037\004\146\060\144\060\057\240\055\240\053\206\051\150  
\164\164\160\072\057\057\143\162\154\056\143\145\162\164\151\147  
\156\141\056\146\162\057\143\145\162\164\151\147\156\141\162\157  
\157\164\143\141\056\143\162\154\060\061\240\057\240\055\206\053  
\150\164\164\160\072\057\057\143\162\154\056\144\150\151\155\171  
\157\164\151\163\056\143\157\155\057\143\145\162\164\151\147\156  
\141\162\157\157\164\143\141\056\143\162\154\060\015\006\011\052  
\206\110\206\367\015\001\001\013\005\000\003\202\002\001\000\224  
\270\236\117\360\343\225\010\042\347\315\150\101\367\034\125\325  
\174\000\342\055\072\211\135\150\070\057\121\042\013\112\215\313  
\351\273\135\076\273\134\075\261\050\376\344\123\125\023\317\241  
\220\033\002\035\137\146\106\011\063\050\341\015\044\227\160\323  
\020\037\352\144\127\226\273\135\332\347\304\214\117\114\144\106  
\035\134\207\343\131\336\102\321\233\250\176\246\211\335\217\034  
\311\060\202\355\073\234\315\300\351\031\340\152\330\002\165\067  
\253\367\064\050\050\221\362\004\012\117\065\343\140\046\001\372  
\320\021\214\371\021\152\356\257\075\303\120\323\217\137\063\171  
\074\206\250\163\105\220\214\040\266\162\163\027\043\276\007\145  
\345\170\222\015\272\001\300\353\214\034\146\277\254\206\167\001  
\224\015\234\346\351\071\215\037\246\121\214\231\014\071\167\341  
\264\233\372\034\147\127\157\152\152\216\251\053\114\127\171\172  
\127\042\317\315\137\143\106\215\134\131\072\206\370\062\107\142  
\243\147\015\030\221\334\373\246\153\365\110\141\163\043\131\216

```
\002\247\274\104\352\364\111\235\361\124\130\371\140\257\332\030
\244\057\050\105\334\172\240\210\206\135\363\073\347\377\051\065
\200\374\144\103\224\346\343\034\157\276\255\016\052\143\231\053
\311\176\205\366\161\350\006\003\225\376\336\217\110\034\132\324
\222\350\053\356\347\061\333\272\004\152\207\230\347\305\137\357
\175\247\042\367\001\330\115\371\211\320\016\232\005\131\244\236
\230\331\157\053\312\160\276\144\302\125\243\364\351\257\303\222
\051\334\210\026\044\231\074\215\046\230\266\133\267\314\316\267
\067\007\375\046\331\230\205\044\377\131\043\003\232\355\235\235
\250\344\136\070\316\327\122\015\157\322\077\155\261\005\153\111
\316\212\221\106\163\364\366\057\360\250\163\167\016\145\254\241
\215\146\122\151\176\113\150\014\307\036\067\047\203\245\214\307
\002\344\024\315\111\001\260\163\263\375\306\220\072\157\322\154
\355\073\356\354\221\276\242\103\135\213\000\112\146\045\104\160
\336\100\017\370\174\025\367\242\316\074\327\136\023\214\201\027
\030\027\321\275\361\167\020\072\324\145\071\301\047\254\127\054
\045\124\377\242\332\117\212\141\071\136\256\075\112\214\275
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "Certigna Root CA"
```

```
# Issuer: CN=Certigna Root CA,OU=0002 48146308100036,O=Dhimyotis,C=FR
```

```
# Serial Number:00:ca:e9:1b:89:f1:55:03:0d:a3:e6:41:6d:c4:e3:a6:e1
```

```
# Subject: CN=Certigna Root CA,OU=0002 48146308100036,O=Dhimyotis,C=FR
```

```
# Not Valid Before: Tue Oct 01 08:32:27 2013
```

```
# Not Valid After : Sat Oct 01 08:32:27 2033
```

```
# Fingerprint (SHA-256):
```

```
D4:8D:3D:23:EE:DB:50:A4:59:E5:51:97:60:1C:27:77:4B:9D:7B:18:C9:4D:5A:05:95:11:A1:02:50:B9:31:68
```

```
# Fingerprint (SHA1): 2D:0D:52:14:FF:9E:AD:99:24:01:74:20:47:6E:6C:85:27:27:F5:43
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Certigna Root CA"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\055\015\122\024\377\236\255\231\044\001\164\040\107\156\154\205
\047\047\365\103
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\016\134\060\142\047\353\133\274\327\256\142\272\351\325\337\167
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\132\061\013\060\011\006\003\125\004\006\023\002\106\122\061
\022\060\020\006\003\125\004\012\014\011\104\150\151\155\171\157
\164\151\163\061\034\060\032\006\003\125\004\013\014\023\060\060
\060\062\040\064\070\061\064\066\063\060\070\061\060\060\060\063
```

\066\061\031\060\027\006\003\125\004\003\014\020\103\145\162\164  
\151\147\156\141\040\122\157\157\164\040\103\101

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\021\000\312\351\033\211\361\125\003\015\243\346\101\155\304  
\343\246\341

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "emSign Root CA - G1"

#

# Issuer: CN=emSign Root CA - G1,O=eMudhra Technologies Limited,OU=emSign PKI,C=IN

# Serial Number:31:f5:e4:62:0c:6c:58:ed:d6:d8

# Subject: CN=emSign Root CA - G1,O=eMudhra Technologies Limited,OU=emSign PKI,C=IN

# Not Valid Before: Sun Feb 18 18:30:00 2018

# Not Valid After : Wed Feb 18 18:30:00 2043

# Fingerprint (SHA-256):

40:F6:AF:03:46:A9:9A:A1:CD:1D:55:5A:4E:9C:CE:62:C7:F9:63:46:03:EE:40:66:15:83:3D:C8:C8:D0:03:67

# Fingerprint (SHA1): 8A:C7:AD:8F:73:AC:4E:C1:B5:75:4D:A5:40:F4:FC:CF:7C:B5:8E:8C

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "emSign Root CA - G1"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

\060\147\061\013\060\011\006\003\125\004\006\023\002\111\116\061  
\023\060\021\006\003\125\004\013\023\012\145\155\123\151\147\156  
\040\120\113\111\061\045\060\043\006\003\125\004\012\023\034\145  
\115\165\144\150\162\141\040\124\145\143\150\156\157\154\157\147  
\151\145\163\040\114\151\155\151\164\145\144\061\034\060\032\006  
\003\125\004\003\023\023\145\155\123\151\147\156\040\122\157\157  
\164\040\103\101\040\055\040\107\061

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\147\061\013\060\011\006\003\125\004\006\023\002\111\116\061  
\023\060\021\006\003\125\004\013\023\012\145\155\123\151\147\156  
\040\120\113\111\061\045\060\043\006\003\125\004\012\023\034\145  
\115\165\144\150\162\141\040\124\145\143\150\156\157\154\157\147  
\151\145\163\040\114\151\155\151\164\145\144\061\034\060\032\006  
\003\125\004\003\023\023\145\155\123\151\147\156\040\122\157\157  
\164\040\103\101\040\055\040\107\061

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\012\061\365\344\142\014\154\130\355\326\330

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\003\224\060\202\002\174\240\003\002\001\002\002\012\061  
\365\344\142\014\154\130\355\326\330\060\015\006\011\052\206\110  
\206\367\015\001\001\013\005\000\060\147\061\013\060\011\006\003  
\125\004\006\023\002\111\116\061\023\060\021\006\003\125\004\013  
\023\012\145\155\123\151\147\156\040\120\113\111\061\045\060\043  
\006\003\125\004\012\023\034\145\115\165\144\150\162\141\040\124  
\145\143\150\156\157\154\157\147\151\145\163\040\114\151\155\151  
\164\145\144\061\034\060\032\006\003\125\004\003\023\023\145\155  
\123\151\147\156\040\122\157\157\164\040\103\101\040\055\040\107  
\061\060\036\027\015\061\070\060\062\061\070\061\070\063\060\060\060  
\060\132\027\015\064\063\060\062\061\070\061\070\063\060\060\060  
\132\060\147\061\013\060\011\006\003\125\004\006\023\002\111\116  
\061\023\060\021\006\003\125\004\013\023\012\145\155\123\151\147  
\156\040\120\113\111\061\045\060\043\006\003\125\004\012\023\034  
\145\115\165\144\150\162\141\040\124\145\143\150\156\157\154\157  
\147\151\145\163\040\114\151\155\151\164\145\144\061\034\060\032  
\006\003\125\004\003\023\023\145\155\123\151\147\156\040\122\157  
\157\164\040\103\101\040\055\040\107\061\060\202\001\042\060\015  
\006\011\052\206\110\206\367\015\001\001\001\005\000\003\202\001  
\017\000\060\202\001\012\002\202\001\001\000\223\113\273\351\146  
\212\356\235\133\325\064\223\320\033\036\303\347\236\270\144\063  
\177\143\170\150\264\315\056\161\165\327\233\040\306\115\051\274  
\266\150\140\212\367\041\232\126\065\132\363\166\275\330\315\232  
\377\223\126\113\245\131\006\241\223\064\051\335\026\064\165\116  
\362\201\264\307\226\116\255\031\025\122\112\376\074\160\165\160  
\315\257\053\253\025\232\063\074\252\263\213\252\315\103\375\365  
\352\160\377\355\317\021\073\224\316\116\062\026\323\043\100\052  
\167\263\257\074\001\054\154\355\231\054\213\331\116\151\230\262  
\367\217\101\260\062\170\141\326\015\137\303\372\242\100\222\035  
\134\027\346\160\076\065\347\242\267\302\142\342\253\244\070\114  
\265\071\065\157\352\003\151\372\072\124\150\205\155\326\362\057  
\103\125\036\221\015\016\330\325\152\244\226\321\023\074\054\170  
\120\350\072\222\322\027\126\345\065\032\100\034\076\215\054\355  
\071\337\102\340\203\101\164\337\243\315\302\206\140\110\150\343  
\151\013\124\000\213\344\166\151\041\015\171\116\064\010\136\024  
\302\314\261\267\255\327\174\160\212\307\205\002\003\001\000\001  
\243\102\060\100\060\035\006\003\125\035\016\004\026\004\024\373  
\357\015\206\236\260\343\335\251\271\361\041\027\177\076\374\360  
\167\053\032\060\016\006\003\125\035\017\001\001\377\004\004\003  
\002\001\006\060\017\006\003\125\035\023\001\001\377\004\005\060  
\003\001\001\377\060\015\006\011\052\206\110\206\367\015\001\001  
\013\005\000\003\202\001\001\000\131\377\362\214\365\207\175\161  
\075\243\237\033\133\321\332\370\323\234\153\066\275\233\251\141  
\353\336\026\054\164\075\236\346\165\332\327\272\247\274\102\027

```
\347\075\221\353\345\175\335\076\234\361\317\222\254\154\110\314
\302\042\077\151\073\305\266\025\057\243\065\306\150\052\034\127
\257\071\357\215\320\065\303\030\014\173\000\126\034\315\213\031
\164\336\276\017\022\340\320\252\241\077\002\064\261\160\316\235
\030\326\010\003\011\106\356\140\340\176\266\304\111\004\121\175
\160\140\274\252\262\377\171\162\172\246\035\075\137\052\370\312
\342\375\071\267\107\271\353\176\337\004\043\257\372\234\006\007
\351\373\143\223\200\100\265\306\154\012\061\050\316\014\237\317
\263\043\065\200\101\215\154\304\067\173\201\057\200\241\100\102
\205\351\331\070\215\350\241\123\315\001\277\151\350\132\006\362
\105\013\220\372\256\341\277\235\362\256\127\074\245\256\262\126
\364\213\145\100\351\375\061\201\054\364\071\011\330\356\153\247
\264\246\035\025\245\230\367\001\201\330\205\175\363\121\134\161
\210\336\272\314\037\200\176\112
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRUST_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRUST_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "emSign Root CA - G1"
```

```
# Issuer: CN=emSign Root CA - G1,O=eMudhra Technologies Limited,OU=emSign PKI,C=IN
```

```
# Serial Number:31:f5:e4:62:0c:6c:58:ed:d6:d8
```

```
# Subject: CN=emSign Root CA - G1,O=eMudhra Technologies Limited,OU=emSign PKI,C=IN
```

```
# Not Valid Before: Sun Feb 18 18:30:00 2018
```

```
# Not Valid After : Wed Feb 18 18:30:00 2043
```

```
# Fingerprint (SHA-256):
```

```
40:F6:AF:03:46:A9:9A:A1:CD:1D:55:5A:4E:9C:CE:62:C7:F9:63:46:03:EE:40:66:15:83:3D:C8:C8:D0:03:67
```

```
# Fingerprint (SHA1): 8A:C7:AD:8F:73:AC:4E:C1:B5:75:4D:A5:40:F4:FC:CF:7C:B5:8E:8C
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "emSign Root CA - G1"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\212\307\255\217\163\254\116\301\265\165\115\245\100\364\374\317
\174\265\216\214
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\234\102\204\127\335\313\013\247\056\225\255\266\363\332\274\254
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\147\061\013\060\011\006\003\125\004\006\023\002\111\116\061
\023\060\021\006\003\125\004\013\023\012\145\155\123\151\147\156
\040\120\113\111\061\045\060\043\006\003\125\004\012\023\034\145
\115\165\144\150\162\141\040\124\145\143\150\156\157\154\157\147
\151\145\163\040\114\151\155\151\164\145\144\061\034\060\032\006
\003\125\004\003\023\023\145\155\123\151\147\156\040\122\157\157
\164\040\103\101\040\055\040\107\061
```

```

END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\012\061\365\344\142\014\154\130\355\326\330
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "emSign ECC Root CA - G3"
#
# Issuer: CN=emSign ECC Root CA - G3,O=eMudhra Technologies Limited,OU=emSign PKI,C=IN
# Serial Number:3c:f6:07:a9:68:70:0e:da:8b:84
# Subject: CN=emSign ECC Root CA - G3,O=eMudhra Technologies Limited,OU=emSign PKI,C=IN
# Not Valid Before: Sun Feb 18 18:30:00 2018
# Not Valid After : Wed Feb 18 18:30:00 2043
# Fingerprint (SHA-256):
86:A1:EC:BA:08:9C:4A:8D:3B:BE:27:34:C6:12:BA:34:1D:81:3E:04:3C:F9:E8:A8:62:CD:5C:57:A3:6B:BE:6B
# Fingerprint (SHA1): 30:43:FA:4F:F2:57:DC:A0:C3:80:EE:2E:58:EA:78:B2:3F:E6:BB:C1
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "emSign ECC Root CA - G3"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\153\061\013\060\011\006\003\125\004\006\023\002\111\116\061
\023\060\021\006\003\125\004\013\023\012\145\155\123\151\147\156
\040\120\113\111\061\045\060\043\006\003\125\004\012\023\034\145
\115\165\144\150\162\141\040\124\145\143\150\156\157\154\157\147
\151\145\163\040\114\151\155\151\164\145\144\061\040\060\036\006
\003\125\004\003\023\027\145\155\123\151\147\156\040\105\103\103
\040\122\157\157\164\040\103\101\040\055\040\107\063
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\153\061\013\060\011\006\003\125\004\006\023\002\111\116\061
\023\060\021\006\003\125\004\013\023\012\145\155\123\151\147\156
\040\120\113\111\061\045\060\043\006\003\125\004\012\023\034\145
\115\165\144\150\162\141\040\124\145\143\150\156\157\154\157\147
\151\145\163\040\114\151\155\151\164\145\144\061\040\060\036\006
\003\125\004\003\023\027\145\155\123\151\147\156\040\105\103\103
\040\122\157\157\164\040\103\101\040\055\040\107\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\012\074\366\007\251\150\160\016\332\213\204
END

```

CKA\_VALUE MULTILINE\_OCTAL

\060\202\002\116\060\202\001\323\240\003\002\001\002\002\012\074  
\366\007\251\150\160\016\332\213\204\060\012\006\010\052\206\110  
\316\075\004\003\003\060\153\061\013\060\011\006\003\125\004\006  
\023\002\111\116\061\023\060\021\006\003\125\004\013\023\012\145  
\155\123\151\147\156\040\120\113\111\061\045\060\043\006\003\125  
\004\012\023\034\145\115\165\144\150\162\141\040\124\145\143\150  
\156\157\154\157\147\151\145\163\040\114\151\155\151\164\145\144  
\061\040\060\036\006\003\125\004\003\023\027\145\155\123\151\147  
\156\040\105\103\103\040\122\157\157\164\040\103\101\040\055\040  
\107\063\060\036\027\015\061\070\060\062\061\070\061\070\063\060  
\060\060\132\027\015\064\063\060\062\061\070\061\070\063\060\060  
\060\132\060\153\061\013\060\011\006\003\125\004\006\023\002\111  
\116\061\023\060\021\006\003\125\004\013\023\012\145\155\123\151  
\147\156\040\120\113\111\061\045\060\043\006\003\125\004\012\023  
\034\145\115\165\144\150\162\141\040\124\145\143\150\156\157\154  
\157\147\151\145\163\040\114\151\155\151\164\145\144\061\040\060  
\036\006\003\125\004\003\023\027\145\155\123\151\147\156\040\105  
\103\103\040\122\157\157\164\040\103\101\040\055\040\107\063\060  
\166\060\020\006\007\052\206\110\316\075\002\001\006\005\053\201  
\004\000\042\003\142\000\004\043\245\014\270\055\022\365\050\363  
\261\262\335\342\002\022\200\236\071\137\111\115\237\311\045\064  
\131\164\354\273\006\034\347\300\162\257\350\256\057\341\101\124  
\207\024\250\112\262\350\174\202\346\133\152\265\334\263\165\316  
\213\006\320\206\043\277\106\325\216\017\077\004\364\327\034\222  
\176\366\245\143\302\365\137\216\056\117\241\030\031\002\053\062  
\012\202\144\175\026\223\321\243\102\060\100\060\035\006\003\125  
\035\016\004\026\004\024\174\135\002\204\023\324\314\212\233\201  
\316\027\034\056\051\036\234\110\143\102\060\016\006\003\125\035  
\017\001\001\377\004\004\003\002\001\006\060\017\006\003\125\035  
\023\001\001\377\004\005\060\003\001\001\377\060\012\006\010\052  
\206\110\316\075\004\003\003\003\151\000\060\146\002\061\000\276  
\363\141\317\002\020\035\144\225\007\270\030\156\210\205\005\057  
\203\010\027\220\312\037\212\114\350\015\033\172\261\255\325\201  
\011\107\357\073\254\010\004\174\134\231\261\355\107\007\322\002  
\061\000\235\272\125\374\251\112\350\355\355\346\166\001\102\173  
\310\370\140\331\215\121\213\125\073\373\214\173\353\145\011\303  
\370\226\315\107\250\202\362\026\125\167\044\176\022\020\225\004  
\054\243

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "emSign ECC Root CA - G3"  
# Issuer: CN=emSign ECC Root CA - G3,O=eMudhra Technologies Limited,OU=emSign PKI,C=IN  
# Serial Number:3c:f6:07:a9:68:70:0e:da:8b:84  
# Subject: CN=emSign ECC Root CA - G3,O=eMudhra Technologies Limited,OU=emSign PKI,C=IN



```

# Not Valid Before: Sun Feb 18 18:30:00 2018
# Not Valid After : Wed Feb 18 18:30:00 2043
# Fingerprint (SHA-256):
86:A1:EC:BA:08:9C:4A:8D:3B:BE:27:34:C6:12:BA:34:1D:81:3E:04:3C:F9:E8:A8:62:CD:5C:57:A3:6B:BE:6B
# Fingerprint (SHA1): 30:43:FA:4F:F2:57:DC:A0:C3:80:EE:2E:58:EA:78:B2:3F:E6:BB:C1
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "emSign ECC Root CA - G3"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\060\103\372\117\362\127\334\240\303\200\356\056\130\352\170\262
\077\346\273\301
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\316\013\162\321\237\210\216\320\120\003\350\343\270\213\147\100
END
CKA_ISSUER MULTILINE_OCTAL
\060\153\061\013\060\011\006\003\125\004\006\023\002\111\116\061
\023\060\021\006\003\125\004\013\023\012\145\155\123\151\147\156
\040\120\113\111\061\045\060\043\006\003\125\004\012\023\034\145
\115\165\144\150\162\141\040\124\145\143\150\156\157\154\157\147
\151\145\163\040\114\151\155\151\164\145\144\061\040\060\036\006
\003\125\004\003\023\027\145\155\123\151\147\156\040\105\103\103
\040\122\157\157\164\040\103\101\040\055\040\107\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\012\074\366\007\251\150\160\016\332\213\204
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "emSign Root CA - C1"
#
# Issuer: CN=emSign Root CA - C1,O=eMudhra Inc,OU=emSign PKI,C=US
# Serial Number:00:ae:cf:00:ba:c4:cf:32:f8:43:b2
# Subject: CN=emSign Root CA - C1,O=eMudhra Inc,OU=emSign PKI,C=US
# Not Valid Before: Sun Feb 18 18:30:00 2018
# Not Valid After : Wed Feb 18 18:30:00 2043
# Fingerprint (SHA-256):
12:56:09:AA:30:1D:A0:A2:49:B9:7A:82:39:CB:6A:34:21:6F:44:DC:AC:9F:39:54:B1:42:92:F2:E8:C8:60:8F
# Fingerprint (SHA1): E7:2E:F1:DF:FC:B2:09:28:CF:5D:D4:D5:67:37:B1:51:CB:86:4F:01
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE

```

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE  
CKA\_LABEL UTF8 "emSign Root CA - C1"  
CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509  
CKA\_SUBJECT MULTILINE\_OCTAL  
\060\126\061\013\060\011\006\003\125\004\006\023\002\125\123\061  
\023\060\021\006\003\125\004\013\023\012\145\155\123\151\147\156  
\040\120\113\111\061\024\060\022\006\003\125\004\012\023\013\145  
\115\165\144\150\162\141\040\111\156\143\061\034\060\032\006\003  
\125\004\003\023\023\145\155\123\151\147\156\040\122\157\157\164  
\040\103\101\040\055\040\103\061

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL  
\060\126\061\013\060\011\006\003\125\004\006\023\002\125\123\061  
\023\060\021\006\003\125\004\013\023\012\145\155\123\151\147\156  
\040\120\113\111\061\024\060\022\006\003\125\004\012\023\013\145  
\115\165\144\150\162\141\040\111\156\143\061\034\060\032\006\003  
\125\004\003\023\023\145\155\123\151\147\156\040\122\157\157\164  
\040\103\101\040\055\040\103\061

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL  
\002\013\000\256\317\000\272\304\317\062\370\103\262

END

CKA\_VALUE MULTILINE\_OCTAL  
\060\202\003\163\060\202\002\133\240\003\002\001\002\002\013\000  
\256\317\000\272\304\317\062\370\103\262\060\015\006\011\052\206  
\110\206\367\015\001\001\013\005\000\060\126\061\013\060\011\006  
\003\125\004\006\023\002\125\123\061\023\060\021\006\003\125\004  
\013\023\012\145\155\123\151\147\156\040\120\113\111\061\024\060  
\022\006\003\125\004\012\023\013\145\115\165\144\150\162\141\040  
\111\156\143\061\034\060\032\006\003\125\004\003\023\023\145\155  
\123\151\147\156\040\122\157\157\164\040\103\101\040\055\040\103  
\061\060\036\027\015\061\070\060\062\061\070\061\070\063\060\060  
\060\132\027\015\064\063\060\062\061\070\061\070\063\060\060\060  
\132\060\126\061\013\060\011\006\003\125\004\006\023\002\125\123  
\061\023\060\021\006\003\125\004\013\023\012\145\155\123\151\147  
\156\040\120\113\111\061\024\060\022\006\003\125\004\012\023\013  
\145\115\165\144\150\162\141\040\111\156\143\061\034\060\032\006  
\003\125\004\003\023\023\145\155\123\151\147\156\040\122\157\157  
\164\040\103\101\040\055\040\103\061\060\202\001\042\060\015\006  
\011\052\206\110\206\367\015\001\001\001\005\000\003\202\001\017  
\000\060\202\001\012\002\202\001\001\000\317\353\251\271\361\231  
\005\314\330\050\041\112\363\163\064\121\204\126\020\365\240\117  
\054\022\343\372\023\232\047\320\317\371\171\032\164\137\035\171  
\071\374\133\370\160\216\340\222\122\367\344\045\371\124\203\331  
\035\323\310\132\205\077\136\307\266\007\356\076\300\316\232\257  
\254\126\102\052\071\045\160\326\277\265\173\066\255\254\366\163  
\334\315\327\035\212\203\245\373\053\220\025\067\153\034\046\107

\334\073\051\126\223\152\263\301\152\072\235\075\365\301\227\070  
\130\005\213\034\021\343\344\264\270\135\205\035\203\376\170\137  
\013\105\150\030\110\245\106\163\064\073\376\017\310\166\273\307  
\030\363\005\321\206\363\205\355\347\271\331\062\255\125\210\316  
\246\266\221\260\117\254\176\025\043\226\366\077\360\040\064\026  
\336\012\306\304\004\105\171\177\247\375\276\322\251\245\257\234  
\305\043\052\367\074\041\154\275\257\217\116\305\072\262\363\064  
\022\374\337\200\032\111\244\324\251\225\367\236\211\136\242\211  
\254\224\313\250\150\233\257\212\145\047\315\211\356\335\214\265  
\153\051\160\103\240\151\013\344\271\017\002\003\001\000\001\243  
\102\060\100\060\035\006\003\125\035\016\004\026\004\024\376\241  
\340\160\036\052\003\071\122\132\102\276\134\221\205\172\030\252  
\115\265\060\016\006\003\125\035\017\001\001\377\004\004\003\002  
\001\006\060\017\006\003\125\035\023\001\001\377\004\005\060\003  
\001\001\377\060\015\006\011\052\206\110\206\367\015\001\001\013  
\005\000\003\202\001\001\000\302\112\126\372\025\041\173\050\242  
\351\345\035\373\370\055\304\071\226\101\114\073\047\054\304\154  
\030\025\200\306\254\257\107\131\057\046\013\343\066\260\357\073  
\376\103\227\111\062\231\022\025\133\337\021\051\377\253\123\370  
\273\301\170\017\254\234\123\257\127\275\150\214\075\151\063\360  
\243\240\043\143\073\144\147\042\104\255\325\161\313\126\052\170  
\222\243\117\022\061\066\066\342\336\376\000\304\243\140\017\047  
\255\240\260\212\265\066\172\122\241\275\047\364\040\047\142\350  
\115\224\044\023\344\012\004\351\074\253\056\310\103\011\112\306  
\141\004\345\111\064\176\323\304\310\365\017\300\252\351\272\124  
\136\363\143\053\117\117\120\324\376\271\173\231\214\075\300\056  
\274\002\053\323\304\100\344\212\007\061\036\233\316\046\231\023  
\373\021\352\232\042\014\021\031\307\136\033\201\120\060\310\226  
\022\156\347\313\101\177\221\073\242\107\267\124\200\033\334\000  
\314\232\220\352\303\303\120\006\142\014\060\300\025\110\247\250  
\131\174\341\256\042\242\342\012\172\017\372\142\253\122\114\341  
\361\337\312\276\203\015\102

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "emSign Root CA - C1"

# Issuer: CN=emSign Root CA - C1,O=eMudhra Inc,OU=emSign PKI,C=US

# Serial Number:00:ae:cf:00:ba:c4:cf:32:f8:43:b2

# Subject: CN=emSign Root CA - C1,O=eMudhra Inc,OU=emSign PKI,C=US

# Not Valid Before: Sun Feb 18 18:30:00 2018

# Not Valid After : Wed Feb 18 18:30:00 2043

# Fingerprint (SHA-256):

12:56:09:AA:30:1D:A0:A2:49:B9:7A:82:39:CB:6A:34:21:6F:44:DC:AC:9F:39:54:B1:42:92:F2:E8:C8:60:8F

# Fingerprint (SHA1): E7:2E:F1:DF:FC:B2:09:28:CF:5D:D4:D5:67:37:B1:51:CB:86:4F:01

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

```

CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "emSign Root CA - C1"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\347\056\361\337\374\262\011\050\317\135\324\325\147\067\261\121
\313\206\117\001
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\330\343\135\001\041\372\170\132\260\337\272\322\356\052\137\150
END
CKA_ISSUER MULTILINE_OCTAL
\060\126\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\023\060\021\006\003\125\004\013\023\012\145\155\123\151\147\156
\040\120\113\111\061\024\060\022\006\003\125\004\012\023\013\145
\115\165\144\150\162\141\040\111\156\143\061\034\060\032\006\003
\125\004\003\023\023\145\155\123\151\147\156\040\122\157\157\164
\040\103\101\040\055\040\103\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\013\000\256\317\000\272\304\317\062\370\103\262
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "emSign ECC Root CA - C3"
#
# Issuer: CN=emSign ECC Root CA - C3,O=eMudhra Inc,OU=emSign PKI,C=US
# Serial Number:7b:71:b6:82:56:b8:12:7c:9c:a8
# Subject: CN=emSign ECC Root CA - C3,O=eMudhra Inc,OU=emSign PKI,C=US
# Not Valid Before: Sun Feb 18 18:30:00 2018
# Not Valid After : Wed Feb 18 18:30:00 2043
# Fingerprint (SHA-256):
BC:4D:80:9B:15:18:9D:78:DB:3E:1D:8C:F4:F9:72:6A:79:5D:A1:64:3C:A5:F1:35:8E:1D:DB:0E:DC:0D:7E:B3
# Fingerprint (SHA1): B6:AF:43:C2:9B:81:53:7D:F6:EF:6B:C3:1F:1F:60:15:0C:EE:48:66
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "emSign ECC Root CA - C3"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\132\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\023\060\021\006\003\125\004\013\023\012\145\155\123\151\147\156
\040\120\113\111\061\024\060\022\006\003\125\004\012\023\013\145
\115\165\144\150\162\141\040\111\156\143\061\040\060\036\006\003

```

```
\125\004\003\023\027\145\155\123\151\147\156\040\105\103\103\040
\122\157\157\164\040\103\101\040\055\040\103\063
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\132\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\023\060\021\006\003\125\004\013\023\012\145\155\123\151\147\156
\040\120\113\111\061\024\060\022\006\003\125\004\012\023\013\145
\115\165\144\150\162\141\040\111\156\143\061\040\060\036\006\003
\125\004\003\023\027\145\155\123\151\147\156\040\105\103\103\040
\122\157\157\164\040\103\101\040\055\040\103\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\012\173\161\266\202\126\270\022\174\234\250
END
CKA_VALUE MULTILINE_OCTAL
\060\202\002\053\060\202\001\261\240\003\002\001\002\002\012\173
\161\266\202\126\270\022\174\234\250\060\012\006\010\052\206\110
\316\075\004\003\003\060\132\061\013\060\011\006\003\125\004\006
\023\002\125\123\061\023\060\021\006\003\125\004\013\023\012\145
\155\123\151\147\156\040\120\113\111\061\024\060\022\006\003\125
\004\012\023\013\145\115\165\144\150\162\141\040\111\156\143\061
\040\060\036\006\003\125\004\003\023\027\145\155\123\151\147\156
\040\105\103\103\040\122\157\157\164\040\103\101\040\055\040\103
\063\060\036\027\015\061\070\060\062\061\070\061\070\063\060\060
\060\132\027\015\064\063\060\062\061\070\061\070\063\060\060\060
\132\060\132\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\023\060\021\006\003\125\004\013\023\012\145\155\123\151\147
\156\040\120\113\111\061\024\060\022\006\003\125\004\012\023\013
\145\115\165\144\150\162\141\040\111\156\143\061\040\060\036\006
\003\125\004\003\023\027\145\155\123\151\147\156\040\105\103\103
\040\122\157\157\164\040\103\101\040\055\040\103\063\060\166\060
\020\006\007\052\206\110\316\075\002\001\006\005\053\201\004\000
\042\003\142\000\004\375\245\141\256\173\046\020\035\351\267\042
\060\256\006\364\201\263\261\102\161\225\071\274\323\122\343\257
\257\371\362\227\065\222\066\106\016\207\225\215\271\071\132\351
\273\337\320\376\310\007\101\074\273\125\157\203\243\152\373\142
\260\201\211\002\160\175\110\305\112\343\351\042\124\042\115\223
\273\102\014\257\167\234\043\246\175\327\141\021\316\145\307\370
\177\376\365\362\251\243\102\060\100\060\035\006\003\125\035\016
\004\026\004\024\373\132\110\320\200\040\100\362\250\351\000\007
\151\031\167\247\346\303\364\317\060\016\006\003\125\035\017\001
\001\377\004\004\003\002\001\006\060\017\006\003\125\035\023\001
\001\377\004\005\060\003\001\001\377\060\012\006\010\052\206\110
\316\075\004\003\003\003\150\000\060\145\002\061\000\264\330\057
\002\211\375\266\114\142\272\103\116\023\204\162\265\256\335\034
\336\326\265\334\126\217\130\100\132\055\336\040\114\042\203\312
\223\250\176\356\022\100\307\326\207\117\370\337\205\002\060\034
```

```
\024\144\344\174\226\203\021\234\260\321\132\141\113\246\017\111
\323\000\374\241\374\344\245\377\177\255\327\060\320\307\167\177
\276\201\007\125\060\120\040\024\365\127\070\012\250\061\121
END
```

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "emSign ECC Root CA - C3"
```

```
# Issuer: CN=emSign ECC Root CA - C3,O=eMudhra Inc,OU=emSign PKI,C=US
```

```
# Serial Number:7b:71:b6:82:56:b8:12:7c:9c:a8
```

```
# Subject: CN=emSign ECC Root CA - C3,O=eMudhra Inc,OU=emSign PKI,C=US
```

```
# Not Valid Before: Sun Feb 18 18:30:00 2018
```

```
# Not Valid After : Wed Feb 18 18:30:00 2043
```

```
# Fingerprint (SHA-256):
```

```
BC:4D:80:9B:15:18:9D:78:DB:3E:1D:8C:F4:F9:72:6A:79:5D:A1:64:3C:A5:F1:35:8E:1D:DB:0E:DC:0D:7E:B3
```

```
# Fingerprint (SHA1): B6:AF:43:C2:9B:81:53:7D:F6:EF:6B:C3:1F:1F:60:15:0C:EE:48:66
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "emSign ECC Root CA - C3"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\266\257\103\302\233\201\123\175\366\357\153\303\037\037\140\025
\014\356\110\146
```

```
END
```

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\076\123\263\243\201\356\327\020\370\323\260\035\027\222\365\325
```

```
END
```

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\132\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\023\060\021\006\003\125\004\013\023\012\145\155\123\151\147\156
\040\120\113\111\061\024\060\022\006\003\125\004\012\023\013\145
\115\165\144\150\162\141\040\111\156\143\061\040\060\036\006\003
\125\004\003\023\027\145\155\123\151\147\156\040\105\103\103\040
\122\157\157\164\040\103\101\040\055\040\103\063
```

```
END
```

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\012\173\161\266\202\126\270\022\174\234\250
```

```
END
```

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

```
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE
```

```
#
```

```
# Certificate "Hongkong Post Root CA 3"
```

```
#
```

```
# Issuer: CN=Hongkong Post Root CA 3,O=Hongkong Post,L=Hong Kong,ST=Hong Kong,C=HK
# Serial Number:08:16:5f:8a:4c:a5:ec:00:c9:93:40:df:c4:c6:ae:23:b8:1c:5a:a4
# Subject: CN=Hongkong Post Root CA 3,O=Hongkong Post,L=Hong Kong,ST=Hong Kong,C=HK
# Not Valid Before: Sat Jun 03 02:29:46 2017
# Not Valid After : Tue Jun 03 02:29:46 2042
# Fingerprint (SHA-256):
5A:2F:C0:3F:0C:83:B0:90:BB:FA:40:60:4B:09:88:44:6C:76:36:18:3D:F9:84:6E:17:10:1A:44:7F:B8:EF:D6
# Fingerprint (SHA1): 58:A2:D0:EC:20:52:81:5B:C1:F3:F8:64:02:24:4E:C2:8E:02:4B:02
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Hongkong Post Root CA 3"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\157\061\013\060\011\006\003\125\004\006\023\002\110\113\061
\022\060\020\006\003\125\004\010\023\011\110\157\156\147\040\113
\157\156\147\061\022\060\020\006\003\125\004\007\023\011\110\157
\156\147\040\113\157\156\147\061\026\060\024\006\003\125\004\012
\023\015\110\157\156\147\153\157\156\147\040\120\157\163\164\061
\040\060\036\006\003\125\004\003\023\027\110\157\156\147\153\157
\156\147\040\120\157\163\164\040\122\157\157\164\040\103\101\040
\063
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\157\061\013\060\011\006\003\125\004\006\023\002\110\113\061
\022\060\020\006\003\125\004\010\023\011\110\157\156\147\040\113
\157\156\147\061\022\060\020\006\003\125\004\007\023\011\110\157
\156\147\040\113\157\156\147\061\026\060\024\006\003\125\004\012
\023\015\110\157\156\147\153\157\156\147\040\120\157\163\164\061
\040\060\036\006\003\125\004\003\023\027\110\157\156\147\153\157
\156\147\040\120\157\163\164\040\122\157\157\164\040\103\101\040
\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\024\010\026\137\212\114\245\354\000\311\223\100\337\304\306
\256\043\270\034\132\244
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\317\060\202\003\267\240\003\002\001\002\002\024\010
\026\137\212\114\245\354\000\311\223\100\337\304\306\256\043\270
\034\132\244\060\015\006\011\052\206\110\206\367\015\001\001\013
\005\000\060\157\061\013\060\011\006\003\125\004\006\023\002\110
\113\061\022\060\020\006\003\125\004\010\023\011\110\157\156\147
\040\113\157\156\147\061\022\060\020\006\003\125\004\007\023\011
\110\157\156\147\040\113\157\156\147\061\026\060\024\006\003\125
\004\012\023\015\110\157\156\147\153\157\156\147\040\120\157\163
```

\164\061\040\060\036\006\003\125\004\003\023\027\110\157\156\147  
\153\157\156\147\040\120\157\163\164\040\122\157\157\164\040\103  
\101\040\063\060\036\027\015\061\067\060\066\060\063\060\062\062  
\071\064\066\132\027\015\064\062\060\066\060\063\060\062\062\071  
\064\066\132\060\157\061\013\060\011\006\003\125\004\006\023\002  
\110\113\061\022\060\020\006\003\125\004\010\023\011\110\157\156  
\147\040\113\157\156\147\061\022\060\020\006\003\125\004\007\023  
\011\110\157\156\147\040\113\157\156\147\061\026\060\024\006\003  
\125\004\012\023\015\110\157\156\147\153\157\156\147\040\120\157  
\163\164\061\040\060\036\006\003\125\004\003\023\027\110\157\156  
\147\153\157\156\147\040\120\157\163\164\040\122\157\157\164\040  
\103\101\040\063\060\202\002\042\060\015\006\011\052\206\110\206  
\367\015\001\001\001\005\000\003\202\002\017\000\060\202\002\012  
\002\202\002\001\000\263\210\327\352\316\017\040\116\276\346\326  
\003\155\356\131\374\302\127\337\051\150\241\203\016\076\150\307  
\150\130\234\034\140\113\211\103\014\271\324\025\262\356\301\116  
\165\351\265\247\357\345\351\065\231\344\314\034\347\113\137\215  
\063\060\040\063\123\331\246\273\325\076\023\216\351\037\207\111  
\255\120\055\120\312\030\276\001\130\242\023\160\226\273\211\210  
\126\200\134\370\275\054\074\341\114\127\210\273\323\271\225\357  
\313\307\366\332\061\164\050\246\346\124\211\365\101\061\312\345  
\046\032\315\202\340\160\332\073\051\273\325\003\365\231\272\125  
\365\144\321\140\016\263\211\111\270\212\057\005\322\204\105\050  
\174\217\150\120\022\170\374\013\265\123\313\302\230\034\204\243  
\236\260\276\043\244\332\334\310\053\036\332\156\105\036\211\230  
\332\371\000\056\006\351\014\073\160\325\120\045\210\231\313\315  
\163\140\367\325\377\065\147\305\241\274\136\253\315\112\270\105  
\353\310\150\036\015\015\024\106\022\343\322\144\142\212\102\230  
\274\264\306\010\010\370\375\250\114\144\234\166\001\275\057\251  
\154\063\017\330\077\050\270\074\151\001\102\206\176\151\301\311  
\006\312\345\172\106\145\351\302\326\120\101\056\077\267\344\355  
\154\327\277\046\001\021\242\026\051\112\153\064\006\220\354\023  
\322\266\373\152\166\322\074\355\360\326\055\335\341\025\354\243  
\233\057\054\311\076\053\344\151\073\377\162\045\261\066\206\133  
\307\177\153\213\125\033\112\305\040\141\075\256\313\120\341\010  
\072\276\260\217\143\101\123\060\010\131\074\230\035\167\272\143  
\221\172\312\020\120\140\277\360\327\274\225\207\217\227\305\376  
\227\152\001\224\243\174\133\205\035\052\071\072\320\124\241\321  
\071\161\235\375\041\371\265\173\360\342\340\002\217\156\226\044  
\045\054\240\036\054\250\304\211\247\357\355\231\006\057\266\012  
\114\117\333\242\314\067\032\257\107\205\055\212\137\304\064\064  
\114\000\375\030\223\147\023\321\067\346\110\264\213\006\305\127  
\173\031\206\012\171\313\000\311\122\257\102\377\067\217\341\243  
\036\172\075\120\253\143\006\347\025\265\077\266\105\067\224\067  
\261\176\362\110\303\177\305\165\376\227\215\105\217\032\247\032  
\162\050\032\100\017\002\003\001\000\001\243\143\060\141\060\017  
\006\003\125\035\023\001\001\377\004\005\060\003\001\001\377\060  
\016\006\003\125\035\017\001\001\377\004\004\003\002\001\006\060



\037\006\003\125\035\043\004\030\060\026\200\024\027\235\315\036  
\213\326\071\053\160\323\134\324\240\270\037\260\000\374\305\141  
\060\035\006\003\125\035\016\004\026\004\024\027\235\315\036\213  
\326\071\053\160\323\134\324\240\270\037\260\000\374\305\141\060  
\015\006\011\052\206\110\206\367\015\001\001\013\005\000\003\202  
\002\001\000\126\325\173\156\346\042\001\322\102\233\030\325\016  
\327\146\043\134\343\376\240\307\222\322\351\224\255\113\242\306  
\354\022\174\164\325\110\322\131\024\231\300\353\271\321\353\364  
\110\060\133\255\247\127\163\231\251\323\345\267\321\056\131\044  
\130\334\150\056\056\142\330\152\344\160\013\055\040\120\040\244  
\062\225\321\000\230\273\323\375\367\062\362\111\256\306\172\340  
\107\276\156\316\313\243\162\072\055\151\135\313\310\350\105\071  
\324\372\102\301\021\114\167\135\222\373\152\377\130\104\345\353  
\201\236\257\240\231\255\276\251\001\146\313\070\035\074\337\103  
\037\364\115\156\264\272\027\106\374\175\375\207\201\171\152\015  
\063\017\372\057\370\024\271\200\263\135\115\252\227\341\371\344  
\030\305\370\325\070\214\046\074\375\362\050\342\356\132\111\210  
\054\337\171\075\216\236\220\074\275\101\112\072\335\133\366\232  
\264\316\077\045\060\177\062\175\242\003\224\320\334\172\241\122  
\336\156\223\215\030\046\375\125\254\275\217\233\322\317\257\347  
\206\054\313\037\011\157\243\157\251\204\324\163\277\115\241\164  
\033\116\043\140\362\314\016\252\177\244\234\114\045\250\262\146  
\073\070\377\331\224\060\366\162\204\276\150\125\020\017\306\163  
\054\026\151\223\007\376\261\105\355\273\242\125\152\260\332\265  
\112\002\045\047\205\327\267\267\206\104\026\211\154\200\053\076  
\227\251\234\325\176\125\114\306\336\105\020\034\352\351\073\237  
\003\123\356\356\172\001\002\026\170\324\350\302\276\106\166\210  
\023\077\042\273\110\022\035\122\000\264\002\176\041\032\036\234  
\045\364\363\075\136\036\322\034\371\263\055\266\367\067\134\306  
\313\041\116\260\367\231\107\030\205\301\053\272\125\256\006\352  
\320\007\262\334\253\320\202\226\165\316\322\120\376\231\347\317  
\057\237\347\166\321\141\052\373\041\273\061\320\252\237\107\244  
\262\042\312\026\072\120\127\304\133\103\147\305\145\142\003\111  
\001\353\103\331\330\370\236\255\317\261\143\016\105\364\240\132  
\054\233\055\305\246\300\255\250\107\364\047\114\070\015\056\033  
\111\073\122\364\350\210\203\053\124\050\324\362\065\122\264\062  
\203\142\151\144\014\221\234\237\227\352\164\026\375\037\021\006  
\232\233\364

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRUST\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRUST\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "Hongkong Post Root CA 3"

# Issuer: CN=Hongkong Post Root CA 3,O=Hongkong Post,L=Hong Kong,ST=Hong Kong,C=HK

# Serial Number:08:16:5f:8a:4c:a5:ec:00:c9:93:40:df:c4:c6:ae:23:b8:1c:5a:a4

# Subject: CN=Hongkong Post Root CA 3,O=Hongkong Post,L=Hong Kong,ST=Hong Kong,C=HK

# Not Valid Before: Sat Jun 03 02:29:46 2017

```
# Not Valid After : Tue Jun 03 02:29:46 2042
# Fingerprint (SHA-256):
5A:2F:C0:3F:0C:83:B0:90:BB:FA:40:60:4B:09:88:44:6C:76:36:18:3D:F9:84:6E:17:10:1A:44:7F:B8:EF:D6
# Fingerprint (SHA1): 58:A2:D0:EC:20:52:81:5B:C1:F3:F8:64:02:24:4E:C2:8E:02:4B:02
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Hongkong Post Root CA 3"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\130\242\320\354\040\122\201\133\301\363\370\144\002\044\116\302
\216\002\113\002
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\021\374\237\275\163\060\002\212\375\077\363\130\271\313\040\360
END
CKA_ISSUER MULTILINE_OCTAL
\060\157\061\013\060\011\006\003\125\004\006\023\002\110\113\061
\022\060\020\006\003\125\004\010\023\011\110\157\156\147\040\113
\157\156\147\061\022\060\020\006\003\125\004\007\023\011\110\157
\156\147\040\113\157\156\147\061\026\060\024\006\003\125\004\012
\023\015\110\157\156\147\153\157\156\147\040\120\157\163\164\061
\040\060\036\006\003\125\004\003\023\027\110\157\156\147\153\157
\156\147\040\120\157\163\164\040\122\157\157\164\040\103\101\040
\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\024\010\026\137\212\114\245\354\000\311\223\100\337\304\306
\256\043\270\034\132\244
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Entrust Root Certification Authority - G4"
#
# Issuer: CN=Entrust Root Certification Authority - G4,OU="(c) 2015 Entrust, Inc. - for authorized use
only",OU=See www.entrust.net/legal-terms,O="Entrust, Inc.",C=US
# Serial Number:00:d9:b5:43:7f:af:a9:39:0f:00:00:00:00:55:65:ad:58
# Subject: CN=Entrust Root Certification Authority - G4,OU="(c) 2015 Entrust, Inc. - for authorized use
only",OU=See www.entrust.net/legal-terms,O="Entrust, Inc.",C=US
# Not Valid Before: Wed May 27 11:11:16 2015
# Not Valid After : Sun Dec 27 11:41:16 2037
# Fingerprint (SHA-256):
DB:35:17:D1:F6:73:2A:2D:5A:B9:7C:53:3E:C7:07:79:EE:32:70:A6:2F:B4:AC:42:38:37:24:60:E6:F0:1E:88
# Fingerprint (SHA1): 14:88:4E:86:26:37:B0:26:AF:59:62:5C:40:77:EC:35:29:BA:96:01
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Entrust Root Certification Authority - G4"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\276\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\026\060\024\006\003\125\004\012\023\015\105\156\164\162\165
\163\164\054\040\111\156\143\056\061\050\060\046\006\003\125\004
\013\023\037\123\145\145\040\167\167\167\056\145\156\164\162\165
\163\164\056\156\145\164\057\154\145\147\141\154\055\164\145\162
\155\163\061\071\060\067\006\003\125\004\013\023\060\050\143\051
\040\062\060\061\065\040\105\156\164\162\165\163\164\054\040\111
\156\143\056\040\055\040\146\157\162\040\141\165\164\150\157\162
\151\172\145\144\040\165\163\145\040\157\156\154\171\061\062\060
\060\006\003\125\004\003\023\051\105\156\164\162\165\163\164\040
\122\157\157\164\040\103\145\162\164\151\146\151\143\141\164\151
\157\156\040\101\165\164\150\157\162\151\164\171\040\055\040\107
\064
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\276\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\026\060\024\006\003\125\004\012\023\015\105\156\164\162\165
\163\164\054\040\111\156\143\056\061\050\060\046\006\003\125\004
\013\023\037\123\145\145\040\167\167\167\056\145\156\164\162\165
\163\164\056\156\145\164\057\154\145\147\141\154\055\164\145\162
\155\163\061\071\060\067\006\003\125\004\013\023\060\050\143\051
\040\062\060\061\065\040\105\156\164\162\165\163\164\054\040\111
\156\143\056\040\055\040\146\157\162\040\141\165\164\150\157\162
\151\172\145\144\040\165\163\145\040\157\156\154\171\061\062\060
\060\006\003\125\004\003\023\051\105\156\164\162\165\163\164\040
\122\157\157\164\040\103\145\162\164\151\146\151\143\141\164\151
\157\156\040\101\165\164\150\157\162\151\164\171\040\055\040\107
\064
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\021\000\331\265\103\177\257\251\071\017\000\000\000\000\125
\145\255\130
END
CKA_VALUE MULTILINE_OCTAL
\060\202\006\113\060\202\004\063\240\003\002\001\002\002\021\000
\331\265\103\177\257\251\071\017\000\000\000\000\125\145\255\130
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060
\201\276\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\026\060\024\006\003\125\004\012\023\015\105\156\164\162\165\163
\164\054\040\111\156\143\056\061\050\060\046\006\003\125\004\013
```

\023\037\123\145\145\040\167\167\167\056\145\156\164\162\165\163  
\164\056\156\145\164\057\154\145\147\141\154\055\164\145\162\155  
\163\061\071\060\067\006\003\125\004\013\023\060\050\143\051\040  
\062\060\061\065\040\105\156\164\162\165\163\164\054\040\111\156  
\143\056\040\055\040\146\157\162\040\141\165\164\150\157\162\151  
\172\145\144\040\165\163\145\040\157\156\154\171\061\062\060\060  
\006\003\125\004\003\023\051\105\156\164\162\165\163\164\040\122  
\157\157\164\040\103\145\162\164\151\146\151\143\141\164\151\157  
\156\040\101\165\164\150\157\162\151\164\171\040\055\040\107\064  
\060\036\027\015\061\065\060\065\062\067\061\061\061\061\061\066  
\132\027\015\063\067\061\062\062\067\061\061\064\061\061\066\132  
\060\201\276\061\013\060\011\006\003\125\004\006\023\002\125\123  
\061\026\060\024\006\003\125\004\012\023\015\105\156\164\162\165  
\163\164\054\040\111\156\143\056\061\050\060\046\006\003\125\004  
\013\023\037\123\145\145\040\167\167\167\056\145\156\164\162\165  
\163\164\056\156\145\164\057\154\145\147\141\154\055\164\145\162  
\155\163\061\071\060\067\006\003\125\004\013\023\060\050\143\051  
\040\062\060\061\065\040\105\156\164\162\165\163\164\054\040\111  
\156\143\056\040\055\040\146\157\162\040\141\165\164\150\157\162  
\151\172\145\144\040\165\163\145\040\157\156\154\171\061\062\060  
\060\006\003\125\004\003\023\051\105\156\164\162\165\163\164\040  
\122\157\157\164\040\103\145\162\164\151\146\151\143\141\164\151  
\157\156\040\101\165\164\150\157\162\151\164\171\040\055\040\107  
\064\060\202\002\042\060\015\006\011\052\206\110\206\367\015\001  
\001\001\005\000\003\202\002\017\000\060\202\002\012\002\202\002  
\001\000\261\354\054\102\356\342\321\060\377\245\222\107\342\055  
\303\272\144\227\155\312\367\015\265\131\301\263\313\250\150\031  
\330\257\204\155\060\160\135\176\363\056\322\123\231\341\376\037  
\136\331\110\257\135\023\215\333\377\143\063\115\323\000\002\274  
\304\370\321\006\010\224\171\130\212\025\336\051\263\375\375\304  
\117\350\252\342\240\073\171\315\277\153\103\062\335\331\164\020  
\271\367\364\150\324\273\320\207\325\252\113\212\052\157\052\004  
\265\262\246\307\240\172\346\110\253\322\321\131\314\326\176\043  
\346\227\154\360\102\345\334\121\113\025\101\355\111\112\311\336  
\020\227\326\166\301\357\245\265\066\024\227\065\330\170\042\065  
\122\357\103\275\333\047\333\141\126\202\064\334\313\210\140\014  
\013\132\345\054\001\306\124\257\327\252\301\020\173\322\005\132  
\270\100\236\206\247\303\220\206\002\126\122\011\172\234\322\047  
\202\123\112\145\122\152\365\074\347\250\362\234\257\213\275\323  
\016\324\324\136\156\207\236\152\075\105\035\321\135\033\364\351  
\012\254\140\231\373\211\264\377\230\054\317\174\035\351\002\252  
\004\232\036\270\334\210\156\045\263\154\146\367\074\220\363\127  
\301\263\057\365\155\362\373\312\241\370\051\235\106\213\263\152  
\366\346\147\007\276\054\147\012\052\037\132\262\076\127\304\323  
\041\041\143\145\122\221\033\261\231\216\171\176\346\353\215\000  
\331\132\252\352\163\350\244\202\002\107\226\376\133\216\124\141  
\243\353\057\113\060\260\213\043\165\162\174\041\074\310\366\361  
\164\324\034\173\243\005\125\356\273\115\073\062\276\232\167\146

\236\254\151\220\042\007\037\141\072\226\276\345\232\117\314\005  
\074\050\131\323\301\014\124\250\131\141\275\310\162\114\350\334  
\237\207\177\275\234\110\066\136\225\243\016\271\070\044\125\374  
\165\146\353\002\343\010\064\051\112\306\343\053\057\063\240\332  
\243\206\245\022\227\375\200\053\332\024\102\343\222\275\076\362  
\135\136\147\164\056\034\210\107\051\064\137\342\062\250\234\045  
\067\214\272\230\000\227\213\111\226\036\375\045\212\254\334\332  
\330\135\164\156\146\260\377\104\337\241\030\306\276\110\057\067  
\224\170\370\225\112\077\177\023\136\135\131\375\164\206\103\143  
\163\111\002\003\001\000\001\243\102\060\100\060\017\006\003\125  
\035\023\001\001\377\004\005\060\003\001\001\377\060\016\006\003  
\125\035\017\001\001\377\004\004\003\002\001\006\060\035\006\003  
\125\035\016\004\026\004\024\237\070\304\126\043\303\071\350\240  
\161\154\350\124\114\344\350\072\261\277\147\060\015\006\011\052  
\206\110\206\367\015\001\001\013\005\000\003\202\002\001\000\022  
\345\102\246\173\213\017\014\344\106\245\266\140\100\207\214\045  
\176\255\270\150\056\133\306\100\166\074\003\370\311\131\364\363  
\253\142\316\020\215\264\132\144\214\150\300\260\162\103\064\322  
\033\013\366\054\123\322\312\220\113\206\146\374\252\203\042\364  
\213\032\157\046\110\254\166\167\010\277\305\230\134\364\046\211  
\236\173\303\271\144\062\001\177\323\303\335\130\155\354\261\253  
\204\125\164\167\204\004\047\122\153\206\114\316\335\271\145\377  
\326\306\136\237\232\020\231\113\165\152\376\152\351\227\040\344  
\344\166\172\306\320\044\252\220\315\040\220\272\107\144\373\177  
\007\263\123\170\265\012\142\362\163\103\316\101\053\201\152\056  
\205\026\224\123\324\153\137\162\042\253\121\055\102\325\000\234  
\231\277\336\273\224\073\127\375\232\365\206\313\126\073\133\210  
\001\345\174\050\113\003\371\111\203\174\262\177\174\343\355\216  
\241\177\140\123\216\125\235\120\064\022\017\267\227\173\154\207  
\112\104\347\365\155\354\200\067\360\130\031\156\112\150\166\360  
\037\222\344\352\265\222\323\141\121\020\013\255\247\331\137\307  
\137\334\037\243\134\214\241\176\233\267\236\323\126\157\146\136  
\007\226\040\355\013\164\373\146\116\213\021\025\351\201\111\176  
\157\260\324\120\177\042\327\137\145\002\015\246\364\205\036\330  
\256\006\113\112\247\322\061\146\302\370\316\345\010\246\244\002  
\226\104\150\127\304\325\063\317\031\057\024\304\224\034\173\244  
\331\360\237\016\261\200\342\321\236\021\144\251\210\021\072\166  
\202\345\142\302\200\330\244\203\355\223\357\174\057\220\260\062  
\114\226\025\150\110\122\324\231\010\300\044\350\034\343\263\245  
\041\016\222\300\220\037\317\040\137\312\073\070\307\267\155\072  
\363\346\104\270\016\061\153\210\216\160\353\234\027\122\250\101  
\224\056\207\266\347\246\022\305\165\337\133\300\012\156\173\244  
\344\136\206\371\066\224\337\167\303\351\015\300\071\361\171\273  
\106\216\253\103\131\047\267\040\273\043\351\126\100\041\354\061  
\075\145\252\103\362\075\337\160\104\341\272\115\046\020\073\230  
\237\363\310\216\033\070\126\041\152\121\223\323\221\312\106\332  
\211\267\075\123\203\054\010\037\213\217\123\335\377\254\037

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

# Trust for "Entrust Root Certification Authority - G4"

# Issuer: CN=Entrust Root Certification Authority - G4,OU="(c) 2015 Entrust, Inc. - for authorized use only",OU=See www.entrust.net/legal-terms,O="Entrust, Inc.",C=US

# Serial Number:00:d9:b5:43:7f:af:a9:39:0f:00:00:00:00:55:65:ad:58

# Subject: CN=Entrust Root Certification Authority - G4,OU="(c) 2015 Entrust, Inc. - for authorized use only",OU=See www.entrust.net/legal-terms,O="Entrust, Inc.",C=US

# Not Valid Before: Wed May 27 11:11:16 2015

# Not Valid After : Sun Dec 27 11:41:16 2037

# Fingerprint (SHA-256):

DB:35:17:D1:F6:73:2A:2D:5A:B9:7C:53:3E:C7:07:79:EE:32:70:A6:2F:B4:AC:42:38:37:24:60:E6:F0:1E:88

# Fingerprint (SHA1): 14:88:4E:86:26:37:B0:26:AF:59:62:5C:40:77:EC:35:29:BA:96:01

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "Entrust Root Certification Authority - G4"

CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL

\024\210\116\206\046\067\260\046\257\131\142\134\100\167\354\065  
\051\272\226\001

END

CKA\_CERT\_MD5\_HASH MULTILINE\_OCTAL

\211\123\361\203\043\267\174\216\005\361\214\161\070\116\037\210

END

CKA\_ISSUER MULTILINE\_OCTAL

\060\201\276\061\013\060\011\006\003\125\004\006\023\002\125\123  
\061\026\060\024\006\003\125\004\012\023\015\105\156\164\162\165  
\163\164\054\040\111\156\143\056\061\050\060\046\006\003\125\004  
\013\023\037\123\145\145\040\167\167\167\056\145\156\164\162\165  
\163\164\056\156\145\164\057\154\145\147\141\154\055\164\145\162  
\155\163\061\071\060\067\006\003\125\004\013\023\060\050\143\051  
\040\062\060\061\065\040\105\156\164\162\165\163\164\054\040\111  
\156\143\056\040\055\040\146\157\162\040\141\165\164\150\157\162  
\151\172\145\144\040\165\163\145\040\157\156\154\171\061\062\060  
\060\006\003\125\004\003\023\051\105\156\164\162\165\163\164\040  
\122\157\157\164\040\103\145\162\164\151\146\151\143\141\164\151  
\157\156\040\101\165\164\150\157\162\151\164\171\040\055\040\107  
\064

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\021\000\331\265\103\177\257\251\071\017\000\000\000\000\125  
\145\255\130

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

```

#
# Certificate "Microsoft ECC Root Certificate Authority 2017"
#
# Issuer: CN=Microsoft ECC Root Certificate Authority 2017,O=Microsoft Corporation,C=US
# Serial Number:66:f2:3d:af:87:de:8b:b1:4a:ea:0c:57:31:01:c2:ec
# Subject: CN=Microsoft ECC Root Certificate Authority 2017,O=Microsoft Corporation,C=US
# Not Valid Before: Wed Dec 18 23:06:45 2019
# Not Valid After : Fri Jul 18 23:16:04 2042
# Fingerprint (SHA-256):
35:8D:F3:9D:76:4A:F9:E1:B7:66:E9:C9:72:DF:35:2E:E1:5C:FA:C2:27:AF:6A:D1:D7:0E:8E:4A:6E:DC:BA:02
# Fingerprint (SHA1): 99:9A:64:C3:7F:F4:7D:9F:AB:95:F1:47:69:89:14:60:EE:C4:C3:C5
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Microsoft ECC Root Certificate Authority 2017"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\145\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\036\060\034\006\003\125\004\012\023\025\115\151\143\162\157\163
\157\146\164\040\103\157\162\160\157\162\141\164\151\157\156\061
\066\060\064\006\003\125\004\003\023\055\115\151\143\162\157\163
\157\146\164\040\105\103\103\040\122\157\157\164\040\103\145\162
\164\151\146\151\143\141\164\145\040\101\165\164\150\157\162\151
\164\171\040\062\060\061\067
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\145\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\036\060\034\006\003\125\004\012\023\025\115\151\143\162\157\163
\157\146\164\040\103\157\162\160\157\162\141\164\151\157\156\061
\066\060\064\006\003\125\004\003\023\055\115\151\143\162\157\163
\157\146\164\040\105\103\103\040\122\157\157\164\040\103\145\162
\164\151\146\151\143\141\164\145\040\101\165\164\150\157\162\151
\164\171\040\062\060\061\067
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\146\362\075\257\207\336\213\261\112\352\014\127\061\001
\302\354
END
CKA_VALUE MULTILINE_OCTAL
\060\202\002\131\060\202\001\337\240\003\002\001\002\002\020\146
\362\075\257\207\336\213\261\112\352\014\127\061\001\302\354\060
\012\006\010\052\206\110\316\075\004\003\003\060\145\061\013\060
\011\006\003\125\004\006\023\002\125\123\061\036\060\034\006\003
\125\004\012\023\025\115\151\143\162\157\163\157\146\164\040\103
\157\162\160\157\162\141\164\151\157\156\061\066\060\064\006\003

```

\125\004\003\023\055\115\151\143\162\157\163\157\146\164\040\105  
\103\103\040\122\157\157\164\040\103\145\162\164\151\146\151\143  
\141\164\145\040\101\165\164\150\157\162\151\164\171\040\062\060  
\061\067\060\036\027\015\061\071\061\062\061\070\062\063\060\066  
\064\065\132\027\015\064\062\060\067\061\070\062\063\061\066\060  
\064\132\060\145\061\013\060\011\006\003\125\004\006\023\002\125  
\123\061\036\060\034\006\003\125\004\012\023\025\115\151\143\162  
\157\163\157\146\164\040\103\157\162\160\157\162\141\164\151\157  
\156\061\066\060\064\006\003\125\004\003\023\055\115\151\143\162  
\157\163\157\146\164\040\105\103\103\040\122\157\157\164\040\103  
\145\162\164\151\146\151\143\141\164\145\040\101\165\164\150\157  
\162\151\164\171\040\062\060\061\067\060\166\060\020\006\007\052  
\206\110\316\075\002\001\006\005\053\201\004\000\042\003\142\000  
\004\324\274\075\002\102\165\101\023\043\315\200\004\206\002\121  
\057\152\250\201\142\013\145\314\366\312\235\036\157\112\146\121  
\242\003\331\235\221\372\266\026\261\214\156\336\174\315\333\171  
\246\057\316\273\316\161\057\345\245\253\050\354\143\004\146\231  
\370\372\362\223\020\005\341\201\050\102\343\306\150\364\346\033  
\204\140\112\211\257\355\171\017\073\316\361\366\104\365\001\170  
\300\243\124\060\122\060\016\006\003\125\035\017\001\001\377\004  
\004\003\002\001\206\060\017\006\003\125\035\023\001\001\377\004  
\005\060\003\001\001\377\060\035\006\003\125\035\016\004\026\004  
\024\310\313\231\162\160\122\014\370\346\276\262\004\127\051\052  
\317\102\020\355\065\060\020\006\011\053\006\001\004\001\202\067  
\025\001\004\003\002\001\000\060\012\006\010\052\206\110\316\075  
\004\003\003\003\150\000\060\145\002\060\130\362\115\352\014\371  
\137\136\356\140\051\313\072\362\333\326\062\204\031\077\174\325  
\057\302\261\314\223\256\120\273\011\062\306\306\355\176\311\066  
\224\022\344\150\205\006\242\033\320\057\002\061\000\231\351\026  
\264\016\372\126\110\324\244\060\026\221\170\333\124\214\145\001  
\212\347\120\146\302\061\267\071\272\270\032\042\007\116\374\153  
\124\026\040\377\053\265\347\114\014\115\246\117\163

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "Microsoft ECC Root Certificate Authority 2017"  
# Issuer: CN=Microsoft ECC Root Certificate Authority 2017,O=Microsoft Corporation,C=US  
# Serial Number:66:f2:3d:af:87:de:8b:b1:4a:ea:0c:57:31:01:c2:ec  
# Subject: CN=Microsoft ECC Root Certificate Authority 2017,O=Microsoft Corporation,C=US  
# Not Valid Before: Wed Dec 18 23:06:45 2019  
# Not Valid After : Fri Jul 18 23:16:04 2042  
# Fingerprint (SHA-256):  
35:8D:F3:9D:76:4A:F9:E1:B7:66:E9:C9:72:DF:35:2E:E1:5C:FA:C2:27:AF:6A:D1:D7:0E:8E:4A:6E:DC:BA:02  
# Fingerprint (SHA1): 99:9A:64:C3:7F:F4:7D:9F:AB:95:F1:47:69:89:14:60:EE:C4:C3:C5  
CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST  
CKA\_TOKEN CK\_BBOOL CK\_TRUE



```

CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Microsoft ECC Root Certificate Authority 2017"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\231\232\144\303\177\364\175\237\253\225\361\107\151\211\024\140
\356\304\303\305
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\335\241\003\346\112\223\020\321\277\360\031\102\313\376\355\147
END
CKA_ISSUER MULTILINE_OCTAL
\060\145\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\036\060\034\006\003\125\004\012\023\025\115\151\143\162\157\163
\157\146\164\040\103\157\162\160\157\162\141\164\151\157\156\061
\066\060\064\006\003\125\004\003\023\055\115\151\143\162\157\163
\157\146\164\040\105\103\103\040\122\157\157\164\040\103\145\162
\164\151\146\151\143\141\164\145\040\101\165\164\150\157\162\151
\164\171\040\062\060\061\067
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\146\362\075\257\207\336\213\261\112\352\014\127\061\001
\302\354
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Microsoft RSA Root Certificate Authority 2017"
#
# Issuer: CN=Microsoft RSA Root Certificate Authority 2017,O=Microsoft Corporation,C=US
# Serial Number:1e:d3:97:09:5f:d8:b4:b3:47:70:1e:aa:be:7f:45:b3
# Subject: CN=Microsoft RSA Root Certificate Authority 2017,O=Microsoft Corporation,C=US
# Not Valid Before: Wed Dec 18 22:51:22 2019
# Not Valid After : Fri Jul 18 23:00:23 2042
# Fingerprint (SHA-256):
C7:41:F7:0F:4B:2A:8D:88:BF:2E:71:C1:41:22:EF:53:EF:10:EB:A0:CF:A5:E6:4C:FA:20:F4:18:85:30:73:E0
# Fingerprint (SHA1): 73:A5:E6:4A:3B:FF:83:16:FF:0E:DC:CC:61:8A:90:6E:4E:AE:4D:74
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Microsoft RSA Root Certificate Authority 2017"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\145\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\036\060\034\006\003\125\004\012\023\025\115\151\143\162\157\163

```

\157\146\164\040\103\157\162\160\157\162\141\164\151\157\156\061  
\066\060\064\006\003\125\004\003\023\055\115\151\143\162\157\163  
\157\146\164\040\122\123\101\040\122\157\157\164\040\103\145\162  
\164\151\146\151\143\141\164\145\040\101\165\164\150\157\162\151  
\164\171\040\062\060\061\067

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\145\061\013\060\011\006\003\125\004\006\023\002\125\123\061  
\036\060\034\006\003\125\004\012\023\025\115\151\143\162\157\163  
\157\146\164\040\103\157\162\160\157\162\141\164\151\157\156\061  
\066\060\064\006\003\125\004\003\023\055\115\151\143\162\157\163  
\157\146\164\040\122\123\101\040\122\157\157\164\040\103\145\162  
\164\151\146\151\143\141\164\145\040\101\165\164\150\157\162\151  
\164\171\040\062\060\061\067

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\020\036\323\227\011\137\330\264\263\107\160\036\252\276\177  
\105\263

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\005\250\060\202\003\220\240\003\002\001\002\002\020\036  
\323\227\011\137\330\264\263\107\160\036\252\276\177\105\263\060  
\015\006\011\052\206\110\206\367\015\001\001\014\005\000\060\145  
\061\013\060\011\006\003\125\004\006\023\002\125\123\061\036\060  
\034\006\003\125\004\012\023\025\115\151\143\162\157\163\157\146  
\164\040\103\157\162\160\157\162\141\164\151\157\156\061\066\060  
\064\006\003\125\004\003\023\055\115\151\143\162\157\163\157\146  
\164\040\122\123\101\040\122\157\157\164\040\103\145\162\164\151  
\146\151\143\141\164\145\040\101\165\164\150\157\162\151\164\171  
\040\062\060\061\067\060\036\027\015\061\071\061\062\061\070\062  
\062\065\061\062\062\132\027\015\064\062\060\067\061\070\062\063  
\060\060\062\063\132\060\145\061\013\060\011\006\003\125\004\006  
\023\002\125\123\061\036\060\034\006\003\125\004\012\023\025\115  
\151\143\162\157\163\157\146\164\040\103\157\162\160\157\162\141  
\164\151\157\156\061\066\060\064\006\003\125\004\003\023\055\115  
\151\143\162\157\163\157\146\164\040\122\123\101\040\122\157\157  
\164\040\103\145\162\164\151\146\151\143\141\164\145\040\101\165  
\164\150\157\162\151\164\171\040\062\060\061\067\060\202\002\042  
\060\015\006\011\052\206\110\206\367\015\001\001\001\005\000\003  
\202\002\017\000\060\202\002\012\002\202\002\001\000\312\133\276  
\224\063\214\051\225\221\026\012\225\275\107\142\301\211\363\231  
\066\337\106\220\311\245\355\170\152\157\107\221\150\370\047\147  
\120\063\035\241\246\373\340\345\103\243\204\002\127\001\135\234  
\110\100\202\123\020\274\277\307\073\150\220\266\202\055\345\364  
\145\320\314\155\031\314\225\371\173\254\112\224\255\016\336\113  
\103\035\207\007\222\023\220\200\203\144\065\071\004\374\345\351  
\154\263\266\037\120\224\070\145\120\134\027\106\271\266\205\265

\034\265\027\350\326\105\235\330\262\046\260\312\304\160\112\256  
\140\244\335\263\331\354\374\073\325\127\162\274\077\310\311\262  
\336\113\153\370\043\154\003\300\005\275\225\307\315\163\073\146  
\200\144\343\032\254\056\371\107\005\362\006\266\233\163\365\170  
\063\133\307\241\373\047\052\241\264\232\221\214\221\323\072\202  
\076\166\100\264\315\122\141\121\160\050\077\305\305\132\362\311  
\214\111\273\024\133\115\310\377\147\115\114\022\226\255\365\376  
\170\250\227\207\327\375\136\040\200\334\241\113\042\373\324\211  
\255\272\316\107\227\107\125\173\217\105\310\147\050\204\225\034  
\150\060\357\357\111\340\065\173\144\347\230\260\224\332\115\205  
\073\076\125\304\050\257\127\363\236\023\333\106\047\237\036\242  
\136\104\203\244\245\312\325\023\263\113\077\304\343\302\346\206  
\141\244\122\060\271\172\040\117\157\017\070\123\313\063\014\023  
\053\217\326\232\275\052\310\055\261\034\175\113\121\312\107\321  
\110\047\162\135\207\353\325\105\346\110\145\235\257\122\220\272  
\133\242\030\145\127\022\237\150\271\324\025\153\224\304\151\042  
\230\364\063\340\355\371\121\216\101\120\311\064\117\166\220\254  
\374\070\301\330\341\173\271\343\343\224\341\106\151\313\016\012  
\120\153\023\272\254\017\067\132\267\022\265\220\201\036\126\256  
\127\042\206\331\311\322\321\327\121\343\253\073\306\125\375\036  
\016\323\164\012\321\332\252\352\151\270\227\050\217\110\304\007  
\370\122\103\072\364\312\125\065\054\260\246\152\300\234\371\362  
\201\341\022\152\300\105\331\147\263\316\377\043\242\211\012\124  
\324\024\271\052\250\327\354\371\253\315\045\130\062\171\217\220  
\133\230\071\304\010\006\301\254\177\016\075\000\245\002\003\001  
\000\001\243\124\060\122\060\016\006\003\125\035\017\001\001\377  
\004\004\003\002\001\206\060\017\006\003\125\035\023\001\001\377  
\004\005\060\003\001\001\377\060\035\006\003\125\035\016\004\026  
\004\024\011\313\131\177\206\262\160\217\032\303\071\343\300\331  
\351\277\273\115\262\043\060\020\006\011\053\006\001\004\001\202  
\067\025\001\004\003\002\001\000\060\015\006\011\052\206\110\206  
\367\015\001\001\014\005\000\003\202\002\001\000\254\257\076\135  
\302\021\226\211\216\243\347\222\326\227\025\270\023\242\246\102  
\056\002\315\026\005\131\047\312\040\350\272\270\350\032\354\115  
\250\227\126\256\145\103\261\217\000\233\122\315\125\315\123\071  
\155\142\114\213\015\133\174\056\104\277\203\020\217\363\123\202  
\200\303\117\072\307\156\021\077\346\343\026\221\204\373\155\204  
\177\064\164\255\211\247\316\271\327\327\237\204\144\222\276\225  
\241\255\011\123\063\335\356\012\352\112\121\216\157\125\253\272  
\265\224\106\256\214\177\330\242\120\045\145\140\200\106\333\063  
\004\256\154\265\230\164\124\045\334\223\344\370\343\125\025\075  
\270\155\303\012\244\022\301\151\205\156\337\144\361\123\231\341  
\112\165\040\235\225\017\344\326\334\003\361\131\030\350\107\211  
\262\127\132\224\266\251\330\027\053\027\111\345\166\313\301\126  
\231\072\067\261\377\151\054\221\221\223\341\337\114\243\067\166  
\115\241\237\370\155\036\035\323\372\354\373\364\105\035\023\155  
\317\367\131\345\042\047\162\053\206\363\127\273\060\355\044\115  
\334\175\126\273\243\263\370\064\171\211\301\340\362\002\141\367

```
\246\374\017\273\034\027\013\256\101\331\174\275\047\243\375\056
\072\321\223\224\261\163\035\044\213\257\133\040\211\255\267\147
\146\171\365\072\306\246\226\063\376\123\222\310\106\261\021\221
\306\231\177\217\311\326\146\061\040\101\020\207\055\014\326\301
\257\064\230\312\144\203\373\023\127\321\301\360\074\172\214\245
\301\375\225\041\240\161\301\223\147\161\022\352\217\210\012\151
\031\144\231\043\126\373\254\052\056\160\276\146\304\014\204\357
\345\213\363\223\001\370\152\220\223\147\113\262\150\243\265\142
\217\351\077\214\172\073\136\017\347\214\270\306\174\357\067\375
\164\342\310\117\063\162\341\224\071\155\275\022\257\276\014\116
\160\174\033\157\215\263\062\223\163\104\026\155\350\364\367\340
\225\200\217\226\135\070\244\364\253\336\012\060\207\223\330\115
\000\161\142\105\047\113\072\102\204\133\177\145\267\147\064\122
\055\234\026\153\252\250\330\173\243\102\114\161\307\014\312\076
\203\344\246\357\267\001\060\136\121\243\171\365\160\151\246\101
\104\017\206\260\054\221\306\075\352\256\017\204
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "Microsoft RSA Root Certificate Authority 2017"
```

```
# Issuer: CN=Microsoft RSA Root Certificate Authority 2017,O=Microsoft Corporation,C=US
```

```
# Serial Number: 1e:d3:97:09:5f:d8:b4:b3:47:70:1e:aa:be:7f:45:b3
```

```
# Subject: CN=Microsoft RSA Root Certificate Authority 2017,O=Microsoft Corporation,C=US
```

```
# Not Valid Before: Wed Dec 18 22:51:22 2019
```

```
# Not Valid After : Fri Jul 18 23:00:23 2042
```

```
# Fingerprint (SHA-256):
```

```
C7:41:F7:0F:4B:2A:8D:88:BF:2E:71:C1:41:22:EF:53:EF:10:EB:A0:CF:A5:E6:4C:FA:20:F4:18:85:30:73:E0
```

```
# Fingerprint (SHA1): 73:A5:E6:4A:3B:FF:83:16:FF:0E:DC:CC:61:8A:90:6E:4E:AE:4D:74
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Microsoft RSA Root Certificate Authority 2017"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\163\245\346\112\073\377\203\026\377\016\334\314\141\212\220\156
\116\256\115\164
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\020\377\000\377\317\311\370\307\172\300\356\065\216\311\017\107
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\145\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\036\060\034\006\003\125\004\012\023\025\115\151\143\162\157\163
\157\146\164\040\103\157\162\160\157\162\141\164\151\157\156\061
\066\060\064\006\003\125\004\003\023\055\115\151\143\162\157\163
\157\146\164\040\122\123\101\040\122\157\157\164\040\103\145\162
```

```
\164\151\146\151\143\141\164\145\040\101\165\164\150\157\162\151  
\164\171\040\062\060\061\067
```

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

```
\002\020\036\323\227\011\137\330\264\263\107\160\036\252\276\177  
\105\263
```

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "e-Szigno Root CA 2017"

#

# Issuer: CN=e-Szigno Root CA 2017,OID.2.5.4.97=VATHU-23584497,O=Microsec Ltd.,L=Budapest,C=HU

# Serial Number:01:54:48:ef:21:fd:97:59:0d:f5:04:0a

# Subject: CN=e-Szigno Root CA 2017,OID.2.5.4.97=VATHU-23584497,O=Microsec Ltd.,L=Budapest,C=HU

# Not Valid Before: Tue Aug 22 12:07:06 2017

# Not Valid After : Fri Aug 22 12:07:06 2042

# Fingerprint (SHA-256):

BE:B0:0B:30:83:9B:9B:C3:2C:32:E4:44:79:05:95:06:41:F2:64:21:B1:5E:D0:89:19:8B:51:8A:E2:EA:1B:99

# Fingerprint (SHA1): 89:D4:83:03:4F:9E:9A:48:80:5F:72:37:D4:A9:A6:EF:CB:7C:1F:D1

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "e-Szigno Root CA 2017"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

```
\060\161\061\013\060\011\006\003\125\004\006\023\002\110\125\061  
\021\060\017\006\003\125\004\007\014\010\102\165\144\141\160\145  
\163\164\061\026\060\024\006\003\125\004\012\014\015\115\151\143  
\162\157\163\145\143\040\114\164\144\056\061\027\060\025\006\003  
\125\004\141\014\016\126\101\124\110\125\055\062\063\065\070\064  
\064\071\067\061\036\060\034\006\003\125\004\003\014\025\145\055  
\123\172\151\147\156\157\040\122\157\157\164\040\103\101\040\062  
\060\061\067
```

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

```
\060\161\061\013\060\011\006\003\125\004\006\023\002\110\125\061  
\021\060\017\006\003\125\004\007\014\010\102\165\144\141\160\145  
\163\164\061\026\060\024\006\003\125\004\012\014\015\115\151\143  
\162\157\163\145\143\040\114\164\144\056\061\027\060\025\006\003  
\125\004\141\014\016\126\101\124\110\125\055\062\063\065\070\064  
\064\071\067\061\036\060\034\006\003\125\004\003\014\025\145\055  
\123\172\151\147\156\157\040\122\157\157\164\040\103\101\040\062
```

\060\061\067

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\014\001\124\110\357\041\375\227\131\015\365\004\012

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\002\100\060\202\001\345\240\003\002\001\002\002\014\001  
\124\110\357\041\375\227\131\015\365\004\012\060\012\006\010\052  
\206\110\316\075\004\003\002\060\161\061\013\060\011\006\003\125  
\004\006\023\002\110\125\061\021\060\017\006\003\125\004\007\014  
\010\102\165\144\141\160\145\163\164\061\026\060\024\006\003\125  
\004\012\014\015\115\151\143\162\157\163\145\143\040\114\164\144  
\056\061\027\060\025\006\003\125\004\141\014\016\126\101\124\110  
\125\055\062\063\065\070\064\064\071\067\061\036\060\034\006\003  
\125\004\003\014\025\145\055\123\172\151\147\156\157\040\122\157  
\157\164\040\103\101\040\062\060\061\067\060\036\027\015\061\067  
\060\070\062\062\061\062\060\067\060\066\132\027\015\064\062\060  
\070\062\062\061\062\060\067\060\066\132\060\161\061\013\060\011  
\006\003\125\004\006\023\002\110\125\061\021\060\017\006\003\125  
\004\007\014\010\102\165\144\141\160\145\163\164\061\026\060\024  
\006\003\125\004\012\014\015\115\151\143\162\157\163\145\143\040  
\114\164\144\056\061\027\060\025\006\003\125\004\141\014\016\126  
\101\124\110\125\055\062\063\065\070\064\064\071\067\061\036\060  
\034\006\003\125\004\003\014\025\145\055\123\172\151\147\156\157  
\040\122\157\157\164\040\103\101\040\062\060\061\067\060\131\060  
\023\006\007\052\206\110\316\075\002\001\006\010\052\206\110\316  
\075\003\001\007\003\102\000\004\226\334\075\212\330\260\173\157  
\306\047\276\104\220\261\263\126\025\173\216\103\044\175\032\204  
\131\356\143\150\262\306\136\207\320\025\110\036\250\220\255\275  
\123\242\332\336\072\220\246\140\137\150\062\265\206\101\337\207  
\133\054\173\305\376\174\172\332\243\143\060\141\060\017\006\003  
\125\035\023\001\001\377\004\005\060\003\001\001\377\060\016\006  
\003\125\035\017\001\001\377\004\004\003\002\001\006\060\035\006  
\003\125\035\016\004\026\004\024\207\021\025\010\321\252\301\170  
\014\261\257\316\306\311\220\357\277\060\004\300\060\037\006\003  
\125\035\043\004\030\060\026\200\024\207\021\025\010\321\252\301  
\170\014\261\257\316\306\311\220\357\277\060\004\300\060\012\006  
\010\052\206\110\316\075\004\003\002\003\111\000\060\106\002\041  
\000\265\127\335\327\212\125\013\066\341\206\104\372\324\331\150  
\215\270\334\043\212\212\015\324\057\175\352\163\354\277\115\154  
\250\002\041\000\313\245\264\022\372\347\265\350\317\176\223\374  
\363\065\217\157\116\132\174\264\274\116\262\374\162\252\133\131  
\371\347\334\061

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

```

# Trust for "e-Szigno Root CA 2017"
# Issuer: CN=e-Szigno Root CA 2017,OID.2.5.4.97=VATHU-23584497,O=Microsec Ltd.,L=Budapest,C=HU
# Serial Number:01:54:48:ef:21:fd:97:59:0d:f5:04:0a
# Subject: CN=e-Szigno Root CA 2017,OID.2.5.4.97=VATHU-23584497,O=Microsec Ltd.,L=Budapest,C=HU
# Not Valid Before: Tue Aug 22 12:07:06 2017
# Not Valid After : Fri Aug 22 12:07:06 2042
# Fingerprint (SHA-256):
BE:B0:0B:30:83:9B:9B:C3:2C:32:E4:44:79:05:95:06:41:F2:64:21:B1:5E:D0:89:19:8B:51:8A:E2:EA:1B:99
# Fingerprint (SHA1): 89:D4:83:03:4F:9E:9A:48:80:5F:72:37:D4:A9:A6:EF:CB:7C:1F:D1
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "e-Szigno Root CA 2017"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\211\324\203\003\117\236\232\110\200\137\162\067\324\251\246\357
\313\174\037\321
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\336\037\366\236\204\256\247\264\041\316\036\130\175\321\204\230
END
CKA_ISSUER MULTILINE_OCTAL
\060\161\061\013\060\011\006\003\125\004\006\023\002\110\125\061
\021\060\017\006\003\125\004\007\014\010\102\165\144\141\160\145
\163\164\061\026\060\024\006\003\125\004\012\014\015\115\151\143
\162\157\163\145\143\040\114\164\144\056\061\027\060\025\006\003
\125\004\141\014\016\126\101\124\110\125\055\062\063\065\070\064
\064\071\067\061\036\060\034\006\003\125\004\003\014\025\145\055
\123\172\151\147\156\157\040\122\157\157\164\040\103\101\040\062
\060\061\067
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\014\001\124\110\357\041\375\227\131\015\365\004\012
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "certSIGN Root CA G2"
#
# Issuer: OU=certSIGN ROOT CA G2,O=CERTSIGN SA,C=RO
# Serial Number:11:00:34:b6:4e:c6:36:2d:36
# Subject: OU=certSIGN ROOT CA G2,O=CERTSIGN SA,C=RO
# Not Valid Before: Mon Feb 06 09:27:35 2017
# Not Valid After : Thu Feb 06 09:27:35 2042
# Fingerprint (SHA-256):

```

65:7C:FE:2F:A7:3F:AA:38:46:25:71:F3:32:A2:36:3A:46:FC:E7:02:09:51:71:07:02:CD:FB:B6:EE:DA:33:05

# Fingerprint (SHA1): 26:F9:93:B4:ED:3D:28:27:B0:B9:4B:A7:E9:15:1D:A3:8D:92:E5:32

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "certSIGN Root CA G2"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

\060\101\061\013\060\011\006\003\125\004\006\023\002\122\117\061  
\024\060\022\006\003\125\004\012\023\013\103\105\122\124\123\111  
\107\116\040\123\101\061\034\060\032\006\003\125\004\013\023\023  
\143\145\162\164\123\111\107\116\040\122\117\117\124\040\103\101  
\040\107\062

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\101\061\013\060\011\006\003\125\004\006\023\002\122\117\061  
\024\060\022\006\003\125\004\012\023\013\103\105\122\124\123\111  
\107\116\040\123\101\061\034\060\032\006\003\125\004\013\023\023  
\143\145\162\164\123\111\107\116\040\122\117\117\124\040\103\101  
\040\107\062

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\011\021\000\064\266\116\306\066\055\066

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\005\107\060\202\003\057\240\003\002\001\002\002\011\021  
\000\064\266\116\306\066\055\066\060\015\006\011\052\206\110\206  
\367\015\001\001\013\005\000\060\101\061\013\060\011\006\003\125  
\004\006\023\002\122\117\061\024\060\022\006\003\125\004\012\023  
\013\103\105\122\124\123\111\107\116\040\123\101\061\034\060\032  
\006\003\125\004\013\023\023\143\145\162\164\123\111\107\116\040  
\122\117\117\124\040\103\101\040\107\062\060\036\027\015\061\067  
\060\062\060\066\060\071\062\067\063\065\132\027\015\064\062\060  
\062\060\066\060\071\062\067\063\065\132\060\101\061\013\060\011  
\006\003\125\004\006\023\002\122\117\061\024\060\022\006\003\125  
\004\012\023\013\103\105\122\124\123\111\107\116\040\123\101\061  
\034\060\032\006\003\125\004\013\023\023\143\145\162\164\123\111  
\107\116\040\122\117\117\124\040\103\101\040\107\062\060\202\002  
\042\060\015\006\011\052\206\110\206\367\015\001\001\001\005\000  
\003\202\002\017\000\060\202\002\012\002\202\002\001\000\300\305  
\165\031\221\175\104\164\164\207\376\016\073\226\334\330\001\026  
\314\356\143\221\347\013\157\316\073\012\151\032\174\302\343\257  
\202\216\206\327\136\217\127\353\323\041\131\375\071\067\102\060  
\276\120\352\266\017\251\210\330\056\055\151\041\347\321\067\030  
\116\175\221\325\026\137\153\133\000\302\071\103\015\066\205\122  
\271\123\145\017\035\102\345\217\317\005\323\356\334\014\032\331



\270\213\170\042\147\344\151\260\150\305\074\344\154\132\106\347  
\315\307\372\357\304\354\113\275\152\244\254\375\314\050\121\357  
\222\264\051\253\253\065\232\114\344\304\010\306\046\314\370\151  
\237\344\234\360\051\323\134\371\306\026\045\236\043\303\040\301  
\075\017\077\070\100\260\376\202\104\070\252\132\032\212\153\143  
\130\070\264\025\323\266\021\151\173\036\124\356\214\032\042\254  
\162\227\077\043\131\233\311\042\204\301\007\117\314\177\342\127  
\312\022\160\273\246\145\363\151\165\143\275\225\373\033\227\315  
\344\250\257\366\321\116\250\331\212\161\044\315\066\075\274\226  
\304\361\154\251\256\345\317\015\156\050\015\260\016\265\312\121  
\173\170\024\303\040\057\177\373\024\125\341\021\231\375\325\012  
\241\236\002\343\142\137\353\065\113\054\270\162\350\076\075\117  
\254\054\273\056\206\342\243\166\217\345\223\052\317\245\253\310  
\134\215\113\006\377\022\106\254\170\313\024\007\065\340\251\337  
\213\351\257\025\117\026\211\133\275\366\215\306\131\256\210\205  
\016\301\211\353\037\147\305\105\216\377\155\067\066\053\170\146  
\203\221\121\053\075\377\121\167\166\142\241\354\147\076\076\201  
\203\340\126\251\120\037\037\172\231\253\143\277\204\027\167\361  
\015\073\337\367\234\141\263\065\230\212\072\262\354\074\032\067  
\077\176\217\222\317\331\022\024\144\332\020\002\025\101\377\117  
\304\353\034\243\311\372\231\367\106\351\341\030\331\261\270\062  
\055\313\024\014\120\330\203\145\203\356\271\134\317\313\005\132  
\114\372\031\227\153\326\135\023\323\302\134\124\274\062\163\240  
\170\365\361\155\036\313\237\245\246\237\042\334\321\121\236\202  
\171\144\140\051\023\076\243\375\117\162\152\253\342\324\345\270  
\044\125\054\104\113\212\210\104\234\312\204\323\052\073\002\003  
\001\000\001\243\102\060\100\060\017\006\003\125\035\023\001\001  
\377\004\005\060\003\001\001\377\060\016\006\003\125\035\017\001  
\001\377\004\004\003\002\001\006\060\035\006\003\125\035\016\004  
\026\004\024\202\041\055\146\306\327\240\340\025\353\316\114\011  
\167\304\140\236\124\156\003\060\015\006\011\052\206\110\206\367  
\015\001\001\013\005\000\003\202\002\001\000\140\336\032\270\347  
\362\140\202\325\003\063\201\313\006\212\361\042\111\351\350\352  
\221\177\306\063\136\150\031\003\206\073\103\001\317\007\160\344  
\010\036\145\205\221\346\021\042\267\365\002\043\216\256\271\036  
\175\037\176\154\346\275\045\325\225\032\362\005\246\257\205\002  
\157\256\370\326\061\377\045\311\112\310\307\212\251\331\237\113  
\111\233\021\127\231\222\103\021\336\266\063\244\314\327\215\144  
\175\324\315\074\050\054\264\232\226\352\115\365\304\104\304\045  
\252\040\200\330\051\125\367\340\101\374\006\046\377\271\066\365  
\103\024\003\146\170\341\021\261\332\040\137\106\000\170\000\041  
\245\036\000\050\141\170\157\250\001\001\217\235\064\232\377\364  
\070\220\373\270\321\263\162\006\311\161\346\201\305\171\355\013  
\246\171\362\023\013\234\367\135\016\173\044\223\264\110\333\206  
\137\336\120\206\170\347\100\346\061\250\220\166\160\141\257\234  
\067\054\021\265\202\267\252\256\044\064\133\162\014\151\015\315  
\131\237\366\161\257\234\013\321\012\070\371\006\042\203\123\045  
\014\374\121\304\346\276\342\071\225\013\044\255\257\321\225\344

```
\226\327\164\144\153\161\116\002\074\252\205\363\040\243\103\071
\166\133\154\120\376\232\234\024\036\145\024\212\025\275\243\202
\105\132\111\126\152\322\234\261\143\062\345\141\340\123\042\016
\247\012\111\352\313\176\037\250\342\142\200\366\020\105\122\230
\006\030\336\245\315\057\177\252\324\351\076\010\162\354\043\003
\002\074\246\252\330\274\147\164\075\024\027\373\124\113\027\343
\323\171\075\155\153\111\311\050\016\056\164\120\277\014\331\106
\072\020\206\311\247\077\351\240\354\177\353\245\167\130\151\161
\346\203\012\067\362\206\111\152\276\171\010\220\366\002\026\144
\076\345\332\114\176\014\064\311\371\137\266\263\050\121\247\247
\053\252\111\372\215\145\051\116\343\153\023\247\224\243\055\121
\155\170\014\104\313\337\336\010\157\316\243\144\253\323\225\204
\324\271\122\124\162\173\226\045\314\274\151\343\110\156\015\320
\307\235\047\232\252\370\023\222\335\036\337\143\237\065\251\026
\066\354\214\270\203\364\075\211\217\315\264\027\136\327\263\027
\101\020\135\047\163\140\205\127\111\042\007
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "certSIGN Root CA G2"
```

```
# Issuer: OU=certSIGN ROOT CA G2,O=CERTSIGN SA,C=RO
```

```
# Serial Number:11:00:34:b6:4e:c6:36:2d:36
```

```
# Subject: OU=certSIGN ROOT CA G2,O=CERTSIGN SA,C=RO
```

```
# Not Valid Before: Mon Feb 06 09:27:35 2017
```

```
# Not Valid After : Thu Feb 06 09:27:35 2042
```

```
# Fingerprint (SHA-256):
```

```
65:7C:FE:2F:A7:3F:AA:38:46:25:71:F3:32:A2:36:3A:46:FC:E7:02:09:51:71:07:02:CD:FB:B6:EE:DA:33:05
```

```
# Fingerprint (SHA1): 26:F9:93:B4:ED:3D:28:27:B0:B9:4B:A7:E9:15:1D:A3:8D:92:E5:32
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "certSIGN Root CA G2"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\046\371\223\264\355\075\050\047\260\271\113\247\351\025\035\243
\215\222\345\062
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\214\361\165\212\306\031\317\224\267\367\145\040\207\303\227\307
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\101\061\013\060\011\006\003\125\004\006\023\002\122\117\061
\024\060\022\006\003\125\004\012\023\013\103\105\122\124\123\111
\107\116\040\123\101\061\034\060\032\006\003\125\004\013\023\023
\143\145\162\164\123\111\107\116\040\122\117\117\124\040\103\101
\040\107\062
```

```

END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\011\021\000\064\266\116\306\066\055\066
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Trustwave Global Certification Authority"
#
# Issuer: CN=Trustwave Global Certification Authority,O="Trustwave Holdings,
Inc.",L=Chicago,ST=Illinois,C=US
# Serial Number:05:f7:0e:86:da:49:f3:46:35:2e:ba:b2
# Subject: CN=Trustwave Global Certification Authority,O="Trustwave Holdings,
Inc.",L=Chicago,ST=Illinois,C=US
# Not Valid Before: Wed Aug 23 19:34:12 2017
# Not Valid After : Sat Aug 23 19:34:12 2042
# Fingerprint (SHA-256):
97:55:20:15:F5:DD:FC:3C:87:88:C0:06:94:45:55:40:88:94:45:00:84:F1:00:86:70:86:BC:1A:2B:B5:8D:C8
# Fingerprint (SHA1): 2F:8F:36:4F:E1:58:97:44:21:59:87:A5:2A:9A:D0:69:95:26:7F:B5
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Trustwave Global Certification Authority"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\210\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\021\060\017\006\003\125\004\010\014\010\111\154\154\151\156
\157\151\163\061\020\060\016\006\003\125\004\007\014\007\103\150
\151\143\141\147\157\061\041\060\037\006\003\125\004\012\014\030
\124\162\165\163\164\167\141\166\145\040\110\157\154\144\151\156
\147\163\054\040\111\156\143\056\061\061\060\057\006\003\125\004
\003\014\050\124\162\165\163\164\167\141\166\145\040\107\154\157
\142\141\154\040\103\145\162\164\151\146\151\143\141\164\151\157
\156\040\101\165\164\150\157\162\151\164\171
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\210\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\021\060\017\006\003\125\004\010\014\010\111\154\154\151\156
\157\151\163\061\020\060\016\006\003\125\004\007\014\007\103\150
\151\143\141\147\157\061\041\060\037\006\003\125\004\012\014\030
\124\162\165\163\164\167\141\166\145\040\110\157\154\144\151\156
\147\163\054\040\111\156\143\056\061\061\060\057\006\003\125\004
\003\014\050\124\162\165\163\164\167\141\166\145\040\107\154\157

```

\142\141\154\040\103\145\162\164\151\146\151\143\141\164\151\157  
\156\040\101\165\164\150\157\162\151\164\171  
END  
CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL  
\002\014\005\367\016\206\332\111\363\106\065\056\272\262  
END  
CKA\_VALUE MULTILINE\_OCTAL  
\060\202\005\332\060\202\003\302\240\003\002\001\002\002\014\005  
\367\016\206\332\111\363\106\065\056\272\262\060\015\006\011\052  
\206\110\206\367\015\001\001\013\005\000\060\201\210\061\013\060  
\011\006\003\125\004\006\023\002\125\123\061\021\060\017\006\003  
\125\004\010\014\010\111\154\154\151\156\157\151\163\061\020\060  
\016\006\003\125\004\007\014\007\103\150\151\143\141\147\157\061  
\041\060\037\006\003\125\004\012\014\030\124\162\165\163\164\167  
\141\166\145\040\110\157\154\144\151\156\147\163\054\040\111\156  
\143\056\061\061\060\057\006\003\125\004\003\014\050\124\162\165  
\163\164\167\141\166\145\040\107\154\157\142\141\154\040\103\145  
\162\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150  
\157\162\151\164\171\060\036\027\015\061\067\060\070\062\063\061  
\071\063\064\061\062\132\027\015\064\062\060\070\062\063\061\071  
\063\064\061\062\132\060\201\210\061\013\060\011\006\003\125\004  
\006\023\002\125\123\061\021\060\017\006\003\125\004\010\014\010  
\111\154\154\151\156\157\151\163\061\020\060\016\006\003\125\004  
\007\014\007\103\150\151\143\141\147\157\061\041\060\037\006\003  
\125\004\012\014\030\124\162\165\163\164\167\141\166\145\040\110  
\157\154\144\151\156\147\163\054\040\111\156\143\056\061\061\060  
\057\006\003\125\004\003\014\050\124\162\165\163\164\167\141\166  
\145\040\107\154\157\142\141\154\040\103\145\162\164\151\146\151  
\143\141\164\151\157\156\040\101\165\164\150\157\162\151\164\171  
\060\202\002\042\060\015\006\011\052\206\110\206\367\015\001\001  
\001\005\000\003\202\002\017\000\060\202\002\012\002\202\002\001  
\000\271\135\121\050\113\074\067\222\321\202\316\275\035\275\315  
\335\270\253\317\012\076\341\135\345\334\252\011\271\127\002\076  
\346\143\141\337\362\017\202\143\256\243\367\254\163\321\174\347  
\263\013\257\010\000\011\131\177\315\051\052\210\223\207\027\030  
\200\355\210\262\264\266\020\037\055\326\137\125\242\023\135\321  
\306\353\006\126\211\210\376\254\062\235\375\134\303\005\307\156  
\356\206\211\272\210\003\235\162\041\206\220\256\217\003\245\334  
\237\210\050\313\243\222\111\017\354\320\017\342\155\104\117\200  
\152\262\324\347\240\012\123\001\272\216\227\221\166\156\274\374  
\325\153\066\346\100\210\326\173\057\137\005\350\054\155\021\363  
\347\262\276\222\104\114\322\227\244\376\322\162\201\103\007\234  
\351\021\076\365\213\032\131\175\037\150\130\335\004\000\054\226  
\363\103\263\176\230\031\164\331\234\163\331\030\276\101\307\064  
\171\331\364\142\302\103\271\263\047\260\042\313\371\075\122\307  
\060\107\263\311\076\270\152\342\347\350\201\160\136\102\213\117  
\046\245\376\072\302\040\156\273\370\026\216\315\014\251\264\033  
\154\166\020\341\130\171\106\076\124\316\200\250\127\011\067\051

\033\231\023\217\014\310\326\054\034\373\005\350\010\225\075\145  
\106\334\356\315\151\342\115\217\207\050\116\064\013\076\317\024  
\331\273\335\266\120\232\255\167\324\031\326\332\032\210\310\116  
\033\047\165\330\262\010\361\256\203\060\271\021\016\315\207\360  
\204\215\025\162\174\241\357\314\362\210\141\272\364\151\273\014  
\214\013\165\127\004\270\116\052\024\056\075\017\034\036\062\246  
\142\066\356\146\342\042\270\005\100\143\020\042\363\063\035\164  
\162\212\054\365\071\051\240\323\347\033\200\204\055\305\075\343  
\115\261\375\032\157\272\145\007\073\130\354\102\105\046\373\330  
\332\045\162\304\366\000\261\042\171\275\343\174\131\142\112\234  
\005\157\075\316\346\326\107\143\231\306\044\157\162\022\310\254  
\177\220\264\013\221\160\350\267\346\026\020\161\027\316\336\006  
\117\110\101\175\065\112\243\211\362\311\113\173\101\021\155\147  
\267\010\230\114\345\021\031\256\102\200\334\373\220\005\324\370  
\120\312\276\344\255\307\302\224\327\026\235\346\027\217\257\066  
\373\002\003\001\000\001\243\102\060\100\060\017\006\003\125\035  
\023\001\001\377\004\005\060\003\001\001\377\060\035\006\003\125  
\035\016\004\026\004\024\231\340\031\147\015\142\333\166\263\332  
\075\270\133\350\375\102\322\061\016\207\060\016\006\003\125\035  
\017\001\001\377\004\004\003\002\001\006\060\015\006\011\052\206  
\110\206\367\015\001\001\013\005\000\003\202\002\001\000\230\163  
\160\342\260\323\355\071\354\114\140\331\251\022\206\027\036\226  
\320\350\124\050\073\144\055\041\246\370\235\126\023\152\110\075  
\117\307\076\051\333\155\130\203\124\075\207\175\043\005\324\344  
\034\334\350\070\145\206\305\165\247\132\333\065\005\275\167\336  
\273\051\067\100\005\007\303\224\122\237\312\144\335\361\033\053  
\334\106\012\020\002\061\375\112\150\015\007\144\220\346\036\365  
\052\241\250\273\074\135\371\243\010\013\021\014\361\077\055\020  
\224\157\376\342\064\207\203\326\317\345\033\065\155\322\003\341  
\260\015\250\240\252\106\047\202\066\247\025\266\010\246\102\124  
\127\266\231\132\342\013\171\220\327\127\022\121\065\031\210\101  
\150\045\324\067\027\204\025\373\001\162\334\225\336\122\046\040  
\230\046\342\166\365\047\157\372\000\073\112\141\331\015\313\121  
\223\052\375\026\006\226\247\043\232\043\110\376\121\275\266\304  
\260\261\124\316\336\154\101\255\026\147\176\333\375\070\315\271  
\070\116\262\301\140\313\235\027\337\130\236\172\142\262\046\217  
\164\225\233\344\133\035\322\017\335\230\034\233\131\271\043\323  
\061\240\246\377\070\335\317\040\117\351\130\126\072\147\303\321  
\366\231\231\235\272\066\266\200\057\210\107\117\206\277\104\072  
\200\344\067\034\246\272\352\227\230\021\320\204\142\107\144\036  
\252\356\100\277\064\261\234\217\116\341\362\222\117\037\216\363  
\236\227\336\363\246\171\152\211\161\117\113\047\027\110\376\354  
\364\120\017\117\111\175\314\105\343\275\172\100\305\101\334\141  
\126\047\006\151\345\162\101\201\323\266\001\211\240\057\072\162  
\171\376\072\060\277\101\354\307\142\076\221\113\307\331\061\166  
\102\371\367\074\143\354\046\214\163\014\175\032\035\352\250\174  
\207\250\302\047\174\341\063\101\017\317\317\374\000\240\042\200  
\236\112\247\157\000\260\101\105\267\042\312\150\110\305\102\242

```
\256\335\035\362\340\156\116\005\130\261\300\220\026\052\244\075
\020\100\276\217\142\143\203\251\234\202\175\055\002\351\203\060
\174\313\047\311\375\036\146\000\260\056\323\041\057\216\063\026
\154\230\355\020\250\007\326\314\223\317\333\321\151\034\344\312
\311\340\266\234\351\316\161\161\336\154\077\026\244\171
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "Trustwave Global Certification Authority"
```

```
# Issuer: CN=Trustwave Global Certification Authority,O="Trustwave Holdings,
Inc.",L=Chicago,ST=Illinois,C=US
```

```
# Serial Number:05:f7:0e:86:da:49:f3:46:35:2e:ba:b2
```

```
# Subject: CN=Trustwave Global Certification Authority,O="Trustwave Holdings,
Inc.",L=Chicago,ST=Illinois,C=US
```

```
# Not Valid Before: Wed Aug 23 19:34:12 2017
```

```
# Not Valid After : Sat Aug 23 19:34:12 2042
```

```
# Fingerprint (SHA-256):
```

```
97:55:20:15:F5:DD:FC:3C:87:88:C0:06:94:45:55:40:88:94:45:00:84:F1:00:86:70:86:BC:1A:2B:B5:8D:C8
```

```
# Fingerprint (SHA1): 2F:8F:36:4F:E1:58:97:44:21:59:87:A5:2A:9A:D0:69:95:26:7F:B5
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Trustwave Global Certification Authority"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\057\217\066\117\341\130\227\104\041\131\207\245\052\232\320\151
\225\046\177\265
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\370\034\030\055\057\272\137\155\241\154\274\307\253\221\307\016
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\201\210\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\021\060\017\006\003\125\004\010\014\010\111\154\154\151\156
\157\151\163\061\020\060\016\006\003\125\004\007\014\007\103\150
\151\143\141\147\157\061\041\060\037\006\003\125\004\012\014\030
\124\162\165\163\164\167\141\166\145\040\110\157\154\144\151\156
\147\163\054\040\111\156\143\056\061\061\060\057\006\003\125\004
\003\014\050\124\162\165\163\164\167\141\166\145\040\107\154\157
\142\141\154\040\103\145\162\164\151\146\151\143\141\164\151\157
\156\040\101\165\164\150\157\162\151\164\171
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\014\005\367\016\206\332\111\363\106\065\056\272\262
```

END

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR  
CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST  
CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "Trustwave Global ECC P256 Certification Authority"

#

# Issuer: CN=Trustwave Global ECC P256 Certification Authority,O="Trustwave Holdings,  
Inc.",L=Chicago,ST=Illinois,C=US

# Serial Number:0d:6a:5f:08:3f:28:5c:3e:51:95:df:5d

# Subject: CN=Trustwave Global ECC P256 Certification Authority,O="Trustwave Holdings,  
Inc.",L=Chicago,ST=Illinois,C=US

# Not Valid Before: Wed Aug 23 19:35:10 2017

# Not Valid After : Sat Aug 23 19:35:10 2042

# Fingerprint (SHA-256):

94:5B:BC:82:5E:A5:54:F4:89:D1:FD:51:A7:3D:DF:2E:A6:24:AC:70:19:A0:52:05:22:5C:22:A7:8C:CF:A8:B4

# Fingerprint (SHA1): B4:90:82:DD:45:0C:BE:8B:5B:B1:66:D3:E2:A4:08:26:CD:ED:42:CF

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "Trustwave Global ECC P256 Certification Authority"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

\060\201\221\061\013\060\011\006\003\125\004\006\023\002\125\123  
\061\021\060\017\006\003\125\004\010\023\010\111\154\154\151\156  
\157\151\163\061\020\060\016\006\003\125\004\007\023\007\103\150  
\151\143\141\147\157\061\041\060\037\006\003\125\004\012\023\030  
\124\162\165\163\164\167\141\166\145\040\110\157\154\144\151\156  
\147\163\054\040\111\156\143\056\061\072\060\070\006\003\125\004  
\003\023\061\124\162\165\163\164\167\141\166\145\040\107\154\157  
\142\141\154\040\105\103\103\040\120\062\065\066\040\103\145\162  
\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150\157  
\162\151\164\171

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\201\221\061\013\060\011\006\003\125\004\006\023\002\125\123  
\061\021\060\017\006\003\125\004\010\023\010\111\154\154\151\156  
\157\151\163\061\020\060\016\006\003\125\004\007\023\007\103\150  
\151\143\141\147\157\061\041\060\037\006\003\125\004\012\023\030  
\124\162\165\163\164\167\141\166\145\040\110\157\154\144\151\156  
\147\163\054\040\111\156\143\056\061\072\060\070\006\003\125\004  
\003\023\061\124\162\165\163\164\167\141\166\145\040\107\154\157  
\142\141\154\040\105\103\103\040\120\062\065\066\040\103\145\162  
\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150\157  
\162\151\164\171

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL  
\002\014\015\152\137\010\077\050\134\076\121\225\337\135

END

CKA\_VALUE MULTILINE\_OCTAL  
\060\202\002\140\060\202\002\007\240\003\002\001\002\002\014\015  
\152\137\010\077\050\134\076\121\225\337\135\060\012\006\010\052  
\206\110\316\075\004\003\002\060\201\221\061\013\060\011\006\003  
\125\004\006\023\002\125\123\061\021\060\017\006\003\125\004\010  
\023\010\111\154\154\151\156\157\151\163\061\020\060\016\006\003  
\125\004\007\023\007\103\150\151\143\141\147\157\061\041\060\037  
\006\003\125\004\012\023\030\124\162\165\163\164\167\141\166\145  
\040\110\157\154\144\151\156\147\163\054\040\111\156\143\056\061  
\072\060\070\006\003\125\004\003\023\061\124\162\165\163\164\167  
\141\166\145\040\107\154\157\142\141\154\040\105\103\103\040\120  
\062\065\066\040\103\145\162\164\151\146\151\143\141\164\151\157  
\156\040\101\165\164\150\157\162\151\164\171\060\036\027\015\061  
\067\060\070\062\063\061\071\063\065\061\060\132\027\015\064\062  
\060\070\062\063\061\071\063\065\061\060\132\060\201\221\061\013  
\060\011\006\003\125\004\006\023\002\125\123\061\021\060\017\006  
\003\125\004\010\023\010\111\154\154\151\156\157\151\163\061\020  
\060\016\006\003\125\004\007\023\007\103\150\151\143\141\147\157  
\061\041\060\037\006\003\125\004\012\023\030\124\162\165\163\164  
\167\141\166\145\040\110\157\154\144\151\156\147\163\054\040\111  
\156\143\056\061\072\060\070\006\003\125\004\003\023\061\124\162  
\165\163\164\167\141\166\145\040\107\154\157\142\141\154\040\105  
\103\103\040\120\062\065\066\040\103\145\162\164\151\146\151\143  
\141\164\151\157\156\040\101\165\164\150\157\162\151\164\171\060  
\131\060\023\006\007\052\206\110\316\075\002\001\006\010\052\206  
\110\316\075\003\001\007\003\102\000\004\176\373\154\346\043\343  
\163\062\010\312\140\346\123\234\272\164\215\030\260\170\220\122  
\200\335\070\300\112\035\321\250\314\223\244\227\006\070\312\015  
\025\142\306\216\001\052\145\235\252\337\064\221\056\201\301\344  
\063\222\061\304\375\011\072\246\077\255\243\103\060\101\060\017  
\006\003\125\035\023\001\001\377\004\005\060\003\001\001\377\060  
\017\006\003\125\035\017\001\001\377\004\005\003\003\007\006\000  
\060\035\006\003\125\035\016\004\026\004\024\243\101\006\254\220  
\155\321\112\353\165\245\112\020\231\263\261\241\213\112\367\060  
\012\006\010\052\206\110\316\075\004\003\002\003\107\000\060\104  
\002\040\007\346\124\332\016\240\132\262\256\021\237\207\305\266  
\377\151\336\045\276\370\240\267\010\363\104\316\052\337\010\041  
\014\067\002\040\055\046\003\240\005\275\153\321\366\134\370\145  
\314\206\155\263\234\064\110\143\204\011\305\215\167\032\342\314  
\234\341\164\173

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE



```
# Trust for "Trustwave Global ECC P256 Certification Authority"
# Issuer: CN=Trustwave Global ECC P256 Certification Authority,O="Trustwave Holdings,
Inc.",L=Chicago,ST=Illinois,C=US
# Serial Number:0d:6a:5f:08:3f:28:5c:3e:51:95:df:5d
# Subject: CN=Trustwave Global ECC P256 Certification Authority,O="Trustwave Holdings,
Inc.",L=Chicago,ST=Illinois,C=US
# Not Valid Before: Wed Aug 23 19:35:10 2017
# Not Valid After : Sat Aug 23 19:35:10 2042
# Fingerprint (SHA-256):
94:5B:BC:82:5E:A5:54:F4:89:D1:FD:51:A7:3D:DF:2E:A6:24:AC:70:19:A0:52:05:22:5C:22:A7:8C:CF:A8:B4
# Fingerprint (SHA1): B4:90:82:DD:45:0C:BE:8B:5B:B1:66:D3:E2:A4:08:26:CD:ED:42:CF
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Trustwave Global ECC P256 Certification Authority"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\264\220\202\335\105\014\276\213\133\261\146\323\342\244\010\046
\315\355\102\317
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\133\104\343\215\135\066\206\046\350\015\005\322\131\247\203\124
END
CKA_ISSUER MULTILINE_OCTAL
\060\201\221\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\021\060\017\006\003\125\004\010\023\010\111\154\154\151\156
\157\151\163\061\020\060\016\006\003\125\004\007\023\007\103\150
\151\143\141\147\157\061\041\060\037\006\003\125\004\012\023\030
\124\162\165\163\164\167\141\166\145\040\110\157\154\144\151\156
\147\163\054\040\111\156\143\056\061\072\060\070\006\003\125\004
\003\023\061\124\162\165\163\164\167\141\166\145\040\107\154\157
\142\141\154\040\105\103\103\040\120\062\065\066\040\103\145\162
\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150\157
\162\151\164\171
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\014\015\152\137\010\077\050\134\076\121\225\337\135
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Trustwave Global ECC P384 Certification Authority"
#
# Issuer: CN=Trustwave Global ECC P384 Certification Authority,O="Trustwave Holdings,
Inc.",L=Chicago,ST=Illinois,C=US
```

```
# Serial Number:08:bd:85:97:6c:99:27:a4:80:68:47:3b
# Subject: CN=Trustwave Global ECC P384 Certification Authority,O="Trustwave Holdings,
Inc.",L=Chicago,ST=Illinois,C=US
# Not Valid Before: Wed Aug 23 19:36:43 2017
# Not Valid After : Sat Aug 23 19:36:43 2042
# Fingerprint (SHA-256):
55:90:38:59:C8:C0:C3:EB:B8:75:9E:CE:4E:25:57:22:5F:F5:75:8B:BD:38:EB:D4:82:76:60:1E:1B:D5:80:97
# Fingerprint (SHA1): E7:F3:A3:C8:CF:6F:C3:04:2E:6D:0E:67:32:C5:9E:68:95:0D:5E:D2
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Trustwave Global ECC P384 Certification Authority"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\221\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\021\060\017\006\003\125\004\010\023\010\111\154\154\151\156
\157\151\163\061\020\060\016\006\003\125\004\007\023\007\103\150
\151\143\141\147\157\061\041\060\037\006\003\125\004\012\023\030
\124\162\165\163\164\167\141\166\145\040\110\157\154\144\151\156
\147\163\054\040\111\156\143\056\061\072\060\070\006\003\125\004
\003\023\061\124\162\165\163\164\167\141\166\145\040\107\154\157
\142\141\154\040\105\103\103\040\120\063\070\064\040\103\145\162
\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150\157
\162\151\164\171
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\221\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\021\060\017\006\003\125\004\010\023\010\111\154\154\151\156
\157\151\163\061\020\060\016\006\003\125\004\007\023\007\103\150
\151\143\141\147\157\061\041\060\037\006\003\125\004\012\023\030
\124\162\165\163\164\167\141\166\145\040\110\157\154\144\151\156
\147\163\054\040\111\156\143\056\061\072\060\070\006\003\125\004
\003\023\061\124\162\165\163\164\167\141\166\145\040\107\154\157
\142\141\154\040\105\103\103\040\120\063\070\064\040\103\145\162
\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150\157
\162\151\164\171
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\014\010\275\205\227\154\231\047\244\200\150\107\073
END
CKA_VALUE MULTILINE_OCTAL
\060\202\002\235\060\202\002\044\240\003\002\001\002\002\014\010
\275\205\227\154\231\047\244\200\150\107\073\060\012\006\010\052
\206\110\316\075\004\003\003\060\201\221\061\013\060\011\006\003
\125\004\006\023\002\125\123\061\021\060\017\006\003\125\004\010
\023\010\111\154\154\151\156\157\151\163\061\020\060\016\006\003
```

\125\004\007\023\007\103\150\151\143\141\147\157\061\041\060\037  
\006\003\125\004\012\023\030\124\162\165\163\164\167\141\166\145  
\040\110\157\154\144\151\156\147\163\054\040\111\156\143\056\061  
\072\060\070\006\003\125\004\003\023\061\124\162\165\163\164\167  
\141\166\145\040\107\154\157\142\141\154\040\105\103\103\040\120  
\063\070\064\040\103\145\162\164\151\146\151\143\141\164\151\157  
\156\040\101\165\164\150\157\162\151\164\171\060\036\027\015\061  
\067\060\070\062\063\061\071\063\066\064\063\132\027\015\064\062  
\060\070\062\063\061\071\063\066\064\063\132\060\201\221\061\013  
\060\011\006\003\125\004\006\023\002\125\123\061\021\060\017\006  
\003\125\004\010\023\010\111\154\154\151\156\157\151\163\061\020  
\060\016\006\003\125\004\007\023\007\103\150\151\143\141\147\157  
\061\041\060\037\006\003\125\004\012\023\030\124\162\165\163\164  
\167\141\166\145\040\110\157\154\144\151\156\147\163\054\040\111  
\156\143\056\061\072\060\070\006\003\125\004\003\023\061\124\162  
\165\163\164\167\141\166\145\040\107\154\157\142\141\154\040\105  
\103\103\040\120\063\070\064\040\103\145\162\164\151\146\151\143  
\141\164\151\157\156\040\101\165\164\150\157\162\151\164\171\060  
\166\060\020\006\007\052\206\110\316\075\002\001\006\005\053\201  
\004\000\042\003\142\000\004\153\332\015\165\065\010\061\107\005  
\256\105\231\125\361\021\023\056\112\370\020\061\043\243\176\203  
\323\177\050\010\072\046\032\072\317\227\202\037\200\267\047\011  
\217\321\216\060\304\012\233\016\254\130\004\253\367\066\175\224  
\043\244\233\012\212\213\253\353\375\071\045\146\361\136\376\214  
\256\215\101\171\235\011\140\316\050\251\323\212\155\363\326\105  
\324\362\230\204\070\145\240\243\103\060\101\060\017\006\003\125  
\035\023\001\001\377\004\005\060\003\001\001\377\060\017\006\003  
\125\035\017\001\001\377\004\005\003\003\007\006\000\060\035\006  
\003\125\035\016\004\026\004\024\125\251\204\211\322\301\062\275  
\030\313\154\246\007\116\310\347\235\276\202\220\060\012\006\010  
\052\206\110\316\075\004\003\003\003\147\000\060\144\002\060\067  
\001\222\227\105\022\176\240\363\076\255\031\072\162\335\364\120  
\223\003\022\276\104\322\117\101\244\214\234\235\037\243\366\302  
\222\347\110\024\376\116\233\245\221\127\256\306\067\162\273\002  
\060\147\045\012\261\014\136\356\251\143\222\157\345\220\013\376  
\146\042\312\107\375\212\061\367\203\376\172\277\020\276\030\053  
\036\217\366\051\036\224\131\357\216\041\067\313\121\230\245\156  
\113

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRUST\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRUST\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "Trustwave Global ECC P384 Certification Authority"  
# Issuer: CN=Trustwave Global ECC P384 Certification Authority,O="Trustwave Holdings,  
Inc.",L=Chicago,ST=Illinois,C=US  
# Serial Number:08:bd:85:97:6c:99:27:a4:80:68:47:3b  
# Subject: CN=Trustwave Global ECC P384 Certification Authority,O="Trustwave Holdings,

```
Inc.",L=Chicago,ST=Illinois,C=US
# Not Valid Before: Wed Aug 23 19:36:43 2017
# Not Valid After : Sat Aug 23 19:36:43 2042
# Fingerprint (SHA-256):
55:90:38:59:C8:C0:C3:EB:B8:75:9E:CE:4E:25:57:22:5F:F5:75:8B:BD:38:EB:D4:82:76:60:1E:1B:D5:80:97
# Fingerprint (SHA1): E7:F3:A3:C8:CF:6F:C3:04:2E:6D:0E:67:32:C5:9E:68:95:0D:5E:D2
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Trustwave Global ECC P384 Certification Authority"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\347\363\243\310\317\157\303\004\056\155\016\147\062\305\236\150
\225\015\136\322
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\352\317\140\304\073\271\025\051\100\241\227\355\170\047\223\326
END
CKA_ISSUER MULTILINE_OCTAL
\060\201\221\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\021\060\017\006\003\125\004\010\023\010\111\154\154\151\156
\157\151\163\061\020\060\016\006\003\125\004\007\023\007\103\150
\151\143\141\147\157\061\041\060\037\006\003\125\004\012\023\030
\124\162\165\163\164\167\141\166\145\040\110\157\154\144\151\156
\147\163\054\040\111\156\143\056\061\072\060\070\006\003\125\004
\003\023\061\124\162\165\163\164\167\141\166\145\040\107\154\157
\142\141\154\040\105\103\103\040\120\063\070\064\040\103\145\162
\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150\157
\162\151\164\171
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\014\010\275\205\227\154\231\047\244\200\150\107\073
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "NAVER Global Root Certification Authority"
#
# Issuer: CN=NAVER Global Root Certification Authority,O=NAVER BUSINESS PLATFORM Corp.,C=KR
# Serial Number:01:94:30:1e:a2:0b:dd:f5:c5:33:2a:b1:43:44:71:f8:d6:50:4d:0d
# Subject: CN=NAVER Global Root Certification Authority,O=NAVER BUSINESS PLATFORM Corp.,C=KR
# Not Valid Before: Fri Aug 18 08:58:42 2017
# Not Valid After : Tue Aug 18 23:59:59 2037
# Fingerprint (SHA-256):
88:F4:38:DC:F8:FF:D1:FA:8F:42:91:15:FF:E5:F8:2A:E1:E0:6E:0C:70:C3:75:FA:AD:71:7B:34:A4:9E:72:65
```

# Fingerprint (SHA1): 8F:6B:F2:A9:27:4A:DA:14:A0:C4:F4:8E:61:27:F9:C0:1E:78:5D:D1

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE  
CKA\_TOKEN CK\_BBOOL CK\_TRUE  
CKA\_PRIVATE CK\_BBOOL CK\_FALSE  
CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE  
CKA\_LABEL UTF8 "NAVER Global Root Certification Authority"  
CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509  
CKA\_SUBJECT MULTILINE\_OCTAL  
\060\151\061\013\060\011\006\003\125\004\006\023\002\113\122\061  
\046\060\044\006\003\125\004\012\014\035\116\101\126\105\122\040  
\102\125\123\111\116\105\123\123\040\120\114\101\124\106\117\122  
\115\040\103\157\162\160\056\061\062\060\060\006\003\125\004\003  
\014\051\116\101\126\105\122\040\107\154\157\142\141\154\040\122  
\157\157\164\040\103\145\162\164\151\146\151\143\141\164\151\157  
\156\040\101\165\164\150\157\162\151\164\171

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL  
\060\151\061\013\060\011\006\003\125\004\006\023\002\113\122\061  
\046\060\044\006\003\125\004\012\014\035\116\101\126\105\122\040  
\102\125\123\111\116\105\123\123\040\120\114\101\124\106\117\122  
\115\040\103\157\162\160\056\061\062\060\060\006\003\125\004\003  
\014\051\116\101\126\105\122\040\107\154\157\142\141\154\040\122  
\157\157\164\040\103\145\162\164\151\146\151\143\141\164\151\157  
\156\040\101\165\164\150\157\162\151\164\171

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL  
\002\024\001\224\060\036\242\013\335\365\305\063\052\261\103\104  
\161\370\326\120\115\015

END

CKA\_VALUE MULTILINE\_OCTAL  
\060\202\005\242\060\202\003\212\240\003\002\001\002\002\024\001  
\224\060\036\242\013\335\365\305\063\052\261\103\104\161\370\326  
\120\115\015\060\015\006\011\052\206\110\206\367\015\001\001\014  
\005\000\060\151\061\013\060\011\006\003\125\004\006\023\002\113  
\122\061\046\060\044\006\003\125\004\012\014\035\116\101\126\105  
\122\040\102\125\123\111\116\105\123\123\040\120\114\101\124\106  
\117\122\115\040\103\157\162\160\056\061\062\060\060\006\003\125  
\004\003\014\051\116\101\126\105\122\040\107\154\157\142\141\154  
\040\122\157\157\164\040\103\145\162\164\151\146\151\143\141\164  
\151\157\156\040\101\165\164\150\157\162\151\164\171\060\036\027  
\015\061\067\060\070\061\070\060\070\065\070\064\062\132\027\015  
\063\067\060\070\061\070\062\063\065\071\065\071\132\060\151\061  
\013\060\011\006\003\125\004\006\023\002\113\122\061\046\060\044  
\006\003\125\004\012\014\035\116\101\126\105\122\040\102\125\123  
\111\116\105\123\123\040\120\114\101\124\106\117\122\115\040\103  
\157\162\160\056\061\062\060\060\006\003\125\004\003\014\051\116  
\101\126\105\122\040\107\154\157\142\141\154\040\122\157\157\164

\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040\101  
\165\164\150\157\162\151\164\171\060\202\002\042\060\015\006\011  
\052\206\110\206\367\015\001\001\001\005\000\003\202\002\017\000  
\060\202\002\012\002\202\002\001\000\266\324\361\223\134\265\100  
\211\012\253\015\220\133\120\143\256\220\224\164\027\105\162\326  
\173\145\132\051\113\247\126\240\113\270\057\102\165\351\331\173  
\044\132\061\145\253\027\027\321\063\072\331\021\334\100\066\207  
\337\307\152\351\046\136\131\212\167\343\350\110\234\061\026\372  
\076\221\261\312\311\243\342\237\316\041\123\243\002\066\060\313  
\122\002\345\332\062\135\303\305\346\371\356\021\307\213\311\104  
\036\204\223\030\112\264\237\345\022\144\151\320\046\205\142\001  
\266\311\002\035\276\203\121\273\134\332\370\255\025\152\231\367  
\222\124\367\064\133\351\277\352\051\201\022\324\123\221\226\263  
\221\132\335\376\220\163\050\373\060\106\265\312\010\007\307\161  
\162\311\146\323\064\227\366\214\364\030\112\341\320\075\132\105  
\266\151\247\051\373\043\316\210\330\022\234\000\110\250\246\017  
\263\073\222\215\161\016\164\305\213\310\114\371\364\233\216\270  
\074\151\355\157\073\120\057\130\355\304\260\320\034\033\152\014  
\342\274\104\252\330\315\024\135\224\170\141\277\016\156\332\052  
\274\057\014\013\161\246\263\026\077\234\346\371\314\237\123\065  
\342\003\240\240\030\277\273\361\276\364\326\214\207\015\102\367  
\006\271\361\155\355\004\224\250\376\266\323\006\306\100\141\337  
\235\235\363\124\166\316\123\072\001\246\222\101\354\004\243\217  
\015\242\325\011\312\326\313\232\361\357\103\135\300\253\245\101  
\317\134\123\160\160\311\210\246\055\324\153\141\163\120\046\206  
\141\016\137\033\302\053\342\214\325\273\235\301\003\102\272\224  
\332\137\251\260\312\314\115\012\357\107\151\003\057\042\373\361  
\050\316\277\135\120\145\250\220\155\263\164\260\010\307\254\250  
\321\353\076\234\374\135\032\203\056\053\313\265\363\104\235\072  
\247\027\141\226\242\161\323\160\226\025\115\267\114\163\356\031  
\134\305\133\076\101\376\254\165\140\073\033\143\316\000\335\332  
\010\220\142\264\345\055\356\110\247\153\027\231\124\276\207\112  
\343\251\136\004\114\353\020\155\124\326\357\361\350\362\142\026  
\313\200\153\355\075\355\365\037\060\245\256\113\311\023\355\212  
\001\001\311\270\121\130\300\146\072\261\146\113\304\325\061\002  
\142\351\164\204\014\333\115\106\055\002\003\001\000\001\243\102  
\060\100\060\035\006\003\125\035\016\004\026\004\024\322\237\210  
\337\241\315\054\275\354\365\073\001\001\223\063\047\262\353\140  
\113\060\016\006\003\125\035\017\001\001\377\004\004\003\002\001  
\006\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001  
\001\377\060\015\006\011\052\206\110\206\367\015\001\001\014\005  
\000\003\202\002\001\000\062\312\200\263\235\075\124\006\335\322  
\322\056\360\244\001\041\013\147\110\312\155\216\340\310\252\015  
\252\215\041\127\217\306\076\172\312\333\121\324\122\263\324\226  
\204\245\130\140\177\345\013\216\037\365\334\012\025\201\345\073  
\266\267\042\057\011\234\023\026\261\154\014\065\010\155\253\143  
\162\355\334\276\354\307\127\346\060\040\161\326\327\020\301\023  
\125\001\214\052\103\344\101\361\317\072\172\123\222\316\242\003

\005\015\070\337\002\273\020\056\331\073\322\233\172\300\241\246  
\370\265\061\346\364\165\311\271\123\231\165\107\042\132\024\025  
\307\170\033\266\235\351\014\370\033\166\361\205\204\336\241\332  
\022\357\244\342\020\227\172\170\336\014\121\227\250\041\100\213  
\206\275\015\360\136\116\113\066\273\073\040\037\212\102\126\341  
\013\032\277\173\320\042\103\054\104\214\373\345\052\264\154\034  
\034\272\224\340\023\176\041\346\232\302\313\305\102\144\264\036  
\224\173\010\045\310\161\314\207\105\127\205\323\237\051\142\042  
\203\121\227\000\030\227\167\152\230\222\311\174\140\154\337\154  
\175\112\344\160\114\302\236\270\035\367\320\064\307\017\314\373  
\247\377\003\276\255\160\220\332\013\335\310\155\227\137\232\177  
\011\062\101\375\315\242\314\132\155\114\362\252\111\376\146\370  
\351\330\065\353\016\050\036\356\110\057\072\320\171\011\070\174  
\246\042\202\223\225\320\003\276\276\002\240\005\335\040\042\343  
\157\035\210\064\140\306\346\012\271\011\165\013\360\007\350\151  
\226\065\307\373\043\201\216\070\071\270\105\053\103\170\242\321  
\054\024\377\015\050\162\162\225\233\136\011\333\211\104\230\252  
\241\111\273\161\122\362\277\366\377\047\241\066\257\270\266\167  
\210\335\072\244\155\233\064\220\334\024\135\060\277\267\353\027  
\344\207\267\161\320\241\327\167\025\324\102\327\362\363\061\231  
\135\233\335\026\155\077\352\006\043\370\106\242\042\355\223\366  
\335\232\346\052\207\261\230\124\361\042\367\153\105\343\342\216  
\166\035\232\215\304\006\215\066\267\024\363\235\124\151\267\216  
\074\325\244\155\223\201\267\255\366\275\144\173\302\311\150\071  
\240\222\234\315\064\206\221\220\372\144\121\235\376\376\353\245  
\365\165\336\211\367\162

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRUST\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRUST\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "NAVER Global Root Certification Authority"

# Issuer: CN=NAVER Global Root Certification Authority,O=NAVER BUSINESS PLATFORM Corp.,C=KR

# Serial Number:01:94:30:1e:a2:0b:dd:f5:c5:33:2a:b1:43:44:71:f8:d6:50:4d:0d

# Subject: CN=NAVER Global Root Certification Authority,O=NAVER BUSINESS PLATFORM Corp.,C=KR

# Not Valid Before: Fri Aug 18 08:58:42 2017

# Not Valid After : Tue Aug 18 23:59:59 2037

# Fingerprint (SHA-256):

88:F4:38:DC:F8:FF:D1:FA:8F:42:91:15:FF:E5:F8:2A:E1:E0:6E:0C:70:C3:75:FA:AD:71:7B:34:A4:9E:72:65

# Fingerprint (SHA1): 8F:6B:F2:A9:27:4A:DA:14:A0:C4:F4:8E:61:27:F9:C0:1E:78:5D:D1

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "NAVER Global Root Certification Authority"

CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL

\217\153\362\251\047\112\332\024\240\304\364\216\141\047\371\300

\036\170\135\321

```

END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\310\176\101\366\045\073\365\011\263\027\350\106\075\277\320\233
END
CKA_ISSUER MULTILINE_OCTAL
\060\151\061\013\060\011\006\003\125\004\006\023\002\113\122\061
\046\060\044\006\003\125\004\012\014\035\116\101\126\105\122\040
\102\125\123\111\116\105\123\123\040\120\114\101\124\106\117\122
\115\040\103\157\162\160\056\061\062\060\060\006\003\125\004\003
\014\051\116\101\126\105\122\040\107\154\157\142\141\154\040\122
\157\157\164\040\103\145\162\164\151\146\151\143\141\164\151\157
\156\040\101\165\164\150\157\162\151\164\171
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\024\001\224\060\036\242\013\335\365\305\063\052\261\103\104
\161\370\326\120\115\015
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "AC RAIZ FNMT-RCM SERVIDORES SEGUROS"
#
# Issuer: CN=AC RAIZ FNMT-RCM SERVIDORES SEGUROS,OID.2.5.4.97=VATES-
Q2826004J,OU=Ceres,O=FNMT-RCM,C=ES
# Serial Number:62:f6:32:6c:e5:c4:e3:68:5c:1b:62:dd:9c:2e:9d:95
# Subject: CN=AC RAIZ FNMT-RCM SERVIDORES SEGUROS,OID.2.5.4.97=VATES-
Q2826004J,OU=Ceres,O=FNMT-RCM,C=ES
# Not Valid Before: Thu Dec 20 09:37:33 2018
# Not Valid After : Sun Dec 20 09:37:33 2043
# Fingerprint (SHA-256):
55:41:53:B1:3D:2C:F9:DD:B7:53:BF:BE:1A:4E:0A:E0:8D:0A:A4:18:70:58:FE:60:A2:B8:62:B2:E4:B8:7B:CB
# Fingerprint (SHA1): 62:FF:D9:9E:C0:65:0D:03:CE:75:93:D2:ED:3F:2D:32:C9:E3:E5:4A
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "AC RAIZ FNMT-RCM SERVIDORES SEGUROS"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\170\061\013\060\011\006\003\125\004\006\023\002\105\123\061
\021\060\017\006\003\125\004\012\014\010\106\116\115\124\055\122
\103\115\061\016\060\014\006\003\125\004\013\014\005\103\145\162
\145\163\061\030\060\026\006\003\125\004\141\014\017\126\101\124
\105\123\055\121\062\070\062\066\060\060\064\112\061\054\060\052
\006\003\125\004\003\014\043\101\103\040\122\101\111\132\040\106

```



\116\115\124\055\122\103\115\040\123\105\122\126\111\104\117\122  
\105\123\040\123\105\107\125\122\117\123  
END  
CKA\_ID UTF8 "0"  
CKA\_ISSUER MULTILINE\_OCTAL  
\060\170\061\013\060\011\006\003\125\004\006\023\002\105\123\061  
\021\060\017\006\003\125\004\012\014\010\106\116\115\124\055\122  
\103\115\061\016\060\014\006\003\125\004\013\014\005\103\145\162  
\145\163\061\030\060\026\006\003\125\004\141\014\017\126\101\124  
\105\123\055\121\062\070\062\066\060\060\064\112\061\054\060\052  
\006\003\125\004\003\014\043\101\103\040\122\101\111\132\040\106  
\116\115\124\055\122\103\115\040\123\105\122\126\111\104\117\122  
\105\123\040\123\105\107\125\122\117\123  
END  
CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL  
\002\020\142\366\062\154\345\304\343\150\134\033\142\335\234\056  
\235\225  
END  
CKA\_VALUE MULTILINE\_OCTAL  
\060\202\002\156\060\202\001\363\240\003\002\001\002\002\020\142  
\366\062\154\345\304\343\150\134\033\142\335\234\056\235\225\060  
\012\006\010\052\206\110\316\075\004\003\003\060\170\061\013\060  
\011\006\003\125\004\006\023\002\105\123\061\021\060\017\006\003  
\125\004\012\014\010\106\116\115\124\055\122\103\115\061\016\060  
\014\006\003\125\004\013\014\005\103\145\162\145\163\061\030\060  
\026\006\003\125\004\141\014\017\126\101\124\105\123\055\121\062  
\070\062\066\060\060\064\112\061\054\060\052\006\003\125\004\003  
\014\043\101\103\040\122\101\111\132\040\106\116\115\124\055\122  
\103\115\040\123\105\122\126\111\104\117\122\105\123\040\123\105  
\107\125\122\117\123\060\036\027\015\061\070\061\062\062\060\060  
\071\063\067\063\063\132\027\015\064\063\061\062\062\060\060\071  
\063\067\063\063\132\060\170\061\013\060\011\006\003\125\004\006  
\023\002\105\123\061\021\060\017\006\003\125\004\012\014\010\106  
\116\115\124\055\122\103\115\061\016\060\014\006\003\125\004\013  
\014\005\103\145\162\145\163\061\030\060\026\006\003\125\004\141  
\014\017\126\101\124\105\123\055\121\062\070\062\066\060\060\064  
\112\061\054\060\052\006\003\125\004\003\014\043\101\103\040\122  
\101\111\132\040\106\116\115\124\055\122\103\115\040\123\105\122  
\126\111\104\117\122\105\123\040\123\105\107\125\122\117\123\060  
\166\060\020\006\007\052\206\110\316\075\002\001\006\005\053\201  
\004\000\042\003\142\000\004\366\272\127\123\310\312\253\337\066  
\112\122\041\344\227\322\203\147\236\360\145\121\320\136\207\307  
\107\261\131\362\127\107\233\000\002\223\104\027\151\333\102\307  
\261\262\072\030\016\264\135\214\263\146\135\241\064\371\066\054  
\111\333\363\106\374\263\104\151\104\023\146\375\327\305\375\257  
\066\115\316\003\115\007\161\317\257\152\005\322\242\103\132\012  
\122\157\001\003\116\216\213\243\102\060\100\060\017\006\003\125  
\035\023\001\001\377\004\005\060\003\001\001\377\060\016\006\003

```
\125\035\017\001\001\377\004\004\003\002\001\006\060\035\006\003
\125\035\016\004\026\004\024\001\271\057\357\277\021\206\140\362
\117\320\101\156\253\163\037\347\322\156\111\060\012\006\010\052
\206\110\316\075\004\003\003\003\151\000\060\146\002\061\000\256
\112\343\053\100\303\164\021\362\225\255\026\043\336\116\014\032
\346\135\245\044\136\153\104\173\374\070\342\117\313\234\105\027
\021\114\024\047\046\125\071\165\112\003\314\023\220\237\222\002
\061\000\372\112\154\140\210\163\363\356\270\230\142\251\316\053
\302\331\212\246\160\061\035\257\260\224\114\353\117\306\343\321
\363\142\247\074\377\223\056\007\134\111\001\147\151\022\002\162
\277\347
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "AC RAIZ FNMT-RCM SERVIDORES SEGUROS"
```

```
# Issuer: CN=AC RAIZ FNMT-RCM SERVIDORES SEGUROS,OID.2.5.4.97=VATES-
Q2826004J,OU=Ceres,O=FNMT-RCM,C=ES
```

```
# Serial Number:62:f6:32:6c:e5:c4:e3:68:5c:1b:62:dd:9c:2e:9d:95
```

```
# Subject: CN=AC RAIZ FNMT-RCM SERVIDORES SEGUROS,OID.2.5.4.97=VATES-
Q2826004J,OU=Ceres,O=FNMT-RCM,C=ES
```

```
# Not Valid Before: Thu Dec 20 09:37:33 2018
```

```
# Not Valid After : Sun Dec 20 09:37:33 2043
```

```
# Fingerprint (SHA-256):
```

```
55:41:53:B1:3D:2C:F9:DD:B7:53:BF:BE:1A:4E:0A:E0:8D:0A:A4:18:70:58:FE:60:A2:B8:62:B2:E4:B8:7B:CB
```

```
# Fingerprint (SHA1): 62:FF:D9:9E:C0:65:0D:03:CE:75:93:D2:ED:3F:2D:32:C9:E3:E5:4A
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "AC RAIZ FNMT-RCM SERVIDORES SEGUROS"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\142\377\331\236\300\145\015\003\316\165\223\322\355\077\055\062
\311\343\345\112
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\031\066\234\122\003\057\322\321\273\043\314\335\036\022\125\273
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\170\061\013\060\011\006\003\125\004\006\023\002\105\123\061
\021\060\017\006\003\125\004\012\014\010\106\116\115\124\055\122
\103\115\061\016\060\014\006\003\125\004\013\014\005\103\145\162
\145\163\061\030\060\026\006\003\125\004\141\014\017\126\101\124
\105\123\055\121\062\070\062\066\060\060\064\112\061\054\060\052
\006\003\125\004\003\014\043\101\103\040\122\101\111\132\040\106
\116\115\124\055\122\103\115\040\123\105\122\126\111\104\117\122
\105\123\040\123\105\107\125\122\117\123
```

```

END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\142\366\062\154\345\304\343\150\134\033\142\335\234\056
\235\225
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "GlobalSign Secure Mail Root R45"
#
# Issuer: CN=GlobalSign Secure Mail Root R45,O=GlobalSign nv-sa,C=BE
# Serial Number:76:53:fe:a8:4c:50:ab:9f:8d:32:b5:1d:03:8f:57:dc
# Subject: CN=GlobalSign Secure Mail Root R45,O=GlobalSign nv-sa,C=BE
# Not Valid Before: Wed Mar 18 00:00:00 2020
# Not Valid After : Sat Mar 18 00:00:00 2045
# Fingerprint (SHA-256):
31:9A:F0:A7:72:9E:6F:89:26:9C:13:1E:A6:A3:A1:6F:CD:86:38:9F:DC:AB:3C:47:A4:A6:75:C1:61:A3:F9:74
# Fingerprint (SHA1): 76:18:D1:F3:80:24:3D:52:40:C6:11:6A:AD:57:77:09:7D:81:30:A0
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "GlobalSign Secure Mail Root R45"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\122\061\013\060\011\006\003\125\004\006\023\002\102\105\061
\031\060\027\006\003\125\004\012\023\020\107\154\157\142\141\154
\123\151\147\156\040\156\166\055\163\141\061\050\060\046\006\003
\125\004\003\023\037\107\154\157\142\141\154\123\151\147\156\040
\123\145\143\165\162\145\040\115\141\151\154\040\122\157\157\164
\040\122\064\065
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\122\061\013\060\011\006\003\125\004\006\023\002\102\105\061
\031\060\027\006\003\125\004\012\023\020\107\154\157\142\141\154
\123\151\147\156\040\156\166\055\163\141\061\050\060\046\006\003
\125\004\003\023\037\107\154\157\142\141\154\123\151\147\156\040
\123\145\143\165\162\145\040\115\141\151\154\040\122\157\157\164
\040\122\064\065
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\166\123\376\250\114\120\253\237\215\062\265\035\003\217
\127\334
END

```

CKA\_VALUE MULTILINE\_OCTAL

\060\202\005\160\060\202\003\130\240\003\002\001\002\002\020\166  
\123\376\250\114\120\253\237\215\062\265\035\003\217\127\334\060  
\015\006\011\052\206\110\206\367\015\001\001\014\005\000\060\122  
\061\013\060\011\006\003\125\004\006\023\002\102\105\061\031\060  
\027\006\003\125\004\012\023\020\107\154\157\142\141\154\123\151  
\147\156\040\156\166\055\163\141\061\050\060\046\006\003\125\004  
\003\023\037\107\154\157\142\141\154\123\151\147\156\040\123\145  
\143\165\162\145\040\115\141\151\154\040\122\157\157\164\040\122  
\064\065\060\036\027\015\062\060\060\063\061\070\060\060\060\060  
\060\060\132\027\015\064\065\060\063\061\070\060\060\060\060\060  
\060\132\060\122\061\013\060\011\006\003\125\004\006\023\002\102  
\105\061\031\060\027\006\003\125\004\012\023\020\107\154\157\142  
\141\154\123\151\147\156\040\156\166\055\163\141\061\050\060\046  
\006\003\125\004\003\023\037\107\154\157\142\141\154\123\151\147  
\156\040\123\145\143\165\162\145\040\115\141\151\154\040\122\157  
\157\164\040\122\064\065\060\202\002\042\060\015\006\011\052\206  
\110\206\367\015\001\001\001\005\000\003\202\002\017\000\060\202  
\002\012\002\202\002\001\000\334\171\314\155\006\371\155\273\340  
\126\004\154\177\340\165\314\055\005\111\350\113\334\124\354\133  
\167\225\162\277\177\142\235\205\251\212\044\120\137\123\345\333  
\164\157\244\051\133\023\052\011\255\232\305\057\302\367\166\073  
\241\105\106\252\103\346\044\376\053\260\157\062\160\031\106\132  
\171\046\057\374\075\175\137\144\313\127\314\141\141\250\331\225  
\156\343\225\240\156\177\107\022\030\326\357\003\311\373\212\372  
\232\275\202\025\251\125\167\113\021\117\131\340\153\303\161\363  
\014\330\124\325\201\150\076\023\271\025\056\207\212\074\104\047  
\066\142\044\156\370\054\005\162\060\141\275\102\221\043\304\235  
\045\247\331\124\232\024\243\061\255\200\171\014\247\143\154\230  
\243\254\127\107\063\037\145\226\341\320\322\065\332\371\161\367  
\241\246\045\265\101\135\337\076\140\330\321\366\237\245\362\270  
\314\023\252\217\371\262\156\341\203\055\223\335\076\205\032\335  
\350\261\134\046\001\313\111\205\374\374\322\324\177\205\142\206  
\164\371\313\354\065\042\242\014\060\217\073\253\171\353\126\362  
\372\102\363\355\371\037\105\211\100\051\255\352\222\164\352\122  
\375\126\264\053\332\242\355\165\302\156\253\316\122\220\113\366  
\336\360\111\217\232\110\324\210\031\155\105\346\314\214\271\335  
\144\140\140\002\100\370\271\317\274\130\353\075\205\271\306\012  
\323\234\007\146\217\307\030\071\043\106\341\074\036\243\057\120  
\141\222\013\075\053\154\361\243\107\070\127\221\253\015\217\306  
\235\115\004\322\046\122\134\345\245\375\052\055\026\052\001\151  
\347\251\175\341\066\267\261\052\305\331\261\215\275\271\213\316  
\314\213\241\076\013\110\315\120\225\064\304\330\010\131\330\153  
\046\364\276\365\324\042\027\000\127\311\256\233\004\060\063\237  
\013\373\337\126\242\311\156\124\166\332\261\227\142\047\131\017  
\021\212\042\033\144\226\077\250\361\267\044\112\215\074\123\174  
\155\203\166\075\262\046\110\163\365\104\026\001\055\011\052\216  
\026\226\120\320\163\006\135\273\042\110\202\114\012\106\132\077

\200\377\134\362\362\232\254\054\010\340\326\352\360\022\070\201  
\117\246\020\355\106\253\314\026\234\013\317\144\246\231\002\205  
\104\147\106\255\375\115\347\002\003\001\000\001\243\102\060\100  
\060\016\006\003\125\035\017\001\001\377\004\004\003\002\001\206  
\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001  
\377\060\035\006\003\125\035\016\004\026\004\024\240\223\025\050  
\156\356\217\010\262\065\306\236\142\171\164\247\261\016\053\173  
\060\015\006\011\052\206\110\206\367\015\001\001\014\005\000\003  
\202\002\001\000\105\012\370\321\134\254\142\201\320\004\327\266  
\377\127\121\211\013\014\313\336\044\145\067\373\253\236\355\146  
\364\352\014\031\151\211\270\031\261\060\126\264\331\366\367\276  
\306\256\227\313\105\366\021\214\072\060\144\114\301\237\131\300  
\106\102\010\006\107\144\027\170\340\225\007\006\326\214\242\254  
\251\331\077\323\173\126\117\374\304\207\050\337\266\053\026\043  
\300\237\037\133\343\326\104\136\042\117\043\004\214\065\026\265  
\171\007\206\134\057\227\342\366\010\144\246\334\333\250\212\343  
\244\173\167\015\321\051\223\050\040\264\123\243\113\116\137\336  
\301\366\165\043\374\037\074\170\117\160\061\170\057\242\065\124  
\161\004\254\310\304\155\303\366\221\261\376\315\356\104\156\201  
\366\100\305\076\052\001\277\253\114\261\003\077\015\021\344\017  
\322\044\343\042\210\233\237\137\107\075\121\111\340\011\067\176  
\027\041\061\166\267\147\161\110\050\113\045\327\020\350\237\141  
\131\026\305\076\062\116\037\014\316\243\314\017\344\307\021\007  
\042\057\070\010\335\133\227\353\102\154\131\232\232\356\172\320  
\235\337\305\333\011\103\056\012\252\031\075\153\350\152\060\172  
\127\346\277\263\152\071\251\217\343\361\117\145\150\266\275\237  
\050\217\241\026\132\011\120\072\062\056\035\057\104\021\102\246  
\000\346\061\230\377\055\241\017\346\244\140\126\317\171\327\262  
\116\327\260\372\156\014\127\043\307\316\037\245\261\114\155\031  
\111\236\016\177\160\217\161\077\130\050\237\165\335\141\340\072  
\267\071\266\356\227\324\065\121\373\213\111\140\310\074\146\256  
\227\356\215\046\131\127\273\170\360\172\120\060\011\260\140\252  
\237\116\334\311\076\036\072\334\142\223\063\260\072\124\164\157  
\054\061\105\321\153\021\062\152\150\166\366\075\366\152\023\136  
\044\230\347\352\035\232\317\170\202\007\140\367\115\020\323\201  
\232\105\215\236\257\233\334\200\307\103\262\225\150\244\303\016  
\350\012\107\025\277\124\063\334\001\347\325\246\036\163\330\172  
\262\277\057\255\343\125\060\236\337\016\101\274\340\021\365\241  
\014\250\042\341\343\000\243\116\160\174\222\343\004\321\172\102  
\212\165\220\131\343\233\321\114\242\144\275\163\171\233\157\362  
\263\301\366\074

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "GlobalSign Secure Mail Root R45"

# Issuer: CN=GlobalSign Secure Mail Root R45,O=GlobalSign nv-sa,C=BE

```

# Serial Number:76:53:fe:a8:4c:50:ab:9f:8d:32:b5:1d:03:8f:57:dc
# Subject: CN=GlobalSign Secure Mail Root R45,O=GlobalSign nv-sa,C=BE
# Not Valid Before: Wed Mar 18 00:00:00 2020
# Not Valid After : Sat Mar 18 00:00:00 2045
# Fingerprint (SHA-256):
31:9A:F0:A7:72:9E:6F:89:26:9C:13:1E:A6:A3:A1:6F:CD:86:38:9F:DC:AB:3C:47:A4:A6:75:C1:61:A3:F9:74
# Fingerprint (SHA1): 76:18:D1:F3:80:24:3D:52:40:C6:11:6A:AD:57:77:09:7D:81:30:A0
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "GlobalSign Secure Mail Root R45"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\166\030\321\363\200\044\075\122\100\306\021\152\255\127\167\011
\175\201\060\240
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\223\304\173\263\016\124\107\034\103\054\213\276\160\205\142\051
END
CKA_ISSUER MULTILINE_OCTAL
\060\122\061\013\060\011\006\003\125\004\006\023\002\102\105\061
\031\060\027\006\003\125\004\012\023\020\107\154\157\142\141\154
\123\151\147\156\040\156\166\055\163\141\061\050\060\046\006\003
\125\004\003\023\037\107\154\157\142\141\154\123\151\147\156\040
\123\145\143\165\162\145\040\115\141\151\154\040\122\157\157\164
\040\122\064\065
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\166\123\376\250\114\120\253\237\215\062\265\035\003\217
\127\334
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "GlobalSign Secure Mail Root E45"
#
# Issuer: CN=GlobalSign Secure Mail Root E45,O=GlobalSign nv-sa,C=BE
# Serial Number:76:53:fe:aa:27:1d:95:46:5d:d6:f1:9e:e5:b8:90:0a
# Subject: CN=GlobalSign Secure Mail Root E45,O=GlobalSign nv-sa,C=BE
# Not Valid Before: Wed Mar 18 00:00:00 2020
# Not Valid After : Sat Mar 18 00:00:00 2045
# Fingerprint (SHA-256):
5C:BF:6F:B8:1F:D4:17:EA:41:28:CD:6F:81:72:A3:C9:40:20:94:F7:4A:B2:ED:3A:06:B4:40:5D:04:F3:0B:19
# Fingerprint (SHA1): 18:2E:1F:32:4F:89:DF:BE:FE:88:89:F0:93:C2:C4:A0:2B:67:75:21
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE

```

```
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "GlobalSign Secure Mail Root E45"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\122\061\013\060\011\006\003\125\004\006\023\002\102\105\061
\031\060\027\006\003\125\004\012\023\020\107\154\157\142\141\154
\123\151\147\156\040\156\166\055\163\141\061\050\060\046\006\003
\125\004\003\023\037\107\154\157\142\141\154\123\151\147\156\040
\123\145\143\165\162\145\040\115\141\151\154\040\122\157\157\164
\040\105\064\065
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\122\061\013\060\011\006\003\125\004\006\023\002\102\105\061
\031\060\027\006\003\125\004\012\023\020\107\154\157\142\141\154
\123\151\147\156\040\156\166\055\163\141\061\050\060\046\006\003
\125\004\003\023\037\107\154\157\142\141\154\123\151\147\156\040
\123\145\143\165\162\145\040\115\141\151\154\040\122\157\157\164
\040\105\064\065
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\166\123\376\252\047\035\225\106\135\326\361\236\345\270
\220\012
END
CKA_VALUE MULTILINE_OCTAL
\060\202\002\041\060\202\001\247\240\003\002\001\002\002\020\166
\123\376\252\047\035\225\106\135\326\361\236\345\270\220\012\060
\012\006\010\052\206\110\316\075\004\003\003\060\122\061\013\060
\011\006\003\125\004\006\023\002\102\105\061\031\060\027\006\003
\125\004\012\023\020\107\154\157\142\141\154\123\151\147\156\040
\156\166\055\163\141\061\050\060\046\006\003\125\004\003\023\037
\107\154\157\142\141\154\123\151\147\156\040\123\145\143\165\162
\145\040\115\141\151\154\040\122\157\157\164\040\105\064\065\060
\036\027\015\062\060\060\063\061\070\060\060\060\060\060\060\132
\027\015\064\065\060\063\061\070\060\060\060\060\060\060\132\060
\122\061\013\060\011\006\003\125\004\006\023\002\102\105\061\031
\060\027\006\003\125\004\012\023\020\107\154\157\142\141\154\123
\151\147\156\040\156\166\055\163\141\061\050\060\046\006\003\125
\004\003\023\037\107\154\157\142\141\154\123\151\147\156\040\123
\145\143\165\162\145\040\115\141\151\154\040\122\157\157\164\040
\105\064\065\060\166\060\020\006\007\052\206\110\316\075\002\001
\006\005\053\201\004\000\042\003\142\000\004\371\171\213\201\107
\067\211\226\077\105\111\120\177\032\046\013\223\062\176\056\300
\300\247\010\232\303\156\217\233\076\013\042\354\067\123\267\157
\212\260\274\047\067\113\155\251\106\073\331\037\377\245\241\104
\273\055\163\277\236\101\007\134\123\233\121\010\072\132\273\157
```

```
\070\307\026\221\170\302\112\023\151\035\202\337\132\057\000\210
\226\242\056\034\164\371\235\176\146\067\212\243\102\060\100\060
\016\006\003\125\035\017\001\001\377\004\004\003\002\001\206\060
\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001\377
\060\035\006\003\125\035\016\004\026\004\024\337\023\136\213\137
\302\100\002\375\126\267\224\114\266\036\325\246\261\024\226\060
\012\006\010\052\206\110\316\075\004\003\003\003\150\000\060\145
\002\060\023\260\276\327\161\040\076\344\253\234\316\066\022\175
\137\114\037\052\265\151\105\063\137\323\055\132\262\344\210\307
\336\012\066\102\062\171\235\246\153\272\341\371\104\052\173\212
\303\022\002\061\000\240\146\034\116\207\235\207\311\355\231\114
\033\012\356\055\140\303\067\307\035\315\265\162\260\331\306\357
\274\362\377\077\360\122\335\010\347\252\144\171\303\344\151\127
\221\057\244\313\174
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "GlobalSign Secure Mail Root E45"
```

```
# Issuer: CN=GlobalSign Secure Mail Root E45,O=GlobalSign nv-sa,C=BE
```

```
# Serial Number:76:53:fe:aa:27:1d:95:46:5d:d6:f1:9e:e5:b8:90:0a
```

```
# Subject: CN=GlobalSign Secure Mail Root E45,O=GlobalSign nv-sa,C=BE
```

```
# Not Valid Before: Wed Mar 18 00:00:00 2020
```

```
# Not Valid After : Sat Mar 18 00:00:00 2045
```

```
# Fingerprint (SHA-256):
```

```
5C:BF:6F:B8:1F:D4:17:EA:41:28:CD:6F:81:72:A3:C9:40:20:94:F7:4A:B2:ED:3A:06:B4:40:5D:04:F3:0B:19
```

```
# Fingerprint (SHA1): 18:2E:1F:32:4F:89:DF:BE:FE:88:89:F0:93:C2:C4:A0:2B:67:75:21
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "GlobalSign Secure Mail Root E45"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\030\056\037\062\117\211\337\276\376\210\211\360\223\302\304\240
\053\147\165\041
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\305\374\306\056\237\364\122\055\052\250\244\272\373\147\062\377
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\122\061\013\060\011\006\003\125\004\006\023\002\102\105\061
\031\060\027\006\003\125\004\012\023\020\107\154\157\142\141\154
\123\151\147\156\040\156\166\055\163\141\061\050\060\046\006\003
\125\004\003\023\037\107\154\157\142\141\154\123\151\147\156\040
\123\145\143\165\162\145\040\115\141\151\154\040\122\157\157\164
\040\105\064\065
```

END



```

CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\166\123\376\252\047\035\225\106\135\326\361\236\345\270
\220\012
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "GlobalSign Root R46"
#
# Issuer: CN=GlobalSign Root R46,O=GlobalSign nv-sa,C=BE
# Serial Number:11:d2:bb:b9:d7:23:18:9e:40:5f:0a:9d:2d:d0:df:25:67:d1
# Subject: CN=GlobalSign Root R46,O=GlobalSign nv-sa,C=BE
# Not Valid Before: Wed Mar 20 00:00:00 2019
# Not Valid After : Tue Mar 20 00:00:00 2046
# Fingerprint (SHA-256):
4F:A3:12:6D:8D:3A:11:D1:C4:85:5A:4F:80:7C:BA:D6:CF:91:9D:3A:5A:88:B0:3B:EA:2C:63:72:D9:3C:40:C9
# Fingerprint (SHA1): 53:A2:B0:4B:CA:6B:D6:45:E6:39:8A:8E:C4:0D:D2:BF:77:C3:A2:90
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "GlobalSign Root R46"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\106\061\013\060\011\006\003\125\004\006\023\002\102\105\061
\031\060\027\006\003\125\004\012\023\020\107\154\157\142\141\154
\123\151\147\156\040\156\166\055\163\141\061\034\060\032\006\003
\125\004\003\023\023\107\154\157\142\141\154\123\151\147\156\040
\122\157\157\164\040\122\064\066
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\106\061\013\060\011\006\003\125\004\006\023\002\102\105\061
\031\060\027\006\003\125\004\012\023\020\107\154\157\142\141\154
\123\151\147\156\040\156\166\055\163\141\061\034\060\032\006\003
\125\004\003\023\023\107\154\157\142\141\154\123\151\147\156\040
\122\157\157\164\040\122\064\066
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\022\021\322\273\271\327\043\030\236\100\137\012\235\055\320
\337\045\147\321
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\132\060\202\003\102\240\003\002\001\002\002\022\021
\322\273\271\327\043\030\236\100\137\012\235\055\320\337\045\147

```

\321\060\015\006\011\052\206\110\206\367\015\001\001\014\005\000  
\060\106\061\013\060\011\006\003\125\004\006\023\002\102\105\061  
\031\060\027\006\003\125\004\012\023\020\107\154\157\142\141\154  
\123\151\147\156\040\156\166\055\163\141\061\034\060\032\006\003  
\125\004\003\023\023\107\154\157\142\141\154\123\151\147\156\040  
\122\157\157\164\040\122\064\066\060\036\027\015\061\071\060\063  
\062\060\060\060\060\060\060\060\132\027\015\064\066\060\063\062  
\060\060\060\060\060\060\060\132\060\106\061\013\060\011\006\003  
\125\004\006\023\002\102\105\061\031\060\027\006\003\125\004\012  
\023\020\107\154\157\142\141\154\123\151\147\156\040\156\166\055  
\163\141\061\034\060\032\006\003\125\004\003\023\023\107\154\157  
\142\141\154\123\151\147\156\040\122\157\157\164\040\122\064\066  
\060\202\002\042\060\015\006\011\052\206\110\206\367\015\001\001  
\001\005\000\003\202\002\017\000\060\202\002\012\002\202\002\001  
\000\254\254\164\062\350\263\145\345\272\355\103\046\035\246\211  
\015\105\272\051\210\262\244\035\143\335\323\301\054\011\127\211  
\071\241\125\351\147\064\167\014\156\344\125\035\122\045\322\023  
\153\136\341\035\251\267\175\211\062\137\015\236\237\054\172\143  
\140\100\037\246\260\266\170\217\231\124\226\010\130\256\344\006  
\274\142\005\002\026\277\257\250\043\003\266\224\017\274\156\154  
\302\313\325\246\273\014\351\366\301\002\373\041\336\146\335\027  
\253\164\102\357\360\164\057\045\364\352\153\125\133\220\333\235  
\337\136\207\012\100\373\255\031\153\373\367\312\140\210\336\332  
\301\217\326\256\325\177\324\074\203\356\327\026\114\203\105\063  
\153\047\320\206\320\034\055\153\363\253\175\361\205\251\365\050  
\322\255\357\363\204\113\034\207\374\023\243\072\162\242\132\021  
\053\326\047\161\047\355\201\055\155\146\201\222\207\264\033\130  
\172\314\077\012\372\106\117\115\170\134\370\053\110\343\004\204  
\313\135\366\264\152\263\145\374\102\236\121\046\043\040\313\075  
\024\371\201\355\145\026\000\117\032\144\227\146\010\317\214\173  
\343\053\300\235\371\024\362\033\361\126\152\026\277\054\205\205  
\315\170\070\232\353\102\152\002\064\030\203\027\116\224\126\370  
\266\202\265\363\226\335\075\363\276\177\040\167\076\173\031\043  
\153\054\324\162\163\103\127\175\340\370\327\151\117\027\066\004  
\371\300\220\140\067\105\336\346\014\330\164\215\256\234\242\155  
\164\135\102\276\006\365\331\144\156\002\020\254\211\260\114\073  
\007\115\100\176\044\305\212\230\202\171\216\244\247\202\040\215  
\043\372\047\161\311\337\306\101\164\240\115\366\221\026\334\106  
\214\137\051\143\061\131\161\014\330\157\302\266\062\175\373\346  
\135\123\246\176\025\374\273\165\174\135\354\370\366\027\034\354  
\307\153\031\313\363\173\360\053\007\245\331\154\171\124\166\154  
\235\034\246\156\016\351\171\014\250\043\152\243\337\033\060\061  
\237\261\124\173\376\152\313\146\252\334\145\320\242\236\112\232  
\007\041\153\201\217\333\304\131\372\336\042\300\004\234\343\252  
\133\066\223\350\075\275\172\241\235\013\166\261\013\307\235\375  
\317\230\250\006\302\370\052\243\241\203\240\267\045\162\245\002  
\343\002\003\001\000\001\243\102\060\100\060\016\006\003\125\035  
\017\001\001\377\004\004\003\002\001\206\060\017\006\003\125\035

\023\001\001\377\004\005\060\003\001\001\377\060\035\006\003\125  
\035\016\004\026\004\024\003\134\253\163\201\207\250\314\260\246  
\325\224\342\066\226\111\377\005\231\054\060\015\006\011\052\206  
\110\206\367\015\001\001\014\005\000\003\202\002\001\000\174\170  
\354\366\002\054\273\133\176\222\053\135\071\334\276\330\035\242  
\102\063\115\371\357\244\052\073\104\151\036\254\331\105\243\116  
\074\247\330\044\121\262\124\034\223\116\304\357\173\223\205\140  
\046\352\011\110\340\365\273\307\351\150\322\273\152\061\161\314  
\171\256\021\250\360\231\375\345\037\274\057\250\314\127\353\166  
\304\041\246\107\123\125\115\150\277\005\244\356\327\046\253\142  
\332\103\067\113\342\306\265\345\262\203\031\072\307\323\333\115  
\236\010\172\363\356\317\076\142\373\254\350\140\314\321\307\241  
\134\203\105\304\105\314\363\027\153\024\311\004\002\076\322\044  
\246\171\351\036\316\242\347\301\131\025\237\035\342\113\232\076  
\237\166\010\055\153\330\272\127\024\332\203\352\376\214\125\351  
\320\116\251\314\167\061\261\104\021\172\134\261\076\323\024\105  
\025\030\142\044\023\322\313\115\316\134\203\301\066\362\020\265  
\016\210\155\270\341\126\237\211\336\226\146\071\107\144\054\156  
\115\256\142\173\277\140\164\031\270\126\254\222\254\026\062\355  
\255\150\125\376\230\272\323\064\336\364\311\141\303\016\206\366  
\113\204\140\356\015\173\265\062\130\171\221\125\054\201\103\263  
\164\037\172\252\045\236\035\327\241\213\271\315\102\056\004\244  
\146\203\115\211\065\266\154\250\066\112\171\041\170\042\320\102  
\274\321\100\061\220\241\276\004\317\312\147\355\365\360\200\323  
\140\311\203\052\042\005\320\007\073\122\277\014\236\252\053\371  
\273\346\037\217\045\272\205\215\027\036\002\376\135\120\004\127  
\317\376\055\274\357\134\300\032\253\266\237\044\306\337\163\150  
\110\220\054\024\364\077\122\032\344\322\313\024\303\141\151\317  
\342\371\030\305\272\063\237\024\243\004\135\271\161\367\265\224  
\330\366\063\301\132\301\064\213\174\233\335\223\072\347\023\242  
\160\141\237\257\217\353\330\305\165\370\063\146\324\164\147\072  
\067\167\234\347\335\244\017\166\103\146\212\103\362\237\373\014  
\102\170\143\321\342\017\157\173\324\241\075\164\227\205\267\110  
\071\101\326\040\374\320\072\263\372\350\157\304\212\272\161\067  
\276\213\227\261\170\061\117\263\347\266\003\023\316\124\235\256  
\045\131\314\177\065\137\010\367\100\105\061\170\052\172

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "GlobalSign Root R46"  
# Issuer: CN=GlobalSign Root R46,O=GlobalSign nv-sa,C=BE  
# Serial Number: 11:d2:bb:b9:d7:23:18:9e:40:5f:0a:9d:2d:d0:df:25:67:d1  
# Subject: CN=GlobalSign Root R46,O=GlobalSign nv-sa,C=BE  
# Not Valid Before: Wed Mar 20 00:00:00 2019  
# Not Valid After : Tue Mar 20 00:00:00 2046  
# Fingerprint (SHA-256):

```

4F:A3:12:6D:8D:3A:11:D1:C4:85:5A:4F:80:7C:BA:D6:CF:91:9D:3A:5A:88:B0:3B:EA:2C:63:72:D9:3C:40:C9
# Fingerprint (SHA1): 53:A2:B0:4B:CA:6B:D6:45:E6:39:8A:8E:C4:0D:D2:BF:77:C3:A2:90
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "GlobalSign Root R46"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\123\242\260\113\312\153\326\105\346\071\212\216\304\015\322\277
\167\303\242\220
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\304\024\060\344\372\146\103\224\052\152\033\044\137\031\320\357
END
CKA_ISSUER MULTILINE_OCTAL
\060\106\061\013\060\011\006\003\125\004\006\023\002\102\105\061
\031\060\027\006\003\125\004\012\023\020\107\154\157\142\141\154
\123\151\147\156\040\156\166\055\163\141\061\034\060\032\006\003
\125\004\003\023\023\107\154\157\142\141\154\123\151\147\156\040
\122\157\157\164\040\122\064\066
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\022\021\322\273\271\327\043\030\236\100\137\012\235\055\320
\337\045\147\321
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "GlobalSign Root E46"
#
# Issuer: CN=GlobalSign Root E46,O=GlobalSign nv-sa,C=BE
# Serial Number:11:d2:bb:ba:33:6e:d4:bc:e6:24:68:c5:0d:84:1d:98:e8:43
# Subject: CN=GlobalSign Root E46,O=GlobalSign nv-sa,C=BE
# Not Valid Before: Wed Mar 20 00:00:00 2019
# Not Valid After : Tue Mar 20 00:00:00 2046
# Fingerprint (SHA-256):
CB:B9:C4:4D:84:B8:04:3E:10:50:EA:31:A6:9F:51:49:55:D7:BF:D2:E2:C6:B4:93:01:01:9A:D6:1D:9F:50:58
# Fingerprint (SHA1): 39:B4:6C:D5:FE:80:06:EB:E2:2F:4A:BB:08:33:A0:AF:DB:B9:DD:84
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "GlobalSign Root E46"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL

```

\060\106\061\013\060\011\006\003\125\004\006\023\002\102\105\061  
\031\060\027\006\003\125\004\012\023\020\107\154\157\142\141\154  
\123\151\147\156\040\156\166\055\163\141\061\034\060\032\006\003  
\125\004\003\023\023\107\154\157\142\141\154\123\151\147\156\040  
\122\157\157\164\040\105\064\066

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\106\061\013\060\011\006\003\125\004\006\023\002\102\105\061  
\031\060\027\006\003\125\004\012\023\020\107\154\157\142\141\154  
\123\151\147\156\040\156\166\055\163\141\061\034\060\032\006\003  
\125\004\003\023\023\107\154\157\142\141\154\123\151\147\156\040  
\122\157\157\164\040\105\064\066

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\022\021\322\273\272\063\156\324\274\346\044\150\305\015\204  
\035\230\350\103

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\002\013\060\202\001\221\240\003\002\001\002\002\022\021  
\322\273\272\063\156\324\274\346\044\150\305\015\204\035\230\350  
\103\060\012\006\010\052\206\110\316\075\004\003\003\060\106\061  
\013\060\011\006\003\125\004\006\023\002\102\105\061\031\060\027  
\006\003\125\004\012\023\020\107\154\157\142\141\154\123\151\147  
\156\040\156\166\055\163\141\061\034\060\032\006\003\125\004\003  
\023\023\107\154\157\142\141\154\123\151\147\156\040\122\157\157  
\164\040\105\064\066\060\036\027\015\061\071\060\063\062\060\060  
\060\060\060\060\060\132\027\015\064\066\060\063\062\060\060\060  
\060\060\060\060\132\060\106\061\013\060\011\006\003\125\004\006  
\023\002\102\105\061\031\060\027\006\003\125\004\012\023\020\107  
\154\157\142\141\154\123\151\147\156\040\156\166\055\163\141\061  
\034\060\032\006\003\125\004\003\023\023\107\154\157\142\141\154  
\123\151\147\156\040\122\157\157\164\040\105\064\066\060\166\060  
\020\006\007\052\206\110\316\075\002\001\006\005\053\201\004\000  
\042\003\142\000\004\234\016\261\317\267\350\236\122\167\165\064  
\372\245\106\247\255\062\031\062\264\007\251\047\312\224\273\014  
\322\012\020\307\332\211\260\227\014\160\023\011\001\216\330\352  
\107\352\276\262\200\053\315\374\050\015\333\254\274\244\206\067  
\355\160\010\000\165\352\223\013\173\056\122\234\043\150\043\006  
\103\354\222\057\123\204\333\373\107\024\007\350\137\224\147\135  
\311\172\201\074\040\243\102\060\100\060\016\006\003\125\035\017  
\001\001\377\004\004\003\002\001\206\060\017\006\003\125\035\023  
\001\001\377\004\005\060\003\001\001\377\060\035\006\003\125\035  
\016\004\026\004\024\061\012\220\217\266\306\235\322\104\113\200  
\265\242\346\037\261\022\117\033\225\060\012\006\010\052\206\110  
\316\075\004\003\003\003\150\000\060\145\002\061\000\337\124\220  
\355\233\357\213\224\002\223\027\202\231\276\263\236\054\366\013  
\221\214\237\112\024\261\366\144\274\273\150\121\023\014\003\367

```
\025\213\204\140\271\213\377\122\216\347\214\274\034\002\060\074
\371\021\324\214\116\300\301\141\302\025\114\252\253\035\013\061
\137\073\034\342\000\227\104\061\346\376\163\226\057\332\226\323
\376\010\007\263\064\211\274\005\237\367\036\206\356\213\160
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

# Trust for "GlobalSign Root E46"

# Issuer: CN=GlobalSign Root E46,O=GlobalSign nv-sa,C=BE

# Serial Number:11:d2:bb:ba:33:6e:d4:bc:e6:24:68:c5:0d:84:1d:98:e8:43

# Subject: CN=GlobalSign Root E46,O=GlobalSign nv-sa,C=BE

# Not Valid Before: Wed Mar 20 00:00:00 2019

# Not Valid After : Tue Mar 20 00:00:00 2046

# Fingerprint (SHA-256):

CB:B9:C4:4D:84:B8:04:3E:10:50:EA:31:A6:9F:51:49:55:D7:BF:D2:E2:C6:B4:93:01:01:9A:D6:1D:9F:50:58

# Fingerprint (SHA1): 39:B4:6C:D5:FE:80:06:EB:E2:2F:4A:BB:08:33:A0:AF:DB:B9:DD:84

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "GlobalSign Root E46"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\071\264\154\325\376\200\006\353\342\057\112\273\010\063\240\257
\333\271\335\204
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\265\270\146\355\336\010\203\343\311\342\001\064\006\254\121\157
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\106\061\013\060\011\006\003\125\004\006\023\002\102\105\061
\031\060\027\006\003\125\004\012\023\020\107\154\157\142\141\154
\123\151\147\156\040\156\166\055\163\141\061\034\060\032\006\003
\125\004\003\023\023\107\154\157\142\141\154\123\151\147\156\040
\122\157\157\164\040\105\064\066
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\022\021\322\273\272\063\156\324\274\346\044\150\305\015\204
\035\230\350\103
```

END

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

```
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

```
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE
```

#

# Certificate "GLOBALTRUST 2020"

```

#
# Issuer: CN=GLOBALTRUST 2020,O=e-commerce monitoring GmbH,C=AT
# Serial Number:5a:4b:bd:5a:fb:4f:8a:5b:fa:65:e5
# Subject: CN=GLOBALTRUST 2020,O=e-commerce monitoring GmbH,C=AT
# Not Valid Before: Mon Feb 10 00:00:00 2020
# Not Valid After : Sun Jun 10 00:00:00 2040
# Fingerprint (SHA-256):
9A:29:6A:51:82:D1:D4:51:A2:E3:7F:43:9B:74:DA:AF:A2:67:52:33:29:F9:0F:9A:0D:20:07:C3:34:E2:3C:9A
# Fingerprint (SHA1): D0:67:C1:13:51:01:0C:AA:D0:C7:6A:65:37:31:16:26:4F:53:71:A2
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "GLOBALTRUST 2020"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\115\061\013\060\011\006\003\125\004\006\023\002\101\124\061
\043\060\041\006\003\125\004\012\023\032\145\055\143\157\155\155
\145\162\143\145\040\155\157\156\151\164\157\162\151\156\147\040
\107\155\142\110\061\031\060\027\006\003\125\004\003\023\020\107
\114\117\102\101\114\124\122\125\123\124\040\062\060\062\060
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\115\061\013\060\011\006\003\125\004\006\023\002\101\124\061
\043\060\041\006\003\125\004\012\023\032\145\055\143\157\155\155
\145\162\143\145\040\155\157\156\151\164\157\162\151\156\147\040
\107\155\142\110\061\031\060\027\006\003\125\004\003\023\020\107
\114\117\102\101\114\124\122\125\123\124\040\062\060\062\060
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\013\132\113\275\132\373\117\212\133\372\145\345
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\202\060\202\003\152\240\003\002\001\002\002\013\132
\113\275\132\373\117\212\133\372\145\345\060\015\006\011\052\206
\110\206\367\015\001\001\013\005\000\060\115\061\013\060\011\006
\003\125\004\006\023\002\101\124\061\043\060\041\006\003\125\004
\012\023\032\145\055\143\157\155\155\145\162\143\145\040\155\157
\156\151\164\157\162\151\156\147\040\107\155\142\110\061\031\060
\027\006\003\125\004\003\023\020\107\114\117\102\101\114\124\122
\125\123\124\040\062\060\062\060\060\060\060\060\060\060\036\027\015\062\060\060\062
\061\060\060\060\060\060\060\060\132\027\015\064\060\060\066\061
\060\060\060\060\060\060\060\132\060\115\061\013\060\011\006\003
\125\004\006\023\002\101\124\061\043\060\041\006\003\125\004\012
\023\032\145\055\143\157\155\155\145\162\143\145\040\155\157\156
\151\164\157\162\151\156\147\040\107\155\142\110\061\031\060\027
\006\003\125\004\003\023\020\107\114\117\102\101\114\124\122\125

```

\123\124\040\062\060\062\060\060\202\002\042\060\015\006\011\052  
\206\110\206\367\015\001\001\001\005\000\003\202\002\017\000\060  
\202\002\012\002\202\002\001\000\256\056\126\255\033\034\357\366  
\225\217\240\167\033\053\323\143\217\204\115\105\242\017\237\133  
\105\253\131\173\121\064\371\354\213\212\170\305\335\153\257\275  
\304\337\223\105\036\277\221\070\013\256\016\026\347\101\163\370  
\333\273\321\270\121\340\313\203\073\163\070\156\167\212\017\131  
\143\046\315\247\052\316\124\373\270\342\300\174\107\316\140\174  
\077\262\163\362\300\031\266\212\222\207\065\015\220\050\242\344  
\025\004\143\076\272\257\356\174\136\314\246\213\120\262\070\367  
\101\143\312\316\377\151\217\150\016\225\066\345\314\271\214\011  
\312\113\335\061\220\226\310\314\037\375\126\226\064\333\216\034  
\352\054\276\205\056\143\335\252\251\225\323\375\051\225\023\360  
\310\230\223\331\055\026\107\220\021\203\242\072\042\242\050\127  
\242\353\376\300\214\050\240\246\175\347\052\102\073\202\200\143  
\245\143\037\031\314\174\262\146\250\302\323\155\067\157\342\176  
\006\121\331\105\204\037\022\316\044\122\144\205\013\110\200\116  
\207\261\042\042\060\252\353\256\276\340\002\340\100\350\260\102  
\200\003\121\252\264\176\252\104\327\103\141\363\242\153\026\211  
\111\244\243\244\053\212\002\304\170\364\150\212\301\344\172\066  
\261\157\033\226\033\167\111\215\324\311\006\162\217\317\123\343  
\334\027\205\040\112\334\230\047\323\221\046\053\107\036\151\007  
\257\336\242\344\344\324\153\013\263\136\174\324\044\200\107\051  
\151\073\156\350\254\375\100\353\330\355\161\161\053\362\350\130  
\035\353\101\227\042\305\037\324\071\320\047\217\207\343\030\364  
\340\251\106\015\365\164\072\202\056\320\156\054\221\243\061\134  
\073\106\352\173\004\020\126\136\200\035\365\245\145\350\202\374  
\342\007\214\142\105\365\040\336\106\160\206\241\274\223\323\036  
\164\246\154\260\054\367\003\014\210\014\313\324\162\123\206\274  
\140\106\363\230\152\302\361\277\103\371\160\040\167\312\067\101  
\171\125\122\143\215\133\022\237\305\150\304\210\235\254\362\060  
\253\267\243\061\227\147\255\217\027\017\154\307\163\355\044\224  
\153\310\203\232\320\232\067\111\004\253\261\026\310\154\111\111  
\055\253\241\320\214\222\362\101\112\171\041\045\333\143\327\266  
\234\247\176\102\151\373\072\143\002\003\001\000\001\243\143\060  
\141\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001  
\001\377\060\016\006\003\125\035\017\001\001\377\004\004\003\002  
\001\006\060\035\006\003\125\035\016\004\026\004\024\334\056\037  
\321\141\067\171\344\253\325\325\263\022\161\150\075\152\150\234  
\042\060\037\006\003\125\035\043\004\030\060\026\200\024\334\056  
\037\321\141\067\171\344\253\325\325\263\022\161\150\075\152\150  
\234\042\060\015\006\011\052\206\110\206\367\015\001\001\013\005  
\000\003\202\002\001\000\221\360\102\002\150\100\356\303\150\300  
\124\057\337\354\142\303\303\236\212\240\061\050\252\203\216\244  
\126\226\022\020\206\126\272\227\162\322\124\060\174\255\031\325  
\035\150\157\373\024\102\330\215\016\363\265\321\245\343\002\102  
\136\334\350\106\130\007\065\002\060\340\274\164\112\301\103\052  
\377\333\032\320\260\257\154\303\375\313\263\365\177\155\003\056



\131\126\235\055\055\065\214\262\326\103\027\054\222\012\313\135  
\350\214\017\113\160\103\320\202\377\250\314\277\244\224\300\276  
\207\275\212\343\223\173\306\217\233\026\235\047\145\274\172\305  
\102\202\154\134\007\320\251\301\210\140\104\351\230\205\026\137  
\370\217\312\001\020\316\045\303\371\140\033\240\305\227\303\323  
\054\210\061\242\275\060\354\320\320\300\022\361\301\071\343\345  
\365\370\326\112\335\064\315\373\157\301\117\343\000\213\126\342  
\222\367\050\262\102\167\162\043\147\307\077\021\025\262\304\003  
\005\276\273\021\173\012\277\250\156\347\377\130\103\317\233\147  
\240\200\007\266\035\312\255\155\352\101\021\176\055\164\223\373  
\302\274\276\121\104\305\357\150\045\047\200\343\310\240\324\022  
\354\331\245\067\035\067\174\264\221\312\332\324\261\226\201\357  
\150\134\166\020\111\257\176\245\067\200\261\034\122\275\063\201  
\114\217\371\335\145\331\024\315\212\045\130\364\342\305\203\245  
\011\220\324\154\024\143\265\100\337\353\300\374\304\130\176\015  
\024\026\207\124\047\156\126\344\160\204\270\154\062\022\176\202  
\061\103\276\327\335\174\241\255\256\326\253\040\022\357\012\303  
\020\214\111\226\065\334\013\165\136\261\117\325\117\064\016\021  
\040\007\165\103\105\351\243\021\332\254\243\231\302\266\171\047  
\342\271\357\310\342\366\065\051\172\164\372\305\177\202\005\142  
\246\012\352\150\262\171\107\006\156\362\127\250\025\063\306\367  
\170\112\075\102\173\153\176\376\367\106\352\321\353\216\357\210  
\150\133\350\301\331\161\176\375\144\357\377\147\107\210\130\045  
\057\076\206\007\275\373\250\345\202\250\254\245\323\151\103\315  
\061\210\111\204\123\222\300\261\071\033\071\203\001\060\304\362  
\251\372\320\003\275\162\067\140\126\037\066\174\275\071\221\365  
\155\015\277\173\327\222

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "GLOBALTRUST 2020"

# Issuer: CN=GLOBALTRUST 2020,O=e-commerce monitoring GmbH,C=AT

# Serial Number:5a:4b:bd:5a:fb:4f:8a:5b:fa:65:e5

# Subject: CN=GLOBALTRUST 2020,O=e-commerce monitoring GmbH,C=AT

# Not Valid Before: Mon Feb 10 00:00:00 2020

# Not Valid After : Sun Jun 10 00:00:00 2040

# Fingerprint (SHA-256):

9A:29:6A:51:82:D1:D4:51:A2:E3:7F:43:9B:74:DA:AF:A2:67:52:33:29:F9:0F:9A:0D:20:07:C3:34:E2:3C:9A

# Fingerprint (SHA1): D0:67:C1:13:51:01:0C:AA:D0:C7:6A:65:37:31:16:26:4F:53:71:A2

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "GLOBALTRUST 2020"

CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL

\320\147\301\023\121\001\014\252\320\307\152\145\067\061\026\046

```
\117\123\161\242
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\212\307\157\313\155\343\314\242\361\174\203\372\016\170\327\350
END
CKA_ISSUER MULTILINE_OCTAL
\060\115\061\013\060\011\006\003\125\004\006\023\002\101\124\061
\043\060\041\006\003\125\004\012\023\032\145\055\143\157\155\155
\145\162\143\145\040\155\157\156\151\164\157\162\151\156\147\040
\107\155\142\110\061\031\060\027\006\003\125\004\003\023\020\107
\114\117\102\101\114\124\122\125\123\124\040\062\060\062\060
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\013\132\113\275\132\373\117\212\133\372\145\345
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "ANF Secure Server Root CA"
#
# Issuer: CN=ANF Secure Server Root CA,OU=ANF CA Raiz,O=ANF Autoridad de
Certificacion,C=ES,serialNumber=G63287510
# Serial Number:0d:d3:e3:bc:6c:f9:6b:b1
# Subject: CN=ANF Secure Server Root CA,OU=ANF CA Raiz,O=ANF Autoridad de
Certificacion,C=ES,serialNumber=G63287510
# Not Valid Before: Wed Sep 04 10:00:38 2019
# Not Valid After : Tue Aug 30 10:00:38 2039
# Fingerprint (SHA-256):
FB:8F:EC:75:91:69:B9:10:6B:1E:51:16:44:C6:18:C5:13:04:37:3F:6C:06:43:08:8D:8B:EF:FD:1B:99:75:99
# Fingerprint (SHA1): 5B:6E:68:D0:CC:15:B6:A0:5F:1E:C1:5F:AE:02:FC:6B:2F:5D:6F:74
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "ANF Secure Server Root CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\204\061\022\060\020\006\003\125\004\005\023\011\107\066
\063\062\070\067\065\061\060\061\013\060\011\006\003\125\004\006
\023\002\105\123\061\047\060\045\006\003\125\004\012\023\036\101
\116\106\040\101\165\164\157\162\151\144\141\144\040\144\145\040
\103\145\162\164\151\146\151\143\141\143\151\157\156\061\024\060
\022\006\003\125\004\013\023\013\101\116\106\040\103\101\040\122
\141\151\172\061\042\060\040\006\003\125\004\003\023\031\101\116
\106\040\123\145\143\165\162\145\040\123\145\162\166\145\162\040
```

\122\157\157\164\040\103\101

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\201\204\061\022\060\020\006\003\125\004\005\023\011\107\066  
\063\062\070\067\065\061\060\061\013\060\011\006\003\125\004\006  
\023\002\105\123\061\047\060\045\006\003\125\004\012\023\036\101  
\116\106\040\101\165\164\157\162\151\144\141\144\040\144\145\040  
\103\145\162\164\151\146\151\143\141\143\151\157\156\061\024\060  
\022\006\003\125\004\013\023\013\101\116\106\040\103\101\040\122  
\141\151\172\061\042\060\040\006\003\125\004\003\023\031\101\116  
\106\040\123\145\143\165\162\145\040\123\145\162\166\145\162\040  
\122\157\157\164\040\103\101

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\010\015\323\343\274\154\371\153\261

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\005\357\060\202\003\327\240\003\002\001\002\002\010\015  
\323\343\274\154\371\153\261\060\015\006\011\052\206\110\206\367  
\015\001\001\013\005\000\060\201\204\061\022\060\020\006\003\125  
\004\005\023\011\107\066\063\062\070\067\065\061\060\061\013\060  
\011\006\003\125\004\006\023\002\105\123\061\047\060\045\006\003  
\125\004\012\023\036\101\116\106\040\101\165\164\157\162\151\144  
\141\144\040\144\145\040\103\145\162\164\151\146\151\143\141\143  
\151\157\156\061\024\060\022\006\003\125\004\013\023\013\101\116  
\106\040\103\101\040\122\141\151\172\061\042\060\040\006\003\125  
\004\003\023\031\101\116\106\040\123\145\143\165\162\145\040\123  
\145\162\166\145\162\040\122\157\157\164\040\103\101\060\036\027  
\015\061\071\060\071\060\064\061\060\060\060\063\070\132\027\015  
\063\071\060\070\063\060\061\060\060\060\063\070\132\060\201\204  
\061\022\060\020\006\003\125\004\005\023\011\107\066\063\062\070  
\067\065\061\060\061\013\060\011\006\003\125\004\006\023\002\105  
\123\061\047\060\045\006\003\125\004\012\023\036\101\116\106\040  
\101\165\164\157\162\151\144\141\144\040\144\145\040\103\145\162  
\164\151\146\151\143\141\143\151\157\156\061\024\060\022\006\003  
\125\004\013\023\013\101\116\106\040\103\101\040\122\141\151\172  
\061\042\060\040\006\003\125\004\003\023\031\101\116\106\040\123  
\145\143\165\162\145\040\123\145\162\166\145\162\040\122\157\157  
\164\040\103\101\060\202\002\042\060\015\006\011\052\206\110\206  
\367\015\001\001\001\005\000\003\202\002\017\000\060\202\002\012  
\002\202\002\001\000\333\353\153\053\346\144\124\225\202\220\243  
\162\244\031\001\235\234\013\201\137\163\111\272\247\254\363\004  
\116\173\226\013\354\021\340\133\246\034\316\033\322\015\203\034  
\053\270\236\035\176\105\062\140\017\007\351\167\130\176\237\152  
\310\141\116\266\046\301\114\215\377\114\357\064\262\037\145\330  
\271\170\365\255\251\161\271\357\117\130\035\245\336\164\040\227  
\241\355\150\114\336\222\027\113\274\253\377\145\232\236\373\107

\331\127\162\363\011\241\256\166\104\023\156\234\055\104\071\274  
\371\307\073\244\130\075\101\275\264\302\111\243\310\015\322\227  
\057\007\145\122\000\247\156\310\257\150\354\364\024\226\266\127  
\037\126\303\071\237\053\155\344\363\076\366\065\144\332\014\034  
\241\204\113\057\113\113\342\054\044\235\155\223\100\353\265\043  
\216\062\312\157\105\323\250\211\173\036\317\036\372\133\103\213  
\315\315\250\017\152\312\014\136\271\236\107\217\360\331\266\012  
\013\130\145\027\063\271\043\344\167\031\175\313\112\056\222\173  
\117\057\020\167\261\215\057\150\234\142\314\340\120\370\354\221  
\247\124\114\127\011\325\166\143\305\350\145\036\356\155\152\317  
\011\235\372\174\117\255\140\010\375\126\231\017\025\054\173\251  
\200\253\214\141\217\112\007\166\102\336\075\364\335\262\044\063  
\133\270\265\243\104\311\254\177\167\074\035\043\354\202\251\246  
\342\310\006\114\002\376\254\134\231\231\013\057\020\212\246\364  
\177\325\207\164\015\131\111\105\366\360\161\134\071\051\326\277  
\112\043\213\365\137\001\143\322\207\163\050\265\113\012\365\370  
\253\202\054\176\163\045\062\035\013\143\012\027\201\000\377\266  
\166\136\347\264\261\100\312\041\273\325\200\121\345\110\122\147  
\054\322\141\211\007\015\017\316\102\167\300\104\163\234\104\120  
\240\333\020\012\055\225\034\201\257\344\034\345\024\036\361\066  
\101\001\002\057\175\163\247\336\102\314\114\351\211\015\126\367  
\237\221\324\003\306\154\311\217\333\330\034\340\100\230\135\146  
\231\230\200\156\055\377\001\305\316\313\106\037\254\002\306\103  
\346\256\242\204\074\305\116\036\075\155\311\024\114\343\056\101  
\273\312\071\277\066\074\052\031\252\101\207\116\245\316\113\062  
\171\335\220\111\177\002\003\001\000\001\243\143\060\141\060\037  
\006\003\125\035\043\004\030\060\026\200\024\234\137\320\154\143  
\243\137\223\312\223\230\010\255\214\207\245\054\134\301\067\060  
\035\006\003\125\035\016\004\026\004\024\234\137\320\154\143\243  
\137\223\312\223\230\010\255\214\207\245\054\134\301\067\060\016  
\006\003\125\035\017\001\001\377\004\004\003\002\001\206\060\017  
\006\003\125\035\023\001\001\377\004\005\060\003\001\001\377\060  
\015\006\011\052\206\110\206\367\015\001\001\013\005\000\003\202  
\002\001\000\116\036\271\212\306\240\230\077\156\303\151\300\152  
\134\111\122\254\313\053\135\170\070\301\325\124\204\237\223\360  
\207\031\075\054\146\211\353\015\102\374\314\360\165\205\077\213  
\364\200\135\171\345\027\147\275\065\202\342\362\074\216\175\133  
\066\313\132\200\000\051\362\316\053\054\361\217\252\155\005\223  
\154\162\307\126\353\337\120\043\050\345\105\020\075\350\147\243  
\257\016\125\017\220\011\142\357\113\131\242\366\123\361\300\065  
\344\057\301\044\275\171\057\116\040\042\073\375\032\040\260\244  
\016\054\160\355\164\077\270\023\225\006\121\310\350\207\046\312  
\244\133\152\026\041\222\335\163\140\236\020\030\336\074\201\352  
\350\030\303\174\211\362\213\120\076\275\021\342\025\003\250\066  
\175\063\001\154\110\025\327\210\220\231\004\305\314\346\007\364  
\274\364\220\355\023\342\352\213\303\217\243\063\017\301\051\114  
\023\116\332\025\126\161\163\162\202\120\366\232\063\174\242\261  
\250\032\064\164\145\134\316\321\353\253\123\340\032\200\330\352

```
\072\111\344\046\060\233\345\034\212\250\251\025\062\206\231\222
\012\020\043\126\022\340\366\316\114\342\273\276\333\215\222\163
\001\146\057\142\076\262\162\047\105\066\355\115\126\343\227\231
\377\072\065\076\245\124\112\122\131\113\140\333\356\376\170\021
\177\112\334\024\171\140\266\153\144\003\333\025\203\341\242\276
\366\043\227\120\360\011\063\066\247\161\226\045\363\271\102\175
\333\070\077\054\130\254\350\102\341\016\330\323\073\114\056\202
\351\203\056\153\061\331\335\107\206\117\155\227\221\056\117\342
\050\161\065\026\321\362\163\376\045\053\007\107\044\143\047\310
\370\366\331\153\374\022\061\126\010\300\123\102\257\234\320\063
\176\374\006\360\061\104\003\024\361\130\352\362\152\015\251\021
\262\203\276\305\032\277\007\352\131\334\243\210\065\357\234\166
\062\074\115\006\042\316\025\345\335\236\330\217\332\336\322\304
\071\345\027\201\317\070\107\353\177\210\155\131\033\337\237\102
\024\256\176\317\250\260\146\145\332\067\257\237\252\075\352\050
\266\336\325\061\130\026\202\133\352\273\031\165\002\163\032\312
\110\032\041\223\220\012\216\223\204\247\175\073\043\030\222\211
\240\215\254
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "ANF Secure Server Root CA"
```

```
# Issuer: CN=ANF Secure Server Root CA,OU=ANF CA Raiz,O=ANF Autoridad de
Certificacion,C=ES,serialNumber=G63287510
```

```
# Serial Number:0d:d3:e3:bc:6c:f9:6b:b1
```

```
# Subject: CN=ANF Secure Server Root CA,OU=ANF CA Raiz,O=ANF Autoridad de
Certificacion,C=ES,serialNumber=G63287510
```

```
# Not Valid Before: Wed Sep 04 10:00:38 2019
```

```
# Not Valid After : Tue Aug 30 10:00:38 2039
```

```
# Fingerprint (SHA-256):
```

```
FB:8F:EC:75:91:69:B9:10:6B:1E:51:16:44:C6:18:C5:13:04:37:3F:6C:06:43:08:8D:8B:EF:FD:1B:99:75:99
```

```
# Fingerprint (SHA1): 5B:6E:68:D0:CC:15:B6:A0:5F:1E:C1:5F:AE:02:FC:6B:2F:5D:6F:74
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "ANF Secure Server Root CA"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\133\156\150\320\314\025\266\240\137\036\301\137\256\002\374\153
\057\135\157\164
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\046\246\104\132\331\257\116\057\262\035\266\145\260\116\350\226
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\201\204\061\022\060\020\006\003\125\004\005\023\011\107\066
```

```
\063\062\070\067\065\061\060\061\013\060\011\006\003\125\004\006
\023\002\105\123\061\047\060\045\006\003\125\004\012\023\036\101
\116\106\040\101\165\164\157\162\151\144\141\144\040\144\145\040
\103\145\162\164\151\146\151\143\141\143\151\157\156\061\024\060
\022\006\003\125\004\013\023\013\101\116\106\040\103\101\040\122
\141\151\172\061\042\060\040\006\003\125\004\003\023\031\101\116
\106\040\123\145\143\165\162\145\040\123\145\162\166\145\162\040
\122\157\157\164\040\103\101
```

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

```
\002\010\015\323\343\274\154\371\153\261
```

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "Certum EC-384 CA"

#

# Issuer: CN=Certum EC-384 CA,OU=Certum Certification Authority,O=Asseco Data Systems S.A.,C=PL

# Serial Number:78:8f:27:5c:81:12:52:20:a5:04:d0:2d:dd:ba:73:f4

# Subject: CN=Certum EC-384 CA,OU=Certum Certification Authority,O=Asseco Data Systems S.A.,C=PL

# Not Valid Before: Mon Mar 26 07:24:54 2018

# Not Valid After : Thu Mar 26 07:24:54 2043

# Fingerprint (SHA-256):

6B:32:80:85:62:53:18:AA:50:D1:73:C9:8D:8B:DA:09:D5:7E:27:41:3D:11:4C:F7:87:A0:F5:D0:6C:03:0C:F6

# Fingerprint (SHA1): F3:3E:78:3C:AC:DF:F4:A2:CC:AC:67:55:69:56:D7:E5:16:3C:E1:ED

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "Certum EC-384 CA"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

```
\060\164\061\013\060\011\006\003\125\004\006\023\002\120\114\061
\041\060\037\006\003\125\004\012\023\030\101\163\163\145\143\157
\040\104\141\164\141\040\123\171\163\164\145\155\163\040\123\056
\101\056\061\047\060\045\006\003\125\004\013\023\036\103\145\162
\164\165\155\040\103\145\162\164\151\146\151\143\141\164\151\157
\156\040\101\165\164\150\157\162\151\164\171\061\031\060\027\006
\003\125\004\003\023\020\103\145\162\164\165\155\040\105\103\055
\063\070\064\040\103\101
```

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

```
\060\164\061\013\060\011\006\003\125\004\006\023\002\120\114\061
\041\060\037\006\003\125\004\012\023\030\101\163\163\145\143\157
```

\040\104\141\164\141\040\123\171\163\164\145\155\163\040\123\056  
\101\056\061\047\060\045\006\003\125\004\013\023\036\103\145\162  
\164\165\155\040\103\145\162\164\151\146\151\143\141\164\151\157  
\156\040\101\165\164\150\157\162\151\164\171\061\031\060\027\006  
\003\125\004\003\023\020\103\145\162\164\165\155\040\105\103\055  
\063\070\064\040\103\101

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\020\170\217\047\134\201\022\122\040\245\004\320\055\335\272  
\163\364

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\002\145\060\202\001\353\240\003\002\001\002\002\020\170  
\217\047\134\201\022\122\040\245\004\320\055\335\272\163\364\060  
\012\006\010\052\206\110\316\075\004\003\003\060\164\061\013\060  
\011\006\003\125\004\006\023\002\120\114\061\041\060\037\006\003  
\125\004\012\023\030\101\163\163\145\143\157\040\104\141\164\141  
\040\123\171\163\164\145\155\163\040\123\056\101\056\061\047\060  
\045\006\003\125\004\013\023\036\103\145\162\164\165\155\040\103  
\145\162\164\151\146\151\143\141\164\151\157\156\040\101\165\164  
\150\157\162\151\164\171\061\031\060\027\006\003\125\004\003\023  
\020\103\145\162\164\165\155\040\105\103\055\063\070\064\040\103  
\101\060\036\027\015\061\070\060\063\062\066\060\067\062\064\065  
\064\132\027\015\064\063\060\063\062\066\060\067\062\064\065\064  
\132\060\164\061\013\060\011\006\003\125\004\006\023\002\120\114  
\061\041\060\037\006\003\125\004\012\023\030\101\163\163\145\143  
\157\040\104\141\164\141\040\123\171\163\164\145\155\163\040\123  
\056\101\056\061\047\060\045\006\003\125\004\013\023\036\103\145  
\162\164\165\155\040\103\145\162\164\151\146\151\143\141\164\151  
\157\156\040\101\165\164\150\157\162\151\164\171\061\031\060\027  
\006\003\125\004\003\023\020\103\145\162\164\165\155\040\105\103  
\055\063\070\064\040\103\101\060\166\060\020\006\007\052\206\110  
\316\075\002\001\006\005\053\201\004\000\042\003\142\000\004\304  
\050\216\253\030\133\152\276\156\144\067\143\344\315\354\253\072  
\367\314\241\270\016\202\111\327\206\051\237\241\224\362\343\140  
\170\230\201\170\006\115\362\354\232\016\127\140\203\237\264\346  
\027\057\032\263\135\002\133\211\043\074\302\021\005\052\247\210  
\023\030\363\120\204\327\275\064\054\047\211\125\377\316\114\347  
\337\246\037\050\304\360\124\303\271\174\267\123\255\353\302\243  
\102\060\100\060\017\006\003\125\035\023\001\001\377\004\005\060  
\003\001\001\377\060\035\006\003\125\035\016\004\026\004\024\215  
\006\146\164\044\166\072\363\211\367\274\326\275\107\175\057\274  
\020\137\113\060\016\006\003\125\035\017\001\001\377\004\004\003  
\002\001\006\060\012\006\010\052\206\110\316\075\004\003\003\003  
\150\000\060\145\002\060\003\125\055\246\346\030\304\174\357\311  
\120\156\301\047\017\234\207\257\156\325\033\010\030\275\222\051  
\301\357\224\221\170\322\072\034\125\211\142\345\033\011\036\272  
\144\153\361\166\264\324\002\061\000\264\102\204\231\377\253\347

```
\236\373\221\227\047\135\334\260\133\060\161\316\136\070\032\152
\331\045\347\352\367\141\222\126\370\352\332\066\302\207\145\226
\056\162\045\057\177\337\303\023\311
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

# Trust for "Certum EC-384 CA"

# Issuer: CN=Certum EC-384 CA,OU=Certum Certification Authority,O=Asseco Data Systems S.A.,C=PL

# Serial Number:78:8f:27:5c:81:12:52:20:a5:04:d0:2d:dd:ba:73:f4

# Subject: CN=Certum EC-384 CA,OU=Certum Certification Authority,O=Asseco Data Systems S.A.,C=PL

# Not Valid Before: Mon Mar 26 07:24:54 2018

# Not Valid After : Thu Mar 26 07:24:54 2043

# Fingerprint (SHA-256):

6B:32:80:85:62:53:18:AA:50:D1:73:C9:8D:8B:DA:09:D5:7E:27:41:3D:11:4C:F7:87:A0:F5:D0:6C:03:0C:F6

# Fingerprint (SHA1): F3:3E:78:3C:AC:DF:F4:A2:CC:AC:67:55:69:56:D7:E5:16:3C:E1:ED

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Certum EC-384 CA"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\363\076\170\074\254\337\364\242\314\254\147\125\151\126\327\345
\026\074\341\355
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\266\145\263\226\140\227\022\241\354\116\341\075\243\306\311\361
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\164\061\013\060\011\006\003\125\004\006\023\002\120\114\061
\041\060\037\006\003\125\004\012\023\030\101\163\163\145\143\157
\040\104\141\164\141\040\123\171\163\164\145\155\163\040\123\056
\101\056\061\047\060\045\006\003\125\004\013\023\036\103\145\162
\164\165\155\040\103\145\162\164\151\146\151\143\141\164\151\157
\156\040\101\165\164\150\157\162\151\164\171\061\031\060\027\006
\003\125\004\003\023\020\103\145\162\164\165\155\040\105\103\055
\063\070\064\040\103\101
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\020\170\217\047\134\201\022\122\040\245\004\320\055\335\272
\163\364
```

END

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

```
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE
```



```

#
# Certificate "Certum Trusted Root CA"
#
# Issuer: CN=Certum Trusted Root CA,OU=Certum Certification Authority,O=Asseco Data Systems S.A.,C=PL
# Serial Number: 1e:bf:59:50:b8:c9:80:37:4c:06:f7:eb:55:4f:b5:ed
# Subject: CN=Certum Trusted Root CA,OU=Certum Certification Authority,O=Asseco Data Systems S.A.,C=PL
# Not Valid Before: Fri Mar 16 12:10:13 2018
# Not Valid After : Mon Mar 16 12:10:13 2043
# Fingerprint (SHA-256):
FE:76:96:57:38:55:77:3E:37:A9:5E:7A:D4:D9:CC:96:C3:01:57:C1:5D:31:76:5B:A9:B1:57:04:E1:AE:78:FD
# Fingerprint (SHA1): C8:83:44:C0:18:AE:9F:CC:F1:87:B7:8F:22:D1:C5:D7:45:84:BA:E5
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Certum Trusted Root CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\172\061\013\060\011\006\003\125\004\006\023\002\120\114\061
\041\060\037\006\003\125\004\012\023\030\101\163\163\145\143\157
\040\104\141\164\141\040\123\171\163\164\145\155\163\040\123\056
\101\056\061\047\060\045\006\003\125\004\013\023\036\103\145\162
\164\165\155\040\103\145\162\164\151\146\151\143\141\164\151\157
\156\040\101\165\164\150\157\162\151\164\171\061\037\060\035\006
\003\125\004\003\023\026\103\145\162\164\165\155\040\124\162\165
\163\164\145\144\040\122\157\157\164\040\103\101
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\172\061\013\060\011\006\003\125\004\006\023\002\120\114\061
\041\060\037\006\003\125\004\012\023\030\101\163\163\145\143\157
\040\104\141\164\141\040\123\171\163\164\145\155\163\040\123\056
\101\056\061\047\060\045\006\003\125\004\013\023\036\103\145\162
\164\165\155\040\103\145\162\164\151\146\151\143\141\164\151\157
\156\040\101\165\164\150\157\162\151\164\171\061\037\060\035\006
\003\125\004\003\023\026\103\145\162\164\165\155\040\124\162\165
\163\164\145\144\040\122\157\157\164\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\036\277\131\120\270\311\200\067\114\006\367\353\125\117
\265\355
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\300\060\202\003\250\240\003\002\001\002\002\020\036
\277\131\120\270\311\200\067\114\006\367\353\125\117\265\355\060
\015\006\011\052\206\110\206\367\015\001\001\015\005\000\060\172
\061\013\060\011\006\003\125\004\006\023\002\120\114\061\041\060
\037\006\003\125\004\012\023\030\101\163\163\145\143\157\040\104

```

\141\164\141\040\123\171\163\164\145\155\163\040\123\056\101\056  
\061\047\060\045\006\003\125\004\013\023\036\103\145\162\164\165  
\155\040\103\145\162\164\151\146\151\143\141\164\151\157\156\040  
\101\165\164\150\157\162\151\164\171\061\037\060\035\006\003\125  
\004\003\023\026\103\145\162\164\165\155\040\124\162\165\163\164  
\145\144\040\122\157\157\164\040\103\101\060\036\027\015\061\070  
\060\063\061\066\061\062\061\060\061\063\132\027\015\064\063\060  
\063\061\066\061\062\061\060\061\063\132\060\172\061\013\060\011  
\006\003\125\004\006\023\002\120\114\061\041\060\037\006\003\125  
\004\012\023\030\101\163\163\145\143\157\040\104\141\164\141\040  
\123\171\163\164\145\155\163\040\123\056\101\056\061\047\060\045  
\006\003\125\004\013\023\036\103\145\162\164\165\155\040\103\145  
\162\164\151\146\151\143\141\164\151\157\156\040\101\165\164\150  
\157\162\151\164\171\061\037\060\035\006\003\125\004\003\023\026  
\103\145\162\164\165\155\040\124\162\165\163\164\145\144\040\122  
\157\157\164\040\103\101\060\202\002\042\060\015\006\011\052\206  
\110\206\367\015\001\001\001\005\000\003\202\002\017\000\060\202  
\002\012\002\202\002\001\000\321\055\216\273\267\066\352\155\067  
\221\237\116\223\247\005\344\051\003\045\316\034\202\367\174\231  
\237\101\006\315\355\243\272\300\333\011\054\301\174\337\051\176  
\113\145\057\223\247\324\001\153\003\050\030\243\330\235\005\301  
\052\330\105\361\221\336\337\073\320\200\002\214\317\070\017\352  
\247\134\170\021\244\301\310\205\134\045\323\323\262\347\045\317  
\021\124\227\253\065\300\036\166\034\357\000\123\237\071\334\024  
\245\054\042\045\263\162\162\374\215\263\345\076\010\036\024\052  
\067\013\210\074\312\260\364\310\302\241\256\274\301\276\051\147  
\125\342\374\255\131\134\376\275\127\054\260\220\215\302\355\067  
\266\174\231\210\265\325\003\232\075\025\015\075\072\250\250\105  
\360\225\116\045\131\035\315\230\151\273\323\314\062\311\215\357  
\201\376\255\175\211\273\272\140\023\312\145\225\147\240\363\031  
\366\003\126\324\152\323\047\342\241\255\203\360\112\022\042\167  
\034\005\163\342\031\161\102\300\354\165\106\232\220\130\340\152  
\216\053\245\106\060\004\216\031\262\027\343\276\251\272\177\126  
\361\044\003\327\262\041\050\166\016\066\060\114\171\325\101\232  
\232\250\270\065\272\014\072\362\104\033\040\210\367\305\045\327  
\075\306\343\076\103\335\207\376\304\352\365\123\076\114\145\377  
\073\112\313\170\132\153\027\137\015\307\303\117\116\232\052\242  
\355\127\115\042\342\106\232\077\017\221\064\044\175\125\343\214  
\225\067\323\032\360\011\053\054\322\311\215\264\015\000\253\147  
\051\050\330\001\365\031\004\266\035\276\166\376\162\134\304\205  
\312\322\200\101\337\005\250\243\325\204\220\117\013\363\340\077  
\233\031\322\067\211\077\362\173\122\034\214\366\341\367\074\007  
\227\214\016\242\131\201\014\262\220\075\323\343\131\106\355\017  
\251\247\336\200\153\132\252\007\266\031\313\274\127\363\227\041  
\172\014\261\053\164\076\353\332\247\147\055\114\304\230\236\066  
\011\166\146\146\374\032\077\352\110\124\034\276\060\275\200\120  
\277\174\265\316\000\366\014\141\331\347\044\003\340\343\001\201  
\016\275\330\205\064\210\275\262\066\250\173\134\010\345\104\200

\214\157\370\057\325\041\312\035\034\320\373\304\265\207\321\072  
\116\307\166\265\065\110\265\002\003\001\000\001\243\102\060\100  
\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001  
\377\060\035\006\003\125\035\016\004\026\004\024\214\373\034\165  
\274\002\323\237\116\056\110\331\371\140\124\252\304\263\117\372  
\060\016\006\003\125\035\017\001\001\377\004\004\003\002\001\006  
\060\015\006\011\052\206\110\206\367\015\001\001\015\005\000\003  
\202\002\001\000\110\242\325\000\013\056\320\077\274\034\325\265  
\124\111\036\132\153\364\344\362\340\100\067\340\314\024\173\271  
\311\372\065\265\165\027\223\152\005\151\205\234\315\117\031\170  
\133\031\201\363\143\076\303\316\133\217\365\057\136\001\166\023  
\077\054\000\271\315\226\122\071\111\155\004\116\305\351\017\206  
\015\341\372\263\137\202\022\361\072\316\146\006\044\064\053\350  
\314\312\347\151\334\207\235\302\064\327\171\321\323\167\270\252  
\131\130\376\235\046\372\070\206\076\235\212\207\144\127\345\027  
\072\342\371\215\271\343\063\170\301\220\330\270\335\267\203\121  
\344\304\314\043\325\006\174\346\121\323\315\064\061\300\366\106  
\273\013\255\374\075\020\005\052\073\112\221\045\356\214\324\204  
\207\200\052\274\011\214\252\072\023\137\350\064\171\120\301\020  
\031\371\323\050\036\324\321\121\060\051\263\256\220\147\326\037  
\012\143\261\305\251\306\102\061\143\027\224\357\151\313\057\372  
\214\024\175\304\103\030\211\331\360\062\100\346\200\342\106\137  
\345\343\301\000\131\250\371\350\040\274\211\054\016\107\064\013  
\352\127\302\123\066\374\247\324\257\061\315\376\002\345\165\372  
\271\047\011\371\363\365\073\312\175\237\251\042\313\210\311\252  
\321\107\075\066\167\250\131\144\153\047\317\357\047\301\343\044  
\265\206\367\256\176\062\115\260\171\150\321\071\350\220\130\303  
\203\274\017\054\326\227\353\316\014\341\040\307\332\267\076\303  
\077\277\057\334\064\244\373\053\041\315\147\217\113\364\343\352  
\324\077\347\117\272\271\245\223\105\034\146\037\041\372\144\136  
\157\340\166\224\062\313\165\365\156\345\366\217\307\270\244\314  
\250\226\175\144\373\044\132\112\003\154\153\070\306\350\003\103  
\232\367\127\271\263\051\151\223\070\364\003\362\273\373\202\153  
\007\040\321\122\037\232\144\002\173\230\146\333\134\115\132\017  
\320\204\225\240\074\024\103\006\312\312\333\270\101\066\332\152  
\104\147\207\257\257\343\105\021\025\151\010\262\276\026\071\227  
\044\157\022\105\321\147\135\011\250\311\025\332\372\322\246\137  
\023\141\037\277\205\254\264\255\255\005\224\010\203\036\165\027  
\323\161\073\223\120\043\131\240\355\074\221\124\235\166\000\305  
\303\270\070\333

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "Certum Trusted Root CA"

# Issuer: CN=Certum Trusted Root CA,OU=Certum Certification Authority,O=Asseco Data Systems S.A.,C=PL

# Serial Number: 1e:bf:59:50:b8:c9:80:37:4c:06:f7:eb:55:4f:b5:ed

```
# Subject: CN=Certum Trusted Root CA,OU=Certum Certification Authority,O=Asseco Data Systems S.A.,C=PL
# Not Valid Before: Fri Mar 16 12:10:13 2018
# Not Valid After : Mon Mar 16 12:10:13 2043
# Fingerprint (SHA-256):
FE:76:96:57:38:55:77:3E:37:A9:5E:7A:D4:D9:CC:96:C3:01:57:C1:5D:31:76:5B:A9:B1:57:04:E1:AE:78:FD
# Fingerprint (SHA1): C8:83:44:C0:18:AE:9F:CC:F1:87:B7:8F:22:D1:C5:D7:45:84:BA:E5
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Certum Trusted Root CA"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\310\203\104\300\030\256\237\314\361\207\267\217\042\321\305\327
\105\204\272\345
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\121\341\302\347\376\114\204\257\131\016\057\364\124\157\352\051
END
CKA_ISSUER MULTILINE_OCTAL
\060\172\061\013\060\011\006\003\125\004\006\023\002\120\114\061
\041\060\037\006\003\125\004\012\023\030\101\163\163\145\143\157
\040\104\141\164\141\040\123\171\163\164\145\155\163\040\123\056
\101\056\061\047\060\045\006\003\125\004\013\023\036\103\145\162
\164\165\155\040\103\145\162\164\151\146\151\143\141\164\151\157
\156\040\101\165\164\150\157\162\151\164\171\061\037\060\035\006
\003\125\004\003\023\026\103\145\162\164\165\155\040\124\162\165
\163\164\145\144\040\122\157\157\164\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\036\277\131\120\270\311\200\067\114\006\367\353\125\117
\265\355
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "TunTrust Root CA"
#
# Issuer: CN=TunTrust Root CA,O=Agence Nationale de Certification Electronique,C=TN
# Serial Number: 13:02:d5:e2:40:4c:92:46:86:16:67:5d:b4:bb:bb:b2:6b:3e:fc:13
# Subject: CN=TunTrust Root CA,O=Agence Nationale de Certification Electronique,C=TN
# Not Valid Before: Fri Apr 26 08:57:56 2019
# Not Valid After : Tue Apr 26 08:57:56 2044
# Fingerprint (SHA-256):
2E:44:10:2A:B5:8C:B8:54:19:45:1C:8E:19:D9:AC:F3:66:2C:AF:BC:61:4B:6A:53:96:0A:30:F7:D0:E2:EB:41
# Fingerprint (SHA1): CF:E9:70:84:0F:E0:73:0F:9D:F6:0C:7F:2C:4B:EE:20:46:34:9C:BB
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "TunTrust Root CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\141\061\013\060\011\006\003\125\004\006\023\002\124\116\061
\067\060\065\006\003\125\004\012\014\056\101\147\145\156\143\145
\040\116\141\164\151\157\156\141\154\145\040\144\145\040\103\145
\162\164\151\146\151\143\141\164\151\157\156\040\105\154\145\143
\164\162\157\156\151\161\165\145\061\031\060\027\006\003\125\004
\003\014\020\124\165\156\124\162\165\163\164\040\122\157\157\164
\040\103\101
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\141\061\013\060\011\006\003\125\004\006\023\002\124\116\061
\067\060\065\006\003\125\004\012\014\056\101\147\145\156\143\145
\040\116\141\164\151\157\156\141\154\145\040\144\145\040\103\145
\162\164\151\146\151\143\141\164\151\157\156\040\105\154\145\143
\164\162\157\156\151\161\165\145\061\031\060\027\006\003\125\004
\003\014\020\124\165\156\124\162\165\163\164\040\122\157\157\164
\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\024\023\002\325\342\100\114\222\106\206\026\147\135\264\273
\273\262\153\076\374\023
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\263\060\202\003\233\240\003\002\001\002\002\024\023
\002\325\342\100\114\222\106\206\026\147\135\264\273\273\262\153
\076\374\023\060\015\006\011\052\206\110\206\367\015\001\001\013
\005\000\060\141\061\013\060\011\006\003\125\004\006\023\002\124
\116\061\067\060\065\006\003\125\004\012\014\056\101\147\145\156
\143\145\040\116\141\164\151\157\156\141\154\145\040\144\145\040
\103\145\162\164\151\146\151\143\141\164\151\157\156\040\105\154
\145\143\164\162\157\156\151\161\165\145\061\031\060\027\006\003
\125\004\003\014\020\124\165\156\124\162\165\163\164\040\122\157
\157\164\040\103\101\060\036\027\015\061\071\060\064\062\066\060
\070\065\067\065\066\132\027\015\064\064\060\064\062\066\060\070
\065\067\065\066\132\060\141\061\013\060\011\006\003\125\004\006
\023\002\124\116\061\067\060\065\006\003\125\004\012\014\056\101
\147\145\156\143\145\040\116\141\164\151\157\156\141\154\145\040
\144\145\040\103\145\162\164\151\146\151\143\141\164\151\157\156
\040\105\154\145\143\164\162\157\156\151\161\165\145\061\031\060
\027\006\003\125\004\003\014\020\124\165\156\124\162\165\163\164
\040\122\157\157\164\040\103\101\060\202\002\042\060\015\006\011
```

\052\206\110\206\367\015\001\001\001\005\000\003\202\002\017\000  
\060\202\002\012\002\202\002\001\000\303\315\323\374\275\004\123  
\335\014\040\072\325\210\056\005\113\101\365\203\202\176\367\131  
\237\236\236\143\350\163\332\366\006\251\117\037\264\371\013\037  
\071\214\232\040\320\176\006\324\354\064\331\206\274\165\133\207  
\210\360\322\331\324\243\012\262\154\033\353\111\054\076\254\135  
\330\224\003\240\354\064\345\060\304\065\175\373\046\115\033\156  
\060\124\330\365\200\105\234\071\255\234\311\045\004\115\232\220  
\076\116\100\156\212\153\315\051\147\306\314\055\340\164\350\005  
\127\012\110\120\372\172\103\332\176\354\133\232\016\142\166\376  
\352\235\035\205\162\354\021\273\065\350\037\047\277\301\241\307  
\273\110\026\335\126\327\314\116\240\341\271\254\333\325\203\031  
\032\205\321\224\227\327\312\243\145\013\363\070\371\002\256\335  
\366\147\317\311\077\365\212\054\107\032\231\157\005\015\375\320  
\035\202\061\374\051\314\000\130\227\221\114\200\000\034\063\205  
\226\057\313\101\302\213\020\204\303\011\044\211\037\265\017\331  
\331\167\107\030\222\224\140\134\307\231\003\074\376\367\225\247  
\175\120\241\200\302\251\203\255\130\226\125\041\333\206\131\324  
\257\306\274\335\201\156\007\333\140\142\376\354\020\156\332\150  
\001\364\203\033\251\076\242\133\043\327\144\306\337\334\242\175  
\330\113\272\202\322\121\370\146\277\006\106\344\171\052\046\066  
\171\217\037\116\231\035\262\217\014\016\034\377\311\135\300\375  
\220\020\246\261\067\363\315\072\044\156\264\205\220\277\200\271  
\014\214\325\233\326\310\361\126\077\032\200\211\172\251\342\033  
\062\121\054\076\362\337\173\366\135\172\051\031\216\345\310\275  
\066\161\213\135\114\302\035\077\255\130\242\317\075\160\115\246  
\120\230\045\334\043\371\270\130\101\010\161\277\117\270\204\240  
\217\000\124\025\374\221\155\130\247\226\073\353\113\226\047\315  
\153\242\241\206\254\015\174\124\346\146\114\146\137\220\276\041  
\232\002\106\055\344\203\302\200\271\317\113\076\350\177\074\001  
\354\217\136\315\177\322\050\102\001\225\212\342\227\075\020\041  
\175\366\235\034\305\064\241\354\054\016\012\122\054\022\125\160  
\044\075\313\302\024\065\103\135\047\116\276\300\275\252\174\226  
\347\374\236\141\255\104\323\000\227\002\003\001\000\001\243\143  
\060\141\060\035\006\003\125\035\016\004\026\004\024\006\232\233  
\037\123\175\361\365\244\310\323\206\076\241\163\131\264\367\104  
\041\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001  
\001\377\060\037\006\003\125\035\043\004\030\060\026\200\024\006  
\232\233\037\123\175\361\365\244\310\323\206\076\241\163\131\264  
\367\104\041\060\016\006\003\125\035\017\001\001\377\004\004\003  
\002\001\006\060\015\006\011\052\206\110\206\367\015\001\001\013  
\005\000\003\202\002\001\000\252\005\156\266\335\025\311\277\263  
\306\040\366\006\107\260\206\223\045\323\215\271\310\000\077\227  
\365\122\047\210\161\311\164\375\353\312\144\333\133\357\036\135  
\272\277\321\353\356\134\151\272\026\310\363\271\217\323\066\056  
\100\111\007\015\131\336\213\020\260\111\005\342\377\221\077\113  
\267\335\002\216\370\201\050\134\314\334\155\257\137\024\234\175  
\130\170\015\366\200\011\271\351\016\227\051\031\270\267\353\370

\026\313\125\022\344\306\175\273\304\354\370\265\034\116\076\147  
\277\305\137\033\155\155\107\050\252\004\130\141\326\166\277\042  
\177\320\007\152\247\144\123\360\227\215\235\200\077\273\301\007  
\333\145\257\346\233\062\232\303\124\223\304\034\010\303\104\373  
\173\143\021\103\321\152\032\141\152\171\155\220\117\051\216\107  
\005\301\022\151\151\326\306\066\061\341\374\372\200\272\134\117  
\304\353\267\062\254\370\165\141\027\327\020\031\271\361\322\011  
\357\172\102\235\133\132\013\324\306\225\116\052\316\377\007\327  
\117\176\030\006\210\361\031\265\331\230\273\256\161\304\034\347  
\164\131\130\357\014\211\317\213\037\165\223\032\004\024\222\110  
\120\251\353\127\051\000\026\343\066\034\310\370\277\360\063\325  
\101\017\304\314\074\335\351\063\103\001\221\020\053\036\321\271  
\135\315\062\031\213\217\214\040\167\327\042\304\102\334\204\026  
\233\045\155\350\264\125\161\177\260\174\263\323\161\111\271\317  
\122\244\004\077\334\075\240\273\257\063\236\012\060\140\216\333  
\235\135\224\250\275\140\347\142\200\166\201\203\014\214\314\060  
\106\111\342\014\322\250\257\353\141\161\357\347\042\142\251\367  
\134\144\154\237\026\214\147\066\047\105\365\011\173\277\366\020  
\012\361\260\215\124\103\214\004\272\243\077\357\342\065\307\371  
\164\340\157\064\101\320\277\163\145\127\040\371\233\147\172\146  
\150\044\116\200\145\275\020\231\006\131\362\145\257\270\306\107  
\273\375\220\170\213\101\163\056\257\125\037\334\073\222\162\156  
\204\323\320\141\114\015\314\166\127\342\055\205\042\025\066\015  
\353\001\235\353\330\353\304\204\231\373\300\014\314\062\350\343  
\167\332\203\104\213\236\125\050\300\213\130\323\220\076\116\033  
\000\361\025\255\203\053\232

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "TunTrust Root CA"

# Issuer: CN=TunTrust Root CA,O=Agence Nationale de Certification Electronique,C=TN

# Serial Number: 13:02:d5:e2:40:4c:92:46:86:16:67:5d:b4:bb:bb:b2:6b:3e:fc:13

# Subject: CN=TunTrust Root CA,O=Agence Nationale de Certification Electronique,C=TN

# Not Valid Before: Fri Apr 26 08:57:56 2019

# Not Valid After : Tue Apr 26 08:57:56 2044

# Fingerprint (SHA-256):

2E:44:10:2A:B5:8C:B8:54:19:45:1C:8E:19:D9:AC:F3:66:2C:AF:BC:61:4B:6A:53:96:0A:30:F7:D0:E2:EB:41

# Fingerprint (SHA1): CF:E9:70:84:0F:E0:73:0F:9D:F6:0C:7F:2C:4B:EE:20:46:34:9C:BB

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "TunTrust Root CA"

CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL

\317\351\160\204\017\340\163\017\235\366\014\177\054\113\356\040

\106\064\234\273

```

END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\205\023\271\220\133\066\134\266\136\270\132\370\340\061\127\264
END
CKA_ISSUER MULTILINE_OCTAL
\060\141\061\013\060\011\006\003\125\004\006\023\002\124\116\061
\067\060\065\006\003\125\004\012\014\056\101\147\145\156\143\145
\040\116\141\164\151\157\156\141\154\145\040\144\145\040\103\145
\162\164\151\146\151\143\141\164\151\157\156\040\105\154\145\143
\164\162\157\156\151\161\165\145\061\031\060\027\006\003\125\004
\003\014\020\124\165\156\124\162\165\163\164\040\122\157\157\164
\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\024\023\002\325\342\100\114\222\106\206\026\147\135\264\273
\273\262\153\076\374\023
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "HARICA TLS RSA Root CA 2021"
#
# Issuer: CN=HARICA TLS RSA Root CA 2021,O=Hellenic Academic and Research Institutions CA,C=GR
# Serial Number:39:ca:93:1c:ef:43:f3:c6:8e:93:c7:f4:64:89:38:7e
# Subject: CN=HARICA TLS RSA Root CA 2021,O=Hellenic Academic and Research Institutions CA,C=GR
# Not Valid Before: Fri Feb 19 10:55:38 2021
# Not Valid After : Mon Feb 13 10:55:37 2045
# Fingerprint (SHA-256):
D9:5D:0E:8E:DA:79:52:5B:F9:BE:B1:1B:14:D2:10:0D:32:94:98:5F:0C:62:D9:FA:BD:9C:D9:99:EC:CB:7B:1D
# Fingerprint (SHA1): 02:2D:05:82:FA:88:CE:14:0C:06:79:DE:7F:14:10:E9:45:D7:A5:6D
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "HARICA TLS RSA Root CA 2021"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\154\061\013\060\011\006\003\125\004\006\023\002\107\122\061
\067\060\065\006\003\125\004\012\014\056\110\145\154\154\145\156
\151\143\040\101\143\141\144\145\155\151\143\040\141\156\144\040
\122\145\163\145\141\162\143\150\040\111\156\163\164\151\164\165
\164\151\157\156\163\040\103\101\061\044\060\042\006\003\125\004
\003\014\033\110\101\122\111\103\101\040\124\114\123\040\122\123
\101\040\122\157\157\164\040\103\101\040\062\060\062\061
END

```



CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\154\061\013\060\011\006\003\125\004\006\023\002\107\122\061  
\067\060\065\006\003\125\004\012\014\056\110\145\154\154\145\156  
\151\143\040\101\143\141\144\145\155\151\143\040\141\156\144\040  
\122\145\163\145\141\162\143\150\040\111\156\163\164\151\164\165  
\164\151\157\156\163\040\103\101\061\044\060\042\006\003\125\004  
\003\014\033\110\101\122\111\103\101\040\124\114\123\040\122\123  
\101\040\122\157\157\164\040\103\101\040\062\060\062\061

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\020\071\312\223\034\357\103\363\306\216\223\307\364\144\211  
\070\176

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\005\244\060\202\003\214\240\003\002\001\002\002\020\071  
\312\223\034\357\103\363\306\216\223\307\364\144\211\070\176\060  
\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060\154  
\061\013\060\011\006\003\125\004\006\023\002\107\122\061\067\060  
\065\006\003\125\004\012\014\056\110\145\154\154\145\156\151\143  
\040\101\143\141\144\145\155\151\143\040\141\156\144\040\122\145  
\163\145\141\162\143\150\040\111\156\163\164\151\164\165\164\151  
\157\156\163\040\103\101\061\044\060\042\006\003\125\004\003\014  
\033\110\101\122\111\103\101\040\124\114\123\040\122\123\101\040  
\122\157\157\164\040\103\101\040\062\060\062\061\060\036\027\015  
\062\061\060\062\061\071\061\060\065\065\063\070\132\027\015\064  
\065\060\062\061\063\061\060\065\065\063\067\132\060\154\061\013  
\060\011\006\003\125\004\006\023\002\107\122\061\067\060\065\006  
\003\125\004\012\014\056\110\145\154\154\145\156\151\143\040\101  
\143\141\144\145\155\151\143\040\141\156\144\040\122\145\163\145  
\141\162\143\150\040\111\156\163\164\151\164\165\164\151\157\156  
\163\040\103\101\061\044\060\042\006\003\125\004\003\014\033\110  
\101\122\111\103\101\040\124\114\123\040\122\123\101\040\122\157  
\157\164\040\103\101\040\062\060\062\061\060\202\002\042\060\015  
\006\011\052\206\110\206\367\015\001\001\001\005\000\003\202\002  
\017\000\060\202\002\012\002\202\002\001\000\213\302\347\257\145  
\233\005\147\226\311\015\044\271\320\016\144\374\316\342\044\030  
\054\204\177\167\121\313\004\021\066\270\136\355\151\161\247\236  
\344\045\011\227\147\301\107\302\317\221\026\066\142\075\070\004  
\341\121\202\377\254\322\264\151\335\056\354\021\243\105\356\153  
\153\073\114\277\214\215\244\036\235\021\271\351\070\371\172\016  
\014\230\342\043\035\321\116\143\324\347\270\101\104\373\153\257  
\153\332\037\323\305\221\210\133\244\211\222\321\201\346\214\071  
\130\240\326\151\103\251\255\230\122\130\156\333\012\373\153\317  
\150\372\343\244\136\072\105\163\230\007\352\137\002\162\336\014  
\245\263\237\256\251\035\267\035\263\374\212\131\347\156\162\145  
\255\365\060\224\043\007\363\202\026\113\065\230\234\123\273\057  
\312\344\132\331\307\215\035\374\230\231\373\054\244\202\153\360

\052\037\216\013\137\161\134\134\256\102\173\051\211\201\313\003  
\243\231\312\210\236\013\100\011\101\063\333\346\130\172\375\256  
\231\160\300\132\017\326\023\206\161\057\166\151\374\220\335\333  
\055\156\321\362\233\365\032\153\236\157\025\214\172\360\113\050  
\240\042\070\200\044\154\066\244\073\362\060\221\363\170\023\317  
\301\077\065\253\361\035\021\043\265\103\042\236\001\222\267\030  
\002\345\021\321\202\333\025\000\314\141\067\301\052\174\232\341  
\320\272\263\120\106\356\202\254\235\061\370\373\043\342\003\000  
\110\160\243\011\046\171\025\123\140\363\070\134\255\070\352\201  
\000\143\024\271\063\136\335\013\333\240\105\007\032\063\011\370  
\115\264\247\002\246\151\364\302\131\005\210\145\205\126\256\113  
\313\340\336\074\175\055\032\310\351\373\037\243\141\112\326\052  
\023\255\167\114\032\030\233\221\017\130\330\006\124\305\227\370  
\252\077\040\212\246\205\246\167\366\246\374\034\342\356\156\224  
\063\052\203\120\204\012\345\117\206\370\120\105\170\000\201\353  
\133\150\343\046\215\314\173\134\121\364\024\054\100\276\032\140  
\035\172\162\141\035\037\143\055\210\252\316\242\105\220\010\374  
\153\276\263\120\052\132\375\250\110\030\106\326\220\100\222\220  
\012\204\136\150\061\370\353\355\015\323\035\306\175\231\030\125  
\126\047\145\056\215\105\305\044\354\316\343\002\003\001\000\001  
\243\102\060\100\060\017\006\003\125\035\023\001\001\377\004\005  
\060\003\001\001\377\060\035\006\003\125\035\016\004\026\004\024  
\012\110\043\246\140\244\222\012\063\352\223\133\305\127\352\045  
\115\275\022\356\060\016\006\003\125\035\017\001\001\377\004\004  
\003\002\001\206\060\015\006\011\052\206\110\206\367\015\001\001  
\013\005\000\003\202\002\001\000\076\220\110\252\156\142\025\045  
\146\173\014\325\214\213\211\235\327\355\116\007\357\234\320\024  
\137\136\120\275\150\226\220\244\024\021\252\150\155\011\065\071  
\100\011\332\364\011\054\064\245\173\131\204\111\051\227\164\310  
\007\036\107\155\362\316\034\120\046\343\236\075\100\123\077\367  
\177\226\166\020\305\106\245\320\040\113\120\364\065\073\030\364  
\125\152\101\033\107\006\150\074\273\011\010\142\331\137\125\102  
\252\254\123\205\254\225\126\066\126\253\344\005\214\305\250\332  
\037\243\151\275\123\017\304\377\334\312\343\176\362\114\210\206  
\107\106\032\363\000\365\200\221\242\334\103\102\224\233\040\360  
\321\315\262\353\054\123\302\123\170\112\117\004\224\101\232\217  
\047\062\301\345\111\031\277\361\362\302\213\250\012\071\061\050  
\264\175\142\066\054\115\354\037\063\266\176\167\155\176\120\360  
\237\016\327\021\217\317\030\305\343\047\376\046\357\005\235\317  
\317\067\305\320\173\332\073\260\026\204\014\072\223\326\276\027  
\333\017\076\016\031\170\011\307\251\002\162\042\113\367\067\166  
\272\165\304\205\003\132\143\325\261\165\005\302\271\275\224\255  
\214\025\231\247\223\175\366\305\363\252\164\317\004\205\224\230  
\000\364\342\371\312\044\145\277\340\142\257\310\305\372\262\311  
\236\126\110\332\171\375\226\166\025\276\243\216\126\304\263\064  
\374\276\107\364\301\264\250\374\325\060\210\150\356\313\256\311  
\143\304\166\276\254\070\030\341\136\134\317\256\072\042\121\353  
\321\213\263\363\053\063\007\124\207\372\264\262\023\173\272\123

```
\004\142\001\235\361\300\117\356\341\072\324\213\040\020\372\002
\127\346\357\301\013\267\220\106\234\031\051\214\334\157\240\112
\151\151\224\267\044\145\240\377\254\077\316\001\373\041\056\375
\150\370\233\362\245\317\061\070\134\025\252\346\227\000\301\337
\132\245\247\071\252\351\204\177\074\121\250\072\331\224\133\214
\277\117\010\161\345\333\250\134\324\322\246\376\000\243\306\026
\307\017\350\200\316\034\050\144\164\031\010\323\102\343\316\000
\135\177\261\334\023\260\341\005\313\321\040\252\206\164\236\071
\347\221\375\377\133\326\367\255\246\057\003\013\155\343\127\124
\353\166\123\030\215\021\230\272
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRUST_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRUST_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "HARICA TLS RSA Root CA 2021"
```

```
# Issuer: CN=HARICA TLS RSA Root CA 2021,O=Hellenic Academic and Research Institutions CA,C=GR
```

```
# Serial Number:39:ca:93:1c:ef:43:f3:c6:8e:93:c7:f4:64:89:38:7e
```

```
# Subject: CN=HARICA TLS RSA Root CA 2021,O=Hellenic Academic and Research Institutions CA,C=GR
```

```
# Not Valid Before: Fri Feb 19 10:55:38 2021
```

```
# Not Valid After : Mon Feb 13 10:55:37 2045
```

```
# Fingerprint (SHA-256):
```

```
D9:5D:0E:8E:DA:79:52:5B:F9:BE:B1:1B:14:D2:10:0D:32:94:98:5F:0C:62:D9:FA:BD:9C:D9:99:EC:CB:7B:1D
```

```
# Fingerprint (SHA1): 02:2D:05:82:FA:88:CE:14:0C:06:79:DE:7F:14:10:E9:45:D7:A5:6D
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "HARICA TLS RSA Root CA 2021"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\002\055\005\202\372\210\316\024\014\006\171\336\177\024\020\351
\105\327\245\155
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\145\107\233\130\206\335\054\360\374\242\204\037\036\226\304\221
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\154\061\013\060\011\006\003\125\004\006\023\002\107\122\061
\067\060\065\006\003\125\004\012\014\056\110\145\154\154\145\156
\151\143\040\101\143\141\144\145\155\151\143\040\141\156\144\040
\122\145\163\145\141\162\143\150\040\111\156\163\164\151\164\165
\164\151\157\156\163\040\103\101\061\044\060\042\006\003\125\004
\003\014\033\110\101\122\111\103\101\040\124\114\123\040\122\123
\101\040\122\157\157\164\040\103\101\040\062\060\062\061
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\020\071\312\223\034\357\103\363\306\216\223\307\364\144\211
\070\176
```

```

END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "HARICA TLS ECC Root CA 2021"
#
# Issuer: CN=HARICA TLS ECC Root CA 2021,O=Hellenic Academic and Research Institutions CA,C=GR
# Serial Number:67:74:9d:8d:77:d8:3b:6a:db:22:f4:ff:59:e2:bf:ce
# Subject: CN=HARICA TLS ECC Root CA 2021,O=Hellenic Academic and Research Institutions CA,C=GR
# Not Valid Before: Fri Feb 19 11:01:10 2021
# Not Valid After : Mon Feb 13 11:01:09 2045
# Fingerprint (SHA-256):
3F:99:CC:47:4A:CF:CE:4D:FE:D5:87:94:66:5E:47:8D:15:47:73:9F:2E:78:0F:1B:B4:CA:9B:13:30:97:D4:01
# Fingerprint (SHA1): BC:B0:C1:9D:E9:98:92:70:19:38:57:E9:8D:A7:B4:5D:6E:EE:01:48
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "HARICA TLS ECC Root CA 2021"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\154\061\013\060\011\006\003\125\004\006\023\002\107\122\061
\067\060\065\006\003\125\004\012\014\056\110\145\154\154\145\156
\151\143\040\101\143\141\144\145\155\151\143\040\141\156\144\040
\122\145\163\145\141\162\143\150\040\111\156\163\164\151\164\165
\164\151\157\156\163\040\103\101\061\044\060\042\006\003\125\004
\003\014\033\110\101\122\111\103\101\040\124\114\123\040\105\103
\103\040\122\157\157\164\040\103\101\040\062\060\062\061
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\154\061\013\060\011\006\003\125\004\006\023\002\107\122\061
\067\060\065\006\003\125\004\012\014\056\110\145\154\154\145\156
\151\143\040\101\143\141\144\145\155\151\143\040\141\156\144\040
\122\145\163\145\141\162\143\150\040\111\156\163\164\151\164\165
\164\151\157\156\163\040\103\101\061\044\060\042\006\003\125\004
\003\014\033\110\101\122\111\103\101\040\124\114\123\040\105\103
\103\040\122\157\157\164\040\103\101\040\062\060\062\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\147\164\235\215\167\330\073\152\333\042\364\377\131\342
\277\316
END
CKA_VALUE MULTILINE_OCTAL
\060\202\002\124\060\202\001\333\240\003\002\001\002\002\020\147

```

\164\235\215\167\330\073\152\333\042\364\377\131\342\277\316\060  
\012\006\010\052\206\110\316\075\004\003\003\060\154\061\013\060  
\011\006\003\125\004\006\023\002\107\122\061\067\060\065\006\003  
\125\004\012\014\056\110\145\154\154\145\156\151\143\040\101\143  
\141\144\145\155\151\143\040\141\156\144\040\122\145\163\145\141  
\162\143\150\040\111\156\163\164\151\164\165\164\151\157\156\163  
\040\103\101\061\044\060\042\006\003\125\004\003\014\033\110\101  
\122\111\103\101\040\124\114\123\040\105\103\103\040\122\157\157  
\164\040\103\101\040\062\060\062\061\060\036\027\015\062\061\060  
\062\061\071\061\061\060\061\061\060\132\027\015\064\065\060\062  
\061\063\061\061\060\061\060\071\132\060\154\061\013\060\011\006  
\003\125\004\006\023\002\107\122\061\067\060\065\006\003\125\004  
\012\014\056\110\145\154\154\145\156\151\143\040\101\143\141\144  
\145\155\151\143\040\141\156\144\040\122\145\163\145\141\162\143  
\150\040\111\156\163\164\151\164\165\164\151\157\156\163\040\103  
\101\061\044\060\042\006\003\125\004\003\014\033\110\101\122\111  
\103\101\040\124\114\123\040\105\103\103\040\122\157\157\164\040  
\103\101\040\062\060\062\061\060\166\060\020\006\007\052\206\110  
\316\075\002\001\006\005\053\201\004\000\042\003\142\000\004\070  
\010\376\261\240\226\322\172\254\257\111\072\320\300\340\303\073  
\050\252\361\162\155\145\000\107\210\204\374\232\046\153\252\113  
\272\154\004\012\210\136\027\362\125\207\374\060\260\064\342\064  
\130\127\032\204\123\351\060\331\251\362\226\164\303\121\037\130  
\111\061\314\230\116\140\021\207\165\323\162\224\220\117\233\020  
\045\052\250\170\055\276\220\101\130\220\025\162\247\241\267\243  
\102\060\100\060\017\006\003\125\035\023\001\001\377\004\005\060  
\003\001\001\377\060\035\006\003\125\035\016\004\026\004\024\311  
\033\123\201\022\376\004\325\026\321\252\274\232\157\267\240\225  
\031\156\312\060\016\006\003\125\035\017\001\001\377\004\004\003  
\002\001\206\060\012\006\010\052\206\110\316\075\004\003\003\003  
\147\000\060\144\002\060\021\336\256\370\334\116\210\260\251\360  
\042\255\302\121\100\357\140\161\055\356\217\002\304\135\003\160  
\111\244\222\352\305\024\210\160\246\323\015\260\252\312\054\100  
\234\373\351\202\156\232\002\060\053\107\232\007\306\321\302\201  
\174\312\013\226\030\101\033\243\364\060\011\236\265\043\050\015  
\237\024\266\074\123\242\114\006\151\175\372\154\221\306\052\111  
\105\346\354\267\023\341\072\154

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "HARICA TLS ECC Root CA 2021"  
# Issuer: CN=HARICA TLS ECC Root CA 2021,O=Hellenic Academic and Research Institutions CA,C=GR  
# Serial Number:67:74:9d:8d:77:d8:3b:6a:db:22:f4:ff:59:e2:bf:ce  
# Subject: CN=HARICA TLS ECC Root CA 2021,O=Hellenic Academic and Research Institutions CA,C=GR  
# Not Valid Before: Fri Feb 19 11:01:10 2021  
# Not Valid After : Mon Feb 13 11:01:09 2045

```
# Fingerprint (SHA-256):
3F:99:CC:47:4A:CF:CE:4D:FE:D5:87:94:66:5E:47:8D:15:47:73:9F:2E:78:0F:1B:B4:CA:9B:13:30:97:D4:01
# Fingerprint (SHA1): BC:B0:C1:9D:E9:98:92:70:19:38:57:E9:8D:A7:B4:5D:6E:EE:01:48
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "HARICA TLS ECC Root CA 2021"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\274\260\301\235\351\230\222\160\031\070\127\351\215\247\264\135
\156\356\001\110
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\256\367\114\345\146\065\321\267\233\214\042\223\164\323\113\260
END
CKA_ISSUER MULTILINE_OCTAL
\060\154\061\013\060\011\006\003\125\004\006\023\002\107\122\061
\067\060\065\006\003\125\004\012\014\056\110\145\154\154\145\156
\151\143\040\101\143\141\144\145\155\151\143\040\141\156\144\040
\122\145\163\145\141\162\143\150\040\111\156\163\164\151\164\165
\164\151\157\156\163\040\103\101\061\044\060\042\006\003\125\004
\003\014\033\110\101\122\111\103\101\040\124\114\123\040\105\103
\103\040\122\157\157\164\040\103\101\040\062\060\062\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\147\164\235\215\167\330\073\152\333\042\364\377\131\342
\277\316
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "HARICA Client RSA Root CA 2021"
#
# Issuer: CN=HARICA Client RSA Root CA 2021,O=Hellenic Academic and Research Institutions CA,C=GR
# Serial Number:55:52:f8:1e:db:1b:24:2c:9e:bb:96:18:cd:02:28:3e
# Subject: CN=HARICA Client RSA Root CA 2021,O=Hellenic Academic and Research Institutions CA,C=GR
# Not Valid Before: Fri Feb 19 10:58:46 2021
# Not Valid After : Mon Feb 13 10:58:45 2045
# Fingerprint (SHA-256):
1B:E7:AB:E3:06:86:B1:63:48:AF:D1:C6:1B:68:66:A0:EA:7F:48:21:E6:7D:5E:8A:F9:37:CF:80:11:BC:75:0D
# Fingerprint (SHA1): 46:C6:90:0A:77:3A:B6:BC:F4:65:AD:AC:FC:E3:F7:07:00:6E:DE:6E
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "HARICA Client RSA Root CA 2021"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\157\061\013\060\011\006\003\125\004\006\023\002\107\122\061
\067\060\065\006\003\125\004\012\014\056\110\145\154\154\145\156
\151\143\040\101\143\141\144\145\155\151\143\040\141\156\144\040
\122\145\163\145\141\162\143\150\040\111\156\163\164\151\164\165
\164\151\157\156\163\040\103\101\061\047\060\045\006\003\125\004
\003\014\036\110\101\122\111\103\101\040\103\154\151\145\156\164
\040\122\123\101\040\122\157\157\164\040\103\101\040\062\060\062
\061
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\157\061\013\060\011\006\003\125\004\006\023\002\107\122\061
\067\060\065\006\003\125\004\012\014\056\110\145\154\154\145\156
\151\143\040\101\143\141\144\145\155\151\143\040\141\156\144\040
\122\145\163\145\141\162\143\150\040\111\156\163\164\151\164\165
\164\151\157\156\163\040\103\101\061\047\060\045\006\003\125\004
\003\014\036\110\101\122\111\103\101\040\103\154\151\145\156\164
\040\122\123\101\040\122\157\157\164\040\103\101\040\062\060\062
\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\125\122\370\036\333\033\044\054\236\273\226\030\315\002
\050\076
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\252\060\202\003\222\240\003\002\001\002\002\020\125
\122\370\036\333\033\044\054\236\273\226\030\315\002\050\076\060
\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060\157
\061\013\060\011\006\003\125\004\006\023\002\107\122\061\067\060
\065\006\003\125\004\012\014\056\110\145\154\154\145\156\151\143
\040\101\143\141\144\145\155\151\143\040\141\156\144\040\122\145
\163\145\141\162\143\150\040\111\156\163\164\151\164\165\164\151
\157\156\163\040\103\101\061\047\060\045\006\003\125\004\003\014
\036\110\101\122\111\103\101\040\103\154\151\145\156\164\040\122
\123\101\040\122\157\157\164\040\103\101\040\062\060\062\061\060
\036\027\015\062\061\060\062\061\071\061\060\065\070\064\066\132
\027\015\064\065\060\062\061\063\061\060\065\070\064\065\132\060
\157\061\013\060\011\006\003\125\004\006\023\002\107\122\061\067
\060\065\006\003\125\004\012\014\056\110\145\154\154\145\156\151
\143\040\101\143\141\144\145\155\151\143\040\141\156\144\040\122
\145\163\145\141\162\143\150\040\111\156\163\164\151\164\165\164
\151\157\156\163\040\103\101\061\047\060\045\006\003\125\004\003
\014\036\110\101\122\111\103\101\040\103\154\151\145\156\164\040
\122\123\101\040\122\157\157\164\040\103\101\040\062\060\062\061
\060\202\002\042\060\015\006\011\052\206\110\206\367\015\001\001
```

\001\005\000\003\202\002\017\000\060\202\002\012\002\202\002\001  
\000\201\333\127\102\220\054\164\065\364\370\270\164\031\115\253  
\011\132\167\105\201\163\142\260\065\237\370\320\267\063\000\207  
\023\266\226\253\016\124\022\060\007\274\233\267\110\327\321\031  
\203\256\216\330\251\361\251\000\204\260\214\136\236\350\014\217  
\124\151\277\366\324\010\117\046\160\376\030\101\143\032\263\062  
\213\100\370\007\253\127\061\360\306\026\166\147\232\264\335\057  
\362\321\153\305\320\222\204\221\161\156\017\056\143\351\037\123  
\244\335\122\023\314\011\203\051\201\014\305\123\165\104\261\016  
\147\123\030\320\303\037\210\113\237\224\044\264\051\274\273\350  
\116\375\157\322\025\035\111\334\215\160\362\021\032\040\121\125  
\021\272\210\157\304\367\120\171\326\252\061\342\204\075\136\062  
\310\167\052\120\161\345\013\057\351\266\352\357\253\012\063\071  
\016\375\217\245\147\103\202\216\230\151\011\011\033\100\315\070  
\147\107\352\311\354\227\161\022\336\044\365\162\074\321\367\103  
\114\046\367\220\262\211\351\105\113\125\075\061\005\172\101\342  
\225\272\103\300\027\305\266\205\075\031\215\144\160\363\133\254  
\315\237\323\051\165\207\113\225\147\152\246\370\321\335\274\220  
\206\211\103\051\251\067\133\365\135\260\046\132\123\102\166\220  
\053\317\236\126\154\053\124\317\134\232\145\337\133\213\110\140  
\070\174\373\305\013\317\166\004\143\002\063\052\175\365\203\147  
\347\372\306\103\375\053\017\324\046\057\167\244\062\301\044\352  
\144\235\277\263\070\161\061\104\362\107\270\242\146\101\241\373  
\233\173\274\307\106\152\165\277\132\242\214\350\152\104\301\270  
\226\265\300\062\010\055\173\164\065\163\262\312\306\376\257\021  
\162\030\366\347\310\302\317\245\052\352\173\326\131\350\174\240  
\262\152\100\011\151\016\245\226\333\321\000\271\361\210\156\066  
\360\210\262\235\361\122\362\303\174\277\060\211\074\012\151\371  
\042\244\145\341\233\340\164\306\261\205\227\226\054\256\224\217  
\120\246\071\022\037\276\107\362\201\170\323\165\066\236\175\132  
\040\227\342\122\256\231\237\306\174\233\146\363\376\330\317\356  
\275\227\006\035\055\205\334\076\066\123\226\173\040\272\350\310  
\341\255\226\142\076\021\174\263\000\204\236\247\114\161\253\112  
\067\002\003\001\000\001\243\102\060\100\060\017\006\003\125\035  
\023\001\001\377\004\005\060\003\001\001\377\060\035\006\003\125  
\035\016\004\026\004\024\240\326\007\075\136\044\367\173\240\104  
\056\044\122\015\031\252\053\004\221\247\060\016\006\003\125\035  
\017\001\001\377\004\004\003\002\001\206\060\015\006\011\052\206  
\110\206\367\015\001\001\013\005\000\003\202\002\001\000\015\107  
\371\011\146\061\122\354\171\356\302\250\362\150\076\355\226\105  
\313\072\246\230\143\077\352\053\115\116\003\320\034\202\341\313  
\323\345\326\253\133\147\050\274\235\376\014\231\012\200\125\247  
\316\033\043\141\015\260\127\360\376\340\312\276\346\220\333\203  
\054\276\203\216\364\171\266\376\320\015\102\247\130\037\151\352  
\201\365\005\245\376\106\150\353\154\170\311\340\352\347\346\336  
\061\305\322\325\054\202\143\050\235\135\250\032\176\210\346\347  
\053\361\054\325\320\005\236\334\055\275\067\146\324\004\242\247  
\255\277\072\302\250\073\255\377\215\235\063\340\271\232\204\241



\207\037\166\364\202\164\327\016\371\060\110\076\133\210\076\252  
\134\153\326\057\014\350\216\163\302\030\221\203\071\266\146\132  
\320\037\140\047\135\115\343\366\072\015\146\120\234\170\173\253  
\363\023\020\256\017\057\253\350\144\263\030\040\235\106\065\144  
\045\163\352\233\020\134\130\065\211\261\106\110\247\364\254\324  
\035\236\133\314\251\245\032\023\117\044\120\252\331\033\155\261  
\100\373\235\335\130\164\304\302\157\024\162\354\333\065\237\270  
\124\165\105\303\246\310\032\050\065\072\256\145\362\251\230\316  
\257\133\311\070\214\061\073\177\314\334\226\375\342\133\326\320  
\131\364\166\272\013\313\117\203\020\307\100\320\035\140\351\052  
\345\110\130\167\014\105\151\276\031\161\004\044\342\343\044\037  
\112\310\301\076\231\365\226\230\070\110\045\241\025\260\033\327  
\342\204\030\133\366\161\065\232\150\173\100\314\030\134\014\044  
\235\324\225\365\231\252\106\352\256\254\277\364\024\031\044\350  
\214\354\343\365\274\006\150\212\052\014\005\137\012\227\165\247  
\334\176\300\375\327\172\030\337\060\321\070\113\037\260\230\160  
\277\314\174\163\360\156\304\061\245\244\227\035\254\277\316\154  
\041\112\276\047\043\147\363\006\126\201\012\221\216\266\341\003  
\005\063\054\332\064\010\115\116\120\043\255\037\245\305\324\172  
\376\352\011\354\247\050\140\213\106\174\265\352\233\335\117\371  
\347\153\025\306\210\317\103\333\345\047\334\004\126\156\157\106  
\025\361\126\055\350\134\014\163\303\043\201\070\040\313\311\014  
\151\317\054\253\073\204\140\063\031\122\375\151\024\063

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "HARICA Client RSA Root CA 2021"

# Issuer: CN=HARICA Client RSA Root CA 2021,O=Hellenic Academic and Research Institutions CA,C=GR

# Serial Number:55:52:f8:1e:db:1b:24:2c:9e:bb:96:18:cd:02:28:3e

# Subject: CN=HARICA Client RSA Root CA 2021,O=Hellenic Academic and Research Institutions CA,C=GR

# Not Valid Before: Fri Feb 19 10:58:46 2021

# Not Valid After : Mon Feb 13 10:58:45 2045

# Fingerprint (SHA-256):

1B:E7:AB:E3:06:86:B1:63:48:AF:D1:C6:1B:68:66:A0:EA:7F:48:21:E6:7D:5E:8A:F9:37:CF:80:11:BC:75:0D

# Fingerprint (SHA1): 46:C6:90:0A:77:3A:B6:BC:F4:65:AD:AC:FC:E3:F7:07:00:6E:DE:6E

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "HARICA Client RSA Root CA 2021"

CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL

\106\306\220\012\167\072\266\274\364\145\255\254\374\343\367\007  
\000\156\336\156

END

CKA\_CERT\_MD5\_HASH MULTILINE\_OCTAL

\157\355\134\327\210\314\070\251\334\351\335\331\135\333\330\355

```

END
CKA_ISSUER MULTILINE_OCTAL
\060\157\061\013\060\011\006\003\125\004\006\023\002\107\122\061
\067\060\065\006\003\125\004\012\014\056\110\145\154\154\145\156
\151\143\040\101\143\141\144\145\155\151\143\040\141\156\144\040
\122\145\163\145\141\162\143\150\040\111\156\163\164\151\164\165
\164\151\157\156\163\040\103\101\061\047\060\045\006\003\125\004
\003\014\036\110\101\122\111\103\101\040\103\154\151\145\156\164
\040\122\123\101\040\122\157\157\164\040\103\101\040\062\060\062
\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\125\122\370\036\333\033\044\054\236\273\226\030\315\002
\050\076
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "HARICA Client ECC Root CA 2021"
#
# Issuer: CN=HARICA Client ECC Root CA 2021,O=Hellenic Academic and Research Institutions CA,C=GR
# Serial Number:31:68:d9:d8:e1:62:57:1e:d2:19:44:88:e6:10:7d:f0
# Subject: CN=HARICA Client ECC Root CA 2021,O=Hellenic Academic and Research Institutions CA,C=GR
# Not Valid Before: Fri Feb 19 11:03:34 2021
# Not Valid After : Mon Feb 13 11:03:33 2045
# Fingerprint (SHA-256):
8D:D4:B5:37:3C:B0:DE:36:76:9C:12:33:92:80:D8:27:46:B3:AA:6C:D4:26:E7:97:A3:1B:AB:E4:27:9C:F0:0B
# Fingerprint (SHA1): BE:64:D3:DA:14:4B:D2:6B:CD:AF:8F:DB:A6:A6:72:F8:DE:26:F9:00
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "HARICA Client ECC Root CA 2021"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\157\061\013\060\011\006\003\125\004\006\023\002\107\122\061
\067\060\065\006\003\125\004\012\014\056\110\145\154\154\145\156
\151\143\040\101\143\141\144\145\155\151\143\040\141\156\144\040
\122\145\163\145\141\162\143\150\040\111\156\163\164\151\164\165
\164\151\157\156\163\040\103\101\061\047\060\045\006\003\125\004
\003\014\036\110\101\122\111\103\101\040\103\154\151\145\156\164
\040\105\103\103\040\122\157\157\164\040\103\101\040\062\060\062
\061
END
CKA_ID UTF8 "0"

```

CKA\_ISSUER MULTILINE\_OCTAL

\060\157\061\013\060\011\006\003\125\004\006\023\002\107\122\061  
\067\060\065\006\003\125\004\012\014\056\110\145\154\154\145\156  
\151\143\040\101\143\141\144\145\155\151\143\040\141\156\144\040  
\122\145\163\145\141\162\143\150\040\111\156\163\164\151\164\165  
\164\151\157\156\163\040\103\101\061\047\060\045\006\003\125\004  
\003\014\036\110\101\122\111\103\101\040\103\154\151\145\156\164  
\040\105\103\103\040\122\157\157\164\040\103\101\040\062\060\062  
\061

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\020\061\150\331\330\341\142\127\036\322\031\104\210\346\020  
\175\360

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\002\132\060\202\001\341\240\003\002\001\002\002\020\061  
\150\331\330\341\142\127\036\322\031\104\210\346\020\175\360\060  
\012\006\010\052\206\110\316\075\004\003\003\060\157\061\013\060  
\011\006\003\125\004\006\023\002\107\122\061\067\060\065\006\003  
\125\004\012\014\056\110\145\154\154\145\156\151\143\040\101\143  
\141\144\145\155\151\143\040\141\156\144\040\122\145\163\145\141  
\162\143\150\040\111\156\163\164\151\164\165\164\151\157\156\163  
\040\103\101\061\047\060\045\006\003\125\004\003\014\036\110\101  
\122\111\103\101\040\103\154\151\145\156\164\040\105\103\103\040  
\122\157\157\164\040\103\101\040\062\060\062\061\060\036\027\015  
\062\061\060\062\061\071\061\061\060\063\063\064\132\027\015\064  
\065\060\062\061\063\061\061\060\063\063\063\132\060\157\061\013  
\060\011\006\003\125\004\006\023\002\107\122\061\067\060\065\006  
\003\125\004\012\014\056\110\145\154\154\145\156\151\143\040\101  
\143\141\144\145\155\151\143\040\141\156\144\040\122\145\163\145  
\141\162\143\150\040\111\156\163\164\151\164\165\164\151\157\156  
\163\040\103\101\061\047\060\045\006\003\125\004\003\014\036\110  
\101\122\111\103\101\040\103\154\151\145\156\164\040\105\103\103  
\040\122\157\157\164\040\103\101\040\062\060\062\061\060\166\060  
\020\006\007\052\206\110\316\075\002\001\006\005\053\201\004\000  
\042\003\142\000\004\007\030\255\225\226\224\320\134\017\202\367  
\052\100\372\002\311\311\075\066\246\243\004\152\301\155\225\001  
\210\140\022\124\154\134\242\053\156\023\072\210\225\014\034\046  
\206\066\112\211\031\267\030\336\073\350\250\120\037\312\337\133  
\277\111\200\025\333\343\060\341\035\132\307\052\212\001\007\376  
\155\054\064\357\050\050\227\274\301\371\127\206\225\213\065\317  
\236\132\321\150\225\243\102\060\100\060\017\006\003\125\035\023  
\001\001\377\004\005\060\003\001\001\377\060\035\006\003\125\035  
\016\004\026\004\024\122\010\322\276\062\201\045\375\365\032\227  
\354\116\137\032\273\123\315\220\255\060\016\006\003\125\035\017  
\001\001\377\004\004\003\002\001\206\060\012\006\010\052\206\110  
\316\075\004\003\003\003\147\000\060\144\002\060\114\061\105\106  
\117\250\346\276\303\167\262\032\030\113\055\210\173\130\346\253

```
\224\153\104\003\260\027\377\337\202\163\104\121\054\375\223\035
\006\173\024\322\211\354\100\014\357\041\001\056\002\060\057\311
\056\132\154\054\035\331\225\340\236\260\271\134\122\174\366\370
\070\312\056\361\324\035\362\242\111\242\225\370\301\130\136\117
\376\163\012\357\061\260\253\043\130\023\214\213\336\073
```

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "HARICA Client ECC Root CA 2021"

# Issuer: CN=HARICA Client ECC Root CA 2021,O=Hellenic Academic and Research Institutions CA,C=GR

# Serial Number:31:68:d9:d8:e1:62:57:1e:d2:19:44:88:e6:10:7d:f0

# Subject: CN=HARICA Client ECC Root CA 2021,O=Hellenic Academic and Research Institutions CA,C=GR

# Not Valid Before: Fri Feb 19 11:03:34 2021

# Not Valid After : Mon Feb 13 11:03:33 2045

# Fingerprint (SHA-256):

8D:D4:B5:37:3C:B0:DE:36:76:9C:12:33:92:80:D8:27:46:B3:AA:6C:D4:26:E7:97:A3:1B:AB:E4:27:9C:F0:0B

# Fingerprint (SHA1): BE:64:D3:DA:14:4B:D2:6B:CD:AF:8F:DB:A6:A6:72:F8:DE:26:F9:00

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "HARICA Client ECC Root CA 2021"

CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL

```
\276\144\323\332\024\113\322\153\315\257\217\333\246\246\162\370
\336\046\371\000
```

END

CKA\_CERT\_MD5\_HASH MULTILINE\_OCTAL

```
\255\270\120\246\251\202\172\154\075\032\252\244\322\143\244\104
```

END

CKA\_ISSUER MULTILINE\_OCTAL

```
\060\157\061\013\060\011\006\003\125\004\006\023\002\107\122\061
\067\060\065\006\003\125\004\012\014\056\110\145\154\154\145\156
\151\143\040\101\143\141\144\145\155\151\143\040\141\156\144\040
\122\145\163\145\141\162\143\150\040\111\156\163\164\151\164\165
\164\151\157\156\163\040\103\101\061\047\060\045\006\003\125\004
\003\014\036\110\101\122\111\103\101\040\103\154\151\145\156\164
\040\105\103\103\040\122\157\157\164\040\103\101\040\062\060\062
\061
```

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

```
\002\020\061\150\331\330\341\142\127\036\322\031\104\210\346\020
\175\360
```

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "Autoridad de Certificacion Firmaprofesional CIF A62634068"

#

# Issuer: CN=Autoridad de Certificacion Firmaprofesional CIF A62634068,C=ES

# Serial Number:1b:70:e9:d2:ff:ae:6c:71

# Subject: CN=Autoridad de Certificacion Firmaprofesional CIF A62634068,C=ES

# Not Valid Before: Tue Sep 23 15:22:07 2014

# Not Valid After : Mon May 05 15:22:07 2036

# Fingerprint (SHA-256):

57:DE:05:83:EF:D2:B2:6E:03:61:DA:99:DA:9D:F4:64:8D:EF:7E:E8:44:1C:3B:72:8A:FA:9B:CD:E0:F9:B2:6A

# Fingerprint (SHA1): 0B:BE:C2:27:22:49:CB:39:AA:DB:35:5C:53:E3:8C:AE:78:FF:B6:FE

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "Autoridad de Certificacion Firmaprofesional CIF A62634068"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

\060\121\061\013\060\011\006\003\125\004\006\023\002\105\123\061  
\102\060\100\006\003\125\004\003\014\071\101\165\164\157\162\151  
\144\141\144\040\144\145\040\103\145\162\164\151\146\151\143\141  
\143\151\157\156\040\106\151\162\155\141\160\162\157\146\145\163  
\151\157\156\141\154\040\103\111\106\040\101\066\062\066\063\064  
\060\066\070

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\121\061\013\060\011\006\003\125\004\006\023\002\105\123\061  
\102\060\100\006\003\125\004\003\014\071\101\165\164\157\162\151  
\144\141\144\040\144\145\040\103\145\162\164\151\146\151\143\141  
\143\151\157\156\040\106\151\162\155\141\160\162\157\146\145\163  
\151\157\156\141\154\040\103\111\106\040\101\066\062\066\063\064  
\060\066\070

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\010\033\160\351\322\377\256\154\161

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\006\024\060\202\003\374\240\003\002\001\002\002\010\033  
\160\351\322\377\256\154\161\060\015\006\011\052\206\110\206\367  
\015\001\001\013\005\000\060\121\061\013\060\011\006\003\125\004  
\006\023\002\105\123\061\102\060\100\006\003\125\004\003\014\071  
\101\165\164\157\162\151\144\141\144\040\144\145\040\103\145\162  
\164\151\146\151\143\141\143\151\157\156\040\106\151\162\155\141  
\160\162\157\146\145\163\151\157\156\141\154\040\103\111\106\040  
\101\066\062\066\063\064\060\066\070\060\036\027\015\061\064\060

\071\062\063\061\065\062\062\060\067\132\027\015\063\066\060\065  
\060\065\061\065\062\062\060\067\132\060\121\061\013\060\011\006  
\003\125\004\006\023\002\105\123\061\102\060\100\006\003\125\004  
\003\014\071\101\165\164\157\162\151\144\141\144\040\144\145\040  
\103\145\162\164\151\146\151\143\141\143\151\157\156\040\106\151  
\162\155\141\160\162\157\146\145\163\151\157\156\141\154\040\103  
\111\106\040\101\066\062\066\063\064\060\066\070\060\202\002\042  
\060\015\006\011\052\206\110\206\367\015\001\001\001\005\000\003  
\202\002\017\000\060\202\002\012\002\202\002\001\000\312\226\153  
\216\352\370\373\361\242\065\340\177\114\332\340\303\122\327\175  
\266\020\310\002\136\263\103\052\304\117\152\262\312\034\135\050  
\232\170\021\032\151\131\127\257\265\040\102\344\213\017\346\337  
\133\246\003\222\057\365\021\344\142\327\062\161\070\331\004\014  
\161\253\075\121\176\017\007\337\143\005\134\351\277\224\157\301  
\051\202\300\264\332\121\260\301\074\273\255\067\112\134\312\361  
\113\066\016\044\253\277\303\204\167\375\250\120\364\261\347\306  
\057\322\055\131\215\172\012\116\226\151\122\002\252\066\230\354  
\374\372\024\203\014\067\037\311\222\067\177\327\201\055\345\304  
\271\340\076\064\376\147\364\076\146\321\323\364\100\317\136\142  
\064\017\160\006\076\040\030\132\316\367\162\033\045\154\223\164  
\024\223\243\163\261\016\252\207\020\043\131\137\040\005\031\107  
\355\150\216\222\022\312\135\374\326\053\262\222\074\040\317\341  
\137\257\040\276\240\166\177\166\345\354\032\206\141\063\076\347  
\173\264\077\240\017\216\242\271\152\157\271\207\046\157\101\154  
\210\246\120\375\152\143\013\365\223\026\033\031\217\262\355\233  
\233\311\220\365\001\014\337\031\075\017\076\070\043\311\057\217  
\014\321\002\376\033\125\326\116\320\215\074\257\117\244\363\376  
\257\052\323\005\235\171\010\241\313\127\061\264\234\310\220\262  
\147\364\030\026\223\072\374\107\330\321\170\226\061\037\272\053  
\014\137\135\231\255\143\211\132\044\040\166\330\337\375\253\116  
\246\042\252\235\136\346\047\212\175\150\051\243\347\212\270\332  
\021\273\027\055\231\235\023\044\106\367\305\342\330\237\216\177  
\307\217\164\155\132\262\350\162\365\254\356\044\020\255\057\024  
\332\377\055\232\106\161\107\276\102\337\273\001\333\364\177\323  
\050\217\061\131\133\323\311\002\246\264\122\312\156\227\373\103  
\305\010\046\157\212\364\273\375\237\050\252\015\325\105\363\023  
\072\035\330\300\170\217\101\147\074\036\224\144\256\173\013\305  
\350\331\001\210\071\032\227\206\144\101\325\073\207\014\156\372  
\017\306\275\110\024\277\071\115\324\236\101\266\217\226\035\143  
\226\223\331\225\006\170\061\150\236\067\006\073\200\211\105\141  
\071\043\307\033\104\243\025\345\034\370\222\060\273\002\003\001  
\000\001\243\201\357\060\201\354\060\035\006\003\125\035\016\004  
\026\004\024\145\315\353\253\065\036\000\076\176\325\164\300\034  
\264\163\107\016\032\144\057\060\022\006\003\125\035\023\001\001  
\377\004\010\060\006\001\001\377\002\001\001\060\201\246\006\003  
\125\035\040\004\201\236\060\201\233\060\201\230\006\004\125\035  
\040\000\060\201\217\060\057\006\010\053\006\001\005\005\007\002  
\001\026\043\150\164\164\160\072\057\057\167\167\167\056\146\151

\162\155\141\160\162\157\146\145\163\151\157\156\141\154\056\143  
\157\155\057\143\160\163\060\134\006\010\053\006\001\005\005\007  
\002\002\060\120\036\116\000\120\000\141\000\163\000\145\000\157  
\000\040\000\144\000\145\000\040\000\154\000\141\000\040\000\102  
\000\157\000\156\000\141\000\156\000\157\000\166\000\141\000\040  
\000\064\000\067\000\040\000\102\000\141\000\162\000\143\000\145  
\000\154\000\157\000\156\000\141\000\040\000\060\000\070\000\060  
\000\061\000\067\060\016\006\003\125\035\017\001\001\377\004\004  
\003\002\001\006\060\015\006\011\052\206\110\206\367\015\001\001  
\013\005\000\003\202\002\001\000\164\207\050\002\053\167\037\146  
\211\144\355\217\164\056\106\034\273\250\370\370\013\035\203\266  
\072\247\350\105\212\007\267\340\076\040\313\341\010\333\023\010  
\370\050\241\065\262\200\263\013\121\300\323\126\232\215\063\105  
\111\257\111\360\340\075\007\172\105\023\132\377\310\227\330\323  
\030\054\175\226\370\335\242\145\103\160\223\220\025\272\220\337  
\350\031\260\333\054\212\140\017\267\157\224\007\036\035\246\311  
\205\366\275\064\370\100\170\142\020\160\072\276\175\113\071\201  
\251\020\324\226\101\273\370\137\034\013\035\010\362\261\260\211  
\172\362\367\240\340\304\217\213\170\265\073\130\245\043\216\117  
\125\376\066\073\340\014\267\312\052\060\101\040\264\200\315\256  
\374\166\146\163\250\256\156\341\174\332\003\350\224\040\346\042  
\243\320\037\220\135\040\123\024\046\127\332\124\227\337\026\104  
\020\001\036\210\146\217\162\070\223\335\040\267\064\276\327\361  
\356\143\216\107\171\050\006\374\363\131\105\045\140\042\063\033  
\243\137\250\272\052\332\032\075\315\100\352\214\356\005\025\225  
\325\245\054\040\057\247\230\050\356\105\374\361\270\210\000\054  
\217\102\332\121\325\234\345\023\150\161\105\103\213\236\013\041  
\074\113\134\005\334\032\237\230\216\332\275\042\236\162\315\255  
\012\313\314\243\147\233\050\164\304\233\327\032\074\004\130\246  
\202\235\255\307\173\157\377\200\226\351\370\215\152\275\030\220  
\035\377\111\032\220\122\067\223\057\074\002\135\202\166\013\121  
\347\026\307\127\370\070\371\247\315\233\042\124\357\143\260\025  
\155\123\145\003\112\136\112\240\262\247\216\111\000\131\070\325  
\307\364\200\144\365\156\225\120\270\021\176\025\160\070\112\260  
\177\320\304\062\160\300\031\377\311\070\055\024\054\146\364\102  
\104\346\125\166\033\200\025\127\377\300\247\247\252\071\252\330  
\323\160\320\056\272\353\224\152\372\137\064\206\347\142\265\375  
\212\360\060\205\224\311\257\044\002\057\157\326\335\147\376\343  
\260\125\117\004\230\117\244\101\126\342\223\320\152\350\326\363  
\373\145\340\316\165\304\061\131\014\356\202\310\014\140\063\112  
\031\272\204\147\047\017\274\102\135\275\044\124\015\354\035\160  
\006\137\244\274\372\040\174\125

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRUST\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRUST\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "Autoridad de Certificacion Firmaprofesional CIF A62634068"

```
# Issuer: CN=Autoridad de Certificacion Firmaprofesional CIF A62634068,C=ES
# Serial Number:1b:70:e9:d2:ff:ae:6c:71
# Subject: CN=Autoridad de Certificacion Firmaprofesional CIF A62634068,C=ES
# Not Valid Before: Tue Sep 23 15:22:07 2014
# Not Valid After : Mon May 05 15:22:07 2036
# Fingerprint (SHA-256):
57:DE:05:83:EF:D2:B2:6E:03:61:DA:99:DA:9D:F4:64:8D:EF:7E:E8:44:1C:3B:72:8A:FA:9B:CD:E0:F9:B2:6A
# Fingerprint (SHA1): 0B:BE:C2:27:22:49:CB:39:AA:DB:35:5C:53:E3:8C:AE:78:FF:B6:FE
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Autoridad de Certificacion Firmaprofesional CIF A62634068"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\013\276\302\047\042\111\313\071\252\333\065\134\123\343\214\256
\170\377\266\376
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\116\156\233\124\114\312\267\372\110\344\220\261\025\113\034\243
END
CKA_ISSUER MULTILINE_OCTAL
\060\121\061\013\060\011\006\003\125\004\006\023\002\105\123\061
\102\060\100\006\003\125\004\003\014\071\101\165\164\157\162\151
\144\141\144\040\144\145\040\103\145\162\164\151\146\151\143\141
\143\151\157\156\040\106\151\162\155\141\160\162\157\146\145\163
\151\157\156\141\154\040\103\111\106\040\101\066\062\066\063\064
\060\066\070
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\010\033\160\351\322\377\256\154\161
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "vTrus ECC Root CA"
#
# Issuer: CN=vTrus ECC Root CA,O="iTrusChina Co.,Ltd.",C=CN
# Serial Number:6e:6a:bc:59:aa:53:be:98:39:67:a2:d2:6b:a4:3b:e6:6d:1c:d6:da
# Subject: CN=vTrus ECC Root CA,O="iTrusChina Co.,Ltd.",C=CN
# Not Valid Before: Tue Jul 31 07:26:44 2018
# Not Valid After : Fri Jul 31 07:26:44 2043
# Fingerprint (SHA-256):
30:FB:BA:2C:32:23:8E:2A:98:54:7A:F9:79:31:E5:50:42:8B:9B:3F:1C:8E:EB:66:33:DC:FA:86:C5:B2:7D:D3
# Fingerprint (SHA1): F6:9C:DB:B0:FC:F6:02:13:B6:52:32:A6:A3:91:3F:16:70:DA:C3:E1
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
```



```
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "vTrus ECC Root CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\107\061\013\060\011\006\003\125\004\006\023\002\103\116\061
\034\060\032\006\003\125\004\012\023\023\151\124\162\165\163\103
\150\151\156\141\040\103\157\056\054\114\164\144\056\061\032\060
\030\006\003\125\004\003\023\021\166\124\162\165\163\040\105\103
\103\040\122\157\157\164\040\103\101
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\107\061\013\060\011\006\003\125\004\006\023\002\103\116\061
\034\060\032\006\003\125\004\012\023\023\151\124\162\165\163\103
\150\151\156\141\040\103\157\056\054\114\164\144\056\061\032\060
\030\006\003\125\004\003\023\021\166\124\162\165\163\040\105\103
\103\040\122\157\157\164\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\024\156\152\274\131\252\123\276\230\071\147\242\322\153\244
\073\346\155\034\326\332
END
CKA_VALUE MULTILINE_OCTAL
\060\202\002\017\060\202\001\225\240\003\002\001\002\002\024\156
\152\274\131\252\123\276\230\071\147\242\322\153\244\073\346\155
\034\326\332\060\012\006\010\052\206\110\316\075\004\003\003\060
\107\061\013\060\011\006\003\125\004\006\023\002\103\116\061\034
\060\032\006\003\125\004\012\023\023\151\124\162\165\163\103\150
\151\156\141\040\103\157\056\054\114\164\144\056\061\032\060\030
\006\003\125\004\003\023\021\166\124\162\165\163\040\105\103\103
\040\122\157\157\164\040\103\101\060\036\027\015\061\070\060\067
\063\061\060\067\062\066\064\064\132\027\015\064\063\060\067\063
\061\060\067\062\066\064\064\132\060\107\061\013\060\011\006\003
\125\004\006\023\002\103\116\061\034\060\032\006\003\125\004\012
\023\023\151\124\162\165\163\103\150\151\156\141\040\103\157\056
\054\114\164\144\056\061\032\060\030\006\003\125\004\003\023\021
\166\124\162\165\163\040\105\103\103\040\122\157\157\164\040\103
\101\060\166\060\020\006\007\052\206\110\316\075\002\001\006\005
\053\201\004\000\042\003\142\000\004\145\120\112\256\214\171\226
\112\252\034\010\303\243\242\315\376\131\126\101\167\375\046\224
\102\273\035\315\010\333\163\262\133\165\363\317\234\116\202\364
\277\370\141\046\205\154\326\205\133\162\160\322\375\333\142\264
\337\123\213\275\261\104\130\142\102\011\307\372\177\133\020\347
\376\100\375\300\330\303\053\062\347\160\246\267\246\040\125\035
\173\200\135\113\217\147\114\361\020\243\102\060\100\060\035\006
\003\125\035\016\004\026\004\024\230\071\315\276\330\262\214\367
```

```
\262\253\341\255\044\257\173\174\241\333\037\317\060\017\006\003
\125\035\023\001\001\377\004\005\060\003\001\001\377\060\016\006
\003\125\035\017\001\001\377\004\004\003\002\001\006\060\012\006
\010\052\206\110\316\075\004\003\003\003\150\000\060\145\002\060
\127\235\335\126\361\307\343\351\270\111\120\153\233\151\303\157
\354\303\175\045\344\127\225\023\100\233\122\323\073\363\100\031
\274\046\307\055\006\236\265\173\066\237\365\045\324\143\153\000
\002\061\000\351\323\306\236\126\232\052\314\241\332\077\310\146
\053\323\130\234\040\205\372\253\221\212\160\160\021\070\140\144
\013\142\011\221\130\000\371\115\373\064\150\332\011\255\041\006
\030\224\316
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "vTrus ECC Root CA"
```

```
# Issuer: CN=vTrus ECC Root CA,O="iTrusChina Co.,Ltd.",C=CN
```

```
# Serial Number:6e:6a:bc:59:aa:53:be:98:39:67:a2:d2:6b:a4:3b:e6:6d:1c:d6:da
```

```
# Subject: CN=vTrus ECC Root CA,O="iTrusChina Co.,Ltd.",C=CN
```

```
# Not Valid Before: Tue Jul 31 07:26:44 2018
```

```
# Not Valid After : Fri Jul 31 07:26:44 2043
```

```
# Fingerprint (SHA-256):
```

```
30:FB:BA:2C:32:23:8E:2A:98:54:7A:F9:79:31:E5:50:42:8B:9B:3F:1C:8E:EB:66:33:DC:FA:86:C5:B2:7D:D3
```

```
# Fingerprint (SHA1): F6:9C:DB:B0:FC:F6:02:13:B6:52:32:A6:A3:91:3F:16:70:DA:C3:E1
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "vTrus ECC Root CA"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\366\234\333\260\374\366\002\023\266\122\062\246\243\221\077\026
\160\332\303\341
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\336\113\301\365\122\214\233\103\341\076\217\125\124\027\215\205
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\107\061\013\060\011\006\003\125\004\006\023\002\103\116\061
\034\060\032\006\003\125\004\012\023\023\151\124\162\165\163\103
\150\151\156\141\040\103\157\056\054\114\164\144\056\061\032\060
\030\006\003\125\004\003\023\021\166\124\162\165\163\040\105\103
\103\040\122\157\157\164\040\103\101
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\024\156\152\274\131\252\123\276\230\071\147\242\322\153\244
\073\346\155\034\326\332
```

END

```

CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "vTrus Root CA"
#
# Issuer: CN=vTrus Root CA,O="iTrusChina Co.,Ltd.",C=CN
# Serial Number:43:e3:71:13:d8:b3:59:14:5d:b7:ce:8c:fd:35:fd:6f:bc:05:8d:45
# Subject: CN=vTrus Root CA,O="iTrusChina Co.,Ltd.",C=CN
# Not Valid Before: Tue Jul 31 07:24:05 2018
# Not Valid After : Fri Jul 31 07:24:05 2043
# Fingerprint (SHA-256):
8A:71:DE:65:59:33:6F:42:6C:26:E5:38:80:D0:0D:88:A1:8D:A4:C6:A9:1F:0D:CB:61:94:E2:06:C5:C9:63:87
# Fingerprint (SHA1): 84:1A:69:FB:F5:CD:1A:25:34:13:3D:E3:F8:FC:B8:99:D0:C9:14:B7
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "vTrus Root CA"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\103\061\013\060\011\006\003\125\004\006\023\002\103\116\061
\034\060\032\006\003\125\004\012\023\023\151\124\162\165\163\103
\150\151\156\141\040\103\157\056\054\114\164\144\056\061\026\060
\024\006\003\125\004\003\023\015\166\124\162\165\163\040\122\157
\157\164\040\103\101
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\103\061\013\060\011\006\003\125\004\006\023\002\103\116\061
\034\060\032\006\003\125\004\012\023\023\151\124\162\165\163\103
\150\151\156\141\040\103\157\056\054\114\164\144\056\061\026\060
\024\006\003\125\004\003\023\015\166\124\162\165\163\040\122\157
\157\164\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\024\103\343\161\023\330\263\131\024\135\267\316\214\375\065
\375\157\274\005\215\105
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\126\060\202\003\076\240\003\002\001\002\002\024\103
\343\161\023\330\263\131\024\135\267\316\214\375\065\375\157\274
\005\215\105\060\015\006\011\052\206\110\206\367\015\001\001\013
\005\000\060\103\061\013\060\011\006\003\125\004\006\023\002\103
\116\061\034\060\032\006\003\125\004\012\023\023\151\124\162\165
\163\103\150\151\156\141\040\103\157\056\054\114\164\144\056\061

```

\026\060\024\006\003\125\004\003\023\015\166\124\162\165\163\040  
\122\157\157\164\040\103\101\060\036\027\015\061\070\060\067\063  
\061\060\067\062\064\060\065\132\027\015\064\063\060\067\063\061  
\060\067\062\064\060\065\132\060\103\061\013\060\011\006\003\125  
\004\006\023\002\103\116\061\034\060\032\006\003\125\004\012\023  
\023\151\124\162\165\163\103\150\151\156\141\040\103\157\056\054  
\114\164\144\056\061\026\060\024\006\003\125\004\003\023\015\166  
\124\162\165\163\040\122\157\157\164\040\103\101\060\202\002\042  
\060\015\006\011\052\206\110\206\367\015\001\001\001\005\000\003  
\202\002\017\000\060\202\002\012\002\202\002\001\000\275\125\174  
\141\323\270\035\004\142\005\240\256\154\267\160\264\101\352\113  
\003\136\020\077\220\132\034\213\073\260\146\213\154\110\246\034  
\042\272\325\100\222\356\063\262\043\131\311\216\274\130\332\213  
\236\320\031\362\057\131\306\214\143\132\272\237\243\013\260\263  
\232\134\272\021\270\022\351\014\273\317\156\154\200\207\051\024  
\003\054\215\044\232\310\144\203\265\152\254\023\054\063\361\237  
\334\054\141\074\032\077\160\125\233\255\000\122\177\317\004\271  
\376\066\372\234\300\026\256\142\376\226\114\103\176\125\024\276  
\032\263\322\155\302\257\166\146\225\153\052\260\224\167\205\136  
\004\017\142\035\143\165\367\153\347\313\133\232\160\354\076\147  
\005\360\376\007\010\200\317\050\333\005\306\024\047\057\206\175  
\360\047\336\377\346\176\063\110\347\013\036\130\321\047\053\123  
\016\127\112\145\327\373\242\200\140\374\114\274\065\123\001\152  
\227\162\202\257\361\035\160\350\234\365\357\136\302\154\307\107  
\176\132\224\205\046\115\073\272\353\114\350\260\011\302\145\302  
\235\235\011\233\116\265\227\005\254\365\006\240\367\066\005\176  
\364\220\262\153\304\264\371\144\352\351\032\012\310\015\250\355  
\047\311\324\347\263\271\253\202\042\220\047\075\052\350\174\220  
\357\274\117\375\342\012\044\247\336\145\044\244\135\352\300\166  
\060\323\167\120\370\015\004\233\224\066\001\163\312\006\130\246  
\323\073\334\372\004\106\023\125\212\311\104\107\270\121\071\032  
\056\350\064\342\171\313\131\112\012\177\274\246\357\037\003\147  
\152\131\053\045\142\223\331\123\031\146\074\047\142\051\206\115  
\244\153\356\377\324\116\272\325\264\342\216\110\132\000\031\011  
\361\005\331\316\221\261\367\353\351\071\117\366\157\004\103\232  
\125\365\076\005\024\275\277\263\131\264\330\216\063\204\243\220  
\122\252\263\002\225\140\371\014\114\150\371\356\325\027\015\370  
\161\127\265\045\344\051\356\145\135\257\321\356\074\027\013\132  
\103\305\245\206\352\044\236\342\005\007\334\064\102\022\221\326  
\071\164\256\114\101\202\333\362\246\110\321\263\233\363\063\252  
\363\246\300\305\116\365\364\235\166\143\346\002\306\042\113\301  
\225\077\120\144\054\124\345\266\360\074\051\317\127\002\003\001  
\000\001\243\102\060\100\060\035\006\003\125\035\016\004\026\004  
\024\124\142\160\143\361\165\204\103\130\216\321\026\040\261\306  
\254\032\274\366\211\060\017\006\003\125\035\023\001\001\377\004  
\005\060\003\001\001\377\060\016\006\003\125\035\017\001\001\377  
\004\004\003\002\001\006\060\015\006\011\052\206\110\206\367\015  
\001\001\013\005\000\003\202\002\001\000\051\272\222\111\247\255

\360\361\160\303\344\227\360\237\251\045\325\153\236\064\376\346  
\032\144\366\072\153\122\262\020\170\032\237\114\332\212\332\354  
\034\067\122\340\102\113\373\154\166\312\044\013\071\022\025\235  
\237\021\055\374\171\144\334\340\340\365\335\340\127\311\245\262  
\166\160\120\244\376\267\012\160\325\240\064\361\165\327\115\111  
\272\021\321\263\330\354\202\377\353\016\304\277\144\055\175\143  
\156\027\170\354\135\174\210\310\353\216\127\166\331\131\004\372  
\274\122\037\105\254\360\172\200\354\354\157\166\256\221\333\020  
\216\004\334\222\337\240\366\346\256\111\323\301\154\022\033\314  
\051\252\371\010\245\342\067\024\312\261\270\146\357\032\202\344  
\360\370\361\247\026\151\267\333\251\141\074\237\365\061\313\344  
\000\106\302\057\164\261\261\327\201\356\250\046\225\274\210\257  
\114\065\007\052\002\312\170\024\155\107\053\100\126\351\313\052  
\140\241\147\003\240\316\214\274\260\162\147\304\061\316\333\064  
\345\045\003\140\045\173\161\230\344\300\033\053\137\164\102\322  
\113\305\131\010\007\207\276\305\303\177\347\226\331\341\334\050  
\227\326\217\005\343\365\233\116\312\035\120\107\005\123\260\312  
\071\347\205\240\211\301\005\073\001\067\323\077\111\342\167\353  
\043\310\210\146\073\075\071\166\041\106\361\354\137\043\270\353  
\242\146\165\164\301\100\367\330\150\232\223\342\055\251\056\275  
\034\243\036\310\164\306\244\055\172\040\253\073\270\260\106\375  
\157\335\137\122\125\165\142\360\227\240\174\327\070\375\045\337  
\315\240\233\020\317\213\270\070\136\136\305\264\246\002\066\241  
\036\137\034\317\342\226\235\051\252\375\230\256\122\341\363\101  
\122\373\251\056\162\226\237\047\343\252\163\175\370\032\043\146  
\173\073\253\145\260\062\001\113\025\076\075\242\117\014\053\065  
\242\306\331\147\022\065\060\315\166\056\026\263\231\236\115\117  
\116\055\073\064\103\341\232\016\015\244\146\227\272\322\034\112  
\114\054\052\213\213\201\117\161\032\251\335\134\173\173\010\305  
\000\015\067\100\343\174\173\124\137\057\205\137\166\366\367\247  
\260\034\127\126\301\162\350\255\242\257\215\063\111\272\037\212  
\334\346\164\174\140\206\157\207\227\173

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "vTrus Root CA"

# Issuer: CN=vTrus Root CA,O="iTrusChina Co.,Ltd.",C=CN

# Serial Number:43:e3:71:13:d8:b3:59:14:5d:b7:ce:8c:fd:35:fd:6f:bc:05:8d:45

# Subject: CN=vTrus Root CA,O="iTrusChina Co.,Ltd.",C=CN

# Not Valid Before: Tue Jul 31 07:24:05 2018

# Not Valid After : Fri Jul 31 07:24:05 2043

# Fingerprint (SHA-256):

8A:71:DE:65:59:33:6F:42:6C:26:E5:38:80:D0:0D:88:A1:8D:A4:C6:A9:1F:0D:CB:61:94:E2:06:C5:C9:63:87

# Fingerprint (SHA1): 84:1A:69:FB:F5:CD:1A:25:34:13:3D:E3:F8:FC:B8:99:D0:C9:14:B7

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

```

CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "vTrus Root CA"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\204\032\151\373\365\315\032\045\064\023\075\343\370\374\270\231
\320\311\024\267
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\270\311\067\337\372\153\061\204\144\305\352\021\152\033\165\374
END
CKA_ISSUER MULTILINE_OCTAL
\060\103\061\013\060\011\006\003\125\004\006\023\002\103\116\061
\034\060\032\006\003\125\004\012\023\023\151\124\162\165\163\103
\150\151\156\141\040\103\157\056\054\114\164\144\056\061\026\060
\024\006\003\125\004\003\023\015\166\124\162\165\163\040\122\157
\157\164\040\103\101
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\024\103\343\161\023\330\263\131\024\135\267\316\214\375\065
\375\157\274\005\215\105
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "ISRG Root X2"
#
# Issuer: CN=ISRG Root X2,O=Internet Security Research Group,C=US
# Serial Number:41:d2:9d:d1:72:ea:ee:a7:80:c1:2c:6c:e9:2f:87:52
# Subject: CN=ISRG Root X2,O=Internet Security Research Group,C=US
# Not Valid Before: Fri Sep 04 00:00:00 2020
# Not Valid After : Mon Sep 17 16:00:00 2040
# Fingerprint (SHA-256):
69:72:9B:8E:15:A8:6E:FC:17:7A:57:AF:B7:17:1D:FC:64:AD:D2:8C:2F:CA:8C:F1:50:7E:34:45:3C:CB:14:70
# Fingerprint (SHA1): BD:B1:B9:3C:D5:97:8D:45:C6:26:14:55:F8:DB:95:C7:5A:D1:53:AF
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "ISRG Root X2"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\117\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\051\060\047\006\003\125\004\012\023\040\111\156\164\145\162\156
\145\164\040\123\145\143\165\162\151\164\171\040\122\145\163\145
\141\162\143\150\040\107\162\157\165\160\061\025\060\023\006\003

```

```
\125\004\003\023\014\111\123\122\107\040\122\157\157\164\040\130
\062
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\117\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\051\060\047\006\003\125\004\012\023\040\111\156\164\145\162\156
\145\164\040\123\145\143\165\162\151\164\171\040\122\145\163\145
\141\162\143\150\040\107\162\157\165\160\061\025\060\023\006\003
\125\004\003\023\014\111\123\122\107\040\122\157\157\164\040\130
\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\101\322\235\321\162\352\356\247\200\301\054\154\351\057
\207\122
END
CKA_VALUE MULTILINE_OCTAL
\060\202\002\033\060\202\001\241\240\003\002\001\002\002\020\101
\322\235\321\162\352\356\247\200\301\054\154\351\057\207\122\060
\012\006\010\052\206\110\316\075\004\003\003\060\117\061\013\060
\011\006\003\125\004\006\023\002\125\123\061\051\060\047\006\003
\125\004\012\023\040\111\156\164\145\162\156\145\164\040\123\145
\143\165\162\151\164\171\040\122\145\163\145\141\162\143\150\040
\107\162\157\165\160\061\025\060\023\006\003\125\004\003\023\014
\111\123\122\107\040\122\157\157\164\040\130\062\060\036\027\015
\062\060\060\071\060\064\060\060\060\060\060\132\027\015\064
\060\060\071\061\067\061\066\060\060\060\060\132\060\117\061\013
\060\011\006\003\125\004\006\023\002\125\123\061\051\060\047\006
\003\125\004\012\023\040\111\156\164\145\162\156\145\164\040\123
\145\143\165\162\151\164\171\040\122\145\163\145\141\162\143\150
\040\107\162\157\165\160\061\025\060\023\006\003\125\004\003\023
\014\111\123\122\107\040\122\157\157\164\040\130\062\060\166\060
\020\006\007\052\206\110\316\075\002\001\006\005\053\201\004\000
\042\003\142\000\004\315\233\325\237\200\203\012\354\011\112\363
\026\112\076\134\317\167\254\336\147\005\015\035\007\266\334\026
\373\132\213\024\333\342\161\140\304\272\105\225\021\211\216\352
\006\337\367\052\026\034\244\271\305\305\062\340\003\340\036\202
\030\070\213\327\105\330\012\152\156\346\000\167\373\002\121\175
\042\330\012\156\232\133\167\337\360\372\101\354\071\334\165\312
\150\007\014\037\352\243\102\060\100\060\016\006\003\125\035\017
\001\001\377\004\004\003\002\001\006\060\017\006\003\125\035\023
\001\001\377\004\005\060\003\001\001\377\060\035\006\003\125\035
\016\004\026\004\024\174\102\226\256\336\113\110\073\372\222\370
\236\214\317\155\213\251\162\067\225\060\012\006\010\052\206\110
\316\075\004\003\003\003\150\000\060\145\002\060\173\171\116\106
\120\204\302\104\207\106\033\105\160\377\130\231\336\364\375\244
\322\125\246\040\055\164\326\064\274\101\243\120\137\001\047\126
\264\276\047\165\006\257\022\056\165\230\215\374\002\061\000\213
```

```
\365\167\154\324\310\145\252\340\013\054\356\024\235\047\067\244
\371\123\245\121\344\051\203\327\370\220\061\133\102\237\012\365
\376\256\000\150\347\214\111\017\266\157\133\133\025\362\347
END
```

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "ISRG Root X2"
```

```
# Issuer: CN=ISRG Root X2,O=Internet Security Research Group,C=US
```

```
# Serial Number:41:d2:9d:d1:72:ea:ee:a7:80:c1:2c:6c:e9:2f:87:52
```

```
# Subject: CN=ISRG Root X2,O=Internet Security Research Group,C=US
```

```
# Not Valid Before: Fri Sep 04 00:00:00 2020
```

```
# Not Valid After : Mon Sep 17 16:00:00 2040
```

```
# Fingerprint (SHA-256):
```

```
69:72:9B:8E:15:A8:6E:FC:17:7A:57:AF:B7:17:1D:FC:64:AD:D2:8C:2F:CA:8C:F1:50:7E:34:45:3C:CB:14:70
```

```
# Fingerprint (SHA1): BD:B1:B9:3C:D5:97:8D:45:C6:26:14:55:F8:DB:95:C7:5A:D1:53:AF
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "ISRG Root X2"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\275\261\271\074\325\227\215\105\306\046\024\125\370\333\225\307
\132\321\123\257
```

```
END
```

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\323\236\304\036\043\074\246\337\317\243\176\155\340\024\346\345
```

```
END
```

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\117\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\051\060\047\006\003\125\004\012\023\040\111\156\164\145\162\156
\145\164\040\123\145\143\165\162\151\164\171\040\122\145\163\145
\141\162\143\150\040\107\162\157\165\160\061\025\060\023\006\003
\125\004\003\023\014\111\123\122\107\040\122\157\157\164\040\130
\062
```

```
END
```

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\020\101\322\235\321\162\352\356\247\200\301\054\154\351\057
\207\122
```

```
END
```

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

```
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

```
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE
```

```
#
```

```
# Certificate "HiPKI Root CA - G1"
```



```
#
# Issuer: CN=HiPKI Root CA - G1,O="Chunghwa Telecom Co., Ltd.",C=TW
# Serial Number:2d:dd:ac:ce:62:97:94:a1:43:e8:b0:cd:76:6a:5e:60
# Subject: CN=HiPKI Root CA - G1,O="Chunghwa Telecom Co., Ltd.",C=TW
# Not Valid Before: Fri Feb 22 09:46:04 2019
# Not Valid After : Thu Dec 31 15:59:59 2037
# Fingerprint (SHA-256):
F0:15:CE:3C:C2:39:BF:EF:06:4B:E9:F1:D2:C4:17:E1:A0:26:4A:0A:94:BE:1F:0C:8D:12:18:64:EB:69:49:CC
# Fingerprint (SHA1): 6A:92:E4:A8:EE:1B:EC:96:45:37:E3:29:57:49:CD:96:E3:E5:D2:60
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "HiPKI Root CA - G1"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\117\061\013\060\011\006\003\125\004\006\023\002\124\127\061
\043\060\041\006\003\125\004\012\014\032\103\150\165\156\147\150
\167\141\040\124\145\154\145\143\157\155\040\103\157\056\054\040
\114\164\144\056\061\033\060\031\006\003\125\004\003\014\022\110
\151\120\113\111\040\122\157\157\164\040\103\101\040\055\040\107
\061
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\117\061\013\060\011\006\003\125\004\006\023\002\124\127\061
\043\060\041\006\003\125\004\012\014\032\103\150\165\156\147\150
\167\141\040\124\145\154\145\143\157\155\040\103\157\056\054\040
\114\164\144\056\061\033\060\031\006\003\125\004\003\014\022\110
\151\120\113\111\040\122\157\157\164\040\103\101\040\055\040\107
\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\055\335\254\316\142\227\224\241\103\350\260\315\166\152
\136\140
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\152\060\202\003\122\240\003\002\001\002\002\020\055
\335\254\316\142\227\224\241\103\350\260\315\166\152\136\140\060
\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060\117
\061\013\060\011\006\003\125\004\006\023\002\124\127\061\043\060
\041\006\003\125\004\012\014\032\103\150\165\156\147\150\167\141
\040\124\145\154\145\143\157\155\040\103\157\056\054\040\114\164
\144\056\061\033\060\031\006\003\125\004\003\014\022\110\151\120
\113\111\040\122\157\157\164\040\103\101\040\055\040\107\061\060
\036\027\015\061\071\060\062\062\062\060\071\064\066\060\064\132
\027\015\063\067\061\062\063\061\061\065\065\071\065\071\132\060
\117\061\013\060\011\006\003\125\004\006\023\002\124\127\061\043
```

\060\041\006\003\125\004\012\014\032\103\150\165\156\147\150\167  
\141\040\124\145\154\145\143\157\155\040\103\157\056\054\040\114  
\164\144\056\061\033\060\031\006\003\125\004\003\014\022\110\151  
\120\113\111\040\122\157\157\164\040\103\101\040\055\040\107\061  
\060\202\002\042\060\015\006\011\052\206\110\206\367\015\001\001  
\001\005\000\003\202\002\017\000\060\202\002\012\002\202\002\001  
\000\364\036\177\122\163\062\014\163\344\275\023\164\243\324\060  
\250\320\256\113\330\266\337\165\107\146\364\174\347\071\004\036  
\152\160\040\322\132\107\162\147\125\364\245\350\235\325\036\041  
\241\360\147\272\314\041\150\276\104\123\277\215\371\342\334\057  
\125\310\067\077\037\244\300\234\263\344\167\134\240\106\376\167  
\372\032\240\070\352\355\232\162\336\053\275\224\127\072\272\354  
\171\347\137\175\102\144\071\172\046\066\367\044\360\325\057\272  
\225\230\021\146\255\227\065\326\165\001\200\340\257\364\204\141  
\214\015\036\137\174\207\226\136\101\257\353\207\352\370\135\361  
\056\210\005\076\114\042\273\332\037\052\335\122\106\144\071\363  
\102\316\331\236\014\263\260\167\227\144\234\300\364\243\056\037  
\225\007\260\027\337\060\333\000\030\226\114\241\201\113\335\004  
\155\123\243\075\374\007\254\324\305\067\202\353\344\225\010\031  
\050\202\322\102\072\243\330\123\354\171\211\140\110\140\310\162  
\222\120\334\003\217\203\077\262\102\127\132\333\152\351\021\227  
\335\205\050\274\060\114\253\343\302\261\105\104\107\037\340\212  
\026\007\226\322\041\017\123\300\355\251\176\324\116\354\233\011  
\354\257\102\254\060\326\277\321\020\105\340\246\026\262\245\305  
\323\117\163\224\063\161\002\241\152\243\326\063\227\117\041\143  
\036\133\217\331\301\136\105\161\167\017\201\135\137\041\232\255  
\203\314\372\136\326\215\043\137\033\075\101\257\040\165\146\132  
\112\366\237\373\253\030\367\161\300\266\035\061\354\073\040\353  
\313\342\270\365\256\222\262\367\341\204\113\362\242\362\223\232  
\042\236\323\024\157\066\124\275\037\136\131\025\271\163\250\301  
\174\157\173\142\351\026\154\107\132\145\363\016\021\233\106\331  
\375\155\334\326\234\300\264\175\245\260\335\077\126\157\241\371  
\366\344\022\110\375\006\177\022\127\266\251\043\117\133\003\303  
\340\161\052\043\267\367\260\261\073\274\230\275\326\230\250\014  
\153\366\216\022\147\246\362\262\130\344\002\011\023\074\251\273  
\020\264\322\060\105\361\354\367\000\021\337\145\370\334\053\103  
\125\277\026\227\304\017\325\054\141\204\252\162\206\376\346\072  
\176\302\077\175\356\374\057\024\076\346\205\335\120\157\267\111  
\355\002\003\001\000\001\243\102\060\100\060\017\006\003\125\035  
\023\001\001\377\004\005\060\003\001\001\377\060\035\006\003\125  
\035\016\004\026\004\024\362\167\027\372\136\250\376\366\075\161  
\325\150\272\311\106\014\070\330\257\260\060\016\006\003\125\035  
\017\001\001\377\004\004\003\002\001\206\060\015\006\011\052\206  
\110\206\367\015\001\001\013\005\000\003\202\002\001\000\120\121  
\360\165\334\160\004\343\377\252\165\324\161\242\313\236\217\250  
\251\323\257\165\307\124\317\072\034\004\231\042\254\304\021\342  
\357\063\112\246\043\035\016\015\107\330\067\307\157\257\064\177  
\117\201\153\065\117\351\162\245\061\342\170\347\367\116\224\030

\133\100\175\317\153\041\124\206\346\225\172\373\306\312\352\234  
\110\116\127\011\135\057\254\364\245\264\227\063\130\325\254\171  
\251\314\137\371\205\372\122\305\215\370\221\024\353\072\015\027  
\320\122\302\173\343\302\163\216\106\170\006\070\054\350\134\332  
\146\304\364\244\360\126\031\063\051\132\145\222\005\107\106\112  
\253\204\303\036\047\241\037\021\222\231\047\165\223\017\274\066  
\073\227\127\217\046\133\014\273\234\017\324\156\060\007\324\334  
\137\066\150\146\071\203\226\047\046\212\310\304\071\376\232\041  
\157\325\162\206\351\177\142\345\227\116\320\044\320\100\260\320  
\165\010\216\275\150\356\010\327\156\174\020\160\106\033\174\340  
\210\262\236\162\206\231\001\343\277\237\111\031\264\045\276\126  
\145\256\027\143\345\036\337\350\377\107\245\277\341\046\005\204  
\344\260\300\257\347\010\231\250\014\136\046\200\105\324\370\150  
\057\226\217\256\342\112\034\234\026\014\023\157\070\207\366\273  
\310\064\137\222\003\121\171\160\246\337\313\365\231\115\171\315  
\116\274\127\237\103\116\153\056\053\030\370\152\163\214\272\305  
\065\357\071\152\101\036\317\161\250\242\262\206\007\133\072\311  
\341\357\077\145\004\200\107\062\104\160\225\116\061\147\152\164  
\133\020\105\165\352\260\237\320\346\065\376\116\237\213\314\053  
\222\105\133\156\045\140\205\106\315\321\252\260\166\146\223\167  
\226\276\203\276\070\266\044\116\046\013\314\355\172\126\032\340  
\351\132\306\144\255\114\172\000\110\104\057\271\100\273\023\076  
\276\025\170\235\205\201\112\052\127\336\325\031\103\332\333\312  
\133\107\206\203\013\077\266\015\166\170\163\171\042\136\261\200  
\037\317\276\321\077\126\020\230\053\225\207\241\037\235\144\024  
\140\071\054\263\000\125\056\344\365\263\016\127\304\221\101\000  
\234\077\350\245\337\352\366\377\310\360\255\155\122\250\027\253  
\233\141\374\022\121\065\344\045\375\257\252\152\206\071

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "HiPKI Root CA - G1"

# Issuer: CN=HiPKI Root CA - G1,O="Chunghwa Telecom Co., Ltd.",C=TW

# Serial Number:2d:dd:ac:ce:62:97:94:a1:43:e8:b0:cd:76:6a:5e:60

# Subject: CN=HiPKI Root CA - G1,O="Chunghwa Telecom Co., Ltd.",C=TW

# Not Valid Before: Fri Feb 22 09:46:04 2019

# Not Valid After : Thu Dec 31 15:59:59 2037

# Fingerprint (SHA-256):

F0:15:CE:3C:C2:39:BF:EF:06:4B:E9:F1:D2:C4:17:E1:A0:26:4A:0A:94:BE:1F:0C:8D:12:18:64:EB:69:49:CC

# Fingerprint (SHA1): 6A:92:E4:A8:EE:1B:EC:96:45:37:E3:29:57:49:CD:96:E3:E5:D2:60

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "HiPKI Root CA - G1"

CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL

\152\222\344\250\356\033\354\226\105\067\343\051\127\111\315\226  
\343\345\322\140

END

CKA\_CERT\_MD5\_HASH MULTILINE\_OCTAL

\151\105\337\026\145\113\350\150\232\217\166\137\377\200\236\323

END

CKA\_ISSUER MULTILINE\_OCTAL

\060\117\061\013\060\011\006\003\125\004\006\023\002\124\127\061  
\043\060\041\006\003\125\004\012\014\032\103\150\165\156\147\150  
\167\141\040\124\145\154\145\143\157\155\040\103\157\056\054\040  
\114\164\144\056\061\033\060\031\006\003\125\004\003\014\022\110  
\151\120\113\111\040\122\157\157\164\040\103\101\040\055\040\107  
\061

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\020\055\335\254\316\142\227\224\241\103\350\260\315\166\152  
\136\140

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "GlobalSign ECC Root CA - R4"

#

# Issuer: CN=GlobalSign,O=GlobalSign,OU=GlobalSign ECC Root CA - R4

# Serial Number:02:03:e5:7e:f5:3f:93:fd:a5:09:21:b2:a6

# Subject: CN=GlobalSign,O=GlobalSign,OU=GlobalSign ECC Root CA - R4

# Not Valid Before: Tue Nov 13 00:00:00 2012

# Not Valid After : Tue Jan 19 03:14:07 2038

# Fingerprint (SHA-256):

B0:85:D7:0B:96:4F:19:1A:73:E4:AF:0D:54:AE:7A:0E:07:AA:FD:AF:9B:71:DD:08:62:13:8A:B7:32:5A:24:A2

# Fingerprint (SHA1): 6B:A0:B0:98:E1:71:EF:5A:AD:FE:48:15:80:77:10:F4:BD:6F:0B:28

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "GlobalSign ECC Root CA - R4"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

\060\120\061\044\060\042\006\003\125\004\013\023\033\107\154\157  
\142\141\154\123\151\147\156\040\105\103\103\040\122\157\157\164  
\040\103\101\040\055\040\122\064\061\023\060\021\006\003\125\004  
\012\023\012\107\154\157\142\141\154\123\151\147\156\061\023\060  
\021\006\003\125\004\003\023\012\107\154\157\142\141\154\123\151  
\147\156

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\120\061\044\060\042\006\003\125\004\013\023\033\107\154\157  
\142\141\154\123\151\147\156\040\105\103\103\040\122\157\157\164  
\040\103\101\040\055\040\122\064\061\023\060\021\006\003\125\004  
\012\023\012\107\154\157\142\141\154\123\151\147\156\061\023\060  
\021\006\003\125\004\003\023\012\107\154\157\142\141\154\123\151  
\147\156

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\015\002\003\345\176\365\077\223\375\245\011\041\262\246

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\001\334\060\202\001\203\240\003\002\001\002\002\015\002  
\003\345\176\365\077\223\375\245\011\041\262\246\060\012\006\010  
\052\206\110\316\075\004\003\002\060\120\061\044\060\042\006\003  
\125\004\013\023\033\107\154\157\142\141\154\123\151\147\156\040  
\105\103\103\040\122\157\157\164\040\103\101\040\055\040\122\064  
\061\023\060\021\006\003\125\004\012\023\012\107\154\157\142\141  
\154\123\151\147\156\061\023\060\021\006\003\125\004\003\023\012  
\107\154\157\142\141\154\123\151\147\156\060\036\027\015\061\062  
\061\061\061\063\060\060\060\060\060\060\132\027\015\063\070\060  
\061\061\071\060\063\061\064\060\067\132\060\120\061\044\060\042  
\006\003\125\004\013\023\033\107\154\157\142\141\154\123\151\147  
\156\040\105\103\103\040\122\157\157\164\040\103\101\040\055\040  
\122\064\061\023\060\021\006\003\125\004\012\023\012\107\154\157  
\142\141\154\123\151\147\156\061\023\060\021\006\003\125\004\003  
\023\012\107\154\157\142\141\154\123\151\147\156\060\131\060\023  
\006\007\052\206\110\316\075\002\001\006\010\052\206\110\316\075  
\003\001\007\003\102\000\004\270\306\171\323\217\154\045\016\237  
\056\071\031\034\003\244\256\232\345\071\007\011\026\312\143\261  
\271\206\370\212\127\301\127\316\102\372\163\241\367\145\102\377  
\036\301\000\262\156\163\016\377\307\041\345\030\244\252\331\161  
\077\250\324\271\316\214\035\243\102\060\100\060\016\006\003\125  
\035\017\001\001\377\004\004\003\002\001\206\060\017\006\003\125  
\035\023\001\001\377\004\005\060\003\001\001\377\060\035\006\003  
\125\035\016\004\026\004\024\124\260\173\255\105\270\342\100\177  
\373\012\156\373\276\063\311\074\243\204\325\060\012\006\010\052  
\206\110\316\075\004\003\002\003\107\000\060\104\002\040\042\117  
\164\162\271\140\257\361\346\234\240\026\005\120\137\303\136\073  
\156\141\164\357\276\001\304\276\030\110\131\141\202\062\002\040  
\046\235\124\143\100\336\067\140\120\317\310\330\355\235\202\256  
\067\230\274\243\217\114\114\251\064\053\154\357\373\225\233\046

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

```

# Trust for "GlobalSign ECC Root CA - R4"
# Issuer: CN=GlobalSign,O=GlobalSign,OU=GlobalSign ECC Root CA - R4
# Serial Number:02:03:e5:7e:f5:3f:93:fd:a5:09:21:b2:a6
# Subject: CN=GlobalSign,O=GlobalSign,OU=GlobalSign ECC Root CA - R4
# Not Valid Before: Tue Nov 13 00:00:00 2012
# Not Valid After : Tue Jan 19 03:14:07 2038
# Fingerprint (SHA-256):
B0:85:D7:0B:96:4F:19:1A:73:E4:AF:0D:54:AE:7A:0E:07:AA:FD:AF:9B:71:DD:08:62:13:8A:B7:32:5A:24:A2
# Fingerprint (SHA1): 6B:A0:B0:98:E1:71:EF:5A:AD:FE:48:15:80:77:10:F4:BD:6F:0B:28
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "GlobalSign ECC Root CA - R4"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\153\240\260\230\341\161\357\132\255\376\110\025\200\167\020\364
\275\157\013\050
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\046\051\370\155\341\210\277\242\145\177\252\304\315\017\177\374
END
CKA_ISSUER MULTILINE_OCTAL
\060\120\061\044\060\042\006\003\125\004\013\023\033\107\154\157
\142\141\154\123\151\147\156\040\105\103\103\040\122\157\157\164
\040\103\101\040\055\040\122\064\061\023\060\021\006\003\125\004
\012\023\012\107\154\157\142\141\154\123\151\147\156\061\023\060
\021\006\003\125\004\003\023\012\107\154\157\142\141\154\123\151
\147\156
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\015\002\003\345\176\365\077\223\375\245\011\041\262\246
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "GTS Root R1"
#
# Issuer: CN=GTS Root R1,O=Google Trust Services LLC,C=US
# Serial Number:02:03:e5:93:6f:31:b0:13:49:88:6b:a2:17
# Subject: CN=GTS Root R1,O=Google Trust Services LLC,C=US
# Not Valid Before: Wed Jun 22 00:00:00 2016
# Not Valid After : Sun Jun 22 00:00:00 2036
# Fingerprint (SHA-256):
D9:47:43:2A:BD:E7:B7:FA:90:FC:2E:6B:59:10:1B:12:80:E0:E1:C7:E4:E4:0F:A3:C6:88:7F:FF:57:A7:F4:CF
# Fingerprint (SHA1): E5:8C:1C:C4:91:3B:38:63:4B:E9:10:6E:E3:AD:8E:6B:9D:D9:81:4A

```

```
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "GTS Root R1"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\107\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\042\060\040\006\003\125\004\012\023\031\107\157\157\147\154\145
\040\124\162\165\163\164\040\123\145\162\166\151\143\145\163\040
\114\114\103\061\024\060\022\006\003\125\004\003\023\013\107\124
\123\040\122\157\157\164\040\122\061
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\107\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\042\060\040\006\003\125\004\012\023\031\107\157\157\147\154\145
\040\124\162\165\163\164\040\123\145\162\166\151\143\145\163\040
\114\114\103\061\024\060\022\006\003\125\004\003\023\013\107\124
\123\040\122\157\157\164\040\122\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\015\002\003\345\223\157\061\260\023\111\210\153\242\027
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\127\060\202\003\077\240\003\002\001\002\002\015\002
\003\345\223\157\061\260\023\111\210\153\242\027\060\015\006\011
\052\206\110\206\367\015\001\001\014\005\000\060\107\061\013\060
\011\006\003\125\004\006\023\002\125\123\061\042\060\040\006\003
\125\004\012\023\031\107\157\157\147\154\145\040\124\162\165\163
\164\040\123\145\162\166\151\143\145\163\040\114\114\103\061\024
\060\022\006\003\125\004\003\023\013\107\124\123\040\122\157\157
\164\040\122\061\060\036\027\015\061\066\060\066\062\062\060\060
\060\060\060\060\132\027\015\063\066\060\066\062\062\060\060\060
\060\060\060\132\060\107\061\013\060\011\006\003\125\004\006\023
\002\125\123\061\042\060\040\006\003\125\004\012\023\031\107\157
\157\147\154\145\040\124\162\165\163\164\040\123\145\162\166\151
\143\145\163\040\114\114\103\061\024\060\022\006\003\125\004\003
\023\013\107\124\123\040\122\157\157\164\040\122\061\060\202\002
\042\060\015\006\011\052\206\110\206\367\015\001\001\001\005\000
\003\202\002\017\000\060\202\002\012\002\202\002\001\000\266\021
\002\213\036\343\241\167\233\073\334\277\224\076\267\225\247\100
\074\241\375\202\371\175\062\006\202\161\366\366\214\177\373\350
\333\274\152\056\227\227\243\214\113\371\053\366\261\371\316\204
\035\261\371\305\227\336\357\271\362\243\351\274\022\211\136\247
\252\122\253\370\043\047\313\244\261\234\143\333\327\231\176\360
\012\136\353\150\246\364\306\132\107\015\115\020\063\343\116\261
\023\243\310\030\154\113\354\374\011\220\337\235\144\051\045\043
```

\007\241\264\322\075\056\140\340\317\322\011\207\273\315\110\360  
\115\302\302\172\210\212\273\272\317\131\031\326\257\217\260\007  
\260\236\061\361\202\301\300\337\056\246\155\154\031\016\265\330  
\176\046\032\105\003\075\260\171\244\224\050\255\017\177\046\345  
\250\010\376\226\350\074\150\224\123\356\203\072\210\053\025\226  
\011\262\340\172\214\056\165\326\234\353\247\126\144\217\226\117  
\150\256\075\227\302\204\217\300\274\100\300\013\134\275\366\207  
\263\065\154\254\030\120\177\204\340\114\315\222\323\040\351\063  
\274\122\231\257\062\265\051\263\045\052\264\110\371\162\341\312  
\144\367\346\202\020\215\350\235\302\212\210\372\070\146\212\374  
\143\371\001\371\170\375\173\134\167\372\166\207\372\354\337\261  
\016\171\225\127\264\275\046\357\326\001\321\353\026\012\273\216  
\013\265\305\305\212\125\253\323\254\352\221\113\051\314\031\244  
\062\045\116\052\361\145\104\320\002\316\252\316\111\264\352\237  
\174\203\260\100\173\347\103\253\247\154\243\217\175\211\201\372  
\114\245\377\325\216\303\316\113\340\265\330\263\216\105\317\166  
\300\355\100\053\375\123\017\260\247\325\073\015\261\212\242\003  
\336\061\255\314\167\352\157\173\076\326\337\221\042\022\346\276  
\372\330\062\374\020\143\024\121\162\336\135\326\026\223\275\051  
\150\063\357\072\146\354\007\212\046\337\023\327\127\145\170\047  
\336\136\111\024\000\242\000\177\232\250\041\266\251\261\225\260  
\245\271\015\026\021\332\307\154\110\074\100\340\176\015\132\315  
\126\074\321\227\005\271\313\113\355\071\113\234\304\077\322\125  
\023\156\044\260\326\161\372\364\301\272\314\355\033\365\376\201  
\101\330\000\230\075\072\310\256\172\230\067\030\005\225\002\003  
\001\000\001\243\102\060\100\060\016\006\003\125\035\017\001\001  
\377\004\004\003\002\001\206\060\017\006\003\125\035\023\001\001  
\377\004\005\060\003\001\001\377\060\035\006\003\125\035\016\004  
\026\004\024\344\257\053\046\161\032\053\110\047\205\057\122\146  
\054\357\360\211\023\161\076\060\015\006\011\052\206\110\206\367  
\015\001\001\014\005\000\003\202\002\001\000\237\252\102\046\333  
\013\233\276\377\036\226\222\056\076\242\145\112\152\230\272\042  
\313\175\301\072\330\202\012\006\306\366\245\336\300\116\207\146  
\171\241\371\246\130\234\252\371\265\346\140\347\340\350\261\036  
\102\101\063\013\067\075\316\211\160\025\312\265\044\250\317\153  
\265\322\100\041\230\317\042\064\317\073\305\042\204\340\305\016  
\212\174\135\210\344\065\044\316\233\076\032\124\036\156\333\262  
\207\247\374\363\372\201\125\024\142\012\131\251\042\005\061\076  
\202\326\356\333\127\064\274\063\225\323\027\033\350\047\242\213  
\173\116\046\032\172\132\144\266\321\254\067\361\375\240\363\070  
\354\162\360\021\165\235\313\064\122\215\346\166\153\027\306\337  
\206\253\047\216\111\053\165\146\201\020\041\246\352\076\364\256  
\045\377\174\025\336\316\214\045\077\312\142\160\012\367\057\011  
\146\007\310\077\034\374\360\333\105\060\337\142\210\301\265\017  
\235\303\237\112\336\131\131\107\305\207\042\066\346\202\247\355  
\012\271\342\007\240\215\173\172\112\074\161\322\342\003\241\037  
\062\007\335\033\344\102\316\014\000\105\141\200\265\013\040\131  
\051\170\275\371\125\313\143\305\074\114\364\266\377\333\152\137



```
\061\153\231\236\054\301\153\120\244\327\346\030\024\275\205\077
\147\253\106\237\240\377\102\247\072\177\134\313\135\260\160\035
\053\064\365\324\166\011\014\353\170\114\131\005\363\063\102\303
\141\025\020\033\167\115\316\042\214\324\205\362\105\175\267\123
\352\357\100\132\224\012\134\040\137\116\100\135\142\042\166\337
\377\316\141\275\214\043\170\322\067\002\340\216\336\321\021\067
\211\366\277\355\111\007\142\256\222\354\100\032\257\024\011\331
\320\116\262\242\367\276\356\356\330\377\334\032\055\336\270\066
\161\342\374\171\267\224\045\321\110\163\133\241\065\347\263\231
\147\165\301\031\072\053\107\116\323\102\216\375\061\310\026\146
\332\322\014\074\333\263\216\311\241\015\200\017\173\026\167\024
\277\377\333\011\224\262\223\274\040\130\025\351\333\161\103\363
\336\020\303\000\334\250\052\225\266\302\326\077\220\153\166\333
\154\376\214\274\362\160\065\014\334\231\031\065\334\327\310\106
\143\325\066\161\256\127\373\267\202\155\334
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRUST_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRUST_AFTER CK_BBOOL CK_FALSE
```

# Trust for "GTS Root R1"

# Issuer: CN=GTS Root R1,O=Google Trust Services LLC,C=US

# Serial Number:02:03:e5:93:6f:31:b0:13:49:88:6b:a2:17

# Subject: CN=GTS Root R1,O=Google Trust Services LLC,C=US

# Not Valid Before: Wed Jun 22 00:00:00 2016

# Not Valid After : Sun Jun 22 00:00:00 2036

# Fingerprint (SHA-256):

D9:47:43:2A:BD:E7:B7:FA:90:FC:2E:6B:59:10:1B:12:80:E0:E1:C7:E4:E4:0F:A3:C6:88:7F:FF:57:A7:F4:CF

# Fingerprint (SHA1): E5:8C:1C:C4:91:3B:38:63:4B:E9:10:6E:E3:AD:8E:6B:9D:D9:81:4A

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "GTS Root R1"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\345\214\034\304\221\073\070\143\113\351\020\156\343\255\216\153
\235\331\201\112
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\005\376\320\277\161\250\243\166\143\332\001\340\330\122\334\100
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\107\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\042\060\040\006\003\125\004\012\023\031\107\157\157\147\154\145
\040\124\162\165\163\164\040\123\145\162\166\151\143\145\163\040
\114\114\103\061\024\060\022\006\003\125\004\003\023\013\107\124
\123\040\122\157\157\164\040\122\061
```

END

```

CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\015\002\003\345\223\157\061\260\023\111\210\153\242\027
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "GTS Root R2"
#
# Issuer: CN=GTS Root R2,O=Google Trust Services LLC,C=US
# Serial Number:02:03:e5:ae:c5:8d:04:25:1a:ab:11:25:aa
# Subject: CN=GTS Root R2,O=Google Trust Services LLC,C=US
# Not Valid Before: Wed Jun 22 00:00:00 2016
# Not Valid After : Sun Jun 22 00:00:00 2036
# Fingerprint (SHA-256):
8D:25:CD:97:22:9D:BF:70:35:6B:DA:4E:B3:CC:73:40:31:E2:4C:F0:0F:AF:CF:D3:2D:C7:6E:B5:84:1C:7E:A8
# Fingerprint (SHA1): 9A:44:49:76:32:DB:DE:FA:D0:BC:FB:5A:7B:17:BD:9E:56:09:24:94
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "GTS Root R2"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\107\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\042\060\040\006\003\125\004\012\023\031\107\157\157\147\154\145
\040\124\162\165\163\164\040\123\145\162\166\151\143\145\163\040
\114\114\103\061\024\060\022\006\003\125\004\003\023\013\107\124
\123\040\122\157\157\164\040\122\062
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\107\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\042\060\040\006\003\125\004\012\023\031\107\157\157\147\154\145
\040\124\162\165\163\164\040\123\145\162\166\151\143\145\163\040
\114\114\103\061\024\060\022\006\003\125\004\003\023\013\107\124
\123\040\122\157\157\164\040\122\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\015\002\003\345\256\305\215\004\045\032\253\021\045\252
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\127\060\202\003\077\240\003\002\001\002\002\015\002
\003\345\256\305\215\004\045\032\253\021\045\252\060\015\006\011
\052\206\110\206\367\015\001\001\014\005\000\060\107\061\013\060
\011\006\003\125\004\006\023\002\125\123\061\042\060\040\006\003

```

\125\004\012\023\031\107\157\157\147\154\145\040\124\162\165\163  
\164\040\123\145\162\166\151\143\145\163\040\114\114\103\061\024  
\060\022\006\003\125\004\003\023\013\107\124\123\040\122\157\157  
\164\040\122\062\060\036\027\015\061\066\060\066\062\062\060\060  
\060\060\060\060\132\027\015\063\066\060\066\062\062\060\060\060  
\060\060\060\132\060\107\061\013\060\011\006\003\125\004\006\023  
\002\125\123\061\042\060\040\006\003\125\004\012\023\031\107\157  
\157\147\154\145\040\124\162\165\163\164\040\123\145\162\166\151  
\143\145\163\040\114\114\103\061\024\060\022\006\003\125\004\003  
\023\013\107\124\123\040\122\157\157\164\040\122\062\060\202\002  
\042\060\015\006\011\052\206\110\206\367\015\001\001\001\005\000  
\003\202\002\017\000\060\202\002\012\002\202\002\001\000\316\336  
\375\246\373\354\354\024\064\074\007\006\132\154\131\367\031\065  
\335\367\301\235\125\252\323\315\073\244\223\162\357\012\372\155  
\235\366\360\205\200\133\241\110\122\237\071\305\267\356\050\254  
\357\313\166\150\024\271\337\255\001\154\231\037\304\042\035\237  
\376\162\167\340\054\133\257\344\004\277\117\162\240\032\064\230  
\350\071\150\354\225\045\173\166\241\346\151\271\205\031\275\211  
\214\376\255\355\066\352\163\274\377\203\342\313\175\301\322\316  
\112\263\215\005\236\213\111\223\337\301\133\320\156\136\360\056  
\060\056\202\374\372\274\264\027\012\110\345\210\233\305\233\153  
\336\260\312\264\003\360\332\364\220\270\145\144\367\134\114\255  
\350\176\146\136\231\327\270\302\076\310\320\023\235\255\356\344  
\105\173\211\125\367\212\037\142\122\204\022\263\302\100\227\343  
\212\037\107\221\246\164\132\322\370\261\143\050\020\270\263\011  
\270\126\167\100\242\046\230\171\306\376\337\045\356\076\345\240  
\177\324\141\017\121\113\074\077\214\332\341\160\164\330\302\150  
\241\371\301\014\351\241\342\177\273\125\074\166\006\356\152\116  
\314\222\210\060\115\232\275\117\013\110\232\204\265\230\243\325  
\373\163\301\127\141\335\050\126\165\023\256\207\216\347\014\121  
\011\020\165\210\114\274\215\371\173\074\324\042\110\037\052\334  
\353\153\273\104\261\313\063\161\062\106\257\255\112\361\214\350  
\164\072\254\347\032\042\163\200\322\060\367\045\102\307\042\073  
\073\022\255\226\056\306\303\166\007\252\040\267\065\111\127\351  
\222\111\350\166\026\162\061\147\053\226\176\212\243\307\224\126  
\042\277\152\113\176\001\041\262\043\062\337\344\232\104\155\131  
\133\135\365\000\240\034\233\306\170\227\215\220\377\233\310\252  
\264\257\021\121\071\136\331\373\147\255\325\133\021\235\062\232  
\033\275\325\272\133\245\311\313\045\151\123\125\047\134\340\312  
\066\313\210\141\373\036\267\320\313\356\026\373\323\246\114\336  
\222\245\324\342\337\365\006\124\336\056\235\113\264\223\060\252  
\201\316\335\032\334\121\163\015\117\160\351\345\266\026\041\031  
\171\262\346\211\013\165\144\312\325\253\274\011\301\030\241\377  
\324\124\241\205\074\375\024\044\003\262\207\323\244\267\002\003  
\001\000\001\243\102\060\100\060\016\006\003\125\035\017\001\001  
\377\004\004\003\002\001\206\060\017\006\003\125\035\023\001\001  
\377\004\005\060\003\001\001\377\060\035\006\003\125\035\016\004  
\026\004\024\273\377\312\216\043\237\117\231\312\333\342\150\246

\245\025\047\027\036\331\016\060\015\006\011\052\206\110\206\367  
\015\001\001\014\005\000\003\202\002\001\000\037\312\316\335\307  
\276\241\237\331\047\114\013\334\027\230\021\152\210\336\075\346  
\161\126\162\262\236\032\116\234\325\053\230\044\135\233\153\173  
\260\063\202\011\275\337\045\106\352\230\236\266\033\376\203\074  
\322\142\141\301\004\355\316\340\305\311\310\023\023\125\347\250  
\143\255\214\173\001\376\167\060\341\316\150\233\005\370\022\356  
\171\061\240\101\105\065\050\012\161\244\044\117\214\334\074\202  
\007\137\146\334\175\020\376\014\141\263\005\225\356\341\256\201  
\017\250\370\307\217\115\250\043\002\046\153\035\203\122\125\316  
\265\057\000\312\200\100\340\341\164\254\140\365\207\200\235\256  
\066\144\221\135\260\150\030\352\212\141\311\167\250\227\304\311  
\307\245\374\125\113\363\360\177\271\145\075\047\150\320\314\153  
\372\123\235\341\221\032\311\135\032\226\155\062\207\355\003\040  
\310\002\316\132\276\331\352\375\262\115\304\057\033\337\137\172  
\365\370\213\306\356\061\072\045\121\125\147\215\144\062\173\351  
\236\303\202\272\052\055\351\036\264\340\110\006\242\374\147\257  
\037\042\002\163\373\040\012\257\235\124\113\241\315\377\140\107  
\260\077\135\357\033\126\275\227\041\226\055\012\321\136\235\070  
\002\107\154\271\364\366\043\045\270\240\152\232\053\167\010\372  
\304\261\050\220\046\130\010\074\342\176\252\327\075\157\272\061  
\210\012\005\353\047\265\241\111\356\240\105\124\173\346\047\145  
\231\040\041\250\243\274\373\030\226\273\122\157\014\355\203\121  
\114\351\131\342\040\140\305\302\145\222\202\214\363\020\037\016  
\212\227\276\167\202\155\077\217\035\135\274\111\047\275\314\117  
\017\341\316\166\206\004\043\305\300\214\022\133\375\333\204\240  
\044\361\110\377\144\174\320\276\134\026\321\357\231\255\300\037  
\373\313\256\274\070\042\006\046\144\332\332\227\016\077\050\025  
\104\250\117\000\312\360\232\314\317\164\152\264\076\074\353\225  
\354\265\323\132\330\201\231\351\103\030\067\353\263\273\321\130  
\142\101\363\146\322\217\252\170\225\124\040\303\132\056\164\053  
\325\321\276\030\151\300\254\325\244\317\071\272\121\204\003\145  
\351\142\300\142\376\330\115\125\226\342\320\021\372\110\064\021  
\354\236\355\005\035\344\310\326\035\206\313

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "GTS Root R2"

# Issuer: CN=GTS Root R2,O=Google Trust Services LLC,C=US

# Serial Number:02:03:e5:ae:c5:8d:04:25:1a:ab:11:25:aa

# Subject: CN=GTS Root R2,O=Google Trust Services LLC,C=US

# Not Valid Before: Wed Jun 22 00:00:00 2016

# Not Valid After : Sun Jun 22 00:00:00 2036

# Fingerprint (SHA-256):

8D:25:CD:97:22:9D:BF:70:35:6B:DA:4E:B3:CC:73:40:31:E2:4C:F0:0F:AF:CF:D3:2D:C7:6E:B5:84:1C:7E:A8

# Fingerprint (SHA1): 9A:44:49:76:32:DB:DE:FA:D0:BC:FB:5A:7B:17:BD:9E:56:09:24:94

```

CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "GTS Root R2"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\232\104\111\166\062\333\336\372\320\274\373\132\173\027\275\236
\126\011\044\224
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\036\071\300\123\346\036\051\202\013\312\122\125\066\135\127\334
END
CKA_ISSUER MULTILINE_OCTAL
\060\107\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\042\060\040\006\003\125\004\012\023\031\107\157\157\147\154\145
\040\124\162\165\163\164\040\123\145\162\166\151\143\145\163\040
\114\114\103\061\024\060\022\006\003\125\004\003\023\013\107\124
\123\040\122\157\157\164\040\122\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\015\002\003\345\256\305\215\004\045\032\253\021\045\252
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "GTS Root R3"
#
# Issuer: CN=GTS Root R3,O=Google Trust Services LLC,C=US
# Serial Number:02:03:e5:b8:82:eb:20:f8:25:27:6d:3d:66
# Subject: CN=GTS Root R3,O=Google Trust Services LLC,C=US
# Not Valid Before: Wed Jun 22 00:00:00 2016
# Not Valid After : Sun Jun 22 00:00:00 2036
# Fingerprint (SHA-256):
34:D8:A7:3E:E2:08:D9:BC:DB:0D:95:65:20:93:4B:4E:40:E6:94:82:59:6E:8B:6F:73:C8:42:6B:01:0A:6F:48
# Fingerprint (SHA1): ED:E5:71:80:2B:C8:92:B9:5B:83:3C:D2:32:68:3F:09:CD:A0:1E:46
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "GTS Root R3"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\107\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\042\060\040\006\003\125\004\012\023\031\107\157\157\147\154\145
\040\124\162\165\163\164\040\123\145\162\166\151\143\145\163\040

```

\114\114\103\061\024\060\022\006\003\125\004\003\023\013\107\124  
\123\040\122\157\157\164\040\122\063  
END  
CKA\_ID UTF8 "0"  
CKA\_ISSUER MULTILINE\_OCTAL  
\060\107\061\013\060\011\006\003\125\004\006\023\002\125\123\061  
\042\060\040\006\003\125\004\012\023\031\107\157\157\147\154\145  
\040\124\162\165\163\164\040\123\145\162\166\151\143\145\163\040  
\114\114\103\061\024\060\022\006\003\125\004\003\023\013\107\124  
\123\040\122\157\157\164\040\122\063  
END  
CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL  
\002\015\002\003\345\270\202\353\040\370\045\047\155\075\146  
END  
CKA\_VALUE MULTILINE\_OCTAL  
\060\202\002\011\060\202\001\216\240\003\002\001\002\002\015\002  
\003\345\270\202\353\040\370\045\047\155\075\146\060\012\006\010  
\052\206\110\316\075\004\003\003\060\107\061\013\060\011\006\003  
\125\004\006\023\002\125\123\061\042\060\040\006\003\125\004\012  
\023\031\107\157\157\147\154\145\040\124\162\165\163\164\040\123  
\145\162\166\151\143\145\163\040\114\114\103\061\024\060\022\006  
\003\125\004\003\023\013\107\124\123\040\122\157\157\164\040\122  
\063\060\036\027\015\061\066\060\066\062\062\060\060\060\060  
\060\132\027\015\063\066\060\066\062\062\060\060\060\060\060  
\132\060\107\061\013\060\011\006\003\125\004\006\023\002\125\123  
\061\042\060\040\006\003\125\004\012\023\031\107\157\157\147\154  
\145\040\124\162\165\163\164\040\123\145\162\166\151\143\145\163  
\040\114\114\103\061\024\060\022\006\003\125\004\003\023\013\107  
\124\123\040\122\157\157\164\040\122\063\060\166\060\020\006\007  
\052\206\110\316\075\002\001\006\005\053\201\004\000\042\003\142  
\000\004\037\117\063\207\063\051\212\241\204\336\313\307\041\130  
\101\211\352\126\235\053\113\205\306\035\114\047\274\177\046\121  
\162\157\342\237\326\243\312\314\105\024\106\213\255\357\176\206  
\214\354\261\176\057\377\251\161\235\030\204\105\004\101\125\156  
\053\352\046\177\273\220\001\343\113\031\272\344\124\226\105\011  
\261\325\154\221\104\255\204\023\216\232\214\015\200\014\062\366  
\340\047\243\102\060\100\060\016\006\003\125\035\017\001\001\377  
\004\004\003\002\001\206\060\017\006\003\125\035\023\001\001\377  
\004\005\060\003\001\001\377\060\035\006\003\125\035\016\004\026  
\004\024\301\361\046\272\240\055\256\205\201\317\323\361\052\022  
\275\270\012\147\375\274\060\012\006\010\052\206\110\316\075\004  
\003\003\003\151\000\060\146\002\061\000\366\341\040\225\024\173  
\124\243\220\026\021\277\204\310\352\157\153\027\236\036\106\230  
\040\233\237\323\015\331\254\323\057\315\174\370\133\056\125\273  
\277\335\222\367\244\014\334\061\341\242\002\061\000\374\227\146  
\146\345\103\026\023\203\335\307\337\057\276\024\070\355\001\316  
\261\027\032\021\165\351\275\003\217\046\176\204\345\311\140\246  
\225\327\124\131\267\347\021\054\211\324\271\356\027

```

END
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

# Trust for "GTS Root R3"
# Issuer: CN=GTS Root R3,O=Google Trust Services LLC,C=US
# Serial Number:02:03:e5:b8:82:eb:20:f8:25:27:6d:3d:66
# Subject: CN=GTS Root R3,O=Google Trust Services LLC,C=US
# Not Valid Before: Wed Jun 22 00:00:00 2016
# Not Valid After : Sun Jun 22 00:00:00 2036
# Fingerprint (SHA-256):
34:D8:A7:3E:E2:08:D9:BC:DB:0D:95:65:20:93:4B:4E:40:E6:94:82:59:6E:8B:6F:73:C8:42:6B:01:0A:6F:48
# Fingerprint (SHA1): ED:E5:71:80:2B:C8:92:B9:5B:83:3C:D2:32:68:3F:09:CD:A0:1E:46
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "GTS Root R3"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\35\34\161\200\053\310\222\271\133\203\074\322\062\150\077\011
\315\240\036\106
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\076\347\235\130\002\224\106\121\224\345\340\042\112\213\347\163
END
CKA_ISSUER MULTILINE_OCTAL
\060\107\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\042\060\040\006\003\125\004\012\023\031\107\157\157\147\154\145
\040\124\162\165\163\164\040\123\145\162\166\151\143\145\163\040
\114\114\103\061\024\060\022\006\003\125\004\003\023\013\107\124
\123\040\122\157\157\164\040\122\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\015\002\003\345\270\202\353\040\370\045\047\155\075\146
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "GTS Root R4"
#
# Issuer: CN=GTS Root R4,O=Google Trust Services LLC,C=US
# Serial Number:02:03:e5:c0:68:ef:63:1a:9c:72:90:50:52
# Subject: CN=GTS Root R4,O=Google Trust Services LLC,C=US
# Not Valid Before: Wed Jun 22 00:00:00 2016

```

```
# Not Valid After : Sun Jun 22 00:00:00 2036
# Fingerprint (SHA-256):
34:9D:FA:40:58:C5:E2:63:12:3B:39:8A:E7:95:57:3C:4E:13:13:C8:3F:E6:8F:93:55:6C:D5:E8:03:1B:3C:7D
# Fingerprint (SHA1): 77:D3:03:67:B5:E0:0C:15:F6:0C:38:61:DF:7C:E1:3B:92:46:4D:47
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "GTS Root R4"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\107\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\042\060\040\006\003\125\004\012\023\031\107\157\157\147\154\145
\040\124\162\165\163\164\040\123\145\162\166\151\143\145\163\040
\114\114\103\061\024\060\022\006\003\125\004\003\023\013\107\124
\123\040\122\157\157\164\040\122\064
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\107\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\042\060\040\006\003\125\004\012\023\031\107\157\157\147\154\145
\040\124\162\165\163\164\040\123\145\162\166\151\143\145\163\040
\114\114\103\061\024\060\022\006\003\125\004\003\023\013\107\124
\123\040\122\157\157\164\040\122\064
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\015\002\003\345\300\150\357\143\032\234\162\220\120\122
END
CKA_VALUE MULTILINE_OCTAL
\060\202\002\011\060\202\001\216\240\003\002\001\002\002\015\002
\003\345\300\150\357\143\032\234\162\220\120\122\060\012\006\010
\052\206\110\316\075\004\003\003\060\107\061\013\060\011\006\003
\125\004\006\023\002\125\123\061\042\060\040\006\003\125\004\012
\023\031\107\157\157\147\154\145\040\124\162\165\163\164\040\123
\145\162\166\151\143\145\163\040\114\114\103\061\024\060\022\006
\003\125\004\003\023\013\107\124\123\040\122\157\157\164\040\122
\064\060\036\027\015\061\066\060\066\062\062\060\060\060\060\060
\060\132\027\015\063\066\060\066\062\062\060\060\060\060\060\060
\132\060\107\061\013\060\011\006\003\125\004\006\023\002\125\123
\061\042\060\040\006\003\125\004\012\023\031\107\157\157\147\154
\145\040\124\162\165\163\164\040\123\145\162\166\151\143\145\163
\040\114\114\103\061\024\060\022\006\003\125\004\003\023\013\107
\124\123\040\122\157\157\164\040\122\064\060\166\060\020\006\007
\052\206\110\316\075\002\001\006\005\053\201\004\000\042\003\142
\000\004\363\164\163\247\150\213\140\256\103\270\065\305\201\060
\173\113\111\235\373\301\141\316\346\336\106\275\153\325\141\030
\065\256\100\335\163\367\211\221\060\132\353\074\356\205\174\242
\100\166\073\251\306\270\107\330\052\347\222\221\152\163\351\261
```



```
\162\071\237\051\237\242\230\323\137\136\130\206\145\017\241\204
\145\006\321\334\213\311\307\163\310\214\152\057\345\304\253\321
\035\212\243\102\060\100\060\016\006\003\125\035\017\001\001\377
\004\004\003\002\001\206\060\017\006\003\125\035\023\001\001\377
\004\005\060\003\001\001\377\060\035\006\003\125\035\016\004\026
\004\024\200\114\326\353\164\377\111\066\243\325\330\374\265\076
\305\152\360\224\035\214\060\012\006\010\052\206\110\316\075\004
\003\003\003\151\000\060\146\002\061\000\350\100\377\203\336\003
\364\237\256\035\172\247\056\271\257\117\366\203\035\016\055\205
\001\035\321\331\152\354\017\302\257\307\136\126\136\134\325\034
\130\042\050\013\367\060\266\057\261\174\002\061\000\360\141\074
\247\364\240\202\343\041\325\204\035\163\206\234\055\257\312\064
\233\361\237\271\043\066\342\274\140\003\235\200\263\232\126\310
\341\342\273\024\171\312\315\041\324\224\265\111\103
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

# Trust for "GTS Root R4"

# Issuer: CN=GTS Root R4,O=Google Trust Services LLC,C=US

# Serial Number:02:03:e5:c0:68:ef:63:1a:9c:72:90:50:52

# Subject: CN=GTS Root R4,O=Google Trust Services LLC,C=US

# Not Valid Before: Wed Jun 22 00:00:00 2016

# Not Valid After : Sun Jun 22 00:00:00 2036

# Fingerprint (SHA-256):

34:9D:FA:40:58:C5:E2:63:12:3B:39:8A:E7:95:57:3C:4E:13:13:C8:3F:E6:8F:93:55:6C:D5:E8:03:1B:3C:7D

# Fingerprint (SHA1): 77:D3:03:67:B5:E0:0C:15:F6:0C:38:61:DF:7C:E1:3B:92:46:4D:47

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "GTS Root R4"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\167\323\003\147\265\340\014\025\366\014\070\141\337\174\341\073
\222\106\115\107
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\103\226\203\167\031\115\166\263\235\145\122\344\035\042\245\350
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\107\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\042\060\040\006\003\125\004\012\023\031\107\157\157\147\154\145
\040\124\162\165\163\164\040\123\145\162\166\151\143\145\163\040
\114\114\103\061\024\060\022\006\003\125\004\003\023\013\107\124
\123\040\122\157\157\164\040\122\064
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```

\002\015\002\003\345\300\150\357\143\032\234\162\220\120\122
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Telia Root CA v2"
#
# Issuer: CN=Telia Root CA v2,O=Telia Finland Oyj,C=FI
# Serial Number:01:67:5f:27:d6:fe:7a:e3:e4:ac:be:09:5b:05:9e
# Subject: CN=Telia Root CA v2,O=Telia Finland Oyj,C=FI
# Not Valid Before: Thu Nov 29 11:55:54 2018
# Not Valid After : Sun Nov 29 11:55:54 2043
# Fingerprint (SHA-256):
24:2B:69:74:2F:CB:1E:5B:2A:BF:98:89:8B:94:57:21:87:54:4E:5B:4D:99:11:78:65:73:62:1F:6A:74:B8:2C
# Fingerprint (SHA1): B9:99:CD:D1:73:50:8A:C4:47:05:08:9C:8C:88:FB:BE:A0:2B:40:CD
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Telia Root CA v2"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\104\061\013\060\011\006\003\125\004\006\023\002\106\111\061
\032\060\030\006\003\125\004\012\014\021\124\145\154\151\141\040
\106\151\156\154\141\156\144\040\117\171\152\061\031\060\027\006
\003\125\004\003\014\020\124\145\154\151\141\040\122\157\157\164
\040\103\101\040\166\062
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\104\061\013\060\011\006\003\125\004\006\023\002\106\111\061
\032\060\030\006\003\125\004\012\014\021\124\145\154\151\141\040
\106\151\156\154\141\156\144\040\117\171\152\061\031\060\027\006
\003\125\004\003\014\020\124\145\154\151\141\040\122\157\157\164
\040\103\101\040\166\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\017\001\147\137\047\326\376\172\343\344\254\276\011\133\005
\236
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\164\060\202\003\134\240\003\002\001\002\002\017\001
\147\137\047\326\376\172\343\344\254\276\011\133\005\236\060\015
\006\011\052\206\110\206\367\015\001\001\013\005\000\060\104\061
\013\060\011\006\003\125\004\006\023\002\106\111\061\032\060\030

```

\006\003\125\004\012\014\021\124\145\154\151\141\040\106\151\156  
\154\141\156\144\040\117\171\152\061\031\060\027\006\003\125\004  
\003\014\020\124\145\154\151\141\040\122\157\157\164\040\103\101  
\040\166\062\060\036\027\015\061\070\061\061\062\071\061\061\065  
\065\065\064\132\027\015\064\063\061\061\062\071\061\061\065\065  
\065\064\132\060\104\061\013\060\011\006\003\125\004\006\023\002  
\106\111\061\032\060\030\006\003\125\004\012\014\021\124\145\154  
\151\141\040\106\151\156\154\141\156\144\040\117\171\152\061\031  
\060\027\006\003\125\004\003\014\020\124\145\154\151\141\040\122  
\157\157\164\040\103\101\040\166\062\060\202\002\042\060\015\006  
\011\052\206\110\206\367\015\001\001\001\005\000\003\202\002\017  
\000\060\202\002\012\002\202\002\001\000\262\320\077\007\274\342  
\173\320\153\231\370\342\167\151\347\316\235\244\003\274\202\155  
\241\376\201\145\037\114\047\254\216\000\272\026\173\353\060\152  
\000\300\263\164\150\176\262\257\307\325\142\263\172\077\120\312  
\214\066\104\044\143\322\066\351\014\205\366\103\166\325\114\241  
\140\162\147\342\050\063\245\313\061\270\072\042\043\064\270\175  
\275\126\042\100\235\352\364\173\003\255\150\374\262\201\117\230  
\320\164\352\215\345\175\315\143\303\243\366\336\222\302\130\031  
\340\226\273\305\304\251\075\245\164\226\376\257\371\211\252\275  
\225\027\124\330\170\104\361\014\167\025\222\340\230\102\247\244  
\326\252\040\222\315\301\240\263\226\262\072\204\102\215\175\325  
\225\344\326\333\351\142\304\130\263\171\305\214\323\065\063\203  
\237\165\241\122\047\141\070\361\131\075\216\120\340\275\171\074  
\347\154\226\376\136\331\002\145\264\216\134\320\021\064\337\135  
\277\122\247\201\000\303\177\231\105\231\025\325\027\310\012\123  
\354\143\363\231\175\314\151\022\206\302\027\360\001\236\277\204  
\274\321\122\313\033\222\146\316\244\123\345\241\277\304\333\011  
\326\346\211\126\053\310\343\174\336\343\377\211\345\065\156\050  
\350\154\013\043\121\251\045\005\353\110\370\335\261\312\372\154  
\010\121\357\267\030\154\104\312\046\341\163\306\211\006\201\345  
\212\254\260\342\051\306\271\044\263\153\104\021\364\245\103\302  
\114\103\345\160\066\214\266\063\127\172\225\056\202\240\364\134  
\020\263\141\203\366\002\005\206\056\174\055\154\334\003\106\156  
\065\223\325\172\225\057\336\040\330\133\176\224\220\004\152\272  
\131\075\004\005\165\235\067\242\016\056\075\353\301\244\122\203  
\376\320\153\324\146\216\334\306\351\022\116\035\052\127\252\020  
\274\174\136\202\175\246\246\311\362\055\271\365\027\047\255\321  
\016\211\124\053\225\372\300\255\035\230\024\170\063\102\206\012  
\251\163\265\373\164\015\267\033\060\031\304\132\016\034\047\267  
\332\030\320\377\212\310\005\272\361\252\034\242\067\267\346\110  
\244\106\054\224\352\250\166\142\107\213\020\123\007\110\127\154  
\342\222\115\266\256\005\313\334\301\112\136\217\254\075\031\116  
\302\355\140\165\053\333\301\312\102\325\002\003\001\000\001\243  
\143\060\141\060\037\006\003\125\035\043\004\030\060\026\200\024  
\162\254\344\063\171\252\105\207\366\375\254\035\236\326\307\057  
\206\330\044\071\060\035\006\003\125\035\016\004\026\004\024\162  
\254\344\063\171\252\105\207\366\375\254\035\236\326\307\057\206

\330\044\071\060\016\006\003\125\035\017\001\001\377\004\004\003  
\002\001\006\060\017\006\003\125\035\023\001\001\377\004\005\060  
\003\001\001\377\060\015\006\011\052\206\110\206\367\015\001\001  
\013\005\000\003\202\002\001\000\240\073\131\247\011\224\076\066  
\204\322\176\057\071\245\226\227\372\021\255\374\147\363\161\011  
\362\262\211\204\147\104\257\271\357\355\226\354\234\144\333\062  
\060\157\147\232\254\176\137\262\253\001\066\176\201\372\344\204  
\136\322\254\066\340\153\142\305\175\113\016\202\155\322\166\142  
\321\376\227\370\237\060\174\030\371\264\122\167\202\035\166\333  
\323\035\251\360\301\232\000\275\155\165\330\175\347\372\307\070  
\243\234\160\350\106\171\003\257\056\164\333\165\370\156\123\014  
\003\310\231\032\211\065\031\074\323\311\124\174\250\360\054\346  
\156\007\171\157\152\341\346\352\221\202\151\012\035\303\176\131  
\242\236\153\106\025\230\133\323\257\106\035\142\310\316\200\122  
\111\021\077\311\004\022\303\023\174\077\073\212\226\333\074\240  
\036\012\264\213\124\262\044\147\015\357\202\313\276\074\175\321  
\342\177\256\026\326\126\130\271\332\040\261\203\025\241\357\212  
\115\062\157\101\057\023\122\202\224\327\032\301\170\242\121\335  
\053\160\155\267\032\371\367\260\340\147\227\126\333\174\141\123  
\011\003\050\002\100\307\263\330\375\234\160\152\306\050\303\205  
\351\342\355\032\223\240\336\113\230\242\204\076\005\167\001\226  
\075\373\264\040\017\234\162\002\172\022\057\325\243\272\121\170  
\257\052\053\104\145\116\265\375\012\350\301\315\171\207\141\053  
\336\200\127\105\277\147\361\233\221\136\245\244\354\131\110\020  
\015\070\307\260\372\303\104\155\004\365\170\120\034\222\226\133  
\332\365\270\056\272\133\317\345\360\152\235\113\057\130\163\055  
\117\055\304\034\076\364\263\077\253\025\016\073\031\101\212\244  
\301\127\022\146\161\114\372\123\343\127\353\142\225\011\236\124  
\335\321\302\074\127\074\275\070\255\230\144\267\270\003\232\123  
\126\140\135\263\330\102\033\134\113\022\212\034\353\353\175\306  
\172\151\307\047\177\244\370\213\362\344\224\146\207\113\351\224  
\007\011\022\171\212\262\353\164\004\334\316\364\104\131\340\026  
\312\305\054\130\327\074\173\317\142\206\152\120\175\065\066\146  
\247\373\067\347\050\307\330\320\255\245\151\224\217\350\301\337  
\044\370\033\007\061\207\201\330\135\366\350\050\330\112\122\200  
\254\023\356\120\024\036\230\307

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "Telia Root CA v2"  
# Issuer: CN=Telia Root CA v2,O=Telia Finland Oyj,C=FI  
# Serial Number:01:67:5f:27:d6:fe:7a:e3:e4:ac:be:09:5b:05:9e  
# Subject: CN=Telia Root CA v2,O=Telia Finland Oyj,C=FI  
# Not Valid Before: Thu Nov 29 11:55:54 2018  
# Not Valid After : Sun Nov 29 11:55:54 2043  
# Fingerprint (SHA-256):

```
24:2B:69:74:2F:CB:1E:5B:2A:BF:98:89:8B:94:57:21:87:54:4E:5B:4D:99:11:78:65:73:62:1F:6A:74:B8:2C
# Fingerprint (SHA1): B9:99:CD:D1:73:50:8A:C4:47:05:08:9C:8C:88:FB:BE:A0:2B:40:CD
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Telia Root CA v2"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\271\231\315\321\163\120\212\304\107\005\010\234\214\210\373\276
\240\053\100\315
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\016\217\254\252\202\337\205\261\364\334\020\034\374\231\331\110
END
CKA_ISSUER MULTILINE_OCTAL
\060\104\061\013\060\011\006\003\125\004\006\023\002\106\111\061
\032\060\030\006\003\125\004\012\014\021\124\145\154\151\141\040
\106\151\156\154\141\156\144\040\117\171\152\061\031\060\027\006
\003\125\004\003\014\020\124\145\154\151\141\040\122\157\157\164
\040\103\101\040\166\062
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\017\001\147\137\047\326\376\172\343\344\254\276\011\133\005
\236
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE
```

```
#
# Certificate "D-TRUST BR Root CA 1 2020"
#
# Issuer: CN=D-TRUST BR Root CA 1 2020,O=D-Trust GmbH,C=DE
# Serial Number:7c:c9:8f:2b:84:d7:df:ea:0f:c9:65:9a:d3:4b:4d:96
# Subject: CN=D-TRUST BR Root CA 1 2020,O=D-Trust GmbH,C=DE
# Not Valid Before: Tue Feb 11 09:45:00 2020
# Not Valid After : Sun Feb 11 09:44:59 2035
# Fingerprint (SHA-256):
E5:9A:AA:81:60:09:C2:2B:FF:5B:25:BA:D3:7D:F3:06:F0:49:79:7C:1F:81:D8:5A:B0:89:E6:57:BD:8F:00:44
# Fingerprint (SHA1): 1F:5B:98:F0:E3:B5:F7:74:3C:ED:E6:B0:36:7D:32:CD:F4:09:41:67
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "D-TRUST BR Root CA 1 2020"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
```

\060\110\061\013\060\011\006\003\125\004\006\023\002\104\105\061  
\025\060\023\006\003\125\004\012\023\014\104\055\124\162\165\163  
\164\040\107\155\142\110\061\042\060\040\006\003\125\004\003\023  
\031\104\055\124\122\125\123\124\040\102\122\040\122\157\157\164  
\040\103\101\040\061\040\062\060\062\060

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\110\061\013\060\011\006\003\125\004\006\023\002\104\105\061  
\025\060\023\006\003\125\004\012\023\014\104\055\124\162\165\163  
\164\040\107\155\142\110\061\042\060\040\006\003\125\004\003\023  
\031\104\055\124\122\125\123\124\040\102\122\040\122\157\157\164  
\040\103\101\040\061\040\062\060\062\060

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\020\174\311\217\053\204\327\337\352\017\311\145\232\323\113  
\115\226

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\002\333\060\202\002\140\240\003\002\001\002\002\020\174  
\311\217\053\204\327\337\352\017\311\145\232\323\113\115\226\060  
\012\006\010\052\206\110\316\075\004\003\003\060\110\061\013\060  
\011\006\003\125\004\006\023\002\104\105\061\025\060\023\006\003  
\125\004\012\023\014\104\055\124\162\165\163\164\040\107\155\142  
\110\061\042\060\040\006\003\125\004\003\023\031\104\055\124\122  
\125\123\124\040\102\122\040\122\157\157\164\040\103\101\040\061  
\040\062\060\062\060\060\036\027\015\062\060\060\062\061\061\060  
\071\064\065\060\060\132\027\015\063\065\060\062\061\061\060\071  
\064\064\065\071\132\060\110\061\013\060\011\006\003\125\004\006  
\023\002\104\105\061\025\060\023\006\003\125\004\012\023\014\104  
\055\124\162\165\163\164\040\107\155\142\110\061\042\060\040\006  
\003\125\004\003\023\031\104\055\124\122\125\123\124\040\102\122  
\040\122\157\157\164\040\103\101\040\061\040\062\060\062\060\060  
\166\060\020\006\007\052\206\110\316\075\002\001\006\005\053\201  
\004\000\042\003\142\000\004\306\313\307\050\321\373\204\365\232  
\357\102\024\040\341\103\153\156\165\255\374\053\003\204\324\166  
\223\045\327\131\073\101\145\153\036\346\064\052\273\164\366\022  
\316\350\155\347\253\344\074\116\077\104\010\213\315\026\161\313  
\277\222\231\364\244\327\074\120\124\122\220\205\203\170\224\147  
\147\243\034\011\031\075\165\064\205\336\355\140\175\307\014\264  
\101\122\271\156\345\356\102\243\202\001\015\060\202\001\011\060  
\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001\377  
\060\035\006\003\125\035\016\004\026\004\024\163\221\020\253\377  
\125\263\132\174\011\045\325\262\272\010\240\153\253\037\155\060  
\016\006\003\125\035\017\001\001\377\004\004\003\002\001\006\060  
\201\306\006\003\125\035\037\004\201\276\060\201\273\060\076\240  
\074\240\072\206\070\150\164\164\160\072\057\057\143\162\154\056  
\144\055\164\162\165\163\164\056\156\145\164\057\143\162\154\057

\144\055\164\162\165\163\164\137\142\162\137\162\157\157\164\137  
\143\141\137\061\137\062\060\062\060\056\143\162\154\060\171\240  
\167\240\165\206\163\154\144\141\160\072\057\057\144\151\162\145  
\143\164\157\162\171\056\144\055\164\162\165\163\164\056\156\145  
\164\057\103\116\075\104\055\124\122\125\123\124\045\062\060\102  
\122\045\062\060\122\157\157\164\045\062\060\103\101\045\062\060  
\061\045\062\060\062\060\062\060\054\117\075\104\055\124\162\165  
\163\164\045\062\060\107\155\142\110\054\103\075\104\105\077\143  
\145\162\164\151\146\151\143\141\164\145\162\145\166\157\143\141  
\164\151\157\156\154\151\163\164\060\012\006\010\052\206\110\316  
\075\004\003\003\003\151\000\060\146\002\061\000\224\220\055\023  
\372\341\143\370\141\143\350\255\205\170\124\221\234\270\223\070  
\076\032\101\332\100\026\123\102\010\312\057\216\361\076\201\126  
\300\252\330\355\030\304\260\256\364\076\372\046\002\061\000\363  
\050\342\306\333\053\231\373\267\121\270\044\243\244\224\172\032  
\077\346\066\342\003\127\063\212\060\313\202\307\326\024\021\325  
\165\143\133\024\225\234\037\001\317\330\325\162\247\017\073

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "D-TRUST BR Root CA 1 2020"

# Issuer: CN=D-TRUST BR Root CA 1 2020,O=D-Trust GmbH,C=DE

# Serial Number:7c:c9:8f:2b:84:d7:df:ea:0f:c9:65:9a:d3:4b:4d:96

# Subject: CN=D-TRUST BR Root CA 1 2020,O=D-Trust GmbH,C=DE

# Not Valid Before: Tue Feb 11 09:45:00 2020

# Not Valid After : Sun Feb 11 09:44:59 2035

# Fingerprint (SHA-256):

E5:9A:AA:81:60:09:C2:2B:FF:5B:25:BA:D3:7D:F3:06:F0:49:79:7C:1F:81:D8:5A:B0:89:E6:57:BD:8F:00:44

# Fingerprint (SHA1): 1F:5B:98:F0:E3:B5:F7:74:3C:ED:E6:B0:36:7D:32:CD:F4:09:41:67

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "D-TRUST BR Root CA 1 2020"

CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL

\037\133\230\360\343\265\367\164\074\355\346\260\066\175\062\315  
\364\011\101\147

END

CKA\_CERT\_MD5\_HASH MULTILINE\_OCTAL

\265\252\113\325\355\367\343\125\056\217\162\012\363\165\270\355

END

CKA\_ISSUER MULTILINE\_OCTAL

\060\110\061\013\060\011\006\003\125\004\006\023\002\104\105\061  
\025\060\023\006\003\125\004\012\023\014\104\055\124\162\165\163  
\164\040\107\155\142\110\061\042\060\040\006\003\125\004\003\023  
\031\104\055\124\122\125\123\124\040\102\122\040\122\157\157\164

```

\040\103\101\040\061\040\062\060\062\060
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\174\311\217\053\204\327\337\352\017\311\145\232\323\113
\115\226
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "D-TRUST EV Root CA 1 2020"
#
# Issuer: CN=D-TRUST EV Root CA 1 2020,O=D-Trust GmbH,C=DE
# Serial Number:5f:02:41:d7:7a:87:7c:4c:03:a3:ac:96:8d:fb:ff:d0
# Subject: CN=D-TRUST EV Root CA 1 2020,O=D-Trust GmbH,C=DE
# Not Valid Before: Tue Feb 11 10:00:00 2020
# Not Valid After : Sun Feb 11 09:59:59 2035
# Fingerprint (SHA-256):
08:17:0D:1A:A3:64:53:90:1A:2F:95:92:45:E3:47:DB:0C:8D:37:AB:AA:BC:56:B8:1A:A1:00:DC:95:89:70:DB
# Fingerprint (SHA1): 61:DB:8C:21:59:69:03:90:D8:7C:9C:12:86:54:CF:9D:3D:F4:DD:07
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "D-TRUST EV Root CA 1 2020"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\110\061\013\060\011\006\003\125\004\006\023\002\104\105\061
\025\060\023\006\003\125\004\012\023\014\104\055\124\162\165\163
\164\040\107\155\142\110\061\042\060\040\006\003\125\004\003\023
\031\104\055\124\122\125\123\124\040\105\126\040\122\157\157\164
\040\103\101\040\061\040\062\060\062\060
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\110\061\013\060\011\006\003\125\004\006\023\002\104\105\061
\025\060\023\006\003\125\004\012\023\014\104\055\124\162\165\163
\164\040\107\155\142\110\061\042\060\040\006\003\125\004\003\023
\031\104\055\124\122\125\123\124\040\105\126\040\122\157\157\164
\040\103\101\040\061\040\062\060\062\060
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\137\002\101\327\172\207\174\114\003\243\254\226\215\373
\377\320
END
CKA_VALUE MULTILINE_OCTAL

```



\060\202\002\333\060\202\002\140\240\003\002\001\002\002\020\137  
\002\101\327\172\207\174\114\003\243\254\226\215\373\377\320\060  
\012\006\010\052\206\110\316\075\004\003\003\060\110\061\013\060  
\011\006\003\125\004\006\023\002\104\105\061\025\060\023\006\003  
\125\004\012\023\014\104\055\124\162\165\163\164\040\107\155\142  
\110\061\042\060\040\006\003\125\004\003\023\031\104\055\124\122  
\125\123\124\040\105\126\040\122\157\157\164\040\103\101\040\061  
\040\062\060\062\060\060\036\027\015\062\060\060\062\061\061\061  
\060\060\060\060\060\132\027\015\063\065\060\062\061\061\060\071  
\065\071\065\071\132\060\110\061\013\060\011\006\003\125\004\006  
\023\002\104\105\061\025\060\023\006\003\125\004\012\023\014\104  
\055\124\162\165\163\164\040\107\155\142\110\061\042\060\040\006  
\003\125\004\003\023\031\104\055\124\122\125\123\124\040\105\126  
\040\122\157\157\164\040\103\101\040\061\040\062\060\062\060\060  
\166\060\020\006\007\052\206\110\316\075\002\001\006\005\053\201  
\004\000\042\003\142\000\004\361\013\335\206\103\040\031\337\227  
\205\350\042\112\233\317\235\230\277\264\005\046\311\313\343\246  
\322\217\305\236\170\173\061\211\251\211\255\047\074\145\020\202  
\374\337\303\235\116\360\063\043\304\322\062\365\034\260\337\063  
\027\135\305\360\261\212\371\357\271\267\024\312\051\112\302\017  
\251\177\165\145\111\052\060\147\364\144\367\326\032\167\332\303  
\302\227\141\102\173\111\255\243\202\001\015\060\202\001\011\060  
\017\006\003\125\035\023\001\001\377\004\005\060\003\001\001\377  
\060\035\006\003\125\035\016\004\026\004\024\177\020\001\026\067  
\072\244\050\344\120\370\244\367\354\153\062\266\376\351\213\060  
\016\006\003\125\035\017\001\001\377\004\004\003\002\001\006\060  
\201\306\006\003\125\035\037\004\201\276\060\201\273\060\076\240  
\074\240\072\206\070\150\164\164\160\072\057\057\143\162\154\056  
\144\055\164\162\165\163\164\056\156\145\164\057\143\162\154\057  
\144\055\164\162\165\163\164\137\145\166\137\162\157\157\164\137  
\143\141\137\061\137\062\060\062\060\056\143\162\154\060\171\240  
\167\240\165\206\163\154\144\141\160\072\057\057\144\151\162\145  
\143\164\157\162\171\056\144\055\164\162\165\163\164\056\156\145  
\164\057\103\116\075\104\055\124\122\125\123\124\045\062\060\105  
\126\045\062\060\122\157\157\164\045\062\060\103\101\045\062\060  
\061\045\062\060\062\060\062\060\054\117\075\104\055\124\162\165  
\163\164\045\062\060\107\155\142\110\054\103\075\104\105\077\143  
\145\162\164\151\146\151\143\141\164\145\162\145\166\157\143\141  
\164\151\157\156\154\151\163\164\060\012\006\010\052\206\110\316  
\075\004\003\003\003\151\000\060\146\002\061\000\312\074\306\052  
\165\302\136\165\142\071\066\000\140\132\213\301\223\231\314\331  
\333\101\073\073\207\231\027\073\325\314\117\312\042\367\240\200  
\313\371\264\261\033\126\365\162\322\374\031\321\002\061\000\221  
\367\060\223\077\020\106\053\161\244\320\073\104\233\300\051\002  
\005\262\101\167\121\363\171\132\236\216\024\240\116\102\322\133  
\201\363\064\152\003\347\042\070\120\133\355\031\117\103\026

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE

CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "D-TRUST EV Root CA 1 2020"

# Issuer: CN=D-TRUST EV Root CA 1 2020,O=D-Trust GmbH,C=DE

# Serial Number:5f:02:41:d7:7a:87:7c:4c:03:a3:ac:96:8d:fb:ff:d0

# Subject: CN=D-TRUST EV Root CA 1 2020,O=D-Trust GmbH,C=DE

# Not Valid Before: Tue Feb 11 10:00:00 2020

# Not Valid After : Sun Feb 11 09:59:59 2035

# Fingerprint (SHA-256):

08:17:0D:1A:A3:64:53:90:1A:2F:95:92:45:E3:47:DB:0C:8D:37:AB:AA:BC:56:B8:1A:A1:00:DC:95:89:70:DB

# Fingerprint (SHA1): 61:DB:8C:21:59:69:03:90:D8:7C:9C:12:86:54:CF:9D:3D:F4:DD:07

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "D-TRUST EV Root CA 1 2020"

CKA\_CERT\_SHA1\_HASH MULTILINE\_OCTAL

\141\333\214\041\131\151\003\220\330\174\234\022\206\124\317\235

\075\364\335\007

END

CKA\_CERT\_MD5\_HASH MULTILINE\_OCTAL

\214\055\235\160\237\110\231\021\006\021\373\351\313\060\300\156

END

CKA\_ISSUER MULTILINE\_OCTAL

\060\110\061\013\060\011\006\003\125\004\006\023\002\104\105\061

\025\060\023\006\003\125\004\012\023\014\104\055\124\162\165\163

\164\040\107\155\142\110\061\042\060\040\006\003\125\004\003\023

\031\104\055\124\122\125\123\124\040\105\126\040\122\157\157\164

\040\103\101\040\061\040\062\060\062\060

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\020\137\002\101\327\172\207\174\114\003\243\254\226\215\373

\377\320

END

CKA\_TRUST\_SERVER\_AUTH CK\_TRUST CKT\_NSS\_TRUSTED\_DELEGATOR

CKA\_TRUST\_EMAIL\_PROTECTION CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST

CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "DigiCert TLS ECC P384 Root G5"

#

# Issuer: CN=DigiCert TLS ECC P384 Root G5,O="DigiCert, Inc.",C=US

# Serial Number:09:e0:93:65:ac:f7:d9:c8:b9:3e:1c:0b:04:2a:2e:f3

# Subject: CN=DigiCert TLS ECC P384 Root G5,O="DigiCert, Inc.",C=US

# Not Valid Before: Fri Jan 15 00:00:00 2021

# Not Valid After : Sun Jan 14 23:59:59 2046

```
# Fingerprint (SHA-256):
01:8E:13:F0:77:25:32:CF:80:9B:D1:B1:72:81:86:72:83:FC:48:C6:E1:3B:E9:C6:98:12:85:4A:49:0C:1B:05
# Fingerprint (SHA1): 17:F3:DE:5E:9F:0F:19:E9:8E:F6:1F:32:26:6E:20:C4:07:AE:30:EE
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "DigiCert TLS ECC P384 Root G5"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\116\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\027\060\025\006\003\125\004\012\023\016\104\151\147\151\103\145
\162\164\054\040\111\156\143\056\061\046\060\044\006\003\125\004
\003\023\035\104\151\147\151\103\145\162\164\040\124\114\123\040
\105\103\103\040\120\063\070\064\040\122\157\157\164\040\107\065
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\116\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\027\060\025\006\003\125\004\012\023\016\104\151\147\151\103\145
\162\164\054\040\111\156\143\056\061\046\060\044\006\003\125\004
\003\023\035\104\151\147\151\103\145\162\164\040\124\114\123\040
\105\103\103\040\120\063\070\064\040\122\157\157\164\040\107\065
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\011\340\223\145\254\367\331\310\271\076\034\013\004\052
\056\363
END
CKA_VALUE MULTILINE_OCTAL
\060\202\002\031\060\202\001\237\240\003\002\001\002\002\020\011
\340\223\145\254\367\331\310\271\076\034\013\004\052\056\363\060
\012\006\010\052\206\110\316\075\004\003\003\060\116\061\013\060
\011\006\003\125\004\006\023\002\125\123\061\027\060\025\006\003
\125\004\012\023\016\104\151\147\151\103\145\162\164\054\040\111
\156\143\056\061\046\060\044\006\003\125\004\003\023\035\104\151
\147\151\103\145\162\164\040\124\114\123\040\105\103\103\040\120
\063\070\064\040\122\157\157\164\040\107\065\060\036\027\015\062
\061\060\061\061\065\060\060\060\060\060\060\132\027\015\064\066
\060\061\061\064\062\063\065\071\065\071\132\060\116\061\013\060
\011\006\003\125\004\006\023\002\125\123\061\027\060\025\006\003
\125\004\012\023\016\104\151\147\151\103\145\162\164\054\040\111
\156\143\056\061\046\060\044\006\003\125\004\003\023\035\104\151
\147\151\103\145\162\164\040\124\114\123\040\105\103\103\040\120
\063\070\064\040\122\157\157\164\040\107\065\060\166\060\020\006
\007\052\206\110\316\075\002\001\006\005\053\201\004\000\042\003
\142\000\004\301\104\241\317\021\227\120\232\336\043\202\065\007
\315\320\313\030\235\322\361\177\167\065\117\073\335\224\162\122
\355\302\073\370\354\372\173\153\130\040\354\231\256\311\374\150
```

```
\263\165\271\333\011\354\310\023\365\116\306\012\035\146\060\114
\273\037\107\012\074\141\020\102\051\174\245\010\016\340\042\351
\323\065\150\316\233\143\237\204\265\231\115\130\240\216\365\124
\347\225\311\243\102\060\100\060\035\006\003\125\035\016\004\026
\004\024\301\121\105\120\131\253\076\347\054\132\372\040\042\022
\007\200\210\174\021\152\060\016\006\003\125\035\017\001\001\377
\004\004\003\002\001\206\060\017\006\003\125\035\023\001\001\377
\004\005\060\003\001\001\377\060\012\006\010\052\206\110\316\075
\004\003\003\003\150\000\060\145\002\061\000\211\152\215\107\347
\354\374\156\125\003\331\147\154\046\116\203\306\375\311\373\053
\023\274\267\172\214\264\145\322\151\151\143\023\143\073\046\120
\056\001\241\171\006\221\235\110\277\302\276\002\060\107\303\025
\173\261\240\221\231\111\223\250\074\174\350\106\006\213\054\362
\061\000\224\235\142\310\211\275\031\204\024\351\245\373\001\270
\015\166\103\214\056\123\313\174\337\014\027\226\120
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRUST_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRUST_AFTER CK_BBOOL CK_FALSE
```

# Trust for "DigiCert TLS ECC P384 Root G5"

# Issuer: CN=DigiCert TLS ECC P384 Root G5,O="DigiCert, Inc.",C=US

# Serial Number:09:e0:93:65:ac:f7:d9:c8:b9:3e:1c:0b:04:2a:2e:f3

# Subject: CN=DigiCert TLS ECC P384 Root G5,O="DigiCert, Inc.",C=US

# Not Valid Before: Fri Jan 15 00:00:00 2021

# Not Valid After : Sun Jan 14 23:59:59 2046

# Fingerprint (SHA-256):

01:8E:13:F0:77:25:32:CF:80:9B:D1:B1:72:81:86:72:83:FC:48:C6:E1:3B:E9:C6:98:12:85:4A:49:0C:1B:05

# Fingerprint (SHA1): 17:F3:DE:5E:9F:0F:19:E9:8E:F6:1F:32:26:6E:20:C4:07:AE:30:EE

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "DigiCert TLS ECC P384 Root G5"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\027\363\336\136\237\017\031\351\216\366\037\062\046\156\040\304
```

```
\007\256\060\356
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\323\161\004\152\103\034\333\246\131\341\250\243\252\305\161\355
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\116\061\013\060\011\006\003\125\004\006\023\002\125\123\061
```

```
\027\060\025\006\003\125\004\012\023\016\104\151\147\151\103\145
```

```
\162\164\054\040\111\156\143\056\061\046\060\044\006\003\125\004
```

```
\003\023\035\104\151\147\151\103\145\162\164\040\124\114\123\040
```

```
\105\103\103\040\120\063\070\064\040\122\157\157\164\040\107\065
```

END

```

CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\011\340\223\145\254\367\331\310\271\076\034\013\004\052
\056\363
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "DigiCert TLS RSA4096 Root G5"
#
# Issuer: CN=DigiCert TLS RSA4096 Root G5,O="DigiCert, Inc.",C=US
# Serial Number:08:f9:b4:78:a8:fa:7e:da:6a:33:37:89:de:7c:cf:8a
# Subject: CN=DigiCert TLS RSA4096 Root G5,O="DigiCert, Inc.",C=US
# Not Valid Before: Fri Jan 15 00:00:00 2021
# Not Valid After : Sun Jan 14 23:59:59 2046
# Fingerprint (SHA-256):
37:1A:00:DC:05:33:B3:72:1A:7E:EB:40:E8:41:9E:70:79:9D:2B:0A:0F:2C:1D:80:69:31:65:F7:CE:C4:AD:75
# Fingerprint (SHA1): A7:88:49:DC:5D:7C:75:8C:8C:DE:39:98:56:B3:AA:D0:B2:A5:71:35
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "DigiCert TLS RSA4096 Root G5"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\115\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\027\060\025\006\003\125\004\012\023\016\104\151\147\151\103\145
\162\164\054\040\111\156\143\056\061\045\060\043\006\003\125\004
\003\023\034\104\151\147\151\103\145\162\164\040\124\114\123\040
\122\123\101\064\060\071\066\040\122\157\157\164\040\107\065
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\115\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\027\060\025\006\003\125\004\012\023\016\104\151\147\151\103\145
\162\164\054\040\111\156\143\056\061\045\060\043\006\003\125\004
\003\023\034\104\151\147\151\103\145\162\164\040\124\114\123\040
\122\123\101\064\060\071\066\040\122\157\157\164\040\107\065
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\010\371\264\170\250\372\176\332\152\063\067\211\336\174
\317\212
END
CKA_VALUE MULTILINE_OCTAL
\060\202\005\146\060\202\003\116\240\003\002\001\002\002\020\010
\371\264\170\250\372\176\332\152\063\067\211\336\174\317\212\060

```

\015\006\011\052\206\110\206\367\015\001\001\014\005\000\060\115  
\061\013\060\011\006\003\125\004\006\023\002\125\123\061\027\060  
\025\006\003\125\004\012\023\016\104\151\147\151\103\145\162\164  
\054\040\111\156\143\056\061\045\060\043\006\003\125\004\003\023  
\034\104\151\147\151\103\145\162\164\040\124\114\123\040\122\123  
\101\064\060\071\066\040\122\157\157\164\040\107\065\060\036\027  
\015\062\061\060\061\061\065\060\060\060\060\060\132\027\015  
\064\066\060\061\061\064\062\063\065\071\065\071\132\060\115\061  
\013\060\011\006\003\125\004\006\023\002\125\123\061\027\060\025  
\006\003\125\004\012\023\016\104\151\147\151\103\145\162\164\054  
\040\111\156\143\056\061\045\060\043\006\003\125\004\003\023\034  
\104\151\147\151\103\145\162\164\040\124\114\123\040\122\123\101  
\064\060\071\066\040\122\157\157\164\040\107\065\060\202\002\042  
\060\015\006\011\052\206\110\206\367\015\001\001\001\005\000\003  
\202\002\017\000\060\202\002\012\002\202\002\001\000\263\320\364  
\311\171\021\235\375\374\146\201\347\314\325\344\274\354\201\076  
\152\065\216\056\267\347\336\257\371\007\115\317\060\235\352\011  
\013\231\275\154\127\332\030\112\270\170\254\072\071\250\246\110  
\254\056\162\345\275\353\361\032\315\347\244\003\251\077\021\264  
\330\057\211\026\373\224\001\075\273\057\370\023\005\241\170\034  
\216\050\340\105\340\203\364\131\033\225\263\256\176\003\105\345  
\276\302\102\376\356\362\074\266\205\023\230\062\235\026\250\051  
\302\013\034\070\334\237\061\167\134\277\047\243\374\047\254\267  
\053\275\164\233\027\055\362\201\332\135\260\341\043\027\076\210  
\112\022\043\320\352\317\235\336\003\027\261\102\112\240\026\114  
\244\155\223\351\077\072\356\072\174\235\130\235\364\116\217\374  
\073\043\310\155\270\342\005\332\314\353\354\303\061\364\327\247  
\051\124\200\317\104\133\114\157\060\236\363\314\335\037\224\103  
\235\115\177\160\160\015\324\072\321\067\360\154\235\233\300\024  
\223\130\357\315\101\070\165\274\023\003\225\174\177\343\134\351  
\325\015\325\342\174\020\142\252\153\360\075\166\363\077\243\350  
\260\301\375\357\252\127\115\254\206\247\030\264\051\301\054\016  
\277\144\276\051\214\330\002\055\315\134\057\362\177\357\025\364  
\014\025\254\012\260\361\323\015\117\152\115\167\227\001\240\361  
\146\267\267\316\357\316\354\354\245\165\312\254\343\341\143\367  
\270\241\004\310\274\173\077\135\055\026\042\126\355\110\111\376  
\247\057\171\060\045\233\272\153\055\077\235\073\304\027\347\035  
\056\373\362\317\246\374\343\024\054\226\230\041\214\264\221\351  
\031\140\203\362\060\053\006\163\120\325\230\073\006\351\307\212  
\014\140\214\050\370\122\233\156\341\366\115\273\006\044\233\327  
\053\046\077\375\052\057\161\365\326\044\276\177\061\236\017\155  
\350\217\117\115\243\077\377\065\352\337\111\136\101\217\206\371  
\361\167\171\113\033\264\243\136\057\373\106\002\320\146\023\136  
\136\205\117\316\330\160\210\173\316\001\265\226\227\327\315\175  
\375\202\370\302\044\301\312\001\071\117\215\242\301\024\100\037  
\234\146\325\014\011\106\326\362\320\321\110\166\126\072\103\313  
\266\012\021\071\272\214\023\154\006\265\236\317\353\002\003\001  
\000\001\243\102\060\100\060\035\006\003\125\035\016\004\026\004

\024\121\063\034\355\066\100\257\027\323\045\315\151\150\362\257  
\116\043\076\263\101\060\016\006\003\125\035\017\001\001\377\004  
\004\003\002\001\206\060\017\006\003\125\035\023\001\001\377\004  
\005\060\003\001\001\377\060\015\006\011\052\206\110\206\367\015  
\001\001\014\005\000\003\202\002\001\000\140\246\257\133\137\127  
\332\211\333\113\120\251\304\043\065\041\377\320\141\060\204\221  
\267\077\020\317\045\216\311\277\106\064\331\301\041\046\034\160  
\031\162\036\243\311\207\376\251\103\144\226\072\310\123\004\012  
\266\101\273\304\107\000\331\237\030\030\073\262\016\363\064\352  
\044\367\335\257\040\140\256\222\050\137\066\347\135\344\336\307  
\074\333\120\071\255\273\075\050\115\226\174\166\306\133\364\301  
\333\024\245\253\031\142\007\030\100\137\227\221\334\234\307\253  
\265\121\015\346\151\123\125\314\071\175\332\305\021\125\162\305  
\073\213\211\370\064\055\244\027\345\027\346\231\175\060\210\041  
\067\315\060\027\075\270\362\274\250\165\240\103\334\076\211\113  
\220\256\155\003\340\034\243\240\226\011\273\175\243\267\052\020  
\104\113\106\007\064\143\355\061\271\004\356\243\233\232\256\346  
\061\170\364\352\044\141\073\253\130\144\377\273\207\047\142\045  
\201\337\334\241\057\366\355\247\377\172\217\121\056\060\370\244  
\001\322\205\071\137\001\231\226\157\132\133\160\031\106\376\206  
\140\076\255\200\020\011\335\071\045\057\130\177\273\322\164\360  
\367\106\037\106\071\112\330\123\320\363\056\073\161\245\324\157  
\374\363\147\344\007\217\335\046\031\341\215\133\372\243\223\021  
\233\351\310\072\303\125\150\232\222\341\122\166\070\350\341\272  
\275\373\117\325\357\263\347\110\203\061\360\202\041\343\266\276  
\247\253\157\357\237\337\114\317\001\270\142\152\043\075\347\011  
\115\200\033\173\060\244\303\335\007\177\064\276\244\046\262\366  
\101\350\011\035\343\040\230\252\067\117\377\367\361\342\051\160  
\061\107\077\164\320\024\026\372\041\212\002\325\212\011\224\167  
\056\362\131\050\213\174\120\222\012\146\170\070\203\165\304\265  
\132\250\021\306\345\301\235\146\125\317\123\304\257\327\165\205  
\251\102\023\126\354\041\167\201\223\132\014\352\226\331\111\312  
\241\010\362\227\073\155\233\004\030\044\104\216\174\001\362\334  
\045\330\136\206\232\261\071\333\365\221\062\152\321\246\160\212  
\242\367\336\244\105\205\046\250\036\214\135\051\133\310\113\330  
\232\152\003\136\160\362\205\117\154\113\150\057\312\124\366\214  
\332\062\376\303\153\203\077\070\306\176

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "DigiCert TLS RSA4096 Root G5"  
# Issuer: CN=DigiCert TLS RSA4096 Root G5,O="DigiCert, Inc.",C=US  
# Serial Number:08:f9:b4:78:a8:fa:7e:da:6a:33:37:89:de:7c:cf:8a  
# Subject: CN=DigiCert TLS RSA4096 Root G5,O="DigiCert, Inc.",C=US  
# Not Valid Before: Fri Jan 15 00:00:00 2021  
# Not Valid After : Sun Jan 14 23:59:59 2046

```

# Fingerprint (SHA-256):
37:1A:00:DC:05:33:B3:72:1A:7E:EB:40:E8:41:9E:70:79:9D:2B:0A:0F:2C:1D:80:69:31:65:F7:CE:C4:AD:75
# Fingerprint (SHA1): A7:88:49:DC:5D:7C:75:8C:8C:DE:39:98:56:B3:AA:D0:B2:A5:71:35
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "DigiCert TLS RSA4096 Root G5"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\247\210\111\334\135\174\165\214\214\336\071\230\126\263\252\320
\262\245\161\065
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\254\376\367\064\226\251\362\263\264\022\113\344\047\101\157\341
END
CKA_ISSUER MULTILINE_OCTAL
\060\115\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\027\060\025\006\003\125\004\012\023\016\104\151\147\151\103\145
\162\164\054\040\111\156\143\056\061\045\060\043\006\003\125\004
\003\023\034\104\151\147\151\103\145\162\164\040\124\114\123\040
\122\123\101\064\060\071\066\040\122\157\157\164\040\107\065
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\010\371\264\170\250\372\176\332\152\063\067\211\336\174
\317\212
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "DigiCert SMIME ECC P384 Root G5"
#
# Issuer: CN=DigiCert SMIME ECC P384 Root G5,O="DigiCert, Inc.",C=US
# Serial Number:05:3f:6e:a0:06:01:72:7d:ed:3f:c3:a3:b6:a3:d6:ef
# Subject: CN=DigiCert SMIME ECC P384 Root G5,O="DigiCert, Inc.",C=US
# Not Valid Before: Fri Jan 15 00:00:00 2021
# Not Valid After : Sun Jan 14 23:59:59 2046
# Fingerprint (SHA-256):
E8:E8:17:65:36:A6:0C:C2:C4:E1:01:87:C3:BE:FC:A2:0E:F2:63:49:70:18:F5:66:D5:BE:A0:F9:4D:0C:11:1B
# Fingerprint (SHA1): 1C:B8:A7:08:C9:0D:20:79:01:A0:B2:36:7F:F0:95:65:E4:53:24:FE
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "DigiCert SMIME ECC P384 Root G5"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509

```



CKA\_SUBJECT MULTILINE\_OCTAL

\060\120\061\013\060\011\006\003\125\004\006\023\002\125\123\061  
\027\060\025\006\003\125\004\012\023\016\104\151\147\151\103\145  
\162\164\054\040\111\156\143\056\061\050\060\046\006\003\125\004  
\003\023\037\104\151\147\151\103\145\162\164\040\123\115\111\115  
\105\040\105\103\103\040\120\063\070\064\040\122\157\157\164\040  
\107\065

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\120\061\013\060\011\006\003\125\004\006\023\002\125\123\061  
\027\060\025\006\003\125\004\012\023\016\104\151\147\151\103\145  
\162\164\054\040\111\156\143\056\061\050\060\046\006\003\125\004  
\003\023\037\104\151\147\151\103\145\162\164\040\123\115\111\115  
\105\040\105\103\103\040\120\063\070\064\040\122\157\157\164\040  
\107\065

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\020\005\077\156\240\006\001\162\175\355\077\303\243\266\243  
\326\357

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\002\034\060\202\001\243\240\003\002\001\002\002\020\005  
\077\156\240\006\001\162\175\355\077\303\243\266\243\326\357\060  
\012\006\010\052\206\110\316\075\004\003\003\060\120\061\013\060  
\011\006\003\125\004\006\023\002\125\123\061\027\060\025\006\003  
\125\004\012\023\016\104\151\147\151\103\145\162\164\054\040\111  
\156\143\056\061\050\060\046\006\003\125\004\003\023\037\104\151  
\147\151\103\145\162\164\040\123\115\111\115\105\040\105\103\103  
\040\120\063\070\064\040\122\157\157\164\040\107\065\060\036\027  
\015\062\061\060\061\061\065\060\060\060\060\060\060\132\027\015  
\064\066\060\061\061\064\062\063\065\071\065\071\132\060\120\061  
\013\060\011\006\003\125\004\006\023\002\125\123\061\027\060\025  
\006\003\125\004\012\023\016\104\151\147\151\103\145\162\164\054  
\040\111\156\143\056\061\050\060\046\006\003\125\004\003\023\037  
\104\151\147\151\103\145\162\164\040\123\115\111\115\105\040\105  
\103\103\040\120\063\070\064\040\122\157\157\164\040\107\065\060  
\166\060\020\006\007\052\206\110\316\075\002\001\006\005\053\201  
\004\000\042\003\142\000\004\026\235\125\345\266\324\373\373\147  
\153\032\324\241\252\322\167\225\076\210\345\007\237\266\160\146  
\040\050\244\210\354\160\065\257\263\062\377\067\023\112\236\274  
\001\003\336\204\301\270\306\346\145\107\211\362\023\125\277\315  
\245\036\010\140\177\255\177\350\141\222\051\317\011\107\136\013  
\034\300\037\244\277\362\133\274\230\357\231\114\314\160\153\266  
\272\320\050\035\277\276\004\243\102\060\100\060\035\006\003\125  
\035\016\004\026\004\024\163\172\153\226\333\102\007\213\122\146  
\302\144\062\027\376\340\147\220\056\255\060\016\006\003\125\035  
\017\001\001\377\004\004\003\002\001\206\060\017\006\003\125\035

```
\023\001\001\377\004\005\060\003\001\001\377\060\012\006\010\052
\206\110\316\075\004\003\003\003\147\000\060\144\002\060\067\104
\365\062\200\343\161\353\364\155\317\174\314\221\232\303\156\161
\330\322\043\135\222\115\202\102\155\134\141\225\366\221\365\247
\010\366\152\227\351\234\224\055\230\160\375\063\266\011\002\060
\007\074\057\271\130\202\136\017\243\142\250\223\147\360\040\303
\151\277\003\054\073\120\247\073\257\101\070\311\122\110\221\326
\016\373\274\140\060\174\144\077\022\036\105\177\121\076\364\246
END
```

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "DigiCert SMIME ECC P384 Root G5"
# Issuer: CN=DigiCert SMIME ECC P384 Root G5,O="DigiCert, Inc.",C=US
# Serial Number:05:3f:6e:a0:06:01:72:7d:ed:3f:c3:a3:b6:a3:d6:ef
# Subject: CN=DigiCert SMIME ECC P384 Root G5,O="DigiCert, Inc.",C=US
# Not Valid Before: Fri Jan 15 00:00:00 2021
# Not Valid After : Sun Jan 14 23:59:59 2046
# Fingerprint (SHA-256):
E8:E8:17:65:36:A6:0C:C2:C4:E1:01:87:C3:BE:FC:A2:0E:F2:63:49:70:18:F5:66:D5:BE:A0:F9:4D:0C:11:1B
# Fingerprint (SHA1): 1C:B8:A7:08:C9:0D:20:79:01:A0:B2:36:7F:F0:95:65:E4:53:24:FE
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "DigiCert SMIME ECC P384 Root G5"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\034\270\247\010\311\015\040\171\001\240\262\066\177\360\225\145
\344\123\044\376
END
```

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\246\376\364\122\066\104\330\356\015\267\003\013\357\164\263\003
END
```

```
CKA_ISSUER MULTILINE_OCTAL
\060\120\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\027\060\025\006\003\125\004\012\023\016\104\151\147\151\103\145
\162\164\054\040\111\156\143\056\061\050\060\046\006\003\125\004
\003\023\037\104\151\147\151\103\145\162\164\040\123\115\111\115
\105\040\105\103\103\040\120\063\070\064\040\122\157\157\164\040
\107\065
END
```

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\005\077\156\240\006\001\162\175\355\077\303\243\266\243
\326\357
END
```

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

CKA\_TRUST\_CODE\_SIGNING CK\_TRUST CKT\_NSS\_MUST\_VERIFY\_TRUST  
CKA\_TRUST\_STEP\_UP\_APPROVED CK\_BBOOL CK\_FALSE

#

# Certificate "DigiCert SMIME RSA4096 Root G5"

#

# Issuer: CN=DigiCert SMIME RSA4096 Root G5,O="DigiCert, Inc.",C=US

# Serial Number:05:f6:ba:04:23:83:46:cb:7d:5c:e6:b9:5b:ba:1c:55

# Subject: CN=DigiCert SMIME RSA4096 Root G5,O="DigiCert, Inc.",C=US

# Not Valid Before: Fri Jan 15 00:00:00 2021

# Not Valid After : Sun Jan 14 23:59:59 2046

# Fingerprint (SHA-256):

90:37:0D:3E:FA:88:BF:58:C3:01:05:BA:25:10:4A:35:84:60:A7:FA:52:DF:C2:01:1D:F2:33:A0:F4:17:91:2A

# Fingerprint (SHA1): 5B:C5:AD:E2:9A:A7:54:DA:84:89:53:A5:FE:D7:5B:46:86:D0:57:08

CKA\_CLASS CK\_OBJECT\_CLASS CKO\_CERTIFICATE

CKA\_TOKEN CK\_BBOOL CK\_TRUE

CKA\_PRIVATE CK\_BBOOL CK\_FALSE

CKA\_MODIFIABLE CK\_BBOOL CK\_FALSE

CKA\_LABEL UTF8 "DigiCert SMIME RSA4096 Root G5"

CKA\_CERTIFICATE\_TYPE CK\_CERTIFICATE\_TYPE CKC\_X\_509

CKA\_SUBJECT MULTILINE\_OCTAL

\060\117\061\013\060\011\006\003\125\004\006\023\002\125\123\061  
\027\060\025\006\003\125\004\012\023\016\104\151\147\151\103\145  
\162\164\054\040\111\156\143\056\061\047\060\045\006\003\125\004  
\003\023\036\104\151\147\151\103\145\162\164\040\123\115\111\115  
\105\040\122\123\101\064\060\071\066\040\122\157\157\164\040\107  
\065

END

CKA\_ID UTF8 "0"

CKA\_ISSUER MULTILINE\_OCTAL

\060\117\061\013\060\011\006\003\125\004\006\023\002\125\123\061  
\027\060\025\006\003\125\004\012\023\016\104\151\147\151\103\145  
\162\164\054\040\111\156\143\056\061\047\060\045\006\003\125\004  
\003\023\036\104\151\147\151\103\145\162\164\040\123\115\111\115  
\105\040\122\123\101\064\060\071\066\040\122\157\157\164\040\107  
\065

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\020\005\366\272\004\043\203\106\313\175\134\346\271\133\272  
\034\125

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\005\152\060\202\003\122\240\003\002\001\002\002\020\005  
\366\272\004\043\203\106\313\175\134\346\271\133\272\034\125\060  
\015\006\011\052\206\110\206\367\015\001\001\014\005\000\060\117  
\061\013\060\011\006\003\125\004\006\023\002\125\123\061\027\060  
\025\006\003\125\004\012\023\016\104\151\147\151\103\145\162\164  
\054\040\111\156\143\056\061\047\060\045\006\003\125\004\003\023

\036\104\151\147\151\103\145\162\164\040\123\115\111\115\105\040  
\122\123\101\064\060\071\066\040\122\157\157\164\040\107\065\060  
\036\027\015\062\061\060\061\061\065\060\060\060\060\060\132  
\027\015\064\066\060\061\061\064\062\063\065\071\065\071\132\060  
\117\061\013\060\011\006\003\125\004\006\023\002\125\123\061\027  
\060\025\006\003\125\004\012\023\016\104\151\147\151\103\145\162  
\164\054\040\111\156\143\056\061\047\060\045\006\003\125\004\003  
\023\036\104\151\147\151\103\145\162\164\040\123\115\111\115\105  
\040\122\123\101\064\060\071\066\040\122\157\157\164\040\107\065  
\060\202\002\042\060\015\006\011\052\206\110\206\367\015\001\001  
\001\005\000\003\202\002\017\000\060\202\002\012\002\202\002\001  
\000\340\152\133\331\370\371\175\354\265\173\357\137\335\134\064  
\330\332\135\321\313\145\165\253\041\174\133\000\324\202\157\105  
\205\101\212\251\022\002\162\062\360\024\365\003\165\273\143\227  
\111\017\100\231\013\032\036\126\247\322\320\341\253\335\345\004  
\033\343\037\024\022\002\210\365\240\200\011\366\047\232\120\360  
\272\343\242\340\254\152\024\221\265\153\070\020\172\242\061\341  
\221\033\267\271\360\053\133\310\167\011\166\267\121\304\066\012  
\231\123\124\104\045\267\011\065\206\027\005\126\223\075\101\267  
\002\327\142\037\212\222\021\207\352\021\155\352\010\021\334\261  
\170\110\111\222\366\264\121\200\170\043\330\376\341\126\032\072  
\220\023\126\064\211\325\342\225\213\137\336\262\314\373\077\070  
\267\205\367\352\236\277\056\241\056\057\115\175\152\021\056\066  
\240\377\021\010\004\225\125\340\033\073\147\223\251\224\125\352  
\062\355\006\072\177\302\177\343\255\023\047\321\064\101\263\060  
\303\277\264\210\370\003\202\244\337\076\253\170\167\240\131\223  
\161\347\335\353\000\004\173\314\110\071\050\340\036\243\025\151  
\310\066\262\241\013\227\337\125\326\357\221\234\244\366\026\367  
\121\012\356\003\043\221\334\004\377\340\335\070\366\042\003\000  
\302\007\161\032\022\311\327\106\052\224\033\315\326\273\033\356  
\277\276\115\120\130\260\013\315\060\166\051\365\317\345\266\152  
\057\166\260\260\151\152\320\155\145\030\065\176\223\274\162\027  
\301\125\102\315\057\302\045\273\364\375\035\241\144\042\124\135  
\342\236\162\101\204\156\161\226\352\105\007\266\136\172\112\206  
\235\163\144\167\070\003\322\017\123\245\125\040\304\115\377\150  
\157\125\251\352\335\161\344\117\331\205\243\174\116\051\002\236  
\013\011\362\032\123\314\000\246\335\321\064\366\015\301\060\261  
\234\002\144\254\065\355\245\260\051\261\322\225\063\017\322\040  
\063\275\354\043\113\362\031\371\332\230\144\344\054\061\037\056  
\341\215\034\004\225\050\115\214\130\315\113\345\163\202\206\214  
\354\250\326\171\134\373\144\273\334\014\114\050\366\027\257\342  
\150\326\026\206\230\333\374\001\334\061\272\370\234\016\371\050  
\106\112\341\375\226\006\105\171\021\150\027\145\134\213\046\207  
\133\002\003\001\000\001\243\102\060\100\060\035\006\003\125\035  
\016\004\026\004\024\321\243\324\127\035\117\125\333\165\114\134  
\102\236\143\026\316\264\306\073\037\060\016\006\003\125\035\017  
\001\001\377\004\004\003\002\001\206\060\017\006\003\125\035\023  
\001\001\377\004\005\060\003\001\001\377\060\015\006\011\052\206

\110\206\367\015\001\001\014\005\000\003\202\002\001\000\007\247  
\012\336\123\273\232\353\160\277\262\066\220\315\344\247\270\361  
\014\344\135\132\035\170\145\374\311\270\036\043\021\127\174\151  
\065\155\001\377\123\120\277\007\016\272\307\001\077\130\052\224  
\165\003\253\034\013\043\334\033\212\036\067\075\035\130\217\163  
\331\263\052\157\337\020\240\133\014\247\312\260\177\271\044\242  
\001\065\062\345\136\106\101\353\330\177\163\347\102\351\244\121  
\046\167\201\012\250\353\017\012\120\235\176\212\040\147\374\013  
\216\072\021\323\305\214\140\030\331\113\261\374\324\361\264\111  
\116\256\207\341\321\373\166\241\137\363\006\317\227\226\014\351  
\236\165\201\134\123\015\042\374\066\346\111\156\164\333\000\205  
\215\174\042\240\216\373\020\114\324\142\023\133\357\113\162\046  
\213\374\116\212\217\376\227\020\123\305\170\213\102\144\033\137  
\340\211\375\273\011\177\120\340\124\205\046\021\152\035\145\371  
\111\051\334\174\066\337\373\075\367\322\254\356\062\215\156\246  
\175\071\234\105\304\312\015\365\073\264\171\123\245\057\126\307  
\121\305\212\114\144\135\220\103\043\216\153\114\027\170\314\350  
\277\365\073\344\250\110\317\255\233\014\337\062\112\323\331\022  
\216\043\170\015\055\257\237\257\236\074\011\302\227\000\355\072  
\151\034\161\077\071\337\323\217\304\146\365\357\066\224\017\363  
\335\222\266\226\137\220\246\335\163\252\246\040\224\224\045\152  
\011\014\162\344\023\043\140\114\243\312\027\056\173\147\000\333  
\320\315\352\172\037\071\046\127\211\060\167\313\116\345\225\105  
\117\137\373\066\134\075\371\040\265\072\020\045\117\223\062\132  
\356\301\226\350\351\126\004\260\111\141\115\354\170\250\235\030  
\301\377\330\352\057\126\357\225\053\173\004\136\147\343\125\100  
\355\071\004\371\013\171\365\152\214\134\017\211\232\220\307\315  
\213\336\333\046\065\241\156\315\263\102\362\242\017\073\014\216  
\223\377\024\317\374\367\223\367\344\101\010\156\031\122\021\017  
\123\031\163\170\014\317\330\205\201\370\255\125\310\260\236\106  
\143\257\234\122\356\134\277\360\300\133\067\036\011\040\322\076  
\043\306\241\025\112\016\066\176\060\305\171\152\274\042\210\331  
\014\122\100\037\335\116\017\147\046\026\322\255\027\034

END

CKA\_NSS\_MOZILLA\_CA\_POLICY CK\_BBOOL CK\_TRUE  
CKA\_NSS\_SERVER\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE  
CKA\_NSS\_EMAIL\_DISTRICT\_AFTER CK\_BBOOL CK\_FALSE

# Trust for "DigiCert SMIME RSA4096 Root G5"  
# Issuer: CN=DigiCert SMIME RSA4096 Root G5,O="DigiCert, Inc.",C=US  
# Serial Number:05:f6:ba:04:23:83:46:cb:7d:5c:e6:b9:5b:ba:1c:55  
# Subject: CN=DigiCert SMIME RSA4096 Root G5,O="DigiCert, Inc.",C=US  
# Not Valid Before: Fri Jan 15 00:00:00 2021  
# Not Valid After : Sun Jan 14 23:59:59 2046  
# Fingerprint (SHA-256):  
90:37:0D:3E:FA:88:BF:58:C3:01:05:BA:25:10:4A:35:84:60:A7:FA:52:DF:C2:01:1D:F2:33:A0:F4:17:91:2A  
# Fingerprint (SHA1): 5B:C5:AD:E2:9A:A7:54:DA:84:89:53:A5:FE:D7:5B:46:86:D0:57:08  
CKA\_CLASS CK\_OBJECT\_CLASS CKO\_NSS\_TRUST

```

CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "DigiCert SMIME RSA4096 Root G5"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\133\305\255\342\232\247\124\332\204\211\123\245\376\327\133\106
\206\320\127\010
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\321\173\340\265\077\065\162\237\175\276\013\245\244\035\251\156
END
CKA_ISSUER MULTILINE_OCTAL
\060\117\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\027\060\025\006\003\125\004\012\023\016\104\151\147\151\103\145
\162\164\054\040\111\156\143\056\061\047\060\045\006\003\125\004
\003\023\036\104\151\147\151\103\145\162\164\040\123\115\111\115
\105\040\122\123\101\064\060\071\066\040\122\157\157\164\040\107
\065
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\005\366\272\004\043\203\106\313\175\134\346\271\133\272
\034\125
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "Certainly Root R1"
#
# Issuer: CN=Certainly Root R1,O=Certainly,C=US
# Serial Number:00:8e:0f:f9:4b:90:71:68:65:33:54:f4:d4:44:39:b7:e0
# Subject: CN=Certainly Root R1,O=Certainly,C=US
# Not Valid Before: Thu Apr 01 00:00:00 2021
# Not Valid After : Sun Apr 01 00:00:00 2046
# Fingerprint (SHA-256):
77:B8:2C:D8:64:4C:43:05:F7:AC:C5:CB:15:6B:45:67:50:04:03:3D:51:C6:0C:62:02:A8:E0:C3:34:67:D3:A0
# Fingerprint (SHA1): A0:50:EE:0F:28:71:F4:27:B2:12:6D:6F:50:96:25:BA:CC:86:42:AF
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Certainly Root R1"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\075\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\022\060\020\006\003\125\004\012\023\011\103\145\162\164\141\151

```

\156\154\171\061\032\060\030\006\003\125\004\003\023\021\103\145  
\162\164\141\151\156\154\171\040\122\157\157\164\040\122\061  
END  
CKA\_ID UTF8 "0"  
CKA\_ISSUER MULTILINE\_OCTAL  
\060\075\061\013\060\011\006\003\125\004\006\023\002\125\123\061  
\022\060\020\006\003\125\004\012\023\011\103\145\162\164\141\151  
\156\154\171\061\032\060\030\006\003\125\004\003\023\021\103\145  
\162\164\141\151\156\154\171\040\122\157\157\164\040\122\061  
END  
CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL  
\002\021\000\216\017\371\113\220\161\150\145\063\124\364\324\104  
\071\267\340  
END  
CKA\_VALUE MULTILINE\_OCTAL  
\060\202\005\107\060\202\003\057\240\003\002\001\002\002\021\000  
\216\017\371\113\220\161\150\145\063\124\364\324\104\071\267\340  
\060\015\006\011\052\206\110\206\367\015\001\001\013\005\000\060  
\075\061\013\060\011\006\003\125\004\006\023\002\125\123\061\022  
\060\020\006\003\125\004\012\023\011\103\145\162\164\141\151\156  
\154\171\061\032\060\030\006\003\125\004\003\023\021\103\145\162  
\164\141\151\156\154\171\040\122\157\157\164\040\122\061\060\036  
\027\015\062\061\060\064\060\061\060\060\060\060\060\132\027  
\015\064\066\060\064\060\061\060\060\060\060\060\132\060\075  
\061\013\060\011\006\003\125\004\006\023\002\125\123\061\022\060  
\020\006\003\125\004\012\023\011\103\145\162\164\141\151\156\154  
\171\061\032\060\030\006\003\125\004\003\023\021\103\145\162\164  
\141\151\156\154\171\040\122\157\157\164\040\122\061\060\202\002  
\042\060\015\006\011\052\206\110\206\367\015\001\001\001\005\000  
\003\202\002\017\000\060\202\002\012\002\202\002\001\000\320\066  
\324\037\352\335\253\344\321\266\346\373\042\300\335\023\015\152  
\173\042\023\034\227\074\150\143\146\062\234\003\265\215\244\201  
\203\332\170\060\021\317\334\262\053\276\222\277\216\344\304\023  
\276\244\150\114\332\002\150\026\164\276\262\335\004\344\153\052  
\335\067\037\140\054\333\365\367\241\174\225\267\014\160\206\056  
\361\072\357\122\367\314\323\233\371\213\276\016\337\061\267\235  
\150\134\222\246\365\345\363\012\064\265\377\173\242\344\207\241  
\306\257\027\000\357\003\221\355\251\034\116\161\075\322\213\154  
\211\364\170\206\346\152\111\240\316\265\322\260\253\233\366\364  
\324\056\343\162\371\066\306\353\025\267\045\214\072\374\045\015  
\263\042\163\041\164\310\112\226\141\222\365\057\013\030\245\364  
\255\342\356\101\275\001\171\372\226\214\215\027\002\060\264\371  
\257\170\032\214\264\066\020\020\007\005\160\320\364\061\220\212  
\121\305\206\046\171\262\021\210\136\305\360\012\124\315\111\246  
\277\002\234\322\104\247\355\343\170\357\106\136\155\161\321\171  
\160\034\106\137\121\351\311\067\334\137\176\151\173\101\337\064  
\105\340\073\204\364\241\212\012\066\236\067\314\142\122\341\211  
\015\050\371\172\043\261\015\075\075\232\375\235\201\357\054\220

\300\173\104\116\273\111\340\016\112\126\222\274\313\265\335\171  
\027\211\221\336\141\211\164\222\250\343\062\205\276\116\205\244  
\113\131\313\053\305\170\216\161\124\320\002\067\231\214\345\111  
\352\340\124\162\244\021\006\057\013\214\301\133\276\265\241\260  
\123\156\234\270\140\221\037\131\153\371\055\364\224\012\227\265  
\354\305\166\003\124\033\145\122\272\114\222\126\121\065\240\100  
\330\051\333\256\122\166\073\055\060\100\233\212\320\102\126\264  
\267\210\001\244\207\073\123\226\315\243\026\217\363\146\252\027  
\261\307\140\340\301\103\005\014\356\233\133\140\157\006\134\207  
\133\047\371\100\021\236\234\063\301\267\345\065\127\005\177\047  
\316\027\040\214\034\374\361\373\332\061\051\111\355\365\013\204  
\247\117\301\366\116\302\050\234\372\356\340\257\007\373\063\021  
\172\041\117\013\041\020\266\100\072\253\042\072\004\234\213\233  
\204\206\162\232\322\247\245\304\264\165\221\251\053\043\002\003  
\001\000\001\243\102\060\100\060\016\006\003\125\035\017\001\001  
\377\004\004\003\002\001\006\060\017\006\003\125\035\023\001\001  
\377\004\005\060\003\001\001\377\060\035\006\003\125\035\016\004  
\026\004\024\340\252\077\045\215\237\104\134\301\072\350\056\256  
\167\114\204\076\147\014\364\060\015\006\011\052\206\110\206\367  
\015\001\001\013\005\000\003\202\002\001\000\271\127\257\270\022  
\332\127\203\217\150\013\063\035\003\123\125\364\225\160\344\053  
\075\260\071\353\372\211\142\375\367\326\030\004\057\041\064\335  
\361\150\360\325\226\132\336\302\200\243\301\215\306\152\367\131  
\167\256\025\144\317\133\171\005\167\146\352\214\323\153\015\335  
\361\131\054\301\063\245\060\200\025\105\007\105\032\061\042\266  
\222\000\253\231\115\072\217\167\257\251\042\312\057\143\312\025  
\326\307\306\360\075\154\374\034\015\230\020\141\236\021\242\042  
\327\012\362\221\172\153\071\016\057\060\303\066\111\237\340\351  
\017\002\104\120\067\224\125\175\352\237\366\073\272\224\245\114  
\351\274\076\121\264\350\312\222\066\124\155\134\045\050\332\335  
\255\024\375\323\356\342\042\005\353\320\362\267\150\022\327\132  
\212\101\032\306\222\245\132\073\143\105\117\277\341\072\167\042  
\057\134\277\106\371\132\003\205\023\102\137\312\336\123\327\142  
\265\246\065\004\302\107\377\231\375\204\337\134\316\351\136\200  
\050\101\362\175\347\036\220\330\117\166\076\202\074\015\374\245  
\003\372\173\032\331\105\036\140\332\304\216\371\374\053\311\173  
\225\305\052\377\252\211\337\202\061\017\162\377\014\047\327\012  
\036\126\000\120\036\014\220\301\226\265\330\024\205\273\247\015  
\026\301\370\007\044\033\272\205\241\032\005\011\200\272\225\143  
\311\072\354\045\237\177\235\272\244\107\025\233\104\160\361\152  
\113\326\070\136\103\363\030\176\120\156\351\132\050\346\145\346  
\167\033\072\375\035\276\003\046\243\333\324\341\273\176\226\047  
\053\035\356\244\373\332\045\124\023\003\336\071\306\303\037\115  
\220\354\217\033\112\322\034\355\205\225\070\120\171\106\326\301  
\220\120\061\251\134\232\156\035\365\063\126\213\247\231\322\362  
\310\054\063\223\222\060\307\116\214\145\063\020\144\027\375\044  
\027\226\321\215\302\072\152\053\353\023\213\104\362\041\363\112  
\032\267\167\137\327\355\210\244\162\345\071\037\225\235\276\147



```
\301\160\021\075\273\364\370\111\267\343\046\227\072\237\322\137
\174\373\300\231\174\071\051\340\173\035\277\015\247\217\322\051
\064\156\044\025\313\336\220\136\277\032\304\146\352\302\346\272
\071\137\212\231\251\101\131\007\260\054\257
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

# Trust for "Certainly Root R1"

# Issuer: CN=Certainly Root R1,O=Certainly,C=US

# Serial Number:00:8e:0f:f9:4b:90:71:68:65:33:54:f4:d4:44:39:b7:e0

# Subject: CN=Certainly Root R1,O=Certainly,C=US

# Not Valid Before: Thu Apr 01 00:00:00 2021

# Not Valid After : Sun Apr 01 00:00:00 2046

# Fingerprint (SHA-256):

77:B8:2C:D8:64:4C:43:05:F7:AC:C5:CB:15:6B:45:67:50:04:03:3D:51:C6:0C:62:02:A8:E0:C3:34:67:D3:A0

# Fingerprint (SHA1): A0:50:EE:0F:28:71:F4:27:B2:12:6D:6F:50:96:25:BA:CC:86:42:AF

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Certainly Root R1"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\240\120\356\017\050\161\364\047\262\022\155\157\120\226\045\272
\314\206\102\257
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\007\160\324\076\202\207\240\372\063\066\023\364\372\063\347\022
END
```

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\075\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\022\060\020\006\003\125\004\012\023\011\103\145\162\164\141\151
\156\154\171\061\032\060\030\006\003\125\004\003\023\021\103\145
\162\164\141\151\156\154\171\040\122\157\157\164\040\122\061
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\021\000\216\017\371\113\220\161\150\145\063\124\364\324\104
\071\267\340
```

END

```
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
```

```
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

```
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
```

```
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE
```

#

# Certificate "Certainly Root E1"

#

```
# Issuer: CN=Certainly Root E1,O=Certainly,C=US
# Serial Number:06:25:33:b1:47:03:33:27:5c:f9:8d:9a:b9:bf:cc:f8
# Subject: CN=Certainly Root E1,O=Certainly,C=US
# Not Valid Before: Thu Apr 01 00:00:00 2021
# Not Valid After : Sun Apr 01 00:00:00 2046
# Fingerprint (SHA-256):
B4:58:5F:22:E4:AC:75:6A:4E:86:12:A1:36:1C:5D:9D:03:1A:93:FD:84:FE:BB:77:8F:A3:06:8B:0F:C4:2D:C2
# Fingerprint (SHA1): F9:E1:6D:DC:01:89:CF:D5:82:45:63:3E:C5:37:7D:C2:EB:93:6F:2B
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "Certainly Root E1"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\075\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\022\060\020\006\003\125\004\012\023\011\103\145\162\164\141\151
\156\154\171\061\032\060\030\006\003\125\004\003\023\021\103\145
\162\164\141\151\156\154\171\040\122\157\157\164\040\105\061
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\075\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\022\060\020\006\003\125\004\012\023\011\103\145\162\164\141\151
\156\154\171\061\032\060\030\006\003\125\004\003\023\021\103\145
\162\164\141\151\156\154\171\040\122\157\157\164\040\105\061
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\006\045\063\261\107\003\063\047\134\371\215\232\271\277
\314\370
END
CKA_VALUE MULTILINE_OCTAL
\060\202\001\367\060\202\001\175\240\003\002\001\002\002\020\006
\045\063\261\107\003\063\047\134\371\215\232\271\277\314\370\060
\012\006\010\052\206\110\316\075\004\003\003\060\075\061\013\060
\011\006\003\125\004\006\023\002\125\123\061\022\060\020\006\003
\125\004\012\023\011\103\145\162\164\141\151\156\154\171\061\032
\060\030\006\003\125\004\003\023\021\103\145\162\164\141\151\156
\154\171\040\122\157\157\164\040\105\061\060\036\027\015\062\061
\060\064\060\061\060\060\060\060\060\060\132\027\015\064\066\060
\064\060\061\060\060\060\060\060\060\132\060\075\061\013\060\011
\006\003\125\004\006\023\002\125\123\061\022\060\020\006\003\125
\004\012\023\011\103\145\162\164\141\151\156\154\171\061\032\060
\030\006\003\125\004\003\023\021\103\145\162\164\141\151\156\154
\171\040\122\157\157\164\040\105\061\060\166\060\020\006\007\052
\206\110\316\075\002\001\006\005\053\201\004\000\042\003\142\000
\004\336\157\370\177\034\337\355\371\107\207\206\261\244\300\212
\370\202\227\200\352\217\310\112\136\052\175\210\150\247\001\142
```

```
\024\221\044\172\134\236\243\027\175\212\206\041\064\030\120\033
\020\336\320\067\113\046\307\031\140\200\351\064\275\140\031\066
\100\326\051\207\011\074\221\172\366\274\023\043\335\131\116\004
\136\317\310\002\034\030\123\301\061\330\332\040\351\104\215\344
\166\243\102\060\100\060\016\006\003\125\035\017\001\001\377\004
\004\003\002\001\006\060\017\006\003\125\035\023\001\001\377\004
\005\060\003\001\001\377\060\035\006\003\125\035\016\004\026\004
\024\363\050\030\313\144\165\356\051\052\353\355\256\043\130\070
\205\353\310\042\007\060\012\006\010\052\206\110\316\075\004\003
\003\003\150\000\060\145\002\061\000\261\216\132\040\303\262\031
\142\115\336\260\117\337\156\322\160\212\361\237\176\152\214\346
\272\336\203\151\312\151\263\251\005\265\226\222\027\207\302\322
\352\320\173\316\330\101\133\174\256\002\060\106\336\352\313\135
\232\354\062\302\145\026\260\114\060\134\060\363\332\116\163\206
\006\330\316\211\004\110\067\067\370\335\063\121\235\160\257\173
\125\330\001\056\175\005\144\016\206\270\221
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

```
# Trust for "Certainly Root E1"
```

```
# Issuer: CN=Certainly Root E1,O=Certainly,C=US
```

```
# Serial Number:06:25:33:b1:47:03:33:27:5c:f9:8d:9a:b9:bf:cc:f8
```

```
# Subject: CN=Certainly Root E1,O=Certainly,C=US
```

```
# Not Valid Before: Thu Apr 01 00:00:00 2021
```

```
# Not Valid After : Sun Apr 01 00:00:00 2046
```

```
# Fingerprint (SHA-256):
```

```
B4:58:5F:22:E4:AC:75:6A:4E:86:12:A1:36:1C:5D:9D:03:1A:93:FD:84:FE:BB:77:8F:A3:06:8B:0F:C4:2D:C2
```

```
# Fingerprint (SHA1): F9:E1:6D:DC:01:89:CF:D5:82:45:63:3E:C5:37:7D:C2:EB:93:6F:2B
```

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "Certainly Root E1"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\371\341\155\334\001\211\317\325\202\105\143\076\305\067\175\302
\353\223\157\053
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\012\236\312\315\076\122\120\306\066\363\113\243\355\247\123\351
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\075\061\013\060\011\006\003\125\004\006\023\002\125\123\061
\022\060\020\006\003\125\004\012\023\011\103\145\162\164\141\151
\156\154\171\061\032\060\030\006\003\125\004\003\023\021\103\145
\162\164\141\151\156\154\171\040\122\157\157\164\040\105\061
```

END

```

CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\020\006\045\063\261\107\003\063\047\134\371\215\232\271\277
\314\370
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "E-Tugra Global Root CA RSA v3"
#
# Issuer: CN=E-Tugra Global Root CA RSA v3,OU=E-Tugra Trust Center,O=E-Tugra EBG A.S.,L=Ankara,C=TR
# Serial Number:0d:4d:c5:cd:16:22:95:96:08:7e:b8:0b:7f:15:06:34:fb:79:10:34
# Subject: CN=E-Tugra Global Root CA RSA v3,OU=E-Tugra Trust Center,O=E-Tugra EBG
A.S.,L=Ankara,C=TR
# Not Valid Before: Wed Mar 18 09:07:17 2020
# Not Valid After : Sun Mar 12 09:07:17 2045
# Fingerprint (SHA-256):
EF:66:B0:B1:0A:3C:DB:9F:2E:36:48:C7:6B:D2:AF:18:EA:D2:BF:E6:F1:17:65:5E:28:C4:06:0D:A1:A3:F4:C2
# Fingerprint (SHA1): E9:A8:5D:22:14:52:1C:5B:AA:0A:B4:BE:24:6A:23:8A:C9:BA:E2:A9
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "E-Tugra Global Root CA RSA v3"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\200\061\013\060\011\006\003\125\004\006\023\002\124\122
\061\017\060\015\006\003\125\004\007\023\006\101\156\153\141\162
\141\061\031\060\027\006\003\125\004\012\023\020\105\055\124\165
\147\162\141\040\105\102\107\040\101\056\123\056\061\035\060\033
\006\003\125\004\013\023\024\105\055\124\165\147\162\141\040\124
\162\165\163\164\040\103\145\156\164\145\162\061\046\060\044\006
\003\125\004\003\023\035\105\055\124\165\147\162\141\040\107\154
\157\142\141\154\040\122\157\157\164\040\103\101\040\122\123\101
\040\166\063
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\200\061\013\060\011\006\003\125\004\006\023\002\124\122
\061\017\060\015\006\003\125\004\007\023\006\101\156\153\141\162
\141\061\031\060\027\006\003\125\004\012\023\020\105\055\124\165
\147\162\141\040\105\102\107\040\101\056\123\056\061\035\060\033
\006\003\125\004\013\023\024\105\055\124\165\147\162\141\040\124
\162\165\163\164\040\103\145\156\164\145\162\061\046\060\044\006
\003\125\004\003\023\035\105\055\124\165\147\162\141\040\107\154
\157\142\141\154\040\122\157\157\164\040\103\101\040\122\123\101

```

\040\166\063

END

CKA\_SERIAL\_NUMBER MULTILINE\_OCTAL

\002\024\015\115\305\315\026\042\225\226\010\176\270\013\177\025  
\006\064\373\171\020\064

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\005\363\060\202\003\333\240\003\002\001\002\002\024\015  
\115\305\315\026\042\225\226\010\176\270\013\177\025\006\064\373  
\171\020\064\060\015\006\011\052\206\110\206\367\015\001\001\013  
\005\000\060\201\200\061\013\060\011\006\003\125\004\006\023\002  
\124\122\061\017\060\015\006\003\125\004\007\023\006\101\156\153  
\141\162\141\061\031\060\027\006\003\125\004\012\023\020\105\055  
\124\165\147\162\141\040\105\102\107\040\101\056\123\056\061\035  
\060\033\006\003\125\004\013\023\024\105\055\124\165\147\162\141  
\040\124\162\165\163\164\040\103\145\156\164\145\162\061\046\060  
\044\006\003\125\004\003\023\035\105\055\124\165\147\162\141\040  
\107\154\157\142\141\154\040\122\157\157\164\040\103\101\040\122  
\123\101\040\166\063\060\036\027\015\062\060\060\063\061\070\060  
\071\060\067\061\067\132\027\015\064\065\060\063\061\062\060\071  
\060\067\061\067\132\060\201\200\061\013\060\011\006\003\125\004  
\006\023\002\124\122\061\017\060\015\006\003\125\004\007\023\006  
\101\156\153\141\162\141\061\031\060\027\006\003\125\004\012\023  
\020\105\055\124\165\147\162\141\040\105\102\107\040\101\056\123  
\056\061\035\060\033\006\003\125\004\013\023\024\105\055\124\165  
\147\162\141\040\124\162\165\163\164\040\103\145\156\164\145\162  
\061\046\060\044\006\003\125\004\003\023\035\105\055\124\165\147  
\162\141\040\107\154\157\142\141\154\040\122\157\157\164\040\103  
\101\040\122\123\101\040\166\063\060\202\002\042\060\015\006\011  
\052\206\110\206\367\015\001\001\001\005\000\003\202\002\017\000  
\060\202\002\012\002\202\002\001\000\242\146\360\211\267\162\173  
\356\011\311\143\322\323\103\335\136\303\246\204\070\112\361\215  
\201\273\024\275\107\350\100\027\363\075\303\170\105\162\246\056  
\220\336\232\072\324\040\161\312\274\237\035\113\227\012\307\061  
\272\076\327\376\045\251\052\216\066\364\321\057\307\267\251\135  
\063\334\060\160\370\100\154\113\262\246\061\141\321\064\074\075  
\061\172\307\257\304\247\247\204\341\227\244\350\113\366\027\174  
\356\074\007\355\342\212\127\334\266\373\370\103\045\120\352\047  
\201\250\206\274\217\122\112\226\072\140\032\226\273\375\163\364  
\205\375\203\375\177\204\155\064\154\177\152\267\113\001\003\277  
\255\151\267\327\062\331\365\127\152\351\206\202\076\245\146\061  
\263\026\075\302\363\046\140\062\323\122\036\260\154\244\067\076  
\364\365\257\353\341\337\200\006\317\052\101\347\146\011\341\113  
\227\347\167\275\041\155\051\266\147\303\055\176\355\326\171\145  
\321\317\072\266\321\261\136\126\141\120\172\132\316\116\120\061  
\200\003\230\107\347\344\030\174\104\132\306\244\263\073\306\306  
\303\072\360\154\303\213\310\244\221\005\363\365\331\266\252\006  
\241\267\253\344\261\352\041\024\134\203\244\374\377\266\120\323

\214\022\046\231\166\160\351\300\017\246\164\374\273\320\033\170  
\316\162\222\342\050\234\274\346\351\011\330\072\323\211\346\276  
\056\167\337\001\012\157\226\366\345\215\074\115\122\166\032\126  
\341\163\176\027\254\075\255\154\243\122\022\030\160\346\200\116  
\063\362\176\046\062\254\005\215\070\244\346\166\074\237\020\151  
\016\155\235\322\301\171\040\153\133\317\063\215\321\224\166\065  
\347\135\125\307\267\254\050\253\106\314\347\073\041\265\012\012  
\344\112\131\334\201\065\113\104\225\022\012\147\245\241\377\133  
\000\007\322\300\314\371\077\374\237\063\362\000\370\214\154\207  
\235\006\055\361\357\343\346\006\372\305\146\023\133\374\120\007  
\236\161\206\262\332\157\164\060\317\223\123\350\334\042\326\336  
\040\037\141\215\243\056\243\170\062\220\154\334\254\062\265\005  
\344\365\074\063\015\326\340\207\167\027\114\235\260\330\011\250  
\015\127\367\104\205\360\310\004\276\134\135\132\343\027\216\124  
\143\151\177\111\164\144\005\214\243\002\003\001\000\001\243\143  
\060\141\060\017\006\003\125\035\023\001\001\377\004\005\060\003  
\001\001\377\060\037\006\003\125\035\043\004\030\060\026\200\024  
\262\264\256\346\055\367\046\325\252\165\055\166\113\300\033\123  
\041\320\110\357\060\035\006\003\125\035\016\004\026\004\024\262  
\264\256\346\055\367\046\325\252\165\055\166\113\300\033\123\041  
\320\110\357\060\016\006\003\125\035\017\001\001\377\004\004\003  
\002\001\006\060\015\006\011\052\206\110\206\367\015\001\001\013  
\005\000\003\202\002\001\000\211\250\162\177\214\353\316\056\030  
\304\020\200\055\020\014\377\373\024\315\004\340\024\074\116\232  
\373\237\051\277\042\236\127\271\202\163\022\143\046\265\314\220  
\351\322\052\051\356\234\055\314\054\231\276\105\047\344\261\161  
\355\344\070\225\061\101\362\175\172\143\170\337\312\066\026\057  
\202\210\237\274\021\107\117\166\115\310\055\216\353\337\055\174  
\116\073\332\256\366\343\332\135\024\246\256\350\205\104\235\006  
\156\216\373\357\172\112\152\055\053\050\030\376\277\220\054\165  
\026\237\017\352\226\175\005\356\233\023\245\104\154\370\003\320  
\335\043\341\375\003\022\022\010\364\030\064\263\340\067\013\167  
\021\001\110\277\141\264\265\370\031\331\313\115\352\243\214\357  
\375\360\006\265\155\222\364\112\141\120\204\355\354\111\323\344  
\276\150\346\056\343\061\013\124\013\032\222\326\202\330\266\242  
\145\074\146\004\371\125\332\154\373\333\265\024\146\115\224\203  
\073\315\036\246\053\262\376\167\100\206\253\347\337\012\311\375  
\366\335\207\126\030\330\260\054\125\140\226\372\010\176\122\220  
\365\113\246\056\207\174\313\040\333\006\076\240\135\003\167\175  
\242\074\023\033\051\242\023\125\240\075\024\042\257\157\270\320  
\232\033\162\335\005\001\215\206\140\277\244\147\356\265\245\015  
\321\177\346\032\053\142\146\303\007\272\347\240\110\034\070\303  
\351\105\373\247\177\374\355\002\150\032\312\167\022\167\246\000  
\125\050\024\354\326\307\022\242\033\145\102\351\221\350\313\076  
\207\211\124\135\331\257\235\227\234\151\347\012\377\017\132\170  
\213\143\052\114\175\107\224\077\336\113\351\123\320\060\361\305  
\366\236\111\337\073\240\221\243\243\376\315\130\314\352\337\257  
\157\050\073\240\151\233\217\354\254\256\053\124\235\233\004\261

```
\107\040\257\226\022\076\143\224\035\004\347\056\273\206\307\014
\232\210\277\166\107\357\367\260\013\227\146\322\104\317\140\122
\007\341\325\054\112\072\047\141\167\312\327\217\347\207\016\060
\377\014\273\004\342\141\303\242\310\227\141\216\264\060\152\074
\155\302\007\137\112\163\057\077\371\026\212\001\146\357\272\221
\312\122\127\173\256\324\346\017\335\013\172\177\213\236\046\040
\317\073\357\201\161\203\131
```

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE
```

# Trust for "E-Tugra Global Root CA RSA v3"

# Issuer: CN=E-Tugra Global Root CA RSA v3,OU=E-Tugra Trust Center,O=E-Tugra EBG A.S.,L=Ankara,C=TR

# Serial Number:0d:4d:c5:cd:16:22:95:96:08:7e:b8:0b:7f:15:06:34:fb:79:10:34

# Subject: CN=E-Tugra Global Root CA RSA v3,OU=E-Tugra Trust Center,O=E-Tugra EBG  
A.S.,L=Ankara,C=TR

# Not Valid Before: Wed Mar 18 09:07:17 2020

# Not Valid After : Sun Mar 12 09:07:17 2045

# Fingerprint (SHA-256):

EF:66:B0:B1:0A:3C:DB:9F:2E:36:48:C7:6B:D2:AF:18:EA:D2:BF:E6:F1:17:65:5E:28:C4:06:0D:A1:A3:F4:C2

# Fingerprint (SHA1): E9:A8:5D:22:14:52:1C:5B:AA:0A:B4:BE:24:6A:23:8A:C9:BA:E2:A9

```
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
```

```
CKA_TOKEN CK_BBOOL CK_TRUE
```

```
CKA_PRIVATE CK_BBOOL CK_FALSE
```

```
CKA_MODIFIABLE CK_BBOOL CK_FALSE
```

```
CKA_LABEL UTF8 "E-Tugra Global Root CA RSA v3"
```

```
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
```

```
\351\250\135\042\024\122\034\133\252\012\264\276\044\152\043\212
\311\272\342\251
```

END

```
CKA_CERT_MD5_HASH MULTILINE_OCTAL
```

```
\042\276\020\366\302\370\003\210\163\137\063\051\107\050\107\244
```

END

```
CKA_ISSUER MULTILINE_OCTAL
```

```
\060\201\200\061\013\060\011\006\003\125\004\006\023\002\124\122
\061\017\060\015\006\003\125\004\007\023\006\101\156\153\141\162
\141\061\031\060\027\006\003\125\004\012\023\020\105\055\124\165
\147\162\141\040\105\102\107\040\101\056\123\056\061\035\060\033
\006\003\125\004\013\023\024\105\055\124\165\147\162\141\040\124
\162\165\163\164\040\103\145\156\164\145\162\061\046\060\044\006
\003\125\004\003\023\035\105\055\124\165\147\162\141\040\107\154
\157\142\141\154\040\122\157\157\164\040\103\101\040\122\123\101
\040\166\063
```

END

```
CKA_SERIAL_NUMBER MULTILINE_OCTAL
```

```
\002\024\015\115\305\315\026\042\225\226\010\176\270\013\177\025
\006\064\373\171\020\064
```

```

END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE

#
# Certificate "E-Tugra Global Root CA ECC v3"
#
# Issuer: CN=E-Tugra Global Root CA ECC v3,OU=E-Tugra Trust Center,O=E-Tugra EBG A.S.,L=Ankara,C=TR
# Serial Number:26:46:19:77:31:e1:4f:6f:28:36:de:39:51:86:e6:d4:97:88:22:c1
# Subject: CN=E-Tugra Global Root CA ECC v3,OU=E-Tugra Trust Center,O=E-Tugra EBG
A.S.,L=Ankara,C=TR
# Not Valid Before: Wed Mar 18 09:46:58 2020
# Not Valid After : Sun Mar 12 09:46:58 2045
# Fingerprint (SHA-256):
87:3F:46:85:FA:7F:56:36:25:25:2E:6D:36:BC:D7:F1:6F:C2:49:51:F2:64:E4:7E:1B:95:4F:49:08:CD:CA:13
# Fingerprint (SHA1): 8A:2F:AF:57:53:B1:B0:E6:A1:04:EC:5B:6A:69:71:6D:F6:1C:E2:84
CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "E-Tugra Global Root CA ECC v3"
CKA_CERTIFICATE_TYPE CK_CERTIFICATE_TYPE CKC_X_509
CKA_SUBJECT MULTILINE_OCTAL
\060\201\200\061\013\060\011\006\003\125\004\006\023\002\124\122
\061\017\060\015\006\003\125\004\007\023\006\101\156\153\141\162
\141\061\031\060\027\006\003\125\004\012\023\020\105\055\124\165
\147\162\141\040\105\102\107\040\101\056\123\056\061\035\060\033
\006\003\125\004\013\023\024\105\055\124\165\147\162\141\040\124
\162\165\163\164\040\103\145\156\164\145\162\061\046\060\044\006
\003\125\004\003\023\035\105\055\124\165\147\162\141\040\107\154
\157\142\141\154\040\122\157\157\164\040\103\101\040\105\103\103
\040\166\063
END
CKA_ID UTF8 "0"
CKA_ISSUER MULTILINE_OCTAL
\060\201\200\061\013\060\011\006\003\125\004\006\023\002\124\122
\061\017\060\015\006\003\125\004\007\023\006\101\156\153\141\162
\141\061\031\060\027\006\003\125\004\012\023\020\105\055\124\165
\147\162\141\040\105\102\107\040\101\056\123\056\061\035\060\033
\006\003\125\004\013\023\024\105\055\124\165\147\162\141\040\124
\162\165\163\164\040\103\145\156\164\145\162\061\046\060\044\006
\003\125\004\003\023\035\105\055\124\165\147\162\141\040\107\154
\157\142\141\154\040\122\157\157\164\040\103\101\040\105\103\103
\040\166\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL

```



\002\024\046\106\031\167\061\341\117\157\050\066\336\071\121\206  
\346\324\227\210\042\301

END

CKA\_VALUE MULTILINE\_OCTAL

\060\202\002\245\060\202\002\052\240\003\002\001\002\002\024\046  
\106\031\167\061\341\117\157\050\066\336\071\121\206\346\324\227  
\210\042\301\060\012\006\010\052\206\110\316\075\004\003\003\060  
\201\200\061\013\060\011\006\003\125\004\006\023\002\124\122\061  
\017\060\015\006\003\125\004\007\023\006\101\156\153\141\162\141  
\061\031\060\027\006\003\125\004\012\023\020\105\055\124\165\147  
\162\141\040\105\102\107\040\101\056\123\056\061\035\060\033\006  
\003\125\004\013\023\024\105\055\124\165\147\162\141\040\124\162  
\165\163\164\040\103\145\156\164\145\162\061\046\060\044\006\003  
\125\004\003\023\035\105\055\124\165\147\162\141\040\107\154\157  
\142\141\154\040\122\157\157\164\040\103\101\040\105\103\103\040  
\166\063\060\036\027\015\062\060\060\063\061\070\060\071\064\066  
\065\070\132\027\015\064\065\060\063\061\062\060\071\064\066\065  
\070\132\060\201\200\061\013\060\011\006\003\125\004\006\023\002  
\124\122\061\017\060\015\006\003\125\004\007\023\006\101\156\153  
\141\162\141\061\031\060\027\006\003\125\004\012\023\020\105\055  
\124\165\147\162\141\040\105\102\107\040\101\056\123\056\061\035  
\060\033\006\003\125\004\013\023\024\105\055\124\165\147\162\141  
\040\124\162\165\163\164\040\103\145\156\164\145\162\061\046\060  
\044\006\003\125\004\003\023\035\105\055\124\165\147\162\141\040  
\107\154\157\142\141\154\040\122\157\157\164\040\103\101\040\105  
\103\103\040\166\063\060\166\060\020\006\007\052\206\110\316\075  
\002\001\006\005\053\201\004\000\042\003\142\000\004\216\230\051  
\277\307\020\036\047\333\253\003\314\050\054\330\136\110\031\020  
\051\314\313\131\201\314\214\270\222\027\211\203\052\222\366\303  
\244\035\114\142\325\237\326\240\106\334\034\274\166\301\343\107  
\320\133\023\332\347\245\263\146\110\347\041\232\112\117\206\012  
\175\154\352\115\062\200\012\262\172\011\233\151\113\230\201\342  
\056\354\002\160\226\037\375\365\106\316\312\334\202\243\143\060  
\141\060\017\006\003\125\035\023\001\001\377\004\005\060\003\001  
\001\377\060\037\006\003\125\035\043\004\030\060\026\200\024\377  
\202\061\162\076\371\304\146\154\255\070\236\321\260\121\210\245  
\220\314\365\060\035\006\003\125\035\016\004\026\004\024\377\202  
\061\162\076\371\304\146\154\255\070\236\321\260\121\210\245\220  
\314\365\060\016\006\003\125\035\017\001\001\377\004\004\003\002  
\001\006\060\012\006\010\052\206\110\316\075\004\003\003\003\151  
\000\060\146\002\061\000\346\005\130\151\141\345\055\312\015\313  
\361\031\010\275\326\375\121\222\032\176\143\124\004\220\221\232  
\065\221\071\231\372\007\251\146\223\272\310\150\324\212\077\372  
\355\156\026\002\047\267\002\061\000\335\132\027\053\166\035\145  
\102\226\246\254\135\212\171\126\330\212\033\337\232\336\137\307  
\120\217\261\133\161\014\046\337\152\100\000\354\063\221\041\161  
\276\150\344\043\244\331\255\241\067

END

```
CKA_NSS_MOZILLA_CA_POLICY CK_BBOOL CK_TRUE
CKA_NSS_SERVER_DISTRICT_AFTER CK_BBOOL CK_FALSE
CKA_NSS_EMAIL_DISTRICT_AFTER CK_BBOOL CK_FALSE

# Trust for "E-Tugra Global Root CA ECC v3"
# Issuer: CN=E-Tugra Global Root CA ECC v3,OU=E-Tugra Trust Center,O=E-Tugra EBG A.S.,L=Ankara,C=TR
# Serial Number:26:46:19:77:31:e1:4f:6f:28:36:de:39:51:86:e6:d4:97:88:22:c1
# Subject: CN=E-Tugra Global Root CA ECC v3,OU=E-Tugra Trust Center,O=E-Tugra EBG
A.S.,L=Ankara,C=TR
# Not Valid Before: Wed Mar 18 09:46:58 2020
# Not Valid After : Sun Mar 12 09:46:58 2045
# Fingerprint (SHA-256):
87:3F:46:85:FA:7F:56:36:25:25:2E:6D:36:BC:D7:F1:6F:C2:49:51:F2:64:E4:7E:1B:95:4F:49:08:CD:CA:13
# Fingerprint (SHA1): 8A:2F:AF:57:53:B1:B0:E6:A1:04:EC:5B:6A:69:71:6D:F6:1C:E2:84
CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST
CKA_TOKEN CK_BBOOL CK_TRUE
CKA_PRIVATE CK_BBOOL CK_FALSE
CKA_MODIFIABLE CK_BBOOL CK_FALSE
CKA_LABEL UTF8 "E-Tugra Global Root CA ECC v3"
CKA_CERT_SHA1_HASH MULTILINE_OCTAL
\212\057\257\127\123\261\260\346\241\004\354\133\152\151\161\155
\366\034\342\204
END
CKA_CERT_MD5_HASH MULTILINE_OCTAL
\106\274\201\273\361\265\036\367\113\226\274\024\342\347\047\144
END
CKA_ISSUER MULTILINE_OCTAL
\060\201\200\061\013\060\011\006\003\125\004\006\023\002\124\122
\061\017\060\015\006\003\125\004\007\023\006\101\156\153\141\162
\141\061\031\060\027\006\003\125\004\012\023\020\105\055\124\165
\147\162\141\040\105\102\107\040\101\056\123\056\061\035\060\033
\006\003\125\004\013\023\024\105\055\124\165\147\162\141\040\124
\162\165\163\164\040\103\145\156\164\145\162\061\046\060\044\006
\003\125\004\003\023\035\105\055\124\165\147\162\141\040\107\154
\157\142\141\154\040\122\157\157\164\040\103\101\040\105\103\103
\040\166\063
END
CKA_SERIAL_NUMBER MULTILINE_OCTAL
\002\024\046\106\031\167\061\341\117\157\050\066\336\071\121\206
\346\324\227\210\042\301
END
CKA_TRUST_SERVER_AUTH CK_TRUST CKT_NSS_TRUSTED_DELEGATOR
CKA_TRUST_EMAIL_PROTECTION CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_CODE_SIGNING CK_TRUST CKT_NSS_MUST_VERIFY_TRUST
CKA_TRUST_STEP_UP_APPROVED CK_BBOOL CK_FALSE
```

Found in path(s):

\* /opt/cola/permits/1527795472\_1674094687.5907822/0/ca-certificates-20220614-tar-bz2/ca-certificates-

# 1.72 spring-security-core 6.0.2

## 1.72.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002-2020 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1585302372_1678145636.1144652/0/spring-security-core-6-0-2-sources-
jar/org/springframework/security/authentication/DefaultAuthenticationEventPublisher.java
* /opt/cola/permits/1585302372_1678145636.1144652/0/spring-security-core-6-0-2-sources-
jar/org/springframework/security/core/session/AbstractSessionEvent.java
* /opt/cola/permits/1585302372_1678145636.1144652/0/spring-security-core-6-0-2-sources-
jar/org/springframework/security/core/session/SessionIdChangedEvent.java
* /opt/cola/permits/1585302372_1678145636.1144652/0/spring-security-core-6-0-2-sources-
jar/org/springframework/security/authentication/ProviderManager.java
* /opt/cola/permits/1585302372_1678145636.1144652/0/spring-security-core-6-0-2-sources-
jar/org/springframework/security/authorization/AuthorizationManager.java
* /opt/cola/permits/1585302372_1678145636.1144652/0/spring-security-core-6-0-2-sources-
jar/org/springframework/security/core/session/SessionDestroyedEvent.java
* /opt/cola/permits/1585302372_1678145636.1144652/0/spring-security-core-6-0-2-sources-
jar/org/springframework/security/core/session/SessionCreationEvent.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2015-2018 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *
```

```
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1585302372_1678145636.1144652/0/spring-security-core-6-0-2-sources-
jar/org/springframework/security/jackson2/UserDeserializer.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2002-2016 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

```
/**
* Determines if the {@link #getAuthentication()} has permission to access the target
* given the permission
* @param target the target domain object to check permission on
* @param permission the permission to check on the domain object (i.e. "read",
* "write", etc).
* @return true if permission is granted to the {@link #getAuthentication()}, else
* false
*/
```

Found in path(s):

```
* /opt/cola/permits/1585302372_1678145636.1144652/0/spring-security-core-6-0-2-sources-
jar/org/springframework/security/access/expression/SecurityExpressionOperations.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2012-2016 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
```

\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/access/hierarchicalroles/RoleHierarchyUtils.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2004, 2005, 2006 Acegi Technology Pty Limited  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

/\*\*  
\* Reviews the `Object` returned from a secure object invocation, being able to  
\* modify the `Object` or throw an `AccessDeniedException`.  
\* 

\* Typically used to ensure the principal is permitted to access the domain object  
\* instance returned by a service layer bean. Can also be used to mutate the domain object  
\* instance so the principal is only able to access authorised bean properties or  
\* `Collection` elements.

\* Special consideration should be given to using an `AfterInvocationManager`  
\* on bean methods that modify a database. Typically an  
\* `AfterInvocationManager` is used with read-only methods, such as  
\* `public DomainObject getById(id)`. If used with methods that modify a  
\* database, a transaction manager should be used to ensure any  
\* `AccessDeniedException` will cause a rollback of the changes made by the  
\* transaction.

```
* </p>
*
* @author Ben Alex
* @see org.springframework.security.authorization.method.AuthorizationManagerBeforeMethodInterceptor
* @see org.springframework.security.authorization.method.AuthorizationManagerAfterMethodInterceptor
* @deprecated Use delegation with { @link AuthorizationManager }
*/
```

Found in path(s):

```
* /opt/cola/permits/1585302372_1678145636.1144652/0/spring-security-core-6-0-2-sources-
jar/org/springframework/security/access/intercept/AfterInvocationManager.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2002-2016 the original author or authors.
```

```
/*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
/*
```

```
* https://www.apache.org/licenses/LICENSE-2.0
```

```
/*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
* See the License for the specific language governing permissions and
```

```
* limitations under the License.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1585302372_1678145636.1144652/0/spring-security-core-6-0-2-sources-
jar/org/springframework/security/access/package-info.java
```

```
* /opt/cola/permits/1585302372_1678145636.1144652/0/spring-security-core-6-0-2-sources-
jar/org/springframework/security/core/authority/mapping/GrantedAuthoritiesMapper.java
```

```
* /opt/cola/permits/1585302372_1678145636.1144652/0/spring-security-core-6-0-2-sources-
jar/org/springframework/security/access/method/package-info.java
```

```
* /opt/cola/permits/1585302372_1678145636.1144652/0/spring-security-core-6-0-2-sources-
jar/org/springframework/security/access/prepost/PreAuthorize.java
```

```
* /opt/cola/permits/1585302372_1678145636.1144652/0/spring-security-core-6-0-2-sources-
jar/org/springframework/security/concurrent/DelegatingSecurityContextScheduledExecutorService.java
```

```
* /opt/cola/permits/1585302372_1678145636.1144652/0/spring-security-core-6-0-2-sources-
jar/org/springframework/security/core/token/TokenService.java
```

```
* /opt/cola/permits/1585302372_1678145636.1144652/0/spring-security-core-6-0-2-sources-
jar/org/springframework/security/task/DelegatingSecurityContextAsyncTaskExecutor.java
```

```
* /opt/cola/permits/1585302372_1678145636.1144652/0/spring-security-core-6-0-2-sources-
jar/org/springframework/security/access/hierarchicalroles/package-info.java
```

```
* /opt/cola/permits/1585302372_1678145636.1144652/0/spring-security-core-6-0-2-sources-
jar/org/springframework/security/authentication/jaas/package-info.java
```

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/access/prepost/PostAuthorize.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/core/authority/mapping/MapBasedAttributes2GrantedAuthoritiesMapper.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/access/intercept/aspectj/AspectJMethodSecurityInterceptor.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/core/userdetails/cache/package-info.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/core/context/package-info.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/concurrent/DelegatingSecurityContextExecutor.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/access/intercept/aopalliance/package-info.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/access/annotation/package-info.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/access/vote/package-info.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/core/token/Sha512DigestUtils.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/core/authority/mapping/MappableAttributesRetriever.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/provisioning/MutableUser.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/jackson2/package-info.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/access/expression/package-info.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/core/userdetails/UserDetailsChecker.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/authentication/dao/package-info.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/access/intercept/aspectj/MethodInvocationAdapter.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/provisioning/GroupManager.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/access/method/P.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/core/authority/mapping/Attributes2GrantedAuthoritiesMapper.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/access/event/package-info.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/provisioning/MutableUserDetails.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/authentication/jaas/event/package-info.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/core/token/DefaultToken.java

- \* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/task/DelegatingSecurityContextTaskExecutor.java
- \* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/core/userdetails/jdbc/package-info.java
- \* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/access/hierarchicalroles/RoleHierarchyAuthoritiesMapper.java
- \* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/access/prepost/PostFilter.java
- \* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/core/userdetails/cache/SpringCacheBasedUserCache.java
- \* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/core/userdetails/AuthenticationUserDetailsService.java
- \* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/access/prepost/package-info.java
- \* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/authentication/AccountStatusUserDetailsChecker.java
- \* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/core/authority/GrantedAuthoritiesContainer.java
- \* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/authentication/event/package-info.java
- \* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/core/authority/mapping/package-info.java
- \* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/core/authority/mapping/NullAuthoritiesMapper.java
- \* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/access/prepost/PreFilter.java
- \* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/access/hierarchicalroles/NullRoleHierarchy.java
- \* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/access/expression/method/MethodSecurityExpressionHandler.java
- \* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/access/hierarchicalroles/RoleHierarchy.java
- \* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/core/userdetails/UserDetailsByNameServiceWrapper.java
- \* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/authentication/jaas/memory/package-info.java
- \* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/core/authority/SimpleGrantedAuthority.java
- \* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/access/expression/method/package-info.java
- \* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/authentication/AuthenticationEventPublisher.java
- \* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/core/ComparableVersion.java
- \* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/context/DelegatingApplicationListener.java
- \* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/scheduling/DelegatingSecurityContextSchedulingTaskExecutor.java



\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/core/CredentialsContainer.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/util/package-info.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/core/userdetails/memory/package-info.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/core/authority/mapping/SimpleMappableAttributesRetriever.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/core/authority/package-info.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/core/authority/mapping/SimpleAttributes2GrantedAuthoritiesMapper.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/core/userdetails/package-info.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/access/hierarchicalroles/CycleInRoleHierarchyException.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/access/PermissionCacheOptimizer.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/authentication/InternalAuthenticationServiceException.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/concurrent/DelegatingSecurityContextExecutorService.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/core/token/package-info.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/access/expression/DenyAllPermissionEvaluator.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/core/authority/mapping/SimpleAuthorityMapper.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/provisioning/UserDetailsManager.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/core/authority/AuthorityUtils.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/access/intercept/package-info.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/access/expression/ExpressionUtils.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/access/intercept/aspectj/package-info.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/access/expression/method/MethodSecurityExpressionOperations.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/core/package-info.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/core/parameters/DefaultSecurityParameterNameDiscoverer.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/authentication/AccountStatusException.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/provisioning/package-info.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/core/session/package-info.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/authentication/package-info.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2015-2021 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/jackson2/SecurityJackson2Modules.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2017 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/authorization/ReactiveAuthorizationManager.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/core/userdetails/ReactiveUserDetailsService.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/authentication/ReactiveAuthenticationManager.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/core/userdetails/MapReactiveUserDetailsService.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/core/SpringSecurityCoreVersion.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/authorization/AuthenticatedReactiveAuthorizationManager.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/core/parameters/P.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/core/context/ReactiveSecurityContextHolder.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/core/AuthenticatedPrincipal.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2016 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/  
/\*\*  
\* @param authentication represents the user in question. Should not be null.  
\* @param targetDomainObject the domain object for which permissions should be  
\* checked. May be null in which case implementations should return false, as the null  
\* condition can be checked explicitly in the expression.  
\* @param permission a representation of the permission object as supplied by the  
\* expression system. Not null.  
\* @return true if the permission is granted, false otherwise  
\*/

Found in path(s):

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/access/PermissionEvaluator.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2010-2016 the original author or authors.

\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/authentication/jaas/memory/InMemoryConfiguration.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/authentication/jaas/DefaultJaasAuthenticationProvider.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2010-2021 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/authentication/jaas/AbstractJaasAuthenticationProvider.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2022 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at

\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/authentication/AuthenticationObservationContext.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/authentication/AbstractUserDetailsReactiveAuthenticationManager.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/authorization/method/PostAuthorizeExpressionAttributeRegistry.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/access/expression/method/AbstractExpressionBasedMethodConfigAttribute.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/authorization/method/MethodExpressionAuthorizationManager.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/authorization/AuthorizationManagers.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/authorization/method/PostFilterAuthorizationReactiveMethodInterceptor.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/provisioning/InMemoryUserDetailsManager.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/authentication/ObservationAuthenticationManager.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/access/expression/method/ExpressionBasedPostInvocationAdvice.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/access/expression/SecurityExpressionRoot.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/access/prepost/PrePostInvocationAttributeFactory.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/access/expression/method/PreInvocationExpressionAttribute.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/access/prepost/PreInvocationAuthorizationAdviceVoter.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/authorization/method/AuthorizationMethodPointcuts.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/access/expression/SecurityExpressionHandler.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/authorization/method/PreAuthorizeAuthorizationManager.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/access/prepost/PostInvocationAuthorizationAdvice.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-

jar/org/springframework/security/access/expression/method/PostInvocationExpressionAttribute.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/authorization/SpringAuthorizationEventPublisher.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/authorization/ObservationReactiveAuthorizationManager.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/authorization/method/PostFilterExpressionAttributeRegistry.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/authorization/AuthenticatedAuthorizationManager.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/access/expression/method/DefaultMethodSecurityExpressionHandler.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/authorization/AuthorityAuthorizationManager.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/authorization/AuthorizationObservationConvention.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/authorization/ObservationAuthorizationManager.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/authorization/event/AuthorizationEvent.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/authorization/method/PreAuthorizeExpressionAttributeRegistry.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/authorization/method/AuthorizationManagerAfterReactiveMethodInterceptor.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/jackson2/UnmodifiableMapMixin.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/authorization/method/PostAuthorizeAuthorizationManager.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/access/prepost/PreInvocationAttribute.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/authorization/method/PreFilterExpressionAttributeRegistry.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/access/annotation/AnnotationMetadataExtractor.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/authorization/method/PostAuthorizeReactiveAuthorizationManager.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/access/expression/method/ExpressionBasedPreInvocationAdvice.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/authorization/method/PreAuthorizeReactiveAuthorizationManager.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/access/expression/method/MethodSecurityEvaluationContext.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/access/prepost/PostInvocationAttribute.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/access/vote/RoleHierarchyVoter.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/authentication/AuthenticationObservationConvention.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-

jar/org/springframework/security/authorization/AuthorizationEventPublisher.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/authorization/method/PreFilterAuthorizationMethodInterceptor.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/authorization/method/PreFilterAuthorizationReactiveMethodInterceptor.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/authorization/event/AuthorizationGrantedEvent.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/access/prepost/PrePostAnnotationSecurityMetadataSource.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/access/expression/AbstractSecurityExpressionHandler.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/concurrent/DelegatingSecurityContextCallable.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/core/context/ObservationSecurityContextChangedListener.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/core/context/ListeningSecurityContextHolderStrategy.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/core/context/DeferredSecurityContext.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/access/expression/method/ExpressionBasedAnnotationAttributeFactory.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/authorization/event/AuthorizationDeniedEvent.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/aot/hint/CoreSecurityRuntimeHints.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/authentication/ObservationReactiveAuthenticationManager.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/provisioning/JdbcUserDetailsManager.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/access/method/DelegatingMethodSecurityMetadataSource.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/access/method/AbstractFallbackMethodSecurityMetadataSource.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/authorization/AuthorizationObservationContext.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/authorization/method/AuthorizationManagerBeforeReactiveMethodInterceptor.java  
a  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/core/context/TransientSecurityContext.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/concurrent/DelegatingSecurityContextRunnable.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/access/annotation/Js250Voter.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/authorization/method/PostFilterAuthorizationMethodInterceptor.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/access/expression/method/MethodSecurityExpressionRoot.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/authorization/method/AuthorizationManagerAfterMethodInterceptor.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/authorization/method/AuthorizationManagerBeforeMethodInterceptor.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/authorization/method/ReactiveExpressionUtils.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/authorization/method/ReactiveMethodInvocationUtils.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/jackson2/UnmodifiableMapDeserializer.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/concurrent/AbstractDelegatingSecurityContextSupport.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/authorization/method/ReactiveAuthenticationUtils.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/access/prepost/PostInvocationAdviceProvider.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/access/annotation/Js250SecurityConfig.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/access/prepost/PreInvocationAuthorizationAdvice.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2019 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/authentication/ReactiveAuthenticationManagerResolver.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/access/hierarchicalroles/RoleHierarchyImpl.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/core/userdetails/UserDetailsPasswordService.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/authentication/AuthenticationManagerResolver.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-



jar/org/springframework/security/authentication/event/LogoutSuccessEvent.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/core/annotation/CurrentSecurityContext.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/core/token/SecureRandomFactoryBean.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/authentication/UserDetailsRepositoryReactiveAuthenticationManager.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/authentication/ReactiveAuthenticationManagerAdapter.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2013 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/core/annotation/AuthenticationPrincipal.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/core/parameters/AnnotationParameterNameDiscoverer.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2004, 2005, 2006 Acegi Technology Pty Limited  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/access/vote/AbstractAccessDecisionManager.java
- \* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/access/event/AbstractAuthorizationEvent.java
- \* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/authentication/event/AuthenticationFailureExpiredEvent.java
- \* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/core/Authentication.java
- \* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/authentication/AuthenticationManager.java
- \* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/util/SimpleMethodInvocation.java
- \* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/authentication/jaas/event/JaasAuthenticationSuccessEvent.java
- \* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/access/intercept/RunAsManagerImpl.java
- \* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/access/intercept/NullRunAsManager.java
- \* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/authentication/event/AbstractAuthenticationFailureEvent.java
- \* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/authentication/AccountExpiredException.java
- \* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/authentication/jaas/JaasAuthenticationProvider.java
- \* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/authentication/event/AuthenticationFailureLockedEvent.java
- \* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/authentication/jaas/DefaultLoginExceptionResolver.java
- \* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/authentication/InsufficientAuthenticationException.java
- \* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/authentication/AnonymousAuthenticationToken.java
- \* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/authentication/AbstractAuthenticationToken.java
- \* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/access/ConfigAttribute.java
- \* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/core/GrantedAuthority.java
- \* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/authentication/AuthenticationDetailsSource.java
- \* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/authentication/LockedException.java
- \* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/access/AccessDecisionVoter.java
- \* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-

jar/org/springframework/security/access/intercept/RunAsManager.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/access/annotation/Jsr250MethodSecurityMetadataSource.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/authentication/AnonymousAuthenticationProvider.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/authentication/jaas/event/JaasAuthenticationEvent.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/core/SpringSecurityMessageSource.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/authentication/event/AuthenticationFailureCredentialsExpiredEvent.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/util/InMemoryResource.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/authentication/jaas/AuthorityGranter.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/core/userdetails/jdbc/JdbcDaoImpl.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/authentication/event/AuthenticationFailureDisabledEvent.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/access/intercept/aopalliance/MethodSecurityMetadataSourceAdvisor.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/access/vote/AffirmativeBased.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/access/AuthorizationServiceException.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/authentication/DisabledException.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/util/MethodInvocationUtils.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/authentication/jaas/SecurityContextLoginModule.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/core/userdetails/UserCache.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/authentication/jaas/JaasPasswordCallbackHandler.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/access/vote/UnanimousBased.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/authentication/event/AuthenticationSuccessEvent.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/authentication/jaas/JaasAuthenticationCallbackHandler.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/access/event/AuthenticationCredentialsNotFoundEvent.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/access/AccessDecisionManager.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/authentication/ProviderNotFoundException.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-

jar/org/springframework/security/authentication/event/AuthenticationFailureBadCredentialsEvent.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/core/userdetails/memory/UserAttribute.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/core/userdetails/UsernameNotFoundException.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/access/vote/AbstractAclVoter.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/core/context/SecurityContext.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/core/session/SessionInformation.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/authentication/jaas/JaasNameCallbackHandler.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/authentication/RememberMeAuthenticationToken.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/access/intercept/MethodInvocationPrivilegeEvaluator.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/core/userdetails/cache/NullUserCache.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/authentication/jaas/LoginExceptionResolver.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/util/FieldUtils.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/authentication/AuthenticationTrustResolverImpl.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/access/annotation/Secured.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/authentication/event/AuthenticationFailureServiceExceptionEvent.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/access/event/LoggerListener.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/authentication/event/AuthenticationFailureProxyUntrustedEvent.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/access/intercept/AbstractSecurityInterceptor.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/core/userdetails/UserDetailsService.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/access/SecurityMetadataSource.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/access/vote/ConsensusBased.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/authentication/UsernamePasswordAuthenticationToken.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/access/intercept/AfterInvocationProviderManager.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/access/annotation/SecuredAnnotationSecurityMetadataSource.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-

jar/org/springframework/security/authentication/dao/DaoAuthenticationProvider.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/authentication/AuthenticationCredentialsNotFoundException.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/authentication/event/AuthenticationFailureProviderNotFoundEvent.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/core/userdetails/UserDetails.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/access/intercept/aopalliance/MethodSecurityInterceptor.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/authentication/event/LoggerListener.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/access/vote/AuthenticatedVoter.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/authentication/AuthenticationServiceException.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/access/intercept/RunAsImplAuthenticationProvider.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/access/method/AbstractMethodSecurityMetadataSource.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/core/context/ThreadLocalSecurityContextHolderStrategy.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/access/AccessDeniedException.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/access/SecurityConfig.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/access/intercept/RunAsUserToken.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/authentication/jaas/JaasGrantedAuthority.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/access/method/MethodSecurityMetadataSource.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/core/context/SecurityContextHolderStrategy.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/access/event/AuthorizedEvent.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/authentication/AuthenticationProvider.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/core/session/SessionRegistryImpl.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/authentication/BadCredentialsException.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/access/event/PublicInvocationEvent.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/core/context/SecurityContextHolder.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/access/event/AuthorizationFailureEvent.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-

jar/org/springframework/security/authentication/jaas/event/JaasAuthenticationFailedEvent.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/core/context/GlobalSecurityContextHolderStrategy.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/authentication/event/InteractiveAuthenticationSuccessEvent.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/authentication/jaas/JaasAuthenticationToken.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/access/method/MapBasedMethodSecurityMetadataSource.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/core/session/SessionRegistry.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/authentication/CredentialsExpiredException.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/authentication/event/AbstractAuthenticationEvent.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/access/intercept/InterceptorStatusToken.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/authentication/RememberMeAuthenticationProvider.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/authentication/TestingAuthenticationToken.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/core/userdetails/memory/UserAttributeEditor.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/authentication/AuthenticationTrustResolver.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/authentication/dao/AbstractUserDetailsAuthenticationProvider.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/core/userdetails/User.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/access/vote/RoleVoter.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/core/context/SecurityContextImpl.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/core/AuthenticationException.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/authentication/TestingAuthenticationProvider.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/core/context/InheritableThreadLocalSecurityContextHolderStrategy.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/access/intercept/aspectj/AspectJCallback.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-  
jar/org/springframework/security/access/AfterInvocationProvider.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015-2016 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/jackson2/SimpleGrantedAuthorityMixin.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/jackson2/UserMixin.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/jackson2/CoreJackson2Module.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/jackson2/RememberMeAuthenticationTokenMixin.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/jackson2/UsernamePasswordAuthenticationTokenMixin.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/jackson2/AnonymousAuthenticationTokenMixin.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/jackson2/UnmodifiableSetDeserializer.java  
\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/jackson2/UnmodifiableSetMixin.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2015-2022 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/jackson2/UsernamePasswordAuthenticationTokenDeserializer.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2021 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/converter/RsaKeyConverters.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/authorization/method/AbstractAuthorizationManagerRegistry.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/authorization/method/AuthorizationInterceptorsOrder.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/authorization/AuthorizationDecision.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/authorization/method/AbstractExpressionAttributeRegistry.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/authorization/method/ExpressionAttribute.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/authorization/method/MethodInvocationResult.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/authorization/method/SecuredAuthorizationManager.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/authorization/ExpressionAuthorizationDecision.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/core/context/SecurityContextChangedEvent.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/authorization/method/Jsr250AuthorizationManager.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/scheduling/DelegatingSecurityContextTaskScheduler.java

\* /opt/cola/permits/1585302372\_1678145636.1144652/0/spring-security-core-6-0-2-sources-jar/org/springframework/security/access/prepost/PrePostAdviceReactiveMethodInterceptor.java



```
* /opt/cola/permits/1585302372_1678145636.1144652/0/spring-security-core-6-0-2-sources-
jar/org/springframework/security/authorization/method/ExpressionAttributeAuthorizationDecision.java
* /opt/cola/permits/1585302372_1678145636.1144652/0/spring-security-core-6-0-2-sources-
jar/org/springframework/security/authorization/AuthorityAuthorizationDecision.java
* /opt/cola/permits/1585302372_1678145636.1144652/0/spring-security-core-6-0-2-sources-
jar/org/springframework/security/authorization/AuthorityReactiveAuthorizationManager.java
* /opt/cola/permits/1585302372_1678145636.1144652/0/spring-security-core-6-0-2-sources-
jar/org/springframework/security/core/context/SecurityContextChangedListener.java
* /opt/cola/permits/1585302372_1678145636.1144652/0/spring-security-core-6-0-2-sources-
jar/org/springframework/security/authorization/method/AuthorizationAnnotationUtils.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2002-2016 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/**
* A token issued by { @link TokenService }.
*
* <p>
* It is important that the keys assigned to tokens are sufficiently randomised and
* secured that they can serve as identifying a unique user session. Implementations of
* { @link TokenService } are free to use encryption or encoding strategies of their choice.
* It is strongly recommended that keys are of sufficient length to balance safety against
* persistence cost. In relation to persistence cost, it is strongly recommended that
* returned keys are small enough for encoding in a cookie.
* </p>
*
* @author Ben Alex
* @since 2.0.1
*/
```

Found in path(s):

```
* /opt/cola/permits/1585302372_1678145636.1144652/0/spring-security-core-6-0-2-sources-
jar/org/springframework/security/core/token/Token.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright 2002-2018 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1585302372_1678145636.1144652/0/spring-security-core-6-0-2-sources-
jar/org/springframework/security/authentication/DelegatingReactiveAuthenticationManager.java
* /opt/cola/permits/1585302372_1678145636.1144652/0/spring-security-core-6-0-2-sources-
jar/org/springframework/security/core/token/KeyBasedPersistenceTokenService.java
* /opt/cola/permits/1585302372_1678145636.1144652/0/spring-security-core-6-0-2-sources-
jar/org/springframework/security/jackson2/BadCredentialsExceptionMixin.java
* /opt/cola/permits/1585302372_1678145636.1144652/0/spring-security-core-6-0-2-sources-
jar/org/springframework/security/core/userdetails/ReactiveUserDetailsPasswordService.java
* /opt/cola/permits/1585302372_1678145636.1144652/0/spring-security-core-6-0-2-sources-
jar/org/springframework/security/authentication/CachingUserDetailsService.java
* /opt/cola/permits/1585302372_1678145636.1144652/0/spring-security-core-6-0-2-sources-
jar/org/springframework/security/jackson2/UnmodifiableListMixin.java
* /opt/cola/permits/1585302372_1678145636.1144652/0/spring-security-core-6-0-2-sources-
jar/org/springframework/security/jackson2/UnmodifiableListDeserializer.java
* /opt/cola/permits/1585302372_1678145636.1144652/0/spring-security-core-6-0-2-sources-
jar/org/springframework/security/core/Transient.java
```

## 1.73 failureaccess 1.0.1

## 1.74 log4j-api 2.19.0

### 1.74.1 Available under license :

Apache Log4j API

Copyright 1999-2022 The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<http://www.apache.org/>).

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.75 third-party-jackson-core 2.18.2

### 1.75.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation,

and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)



with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.  
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Note: Other license terms may apply to certain, identified software files contained within or distributed with the accompanying software if such terms are included in the directory containing the accompanying software. Such other license terms will then apply in lieu of the terms of the software license above.

AWS SDK for Java 2.0

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

This product includes software developed by Amazon Technologies, Inc (<http://www.amazon.com/>).

\*\*\*\*\*

THIRD PARTY COMPONENTS

\*\*\*\*\*

This software includes third party software subject to the following copyrights:

- XML parsing and utility functions from JetS3t - Copyright 2006-2009 James Murty.
- PKCS#1 PEM encoded private key parsing and utility functions from [oauth.googlecode.com](http://oauth.googlecode.com) - Copyright 1998-2010 AOL Inc.
- Apache Commons Lang - <https://github.com/apache/commons-lang>
- Netty Reactive Streams - <https://github.com/playframework/netty-reactive-streams>
- Jackson-core - <https://github.com/FasterXML/jackson-core>
- Jackson-dataformat-cbor - <https://github.com/FasterXML/jackson-dataformats-binary>

The licenses for these third party components are included in LICENSE.txt

- For Apache Commons Lang see also this required NOTICE:  
Apache Commons Lang  
Copyright 2001-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

## 1.76 snake-yaml 1.30

### 1.76.1 Available under license :

Found license 'GNU Lesser General Public License' in '// This module is multi-licensed and may be used under the terms // EPL, Eclipse Public License, V1.0 or later, <http://www.eclipse.org/legal/> // LGPL, GNU Lesser General Public License, V2.1 or later, <http://www.gnu.org/licenses/lgpl.html> // GPL, GNU General Public License, V2 or later, <http://www.gnu.org/licenses/gpl.html> // AL, Apache License, V2.0 or later, <http://www.apache.org/licenses/> // BSD, BSD License, <http://www.opensource.org/licenses/bsd-license.php> \* Multi-licensed: EPL / LGPL / GPL / AL / BSD.'

Found license 'Eclipse Public License 1.0' in '// This module is multi-licensed and may be used under the terms // EPL, Eclipse Public License, V1.0 or later, <http://www.eclipse.org/legal/> // LGPL, GNU Lesser General Public License, V2.1 or later, <http://www.gnu.org/licenses/lgpl.html> // GPL, GNU General Public License, V2 or later, <http://www.gnu.org/licenses/gpl.html> // AL, Apache License, V2.0 or later, <http://www.apache.org/licenses/> // BSD, BSD License, <http://www.opensource.org/licenses/bsd-license.php> \* Multi-licensed: EPL / LGPL / GPL / AL / BSD.'

## 1.77 objenesis 3.2

### 1.77.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the

direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and

wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor

has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.78 client-spi 2.18.2

## 1.78.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>



## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner

or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

#### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Note: Other license terms may apply to certain, identified software files contained within or distributed with the accompanying software if such terms are included in the directory containing the accompanying software. Such other license terms will then apply in lieu of the terms of the software license above.

AWS SDK for Java 2.0

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

This product includes software developed by Amazon Technologies, Inc (<http://www.amazon.com/>).

\*\*\*\*\*

#### THIRD PARTY COMPONENTS

\*\*\*\*\*

This software includes third party software subject to the following copyrights:

- XML parsing and utility functions from JetS3t - Copyright 2006-2009 James Murty.
- PKCS#1 PEM encoded private key parsing and utility functions from [oauth.googlecode.com](http://oauth.googlecode.com) - Copyright 1998-2010 AOL Inc.
- Apache Commons Lang - <https://github.com/apache/commons-lang>
- Netty Reactive Streams - <https://github.com/playframework/netty-reactive-streams>
- Jackson-core - <https://github.com/FasterXML/jackson-core>
- Jackson-dataformat-cbor - <https://github.com/FasterXML/jackson-dataformats-binary>

The licenses for these third party components are included in LICENSE.txt

- For Apache Commons Lang see also this required NOTICE:  
Apache Commons Lang  
Copyright 2001-2020 The Apache Software Foundation

This product includes software developed at The Apache Software Foundation (<https://www.apache.org/>).

## 1.79 tomcat 10.1.7

### 1.79.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

## 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent

to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. **Grant of Copyright License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. **Grant of Patent License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. **Redistribution.** You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any



risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

#### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

#### APACHE TOMCAT SUBCOMPONENTS:

Apache Tomcat includes a number of subcomponents with separate copyright notices  
and license terms. Your use of these subcomponents is subject to the terms and  
conditions of the following licenses.

For the Eclipse JDT Core Batch Compiler (ecj-x.x.x.jar) component and the  
following Jakarta EE Schemas:

- jakartaee\_9.xsd
- jakartaee\_10.xsd
- jakarta\_web-services\_2\_0.xsd
- jakarta\_web-services\_client\_2\_0.xsd
- jsp\_3\_0.xsd
- jsp\_3\_1.xsd
- web-app\_5\_0.xsd
- web-app\_6\_0.xsd
- web-commonn\_5\_0.xsd
- web-commonn\_6\_0.xsd
- web-fragment\_5\_0.xsd
- web-fragment\_6\_0.xsd
- web-jsptaglibrary\_3\_0.xsd
- web-jsptaglibrary\_3\_1.xsd

Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE  
PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION  
OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

#### 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content  
Distributed under this Agreement, and

b) in the case of each subsequent Contributor:  
i) changes to the Program, and  
ii) additions to the Program;

where such changes and/or additions to the Program originate from  
and are Distributed by that particular Contributor. A Contribution

"originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display,

publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily

used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor

("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended

to be enforceable by any entity that is not a Contributor or Recipient.  
No third-party beneficiary rights are created under this Agreement.

#### Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

For the Windows Installer component:

- \* All NSIS source code, plug-ins, documentation, examples, header files and graphics, with the exception of the compression modules and where otherwise noted, are licensed under the zlib/libpng license.
- \* The zlib compression module for NSIS is licensed under the zlib/libpng license.
- \* The bzip2 compression module for NSIS is licensed under the bzip2 license.
- \* The lzma compression module for NSIS is licensed under the Common Public License version 1.0.

#### zlib/libpng license

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.



3. This notice may not be removed or altered from any source distribution.

bzip2 license

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
3. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
4. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Julian Seward, Cambridge, UK.

[jseward@acm.org](mailto:jseward@acm.org)

Common Public License version 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS COMMON PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to

distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

### 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
  - i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
  - ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
  - iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
  - iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with

respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY

OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against a Contributor with respect to a patent applicable to software (including a cross-claim or counterclaim in a lawsuit), then any patent licenses granted by that Contributor to such Recipient under this Agreement shall terminate as of the date such litigation is filed. In addition, if Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. IBM is the initial Agreement Steward. IBM may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the

intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

#### Special exception for LZMA compression module

Igor Pavlov and Amir Szekely, the authors of the LZMA compression module for NSIS, expressly permit you to statically or dynamically link your code (or bind by name) to the files from the LZMA compression module for NSIS without subjecting your linked code to the terms of the Common Public license version 1.0. Any modifications or additions to files from the LZMA compression module for NSIS, however, are subject to the terms of the Common Public License version 1.0.

For the following XML Schemas for Java EE Deployment Descriptors:

- javaee\_5.xsd
- javaee\_web\_services\_1\_2.xsd
- javaee\_web\_services\_client\_1\_2.xsd
- javaee\_6.xsd
- javaee\_web\_services\_1\_3.xsd
- javaee\_web\_services\_client\_1\_3.xsd
- jsp\_2\_2.xsd
- web-app\_3\_0.xsd
- web-common\_3\_0.xsd
- web-fragment\_3\_0.xsd
- javaee\_7.xsd
- javaee\_web\_services\_1\_4.xsd
- javaee\_web\_services\_client\_1\_4.xsd
- jsp\_2\_3.xsd
- web-app\_3\_1.xsd
- web-common\_3\_1.xsd
- web-fragment\_3\_1.xsd
- javaee\_8.xsd
- web-app\_4\_0.xsd
- web-common\_4\_0.xsd
- web-fragment\_4\_0.xsd

#### COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

##### 1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the

Modifications made by that particular Contributor.

- 1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.
- 1.4. Executable. means the Covered Software in any form other than Source Code.
- 1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.
- 1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.
- 1.7. License. means this document.
- 1.8. Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.
- 1.9. Modifications. means the Source Code and Executable form of any of the following:
- A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;
  - B. Any new file that contains any part of the Original Software or previous Modification; or
  - C. Any new file that is contributed or otherwise made available under the terms of this License.
- 1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.
- 1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.
- 1.12. Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.
- 1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled

by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and
- (b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).
- (c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.
- (d) Notwithstanding Section 2.1(b) above, no patent license is granted:
  - (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

### 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and



- (b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).
- (c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.
- (d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

#### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

#### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

#### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

#### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

### 4. Versions of the License.

#### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

#### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from

being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

#### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

### 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate

prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item,. as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

## 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such

jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

#### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

Apache Tomcat

Copyright 1999-2023 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

This software contains code derived from netty-native  
developed by the Netty project  
(<https://netty.io>, <https://github.com/netty/netty-tcnative/>)  
and from finagle-native developed at Twitter  
(<https://github.com/twitter/finagle>).

This software contains code derived from jgroups-kubernetes  
developed by the JGroups project (<http://www.jgroups.org/>).

The Windows Installer is built with the Nullsoft  
Scriptable Install System (NSIS), which is

open source software. The original software and related information is available at <http://nsis.sourceforge.net>.

Java compilation software for JSP pages is provided by the Eclipse JDT Core Batch Compiler component, which is open source software. The original software and related information is available at <https://www.eclipse.org/jdt/core/>.

org.apache.tomcat.util.json.JSONParser.jj is a public domain javacc grammar for JSON written by Robert Fischer. <https://github.com/RobertFischer/json-parser>

For portions of the Tomcat JNI OpenSSL API and the OpenSSL JSSE integration The org.apache.tomcat.jni and the org.apache.tomcat.net.openssl packages are derivative work originating from the Netty project and the finagle-native project developed at Twitter  
\* Copyright 2014 The Netty Project  
\* Copyright 2014 Twitter

For portions of the Tomcat cloud support The org.apache.catalina.tribes.membership.cloud package contains derivative work originating from the jgroups project. <https://github.com/jgroups-extras/jgroups-kubernetes>  
Copyright 2002-2018 Red Hat Inc.

The original XML Schemas for Java EE Deployment Descriptors:

- javaee\_5.xsd
- javaee\_web\_services\_1\_2.xsd
- javaee\_web\_services\_client\_1\_2.xsd
- javaee\_6.xsd
- javaee\_web\_services\_1\_3.xsd
- javaee\_web\_services\_client\_1\_3.xsd
- jsp\_2\_2.xsd
- web-app\_3\_0.xsd
- web-common\_3\_0.xsd
- web-fragment\_3\_0.xsd
- javaee\_7.xsd
- javaee\_web\_services\_1\_4.xsd
- javaee\_web\_services\_client\_1\_4.xsd
- jsp\_2\_3.xsd
- web-app\_3\_1.xsd
- web-common\_3\_1.xsd
- web-fragment\_3\_1.xsd
- javaee\_8.xsd
- web-app\_4\_0.xsd
- web-common\_4\_0.xsd
- web-fragment\_4\_0.xsd

may be obtained from:

<http://www.oracle.com/webfolder/technetwork/jsc/xml/ns/javaee/index.html>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:



- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the

origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

#### APACHE TOMCAT SUBCOMPONENTS:

Apache Tomcat includes a number of subcomponents with separate copyright notices  
and license terms. Your use of these subcomponents is subject to the terms and  
conditions of the following licenses.

For the ecj-x.x.x.jar component and the EnclosingMethod and  
LocalVariableTypeTable classes in the org.apache.tomcat.util.bcel.classfile  
package:

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC  
LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM  
CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

#### 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation  
distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are  
distributed by that particular Contributor. A Contribution 'originates' from a

Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright

rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

### 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
  - i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
  - ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
  - iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
  - iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if

a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

For the Windows Installer component:

- \* All NSIS source code, plug-ins, documentation, examples, header files and graphics, with the exception of the compression modules and where otherwise noted, are licensed under the zlib/libpng license.
- \* The zlib compression module for NSIS is licensed under the zlib/libpng license.
- \* The bzip2 compression module for NSIS is licensed under the bzip2 license.
- \* The lzma compression module for NSIS is licensed under the Common Public License version 1.0.

#### zlib/libpng license

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

#### bzip2 license

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
3. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
4. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,



EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Julian Seward, Cambridge, UK.

jseward@acm.org

Common Public License version 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS COMMON PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

### 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for

damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties

related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against a Contributor with respect to a patent applicable to software (including a cross-claim or counterclaim in a lawsuit), then any patent licenses granted by that Contributor to such Recipient under this Agreement shall terminate as of the date such litigation is filed. In addition, if Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to

comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. IBM is the initial Agreement Steward. IBM may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Special exception for LZMA compression module

Igor Pavlov and Amir Szekely, the authors of the LZMA compression module for NSIS, expressly permit you to statically or dynamically link your code (or bind by name) to the files from the LZMA compression module for NSIS without subjecting your linked code to the terms of the Common Public license version 1.0. Any modifications or additions to files from the LZMA compression module for NSIS, however, are subject to the terms of the Common Public License version 1.0.

For the following XML Schemas for Java EE Deployment Descriptors:

- javaee\_5.xsd
- javaee\_web\_services\_1\_2.xsd
- javaee\_web\_services\_client\_1\_2.xsd
- javaee\_6.xsd
- javaee\_web\_services\_1\_3.xsd

- javaee\_web\_services\_client\_1\_3.xsd
- web-app\_3\_0.xsd
- web-common\_3\_0.xsd
- web-fragment\_3\_0.xsd

## COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

### 1. Definitions.

- 1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.
- 1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.
- 1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.
- 1.4. Executable. means the Covered Software in any form other than Source Code.
- 1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.
- 1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.
- 1.7. License. means this document.
- 1.8. Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.
- 1.9. Modifications. means the Source Code and Executable form of any of the following:
  - A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;
  - B. Any new file that contains any part of the Original Software or previous Modification; or
  - C. Any new file that is contributed or otherwise made available under the terms of this License.

- 1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.
- 1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.
- 1.12. Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.
- 1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and
- (b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).
- (c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.
- (d) Notwithstanding Section 2.1(b) above, no patent license is granted:
  - (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with

other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and
- (b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).
- (c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.
- (d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

## 3. Distribution Obligations.

### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software



exchange.

### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

#### 4. Versions of the License.

##### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

##### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

##### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

#### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

#### 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach.

Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY.S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1

through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

## 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

## 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

## NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

Apache Tomcat

Copyright 1999-@YEAR@ The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache Standard Taglib Specification API  
Copyright 2001-2015 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache Standard Taglib Implementation  
Copyright 2001-2015 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).  
Apache Tomcat JDBC Pool  
Copyright 2008-2023 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).  
Apache Tomcat  
Copyright 1999-@YEAR@ The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

The original XML Schemas for Java EE Deployment Descriptors:

- javaee\_5.xsd
- javaee\_web\_services\_1\_2.xsd
- javaee\_web\_services\_client\_1\_2.xsd
- javaee\_6.xsd
- javaee\_web\_services\_1\_3.xsd
- javaee\_web\_services\_client\_1\_3.xsd
- jsp\_2\_2.xsd
- web-app\_3\_0.xsd
- web-common\_3\_0.xsd
- web-fragment\_3\_0.xsd
- javaee\_7.xsd
- javaee\_web\_services\_1\_4.xsd
- javaee\_web\_services\_client\_1\_4.xsd
- jsp\_2\_3.xsd
- web-app\_3\_1.xsd
- web-common\_3\_1.xsd
- web-fragment\_3\_1.xsd
- javaee\_8.xsd
- web-app\_4\_0.xsd
- web-common\_4\_0.xsd
- web-fragment\_4\_0.xsd

may be obtained from:

<http://www.oracle.com/webfolder/technetwork/jsc/xml/ns/javaee/index.html>

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or

Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.



7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
  
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the  
direction or management of such entity, whether by contract or  
otherwise, or (ii) ownership of fifty percent (50%) or more of the  
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity  
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,  
including but not limited to software source code, documentation  
source, and configuration files.

"Object" form shall mean any form resulting from mechanical  
transformation or translation of a Source form, including but  
not limited to compiled object code, generated documentation,  
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or  
Object form, made available under the License, as indicated by a

copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct

or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following

boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

#### APACHE TOMCAT SUBCOMPONENTS:

Apache Tomcat includes a number of subcomponents with separate copyright notices and license terms. Your use of these subcomponents is subject to the terms and conditions of the following licenses.

For the following XML Schemas for Java EE Deployment Descriptors:

- javaee\_5.xsd
- javaee\_web\_services\_1\_2.xsd
- javaee\_web\_services\_client\_1\_2.xsd
- javaee\_6.xsd
- javaee\_web\_services\_1\_3.xsd
- javaee\_web\_services\_client\_1\_3.xsd
- jsp\_2\_2.xsd
- web-app\_3\_0.xsd
- web-common\_3\_0.xsd
- web-fragment\_3\_0.xsd
- javaee\_7.xsd
- javaee\_web\_services\_1\_4.xsd
- javaee\_web\_services\_client\_1\_4.xsd
- jsp\_2\_3.xsd
- web-app\_3\_1.xsd
- web-common\_3\_1.xsd

- web-fragment\_3\_1.xsd
- javaee\_8.xsd
- web-app\_4\_0.xsd
- web-common\_4\_0.xsd
- web-fragment\_4\_0.xsd

## COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

### 1. Definitions.

- 1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.
- 1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.
- 1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.
- 1.4. Executable. means the Covered Software in any form other than Source Code.
- 1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.
- 1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.
- 1.7. License. means this document.
- 1.8. Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.
- 1.9. Modifications. means the Source Code and Executable form of any of the following:
  - A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;
  - B. Any new file that contains any part of the Original Software or previous Modification; or
  - C. Any new file that is contributed or otherwise made available under the terms of this License.

- 1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.
- 1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.
- 1.12. Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.
- 1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and
- (b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).
- (c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.
- (d) Notwithstanding Section 2.1(b) above, no patent license is granted:  
(1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original



Software, or (ii) the combination of the Original Software with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and
- (b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).
- (c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.
- (d) Notwithstanding Section 2.2(b) above, no patent license is granted:
  - (1) for any code that Contributor has deleted from the Contributor Version;
  - (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or
  - (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

## 3. Distribution Obligations.

### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a

reasonable manner on or through a medium customarily used for software exchange.

### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

#### 4. Versions of the License.

##### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

##### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

##### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

#### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

#### 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to

cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212

(Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

#### 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

#### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

For the following Jakarta EE Schemas:

- jakartaee\_9.xsd
- jakartaee\_10.xsd
- jakarta\_web-services\_2\_0.xsd
- jakarta\_web-services\_client\_2\_0.xsd
- jsp\_3\_0.xsd
- jsp\_3\_1.xsd
- web-app\_5\_0.xsd
- web-app\_6\_0.xsd
- web-commonn\_5\_0.xsd
- web-commonn\_6\_0.xsd
- web-fragment\_5\_0.xsd
- web-fragment\_6\_0.xsd
- web-jsptaglibrary\_3\_0.xsd
- web-jsptaglibrary\_3\_1.xsd

Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;



iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the

Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

#### Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular

file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade

names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
  
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier

identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and

limitations under the License.

## 1.80 jackson-databind 2.13.3

### 1.80.1 Available under license :

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.

It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has

been in development since 2007.

It is currently developed by a community of developers.

## Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0

To find the details that apply to this artifact see the accompanying LICENSE file.

## Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included

in some artifacts (usually source distributions); but is always available

from the source code management (SCM) system project uses.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,

and distribution as defined by Sections 1 through 9 of this document.



"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but

excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. **Grant of Copyright License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. **Grant of Patent License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. **Redistribution.** You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its

distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.81 spring-beans 6.0.7

## 1.81.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002-2017 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1622818222_1680247389.4275901/0/spring-beans-6-0-7-sources-
jar/org/springframework/beans/factory/xml/XmlReaderContext.java
* /opt/cola/permits/1622818222_1680247389.4275901/0/spring-beans-6-0-7-sources-
jar/org/springframework/beans/factory/parsing/ImportDefinition.java
* /opt/cola/permits/1622818222_1680247389.4275901/0/spring-beans-6-0-7-sources-
jar/org/springframework/beans/PropertyAccessorUtils.java
* /opt/cola/permits/1622818222_1680247389.4275901/0/spring-beans-6-0-7-sources-
jar/org/springframework/beans/factory/config/ListFactoryBean.java
* /opt/cola/permits/1622818222_1680247389.4275901/0/spring-beans-6-0-7-sources-
jar/org/springframework/beans/propertyeditors/ClassArrayEditor.java
* /opt/cola/permits/1622818222_1680247389.4275901/0/spring-beans-6-0-7-sources-
jar/org/springframework/beans/propertyeditors/ClassEditor.java
* /opt/cola/permits/1622818222_1680247389.4275901/0/spring-beans-6-0-7-sources-
jar/org/springframework/beans/factory/parsing/AliasDefinition.java
* /opt/cola/permits/1622818222_1680247389.4275901/0/spring-beans-6-0-7-sources-
jar/org/springframework/beans/factory/BeanClassLoaderAware.java
* /opt/cola/permits/1622818222_1680247389.4275901/0/spring-beans-6-0-7-sources-
jar/org/springframework/beans/propertyeditors/PatternEditor.java
* /opt/cola/permits/1622818222_1680247389.4275901/0/spring-beans-6-0-7-sources-
jar/org/springframework/beans/factory/config/EmbeddedValueResolver.java
* /opt/cola/permits/1622818222_1680247389.4275901/0/spring-beans-6-0-7-sources-
jar/org/springframework/beans/factory/xml/NamespaceHandlerSupport.java
* /opt/cola/permits/1622818222_1680247389.4275901/0/spring-beans-6-0-7-sources-
jar/org/springframework/beans/BeanWrapper.java
```

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/parsing/Problem.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/config/DeprecatedBeanWarner.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/config/PropertiesFactoryBean.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/propertyeditors/ByteArrayPropertyEditor.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/propertyeditors/ResourceBundleEditor.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/config/ProviderCreatingFactoryBean.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/config/ObjectFactoryCreatingFactoryBean.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/wiring/BeanWiringInfo.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/BeanMetadataAttributeAccessor.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/BeansException.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/xml/DocumentDefaultsDefinition.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/propertyeditors/CharArrayPropertyEditor.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/FatalBeanException.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/xml/AbstractSingleBeanDefinitionParser.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/propertyeditors/CharacterEditor.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/support/NullBean.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/config/SetFactoryBean.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/parsing/Location.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2011 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/xml/BeanDefinitionParser.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/annotation/Qualifier.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2022 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

/\*\*  
\* Process the given { @link RegisteredBean } instance ahead-of-time and  
\* return a contribution or { @code null }.  
\* <p>  
\* Processors are free to use any techniques they like to analyze the given  
\* instance. Most typically use reflection to find fields or methods to use  
\* in the contribution. Contributions typically generate source code or  
\* resource files that can be used when the AOT optimized application runs.  
\* <p>  
\* If the given instance isn't relevant to the processor, it should return a  
\* { @code null } contribution.  
\* @param registeredBean the registered bean to process  
\* @return a { @link BeanRegistrationAotContribution } or { @code null }  
\*/

Found in path(s):

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/aot/BeanRegistrationAotProcessor.java  
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002-2015 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1622818222_1680247389.4275901/0/spring-beans-6-0-7-sources-
jar/org/springframework/beans/factory/config/SingletonBeanRegistry.java
* /opt/cola/permits/1622818222_1680247389.4275901/0/spring-beans-6-0-7-sources-
jar/org/springframework/beans/factory/xml/BeanDefinitionDocumentReader.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright 2002-2021 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1622818222_1680247389.4275901/0/spring-beans-6-0-7-sources-
jar/org/springframework/beans/factory/support/BeanDefinitionReader.java
* /opt/cola/permits/1622818222_1680247389.4275901/0/spring-beans-6-0-7-sources-
jar/org/springframework/beans/factory/support/LookupOverride.java
* /opt/cola/permits/1622818222_1680247389.4275901/0/spring-beans-6-0-7-sources-
jar/org/springframework/beans/factory/annotation/CustomAutowireConfigurer.java
* /opt/cola/permits/1622818222_1680247389.4275901/0/spring-beans-6-0-7-sources-
jar/org/springframework/beans/factory/support/MethodReplacer.java
```



\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/config/BeanDefinitionHolder.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/config/BeanExpressionContext.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/BeanMetadataAttribute.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/support/GenericBeanDefinition.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/propertyeditors/LocaleEditor.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/config/InstantiationAwareBeanPostProcessor.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/support/ChildBeanDefinition.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/xml/SimpleConstructorNamespaceHandler.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/xml/ParserContext.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/xml/DefaultBeanDefinitionDocumentReader.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/support/MethodOverride.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/annotation/ParameterResolutionDelegate.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/support/MutableSortDefinition.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/support/ReplaceOverride.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/GenericTypeAwarePropertyDescriptor.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/config/RuntimeBeanNameReference.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/BeanFactory.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/config/DependencyDescriptor.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/xml/SimplePropertyNamespaceHandler.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/support/MethodOverrides.java  
No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright 2002-2013 the original author or authors.
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at

\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/SimpleTypeConverter.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/BeanInfoFactory.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2012 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/support/SortDefinition.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/BeanCurrentlyInCreationException.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/BeanFactoryAware.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/parsing/NullSourceExtractor.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/BeanExpressionException.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/parsing/ConstructorArgumentEntry.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/parsing/PassThroughSourceExtractor.java

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/xml/NamespaceHandler.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/propertyeditors/InputSourceEditor.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/BeanCreationNotAllowedException.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/BeanIsNotAFactoryException.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/parsing/EmptyReaderEventListener.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/xml/DocumentLoader.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/wiring/ClassNameBeanWiringInfoResolver.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/support/BeanDefinitionValidationException.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/parsing/ProblemReporter.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/annotation/Configurable.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/PropertyEditorRegistrar.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/xml/BeanDefinitionDecorator.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/HierarchicalBeanFactory.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/PropertyEditorRegistry.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/BeanIsAbstractException.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/ConversionNotSupportedException.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/parsing/AbstractComponentDefinition.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/FactoryBeanNotInitializedException.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/parsing/ComponentDefinition.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/parsing/BeanDefinitionParsingException.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/config/BeanReference.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/wiring/BeanWiringInfoResolver.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2016 the original author or authors.

\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/xml/NamespaceHandlerResolver.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/BeanInitializationException.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/BeanNameAware.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/propertyeditors/URLEditor.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/config/BeanDefinitionCustomizer.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/NullValueInNestedPathException.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/config/Scope.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/propertyeditors/FileEditor.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/support/ImplicitlyAppearedSingletonException.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/NamedBean.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/xml/UtilNamespaceHandler.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/propertyeditors/ReaderEditor.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/parsing/SourceExtractor.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/propertyeditors/InputStreamEditor.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2022 the original author or authors.  
\*

```
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/**
```

```
* Process the given { @link ConfigurableListableBeanFactory } instance
* ahead-of-time and return a contribution or { @code null }.
* <p>Processors are free to use any techniques they like to analyze the given
* bean factory. Most typically use reflection to find fields or methods to
* use in the contribution. Contributions typically generate source code or
* resource files that can be used when the AOT optimized application runs.
* <p>If the given bean factory does not contain anything that is relevant to
* the processor, this method should return a { @code null } contribution.
* @param beanFactory the bean factory to process
* @return a { @link BeanFactoryInitializationAotContribution } or { @code null }
*/
```

Found in path(s):

```
* /opt/cola/permits/1622818222_1680247389.4275901/0/spring-beans-6-0-7-sources-
jar/org/springframework/beans/factory/aot/BeanFactoryInitializationAotProcessor.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2002-2014 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1622818222_1680247389.4275901/0/spring-beans-6-0-7-sources-
```

jar/org/springframework/beans/factory/annotation/AnnotatedBeanDefinition.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/xml/AbstractSimpleBeanDefinitionParser.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/NotReadablePropertyException.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/SmartInitializingSingleton.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2002-2010 the original author or authors.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/support/BeanDefinitionRegistryPostProcessor.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2002-2020 the original author or authors.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-

jar/org/springframework/beans/factory/serviceloader/ServiceListFactoryBean.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/DirectFieldAccessor.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/annotation/Value.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/parsing/BeanEntry.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/support/BeanDefinitionReaderUtils.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/annotation/Lookup.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/support/BeanDefinitionDefaults.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/FactoryBean.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/config/BeanDefinition.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/support/ScopeNotActiveException.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/parsing/QualifierEntry.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/propertyeditors/URIEditor.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/parsing/ReaderContext.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/parsing/PropertyEntry.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/config/MapFactoryBean.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/parsing/ParseState.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2002-2009 the original author or authors.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/annotation/Autowire.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2018 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/InitializingBean.java

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/config/CustomEditorConfigurer.java

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/BeanInstantiationException.java

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/config/NamedBeanHolder.java

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/PropertyValues.java

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/NoSuchBeanDefinitionException.java

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/propertyeditors/CustomBooleanEditor.java

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/parsing/CompositeComponentDefinition.java

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/propertyeditors/CustomDateEditor.java

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/ObjectProvider.java

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/xml/DefaultDocumentLoader.java

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/BeanFactoryExtensions.kt

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-



jar/org/springframework/beans/PropertyAccessorFactory.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/support/BeanDefinitionRegistry.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/config/DestructionAwareBeanPostProcessor.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/SmartFactoryBean.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/ObjectFactory.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/InvalidPropertyException.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/Aware.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/MethodInvocationException.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/NotWritablePropertyException.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/BeanDefinitionStoreException.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/support/MergedBeanDefinitionPostProcessor.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/PropertyMatches.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/config/FieldRetrievingFactoryBean.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/support/AutowireCandidateQualifier.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/PropertyAccessException.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/support/SimpleBeanDefinitionRegistry.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/Mergeable.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/xml/AbstractBeanDefinitionParser.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/support/ManagedArray.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/NoUniqueBeanDefinitionException.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/DisposableBean.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/annotation/AnnotationBeanWiringInfoResolver.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/config/MethodInvokingFactoryBean.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/config/PropertyOverrideConfigurer.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-

jar/org/springframework/beans/factory/BeanNotOfRequiredTypeException.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/parsing/FailFastProblemReporter.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/support/PagedListHolder.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/CannotLoadBeanClassException.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2002-2023 the original author or authors.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/xml/BeanDefinitionParserDelegate.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/propertyeditors/CustomNumberEditor.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/annotation/InjectionMetadata.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/config/AutowireCapableBeanFactory.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/support/SimpleInstantiationStrategy.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/xml/XmlBeanDefinitionReader.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/config/ConstructorArgumentValues.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/annotation/JakartaAnnotationsRuntimeHints.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/xml/XmlBeanDefinitionStoreException.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/config/YamlMapFactoryBean.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/BeanCreationException.java

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/support/FactoryBeanRegistrySupport.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/propertyeditors/PropertiesEditor.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/config/AbstractFactoryBean.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/ConfigurablePropertyAccessor.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/support/DefaultListableBeanFactory.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/wiring/BeanConfigurerSupport.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/support/ArgumentConvertingMethodInvoker.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/aot/BeanDefinitionPropertyValueCodeGenerator.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/support/GenericTypeAwareAutowireCandidateResolver.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/config/ConfigurableBeanFactory.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/config/CustomScopeConfigurer.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/support/AutowireUtils.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/support/ConstructorResolver.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/support/ManagedProperties.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/support/AbstractBeanFactory.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/ExtendedBeanInfo.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/support/DefaultSingletonBeanRegistry.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/annotation/QualifierAnnotationAutowireCandidateResolver.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/config/ServiceLocatorFactoryBean.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/TypeConverterDelegate.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/config/PlaceholderConfigurerSupport.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/PropertyValue.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/BeanUtils.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/MutablePropertyValues.java

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/config/MethodInvokingBean.java

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/groovy/GroovyBeanDefinitionReader.java

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/xml/DefaultNamespaceHandlerResolver.java

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/PropertyEditorRegistrySupport.java

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/support/BeanDefinitionResource.java

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/support/AbstractAutowireCapableBeanFactory.java

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/groovy/GroovyDynamicElementReader.java

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/PropertyDescriptorUtils.java

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/support/ResourceEditorRegistrar.java

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/config/YamlProcessor.java

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/parsing/BeanComponentDefinition.java

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/support/StaticListableBeanFactory.java

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/aot/BeanInstanceSupplier.java

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/support/InstanceSupplier.java

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/config/PropertyPathFactoryBean.java

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/aot/BeanDefinitionMethodGenerator.java

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/support/AbstractBeanDefinition.java

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/annotation/AutowiredAnnotationBeanPostProcessor.java

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/support/CglibSubclassingInstantiationStrategy.java

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/support/PropertyComparator.java

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/annotation/InitDestroyAnnotationBeanPostProcessor.java

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/support/RegisteredBean.java

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/support/DisposableBeanAdapter.java

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/config/BeanDefinitionVisitor.java

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/groovy/GroovyBeanDefinitionWrapper.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/support/AbstractBeanDefinitionReader.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/aot/InstanceSupplierCodeGenerator.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/support/RootBeanDefinition.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2007 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/PropertyValuesEditor.java

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/parsing/DefaultsDefinition.java

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/parsing/ReaderEventListener.java

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/serviceloader/ServiceLoaderFactoryBean.java

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/support/BeanNameGenerator.java

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/serviceloader/ServiceFactoryBean.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2019 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

- \* <https://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/annotation/Autowired.java
- \* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/PropertyBatchUpdateException.java
- \* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/propertyeditors/StringTrimmerEditor.java
- \* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/support/DefaultBeanNameGenerator.java
- \* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/BeanMetadataElement.java
- \* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/config/AutowiredPropertyMarker.java
- \* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/propertyeditors/StringArrayPropertyEditor.java
- \* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/xml/DelegatingEntityResolver.java
- \* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/config/BeanFactoryPostProcessor.java
- \* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/xml/PluggableSchemaResolver.java
- \* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/TypeConverter.java
- \* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/TypeConverterSupport.java
- \* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/config/PropertyPlaceholderConfigurer.java
- \* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/config/YamlPropertiesFactoryBean.java
- \* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/xml/BeansDtdResolver.java
- \* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/config/BeanPostProcessor.java
- \* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/propertyeditors/UIEditor.java
- \* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/propertyeditors/CustomMapEditor.java
- \* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/annotation/AnnotatedGenericBeanDefinition.java

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/propertyeditors/CustomCollectionEditor.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/config/PreferencesPlaceholderConfigurer.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2022 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/InjectionPoint.java

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/aot/AutowiredArguments.java

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/serviceloader/AbstractServiceLoaderBasedFactoryBean.java

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/support/ManagedMap.java

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/aot/BeanRegistrationCodeFragmentsDecorator.java

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/support/ManagedSet.java

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/aot/BeanDefinitionMethodGeneratorFactory.java

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/ListableBeanFactoryExtensions.kt

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/aot/BeanDefinitionPropertiesCodeGenerator.java

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/propertyeditors/CurrencyEditor.java

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/aot/BeanRegistrationsAotProcessor.java

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-jar/org/springframework/beans/factory/support/BeanDefinitionOverrideException.java

\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-

jar/org/springframework/beans/factory/config/RuntimeBeanReference.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/support/BeanDefinitionValueResolver.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/aot/BeanRegistrationCode.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/aot/BeanRegistrationsAotContribution.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/TypeMismatchException.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/BeanWrapperImpl.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/config/SmartInstantiationAwareBeanPostProcessor.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/propertyeditors/ZoneIdEditor.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/support/SimpleAutowireCandidateResolver.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/aot/ResolvableTypeCodeGenerator.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/aot/BeanRegistrationCodeFragments.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/support/AutowireCandidateResolver.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/xml/ResourceEntityResolver.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/SimpleBeanInfoFactory.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/config/TypedStringValue.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/support/InstantiationStrategy.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/aot/AutowiredElementResolver.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/support/ManagedList.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/ExtendedBeanInfoFactory.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/aot/BeanFactoryInitializationAotContribution.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/aot/AutowiredFieldValueResolver.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/CachedIntrospectionResults.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/config/PropertyResourceConfigurer.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/annotation/BeanFactoryAnnotationUtils.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-



jar/org/springframework/beans/factory/support/BeanDefinitionBuilder.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/aot/AutowiredMethodArgumentsResolver.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/propertyeditors/CharsetEditor.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/UnsatisfiedDependencyException.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/aot/BeanRegistrationExcludeFilter.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/StandardBeanInfoFactory.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/propertyeditors/PathEditor.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/support/PropertiesBeanDefinitionReader.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/aot/BeanFactoryInitializationCode.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/ListableBeanFactory.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/propertyeditors/TimeZoneEditor.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/aot/AotServices.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/config/BeanExpressionResolver.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/AbstractPropertyAccessor.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/aot/BeanRegistrationAotContribution.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/config/ConfigurableListableBeanFactory.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/aot/AutowiredArgumentsCodeGenerator.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/aot/BeanRegistrationsCode.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/PropertyAccessor.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/aot/BeanRegistrationCodeGenerator.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/BeanFactoryUtils.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/AbstractNestablePropertyAccessor.java  
\* /opt/cola/permits/1622818222\_1680247389.4275901/0/spring-beans-6-0-7-sources-  
jar/org/springframework/beans/factory/aot/DefaultBeanRegistrationCodeFragments.java

# 1.82 okta-config-check 1.3.3

## 1.82.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<!--
~ Copyright 2018-Present Okta, Inc.
~
~ Licensed under the Apache License, Version 2.0 (the "License");
~ you may not use this file except in compliance with the License.
~ You may obtain a copy of the License at
~
~ http://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS,
~ WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
~ See the License for the specific language governing permissions and
~ limitations under the License.
-->
```

Found in path(s):

```
* /opt/cola/permits/1652154246_1682349412.1168764/0/okta-config-check-1-3-3-sources-jar/META-INF/maven/com.okta.commons/okta-config-check/pom.xml
```

No license file was found, but licenses were detected in source scan.

```
# Licensed under the Apache License, Version 2.0 (the "License");
# you may not use this file except in compliance with the License.
# You may obtain a copy of the License at
# http://www.apache.org/licenses/LICENSE-2.0
# distributed under the License is distributed on an "AS IS" BASIS,
```

Found in path(s):

```
* /opt/cola/permits/1652154246_1682349412.1168764/0/okta-config-check-1-3-3-sources-jar/com/okta/commons/configcheck/configuration-validator.properties
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2018-Present Okta, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
```

- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1652154246\_1682349412.1168764/0/okta-config-check-1-3-3-sources-jar/com/okta/commons/configcheck/ConfigurationValidator.java
- \* /opt/cola/permits/1652154246\_1682349412.1168764/0/okta-config-check-1-3-3-sources-jar/com/okta/commons/configcheck/ValidationResponse.java

## 1.83 namespace 1.4.01

### 1.83.1 Available under license :

xml-commons/java/external/LICENSE.dom-software.txt \$Id: LICENSE.dom-software.txt 734314 2009-01-14 03:33:27Z mrglavas \$

This license came from: <http://www.w3.org/TR/2004/REC-DOM-Level-3-Core-20040407/java-binding.zip> (COPYRIGHT.html)

#### W3C SOFTWARE NOTICE AND LICENSE

Copyright 2004 World Wide Web Consortium, (Massachusetts Institute of Technology, European Research Consortium for Informatics and Mathematics, Keio University). All Rights Reserved.

The DOM bindings are published under the W3C Software Copyright Notice and License. The software license requires "Notice of any changes or modifications to the W3C files, including the date changes were made." Consequently, modified versions of the DOM bindings must document that they do not conform to the W3C standard; in the case of the IDL definitions, the pragma prefix can no longer be 'w3c.org'; in the case of the Java language binding, the package names can no longer be in the 'org.w3c' package.

Note: The original version of the W3C Software Copyright Notice and License could be found at <http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.
3. Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```
=====  
== NOTICE file corresponding to section 4(d) of the Apache License, ==  
== Version 2.0, in this case for the Apache xml-commons xml-apis ==  
== distribution. ==  
=====
```

Apache XML Commons XML APIs  
Copyright 1999-2009 The Apache Software Foundation.

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:  
- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.



- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.  
- software copyright (c) 2000 World Wide Web Consortium, <http://www.w3.org>  
xml-commons/java/external/LICENSE.dom-documentation.txt \$Id: LICENSE.dom-documentation.txt 226215  
2005-06-03 22:49:13Z mrglavas \$

This license came from: <http://www.w3.org/Consortium/Legal/copyright-documents-20021231>

### W3C DOCUMENT LICENSE

<http://www.w3.org/Consortium/Legal/2002/copyright-documents-20021231>

Public documents on the W3C site are provided by the copyright holders under the following license. By using and/or copying this document, or the W3C document from which this statement is linked, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions:

Permission to copy, and distribute the contents of this document, or the W3C document from which this statement is linked, in any medium for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the document, or portions thereof, that you use:

1. A link or URL to the original W3C document.
2. The pre-existing copyright notice of the original author, or if it doesn't exist, a notice (hypertext is preferred, but a textual representation is permitted) of the form: "Copyright [date-of-document] World Wide Web Consortium, (Massachusetts Institute of Technology, European Research Consortium for Informatics and Mathematics, Keio University). All Rights Reserved.  
<http://www.w3.org/Consortium/Legal/2002/copyright-documents-20021231>"
3. If it exists, the STATUS of the W3C document.

When space permits, inclusion of the full text of this NOTICE should be provided. We request that authorship attribution be provided in any software, documents, or other items or products that you create pursuant to the implementation of the contents of this document, or any portion thereof.

No right to create modifications or derivatives of W3C documents is granted pursuant to this license. However, if additional requirements (documented in the Copyright FAQ) are satisfied, the right to create modifications or derivatives is sometimes granted by the W3C to individuals complying with those requirements.

THIS DOCUMENT IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, OR TITLE; THAT THE CONTENTS OF THE DOCUMENT ARE SUITABLE

FOR ANY PURPOSE; NOR THAT THE IMPLEMENTATION OF SUCH CONTENTS WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE DOCUMENT OR THE PERFORMANCE OR IMPLEMENTATION OF THE CONTENTS THEREOF.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to this document or its contents without specific, written prior permission. Title to copyright in this document will at all times remain with copyright holders.

-----

This formulation of W3C's notice and license became active on December 31 2002. This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, moves information on style sheets, DTDs, and schemas to the Copyright FAQ, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". See the older formulation for the policy prior to this date. Please see our Copyright FAQ for common questions about using materials from our site, such as the translating or annotating specifications. Other questions about this notice can be directed to [site-policy@w3.org](mailto:site-policy@w3.org).

Joseph Reagle <[site-policy@w3.org](mailto:site-policy@w3.org)>

Last revised by Reagle \$Date: 2005-06-03 18:49:13 -0400 (Fri, 03 Jun 2005) \$  
xml-commons/java/external/LICENSE.sax.txt \$Id: LICENSE.sax.txt 225954 2002-01-31 23:26:48Z curcuru \$

This license came from: <http://www.megginson.com/SAX/copying.html>  
However please note future versions of SAX may be covered  
under <http://saxproject.org/?selected=pd>

This page is now out of date -- see the new SAX site at  
<http://www.saxproject.org/> for more up-to-date  
releases and other information. Please change your bookmarks.

SAX2 is Free!

I hereby abandon any property rights to SAX 2.0 (the Simple API for XML), and release all of the SAX 2.0 source code, compiled code, and documentation contained in this distribution into the Public Domain. SAX comes with NO WARRANTY or guarantee of fitness for any purpose.

# 1.84 jre 17.0.4.1+1-LTS

## 1.84.1 Available under license :

## c-libutl 20160225

### c-libutl License  
...

This software is distributed under the terms of the BSD license.

== BSD LICENSE =====

(C) 2009 by Remo Dentato (rdentato@gmail.com)

Redistribution and use in source and binary forms, with or without modification,  
are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice,  
this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice,  
this list of conditions and the following disclaimer in the documentation  
and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

<http://opensource.org/licenses/bsd-license.php>

...

## Harfbuzz v2.8

### Harfbuzz License

<https://github.com/harfbuzz/harfbuzz/blob/master/COPYING>

<pre>

HarfBuzz is licensed under the so-called "Old MIT" license. Details follow.  
For parts of HarfBuzz that are licensed under different licenses see individual  
files names COPYING in subdirectories where applicable.

Copyright 2010,2011,2012,2013,2014,2015,2016,2017,2018,2019,2020 Google, Inc.  
Copyright 2018,2019,2020 Ebrahim Byagowi  
Copyright 2019,2020 Facebook, Inc.  
Copyright 2012 Mozilla Foundation  
Copyright 2011 Codethink Limited  
Copyright 2008,2010 Nokia Corporation and/or its subsidiary(-ies)  
Copyright 2009 Keith Stribley  
Copyright 2009 Martin Hosken and SIL International  
Copyright 2007 Chris Wilson  
Copyright 2006 Behdad Esfahbod  
Copyright 2005 David Turner  
Copyright 2004,2007,2008,2009,2010 Red Hat, Inc.  
Copyright 1998-2004 David Turner and Werner Lemberg

For full copyright notices consult the individual files in the package.

Permission is hereby granted, without written agreement and without  
license or royalty fees, to use, copy, modify, and distribute this  
software and its documentation for any purpose, provided that the  
above copyright notice and the following two paragraphs appear in  
all copies of this software.

IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE TO ANY PARTY FOR  
DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES  
ARISING OUT OF THE USE OF THIS SOFTWARE AND ITS DOCUMENTATION, EVEN  
IF THE COPYRIGHT HOLDER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH  
DAMAGE.

THE COPYRIGHT HOLDER SPECIFICALLY DISCLAIMS ANY WARRANTIES, INCLUDING,  
BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
FITNESS FOR A PARTICULAR PURPOSE. THE SOFTWARE PROVIDED HEREUNDER IS  
ON AN "AS IS" BASIS, AND THE COPYRIGHT HOLDER HAS NO OBLIGATION TO  
PROVIDE MAINTENANCE, SUPPORT, UPDATES, ENHANCEMENTS, OR MODIFICATIONS.

All source code, except for one section, is licensed as above. The one  
exception is licensed with a slightly different MIT variant:  
The contents of this directory are licensed under the following terms:

Copyright (C) 2012 Grigori Goronzy <greg@kinoho.net>

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

```
</pre>
## xwd v1.0.7
```

```
### xwd utility
<pre>
```

This is the copyright for the files in src/java.desktop/unix/native/libawt\_xawt:  
list.h, multiVis.h, wsutils.h, list.c, multiVis.c

Copyright 1994 Hewlett-Packard Co.  
Copyright 1996, 1998 The Open Group

Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation.

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE OPEN GROUP BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of The Open Group shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from The Open Group.

```
</pre>
```

## IAIK (Institute for Applied Information Processing and Communication) PKCS#11 wrapper files v1

### IAIK License

<pre>

Copyright (c) 2002 Graz University of Technology. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:

"This product includes software developed by IAIK of Graz University of Technology."

Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

4. The names "Graz University of Technology" and "IAIK of Graz University of Technology" must not be used to endorse or promote products derived from this software without prior written permission.
5. Products derived from this software may not be called "IAIK PKCS Wrapper", nor may "IAIK" appear in their name, without prior written permission of Graz University of Technology.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE LICENSOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

## JLine v3.20.0

### JLine License

<pre>

Copyright (c) 2002-2018, the original author or authors.  
All rights reserved.

<https://opensource.org/licenses/BSD-3-Clause>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of JLine nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

## CUP Parser Generator for Java v 0.11b

### CUP Parser Generator License

<pre>

Copyright 1996-2015 by Scott Hudson, Frank Flannery, C. Scott Ananian, Michael Petter

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided

that the above copyright notice appear in all copies and that both the copyright notice and this permission notice and warranty disclaimer appear in supporting documentation, and that the names of the authors or their employers not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

The authors and their employers disclaim all warranties with regard to this software, including all implied warranties of merchantability and fitness. In no event shall the authors or their employers be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of this software.

</pre>

## The Unicode Standard, Unicode Character Database, Version 13.0.0

### Unicode Character Database

...

## UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

See Terms of Use for definitions of Unicode Inc.'s Data Files and Software.

NOTICE TO USER: Carefully read the following legal agreement.  
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),  
YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT.  
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

## COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2020 Unicode, Inc. All rights reserved.  
Distributed under the Terms of Use in <https://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either  
(a) this copyright and permission notice appear with all copies of the Data Files or Software, or



(b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

---

Copyright 1993, 2018, Oracle and/or its affiliates.  
All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition

Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

## Unicode Common Local Data Repository (CLDR) v39

### CLDR License

...

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

See Terms of Use for definitions of Unicode Inc.'s  
Data Files and Software.

NOTICE TO USER: Carefully read the following legal agreement.  
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S  
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),  
YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE  
TERMS AND CONDITIONS OF THIS AGREEMENT.  
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE  
THE DATA FILES OR SOFTWARE.

#### COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2021 Unicode, Inc. All rights reserved.  
Distributed under the Terms of Use in <https://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining  
a copy of the Unicode data files and any associated documentation  
(the "Data Files") or Unicode software and any associated documentation  
(the "Software") to deal in the Data Files or Software  
without restriction, including without limitation the rights to use,  
copy, modify, merge, publish, distribute, and/or sell copies of  
the Data Files or Software, and to permit persons to whom the Data Files  
or Software are furnished to do so, provided that either  
(a) this copyright and permission notice appear with all copies  
of the Data Files or Software, or  
(b) this copyright and permission notice appear in associated  
Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF  
ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE  
WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS  
NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL  
DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE,  
DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER  
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR  
PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder  
shall not be used in advertising or otherwise to promote the sale,  
use or other dealings in these Data Files or Software without prior  
written authorization of the copyright holder.

----- Terms of Use -----

## Unicode Copyright and Terms of Use

For the general privacy policy governing access to this site, see the [Unicode Privacy Policy](#).

### Unicode Copyright

Copyright 1991-2021 Unicode, Inc. All rights reserved.

### Definitions

Unicode Data Files ("DATA FILES") include all data files under the directories:

<https://www.unicode.org/Public/>

<https://www.unicode.org/reports/>

<https://www.unicode.org/ivd/data/>

Unicode Data Files do not include PDF online code charts under the directory:

<https://www.unicode.org/Public/>

Unicode Software ("SOFTWARE") includes any source code published in the Unicode Standard or any source code or compiled code under the directories:

<https://www.unicode.org/Public/PROGRAMS/>

<https://www.unicode.org/Public/cldr/>

<http://site.icu-project.org/download/>

### Terms of Use

Certain documents and files on this website contain a legend indicating that "Modification is permitted." Any person is hereby authorized, without fee, to modify such documents and files to create derivative works conforming to the Unicode Standard, subject to Terms and Conditions herein.

Any person is hereby authorized, without fee, to view, use, reproduce, and distribute all documents and files, subject to the Terms and Conditions herein.

Further specifications of rights and restrictions pertaining to the use of the Unicode DATA FILES and SOFTWARE can be found in the Unicode Data Files and Software License.

Each version of the Unicode Standard has further specifications of rights and restrictions of use. For the book editions (Unicode 5.0 and earlier), these are found on the back of the title page.

The Unicode PDF online code charts carry specific restrictions. Those restrictions are incorporated as the first page of each PDF code chart.

All other files, including online documentation of the core specification for Unicode 6.0 and later, are covered under these general Terms of Use.

No license is granted to "mirror" the Unicode website where a fee is charged for access to the "mirror" site.

Modification is not permitted with respect to this document. All copies of this document must be verbatim.

### Restricted Rights Legend

Any technical data or software which is licensed to the United States of America, its agencies and/or instrumentalities under this Agreement is commercial technical data or commercial computer software developed exclusively at private expense as defined in FAR 2.101, or DFARS 252.227-7014 (June 1995), as applicable. For technical data, use, duplication, or disclosure by the Government is subject to restrictions as set forth in DFARS 202.227-7015 Technical Data, Commercial and Items (Nov 1995) and this Agreement. For Software, in accordance with FAR 12-212 or DFARS 227-7202, as applicable, use, duplication or disclosure by the Government is subject to the restrictions set forth in this Agreement.

### Warranties and Disclaimers

This publication and/or website may include technical or typographical errors or other inaccuracies. Changes are periodically added to the information herein; these changes will be incorporated in new editions of the publication

and/or website. Unicode, Inc. may make improvements and/or changes in the product(s) and/or program(s) described in this publication and/or website at any time.

If this file has been purchased on magnetic or optical media from Unicode, Inc. the sole and exclusive remedy for any claim will be exchange of the defective media within ninety (90) days of original purchase.

EXCEPT AS PROVIDED IN SECTION E.2, THIS PUBLICATION AND/OR SOFTWARE IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND EITHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. UNICODE, INC. AND ITS LICENSORS ASSUME NO RESPONSIBILITY FOR ERRORS OR OMISSIONS IN THIS PUBLICATION AND/OR SOFTWARE OR OTHER DOCUMENTS WHICH ARE REFERENCED BY OR LINKED TO THIS PUBLICATION OR THE UNICODE WEBSITE.

#### Waiver of Damages

In no event shall Unicode, Inc. or its licensors be liable for any special, incidental, indirect or consequential damages of any kind, or any damages whatsoever, whether or not Unicode, Inc. was advised of the possibility of the damage, including, without limitation, those resulting from the following: loss of use, data or profits, in connection with the use, modification or distribution of this information or its derivatives.

#### Trademarks & Logos

The Unicode Word Mark and the Unicode Logo are trademarks of Unicode, Inc. The Unicode Consortium and Unicode, Inc. are trade names of Unicode, Inc. Use of the information and materials found on this website indicates your acknowledgement of Unicode, Inc.'s exclusive worldwide rights in the Unicode Word Mark, the Unicode Logo, and the Unicode trade names.

The Unicode Consortium Name and Trademark Usage Policy (Trademark Policy) are incorporated herein by reference and you agree to abide by the provisions of the Trademark Policy, which may be changed from time to time in the sole discretion of Unicode, Inc.

All third party trademarks referenced herein are the property of their respective owners.

#### Miscellaneous

**Jurisdiction and Venue.** This website is operated from a location in the State of California, United States of America. Unicode, Inc. makes no representation that the materials are appropriate for use in other locations. If you access this website from other locations, you are responsible for compliance with local laws. This Agreement, all use of this website and any claims and damages resulting from use of this website are governed solely by the laws of the State of California without regard to any principles which would apply the laws of a different jurisdiction. The user agrees that any disputes regarding this website shall be resolved solely in the courts located in Santa Clara County, California. The user agrees said courts have personal jurisdiction and agree to waive any right to transfer the dispute to any other forum.

**Modification by Unicode, Inc.** Unicode, Inc. shall have the right to modify this Agreement at any time by posting it to this website. The user may not assign any part of this Agreement without Unicode, Inc.'s prior written consent.

**Taxes.** The user agrees to pay any taxes arising from access to this website or use of the information herein, except for those based on Unicode's net income.

**Severability.** If any provision of this Agreement is declared invalid or unenforceable, the remaining provisions of this Agreement shall remain in effect.

**Entire Agreement.** This Agreement constitutes the entire agreement between the parties.

...

## Thai Dictionary

### Thai Dictionary License

<pre>

Copyright (C) 1982 The Royal Institute, Thai Royal Government.

Copyright (C) 1998 National Electronics and Computer Technology Center,  
National Science and Technology Development Agency,  
Ministry of Science Technology and Environment,  
Thai Royal Government.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

## Apache Xerces v2.12.1

### Apache Xerces Notice

<pre>

```
=====  
== NOTICE file corresponding to section 4(d) of the Apache License, ==  
== Version 2.0, in this case for the Apache Xerces Java distribution. ==  
=====
```

Apache Xerces Java  
Copyright 1999-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:

- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.
- voluntary contributions made by Paul Eng on behalf of the Apache Software Foundation that were originally developed at iClick, Inc., software copyright (c) 1999.

</pre>

### Apache 2.0 License

<pre>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes

of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You



meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

</pre>

## Eastman Kodak Company: Portions of color management and imaging software

### Eastman Kodak Notice

<pre>

Portions Copyright Eastman Kodak Company 1991-2003

</pre>

## Apache Santuario v2.3.0

### Apache Santuario Notice

<pre>

Apache Santuario - XML Security for Java  
Copyright 1999-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

It was originally based on software copyright (c) 2001, Institute for  
Data Communications Systems, <<http://www.nue.et-inf.uni-siegen.de/>>.

The development of this software was partly funded by the European  
Commission in the <WebSig> project in the ISIS Programme.

</pre>

### Apache 2.0 License

<pre>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works

that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A

PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

</pre>

Your use of this Program is governed by the No-Fee Terms and Conditions set forth below, unless you have received this Program (alone or as part of another Oracle product) under an Oracle license agreement (including but not limited to the Oracle Master Agreement), in which case your use of this Program is governed solely by such license agreement with Oracle.

Oracle No-Fee Terms and Conditions (NFTC)

Definitions

"Oracle" refers to Oracle America, Inc. "You" and "Your" refers to (a) a company or organization (each an "Entity") accessing the Programs, if use of the Programs will be on behalf of such Entity; or (b) an individual accessing the Programs, if use of the Programs will not be on behalf of an Entity.

"Program(s)" refers to Oracle software provided by Oracle pursuant to the following terms and any updates, error corrections, and/or Program Documentation provided by Oracle. "Program Documentation" refers to Program user manuals and Program installation manuals, if any. If available, Program Documentation may be delivered with the Programs and/or may be accessed from [www.oracle.com/documentation](http://www.oracle.com/documentation). "Separate Terms" refers to separate license terms that are specified in the Program Documentation, readmes or notice files and that apply to Separately Licensed Technology. "Separately Licensed Technology" refers to Oracle or third party technology that is licensed under Separate Terms and not under the terms of this license.

Separately Licensed Technology

Oracle may provide certain notices to You in Program Documentation, readmes or notice files in connection with Oracle or third party technology provided as or with the Programs. If specified in the Program Documentation, readmes or notice files, such technology will be licensed to You under Separate Terms. Your rights to use Separately Licensed Technology under Separate Terms are not restricted in any way by the terms herein. For clarity, notwithstanding the existence of a notice, third party technology that is not Separately Licensed Technology shall be deemed part of the Programs licensed to You under the terms of this license.

Source Code for Open Source Software

For software that You receive from Oracle in binary form that is licensed under an open source license that gives You the right to receive the source code for that binary, You can obtain a copy of the applicable source code from



<https://oss.oracle.com/sources/> or <http://www.oracle.com/goto/opensourcecode>. If the source code for such software was not provided to You with the binary, You can also receive a copy of the source code on physical media by submitting a written request pursuant to the instructions in the "Written Offer for Source Code" section of the latter website.

-----

The following license terms apply to those Programs that are not provided to You under Separate Terms.

#### License Rights and Restrictions

Oracle grants to You, as a recipient of this Program, subject to the conditions stated herein, a nonexclusive, nontransferable, limited license to:

- (a) internally use the unmodified Programs for the purposes of developing, testing, prototyping and demonstrating your applications, and running the Program for Your own personal use or internal business operations; and
- (b) redistribute the unmodified Program and Program Documentation, under the terms of this License, provided that You do not charge Your licensees any fees associated with such distribution or use of the Program, including, without limitation, fees for products that include or are bundled with a copy of the Program or for services that involve the use of the distributed Program.

You may make copies of the Programs to the extent reasonably necessary for exercising the license rights granted herein and for backup purposes. You are granted the right to use the Programs to provide third party training in the use of the Programs and associated Separately Licensed Technology only if there is express authorization of such use by Oracle on the Program's download page or in the Program Documentation.

Your license is contingent on compliance with the following conditions:

- You do not remove markings or notices of either Oracle's or a licensor's proprietary rights from the Programs or Program Documentation;
- You comply with all U.S. and applicable export control and economic sanctions laws and regulations that govern Your use of the Programs (including technical data);
- You do not cause or permit reverse engineering, disassembly or decompilation of the Programs (except as allowed by law) by You nor allow an associated party to do so.

For clarity, any source code that may be included in the distribution with the Programs is provided solely for reference purposes and may not be modified,

unless such source code is under Separate Terms permitting modification.

#### Ownership

Oracle or its licensors retain all ownership and intellectual property rights to the Programs.

#### Information Collection

The Programs' installation and/or auto-update processes, if any, may transmit a limited amount of data to Oracle or its service provider about those processes to help Oracle understand and optimize them. Oracle does not associate the data with personally identifiable information. Refer to Oracle's Privacy Policy at [www.oracle.com/privacy](http://www.oracle.com/privacy).

#### Disclaimer of Warranties; Limitation of Liability

THE PROGRAMS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND. ORACLE FURTHER DISCLAIMS ALL WARRANTIES, EXPRESS AND IMPLIED, INCLUDING WITHOUT LIMITATION, ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NONINFRINGEMENT.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW WILL ORACLE BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## OASIS PKCS #11 Cryptographic Token Interface v3.0

### OASIS PKCS #11 Cryptographic Token Interface License

<pre>

Copyright OASIS Open 2020. All Rights Reserved.

All capitalized terms in the following text have the meanings assigned to them in the OASIS Intellectual Property Rights Policy (the "OASIS IPR Policy"). The full Policy may be found at the OASIS website: [<http://www.oasis-open.org/policies-guidelines/ipr>]

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright

notice or references to OASIS, except as needed for the purpose of developing any document or deliverable produced by an OASIS Technical Committee (in which case the rules applicable to copyrights, as set forth in the OASIS IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. OASIS AND ITS MEMBERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THIS DOCUMENT OR ANY PART THEREOF.

[OASIS requests that any OASIS Party or any other party that believes it has patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable, to notify OASIS TC Administrator and provide an indication of its willingness to grant patent licenses to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this deliverable.]

[OASIS invites any party to contact the OASIS TC Administrator if it is aware of a claim of ownership of any patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable by a patent holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this OASIS Standards Final Deliverable. OASIS may include such claims on its website, but disclaims any obligation to do so.]

[OASIS takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this OASIS Standards Final Deliverable or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on OASIS' procedures with respect to rights in any document or deliverable produced by an OASIS Technical Committee can be found on the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this OASIS Standards Final Deliverable, can be obtained from the OASIS TC Administrator.

OASIS makes no representation that any information or list of intellectual property rights will at any time be complete, or that any claims in such list are, in fact, Essential Claims.]

</pre>

## Apache Xalan v2.7.2

### Apache Xalan Notice

<pre>

```
=====
====
== NOTICE file corresponding to the section 4d of the Apache License, Version 2.0, ==
== in this case for the Apache Xalan distribution.                               ==
=====
=====
```

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

Specifically, we only include the XSLTC portion of the source from the Xalan distribution.  
The Xalan project has two processors: an interpretive one (Xalan Interpretive) and a  
compiled one (The XSLT Compiler (XSLTC)). We \*only\* use the XSLTC part of Xalan; We use  
the source from the packages that are part of the XSLTC sources.

Portions of this software was originally based on the following:

- software copyright (c) 1999-2002, Lotus Development Corporation., <http://www.lotus.com>.
- software copyright (c) 2001-2002, Sun Microsystems., <http://www.sun.com>.
- software copyright (c) 2003, IBM Corporation., <http://www.ibm.com>.
- voluntary contributions made by Ovidiu Predescu ([ovidiu@cup.hp.com](mailto:ovidiu@cup.hp.com)) on behalf of the  
Apache Software Foundation and was originally developed at Hewlett Packard Company.

</pre>

### Apache 2.0 License

<pre>

```
        Apache License
        Version 2.0, January 2004
        http://www.apache.org/licenses/
```

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but

excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its

distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.



**JLEX COPYRIGHT NOTICE, LICENSE AND DISCLAIMER.**

Copyright 1996-2003 by Elliot Joel Berk and C. Scott Ananian

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both the copyright notice and this permission notice and warranty disclaimer appear in supporting documentation, and that the name of the authors or their employers not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

The authors and their employers disclaim all warranties with regard to this software, including all implied warranties of merchantability and fitness. In no event shall the authors or their employers be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of this software. The portions of JLex output which are hard-coded into the JLex source code are (naturally) covered by this same license.

```
</pre>
```

```
## PC/SC Lite v1.8.26
```

```
### PC/SC Lite License
```

```
<pre>
```

Copyright (c) 1999-2003 David Corcoran <corcoran@linuxnet.com>

Copyright (c) 2001-2011 Ludovic Rousseau <ludovic.rousseau@free.fr>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

Changes to this license can be made only by the copyright author with explicit written consent.

**THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES**

OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,  
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,  
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY  
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT  
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF  
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

## Cryptix AES v3.2.0

### Cryptix General License

<pre>

Cryptix General License

Copyright (c) 1995-2005 The Cryptix Foundation Limited.

All rights reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions are  
met:

1. Redistributions of source code must retain the copyright notice,  
this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright  
notice, this list of conditions and the following disclaimer in  
the documentation and/or other materials provided with the  
distribution.

THIS SOFTWARE IS PROVIDED BY THE CRYPTIX FOUNDATION LIMITED AND  
CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES,  
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF  
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  
IN NO EVENT SHALL THE CRYPTIX FOUNDATION LIMITED OR CONTRIBUTORS BE  
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR  
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,  
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE  
OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN  
IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

## jopt-simple v5.0.4

### MIT License

<pre>

Copyright (c) 2004-2015 Paul R. Holser, Jr.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

## jQuery v3.5.1

### jQuery License

---

jQuery v 3.5.1

Copyright JS Foundation and other contributors, <https://js.foundation/>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION

OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

\*\*\*\*\*

The jQuery JavaScript Library v3.5.1 also includes Sizzle.js

Sizzle.js includes the following license:

Copyright JS Foundation and other contributors, <https://js.foundation/>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/jquery/sizzle>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

All files located in the node\_modules and external directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

\*\*\*\*\*

...

## DOM Level 3 Core Specification v1.0

### W3C License

<pre>

#### W3C SOFTWARE NOTICE AND LICENSE

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.
3. Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION. The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

This formulation of W3C's notice and license became active on December 31 2002. This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to [site-policy@w3.org](mailto:site-policy@w3.org).

```
</pre>
## GIFLIB v5.2.1
```

```
### GIFLIB License
...
```

The GIFLIB distribution is Copyright (c) 1997 Eric S. Raymond

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

<https://sourceforge.net/p/giflib/code/ci/master/tree/openbsd-reallocarray.c>

```
Copyright (c) 2008 Otto Moerbeek <otto@drijf.net>
SPDX-License-Identifier: MIT
## libpng v1.6.37
```

```
### libpng License
```

<pre>

COPYRIGHT NOTICE, DISCLAIMER, and LICENSE

=====

PNG Reference Library License version 2

-----

- \* Copyright (c) 1995-2019 The PNG Reference Library Authors.
- \* Copyright (c) 2018-2019 Cosmin Truta.
- \* Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson.
- \* Copyright (c) 1996-1997 Andreas Dilger.
- \* Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

The software is supplied "as is", without warranty of any kind, express or implied, including, without limitation, the warranties of merchantability, fitness for a particular purpose, title, and non-infringement. In no event shall the Copyright owners, or anyone distributing the software, be liable for any damages or other liability, whether in contract, tort or otherwise, arising from, out of, or in connection with the software, or the use or other dealings in the software, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this software, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated, but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

PNG Reference Library License version 1 (for libpng 0.5 through 1.6.35)

-----

libpng versions 1.0.7, July 1, 2000, through 1.6.35, July 15, 2018 are Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson, are derived from libpng-1.0.6, and are distributed according to the same disclaimer and license as libpng-1.0.6 with the following individuals added to the list of Contributing Authors:

Simon-Pierre Cadieux  
Eric S. Raymond  
Mans Rullgard  
Cosmin Truta  
Gilles Vollant  
James Yu  
Mandar Sahastrabudde  
Google Inc.  
Vadim Barkov

and with the following additions to the disclaimer:

There is no warranty against interference with your enjoyment of the library or against infringement. There is no warranty that our efforts or the library will fulfill any of your particular purposes or needs. This library is provided with all faults, and the entire risk of satisfactory quality, performance, accuracy, and effort is with the user.

Some files in the "contrib" directory and some configure-generated files that are distributed with libpng have other copyright owners, and are released under other open source licenses.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are Copyright (c) 1998-2000 Glenn Randers-Pehrson, are derived from libpng-0.96, and are distributed according to the same disclaimer and license as libpng-0.96, with the following individuals added to the list of Contributing Authors:

Tom Lane  
Glenn Randers-Pehrson  
Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are Copyright (c) 1996-1997 Andreas Dilger, are derived from libpng-0.88, and are distributed according to the same disclaimer and license as libpng-0.88, with the following individuals added to the list of Contributing Authors:

John Bowler  
Kevin Bracey  
Sam Bushell  
Magnus Holmgren  
Greg Roelofs  
Tom Tanner

Some files in the "scripts" directory have other copyright owners,



but are released under this license.

libpng versions 0.5, May 1995, through 0.88, January 1996, are  
Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors"  
is defined as the following set of individuals:

Andreas Dilger  
Dave Martindale  
Guy Eric Schalnat  
Paul Schmidt  
Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing  
Authors and Group 42, Inc. disclaim all warranties, expressed or  
implied, including, without limitation, the warranties of  
merchantability and of fitness for any purpose. The Contributing  
Authors and Group 42, Inc. assume no liability for direct, indirect,  
incidental, special, exemplary, or consequential damages, which may  
result from the use of the PNG Reference Library, even if advised of  
the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this  
source code, or portions hereof, for any purpose, without fee, subject  
to the following restrictions:

1. The origin of this source code must not be misrepresented.
2. Altered versions must be plainly marked as such and must not  
be misrepresented as being the original source.
3. This Copyright notice may not be removed or altered from any  
source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit,  
without fee, and encourage the use of this source code as a component  
to supporting the PNG file format in commercial products. If you use  
this source code in a product, acknowledgment is not required but would  
be appreciated.

```
</pre>  
## Apache Commons Byte Code Engineering Library (BCEL) Version 6.5.0  
  
### Apache Commons BCEL Notice  
<pre>
```

Apache Commons BCEL

Copyright 2004-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

</pre>

### Apache 2.0 License

<pre>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate

as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify

the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

</pre>

## Dynalink v.5

### Dynalink License

<pre>

Copyright (c) 2009-2013, Attila Szegedi

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the copyright holder nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL COPYRIGHT HOLDER BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,

WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

## ASM Bytecode Manipulation Framework v8.0.1

### ASM License

<pre>

Copyright (c) 2000-2011 France Tlcom

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

## jQuery UI v1.12.1

### jQuery UI License

...

Copyright jQuery Foundation and other contributors, <https://jquery.org/>

This software consists of voluntary contributions made by many

individuals. For exact contribution history, see the revision history available at <https://github.com/jquery/jquery-ui>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

Copyright and related rights for sample code are waived via CC0. Sample code is defined as all source code contained within the demos directory.

CC0: <http://creativecommons.org/publicdomain/zero/1.0/>

====

All files located in the node\_modules and external directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

...

## Independent JPEG Group: JPEG release 6b

### JPEG License

...

\*\*\*\*\*



Copyright (C) 1991-1998, Thomas G. Lane.

This software is the work of Tom Lane, Philip Gladstone, Jim Boucher, Lee Crocker, Julian Minguillon, Luis Ortiz, George Phillips, Davide Rossi, Guido Vollbeding, Ge' Weijers, and other members of the Independent JPEG Group.

IJG is not affiliated with the official ISO JPEG standards committee.

The authors make NO WARRANTY or representation, either express or implied, with respect to this software, its quality, accuracy, merchantability, or fitness for a particular purpose. This software is provided "AS IS", and you, its user, assume the entire risk as to its quality and accuracy.

This software is copyright (C) 1991-1998, Thomas G. Lane.  
All Rights Reserved except as specified below.

Permission is hereby granted to use, copy, modify, and distribute this software (or portions thereof) for any purpose, without fee, subject to these conditions:

- (1) If any part of the source code for this software is distributed, then this README file must be included, with this copyright and no-warranty notice unaltered; and any additions, deletions, or changes to the original files must be clearly indicated in accompanying documentation.
- (2) If only executable code is distributed, then the accompanying documentation must state that "this software is based in part on the work of the Independent JPEG Group".
- (3) Permission for use of this software is granted only if the user accepts full responsibility for any undesirable consequences; the authors accept NO LIABILITY for damages of any kind.

These conditions apply to any software derived from or based on the IJG code, not just to the unmodified library. If you use our work, you ought to acknowledge us.

Permission is NOT granted for the use of any IJG author's name or company name in advertising or publicity relating to this software or products derived from it. This software may be referred to only as "the Independent JPEG Group's software".

We specifically permit and encourage the use of this software as the basis of commercial products, provided that all warranty or liability claims are assumed by the product vendor.

It appears that the arithmetic coding option of the JPEG spec is covered by patents owned by IBM, AT&T, and Mitsubishi. Hence arithmetic coding cannot legally be used without obtaining one or more licenses. For this reason, support for arithmetic coding has been removed from the free JPEG software. (Since arithmetic coding provides only a marginal gain over the unpatented Huffman mode, it is unlikely that very many implementations will support it.) So far as we are aware, there are no patent restrictions on the remaining code.

The IJG distribution formerly included code to read and write GIF files. To avoid entanglement with the Unisys LZW patent, GIF reading support has been removed altogether, and the GIF writer has been simplified to produce "uncompressed GIFs". This technique does not use the LZW algorithm; the resulting GIF files are larger than usual, but are readable by all standard GIF decoders.

We are required to state that "The Graphics Interchange Format(c) is the Copyright property of CompuServe Incorporated. GIF(sm) is a Service Mark property of CompuServe Incorporated."

\*\*\*\*\*

\*\*\*

## International Components for Unicode (ICU4J) v67.1

### ICU4J License

\*\*\*

COPYRIGHT AND PERMISSION NOTICE (ICU 58 and later)

Copyright 1991-2020 Unicode, Inc. All rights reserved.

Distributed under the Terms of Use in <https://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either

- (a) this copyright and permission notice appear with all copies of the Data Files or Software, or
- (b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND

NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

-----

Third-Party Software Licenses

This section contains third-party software notices and/or additional terms for licensed third-party software components included within ICU libraries.

1. ICU License - ICU 1.8.1 to ICU 57.1

COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1995-2016 International Business Machines Corporation and others  
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, provided that the above copyright notice(s) and this permission notice appear in all copies of the Software and that both the above copyright notice(s) and this permission notice appear in supporting documentation.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

All trademarks and registered trademarks mentioned herein are the property of their respective owners.

From: <https://www.unicode.org/copyright.html>:

Unicode Copyright and Terms of Use

For the general privacy policy governing access to this site, see the [Unicode Privacy Policy](#).

Unicode Copyright

Copyright 1991-2020 Unicode, Inc. All rights reserved.

Definitions

Unicode Data Files ("DATA FILES") include all data files under the directories:

<https://www.unicode.org/Public/>

<https://www.unicode.org/reports/>

<https://www.unicode.org/ivd/data/>

Unicode Data Files do not include PDF online code charts under the directory:

<https://www.unicode.org/Public/>

Unicode Software ("SOFTWARE") includes any source code published in the Unicode Standard or any source code or compiled code under the directories:

<https://www.unicode.org/Public/PROGRAMS/>

<https://www.unicode.org/Public/cldr/>

<http://site.icu-project.org/download/>

Terms of Use

Certain documents and files on this website contain a legend indicating that "Modification is permitted." Any person is hereby authorized, without fee, to modify such documents and files to create derivative works conforming to the Unicode Standard, subject to Terms and Conditions herein.

Any person is hereby authorized, without fee, to view, use, reproduce, and distribute all documents and files, subject to the Terms and Conditions herein.

Further specifications of rights and restrictions pertaining to the use of the Unicode DATA FILES and SOFTWARE can be found in the Unicode Data Files and Software License.

Each version of the Unicode Standard has further specifications of rights and restrictions of use. For the book editions (Unicode 5.0 and earlier), these are found on the back of the title page.

The Unicode PDF online code charts carry specific restrictions. Those restrictions are incorporated as the first page of each PDF code chart.

All other files, including online documentation of the core specification for Unicode 6.0 and later, are covered under these general Terms of Use.

No license is granted to "mirror" the Unicode website where a fee is charged for access to the "mirror" site.

Modification is not permitted with respect to this document. All copies of this document must be verbatim.

#### Restricted Rights Legend

Any technical data or software which is licensed to the United States of America, its agencies and/or instrumentalities under this Agreement is commercial technical data or commercial computer software developed exclusively at private expense as defined in FAR 2.101, or DFARS 252.227-7014 (June 1995), as applicable. For technical data, use, duplication, or disclosure by the Government is subject to restrictions as set forth in DFARS 202.227-7015 Technical Data, Commercial and Items (Nov 1995) and this Agreement. For Software, in accordance with FAR 12-212 or DFARS 227-7202, as applicable, use, duplication or disclosure by the Government is subject to the restrictions set forth in this Agreement.

#### Warranties and Disclaimers

This publication and/or website may include technical or typographical errors or other inaccuracies. Changes are periodically added to the information herein; these changes will be incorporated in new editions of the publication and/or website. Unicode, Inc. may make improvements and/or changes in the product(s) and/or program(s) described in this publication and/or website at any time.

If this file has been purchased on magnetic or optical media from Unicode, Inc. the sole and exclusive remedy for any claim will be exchange of the defective media within ninety (90) days of original purchase.

EXCEPT AS PROVIDED IN SECTION E.2, THIS PUBLICATION AND/OR SOFTWARE IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND EITHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. UNICODE, INC. AND ITS LICENSORS ASSUME NO RESPONSIBILITY FOR ERRORS OR OMISSIONS IN THIS PUBLICATION AND/OR SOFTWARE OR OTHER DOCUMENTS WHICH ARE REFERENCED BY OR LINKED TO THIS PUBLICATION OR THE UNICODE WEBSITE.

#### Waiver of Damages

In no event shall Unicode, Inc. or its licensors be liable for any special, incidental, indirect or consequential damages of any kind, or any damages whatsoever, whether or not Unicode, Inc. was advised of the possibility of the damage, including, without limitation, those resulting from the following: loss of use, data or profits, in connection with the use, modification or distribution of this information or its derivatives.

#### Trademarks & Logos

The Unicode Word Mark and the Unicode Logo are trademarks of Unicode, Inc. The Unicode Consortium and Unicode, Inc. are trade names of Unicode, Inc. Use of the information and materials found on this website indicates your acknowledgement of Unicode, Inc.'s exclusive worldwide rights in the Unicode Word Mark, the Unicode Logo, and the Unicode trade names.

The Unicode Consortium Name and Trademark Usage Policy (Trademark Policy) are incorporated herein by reference and you agree to abide by the provisions of the Trademark Policy, which may be changed from time to time in the sole discretion of Unicode, Inc.

All third party trademarks referenced herein are the property of their respective owners.

#### Miscellaneous

**Jurisdiction and Venue.** This website is operated from a location in the State of California, United States of America. Unicode, Inc. makes no representation that the materials are appropriate for use in other locations. If you access this website from other locations, you are responsible for compliance with local laws. This Agreement, all use of this website and any claims and damages resulting from use of this website are governed solely by the laws of the State of California without regard to any principles which would apply the laws of a different jurisdiction. The user agrees that any disputes regarding this website shall be resolved solely in the courts located in Santa Clara County, California. The user agrees said courts have personal jurisdiction and agree to waive any right to transfer

the dispute to any other forum.

Modification by Unicode, Inc. Unicode, Inc. shall have the right to modify this Agreement at any time by posting it to this website. The user may not assign any part of this Agreement without Unicode, Inc.s prior written consent.

Taxes. The user agrees to pay any taxes arising from access to this website or use of the information herein, except for those based on Unicodes net income.

Severability. If any provision of this Agreement is declared invalid or unenforceable, the remaining provisions of this Agreement shall remain in effect.

Entire Agreement. This Agreement constitutes the entire agreement between the parties.

...

## Mozilla Public Suffix List

### Public Suffix Notice

...

You are receiving a copy of the Mozilla Public Suffix List in the following file: <java-home>/lib/security/public\_suffix\_list.dat. The terms of the Oracle license do NOT apply to this file; it is licensed under the Mozilla Public License 2.0, separately from the Oracle programs you receive. If you do not wish to use the Public Suffix List, you may remove the <java-home>/lib/security/public\_suffix\_list.dat file.

The Source Code of this file is available under the Mozilla Public License, v. 2.0 and is located at [https://raw.githubusercontent.com/publicsuffix/list/3c213aab32b3c014f171b1673d4ce9b5cd72bf1c/public\\_suffix\\_list.dat](https://raw.githubusercontent.com/publicsuffix/list/3c213aab32b3c014f171b1673d4ce9b5cd72bf1c/public_suffix_list.dat).

If a copy of the MPL was not distributed with this file, you can obtain one at <https://mozilla.org/MPL/2.0/>.

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations under the License.

...

### MPL v2.0

...

Mozilla Public License Version 2.0  
=====

1. Definitions

-----

1.1. "Contributor"  
means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

1.2. "Contributor Version"  
means the combination of the Contributions of others (if any) used

by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"

means Covered Software of a particular Contributor.

1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. "Incompatible With Secondary Licenses"

means

(a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

(b) that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method,

process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

#### 1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

#### 1.13. "Source Code Form"

means the form of the work preferred for making modifications.

#### 1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

### 2. License Grants and Conditions

-----

#### 2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- (b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

#### 2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.



### 2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License.

Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- (a) for any code that a Contributor has removed from Covered Software;  
or
- (b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- (c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

### 2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

### 2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

### 2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

### 2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

### 3. Responsibilities

-----

#### 3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

#### 3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- (a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and
- (b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

#### 3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

#### 3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

### 3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

### 4. Inability to Comply Due to Statute or Regulation

-----

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

### 5. Termination

-----

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to

You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

```
*****
*
*
* 6. Disclaimer of Warranty
* -----
*
* Covered Software is provided under this License on an "as is"
* basis, without warranty of any kind, either expressed, implied, or
* statutory, including, without limitation, warranties that the
* Covered Software is free of defects, merchantable, fit for a
* particular purpose or non-infringing. The entire risk as to the
* quality and performance of the Covered Software is with You.
* Should any Covered Software prove defective in any respect, You
* (not any Contributor) assume the cost of any necessary servicing,
* repair, or correction. This disclaimer of warranty constitutes an
* essential part of this License. No use of any Covered Software is
* authorized under this License except under this disclaimer.
*
*
*****
```

```
*****
*
*
* 7. Limitation of Liability
* -----
*
* Under no circumstances and under no legal theory, whether tort
* (including negligence), contract, or otherwise, shall any
* Contributor, or anyone who distributes Covered Software as
* permitted above, be liable to You for any direct, indirect,
* special, incidental, or consequential damages of any character
* including, without limitation, damages for lost profits, loss of
* goodwill, work stoppage, computer failure or malfunction, or any
* and all other commercial damages or losses, even if such party
* shall have been informed of the possibility of such damages. This
* limitation of liability shall not apply to liability for death or
* personal injury resulting from such party's negligence to the
* extent applicable law prohibits such limitation. Some
* jurisdictions do not allow the exclusion or limitation of
* incidental or consequential damages, so this exclusion and
* limitation may not apply to You.
*
*
*****
```

\*\*\*\*\*

## 8. Litigation

-----

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions.

Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

## 9. Miscellaneous

-----

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

## 10. Versions of the License

-----

### 10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

### 10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

### 10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

### 10.4. Distributing Source Code Form that is Incompatible With Secondary

## Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

### Exhibit A - Source Code Form License Notice

-----

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <https://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

### Exhibit B - "Incompatible With Secondary Licenses" Notice

-----

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

---

## Mesa 3-D Graphics Library v21.0.3

### Mesa License

---

Copyright (C) 1999-2007 Brian Paul All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Attention, Contributors

When contributing to the Mesa project you must agree to the licensing terms of the component to which you're contributing.

The following section lists the primary components of the Mesa distribution and their respective licenses.

Mesa Component Licenses

Component	Location	License
Main Mesa code	src/ mesa/	MIT
Device drivers	src/ mesa/ drivers/ *	MIT, generally
Gallium code	src/ gallium/	MIT
Ext headers	GL/ glxext.h	Khronos
	GL/ glxext.h	Khronos
	GL/ wglxext.h	Khronos
	KHR/ khrplatform.h	Khronos

\*\*\*\*\*

----

include/GL/gl.h :

Mesa 3-D graphics library

Copyright (C) 1999-2006 Brian Paul All Rights Reserved.

Copyright (C) 2009 VMware, Inc. All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS

OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

\*\*\*\*\*

----

```
include/GL/glex.h
include/GL/glxext.h
include/GL/wglxext.h :
```

Copyright (c) 2013 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and/or associated documentation files (the "Materials"), to deal in the Materials without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Materials, and to permit persons to whom the Materials are furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

\*\*\*\*\*

----

```
include/KHR/khrplatform.h :
```

Copyright (c) 2008 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and/or associated documentation files (the "Materials"), to deal in the Materials without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Materials, and to



permit persons to whom the Materials are furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

\*\*\*\*\*

...

## Little Color Management System (LCMS) v2.12

### LCMS License

<pre>

Little Color Management System  
Copyright (c) 1998-2020 Marti Maria Saguer

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

# 1.85 javax-inject 1

## 1.85.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the

origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

/\*

\* Copyright (C) 2009 The JSR-330 Expert Group

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

## 1.86 alpine-baselayout-data 3.4.0-r0

### 1.86.1 Available under license :

/\*

\* Copyright (c) 1983, 1988 Regents of the University of California.

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms are permitted

\* provided that the above copyright notice and this paragraph are

\* duplicated in all such forms and that any documentation,

\* advertising materials, and other materials related to such

\* distribution and use acknowledge that the software was developed

\* by the University of California, Berkeley. The name of the

\* University may not be used to endorse or promote products derived

\* from this software without specific prior written permission.

\* THIS SOFTWARE IS PROVIDED ``AS IS" AND WITHOUT ANY EXPRESS OR

\* IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED

\* WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

\*/

## INTEL SOFTWARE LICENSE AGREEMENT

### IMPORTANT - READ BEFORE COPYING, INSTALLING OR USING.

Do not use or load this software and any associated materials (collectively, the "Software") until you have carefully read the following terms and conditions. By loading or using the Software, you agree to the terms of this Agreement. If you do not wish to so agree, do not install or use the Software.

#### LICENSES: Please Note:

- If you are a network administrator, the "Site License" below shall apply to you.
- If you are an end user, the "Single User License" shall apply to you.
- If you are an original equipment manufacturer (OEM), the "OEM License" shall apply to you.

**SITE LICENSE.** You may copy the Software onto your organization's computers for your organization's use, and you may make a reasonable number of back-up copies of the Software, subject to these conditions:

1. This Software is licensed for use only in conjunction with Intel component products. Use of the Software in conjunction with non-Intel component products is not licensed hereunder.
2. You may not copy, modify, rent, sell, distribute or transfer any part of the Software except as provided in this Agreement, and you agree to prevent unauthorized copying of the Software.
3. You may not reverse engineer, decompile, or disassemble the Software.
4. You may not sublicense or permit simultaneous use of the Software by more than one user.
5. The Software may include portions offered on terms in addition to those set out here, as set out in a license accompanying those portions.

**SINGLE USER LICENSE.** You may copy the Software onto a single computer for your personal, noncommercial use, and you may make one back-up copy of the Software, subject to these conditions:

1. This Software is licensed for use only in conjunction with Intel component products. Use of the Software in conjunction with non-Intel component products is not licensed hereunder.
2. You may not copy, modify, rent, sell, distribute or transfer any part of the Software except as provided in this Agreement, and you agree to prevent unauthorized copying of the Software.
3. You may not reverse engineer, decompile, or disassemble the Software.
4. You may not sublicense or permit simultaneous use of the Software by more than one user.
5. The Software may include portions offered on terms in addition to those set out here, as set out in a license accompanying those portions.

OEM LICENSE: You may reproduce and distribute the Software only as an integral part of or incorporated in Your product or as a standalone Software maintenance update for existing end users of Your products, excluding any other standalone products, subject to these conditions:

1. This Software is licensed for use only in conjunction with Intel component products. Use of the Software in conjunction with non-Intel component products is not licensed hereunder.
2. You may not copy, modify, rent, sell, distribute or transfer any part of the Software except as provided in this Agreement, and you agree to prevent unauthorized copying of the Software.
3. You may not reverse engineer, decompile, or disassemble the Software.
4. You may only distribute the Software to your customers pursuant to a written license agreement. Such license agreement may be a "break-the-seal" license agreement. At a minimum such license shall safeguard Intel's ownership rights to the Software.
5. The Software may include portions offered on terms in addition to those set out here, as set out in a license accompanying those portions.

NO OTHER RIGHTS. No rights or licenses are granted by Intel to You, expressly or by implication, with respect to any proprietary information or patent, copyright, mask work, trademark, trade secret, or other intellectual property right owned or controlled by Intel, except as expressly provided in this Agreement.

OWNERSHIP OF SOFTWARE AND COPYRIGHTS. Title to all copies of the Software remains with Intel or its suppliers. The Software is copyrighted and protected by the laws of the United States and other countries, and international treaty provisions. You may not remove any copyright notices from the Software. Intel may make changes to the Software, or to items referenced therein, at any time without notice, but is not obligated to support or update the Software. Except as otherwise expressly provided, Intel grants no express or implied right under Intel patents, copyrights, trademarks, or other intellectual property rights. You may transfer the Software only if the recipient agrees to be fully bound by these terms and if you retain no copies of the Software.

LIMITED MEDIA WARRANTY. If the Software has been delivered by Intel on physical media, Intel warrants the media to be free from material physical defects for a period of ninety days after delivery by Intel. If such a defect is found, return the media to Intel for replacement or alternate delivery of the Software as Intel may select.

EXCLUSION OF OTHER WARRANTIES. EXCEPT AS PROVIDED ABOVE, THE SOFTWARE IS PROVIDED "AS IS" WITHOUT ANY EXPRESS OR IMPLIED WARRANTY OF ANY KIND INCLUDING WARRANTIES OF MERCHANTABILITY, NONINFRINGEMENT, OR FITNESS FOR A PARTICULAR PURPOSE. Intel does not warrant or assume responsibility for the accuracy or completeness of any information, text, graphics, links or other



items contained within the Software.

LIMITATION OF LIABILITY. IN NO EVENT SHALL INTEL OR ITS SUPPLIERS BE LIABLE FOR ANY DAMAGES WHATSOEVER (INCLUDING, WITHOUT LIMITATION, LOST PROFITS, BUSINESS INTERRUPTION, OR LOST INFORMATION) ARISING OUT OF THE USE OF OR INABILITY TO USE THE SOFTWARE, EVEN IF INTEL HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. SOME JURISDICTIONS PROHIBIT EXCLUSION OR LIMITATION OF LIABILITY FOR IMPLIED WARRANTIES OR CONSEQUENTIAL OR INCIDENTAL DAMAGES, SO THE ABOVE LIMITATION MAY NOT APPLY TO YOU. YOU MAY ALSO HAVE OTHER LEGAL RIGHTS THAT VARY FROM JURISDICTION TO JURISDICTION.

TERMINATION OF THIS AGREEMENT. Intel may terminate this Agreement at any time if you violate its terms. Upon termination, you will immediately destroy the Software or return all copies of the Software to Intel.

APPLICABLE LAWS. Claims arising under this Agreement shall be governed by the laws of California, excluding its principles of conflict of laws and the United Nations Convention on Contracts for the Sale of Goods. You may not export the Software in violation of applicable export laws and regulations. Intel is not obligated under any other agreements unless they are in writing and signed by an authorized representative of Intel.

GOVERNMENT RESTRICTED RIGHTS. The Software is provided with "RESTRICTED RIGHTS." Use, duplication, or disclosure by the Government is subject to restrictions as set forth in FAR52.227-14 and DFAR252.227-7013 et seq. or its successor. Use of the Software by the Government constitutes acknowledgment of Intel's proprietary rights therein. Contractor or Manufacturer is Intel  
2200 Mission College Blvd., Santa Clara, CA 95052.

```
# Automatically generated by apkbuild-cpan, template 1
# Contributor: Francesco Colista <francesco.colista@gmail.com>
# Maintainer: Francesco Colista <francesco.colista@gmail.com>
pkgname=perl-software-license
_pkgreal=Software-License
pkgver=0.103004
pkgrel=0
pkgdesc="packages that provide templated software licenses"
url="http://search.cpan.org/dist/Software-License/"
arch="noarch"
license="GPL PerlArtistic"
cpandepends="perl-text-template perl-data-section perl-sub-install"
cpanmakedepends=""
depends="$cpandepends"
makedepends="perl-dev $cpanmakedepends"
subpackages="$pkgname-doc"
source="http://search.cpan.org/CPAN/authors/id/R/RJ/RJBS/${_pkgreal}-${pkgver}.tar.gz"

_buildidir="$srcdir/${_pkgreal}-${pkgver}"
```

```
prepare() {
  cd "$_builddir"
  export CFLAGS=`perl -MConfig -E 'say $Config{ccflags}`
  PERL_MM_USE_DEFAULT=1 perl Makefile.PL INSTALLDIRS=vendor
}
```

```
build() {
  cd "$_builddir"
  export CFLAGS=`perl -MConfig -E 'say $Config{ccflags}`
  make && make test
}
```

```
package() {
  cd "$_builddir"
  make DESTDIR="$pkgdir" install || return 1
  find "$pkgdir" \( -name perllocal.pod -o -name .packlist \) -delete
}
```

md5sums="0c5fd53d93818566234578b27d667b35 Software-License-0.103004.tar.gz"

Permission is hereby irrevocably granted to everyone to use, copy, modify, and distribute this source code, or portions hereof, or executable programs compiled from it, for any purpose, without payment of any fee, subject to the following restrictions:

1. The origin of this source code must not be misrepresented.
2. Altered versions must be plainly marked as such and must not be misrepresented as being the original source.
3. This Copyright notice, disclaimer, and license may not be removed or altered from any source or altered source distribution.

/\*

\* Create mount directories in fstab

\*

\* Copyright(c) 2008 Natanael Copa <natanael.copa@gmail.com>

\* May be distributed under the terms of GPL-2

\*

\* usage: mkmntdirs [fstab]

\*

\*/

**IMPORTANT - READ BEFORE COPYING, INSTALLING OR USING.**

Do not use or load this software and any associated materials (collectively, the "Software") until you have carefully read the following terms and conditions. By loading or using the Software, you agree to the terms of this Agreement. If you do not wish to so agree, do not install or use the Software.

## 1. COPYRIGHT NOTICE

Some or all of this work - Copyright 1999-2011, Intel Corp. All rights reserved.

## 2. LICENSE

2.1. This is your license from Intel Corp. under its intellectual property rights. You may have additional license terms from the party that provided you this software, covering your right to use that party's intellectual property rights.

2.2. Intel grants, free of charge, to any person ("Licensee") obtaining a copy of the source code appearing in this file ("Covered Code") an irrevocable, perpetual, worldwide license under Intel's copyrights in the base code distributed originally by Intel ("Original Intel Code") to copy, make derivatives, distribute, use and display any portion of the Covered Code in any form, with the right to sublicense such rights; and

2.3. Intel grants Licensee a non-exclusive and non-transferable patent license (with the right to sublicense), under only those claims of Intel patents that are infringed by the Original Intel Code, to make, use, sell, offer to sell, and import the Covered Code and derivative works thereof solely to the minimum extent necessary to exercise the above copyright license, and in no event shall the patent license extend to any additions to or modifications of the Original Intel Code. No other license or right is granted directly or by implication, estoppel or otherwise; The above copyright and patent license is granted only if the following conditions are met:

## 3. CONDITIONS

3.1. Redistribution of Source with Rights to Further Distribute Source. Redistribution of source code of any substantial portion of the Covered Code or modification with rights to further distribute source must include the above Copyright Notice, the above License, this list of Conditions, and the following Disclaimer and Export Compliance provision. In addition, Licensee must cause all Covered Code to which Licensee contributes to contain a file documenting the changes Licensee made to create that Covered Code and the date of any change. Licensee must include in that file the documentation of any changes made by any predecessor Licensee. Licensee must include a prominent statement that the modification is derived, directly or indirectly, from Original Intel Code.

3.2. Redistribution of Source with no Rights to Further Distribute Source. Redistribution of source code of any substantial portion of the Covered Code or modification without rights to further distribute source must include the following Disclaimer and Export Compliance

provision in the documentation and/or other materials provided with distribution. In addition, Licensee may not authorize further sublicense of source of any portion of the Covered Code, and must include terms to the effect that the license from Licensee to its licensee is limited to the intellectual property embodied in the software Licensee provides to its licensee, and not to intellectual property embodied in modifications its licensee may make.

3.3. Redistribution of Executable. Redistribution in executable form of any substantial portion of the Covered Code or modification must reproduce the above Copyright Notice, and the following Disclaimer and Export Compliance provision in the documentation and/or other materials provided with the distribution.

3.4. Intel retains all right, title, and interest in and to the Original Intel Code.

3.5. Neither the name Intel nor any other trademark owned or controlled by Intel shall be used in advertising or otherwise to promote the sale, use or other dealings in products derived from or relating to the Covered Code without prior written authorization from Intel.

#### 4. DISCLAIMER AND EXPORT COMPLIANCE

4.1. INTEL MAKES NO WARRANTY OF ANY KIND REGARDING ANY SOFTWARE PROVIDED HERE. ANY SOFTWARE ORIGINATING FROM INTEL OR DERIVED FROM INTEL SOFTWARE IS PROVIDED "AS IS," AND INTEL WILL NOT PROVIDE ANY SUPPORT, ASSISTANCE, INSTALLATION, TRAINING OR OTHER SERVICES. INTEL WILL NOT PROVIDE ANY UPDATES, ENHANCEMENTS OR EXTENSIONS. INTEL SPECIFICALLY DISCLAIMS ANY IMPLIED WARRANTIES OF MERCHANTABILITY, NONINFRINGEMENT AND FITNESS FOR A PARTICULAR PURPOSE.

4.2. IN NO EVENT SHALL INTEL HAVE ANY LIABILITY TO LICENSEE, ITS LICENSEES OR ANY OTHER THIRD PARTY, FOR ANY LOST PROFITS, LOST DATA, LOSS OF USE OR COSTS OF PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES, OR FOR ANY INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THIS AGREEMENT, UNDER ANY CAUSE OF ACTION OR THEORY OF LIABILITY, AND IRRESPECTIVE OF WHETHER INTEL HAS ADVANCE NOTICE OF THE POSSIBILITY OF SUCH DAMAGES. THESE LIMITATIONS SHALL APPLY NOTWITHSTANDING THE FAILURE OF THE ESSENTIAL PURPOSE OF ANY LIMITED REMEDY.

4.3. Licensee shall not export, either directly or indirectly, any of this software or system incorporating such software without first obtaining any required license or other approval from the U. S. Department of Commerce or any other agency or department of the United States Government. In the event Licensee exports any such software from the United States or re-exports any such software from a foreign

destination, Licensee shall ensure that the distribution and export/re-export of the software is in compliance with all laws, regulations, orders, or other restrictions of the U.S. Export Administration Regulations. Licensee agrees that neither it nor any of its subsidiaries will export/re-export any technical data, process, software, or service, directly or indirectly, to any country for which the United States government or any agency thereof requires an export license, other governmental approval, or letter of assurance, without first obtaining such license, approval or letter.

SQLite Copyright

SQLite is in the

Public Domain

All of the deliverable code in SQLite has been dedicated to the public domain by the authors. All code authors, and representatives of the companies they work for, have signed affidavits dedicating their contributions to the public domain and originals of those signed affidavits are stored in a firesafe at the main offices of Hwaci. Anyone is free to copy, modify, publish, use, compile, sell, or distribute the original SQLite code, either in source code form or as a compiled binary, for any purpose, commercial or non-commercial, and by any means.

The previous paragraph applies to the deliverable code in SQLite - those parts of the SQLite library that you actually bundle and ship with a larger application. Portions of the documentation and some code used as part of the build process might fall under other licenses. The details here are unclear. We do not worry about the licensing of the documentation and build code so much because none of these things are part of the core deliverable SQLite library.

All of the deliverable code in SQLite has been written from scratch. No code has been taken from other projects or from the open internet. Every line of code can be traced back to its original author, and all of those authors have public domain dedications on file. So the SQLite code base is clean and is uncontaminated with licensed code from other projects.

Obtaining An Explicit License To Use SQLite

Even though SQLite is in the public domain and does not require a license, some users want to obtain a license anyway. Some reasons for obtaining a license include:

You are using SQLite in a jurisdiction that does not recognize the public domain.

You are using SQLite in a jurisdiction that does not recognize the right of an author to dedicate their work to the public domain.

You want to hold a tangible legal document as evidence that you have the legal right to use and distribute SQLite.

Your legal department tells you that you have to purchase a license.

If you feel like you really have to purchase a license for SQLite, Hwaci, the company that employs the architect and principal developers of SQLite, will sell you one.

Contributed Code

In order to keep SQLite completely free and unencumbered by copyright, all new contributors to the SQLite code base are asked to dedicate their contributions to the public domain. If you want to send a patch or enhancement for possible inclusion in the SQLite source tree, please accompany the patch with the following statement:

The author or authors of this code dedicate any and all copyright interest in this code to the public domain. We make this dedication for the benefit of the public at large and to the detriment of our heirs and successors. We intend this

dedication to be an overt act of relinquishment in perpetuity of all present and future rights to this code under copyright law.

We are not able to accept patches or changes to SQLite that are not accompanied by a statement such as the above. In addition, if you make changes or enhancements as an employee, then a simple statement such as the above is insufficient. You must also send by surface mail a copyright release signed by a company officer. A signed original of the copyright release should be mailed to:

Hwaci  
6200 Maple Cove Lane  
Charlotte, NC 28269  
USA

A template copyright release is available in PDF or HTML. You can use this release to make future changes.

see <http://www.sqlite.org/copyright.html>

```
# Automatically generated by apkgbuild-cpan, template 1
# Contributor: Valery Kartel <valery.kartel@gmail.com>
# Maintainer: Valery Kartel <valery.kartel@gmail.com>
pkgname=perl-bsd-resource
_pkgreal=BSD-Resource
pkgver=1.2909
pkgrel=0
pkgdesc="Perl extension implements the BSD process resource limit functions"
url="http://search.cpan.org/dist/BSD-Resource/"
arch="all"
license="GPL PerlArtistic"
cpandepends=""
cpanmakedepends=""
depends="$cpandepends"
makedepends="perl-dev $cpanmakedepends"
subpackages="$pkgname-doc"
source="http://search.cpan.org/CPAN/authors/id/J/JH/JHI/_pkgreal-$pkgver.tar.gz"

_builddir="$srcdir/_pkgreal-$pkgver"
```

```
prepare() {
  cd "$_builddir"
  export CFLAGS=`perl -MConfig -E 'say $Config{ccflags}`
  PERL_MM_USE_DEFAULT=1 perl Makefile.PL INSTALLDIRS=vendor
}
```

```
build() {
  cd "$_builddir"
  export CFLAGS=`perl -MConfig -E 'say $Config{ccflags}`
  make && make test || return 1
}
```

```
package() {
```

```

cd "$_builddir"
make DESTDIR="$pkgdir" install || return 1
find "$pkgdir" \( -name perllocal.pod -o -name .packlist \) -delete
}

md5sums="3c6dd2fa953088aa87e263f40818d012 BSD-Resource-1.2909.tar.gz"
sha256sums="c47d460e2bd00d8d049f6ff4a0f1f61957e289e8de45af5fc79e851e2e855e06 BSD-Resource-
1.2909.tar.gz"
sha512sums="5f489eaac5089e82081b7cf51d62638750e443751b49415407354da96b17771819b5e6e85529faa41ddd
85743363750157943c7f7700276cce2bd40a429fa430 BSD-Resource-1.2909.tar.gz"
# Contributor: Fabian Affolter <fabian@affolter-engineering.ch>
# Maintainer: Fabian Affolter <fabian@affolter-engineering.ch>
pkgname=py-flake8-copyright
_pkgname=flake8-copyright
pkgver=0.1
pkgrel=1
pkgdesc="Extension for flake8 which checks for copyrights"
url="https://github.com/savoirfairelinux/flake8-copyright"
arch="noarch"
license="MIT"
depends="python flake8"
depends_dev=""
makedepends="python-dev py-setuptools"
install=""
subpackages=""
source="http://pypi.python.org/packages/source/${_pkgname:0:1}/${_pkgname}/${_pkgname}-${pkgver}.tar.gz"

_builddir="$srcdir"/$_pkgname-$pkgver
prepare() {
local i
cd "$_builddir"
for i in $source; do
case $i in
*.patch) msg $i; patch -p1 -i "$srcdir"/$i || return 1;;
esac
done
}

build() {
cd "$_builddir"
python setup.py build || return 1
}

package() {
cd "$_builddir"
python setup.py install --prefix=/usr --root="$pkgdir" || return 1
}

```

```
md5sums="8fab17d27f0b417c44ea0bebf579d71b flake8-copyright-0.1.tar.gz"
sha256sums="34cba5411ef3f677b7ba8d7b063493c9ed5af9985b2da77807be94bf9e65823b flake8-copyright-
0.1.tar.gz"
sha512sums="c1ef4b8ad4bd422b629ec481074256d33ca4c8e8f10c7a7da6619b01c18ccf6f8a86bf6c7ce4d73f29a93e
0f23797c1a356abcf242e9f556b979b75e3a8bfe46 flake8-copyright-0.1.tar.gz"
# Maintainer: Natanael Copa <ncopa@alpinelinux.org>
pkgname=libart-lgpl
pkgver=2.3.21
pkgrel=5
pkgdesc="A library for high-performance 2D graphics"
url="http://www.levien.com/libart/"
arch="all"
license="LGPL"
depends=
makedepends=
subpackages="$pkgname-dev"
source="http://ftp.gnome.org/pub/GNOME/sources/libart-lgpl/2.3/libart-lgpl-$pkgver.tar.bz2"
"
```

```
_builddir="$srcdir"/libart-lgpl-$pkgver
```

```
prepare() {
    cd "$_builddir"
    update_config_sub || return 1
}
```

```
build() {
    cd "$_builddir"
    ./configure \
        --build=$CBUILD \
        --host=$CHOST \
        --prefix=/usr \
    || return 1
    make || return 1
}
```

```
package() {
    cd "$_builddir"
    make DESTDIR="$pkgdir" install || return 1
}
```

```
md5sums="08559ff3c67fd95d57b0c5e91a6b4302 libart-lgpl-2.3.21.tar.bz2"
```

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA

Everyone is permitted to copy and distribute verbatim copies



of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

#### TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or

executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

mini\_sendmail - accept email on behalf of real sendmail

Copyright 1999,2015 by Jef Poskanzer <jef@mail.acme.com>.

All rights reserved.

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.87 commons-codec 1.15

### 1.87.1 Available under license :

Apache Commons Codec  
Copyright 2002-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

src/test/org/apache/commons/codec/language/DoubleMetaphoneTest.java  
contains test data from <http://aspell.net/test/orig/batch0.tab>.  
Copyright (C) 2002 Kevin Atkinson ([kevina@gnu.org](mailto:kevina@gnu.org))

=====

The content of package org.apache.commons.codec.language.bm has been translated from the original php source code available at <http://stevemorse.org/phoneticinfo.htm> with permission from the original authors.

Original source copyright:  
Copyright (c) 2008 Alexander Beider & Stephen P. Morse.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

## 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent

to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. **Grant of Copyright License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. **Grant of Patent License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. **Redistribution.** You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any



risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

#### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

# 1.88 netty-codec-http 4.1.86.Final

## 1.88.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2013 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1509095605_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-
jar/io/netty/handler/codec/spdy/SpdyGoAwayFrame.java
* /opt/cola/permits/1509095605_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-
jar/io/netty/handler/codec/spdy/SpdyWindowUpdateFrame.java
* /opt/cola/permits/1509095605_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-
jar/io/netty/handler/codec/spdy/SpdyRstStreamFrame.java
* /opt/cola/permits/1509095605_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-
jar/io/netty/handler/codec/spdy/SpdySessionStatus.java
* /opt/cola/permits/1509095605_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-
jar/io/netty/handler/codec/spdy/SpdyCodecUtil.java
* /opt/cola/permits/1509095605_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-
jar/io/netty/handler/codec/spdy/SpdyHeaderBlockRawEncoder.java
* /opt/cola/permits/1509095605_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-
jar/io/netty/handler/codec/http/FullHttpRequest.java
* /opt/cola/permits/1509095605_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-
jar/io/netty/handler/codec/spdy/SpdyHttpCodec.java
* /opt/cola/permits/1509095605_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-
jar/io/netty/handler/codec/spdy/SpdyHttpDecoder.java
* /opt/cola/permits/1509095605_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocketProtocolHandler.java
* /opt/cola/permits/1509095605_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-
```

jar/io/netty/handler/codec/spdy/SpdyVersion.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/spdy/SpdyFrame.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/spdy/DefaultSpdyRstStreamFrame.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/spdy/SpdyPingFrame.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/http/FullHttpRequest.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/spdy/SpdySettingsFrame.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/spdy/SpdySynStreamFrame.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/spdy/SpdyDataFrame.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/spdy/DefaultSpdySynReplyFrame.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/http/FullHttpResponse.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/spdy/SpdyStreamStatus.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/http/websocketx/WebSocketClientProtocolHandshakeHandler.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/http/websocketx/WebSocketFrameDecoder.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/spdy/DefaultSpdyHeadersFrame.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/http/websocketx/WebSocketFrameAggregator.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/spdy/SpdySynReplyFrame.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/spdy/DefaultSpdyWindowUpdateFrame.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/http/DefaultFullHttpResponse.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/spdy/DefaultSpdyStreamFrame.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/spdy/SpdySessionHandler.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/http/websocketx/WebSocketClientProtocolHandler.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/http/cors/package-info.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/spdy/DefaultSpdyDataFrame.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/spdy/SpdyHeaderBlockEncoder.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-

jar/io/netty/handler/codec/spdy/SpdyStreamFrame.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/spdy/DefaultSpdySynStreamFrame.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/spdy/DefaultSpdyPingFrame.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/spdy/DefaultSpdyGoAwayFrame.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/spdy/SpdyHeaderBlockJZlibEncoder.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/spdy/SpdyHeadersFrame.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/http/ComposedLastHttpContent.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/http/websocketx/WebSocketFrameEncoder.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/spdy/DefaultSpdyHeaders.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/http/DefaultFullHttpRequest.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/spdy/SpdyHeaders.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/spdy/SpdyHeaderBlockZlibEncoder.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2020 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshakeException.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/http/multipart/DeleteFileOnExitHook.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshakeException.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2014 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1509095605_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-
jar/io/netty/handler/codec/http/HttpHeaderNames.java
* /opt/cola/permits/1509095605_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketServerExtensionHandshaker.java
* /opt/cola/permits/1509095605_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-
jar/io/netty/handler/codec/spdy/SpdyHeaderBlockZlibDecoder.java
* /opt/cola/permits/1509095605_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-
jar/io/netty/handler/codec/rtsp/RtspHeaderNames.java
* /opt/cola/permits/1509095605_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-
jar/io/netty/handler/codec/http/ClientCookieEncoder.java
* /opt/cola/permits/1509095605_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-
jar/io/netty/handler/codec/spdy/SpdyFrameDecoder.java
* /opt/cola/permits/1509095605_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-
jar/io/netty/handler/codec/http/HttpHeaderValues.java
* /opt/cola/permits/1509095605_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-
jar/io/netty/handler/codec/http/websocketx/Utf8FrameValidator.java
* /opt/cola/permits/1509095605_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-
jar/io/netty/handler/codec/http/HttpHeadersEncoder.java
* /opt/cola/permits/1509095605_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-
jar/io/netty/handler/codec/http/websocketx/extensions/compression/DeflateEncoder.java
* /opt/cola/permits/1509095605_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketClientExtensionHandshaker.java
* /opt/cola/permits/1509095605_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-
jar/io/netty/handler/codec/http/websocketx/extensions/compression/WebSocketClientCompressionHandler.java
* /opt/cola/permits/1509095605_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-
jar/io/netty/handler/codec/http/ServerCookieEncoder.java
* /opt/cola/permits/1509095605_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionData.java
* /opt/cola/permits/1509095605_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-
```

jar/io/netty/handler/codec/http/websocketx/extensions/compression/WebSocketServerCompressionHandler.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketClientExtensionHandler.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerMessageDeflateEncoder.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/http/websocketx/extensions/compression/DeflateDecoder.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerMessageDeflateServerExtensionHandshaker.  
java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/http/websocketx/extensions/compression/DeflateFrameServerExtensionHandshaker.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionUtil.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/http/websocketx/extensions/package-info.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionDecoder.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/spdy/SpdyHeaderBlockDecoder.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/http/HttpStatusClass.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerFrameDeflateDecoder.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/spdy/SpdyProtocolException.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/http/HttpChunkedInput.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketClientExtension.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/http/HttpMessageUtil.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtension.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionEncoder.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/rtsp/RtspHeaderValues.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketServerExtension.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/spdy/SpdyFrameCodec.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/spdy/SpdyFrameDecoderDelegate.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/http/websocketx/extensions/compression/package-info.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerFrameDeflateEncoder.java

```
* /opt/cola/permits/1509095605_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-
jar/io/netty/handler/codec/http/websocketx/extensions/compression/DeflateFrameClientExtensionHandshaker.java
* /opt/cola/permits/1509095605_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-
jar/io/netty/handler/codec/spdy/SpdyFrameEncoder.java
* /opt/cola/permits/1509095605_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-
jar/io/netty/handler/codec/spdy/SpdyHeaderBlockRawDecoder.java
* /opt/cola/permits/1509095605_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-
jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerMessageDeflateDecoder.java
* /opt/cola/permits/1509095605_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-
jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerMessageDeflateClientExtensionHandshaker.j
ava
* /opt/cola/permits/1509095605_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketServerExtensionHandler.java
No license file was found, but licenses were detected in source scan.
```

```
# The Netty Project licenses this file to you under the Apache License,
# version 2.0 (the "License"); you may not use this file except in compliance
# with the License. You may obtain a copy of the License at:
# distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
```

Found in path(s):

```
* /opt/cola/permits/1509095605_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/META-
INF/native-image/io.netty/netty-codec-http/native-image.properties
No license file was found, but licenses were detected in source scan.
```

```
/*
```

```
* Copyright 2012 The Netty Project
```

```
*
```

```
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
```

```
*
```

```
* https://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
```

```
*/
```

```
// (BSD License: https://www.opensource.org/licenses/bsd-license)
```

```
// All rights reserved.
```

```
// Redistribution and use in source and binary forms, with or
```

```
// * Redistributions of source code must retain the above
```

```
// copyright notice, this list of conditions and the
```

```
// following disclaimer.
```

```
// * Redistributions in binary form must reproduce the above
```

```
// following disclaimer in the documentation and/or other
```

// \* Neither the name of the Webbit nor the names of

Found in path(s):

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocket13FrameEncoder.java

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocket08FrameEncoder.java

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocket07FrameEncoder.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2019 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

// (BSD License: <https://www.opensource.org/licenses/bsd-license>)

// All rights reserved.

// Redistribution and use in source and binary forms, with or

// \* Redistributions of source code must retain the above

// copyright notice, this list of conditions and the

// following disclaimer.

// \* Redistributions in binary form must reproduce the above

// following disclaimer in the documentation and/or other

// \* Neither the name of the Webbit nor the names of

Found in path(s):

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocket13FrameDecoder.java

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocket07FrameDecoder.java

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocket08FrameDecoder.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016 The Netty Project

\*



\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/http/HttpServerKeepAliveHandler.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/http/multipart/FileUploadUtil.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/http/websocketx/WebSocketChunkedInput.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2014 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License, version 2.0 (the  
\* "License"); you may not use this file except in compliance with the License. You may obtain a  
\* copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/http/HttpServerUpgradeHandler.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/http/HttpClientUpgradeHandler.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2015 The Netty Project  
\*  
\*/

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/rtsp/RtspEncoder.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/cookie/CookieUtil.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/cookie/ClientCookieDecoder.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/cookie/CookieEncoder.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/HttpExpectationFailedEvent.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/rtsp/RtspDecoder.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/CookieUtil.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/EmptyHttpHeaders.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/cookie/package-info.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/CombinedHttpHeaders.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/HttpUtil.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/cookie/CookieHeaderNames.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/cookie/ServerCookieEncoder.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/cookie/ServerCookieDecoder.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/cookie/Cookie.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/HttpScheme.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/cookie/ClientCookieEncoder.java

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/cookie/DefaultCookie.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/cookie/CookieDecoder.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2019 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerProtocolHandler.java

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerProtocolConfig.java

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshaker07.java

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketDecoderConfig.java

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshaker.java

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocket00FrameDecoder.java

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshaker00.java

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketCloseStatus.java

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshaker13.java

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionFilterProvider.java

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshakerFactory.java

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerProtocolHandshakeHandler.java

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-

jar/io/netty/handler/codec/http/websocketx/WebSocketClientProtocolConfig.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshaker08.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionFilter.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/http/websocketx/CloseWebSocketFrame.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/http/websocketx/CorruptedWebSocketFrameException.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2012 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/http/multipart/package-info.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/http/DefaultHttpObject.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/http/DefaultHttpHeaders.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/http/websocketx/WebSocket00FrameEncoder.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/http/DefaultLastHttpContent.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/http/websocketx/PingWebSocketFrame.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/http/DefaultCookie.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/spdy/SpdyHttpEncoder.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/http/HttpResponseEncoder.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/http/multipart/InterfaceHttpData.java

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/HttpContent.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/HttpRequestDecoder.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/rtsp/RtspObjectEncoder.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/multipart/CaseIgnoringComparator.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/HttpObjectAggregator.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/HttpObject.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/rtsp/RtspRequestDecoder.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshaker13.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/multipart/DiskAttribute.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/multipart/MemoryFileUpload.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/multipart/HttpDataFactory.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/HttpClientCodec.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/multipart/Attribute.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/multipart/AbstractDiskHttpData.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/HttpRequestEncoder.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/multipart/DiskFileUpload.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/rtsp/RtspResponseDecoder.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/multipart/HttpPostBodyUtil.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/websocketx/package-info.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/websocketx/BinaryWebSocketFrame.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/package-info.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/HttpServerCodec.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/rtsp/RtspVersions.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/rtsp/RtspHeaders.java

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/HttpResponseStatus.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/rtsp/RtspResponseStatuses.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/spdy/SpdyHttpHeaders.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/rtsp/RtspResponseEncoder.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/websocketx/PongWebSocketFrame.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/spdy/package-info.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/websocketx/ContinuationWebSocketFrame.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketVersion.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/Cookie.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/multipart/HttpPostStandardRequestDecoder.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/rtsp/RtspRequestEncoder.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/multipart/MixedFileUpload.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/DefaultHttpMessage.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdySettingsFrame.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/HttpContentCompressor.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/multipart/InternalAttribute.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/HttpContentEncoder.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/multipart/DefaultHttpDataFactory.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/HttpResponse.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshaker08.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/HttpObjectDecoder.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/HttpConstants.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/HttpContentDecoder.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/multipart/AbstractMemoryHttpData.java

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/websocketx/TextWebSocketFrame.java

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketHandshakeException.java

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshaker.java

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/HTTPHeaderDateFormat.java

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/QueryStringEncoder.java

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/DefaultHttpContent.java

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/rtsp/RtspMethods.java

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/HttpMessage.java

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshaker00.java

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/DefaultHttpResponse.java

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/multipart/AbstractHttpData.java

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/HttpContentDecompressor.java

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/DefaultHttpRequest.java

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshaker07.java

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketUtil.java

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/HttpObjectEncoder.java

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/multipart/MemoryAttribute.java

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/HttpMethod.java

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketFrame.java

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/multipart/FileUpload.java

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/multipart/HttpData.java

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/spdy/SpdyHttpResponseStreamIdHandler.java

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/multipart/InterfaceHttpPostRequestDecoder.java

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshakerFactory.java

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/HttpHeaders.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/multipart/HttpPostRequestDecoder.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/multipart/MixedAttribute.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/spdy/SpdySession.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/multipart/HttpPostRequestEncoder.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/HttpRequest.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/rtsp/RtspObjectDecoder.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/LastHttpContent.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/QueryStringDecoder.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/multipart/HttpPostMultipartRequestDecoder.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/CookieDecoder.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/HttpVersion.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/rtsp/package-info.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/io/netty/handler/codec/http/HttpResponseDecoder.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-



jar/io/netty/handler/codec/http/websocketx/WebSocketScheme.java

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-

jar/io/netty/handler/codec/http/HttpServerExpectContinueHandler.java

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-

jar/io/netty/handler/codec/http/ReadOnlyHttpHeaders.java

No license file was found, but licenses were detected in source scan.

<!--

~ Copyright 2012 The Netty Project

~

~ The Netty Project licenses this file to you under the Apache License,

~ version 2.0 (the "License"); you may not use this file except in compliance

~ with the License. You may obtain a copy of the License at:

~

~ <https://www.apache.org/licenses/LICENSE-2.0>

~

~ Unless required by applicable law or agreed to in writing, software

~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

~ License for the specific language governing permissions and limitations

~ under the License.

-->

Found in path(s):

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-jar/META-

INF/maven/io.netty/netty-codec-http/pom.xml

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2022 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-

jar/io/netty/handler/codec/http/HttpHeaderValidationUtil.java

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-

jar/io/netty/handler/codec/http/multipart/AbstractMixedHttpData.java

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-

jar/io/netty/handler/codec/http/TooLongHttpLineException.java

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-

jar/io/netty/handler/codec/http/TooLongHttpContentException.java

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-

jar/io/netty/handler/codec/http/TooLongHttpHeaderException.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2013 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License, version

\* 2.0 (the "License"); you may not use this file except in compliance with the

\* License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-

jar/io/netty/handler/codec/http/cors/CorsHandler.java

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-

jar/io/netty/handler/codec/http/cors/CorsConfig.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2019 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

/\*

\* Adaptation of <https://bjoern.hoehrmann.de/utf-8/decoder/dfa/>  
\*  
\* Copyright (c) 2008-2009 Bjoern Hoehrmann <bjoern@hoehrmann.de>  
\*  
\* Permission is hereby granted, free of charge, to any person obtaining a copy of this software  
\* and associated documentation files (the "Software"), to deal in the Software without restriction,  
\* including without limitation the rights to use, copy, modify, merge, publish, distribute,  
\* sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is  
\* furnished to do so, subject to the following conditions:  
\*  
\* The above copyright notice and this permission notice shall be included in all copies or  
\* substantial portions of the Software.  
\*  
\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR  
\* IMPLIED, INCLUDING  
\* BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR  
\* PURPOSE AND  
\* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE  
\* FOR ANY CLAIM,  
\* DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,  
\* ARISING FROM,  
\* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
\* SOFTWARE.  
\*/

Found in path(s):

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/http/websocketx/Utf8Validator.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2021 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-

jar/io/netty/handler/codec/http/CompressionEncoderFactory.java  
\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/http/HttpMessageDecoderResult.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2015 The Netty Project  
*  
* The Netty Project licenses this file to you under the Apache License, version  
* 2.0 (the "License"); you may not use this file except in compliance with the  
* License. You may obtain a copy of the License at:  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
* License for the specific language governing permissions and limitations under  
* the License.  
*/
```

Found in path(s):

\* /opt/cola/permits/1509095605\_1671044635.8033464/0/netty-codec-http-4-1-86-final-sources-  
jar/io/netty/handler/codec/http/cors/CorsConfigBuilder.java

## 1.89 apache-client 2.18.2

### 1.89.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the

direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and

wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor

has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Note: Other license terms may apply to certain, identified software files contained within or distributed with the accompanying software if such terms are included in the directory containing the accompanying software. Such other license terms will then apply in lieu of the terms of the software license above.

AWS SDK for Java 2.0

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

This product includes software developed by  
Amazon Technologies, Inc (<http://www.amazon.com/>).



\*\*\*\*\*

### THIRD PARTY COMPONENTS

\*\*\*\*\*

This software includes third party software subject to the following copyrights:

- XML parsing and utility functions from JetS3t - Copyright 2006-2009 James Murty.
- PKCS#1 PEM encoded private key parsing and utility functions from oauth.googlecode.com - Copyright 1998-2010 AOL Inc.
- Apache Commons Lang - <https://github.com/apache/commons-lang>
- Netty Reactive Streams - <https://github.com/playframework/netty-reactive-streams>
- Jackson-core - <https://github.com/FasterXML/jackson-core>
- Jackson-dataformat-cbor - <https://github.com/FasterXML/jackson-dataformats-binary>

The licenses for these third party components are included in LICENSE.txt

- For Apache Commons Lang see also this required NOTICE:  
Apache Commons Lang  
Copyright 2001-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

## 1.90 xodus-utils 2.0.1

### 1.90.1 Available under license :

Apache-2.0

## 1.91 picocontainer 2.15

### 1.91.1 Available under license :

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (C) PicoContainer Organization. All rights reserved.      *
* ----- *
* The software in this package is published under the terms of the BSD *
* style license a copy of which has been included with this distribution in *
* the LICENSE.txt file. *
* *
*****/

```

Found in path(s):

- \* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/injectors/ProviderAdapter.java
- \* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/ComponentLifecycle.java

```

* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/security/CustomPermissionsURLClassLoader.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/ComponentMonitorStrategy.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/behaviors/Stored.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/injectors/FactoryInjector.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/references/SimpleReference.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/behaviors/Guarded.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/injectors/Provider.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/injectors/CompositeInjector.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/Injector.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/injectors/InjectInto.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/references/ThreadLocalMapObjectReference.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/injectors/CompositeInjection.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/injectors/Injector.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/injectors/MultiInjector.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/ObjectReference.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/behaviors/Decorated.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/injectors/Reinjection.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/references/ThreadLocalReference.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/injectors/Reinjector.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/injectors/MultiInjection.java

```

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (C) PicoContainer Organization. All rights reserved.      *
* -----*
* The software in this package is published under the terms of the BSD  *
* style license a copy of which has been included with this distribution in *
* the LICENSE.txt file.                                               *
*                                                                     *
*                                                                     *

```

\* Original code by

\*

\*\*\*\*\*/

Found in path(s):

- \* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/injectors/AnnotatedFieldInjection.java
- \* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/injectors/NamedFieldInjector.java
- \* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/behaviors/Automated.java
- \* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/behaviors/Locked.java
- \* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/NameBinding.java
- \* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/behaviors/AdaptingBehavior.java
- \* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/behaviors/PropertyApplicator.java
- \* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/injectors/AnnotatedFieldInjector.java
- \* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/monitors/LifecycleComponentMonitor.java
- \* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/PicoContainer.java
- \* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/behaviors/Automating.java
- \* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/ComponentFactory.java
- \* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/adapters/AbstractAdapter.java
- \* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/injectors/Injectors.java
- \* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/Characteristics.java
- \* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/behaviors/PropertyApplying.java
- \* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/annotations/Inject.java
- \* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/containers/TransientPicoContainer.java
- \* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/DefaultPicoContainer.java
- \* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/lifecycle/NullLifecycleStrategy.java
- \* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/parameters/BasicComponentParameter.java
- \* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/behaviors/Synchronizing.java

\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/injectors/NamedMethodInjector.java

\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/PicoVerificationException.java

\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/PicoException.java

\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/annotations/Cache.java

\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/containers/CommandLinePicoContainer.java

\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/injectors/TypedFieldInjection.java

\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/adapters/InstanceAdapter.java

\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/injectors/TypedFieldInjector.java

\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/injectors/NamedFieldInjection.java

\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/parameters/CollectionComponentParameter.java

\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/behaviors/Locking.java

\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/annotations/Nullable.java

\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/behaviors/Behaviors.java

\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/injectors/AbstractInjector.java

\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/BehaviorFactory.java

\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/PicoBuilder.java

\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/InjectionFactory.java

\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/injectors/AnnotatedMethodInjector.java

\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/behaviors/ImplementationHiding.java

\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/behaviors/HiddenImplementation.java

\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/parameters/ComponentParameter.java

\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/containers/ImmutablePicoContainer.java

\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/behaviors/Synchronized.java

\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/injectors/SetterInjector.java

\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/PicoClassNotFoundException.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (C) PicoContainer Organization. All rights reserved.      *
* ----- *
* The software in this package is published under the terms of the BSD  *
* style license a copy of which has been included with this distribution in *
* the LICENSE.txt file. *
*****/

```

Found in path(s):

\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/lifecycle/LifecycleState.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/lifecycle/StartableLifecycleStrategy.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/visitors/MethodCallingVisitor.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/lifecycle/AbstractMonitoringLifecycleStrategy.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/visitors/TraversalCheckingVisitor.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/converters/Converter.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/lifecycle/ReflectionLifecycleStrategy.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/PicoVisitor.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/ComponentAdapter.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/lifecycle/JavaEE5LifecycleStrategy.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/Converters.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/LifecycleStrategy.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/visitors/VerifyingVisitor.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/lifecycle/DefaultLifecycleState.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/lifecycle/CompositeLifecycleStrategy.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/lifecycle/ReflectionLifecycleException.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/visitors/AbstractPicoVisitor.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (C) PicoContainer Organization. All rights reserved.      *
* ----- *
* The software in this package is published under the terms of the BSD *
* style license a copy of which has been included with this distribution in *
* the LICENSE.txt file. *
* *
* Original code by the committers *
*****/

```

Found in path(s):

\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/containers/AbstractDelegatingMutablePicoContainer.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (C) PicoContainer Organization. All rights reserved.      *
* ----- *
* The software in this package is published under the terms of the BSD *
* style license a copy of which has been included with this distribution in *
* the LICENSE.txt file. *
* *
* Original code by Paul Hammaant *
*****/

```

Found in path(s):

\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/monitors/ComponentMonitorHelper.java
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/monitors/WriterComponentMonitor.java
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/monitors/ConsoleComponentMonitor.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (C) PicoContainer Organization. All rights reserved.      *
* ----- *
* The software in this package is published under the terms of the BSD *
* style license a copy of which has been included with this distribution in *
* the LICENSE.txt file. *
* *
* Original code by Paul Hammant & Obie Fernandez & Aslak Hellesø *
*****/

```

Found in path(s):

\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-

jar/org/picocontainer/monitors/NullComponentMonitor.java

No license file was found, but licenses were detected in source scan.

```

/*****
 * Copyright (C) NanoContainer Organization. All rights reserved.      *
 * ----- *
 * The software in this package is published under the terms of the BSD  *
 * style license a copy of which has been included with this distribution in *
 * the LICENSE.txt file. *
 * *
 * Original code by Joerg Schaibe *
 *****/

```

Found in path(s):

\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/behaviors/Decorating.java  
\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/behaviors/FieldDecorating.java

No license file was found, but licenses were detected in source scan.

```

/*****
 * Copyright (C) PicoContainer Organization. All rights reserved.      *
 * ----- *
 * The software in this package is published under the terms of the BSD  *
 * style license a copy of which has been included with this distribution in *
 * the LICENSE.txt file. *
 * *
 * Original code by Jon Tirsen *
 *****/

```

Found in path(s):

\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/behaviors/AbstractBehavior.java

No license file was found, but licenses were detected in source scan.

```

/*****
 * Copyright (c) PicoContainer Organization. All rights reserved.      *
 * ----- *
 * The software in this package is published under the terms of the BSD  *
 * style license a copy of which has been included with this distribution in *
 * the LICENSE.txt file. *
 * *
 * Idea by Rachel Davies, Original code by various *
 *****/

```

Found in path(s):

\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/containers/CompositePicoContainer.java

\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/MutablePicoContainer.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (C) PicoContainer Organization. All rights reserved.      *
* ----- *
* The software in this package is published under the terms of the BSD *
* style license a copy of which has been included with this distribution in *
* the LICENSE.txt file. *
* Original Code By: Centerline Computers, Inc. *
*****/

```

Found in path(s):

\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/injectors/PrimitiveMemberChecker.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (C) PicoContainer Committers. All rights reserved.      *
* ----- *
* The software in this package is published under the terms of the BSD *
* style license a copy of which has been included with this distribution in *
* the LICENSE.txt file. *
* *
* Original code by Joerg Schaibe *
*****/

```

Found in path(s):

\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/BindKey.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (C) PicoContainer Organization. All rights reserved.      *
* ----- *
* The software in this package is published under the terms of the BSD *
* style license a copy of which has been included with this distribution in *
* the LICENSE.txt file. *
* *
* Original code by Paul Hammant & Obie Fernandez & Aslak *
*****/

```

Found in path(s):

\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/ComponentMonitor.java

No license file was found, but licenses were detected in source scan.

```

/*****

```



```
* Copyright (C) PicoContainer Organization. All rights reserved.      *
* ----- *
* The software in this package is published under the terms of the BSD   *
* style license a copy of which has been included with this distribution in *
* the LICENSE.txt file.                                               *
*                                                                       *
* Original code by Mauro Talevi                                       *
*****/
```

Found in path(s):

```
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/monitors/AbstractComponentMonitor.java
```

No license file was found, but licenses were detected in source scan.

```
/*-----*/
* Copyright (c) PicoContainer Organization. All rights reserved.      *
* ----- *
* The software in this package is published under the terms of the BSD   *
* style license a copy of which has been included with this distribution in *
* the LICENSE.txt file.                                               *
*                                                                       *
*****/
```

Found in path(s):

```
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/containers/PropertiesPicoContainer.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/injectors/MethodInjector.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/behaviors/Intercepting.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/PicoLifecycleException.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/injectors/ForgetfulConstructorInjection.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/behaviors/Intercepted.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/containers/SystemPropertiesPicoContainer.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/containers/CommandLineArgumentsPicoContainer.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/injectors/ParameterNameBinding.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/parameters/AbstractParameter.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/injectors/SingleMemberInjector.java
```

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (C) PicoContainer Organization. All rights reserved. *
* ----- *
* The software in this package is published under the terms of the BSD * style
* license a copy of which has been included with this distribution in * the
* LICENSE.txt file. * * Original code by *
*****/

```

Found in path(s):

\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/behaviors/AbstractBehaviorFactory.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) PicoContainer Organization. All rights reserved. *
* ----- *
* The software in this package is published under the terms of the BSD *
* style license a copy of which has been included with this distribution in *
* the LICENSE.txt file. *
*****/

```

Found in path(s):

\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/composers/RegexComposer.java

\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/monitors/ComposingMonitor.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) PicoContainer Organization. All rights reserved. *
* ----- *
* The software in this package is published under the terms of the BSD *
* style license a copy of which has been included with this distribution in *
* the LICENSE.txt file. *
*
* Idea by Rachel Davies, Original code by Jon Tirsen *
*****/

```

Found in path(s):

\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/parameters/ConstantParameter.java

\* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/Parameter.java

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (C) PicoContainer Organization. All rights reserved.
* -----
* The software in this package is published under the terms of the BSD style

```

\* license a copy of which has been included with this distribution in the  
\* LICENSE.txt file.  
\*\*\*\*\*/

Found in path(s):

- \* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/classname/ClassPathElement.java
- \* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/classname/ClassName.java
- \* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/classname/ClassLoadingPicoContainer.java
- \* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/parameters/DefaultConstructorParameter.java
- \* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/classname/DefaultClassLoadingPicoContainer.java
- \* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/parameters/NullParameter.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) PicoContainer Organization. All rights reserved.
 * -----
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the license.html file.
 *
 * Idea by Rachel Davies, Original code by Aslak Hellesoy and Paul Hammant
 *****/
```

Found in path(s):

- \* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/Disposable.java
- \* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/Startable.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) PicoContainer Organization. All rights reserved.
 * -----
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Original code by Paul Hammant
 *****/
```

Found in path(s):

- \* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/Behavior.java
- \* /opt/cola/permits/1266565840\_1644246713.67/0/picocontainer-2-15-sources-

jar/org/picocontainer/containers/EmptyPicoContainer.java

No license file was found, but licenses were detected in source scan.

```

/*****
 * Copyright (c) PicoContainer Organization. All rights reserved.      *
 * ----- *
 * The software in this package is published under the terms of the BSD *
 * style license a copy of which has been included with this distribution in *
 * the LICENSE.txt file.                                             *
 *                                                                    *
 * Idea by Rachel Davies, Original code by Aslak Hellesoy and Paul Hammant *
 *****/

```

Found in path(s):

```

* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/behaviors/ThreadCached.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/behaviors/Guarding.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/injectors/SetterInjection.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/injectors/MethodInjection.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/injectors/AnnotatedMethodInjection.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/injectors/AdaptingInjection.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/injectors/ConstructorInjection.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/behaviors/ThreadCaching.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/injectors/ConstructorInjector.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/behaviors/Storing.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/behaviors/Caching.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/PicoCompositionException.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/behaviors/OptInCaching.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-
jar/org/picocontainer/behaviors/Cached.java

```

## 1.92 event-stream 1.0.1

## 1.92.1 Available under license :

No license file was found, but licenses were detected in source scan.

<name>Apache License, Version 2.0</name>

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1015861006\_1591858433.32/0/event-stream-1-0-1-sources-jar/META-INF/maven/com.github.malkomich/event-stream/pom.xml

# 1.93 commons-fileupload 1.5

## 1.93.1 Available under license :

Apache Commons FileUpload

Copyright 2002-2023 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made,

use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability



incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.94 jsr305 3.0.2

### 1.94.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (c) 2005 Brian Goetz  
* Released under the Creative Commons Attribution License  
* (http://creativecommons.org/licenses/by/2.5)  
* Official home: http://www.jcip.net  
*/
```

Found in path(s):

```
* /opt/cola/permits/1334730768_1653653249.5131547/0/jsr305-3-0-2-sources-8-jar/javax/annotation/concurrent/GuardedBy.java  
* /opt/cola/permits/1334730768_1653653249.5131547/0/jsr305-3-0-2-sources-8-jar/javax/annotation/concurrent/NotThreadSafe.java
```

```
* /opt/cola/permits/1334730768_1653653249.5131547/0/jsr305-3-0-2-sources-8-  
jar/javax/annotation/concurrent/Immutable.java  
* /opt/cola/permits/1334730768_1653653249.5131547/0/jsr305-3-0-2-sources-8-  
jar/javax/annotation/concurrent/ThreadSafe.java
```

## 1.95 netty-transport-native-unix-common

### 4.1.86.Final

#### 1.95.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2016 The Netty Project  
*  
* The Netty Project licenses this file to you under the Apache License,  
* version 2.0 (the "License"); you may not use this file except in compliance  
* with the License. You may obtain a copy of the License at:  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
* License for the specific language governing permissions and limitations  
* under the License.  
*/
```

Found in path(s):

```
* /opt/cola/permits/1509095595_1671044615.8406854/0/netty-transport-native-unix-common-4-1-86-final-sources-  
jar/io/netty/channel/unix/PeerCredentials.java  
* /opt/cola/permits/1509095595_1671044615.8406854/0/netty-transport-native-unix-common-4-1-86-final-sources-  
jar/netty_unix_util.h  
* /opt/cola/permits/1509095595_1671044615.8406854/0/netty-transport-native-unix-common-4-1-86-final-sources-  
jar/io/netty/channel/unix/ErrorsStaticallyReferencedJniMethods.java  
* /opt/cola/permits/1509095595_1671044615.8406854/0/netty-transport-native-unix-common-4-1-86-final-sources-  
jar/io/netty/channel/unix/LimitsStaticallyReferencedJniMethods.java  
* /opt/cola/permits/1509095595_1671044615.8406854/0/netty-transport-native-unix-common-4-1-86-final-sources-  
jar/netty_unix_util.c  
* /opt/cola/permits/1509095595_1671044615.8406854/0/netty-transport-native-unix-common-4-1-86-final-sources-  
jar/io/netty/channel/unix/SocketWritableByteChannel.java  
* /opt/cola/permits/1509095595_1671044615.8406854/0/netty-transport-native-unix-common-4-1-86-final-sources-  
jar/netty_unix_limits.c  
* /opt/cola/permits/1509095595_1671044615.8406854/0/netty-transport-native-unix-common-4-1-86-final-sources-  
jar/io/netty/channel/unix/Limits.java  
* /opt/cola/permits/1509095595_1671044615.8406854/0/netty-transport-native-unix-common-4-1-86-final-sources-  
jar/netty_unix_limits.h
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2021 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1509095595_1671044615.8406854/0/netty-transport-native-unix-common-4-1-86-final-sources-
jar/io/netty/channel/unix/DomainDatagramChannelConfig.java
* /opt/cola/permits/1509095595_1671044615.8406854/0/netty-transport-native-unix-common-4-1-86-final-sources-
jar/io/netty/channel/unix/DomainDatagramChannel.java
* /opt/cola/permits/1509095595_1671044615.8406854/0/netty-transport-native-unix-common-4-1-86-final-sources-
jar/io/netty/channel/unix/DomainDatagramSocketAddress.java
* /opt/cola/permits/1509095595_1671044615.8406854/0/netty-transport-native-unix-common-4-1-86-final-sources-
jar/io/netty/channel/unix/SegmentedDatagramPacket.java
* /opt/cola/permits/1509095595_1671044615.8406854/0/netty-transport-native-unix-common-4-1-86-final-sources-
jar/io/netty/channel/unix/DomainDatagramPacket.java
```

No license file was found, but licenses were detected in source scan.

```
<!--
 ~ Copyright 2016 The Netty Project
 ~
 ~ The Netty Project licenses this file to you under the Apache License,
 ~ version 2.0 (the "License"); you may not use this file except in compliance
 ~ with the License. You may obtain a copy of the License at:
 ~
 ~ https://www.apache.org/licenses/LICENSE-2.0
 ~
 ~ Unless required by applicable law or agreed to in writing, software
 ~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 ~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 ~ License for the specific language governing permissions and limitations
 ~ under the License.
-->
```

Found in path(s):

\* /opt/cola/permits/1509095595\_1671044615.8406854/0/netty-transport-native-unix-common-4-1-86-final-sources-jar/META-INF/maven/io.netty/netty-transport-native-unix-common/pom.xml

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1509095595\_1671044615.8406854/0/netty-transport-native-unix-common-4-1-86-final-sources-jar/io/netty/channel/unix/FileDescriptor.java

\* /opt/cola/permits/1509095595\_1671044615.8406854/0/netty-transport-native-unix-common-4-1-86-final-sources-jar/netty\_unix\_filedescriptor.c

\* /opt/cola/permits/1509095595\_1671044615.8406854/0/netty-transport-native-unix-common-4-1-86-final-sources-jar/io/netty/channel/unix/Errors.java

\* /opt/cola/permits/1509095595\_1671044615.8406854/0/netty-transport-native-unix-common-4-1-86-final-sources-jar/io/netty/channel/unix/ServerDomainSocketChannel.java

\* /opt/cola/permits/1509095595\_1671044615.8406854/0/netty-transport-native-unix-common-4-1-86-final-sources-jar/netty\_unix\_filedescriptor.h

\* /opt/cola/permits/1509095595\_1671044615.8406854/0/netty-transport-native-unix-common-4-1-86-final-sources-jar/netty\_unix\_errors.h

\* /opt/cola/permits/1509095595\_1671044615.8406854/0/netty-transport-native-unix-common-4-1-86-final-sources-jar/netty\_unix\_errors.c

\* /opt/cola/permits/1509095595\_1671044615.8406854/0/netty-transport-native-unix-common-4-1-86-final-sources-jar/io/netty/channel/unix/NativeInetAddress.java

\* /opt/cola/permits/1509095595\_1671044615.8406854/0/netty-transport-native-unix-common-4-1-86-final-sources-jar/io/netty/channel/unix/UnixChannel.java

\* /opt/cola/permits/1509095595\_1671044615.8406854/0/netty-transport-native-unix-common-4-1-86-final-sources-jar/io/netty/channel/unix/DomainSocketAddress.java

\* /opt/cola/permits/1509095595\_1671044615.8406854/0/netty-transport-native-unix-common-4-1-86-final-sources-jar/io/netty/channel/unix/DomainSocketReadMode.java

\* /opt/cola/permits/1509095595\_1671044615.8406854/0/netty-transport-native-unix-common-4-1-86-final-sources-jar/io/netty/channel/unix/Socket.java

\* /opt/cola/permits/1509095595\_1671044615.8406854/0/netty-transport-native-unix-common-4-1-86-final-sources-jar/io/netty/channel/unix/DomainSocketChannel.java

\* /opt/cola/permits/1509095595\_1671044615.8406854/0/netty-transport-native-unix-common-4-1-86-final-sources-

jar/io/netty/channel/unix/DomainSocketChannelConfig.java

\* /opt/cola/permits/1509095595\_1671044615.8406854/0/netty-transport-native-unix-common-4-1-86-final-sources-jar/netty\_unix\_socket.h  
\* /opt/cola/permits/1509095595\_1671044615.8406854/0/netty-transport-native-unix-common-4-1-86-final-sources-jar/netty\_unix\_socket.c  
\* /opt/cola/permits/1509095595\_1671044615.8406854/0/netty-transport-native-unix-common-4-1-86-final-sources-jar/io/netty/channel/unix/DatagramSocketAddress.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1509095595\_1671044615.8406854/0/netty-transport-native-unix-common-4-1-86-final-sources-jar/io/netty/channel/unix/Unix.java  
\* /opt/cola/permits/1509095595\_1671044615.8406854/0/netty-transport-native-unix-common-4-1-86-final-sources-jar/io/netty/channel/unix/package-info.java  
\* /opt/cola/permits/1509095595\_1671044615.8406854/0/netty-transport-native-unix-common-4-1-86-final-sources-jar/io/netty/channel/unix/IovArray.java  
\* /opt/cola/permits/1509095595\_1671044615.8406854/0/netty-transport-native-unix-common-4-1-86-final-sources-jar/io/netty/channel/unix/UnixChannelOption.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1509095595\_1671044615.8406854/0/netty-transport-native-unix-common-4-1-86-final-sources-jar/netty\_unix\_jni.h

\* /opt/cola/permits/1509095595\_1671044615.8406854/0/netty-transport-native-unix-common-4-1-86-final-sources-jar/io/netty/channel/unix/UnixChannelUtil.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2022 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1509095595\_1671044615.8406854/0/netty-transport-native-unix-common-4-1-86-final-sources-jar/io/netty/channel/unix/RawUnixChannelOption.java

\* /opt/cola/permits/1509095595\_1671044615.8406854/0/netty-transport-native-unix-common-4-1-86-final-sources-jar/io/netty/channel/unix/IntegerUnixChannelOption.java

\* /opt/cola/permits/1509095595\_1671044615.8406854/0/netty-transport-native-unix-common-4-1-86-final-sources-jar/io/netty/channel/unix/GenericUnixChannelOption.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2020 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1509095595\_1671044615.8406854/0/netty-transport-native-unix-common-4-1-86-final-sources-jar/netty\_unix.c

\* /opt/cola/permits/1509095595\_1671044615.8406854/0/netty-transport-native-unix-common-4-1-86-final-sources-jar/netty\_unix.h

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2018 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1509095595\_1671044615.8406854/0/netty-transport-native-unix-common-4-1-86-final-sources-jar/io/netty/channel/unix/Buffer.java

\* /opt/cola/permits/1509095595\_1671044615.8406854/0/netty-transport-native-unix-common-4-1-86-final-sources-jar/netty\_unix\_buffer.h

\* /opt/cola/permits/1509095595\_1671044615.8406854/0/netty-transport-native-unix-common-4-1-86-final-sources-jar/netty\_unix\_buffer.c

\* /opt/cola/permits/1509095595\_1671044615.8406854/0/netty-transport-native-unix-common-4-1-86-final-sources-jar/io/netty/channel/unix/PreferredDirectByteBufAllocator.java

## 1.96 reload4j 2.19.0

### 1.96.1 Available under license :

Apache Log4j Core

Copyright 1999-2012 Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<http://www.apache.org/>).

ResolverUtil.java

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.



"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or

Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
  
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 1999-2005 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

Apache Log4j

Copyright 1999-2012 Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Dumbster SMTP test server

Copyright 2004 Jason Paul Kitchen

Apache Log4j

Copyright 1999-2021 Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

ResolverUtil.java

Copyright 2005-2006 Tim Fennell

Dumbster SMTP test server

Copyright 2004 Jason Paul Kitchen

TypeUtil.java

Copyright 2002-2012 Ramnivas Laddad, Juergen Hoeller, Chris Beams

picocli (<http://picocli.info>)

Copyright 2017 Remko Popma

TimeoutBlockingWaitStrategy.java and parts of Util.java

Copyright 2011 LMAX Ltd.

Maven Wrapper Jar

Copyright 2016-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally

submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at



<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.97 kotlin 1.6.10-release-923

## 1.97.1 Available under license :

SDL 2.0 and newer are available under the zlib license :

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

The version of Rhino used in GWT is licensed under a dual license, Netscape Public License 1.1 / GNU General Public License.

The text of the Netscape Public License

is provided below (<http://website-archive.mozilla.org/www.mozilla.org/mpl/MPL/NPL/1.1/>):

### AMENDMENTS

The Netscape Public License Version 1.1 ("NPL") consists of the Mozilla Public License Version 1.1 with the following Amendments, including Exhibit A-Netscape Public License. Files identified with "Exhibit A-Netscape Public License" are governed by the Netscape Public License Version 1.1.

Additional Terms applicable to the Netscape Public License.

#### I. Effect.

These additional terms described in this Netscape Public License -- Amendments shall apply to the Mozilla Communicator

client code and to all Covered Code under this License.

II. "Netscape's Branded Code" means Covered Code that Netscape distributes and/or permits others to distribute under one or more trademark(s) which are controlled by Netscape but which are not licensed for use under this License.

III. Netscape and logo.

This License does not grant any rights to use the trademarks "Netscape", the "Netscape N and horizon" logo or the "Netscape lighthouse" logo, "Netcenter", "Gecko", "Java" or "JavaScript", "Smart Browsing" even if such marks are included in the Original Code or Modifications.

IV. Inability to Comply Due to Contractual Obligation.

Prior to licensing the Original Code under this License, Netscape has licensed third party code for use in Netscape's Branded Code. To the extent that Netscape is limited contractually from making such third party code available under this License, Netscape may choose to reintegrate such code into Covered Code without being required to distribute such code in Source Code form, even if such code would otherwise be considered "Modifications" under this License.

V. Use of Modifications and Covered Code by Initial Developer.

V.1. In General.

The obligations of Section 3 apply to Netscape, except to the extent specified in this Amendment, Section V.2 and V.3.

V.2. Other Products.

Netscape may include Covered Code in products other than the Netscape's Branded Code which are released by Netscape during the two (2) years following the release date of the Original Code, without such additional products becoming subject to the terms of this License, and may license such additional products on different terms from those contained in this License.

V.3. Alternative Licensing.

Netscape may license the Source Code of Netscape's Branded Code, including Modifications incorporated

therein, without such Netscape Branded Code becoming subject to the terms of this License, and may license such Netscape Branded Code on different terms from those contained in this License.

#### VI. Litigation.

Notwithstanding the limitations of Section 11 above, the provisions regarding litigation in Section 11(a), (b) and (c) of the License shall apply to all disputes relating to this License.

#### EXHIBIT A-Netscape Public License.

"The contents of this file are subject to the Netscape Public License Version 1.1 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at <http://www.mozilla.org/NPL/>

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations under the License.

The Original Code is Mozilla Communicator client code, released March 31, 1998.

The Initial Developer of the Original Code is Netscape Communications Corporation. Portions created by Netscape are Copyright (C) 1998-1999 Netscape Communications Corporation. All Rights Reserved.

Contributor(s): \_\_\_\_\_.

Alternatively, the contents of this file may be used under the terms of the \_\_\_\_\_ license (the [\_\_\_\_\_] License), in which case the provisions of [\_\_\_\_\_] License are applicable instead of those above. If you wish to allow use of your version of this file only under the terms of the [\_\_\_\_\_] License and not to allow others to use your version of this file under the NPL, indicate your decision by deleting the provisions above and replace them with the notice and other provisions required by the [\_\_\_\_\_] License. If you do not delete the provisions above, a recipient may use your version of this file under either the NPL or the [\_\_\_\_\_] License."

-----

## MOZILLA PUBLIC LICENSE

Version 1.1

### 1. Definitions.

1.0.1. "Commercial Use" means distribution or otherwise making the Covered Code available to a third party.

1.1. "Contributor" means each entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Code, prior Modifications used by a Contributor, and the Modifications made by that particular Contributor.

1.3. "Covered Code" means the Original Code or Modifications or the combination of the Original Code and Modifications, in each case including portions thereof.

1.4. "Electronic Distribution Mechanism" means a mechanism generally accepted in the software development community for the electronic transfer of data.

1.5. "Executable" means Covered Code in any form other than Source Code.

1.6. "Initial Developer" means the individual or entity identified as the Initial Developer in the Source Code notice required by Exhibit A.

1.7. "Larger Work" means a work which combines Covered Code or portions thereof with code not governed by the terms of this License.

1.8. "License" means this document.

1.8.1. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means any addition to or deletion from the substance or structure of either the Original Code or any previous Modifications. When Covered Code is released as a series of files, a Modification is:

A. Any addition to or deletion from the contents of a file containing Original Code or previous Modifications.

B. Any new file that contains any part of the Original Code or previous Modifications.

1.10. "Original Code" means Source Code of computer software code which is described in the Source Code notice required by Exhibit A as Original Code, and which, at the time of its release under this License is not already Covered Code governed by this License.

1.10.1. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.11. "Source Code" means the preferred form of the Covered Code for making modifications to it, including all modules it contains, plus any associated interface definition files, scripts used to control compilation and installation of an Executable, or source code differential comparisons against either the Original Code or another well known, available Covered Code of the Contributor's choice. The Source Code can be in a compressed or archival form, provided the appropriate decompression or de-archiving software is widely available for no charge.

1.12. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License or a future version of this License issued under Section 6.1. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. Source Code License.

### 2.1. The Initial Developer Grant.

The Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license, subject to third party intellectual property claims:

- (a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer to use, reproduce, modify, display, perform, sublicense and distribute the

Original Code (or portions thereof) with or without Modifications, and/or as part of a Larger Work; and

(b) under Patents Claims infringed by the making, using or selling of Original Code, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Code (or portions thereof).

(c) the licenses granted in this Section 2.1(a) and (b) are effective on the date Initial Developer first distributes Original Code under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: 1) for code that You delete from the Original Code; 2) separate from the Original Code; or 3) for infringements caused by: i) the modification of the Original Code or ii) the combination of the Original Code with other software or devices.

## 2.2. Contributor Grant.

Subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor, to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof) either on an unmodified basis, with other Modifications, as Covered Code and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: 1) Modifications made by that Contributor (or portions thereof); and 2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) the licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first makes Commercial Use of the Covered Code.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: 1) for any code that Contributor has deleted from the

Contributor Version; 2) separate from the Contributor Version; 3) for infringements caused by: i) third party modifications of Contributor Version or ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or 4) under Patent Claims infringed by Covered Code in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Application of License.

The Modifications which You create or to which You contribute are governed by the terms of this License, including without limitation Section 2.2. The Source Code version of Covered Code may be distributed only under the terms of this License or a future version of this License released under Section 6.1, and You must include a copy of this License with every copy of the Source Code You distribute. You may not offer or impose any terms on any Source Code version that alters or restricts the applicable version of this License or the recipients' rights hereunder. However, You may include an additional document offering the additional rights described in Section 3.5.

#### 3.2. Availability of Source Code.

Any Modification which You create or to which You contribute must be made available in Source Code form under the terms of this License either on the same media as an Executable version or via an accepted Electronic Distribution Mechanism to anyone to whom you made an Executable version available; and if made available via Electronic Distribution Mechanism, must remain available for at least twelve (12) months after the date it initially became available, or at least six (6) months after a subsequent version of that particular Modification has been made available to such recipients. You are responsible for ensuring that the Source Code version remains available even if the Electronic Distribution Mechanism is maintained by a third party.

#### 3.3. Description of Modifications.

You must cause all Covered Code to which You contribute to contain a file documenting the changes You made to create that Covered Code and the date of any change. You must include a prominent statement that the Modification is derived, directly or indirectly, from Original Code provided by the Initial Developer and including the name of the Initial Developer in (a) the Source

Code, and (b) in any notice in an Executable version or related documentation in which You describe the origin or ownership of the Covered Code.

### 3.4. Intellectual Property Matters

#### (a) Third Party Claims.

If Contributor has knowledge that a license under a third party's intellectual property rights is required to exercise the rights granted by such Contributor under Sections 2.1 or 2.2, Contributor must include a text file with the Source Code distribution titled "LEGAL" which describes the claim and the party making the claim in sufficient detail that a recipient will know whom to contact. If Contributor obtains such knowledge after the Modification is made available as described in Section 3.2, Contributor shall promptly modify the LEGAL file in all copies Contributor makes available thereafter and shall take other steps (such as notifying appropriate mailing lists or newsgroups) reasonably calculated to inform those who received the Covered Code that new knowledge has been obtained.

#### (b) Contributor APIs.

If Contributor's Modifications include an application programming interface and Contributor has knowledge of patent licenses which are reasonably necessary to implement that API, Contributor must also include this information in the LEGAL file.

#### (c) Representations.

Contributor represents that, except as disclosed pursuant to Section 3.4(a) above, Contributor believes that Contributor's Modifications are Contributor's original creation(s) and/or Contributor has sufficient rights to grant the rights conveyed by this License.

### 3.5. Required Notices.

You must duplicate the notice in Exhibit A in each file of the Source Code. If it is not possible to put such notice in a particular Source Code file due to its structure, then You must include such notice in a location (such as a relevant directory) where a user would be likely to look for such a notice. If You created one or more Modification(s) You may add your name as a



Contributor to the notice described in Exhibit A. You must also duplicate this License in any documentation for the Source Code where You describe recipients' rights or ownership rights relating to Covered Code. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Code. However, You may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear than any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.6. Distribution of Executable Versions.

You may distribute Covered Code in Executable form only if the requirements of Section 3.1-3.5 have been met for that Covered Code, and if You include a notice stating that the Source Code version of the Covered Code is available under the terms of this License, including a description of how and where You have fulfilled the obligations of Section 3.2. The notice must be conspicuously included in any notice in an Executable version, related documentation or collateral in which You describe recipients' rights relating to the Covered Code. You may distribute the Executable version of Covered Code or ownership rights under a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable version does not attempt to limit or alter the recipient's rights in the Source Code version from the rights set forth in this License. If You distribute the Executable version under a different license You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or any Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.7. Larger Works.

You may create a Larger Work by combining Covered Code with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Code.

## 4. Inability to Comply Due to Statute or Regulation.

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Code due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be included in the LEGAL file described in Section 3.4 and must be included with all distributions of the Source Code. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

## 5. Application of this License.

This License applies to code to which the Initial Developer has attached the notice in Exhibit A and to related Covered Code.

## 6. Versions of the License.

### 6.1. New Versions.

Netscape Communications Corporation ("Netscape") may publish revised and/or new versions of the License from time to time. Each version will be given a distinguishing version number.

### 6.2. Effect of New Versions.

Once Covered Code has been published under a particular version of the License, You may always continue to use it under the terms of that version. You may also choose to use such Covered Code under the terms of any subsequent version of the License published by Netscape. No one other than Netscape has the right to modify the terms applicable to Covered Code created under this License.

### 6.3. Derivative Works.

If You create or use a modified version of this License (which you may only do in order to apply it to code which is not already Covered Code governed by this License), You must (a) rename Your license so that the phrases "Mozilla", "MOZILLAPL", "MOZPL", "Netscape", "MPL", "NPL" or any confusingly similar phrase do not appear in your license (except to note that your license differs from this License) and (b) otherwise make it clear that Your version of the license contains terms which differ from the Mozilla Public License and Netscape Public License. (Filling in the name of the Initial Developer, Original Code or Contributor in the notice described in Exhibit A shall not of themselves be

deemed to be modifications of this License.)

## 7. DISCLAIMER OF WARRANTY.

COVERED CODE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED CODE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED CODE IS WITH YOU. SHOULD ANY COVERED CODE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED CODE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 8. TERMINATION.

8.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. All sublicenses to the Covered Code which are properly granted shall survive any termination of this License. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

8.2. If You initiate litigation by asserting a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You file such action is referred to as "Participant") alleging that:

(a) such Participant's Contributor Version directly or indirectly infringes any patent, then any and all rights granted by such Participant to You under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively, unless if within 60 days after receipt of notice You either: (i) agree in writing to pay Participant a mutually agreeable reasonable royalty for Your past and future use of Modifications made by such Participant, or (ii) withdraw Your litigation claim with respect to the Contributor Version against such Participant. If within 60 days of notice, a reasonable royalty and payment arrangement are not mutually agreed upon in writing by the parties or the litigation claim is not withdrawn, the rights granted by Participant to You under Sections 2.1 and/or 2.2 automatically terminate at the expiration of the 60 day notice period specified above.

(b) any software, hardware, or device, other than such Participant's Contributor Version, directly or indirectly infringes any patent, then any rights granted to You by such Participant under Sections 2.1(b) and 2.2(b) are revoked effective as of the date You first made, used, sold, distributed, or had made, Modifications made by that Participant.

8.3. If You assert a patent infringement claim against Participant alleging that such Participant's Contributor Version directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

8.4. In the event of termination under Sections 8.1 or 8.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or any distributor hereunder prior to termination shall survive termination.

## 9. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED CODE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 10. U.S. GOVERNMENT END USERS.

The Covered Code is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" and "commercial computer software documentation," as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all

U.S. Government End Users acquire Covered Code with only those rights set forth herein.

#### 11. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by California law provisions (except to the extent applicable law, if any, provides otherwise), excluding its conflict-of-law provisions. With respect to disputes in which at least one party is a citizen of, or an entity chartered or registered to do business in the United States of America, any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California, with venue lying in Santa Clara County, California, with the losing party responsible for costs, including without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License.

#### 12. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

#### 13. MULTIPLE-LICENSED CODE.

Initial Developer may designate portions of the Covered Code as Multiple-Licensed. Multiple-Licensed means that the Initial Developer permits you to utilize portions of the Covered Code under Your choice of the NPL or the alternative licenses, if any, specified by the Initial Developer in the file described in Exhibit A.

EXHIBIT A -Mozilla Public License.

``The contents of this file are subject to the Mozilla Public License Version 1.1 (the "License"); you may not use this file

except in compliance with the License. You may obtain a copy of the License at <http://www.mozilla.org/MPL/>

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations under the License.

The Original Code is \_\_\_\_\_.

The Initial Developer of the Original Code is \_\_\_\_\_.  
Portions created by \_\_\_\_\_ are Copyright (C) \_\_\_\_\_  
\_\_\_\_\_. All Rights Reserved.

Contributor(s): \_\_\_\_\_.

Alternatively, the contents of this file may be used under the terms of the \_\_\_\_\_ license (the [\_\_\_\_\_] License), in which case the provisions of [\_\_\_\_\_] License are applicable instead of those above. If you wish to allow use of your version of this file only under the terms of the [\_\_\_\_\_] License and not to allow others to use your version of this file under the MPL, indicate your decision by deleting the provisions above and replace them with the notice and other provisions required by the [\_\_\_\_\_] License. If you do not delete the provisions above, a recipient may use your version of this file under either the MPL or the [\_\_\_\_\_] License."

[NOTE: The text of this Exhibit A may differ slightly from the text of the notices in the Source Code files of the Original Code. You should use the text of this Exhibit A rather than the text found in the Original Code Source Code for Your Modifications.]

---

## GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA  
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free

software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this



License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any

associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by

all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes

make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

## NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

```
This program is free software; you can redistribute it and/or modify  
it under the terms of the GNU General Public License as published by  
the Free Software Foundation; either version 2 of the License, or  
(at your option) any later version.
```

```
This program is distributed in the hope that it will be useful,
```

but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

=====  
COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1996 - 2021, Daniel Stenberg, <daniel@haxx.se>, and many contributors, see the THANKS file.

All rights reserved.

Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright

notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

=====  
libc++ License  
=====

The libc++ library is dual licensed under both the University of Illinois "BSD-Like" license and the MIT license. As a user of this code you may choose to use it under either license. As a contributor, you agree to allow your code to be used under both.

Full text of the relevant licenses is included below.

=====  
University of Illinois/NCSA  
Open Source License

Copyright (c) 2009-2017 by the contributors listed in CREDITS.TXT

All rights reserved.

Developed by:

LLVM Team

University of Illinois at Urbana-Champaign

<http://llvm.org>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal with the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimers.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimers in the documentation and/or other materials provided with the distribution.

\* Neither the names of the LLVM Team, University of Illinois at Urbana-Champaign, nor the names of its contributors may be used to endorse or promote products derived from this Software without specific prior written permission.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE CONTRIBUTORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS WITH THE SOFTWARE.

=====  
Copyright (c) 2009-2014 by the contributors listed in CREDITS.TXT

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to



communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of

the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

#### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

=====  
=====

#### APACHE HARMONY SUBCOMPONENTS:

Apache Harmony includes a number of subcomponents with separate copyright notices and license terms. Your use of the source code for these subcomponents is subject to the terms and conditions of the following licenses.

License Notice for ICU4C version 3.4

=====

ICU License - ICU 1.8.1 and later

#### COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1995-2005 International Business Machines Corporation and others  
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, provided that the above copyright notice(s) and this permission notice appear in all copies of the Software and that both the above copyright notice(s) and this permission notice appear in supporting documentation.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

-----  
All trademarks and registered trademarks mentioned herein are the property of their respective owners.

=====  
=====  
  
License Notice for ICU4J version 4.2.1  
=====

ICU4J license - ICU4J 1.8.1 and later

#### COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1995-2009 International Business Machines Corporation and others

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, provided that the above copyright notice(s) and this permission notice appear in all copies of the Software and that both the above copyright notice(s) and this permission notice appear in supporting documentation.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Except as contained in this notice, the name of a copyright holder

shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

-----  
All trademarks and registered trademarks mentioned herein are the property of their respective owners.

=====  
=====  
  
License Notice for FDLIBM version 5.2  
=====

Copyright (C) 2004 by Sun Microsystems, Inc. All rights reserved.

Developed at SunSoft, a Sun Microsystems, Inc. business.  
Permission to use, copy, modify, and distribute this software is freely granted, provided that this notice is preserved.

=====  
=====  
  
License Notice for ZLIB version 1.2.3  
=====

(C) 1995-2004 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be

- appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
  3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly      Mark Adler  
jloup@gzip.org      madler@alumni.caltech.edu

=====  
=====  
  
Visual C++ Runtime Files  
=====

The file msvc71.dll is the Microsoft(R) C Runtime Library.  
The file msvcp71.dll is the Microsoft Multithreaded Standard C++ Library.

These files are redistributed from Microsoft(R) Visual Studio 7.1 as described in the file "redist.txt" available with that product.

=====  
=====  
  
License Notice for Bouncy Castle version 1.45  
=====

Copyright (c) 2000 - 2009 The Legion Of The Bouncy Castle (<http://www.bouncycastle.org>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

=====  
=====  
  
License Notice for MX4J 3.0.2.  
=====

The MX4J License, Version 1.0

Copyright (c) 2001-2004 by the MX4J contributors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:  
"This product includes software developed by the  
MX4J project (<http://mx4j.sourceforge.net>)."  
Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.
4. The name "MX4J" must not be used to endorse or promote products derived from this software without prior written permission.  
For written permission, please contact  
biorn\_steedom [at] users [dot] sourceforge [dot] net
5. Products derived from this software may not be called "MX4J", nor may "MX4J" appear in their name, without prior written permission of Simone Bordet.



THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE MX4J CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

This software consists of voluntary contributions made by many individuals on behalf of the MX4J project. For more information on MX4J, please see the MX4J website (<http://mx4j.sourceforge.net/>).

=====

=====

Notice for The Independent JPEG Group's JPEG software

=====

This distribution may contain software that is based in part on the work of the Independent JPEG Group for which the following notice applies:

The authors make NO WARRANTY or representation, either express or implied, with respect to this software, its quality, accuracy, merchantability, or fitness for a particular purpose. This software is provided "AS IS", and you, its user, assume the entire risk as to its quality and accuracy.

This software is copyright (C) 1991-1998, Thomas G. Lane.  
All Rights Reserved except as specified below.

Permission is hereby granted to use, copy, modify, and distribute this software (or portions thereof) for any purpose, without fee, subject to these conditions:

- (1) If any part of the source code for this software is distributed, then this README file must be included, with this copyright and no-warranty notice unaltered; and any additions, deletions, or changes to the original files must be clearly indicated in accompanying documentation.
- (2) If only executable code is distributed, then the accompanying documentation must state that "this software is based in part on the work of

the Independent JPEG Group".

(3) Permission for use of this software is granted only if the user accepts full responsibility for any undesirable consequences; the authors accept NO LIABILITY for damages of any kind.

These conditions apply to any software derived from or based on the IJG code, not just to the unmodified library. If you use our work, you ought to acknowledge us.

Permission is NOT granted for the use of any IJG author's name or company name in advertising or publicity relating to this software or products derived from it. This software may be referred to only as "the Independent JPEG Group's software".

We specifically permit and encourage the use of this software as the basis of commercial products, provided that all warranty or liability claims are assumed by the product vendor.

=====  
=====

Notice for Little CMS

=====

This distribution may contain software that is based in part on Little cms for which the following notice applies:

Copyright (c) 1998-2007 Marti Maria Saguer

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,

ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR  
OTHER DEALINGS IN THE SOFTWARE.

=====  
=====

Notice for libpng

=====

This distribution may contain software that is based in part on libpng  
v1.2.38 for which the following notice applies:

libpng versions 1.2.6, August 15, 2004, through 1.2.38, July 16, 2009, are  
Copyright (c) 2004, 2006-2009 Glenn Randers-Pehrson, and are  
distributed according to the same disclaimer and license as libpng-1.2.5  
with the following individual added to the list of Contributing Authors:

Cosmin Truta

libpng versions 1.0.7, July 1, 2000, through 1.2.5, October 3, 2002, are  
Copyright (c) 2000-2002 Glenn Randers-Pehrson, and are  
distributed according to the same disclaimer and license as libpng-1.0.6  
with the following individuals added to the list of Contributing Authors:

Simon-Pierre Cadieux  
Eric S. Raymond  
Gilles Vollant

and with the following additions to the disclaimer:

There is no warranty against interference with your enjoyment of the  
library or against infringement. There is no warranty that our  
efforts or the library will fulfill any of your particular purposes  
or needs. This library is provided with all faults, and the entire  
risk of satisfactory quality, performance, accuracy, and effort is with  
the user.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are  
Copyright (c) 1998, 1999, 2000 Glenn Randers-Pehrson, and are  
distributed according to the same disclaimer and license as libpng-0.96,  
with the following individuals added to the list of Contributing Authors:

Tom Lane  
Glenn Randers-Pehrson

Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are  
Copyright (c) 1996, 1997 Andreas Dilger  
Distributed according to the same disclaimer and license as libpng-0.88,  
with the following individuals added to the list of Contributing Authors:

John Bowler  
Kevin Bracey  
Sam Bushell  
Magnus Holmgren  
Greg Roelofs  
Tom Tanner

libpng versions 0.5, May 1995, through 0.88, January 1996, are  
Copyright (c) 1995, 1996 Guy Eric Schalnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors"  
is defined as the following set of individuals:

Andreas Dilger  
Dave Martindale  
Guy Eric Schalnat  
Paul Schmidt  
Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing Authors  
and Group 42, Inc. disclaim all warranties, expressed or implied,  
including, without limitation, the warranties of merchantability and of  
fitness for any purpose. The Contributing Authors and Group 42, Inc.  
assume no liability for direct, indirect, incidental, special, exemplary,  
or consequential damages, which may result from the use of the PNG  
Reference Library, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this  
source code, or portions hereof, for any purpose, without fee, subject  
to the following restrictions:

1. The origin of this source code must not be misrepresented.
2. Altered versions must be plainly marked as such and must not  
be misrepresented as being the original source.
3. This Copyright notice may not be removed or altered from any  
source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit, without  
fee, and encourage the use of this source code as a component to

supporting the PNG file format in commercial products. If you use this source code in a product, acknowledgment is not required but would be appreciated.

=====  
=====

Notice for Unicode Character Database

=====

Copyright (c) 1991-2005 Unicode, Inc. All rights reserved. Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that (a) the above copyright notice(s) and this permission notice appear with all copies of the Data Files or Software, (b) both the above copyright notice(s) and this permission notice appear in associated documentation, and (c) there is clear notice in each modified Data File or in the Software as well as in the documentation associated with the Data File(s) or Software that the data or software has been modified.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

=====  
=====  
  
Notice for IETF RFCs prior to 2005  
=====

This distribution may contain software that is based in part on the work of the following IETF RFCs. Portions of the IETF RFC specifications may be included in source code comments for reference, and in accordance with the licensing terms, the licenses are reproduced here:

RFC 1779 - A String Representation of Distinguished Names

RFC 2045 - Multipurpose Internet Mail Extensions (MIME) Part One: Format of Internet Message Bodies

RFC 2251 - Lightweight Directory Access Protocol (v3)  
Copyright (C) The Internet Society (1997). All Rights Reserved.

RFC 2253 - Lightweight Directory Access Protocol (v3): UTF-8 String Representation of Distinguished Names  
Copyright (C) The Internet Society (1997). All Rights Reserved.

RFC 2313 - PKCS #1: RSA Encryption  
Copyright (C) The Internet Society (1998). All Rights Reserved.

RFC 2315 - PKCS #7: Cryptographic Message Syntax  
Copyright (C) The Internet Society (1998). All Rights Reserved.

RFC 2459 - Internet X.509 Public Key Infrastructure Certificate and CRL Profile  
Copyright (C) The Internet Society (1999). All Rights Reserved.

RFC 2616 - Hypertext Transfer Protocol -- HTTP/1.1  
Copyright (C) The Internet Society (1999). All Rights Reserved.

RFC 2781 - UTF-16, an encoding of ISO 10646  
Copyright (C) The Internet Society (2000). All Rights Reserved.

RFC 2891 - LDAP Control Extension for Server Side Sorting of Search Results  
Copyright (C) The Internet Society (2000). All Rights Reserved.

RFC 2985 - PKCS #9: Selected Object Classes and Attribute Types  
Copyright (C) The Internet Society (2000). All Rights Reserved.

RFC 3161 - Internet X.509 Public Key Infrastructure Time-Stamp Protocol (TSP)  
Copyright (C) The Internet Society (2001). All Rights Reserved.

RFC 3280 - Internet X.509 Public Key Infrastructure, Certificate and  
Certificate Revocation List (CRL) Profile  
Copyright (C) The Internet Society (2002). All Rights Reserved.

INTERNET-DRAFT - Persistent Search: A Simple LDAP Change Notification Mechanism  
<draft-ietf-ldapext-psearch-03.txt>  
Copyright (C) The Internet Society (1997-2000). All Rights Reserved.

The following statement applies to each RFC:

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this paragraph are included on all such copies and derivative works. However, this document itself may not be modified in any way, such as by removing the copyright notice or references to the Internet Society or other Internet organizations, except as needed for the purpose of developing Internet standards in which case the procedures for copyrights defined in the Internet Standards process must be followed, or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by the Internet Society or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and THE INTERNET SOCIETY AND THE INTERNET ENGINEERING TASK FORCE DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Notice for IETF RFCs from 2005 onwards

=====

This distribution may contain software that is based in part on the work of the following IETF RFCs. Portions of the IETF RFC specifications may be included in source code comments for reference, and in accordance with the licensing terms, the licenses are reproduced here:

RFC 4122 - A Universally Unique Identifier (UUID) URN Namespace  
Copyright (C) The Internet Society (2005).

The following statement applies to this RFC:

Copyright (C) The Internet Society (2005).

This document is subject to the rights, licenses and restrictions contained in BCP 78, and except as set forth therein, the authors retain all their rights.

This document and the information contained herein are provided on an "AS IS" basis and THE CONTRIBUTOR, THE ORGANIZATION HE/SHE REPRESENTS OR IS SPONSORED BY (IF ANY), THE INTERNET SOCIETY AND THE INTERNET ENGINEERING TASK FORCE DISCLAIM ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

=====  
=====

Notice for RSA Public-Key Cryptography Standards

=====

Portions of Apache Harmony reference RSA Public-Key Cryptography Standards: PKCS#7, PKCS#8 and PKSC#10. Portions of these standards are included in Harmony Javadoc for reference, and in accordance with the licensing terms for PKCS#7, PKCS#8 and PKSC#10, the full copyright statement is here:

Copyright 1991-1993 RSA Laboratories, a division of RSA Data Security, Inc. License to copy this document is granted provided that it is identified as "RSA Data Security, Inc. Public-Key Cryptography Standards (PKCS)" in all material mentioning or referencing this document.

=====  
=====

Notice for Apache Yoko

=====

This distribution may contain software that is based in part on Apache Yoko



for which the following notice applies:

Apache Yoko is an effort undergoing incubation at the Apache Software Foundation (ASF). Incubation is required of all newly accepted projects until a further review indicates that the infrastructure, communications, and decision making process have stabilized in a manner consistent with other successful ASF projects. While incubation status is not necessarily a reflection of the completeness or stability of the code, it does indicate that the project has yet to be fully endorsed by the ASF.

<http://incubator.apache.org/yoko/>

=====  
=====

Notice for the Eclipse JDT Core Batch Compiler

=====

The license terms for the Eclipse JDT Core Batch Compiler are available at  
<http://www.eclipse.org/legal/epl-v10.html>

Source code for the Eclipse JDT Core Batch Compiler can be found at:  
<http://download.eclipse.org/eclipse/downloads/>

Navigate to the version of ECJ used in this distribution, and the source is provided in a ZIP file in the section titled "JDT Core Batch Compiler".

=====  
=====

License notice for the DejaVu fonts package

=====

Fonts are (c) Bitstream (see below). DejaVu changes are in public domain.  
Glyphs imported from Arev fonts are (c) Tavmjung Bah (see below)

Bitstream Vera Fonts Copyright

-----

Copyright (c) 2003 by Bitstream, Inc. All Rights Reserved. Bitstream Vera is a trademark of Bitstream, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of the fonts accompanying this license ("Fonts") and associated documentation files (the "Font Software"), to reproduce and distribute the Font Software, including without limitation the rights to use, copy, merge, publish, distribute, and/or sell copies of the Font Software, and to permit persons to whom the Font Software is furnished to do so, subject to the following conditions:

The above copyright and trademark notices and this permission notice shall be included in all copies of one or more of the Font Software typefaces.

The Font Software may be modified, altered, or added to, and in particular the designs of glyphs or characters in the Fonts may be modified and additional glyphs or characters may be added to the Fonts, only if the fonts are renamed to names not containing either the words "Bitstream" or the word "Vera".

This License becomes null and void to the extent applicable to Fonts or Font Software that has been modified and is distributed under the "Bitstream Vera" names.

The Font Software may be sold as part of a larger software package but no copy of one or more of the Font Software typefaces may be sold by itself.

THE FONT SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF COPYRIGHT, PATENT, TRADEMARK, OR OTHER RIGHT. IN NO EVENT SHALL BITSTREAM OR THE GNOME FOUNDATION BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, INCLUDING ANY GENERAL, SPECIAL, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF THE USE OR INABILITY TO USE THE FONT SOFTWARE OR FROM OTHER DEALINGS IN THE FONT SOFTWARE.

Except as contained in this notice, the names of Gnome, the Gnome Foundation, and Bitstream Inc., shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Font Software without prior written authorization from the Gnome Foundation or Bitstream Inc., respectively. For further information, contact: fonts at gnome dot org.

Arev Fonts Copyright  
-----

Copyright (c) 2006 by Tavmjong Bah. All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of the fonts accompanying this license ("Fonts") and associated documentation files (the "Font Software"), to reproduce and distribute the modifications to the Bitstream Vera Font Software, including without limitation the rights to use, copy, merge, publish, distribute, and/or sell copies of the Font Software, and to permit persons to whom the Font Software is furnished to do so, subject to the following conditions:

The above copyright and trademark notices and this permission notice shall be included in all copies of one or more of the Font Software typefaces.

The Font Software may be modified, altered, or added to, and in particular the designs of glyphs or characters in the Fonts may be modified and additional glyphs or characters may be added to the Fonts, only if the fonts are renamed to names not containing either the words "Tavmjong Bah" or the word "Arev".

This License becomes null and void to the extent applicable to Fonts or Font Software that has been modified and is distributed under the "Tavmjong Bah Arev" names.

The Font Software may be sold as part of a larger software package but no copy of one or more of the Font Software typefaces may be sold by itself.

THE FONT SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT OF COPYRIGHT, PATENT, TRADEMARK, OR OTHER RIGHT. IN NO EVENT SHALL TAVMJONG BAH BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, INCLUDING ANY GENERAL, SPECIAL, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF THE USE OR INABILITY TO USE THE FONT SOFTWARE OR FROM OTHER DEALINGS IN THE FONT SOFTWARE.

Except as contained in this notice, the name of Tavmjong Bah shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Font Software without prior written authorization from Tavmjong Bah. For further information, contact: tavmjong @ free . fr.

=====  
=====

License notice for ASM

=====

ASM: a very small and fast Java bytecode manipulation framework  
Copyright (c) 2000-2005 INRIA, France Telecom  
All rights reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions  
are met:

1. Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright  
notice, this list of conditions and the following disclaimer in the  
documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its  
contributors may be used to endorse or promote products derived from  
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"  
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE  
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
THE POSSIBILITY OF SUCH DAMAGE.

=====

License notice for Junit

=====

This distribution may contain a jar file based on Junit 4.2.1 for  
which the following notice applies:

Copyright 2001-2009 Kent Beck <kent@threeiversinstitute.org>

Copyright 2000-2009 Erich Gamma <erich\_gamma@acm.org>

Copyright 2006-2009 David Saff <david@saff.net>

## Common Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS COMMON PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

### 1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:

- i) changes to the Program, and

- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

### 2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

### 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are

offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other

Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against a Contributor with respect to a patent applicable to software (including a cross-claim or counterclaim in a lawsuit), then any patent licenses granted by that Contributor to such Recipient under this Agreement shall terminate as of the date such litigation is filed. In addition, if Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of



such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. IBM is the initial Agreement Steward. IBM may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

=====  
=====

The Apache Harmony DRLVM uses the Apache Portable Runtime which includes a number of subcomponents with separate copyright notices and license terms. Your use of the source code for the these subcomponents is subject to the terms and conditions of the following licenses.

From strings/apr\_fnmatch.c, include/apr\_fnmatch.h, misc/unix/getopt.c, file\_io/unix/mktemp.c, strings/apr\_strings.c:

```
/*  
 * Copyright (c) 1987, 1993, 1994  
 * The Regents of the University of California. All rights reserved.  
 */
```

- \* Redistribution and use in source and binary forms, with or without
- \* modification, are permitted provided that the following conditions
- \* are met:
- \* 1. Redistributions of source code must retain the above copyright
- \* notice, this list of conditions and the following disclaimer.
- \* 2. Redistributions in binary form must reproduce the above copyright
- \* notice, this list of conditions and the following disclaimer in the
- \* documentation and/or other materials provided with the distribution.
- \* 3. All advertising materials mentioning features or use of this software
- \* must display the following acknowledgement:
- \* This product includes software developed by the University of
- \* California, Berkeley and its contributors.
- \* 4. Neither the name of the University nor the names of its contributors
- \* may be used to endorse or promote products derived from this software
- \* without specific prior written permission.
- \*
- \* THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND
- \* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
- \* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
- \* ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
- \* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
- \* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
- \* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
- \* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
- \* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
- \* SUCH DAMAGE.

From network\_io/unix/inet\_ntop.c, network\_io/unix/inet\_pton.c:

```

/* Copyright (c) 1996 by Internet Software Consortium.
*
* Permission to use, copy, modify, and distribute this software for any
* purpose with or without fee is hereby granted, provided that the above
* copyright notice and this permission notice appear in all copies.
*
* THE SOFTWARE IS PROVIDED "AS IS" AND INTERNET SOFTWARE CONSORTIUM DISCLAIMS
* ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL INTERNET SOFTWARE
* CONSORTIUM BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL
* DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR
* PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS
* ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS
* SOFTWARE.

```

From dso/aix/dso.c:

- \* Based on libdl (dlfcn.c/dlfcn.h) which is

- \* Copyright (c) 1992,1993,1995,1996,1997,1988
- \* Jens-Uwe Mager, Helios Software GmbH, Hannover, Germany.
- \*
- \* Not derived from licensed software.
- \*
- \* Permission is granted to freely use, copy, modify, and redistribute
- \* this software, provided that the author is not construed to be liable
- \* for any results of using the software, alterations are clearly marked
- \* as such, and this notice is not modified.

From strings/apr\_strnatcmp.c, include/apr\_strings.h:

strnatcmp.c -- Perform 'natural order' comparisons of strings in C.  
Copyright (C) 2000 by Martin Pool <mbp@humblebug.org.au>

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

From strings/apr\_snprintf.c:

- \*
- \* cvt - IEEE floating point formatting routines.
- \* Derived from UNIX V7, Copyright(C) Caldera International Inc.
- \*

Copyright(C) Caldera International Inc. 2001-2002. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code and documentation must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright

notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

All advertising materials mentioning features or use of this software must display the following acknowledgement:

This product includes software developed or owned by Caldera International, Inc.

Neither the name of Caldera International, Inc. nor the names of other contributors may be used to endorse or promote products derived from this software without specific prior written permission.

USE OF THE SOFTWARE PROVIDED FOR UNDER THIS LICENSE BY CALDERA INTERNATIONAL, INC. AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL CALDERA INTERNATIONAL, INC. BE LIABLE FOR ANY DIRECT, INDIRECT INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====  
=====

License notice for Hamcrest

=====

BSD License

Copyright (c) 2000-2006, [www.hamcrest.org](http://www.hamcrest.org)  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Hamcrest nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====  
=====

The Trove library is licensed under the Lesser GNU Public License, which is included with the distribution in a file called trove\_license.txt.

The PrimeFinder and HashFunctions classes in Trove are subject to the following license restrictions:

Copyright (c) 1999 CERN - European Organization for Nuclear Research.

Permission to use, copy, modify, distribute and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation. CERN makes no representations about the suitability of this software for any purpose. It is provided "as is" without expressed or implied warranty.

Copyright (c) 2005-2010 Sam Stephenson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is

furnished to do so, subject to the following conditions:

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (C) 2009-2015 The Project Lombok Authors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT License

Copyright (c) 2019 Microsoft Corporation, Daan Leijen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

SOFTWARE.

```

=====
== NOTICE file corresponding to the section 4 d of      ==
== the Apache License, Version 2.0,                    ==
== in this case for the Kotlin Compiler distribution.    ==
=====

```

Kotlin Compiler

Copyright 2010-2020 JetBrains s.r.o and respective authors and developers

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
  - i) changes to the Program, and
  - ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

### 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.



Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

#### 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Eclipse Distribution License - v 1.0

Copyright (c) 2007, Eclipse Foundation, Inc. and its licensors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This license applies to all parts of Dart that are not externally maintained libraries. The external maintained libraries used by Dart are:

7-Zip - in third\_party/7zip  
JSCRE - in runtime/third\_party/jscre  
Ant - in third\_party/apache\_ant  
args4j - in third\_party/args4j  
bzip2 - in third\_party/bzip2  
dromaeo - in samples/third\_party/dromaeo  
Eclipse - in third\_party/eclipse  
gsutil = in third\_party/goutil  
Guava - in third\_party/guava  
hamcrest - in third\_party/hamcrest  
HttpLib2 - in samples/third\_party/httpLib2  
JSON - in third\_party/json  
JUnit - in third\_party/junit  
Oauth - in samples/third\_party/oauth2client  
Rhino - in third\_party/rhino  
weberknecht - in third\_party/weberknecht

The libraries may have their own licenses; we recommend you read them, as their terms may differ from the terms below.

Copyright 2012, the Dart project authors. All rights reserved.  
Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

libffi - Copyright (c) 1996-2014 Anthony Green, Red Hat, Inc and others.

See source files for details.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
  
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
  
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or,

within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all

other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

The Apache 2 license (given in full in [LICENSE.txt](LICENSE.txt)) applies to all code in this repository which is copyright by JetBrains. The following sections of the repository contain third-party code, to which different licenses may apply:

## Kotlin Compiler

The following modules contain third-party code and are incorporated into the Kotlin compiler and/or



the Kotlin IntelliJ IDEA plugin:

- Path: compiler/backend/src/org/jetbrains/kotlin/codegen/inline/MaxStackSizeAndLocalsCalculator.java
  - License: BSD ([license/third\_party/asm\_license.txt][asm])
  - Origin: Derived from ASM: a very small and fast Java bytecode manipulation framework, Copyright (c) 2000-2011 INRIA, France Telecom
- Path: compiler/backend/src/org/jetbrains/kotlin/codegen/inline/MaxLocalsCalculator.java
  - License: BSD ([license/third\_party/asm\_license.txt][asm])
  - Origin: Derived from ASM: a very small and fast Java bytecode manipulation framework, Copyright (c) 2000-2011 INRIA, France Telecom
- Path: compiler/backend/src/org/jetbrains/kotlin/codegen/optimization/common/FastMethodAnalyzer.kt
  - License: BSD ([license/third\_party/asm\_license.txt][asm])
  - Origin: Derived from ASM: a very small and fast Java bytecode manipulation framework, Copyright (c) 2000-2011 INRIA, France Telecom
- Path: compiler/backend/src/org/jetbrains/kotlin/codegen/optimization/common/InstructionLivenessAnalyzer.kt
  - License: BSD ([license/third\_party/asm\_license.txt][asm])
  - Origin: Derived from ASM: a very small and fast Java bytecode manipulation framework, Copyright (c) 2000-2011 INRIA, France Telecom
- Path: compiler/backend/src/org/jetbrains/kotlin/codegen/optimization/common/ControlFlowGraph.kt
  - License: BSD ([license/third\_party/asm\_license.txt][asm])
  - Origin: Derived from ASM: a very small and fast Java bytecode manipulation framework, Copyright (c) 2000-2011 INRIA, France Telecom
- Path: compiler/backend/src/org/jetbrains/kotlin/codegen/optimization/fixStack/FastStackAnalyzer.kt
  - License: BSD ([license/third\_party/asm\_license.txt][asm])
  - Origin: Derived from ASM: a very small and fast Java bytecode manipulation framework, Copyright (c) 2000-2011 INRIA, France Telecom
- Path: compiler/backend/src/org/jetbrains/kotlin/codegen/optimization/temporaryVals/FastStoreLoadAnalyzer.kt
  - License: BSD ([license/third\_party/asm\_license.txt][asm])
  - Origin: Derived from ASM: a very small and fast Java bytecode manipulation framework, Copyright (c) 2000-2011 INRIA, France Telecom
- Path: core/reflection.jvm/src/kotlin.reflect/jvm/internal/pcollections
  - License: MIT ([license/third\_party/pcollections\_LICENSE.txt][pcollections])
  - Origin: Derived from PCollections, A Persistent Java Collections Library (<https://pcollections.org/>)
- Path: eval4j/src/org/jetbrains/eval4j/interpreterLoop.kt
  - License: BSD ([license/third\_party/asm\_license.txt][asm])
  - Origin: Derived from ASM: a very small and fast Java bytecode manipulation framework, Copyright (c) 2000-2011 INRIA, France Telecom
- Path: compiler/backend/src/org/jetbrains/kotlin/codegen/optimization/common/OptimizationBasicInterpreter.java
  - License: BSD ([license/third\_party/asm\_license.txt][asm])

- Origin: Derived from ASM: a very small and fast Java bytecode manipulation framework, Copyright (c) 2000-2011 INRIA, France Telecom
  
- Path: js/js.ast
  - License: BSD ([license/third\_party/dart\_LICENSE.txt][dart])
  - Origin: Originally part of the Dart compiler, (c) 2011 the Dart Project Authors,
  
- Path: js/js.inliner/src/org/jetbrains/kotlin/js/inline/FunctionInlineMutator.kt
  - License: BSD ([license/third\_party/dart\_LICENSE.txt][dart])
  - Origin: Originally part of the Dart compiler, (c) 2011 the Dart Project Authors,
  
- Path: js/js.parser/src/com/google
  - License: Netscape Public License 1.1 ([license/third\_party/rhino\_LICENSE.txt][rhino])
  - Origin: Originally part of GWT, (C) 2007-08 Google Inc., distributed under the Apache 2 license. The code is derived from Rhino, (C) 1997-1999 Netscape Communications Corporation, distributed under the Netscape Public License.
  
- Path: js/js.translator/qunit/qunit.js
  - License: MIT ([license/third\_party/qunit\_license.txt][qunit])
  - Origin: QUnit, Copyright (c) 2012 John Resig, Jrn Zaefferer,
  
- Path: libraries/stdlib/src/kotlin/collections
  - License: Apache 2 ([license/third\_party/gwt\_license.txt][gwt])
  - Origin: Derived from GWT, (C) 2007-08 Google Inc.
  
- Path: libraries/stdlib/unsigned/src/kotlin/UnsignedUtils.kt
  - License: Apache 2 ([license/third\_party/guava\_license.txt][guava])
  - Origin: Derived from Guava's UnsignedLongs, (C) 2011 The Guava Authors
  
- Path: libraries/stdlib/jvm/src/kotlin/util/MathJVM.kt
  - License: Boost Software License 1.0 ([license/third\_party/boost\_LICENSE.txt][boost])
  - Origin: Derived from boost special math functions, Copyright Eric Ford & Hubert Holin 2001.
  
- Path: libraries/stdlib/js/src/kotlin/collections
  - License: Apache 2 ([license/third\_party/gwt\_license.txt][gwt])
  - Origin: Derived from GWT, (C) 2007-08 Google Inc.
  
- Path: libraries/stdlib/js-v1/src/js/long.js
  - License: Apache 2 ([license/third\_party/closure-compiler\_LICENSE.txt][closure-compiler])
  - Origin: Google Closure Library, Copyright 2009 The Closure Library Authors
  
- Path: libraries/stdlib/js-v1/src/js/polyfills.js
  - License: Boost Software License 1.0 ([license/third\_party/boost\_LICENSE.txt][boost])
  - Origin: Derived from boost special math functions, Copyright Eric Ford & Hubert Holin 2001.
  
- Path: libraries/stdlib/wasm/internal/kotlin/wasm/internal/Number2String.kt
  - License: Apache 2 ([third\_party/assemblyscript\_license.txt][assemblyscript])
  - Origin: Derived from assemblyscript standard library

- Path: plugins/lint/android-annotations
  - License: Apache 2 ([license/third\_party/aosp\_license.txt][aosp])
  - Origin: Copyright (C) 2011-15 The Android Open Source Project
  
- Path: plugins/lint/lint-api
  - License: Apache 2 ([license/third\_party/aosp\_license.txt][aosp])
  - Origin: Copyright (C) 2011-15 The Android Open Source Project
  
- Path: plugins/lint/lint-checks
  - License: Apache 2 ([license/third\_party/aosp\_license.txt][aosp])
  - Origin: Copyright (C) 2011-15 The Android Open Source Project
  
- Path: plugins/lint/lint-idea
  - License: Apache 2 ([license/third\_party/aosp\_license.txt][aosp])
  - Origin: Copyright (C) 2011-15 The Android Open Source Project
  
- Path: wasm/ir/src/org/jetbrains/kotlin/wasm/ir/convertors
  - License: MIT ([license/third\_party/asmble\_license.txt][asmble])
  - Origin: Copyright (C) 2018 Chad Retz
  
- Path: compiler/tests-common/tests/org/jetbrains/kotlin/codegen/ir/ComposeLikeGenerationExtension.kt
  - License: Apache 2 ([license/third\_party/aosp\_license.txt][aosp])
  - Origin: Derived from JetPack Compose compiler plugin code, Copyright 2019 The Android Open Source Project

## ## Kotlin Test Data

The following source code is used for testing the Kotlin compiler and/or plugin and is not incorporated into any distributions of the compiler, libraries or plugin:

- Path: third-party/annotations/android
  - License: Apache 2 ([license/third\_party/aosp\_license.txt][aosp])
  - Origin: Copyright (C) 2011-15 The Android Open Source Project
  
- Path: third-party/annotations/com/android
  - License: Apache 2 ([license/third\_party/aosp\_license.txt][aosp])
  - Origin: Copyright (C) 2011-15 The Android Open Source Project
  
- Path: third-party/annotations/org/eclipse
  - License: Eclipse Public License v1.0 ([license/third\_party/testdata/eclipse\_license.txt][eclipse])
  - Origin: Eclipse JDT, Copyright (c) 2011, 2013 Stephan Herrmann and others.
  
- Path: third-party/annotations/androidx
  - License: Apache 2 ([license/third\_party/aosp\_license.txt][aosp])
  - Origin: Copyright (C) 2011-15 The Android Open Source Project
  
- Path: third-party/annotations/edu/umd/cs/findbugs

- License: LGPL 2.1 ([license/third\_party/testdata/findbugs\_license.txt][findbugs])
- Origin: Bytecode Analysis Framework, Copyright (C) 2005 University of Maryland
  
- Path: third-party/java8-annotations/org/eclipse
  - License: Eclipse Public License v1.0 ([license/third\_party/testdata/eclipse\_license.txt][eclipse])
  - Origin: Eclipse JDT, Copyright (c) 2011, 2013 Stephan Herrmann and others.
  
- Path: third-party/annotations/io/reactivex
  - License: Apache 2 ([license/third\_party/testdata/rxjava\_license.txt][rxjava])
  - Origin: RxJava, Copyright (c) 2016-present, RxJava Contributors
  
- Path: third-party/java8-annotations/org/jspecify
  - License: Apache 2 ([license/third\_party/testdata/jspecify\_license.txt][jspecify])
  - Origin: JSpecify, Copyright (C) 2020 The JSpecify Authors
  
- Path: third-party/java9-annotations/org/jspecify
  - License: Apache 2 ([license/third\_party/testdata/jspecify\_license.txt][jspecify])
  - Origin: JSpecify, Copyright (C) 2020 The JSpecify Authors
  
- Path: third-party/annotations/lombok
  - License: MIT ([license/third\_party/testdata/lombok\_license.txt][lombok])
  - Origin: Project Lombok, Copyright (C) 2009-2013 The Project Lombok Authors
  
- Path: idea/idea-android/tests/org/jetbrains/kotlin/android/AndroidTestBase.java
  - License: Apache 2 ([license/third\_party/aosp\_license.txt][aosp])
  - Origin: Copyright (C) 2011-15 The Android Open Source Project
  
- Path: idea/testData/android/lintQuickfix/requiresApi/RequiresApi.java
  - License: Apache 2 ([license/third\_party/aosp\_license.txt][aosp])
  - Origin: Copyright (C) 2011-15 The Android Open Source Project
  
- Path: idea/testData/android/lint/IntRange.java
  - License: Apache 2 ([license/third\_party/aosp\_license.txt][aosp])
  - Origin: Copyright (C) 2011-15 The Android Open Source Project
  
- Path: idea/testData/android/lint/RequiresPermission.java
  - License: Apache 2 ([license/third\_party/aosp\_license.txt][aosp])
  - Origin: Copyright (C) 2011-15 The Android Open Source Project
  
- Path: libraries/tools/kotlin-gradle-plugin-integration-
 tests/src/test/resources/testProject/allOpenSpring/src/org/springframework/stereotype/Component.java
  - License: Apache 2 ([license/third\_party/testdata/spring\_license.txt][spring])
  - Origin: Spring Framework, Copyright 2002-2007 the original author or authors.
  
- Path: libraries/tools/kotlin-gradle-plugin-integration-tests/src/test/resources/testProject/AndroidDaggerProject
  - License: Apache 2 ([license/third\_party/testdata/dagger\_license.txt][dagger])
  - Origin: Dagger, Copyright (C) 2013 Square, Inc.

- Path: libraries/tools/kotlin-gradle-plugin-integration-tests/src/test/resources/testProject/kapt2
- License: Apache 2 ([license/third\_party/testdata/dagger\_license.txt][dagger])
- Origin: Dagger, Copyright (C) 2013 Square, Inc.

- Path: libraries/tools/kotlin-maven-plugin-test/src/it/test-allopen-spring/src/main/java/org/springframework/stereotype/Component.java
- License: Apache 2 ([license/third\_party/testdata/spring\_license.txt][spring])
- Origin: Spring Framework, Copyright 2002-2007 the original author or authors.

### ## Kotlin Tools and Libraries Tests

The following source code is used for testing the Kotlin tools and/or libraries and is not incorporated into any distributions of the tools or libraries:

- Path: libraries/tools/kotlin-gradle-plugin-integration-tests/src/test/kotlin/org/jetbrains/kotlin/gradle/PluginsDslIT.kt
- License: Apache 2 ([license/third\_party/gradle\_license.txt][gradle])
- Origin: Gradle, Copyright 2002-2017 Gradle, Inc.

- Path: libraries/tools/kotlin-gradle-plugin-integration-tests/target/test-classes/testProject/noArgJpa/src/javax/persistence/Entity.java
- License: Eclipse Public License v1.0 ([license/third\_party/testdata/eclipse\_license.txt][eclipse]) and Eclipse Distribution License - v1.0 ([license/third\_party/testdata/eclipse\_distribution\_license.txt][eclipse-distribution])
- Origin: javax.persistence, Copyright (c) 2008, 2017 Sun Microsystems, Oracle Corporation.

- Path: libraries/tools/kotlin-gradle-plugin-integration-tests/src/test/resources/testProject/noArgJpa/src/javax/persistence/Entity.java
- License: Eclipse Public License v1.0 ([license/third\_party/testdata/eclipse\_license.txt][eclipse]) and Eclipse Distribution License - v1.0 ([license/third\_party/testdata/eclipse\_distribution\_license.txt][eclipse-distribution])
- Origin: javax.persistence, Copyright (c) 2008, 2017 Sun Microsystems, Oracle Corporation.

- Path: libraries/tools/kotlin-gradle-plugin-integration-tests/src/test/resources/testProject/noArgJpa/src/javax/persistence/Embeddable.java
- License: Eclipse Public License v1.0 ([license/third\_party/testdata/eclipse\_license.txt][eclipse]) and Eclipse Distribution License - v1.0 ([license/third\_party/testdata/eclipse\_distribution\_license.txt][eclipse-distribution])
- Origin: javax.persistence, Copyright (c) 2008, 2017 Sun Microsystems, Oracle Corporation.

- Path: libraries/tools/kotlin-test-js-runner/karma-kotlin-reporter.js
- License: MIT ([license/third\_party/karma\_LICENSE.txt](third\_party/karma\_LICENSE.txt) and [license/third\_party/karma-teamcity-reporter\_LICENSE.txt](third\_party/karma-teamcity-reporter\_LICENSE.txt))
- Origin: Copyright (C) 2011-2019 Google, Inc. and Copyright (C) 2011-2013 Vojta Jna and contributors.

- Path: libraries/tools/kotlin-test-js-runner/mocha-kotlin-reporter.js
- License: MIT ([license/third\_party/mocha-teamcity-reporter\_LICENSE.txt](third\_party/mocha-teamcity-reporter\_LICENSE.txt))

- Origin: Copyright (c) 2016 Jamie Sherriff
  
- Path: libraries/tools/kotlin-test-js-runner/src/utils.ts
  - License: MIT ([license/third\_party/teamcity-service-messages\_LICENSE.txt](third\_party/teamcity-service-messages\_LICENSE.txt) and [license/third\_party/lodash\_LICENSE.txt](third\_party/lodash\_LICENSE.txt))
  - Origin: Copyright (c) 2013 Aaron Forsander and Copyright JS Foundation and other contributors <https://js.foundation/>
  
- Path: libraries/tools/kotlin-test-js-runner/src/teamcity-format.js
  - License: MIT ([license/third\_party/mocha-teamcity-reporter\_LICENSE.txt](third\_party/mocha-teamcity-reporter\_LICENSE.txt) and [license/third\_party/teamcity-service-messages\_LICENSE.txt](third\_party/teamcity-service-messages\_LICENSE.txt))
  - Origin: Copyright (c) 2016 Jamie Sherriff and Copyright (c) 2013 Aaron Forsander

### ## Example Code

The following code is provided as examples and is not incorporated into any distributions of the compiler, libraries or plugin:

- Path: libraries/examples/browser-example/src/js/jquery.js
  - License: MIT ([license/third\_party/jquery\_license.txt][jquery])
  - Origin: jQuery JavaScript Library v1.6.2, Copyright 2011, John Resig
  
- Path: libraries/examples/browser-example-with-library/src/js/jquery.js
  - License: MIT ([license/third\_party/jquery\_license.txt][jquery])
  - Origin: jQuery JavaScript Library v1.6.2, Copyright 2011, John Resig

[aosp]: third\_party/aosp\_license.txt  
 [asm]: third\_party/asm\_license.txt  
 [boost]: third\_party/boost\_LICENSE.txt  
 [closure-compiler]: third\_party/closure-compiler\_LICENSE.txt  
 [dagger]: third\_party/testdata/dagger\_license.txt  
 [dart]: third\_party/dart\_LICENSE.txt  
 [eclipse]: third\_party/testdata/eclipse\_license.txt  
 [eclipse-distribution]: third\_party/testdata/eclipse\_distribution\_license.txt  
 [findbugs]: third\_party/testdata/findbugs\_license.txt  
 [gradle]: third\_party/gradle\_license.txt  
 [guava]: third\_party/guava\_license.txt  
 [gwt]: third\_party/gwt\_license.txt  
 [jquery]: third\_party/jquery\_license.txt  
 [lombok]: third\_party/testdata/lombok\_license.txt  
 [pcollections]: third\_party/pcollections\_LICENSE.txt  
 [qunit]: third\_party/qunit\_license.txt  
 [rhino]: third\_party/rhino\_LICENSE.txt  
 [rxjava]: third\_party/testdata/rxjava\_license.txt  
 [spring]: third\_party/testdata/spring\_license.txt

[assemblyscript]: third\_party/assemblyscript\_license.txt

/\*

\* Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.

\* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

\*/

## GCC RUNTIME LIBRARY EXCEPTION

Version 3.1, 31 March 2009

Copyright (C) 2009 Free Software Foundation, Inc.

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

This GCC Runtime Library Exception ("Exception") is an additional permission under section 7 of the GNU General Public License, version 3 ("GPLv3"). It applies to a given file (the "Runtime Library") that bears a notice placed by the copyright holder of the file stating that the file is governed by GPLv3 along with this Exception.

When you use GCC to compile a program, GCC may combine portions of certain GCC header files and runtime libraries with the compiled program. The purpose of this Exception is to allow compilation of non-GPL (including proprietary) programs to use, in this way, the header files and runtime libraries covered by this Exception.

### 0. Definitions.

A file is an "Independent Module" if it either requires the Runtime Library for execution after a Compilation Process, or makes use of an interface provided by the Runtime Library, but is not otherwise based on the Runtime Library.

"GCC" means a version of the GNU Compiler Collection, with or without modifications, governed by version 3 (or a specified later version) of the GNU General Public License (GPL) with the option of using any subsequent versions published by the FSF.

"GPL-compatible Software" is software whose conditions of propagation, modification and use would permit combination with GCC in accord with the license of GCC.

"Target Code" refers to output from any compiler for a real or virtual target processor architecture, in executable form or suitable for input to an assembler, loader, linker and/or execution phase. Notwithstanding that, Target Code does not include data in any format that is used as a compiler intermediate representation, or used for producing a compiler intermediate representation.

The "Compilation Process" transforms code entirely represented in non-intermediate languages designed for human-written code, and/or in Java Virtual Machine byte code, into Target Code. Thus, for example, use of source code generators and preprocessors need not be considered part of the Compilation Process, since the Compilation Process can be understood as starting with the output of the generators or preprocessors.

A Compilation Process is "Eligible" if it is done using GCC, alone or with other GPL-compatible software, or if it is done without using any work based on GCC. For example, using non-GPL-compatible Software to optimize any GCC intermediate representations would not qualify as an Eligible Compilation Process.

#### 1. Grant of Additional Permission.

You have permission to propagate a work of Target Code formed by combining the Runtime Library with Independent Modules, even if such propagation would otherwise violate the terms of GPLv3, provided that all Target Code was generated by Eligible Compilation Processes. You may then convey such a combination under terms of your choice, consistent with the licensing of the Independent Modules.

#### 2. No Weakening of GCC Copyleft.

The availability of this Exception does not imply any general presumption that third-party software is unaffected by the copyleft requirements of the license of GCC.

Hopefully that text is self-explanatory. If it isn't, you need to speak to your lawyer, or the Free Software Foundation.  
Copyright (c) 2008 Harold Cooper

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER



LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Eclipse Public License, Version 1.0 (EPL-1.0)

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
  - i) changes to the Program, and
  - ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution.  
No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

### 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must:

- a) promptly notify the Commercial Contributor in writing of such claim, and
- b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section,

the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the

Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

JSON

Copyright (c) 2002 JSON.org

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

The Software shall be used for Good, not Evil.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

/\*

\* Copyright 2000-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.

\* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

\*/

package tasks

import groovy.util.Node

import groovy.util.XmlParser

import org.gradle.api.DefaultTask

import org.gradle.api.file.RegularFileProperty

import org.gradle.api.provider.Property

import org.gradle.api.tasks.Input

import org.gradle.api.tasks.InputFile

import org.gradle.api.tasks.OutputFile

import org.gradle.api.tasks.TaskAction

import java.util.\*

abstract class WriteCopyrightToFile : DefaultTask() {

    @InputFile

    val path = project.file("\${project.rootDir}/.idea/copyright/apache.xml")

    @get:OutputFile

    abstract val outputFile: RegularFileProperty

    @get:Input

    val commented: Property<Boolean> = project.objects.property(Boolean::class.java).convention(true)

    @TaskAction

    fun write() {

        val file = outputFile.asFile.get()

        file.writeText(if (commented.get()) readCopyrightCommented() else readCopyright())

    }

    private fun readCopyright(): String {

        assert(path.exists()) {

            "File \$path with copyright not found"

        }

        val xmlParser = XmlParser()

        val node = xmlParser.parse(path)

        assert(node.attribute("name") == "CopyrightManager") {

            "Format changed occasionally?"

        }

        val copyrightBlock = node.children().filterIsInstance<Node>().single()

```

    val noticeNode = copyrightBlock.children().filterIsInstance<Node>().single { it.attribute("name") == "notice" }
    return noticeNode.attribute("value").toString().replace("&#36;today.year",
GregorianCalendar()[Calendar.YEAR].toString())
}

private fun readCopyrightCommented(): String {
    return "/*\n" + readCopyright().prependIndent(" * ") + "\n */"
}
}

```

Apache License  
 Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate



as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify

the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

The MIT License

Copyright (C) 2011-2013 Vojta Jna and contributors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT License

Copyright (c) 2018 Chad Retz

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is

furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work

or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2000-2020 JetBrains s.r.o.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```
=====  
== NOTICE file corresponding to the section 4 d of      ==  
== the Apache License, Version 2.0,                    ==  
== in this case for the Kotlin Compiler distribution.    ==  
=====
```

Kotlin Compiler

Copyright 2010-2017 JetBrains s.r.o and respective authors and developers

/\*\*

\* Copyright 2010 Tim Down.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Copyright (C) 2009-2021 The Project Lombok Authors.

Permission is hereby granted, free of charge, to any person obtaining a copy



of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License

Copyright (C) 2011-2019 Google, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

zlib.h -- interface of the 'zlib' general purpose compression library  
version 1.2.11, January 15th, 2017

Copyright (C) 1995-2017 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly      Mark Adler  
jloup@gzip.org      madler@alumni.caltech.edu  
SCALA LICENSE

Copyright (c) 2002-2012 EPFL, Lausanne, unless otherwise specified.  
All rights reserved.

This software was developed by the Programming Methods Laboratory of the Swiss Federal Institute of Technology (EPFL), Lausanne, Switzerland.

Permission to use, copy, modify, and distribute this software in source or binary form for any purpose with or without fee is hereby granted, provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the EPFL nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

ASM: a very small and fast Java bytecode manipulation framework

Copyright (c) 2000-2005 INRIA, France Telecom  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The MIT License (MIT)

Copyright (c) 2016 Jamie Sherriff

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

=====  
Licenses for included components:

-----  
Eclipse Public License 1.0  
<https://opensource.org/licenses/EPL-1.0>

junit:junit  
org.sonatype.aether:aether-api  
org.sonatype.aether:aether-connector-wagon  
org.sonatype.aether:aether-impl  
org.sonatype.aether:aether-spi  
org.sonatype.aether:aether-util

-----  
3-Clause BSD

<https://opensource.org/licenses/BSD-3-Clause>

com.google.code.findbugs:jsr305

org.hamcrest:hamcrest-core

BSD License

Copyright (c) 2000-2015 [www.hamcrest.org](http://www.hamcrest.org)

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Hamcrest nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

com.esotericsoftware.kryo:kryo

com.esotericsoftware.minlog:minlog

Copyright (c) 2008-2018, Nathan Sweet All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:



Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Esoteric Software nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

org.ow2.asm:asm

org.ow2.asm:asm-analysis

org.ow2.asm:asm-commons

org.ow2.asm:asm-tree

org.ow2.asm:asm-util

ASM: a very small and fast Java bytecode manipulation framework

Copyright (c) 2000-2011 INRIA, France Telecom

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF

THE POSSIBILITY OF SUCH DAMAGE.

-----  
MIT

com.googlecode.plist:dd-plist

dd-plist - An open source library to parse and generate property lists

Copyright (C) 2016 Daniel Dreibrodt

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

org.bouncycastle:bcpkg-jdk15on

org.bouncycastle:bcprov-jdk15on

Copyright (c) 2000 - 2019 The Legion of the Bouncy Castle Inc. (<https://www.bouncycastle.org>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

org.slf4j:jcl-over-slf4j

org.slf4j:jul-to-slf4j

org.slf4j:log4j-over-slf4j  
org.slf4j:slf4j-api  
Copyright (c) 2004-2017 QOS.ch  
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

-----  
CDDL

<https://opensource.org/licenses/CDDL-1.0>

com.sun.xml.bind:jaxb-impl

-----  
LGPL 2.1

<https://www.gnu.org/licenses/old-licenses/lgpl-2.1.en.html>

org.samba.jcifs:jcifs

org.jetbrains.intellij.deps:trove4j

-----  
License for the GNU Trove library included by the Kotlin embeddable compiler  
-----

The source code for GNU Trove is licensed under the Lesser GNU Public License (LGPL).

Copyright (c) 2001, Eric D. Friedman All Rights Reserved. This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or

(at your option) any later version. This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without

even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this program; if not, write to the Free Software

Foundation, Inc., 59 Temple Place - Suite 330, Boston, MA 02111-1307, USA.

Two classes (HashFunctions and PrimeFinder) included in Trove are licensed under the following terms:

Copyright (c) 1999 CERN - European Organization for Nuclear Research. Permission to use, copy, modify, distribute and sell this software

and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and

that both that copyright notice and this permission notice appear in supporting documentation. CERN makes no representations about the

suitability of this software for any purpose. It is provided "as is" without expressed or implied warranty.

The source code of modified GNU Trove library is available at

<https://github.com/JetBrains/intellij-deps-trove4j> (with trove4j\_changes.txt describing the changes)

-----  
Eclipse Distribution License 1.0

<https://www.eclipse.org/org/documents/edl-v10.php>

org.eclipse.jgit:org.eclipse.jgit

-----  
BSD-style

com.jcraft:jsch

com.jcraft:jzlib

Copyright (c) 2000-2011 ymnk, JCraft, Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The names of the authors may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL JCRAFT, INC. OR ANY CONTRIBUTORS TO THIS SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-----  
Eclipse Public License 2.0

<https://www.eclipse.org/legal/epl-2.0/>

org.junit.platform:junit-platform-launcher

-----  
Mozilla Public License 2.0

<https://www.mozilla.org/en-US/MPL/2.0/>

org.mozilla:rhino

/\*

\* Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

UNLESS SPECIFIED OTHERWISE IN THE INDIVIDUAL SOURCE FILES INCLUDED WITH THIS PACKAGE, they may freely be used, modified and/or redistributed for any purpose.

must as a whole is licensed under the following standard MIT license:

-----  
Copyright 2005-2014 Rich Felker, et al.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the

"Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

-----

Authors/contributors include:

Anthony G. Basile  
Arvid Picciani  
Bobby Bingham  
Boris Brezillon  
Chris Spiegel  
Emil Renner Berthing  
Hiltjo Posthuma  
Isaac Dunham  
Jens Gustedt  
Jeremy Huntwork  
John Spencer  
Justin Cormack  
Luca Barbato  
Luka Perkov  
Michael Forney  
Nicholas J. Kain  
orc  
Pascal Cuoq  
Pierre Carrier  
Rich Felker  
Richard Pennington  
Solar Designer  
Strake  
Szabolcs Nagy  
Timo Ters  
Valentin Ochs  
William Haddon

Portions of this software are derived from third-party works licensed under terms compatible with the above MIT license:

The TRE regular expression implementation (`src/regex/reg*` and `src/regex/tre*`) is Copyright 2001-2008 Ville Laurikari and licensed under a 2-clause BSD license (license text in the source files). The included version has been heavily modified by Rich Felker in 2012, in the interests of size, simplicity, and namespace cleanliness.

Much of the math library code (`src/math/*` and `src/complex/*`) is Copyright 1993,2004 Sun Microsystems or Copyright 2003-2011 David Schultz or Copyright 2003-2009 Steven G. Kargl or Copyright 2003-2009 Bruce D. Evans or Copyright 2008 Stephen L. Moshier and labelled as such in comments in the individual source files. All have been licensed under extremely permissive terms.

The ARM memcpy code (`src/string/armel/memcpy.s`) is Copyright 2008 The Android Open Source Project and is licensed under a two-clause BSD license. It was taken from Bionic libc, used on Android.

The implementation of DES for crypt (`src/misc/crypt_des.c`) is Copyright 1994 David Burren. It is licensed under a BSD license.

The implementation of blowfish crypt (`src/misc/crypt_blowfish.c`) was originally written by Solar Designer and placed into the public domain. The code also comes with a fallback permissive license for use in jurisdictions that may not recognize the public domain.

The smoothsort implementation (`src/stdlib/qsort.c`) is Copyright 2011 Valentin Ochs and is licensed under an MIT-style license.

The BSD PRNG implementation (`src/prng/random.c`) and XSI search API (`src/search/*.c`) functions are Copyright 2011 Szabolcs Nagy and licensed under following terms: "Permission to use, copy, modify, and/or distribute this code for any purpose with or without fee is hereby granted. There is no warranty."

The x86\_64 port was written by Nicholas J. Kain. Several files (`crt`) were released into the public domain; others are licensed under the standard MIT license terms at the top of this file. See individual files for their copyright status.

The mips and microblaze ports were originally written by Richard Pennington for use in the `elcc` project. The original code was adapted by Rich Felker for build system and code conventions during upstream integration. It is licensed under the standard MIT terms.

The powerpc port was also originally written by Richard Pennington, and later supplemented and integrated by John Spencer. It is licensed under the standard MIT terms.

All other files which have no copyright comments are original works produced specifically for use as part of this library, written either by Rich Felker, the main author of the library, or by one or more contributors listed above. Details on authorship of individual files can be found in the git version control history of the project. The omission of copyright and license comments in each file is in the interest of source tree size.

All public header files (include/\* and arch/\*/bits/\*) should be treated as Public Domain as they intentionally contain no content which can be covered by copyright. Some source modules may fall in this category as well. If you believe that a file is so trivial that it should be in the Public Domain, please contact the authors and request an explicit statement releasing it from copyright.

The following files are trivial, believed not to be copyrightable in the first place, and hereby explicitly released to the Public Domain:

All public headers: include/\*, arch/\*/bits/\*

Startup files: crt/\*

Portions, Copyright 1991-2005 Unicode, Inc. The following applies to Unicode.

#### COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2005 Unicode, Inc. All rights reserved. Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>. Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that (a) the above copyright notice(s) and this permission notice appear with all copies of the Data Files or Software, (b) both the above copyright notice(s) and this permission notice appear in associated documentation, and (c) there is clear notice in each modified Data File or in the Software as well as in the documentation associated with the Data File(s) or Software that the data or software has been modified.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT



OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

## 2. Additional terms from the Database:

Copyright 1995-1999 Unicode, Inc. All Rights reserved.

### Disclaimer

The Unicode Character Database is provided as is by Unicode, Inc. No claims are made as to fitness for any particular purpose. No warranties of any kind are expressed or implied. The recipient agrees to determine applicability of information provided. If this file has been purchased on magnetic or optical media from Unicode, Inc., the sole remedy for any claim will be exchange of defective media within 90 days of receipt. This disclaimer is applicable for all other data files accompanying the Unicode Character Database, some of which have been compiled by the Unicode Consortium, and some of which have been supplied by other sources.

### Limitations on Rights to Redistribute This Data

Recipient is granted the right to make copies in any form for internal distribution and to freely use the information supplied in the creation of products supporting the Unicode™ Standard. The files in the Unicode Character Database can be redistributed to third parties or other organizations (whether for profit or not) as long as this notice and the disclaimer notice are retained. Information can be extracted from these files and used in documentation or programs, as long as there is an accompanying notice indicating the source.

Google Dart Js backend was removed - <https://code.google.com/p/dart/source/detail?r=4771>

According to <http://www.apache.org/legal/3party.html> we can include "Google Dart Js backend" in source form, because code license is "New BSD License" (Authorized License).

This part of code will be removed when kotlin will be rewritten on kotlin.  
Copyright JS Foundation and other contributors, <https://js.foundation/>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history

available at <https://github.com/jquery/jquery>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

Boost Software License - Version 1.0 - August 17th, 2003

Permission is hereby granted, free of charge, to any person or organization obtaining a copy of the software and accompanying documentation covered by this license (the "Software") to use, reproduce, display, distribute, execute, and transmit the Software, and to prepare derivative works of the Software, and to permit third-parties to whom the Software is furnished to do so, all subject to the following:

The copyright notices in the Software and this entire statement, including the above license grant, this restriction and the following disclaimer, must be included in all copies of the Software, in whole or in part, and all derivative works of the Software, unless such copies or derivative works are solely in the form of machine-executable object code generated by a source language processor.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR ANYONE DISTRIBUTING THE SOFTWARE BE LIABLE FOR ANY DAMAGES OR OTHER LIABILITY, WHETHER IN CONTRACT, TORT OR OTHERWISE,

ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The files in this package are taken from mozilla's Rhino project.

See <http://www.mozilla.org/rhino/>

The files modified from Rhino 1.5R3  
(<ftp://ftp.mozilla.org/pub/js/rhino15R3.zip>).

--

The contents of this package are subject to the Netscape Public License Version 1.1 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at <http://www.mozilla.org/NPL/>

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations under the License.

The Original Code is Rhino code, released  
May 6, 1999.

The Initial Developer of the Original Code is Netscape Communications Corporation. Portions created by Netscape are Copyright (C) 1997-2000 Netscape Communications Corporation. All Rights Reserved.

Alternatively, the contents of this file may be used under the terms of the GNU Public License (the "GPL"), in which case the provisions of the GPL are applicable instead of those above. If you wish to allow use of your version of this file only under the terms of the GPL and not to allow others to use your version of this file under the NPL, indicate your decision by deleting the provisions above and replace them with the notice and other provisions required by the GPL. If you do not delete the provisions above, a recipient may use your version of this file under either the NPL or the GPL.  
<http://fastutil.di.unimi.it/>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and

limitations under the License.

The majority of Rhino is MPL 1.1 / GPL 2.0 dual licensed:

The Mozilla Public License (<http://www.mozilla.org/MPL/MPL-1.1.txt>):

---

MOZILLA PUBLIC LICENSE

Version 1.1

-----

1. Definitions.

1.0.1. "Commercial Use" means distribution or otherwise making the Covered Code available to a third party.

1.1. "Contributor" means each entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Code, prior Modifications used by a Contributor, and the Modifications made by that particular Contributor.

1.3. "Covered Code" means the Original Code or Modifications or the combination of the Original Code and Modifications, in each case including portions thereof.

1.4. "Electronic Distribution Mechanism" means a mechanism generally accepted in the software development community for the electronic transfer of data.

1.5. "Executable" means Covered Code in any form other than Source Code.

1.6. "Initial Developer" means the individual or entity identified as the Initial Developer in the Source Code notice required by Exhibit A.

1.7. "Larger Work" means a work which combines Covered Code or portions thereof with code not governed by the terms of this License.

1.8. "License" means this document.

1.8.1. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means any addition to or deletion from the substance or structure of either the Original Code or any previous



Modifications. When Covered Code is released as a series of files, a Modification is:

A. Any addition to or deletion from the contents of a file containing Original Code or previous Modifications.

B. Any new file that contains any part of the Original Code or previous Modifications.

1.10. "Original Code" means Source Code of computer software code which is described in the Source Code notice required by Exhibit A as Original Code, and which, at the time of its release under this License is not already Covered Code governed by this License.

1.10.1. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.11. "Source Code" means the preferred form of the Covered Code for making modifications to it, including all modules it contains, plus any associated interface definition files, scripts used to control compilation and installation of an Executable, or source code differential comparisons against either the Original Code or another well known, available Covered Code of the Contributor's choice. The Source Code can be in a compressed or archival form, provided the appropriate decompression or de-archiving software is widely available for no charge.

1.12. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License or a future version of this License issued under Section 6.1. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. Source Code License.

### 2.1. The Initial Developer Grant.

The Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license, subject to third party intellectual property claims:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer to use, reproduce, modify, display, perform, sublicense and distribute the Original Code (or portions thereof) with or without Modifications, and/or

as part of a Larger Work; and

(b) under Patents Claims infringed by the making, using or selling of Original Code, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Code (or portions thereof).

(c) the licenses granted in this Section 2.1(a) and (b) are effective on the date Initial Developer first distributes Original Code under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: 1) for code that You delete from the Original Code; 2) separate from the Original Code; or 3) for infringements caused by: i) the modification of the Original Code or ii) the combination of the Original Code with other software or devices.

## 2.2. Contributor Grant.

Subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor, to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof) either on an unmodified basis, with other Modifications, as Covered Code and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: 1) Modifications made by that Contributor (or portions thereof); and 2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) the licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first makes Commercial Use of the Covered Code.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: 1) for any code that Contributor has deleted from the Contributor Version; 2) separate from the Contributor Version; 3) for infringements caused by: i) third party modifications of Contributor Version or ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or 4) under Patent Claims

infringed by Covered Code in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Application of License.

The Modifications which You create or to which You contribute are governed by the terms of this License, including without limitation Section 2.2. The Source Code version of Covered Code may be distributed only under the terms of this License or a future version of this License released under Section 6.1, and You must include a copy of this License with every copy of the Source Code You distribute. You may not offer or impose any terms on any Source Code version that alters or restricts the applicable version of this License or the recipients' rights hereunder. However, You may include an additional document offering the additional rights described in Section 3.5.

#### 3.2. Availability of Source Code.

Any Modification which You create or to which You contribute must be made available in Source Code form under the terms of this License either on the same media as an Executable version or via an accepted Electronic Distribution Mechanism to anyone to whom you made an Executable version available; and if made available via Electronic Distribution Mechanism, must remain available for at least twelve (12) months after the date it initially became available, or at least six (6) months after a subsequent version of that particular Modification has been made available to such recipients. You are responsible for ensuring that the Source Code version remains available even if the Electronic Distribution Mechanism is maintained by a third party.

#### 3.3. Description of Modifications.

You must cause all Covered Code to which You contribute to contain a file documenting the changes You made to create that Covered Code and the date of any change. You must include a prominent statement that the Modification is derived, directly or indirectly, from Original Code provided by the Initial Developer and including the name of the Initial Developer in (a) the Source Code, and (b) in any notice in an Executable version or related documentation in which You describe the origin or ownership of the Covered Code.

#### 3.4. Intellectual Property Matters

##### (a) Third Party Claims.

If Contributor has knowledge that a license under a third party's intellectual property rights is required to exercise the rights granted by such Contributor under Sections 2.1 or 2.2, Contributor must include a text file with the Source Code distribution titled "LEGAL" which describes the claim and the

party making the claim in sufficient detail that a recipient will know whom to contact. If Contributor obtains such knowledge after the Modification is made available as described in Section 3.2, Contributor shall promptly modify the LEGAL file in all copies Contributor makes available thereafter and shall take other steps (such as notifying appropriate mailing lists or newsgroups) reasonably calculated to inform those who received the Covered Code that new knowledge has been obtained.

(b) Contributor APIs.

If Contributor's Modifications include an application programming interface and Contributor has knowledge of patent licenses which are reasonably necessary to implement that API, Contributor must also include this information in the LEGAL file.

(c) Representations.

Contributor represents that, except as disclosed pursuant to Section 3.4(a) above, Contributor believes that Contributor's Modifications are Contributor's original creation(s) and/or Contributor has sufficient rights to grant the rights conveyed by this License.

### 3.5. Required Notices.

You must duplicate the notice in Exhibit A in each file of the Source Code. If it is not possible to put such notice in a particular Source Code file due to its structure, then You must include such notice in a location (such as a relevant directory) where a user would be likely to look for such a notice. If You created one or more Modification(s) You may add your name as a Contributor to the notice described in Exhibit A. You must also duplicate this License in any documentation for the Source Code where You describe recipients' rights or ownership rights relating to Covered Code. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Code. However, You may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear than any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.6. Distribution of Executable Versions.

You may distribute Covered Code in Executable form only if the requirements of Section 3.1-3.5 have been met for that Covered Code, and if You include a notice stating that the Source Code version of the Covered Code is available under the terms of this License, including a description of how and where You have fulfilled the

obligations of Section 3.2. The notice must be conspicuously included in any notice in an Executable version, related documentation or collateral in which You describe recipients' rights relating to the Covered Code. You may distribute the Executable version of Covered Code or ownership rights under a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable version does not attempt to limit or alter the recipient's rights in the Source Code version from the rights set forth in this License. If You distribute the Executable version under a different license You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or any Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.7. Larger Works.

You may create a Larger Work by combining Covered Code with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Code.

## 4. Inability to Comply Due to Statute or Regulation.

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Code due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be included in the LEGAL file described in Section 3.4 and must be included with all distributions of the Source Code. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

## 5. Application of this License.

This License applies to code to which the Initial Developer has attached the notice in Exhibit A and to related Covered Code.

## 6. Versions of the License.

### 6.1. New Versions.

Netscape Communications Corporation ("Netscape") may publish revised and/or new versions of the License from time to time. Each version will be given a distinguishing version number.

## 6.2. Effect of New Versions.

Once Covered Code has been published under a particular version of the License, You may always continue to use it under the terms of that version. You may also choose to use such Covered Code under the terms of any subsequent version of the License published by Netscape. No one other than Netscape has the right to modify the terms applicable to Covered Code created under this License.

## 6.3. Derivative Works.

If You create or use a modified version of this License (which you may only do in order to apply it to code which is not already Covered Code governed by this License), You must (a) rename Your license so that the phrases "Mozilla", "MOZILLAPL", "MOZPL", "Netscape", "MPL", "NPL" or any confusingly similar phrase do not appear in your license (except to note that your license differs from this License) and (b) otherwise make it clear that Your version of the license contains terms which differ from the Mozilla Public License and Netscape Public License. (Filling in the name of the Initial Developer, Original Code or Contributor in the notice described in Exhibit A shall not of themselves be deemed to be modifications of this License.)

## 7. DISCLAIMER OF WARRANTY.

COVERED CODE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED CODE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED CODE IS WITH YOU. SHOULD ANY COVERED CODE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED CODE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 8. TERMINATION.

8.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. All sublicenses to the Covered Code which are properly granted shall survive any termination of this License. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

8.2. If You initiate litigation by asserting a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom

You file such action is referred to as "Participant") alleging that:

(a) such Participant's Contributor Version directly or indirectly infringes any patent, then any and all rights granted by such Participant to You under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively, unless if within 60 days after receipt of notice You either: (i) agree in writing to pay Participant a mutually agreeable reasonable royalty for Your past and future use of Modifications made by such Participant, or (ii) withdraw Your litigation claim with respect to the Contributor Version against such Participant. If within 60 days of notice, a reasonable royalty and payment arrangement are not mutually agreed upon in writing by the parties or the litigation claim is not withdrawn, the rights granted by Participant to You under Sections 2.1 and/or 2.2 automatically terminate at the expiration of the 60 day notice period specified above.

(b) any software, hardware, or device, other than such Participant's Contributor Version, directly or indirectly infringes any patent, then any rights granted to You by such Participant under Sections 2.1(b) and 2.2(b) are revoked effective as of the date You first made, used, sold, distributed, or had made, Modifications made by that Participant.

8.3. If You assert a patent infringement claim against Participant alleging that such Participant's Contributor Version directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

8.4. In the event of termination under Sections 8.1 or 8.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or any distributor hereunder prior to termination shall survive termination.

## 9. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED CODE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN

INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

#### 10. U.S. GOVERNMENT END USERS.

The Covered Code is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" and "commercial computer software documentation," as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Code with only those rights set forth herein.

#### 11. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by California law provisions (except to the extent applicable law, if any, provides otherwise), excluding its conflict-of-law provisions. With respect to disputes in which at least one party is a citizen of, or an entity chartered or registered to do business in the United States of America, any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California, with venue lying in Santa Clara County, California, with the losing party responsible for costs, including without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License.

#### 12. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

#### 13. MULTIPLE-LICENSED CODE.



Initial Developer may designate portions of the Covered Code as "Multiple-Licensed". "Multiple-Licensed" means that the Initial Developer permits you to utilize portions of the Covered Code under Your choice of the NPL or the alternative licenses, if any, specified by the Initial Developer in the file described in Exhibit A.

EXHIBIT A -Mozilla Public License.

``The contents of this file are subject to the Mozilla Public License Version 1.1 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at <http://www.mozilla.org/MPL/>

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations under the License.


The Original Code is \_\_\_\_\_.

The Initial Developer of the Original Code is \_\_\_\_\_.  
Portions created by \_\_\_\_\_ are Copyright (C) \_\_\_\_\_  
\_\_\_\_\_. All Rights Reserved.

Contributor(s): \_\_\_\_\_.

Alternatively, the contents of this file may be used under the terms of the \_\_\_\_\_ license (the "[ ] License"), in which case the provisions of [ ] License are applicable instead of those above. If you wish to allow use of your version of this file only under the terms of the [ ] License and not to allow others to use your version of this file under the MPL, indicate your decision by deleting the provisions above and replace them with the notice and other provisions required by the [ ] License. If you do not delete the provisions above, a recipient may use your version of this file under either the MPL or the [ ] License."

[NOTE: The text of this Exhibit A may differ slightly from the text of the notices in the Source Code files of the Original Code. You should use the text of this Exhibit A rather than the text found in the Original Code Source Code for Your Modifications.]



GNU GENERAL PUBLIC LICENSE  
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA  
Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free

program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## GNU GENERAL PUBLIC LICENSE

### TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any

part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any

later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
```

```
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.



---

Additionally, some files (currently the contents of  
toolsrc/org/mozilla/javascript/tools/debugger/treetable/) are available  
only under the following license:

---

\* Copyright 1997, 1998 Sun Microsystems, Inc. All Rights Reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:

\*

\* - Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* - Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\*

\* - Neither the name of Sun Microsystems nor the names of its  
\* contributors may be used to endorse or promote products derived  
\* from this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
\* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,  
\* THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR  
\* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR  
\* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
\* EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
\* PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
\* PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
\* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
\* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
\* SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

---

Copyright (c) 2013 Aaron Forsander

Permission is hereby granted, free of charge, to any person obtaining a copy  
of this software and associated documentation files (the "Software"), to deal  
in the Software without restriction, including without limitation the rights  
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell  
copies of the Software, and to permit persons to whom the Software is  
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in  
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA  
Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts  
as the successor of the GNU Library Public License, version 2, hence  
the version number 2.1.]

### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave

you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to

encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

## GNU LESSER GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means

all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any

application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the

copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot



use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not

excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990  
Ty Coon, President of Vice

That's all there is to it!  
The MIT License

Copyright (c) 2003, Kohsuke Kawaguchi

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License

Copyright JS Foundation and other contributors <<https://js.foundation/>>

Based on Underscore.js, copyright Jeremy Ashkenas,  
DocumentCloud and Investigative Reporters & Editors <<http://underscorejs.org/>>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/lodash/lodash>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

Copyright and related rights for sample code are waived via CC0. Sample code is defined as all source code displayed within the prose of the documentation.

CC0: <http://creativecommons.org/publicdomain/zero/1.0/>

====

Files located in the node\_modules and vendor directories are externally

maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

Copyright JS Foundation and other contributors, <https://js.foundation>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/qunitjs/qunit>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

#### GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.

59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that

any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a



"work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

## GNU LESSER GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy,

and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library

with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not.

Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if

the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any

attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing

to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:



Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990  
Ty Coon, President of Vice

That's all there is to it!

# 1.98 metrics-spi 2.18.2

## 1.98.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Note: Other license terms may apply to certain, identified software files contained within or distributed with the accompanying software if such terms are included in the directory containing the accompanying software. Such other license terms will then apply in lieu of the terms of the software license above.

AWS SDK for Java 2.0

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

This product includes software developed by Amazon Technologies, Inc (<http://www.amazon.com/>).

\*\*\*\*\*

#### THIRD PARTY COMPONENTS

\*\*\*\*\*

This software includes third party software subject to the following copyrights:

- XML parsing and utility functions from JetS3t - Copyright 2006-2009 James Murty.
- PKCS#1 PEM encoded private key parsing and utility functions from [oauth.googlecode.com](http://oauth.googlecode.com) - Copyright 1998-2010 AOL Inc.
- Apache Commons Lang - <https://github.com/apache/commons-lang>
- Netty Reactive Streams - <https://github.com/playframework/netty-reactive-streams>
- Jackson-core - <https://github.com/FasterXML/jackson-core>
- Jackson-dataformat-cbor - <https://github.com/FasterXML/jackson-dataformats-binary>

The licenses for these third party components are included in LICENSE.txt

- For Apache Commons Lang see also this required NOTICE:

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

# 1.99 json-utils 2.18.2

## 1.99.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work

(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.



Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]"

replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Note: Other license terms may apply to certain, identified software files contained within or distributed with the accompanying software if such terms are included in the directory containing the accompanying software. Such other license terms will then apply in lieu of the terms of the software license above.

AWS SDK for Java 2.0

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

This product includes software developed by Amazon Technologies, Inc (<http://www.amazon.com/>).

\*\*\*\*\*

#### THIRD PARTY COMPONENTS

\*\*\*\*\*

This software includes third party software subject to the following copyrights:

- XML parsing and utility functions from JetS3t - Copyright 2006-2009 James Murty.
- PKCS#1 PEM encoded private key parsing and utility functions from [oauth.googlecode.com](http://oauth.googlecode.com) - Copyright 1998-2010 AOL Inc.
- Apache Commons Lang - <https://github.com/apache/commons-lang>
- Netty Reactive Streams - <https://github.com/playframework/netty-reactive-streams>
- Jackson-core - <https://github.com/FasterXML/jackson-core>
- Jackson-dataformat-cbor - <https://github.com/FasterXML/jackson-dataformats-binary>

The licenses for these third party components are included in LICENSE.txt

- For Apache Commons Lang see also this required NOTICE:  
Apache Commons Lang  
Copyright 2001-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

# 1.100 free-type 2.12.1

## 1.100.1 Available under license :

The FreeType Project LICENSE  
-----

2006-Jan-27

Copyright 1996-2002, 2006 by  
David Turner, Robert Wilhelm, and Werner Lemberg

### Introduction

=====

The FreeType Project is distributed in several archive packages; some of them may contain, in addition to the FreeType font engine, various tools and contributions which rely on, or relate to, the FreeType Project.

This license applies to all files found in such packages, and which do not fall under their own explicit license. The license affects thus the FreeType font engine, the test programs, documentation and makefiles, at the very least.

This license was inspired by the BSD, Artistic, and IJG (Independent JPEG Group) licenses, which all encourage inclusion and use of free software in commercial and freeware products alike. As a consequence, its main points are that:

- o We don't promise that this software works. However, we will be interested in any kind of bug reports. (^ as is' distribution)
- o You can use this software for whatever you want, in parts or full form, without having to pay us. (^ royalty-free' usage)
- o You may not pretend that you wrote this software. If you use it, or only parts of it, in a program, you must acknowledge somewhere in your documentation that you have used the FreeType code. (^ credits')

We specifically permit and encourage the inclusion of this software, with or without modifications, in commercial products.

We disclaim all warranties covering The FreeType Project and assume no liability related to The FreeType Project.

Finally, many people asked us for a preferred form for a credit/disclaimer to use in compliance with this license. We thus encourage you to use the following text:

""

Portions of this software are copyright <year> The FreeType Project (www.freetype.org). All rights reserved.

""

Please replace <year> with the value from the FreeType version you actually use.

## Legal Terms

=====

### 0. Definitions

-----

Throughout this license, the terms `package', `FreeType Project', and `FreeType archive' refer to the set of files originally distributed by the authors (David Turner, Robert Wilhelm, and Werner Lemberg) as the `FreeType Project', be they named as alpha, beta or final release.

`You' refers to the licensee, or person using the project, where `using' is a generic term including compiling the project's source code as well as linking it to form a `program' or `executable'. This program is referred to as `a program using the FreeType engine'.

This license applies to all files distributed in the original FreeType Project, including all source code, binaries and documentation, unless otherwise stated in the file in its original, unmodified form as distributed in the original archive. If you are unsure whether or not a particular file is covered by this license, you must contact us to verify this.

The FreeType Project is copyright (C) 1996-2000 by David Turner, Robert Wilhelm, and Werner Lemberg. All rights reserved except as specified below.

### 1. No Warranty

-----

THE FREETYPE PROJECT IS PROVIDED `AS IS' WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT WILL ANY OF THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY DAMAGES CAUSED BY THE USE OR THE INABILITY TO USE, OF THE FREETYPE PROJECT.

## 2. Redistribution

-----

This license grants a worldwide, royalty-free, perpetual and irrevocable right and license to use, execute, perform, compile, display, copy, create derivative works of, distribute and sublicense the FreeType Project (in both source and object code forms) and derivative works thereof for any purpose; and to authorize others to exercise some or all of the rights granted herein, subject to the following conditions:

- o Redistribution of source code must retain this license file (FTL.TXT) unaltered; any additions, deletions or changes to the original files must be clearly indicated in accompanying documentation. The copyright notices of the unaltered, original files must be preserved in all copies of source files.
  
- o Redistribution in binary form must provide a disclaimer that states that the software is based in part of the work of the FreeType Team, in the distribution documentation. We also encourage you to put an URL to the FreeType web page in your documentation, though this isn't mandatory.

These conditions apply to any software derived from or based on the FreeType Project, not just the unmodified files. If you use our work, you must acknowledge us. However, no fee need be paid to us.

## 3. Advertising

-----

Neither the FreeType authors and contributors nor you shall use the name of the other for commercial, advertising, or promotional purposes without specific prior written permission.

We suggest, but do not require, that you use one or more of the following phrases to refer to this software in your documentation or advertising materials: `FreeType Project', `FreeType Engine', `FreeType library', or `FreeType Distribution'.

As you have not signed this license, you are not required to accept it. However, as the FreeType Project is copyrighted material, only this license, or another one contracted with the authors, grants you the right to use, distribute, and modify it. Therefore, by using, distributing, or modifying the FreeType Project, you indicate that you understand and accept all the terms of this license.

#### 4. Contacts

-----

There are two mailing lists related to FreeType:

o freetype@nongnu.org

Discusses general use and applications of FreeType, as well as future and wanted additions to the library and distribution.

If you are looking for support, start in this list if you haven't found anything to help you in the documentation.

o freetype-devel@nongnu.org

Discusses bugs, as well as engine internals, design issues, specific licenses, porting, etc.

Our home page can be found at

<https://www.freetype.org>

--- end of FTL.TXT ---

#### FREETYPE LICENSES

-----

The FreeType 2 font engine is copyrighted work and cannot be used legally without a software license. In order to make this project usable to a vast majority of developers, we distribute it under two mutually exclusive open-source licenses.

This means that *\*you\** must choose *\*one\** of the two licenses described below, then obey all its terms and conditions when using FreeType 2 in any of your projects or products.

- The FreeType License, found in the file `docs/FTL.TXT`, which is similar to the original BSD license *\*with\** an advertising clause that forces you to explicitly cite the FreeType project in your product's documentation. All details are in the license file.

This license is suited to products which don't use the GNU General Public License.

Note that this license is compatible to the GNU General Public License version 3, but not version 2.

- The GNU General Public License version 2, found in ``docs/GPLv2.TXT`` (any later version can be used also), for programs which already use the GPL. Note that the FTL is incompatible with GPLv2 due to its advertisement clause.

The contributed BDF and PCF drivers come with a license similar to that of the X Window System. It is compatible to the above two licenses (see files ``src/bdf/README`` and ``src/pcf/README``). The same holds for the source code files ``src/base/fthash.c`` and ``include/freetype/internal/fthash.h``; they were part of the BDF driver in earlier FreeType versions.

The gzip module uses the zlib license (see ``src/gzip/zlib.h``) which too is compatible to the above two licenses.

The MD5 checksum support (only used for debugging in development builds) is in the public domain.

--- end of LICENSE.TXT ---

# Files that don't get a copyright, or which are taken from elsewhere.

#

# All lines in this file are patterns, including the comment lines; this

# means that e.g. ``FTL.TXT`` matches all files that have this string in

# the file name (including the path relative to the current directory,

# always starting with ``./``).

#

# Don't put empty lines into this file!

#

builds/unix/pkg.m4

#

docs/FTL.TXT

docs/GPLv2.TXT

#

include/freetype/internal/fthash.h

#

src/base/fthash.c

src/base/md5.c

src/base/md5.h

#

src/bdf/bdf.c

src/bdf/bdf.h

```
src/bdf/bdfdrivr.c
src/bdf/bdfdrivr.h
src/bdf/bdferror.h
src/bdf/bdflib.c
src/bdf/module.mk
src/bdf/README
src/bdf/rules.mk
#
src/pcf/module.mk
src/pcf/pcf.c
src/pcf/pcf.h
src/pcf/pcfdrivr.c
src/pcf/pcfdrivr.h
src/pcf/pcferror.h
src/pcf/pcfread.c
src/pcf/pcfread.h
src/pcf/pcfutil.c
src/pcf/pcfutil.h
src/pcf/README
src/pcf/rules.mk
#
src/gzip/adler32.c
src/gzip/infblock.c
src/gzip/infblock.h
src/gzip/infcodes.c
src/gzip/infcodes.h
src/gzip/inffixed.h
src/gzip/inflate.c
src/gzip/inftrees.c
src/gzip/inftrees.h
src/gzip/infutil.c
src/gzip/infutil.h
src/gzip/zconf.h
src/gzip/zlib.h
src/gzip/zutil.c
src/gzip/zutil.h
#
src/tools/apinames.c
src/tools/ftrandom/ftrandom.c
#
subprojects/dlg
#
# EOF
```

GNU GENERAL PUBLIC LICENSE  
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA



Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

## Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any

patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE  
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer

to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent

infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free

Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

##### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

# 1.101 disruptor 2.11.2.3

## 1.101.1 Available under license :

Apache Log4j Core  
Copyright 1999-2012 Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

ResolverUtil.java  
Copyright 2005-2006 Tim Fennell

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.



"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 1999-2005 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.102 alpine-baselayout 3.4.0-r0

## 1.102.1 Available under license :

/\*

- \* Copyright (c) 1983, 1988 Regents of the University of California.
- \* All rights reserved.
- \*
- \* Redistribution and use in source and binary forms are permitted
- \* provided that the above copyright notice and this paragraph are
- \* duplicated in all such forms and that any documentation,
- \* advertising materials, and other materials related to such
- \* distribution and use acknowledge that the software was developed
- \* by the University of California, Berkeley. The name of the
- \* University may not be used to endorse or promote products derived
- \* from this software without specific prior written permission.
- \* THIS SOFTWARE IS PROVIDED ``AS IS" AND WITHOUT ANY EXPRESS OR
- \* IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED
- \* WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

\*/

INTEL SOFTWARE LICENSE AGREEMENT

IMPORTANT - READ BEFORE COPYING, INSTALLING OR USING.

Do not use or load this software and any associated materials (collectively,

the "Software") until you have carefully read the following terms and conditions. By loading or using the Software, you agree to the terms of this Agreement. If you do not wish to so agree, do not install or use the Software.

LICENSES: Please Note:

- If you are a network administrator, the "Site License" below shall apply to you.
- If you are an end user, the "Single User License" shall apply to you.
- If you are an original equipment manufacturer (OEM), the "OEM License" shall apply to you.

**SITE LICENSE.** You may copy the Software onto your organization's computers for your organization's use, and you may make a reasonable number of back-up copies of the Software, subject to these conditions:

1. This Software is licensed for use only in conjunction with Intel component products. Use of the Software in conjunction with non-Intel component products is not licensed hereunder.
2. You may not copy, modify, rent, sell, distribute or transfer any part of the Software except as provided in this Agreement, and you agree to prevent unauthorized copying of the Software.
3. You may not reverse engineer, decompile, or disassemble the Software.
4. You may not sublicense or permit simultaneous use of the Software by more than one user.
5. The Software may include portions offered on terms in addition to those set out here, as set out in a license accompanying those portions.

**SINGLE USER LICENSE.** You may copy the Software onto a single computer for your personal, noncommercial use, and you may make one back-up copy of the Software, subject to these conditions:

1. This Software is licensed for use only in conjunction with Intel component products. Use of the Software in conjunction with non-Intel component products is not licensed hereunder.
2. You may not copy, modify, rent, sell, distribute or transfer any part of the Software except as provided in this Agreement, and you agree to prevent unauthorized copying of the Software.
3. You may not reverse engineer, decompile, or disassemble the Software.
4. You may not sublicense or permit simultaneous use of the Software by more than one user.
5. The Software may include portions offered on terms in addition to those set out here, as set out in a license accompanying those portions.

**OEM LICENSE:** You may reproduce and distribute the Software only as an integral part of or incorporated in Your product or as a standalone Software maintenance update for existing end users of Your products, excluding any other standalone products, subject to these conditions:

1. This Software is licensed for use only in conjunction with Intel component products. Use of the Software in conjunction with non-Intel component products is not licensed hereunder.
2. You may not copy, modify, rent, sell, distribute or transfer any part of the Software except as provided in this Agreement, and you agree to prevent unauthorized copying of the Software.
3. You may not reverse engineer, decompile, or disassemble the Software.
4. You may only distribute the Software to your customers pursuant to a written license agreement. Such license agreement may be a "break-the-seal" license agreement. At a minimum such license shall safeguard Intel's ownership rights to the Software.
5. The Software may include portions offered on terms in addition to those set out here, as set out in a license accompanying those portions.

**NO OTHER RIGHTS.** No rights or licenses are granted by Intel to You, expressly or by implication, with respect to any proprietary information or patent, copyright, mask work, trademark, trade secret, or other intellectual property right owned or controlled by Intel, except as expressly provided in this Agreement.

**OWNERSHIP OF SOFTWARE AND COPYRIGHTS.** Title to all copies of the Software remains with Intel or its suppliers. The Software is copyrighted and protected by the laws of the United States and other countries, and international treaty provisions. You may not remove any copyright notices from the Software. Intel may make changes to the Software, or to items referenced therein, at any time without notice, but is not obligated to support or update the Software. Except as otherwise expressly provided, Intel grants no express or implied right under Intel patents, copyrights, trademarks, or other intellectual property rights. You may transfer the Software only if the recipient agrees to be fully bound by these terms and if you retain no copies of the Software.

**LIMITED MEDIA WARRANTY.** If the Software has been delivered by Intel on physical media, Intel warrants the media to be free from material physical defects for a period of ninety days after delivery by Intel. If such a defect is found, return the media to Intel for replacement or alternate delivery of the Software as Intel may select.

**EXCLUSION OF OTHER WARRANTIES.** EXCEPT AS PROVIDED ABOVE, THE SOFTWARE IS PROVIDED "AS IS" WITHOUT ANY EXPRESS OR IMPLIED WARRANTY OF ANY KIND INCLUDING WARRANTIES OF MERCHANTABILITY, NONINFRINGEMENT, OR FITNESS FOR A PARTICULAR PURPOSE. Intel does not warrant or assume responsibility for the accuracy or completeness of any information, text, graphics, links or other items contained within the Software.

**LIMITATION OF LIABILITY.** IN NO EVENT SHALL INTEL OR ITS SUPPLIERS BE LIABLE FOR ANY DAMAGES WHATSOEVER (INCLUDING, WITHOUT LIMITATION, LOST PROFITS, BUSINESS INTERRUPTION, OR LOST INFORMATION) ARISING OUT OF THE USE OF OR

INABILITY TO USE THE SOFTWARE, EVEN IF INTEL HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. SOME JURISDICTIONS PROHIBIT EXCLUSION OR LIMITATION OF LIABILITY FOR IMPLIED WARRANTIES OR CONSEQUENTIAL OR INCIDENTAL DAMAGES, SO THE ABOVE LIMITATION MAY NOT APPLY TO YOU. YOU MAY ALSO HAVE OTHER LEGAL RIGHTS THAT VARY FROM JURISDICTION TO JURISDICTION.

TERMINATION OF THIS AGREEMENT. Intel may terminate this Agreement at any time if you violate its terms. Upon termination, you will immediately destroy the Software or return all copies of the Software to Intel.

APPLICABLE LAWS. Claims arising under this Agreement shall be governed by the laws of California, excluding its principles of conflict of laws and the United Nations Convention on Contracts for the Sale of Goods. You may not export the Software in violation of applicable export laws and regulations. Intel is not obligated under any other agreements unless they are in writing and signed by an authorized representative of Intel.

GOVERNMENT RESTRICTED RIGHTS. The Software is provided with "RESTRICTED RIGHTS." Use, duplication, or disclosure by the Government is subject to restrictions as set forth in FAR52.227-14 and DFAR252.227-7013 et seq. or its successor. Use of the Software by the Government constitutes acknowledgment of Intel's proprietary rights therein. Contractor or Manufacturer is Intel 2200 Mission College Blvd., Santa Clara, CA 95052.

```
# Automatically generated by apkbuild-cpan, template 1
# Contributor: Francesco Colista <francesco.colista@gmail.com>
# Maintainer: Francesco Colista <francesco.colista@gmail.com>
pkgname=perl-software-license
_pkgreal=Software-License
pkgver=0.103004
pkgrel=0
pkgdesc="packages that provide templated software licenses"
url="http://search.cpan.org/dist/Software-License/"
arch="noarch"
license="GPL PerlArtistic"
cpandepends="perl-text-template perl-data-section perl-sub-install"
cpanmakedepends=""
depends="$cpandepends"
makedepends="perl-dev $cpanmakedepends"
subpackages="$pkgname-doc"
source="http://search.cpan.org/CPAN/authors/id/R/RJ/RJBS/${_pkgreal}-${pkgver}.tar.gz"

_builddir="$srcdir/${_pkgreal}-${pkgver}"

prepare() {
    cd "$_builddir"
    export CFLAGS=`perl -MConfig -E 'say $Config{ccflags}`
    PERL_MM_USE_DEFAULT=1 perl Makefile.PL INSTALLDIRS=vendor
}
```

```
build() {
  cd "$_builddir"
  export CFLAGS=`perl -MConfig -E 'say $Config{ccflags}'`
  make && make test
}
```

```
package() {
  cd "$_builddir"
  make DESTDIR="$pkgdir" install || return 1
  find "$pkgdir" \( -name perllocal.pod -o -name .packlist \) -delete
}
```

md5sums="0c5fd53d93818566234578b27d667b35 Software-License-0.103004.tar.gz"

Permission is hereby irrevocably granted to everyone to use, copy, modify, and distribute this source code, or portions hereof, or executable programs compiled from it, for any purpose, without payment of any fee, subject to the following restrictions:

1. The origin of this source code must not be misrepresented.
2. Altered versions must be plainly marked as such and must not be misrepresented as being the original source.
3. This Copyright notice, disclaimer, and license may not be removed or altered from any source or altered source distribution.

**IMPORTANT - READ BEFORE COPYING, INSTALLING OR USING.**

Do not use or load this software and any associated materials (collectively, the "Software") until you have carefully read the following terms and conditions. By loading or using the Software, you agree to the terms of this Agreement. If you do not wish to so agree, do not install or use the Software.

#### 1. COPYRIGHT NOTICE

Some or all of this work - Copyright 1999-2011, Intel Corp. All rights reserved.

#### 2. LICENSE

2.1. This is your license from Intel Corp. under its intellectual property rights. You may have additional license terms from the party that provided you this software, covering your right to use that party's intellectual property rights.

2.2. Intel grants, free of charge, to any person ("Licensee") obtaining a copy of the source code appearing in this file ("Covered Code") an irrevocable, perpetual, worldwide license under Intel's copyrights in the base code distributed originally by Intel ("Original



Intel Code") to copy, make derivatives, distribute, use and display any portion of the Covered Code in any form, with the right to sublicense such rights; and

2.3. Intel grants Licensee a non-exclusive and non-transferable patent license (with the right to sublicense), under only those claims of Intel patents that are infringed by the Original Intel Code, to make, use, sell, offer to sell, and import the Covered Code and derivative works thereof solely to the minimum extent necessary to exercise the above copyright license, and in no event shall the patent license extend to any additions to or modifications of the Original Intel Code. No other license or right is granted directly or by implication, estoppel or otherwise; The above copyright and patent license is granted only if the following conditions are met:

### 3. CONDITIONS

3.1. Redistribution of Source with Rights to Further Distribute Source. Redistribution of source code of any substantial portion of the Covered Code or modification with rights to further distribute source must include the above Copyright Notice, the above License, this list of Conditions, and the following Disclaimer and Export Compliance provision. In addition, Licensee must cause all Covered Code to which Licensee contributes to contain a file documenting the changes Licensee made to create that Covered Code and the date of any change. Licensee must include in that file the documentation of any changes made by any predecessor Licensee. Licensee must include a prominent statement that the modification is derived, directly or indirectly, from Original Intel Code.

3.2. Redistribution of Source with no Rights to Further Distribute Source. Redistribution of source code of any substantial portion of the Covered Code or modification without rights to further distribute source must include the following Disclaimer and Export Compliance provision in the documentation and/or other materials provided with distribution. In addition, Licensee may not authorize further sublicense of source of any portion of the Covered Code, and must include terms to the effect that the license from Licensee to its licensee is limited to the intellectual property embodied in the software Licensee provides to its licensee, and not to intellectual property embodied in modifications its licensee may make.

3.3. Redistribution of Executable. Redistribution in executable form of any substantial portion of the Covered Code or modification must reproduce the above Copyright Notice, and the following Disclaimer and Export Compliance provision in the documentation and/or other materials provided with the distribution.

3.4. Intel retains all right, title, and interest in and to the Original Intel Code.

3.5. Neither the name Intel nor any other trademark owned or controlled by Intel shall be used in advertising or otherwise to promote the sale, use or other dealings in products derived from or relating to the Covered Code without prior written authorization from Intel.

#### 4. DISCLAIMER AND EXPORT COMPLIANCE

4.1. INTEL MAKES NO WARRANTY OF ANY KIND REGARDING ANY SOFTWARE PROVIDED HERE. ANY SOFTWARE ORIGINATING FROM INTEL OR DERIVED FROM INTEL SOFTWARE IS PROVIDED "AS IS," AND INTEL WILL NOT PROVIDE ANY SUPPORT, ASSISTANCE, INSTALLATION, TRAINING OR OTHER SERVICES. INTEL WILL NOT PROVIDE ANY UPDATES, ENHANCEMENTS OR EXTENSIONS. INTEL SPECIFICALLY DISCLAIMS ANY IMPLIED WARRANTIES OF MERCHANTABILITY, NONINFRINGEMENT AND FITNESS FOR A PARTICULAR PURPOSE.

4.2. IN NO EVENT SHALL INTEL HAVE ANY LIABILITY TO LICENSEE, ITS LICENSEES OR ANY OTHER THIRD PARTY, FOR ANY LOST PROFITS, LOST DATA, LOSS OF USE OR COSTS OF PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES, OR FOR ANY INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THIS AGREEMENT, UNDER ANY CAUSE OF ACTION OR THEORY OF LIABILITY, AND IRRESPECTIVE OF WHETHER INTEL HAS ADVANCE NOTICE OF THE POSSIBILITY OF SUCH DAMAGES. THESE LIMITATIONS SHALL APPLY NOTWITHSTANDING THE FAILURE OF THE ESSENTIAL PURPOSE OF ANY LIMITED REMEDY.

4.3. Licensee shall not export, either directly or indirectly, any of this software or system incorporating such software without first obtaining any required license or other approval from the U. S. Department of Commerce or any other agency or department of the United States Government. In the event Licensee exports any such software from the United States or re-exports any such software from a foreign destination, Licensee shall ensure that the distribution and export/re-export of the software is in compliance with all laws, regulations, orders, or other restrictions of the U.S. Export Administration Regulations. Licensee agrees that neither it nor any of its subsidiaries will export/re-export any technical data, process, software, or service, directly or indirectly, to any country for which the United States government or any agency thereof requires an export license, other governmental approval, or letter of assurance, without first obtaining such license, approval or letter.

SQLite Copyright  
SQLite is in the  
Public Domain

All of the deliverable code in SQLite has been dedicated to the public domain by the authors. All code authors, and representatives of the companies they work for, have signed affidavits dedicating their contributions to the public domain and originals of those signed affidavits are stored in a firesafe at the main offices of Hwaci. Anyone is free to copy, modify, publish, use, compile, sell, or distribute the original SQLite code, either in source code form or as a compiled binary, for any purpose, commercial or non-commercial, and by any means.

The previous paragraph applies to the deliverable code in SQLite - those parts of the SQLite library that you actually bundle and ship with a larger application. Portions of the documentation and some code used as part of the build process might fall under other licenses. The details here are unclear. We do not worry about the licensing of the documentation and build code so much because none of these things are part of the core deliverable SQLite library.

All of the deliverable code in SQLite has been written from scratch. No code has been taken from other projects or from the open internet. Every line of code can be traced back to its original author, and all of those authors have public domain dedications on file. So the SQLite code base is clean and is uncontaminated with licensed code from other projects.

#### Obtaining An Explicit License To Use SQLite

Even though SQLite is in the public domain and does not require a license, some users want to obtain a license anyway. Some reasons for obtaining a license include:

You are using SQLite in a jurisdiction that does not recognize the public domain.

You are using SQLite in a jurisdiction that does not recognize the right of an author to dedicate their work to the public domain.

You want to hold a tangible legal document as evidence that you have the legal right to use and distribute SQLite.

Your legal department tells you that you have to purchase a license.

If you feel like you really have to purchase a license for SQLite, Hwaci, the company that employs the architect and principal developers of SQLite, will sell you one.

#### Contributed Code

In order to keep SQLite completely free and unencumbered by copyright, all new contributors to the SQLite code base are asked to dedicate their contributions to the public domain. If you want to send a patch or enhancement for possible inclusion in the SQLite source tree, please accompany the patch with the following statement:

The author or authors of this code dedicate any and all copyright interest in this code to the public domain. We make this dedication for the benefit of the public at large and to the detriment of our heirs and successors. We intend this dedication to be an overt act of relinquishment in perpetuity of all present and future rights to this code under copyright law.

We are not able to accept patches or changes to SQLite that are not accompanied by a statement such as the above. In addition, if you make changes or enhancements as an employee, then a simple statement such as the above is insufficient. You must also send by surface mail a copyright release signed by a company officer. A signed original of the copyright release should be mailed to:

Hwaci  
6200 Maple Cove Lane  
Charlotte, NC 28269  
USA

A template copyright release is available in PDF or HTML. You can use this release to make future changes.

```

see http://www.sqlite.org/copyright.html
# Automatically generated by apkbuild-cpan, template 1
# Contributor: Valery Kartel <valery.kartel@gmail.com>
# Maintainer: Valery Kartel <valery.kartel@gmail.com>
pkgname=perl-bsd-resource
_pkgreal=BSD-Resource
pkgver=1.2909
pkgrel=0
pkgdesc="Perl extension implements the BSD process resource limit functions"
url="http://search.cpan.org/dist/BSD-Resource/"
arch="all"
license="GPL PerlArtistic"
cpandepends=""
cpanmakedepends=" "
depends="$cpandepends"
makedepends="perl-dev $cpanmakedepends"
subpackages="$pkgname-doc"
source="http://search.cpan.org/CPAN/authors/id/J/JH/JHI/$_pkgreal-$pkgver.tar.gz"

_builddir="$srcdir/${_pkgreal}-${pkgver}"

prepare() {
    cd "$_builddir"
    export CFLAGS=`perl -MConfig -E 'say $Config{ccflags}'`
    PERL_MM_USE_DEFAULT=1 perl Makefile.PL INSTALLDIRS=vendor
}

build() {
    cd "$_builddir"
    export CFLAGS=`perl -MConfig -E 'say $Config{ccflags}'`
    make && make test || return 1
}

package() {
    cd "$_builddir"
    make DESTDIR="$pkgdir" install || return 1
    find "$pkgdir" \( -name perllocal.pod -o -name .packlist \) -delete
}

md5sums="3c6dd2fa953088aa87e263f40818d012 BSD-Resource-1.2909.tar.gz"
sha256sums="c47d460e2bd00d8d049f6ff4a0f1f61957e289e8de45af5fc79e851e2e855e06 BSD-Resource-1.2909.tar.gz"
sha512sums="5f489eaac5089e82081b7cf51d62638750e443751b49415407354da96b17771819b5e6e85529faa41ddd85743363750157943c7f7700276cce2bd40a429fa430 BSD-Resource-1.2909.tar.gz"
# Contributor: Fabian Affolter <fabian@affolter-engineering.ch>
# Maintainer: Fabian Affolter <fabian@affolter-engineering.ch>
pkgname=py-flake8-copyright
_pkgname=flake8-copyright

```

```

pkgver=0.1
pkgrel=1
pkgdesc="Extension for flake8 which checks for copyrights"
url="https://github.com/savoirfairelinux/flake8-copyright"
arch="noarch"
license="MIT"
depends="python flake8"
depends_dev=""
makedepends="python-dev py-setuptools"
install=""
subpackages=""
source="http://pypi.python.org/packages/source/${_pkgname:0:1}/${_pkgname}/${_pkgname}-${pkgver}.tar.gz"

_builddir="$srcdir"/${_pkgname}-${pkgver}
prepare() {
    local i
    cd "$_builddir"
    for i in $source; do
        case $i in
            *.patch) msg $i; patch -p1 -i "$srcdir"/$i || return 1;;
        esac
    done
}

build() {
    cd "$_builddir"
    python setup.py build || return 1
}

package() {
    cd "$_builddir"
    python setup.py install --prefix=/usr --root="$pkgdir" || return 1
}

md5sums="8fab17d27f0b417c44ea0bebf579d71b flake8-copyright-0.1.tar.gz"
sha256sums="34cba5411ef3f677b7ba8d7b063493c9ed5af9985b2da77807be94bf9e65823b flake8-copyright-0.1.tar.gz"
sha512sums="c1ef4b8ad4bd422b629ec481074256d33ca4c8e8f10c7a7da6619b01c18ccf6f8a86bf6c7ce4d73f29a93e0f23797c1a356abcf242e9f556b979b75e3a8bfe46 flake8-copyright-0.1.tar.gz"
# Maintainer: Natanael Copa <ncopa@alpinelinux.org>
pkgname=libart-lgpl
pkgver=2.3.21
pkgrel=5
pkgdesc="A library for high-performance 2D graphics"
url="http://www.levien.com/libart/"
arch="all"
license="LGPL"
depends=

```

```
makedepends=  
subpackages="$pkgname-dev"  
source="http://ftp.gnome.org/pub/GNOME/sources/libart_lgpl/2.3/libart_lgpl-$pkgver.tar.bz2  
"
```

```
_builddir="$srcdir"/libart_lgpl-$pkgver
```

```
prepare() {  
  cd "$_builddir"  
  update_config_sub || return 1  
}
```

```
build() {  
  cd "$_builddir"  
  ./configure \  
  --build=$CBUILD \  
  --host=$CHOST \  
  --prefix=/usr \  
  || return 1  
  make || return 1  
}
```

```
package() {  
  cd "$_builddir"  
  make DESTDIR="$pkgdir" install || return 1  
}
```

```
md5sums="08559ff3c67fd95d57b0c5e91a6b4302 libart_lgpl-2.3.21.tar.bz2"  
mini_sendmail - accept email on behalf of real sendmail
```

Copyright 1999,2015 by Jef Poskanzer <jef@mail.acme.com>.  
All rights reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions  
are met:

1. Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright  
notice, this list of conditions and the following disclaimer in the  
documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS" AND  
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE  
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL  
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS  
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying

it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.



3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the

section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING

RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

## 1.103 opentelemetry-sdk 1.13.0

### 1.103.1 Available under license :

Apache-2.0

## 1.104 zt 1.14

### 1.104.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

- \* Licensed to the Apache Software Foundation (ASF) under one or more
- \* contributor license agreements. See the NOTICE file distributed with
- \* this work for additional information regarding copyright ownership.
- \* The ASF licenses this file to You under the Apache License, Version 2.0
- \* (the "License"); you may not use this file except in compliance with
- \* the License. You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*
- \*/

Found in path(s):

- \* /opt/cola/permits/1135879776\_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/extra/AsiExtraField.java
- \* /opt/cola/permits/1135879776\_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/extra/ZipLong.java
- \* /opt/cola/permits/1135879776\_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/extra/ZipExtraField.java
- \* /opt/cola/permits/1135879776\_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/extra/ZipShort.java
- \* /opt/cola/permits/1135879776\_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/extra/ExtraFieldUtils.java
- \* /opt/cola/permits/1135879776\_1613624027.25/0/zt-zip-1-14-sources-1-

jar/org/zeroturnaround/zip/extra/ZipConstants.java  
\* /opt/cola/permits/1135879776\_1613624027.25/0/zt-zip-1-14-sources-1-  
jar/org/zeroturnaround/zip/extra/UnrecognizedExtraField.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Licensed to the Apache Software Foundation (ASF) under one or more  
* contributor license agreements. See the NOTICE file distributed with  
* this work for additional information regarding copyright ownership.  
* The ASF licenses this file to You under the Apache License, Version 2.0  
* (the "License"); you may not use this file except in compliance with  
* the License. You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

\* /opt/cola/permits/1135879776\_1613624027.25/0/zt-zip-1-14-sources-1-  
jar/org/zeroturnaround/zip/commons/FileExistsException.java  
\* /opt/cola/permits/1135879776\_1613624027.25/0/zt-zip-1-14-sources-1-  
jar/org/zeroturnaround/zip/commons/IOUtils.java  
\* /opt/cola/permits/1135879776\_1613624027.25/0/zt-zip-1-14-sources-1-  
jar/org/zeroturnaround/zip/commons/FileUtilsV2\_2.java  
\* /opt/cola/permits/1135879776\_1613624027.25/0/zt-zip-1-14-sources-1-  
jar/org/zeroturnaround/zip/commons/StringBuilderWriter.java  
\* /opt/cola/permits/1135879776\_1613624027.25/0/zt-zip-1-14-sources-1-  
jar/org/zeroturnaround/zip/commons/FilenameUtils.java  
No license file was found, but licenses were detected in source scan.

```
/**  
* Copyright (C) 2012 ZeroTurnaround LLC <support@zeroturnaround.com>  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and
```

\* limitations under the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1135879776\_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/ZTFileUtil.java
- \* /opt/cola/permits/1135879776\_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/ZipInfoCallback.java
- \* /opt/cola/permits/1135879776\_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/NameMapper.java
- \* /opt/cola/permits/1135879776\_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/FileSource.java
- \* /opt/cola/permits/1135879776\_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/ZipEntryUtil.java
- \* /opt/cola/permits/1135879776\_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/timestamps/PreJava8TimestampStrategy.java
- \* /opt/cola/permits/1135879776\_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/Zips.java
- \* /opt/cola/permits/1135879776\_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/timestamps/TimestampStrategy.java
- \* /opt/cola/permits/1135879776\_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/ByteSource.java
- \* /opt/cola/permits/1135879776\_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/timestamps/Java8TimestampStrategy.java
- \* /opt/cola/permits/1135879776\_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/ZipEntrySource.java
- \* /opt/cola/permits/1135879776\_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/IdentityNameMapper.java
- \* /opt/cola/permits/1135879776\_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/ZipUtil.java
- \* /opt/cola/permits/1135879776\_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/timestamps/TimestampStrategyFactory.java
- \* /opt/cola/permits/1135879776\_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/ZipEntryCallback.java

# 1.105 log4j-jul 2.19.0

## 1.105.1 Available under license :

Apache Log4j JUL Adapter

Copyright 1999-2022 The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<http://www.apache.org/>).

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

## 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent

to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any



risks associated with Your exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

#### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

# 1.106 auth 2.18.2

## 1.106.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed

with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate

comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Note: Other license terms may apply to certain, identified software files contained within or distributed with the accompanying software if such terms are included in the directory containing the accompanying software. Such other license terms will then apply in lieu of the terms of the software license above.

AWS SDK for Java 2.0

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

This product includes software developed by Amazon Technologies, Inc (<http://www.amazon.com/>).

\*\*\*\*\*

#### THIRD PARTY COMPONENTS

\*\*\*\*\*

This software includes third party software subject to the following copyrights:

- XML parsing and utility functions from JetS3t - Copyright 2006-2009 James Murty.
- PKCS#1 PEM encoded private key parsing and utility functions from [oauth.googlecode.com](http://oauth.googlecode.com) - Copyright 1998-2010 AOL Inc.
- Apache Commons Lang - <https://github.com/apache/commons-lang>
- Netty Reactive Streams - <https://github.com/playframework/netty-reactive-streams>
- Jackson-core - <https://github.com/FasterXML/jackson-core>
- Jackson-dataformat-cbor - <https://github.com/FasterXML/jackson-dataformats-binary>

The licenses for these third party components are included in LICENSE.txt

- For Apache Commons Lang see also this required NOTICE:  
Apache Commons Lang  
Copyright 2001-2020 The Apache Software Foundation

This product includes software developed at The Apache Software Foundation (<https://www.apache.org/>).

# 1.107 guice-multibindings 4.1.0

## 1.107.1 Available under license :

Google Guice - Extensions - MultiBindings  
Copyright 2006-2016 Google, Inc.

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a

copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct



or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following

boilerplate notice, with the fields enclosed by brackets "[ ]"  
replaced with your own identifying information. (Don't include  
the brackets!) The text should be enclosed in the appropriate  
comment syntax for the file format. We also recommend that a  
file or class name and description of purpose be included on the  
same "printed page" as the copyright notice for easier  
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

## 1.108 snake-yaml 1.29

### 1.108.1 Available under license :

Found license 'GNU Lesser General Public License' in '// This module is multi-licensed and may be used under the terms // EPL, Eclipse Public License, V1.0 or later, <http://www.eclipse.org/legal> // LGPL, GNU Lesser General Public License, V2.1 or later, <http://www.gnu.org/licenses/lgpl.html> // GPL, GNU General Public License, V2 or later, <http://www.gnu.org/licenses/gpl.html> // AL, Apache License, V2.0 or later, <http://www.apache.org/licenses> // BSD, BSD License, <http://www.opensource.org/licenses/bsd-license.php> \* Multi-licensed: EPL / LGPL / GPL / AL / BSD.'

Found license 'Eclipse Public License 1.0' in '// This module is multi-licensed and may be used under the terms // EPL, Eclipse Public License, V1.0 or later, <http://www.eclipse.org/legal> // LGPL, GNU Lesser General Public License, V2.1 or later, <http://www.gnu.org/licenses/lgpl.html> // GPL, GNU General Public License, V2 or later, <http://www.gnu.org/licenses/gpl.html> // AL, Apache License, V2.0 or later, <http://www.apache.org/licenses> // BSD, BSD License, <http://www.opensource.org/licenses/bsd-license.php> \* Multi-licensed: EPL / LGPL / GPL / AL / BSD.'

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,

and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the

Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.109 spring-security-web 6.0.2

## 1.109.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2012-2021 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1593183063_1678952468.3354986/0/spring-security-web-6-0-2-sources-
jar/org/springframework/security/web/firewall/StrictHttpFirewall.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002-2022 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1593183063_1678952468.3354986/0/spring-security-web-6-0-2-sources-
jar/org/springframework/security/web/aot/hint/WebMvcSecurityRuntimeHints.java
```

```
* /opt/cola/permits/1593183063_1678952468.3354986/0/spring-security-web-6-0-2-sources-
```



jar/org/springframework/security/web/csrf/XorCsrfTokenRequestAttributeHandler.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/access/expression/WebSecurityExpressionRoot.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/server/header/ServerWebExchangeDelegatingServerHttpHeadersWriter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/server/authentication/ServerAuthenticationEntryPointFailureHandler.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/header/writers/XXssProtectionHeaderWriter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/authentication/www/BasicAuthenticationConverter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/access/expression/WebExpressionVoter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/context/SecurityContextPersistenceFilter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/server/csrf/ServerCsrfTokenRequestHandler.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/context/NullSecurityContextRepository.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/context/AbstractSecurityWebApplicationInitializer.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/access/expression/DefaultHttpSecurityExpressionHandler.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/jackson2/CookieDeserializer.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/authentication/preauth/AbstractPreAuthenticatedProcessingFilter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/access/ObservationMarkingAccessDeniedHandler.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/server/ui/LogoutPageGeneratingWebFilter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/csrf/DeferredCsrfToken.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/savedrequest/SavedCookie.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/server/WebFilterChainProxy.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/firewall/CompositeRequestRejectedHandler.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/method/annotation/CurrentSecurityContextArgumentResolver.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/server/csrf/XorServerCsrfTokenRequestAttributeHandler.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/csrf/RepositoryDeferredCsrfToken.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/server/authentication/ServerWebExchangeDelegatingReactiveAuthentication  
ManagerResolver.java

\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/session/DisableEncodeUrlFilter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/session/ForceEagerSessionCreationFilter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/server/header/XXssProtectionServerHttpHeadersWriter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/context/RequestAttributeSecurityContextRepository.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/access/CompositeAccessDeniedHandler.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/server/csrf/ServerCsrfTokenRequestAttributeHandler.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/server/csrf/ServerCsrfTokenRequestResolver.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/server/csrf/CookieServerCsrfTokenRepository.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/csrf/CsrfAuthenticationStrategy.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/session/SessionManagementFilter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/firewall/ObservationMarkingRequestRejectedHandler.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/context/request/async/WebAsyncManagerIntegrationFilter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/context/SecurityContextRepository.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/authentication/AuthenticationFilter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/csrf/CsrfTokenRepository.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/context/DelegatingSecurityContextRepository.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/util/matcher/AntPathRequestMatcher.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/server/ServerFormLoginAuthenticationConverter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/context/HttpSessionSecurityContextRepository.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/servletapi/HttpServletRequest3RequestFactory.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/context/SaveContextOnUpdateOrErrorResponseWrapper.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/access/intercept/AuthorizationFilter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/context/SupplierDeferredSecurityContext.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/savedrequest/HttpSessionRequestCache.java

\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/server/ServerHttpBasicAuthenticationConverter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/context/SecurityContextHolderFilter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/server/authentication/SwitchUserWebFilter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/csrf/CsrfTokenRequestHandler.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/access/RequestMatcherDelegatingWebInvocationPrivilegeEvaluator.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/access/expression/WebExpressionAuthorizationManager.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/csrf/CsrfTokenRequestAttributeHandler.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/server/authorization/ExceptionTranslationWebFilter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/access/DefaultWebInvocationPrivilegeEvaluator.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/authentication/AuthenticationEntryPointFailureHandler.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/authentication/RequestMatcherDelegatingAuthenticationManagerResolver.java  
va  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/csrf/CsrfTokenRequestResolver.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/servlet/util/matcher/MvcRequestMatcher.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/session/ConcurrentSessionFilter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/server/csrf/CsrfWebFilter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/context/request/async/SecurityContextCallableProcessingInterceptor.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/server/ObservationWebFilterChainDecorator.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/access/intercept/RequestMatcherDelegatingAuthorizationManager.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/access/AuthorizationManagerWebInvocationPrivilegeEvaluator.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/method/annotation/AuthenticationPrincipalArgumentResolver.java  
No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright 2002-2020 the original author or authors.
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.

- \* You may obtain a copy of the License at
- \*
- \* <https://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/authentication/session/SessionFixationProtectionStrategy.java
- \* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/server/authorization/AuthorizationWebFilter.java
- \* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/server/authorization/DelegatingReactiveAuthorizationManager.java
- \* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/firewall/HttpStatusRequestRejectedHandler.java
- \* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/authentication/preauth/x509/SubjectDnX509PrincipalExtractor.java
- \* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/server/authentication/AnonymousAuthenticationWebFilter.java
- \* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/server/util/matcher/OrServerWebExchangeMatcher.java
- \* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/server/util/matcher/NegatedServerWebExchangeMatcher.java
- \* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/savedrequest/CookieRequestCache.java
- \* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/server/savedrequest/WebSessionServerRequestCache.java
- \* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/context/support/SecurityWebApplicationContextUtils.java
- \* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/session/HttpSessionIdChangedEvent.java
- \* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/server/DelegatingServerAuthenticationEntryPoint.java
- \* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/authentication/rememberme/AbstractRememberMeServices.java
- \* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/firewall/RequestRejectedHandler.java
- \* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/util/matcher/DispatcherTypeRequestMatcher.java
- \* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/server/util/matcher/PathPatternParserServerWebExchangeMatcher.java
- \* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/server/util/matcher/AndServerWebExchangeMatcher.java

\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/server/savedrequest/CookieServerRequestCache.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/header/writers/PermissionsPolicyHeaderWriter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/server/header/PermissionsPolicyServerHttpHeadersWriter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/server/authentication/logout/LogoutWebFilter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/authentication/session/ConcurrentSessionControlAuthenticationStrategy.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/access/intercept/RequestAuthorizationContext.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/server/DefaultServerRedirectStrategy.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/server/authentication/AuthenticationWebFilter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/server/authentication/AuthenticationConverterServerWebExchangeMatcher.java  
ava  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/firewall/DefaultRequestRejectedHandler.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/server/context/WebSessionServerSecurityContextRepository.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012-2019 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/util/matcher/RequestVariablesExtractor.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2004, 2005, 2006, 2009 Acegi Technology Pty Limited

\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/authentication/www/DigestAuthenticationFilter.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2012 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/authentication/rememberme/JdbcTokenRepositoryImpl.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2013 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>

- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/csrf/HttpSessionCsrfTokenRepository.java
- \* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/csrf/CsrfException.java
- \* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/header/writers/XContentTypeOptionsHeaderWriter.java
- \* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/bind/support/AuthenticationPrincipalArgumentResolver.java
- \* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/csrf/DefaultCsrfToken.java
- \* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/header/HeaderWriter.java
- \* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/session/InvalidSessionAccessDeniedHandler.java
- \* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/util/matcher/AnyRequestMatcher.java
- \* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/header/writers/DelegatingRequestMatcherHeaderWriter.java
- \* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/method/annotation/CsrfTokenArgumentResolver.java
- \* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/servlet/support/csrf/CsrfRequestDataValueProcessor.java
- \* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/csrf/CsrfLogoutHandler.java
- \* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/authentication/session/SessionFixationProtectionEvent.java
- \* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/authentication/session/ChangeSessionIdAuthenticationStrategy.java
- \* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/authentication/session/CompositeSessionAuthenticationStrategy.java
- \* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/authentication/session/AbstractSessionFixationProtectionStrategy.java
- \* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/csrf/CsrfToken.java
- \* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/bind/annotation/AuthenticationPrincipal.java
- \* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/csrf/InvalidCsrfTokenException.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2004, 2005, 2006 Acegi Technology Pty Limited
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1593183063_1678952468.3354986/0/spring-security-web-6-0-2-sources-
jar/org/springframework/security/web/access/channel/ChannelDecisionManagerImpl.java
* /opt/cola/permits/1593183063_1678952468.3354986/0/spring-security-web-6-0-2-sources-
jar/org/springframework/security/web/authentication/LoginUrlAuthenticationEntryPoint.java
* /opt/cola/permits/1593183063_1678952468.3354986/0/spring-security-web-6-0-2-sources-
jar/org/springframework/security/web/authentication/switchuser/SwitchUserGrantedAuthority.java
* /opt/cola/permits/1593183063_1678952468.3354986/0/spring-security-web-6-0-2-sources-
jar/org/springframework/security/web/authentication/logout/LogoutFilter.java
* /opt/cola/permits/1593183063_1678952468.3354986/0/spring-security-web-6-0-2-sources-
jar/org/springframework/security/web/authentication/AnonymousAuthenticationFilter.java
* /opt/cola/permits/1593183063_1678952468.3354986/0/spring-security-web-6-0-2-sources-
jar/org/springframework/security/web/util/UrlUtils.java
* /opt/cola/permits/1593183063_1678952468.3354986/0/spring-security-web-6-0-2-sources-
jar/org/springframework/security/web/access/intercept/FilterInvocationSecurityMetadataSource.java
* /opt/cola/permits/1593183063_1678952468.3354986/0/spring-security-web-6-0-2-sources-
jar/org/springframework/security/web/PortMapperImpl.java
* /opt/cola/permits/1593183063_1678952468.3354986/0/spring-security-web-6-0-2-sources-
jar/org/springframework/security/web/authentication/UsernamePasswordAuthenticationFilter.java
* /opt/cola/permits/1593183063_1678952468.3354986/0/spring-security-web-6-0-2-sources-
jar/org/springframework/security/web/authentication/www/BasicAuthenticationEntryPoint.java
* /opt/cola/permits/1593183063_1678952468.3354986/0/spring-security-web-6-0-2-sources-
jar/org/springframework/security/web/authentication/NullRememberMeServices.java
* /opt/cola/permits/1593183063_1678952468.3354986/0/spring-security-web-6-0-2-sources-
jar/org/springframework/security/web/savedrequest/SimpleSavedRequest.java
* /opt/cola/permits/1593183063_1678952468.3354986/0/spring-security-web-6-0-2-sources-
jar/org/springframework/security/web/access/channel/ChannelEntryPoint.java
* /opt/cola/permits/1593183063_1678952468.3354986/0/spring-security-web-6-0-2-sources-
jar/org/springframework/security/web/access/channel/RetryWithHttpsEntryPoint.java
* /opt/cola/permits/1593183063_1678952468.3354986/0/spring-security-web-6-0-2-sources-
```



jar/org/springframework/security/web/access/AccessDeniedHandler.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/PortMapper.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/authentication/switchuser/SwitchUserFilter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/authentication/www/NonceExpiredException.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/authentication/www/DigestAuthenticationEntryPoint.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/authentication/AbstractAuthenticationProcessingFilter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/authentication/rememberme/TokenBasedRememberMeServices.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/savedrequest/FastDateFormat.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/access/channel/ChannelProcessor.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/authentication/WebAuthenticationDetailsSource.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/access/intercept/DefaultFilterInvocationSecurityMetadataSource.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/savedrequest/Enumerator.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/access/AccessDeniedHandlerImpl.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/session/HttpSessionDestroyedEvent.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/session/HttpSessionCreatedEvent.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/authentication/switchuser/AuthenticationSwitchUserEvent.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/servletapi/SecurityContextHolderAwareRequestWrapper.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/authentication/WebAuthenticationDetails.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/authentication/rememberme/RememberMeAuthenticationFilter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/FilterChainProxy.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/access/intercept/FilterSecurityInterceptor.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/session/HttpSessionEventPublisher.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/PortResolverImpl.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/authentication/logout/LogoutHandler.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-

jar/org/springframework/security/web/access/WebInvocationPrivilegeEvaluator.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/authentication/RememberMeServices.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/servletapi/SecurityContextHolderAwareRequestFilter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/AuthenticationEntryPoint.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/access/channel/RetryWithHttpEntryPoint.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/access/channel/SecureChannelProcessor.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/authentication/logout/SecurityContextLogoutHandler.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/PortResolver.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/access/channel/ChannelProcessingFilter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/savedrequest/SavedRequestAwareWrapper.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/authentication/www/BasicAuthenticationFilter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/access/channel/ChannelDecisionManager.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/access/channel/InsecureChannelProcessor.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015-2018 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/server/jackson2/WebServerJackson2Module.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/jackson2/PreAuthenticatedAuthenticationTokenDeserializer.java

\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/server/jackson2/DefaultCsrfServerTokenMixin.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2023 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/savedrequest/DefaultSavedRequest.java

\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/ObservationFilterChainDecorator.java

\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/csrf/CsrfFilter.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2009-2016 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/util/matcher/ELRequestMatcherContext.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002-2018 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1593183063_1678952468.3354986/0/spring-security-web-6-0-2-sources-
jar/org/springframework/security/web/authentication/ForwardAuthenticationFailureHandler.java
* /opt/cola/permits/1593183063_1678952468.3354986/0/spring-security-web-6-0-2-sources-
jar/org/springframework/security/web/server/authentication/HttpStatusServerEntryPoint.java
* /opt/cola/permits/1593183063_1678952468.3354986/0/spring-security-web-6-0-2-sources-
jar/org/springframework/security/web/authentication/ui/DefaultLogoutPageGeneratingFilter.java
* /opt/cola/permits/1593183063_1678952468.3354986/0/spring-security-web-6-0-2-sources-
jar/org/springframework/security/web/header/writers/CacheControlHeadersWriter.java
* /opt/cola/permits/1593183063_1678952468.3354986/0/spring-security-web-6-0-2-sources-
jar/org/springframework/security/web/server/header/ReferrerPolicyServerHttpHeadersWriter.java
* /opt/cola/permits/1593183063_1678952468.3354986/0/spring-security-web-6-0-2-sources-
jar/org/springframework/security/web/access/RequestMatcherDelegatingAccessDeniedHandler.java
* /opt/cola/permits/1593183063_1678952468.3354986/0/spring-security-web-6-0-2-sources-
jar/org/springframework/security/web/server/authorization/ServerWebExchangeDelegatingServerAccessDeniedHan
dler.java
* /opt/cola/permits/1593183063_1678952468.3354986/0/spring-security-web-6-0-2-sources-
jar/org/springframework/security/web/server/csrf/CsrfServerLogoutHandler.java
* /opt/cola/permits/1593183063_1678952468.3354986/0/spring-security-web-6-0-2-sources-
jar/org/springframework/security/web/server/authentication/logout/HttpStatusReturningServerLogoutSuccessHandle
r.java
* /opt/cola/permits/1593183063_1678952468.3354986/0/spring-security-web-6-0-2-sources-
jar/org/springframework/security/web/server/authentication/ServerX509AuthenticationConverter.java
* /opt/cola/permits/1593183063_1678952468.3354986/0/spring-security-web-6-0-2-sources-
jar/org/springframework/security/web/server/MatcherSecurityWebFilterChain.java
* /opt/cola/permits/1593183063_1678952468.3354986/0/spring-security-web-6-0-2-sources-
jar/org/springframework/security/web/server/authentication/ServerHttpBasicAuthenticationConverter.java
* /opt/cola/permits/1593183063_1678952468.3354986/0/spring-security-web-6-0-2-sources-
jar/org/springframework/security/web/http/SecurityHeaders.java
* /opt/cola/permits/1593183063_1678952468.3354986/0/spring-security-web-6-0-2-sources-
```

jar/org/springframework/security/web/authentication/ExceptionMappingAuthenticationFailureHandler.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/server/header/ContentSecurityPolicyServerHttpHeadersWriter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/authentication/ForwardAuthenticationSuccessHandler.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/server/authentication/ServerAuthenticationConverter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/server/header/FeaturePolicyServerHttpHeadersWriter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/firewall/FirewalledResponse.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/server/authentication/DelegatingServerAuthenticationSuccessHandler.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/authentication/SimpleUrlAuthenticationFailureHandler.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/server/authentication/logout/DelegatingServerLogoutHandler.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/authentication/ui/DefaultLoginPageGeneratingFilter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/server/authentication/ServerFormLoginAuthenticationConverter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/reactive/result/view/CsrfRequestDataValueProcessor.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/authentication/logout/ForwardLogoutSuccessHandler.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012-2022 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/csrf/CookieCsrfTokenRepository.java  
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002-2017 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1593183063_1678952468.3354986/0/spring-security-web-6-0-2-sources-
jar/org/springframework/security/web/server/header/StrictTransportSecurityServerHttpHeadersWriter.java
* /opt/cola/permits/1593183063_1678952468.3354986/0/spring-security-web-6-0-2-sources-
jar/org/springframework/security/web/server/savedrequest/ServerRequestCacheWebFilter.java
* /opt/cola/permits/1593183063_1678952468.3354986/0/spring-security-web-6-0-2-sources-
jar/org/springframework/security/web/server/header/XContentTypeOptionsServerHttpHeadersWriter.java
* /opt/cola/permits/1593183063_1678952468.3354986/0/spring-security-web-6-0-2-sources-
jar/org/springframework/security/web/server/authentication/WebFilterChainServerAuthenticationSuccessHandler.java
va
* /opt/cola/permits/1593183063_1678952468.3354986/0/spring-security-web-6-0-2-sources-
jar/org/springframework/security/web/server/util/matcher/ServerWebExchangeMatcherEntry.java
* /opt/cola/permits/1593183063_1678952468.3354986/0/spring-security-web-6-0-2-sources-
jar/org/springframework/security/web/server/authentication/ServerAuthenticationSuccessHandler.java
* /opt/cola/permits/1593183063_1678952468.3354986/0/spring-security-web-6-0-2-sources-
jar/org/springframework/security/web/server/authentication/logout/RedirectServerLogoutSuccessHandler.java
* /opt/cola/permits/1593183063_1678952468.3354986/0/spring-security-web-6-0-2-sources-
jar/org/springframework/security/web/server/context/ReactorContextWebFilter.java
* /opt/cola/permits/1593183063_1678952468.3354986/0/spring-security-web-6-0-2-sources-
jar/org/springframework/security/web/server/WebFilterExchange.java
* /opt/cola/permits/1593183063_1678952468.3354986/0/spring-security-web-6-0-2-sources-
jar/org/springframework/security/web/server/ServerRedirectStrategy.java
* /opt/cola/permits/1593183063_1678952468.3354986/0/spring-security-web-6-0-2-sources-
jar/org/springframework/security/web/server/authentication/logout/ServerLogoutSuccessHandler.java
* /opt/cola/permits/1593183063_1678952468.3354986/0/spring-security-web-6-0-2-sources-
jar/org/springframework/security/web/server/csrf/CsrfToken.java
* /opt/cola/permits/1593183063_1678952468.3354986/0/spring-security-web-6-0-2-sources-
jar/org/springframework/security/web/server/csrf/WebSessionServerCsrfTokenRepository.java
* /opt/cola/permits/1593183063_1678952468.3354986/0/spring-security-web-6-0-2-sources-
jar/org/springframework/security/web/authentication/rememberme/PersistentTokenBasedRememberMeServices.java
a
* /opt/cola/permits/1593183063_1678952468.3354986/0/spring-security-web-6-0-2-sources-
```

jar/org/springframework/security/web/server/csrf/DefaultCsrfToken.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/server/header/CacheControlServerHttpHeadersWriter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/server/header/HttpHeaderWriterWebFilter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/server/authorization/HttpStatusServerAccessDeniedHandler.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/server/savedrequest/ServerRequestCache.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/server/context/SecurityContextServerWebExchange.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/server/csrf/ServerCsrfTokenRepository.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/server/header/ContentTypeOptionsServerHttpHeadersWriter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/server/header/XFrameOptionsServerHttpHeadersWriter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/server/context/SecurityContextServerWebExchangeWebFilter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/server/util/matcher/ServerWebExchangeMatcher.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/server/authentication/logout/ServerLogoutHandler.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/server/authentication/RedirectServerAuthenticationSuccessHandler.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/server/authorization/AuthorizationContext.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/server/ui/LoginPageGeneratingWebFilter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/server/authorization/ServerAccessDeniedHandler.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/server/util/matcher/MediaTypeServerWebExchangeMatcher.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/server/context/NoOpServerSecurityContextRepository.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/server/header/CompositeServerHttpHeadersWriter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/server/header/ServerHttpHeadersWriter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/server/authentication/HttpBasicServerAuthenticationEntryPoint.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/server/savedrequest/NoOpServerRequestCache.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/server/authentication/logout/SecurityContextServerLogoutHandler.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/server/context/ServerSecurityContextRepository.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-

jar/org/springframework/security/web/server/authentication/RedirectServerAuthenticationFailureHandler.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/server/util/matcher/ServerWebExchangeMatchers.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/server/csrf/CsrfException.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/server/authentication/ServerAuthenticationFailureHandler.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/server/ServerAuthenticationEntryPoint.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/server/authentication/RedirectServerAuthenticationEntryPoint.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/server/SecurityWebFilterChain.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2002-2016 the original author or authors.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/authentication/session/SessionAuthenticationStrategy.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/authentication/rememberme/package-info.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/authentication/preauth/j2ee/J2eeBasedPreAuthenticatedWebAuthenticationD  
etailsSource.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/authentication/session/package-info.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/util/OnCommittedResponseWrapper.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/savedrequest/RequestCacheAwareFilter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/context/package-info.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-



jar/org/springframework/security/web/authentication/logout/HttpStatusReturningLogoutSuccessHandler.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/header/writers/frameoptions/AbstractRequestParameterAllowFromStrategy.java  
va  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/firewall/FirewalledRequest.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/RedirectStrategy.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/savedrequest/package-info.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/session/package-info.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/DefaultRedirectStrategy.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/header/Header.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/WebAttributes.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/authentication/preauth/websphere/package-info.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/authentication/preauth/j2ee/J2eePreAuthenticatedProcessingFilter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/authentication/preauth/RequestAttributeAuthenticationFilter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/context/HttpRequestResponseHolder.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/session/SimpleRedirectInvalidSessionStrategy.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/access/expression/DefaultWebSecurityExpressionHandler.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/authentication/rememberme/RememberMeAuthenticationException.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/authentication/session/RegisterSessionAuthenticationStrategy.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/savedrequest/SavedRequest.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/authentication/HttpStatusEntryPoint.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/authentication/logout/LogoutSuccessHandler.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/savedrequest/NullRequestCache.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/jackson2/package-info.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/debug/Logger.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/access/intercept/package-info.java

\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/access/expression/WebExpressionConfigAttribute.java

\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/authentication/SavedRequestAwareAuthenticationSuccessHandler.java

\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/util/RedirectUrlBuilder.java

\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/authentication/Http403ForbiddenEntryPoint.java

\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/session/RequestedUrlRedirectInvalidSessionStrategy.java

\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/authentication/preauth/PreAuthenticatedAuthenticationProvider.java

\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/authentication/preauth/websphere/WASUsernameAndGroupsExtractor.java

\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/authentication/rememberme/CookieTheftException.java

\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/authentication/preauth/PreAuthenticatedAuthenticationToken.java

\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/authentication/preauth/RequestHeaderAuthenticationFilter.java

\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/authentication/preauth/package-info.java

\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/util/matcher/NegatedRequestMatcher.java

\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/util/ThrowableAnalyzer.java

\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/authentication/AuthenticationFailureHandler.java

\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/authentication/preauth/x509/X509AuthenticationFilter.java

\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/authentication/preauth/j2ee/package-info.java

\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/authentication/package-info.java

\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/authentication/preauth/PreAuthenticatedGrantedAuthoritiesWebAuthenticationDetails.java

\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/authentication/rememberme/PersistentRememberMeToken.java

\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/servletapi/package-info.java

\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/authentication/rememberme/InvalidCookieException.java

\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/firewall/RequestRejectedException.java

\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/header/writers/frameoptions/RegExpAllowFromStrategy.java

\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-

jar/org/springframework/security/web/authentication/preauth/j2ee/WebXmlMappableAttributesRetriever.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/authentication/rememberme/PersistentTokenRepository.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/authentication/session/SessionAuthenticationException.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/util/package-info.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/authentication/preauth/PreAuthenticatedGrantedAuthoritiesUserDetailsService.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/access/expression/package-info.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/authentication/SimpleUrlAuthenticationSuccessHandler.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/util/matcher/OrRequestMatcher.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/authentication/preauth/PreAuthenticatedCredentialsNotFoundException.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/authentication/ui/package-info.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/authentication/logout/package-info.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/jaasapi/package-info.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/header/writers/frameoptions/AllowFromStrategy.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/SecurityFilterChain.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/savedrequest/RequestCache.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/authentication/preauth/websphere/WebSpherePreAuthenticatedWebAuthenticationDetailsSource.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/package-info.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/servletapi/HttpServletRequestFactory.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/session/SimpleRedirectSessionInformationExpiredStrategy.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/util/matcher/AndRequestMatcher.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/authentication/logout/SimpleUrlLogoutSuccessHandler.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/access/channel/package-info.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/firewall/DefaultHttpFirewall.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-

jar/org/springframework/security/web/util/ThrowableCauseExtractor.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/util/matcher/RegexRequestMatcher.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/authentication/preauth/websphere/WebSpherePreAuthenticatedProcessingFilter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/authentication/session/NullAuthenticatedSessionStrategy.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/authentication/switchuser/SwitchUserAuthorityChanger.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/access/package-info.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/authentication/preauth/x509/package-info.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/firewall/HttpFirewall.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/firewall/RequestWrapper.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/header/writers/frameoptions/StaticAllowFromStrategy.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/access/channel/AbstractRetryEntryPoint.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/authentication/logout/DelegatingLogoutSuccessHandler.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/authentication/AuthenticationSuccessHandler.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/authentication/rememberme/InMemoryTokenRepositoryImpl.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/authentication/www/package-info.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/authentication/preauth/x509/X509PrincipalExtractor.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/session/InvalidSessionStrategy.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/authentication/www/DigestAuthUtils.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/util/TextEscapeUtils.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/authentication/logout/CompositeLogoutHandler.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/header/writers/frameoptions/WhiteListedAllowFromStrategy.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/authentication/preauth/websphere/DefaultWASUsernameAndGroupsExtractor.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-  
jar/org/springframework/security/web/authentication/switchuser/package-info.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2010-2022 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1593183063_1678952468.3354986/0/spring-security-web-6-0-2-sources-
jar/org/springframework/security/web/jaasapi/JaasApiIntegrationFilter.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright 2002-2019 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1593183063_1678952468.3354986/0/spring-security-web-6-0-2-sources-
jar/org/springframework/security/web/header/writers/HpkpHeaderWriter.java
* /opt/cola/permits/1593183063_1678952468.3354986/0/spring-security-web-6-0-2-sources-
jar/org/springframework/security/web/util/matcher/RequestMatcher.java
* /opt/cola/permits/1593183063_1678952468.3354986/0/spring-security-web-6-0-2-sources-
jar/org/springframework/security/web/header/writers/HstsHeaderWriter.java
* /opt/cola/permits/1593183063_1678952468.3354986/0/spring-security-web-6-0-2-sources-
jar/org/springframework/security/web/header/writers/frameoptions/XFrameOptionsHeaderWriter.java
```

\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/util/matcher/MediaTypeRequestMatcher.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/authentication/AbstractAuthenticationTargetUrlRequestHandler.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/util/matcher/IpAddressMatcher.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/header/writers/StaticHeadersWriter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/server/transport/HttpsRedirectWebFilter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/authentication/AuthenticationConverter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/header/writers/ClearSiteDataHeaderWriter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/header/writers/ReferrerPolicyHeaderWriter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/access/intercept/RequestKey.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/header/HeaderWriterFilter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/header/writers/ContentSecurityPolicyHeaderWriter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/authentication/logout/LogoutSuccessEventPublishingLogoutHandler.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/header/writers/CompositeHeaderWriter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/header/writers/FeaturePolicyHeaderWriter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/server/authentication/ReactivePreAuthenticatedAuthenticationManager.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/access/expression/ExpressionBasedFilterInvocationSecurityMetadataSource.java  
ava  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/reactive/result/method/annotation/CurrentSecurityContextArgumentResolver.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/server/header/ClearSiteDataServerHttpHeadersWriter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/server/authentication/logout/HeaderWriterServerLogoutHandler.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/authentication/logout/HeaderWriterLogoutHandler.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015-2016 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/jackson2/DefaultCsrfTokenMixin.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/jackson2/WebAuthenticationDetailsMixin.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/jackson2/SavedCookieMixin.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/jackson2/CookieMixin.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/jackson2/DefaultSavedRequestMixin.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/session/SessionInformationExpiredStrategy.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/jackson2/WebJackson2Module.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/jackson2/ServletJackson2Module.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/jackson2/PreAuthenticatedAuthenticationTokenMixin.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2010-2016 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/util/matcher/RequestMatcherEditor.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/util/matcher/ELRequestMatcher.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/authentication/DelegatingAuthenticationEntryPoint.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2004-2022 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/access/ExceptionTranslationFilter.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2021 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):



\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/header/writers/CrossOriginOpenerPolicyHeaderWriter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/header/writers/CrossOriginResourcePolicyHeaderWriter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/FilterInvocation.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/server/header/CrossOriginOpenerPolicyServerHttpHeadersWriter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/server/header/StaticServerHttpHeadersWriter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/RequestMatcherRedirectFilter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/DefaultSecurityFilterChain.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/authentication/logout/CookieClearingLogoutHandler.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/csrf/MissingCsrfTokenException.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/reactive/result/method/annotation/AuthenticationPrincipalArgumentResolver.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/server/ExchangeMatcherRedirectWebFilter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/server/authentication/logout/WebSessionServerLogoutHandler.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/server/util/matcher/IpAddressServerWebExchangeMatcher.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/util/matcher/RequestMatcherEntry.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/server/header/CrossOriginEmbedderPolicyServerHttpHeadersWriter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/header/writers/CrossOriginEmbedderPolicyHeaderWriter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/server/authorization/IpAddressReactiveAuthorizationManager.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/debug/DebugFilter.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/server/header/CrossOriginResourcePolicyServerHttpHeadersWriter.java  
No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright 2002-2015 the original author or authors.
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*

\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/authentication/DelegatingAuthenticationFailureHandler.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/access/expression/EvaluationContextPostProcessor.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/access/expression/AbstractVariableEvaluationContextPostProcessor.java  
\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/access/DelegatingAccessDeniedHandler.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2014 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/util/matcher/RequestHeaderRequestMatcher.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2012-2016 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\*  
\*  
\*/

- \* <https://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \* /

Found in path(s):

- \* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/session/SessionInformationExpiredEvent.java
- \* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/access/expression/DelegatingEvaluationContext.java
- \* /opt/cola/permits/1593183063\_1678952468.3354986/0/spring-security-web-6-0-2-sources-jar/org/springframework/security/web/csrf/LazyCsrfTokenRepository.java

## 1.110 jackson-datatype-jdk8 2.14.2

### 1.110.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation

source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable

(except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify,

defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

This copy of Jackson JSON processor streaming parser/generator is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

# 1.111 error\_prone\_annotations 2.11.0

## 1.111.1 Available under license :

No license file was found, but licenses were detected in source scan.

Copyright 2015 The Error Prone Authors.

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE>

2.0

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Found in path(s):

\* /opt/cola/permits/1295545178\_1648483747.7/0/error-prone-annotations-2-11-0-1-jar/META-INF/maven/com.google.errorprone/error\_prone\_annotations/pom.xml

# 1.112 apache-log4j 2.19.0

## 1.112.1 Available under license :

Apache Log4j Core

Copyright 1999-2012 Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

ResolverUtil.java

Copyright 2005-2006 Tim Fennell

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or



otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 1999-2005 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.113 log4j-slf4j2-impl 2.19.0

### 1.113.1 Available under license :

Apache Log4j SLF4J 2.0 Binding  
Copyright 1999-2022 The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or

Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
  
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]



Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

## 1.114 jackson-databind 2.14.2

### 1.114.1 Available under license :

FasterXML, LLC

Software Grant and Corporate Contributor License Agreement ("Agreement")

<https://github.com/FasterXML/jackson/blob/master/contributor-agreement-corporate.txt>

(v1)

Thank you for your interest in FasterXML, LLC ("FasterXML"). In order to clarify the intellectual property license granted with Contributions from any person or entity, FasterXML must have a Contributor License Agreement (CLA) on file that has been signed by each Contributor, indicating agreement to the license terms below. This license is for your protection as a Contributor as well as the protection of FasterXML and its users; it does not change your rights to use your own Contributions for any other purpose.

This version of the Agreement allows an entity (the "Corporation") to submit Contributions to the FasterXML, to authorize Contributions submitted by its designated employees to FasterXML, and to grant copyright and patent licenses thereto.

If you have not already done so, please complete and sign, then scan and email a pdf file of this Agreement to [clas@fasterxml.com](mailto:clas@fasterxml.com). If necessary, send an original signed Agreement to FasterXML, LLC, 600 N 36th Ave, Suite 409, Seattle, WA 98103.

Please read this document carefully before signing and keep a copy for your records.

Corporation name: \_\_\_\_\_

Corporation address: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Point of Contact: \_\_\_\_\_

E-Mail: \_\_\_\_\_

Telephone: \_\_\_\_\_ Fax: \_\_\_\_\_

You accept and agree to the following terms and conditions for Your present and future Contributions submitted to FasterXML. Except for the license granted herein to FasterXML and recipients of software distributed by FasterXML, You reserve all right, title, and interest in and to Your Contributions.

#### 1. Definitions.

"You" (or "Your") shall mean the copyright owner or legal entity authorized by the copyright owner that is making this Agreement with FasterXML. For legal entities, the entity making a Contribution and all other entities that control, are controlled by, or are under common control with that entity are considered to be a single Contributor. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"Contribution" shall mean the code, documentation or other original works of authorship expressly identified in Schedule B, as well as any original work of authorship, including any modifications or additions to an existing work, that is intentionally submitted by You to FasterXML for inclusion in, or documentation of, any of the products owned or managed by FasterXML (the "Work"). For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to FasterXML or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, FasterXML for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by You as "Not a Contribution."

2. Grant of Copyright License. Subject to the terms and conditions of this Agreement, You hereby grant to FasterXML and to recipients of software distributed by FasterXML a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, sublicense, and distribute Your Contributions and such derivative works.
3. Grant of Patent License. Subject to the terms and conditions of this Agreement, You hereby grant to FasterXML and to recipients of software distributed by FasterXML a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by You that are necessarily infringed by Your Contribution(s) alone or by combination of Your Contribution(s) with the Work to which such Contribution(s) were submitted. If any entity institutes patent litigation against You or any other entity (including a cross-claim or counterclaim in a lawsuit) alleging that your Contribution, or the Work to which you have contributed, constitutes direct or contributory patent infringement, then any patent licenses granted to that entity under this Agreement for that Contribution or Work shall terminate as of the date such litigation is filed.
4. You represent that You are legally entitled to grant the above license. You represent further that each employee of the Corporation designated on Schedule A below (or in a subsequent written modification to that Schedule) is authorized to submit Contributions on behalf of the Corporation.
5. You represent that each of Your Contributions is Your original creation (see section 7 for submissions on behalf of others).
6. You are not expected to provide support for Your Contributions, except to the extent You desire to provide support. You may provide support for free, for a fee, or not at all. Unless required by applicable law or agreed to in writing, You provide Your Contributions on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE.
7. Should You wish to submit work that is not Your original creation, You may submit it to FasterXML separately from any Contribution, identifying the complete details of its source and of any license or other restriction (including, but not limited

to, related patents, trademarks, and license agreements) of which you are personally aware, and conspicuously marking the work as "Submitted on behalf of a third-party: [named here]".

8. It is your responsibility to notify FasterXML when any change is required to the list of designated employees authorized to submit Contributions on behalf of the Corporation, or to the Corporation's Point of Contact with FasterXML.

Please sign: \_\_\_\_\_ Date: \_\_\_\_\_

Title: \_\_\_\_\_

Corporation: \_\_\_\_\_

#### Schedule A

[Initial list of designated employees. NB: authorization is not tied to particular Contributions.]

#### Schedule B

[Identification of optional concurrent software grant. Would be left blank or omitted if there is no concurrent software grant.]

## 1.115 xodus-entity-store 2.0.1

### 1.115.1 Available under license :

Apache-2.0

## 1.116 commons-codec 1.14

### 1.116.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

## 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent

to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. **Grant of Copyright License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. **Grant of Patent License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. **Redistribution.** You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

#### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS,



WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

Apache Commons Codec

Copyright 2002-2019 The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<https://www.apache.org/>).

src/test/org/apache/commons/codec/language/DoubleMetaphoneTest.java

contains test data from <http://aspell.net/test/orig/batch0.tab>.

Copyright (C) 2002 Kevin Atkinson (kevin@gnu.org)

=====

The content of package org.apache.commons.codec.language.bm has been translated from the original php source code available at <http://stevemorse.org/phoneticinfo.htm> with permission from the original authors.

Original source copyright:

Copyright (c) 2008 Alexander Beider & Stephen P. Morse.

## 1.117 micrometer-observation 1.10.4

### 1.117.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2021 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1606853506\_1682270780.4740071/0/micrometer-observation-1-10-4-sources-jar/io/micrometer/observation/contextpropagation/ObservationThreadLocalAccessor.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2021 VMware, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1606853506_1682270780.4740071/0/micrometer-observation-1-10-4-sources-
jar/io/micrometer/observation/transport/Kind.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2022 VMware, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1606853506_1682270780.4740071/0/micrometer-observation-1-10-4-sources-
jar/io/micrometer/observation/NoopObservationConvention.java
```

```
* /opt/cola/permits/1606853506_1682270780.4740071/0/micrometer-observation-1-10-4-sources-
jar/io/micrometer/observation/aop/package-info.java
```

```
* /opt/cola/permits/1606853506_1682270780.4740071/0/micrometer-observation-1-10-4-sources-
jar/io/micrometer/observation/docs/package-info.java
```

```
* /opt/cola/permits/1606853506_1682270780.4740071/0/micrometer-observation-1-10-4-sources-
jar/io/micrometer/observation/annotation/package-info.java
```

```
* /opt/cola/permits/1606853506_1682270780.4740071/0/micrometer-observation-1-10-4-sources-
jar/io/micrometer/observation/Observation.java
```

\* /opt/cola/permits/1606853506\_1682270780.4740071/0/micrometer-observation-1-10-4-sources-jar/io/micrometer/observation/ObservationConvention.java

\* /opt/cola/permits/1606853506\_1682270780.4740071/0/micrometer-observation-1-10-4-sources-jar/io/micrometer/observation/transport/package-info.java

\* /opt/cola/permits/1606853506\_1682270780.4740071/0/micrometer-observation-1-10-4-sources-jar/io/micrometer/observation/NoopObservation.java

\* /opt/cola/permits/1606853506\_1682270780.4740071/0/micrometer-observation-1-10-4-sources-jar/io/micrometer/observation/SimpleObservation.java

\* /opt/cola/permits/1606853506\_1682270780.4740071/0/micrometer-observation-1-10-4-sources-jar/io/micrometer/observation/SimpleObservationRegistry.java

\* /opt/cola/permits/1606853506\_1682270780.4740071/0/micrometer-observation-1-10-4-sources-jar/io/micrometer/observation/GlobalObservationConvention.java

\* /opt/cola/permits/1606853506\_1682270780.4740071/0/micrometer-observation-1-10-4-sources-jar/io/micrometer/observation/docs/ObservationDocumentation.java

\* /opt/cola/permits/1606853506\_1682270780.4740071/0/micrometer-observation-1-10-4-sources-jar/io/micrometer/observation/transport/RequestReplyReceiverContext.java

\* /opt/cola/permits/1606853506\_1682270780.4740071/0/micrometer-observation-1-10-4-sources-jar/io/micrometer/observation/transport/ReceiverContext.java

\* /opt/cola/permits/1606853506\_1682270780.4740071/0/micrometer-observation-1-10-4-sources-jar/io/micrometer/observation/transport/Propagator.java

\* /opt/cola/permits/1606853506\_1682270780.4740071/0/micrometer-observation-1-10-4-sources-jar/io/micrometer/observation/ObservationPredicate.java

\* /opt/cola/permits/1606853506\_1682270780.4740071/0/micrometer-observation-1-10-4-sources-jar/io/micrometer/observation/aop/ObservedAspectObservationDocumentation.java

\* /opt/cola/permits/1606853506\_1682270780.4740071/0/micrometer-observation-1-10-4-sources-jar/io/micrometer/observation/NoopObservationConfig.java

\* /opt/cola/permits/1606853506\_1682270780.4740071/0/micrometer-observation-1-10-4-sources-jar/io/micrometer/observation/ObservationView.java

\* /opt/cola/permits/1606853506\_1682270780.4740071/0/micrometer-observation-1-10-4-sources-jar/io/micrometer/observation/ObservationRegistry.java

\* /opt/cola/permits/1606853506\_1682270780.4740071/0/micrometer-observation-1-10-4-sources-jar/io/micrometer/observation/ObservationFilter.java

\* /opt/cola/permits/1606853506\_1682270780.4740071/0/micrometer-observation-1-10-4-sources-jar/io/micrometer/observation/KeyValuesConvention.java

\* /opt/cola/permits/1606853506\_1682270780.4740071/0/micrometer-observation-1-10-4-sources-jar/io/micrometer/observation/transport/ResponseContext.java

\* /opt/cola/permits/1606853506\_1682270780.4740071/0/micrometer-observation-1-10-4-sources-jar/io/micrometer/observation/aop/ObservedAspect.java

\* /opt/cola/permits/1606853506\_1682270780.4740071/0/micrometer-observation-1-10-4-sources-jar/io/micrometer/observation/contextpropagation/package-info.java

\* /opt/cola/permits/1606853506\_1682270780.4740071/0/micrometer-observation-1-10-4-sources-jar/io/micrometer/observation/annotation/Observed.java

\* /opt/cola/permits/1606853506\_1682270780.4740071/0/micrometer-observation-1-10-4-sources-jar/io/micrometer/observation/ObservationHandler.java

\* /opt/cola/permits/1606853506\_1682270780.4740071/0/micrometer-observation-1-10-4-sources-jar/io/micrometer/observation/NoopObservationRegistry.java

\* /opt/cola/permits/1606853506\_1682270780.4740071/0/micrometer-observation-1-10-4-sources-jar/io/micrometer/observation/transport/SenderContext.java

\* /opt/cola/permits/1606853506\_1682270780.4740071/0/micrometer-observation-1-10-4-sources-jar/io/micrometer/observation/transport/RequestReplySenderContext.java  
\* /opt/cola/permits/1606853506\_1682270780.4740071/0/micrometer-observation-1-10-4-sources-jar/io/micrometer/observation/ObservationTextPublisher.java  
\* /opt/cola/permits/1606853506\_1682270780.4740071/0/micrometer-observation-1-10-4-sources-jar/io/micrometer/observation/package-info.java

# 1.118 dom 1.0

## 1.118.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (c) 2001 World Wide Web Consortium,  
* (Massachusetts Institute of Technology, Institut National de  
* Recherche en Informatique et en Automatique, Keio University). All  
* Rights Reserved. This program is distributed under the W3C's Software  
* Intellectual Property License. This program is distributed in the  
* hope that it will be useful, but WITHOUT ANY WARRANTY; without even  
* the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR  
* PURPOSE.  
* See W3C License http://www.w3.org/Consortium/Legal/ for more details.  
*/
```

Found in path(s):

```
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom3/as/ElementEditAS.java  
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom3/as/ASNotationDeclaration.java  
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom3/as/ASObject.java  
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom3/as/CharacterDataEditAS.java  
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom3/as/DOMImplementationAS.java  
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom3/as/ASModel.java  
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom3/as/DocumentAS.java  
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom3/as/ASAttributeDeclaration.java  
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom3/as/ASElementDeclaration.java  
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom3/as/ASEntityDeclaration.java  
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom3/as/ASNamedObjectMap.java
```

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom3/as/ASDataType.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom3/as/ASContentModel.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom3/as/DOMASWriter.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom3/as/DocumentEditAS.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom3/as/ASObjectList.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom3/as/DOMASBuilder.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom3/as/DOMASException.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom3/as/NodeEditAS.java

No license file was found, but licenses were detected in source scan.

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to You under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE>

2.0

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Found in path(s):

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/datatypes/package.html

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (c) 2000 World Wide Web Consortium,  
\* (Massachusetts Institute of Technology, Institut National de  
\* Recherche en Informatique et en Automatique, Keio University). All  
\* Rights Reserved. This program is distributed under the W3C's Software  
\* Intellectual Property License. This program is distributed in the  
\* hope that it will be useful, but WITHOUT ANY WARRANTY; without even  
\* the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR  
\* PURPOSE. See W3C License <http://www.w3.org/Consortium/Legal/> for more

\* details.

\*/

Found in path(s):

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/w3c/dom/html/HTMLDOMImplementation.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed to the Apache Software Foundation (ASF) under one or more  
\* contributor license agreements. See the NOTICE file distributed with  
\* this work for additional information regarding copyright ownership.

\* The ASF licenses this file to You under the Apache License, Version 2.0  
\* (the "License"); you may not use this file except in compliance with  
\* the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.

\*/

/\*\*

\* Checks if this content model has had its min/maxOccurs values reduced for  
\* purposes of speeding up UPA. If so, this content model should not be used  
\* for any purpose other than checking unique particle attribution

\*

\* @return a boolean that says whether this content has been compacted for UPA

\*/

Found in path(s):

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/models/XSCMValidator.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed to the Apache Software Foundation (ASF) under one or more  
\* contributor license agreements. See the NOTICE file distributed with  
\* this work for additional information regarding copyright ownership.

\* The ASF licenses this file to You under the Apache License, Version 2.0  
\* (the "License"); you may not use this file except in compliance with  
\* the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/
- /\*\*
- \* DOM Level 3 LS CR - Experimental.
- \* Create a new `LSParser`. The newly constructed parser may
- \* then be configured by means of its `DOMConfiguration`
- \* object, and used to parse documents by means of its `parse`
- \* method.
- \* @param mode The `mode` argument is either
- \* `MODE_SYNCHRONOUS` or `MODE_ASYNCHRONOUS`, if
- \* `mode` is `MODE_SYNCHRONOUS` then the
- \* `LSParser` that is created will operate in synchronous
- \* mode, if it's `MODE_ASYNCHRONOUS` then the
- \* `LSParser` that is created will operate in asynchronous
- \* mode.
- \* @param schemaType An absolute URI representing the type of the schema
- \* language used during the load of a `Document` using the
- \* newly created `LSParser`. Note that no lexical checking
- \* is done on the absolute URI. In order to create a
- \* `LSParser` for any kind of schema types (i.e. the
- \* `LSParser` will be free to use any schema found), use the value
- \* `null`.
- \* 

<b>Note:</b> For W3C XML Schema [[XML Schema Part 1</a>\]](http://www.w3.org/TR/2001/REC-xmlschema-1-20010502/)
- \* , applications must use the value
- \* `"http://www.w3.org/2001/XMLSchema"`. For XML DTD [[XML 1.0</a>\],](http://www.w3.org/TR/2000/REC-xml-20001006/)
- \* applications must use the value
- \* `"http://www.w3.org/TR/REC-xml"`. Other Schema languages
- \* are outside the scope of the W3C and therefore should recommend an
- \* absolute URI in order to use this method.
- \* @return The newly created `LSParser` object. This
- \* `LSParser` is either synchronous or asynchronous
- \* depending on the value of the `mode` argument.
- \* 

<b>Note:</b> By default, the newly created `LSParser`
- \* does not contain a `DOMErrorHandler`, i.e. the value of
- \* the "[parameter-error-](http://www.w3.org/TR/2003/WD-DOM-Level-3-Core-20030609/core.html#parameter-error-handler)
- \* `error-handler`" configuration parameter is `null`. However, implementations
- \* may provide a default error handler at creation time. In that case,
- \* the initial value of the `"error-handler"` configuration
- \* parameter on the new created `LSParser` contains a
- \* reference to the default error handler.
- \* @exception DOMException
- \* NOT\_SUPPORTED\_ERR: Raised if the requested mode or schema type is

\* not supported.

\*/

Found in path(s):

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/CoreDOMImplementationImpl.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed to the Apache Software Foundation (ASF) under one or more

\* contributor license agreements. See the NOTICE file distributed with

\* this work for additional information regarding copyright ownership.

\* The ASF licenses this file to You under the Apache License, Version 2.0

\* (the "License"); you may not use this file except in compliance with

\* the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DOMImplementationListImpl.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed to the Apache Software Foundation (ASF) under one or more

\* contributor license agreements. See the NOTICE file distributed with

\* this work for additional information regarding copyright ownership.

\* The ASF licenses this file to You under the Apache License, Version 2.0

\* (the "License"); you may not use this file except in compliance with

\* the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

/\*\*

\* used to check the 3 constraints against each complex type



- \* (should be each model group):
- \* Unique Particle Attribution, Particle Derivation (Restriction),
- \* Element Declarations Consistent.
- \*/

Found in path(s):

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XSConstraints.java

No license file was found, but licenses were detected in source scan.

/\*

- \* Licensed to the Apache Software Foundation (ASF) under one or more
- \* contributor license agreements. See the NOTICE file distributed with
- \* this work for additional information regarding copyright ownership.
- \* The ASF licenses this file to You under the Apache License, Version 2.0
- \* (the "License"); you may not use this file except in compliance with
- \* the License. You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/traversers/XSDocumentInfo.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/traversers/XSDElementTraverser.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/parser/XMLErrorHandler.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLFrameElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/XMLEntityDescriptionImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/ShadowedSymbolTable.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/util/ObjectListImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLImgElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLOptgroupElement.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/parser/XMLInputSource.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLImgElement.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DeferredCDATASectionImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/traversers/XSDAbstractIDConstraintTraverser.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLTimerElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSParticle.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLWmlElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/AnySimpleDV.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/StringList.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLTimerElement.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xpath/regex/CaseInsensitiveMap.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/opti/SchemaDOMImplementation.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/opti/DefaultXMLDocumentHandler.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DeferredElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLAnchorElement.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/HTMLSerializer.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLHtmlElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/stax/DefaultNamespaceContext.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xinclude/MultipleScopeNamespaceSupport.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/opti/SchemaParsingConfig.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/XML11NSDtdValidator.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xpointer/XPointerMessageFormatter.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSException.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLMetaElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLQuoteElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/EncodingMap.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xinclude/XIncludeTextReader.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DOMInputImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/ObjectFactory.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xpointer/XPointerHandler.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/XMLCatalogResolver.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/TeeXMLDocumentFilterImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLTableSectionElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/models/CMStateSet.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/Base64BinaryDV.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/DraconianErrorHandler.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/JAXPValidatorComponent.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLTitleElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/XML11NonValidatingConfiguration.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/ElementDefinitionImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/XMLElementDecl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XSAttributeGroupDecl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/AbstractDOMParser.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLSelectElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLLabelElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLFieldSetElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLCardElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/util/ShortListImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/util/Base64.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/CDATASectionImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/XSGrammarPoolContainer.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/models/CMBuilder.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLMetaElement.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/XSSimpleType.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/XSSimpleTypeDelegate.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/opti/SchemaDOMParser.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xpath/regex/RegularExpression.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/opti/ElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/events/UIEventImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/Method.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/stax/events/EntityReferenceImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/datatypes/ByteList.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLBodyElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/XMLNSDTDValidator.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/models/XSCMBinOp.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DeferredAttrImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/DOMUtil.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLIElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/SAXParserFactoryImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xpointer/ElementSchemePointer.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/msg/XMLMessageFormatter.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/opti/DefaultElement.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/SoftReferenceGrammarPool.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/AbstractXMLSchema.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/AttrNSImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/datatype/DurationImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLTdElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/XMLEntityDescription.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/parser/XMLDTDScanner.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/SecurityManager.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSModel.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/XMLErrorCode.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/DOMResultAugmentor.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/identity/FieldActivator.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/ParentNode.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/util/XIntPool.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLTableCellElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/SchemaSymbols.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/ObjectFactory.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/io/UTF16Reader.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/TextImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DOMStringListImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/NonValidatingConfiguration.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLImageElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/DecimalDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XSModelImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/ShortList.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/dtd/ListDatatypeValidator.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/StAXEventResultBuilder.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DeferredAttrNSImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/DTDGrammar.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DeferredEntityReferenceImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/datatypes/ObjectList.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/identity/XPathMatcher.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLHeadElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/PSVIErrorList.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/dtd/XML11NMTOKENDatatypeValidator.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/stax/events/StartDocumentImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/XMLSerializer.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/identity/KeyRef.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XSDDescription.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/XMLAttributes.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLHeadElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DeferredEntityImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/StAXDocumentHandler.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/io/Latin1Reader.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/LCount.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/XMLDTDProcessor.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/BooleanDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/parser/XMLEntityResolver.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DOMMessageFormatter.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/SchemaGrammar.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/grammars/XMLGrammarDescription.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/util/XSInputSource.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/ValidatedInfo.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/ChildNode.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/util/XSNamedMapImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/Constants.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/events/MouseEventImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/XMLDTDValidatorFilter.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/XMLDocumentScannerImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/Util.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xinclude/XInclude11TextReader.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/DefaultValidationErrorHandler.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLOptgroupElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/SchemaValidatorConfiguration.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLPostfieldElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/traversers/StAXSchemaParser.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DeferredNotationImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/CoreDocumentImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/XMLNSDocumentScannerImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/ReadOnlyGrammarPool.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DOMErrorImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/XMLAttributesImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/traversers/XSDAttributeTraverser.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/XMLDocumentParser.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/traversers/XSDComplexTypeTraverser.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/DatatypeMessageFormatter.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLIElement.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLNoopElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/SecuritySupport.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/DatatypeException.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/dtd/ENTITYDatatypeValidator.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLInputElement.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLTableElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/stax/events/ElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/traversers/SchemaContentHandler.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/SoftReferenceSymbolTableConfiguration.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/BalancedDTDGrammar.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xpointer/ShortHandPointer.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/parser/XMLParserConfiguration.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/BasicParserConfiguration.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLPreElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/SecurityConfiguration.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/AbstractXMLDocumentParser.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/validation/ValidationState.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/HTMLdtd.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLDOMImplementation.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/AugmentationsImpl.java



\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSImplementation.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/parser/XMLDocumentScanner.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/SAXLocatorWrapper.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/SynchronizedSymbolTable.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XSGrammarBucket.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLNoopElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xpointer/XPointerErrorHandler.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/parser/XMLDTDSource.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/stax/events/ProcessingInstructionImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/NamespaceContext.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/XMLSchemaFactory.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLTdElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLDListElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/DayTimeDurationDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLUElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/util/XSNamedMap4Types.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/datatypes/XSDateTime.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/opti/DefaultText.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/models/CMLLeaf.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSTerm.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/parser/XMLComponent.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLSmallElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/DocumentBuilderImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/DatatypeValidator.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLTextAreaElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/AttributePSVI.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xpath/regex/Token.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DeferredNode.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/XML11Serializer.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/traversers/XSDAttributeGroupTraverser.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/HexBinaryDV.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLGoElement.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/util/SimpleLocator.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/MessageFormatter.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/XMLErrorReporter.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XSLoaderImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/XML11NamespaceBinder.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/SecuritySupport.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLFormElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/XMLResourceIdentifierImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xpath/XPath.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLMenuElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLCollectionImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/XMLDocumentFragmentHandler.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XSComplexTypeDecl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/SAXInputSource.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/XPointerParserConfiguration.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/datatype/SerializedDuration.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/io/UTF8Reader.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/InvalidDatatypeValueException.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/DOMInputSource.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XSNotationDecl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLAreaElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLBigElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/XMLChar.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLPostfieldElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DeepNodeListImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/EntityReferenceImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/ProcessingInstructionImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLPrevElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DOMXSImplementationSourceImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/models/MixedContentModel.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/Augmentations.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/BaseDVFactory.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/XMLVersionDetector.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/grammars/XMLDTDDescription.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/dtd/IDDatatypeValidator.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/StAXValidatorHelper.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSComplexTypeDefinition.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/NotationImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLBElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/identity/UniqueOrKey.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/datatype/DatatypeFactoryImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLAnchorElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/DOMSerializerImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLIFrameElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/LineSeparator.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/XMLLocatorWrapper.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSWildcard.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/StreamValidatorHelper.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/StAXLocationWrapper.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLDoElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/IntegratedParserConfiguration.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/XMLNotationDecl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/ValidatorHelper.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/BaseSchemaDVFactory.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/identity/IdentityConstraint.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/datatypes/XSDouble.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xinclude/SecuritySupport.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/CommentImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DeferredProcessingInstructionImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/stax/events/CommentImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLSetvarElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/ASDOMImplementationImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/stax/events/NotationDeclarationImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/SoftReferenceSymbolTable.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/validation/EntityState.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/XHTMLSerializer.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLWmlElement.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/ASModelImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DeferredDocumentTypeImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/DOMValidatorHelper.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/traversers/XSAnnotationInfo.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/XML11DTDSscannerImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/opti/NodeImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/XMLGrammarCachingConfiguration.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLBaseElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xpointer/XPointerPart.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/QName.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLEmElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/grammars/XMLGrammarPool.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLFormControl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DeferredTextImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/FloatDV.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/XML11DocumentScannerImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/ErrorHandlerWrapper.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSAttributeGroupDefinition.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/models/CMAAny.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/stax/events/StartElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/DOMSerializer.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSModelGroupDefinition.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/stax/events/EndElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/QNameDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLBrElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLScriptElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/XMLStringBuffer.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/events/MutationEventImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/ObjectFactory.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/traversers/XSDGroupTraverser.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/FullDVFactory.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xinclude/ObjectFactory.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/stax/events/DTDImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/DOMParserImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLTrElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/models/CMUniOp.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DocumentFragmentImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLSelectElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/traversers/XSDSimpleTypeTraverser.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/XML11EntityScanner.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/StringDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/IDREFDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLButtonElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/identity/Field.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DocumentImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/opti/TextImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLOneventElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/util/ByteListImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/XIncludeParserConfiguration.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLStrongElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/CachingParserPool.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/ParserConfigurationSettings.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLDocument.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/EmptyXMLSchema.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSObjectList.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/opti/DefaultNode.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLMapElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/XML11NSDocumentScannerImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLSmallElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/XMLDTDCContentModelHandler.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLEmElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/PSVIDocumentImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/DTDGrammarBucket.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/ElementPSVImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xpath/regex/REUtil.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/parser/XMLParseException.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xpath/regex/Op.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/parser/XMLDTDCContentModelSource.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/XML11DTDCOnfiguration.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLTemplateElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/SecuritySupport.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLInputElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/dtd/NMTOKENDatatypeValidator.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLParagraphElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/OutputFormat.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/dtd/NOTATIONDatatypeValidator.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/DTDParse.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/SymbolHash.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/ListDV.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLUListElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DOMImplementationSourceImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLBrElement.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/CharacterDataImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/RangeImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/SerializerFactoryImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XMLSchemaLoader.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/XMLScanner.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/XMLGrammarPoolImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/ElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLStrongElement.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSNotationDeclaration.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/EncodingInfo.java



\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLMetaElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/models/CMNodeFactory.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLFontElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLTableElement.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLAppletElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/IDDV.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/SecuritySupport.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSObject.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/SchemaDVFactory.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/XMLEntityDecl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/ErrorHandlerProxy.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/dtd/DTDDVFactoryImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/models/CMNode.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/util/StringListImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLTemplateElement.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/XML11Configurable.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/InvalidDatatypeFacetException.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/traversers/XSDAbstractParticleTraverser.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/StAXStreamResultBuilder.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/datatype/XMLGregorianCalendarImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/util/XInt.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSConstants.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/Serializer.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/SubstitutionGroupHandler.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/TypeValidator.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/SAXParserImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/XMLParser.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XSGroupDecl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/DoubleDV.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/Version.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/IntStack.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/io/ASCIIReader.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSIDCDefinition.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLCardElement.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLFieldsetElement.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/AttrImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLAElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/opti/DefaultDocument.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/FilePathToURI.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/ObjectFactory.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLPrevElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/util/HexBin.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/datatype/SerializedXMLGregorianCalendar.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/parser/XMLDTDCContentModelFilter.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSModelGroup.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLBaseFontElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/XMLDTDLoader.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DeferredElementDefinitionImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XSElementDeclHelper.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/parser/XMLComponentManager.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/PrimeNumberSequenceGenerator.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLOneventElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/SchemaDVFactoryImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/stax/ImmutableLocation.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/XMLSchema.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSLoader.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/UnionDV.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/XNIException.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/parser/XMLDocumentSource.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/grammars/XSGrammar.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLBElement.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/SAXParser.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/datatypes/XSDDecimal.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XSWildcardDecl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DOMConfigurationImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLTableColElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLTrElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLDOMImplementationImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/models/XSCMUniOp.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/grammars/XMLGrammarLoader.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/validation/ConfigurableValidationState.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/IndentPrinter.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xml/serialize/ElementState.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xml/serialize/ObjectFactory.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/PSVIDOMImplementationImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dtd/models/DFAContentModel.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/AttributeMap.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/stax/events/EndDocumentImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/dom/WMLPElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xs/datatypes/XSFloat.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/dtd/StringDatatypeValidator.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/models/XSCMRepeatingLeaf.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/PSVIAttrNSImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/XMLDocumentFragmentScannerImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/ValidationContext.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xni/grammars/Grammar.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/dom/WMLAccessElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xpath/regex/Match.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/XSMessageFormatter.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xml/serialize/TextSerializer.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/stax/events/NamespaceImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xs/XSAttributeDeclaration.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/jaxp/JAXPConstants.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/WMLAElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/util/EntityResolverWrapper.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/DOMOutputImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DOMImplementationImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/SecuritySupport.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/ExternalSubsetResolver.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/NodeListCache.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/PSVIElementNSImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xinclude/XIncludeHandler.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/SAXMessageFormatter.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DeferredCommentImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLTableElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLHRElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSNamespaceItemList.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/DOMEntityResolverWrapper.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xpath/regex/RegexParser.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/ElementNSImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/stax/events/AttributeImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/dtd/IDREFDatatypeValidator.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLUElement.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLHeadElementImpl.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/models/XSCMLLeaf.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/LocatorProxy.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/identity/Selector.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/dtd/XML11IDDatatypeValidator.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSElementDeclaration.java

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XSAnnotationImpl.java

- \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/LSInputList.java
- \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xpath/XPathException.java
- \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/stax/events/EntityDeclarationImpl.java
- \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/AbstractSAXParser.java
- \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLBigElementImpl.java
- \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/XMLLocator.java
- \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSTypeDefinition.java
- \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/ItemPSVI.java
- \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/URI.java
- \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLObjectElementImpl.java
- \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/AnyAtomicDV.java
- \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/opti/NamedNodeMapImpl.java
- \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLBuilder.java
- \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/WeakReferenceXMLSchema.java
- \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/datatypes/XSQName.java
- \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/NodeIteratorImpl.java
- \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/DefaultErrorHandler.java
- \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xpath/regex/BMPattern.java
- \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/DTDCConfiguration.java
- \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/SimpleXMLSchema.java
- \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLLegendElementImpl.java
- \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/YearMonthDurationDV.java
- \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/traversers/XSDWildcardTraverser.java
- \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLHeadingElementImpl.java
- \* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-

jar/org/apache/xerces/impl/dv/XSFacets.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xs/ElementPSVI.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/WMLRefreshElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/util/XSGrammarPool.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xni/XMLResourceIdentifier.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLDirectoryElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/parsers/XML11Configuration.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/EntityImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/io/MalformedByteSequenceException.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/jaxp/UnparsedEntityHandler.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/WMLAccessElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/util/XMLSymbols.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xpointer/XPointerProcessor.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/WMLSetvarElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xni/XMLDTDHandler.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xs/XSMultiValueFacet.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xs/XSAnnotation.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLLinkElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/events/EventImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/DTDDVFactory.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/identity/ValueStore.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/jaxp/validation/ValidatorHandlerImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/util/DOMErrorHandlerWrapper.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/stax/events/XMLEventImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-

jar/org/apache/xerces/impl/xs/util/XS10TypeHelper.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLDivElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xs/XSNamespaceItem.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/util/XML11Char.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLFrameSetElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/XMLNamespaceBinder.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/parsers/XMLGrammarPreparser.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/XSImplementationImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLBRElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/RangeExceptionImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xs/PSVIProvider.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/XMLSchemaException.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xs/XSNamedMap.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLStyleElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/XSAttributeUseImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/validation/ValidationManager.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/util/EntityResolver2Wrapper.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/XSElementDecl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/parsers/DOMParser.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dtd/XMLAttributeDecl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLLIElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/XSParticleDecl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dtd/models/ContentModelValidator.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/util/StAXInputSource.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-



jar/org/apache/xerces/impl/dtd/XMLContentSpec.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/DocumentTypeImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/dom/WMLOptionElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xinclude/XIncludeMessageFormatter.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/AttributePSVImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/WMLSelectElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xni/XMLString.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/jaxp/validation/XMLSchemaValidatorComponentManager.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLTableRowElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLLOListElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/opti/SchemaDOM.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/XMLDTDSscannerImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLInputElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/PrecisionDecimalDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/jaxp/validation/DOMDocumentHandler.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xni/parser/XMLPullParserConfiguration.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/parsers/SecureProcessingConfiguration.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xni/parser/XMLDocumentFilter.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/util/XSObjectListImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/NamedNodeMapImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xs/XSFacet.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/dom/WMLGoElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/traversers/XSDAbstractTraverser.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-

jar/org/apache/xml/serialize/Printer.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dtd/XML11DTDProcessor.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dtd/XMLDTDDescription.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/dom/WMLRefreshElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xpath/regex/ParserForXMLSchema.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/DOMNormalizer.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/IntegerDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/jaxp/DocumentBuilderFactoryImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLIsIndexElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dtd/models/SimpleContentModel.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/DeferredDocumentImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xs/XSSimpleTypeDefinition.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/stax/EmptyLocation.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xml/serialize/SerializerFactory.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/util/HTTPInputSource.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xml/serialize/Encodings.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xs/XSAttributeUse.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xml/serialize/BaseMarkupSerializer.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/stax/events/CharactersImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/DeferredDOMImplementationImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/stax/XMLEventFactoryImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/util/JAXPNamespaceContextWrapper.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/util/NamespaceSupport.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xni/XMLDocumentHandler.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-

jar/org/apache/xerces/dom/DOMLocatorImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/util/LSInputListImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/XSDeclarationPool.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/jaxp/validation/JAXPValidationMessageFormatter.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dtd/models/CMBinOp.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/ExtendedSchemaDVFactoryImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dtd/XML11DTDValidator.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/EntityDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/util/SymbolTable.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/AnyURIDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/XMLEntityScanner.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/XMLEntityManager.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/XSAttributeDecl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xinclude/XIncludeNamespaceSupport.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/models/XSEmptyCM.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLOptGroupElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/DVFactoryException.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLDocumentImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/SchemaDateTimeException.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/WMLOptionElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/WMLPElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLOptionElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/WMLElement.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLParamElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-

jar/org/apache/xerces/dom/TreeWalkerImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/dtd/XML11DTDDVFactoryImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xpath/regex/ParseException.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xni/parser/XMLDTDFilter.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dtd/XMLDTDValidator.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/traversers/XSDNotationTraverser.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xni/grammars/XMLSchemaDescription.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/jaxp/validation/DOMResultBuilder.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/dom/WMLAnchorElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLModElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/dom/WMLDocumentImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/DeferredElementNSImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/HTMLTableCaptionElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/XMLEntityHandler.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/parsers/StandardParserConfiguration.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/models/XSAllCM.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/opti/AttrImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/dom/WMLFieldsetElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/dom/WMLDoElementImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xpath/regex/RangeToken.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/parsers/DOMASBuilderImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/html/dom/NameNodeListImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/wml/dom/WMLDOMImplementationImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/io/UCSReader.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-

jar/org/apache/xerces/parsers/XIncludeAwareParserConfiguration.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/RevalidationHandler.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xs/XSValue.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/dom/NodeImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/dtd/XML11IDREFDatatypeValidator.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/xni/parser/XMLConfigurationException.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/util/AttributesProxy.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/jaxp/validation/ValidatorImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/parsers/XMLGrammarParser.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dtd/XMLSimpleType.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/SchemaNamespaceSupport.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Licensed to the Apache Software Foundation (ASF) under one or more  
\* contributor license agreements. See the NOTICE file distributed with  
\* this work for additional information regarding copyright ownership.  
\* The ASF licenses this file to You under the Apache License, Version 2.0  
\* (the "License"); you may not use this file except in compliance with  
\* the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/AbstractDateTimeDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/YearDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/traversers/XSDKeyrefTraverser.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-

jar/org/apache/xerces/impl/dv/xs/DateDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/DateTimeDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/traversers/XSDUniqueOrKeyTraverser.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/MonthDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/DurationDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/MonthDayDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/TimeDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/traversers/XSAttributeChecker.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/YearMonthDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/XSModelGroupImpl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/XSSimpleTypeDecl.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/traversers/XSDHandler.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/dv/xs/DayDV.java  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xs/XMLSchemaValidator.java  
No license file was found, but licenses were detected in source scan.

# The ASF licenses this file to You under the Apache License, Version 2.0  
# (the "License"); you may not use this file except in compliance with  
# the License. You may obtain a copy of the License at  
# <http://www.apache.org/licenses/LICENSE-2.0>  
# distributed under the License is distributed on an "AS IS" BASIS,

Found in path(s):

\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/msg/XMLSchemaMessages.properties  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xpath/regex/message.properties  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/msg/DOMessages.properties  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/msg/XPointerMessages.properties  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/msg/DatatypeMessages.properties  
\* /opt/cola/permits/1257218116\_1642790294.82/0/xercesimpl-2-12-0-sources-  
jar/org/apache/xerces/impl/xpath/regex/message\_fr.properties

```
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/msg/SAXMessages.properties
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/msg/XIncludeMessages.properties
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/msg/XMLMessages.properties
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/msg/XMLSerializerMessages.properties
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xpath/regex/message_ja.properties
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/msg/JAXPValidationMessages.properties
No license file was found, but licenses were detected in source scan.
```

```
/*
```

```
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
```

```
*/
```

```
// Unique Particle Attribution
```

```
Found in path(s):
```

```
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/models/XSDFACM.java
```

## 1.119 xodus-compress 2.0.1

### 1.119.1 Available under license :

Apache-2.0

## 1.120 dagger 2.4

## 1.120.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2014 Google, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
 * /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/DelegateFactory.java
 * /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/MapKey.java
 * /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/MapFactory.java
 * /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/Component.java
 * /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/InstanceFactory.java
 * /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/SingleCheck.java
 * /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/Factory.java
 * /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/MapProviderFactory.java
 * /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/Collections.java
 * /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/SetFactory.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2007 Google Inc.
 * Copyright (C) 2012 Square, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```



Found in path(s):

\* /opt/cola/permits/1257772315\_1643010337.24/0/dagger-2-4-sources-jar/dagger/Provides.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2015 Google, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1257772315\_1643010337.24/0/dagger-2-4-sources-jar/dagger/Multibindings.java

\* /opt/cola/permits/1257772315\_1643010337.24/0/dagger-2-4-sources-jar/dagger/package-info.java

\* /opt/cola/permits/1257772315\_1643010337.24/0/dagger-2-4-sources-jar/dagger/multibindings/IntKey.java

\* /opt/cola/permits/1257772315\_1643010337.24/0/dagger-2-4-sources-jar/dagger/multibindings/StringKey.java

\* /opt/cola/permits/1257772315\_1643010337.24/0/dagger-2-4-sources-jar/dagger/multibindings/LongKey.java

\* /opt/cola/permits/1257772315\_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/Beta.java

\* /opt/cola/permits/1257772315\_1643010337.24/0/dagger-2-4-sources-jar/dagger/multibindings/ClassKey.java

\* /opt/cola/permits/1257772315\_1643010337.24/0/dagger-2-4-sources-jar/dagger/Subcomponent.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2014 Google Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1257772315\_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/MembersInjectors.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2016 Google, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1257772315\_1643010337.24/0/dagger-2-4-sources-jar/dagger/Reusable.java

\* /opt/cola/permits/1257772315\_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/ProviderOfLazy.java

\* /opt/cola/permits/1257772315\_1643010337.24/0/dagger-2-4-sources-jar/dagger/Bounds.java

\* /opt/cola/permits/1257772315\_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/Preconditions.java

\* /opt/cola/permits/1257772315\_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/DoubleCheck.java

\* /opt/cola/permits/1257772315\_1643010337.24/0/dagger-2-4-sources-

jar/dagger/multibindings/ElementsIntoSet.java

\* /opt/cola/permits/1257772315\_1643010337.24/0/dagger-2-4-sources-jar/dagger/multibindings/IntoMap.java

\* /opt/cola/permits/1257772315\_1643010337.24/0/dagger-2-4-sources-jar/dagger/multibindings/package-info.java

\* /opt/cola/permits/1257772315\_1643010337.24/0/dagger-2-4-sources-jar/dagger/multibindings/IntoSet.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2012 Square, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1257772315\_1643010337.24/0/dagger-2-4-sources-jar/dagger/Module.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2012 Square, Inc.

\* Copyright (C) 2009 Google Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1257772315\_1643010337.24/0/dagger-2-4-sources-jar/dagger/MembersInjector.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2012 Google, Inc.

\* Copyright (C) 2012 Square, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1257772315\_1643010337.24/0/dagger-2-4-sources-jar/dagger/Lazy.java

# 1.121 spring-expression 6.0.7

## 1.121.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002-2020 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1622818294_1681884230.9476771/0/spring-expression-6-0-7-sources-
jar/org/springframework/expression/spel/support/StandardTypeLocator.java
* /opt/cola/permits/1622818294_1681884230.9476771/0/spring-expression-6-0-7-sources-
jar/org/springframework/expression/spel/ast/AstUtils.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002-2021 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1622818294_1681884230.9476771/0/spring-expression-6-0-7-sources-
jar/org/springframework/expression/TypedValue.java
```

\* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-jar/org/springframework/expression/spel/ast/InlineMap.java  
\* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-jar/org/springframework/expression/spel/standard/Tokenizer.java  
\* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-jar/org/springframework/expression/TypeComparator.java  
\* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-jar/org/springframework/expression/MethodResolver.java  
\* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-jar/org/springframework/expression/spel/ast/OperatorPower.java  
\* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-jar/org/springframework/expression/spel/ast/BeanReference.java  
\* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-jar/org/springframework/expression/spel/ast/OpInc.java  
\* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-jar/org/springframework/expression/spel/support/StandardTypeConverter.java  
\* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-jar/org/springframework/expression/BeanResolver.java  
\* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-jar/org/springframework/expression/spel/ast/OpGE.java  
\* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-jar/org/springframework/expression/spel/standard/Token.java  
\* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-jar/org/springframework/expression/spel/SpelParserConfiguration.java  
\* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-jar/org/springframework/expression/spel/ast/OpDec.java  
\* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-jar/org/springframework/expression/spel/support/ReflectionHelper.java  
\* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-jar/org/springframework/expression/spel/support/ReflectiveConstructorResolver.java  
\* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-jar/org/springframework/expression/spel/ast/OpLE.java  
\* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-jar/org/springframework/expression/spel/ast/QualifiedIdentifier.java  
\* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-jar/org/springframework/expression/spel/ast/OpLT.java  
\* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-jar/org/springframework/expression/TypeConverter.java  
\* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-jar/org/springframework/expression/spel/ast/InlineList.java  
\* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-jar/org/springframework/expression/spel/ast/OpGT.java  
\* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-jar/org/springframework/expression/spel/ast/Operator.java  
\* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-jar/org/springframework/expression/spel/ast/TypeReference.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002-2018 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1622818294_1681884230.9476771/0/spring-expression-6-0-7-sources-
jar/org/springframework/expression/EvaluationContext.java
* /opt/cola/permits/1622818294_1681884230.9476771/0/spring-expression-6-0-7-sources-
jar/org/springframework/expression/spel/ast/FormatHelper.java
* /opt/cola/permits/1622818294_1681884230.9476771/0/spring-expression-6-0-7-sources-
jar/org/springframework/expression/spel/ExpressionState.java
* /opt/cola/permits/1622818294_1681884230.9476771/0/spring-expression-6-0-7-sources-
jar/org/springframework/expression/spel/support/StandardOperatorOverloader.java
* /opt/cola/permits/1622818294_1681884230.9476771/0/spring-expression-6-0-7-sources-
jar/org/springframework/expression/spel/support/DataBindingPropertyAccessor.java
* /opt/cola/permits/1622818294_1681884230.9476771/0/spring-expression-6-0-7-sources-
jar/org/springframework/expression/Operation.java
* /opt/cola/permits/1622818294_1681884230.9476771/0/spring-expression-6-0-7-sources-
jar/org/springframework/expression/spel/SpelNode.java
* /opt/cola/permits/1622818294_1681884230.9476771/0/spring-expression-6-0-7-sources-
jar/org/springframework/expression/spel/support/StandardEvaluationContext.java
* /opt/cola/permits/1622818294_1681884230.9476771/0/spring-expression-6-0-7-sources-
jar/org/springframework/expression/common/TemplateAwareExpressionParser.java
* /opt/cola/permits/1622818294_1681884230.9476771/0/spring-expression-6-0-7-sources-
jar/org/springframework/expression/spel/support/DataBindingMethodResolver.java
* /opt/cola/permits/1622818294_1681884230.9476771/0/spring-expression-6-0-7-sources-
jar/org/springframework/expression/spel/support/SimpleEvaluationContext.java
* /opt/cola/permits/1622818294_1681884230.9476771/0/spring-expression-6-0-7-sources-
jar/org/springframework/expression/spel/support/BooleanTypedValue.java
* /opt/cola/permits/1622818294_1681884230.9476771/0/spring-expression-6-0-7-sources-
jar/org/springframework/expression/spel/SpelEvaluationException.java
* /opt/cola/permits/1622818294_1681884230.9476771/0/spring-expression-6-0-7-sources-
jar/org/springframework/expression/common/CompositeStringExpression.java
* /opt/cola/permits/1622818294_1681884230.9476771/0/spring-expression-6-0-7-sources-
jar/org/springframework/expression/common/LiteralExpression.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002-2022 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1622818294_1681884230.9476771/0/spring-expression-6-0-7-sources-
jar/org/springframework/expression/spel/standard/SpelCompiler.java
* /opt/cola/permits/1622818294_1681884230.9476771/0/spring-expression-6-0-7-sources-
jar/org/springframework/expression/spel/ast/Selection.java
* /opt/cola/permits/1622818294_1681884230.9476771/0/spring-expression-6-0-7-sources-
jar/org/springframework/expression/spel/ast/Projection.java
* /opt/cola/permits/1622818294_1681884230.9476771/0/spring-expression-6-0-7-sources-
jar/org/springframework/expression/ExpressionException.java
* /opt/cola/permits/1622818294_1681884230.9476771/0/spring-expression-6-0-7-sources-
jar/org/springframework/expression/spel/ast/SpelNodeImpl.java
* /opt/cola/permits/1622818294_1681884230.9476771/0/spring-expression-6-0-7-sources-
jar/org/springframework/expression/spel/ast/StringLiteral.java
* /opt/cola/permits/1622818294_1681884230.9476771/0/spring-expression-6-0-7-sources-
jar/org/springframework/expression/spel/ast/Ternary.java
* /opt/cola/permits/1622818294_1681884230.9476771/0/spring-expression-6-0-7-sources-
jar/org/springframework/expression/spel/ast/Elvis.java
* /opt/cola/permits/1622818294_1681884230.9476771/0/spring-expression-6-0-7-sources-
jar/org/springframework/expression/spel/standard/SpelExpression.java
* /opt/cola/permits/1622818294_1681884230.9476771/0/spring-expression-6-0-7-sources-
jar/org/springframework/expression/spel/ast/Indexer.java
* /opt/cola/permits/1622818294_1681884230.9476771/0/spring-expression-6-0-7-sources-
jar/org/springframework/expression/spel/ast/ConstructorReference.java
* /opt/cola/permits/1622818294_1681884230.9476771/0/spring-expression-6-0-7-sources-
jar/org/springframework/expression/spel/ast/OperatorInstanceof.java
* /opt/cola/permits/1622818294_1681884230.9476771/0/spring-expression-6-0-7-sources-
jar/org/springframework/expression/spel/ast/OpModulus.java
* /opt/cola/permits/1622818294_1681884230.9476771/0/spring-expression-6-0-7-sources-
jar/org/springframework/expression/spel/support/ReflectiveMethodExecutor.java
* /opt/cola/permits/1622818294_1681884230.9476771/0/spring-expression-6-0-7-sources-
```

jar/org/springframework/expression/spel/ast/OperatorBetween.java  
\* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-  
jar/org/springframework/expression/spel/ast/OpMinus.java  
\* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-  
jar/org/springframework/expression/spel/ast/OpDivide.java  
\* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-  
jar/org/springframework/expression/spel/ast/OpPlus.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2002-2016 the original author or authors.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

\* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-  
jar/org/springframework/expression/ConstructorResolver.java  
\* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-  
jar/org/springframework/expression/MethodFilter.java  
\* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-  
jar/org/springframework/expression/TypeLocator.java  
\* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-  
jar/org/springframework/expression/EvaluationException.java  
\* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-  
jar/org/springframework/expression/spel/standard/TokenKind.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2002-2012 the original author or authors.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software
```



\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-  
jar/org/springframework/expression/spel/InternalParseException.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2017 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-  
jar/org/springframework/expression/spel/CompiledExpression.java  
\* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-  
jar/org/springframework/expression/Expression.java  
\* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-  
jar/org/springframework/expression/spel/support/ReflectiveConstructorExecutor.java  
\* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-  
jar/org/springframework/expression/spel/SpelParseException.java  
\* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-  
jar/org/springframework/expression/ParserContext.java  
\* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-  
jar/org/springframework/expression/AccessException.java  
\* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-  
jar/org/springframework/expression/common/ExpressionUtils.java  
\* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-  
jar/org/springframework/expression/ParseException.java  
\* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-  
jar/org/springframework/expression/OperatorOverloader.java  
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002-2019 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1622818294_1681884230.9476771/0/spring-expression-6-0-7-sources-
jar/org/springframework/expression/spel/ast/IntLiteral.java
* /opt/cola/permits/1622818294_1681884230.9476771/0/spring-expression-6-0-7-sources-
jar/org/springframework/expression/spel/ast/OpOr.java
* /opt/cola/permits/1622818294_1681884230.9476771/0/spring-expression-6-0-7-sources-
jar/org/springframework/expression/spel/ast/ValueRef.java
* /opt/cola/permits/1622818294_1681884230.9476771/0/spring-expression-6-0-7-sources-
jar/org/springframework/expression/spel/ast/RealLiteral.java
* /opt/cola/permits/1622818294_1681884230.9476771/0/spring-expression-6-0-7-sources-
jar/org/springframework/expression/spel/ast/OpAnd.java
* /opt/cola/permits/1622818294_1681884230.9476771/0/spring-expression-6-0-7-sources-
jar/org/springframework/expression/spel/ast/Identifier.java
* /opt/cola/permits/1622818294_1681884230.9476771/0/spring-expression-6-0-7-sources-
jar/org/springframework/expression/spel/ast/OpNE.java
* /opt/cola/permits/1622818294_1681884230.9476771/0/spring-expression-6-0-7-sources-
jar/org/springframework/expression/PropertyAccessor.java
* /opt/cola/permits/1622818294_1681884230.9476771/0/spring-expression-6-0-7-sources-
jar/org/springframework/expression/spel/ast/FloatLiteral.java
* /opt/cola/permits/1622818294_1681884230.9476771/0/spring-expression-6-0-7-sources-
jar/org/springframework/expression/spel/ast/BooleanLiteral.java
* /opt/cola/permits/1622818294_1681884230.9476771/0/spring-expression-6-0-7-sources-
jar/org/springframework/expression/spel/ast/OperatorNot.java
* /opt/cola/permits/1622818294_1681884230.9476771/0/spring-expression-6-0-7-sources-
jar/org/springframework/expression/spel/ast/Assign.java
* /opt/cola/permits/1622818294_1681884230.9476771/0/spring-expression-6-0-7-sources-
jar/org/springframework/expression/spel/ast/VariableReference.java
* /opt/cola/permits/1622818294_1681884230.9476771/0/spring-expression-6-0-7-sources-
jar/org/springframework/expression/spel/ast/NullLiteral.java
* /opt/cola/permits/1622818294_1681884230.9476771/0/spring-expression-6-0-7-sources-
jar/org/springframework/expression/spel/ast/CompoundExpression.java
* /opt/cola/permits/1622818294_1681884230.9476771/0/spring-expression-6-0-7-sources-
```

jar/org/springframework/expression/spel/ast/Literal.java  
\* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-  
jar/org/springframework/expression/spel/ast/LongLiteral.java  
\* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-  
jar/org/springframework/expression/spel/ast/OpEQ.java  
\* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-  
jar/org/springframework/expression/spel/ast/TypeCode.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2002-2009 the original author or authors.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

\* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-  
jar/org/springframework/expression/ExpressionParser.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2002-2014 the original author or authors.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

\* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-

jar/org/springframework/expression/spel/standard/SpelExpressionParser.java  
\* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-  
jar/org/springframework/expression/spel/SpelCompilerMode.java  
\* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-  
jar/org/springframework/expression/spel/CompilablePropertyAccessor.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2002-2013 the original author or authors.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

\* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-  
jar/org/springframework/expression/ConstructorExecutor.java  
\* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-  
jar/org/springframework/expression/MethodExecutor.java  
\* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-  
jar/org/springframework/expression/ExpressionInvocationTargetException.java  
\* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-  
jar/org/springframework/expression/common/TemplateParserContext.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2002-2023 the original author or authors.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.
```

\*/

Found in path(s):

- \* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-jar/org/springframework/expression/spel/SpelMessage.java
- \* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-jar/org/springframework/expression/spel/ast/FunctionReference.java
- \* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-jar/org/springframework/expression/spel/support/StandardTypeComparator.java
- \* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-jar/org/springframework/expression/spel/standard/InternalSpelExpressionParser.java
- \* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-jar/org/springframework/expression/spel/support/ReflectivePropertyAccessor.java
- \* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-jar/org/springframework/expression/spel/ast/OperatorMatches.java
- \* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-jar/org/springframework/expression/spel/ast/OpMultiply.java
- \* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-jar/org/springframework/expression/spel/support/ReflectiveMethodResolver.java
- \* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-jar/org/springframework/expression/spel/CodeFlow.java
- \* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-jar/org/springframework/expression/spel/ast/PropertyOrFieldReference.java
- \* /opt/cola/permits/1622818294\_1681884230.9476771/0/spring-expression-6-0-7-sources-jar/org/springframework/expression/spel/ast/MethodReference.java

## 1.122 commons-math 2.1

### 1.122.1 Available under license :

Apache Commons Math

Copyright 2001-2010 The Apache Software Foundation

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

=====  
The LinearConstraint, LinearObjectiveFunction, LinearOptimizer,  
RelationShip, SimplexSolver and SimplexTableau classes in package  
org.apache.commons.math.optimization.linear include software developed by  
Benjamin McCann (<http://www.benmccann.com>) and distributed with  
the following copyright: Copyright 2009 Google Inc.  
=====

This product includes software developed by the  
University of Chicago, as Operator of Argonne National  
Laboratory.  
The LevenbergMarquardtOptimizer class in package

org.apache.commons.math.optimization.general includes software translated from the lmdcr, lmpar and qrsolv Fortran routines from the Minpack package  
Minpack Copyright Notice (1999) University of Chicago. All rights reserved

---

The GraggBulirschStoerIntegrator class in package org.apache.commons.math.ode.nonstiff includes software translated from the odex Fortran routine developed by E. Hairer and G. Wanner.  
Original source copyright:  
Copyright (c) 2004, Ernst Hairer

---

The EigenDecompositionImpl class in package org.apache.commons.math.linear includes software translated from some LAPACK Fortran routines. Original source copyright:  
Copyright (c) 1992-2008 The University of Tennessee. All rights reserved.

---

The MersenneTwister class in package org.apache.commons.math.random includes software translated from the 2002-01-26 version of the Mersenne-Twister generator written in C by Makoto Matsumoto and Takuji Nishimura. Original source copyright:  
Copyright (C) 1997 - 2002, Makoto Matsumoto and Takuji Nishimura,  
All rights reserved

---

The complete text of licenses and disclaimers associated with the the original sources enumerated above at the time of code translation are in the LICENSE.txt file.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
  
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
  
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or,



within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all

other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## APACHE COMMONS MATH DERIVATIVE WORKS:

The Apache commons-math library includes a number of subcomponents whose implementation is derived from original sources written in C or Fortran. License terms of the original sources are reproduced below.

---

For the lmdcr, lmpar and qrsolv Fortran routine from minpack and translated in  
the LevenbergMarquardtOptimizer class in package  
org.apache.commons.math.optimization.general  
Original source copyright and license statement:

Minpack Copyright Notice (1999) University of Chicago. All rights reserved

Redistribution and use in source and binary forms, with or  
without modification, are permitted provided that the  
following conditions are met:

1. Redistributions of source code must retain the above  
copyright notice, this list of conditions and the following  
disclaimer.
2. Redistributions in binary form must reproduce the above  
copyright notice, this list of conditions and the following  
disclaimer in the documentation and/or other materials  
provided with the distribution.
3. The end-user documentation included with the  
redistribution, if any, must include the following  
acknowledgment:

"This product includes software developed by the  
University of Chicago, as Operator of Argonne National  
Laboratory.

Alternately, this acknowledgment may appear in the software  
itself, if and wherever such third-party acknowledgments  
normally appear.

4. WARRANTY DISCLAIMER. THE SOFTWARE IS SUPPLIED "AS IS"  
WITHOUT WARRANTY OF ANY KIND. THE COPYRIGHT HOLDER, THE  
UNITED STATES, THE UNITED STATES DEPARTMENT OF ENERGY, AND  
THEIR EMPLOYEES: (1) DISCLAIM ANY WARRANTIES, EXPRESS OR  
IMPLIED, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTIES  
OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE  
OR NON-INFRINGEMENT, (2) DO NOT ASSUME ANY LEGAL LIABILITY  
OR RESPONSIBILITY FOR THE ACCURACY, COMPLETENESS, OR  
USEFULNESS OF THE SOFTWARE, (3) DO NOT REPRESENT THAT USE OF  
THE SOFTWARE WOULD NOT INFRINGE PRIVATELY OWNED RIGHTS, (4)  
DO NOT WARRANT THAT THE SOFTWARE WILL FUNCTION  
UNINTERRUPTED, THAT IT IS ERROR-FREE OR THAT ANY ERRORS WILL  
BE CORRECTED.

5. LIMITATION OF LIABILITY. IN NO EVENT WILL THE COPYRIGHT HOLDER, THE UNITED STATES, THE UNITED STATES DEPARTMENT OF ENERGY, OR THEIR EMPLOYEES: BE LIABLE FOR ANY INDIRECT, INCIDENTAL, CONSEQUENTIAL, SPECIAL OR PUNITIVE DAMAGES OF ANY KIND OR NATURE, INCLUDING BUT NOT LIMITED TO LOSS OF PROFITS OR LOSS OF DATA, FOR ANY REASON WHATSOEVER, WHETHER SUCH LIABILITY IS ASSERTED ON THE BASIS OF CONTRACT, TORT (INCLUDING NEGLIGENCE OR STRICT LIABILITY), OR OTHERWISE, EVEN IF ANY OF SAID PARTIES HAS BEEN WARNED OF THE POSSIBILITY OF SUCH LOSS OR DAMAGES.

=====

Copyright and license statement for the odex Fortran routine developed by E. Hairer and G. Wanner and translated in GraggBulirschStoerIntegrator class in package org.apache.commons.math.ode.nonstiff:

Copyright (c) 2004, Ernst Hairer

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

Copyright and license statement for the original lapack fortran routines translated in EigenDecompositionImpl class in package org.apache.commons.math.linear:

Copyright (c) 1992-2008 The University of Tennessee. All rights reserved.

\$COPYRIGHT\$

Additional copyrights may follow

\$HEADERS\$

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
  
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer listed in this license in the documentation and/or other materials provided with the distribution.
  
- Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

Copyright and license statement for the original Mersenne twister C routines translated in MersenneTwister class in package org.apache.commons.math.random:

Copyright (C) 1997 - 2002, Makoto Matsumoto and Takuji Nishimura, All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright

notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The names of its contributors may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.123 pax-utils 1.3.5-r1

### 1.123.1 Available under license :

```
#
# LICENSE
#
# Copyright (c) 2008 Guido U. Draheim <guidod@gmx.de>
#
# This program is free software; you can redistribute it and/or modify it
# under the terms of the GNU General Public License as published by the
# Free Software Foundation; either version 3 of the License, or (at your
# option) any later version.
#
# This program is distributed in the hope that it will be useful, but
# WITHOUT ANY WARRANTY; without even the implied warranty of
# MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General
# Public License for more details.
#
# You should have received a copy of the GNU General Public License along
# with this program. If not, see <http://www.gnu.org/licenses/>.
#
# As a special exception, the respective Autoconf Macro's copyright owner
# gives unlimited permission to copy, distribute and modify the configure
```

# scripts that are the output of Autoconf when processing the Macro. You  
# need not follow the terms of the GNU General Public License when using  
# or distributing such scripts, even though portions of the text of the  
# Macro appear in them. The GNU General Public License (GPL) does govern  
# all other use of the material that constitutes the Autoconf Macro.  
#  
# This special exception to the GPL applies to versions of the Autoconf  
# Macro released by the Autoconf Archive. When you make and distribute a  
# modified version of the Autoconf Macro, you may extend this special  
# exception to the GPL to apply to your modified version as well.

#### GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your  
freedom to share and change it. By contrast, the GNU General Public  
License is intended to guarantee your freedom to share and change free  
software--to make sure the software is free for all its users. This  
General Public License applies to most of the Free Software  
Foundation's software and to any other program whose authors commit to  
using it. (Some other Free Software Foundation software is covered by  
the GNU Library General Public License instead.) You can apply it to  
your programs, too.

When we speak of free software, we are referring to freedom, not  
price. Our General Public Licenses are designed to make sure that you  
have the freedom to distribute copies of free software (and charge for  
this service if you wish), that you receive source code or can get it  
if you want it, that you can change the software or use pieces of it  
in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid  
anyone to deny you these rights or to ask you to surrender the rights.  
These restrictions translate to certain responsibilities for you if you  
distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether  
gratis or for a fee, you must give the recipients all the rights that  
you have. You must make sure that they, too, receive or can get the  
source code. And you must show them these terms so they know their  
rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

#### GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.



You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it,

under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are

prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the

original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your

school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program  
'Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

# 1.124 jackson 2.13.2

## 1.124.1 Available under license :

Camel :: Jackson  
Copyright 2007-2014 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

```
=====
== NOTICE file corresponding to the section 4 d of      ==
== the Apache License, Version 2.0,                      ==
== in this case for the Apache Camel distribution.        ==
=====
```

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

Please read the different LICENSE files present in the licenses directory of  
this distribution.

/\*\*

- \* Licensed to the Apache Software Foundation (ASF) under one or more
- \* contributor license agreements. See the NOTICE file distributed with
- \* this work for additional information regarding copyright ownership.
- \* The ASF licenses this file to You under the Apache License, Version 2.0
- \* (the "License"); you may not use this file except in compliance with
- \* the License. You may obtain a copy of the License at
- \*  
\* <http://www.apache.org/licenses/LICENSE-2.0>
- \*  
\* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,

- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes

of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You



meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

## 1.125 netty-transport-classes-epoll

### 4.1.86.Final

#### 1.125.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2014 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
/**
 * Set the {@code TCP_MD5SIG} option on the socket. See {@code linux/tcp.h} for more details.
 * Keys can only be set on, not read to prevent a potential leak, as they are confidential.
 * Allowing them being read would mean anyone with access to the channel could get them.
 */
/**
 * Set the {@code TCP_QUICKACK} option on the socket.
 * See https://linux.die.net/man/7/tcp>TCP_QUICKACK</a>
 * for more details.
 */
```

Found in path(s):

```
* /opt/cola/permits/1518493128_1671636502.660997/0/netty-transport-classes-epoll-4-1-86-final-sources-  
jar/io/netty/channel/epoll/EpollSocketChannelConfig.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2021 The Netty Project
```

```
*
```

```
* The Netty Project licenses this file to you under the Apache License,
```

```
* version 2.0 (the "License"); you may not use this file except in compliance
```

```
* with the License. You may obtain a copy of the License at:
```

```
*
```

```
* https://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
```

```
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
```

```
* License for the specific language governing permissions and limitations
```

```
* under the License.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1518493128_1671636502.660997/0/netty-transport-classes-epoll-4-1-86-final-sources-  
jar/io/netty/channel/epoll/SegmentedDatagramPacket.java
```

```
* /opt/cola/permits/1518493128_1671636502.660997/0/netty-transport-classes-epoll-4-1-86-final-sources-  
jar/io/netty/channel/epoll/EpollDomainDatagramChannelConfig.java
```

```
* /opt/cola/permits/1518493128_1671636502.660997/0/netty-transport-classes-epoll-4-1-86-final-sources-  
jar/io/netty/channel/epoll/EpollDomainDatagramChannel.java
```

No license file was found, but licenses were detected in source scan.

```
<!--
```

```
~ Copyright 2021 The Netty Project
```

```
~
```

```
~ The Netty Project licenses this file to you under the Apache License,
```

```
~ version 2.0 (the "License"); you may not use this file except in compliance
```

```
~ with the License. You may obtain a copy of the License at:
```

```
~
```

```
~ https://www.apache.org/licenses/LICENSE-2.0
```

```
~
```

```
~ Unless required by applicable law or agreed to in writing, software
```

```
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
```

```
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
```

```
~ License for the specific language governing permissions and limitations
```

```
~ under the License.
```

```
-->
```

Found in path(s):

\* /opt/cola/permits/1518493128\_1671636502.660997/0/netty-transport-classes-epoll-4-1-86-final-sources-jar/META-INF/maven/io.netty/netty-transport-classes-epoll/pom.xml

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1518493128\_1671636502.660997/0/netty-transport-classes-epoll-4-1-86-final-sources-jar/io.netty/channel/epoll/EpollDatagramChannelConfig.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

/\*\*

\* Set the {@code TCP\_MD5SIG} option on the socket. See {@code linux/tcp.h} for more details.

\* Keys can only be set on, not read to prevent a potential leak, as they are confidential.

\* Allowing them being read would mean anyone with access to the channel could get them.

\*/

Found in path(s):

\* /opt/cola/permits/1518493128\_1671636502.660997/0/netty-transport-classes-epoll-4-1-86-final-sources-

jar/io/netty/channel/epoll/EpollServerSocketChannelConfig.java  
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2013 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1518493128_1671636502.660997/0/netty-transport-classes-epoll-4-1-86-final-sources-
jar/io/netty/channel/epoll/Native.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright 2014 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1518493128_1671636502.660997/0/netty-transport-classes-epoll-4-1-86-final-sources-
jar/io/netty/channel/epoll/EpollEventLoop.java
* /opt/cola/permits/1518493128_1671636502.660997/0/netty-transport-classes-epoll-4-1-86-final-sources-
jar/io/netty/channel/epoll/EpollDatagramChannel.java
* /opt/cola/permits/1518493128_1671636502.660997/0/netty-transport-classes-epoll-4-1-86-final-sources-
jar/io/netty/channel/epoll/package-info.java
* /opt/cola/permits/1518493128_1671636502.660997/0/netty-transport-classes-epoll-4-1-86-final-sources-
```

jar/io/netty/channel/epoll/EpollSocketChannel.java  
\* /opt/cola/permits/1518493128\_1671636502.660997/0/netty-transport-classes-epoll-4-1-86-final-sources-  
jar/io/netty/channel/epoll/EpollTcpInfo.java  
\* /opt/cola/permits/1518493128\_1671636502.660997/0/netty-transport-classes-epoll-4-1-86-final-sources-  
jar/io/netty/channel/epoll/EpollServerSocketChannel.java  
\* /opt/cola/permits/1518493128\_1671636502.660997/0/netty-transport-classes-epoll-4-1-86-final-sources-  
jar/io/netty/channel/epoll/Epoll.java  
\* /opt/cola/permits/1518493128\_1671636502.660997/0/netty-transport-classes-epoll-4-1-86-final-sources-  
jar/io/netty/channel/epoll/EpollEventLoopGroup.java  
\* /opt/cola/permits/1518493128\_1671636502.660997/0/netty-transport-classes-epoll-4-1-86-final-sources-  
jar/io/netty/channel/epoll/AbstractEpollChannel.java  
\* /opt/cola/permits/1518493128\_1671636502.660997/0/netty-transport-classes-epoll-4-1-86-final-sources-  
jar/io/netty/channel/epoll/EpollChannelOption.java  
\* /opt/cola/permits/1518493128\_1671636502.660997/0/netty-transport-classes-epoll-4-1-86-final-sources-  
jar/io/netty/channel/epoll/NativeDatagramPacketArray.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2016 The Netty Project  
*  
* The Netty Project licenses this file to you under the Apache License,  
* version 2.0 (the "License"); you may not use this file except in compliance  
* with the License. You may obtain a copy of the License at:  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
* License for the specific language governing permissions and limitations  
* under the License.  
*/
```

Found in path(s):

\* /opt/cola/permits/1518493128\_1671636502.660997/0/netty-transport-classes-epoll-4-1-86-final-sources-  
jar/io/netty/channel/epoll/NativeStaticallyReferencedJniMethods.java  
\* /opt/cola/permits/1518493128\_1671636502.660997/0/netty-transport-classes-epoll-4-1-86-final-sources-  
jar/io/netty/channel/epoll/LinuxSocket.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2015 The Netty Project  
*  
* The Netty Project licenses this file to you under the Apache License,  
* version 2.0 (the "License"); you may not use this file except in compliance  
* with the License. You may obtain a copy of the License at:  
*  
* https://www.apache.org/licenses/LICENSE-2.0
```

- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
- \* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
- \* License for the specific language governing permissions and limitations
- \* under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1518493128\_1671636502.660997/0/netty-transport-classes-epoll-4-1-86-final-sources-jar/io/netty/channel/epoll/TcpMd5Util.java
- \* /opt/cola/permits/1518493128\_1671636502.660997/0/netty-transport-classes-epoll-4-1-86-final-sources-jar/io/netty/channel/epoll/EpollRecvByteAllocatorHandle.java
- \* /opt/cola/permits/1518493128\_1671636502.660997/0/netty-transport-classes-epoll-4-1-86-final-sources-jar/io/netty/channel/epoll/EpollMode.java
- \* /opt/cola/permits/1518493128\_1671636502.660997/0/netty-transport-classes-epoll-4-1-86-final-sources-jar/io/netty/channel/epoll/EpollServerChannelConfig.java
- \* /opt/cola/permits/1518493128\_1671636502.660997/0/netty-transport-classes-epoll-4-1-86-final-sources-jar/io/netty/channel/epoll/EpollEventArray.java
- \* /opt/cola/permits/1518493128\_1671636502.660997/0/netty-transport-classes-epoll-4-1-86-final-sources-jar/io/netty/channel/epoll/EpollRecvByteAllocatorStreamingHandle.java
- \* /opt/cola/permits/1518493128\_1671636502.660997/0/netty-transport-classes-epoll-4-1-86-final-sources-jar/io/netty/channel/epoll/EpollServerDomainSocketChannel.java
- \* /opt/cola/permits/1518493128\_1671636502.660997/0/netty-transport-classes-epoll-4-1-86-final-sources-jar/io/netty/channel/epoll/AbstractEpollStreamChannel.java
- \* /opt/cola/permits/1518493128\_1671636502.660997/0/netty-transport-classes-epoll-4-1-86-final-sources-jar/io/netty/channel/epoll/EpollDomainSocketChannelConfig.java
- \* /opt/cola/permits/1518493128\_1671636502.660997/0/netty-transport-classes-epoll-4-1-86-final-sources-jar/io/netty/channel/epoll/EpollChannelConfig.java
- \* /opt/cola/permits/1518493128\_1671636502.660997/0/netty-transport-classes-epoll-4-1-86-final-sources-jar/io/netty/channel/epoll/EpollDomainSocketChannel.java
- \* /opt/cola/permits/1518493128\_1671636502.660997/0/netty-transport-classes-epoll-4-1-86-final-sources-jar/io/netty/channel/epoll/AbstractEpollServerChannel.java

## 1.126 guice 4.1.0

### 1.126.1 Available under license :

Google Guice - Core Library  
 Copyright 2006-2016 Google, Inc.

This product includes software developed at  
 The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
 Version 2.0, January 2004  
<http://www.apache.org/licenses/>



## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner

or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. **Grant of Copyright License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. **Grant of Patent License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. **Redistribution.** You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.  
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.127 alpine-keys 2.4-r1

### 1.127.1 Available under license :

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.128 spring-web 6.0.7

### 1.128.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2014 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

```
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1622818273_1680247367.6168814/0/spring-web-6-0-7-sources-
jar/org/springframework/web/context/support/ServletContextPropertySource.java
* /opt/cola/permits/1622818273_1680247367.6168814/0/spring-web-6-0-7-sources-
jar/org/springframework/web/method/support/HandlerMethodArgumentResolver.java
* /opt/cola/permits/1622818273_1680247367.6168814/0/spring-web-6-0-7-sources-
jar/org/springframework/http/converter/feed/AtomFeedHttpMessageConverter.java
* /opt/cola/permits/1622818273_1680247367.6168814/0/spring-web-6-0-7-sources-
jar/org/springframework/http/server/ServerHttpAsyncRequestControl.java
* /opt/cola/permits/1622818273_1680247367.6168814/0/spring-web-6-0-7-sources-
jar/org/springframework/web/context/ConfigurableWebApplicationContext.java
* /opt/cola/permits/1622818273_1680247367.6168814/0/spring-web-6-0-7-sources-
jar/org/springframework/web/context/support/ServletConfigPropertySource.java
* /opt/cola/permits/1622818273_1680247367.6168814/0/spring-web-6-0-7-sources-
jar/org/springframework/http/client/ClientHttpRequest.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2002-2005 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1622818273_1680247367.6168814/0/spring-web-6-0-7-sources-
jar/org/springframework/web/filter/ServletContextRequestLoggingFilter.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002-2012 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
 * /opt/cola/permits/1622818273_1680247367.6168814/0/spring-web-6-0-7-sources-
jar/org/springframework/web/bind/support/SimpleSessionStatus.java
 * /opt/cola/permits/1622818273_1680247367.6168814/0/spring-web-6-0-7-sources-
jar/org/springframework/web/jsf/DelegatingPhaseListenerMulticaster.java
 * /opt/cola/permits/1622818273_1680247367.6168814/0/spring-web-6-0-7-sources-
jar/org/springframework/http/MediaTypeEditor.java
 * /opt/cola/permits/1622818273_1680247367.6168814/0/spring-web-6-0-7-sources-
jar/org/springframework/web/bind/annotation/ValueConstants.java
 * /opt/cola/permits/1622818273_1680247367.6168814/0/spring-web-6-0-7-sources-
jar/org/springframework/web/context/ConfigurableWebEnvironment.java
 * /opt/cola/permits/1622818273_1680247367.6168814/0/spring-web-6-0-7-sources-
jar/org/springframework/web/util/IntrospectorCleanupListener.java
 * /opt/cola/permits/1622818273_1680247367.6168814/0/spring-web-6-0-7-sources-
jar/org/springframework/web/client/ResourceAccessException.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright 2002-2021 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/util/HtmlCharacterEntityDecoder.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/HttpMessageReader.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/server/reactive/WriteResultPublisher.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/context/support/SpringBeanAutowiringSupport.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/context/support/RequestHandledEvent.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/method/annotation/ExceptionHandlerMethodResolver.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/server/reactive/ServerHttpRequest.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/cors/reactive/PreFlightRequestHandler.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/multipart/support/DefaultMultipartHttpServletRequest.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/xml/Jaxb2XmlEncoder.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/client/RequestCallback.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/cors/reactive/PreFlightRequestWebFilter.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/multipart/MultipartResolver.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/server/reactive/HttpHandlerDecoratorFactory.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/server/PathContainer.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/context/support/ServletContextResourcePatternResolver.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/bind/support/DefaultDataBinderFactory.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/HttpCookie.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/HttpRequestHandler.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/jsf/DecoratingNavigationHandler.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/WebApplicationInitializer.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/converter/protobuf/ProtobufJsonFormatHttpMessageConverter.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/bind/annotation/CrossOrigin.java



\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/server/handler/DefaultWebFilterChain.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/server/reactive/UndertowHeadersAdapter.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/converter/HttpMessageConverter.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/method/annotation/AbstractNamedValueMethodArgumentResolver.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/FormHttpMessageWriter.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/MediaTypeFactory.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/bind/support/WebBindingInitializer.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/util/UriComponents.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/client/OkHttpClientHttpRequestFactory.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/HttpMessageWriter.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/multipart/MultipartHttpServletRequest.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/client/reactive/HttpComponentsHeadersAdapter.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/HttpEntity.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/filter/FormContentFilter.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/util/UriTemplate.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/converter/AbstractGenericHttpMessageConverter.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/client/reactive/JettyClientHttpConnector.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/method/support/CompositeUriComponentsContributor.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/util/HtmlUtils.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/method/annotation/AbstractCookieValueMethodArgumentResolver.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/server/ServletServerHttpAsyncRequestControl.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/ServerSentEvent.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/context/request/RequestContextHolder.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/filter/ShallowEtagHeaderFilter.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/util/OpaqueUriComponents.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/multipart/support/RequestPartServletServerHttpRequest.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/filter/ForwardedHeaderFilter.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/util/pattern/PatternParseException.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/util/pattern/WildcardTheRestPathElement.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/bind/annotation/RequestPart.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/bind/annotation/ResponseStatus.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/server/reactive/AbstractListenerServerHttpResponse.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/bind/EscapedErrors.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/multipart/support/StringMultipartFileEditor.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/bind/annotation/CookieValue.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/SpringServletContainerInitializer.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/multipart/FileStorage.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/accept/ContentNegotiationManagerFactoryBean.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/server/reactive/AbstractListenerWriteFlushProcessor.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/filter/HiddenHttpMethodFilter.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/multipart/support/AbstractMultipartHttpServletRequest.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/client/reactive/JdkClientHttpConnector.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/filter/reactive/HiddenHttpMethodFilter.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/context/support/HttpRequestHandlerServlet.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/converter/xml/Jaxb2RootElementHttpMessageConverter.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/jsf/el/WebApplicationContextFacesELResolver.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/multipart/MultipartFile.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/client/MultipartBodyBuilder.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/method/annotation/RequestHeaderMethodArgumentResolver.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/multipart/FilePart.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2019 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/client/UnknownHttpStatusCodeException.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/client/HttpStatusCodeException.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/client/support/HttpAccessor.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/context/support/ServletContextScope.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/server/handler/WebHandlerDecorator.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/support/DefaultServerCodecConfigurer.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/server/ServerWebExchangeDecorator.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/client/SimpleClientHttpResponse.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/client/RestOperationsExtensions.kt  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/cors/reactive/CorsWebFilter.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/method/support/AsyncHandlerMethodReturnValueHandler.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/cbor/Jackson2CborDecoder.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-

```

jar/org/springframework/web/context/request/ServletRequestAttributes.java
* /opt/cola/permits/1622818273_1680247367.6168814/0/spring-web-6-0-7-sources-
jar/org/springframework/web/bind/annotation/ControllerAdvice.java
* /opt/cola/permits/1622818273_1680247367.6168814/0/spring-web-6-0-7-sources-
jar/org/springframework/http/client/support/BasicAuthenticationInterceptor.java
* /opt/cola/permits/1622818273_1680247367.6168814/0/spring-web-6-0-7-sources-
jar/org/springframework/http/converter/xml/AbstractJaxb2HttpMessageConverter.java
* /opt/cola/permits/1622818273_1680247367.6168814/0/spring-web-6-0-7-sources-
jar/org/springframework/web/method/annotation/AbstractWebArgumentResolverAdapter.java
* /opt/cola/permits/1622818273_1680247367.6168814/0/spring-web-6-0-7-sources-
jar/org/springframework/web/bind/annotation/RestControllerAdvice.java
* /opt/cola/permits/1622818273_1680247367.6168814/0/spring-web-6-0-7-sources-
jar/org/springframework/web/accept/FixedContentNegotiationStrategy.java
* /opt/cola/permits/1622818273_1680247367.6168814/0/spring-web-6-0-7-sources-
jar/org/springframework/web/accept/MediaTypeFileExtensionResolver.java
* /opt/cola/permits/1622818273_1680247367.6168814/0/spring-web-6-0-7-sources-
jar/org/springframework/http/codec/cbor/Jackson2CborEncoder.java
* /opt/cola/permits/1622818273_1680247367.6168814/0/spring-web-6-0-7-sources-
jar/org/springframework/http/server/ServerHttpRequest.java
* /opt/cola/permits/1622818273_1680247367.6168814/0/spring-web-6-0-7-sources-
jar/org/springframework/web/client/HttpClientErrorException.java
* /opt/cola/permits/1622818273_1680247367.6168814/0/spring-web-6-0-7-sources-
jar/org/springframework/http/codec/xml/JaxbContextContainer.java
* /opt/cola/permits/1622818273_1680247367.6168814/0/spring-web-6-0-7-sources-
jar/org/springframework/http/client/ClientHttpRequestInitializer.java
No license file was found, but licenses were detected in source scan.

```

```

# This file maps Internet media types to unique file extension(s).
# Although created for httpd, this file is used by many software systems
# and has been placed in the public domain for unlimited redistribution.
#
# The table below contains both registered and (common) unregistered types.
# A type that has no unique extension can be ignored -- they are listed
# here to guide configurations toward known types and to make it easier to
# identify "new" types. File extensions are also commonly used to indicate
# content languages and encodings, so choose them carefully.
#
# Internet media types should be registered as described in RFC 4288.
# The registry is at <https://www.iana.org/assignments/media-types/>.
#
# This file was retrieved from
https://svn.apache.org/viewvc/httpd/httpd/trunk/docs/conf/mime.types?revision=1752884&view=co
#
# MIME type (lowercased) Extensions
# =====
# application/1d-interleaved-parityfec
# application/3gpdash-qoe-report+xml
# application/3gpp-ims+xml

```

# application/a2l  
# application/activemessage  
# application/alto-costmap+json  
# application/alto-costmapfilter+json  
# application/alto-directory+json  
# application/alto-endpointcost+json  
# application/alto-endpointcostparams+json  
# application/alto-endpointprop+json  
# application/alto-endpointpropparams+json  
# application/alto-error+json  
# application/alto-networkmap+json  
# application/alto-networkmapfilter+json  
# application/aml  
application/andrew-inset ez  
# application/applefile  
application/applixware aw  
# application/atf  
# application/atfx  
application/atom+xml atom  
application/atomcat+xml atomcat  
# application/atomdeleted+xml  
# application/atomicmail  
application/atomsvc+xml atomsvc  
# application/atxml  
# application/auth-policy+xml  
# application/bacnet-xdd+zip  
# application/batch-smtp  
# application/beep+xml  
# application/calendar+json  
# application/calendar+xml  
# application/call-completion  
# application/cals-1840  
# application/cbor  
# application/ccmp+xml  
application/ccxml+xml ccxml  
# application/cdfx+xml  
application/cdmi-capability cdmia  
application/cdmi-container cdmic  
application/cdmi-domain cdmid  
application/cdmi-object cdmio  
application/cdmi-queue cdmiq  
# application/cdni  
# application/cea  
# application/cea-2018+xml  
# application/cellml+xml  
# application/cfw  
# application/cms  
# application/cnrp+xml

# application/coap-group+json  
# application/commonground  
# application/conference-info+xml  
# application/cpl+xml  
# application/csrattrs  
# application/csta+xml  
# application/cstadata+xml  
# application/csvm+json  
application/cu-seeme cu  
# application/cybercash  
# application/dash+xml  
# application/dashdelta  
application/davmount+xml davmount  
# application/dca-rft  
# application/dcd  
# application/dec-dx  
# application/dialog-info+xml  
# application/dicom  
# application/dii  
# application/dit  
# application/dns  
application/docbook+xml dbk  
# application/dskpp+xml  
application/dssc+der dssc  
application/dssc+xml xdssc  
# application/dvcs  
application/ecmascript ecma  
# application/edi-consent  
# application/edi-x12  
# application/edifact  
# application/efi  
# application/emergencycalldata.comment+xml  
# application/emergencycalldata.deviceinfo+xml  
# application/emergencycalldata.providerinfo+xml  
# application/emergencycalldata.serviceinfo+xml  
# application/emergencycalldata.subscriberinfo+xml  
application/emma+xml emma  
# application/emotionml+xml  
# application/encaprtp  
# application/epp+xml  
application/epub+zip epub  
# application/eshop  
# application/example  
application/exi exi  
# application/fastinfoset  
# application/fastsoap  
# application/fdt+xml  
# application/fits

# application/font-sfnt  
application/font-tdpfr pfr  
application/font-woff woff  
# application/framework-attributes+xml  
# application/geo+json  
application/gml+xml gml  
application/gpx+xml gpx  
application/gxf gxf  
# application/gzip  
# application/h224  
# application/held+xml  
# application/http  
application/hyperstudio stk  
# application/ibe-key-request+xml  
# application/ibe-pkg-reply+xml  
# application/ibe-pp-data  
# application/iges  
# application/im-iscomposing+xml  
# application/index  
# application/index.cmd  
# application/index.obj  
# application/index.response  
# application/index.vnd  
application/inkml+xml ink inkml  
# application/iotp  
application/ipfix ipfix  
# application/ipp  
# application/isup  
# application/its+xml  
application/java-archive jar  
application/java-serialized-object ser  
application/java-vm class  
application/javascript js  
# application/jose  
# application/jose+json  
# application/jrd+json  
application/json json  
# application/json-patch+json  
# application/json-seq  
application/jsonml+json jsonml  
# application/jwk+json  
# application/jwk-set+json  
# application/jwt  
# application/kpml-request+xml  
# application/kpml-response+xml  
# application/ld+json  
# application/lgr+xml  
# application/link-format

# application/load-control+xml  
application/lost+xml lostxml  
# application/lostsync+xml  
# application/lxf  
application/mac-binhex40 hqx  
application/mac-compactpro cpt  
# application/macwriteii  
application/mads+xml mads  
application/marc mrc  
application/marcxml+xml mrcx  
application/mathematica ma nb mb  
application/mathml+xml mathml  
# application/mathml-content+xml  
# application/mathml-presentation+xml  
# application/mbms-associated-procedure-description+xml  
# application/mbms-deregister+xml  
# application/mbms-envelope+xml  
# application/mbms-msk+xml  
# application/mbms-msk-response+xml  
# application/mbms-protection-description+xml  
# application/mbms-reception-report+xml  
# application/mbms-register+xml  
# application/mbms-register-response+xml  
# application/mbms-schedule+xml  
# application/mbms-user-service-description+xml  
application/mbox mbox  
# application/media-policy-dataset+xml  
# application/media\_control+xml  
application/mediaservercontrol+xml mscml  
# application/merge-patch+json  
application/metalink+xml metalink  
application/metalink4+xml meta4  
application/mets+xml mets  
# application/mf4  
# application/mikey  
application/mods+xml mods  
# application/moss-keys  
# application/moss-signature  
# application/mosskey-data  
# application/mosskey-request  
application/mp21 m21 mp21  
application/mp4 mp4s  
# application/mpeg4-generic  
# application/mpeg4-iod  
# application/mpeg4-iod-xmt  
# application/mrb-consumer+xml  
# application/mrb-publish+xml  
# application/msc-ivr+xml



# application/msc-mixer+xml  
application/msword doc dot  
application/mxf mxf  
# application/nasdata  
# application/news-checkgroups  
# application/news-groupinfo  
# application/news-transmission  
# application/nlsml+xml  
# application/nss  
# application/ocsp-request  
# application/ocsp-response  
application/octet-stream bin dms lrf mar so dist distz pkg bpk dump elc deploy  
application/oda oda  
# application/odx  
application/oebps-package+xmlopf  
application/ogg ogx  
application/omdoc+xml omdoc  
application/onenote onetoc onetoc2 onetmp onepkg  
application/oxps oxps  
# application/p2p-overlay+xml  
# application/parityfec  
application/patch-ops-error+xml xer  
application/pdf pdf  
# application/pdx  
application/pgp-encrypted pgp  
# application/pgp-keys  
application/pgp-signature asc sig  
application/pics-rules prf  
# application/pidf+xml  
# application/pidf-diff+xml  
application/pkcs10 p10  
# application/pkcs12  
application/pkcs7-mime p7m p7c  
application/pkcs7-signature p7s  
application/pkcs8 p8  
application/pkix-attr-cert ac  
application/pkix-cert cer  
application/pkix-crl crl  
application/pkix-pkipath pkipath  
application/pkixcmp pki  
application/pls+xml pls  
# application/poc-settings+xml  
application/postscript ai eps ps  
# application/ppsp-tracker+json  
# application/problem+json  
# application/problem+xml  
# application/provenance+xml  
# application/prs.alvestrand.titrax-sheet

application/prs.cww cww  
# application/prs.hpub+zip  
# application/prs.nprend  
# application/prs.plucker  
# application/prs.rdf+xml-crypt  
# application/prs.xsf+xml  
application/pskc+xml pskcxml  
# application/qsig  
# application/raptorfec  
# application/rdap+json  
application/rdf+xml rdf  
application/reginfo+xml rif  
application/relax-ng-compact-syntax rnc  
# application/remote-printing  
# application/reputon+json  
application/resource-lists+xml rl  
application/resource-lists-diff+xml rld  
# application/rfc+xml  
# application/riscos  
# application/rlmi+xml  
application/rls-services+xml rs  
application/rpki-ghostbusters gbr  
application/rpki-manifest mft  
application/rpki-roa roa  
# application/rpki-updown  
application/rsd+xml rsd  
application/rss+xml rss  
application/rtf rtf  
# application/rtploopback  
# application/rtx  
# application/samlassertion+xml  
# application/samlmetadata+xml  
application/sbml+xml sbml  
# application/scaip+xml  
# application/scim+json  
application/scvp-cv-request scq  
application/scvp-cv-response scs  
application/scvp-vp-request spq  
application/scvp-vp-response spp  
application/sdp sdp  
# application/sep+xml  
# application/sep-exi  
# application/session-info  
# application/set-payment  
application/set-payment-initiation setpay  
# application/set-registration  
application/set-registration-initiation setreg  
# application/sgml

# application/sgml-open-catalog  
application/shf+xml shf  
# application/sieve  
# application/simple-filter+xml  
# application/simple-message-summary  
# application/simplesymbolcontainer  
# application/slate  
# application/smil  
application/smil+xml smi smil  
# application/smpte336m  
# application/soap+fastinfoset  
# application/soap+xml  
application/sparql-query rq  
application/sparql-results+xml srx  
# application/spirits-event+xml  
# application/sql  
application/srgs gram  
application/srgs+xml grxml  
application/sru+xml sru  
application/ssdl+xml ssdl  
application/ssml+xml ssml  
# application/tamp-apex-update  
# application/tamp-apex-update-confirm  
# application/tamp-community-update  
# application/tamp-community-update-confirm  
# application/tamp-error  
# application/tamp-sequence-adjust  
# application/tamp-sequence-adjust-confirm  
# application/tamp-status-query  
# application/tamp-status-response  
# application/tamp-update  
# application/tamp-update-confirm  
application/tei+xml tei teicorpus  
application/thraud+xml tfi  
# application/timestamp-query  
# application/timestamp-reply  
application/timestamped-data tsd  
# application/ttml+xml  
# application/tve-trigger  
# application/ulpfec  
# application/urc-grpsheet+xml  
# application/urc-ressheet+xml  
# application/urc-targetdesc+xml  
# application/urc-uisocketdesc+xml  
# application/vcard+json  
# application/vcard+xml  
# application/vemmi  
# application/vividence.scriptfile

# application/vnd.3gpp-prose+xml  
# application/vnd.3gpp-prose-pc3ch+xml  
# application/vnd.3gpp.access-transfer-events+xml  
# application/vnd.3gpp.bsf+xml  
# application/vnd.3gpp.mid-call+xml  
application/vnd.3gpp.pic-bw-large plb  
application/vnd.3gpp.pic-bw-small psb  
application/vnd.3gpp.pic-bw-var pvb  
# application/vnd.3gpp.sms  
# application/vnd.3gpp.sms+xml  
# application/vnd.3gpp.srvcc-ext+xml  
# application/vnd.3gpp.srvcc-info+xml  
# application/vnd.3gpp.state-and-event-info+xml  
# application/vnd.3gpp.ussd+xml  
# application/vnd.3gpp2.bcmcsinfo+xml  
# application/vnd.3gpp2.sms  
application/vnd.3gpp2.tcap tcap  
# application/vnd.3lightssoftware.imagescal  
application/vnd.3m.post-it-notes pwn  
application/vnd.accpac.simply.aso aso  
application/vnd.accpac.simply.imp imp  
application/vnd.acucobol acu  
application/vnd.acucorp atc acutc  
application/vnd.adobe.air-application-installer-package+zip air  
# application/vnd.adobe.flash.movie  
application/vnd.adobe.formscentral.fcdt fcdt  
application/vnd.adobe.fxp fxp fxpl  
# application/vnd.adobe.partial-upload  
application/vnd.adobe.xdp+xml xdp  
application/vnd.adobe.xfdf xfdf  
# application/vnd.aether.imp  
# application/vnd.ah-barcode  
application/vnd.ahead.space ahead  
application/vnd.airzip.filesecure.azf azf  
application/vnd.airzip.filesecure.azs azs  
application/vnd.amazon.ebook azw  
# application/vnd.amazon.mobi8-ebook  
application/vnd.americandynamics.acc acc  
application/vnd.amiga.ami ami  
# application/vnd.amundsen.maze+xml  
application/vnd.android.package-archive apk  
# application/vnd.anki  
application/vnd.anser-web-certificate-issue-initiation cii  
application/vnd.anser-web-funds-transfer-initiation fti  
application/vnd.antix.game-component atx  
# application/vnd.apache.thrift.binary  
# application/vnd.apache.thrift.compact  
# application/vnd.apache.thrift.json

# application/vnd.api+json  
application/vnd.apple.installer+xml mpkg  
application/vnd.apple.mpegurl m3u8  
# application/vnd.arastra.swi  
application/vnd.aristanetworks.swi swi  
# application/vnd.artsquare  
application/vnd.astraea-software.iota iota  
application/vnd.audiograph aep  
# application/vnd.autopackage  
# application/vnd.avistar+xml  
# application/vnd.balsamiq.bmml+xml  
# application/vnd.balsamiq.bmpr  
# application/vnd.bekitzur-stech+json  
# application/vnd.biopax.rdf+xml  
application/vnd.blueice.multipass mpm  
# application/vnd.bluetooth.ep.oob  
# application/vnd.bluetooth.le.oob  
application/vnd.bmi bmi  
application/vnd.businessobjects rep  
# application/vnd.cab-jscript  
# application/vnd.canon-cpdl  
# application/vnd.canon-lips  
# application/vnd.cendio.thinlinc.clientconf  
# application/vnd.century-systems.tcp\_stream  
application/vnd.chemdraw+xml cdxml  
# application/vnd.chess-pgn  
application/vnd.chipnuts.karaoke-mmd mmd  
application/vnd.cinderella cdy  
# application/vnd.cirpack.isdn-ext  
# application/vnd.citationstyles.style+xml  
application/vnd.claymore cla  
application/vnd.cloanto.rp9 rp9  
application/vnd.clonk.c4group c4g c4d c4f c4p c4u  
application/vnd.cluetrust.cartomobile-config c11amc  
application/vnd.cluetrust.cartomobile-config-pkg c11amz  
# application/vnd.coffeescript  
# application/vnd.collection+json  
# application/vnd.collection.doc+json  
# application/vnd.collection.next+json  
# application/vnd.comicbook+zip  
# application/vnd.commerce-battelle  
application/vnd.commonspace csp  
application/vnd.contact.cmsg cdbcmsg  
# application/vnd.coreos.ignition+json  
application/vnd.cosmocaller cmc  
application/vnd.crick.clicker clkx  
application/vnd.crick.clicker.keyboard clkk  
application/vnd.crick.clicker.palette clkp

application/vnd.crick.clicker.template clkt  
application/vnd.crick.clicker.wordbank clkw  
application/vnd.criticaltools.wbs+xml wbs  
application/vnd.ctc-posml pml  
# application/vnd.ctct.ws+xml  
# application/vnd.cups-pdf  
# application/vnd.cups-postscript  
application/vnd.cups-ppd ppd  
# application/vnd.cups-raster  
# application/vnd.cups-raw  
# application/vnd.curl  
application/vnd.curl.car car  
application/vnd.curl.pcurl pcurl  
# application/vnd.cyan.dean.root+xml  
# application/vnd.cybank  
application/vnd.dart dart  
application/vnd.data-vision.rdz rdz  
# application/vnd.debian.binary-package  
application/vnd.dece.data uvf uvvf uvd uvvd  
application/vnd.dece.ttml+xml uvt uvvt  
application/vnd.dece.unspecified uvx uvvx  
application/vnd.dece.zip uvz uvvz  
application/vnd.denovo.fcselayout-link fe\_launch  
# application/vnd.desmume.movie  
# application/vnd.dir-bi.plate-dl-nosuffix  
# application/vnd.dm.delegation+xml  
application/vnd.dna dna  
# application/vnd.document+json  
application/vnd.dolby.mlp mlp  
# application/vnd.dolby.mobile.1  
# application/vnd.dolby.mobile.2  
# application/vnd.doremir.scorecloud-binary-document  
application/vnd.dpgraph dpgraph  
application/vnd.dreamfactory dfac  
# application/vnd.drive+json  
application/vnd.ds-keypoint kpxx  
# application/vnd.dtg.local  
# application/vnd.dtg.local.flash  
# application/vnd.dtg.local.html  
application/vnd.dvb.ait ait  
# application/vnd.dvb.dvbj  
# application/vnd.dvb.esgcontainer  
# application/vnd.dvb.ipdcdfnotifaccess  
# application/vnd.dvb.ipdcesgaccess  
# application/vnd.dvb.ipdcesgaccess2  
# application/vnd.dvb.ipdcesgpdd  
# application/vnd.dvb.ipdcroaming  
# application/vnd.dvb.iptv.alfec-base

# application/vnd.dvb.iptv.alfec-enhancement  
# application/vnd.dvb.notif-aggregate-root+xml  
# application/vnd.dvb.notif-container+xml  
# application/vnd.dvb.notif-generic+xml  
# application/vnd.dvb.notif-ia-msglist+xml  
# application/vnd.dvb.notif-ia-registration-request+xml  
# application/vnd.dvb.notif-ia-registration-response+xml  
# application/vnd.dvb.notif-init+xml  
# application/vnd.dvb.pfr  
application/vnd.dvb.service svc  
# application/vnd.dxr  
application/vnd.dynageo geo  
# application/vnd.dzr  
# application/vnd.easykaraoke.cdgdownload  
# application/vnd.ecdis-update  
application/vnd.ecowin.chart mag  
# application/vnd.ecowin.filerequest  
# application/vnd.ecowin.fileupdate  
# application/vnd.ecowin.series  
# application/vnd.ecowin.seriesrequest  
# application/vnd.ecowin.seriesupdate  
# application/vnd.emclient.accessrequest+xml  
application/vnd.enliven nml  
# application/vnd.enphase.envoy  
# application/vnd.eprints.data+xml  
application/vnd.epson.esf esf  
application/vnd.epson.msf msf  
application/vnd.epson.quickanime qam  
application/vnd.epson.salt slt  
application/vnd.epson.ssf ssf  
# application/vnd.ericsson.quickcall  
application/vnd.eszigno3+xml es3 et3  
# application/vnd.etsi.aoc+xml  
# application/vnd.etsi.asic-e+zip  
# application/vnd.etsi.asic-s+zip  
# application/vnd.etsi.cug+xml  
# application/vnd.etsi.iptvcommand+xml  
# application/vnd.etsi.iptvdiscovery+xml  
# application/vnd.etsi.iptvprofile+xml  
# application/vnd.etsi.iptvsad-bc+xml  
# application/vnd.etsi.iptvsad-cod+xml  
# application/vnd.etsi.iptvsad-npvr+xml  
# application/vnd.etsi.iptvservice+xml  
# application/vnd.etsi.iptvsync+xml  
# application/vnd.etsi.iptvueprofile+xml  
# application/vnd.etsi.mcid+xml  
# application/vnd.etsi.mheg5  
# application/vnd.etsi.overload-control-policy-dataset+xml

# application/vnd.etsi.pstn+xml  
# application/vnd.etsi.sci+xml  
# application/vnd.etsi.simservs+xml  
# application/vnd.etsi.timestamp-token  
# application/vnd.etsi.tsl+xml  
# application/vnd.etsi.tsl.der  
# application/vnd.eudora.data  
application/vnd.ezpix-album ez2  
application/vnd.ezpix-package ez3  
# application/vnd.f-secure.mobile  
# application/vnd.fastcopy-disk-image  
application/vnd.fdf fdf  
application/vnd.fdsn.mseed mseed  
application/vnd.fdsn.seed seed dataless  
# application/vnd.ffmpeg  
# application/vnd.filmit.zfc  
# application/vnd.fints  
# application/vnd.firemonkeys.cloudcell  
application/vnd.flographit gph  
application/vnd.fluxtime.clip ftc  
# application/vnd.font-fontforge-sfd  
application/vnd.frameMaker fm frame maker book  
application/vnd.frogans.fnc fnc  
application/vnd.frogans.ltf ltf  
application/vnd.fsc.weblaunch fsc  
application/vnd.fujitsu.oasys oas  
application/vnd.fujitsu.oasys2 oa2  
application/vnd.fujitsu.oasys3 oa3  
application/vnd.fujitsu.oasysgp fg5  
application/vnd.fujitsu.oasysprs bh2  
# application/vnd.fujixerox.art-ex  
# application/vnd.fujixerox.art4  
application/vnd.fujixerox.ddd ddd  
application/vnd.fujixerox.docuworks xdw  
application/vnd.fujixerox.docuworks.binder xbd  
# application/vnd.fujixerox.docuworks.container  
# application/vnd.fujixerox.hbpl  
# application/vnd.fut-misnet  
application/vnd.fuzzysheet fzs  
application/vnd.genomatix.tuxedo txd  
# application/vnd.geo+json  
# application/vnd.geocube+xml  
application/vnd.geogebra.file ggb  
application/vnd.geogebra.tool ggt  
application/vnd.geometry-explorer gex gre  
application/vnd.geonext gxt  
application/vnd.geoplan g2w  
application/vnd.geospace g3w



# application/vnd.gerber  
# application/vnd.globalplatform.card-content-mgt  
# application/vnd.globalplatform.card-content-mgt-response  
application/vnd.gmx gmx  
application/vnd.google-earth.kml+xml kml  
application/vnd.google-earth.kmz kmz  
# application/vnd.gov.sk.e-form+xml  
# application/vnd.gov.sk.e-form+zip  
# application/vnd.gov.sk.xmldatacontainer+xml  
application/vnd.grafeq gqf gqs  
# application/vnd.gridmp  
application/vnd.groove-account gac  
application/vnd.groove-help ghf  
application/vnd.groove-identity-message gim  
application/vnd.groove-injector grv  
application/vnd.groove-tool-message gtm  
application/vnd.groove-tool-template tpl  
application/vnd.groove-vcard vcg  
# application/vnd.hal+json  
application/vnd.hal+xml hal  
application/vnd.handheld-entertainment+xml zmm  
application/vnd.hbci hbci  
# application/vnd.hcl-bireports  
# application/vnd.hdt  
# application/vnd.heroku+json  
application/vnd.hhe.lesson-player les  
application/vnd.hp-hpgl hpgl  
application/vnd.hp-hpid hpid  
application/vnd.hp-hps hps  
application/vnd.hp-jlyt jlt  
application/vnd.hp-pcl pcl  
application/vnd.hp-pclxl pclxl  
# application/vnd.httpphone  
application/vnd.hydrostatix.sof-data sfd-hdstx  
# application/vnd.hyperdrive+json  
# application/vnd.hzn-3d-crossword  
# application/vnd.ibm.afplinedata  
# application/vnd.ibm.electronic-media  
application/vnd.ibm.minipay mpy  
application/vnd.ibm.modcap afp listafp list3820  
application/vnd.ibm.rights-management irm  
application/vnd.ibm.secure-container sc  
application/vnd.iccprofile icc icm  
# application/vnd.ieee.1905  
application/vnd.iglloader igl  
application/vnd.immervision-ivp ivp  
application/vnd.immervision-ivu ivu  
# application/vnd.ims.imsccv1p1

# application/vnd.ims.imsccv1p2  
# application/vnd.ims.imsccv1p3  
# application/vnd.ims.lis.v2.result+json  
# application/vnd.ims.lti.v2.toolconsumerprofile+json  
# application/vnd.ims.lti.v2.toolproxy+json  
# application/vnd.ims.lti.v2.toolproxy.id+json  
# application/vnd.ims.lti.v2.toolsettings+json  
# application/vnd.ims.lti.v2.toolsettings.simple+json  
# application/vnd.informedcontrol.rms+xml  
# application/vnd.informix-visionary  
# application/vnd.infotech.project  
# application/vnd.infotech.project+xml  
# application/vnd.innopath.wamp.notification  
application/vnd.insors.igm igm  
application/vnd.intercon.formnet xpw xpx  
application/vnd.intergeo i2g  
# application/vnd.intertrust.digibox  
# application/vnd.intertrust.nncp  
application/vnd.intu.qbo qbo  
application/vnd.intu.qfx qfx  
# application/vnd.iptc.g2.catalogitem+xml  
# application/vnd.iptc.g2.conceptitem+xml  
# application/vnd.iptc.g2.knowledgeitem+xml  
# application/vnd.iptc.g2.newsitem+xml  
# application/vnd.iptc.g2.newsmesssage+xml  
# application/vnd.iptc.g2.packageitem+xml  
# application/vnd.iptc.g2.planningitem+xml  
application/vnd.ipunplugged.rcprofile rcprofile  
application/vnd.irepository.package+xml irp  
application/vnd.is-xpr xpr  
application/vnd.isac.fcs fcs  
application/vnd.jam jam  
# application/vnd.japannet-directory-service  
# application/vnd.japannet-jpnstore-wakeup  
# application/vnd.japannet-payment-wakeup  
# application/vnd.japannet-registration  
# application/vnd.japannet-registration-wakeup  
# application/vnd.japannet-setstore-wakeup  
# application/vnd.japannet-verification  
# application/vnd.japannet-verification-wakeup  
application/vnd.jcp.javame.midlet-rms rms  
application/vnd.jisp jisp  
application/vnd.joost.joda-archive joda  
# application/vnd.jsk.isdn-ngn  
application/vnd.kahootz ktz ktr  
application/vnd.kde.karbon karbon  
application/vnd.kde.kchart chrt  
application/vnd.kde.kformula kfo

application/vnd.kde.kivio flw  
application/vnd.kde.kontour kon  
application/vnd.kde.kpresenter kpr kpt  
application/vnd.kde.kspread ksp  
application/vnd.kde.kword kwd kwt  
application/vnd.kenameaapp htke  
application/vnd.kidspiration kia  
application/vnd.kinar kne knp  
application/vnd.koan skp skd skt skm  
application/vnd.kodak-descriptor sse  
application/vnd.las.las+xml lasxml  
# application/vnd.liberty-request+xml  
application/vnd.llamagraphics.life-balance.desktop lbd  
application/vnd.llamagraphics.life-balance.exchange+xml lbe  
application/vnd.lotus-1-2-3 123  
application/vnd.lotus-approach apr  
application/vnd.lotus-freelance pre  
application/vnd.lotus-notes nsf  
application/vnd.lotus-organizer org  
application/vnd.lotus-screencam scm  
application/vnd.lotus-wordpro lwp  
application/vnd.macports.portpkg portpkg  
# application/vnd.mapbox-vector-tile  
# application/vnd.marlin.drm.actiontoken+xml  
# application/vnd.marlin.drm.conftoken+xml  
# application/vnd.marlin.drm.license+xml  
# application/vnd.marlin.drm.mdcf  
# application/vnd.mason+json  
# application/vnd.maxmind.maxmind-db  
application/vnd.mcd mcd  
application/vnd.medcalldata mc1  
application/vnd.mediation.cdkey cdkey  
# application/vnd.meridian-slideshow  
application/vnd.mfer mwf  
application/vnd.mfmp mfm  
# application/vnd.micro+json  
application/vnd.micrografx.flo flo  
application/vnd.micrografx.igx igx  
# application/vnd.microsoft.portable-executable  
# application/vnd.miele+json  
application/vnd.mif mif  
# application/vnd.minisoft-hp3000-save  
# application/vnd.mitsubishi.misty-guard.trustweb  
application/vnd.mobius.daf daf  
application/vnd.mobius.dis dis  
application/vnd.mobius.mbk mbk  
application/vnd.mobius.mqy mqy  
application/vnd.mobius.msl msl

application/vnd.mobius.plc plc  
application/vnd.mobius.txf txf  
application/vnd.mophun.application mpn  
application/vnd.mophun.certificate mpc  
# application/vnd.motorola.flexsuite  
# application/vnd.motorola.flexsuite.adsi  
# application/vnd.motorola.flexsuite.fis  
# application/vnd.motorola.flexsuite.gotap  
# application/vnd.motorola.flexsuite.kmr  
# application/vnd.motorola.flexsuite.ttc  
# application/vnd.motorola.flexsuite.wem  
# application/vnd.motorola.iprm  
application/vnd.mozilla.xul+xml xul  
# application/vnd.ms-3mfdocument  
application/vnd.ms-artgalry cil  
# application/vnd.ms-asf  
application/vnd.ms-cab-compressed cab  
# application/vnd.ms-color.iccprofile  
application/vnd.ms-excel xls xlm xla xlc xlt xlw  
application/vnd.ms-excel.addin.macroenabled.12 xlam  
application/vnd.ms-excel.sheet.binary.macroenabled.12 xlsb  
application/vnd.ms-excel.sheet.macroenabled.12 xlsx  
application/vnd.ms-excel.template.macroenabled.12 xltm  
application/vnd.ms-fontobject eot  
application/vnd.ms-htmlhelp chm  
application/vnd.ms-ims ims  
application/vnd.ms-lrm lrm  
# application/vnd.ms-office.activex+xml  
application/vnd.ms-officetheme thmx  
# application/vnd.ms-opentype  
# application/vnd.ms-package.obfuscated-opentype  
application/vnd.ms-pki.seccat cat  
application/vnd.ms-pki.stl stl  
# application/vnd.ms-playready.initiator+xml  
application/vnd.ms-powerpoint ppt pps pot  
application/vnd.ms-powerpoint.addin.macroenabled.12 ppam  
application/vnd.ms-powerpoint.presentation.macroenabled.12 pptm  
application/vnd.ms-powerpoint.slide.macroenabled.12 sldm  
application/vnd.ms-powerpoint.slideshow.macroenabled.12 ppsm  
application/vnd.ms-powerpoint.template.macroenabled.12 potm  
# application/vnd.ms-printdevicecapabilities+xml  
# application/vnd.ms-printing.printticket+xml  
# application/vnd.ms-printschematicket+xml  
application/vnd.ms-project mpp mpt  
# application/vnd.ms-tnef  
# application/vnd.ms-windows.devicepairing  
# application/vnd.ms-windows.nwprinting.oob  
# application/vnd.ms-windows.printerpairing

# application/vnd.ms-windows.wsd.oob  
# application/vnd.ms-wmdrm.lic-chlg-req  
# application/vnd.ms-wmdrm.lic-resp  
# application/vnd.ms-wmdrm.meter-chlg-req  
# application/vnd.ms-wmdrm.meter-resp  
application/vnd.ms-word.document.macroenabled.12 docm  
application/vnd.ms-word.template.macroenabled.12 dotm  
application/vnd.ms-works wps wks wcm wdb  
application/vnd.ms-wpl wpl  
application/vnd.ms-xpsdocument xps  
# application/vnd.msa-disk-image  
application/vnd.mseq mseq  
# application/vnd.msign  
# application/vnd.multiad.creator  
# application/vnd.multiad.creator.cif  
# application/vnd.music-niff  
application/vnd.musician mus  
application/vnd.muvee.style msty  
application/vnd.mynfc taglet  
# application/vnd.ncd.control  
# application/vnd.ncd.reference  
# application/vnd.nervana  
# application/vnd.netfpx  
application/vnd.neurolanguage.nlu nlu  
# application/vnd.nintendo.nitro.rom  
# application/vnd.nintendo.snes.rom  
application/vnd.nitf nitf nitf  
application/vnd.noblenet-directory nnd  
application/vnd.noblenet-sealer nns  
application/vnd.noblenet-web nnw  
# application/vnd.nokia.catalogs  
# application/vnd.nokia.conml+wxml  
# application/vnd.nokia.conml+xml  
# application/vnd.nokia.ipvtv.config+xml  
# application/vnd.nokia.isds-radio-presets  
# application/vnd.nokia.landmark+wxml  
# application/vnd.nokia.landmark+xml  
# application/vnd.nokia.landmarkcollection+xml  
# application/vnd.nokia.n-gage.ac+xml  
application/vnd.nokia.n-gage.data ngdat  
application/vnd.nokia.n-gage.symbian.install n-gage  
# application/vnd.nokia.ncd  
# application/vnd.nokia.pcd+wxml  
# application/vnd.nokia.pcd+xml  
application/vnd.nokia.radio-preset rpst  
application/vnd.nokia.radio-presets rpss  
application/vnd.novadigm.edm edm  
application/vnd.novadigm.edx edx

application/vnd.novadigm.ext ext  
# application/vnd.ntt-local.content-share  
# application/vnd.ntt-local.file-transfer  
# application/vnd.ntt-local.ogw\_remote-access  
# application/vnd.ntt-local.sip-ta\_remote  
# application/vnd.ntt-local.sip-ta\_tcp\_stream  
application/vnd.oasis.opendocument.chart odc  
application/vnd.oasis.opendocument.chart-template otc  
application/vnd.oasis.opendocument.database odb  
application/vnd.oasis.opendocument.formula odf  
application/vnd.oasis.opendocument.formula-template odft  
application/vnd.oasis.opendocument.graphics odg  
application/vnd.oasis.opendocument.graphics-template otg  
application/vnd.oasis.opendocument.image odi  
application/vnd.oasis.opendocument.image-template oti  
application/vnd.oasis.opendocument.presentation odp  
application/vnd.oasis.opendocument.presentation-template otp  
application/vnd.oasis.opendocument.spreadsheet ods  
application/vnd.oasis.opendocument.spreadsheet-template ots  
application/vnd.oasis.opendocument.text odt  
application/vnd.oasis.opendocument.text-master odm  
application/vnd.oasis.opendocument.text-template ott  
application/vnd.oasis.opendocument.text-web oth  
# application/vnd.obn  
# application/vnd.ofn.110n+json  
# application/vnd.oipf.contentaccessdownload+xml  
# application/vnd.oipf.contentaccessstreaming+xml  
# application/vnd.oipf.cspg-hexbinary  
# application/vnd.oipf.dae.svg+xml  
# application/vnd.oipf.dae.xhtml+xml  
# application/vnd.oipf.mippvcontrolmessage+xml  
# application/vnd.oipf.pae.gem  
# application/vnd.oipf.spdiscovery+xml  
# application/vnd.oipf.spdlist+xml  
# application/vnd.oipf.ueprofile+xml  
# application/vnd.oipf.userprofile+xml  
application/vnd.olpc-sugar xo  
# application/vnd.oma-scws-config  
# application/vnd.oma-scws-http-request  
# application/vnd.oma-scws-http-response  
# application/vnd.oma.bcast.associated-procedure-parameter+xml  
# application/vnd.oma.bcast.drm-trigger+xml  
# application/vnd.oma.bcast.imd+xml  
# application/vnd.oma.bcast.ltkm  
# application/vnd.oma.bcast.notification+xml  
# application/vnd.oma.bcast.provisioningtrigger  
# application/vnd.oma.bcast.sgboot  
# application/vnd.oma.bcast.sgdd+xml

# application/vnd.oma.bcast.sgdu  
# application/vnd.oma.bcast.simple-symbol-container  
# application/vnd.oma.bcast.smartcard-trigger+xml  
# application/vnd.oma.bcast.sprov+xml  
# application/vnd.oma.bcast.stkm  
# application/vnd.oma.cab-address-book+xml  
# application/vnd.oma.cab-feature-handler+xml  
# application/vnd.oma.cab-pcc+xml  
# application/vnd.oma.cab-sub-invite+xml  
# application/vnd.oma.cab-user-prefs+xml  
# application/vnd.oma.dcd  
# application/vnd.oma.dcdc  
application/vnd.oma.dd2+xml dd2  
# application/vnd.oma.drm.risd+xml  
# application/vnd.oma.group-usage-list+xml  
# application/vnd.oma.lwm2m+json  
# application/vnd.oma.lwm2m+tlv  
# application/vnd.oma.pal+xml  
# application/vnd.oma.poc.detailed-progress-report+xml  
# application/vnd.oma.poc.final-report+xml  
# application/vnd.oma.poc.groups+xml  
# application/vnd.oma.poc.invocation-descriptor+xml  
# application/vnd.oma.poc.optimized-progress-report+xml  
# application/vnd.oma.push  
# application/vnd.oma.scidm.messages+xml  
# application/vnd.oma.xcap-directory+xml  
# application/vnd.omads-email+xml  
# application/vnd.omads-file+xml  
# application/vnd.omads-folder+xml  
# application/vnd.omaloc-supl-init  
# application/vnd.onepager  
# application/vnd.openblox.game+xml  
# application/vnd.openblox.game-binary  
# application/vnd.openeye.oeb  
application/vnd.openofficeorg.extension oxt  
# application/vnd.openxmlformats-officedocument.custom-properties+xml  
# application/vnd.openxmlformats-officedocument.customxmlproperties+xml  
# application/vnd.openxmlformats-officedocument.drawing+xml  
# application/vnd.openxmlformats-officedocument.drawingml.chart+xml  
# application/vnd.openxmlformats-officedocument.drawingml.chartshapes+xml  
# application/vnd.openxmlformats-officedocument.drawingml.diagramcolors+xml  
# application/vnd.openxmlformats-officedocument.drawingml.diagramdata+xml  
# application/vnd.openxmlformats-officedocument.drawingml.diagramlayout+xml  
# application/vnd.openxmlformats-officedocument.drawingml.diagramstyle+xml  
# application/vnd.openxmlformats-officedocument.extended-properties+xml  
# application/vnd.openxmlformats-officedocument.presentationml.commentauthors+xml  
# application/vnd.openxmlformats-officedocument.presentationml.comments+xml  
# application/vnd.openxmlformats-officedocument.presentationml.handoutmaster+xml

# application/vnd.openxmlformats-officedocument.presentationml.notesmaster+xml  
# application/vnd.openxmlformats-officedocument.presentationml.noteslide+xml  
application/vnd.openxmlformats-officedocument.presentationml.presentation pptx  
# application/vnd.openxmlformats-officedocument.presentationml.presentation.main+xml  
# application/vnd.openxmlformats-officedocument.presentationml.presprops+xml  
application/vnd.openxmlformats-officedocument.presentationml.slide sldx  
# application/vnd.openxmlformats-officedocument.presentationml.slide+xml  
# application/vnd.openxmlformats-officedocument.presentationml.slidelayout+xml  
# application/vnd.openxmlformats-officedocument.presentationml.slidemaster+xml  
application/vnd.openxmlformats-officedocument.presentationml.slideshow ppsx  
# application/vnd.openxmlformats-officedocument.presentationml.slideshow.main+xml  
# application/vnd.openxmlformats-officedocument.presentationml.slideupdateinfo+xml  
# application/vnd.openxmlformats-officedocument.presentationml.tablestyles+xml  
# application/vnd.openxmlformats-officedocument.presentationml.tags+xml  
application/vnd.openxmlformats-officedocument.presentationml.template potx  
# application/vnd.openxmlformats-officedocument.presentationml.template.main+xml  
# application/vnd.openxmlformats-officedocument.presentationml.viewprops+xml  
# application/vnd.openxmlformats-officedocument.spreadsheetml.calcchain+xml  
# application/vnd.openxmlformats-officedocument.spreadsheetml.chartsheet+xml  
# application/vnd.openxmlformats-officedocument.spreadsheetml.comments+xml  
# application/vnd.openxmlformats-officedocument.spreadsheetml.connections+xml  
# application/vnd.openxmlformats-officedocument.spreadsheetml.dialogsheet+xml  
# application/vnd.openxmlformats-officedocument.spreadsheetml.externallink+xml  
# application/vnd.openxmlformats-officedocument.spreadsheetml.pivotcachedefinition+xml  
# application/vnd.openxmlformats-officedocument.spreadsheetml.pivotcacherecords+xml  
# application/vnd.openxmlformats-officedocument.spreadsheetml.pivottable+xml  
# application/vnd.openxmlformats-officedocument.spreadsheetml.querytable+xml  
# application/vnd.openxmlformats-officedocument.spreadsheetml.revisionheaders+xml  
# application/vnd.openxmlformats-officedocument.spreadsheetml.revisionlog+xml  
# application/vnd.openxmlformats-officedocument.spreadsheetml.sharedstrings+xml  
application/vnd.openxmlformats-officedocument.spreadsheetml.sheet.xlsx  
# application/vnd.openxmlformats-officedocument.spreadsheetml.sheet.main+xml  
# application/vnd.openxmlformats-officedocument.spreadsheetml.sheetmetadata+xml  
# application/vnd.openxmlformats-officedocument.spreadsheetml.styles+xml  
# application/vnd.openxmlformats-officedocument.spreadsheetml.table+xml  
# application/vnd.openxmlformats-officedocument.spreadsheetml.tablesinglecells+xml  
application/vnd.openxmlformats-officedocument.spreadsheetml.template xltx  
# application/vnd.openxmlformats-officedocument.spreadsheetml.template.main+xml  
# application/vnd.openxmlformats-officedocument.spreadsheetml.usernames+xml  
# application/vnd.openxmlformats-officedocument.spreadsheetml.volatiledependencies+xml  
# application/vnd.openxmlformats-officedocument.spreadsheetml.worksheet+xml  
# application/vnd.openxmlformats-officedocument.theme+xml  
# application/vnd.openxmlformats-officedocument.themeoverride+xml  
# application/vnd.openxmlformats-officedocument.vmldrawing  
# application/vnd.openxmlformats-officedocument.wordprocessingml.comments+xml  
application/vnd.openxmlformats-officedocument.wordprocessingml.document docx  
# application/vnd.openxmlformats-officedocument.wordprocessingml.document.glossary+xml  
# application/vnd.openxmlformats-officedocument.wordprocessingml.document.main+xml



# application/vnd.openxmlformats-officedocument.wordprocessingml.endnotes+xml  
# application/vnd.openxmlformats-officedocument.wordprocessingml.fonttable+xml  
# application/vnd.openxmlformats-officedocument.wordprocessingml.footer+xml  
# application/vnd.openxmlformats-officedocument.wordprocessingml.footnotes+xml  
# application/vnd.openxmlformats-officedocument.wordprocessingml.numbering+xml  
# application/vnd.openxmlformats-officedocument.wordprocessingml.settings+xml  
# application/vnd.openxmlformats-officedocument.wordprocessingml.styles+xml  
application/vnd.openxmlformats-officedocument.wordprocessingml.template dotx  
# application/vnd.openxmlformats-officedocument.wordprocessingml.template.main+xml  
# application/vnd.openxmlformats-officedocument.wordprocessingml.websettings+xml  
# application/vnd.openxmlformats-package.core-properties+xml  
# application/vnd.openxmlformats-package.digital-signature-xmlsignature+xml  
# application/vnd.openxmlformats-package.relationships+xml  
# application/vnd.oracle.resource+json  
# application/vnd.orange.indata  
# application/vnd.osa.netdeploy  
application/vnd.osgeo.mapguide.package mgp  
# application/vnd.osgi.bundle  
application/vnd.osgi.dp dp  
application/vnd.osgi.subsystem esa  
# application/vnd.otps.ct-kip+xml  
# application/vnd.oxli.countgraph  
# application/vnd.pagerduty+json  
application/vnd.palm pdb pqa oprc  
# application/vnd.panoply  
# application/vnd.paos.xml  
application/vnd.pawafile paw  
# application/vnd.pcos  
application/vnd.pg.format str  
application/vnd.pg.asasli ei6  
# application/vnd.piaccess.application-licence  
application/vnd.picsel efif  
application/vnd.pmi.widget wg  
# application/vnd.poc.group-advertisement+xml  
application/vnd.pocketlearn plf  
application/vnd.powerbuilder6 pbd  
# application/vnd.powerbuilder6-s  
# application/vnd.powerbuilder7  
# application/vnd.powerbuilder7-s  
# application/vnd.powerbuilder75  
# application/vnd.powerbuilder75-s  
# application/vnd.preminet  
application/vnd.previewsystems.box box  
application/vnd.proteus.magazine mgz  
application/vnd.publishare-delta-tree qps  
application/vnd.pvi.ptid1 ptid  
# application/vnd.pwg-multiplexed  
# application/vnd.pwg-xml-print+xml

# application/vnd.qualcomm.brew-app-res  
# application/vnd.quarantainenet  
application/vnd.quark.quarkxpress qxd qxt qwd qwt qxl qxb  
# application/vnd.quobject-quoxdocument  
# application/vnd.radisys.moml+xml  
# application/vnd.radisys.msml+xml  
# application/vnd.radisys.msml-audit+xml  
# application/vnd.radisys.msml-audit-conf+xml  
# application/vnd.radisys.msml-audit-conn+xml  
# application/vnd.radisys.msml-audit-dialog+xml  
# application/vnd.radisys.msml-audit-stream+xml  
# application/vnd.radisys.msml-conf+xml  
# application/vnd.radisys.msml-dialog+xml  
# application/vnd.radisys.msml-dialog-base+xml  
# application/vnd.radisys.msml-dialog-fax-detect+xml  
# application/vnd.radisys.msml-dialog-fax-sendrecv+xml  
# application/vnd.radisys.msml-dialog-group+xml  
# application/vnd.radisys.msml-dialog-speech+xml  
# application/vnd.radisys.msml-dialog-transform+xml  
# application/vnd.rainstor.data  
# application/vnd.rapid  
# application/vnd.rar  
application/vnd.realvnc.bed bed  
application/vnd.recordare.musicxml mxl  
application/vnd.recordare.musicxml+xml musicxml  
# application/vnd.renlearn.rlprint  
application/vnd.rig.cryptonote cryptonote  
application/vnd.rim.cod cod  
application/vnd.rn-realmedia rm  
application/vnd.rn-realmedia-vbr rmvb  
application/vnd.route66.link66+xml link66  
# application/vnd.rs-274x  
# application/vnd.ruckus.download  
# application/vnd.s3sms  
application/vnd.sailingtracker.track st  
# application/vnd.sbm.cid  
# application/vnd.sbm.mid2  
# application/vnd.scribus  
# application/vnd.sealed.3df  
# application/vnd.sealed.csf  
# application/vnd.sealed.doc  
# application/vnd.sealed.eml  
# application/vnd.sealed.mht  
# application/vnd.sealed.net  
# application/vnd.sealed.ppt  
# application/vnd.sealed.tiff  
# application/vnd.sealed.xls  
# application/vnd.sealedmedia.softseal.html

# application/vnd.sealedmedia.softseal.pdf  
application/vnd.seemail see  
application/vnd.sema sema  
application/vnd.semd semd  
application/vnd.semf semf  
application/vnd.shana.informed.formdata ifm  
application/vnd.shana.informed.formtemplate itp  
application/vnd.shana.informed.interchange iif  
application/vnd.shana.informed.package ipk  
application/vnd.simtech-mindmapper twd twds  
# application/vnd.siren+json  
application/vnd.smaf mmf  
# application/vnd.smart.notebook  
application/vnd.smart.teacher teacher  
# application/vnd.software602.filler.form+xml  
# application/vnd.software602.filler.form+xml-zip  
application/vnd.solent.sdkm+xml sdkm sdkd  
application/vnd.spotfire.dxp dxp  
application/vnd.spotfire.sfs sfs  
# application/vnd.sss-cod  
# application/vnd.sss-dtf  
# application/vnd.sss-ntf  
application/vnd.stardivision.calc sdc  
application/vnd.stardivision.draw sda  
application/vnd.stardivision.impress sdd  
application/vnd.stardivision.math smf  
application/vnd.stardivision.writer sdw vor  
application/vnd.stardivision.writer-global sgl  
application/vnd.stepmania.package smzip  
application/vnd.stepmania.stepchart sm  
# application/vnd.street-stream  
# application/vnd.sun.wadl+xml  
application/vnd.sun.xml.calc sxc  
application/vnd.sun.xml.calc.template stc  
application/vnd.sun.xml.draw sxd  
application/vnd.sun.xml.draw.template std  
application/vnd.sun.xml.impress sxi  
application/vnd.sun.xml.impress.template sti  
application/vnd.sun.xml.math sxm  
application/vnd.sun.xml.writer sxw  
application/vnd.sun.xml.writer.global sxg  
application/vnd.sun.xml.writer.template stw  
application/vnd.sus-calendar sus susp  
application/vnd.svd svd  
# application/vnd.swiftview-ics  
application/vnd.symbian.install sis six  
application/vnd.syncml+xml xsm  
application/vnd.syncml.dm+wbxml bdm

application/vnd.syncml.dm+xml xdm  
# application/vnd.syncml.dm.notification  
# application/vnd.syncml.dmddf+wxml  
# application/vnd.syncml.dmddf+xml  
# application/vnd.syncml.dmtnds+wxml  
# application/vnd.syncml.dmtnds+xml  
# application/vnd.syncml.ds.notification  
application/vnd.tao.intent-module-archive tao  
application/vnd.tcpdump.pcap pcap cap dmp  
# application/vnd.tmd.mediaflex.api+xml  
# application/vnd.tml  
application/vnd.tmobile-livetv tmo  
application/vnd.trid.tpt tpt  
application/vnd.triscape.mxs mxs  
application/vnd.trueapp tra  
# application/vnd.truedoc  
# application/vnd.ubisoft.webplayer  
application/vnd.ufdl ufd ufdl  
application/vnd.uiq.theme utz  
application/vnd.umajin umj  
application/vnd.unity unityweb  
application/vnd.uoml+xml uoml  
# application/vnd.uplanet.alert  
# application/vnd.uplanet.alert-wxml  
# application/vnd.uplanet.bearer-choice  
# application/vnd.uplanet.bearer-choice-wxml  
# application/vnd.uplanet.cacheop  
# application/vnd.uplanet.cacheop-wxml  
# application/vnd.uplanet.channel  
# application/vnd.uplanet.channel-wxml  
# application/vnd.uplanet.list  
# application/vnd.uplanet.list-wxml  
# application/vnd.uplanet.listcmd  
# application/vnd.uplanet.listcmd-wxml  
# application/vnd.uplanet.signal  
# application/vnd.uri-map  
# application/vnd.valve.source.material  
application/vnd.vcx vcx  
# application/vnd.vd-study  
# application/vnd.vectorworks  
# application/vnd.vel+json  
# application/vnd.verimatrix.vcas  
# application/vnd.vidsoft.vidconference  
application/vnd.visio vsd vst vss vsw  
application/vnd.visionary vis  
# application/vnd.vividence.scriptfile  
application/vnd.vsf vsf  
# application/vnd.wap.sic

# application/vnd.wap.slc  
application/vnd.wap.wbxml wbxml  
application/vnd.wap.wmlc wmlc  
application/vnd.wap.wmlscriptc wmlsc  
application/vnd.webturbo wtb  
# application/vnd.wfa.p2p  
# application/vnd.wfa.wsc  
# application/vnd.windows.devicepairing  
# application/vnd.wmc  
# application/vnd.wmf.bootstrap  
# application/vnd.wolfram.mathematica  
# application/vnd.wolfram.mathematica.package  
application/vnd.wolfram.player nbp  
application/vnd.wordperfect wpd  
application/vnd.wqd wqd  
# application/vnd.wrq-hp3000-labelled  
application/vnd.wt.stf stf  
# application/vnd.wv.csp+wbxml  
# application/vnd.wv.csp+xml  
# application/vnd.wv.ssp+xml  
# application/vnd.xacml+json  
application/vnd.xara xar  
application/vnd.xfdl xfdl  
# application/vnd.xfdl.webform  
# application/vnd.xmi+xml  
# application/vnd.xmpie.cpkg  
# application/vnd.xmpie.dpkg  
# application/vnd.xmpie.plan  
# application/vnd.xmpie.ppkg  
# application/vnd.xmpie.xlim  
application/vnd.yamaha.hv-dic hvd  
application/vnd.yamaha.hv-script hvs  
application/vnd.yamaha.hv-voice hvp  
application/vnd.yamaha.openscoreformat osf  
application/vnd.yamaha.openscoreformat.osfpvg+xml osfpvg  
# application/vnd.yamaha.remote-setup  
application/vnd.yamaha.smaf-audio saf  
application/vnd.yamaha.smaf-phrase spf  
# application/vnd.yamaha.through-ngn  
# application/vnd.yamaha.tunnel-udpencap  
# application/vnd.yaoweme  
application/vnd.yellowriver-custom-menu cmp  
application/vnd.zul zir zirz  
application/vnd.zzazz.deck+xml zaz  
application/voicexml+xml vxml  
# application/vq-rtcpvr  
# application/watcherinfo+xml  
# application/whoispp-query

```
# application/whoispp-response
application/widget wgt
application/winhelp hlp
# application/wita
# application/wordperfect5.1
application/wsdl+xml wsdl
application/wspolicy+xml wspolicy
application/x-7z-compressed 7z
application/x-abiword abw
application/x-ace-compressed ace
# application/x-amf
application/x-apple-diskimage dmg
application/x-authorware-bin aab x32 u32 vox
application/x-authorware-map aam
application/x-authorware-seg aas
application/x-bcpio bcpio
application/x-bittorrent torrent
application/x-blorb blb blorb
application/x-bzip bz
application/x-bzip2 bz2 boz
application/x-cbr cbr cba cbt cbz cb7
application/x-cdlink vcd
application/x-cfs-compressed cfs
application/x-chat chat
application/x-chess-pgn pgn
# application/x-compress
application/x-conference nsc
application/x-cpio cpio
application/x-csh csh
application/x-debian-package deb udeb
application/x-dgc-compressed dgc
application/x-director dir dcr dxr cst cct cxt w3d fgd swa
application/x-doom wad
application/x-dtbncx+xml ncx
application/x-dtbook+xml dtb
application/x-dtbresource+xml res
application/x-dvi dvi
application/x-envoy evy
application/x-eva eva
application/x-font-bdf bdf
# application/x-font-dos
# application/x-font-framemaker
application/x-font-ghostscript gsf
# application/x-font-libgrx
application/x-font-linux-psf psf
application/x-font-otf otf
application/x-font-pcf pcf
application/x-font-snf snf
```

# application/x-font-speedo  
# application/x-font-sunos-news  
application/x-font-ttf ttf ttc  
application/x-font-type1 pfa pfb pfm afm  
# application/x-font-woff  
application/x-freearc arc  
application/x-futuresplash spl  
application/x-gca-compressed gca  
application/x-glulx ulx  
application/x-gnumeric gnumeric  
application/x-gramps-xml gramps  
application/x-gtar gtar  
# application/x-gzip  
application/x-hdf hdf  
application/x-install-instructions install  
application/x-iso9660-image iso  
application/x-java-jnlp-file jnlp  
application/x-latex latex  
application/x-lzh-compressed lzh lha  
application/x-mie mie  
application/x-mobipocket-ebook prc mobi  
application/x-ms-application application  
application/x-ms-shortcut lnk  
application/x-ms-wmd wmd  
application/x-ms-wmz wmz  
application/x-ms-xbap xbap  
application/x-msaccess mdb  
application/x-msbinder obd  
application/x-mscardfile crd  
application/x-msclip clp  
application/x-msdownload exe dll com bat msi  
application/x-msmediaview mvb m13 m14  
application/x-msmetafile wmf wmz emf emz  
application/x-msmoney mny  
application/x-mspublisher pub  
application/x-msschedule scd  
application/x-msterial trm  
application/x-mswrite wri  
application/x-netcdf nc cdf  
application/x-nzb nzb  
application/x-pkcs12 p12 pfx  
application/x-pkcs7-certificates p7b spc  
application/x-pkcs7-certreqresp p7r  
application/x-rar-compressed rar  
application/x-research-info-systems ris  
application/x-sh sh  
application/x-shar shar  
application/x-shockwave-flash swf

application/x-silverlight-app xap  
application/x-sql sql  
application/x-stuffit sit  
application/x-stuffitx sitx  
application/x-subrip srt  
application/x-sv4cpio sv4cpio  
application/x-sv4crc sv4crc  
application/x-t3vm-image t3  
application/x-tads gam  
application/x-tar tar  
application/x-tcl tcl  
application/x-tex tex  
application/x-tex-tfm tfm  
application/x-texinfo texinfo texi  
application/x-tgif obj  
application/x-ustar ustar  
application/x-wais-source src  
# application/x-www-form-urlencoded  
application/x-x509-ca-cert der crt  
application/x-xfig fig  
application/x-xliff+xml xlf  
application/x-xpinstall xpi  
application/x-xz xz  
application/x-zmachine z1 z2 z3 z4 z5 z6 z7 z8  
# application/x400-bp  
# application/xacml+xml  
application/xaml+xml xaml  
# application/xcap-att+xml  
# application/xcap-caps+xml  
application/xcap-diff+xml xdf  
# application/xcap-el+xml  
# application/xcap-error+xml  
# application/xcap-ns+xml  
# application/xcon-conference-info+xml  
# application/xcon-conference-info-diff+xml  
application/xenc+xml xenc  
application/xhtml+xml xhtml xht  
# application/xhtml-voice+xml  
application/xml xml xsl  
application/xml-dtd dtd  
# application/xml-external-parsed-entity  
# application/xml-patch+xml  
# application/xmpp+xml  
application/xop+xml xop  
application/xproc+xml xpl  
application/xslt+xml xslt  
application/xspf+xml xspf  
application/xv+xml mxml xhvm xvm xvm



application/yang yang  
application/yin+xml yin  
application/zip zip  
# application/zlib  
# audio/1d-interleaved-parityfec  
# audio/32kadpcm  
# audio/3gpp  
# audio/3gpp2  
# audio/ac3  
audio/adpcm adp  
# audio/amr  
# audio/amr-wb  
# audio/amr-wb+  
# audio/aptx  
# audio/asc  
# audio/atrac-advanced-lossless  
# audio/atrac-x  
# audio/atrac3  
audio/basic au snd  
# audio/bv16  
# audio/bv32  
# audio/clearmode  
# audio/cn  
# audio/dat12  
# audio/dls  
# audio/dsr-es201108  
# audio/dsr-es202050  
# audio/dsr-es202211  
# audio/dsr-es202212  
# audio/dv  
# audio/dvi4  
# audio/eac3  
# audio/encaprtmp  
# audio/evrc  
# audio/evrc-qcp  
# audio/evrc0  
# audio/evrc1  
# audio/evrcb  
# audio/evrcb0  
# audio/evrcb1  
# audio/evrcnw  
# audio/evrcnw0  
# audio/evrcnw1  
# audio/evrcwb  
# audio/evrcwb0  
# audio/evrcwb1  
# audio/evs  
# audio/example

# audio/fwdred  
# audio/g711-0  
# audio/g719  
# audio/g722  
# audio/g7221  
# audio/g723  
# audio/g726-16  
# audio/g726-24  
# audio/g726-32  
# audio/g726-40  
# audio/g728  
# audio/g729  
# audio/g7291  
# audio/g729d  
# audio/g729e  
# audio/gsm  
# audio/gsm-efr  
# audio/gsm-hr-08  
# audio/ilbc  
# audio/ip-mr\_v2.5  
# audio/isac  
# audio/l16  
# audio/l20  
# audio/l24  
# audio/l8  
# audio/lpc  
audio/midi mid midi kar rmi  
# audio/mobile-xmf  
audio/mp4 m4a mp4a  
# audio/mp4a-latm  
# audio/mpa  
# audio/mpa-robust  
audio/mpeg mpga mp2 mp2a mp3 m2a m3a  
# audio/mpeg4-generic  
# audio/musepack  
audio/ogg oga ogg spx  
# audio/opus  
# audio/parityfec  
# audio/pcma  
# audio/pcma-wb  
# audio/pcmu  
# audio/pcmu-wb  
# audio/prs.sid  
# audio/qcelp  
# audio/raptorfec  
# audio/red  
# audio/rtp-enc-aescm128  
# audio/rtp-midi

# audio/rtploopback  
# audio/rtx  
audio/s3m s3m  
audio/silk sil  
# audio/smv  
# audio/smv-qcp  
# audio/smv0  
# audio/sp-midi  
# audio/speex  
# audio/t140c  
# audio/t38  
# audio/telephone-event  
# audio/tone  
# audio/uemclip  
# audio/ulpfec  
# audio/vdvi  
# audio/vmr-wb  
# audio/vnd.3gpp.iufp  
# audio/vnd.4sb  
# audio/vnd.audiokoz  
# audio/vnd.celp  
# audio/vnd.cisco.nse  
# audio/vnd.cmles.radio-events  
# audio/vnd.cns.anp1  
# audio/vnd.cns.inf1  
audio/vnd.dece.audio uva uvva  
audio/vnd.digital-winds eol  
# audio/vnd.dlna.adts  
# audio/vnd.dolby.heaac.1  
# audio/vnd.dolby.heaac.2  
# audio/vnd.dolby.mlp  
# audio/vnd.dolby.mps  
# audio/vnd.dolby.pl2  
# audio/vnd.dolby.pl2x  
# audio/vnd.dolby.pl2z  
# audio/vnd.dolby.pulse.1  
audio/vnd.dra dra  
audio/vnd.dts dts  
audio/vnd.dts.hd dtshd  
# audio/vnd.dvb.file  
# audio/vnd.everad.plj  
# audio/vnd.hns.audio  
audio/vnd.lucent.voice lvp  
audio/vnd.ms-playready.media.pya pya  
# audio/vnd.nokia.mobile-xmf  
# audio/vnd.nortel.vbk  
audio/vnd.nuera.ecelp4800 ecelp4800  
audio/vnd.nuera.ecelp7470 ecelp7470

audio/vnd.nuera.ecelp9600 ecelp9600  
# audio/vnd.octel.sbc  
# audio/vnd.qcelp  
# audio/vnd.rhetorex.32kadpcm  
audio/vnd.rip rip  
# audio/vnd.sealedmedia.softseal.mpeg  
# audio/vnd.vmx.cvsd  
# audio/vorbis  
# audio/vorbis-config  
audio/webm weba  
audio/x-aac aac  
audio/x-aiff aif aiff aifc  
audio/x-caf caf  
audio/x-flac flac  
audio/x-matroska mka  
audio/x-mpegurl m3u  
audio/x-ms-wax wax  
audio/x-ms-wma wma  
audio/x-pn-realaudio ram ra  
audio/x-pn-realaudio-plugin rmp  
# audio/x-tta  
audio/x-wav wav  
audio/xm xm  
chemical/x-cdx cdx  
chemical/x-cif cif  
chemical/x-cmdf cmdf  
chemical/x-cml cml  
chemical/x-csml csml  
# chemical/x-pdb  
chemical/x-xyz xyz  
image/bmp bmp  
image/cgm cgm  
# image/dicom-rle  
# image/emf  
# image/example  
# image/fits  
image/g3fax g3  
image/gif gif  
image/ief ief  
# image/jls  
# image/jp2  
image/jpeg jpeg jpg jpe  
# image/jpm  
# image/jpx  
image/ktx ktx  
# image/naplps  
image/png png  
image/prs.btif btif

# image/prs.pti  
# image/pwg-raster  
image/sgi sgi  
image/svg+xml svg svgz  
# image/t38  
image/tiff tiff tif  
# image/tiff-fx  
image/vnd.adobe.photoshop psd  
# image/vnd.airzip.accelerator.azv  
# image/vnd.cns.inf2  
image/vnd.dece.graphic uvi uvvi uvg uvvg  
image/vnd.djvu djvu djv  
image/vnd.dvb.subtitle sub  
image/vnd.dwg dwg  
image/vnd.dxf dxf  
image/vnd.fastbidsheet fbs  
image/vnd.fpx fpx  
image/vnd.fst fst  
image/vnd.fujixerox.edmics-mmr mmr  
image/vnd.fujixerox.edmics-rlc rlc  
# image/vnd.globalgraphics.pgb  
# image/vnd.microsoft.icon  
# image/vnd.mix  
# image/vnd.mozilla.apng  
image/vnd.ms-modi mdi  
image/vnd.ms-photo wdp  
image/vnd.net-fpx npx  
# image/vnd.radiance  
# image/vnd.sealed.png  
# image/vnd.sealedmedia.softseal.gif  
# image/vnd.sealedmedia.softseal.jpg  
# image/vnd.svf  
# image/vnd.tencent.tap  
# image/vnd.valve.source.texture  
image/vnd.wap.wbmp wbmp  
image/vnd.xiff xif  
# image/vnd.zbrush.pcx  
image/webp webp  
# image/wmf  
image/x-3ds 3ds  
image/x-cmu-raster ras  
image/x-cmx cmx  
image/x-freehand fh fhc fh4 fh5 fh7  
image/x-icon ico  
image/x-mrsid-image sid  
image/x-pcx pcx  
image/x-pict pic pct  
image/x-portable-anymap pnm

image/x-portable-bitmap pbm  
image/x-portable-graymap pgm  
image/x-portable-pixmap ppm  
image/x-rgb rgb  
image/x-tga tga  
image/x-xbitmap xbm  
image/x-pxmap xpm  
image/x-xwindowdump xwd  
# message/cpim  
# message/delivery-status  
# message/disposition-notification  
# message/example  
# message/external-body  
# message/feedback-report  
# message/global  
# message/global-delivery-status  
# message/global-disposition-notification  
# message/global-headers  
# message/http  
# message/imdn+xml  
# message/news  
# message/partial  
message/rfc822 eml mime  
# message/s-http  
# message/sip  
# message/sipfrag  
# message/tracking-status  
# message/vnd.si.simp  
# message/vnd.wfa.wsc  
# model/example  
# model/gltf+json  
model/iges igs iges  
model/mesh msh mesh silo  
model/vnd.collada+xml dae  
model/vnd.dwf dwf  
# model/vnd.flatland.3dml  
model/vnd.gdl gdl  
# model/vnd.gs-gdl  
# model/vnd.gs.gdl  
model/vnd.gtw gtw  
# model/vnd.moml+xml  
model/vnd.mts mts  
# model/vnd.opengex  
# model/vnd.parasolid.transmit.binary  
# model/vnd.parasolid.transmit.text  
# model/vnd.rosette.annotated-data-model  
# model/vnd.valve.source.compiled-map  
model/vnd.vtu vtu

model/vrml wrl vrml  
model/x3d+binary x3db x3dbz  
# model/x3d+fastinfoset  
model/x3d+vrml x3dv x3dvz  
model/x3d+xml x3d x3dz  
# model/x3d-vrml  
# multipart/alternative  
# multipart/appledouble  
# multipart/byteranges  
# multipart/digest  
# multipart/encrypted  
# multipart/example  
# multipart/form-data  
# multipart/header-set  
# multipart/mixed  
# multipart/parallel  
# multipart/related  
# multipart/report  
# multipart/signed  
# multipart/voice-message  
# multipart/x-mixed-replace  
# text/1d-interleaved-parityfec  
text/cache-manifest appcache  
text/calendar ics ifb  
text/css css  
text/csv csv  
# text/csv-schema  
# text/directory  
# text/dns  
# text/ecmascript  
# text/encaprtf  
# text/enriched  
# text/example  
# text/fwdred  
# text/grammar-ref-list  
text/html html htm  
# text/javascript  
# text/jcr-cnd  
# text/markdown  
# text/mizar  
text/n3 n3  
# text/parameters  
# text/parityfec  
text/plain txt text conf def list log in  
# text/provenance-notation  
# text/prs.fallenstein.rst  
text/prs.lines.tag dsc  
# text/prs.prop.logic

# text/raptorfec  
# text/red  
# text/rfc822-headers  
text/richtext rtx  
# text/rtf  
# text/rtp-enc-aescm128  
# text/rtploopback  
# text/rtx  
text/sgml sgml sgm  
# text/t140  
text/tab-separated-values tsv  
text/troff t tr roff man me ms  
text/turtle ttl  
# text/ulpfec  
text/uri-list uri uris urls  
text/vcard vcard  
# text/vnd.a  
# text/vnd.abc  
text/vnd.curl curl  
text/vnd.curl.dcurl dcurl  
text/vnd.curl.mcurl mcurl  
text/vnd.curl.scurl scurl  
# text/vnd.debian.copyright  
# text/vnd.dmclientscript  
text/vnd.dvb.subtitle sub  
# text/vnd.esmertec.theme-descriptor  
text/vnd.fly fly  
text/vnd.fmi.flexstor flx  
text/vnd.graphviz gv  
text/vnd.in3d.3dml 3dml  
text/vnd.in3d.spot spot  
# text/vnd.iptc.newsml  
# text/vnd.iptc.nitf  
# text/vnd.latex-z  
# text/vnd.motorola.reflex  
# text/vnd.ms-mediapackage  
# text/vnd.net2phone.commcenter.command  
# text/vnd.radisys.msml-basic-layout  
# text/vnd.si.uricatalogue  
text/vnd.sun.j2me.app-descriptor jad  
# text/vnd.trolltech.linguist  
# text/vnd.wap.si  
# text/vnd.wap.sl  
text/vnd.wap.wml wml  
text/vnd.wap.wmlscript wmls  
text/x-asm s asm  
text/x-c c cc cxx cpp h hh dic  
text/x-fortran f for f77 f90



text/x-java-source java  
text/x-nfo nfo  
text/x-opml opml  
text/x-pascal p pas  
text/x-setext etx  
text/x-sfv sfv  
text/x-uuencode uu  
text/x-vcalendar vcs  
text/x-vcard vcf  
# text/xml  
# text/xml-external-parsed-entity  
# video/1d-interleaved-parityfec  
video/3gpp 3gp  
# video/3gpp-tt  
video/3gpp2 3g2  
# video/bmpeg  
# video/bt656  
# video/celb  
# video/dv  
# video/encaprtsp  
# video/example  
video/h261 h261  
video/h263 h263  
# video/h263-1998  
# video/h263-2000  
video/h264 h264  
# video/h264-rcdo  
# video/h264-svc  
# video/h265  
# video/iso.segment  
video/jpeg jpgv  
# video/jpeg2000  
video/jpm jpm jpgm  
video/mj2 mj2 mjp2  
# video/mp1s  
# video/mp2p  
# video/mp2t  
video/mp4 mp4 mp4v mpg4  
# video/mp4v-es  
video/mpeg mpeg mpg mpe m1v m2v  
# video/mpeg4-generic  
# video/mpv  
# video/nv  
video/ogg ogv  
# video/parityfec  
# video/pointer  
video/quicktime qt mov  
# video/raptorfec

```
# video/raw
# video/rtp-enc-aescm128
# video/rtploopback
# video/rtx
# video/smp292m
# video/ulpfec
# video/vc1
# video/vnd.cctv
video/vnd.dece.hd   uvh uvvh
video/vnd.dece.mobile  uvm uvvm
# video/vnd.dece.mp4
video/vnd.dece.pd   uvp uvvp
video/vnd.dece.sd   uvs uvvs
video/vnd.dece.video  uvv uvvv
# video/vnd.directv.mpeg
# video/vnd.directv.mpeg-tts
# video/vnd.dlna.mpeg-tts
video/vnd.dvb.file  dvb
video/vnd.fvt   fvt
# video/vnd.hns.video
# video/vnd.iptvforum.1dparityfec-1010
# video/vnd.iptvforum.1dparityfec-2005
# video/vnd.iptvforum.2dparityfec-1010
# video/vnd.iptvforum.2dparityfec-2005
# video/vnd.iptvforum.ttsavc
# video/vnd.iptvforum.ttsmpeg2
# video/vnd.motorola.video
# video/vnd.motorola.videop
video/vnd.mpegurl  mxu m4u
video/vnd.ms-playready.media.pyv pyv
# video/vnd.nokia.interleaved-multimedia
# video/vnd.nokia.videovoip
# video/vnd.objectvideo
# video/vnd.radgamettools.bink
# video/vnd.radgamettools.smacker
# video/vnd.sealed.mpeg1
# video/vnd.sealed.mpeg4
# video/vnd.sealed.swf
# video/vnd.sealedmedia.softseal.mov
video/vnd.uvu.mp4   uvu uvvu
video/vnd.vivo   viv
# video/vp8
video/webm   webm
video/x-f4v   f4v
video/x-fli   fli
video/x-flv   flv
video/x-m4v   m4v
video/x-matroska  mkv mk3d mks
```

video/x-mng mng  
video/x-ms-asf asf asx  
video/x-ms-vob vob  
video/x-ms-wm wm  
video/x-ms-wmv wmv  
video/x-ms-wmx wmx  
video/x-ms-wvx wvx  
video/x-msvideo avi  
video/x-sgi-movie movie  
video/x-smv smv  
x-conference/x-cooltalk ice

Found in path(s):

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/mime.types

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2022 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/client/RestOperations.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/filter/RelativeRedirectFilter.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/HttpMediaTypeNotAcceptableException.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/server/ResponseStatusException.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/server/session/WebSessionStore.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/multipart/MultipartFileResource.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/multipart/DefaultPartEvents.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/bind/MissingRequestHeaderException.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/util/ContentCachingRequestWrapper.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/util/pattern/InternalPathPatternParser.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/converter/json/KotlinSerializationJsonHttpMessageConverter.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/method/support/ModelAndViewContainer.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/converter/KotlinSerializationBinaryHttpMessageConverter.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/bind/MissingMatrixVariableException.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/server/MethodNotAllowedException.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/server/adapter/AbstractReactiveWebInitializer.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/multipart/PartEvent.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/protobuf/KotlinSerializationProtobufEncoder.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/server/reactive/ServletServerHttpResponse.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/client/reactive/ReactorClientHttpResponse.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/context/support/AbstractRefreshableWebApplicationContext.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/method/support/HandlerMethodReturnValueHandler.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/multipart/FilePartEvent.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/multipart/DefaultPartHttpMessageReader.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/server/session/WebSessionIdResolver.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/HttpRequest.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/KotlinSerializationStringEncoder.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/util/pattern/PathElement.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/server/reactive/DefaultSslInfo.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/converter/ResourceRegionHttpMessageConverter.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/cbor/KotlinSerializationCborDecoder.java

- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/bind/annotation/InitBinder.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/server/ServerWebInputException.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/context/request/RequestContextListener.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/server/reactive/ServerHttpResponseDecorator.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/client/ExtractingResponseErrorHandler.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/util/JavaScriptUtils.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/converter/xml/SourceHttpMessageConverter.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/context/support/GenericWebApplicationContext.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/bind/MissingRequestCookieException.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/service/invoker/HttpMethodArgumentResolver.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/multipart/support/StandardServletMultipartResolver.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/protobuf/KotlinSerializationProtobufDecoder.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/client/reactive/ClientHttpResponse.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/server/reactive/AbstractListenerReadPublisher.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/filter/RelativeRedirectResponseWrapper.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/bind/support/WebRequestDataBinder.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/ClientCodecConfigurer.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/bind/MissingPathVariableException.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/bind/annotation/ExceptionHandlerReflectiveProcessor.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/protobuf/ProtobufCodecSupport.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/support/ClientDefaultCodecsImpl.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/method/annotation/RequestParamMethodArgumentResolver.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/method/support/HandlerMethodArgumentResolverComposite.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/client/reactive/ReactorClientHttpRequest.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/multipart/PartEventHttpMessageReader.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/HttpRange.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/util/CookieGenerator.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/json/KotlinSerializationJsonDecoder.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/ServerSentEventHttpMessageWriter.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/server/reactive/UndertowHttpHandlerAdapter.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/protobuf/ProtobufEncoder.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/bind/annotation/ExceptionHandler.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/server/reactive/ChannelSendOperator.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/client/support/HttpRequestWrapper.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/server/reactive/observation/ServerRequestObservationConvention.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/multipart/PartHttpMessageWriter.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/multipart/PartEventHttpMessageWriter.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/bind/MissingRequestValueException.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/client/IntrospectingClientHttpResponse.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/context/support/ServletContextAwareProcessor.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/service/invoker/RequestParamArgumentResolver.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/util/UriBuilder.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/service/annotation/DeleteExchange.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/HttpRequestMethodNotSupportedException.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/server/reactive/observation/ServerRequestObservationContext.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/json/KotlinSerializationJsonEncoder.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/server/handler/ResponseStatusExceptionHandler.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/service/invoker/CookieValueArgumentResolver.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/bind/ServletRequestDataBinder.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/client/support/RestGatewaySupport.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/server/reactive/AbstractServerHttpRequest.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/util/UriComponentsBuilder.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/client/HttpComponentsClientHttpRequest.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/converter/BufferedImageHttpMessageConverter.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/KotlinSerializationSupport.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/client/reactive/JettyHeadersAdapter.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/client/DefaultResponseErrorHandler.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/server/observation/DefaultServerRequestObservationConvention.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/server/reactive/NettyHeadersAdapter.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/util/pattern/RegexPathElement.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/client/reactive/JdkClientHttpResponse.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/filter/reactive/ServerHttpObservationFilter.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/ServerSentEventHttpMessageReader.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/client/SimpleStreamingClientHttpRequest.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/converter/protobuf/ProtobufHttpMessageConverter.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/context/support/WebApplicationObjectSupport.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/support/BaseDefaultCodecs.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/client/HttpComponentsClientHttpRequestFactory.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/support/BaseCodecConfigurer.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/context/support/StaticWebApplicationContext.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/context/ContextCleanupListener.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/context/support/WebApplicationContextUtils.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/service/annotation/HttpExchange.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/multipart/support/StandardMultipartHttpServletRequest.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/util/HierarchicalUriComponents.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/service/annotation/PutExchange.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/converter/cbor/MappingJackson2CborHttpMessageConverter.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/client/reactive/ReactorNetty2ClientHttpResponse.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/client/reactive/AbstractClientHttpRequest.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/client/reactive/ReactorNetty2ResourceFactory.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/server/reactive/observation/DefaultServerRequestObservationConvention.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/util/pattern/CaptureVariablePathElement.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/method/HandlerMethod.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/server/adapters/WebHttpHandlerBuilder.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/multipart/MultipartHttpMessageReader.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/server/reactive/ServletServerHttpRequest.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/client/SimpleBufferingClientHttpRequest.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/util/WebUtils.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/converter/protobuf/KotlinSerializationProtobufHttpMessageConverter.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/client/reactive/ReactorNetty2ClientHttpRequest.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/server/reactive/UndertowServerHttpRequest.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/json/Jackson2SmileEncoder.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/server/reactive/observation/ServerHttpObservationDocumentation.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/context/request/AbstractRequestAttributesScope.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/util/pattern/CaptureTheRestPathElement.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/method/HandlerTypePredicate.java



\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/server/MissingRequestValueException.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/server/observation/ServerHttpObservationDocumentation.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/converter/ResourceHttpMessageConverter.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/client/OkHttp3ClientHttpResponse.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/cors/UrlBasedCorsConfigurationSource.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/bind/annotation/RequestMapping.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/service/annotation/HttpExchangeReflectiveProcessor.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/converter/xml/AbstractXmlHttpMessageConverter.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/bind/annotation/ModelAttribute.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/MediaType.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/json/Jackson2SmileDecoder.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/bind/support/WebExchangeBindException.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/client/reactive/NettyHeadersAdapter.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/converter/xml/Jaxb2CollectionHttpMessageConverter.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/context/request/ServletWebRequest.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/method/support/InvocableHandlerMethod.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/ReadOnlyHttpHeaders.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/EncoderHttpMessageWriter.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/util/pattern/PathPatternRouteMatcher.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/HttpMediaTypeException.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/server/reactive/ReactorNetty2HttpHandlerAdapter.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/RequestEntity.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/server/reactive/TomcatHeadersAdapter.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/util/pattern/PathPatternParser.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/client/reactive/HttpComponentsClientHttpResponse.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/server/reactive/ReactorServerHttpResponse.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/client/support/InterceptingHttpAccessor.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/server/RequestPath.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/service/invoke/RequestHeaderArgumentResolver.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/client/ClientHttpResponse.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/converter/smile/MappingJackson2SmileHttpMessageConverter.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/client/RestClientResponseException.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/client/OkHttp3ClientHttpRequest.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/jsf/FacesContextUtils.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/service/annotation/PatchExchange.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/ErrorResponseException.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/client/ClientHttpResponseDecorator.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/converter/json/Jackson2ObjectMapperFactoryBean.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/KotlinSerializationBinaryDecoder.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/client/reactive/Netty5HeadersAdapter.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/bind/MissingServletRequestParameterException.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/converter/xml/MarshallingHttpMessageConverter.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/server/ServletServerHttpRequest.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/converter/feed/AbstractWireFeedHttpMessageConverter.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/method/ControllerAdviceBean.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/DecoderHttpMessageReader.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/converter/AbstractHttpMessageConverter.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/method/annotation/MapMethodProcessor.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/bind/ServletRequestBindingException.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/support/ServerDefaultCodecsImpl.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/server/ServerErrorException.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/client/reactive/ClientHttpResponseDecorator.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/converter/KotlinSerializationStringHttpMessageConverter.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/client/reactive/JettyClientHttpResponse.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/bind/support/WebExchangeDataBinder.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/client/reactive/JettyResourceFactory.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/server/reactive/Netty5HeadersAdapter.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/multipart/support/MissingServletRequestPartException.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/server/UnsatisfiedRequestParameterException.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/server/observation/ServerRequestObservationConvention.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/service/invoquer/RequestBodyArgumentResolver.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/server/reactive/JettyHeadersAdapter.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/json/AbstractJackson2Decoder.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/service/annotation/GetExchange.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/server/NotAcceptableStatusException.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/filter/ServerHttpObservationFilter.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/client/InterceptingClientHttpRequest.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/cbor/KotlinSerializationCborEncoder.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/ResponseCookie.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/client/HttpComponentsStreamingClientHttpRequest.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/client/BufferingClientHttpRequestWrapper.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/xml/Jaxb2XmlDecoder.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/server/reactive/ServerHttpRequestDecorator.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/multipart/DefaultParts.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/server/reactive/ServerHttpResponse.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/client/HttpMessageConverterExtractor.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/filter/OncePerRequestFilter.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/method/support/HandlerMethodReturnValueHandlerComposite.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/context/request/async/AsyncRequestTimeoutException.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/service/invoke/RequestAttributeArgumentResolver.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/accept/ContentNegotiationManager.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/client/observation/ClientRequestObservationContext.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/multipart/MultipartParser.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/bind/UnsatisfiedServletRequestParameterException.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/CodecConfigurer.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/service/invoke/AbstractNamedValueArgumentResolver.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/converter/AbstractKotlinSerializationHttpMessageConverter.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/method/annotation/ModelMethodProcessor.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/service/invoke/UrlArgumentResolver.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/util/ContentCachingResponseWrapper.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/converter/support/AllEncompassingFormHttpMessageConverter.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/ServerCodecConfigurer.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/filter/GenericFilterBean.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/jsf/DelegatingNavigationHandlerProxy.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/server/reactive/ServletHttpHandlerAdapter.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/util/WebUtilRuntimeHints.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/context/support/ServletContextResource.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/server/observation/ServerRequestObservationContext.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/client/UnknownContentTypeException.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/client/observation/ClientRequestObservationConvention.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/server/ServletServerHttpResponse.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/service/invoker/HttpClientAdapter.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/client/AbstractClientHttpResponse.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/server/reactive/AbstractListenerWriteProcessor.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/filter/AbstractRequestLoggingFilter.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/HttpMimeTypesRuntimeHints.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/service/invoker/HttpServiceArgumentResolver.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/multipart/FormPartEvent.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/server/session/HeaderWebSessionIdResolver.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/KotlinSerializationBinaryEncoder.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/multipart/MultipartWriterSupport.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/ResourceHttpMessageWriter.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/client/reactive/JdkHttpClientResourceFactory.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/multipart/MultipartUtils.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/service/annotation/PostExchange.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/json/Jackson2JsonDecoder.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/server/adapters/HttpWebHandlerAdapter.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/util/pattern/SeparatorPathElement.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/converter/cbor/KotlinSerializationCborHttpMessageConverter.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/server/session/CookieWebSessionIdResolver.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/json/AbstractJackson2Encoder.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/server/reactive/ReactorNetty2ServerHttpResponse.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/service/invoker/PathVariableArgumentResolver.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/client/HttpComponentsClientHttpResponse.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/CodecConfigurerRuntimeHints.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/converter/json/JacksonModulesRuntimeHints.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/context/support/StandardServletEnvironment.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/KotlinSerializationStringDecoder.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/bind/WebDataBinder.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/service/invoker/RequestPartArgumentResolver.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/converter/json/JsonbHttpMessageConverter.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/server/reactive/AbstractServerHttpResponse.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/service/invoker/HttpRequestValues.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/support/DefaultClientCodecConfigurer.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/server/reactive/DefaultServerHttpRequestBuilder.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2016 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/bind/annotation/PatchMapping.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/context/annotation/SessionScope.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/client/ClientHttpRequestFactory.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/context/request/async/TimeoutDeferredResultProcessingInterceptor.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/server/WebExceptionHandler.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/bind/annotation/PutMapping.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/context/request/FacesWebRequest.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/server/WebHandler.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/bind/annotation/PostMapping.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/converter/json/SpringHandlerInstantiator.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/method/annotation/RequestHeaderMapMethodArgumentResolver.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/context/annotation/RequestScope.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/cors/CorsConfigurationSource.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/ReactiveHttpInputMessage.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/context/annotation/ApplicationScope.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/cors/reactive/CorsConfigurationSource.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/ReactiveHttpOutputMessage.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/context/request/WebRequestInterceptor.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/context/request/SessionScope.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/context/WebApplicationContext.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/bind/annotation/SessionAttribute.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/client/ClientHttpRequestExecution.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/multipart/MultipartRequest.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-

jar/org/springframework/web/server/session/WebSessionManager.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/web/filter/CompositeFilter.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/web/util/WebAppRootListener.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/web/bind/annotation/GetMapping.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/web/bind/annotation/DeleteMapping.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/web/context/request/RequestScope.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/web/bind/annotation/RequestAttribute.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2002-2015 the original author or authors.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/http/converter/HttpMessageNotWritableException.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/web/server/WebFilter.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/web/bind/support/SpringWebConstraintValidatorFactory.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/web/context/request/DestructionCallbackBindingListener.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/web/util/HttpSessionMutexListener.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/http/client/AbstractClientHttpRequestFactoryWrapper.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/web/server/WebFilterChain.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/http/HttpMessage.java



\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/filter/RequestContextFilter.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/filter/CommonsRequestLoggingFilter.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/bind/annotation/SessionAttributes.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/converter/HttpMessageConversionException.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2023 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/server/UnsupportedMediaTypeStatusException.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/converter/json/AbstractJackson2HttpMessageConverter.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/ResponseEntity.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/server/session/InMemoryWebSessionStore.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/converter/json/MappingJackson2HttpMessageConverter.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/cors/reactive/CorsUtils.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/context/request/async/WebAsyncTask.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/HttpStatusCode.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/server/i18n/AcceptHeaderLocaleContextResolver.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/converter/json/Jackson2ObjectMapperBuilder.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-

jar/org/springframework/http/client/reactive/JettyClientHttpRequest.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/http/client/reactive/HttpComponentsClientHttpRequest.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/http/client/reactive/ReactorClientHttpConnector.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/http/HttpHeaders.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/http/client/SimpleClientHttpRequestFactory.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/http/server/reactive/UndertowServerHttpResponse.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/web/context/request/async/DeferredResultProcessingInterceptor.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/web/context/request/async/WebAsyncUtils.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/http/converter/json/ProblemDetailRuntimeHints.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/web/bind/MethodArgumentNotValidException.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/web/context/request/async/DeferredResultInterceptorChain.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/web/ErrorResponse.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/http/server/reactive/JettyHttpHandlerAdapter.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/http/converter/json/GsonBuilderUtils.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/http/converter/ByteArrayHttpMessageConverter.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/web/cors/CorsConfiguration.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/web/server/CoWebFilter.kt  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/http/codec/multipart/PartGenerator.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/http/client/reactive/ReactorNetty2ClientHttpConnector.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/http/codec/xml/XmlEventDecoder.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/web/client/RestTemplate.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/http/codec/FormHttpMessageReader.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/http/server/DefaultPathContainer.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/web/service/invoker/HttpServiceProxyFactory.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-

jar/org/springframework/web/context/request/async/CallableInterceptorChain.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/web/cors/reactive/DefaultCorsProcessor.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/web/cors/DefaultCorsProcessor.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/web/util/UriPathHelper.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/web/filter/reactive/ServerWebExchangeContextFilter.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/http/ContentDisposition.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/http/codec/protobuf/ProtobufDecoder.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/web/bind/annotation/ControllerMappingReflectiveProcessor.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/web/context/request/async/StandardServletAsyncWebRequest.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/web/context/request/async/CallableProcessingInterceptor.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/web/util/NestedServletException.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/web/service/invoker/HttpServiceProxyFactoryExtensions.kt  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/web/method/annotation/ModelAttributeMethodProcessor.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/http/ProblemDetail.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/http/client/observation/ClientHttpObservationDocumentation.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/web/method/annotation/MethodArgumentConversionNotSupportedException.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/web/multipart/support/MultipartFilter.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/web/service/invoker/HttpServiceMethod.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/web/context/support/ServletContextAttributeFactoryBean.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/web/util/pattern/LiteralPathElement.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/http/converter/xml/MappingJackson2XmlHttpMessageConverter.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/http/converter/FormHttpMessageConverter.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/web/util/pattern/WildcardPathElement.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/web/filter/DelegatingFilterProxy.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-

jar/org/springframework/http/client/reactive/HttpComponentsClientHttpConnector.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/http/DefaultHttpStatusCode.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/web/server/adapter/DefaultServerWebExchange.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/web/service/annotation/HttpExchangeBeanRegistrationAotProcessor.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/http/converter/json/ProblemDetailJacksonXmlMixin.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/http/server/reactive/TomcatHttpHandlerAdapter.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/web/bind/annotation/RequestMethod.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/web/util/ServletRequestPathUtils.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/http/codec/json/Jackson2CodecSupport.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/http/client/reactive/JdkClientHttpRequest.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/web/filter/ServletRequestPathFilter.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/http/server/reactive/ReactorNetty2ServerHttpRequest.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/web/context/support/ServletContextParameterFactoryBean.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/http/codec/json/Jackson2Tokenizer.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/http/codec/json/Jackson2JsonEncoder.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/web/util/pattern/SingleCharWildcardedPathElement.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/http/CacheControl.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/web/client/HttpServerErrorException.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/web/context/ContextLoaderListener.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/web/DefaultErrorResponseBuilder.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/web/context/request/async/WebAsyncManager.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/web/cors/CorsUtils.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/web/util/pattern/PathPattern.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/http/HttpMethod.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-

jar/org/springframework/web/context/support/AnnotationConfigWebApplicationContext.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/http/client/observation/DefaultClientRequestObservationConvention.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/http/converter/json/ProblemDetailJacksonMixin.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/http/server/reactive/ReactorServerHttpRequest.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/http/codec/multipart/MultipartHttpMessageWriter.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/web/HttpMediaTypeNotSupportedException.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/web/context/ContextLoader.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/web/method/annotation/MethodArgumentTypeMismatchException.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/http/HttpStatus.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/web/context/request/async/DeferredResult.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2002-2013 the original author or authors.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/http/server/ServerHttpResponse.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2002-2010 the original author or authors.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at
```

\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/context/support/ServletContextResourceLoader.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2018 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/StreamingHttpOutputMessage.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/client/reactive/ClientHttpConnector.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/server/reactive/ContextPathCompositeHandler.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/accept/ParameterContentNegotiationStrategy.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/method/annotation/ExpressionValueMethodArgumentResolver.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/LoggingCodecSupport.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/context/support/GroovyWebApplicationContext.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/accept/ContentNegotiationStrategy.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/server/i18n/FixedLocaleContextResolver.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/util/HtmlCharacterEntityReferences.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/accept/HeaderContentNegotiationStrategy.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/context/ServletContextAware.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/context/request/FacesRequestAttributes.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/HttpOutputMessage.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/converter/HttpMessageNotReadableException.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/util/UriTemplateHandler.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/client/ClientHttpRequestInterceptor.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/accept/AbstractMappingContentNegotiationStrategy.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/server/DefaultServerWebExchangeBuilder.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/converter/json/MappingJacksonValue.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/HttpInputMessage.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/converter/ObjectToStringHttpMessageConverter.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/bind/annotation/RequestHeader.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/context/support/XmlWebApplicationContext.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/server/handler/FilteringWebHandler.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/client/BufferingClientHttpRequestFactory.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/HttpMessageDecoder.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/bind/ServletRequestParamPropertyValues.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/context/request/AbstractRequestAttributes.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/HttpMessageEncoder.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/bind/annotation/PathVariable.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/bind/annotation/RequestParam.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/client/ResponseErrorHandler.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/method/annotation/ErrorsMethodArgumentResolver.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/bind/annotation/RequestBody.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/client/InterceptingClientHttpRequestFactory.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/converter/GenericHttpMessageConverter.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/ZeroCopyHttpOutputMessage.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/server/reactive/SslInfo.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/protobuf/ProtobufHttpMessageWriter.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/CodecConfigurerFactory.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/context/AbstractContextLoaderInitializer.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/context/support/ServletContextAttributeExporter.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/bind/annotation/ResponseBody.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/HttpSessionRequiredException.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/InvalidMediaTypeException.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/bind/annotation/MatrixVariable.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/HttpLogging.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/context/support/ServletRequestHandledEvent.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/method/annotation/InitBinderDataBinderFactory.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/method/annotation/SessionAttributesHandler.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/server/WebSession.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/cors/CorsProcessor.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/client/ResponseExtractor.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/server/reactive/HttpHandler.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/bind/support/ConfigurableWebBindingInitializer.java



```
* /opt/cola/permits/1622818273_1680247367.6168814/0/spring-web-6-0-7-sources-
jar/org/springframework/web/context/ServletConfigAware.java
* /opt/cola/permits/1622818273_1680247367.6168814/0/spring-web-6-0-7-sources-
jar/org/springframework/web/filter/CharacterEncodingFilter.java
* /opt/cola/permits/1622818273_1680247367.6168814/0/spring-web-6-0-7-sources-
jar/org/springframework/http/server/reactive/ReactorHttpHandlerAdapter.java
* /opt/cola/permits/1622818273_1680247367.6168814/0/spring-web-6-0-7-sources-
jar/org/springframework/web/util/TagUtils.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2002-2009 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1622818273_1680247367.6168814/0/spring-web-6-0-7-sources-
jar/org/springframework/web/bind/annotation/Mapping.java
```

No license file was found, but licenses were detected in source scan.

```
# Copyright 2002-2021 the original author or authors.
#
# Licensed under the Apache License, Version 2.0 (the "License");
# you may not use this file except in compliance with the License.
# You may obtain a copy of the License at
#
# https://www.apache.org/licenses/LICENSE-2.0
#
# Unless required by applicable law or agreed to in writing, software
# distributed under the License is distributed on an "AS IS" BASIS,
# WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
# See the License for the specific language governing permissions and
# limitations under the License.
```

org.springframework.web.server.adapter.WebHttpHandlerBuilder\$SpringWebBlockHoundIntegration

Found in path(s):

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/META-INF/services/reactor.blockhound.integration.BlockHoundIntegration  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2019 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

/\*\*

\* Return the web session for the current request. Always guaranteed to

\* return an instance either matching to the session id requested by the

\* client, or with a new session id either because the client did not

\* specify one or because the underlying session had expired. Use of this

\* method does not automatically create a session. See {@link WebSession}

\* for more details.

\*/

Found in path(s):

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/server/ServerWebExchange.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2017 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/bind/support/WebArgumentResolver.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/context/support/ContextExposingHttpServletRequest.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/server/i18n/LocaleContextResolver.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/converter/json/GsonFactoryBean.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/bind/support/DefaultSessionAttributeStore.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/multipart/Part.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/context/request/async/AsyncWebRequest.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/client/BufferingClientHttpResponseWrapper.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/multipart/MaxUploadSizeExceededException.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/multipart/MultipartException.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/method/support/UriComponentsContributor.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/bind/ServletRequestUtils.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/context/request/async/TimeoutCallableProcessingInterceptor.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/client/AbstractBufferingClientHttpRequest.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/bind/support/WebDataBinderFactory.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/multipart/FormFieldPart.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/converter/feed/RssChannelHttpMessageConverter.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/method/annotation/SessionStatusMethodArgumentResolver.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/context/request/RequestAttributes.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/bind/support/SessionAttributeStore.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/context/request/AsyncWebRequestInterceptor.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/bind/annotation/RestController.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/client/support/ProxyFactoryBean.java

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/context/request/NativeWebRequest.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/cors/reactive/CorsProcessor.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/converter/json/MappingJacksonInputMessage.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/multipart/support/ByteArrayMultipartFileEditor.java  
\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/jsf/el/SpringBeanFacesELResolver.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2007 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/bind/support/SessionStatus.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2020 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/codec/ResourceHttpMessageReader.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/context/request/WebRequest.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/multipart/support/MultipartResolutionDelegate.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/multipart/support/StandardServletPartUtils.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/accept/ServletPathExtensionContentNegotiationStrategy.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/server/handler/ExceptionHandlerWebHandler.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/server/DefaultRequestPath.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/util/UriBuilderFactory.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/converter/StringHttpMessageConverter.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/client/RestClientException.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/util/ServletContextPropertyUtils.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/converter/json/AbstractJsonHttpMessageConverter.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/client/AbstractClientHttpRequest.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/server/reactive/HttpHeadResponseDecorator.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/server/session/DefaultWebSessionManager.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/server/DelegatingServerHttpResponse.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/method/annotation/RequestParamMapMethodArgumentResolver.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/client/reactive/ClientHttpRequestDecorator.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/http/converter/json/GsonHttpMessageConverter.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/filter/CorsFilter.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/server/adapter/ForwardedHeaderTransformer.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/util/UriUtils.java
- \* /opt/cola/permits/1622818273\_1680247367.6168814/0/spring-web-6-0-7-sources-jar/org/springframework/web/method/annotation/ModelFactory.java

```
* /opt/cola/permits/1622818273_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/web/accept/PathExtensionContentNegotiationStrategy.java  
* /opt/cola/permits/1622818273_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/web/accept/MappingMediaTypeFileExtensionResolver.java  
* /opt/cola/permits/1622818273_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/http/client/reactive/ClientHttpRequest.java  
* /opt/cola/permits/1622818273_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/web/util/DefaultUriBuilderFactory.java  
* /opt/cola/permits/1622818273_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/http/client/reactive/ReactorResourceFactory.java  
* /opt/cola/permits/1622818273_1680247367.6168814/0/spring-web-6-0-7-sources-  
jar/org/springframework/web/cors/reactive/UrlBasedCorsConfigurationSource.java
```

# 1.129 jackson-dataformat-yaml 2.13.3

## 1.129.1 Available under license :

```
# Jackson JSON processor
```

Jackson is a high-performance, Free/Open Source JSON processing library.

It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

```
## Licensing
```

Jackson core and extension components may be licensed under different licenses.

To find the details that apply to this artifact see the accompanying LICENSE file.

For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

```
## Credits
```

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

This copy of Jackson JSON processor YAML module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

# 1.130 xml-apis 1.4.01

## 1.130.1 Available under license :

xml-commons/java/external/README.dom.txt \$Id: README.dom.txt 477038 2006-11-20 04:40:36Z mrglavas \$

HEAR YE, HEAR YE!

All of the .java software and associated documentation about the DOM in this repository are distributed under the license from the W3C, which is provided herein.

LICENSE.dom-software.txt covers all software from the W3C including the following items in the xml-commons project:

xml-commons/java/external/src/org/w3c  
and all subdirectories

(Note: SAC (The Simple API for CSS) has been published under an older version of the W3C license. The original license file is LICENSE.sac.html.)

LICENSE.dom-documentation.txt covers all documentation from the W3C including the following items in the xml-commons project:

xml-commons/java/external/xdocs/dom  
and all subdirectories

The actual DOM Java Language Binding classes in xml-commons came from:

<http://www.w3.org/TR/2004/REC-DOM-Level-3-Core-20040407/java-binding.html>

The specification of DOM Level 3's various parts is at:

<http://www.w3.org/TR/2004/REC-DOM-Level-3-Core-20040407/>

<http://www.w3.org/TR/2004/REC-DOM-Level-3-LS-20040407/>

<http://www.w3.org/TR/2004/NOTE-DOM-Level-3-XPath-20040226/>

The specification of DOM Level 2's various parts is at:

<http://www.w3.org/TR/2000/REC-DOM-Level-2-Events-20001113/>

<http://www.w3.org/TR/2000/REC-DOM-Level-2-Style-20001113/>

<http://www.w3.org/TR/2000/REC-DOM-Level-2-Traversal-Range-20001113/>

<http://www.w3.org/TR/2000/REC-DOM-Level-2-Views-20001113/>

The specification of DOM Level 1's various parts is at:

<http://www.w3.org/TR/1998/REC-DOM-Level-1-19981001/level-one-html.html>

Links to all available W3C DOM Java Bindings can be found at:

<http://www.w3.org/DOM/DOMTR>

The actual classes of The Simple API for CSS (SAC) came from:

<http://www.w3.org/Style/CSS/SAC/>

<http://www.w3.org/2002/06/sacjava-1.3.zip>

The actual DOM Java Language Binding classes for SMIL came from:

<http://dev.w3.org/cvsweb/java/classes/org/w3c/dom/smil/>

(both `ElementTimeControl.java` and `TimeEvent.java` were taken at revision 1.1)

The actual DOM Java Language Binding classes for SVG 1.1 came from:

<http://www.w3.org/TR/SVG11/java.html>

xml-commons/java/external/README.sax.txt \$Id: README.sax.txt 225954 2002-01-31 23:26:48Z curcuru \$

HEAR YE, HEAR YE!

All of the .java software and associated documentation about SAX in this repository are distributed freely in the public domain.

LICENSE.sax.txt covers all software and documentation from the megginson.com including the following in the xml-commons project:

xml-commons/java/external/src/org/xml/sax

and all subdirectories

xml-commons/java/external/xdocs/sax

and all subdirectories

The actual SAX classes in xml-commons came from:

<http://www.megginson.com/Software/index.html>

The original versions are tagged 'SAX-2\_0-r2-prerelease'

xml-commons/java/external/LICENSE.dom-software.txt \$Id: LICENSE.dom-software.txt 734314 2009-01-14 03:33:27Z mrglavas \$

This license came from: <http://www.w3.org/TR/2004/REC-DOM-Level-3-Core-20040407/java-binding.zip> (COPYRIGHT.html)

#### W3C SOFTWARE NOTICE AND LICENSE

Copyright 2004 World Wide Web Consortium, (Massachusetts Institute of Technology, European Research Consortium for Informatics and Mathematics, Keio University). All Rights Reserved.

The DOM bindings are published under the W3C Software Copyright Notice and License. The software license requires "Notice of any changes or modifications



to the W3C files, including the date changes were made." Consequently, modified versions of the DOM bindings must document that they do not conform to the W3C standard; in the case of the IDL definitions, the pragma prefix can no longer be 'w3c.org'; in the case of the Java language binding, the package names can no longer be in the 'org.w3c' package.

Note: The original version of the W3C Software Copyright Notice and License could be found at <http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.
3. Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works

that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A

PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```
=====
== NOTICE file corresponding to section 4(d) of the Apache License, ==
== Version 2.0, in this case for the Apache xml-commons xml-apis ==
== distribution. ==
=====
```

Apache XML Commons XML APIs  
Copyright 1999-2009 The Apache Software Foundation.

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:

- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.
  - software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.
  - software copyright (c) 2000 World Wide Web Consortium, <http://www.w3.org>
- xml-commons/java/external/LICENSE.dom-documentation.txt \$Id: LICENSE.dom-documentation.txt 226215 2005-06-03 22:49:13Z mrglavas \$

This license came from: <http://www.w3.org/Consortium/Legal/copyright-documents-20021231>

#### W3C DOCUMENT LICENSE

<http://www.w3.org/Consortium/Legal/2002/copyright-documents-20021231>

Public documents on the W3C site are provided by the copyright holders under the following license. By using and/or copying this document, or the W3C document from which this statement is linked, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions:

Permission to copy, and distribute the contents of this document, or the W3C document from which this statement is linked, in any medium for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the document, or portions thereof, that you use:

1. A link or URL to the original W3C document.
2. The pre-existing copyright notice of the original author, or if it doesn't exist, a notice (hypertext is preferred, but a textual representation is permitted) of the form: "Copyright [ \$date-of-document ] World Wide Web Consortium, (Massachusetts Institute of Technology, European Research Consortium for Informatics and Mathematics, Keio

University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/2002/copyright-documents-20021231>"

3. If it exists, the STATUS of the W3C document.

When space permits, inclusion of the full text of this NOTICE should be provided. We request that authorship attribution be provided in any software, documents, or other items or products that you create pursuant to the implementation of the contents of this document, or any portion thereof.

No right to create modifications or derivatives of W3C documents is granted pursuant to this license. However, if additional requirements (documented in the Copyright FAQ) are satisfied, the right to create modifications or derivatives is sometimes granted by the W3C to individuals complying with those requirements.

THIS DOCUMENT IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, OR TITLE; THAT THE CONTENTS OF THE DOCUMENT ARE SUITABLE FOR ANY PURPOSE; NOR THAT THE IMPLEMENTATION OF SUCH CONTENTS WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE DOCUMENT OR THE PERFORMANCE OR IMPLEMENTATION OF THE CONTENTS THEREOF.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to this document or its contents without specific, written prior permission. Title to copyright in this document will at all times remain with copyright holders.

-----  
This formulation of W3C's notice and license became active on December 31 2002. This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, moves information on style sheets, DTDs, and schemas to the Copyright FAQ, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". See the older formulation for the policy prior to this date. Please see our Copyright FAQ for common questions about using materials from our site, such as the translating or annotating specifications. Other questions about this notice can be directed to [site-policy@w3.org](mailto:site-policy@w3.org).

Joseph Reagle <[site-policy@w3.org](mailto:site-policy@w3.org)>

Last revised by Reagle \$Date: 2005-06-03 18:49:13 -0400 (Fri, 03 Jun 2005) \$

This license came from: <http://www.megginson.com/SAX/copying.html>  
However please note future versions of SAX may be covered  
under <http://saxproject.org/?selected=pd>

This page is now out of date -- see the new SAX site at  
<http://www.saxproject.org/> for more up-to-date  
releases and other information. Please change your bookmarks.

SAX2 is Free!

I hereby abandon any property rights to SAX 2.0 (the Simple API for XML), and release all of the SAX 2.0 source code, compiled code, and documentation contained in this distribution into the Public Domain. SAX comes with NO WARRANTY or guarantee of fitness for any purpose.

David Megginson, [david@megginson.com](mailto:david@megginson.com)  
2000-05-05

## 1.131 libc-utils 0.7.2-r3

### 1.131.1 Available under license :

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING



NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.132 reactive-streams 1.0.3

### 1.132.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/******  
* Licensed under Public Domain (CC0) *  
* *  
* To the extent possible under law, the person who associated CC0 with *  
* this code has waived all copyright and related or neighboring *  
* rights to this code. *  
* *  
* You should have received a copy of the CC0 legalcode along with this *  
* work. If not, see <http://creativecommons.org/publicdomain/zero/1.0/>.*  
*****/
```

Found in path(s):

```
* /opt/cola/permits/1135840663_1613613063.73/0/reactive-streams-1-0-3-sources-3-  
jar/org/reactivestreams/Publisher.java  
* /opt/cola/permits/1135840663_1613613063.73/0/reactive-streams-1-0-3-sources-3-  
jar/org/reactivestreams/FlowAdapters.java  
* /opt/cola/permits/1135840663_1613613063.73/0/reactive-streams-1-0-3-sources-3-  
jar/org/reactivestreams/Processor.java  
* /opt/cola/permits/1135840663_1613613063.73/0/reactive-streams-1-0-3-sources-3-  
jar/org/reactivestreams/Subscription.java  
* /opt/cola/permits/1135840663_1613613063.73/0/reactive-streams-1-0-3-sources-3-  
jar/org/reactivestreams/Subscriber.java
```

## 1.133 okhttp 4.9.3

### 1.133.1 Available under license :

Note that publicsuffices.gz is compiled from The Public Suffix List:

[https://publicsuffix.org/list/public\\_suffix\\_list.dat](https://publicsuffix.org/list/public_suffix_list.dat)

It is subject to the terms of the Mozilla Public License, v. 2.0:

<https://mozilla.org/MPL/2.0/>

Mozilla Public License

Version 2.0

1. Definitions

1.1. “Contributor”

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

1.2. “Contributor Version”

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"

means Covered Software of a particular Contributor.

1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. "Incompatible With Secondary Licenses"

means

that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

### 1.13. “Source Code Form”

means the form of the work preferred for making modifications.

### 1.14. “You” (or “Your”)

means an individual or a legal entity exercising rights under this License. For legal entities, “You” includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, “control” means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants and Conditions

### 2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and

under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

### 2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

### 2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

for any code that a Contributor has removed from Covered Software; or

for infringements caused by: (i) Your and any other third party’s modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or

under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

### 2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

### 2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has

sufficient rights to grant the rights to its Contributions conveyed by this License.

## 2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

## 2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

## 3. Responsibilities

### 3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

### 3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and

You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

### 3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

### 3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

### 3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

#### 4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

#### 5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

#### 6. Disclaimer of Warranty

Covered Software is provided under this License on an “as is” basis, without warranty of any kind, either expressed, implied, or statutory, including, without limitation, warranties that the Covered Software is free of defects, merchantable, fit for a particular purpose or non-infringing. The entire risk as to the quality and performance of the Covered Software is with You. Should any Covered Software prove defective in any respect, You (not any Contributor) assume the cost of any necessary servicing, repair, or correction. This disclaimer of warranty constitutes an essential part of this License. No use of any Covered Software is authorized under this License except under this disclaimer.

#### 7. Limitation of Liability

Under no circumstances and under no legal theory, whether tort (including negligence), contract, or otherwise, shall any Contributor, or anyone who distributes Covered Software as permitted above, be liable to You for any direct, indirect, special, incidental, or consequential damages of any character including, without limitation, damages for lost profits, loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses, even if such party shall have been informed of the possibility of such damages. This limitation of liability shall not apply to liability for death or personal injury resulting from such party’s negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion and limitation may not apply to You.

#### 8. Litigation

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant

maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

## 9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

## 10. Versions of the License

### 10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

### 10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

### 10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

### 10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

#### Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <https://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

#### Exhibit B - "Incompatible With Secondary Licenses" Notice

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

/\*

\* Copyright (C) 2012 The Android Open Source Project

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

# 1.134 opentelemetry-api-metrics 1.10.0-rc.1

## 1.134.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work



or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.135 libjpeg 6b

### 1.135.1 Notifications :

This software is based in part on the work of the Independent JPEG Group.

### 1.135.2 Available under license :

The Independent JPEG Group's JPEG software

=====

README for release 6b of 27-Mar-1998

=====

This distribution contains the sixth public release of the Independent JPEG Group's free JPEG software. You are welcome to redistribute this software and to use it for any purpose, subject to the conditions under LEGAL ISSUES, below.

Serious users of this software (particularly those incorporating it into larger programs) should contact IJG at [jpeg-info@uunet.uu.net](mailto:jpeg-info@uunet.uu.net) to be added to our electronic mailing list. Mailing list members are notified of updates and have a chance to participate in technical discussions, etc.

This software is the work of Tom Lane, Philip Gladstone, Jim Boucher, Lee Crocker, Julian Minguillon, Luis Ortiz, George Phillips, Davide Rossi, Guido Vollbeding, Ge' Weijers, and other members of the Independent JPEG Group.

IJG is not affiliated with the official ISO JPEG standards committee.

## DOCUMENTATION ROADMAP

=====

This file contains the following sections:

OVERVIEW        General description of JPEG and the IJG software.  
LEGAL ISSUES    Copyright, lack of warranty, terms of distribution.  
REFERENCES     Where to learn more about JPEG.  
ARCHIVE LOCATIONS Where to find newer versions of this software.  
RELATED SOFTWARE Other stuff you should get.  
FILE FORMAT WARS Software \*not\* to get.  
TO DO          Plans for future IJG releases.

Other documentation files in the distribution are:

User documentation:

install.doc    How to configure and install the IJG software.  
usage.doc     Usage instructions for cjpeg, djpeg, jpegtran,  
              rdjpgcom, and wrjpgcom.  
\*.1            Unix-style man pages for programs (same info as usage.doc).  
wizard.doc    Advanced usage instructions for JPEG wizards only.  
change.log    Version-to-version change highlights.

Programmer and internal documentation:

libjpeg.doc   How to use the JPEG library in your own programs.  
example.c     Sample code for calling the JPEG library.  
structure.doc  Overview of the JPEG library's internal structure.  
filelist.doc   Road map of IJG files.  
coderrules.doc Coding style rules --- please read if you contribute code.

Please read at least the files install.doc and usage.doc. Useful information can also be found in the JPEG FAQ (Frequently Asked Questions) article. See ARCHIVE LOCATIONS below to find out where to obtain the FAQ article.

If you want to understand how the JPEG code works, we suggest reading one or more of the REFERENCES, then looking at the documentation files (in roughly the order listed) before diving into the code.

## OVERVIEW

=====

This package contains C software to implement JPEG image compression and decompression. JPEG (pronounced "jay-peg") is a standardized compression method for full-color and gray-scale images. JPEG is intended for compressing

"real-world" scenes; line drawings, cartoons and other non-realistic images are not its strong suit. JPEG is lossy, meaning that the output image is not exactly identical to the input image. Hence you must not use JPEG if you have to have identical output bits. However, on typical photographic images, very good compression levels can be obtained with no visible change, and remarkably high compression levels are possible if you can tolerate a low-quality image. For more details, see the references, or just experiment with various compression settings.

This software implements JPEG baseline, extended-sequential, and progressive compression processes. Provision is made for supporting all variants of these processes, although some uncommon parameter settings aren't implemented yet. For legal reasons, we are not distributing code for the arithmetic-coding variants of JPEG; see LEGAL ISSUES. We have made no provision for supporting the hierarchical or lossless processes defined in the standard.

We provide a set of library routines for reading and writing JPEG image files, plus two sample applications "cjpeg" and "djpeg", which use the library to perform conversion between JPEG and some other popular image file formats. The library is intended to be reused in other applications.

In order to support file conversion and viewing software, we have included considerable functionality beyond the bare JPEG coding/decoding capability; for example, the color quantization modules are not strictly part of JPEG decoding, but they are essential for output to colormapped file formats or colormapped displays. These extra functions can be compiled out of the library if not required for a particular application. We have also included "jpegtran", a utility for lossless transcoding between different JPEG processes, and "rdjpgcom" and "wrjpgcom", two simple applications for inserting and extracting textual comments in JFIF files.

The emphasis in designing this software has been on achieving portability and flexibility, while also making it fast enough to be useful. In particular, the software is not intended to be read as a tutorial on JPEG. (See the REFERENCES section for introductory material.) Rather, it is intended to be reliable, portable, industrial-strength code. We do not claim to have achieved that goal in every aspect of the software, but we strive for it.

We welcome the use of this software as a component of commercial products. No royalty is required, but we do ask for an acknowledgement in product documentation, as described under LEGAL ISSUES.

## LEGAL ISSUES

=====

In plain English:

1. We don't promise that this software works. (But if you find any bugs, please let us know!)
2. You can use this software for whatever you want. You don't have to pay us.
3. You may not pretend that you wrote this software. If you use it in a program, you must acknowledge somewhere in your documentation that you've used the IJG code.

In legalese:

The authors make NO WARRANTY or representation, either express or implied, with respect to this software, its quality, accuracy, merchantability, or fitness for a particular purpose. This software is provided "AS IS", and you, its user, assume the entire risk as to its quality and accuracy.

This software is copyright (C) 1991-1998, Thomas G. Lane.  
All Rights Reserved except as specified below.

Permission is hereby granted to use, copy, modify, and distribute this software (or portions thereof) for any purpose, without fee, subject to these conditions:

- (1) If any part of the source code for this software is distributed, then this README file must be included, with this copyright and no-warranty notice unaltered; and any additions, deletions, or changes to the original files must be clearly indicated in accompanying documentation.
- (2) If only executable code is distributed, then the accompanying documentation must state that "this software is based in part on the work of the Independent JPEG Group".
- (3) Permission for use of this software is granted only if the user accepts full responsibility for any undesirable consequences; the authors accept NO LIABILITY for damages of any kind.

These conditions apply to any software derived from or based on the IJG code, not just to the unmodified library. If you use our work, you ought to acknowledge us.

Permission is NOT granted for the use of any IJG author's name or company name in advertising or publicity relating to this software or products derived from it. This software may be referred to only as "the Independent JPEG Group's software".

We specifically permit and encourage the use of this software as the basis of commercial products, provided that all warranty or liability claims are assumed by the product vendor.

ansi2knr.c is included in this distribution by permission of L. Peter Deutsch, sole proprietor of its copyright holder, Aladdin Enterprises of Menlo Park, CA. ansi2knr.c is NOT covered by the above copyright and conditions, but instead

by the usual distribution terms of the Free Software Foundation; principally, that you must include source code if you redistribute it. (See the file `ansi2knr.c` for full details.) However, since `ansi2knr.c` is not needed as part of any program generated from the IJG code, this does not limit you more than the foregoing paragraphs do.

The Unix configuration script "configure" was produced with GNU Autoconf. It is copyright by the Free Software Foundation but is freely distributable. The same holds for its supporting scripts (`config.guess`, `config.sub`, `ltconfig`, `ltmain.sh`). Another support script, `install-sh`, is copyright by M.I.T. but is also freely distributable.

It appears that the arithmetic coding option of the JPEG spec is covered by patents owned by IBM, AT&T, and Mitsubishi. Hence arithmetic coding cannot legally be used without obtaining one or more licenses. For this reason, support for arithmetic coding has been removed from the free JPEG software. (Since arithmetic coding provides only a marginal gain over the unpatented Huffman mode, it is unlikely that very many implementations will support it.) So far as we are aware, there are no patent restrictions on the remaining code.

The IJG distribution formerly included code to read and write GIF files. To avoid entanglement with the Unisys LZW patent, GIF reading support has been removed altogether, and the GIF writer has been simplified to produce "uncompressed GIFs". This technique does not use the LZW algorithm; the resulting GIF files are larger than usual, but are readable by all standard GIF decoders.

We are required to state that

"The Graphics Interchange Format(c) is the Copyright property of CompuServe Incorporated. GIF(sm) is a Service Mark property of CompuServe Incorporated."

## REFERENCES

=====

We highly recommend reading one or more of these references before trying to understand the innards of the JPEG software.

The best short technical introduction to the JPEG compression algorithm is Wallace, Gregory K. "The JPEG Still Picture Compression Standard", *Communications of the ACM*, April 1991 (vol. 34 no. 4), pp. 30-44. (Adjacent articles in that issue discuss MPEG motion picture compression, applications of JPEG, and related topics.) If you don't have the CACM issue handy, a PostScript file containing a revised version of Wallace's article is available at <ftp://ftp.uu.net/graphics/jpeg/wallace.ps.gz>. The file (actually a preprint for an article that appeared in *IEEE Trans. Consumer Electronics*)

omits the sample images that appeared in CACM, but it includes corrections and some added material. Note: the Wallace article is copyright ACM and IEEE, and it may not be used for commercial purposes.

A somewhat less technical, more leisurely introduction to JPEG can be found in "The Data Compression Book" by Mark Nelson and Jean-loup Gailly, published by M&T Books (New York), 2nd ed. 1996, ISBN 1-55851-434-1. This book provides good explanations and example C code for a multitude of compression methods including JPEG. It is an excellent source if you are comfortable reading C code but don't know much about data compression in general. The book's JPEG sample code is far from industrial-strength, but when you are ready to look at a full implementation, you've got one here...

The best full description of JPEG is the textbook "JPEG Still Image Data Compression Standard" by William B. Pennebaker and Joan L. Mitchell, published by Van Nostrand Reinhold, 1993, ISBN 0-442-01272-1. Price US\$59.95, 638 pp. The book includes the complete text of the ISO JPEG standards (DIS 10918-1 and draft DIS 10918-2). This is by far the most complete exposition of JPEG in existence, and we highly recommend it.

The JPEG standard itself is not available electronically; you must order a paper copy through ISO or ITU. (Unless you feel a need to own a certified official copy, we recommend buying the Pennebaker and Mitchell book instead; it's much cheaper and includes a great deal of useful explanatory material.) In the USA, copies of the standard may be ordered from ANSI Sales at (212) 642-4900, or from Global Engineering Documents at (800) 854-7179. (ANSI doesn't take credit card orders, but Global does.) It's not cheap: as of 1992, ANSI was charging \$95 for Part 1 and \$47 for Part 2, plus 7% shipping/handling. The standard is divided into two parts, Part 1 being the actual specification, while Part 2 covers compliance testing methods. Part 1 is titled "Digital Compression and Coding of Continuous-tone Still Images, Part 1: Requirements and guidelines" and has document numbers ISO/IEC IS 10918-1, ITU-T T.81. Part 2 is titled "Digital Compression and Coding of Continuous-tone Still Images, Part 2: Compliance testing" and has document numbers ISO/IEC IS 10918-2, ITU-T T.83.

Some extensions to the original JPEG standard are defined in JPEG Part 3, a newer ISO standard numbered ISO/IEC IS 10918-3 and ITU-T T.84. IJG currently does not support any Part 3 extensions.

The JPEG standard does not specify all details of an interchangeable file format. For the omitted details we follow the "JFIF" conventions, revision 1.02. A copy of the JFIF spec is available from:

Literature Department  
C-Cube Microsystems, Inc.  
1778 McCarthy Blvd.  
Milpitas, CA 95035  
phone (408) 944-6300, fax (408) 944-6314



A PostScript version of this document is available by FTP at <ftp://ftp.uu.net/graphics/jpeg/jfif.ps.gz>. There is also a plain text version at <ftp://ftp.uu.net/graphics/jpeg/jfif.txt.gz>, but it is missing the figures.

The TIFF 6.0 file format specification can be obtained by FTP from <ftp://ftp.sgi.com/graphics/tiff/TIFF6.ps.gz>. The JPEG incorporation scheme found in the TIFF 6.0 spec of 3-June-92 has a number of serious problems. IJG does not recommend use of the TIFF 6.0 design (TIFF Compression tag 6). Instead, we recommend the JPEG design proposed by TIFF Technical Note #2 (Compression tag 7). Copies of this Note can be obtained from [ftp.sgi.com](ftp://ftp.sgi.com) or from <ftp://ftp.uu.net/graphics/jpeg/>. It is expected that the next revision of the TIFF spec will replace the 6.0 JPEG design with the Note's design. Although IJG's own code does not support TIFF/JPEG, the free libtiff library uses our library to implement TIFF/JPEG per the Note. libtiff is available from <ftp://ftp.sgi.com/graphics/tiff/>.

## ARCHIVE LOCATIONS

=====

The "official" archive site for this software is [ftp.uu.net](ftp://ftp.uu.net) (Internet address 192.48.96.9). The most recent released version can always be found there in directory [graphics/jpeg](ftp://ftp.uu.net/graphics/jpeg/). This particular version will be archived as <ftp://ftp.uu.net/graphics/jpeg/jpegsrvc.v6b.tar.gz>. If you don't have direct Internet access, UUNET's archives are also available via UUCP; contact [help@uunet.uu.net](mailto:help@uunet.uu.net) for information on retrieving files that way.

Numerous Internet sites maintain copies of the UUNET files. However, only [ftp.uu.net](ftp://ftp.uu.net) is guaranteed to have the latest official version.

You can also obtain this software in DOS-compatible "zip" archive format from the SimTel archives (<ftp://ftp.simtel.net/pub/simtelnet/msdos/graphics/>), or on CompuServe in the Graphics Support forum (GO CIS:GRAPHSUP), library 12 "JPEG Tools". Again, these versions may sometimes lag behind the [ftp.uu.net](ftp://ftp.uu.net) release.

The JPEG FAQ (Frequently Asked Questions) article is a useful source of general information about JPEG. It is updated constantly and therefore is not included in this distribution. The FAQ is posted every two weeks to Usenet newsgroups [comp.graphics.misc](mailto:comp.graphics.misc), [news.answers](mailto:news.answers), and other groups. It is available on the World Wide Web at <http://www.faqs.org/faqs/jpeg-faq/> and other [news.answers](mailto:news.answers) archive sites, including the official [news.answers](mailto:news.answers) archive at [rtfm.mit.edu: ftp://rtfm.mit.edu/pub/usenet/news.answers/jpeg-faq/](ftp://rtfm.mit.edu/pub/usenet/news.answers/jpeg-faq/). If you don't have Web or FTP access, send e-mail to [mail-server@rtfm.mit.edu](mailto:mail-server@rtfm.mit.edu) with body

send usenet/news.answers/jpeg-faq/part1

send usenet/news.answers/jpeg-faq/part2

## RELATED SOFTWARE

=====

Numerous viewing and image manipulation programs now support JPEG. (Quite a few of them use this library to do so.) The JPEG FAQ described above lists some of the more popular free and shareware viewers, and tells where to obtain them on Internet.

If you are on a Unix machine, we highly recommend Jef Poskanzer's free PBMPPLUS software, which provides many useful operations on PPM-format image files. In particular, it can convert PPM images to and from a wide range of other formats, thus making cjpeg/djpeg considerably more useful. The latest version is distributed by the NetPBM group, and is available from numerous sites, notably <ftp://wuarchive.wustl.edu/graphics/graphics/packages/NetPBM/>. Unfortunately PBMPPLUS/NETPBM is not nearly as portable as the IJG software is; you are likely to have difficulty making it work on any non-Unix machine.

A different free JPEG implementation, written by the PVRG group at Stanford, is available from <ftp://havefun.stanford.edu/pub/jpeg/>. This program is designed for research and experimentation rather than production use; it is slower, harder to use, and less portable than the IJG code, but it is easier to read and modify. Also, the PVRG code supports lossless JPEG, which we do not. (On the other hand, it doesn't do progressive JPEG.)

## FILE FORMAT WARS

=====

Some JPEG programs produce files that are not compatible with our library. The root of the problem is that the ISO JPEG committee failed to specify a concrete file format. Some vendors "filled in the blanks" on their own, creating proprietary formats that no one else could read. (For example, none of the early commercial JPEG implementations for the Macintosh were able to exchange compressed files.)

The file format we have adopted is called JFIF (see REFERENCES). This format has been agreed to by a number of major commercial JPEG vendors, and it has become the de facto standard. JFIF is a minimal or "low end" representation. We recommend the use of TIFF/JPEG (TIFF revision 6.0 as modified by TIFF Technical Note #2) for "high end" applications that need to record a lot of additional data about an image. TIFF/JPEG is fairly new and not yet widely supported, unfortunately.

The upcoming JPEG Part 3 standard defines a file format called SPIFF. SPIFF is interoperable with JFIF, in the sense that most JFIF decoders should be able to read the most common variant of SPIFF. SPIFF has some technical

advantages over JFIF, but its major claim to fame is simply that it is an official standard rather than an informal one. At this point it is unclear whether SPIFF will supersede JFIF or whether JFIF will remain the de-facto standard. IJG intends to support SPIFF once the standard is frozen, but we have not decided whether it should become our default output format or not. (In any case, our decoder will remain capable of reading JFIF indefinitely.)

Various proprietary file formats incorporating JPEG compression also exist. We have little or no sympathy for the existence of these formats. Indeed, one of the original reasons for developing this free software was to help force convergence on common, open format standards for JPEG files. Don't use a proprietary file format!

TO DO

=====

The major thrust for v7 will probably be improvement of visual quality. The current method for scaling the quantization tables is known not to be very good at low Q values. We also intend to investigate block boundary smoothing, "poor man's variable quantization", and other means of improving quality-vs-file-size performance without sacrificing compatibility.

In future versions, we are considering supporting some of the upcoming JPEG Part 3 extensions --- principally, variable quantization and the SPIFF file format.

As always, speeding things up is of great interest.

Please send bug reports, offers of help, etc. to [jpeg-info@uunet.uu.net](mailto:jpeg-info@uunet.uu.net).

## 1.136 vault-java-driver 5.1.0

### 1.136.1 Available under license :

JSZip is dual licensed. At your choice you may use it under the MIT license or the GPLv3 license.

The MIT License

Copyright (c) 2009-2016 Stuart Knightley, David Duponchel, Franz Buchinger, António Afonso

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

GPL version 3

GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/> Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS

Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you".

"Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an

implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

#### Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

#### Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

#### Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all

notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

#### Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

a) The work must carry prominent notices stating that you modified it, and giving a relevant date.

b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".

c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

#### Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product

model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.



If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or

f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

#### Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

#### Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

#### Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by

third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of,

or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER

PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

## 1.137 endpoints-spi 2.18.2

### 1.137.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.



9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Note: Other license terms may apply to certain, identified software files contained within or distributed with the accompanying software if such terms are included in the directory containing the accompanying software. Such other license terms will then apply in lieu of the terms of the software license above.

AWS SDK for Java 2.0

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

This product includes software developed by  
Amazon Technologies, Inc (<http://www.amazon.com/>).

\*\*\*\*\*

### THIRD PARTY COMPONENTS

\*\*\*\*\*

This software includes third party software subject to the following copyrights:

- XML parsing and utility functions from JetS3t - Copyright 2006-2009 James Murty.
- PKCS#1 PEM encoded private key parsing and utility functions from [oauth.googlecode.com](https://oauth.googlecode.com) - Copyright 1998-2010 AOL Inc.
- Apache Commons Lang - <https://github.com/apache/commons-lang>
- Netty Reactive Streams - <https://github.com/playframework/netty-reactive-streams>
- Jackson-core - <https://github.com/FasterXML/jackson-core>
- Jackson-dataformat-cbor - <https://github.com/FasterXML/jackson-dataformats-binary>

The licenses for these third party components are included in LICENSE.txt

- For Apache Commons Lang see also this required NOTICE:  
Apache Commons Lang  
Copyright 2001-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

# 1.138 aws-json-protocol 2.18.2

## 1.138.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside

or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer,

and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Note: Other license terms may apply to certain, identified software files contained within or distributed with the accompanying software if such terms are included in the directory containing the accompanying software. Such other license terms will then apply in lieu of the terms of the software license above.

AWS SDK for Java 2.0

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

This product includes software developed by  
Amazon Technologies, Inc (<http://www.amazon.com/>).

\*\*\*\*\*

### THIRD PARTY COMPONENTS

\*\*\*\*\*

This software includes third party software subject to the following copyrights:

- XML parsing and utility functions from JetS3t - Copyright 2006-2009 James Murty.
- PKCS#1 PEM encoded private key parsing and utility functions from oauth.googlecode.com - Copyright 1998-2010 AOL Inc.
- Apache Commons Lang - <https://github.com/apache/commons-lang>
- Netty Reactive Streams - <https://github.com/playframework/netty-reactive-streams>
- Jackson-core - <https://github.com/FasterXML/jackson-core>
- Jackson-dataformat-cbor - <https://github.com/FasterXML/jackson-dataformats-binary>

The licenses for these third party components are included in LICENSE.txt

- For Apache Commons Lang see also this required NOTICE:  
Apache Commons Lang  
Copyright 2001-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

## 1.139 xodus-vfs 2.0.1

### 1.139.1 Available under license :

Apache-2.0

## 1.140 guava 31.1-jre

### 1.140.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2009 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
/**
 * Outer class that exists solely to let us write {@code Partially.GwtIncompatible} instead of plain
 * {@code GwtIncompatible}. This is more accurate for {@link Futures#catching}, which is available
 * under GWT but with a slightly different signature.
```

\*  
\* <p>We can't use { @code PartiallyGwtIncompatible } because then the GWT compiler wouldn't recognize  
\* it as a { @code GwtIncompatible } annotation. And for { @code Futures.catching }, we need the GWT  
\* compiler to autostrip the normal server method in order to expose the special, inherited GWT  
\* version.  
\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/Partially.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2014 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/graph/Network.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/graph/PredecessorsFunction.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/graph/ImmutableGraph.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/graph/MutableGraph.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/io/RecursiveDeleteOption.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/graph/SuccessorsFunction.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/graph/Graph.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/graph/ImmutableNetwork.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/graph/Graphs.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-



jar/com/google/common/collect/TopKSelector.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/graph/MutableNetwork.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/io/InsecureRecursiveDeleteException.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2018 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
* in compliance with the License. You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software distributed under the License  
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
* or implied. See the License for the specific language governing permissions and limitations under  
* the License.  
*/
```

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/JdkBackedImmutableSet.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/hash/ImmutableSupplier.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/ExecutionSequencer.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/JdkBackedImmutableMultiset.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2009 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableSortedSet.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableAsList.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ComparisonChain.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableClassToInstanceMap.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/SingletonImmutableList.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/TableCollectors.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/DiscreteDomain.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableSortedMap.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableSortedSetFauxverideShim.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/SingletonImmutableTable.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableEnumSet.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/EmptyImmutableSetMultimap.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AbstractIndexedListIterator.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableList.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableTable.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ComputationException.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableSetMultimap.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingTable.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ArrayTable.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Guava Authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/hash/package-info.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2008 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/PeekingIterator.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/ImmutableEntry.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/ImmutableBiMap.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/Serialization.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/HashBasedTable.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/ImmutableMapValues.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/ImmutableMultiset.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/ImmutableMap.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/collect/ImmutableMapKeySet.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/ImmutableSortedSet.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/ImmutableMultimap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/CollectPreconditions.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/Tables.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/RegularImmutableMap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/UnmodifiableIterator.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/SingletonImmutableBiMap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/thirdparty/publicsuffix/PublicSuffixPatterns.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/StandardRowSortedTable.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/ImmutableMapEntrySet.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/Collections2.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/StandardTable.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/ImmutableCollection.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/RegularImmutableBiMap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/Table.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/TreeBasedTable.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/ImmutableListMultimap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/Platform.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/Range.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/EmptyImmutableListMultimap.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2021 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/NullnessCasts.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/NullnessCasts.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/NullnessCasts.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2011 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/CycleDetectingLockFactory.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/AbstractHasher.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/UnsignedInteger.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/UnsignedLongs.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/CacheStats.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/FunctionalEquivalence.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/reflect/TypeParameter.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/math/DoubleMath.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/hash/MessageDigestHashFunction.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/base/PairwiseEquivalence.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/hash/BloomFilter.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/ListeningScheduledExecutorService.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/TreeRangeSet.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/cache/Weigher.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/net/HttpHeaders.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/base/Present.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/hash/Crc32cHashFunction.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/RegularContiguousSet.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/cache/LoadingCache.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/cache/AbstractCache.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/FutureCallback.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/RegularImmutableMultiset.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/hash/Murmur3\_32HashFunction.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/cache/RemovalListener.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/reflect/Types.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/hash/HashCode.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/math/IntMath.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/hash/Funnel.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/math/DoubleUtils.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/hash/AbstractNonStreamingHashFunction.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/util/concurrent/AsyncFunction.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/BoundType.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/hash/HashingOutputStream.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/cache/AbstractLoadingCache.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/math/LongMath.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/ExecutionError.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/cache/package-info.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/hash/HashFunction.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/math/package-info.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/cache/CacheBuilderSpec.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/cache/Cache.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/EmptyContiguousSet.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/AbstractScheduledService.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/hash/Hashing.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/Uninterruptibles.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/base/Optional.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/primitives/ParseRequest.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/AbstractSortedMultiset.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/base/Enums.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/primitives/UnsignedInts.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/DescendingImmutableSortedMultiset.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/cache/RemovalCause.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/hash/AbstractCompositeHashFunction.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/primitives/UnsignedLong.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/base/Absent.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/ForwardingExecutorService.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/hash/PrimitiveSink.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/hash/AbstractStreamingHasher.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/cache/ForwardingLoadingCache.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/ForwardingListeningExecutorService.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/hash/Funnels.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/net/MediaType.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/math/MathPreconditions.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/base/Ticker.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/cache/ForwardingCache.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/math/BigIntegerMath.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/hash/Hasher.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/WrappingExecutorService.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/net/HostAndPort.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/hash/Murmur3\_128HashFunction.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/cache/RemovalNotification.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/hash/BloomFilterStrategies.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/cache/RemovalListeners.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/cache/CacheLoader.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/UncheckedExecutionException.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/Queues.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/AbstractListeningExecutorService.java  
No license file was found, but licenses were detected in source scan.

/\*



\* Copyright (C) 2019 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/CompactHashing.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/IncidentEdgeSet.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2016 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/LinkedHashMultimapGwtSerializationDependencies.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/EndpointPairIterator.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/ForwardingNetwork.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/ForwardingGraph.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/graph/AbstractGraph.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/graph/ElementOrder.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/graph/NetworkConnections.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/graph/UndirectedNetworkConnections.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/graph/EdgesConnecting.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/graph/MultiEdgesConnecting.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/Comparators.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/graph/AbstractGraphBuilder.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/graph/GraphConnections.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/graph/AbstractDirectedNetworkConnections.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/graph/AbstractNetwork.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/graph/ImmutableValueGraph.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/graph/ValueGraph.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/graph/UndirectedGraphConnections.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/graph/MapRetrievalCache.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/HashMultimapGwtSerializationDependencies.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/graph/ValueGraphBuilder.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/graph/StandardMutableNetwork.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/graph/NetworkBuilder.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/graph/MutableValueGraph.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/graph/StandardMutableValueGraph.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/graph/ForwardingValueGraph.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/graph/GraphConstants.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/graph/UndirectedMultiNetworkConnections.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-

```
jar/com/google/common/graph/StandardMutableGraph.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/EndpointPair.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/AbstractValueGraph.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/StandardValueGraph.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/DirectedMultiNetworkConnections.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/GraphBuilder.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ArrayListMultimapGwtSerializationDependencies.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/AbstractUndirectedNetworkConnections.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/RangeGwtSerializationDependencies.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/DirectedGraphConnections.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/MapIteratorCache.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/CollectCollectors.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/MoreCollectors.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ImmutableMultisetGwtSerializationDependencies.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/StandardNetwork.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/DirectedNetworkConnections.java
No license file was found, but licenses were detected in source scan.
```

```
// Copyright 2011 Google Inc. All Rights Reserved.
```

```
Found in path(s):
```

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/hash/Fingerprint2011.java
No license file was found, but licenses were detected in source scan.
```

```
/*
```

```
* Copyright (C) 2008 The Guava Authors
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
* in compliance with the License. You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/escape/UnicodeEscaper.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Joiner.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/net/InetAddresses.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/MultiReader.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/FluentIterable.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/net/PercentEscaper.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/Doubles.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/Chars.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/Bytes.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/SequentialExecutor.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/Longs.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/Ints.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/Booleans.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ListenableFutureTask.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/escape/Escaper.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/Shorts.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/internal/Finalizer.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/FileBackedOutputStream.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/thirdparty/publicsuffix/TrieParser.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Stopwatch.java

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/base/CharMatcher.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/primitives/Floats.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/base/Converter.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright (C) 2020 The Guava Authors
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
```

```
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
```

```
*/
```

```
/**
```

```
* Holder for web specializations of methods of { @code Ints }. Intended to be empty for regular
* version.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/primitives/IntsMethodsForWeb.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright (C) 2014 The Guava Authors
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
```

```
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
```

```
*/
```

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/TrustedListenableFutureTask.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/eventbus/Subscriber.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/MoreObjects.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ListenerCallQueue.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/math/Quantiles.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/eventbus/Dispatcher.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/eventbus/SubscriberRegistry.java

No license file was found, but licenses were detected in source scan.

/\*

\* Written by Doug Lea with assistance from members of JCP JSR-166  
\* Expert Group and released to the public domain, as explained at  
\* <http://creativecommons.org/publicdomain/zero/1.0/>  
\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/LongAdder.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/LongAdder.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/Striped64.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/Striped64.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/AtomicDoubleArray.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the  
\* License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND,  
\* either  
\* express or implied. See the License for the specific language governing permissions and  
\* limitations under the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingSortedMultiset.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableSortedMultisetFauxverideShim.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/GeneralRange.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Count.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableSortedMultiset.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/SortedIterable.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/RangeSet.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AbstractRangeSet.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/SortedIterables.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableSortedMultiset.java

No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright (C) 2015 The Guava Authors
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/package-info.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableBiMapFauxverideShim.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/CollectSpliterators.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/AtomicLongMap.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/GwtTransient.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/OverflowAvoidingLockSupport.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/math/BigDecimalMath.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/Java8Compatibility.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-



jar/com/google/common/hash/Java8Compatibility.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/math/ToDoubleRounder.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/base/Java8Compatibility.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2010 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/ForwardingListMultimap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/UnmodifiableListIterator.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/RowSortedTable.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/MinMaxPriorityQueue.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/ForwardingImmutableCollection.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/AbstractSequentialIterator.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/SortedMapDifference.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/ForwardingSortedSetMultimap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/ForwardingSetMultimap.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2021 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License");
```

- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/html/ParametricNullness.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ParametricNullness.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/net/ParametricNullness.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/math/ParametricNullness.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/xml/ParametricNullness.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/ParametricNullness.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/ParametricNullness.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/eventbus/ParametricNullness.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/ParametricNullness.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/html/ElementTypesAreNonnullByDefault.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ElementTypesAreNonnullByDefault.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/ElementTypesAreNonnullByDefault.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/ElementTypesAreNonnullByDefault.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/escape/ElementTypesAreNonnullByDefault.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/reflect/ElementTypesAreNonnullByDefault.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/ElementTypesAreNonnullByDefault.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/math/ElementTypesAreNonnullByDefault.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/util/concurrent/ElementTypesAreNonnullByDefault.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/xml/ElementTypesAreNonnullByDefault.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/base/ElementTypesAreNonnullByDefault.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/primitives/ElementTypesAreNonnullByDefault.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/ParametricNullness.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/eventbus/ElementTypesAreNonnullByDefault.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/net/ElementTypesAreNonnullByDefault.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/base/ParametricNullness.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/reflect/ParametricNullness.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/io/ParametricNullness.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/graph/ElementTypesAreNonnullByDefault.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/escape/ParametricNullness.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/graph/ParametricNullness.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2006 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
* in compliance with the License. You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software distributed under the License  
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
* express  
* or implied. See the License for the specific language governing permissions and limitations under  
* the License.  
*/
```

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/ImmediateFuture.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/FakeTimeLimiter.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/util/concurrent/GwtFuturesCatchingSpecialization.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/escape/CharEscaperBuilder.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/TimeoutFuture.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/Futures.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/CollectionFuture.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/base/CaseFormat.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/GwtFluentFutureCatchingSpecialization.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/annotations/VisibleForTesting.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/FuturesGetChecked.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/UncheckedTimeoutException.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/TimeLimiter.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/reflect/TypeToken.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/AbstractCatchingFuture.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/escape/CharEscaper.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/AbstractTransformFuture.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/SimpleTimeLimiter.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/FluentFuture.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/io/AppendableWriter.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/AggregateFuture.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/io/PatternFilenameFilter.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2007 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

```
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/*
* This following method is a modified version of one found in
* http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/src/test/tck/AbstractExecutorServiceTest.java?revision=1.30
* which contained the following notice:
*
* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to
* the public domain, as explained at http://creativecommons.org/publicdomain/zero/1.0/
*
* Other contributors include Andrew Wright, Jeffrey Hayes, Pat Fisher, Mike Judd.
*/
```

Found in path(s):

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/MoreExecutors.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2016 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/base/PatternCompiler.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/base/JdkPattern.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/base/CommonMatcher.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/base/CommonPattern.java
```

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2012 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

/\*

\* This method was rewritten in Java from an intermediate step of the Murmur hash function in

\* <http://code.google.com/p/smhasher/source/browse/trunk/MurmurHash3.cpp>, which contained the

\* following header:

\*

\* MurmurHash3 was written by Austin Appleby, and is placed in the public domain. The author

\* hereby disclaims copyright to this source code.

\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/base/SmallCharMatcher.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2013 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/base/VerifyException.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Verify.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/eventbus/SubscriberExceptionContext.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/CharSequenceReader.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/WrappingScheduledExecutorService.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/eventbus/SubscriberExceptionHandler.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/reflect/TypeVisitor.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/FilteredMultimapValues.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AbstractTable.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/Runnables.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/HashingInputStream.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Utf8.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/thirdparty/publicsuffix/PublicSuffixType.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2009 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/MapMaker.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/JdkFutureAdapters.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/xml/XmlEscapers.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/ByteArrayDataInput.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Cut.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/Callables.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/annotations/GwtIncompatible.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractExecutionThreadService.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/annotations/GwtCompatible.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/escape/Escapers.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/SignedBytes.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/SparseImmutableTable.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/LocalCache.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/escape/ArrayBasedCharEscaper.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/net/HostSpecifier.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/escape/Platform.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/CacheBuilder.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/UnsignedBytes.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingFuture.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/net/InternetDomainName.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingFluentFuture.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingListenableFuture.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/Service.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/reflect/TypeResolver.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Splitter.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/LineProcessor.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/MapMakerInternalMap.java



\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/ReferenceEntry.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableTable.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractIdleService.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/net/UrlEscapers.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Platform.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/escape/ArrayBasedEscaperMap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractService.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/DenseImmutableTable.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/ByteProcessor.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/SettableFuture.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/escape/ArrayBasedUnicodeEscaper.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/ByteArrayDataOutput.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/html/HtmlEscapers.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2007 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/package-info.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/FinalizablePhantomReference.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/LineBuffer.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Function.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/LittleEndianDataOutputStream.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Throwables.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/CountingOutputStream.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/Closeables.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/eventbus/DeadEvent.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Preconditions.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Supplier.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ListenableFuture.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/MultiInputStream.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/Primitives.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/package-info.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Objects.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/LineReader.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Interners.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/eventbus/AsyncEventBus.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/CountingInputStream.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/eventbus/Subscribe.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/package-info.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/FinalizableReference.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/DirectExecutor.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/AbstractIterator.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ExecutionList.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/eventbus/package-info.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/ByteStreams.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/EnumMultiset.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/FinalizableReferenceQueue.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Functions.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/eventbus/AllowConcurrentEvents.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/HashBiMap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/Resources.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/FinalizableSoftReference.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/CharStreams.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Defaults.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Predicate.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Charsets.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Suppliers.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/FinalizableWeakReference.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/Files.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractFuture.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/Flushables.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/eventbus/EventBus.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/LittleEndianDataInputStream.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Predicates.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2012 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/DescendingMultiset.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingBlockingDeque.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/FilteredSetMultimap.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/FilteredEntryMultimap.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableAsList.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/CompactLinkedHashSet.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AbstractMultimap.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingImmutableList.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingImmutableMap.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/TransformedIterator.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/DescendingImmutableSortedSet.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/EvictingQueue.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/CompactLinkedHashMap.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingDeque.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/FilteredEntrySetMultimap.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AbstractNavigableMap.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/FilteredKeySetMultimap.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/FilteredMultimap.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableEnumMap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AbstractSortedKeySortedSetMultimap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AllEqualOrdering.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/UnmodifiableSortedMultiset.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingBlockingDeque.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/TreeTraverser.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingNavigableSet.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/SortedMultisetBridge.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/RangeMap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingNavigableMap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/CompactHashSet.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/CompactHashMap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/FilteredKeyListMultimap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/TransformedListIterator.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingImmutableSet.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/TreeRangeMap.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

/\*\*

\* Holder for web specializations of methods of { @code Floats }. Intended to be empty for regular  
\* version.  
\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/primitives/FloatsMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2015 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/hash/MacHashFunction.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/hash/LittleEndianByteArray.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/CombinedFuture.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/io/ReaderInputStream.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/InterruptibleTask.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/AggregateFutureState.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/hash/FarmHashFingerprint64.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/AsyncCallable.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/ConsumingQueueIterator.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/Platform.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2012 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/FilteredKeyMultimap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/ListenableScheduledFuture.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/io/BaseEncoding.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ImmutableRangeMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/math/Stats.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/math/PairedStats.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/math/StatsAccumulator.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/xml/package-
info.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/Closer.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/reflect/package-info.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/SmoothRateLimiter.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/hash/SipHashFunction.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/reflect/Parameter.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/io/FileWriteMode.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/math/PairedStatsAccumulator.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/CartesianList.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
```

jar/com/google/common/reflect/TypeCapture.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/hash/LongAddable.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/hash/LongAddables.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/cache/LongAddable.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/escape/package-info.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/ServiceManager.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/reflect/Invokable.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/cache/LongAddables.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/html/package-info.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/io/CharSource.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/base/StandardSystemProperty.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/hash/ChecksumHashFunction.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/hash/AbstractByteHasher.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/reflect/ClassPath.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/reflect/TypeToInstanceMap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/math/LinearTransformation.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/io/CharSink.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/io/ByteSource.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/io/ByteSink.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/reflect/ImmutableTypeToInstanceMap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/reflect/AbstractInvocationHandler.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/RateLimiter.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/ImmutableRangeSet.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/reflect/MutableTypeToInstanceMap.java



No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2013 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/io/MoreFiles.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/MultimapBuilder.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ImmutableMapEntry.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2009 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the
 * License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND,
 * either
 * express or implied. See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ImmutableSortedAsList.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright (C) 2016 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/**
* Holder for extra methods of {@code Objects} only in web. Intended to be empty for regular
* version.
*/
```

Found in path(s):

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/base/ExtraObjectsMethodsForWeb.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2007 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/LinkedHashMultiset.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/UsingToStringOrdering.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/MutableClassToInstanceMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ForwardingListIterator.java
```

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ArrayListMultimap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Synchronized.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableSet.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingSortedSet.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ComparatorOrdering.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableSet.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ListMultimap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AbstractMapEntry.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ConcurrentHashMultiset.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Iterables.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/SingletonImmutableSet.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/NullsFirstOrdering.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/EnumBiMap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AbstractMultiset.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/TreeMultiset.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ExplicitOrdering.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingMap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Lists.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AbstractBiMap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingMapEntry.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ReverseNaturalOrdering.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/LinkedListMultimap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingQueue.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/HashMultiset.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AbstractMapBasedMultiset.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AbstractSortedSetMultimap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Multiset.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/LexicographicalOrdering.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Ordering.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AbstractListMultimap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/BiMap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ClassToInstanceMap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/NaturalOrdering.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingSortedMap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ReverseOrdering.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Iterators.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingConcurrentMap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/TreeMultimap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/SortedSetMultimap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableList.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Multimap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/LinkedHashMultimap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/package-info.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/HashMultimap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AbstractMapBasedMultimap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ByFunctionOrdering.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/MapDifference.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Sets.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Interner.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/SetMultimap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/NullsLastOrdering.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AbstractIterator.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingMultiset.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingIterator.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingSet.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingList.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingMultimap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Multisets.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/EnumHashBiMap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingObject.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Maps.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AbstractSetMultimap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Multimaps.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/CompoundOrdering.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingCollection.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not  
\* use this file except in compliance with the License. You may obtain a copy of  
\* the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/SortedMultiset.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/SortedMultisets.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2007 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

/\*\*

\* Returns an array containing all of the elements in the specified collection. This method

\* returns the elements in the order they are returned by the collection's iterator. The returned

\* array is "safe" in that no references to it are maintained by the collection. The caller is

\* thus free to modify the returned array.

\*

\* <p>This method assumes that the collection size doesn't change while the method is running.

\*

\* <p>TODO(kevinb): support concurrently modified collections?

\*

\* @param c the collection for which to return an array of elements

\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/ObjectArrays.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2008 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

```
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/*
* This method was rewritten in Java from an intermediate step of the Murmur hash function in
* http://code.google.com/p/smhasher/source/browse/trunk/MurmurHash3.cpp, which contained the
* following header:
*
* MurmurHash3 was written by Austin Appleby, and is placed in the public domain. The author
* hereby disclaims copyright to this source code.
*/
```

Found in path(s):

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/Hashing.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2018 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/IndexedImmutableSet.java
```

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/JdkBackedImmutableBiMap.java
```

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/JdkBackedImmutableMap.java
```

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/BaseImmutableMultimap.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2010 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/annotations/package-info.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/Atomics.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/package-info.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/SortedLists.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/net/package-info.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/annotations/Beta.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ContiguousSet.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingBlockingQueue.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ThreadFactoryBuilder.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Ascii.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Equivalence.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/UncaughtExceptionHandler.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ListeningExecutorService.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/Monitor.java



```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/base/Strings.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright (C) 2017 The Guava Authors
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
* See the License for the specific language governing permissions and
```

```
* limitations under the License.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/graph/Traverser.java
```

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/ClosingFuture.java
```

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/graph/AbstractBaseGraph.java
```

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/graph/BaseGraph.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright (C) 2020 The Guava Authors
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
```

```
* in compliance with the License. You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software distributed under the License
```

```
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express
```

```
* or implied. See the License for the specific language governing permissions and limitations under
```

```
* the License.
```

```
*/
```

```
/**
```

```
* Holder for web specializations of methods of { @code Shorts}. Intended to be empty for regular
```

```
* version.
```

\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/ShortsMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2005 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/reflect/Reflection.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2015 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you

\* may not use this file except in compliance with the License. You may

\* obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

\* implied. See the License for the specific language governing

\* permissions and limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Streams.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2019 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/primitives/Platform.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/Internal.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2017 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/ForwardingLock.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/ForwardingCondition.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/primitives/ImmutableIntArray.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/hash/AbstractHashFunction.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/primitives/ImmutableDoubleArray.java
```

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/ImmutableLongArray.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ServiceManagerBridge.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

/\*\*

\* Holder for web specializations of methods of { @code Doubles}. Intended to be empty for regular  
\* version.

\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/DoublesMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2009 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
/**
 * Not supported. <b>You are attempting to create a map that may contain a non-{@code Comparable}
 * key.</b> Proper calls will resolve to the version in {@code ImmutableSortedMap}, not this dummy
 * version.
 *
 * @throws UnsupportedOperationException always
 * @deprecated <b>Pass a key of type {@code Comparable} to use {@link
 *   ImmutableSortedMap#of(Comparable, Object)}.</b>
 */
```

Found in path(s):

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ImmutableSortedMapFauxverideShim.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2011 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
/*
 * This method was written by Doug Lea with assistance from members of JCP JSR-166 Expert Group
```

\* and released to the public domain, as explained at  
\* <http://creativecommons.org/licenses/publicdomain>  
\*  
\* As of 2010/06/11, this method is identical to the (package private) hash method in OpenJDK 7's  
\* `java.util.HashMap` class.  
\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/Striped.java

## 1.141 asm 9.3

### 1.141.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
// All rights reserved.  
// Redistribution and use in source and binary forms, with or without  
// modification, are permitted provided that the following conditions  
// are met:  
// 1. Redistributions of source code must retain the above copyright  
// notice, this list of conditions and the following disclaimer.  
// 2. Redistributions in binary form must reproduce the above copyright  
// notice, this list of conditions and the following disclaimer in the  
// documentation and/or other materials provided with the distribution.  
// 3. Neither the name of the copyright holders nor the names of its  
// this software without specific prior written permission.
```

Found in path(s):

\* /opt/cola/permits/1312150600\_1650468744.15/0/asm-9-3-sources-jar/org/objectweb/asm/ClassVisitor.java  
\* /opt/cola/permits/1312150600\_1650468744.15/0/asm-9-3-sources-jar/org/objectweb/asm/ClassTooLargeException.java  
\* /opt/cola/permits/1312150600\_1650468744.15/0/asm-9-3-sources-jar/org/objectweb/asm/AnnotationWriter.java  
\* /opt/cola/permits/1312150600\_1650468744.15/0/asm-9-3-sources-jar/org/objectweb/asm/Attribute.java  
\* /opt/cola/permits/1312150600\_1650468744.15/0/asm-9-3-sources-jar/org/objectweb/asm/ClassReader.java  
\* /opt/cola/permits/1312150600\_1650468744.15/0/asm-9-3-sources-jar/org/objectweb/asm/Edge.java  
\* /opt/cola/permits/1312150600\_1650468744.15/0/asm-9-3-sources-jar/org/objectweb/asm/MethodTooLargeException.java  
\* /opt/cola/permits/1312150600\_1650468744.15/0/asm-9-3-sources-jar/org/objectweb/asm/ConstantDynamic.java  
\* /opt/cola/permits/1312150600\_1650468744.15/0/asm-9-3-sources-jar/org/objectweb/asm/ClassWriter.java  
\* /opt/cola/permits/1312150600\_1650468744.15/0/asm-9-3-sources-jar/org/objectweb/asm/Opcodes.java  
\* /opt/cola/permits/1312150600\_1650468744.15/0/asm-9-3-sources-jar/org/objectweb/asm/TypePath.java  
\* /opt/cola/permits/1312150600\_1650468744.15/0/asm-9-3-sources-jar/org/objectweb/asm/MethodVisitor.java  
\* /opt/cola/permits/1312150600\_1650468744.15/0/asm-9-3-sources-jar/org/objectweb/asm/Handle.java  
\* /opt/cola/permits/1312150600\_1650468744.15/0/asm-9-3-sources-jar/org/objectweb/asm/SymbolTable.java  
\* /opt/cola/permits/1312150600\_1650468744.15/0/asm-9-3-sources-jar/org/objectweb/asm/Constants.java  
\* /opt/cola/permits/1312150600\_1650468744.15/0/asm-9-3-sources-jar/org/objectweb/asm/TypeReference.java

\* /opt/cola/permits/1312150600\_1650468744.15/0/asm-9-3-sources-jar/org/objectweb/asm/MethodWriter.java  
\* /opt/cola/permits/1312150600\_1650468744.15/0/asm-9-3-sources-jar/org/objectweb/asm/CurrentFrame.java  
\* /opt/cola/permits/1312150600\_1650468744.15/0/asm-9-3-sources-jar/org/objectweb/asm/Context.java  
\* /opt/cola/permits/1312150600\_1650468744.15/0/asm-9-3-sources-jar/org/objectweb/asm/RecordComponentVisitor.java  
\* /opt/cola/permits/1312150600\_1650468744.15/0/asm-9-3-sources-jar/org/objectweb/asm/FieldWriter.java  
\* /opt/cola/permits/1312150600\_1650468744.15/0/asm-9-3-sources-jar/org/objectweb/asm/Label.java  
\* /opt/cola/permits/1312150600\_1650468744.15/0/asm-9-3-sources-jar/org/objectweb/asm/Type.java  
\* /opt/cola/permits/1312150600\_1650468744.15/0/asm-9-3-sources-jar/org/objectweb/asm/signature/SignatureReader.java  
\* /opt/cola/permits/1312150600\_1650468744.15/0/asm-9-3-sources-jar/org/objectweb/asm/RecordComponentWriter.java  
\* /opt/cola/permits/1312150600\_1650468744.15/0/asm-9-3-sources-jar/org/objectweb/asm/ModuleWriter.java  
\* /opt/cola/permits/1312150600\_1650468744.15/0/asm-9-3-sources-jar/org/objectweb/asm/Symbol.java  
\* /opt/cola/permits/1312150600\_1650468744.15/0/asm-9-3-sources-jar/org/objectweb/asm/Handler.java  
\* /opt/cola/permits/1312150600\_1650468744.15/0/asm-9-3-sources-jar/org/objectweb/asm/signature/SignatureWriter.java  
\* /opt/cola/permits/1312150600\_1650468744.15/0/asm-9-3-sources-jar/org/objectweb/asm/Frame.java  
\* /opt/cola/permits/1312150600\_1650468744.15/0/asm-9-3-sources-jar/org/objectweb/asm/ModuleVisitor.java  
\* /opt/cola/permits/1312150600\_1650468744.15/0/asm-9-3-sources-jar/org/objectweb/asm/ByteVector.java  
\* /opt/cola/permits/1312150600\_1650468744.15/0/asm-9-3-sources-jar/org/objectweb/asm/FieldVisitor.java  
\* /opt/cola/permits/1312150600\_1650468744.15/0/asm-9-3-sources-jar/org/objectweb/asm/AnnotationVisitor.java  
No license file was found, but licenses were detected in source scan.

2011 INRIA, France Telecom

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:

\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

\* 3. Neither the name of the copyright holders nor the names of its  
\* contributors may be used to endorse or promote products derived from  
\* this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"  
\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE  
\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
\* THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):

\* /opt/cola/permits/1312150600\_1650468744.15/0/asm-9-3-sources-jar/org/objectweb/asm/signature/package.html  
\* /opt/cola/permits/1312150600\_1650468744.15/0/asm-9-3-sources-jar/org/objectweb/asm/package.html

No license file was found, but licenses were detected in source scan.

```
// All rights reserved.  
// Redistribution and use in source and binary forms, with or without  
// modification, are permitted provided that the following conditions  
// are met:  
// 1. Redistributions of source code must retain the above copyright  
// notice, this list of conditions and the following disclaimer.  
// 2. Redistributions in binary form must reproduce the above copyright  
// notice, this list of conditions and the following disclaimer in the  
// documentation and/or other materials provided with the distribution.  
// 3. Neither the name of the copyright holders nor the names of its  
// this software without specific prior written permission.
```

Found in path(s):

\* /opt/cola/permits/1312150600\_1650468744.15/0/asm-9-3-sources-  
jar/org/objectweb/asm/signature/SignatureVisitor.java

# 1.142 openssl 3.0.8-r4

## 1.142.1 Available under license :

This software is copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software; you can redistribute it and/or modify it under  
the same terms as the Perl 5 programming language system itself.

Terms of the Perl programming language system itself

- a) the GNU General Public License as published by the Free  
Software Foundation; either version 1, or (at your option) any  
later version, or
- b) the "Artistic License"

--- The GNU General Public License, Version 1, February 1989 ---

This software is Copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software, licensed under:

The GNU General Public License, Version 1, February 1989



# GNU GENERAL PUBLIC LICENSE

Version 1, February 1989

Copyright (C) 1989 Free Software Foundation, Inc.  
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

## Preamble

The license agreements of most software companies try to keep users at the mercy of those companies. By contrast, our General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. The General Public License applies to the Free Software Foundation's software and to any other program whose authors commit to using it. You can use it for your programs, too.

When we speak of free software, we are referring to freedom, not price. Specifically, the General Public License is designed to make sure that you have the freedom to give away or sell copies of free software, that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of a such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must tell them their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

The precise terms and conditions for copying, distribution and

modification follow.

GNU GENERAL PUBLIC LICENSE  
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any work containing the Program or a portion of it, either verbatim or with modifications. Each licensee is addressed as "you".

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this General Public License and to the absence of any warranty; and give any other recipients of the Program a copy of this General Public License along with the Program. You may charge a fee for the physical act of transferring a copy.

2. You may modify your copy or copies of the Program or any portion of it, and copy and distribute such modifications under the terms of Paragraph 1 above, provided that you also do the following:

a) cause the modified files to carry prominent notices stating that you changed the files and the date of any change; and

b) cause the whole of any work that you distribute or publish, that in whole or in part contains the Program or any part thereof, either with or without modifications, to be licensed at no charge to all third parties under the terms of this General Public License (except that you may choose to grant warranty protection to some or all third parties, at your option).

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the simplest and most usual way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this General Public License.

d) You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

Mere aggregation of another independent work with the Program (or its derivative) on a volume of a storage or distribution medium does not bring the other work under the scope of these terms.

3. You may copy and distribute the Program (or a portion or derivative of it, under Paragraph 2) in object code or executable form under the terms of Paragraphs 1 and 2 above provided that you also do one of the following:

a) accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Paragraphs 1 and 2 above; or,

b) accompany it with a written offer, valid for at least three years, to give any third party free (except for a nominal charge for the cost of distribution) a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Paragraphs 1 and 2 above; or,

c) accompany it with the information you received as to where the corresponding source code may be obtained. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form alone.)

Source code for a work means the preferred form of the work for making modifications to it. For an executable file, complete source code means all the source code for all modules it contains; but, as a special exception, it need not include source code for modules which are standard libraries that accompany the operating system on which the executable file runs, or for standard header files or definitions files that accompany that operating system.

4. You may not copy, modify, sublicense, distribute or transfer the Program except as expressly provided under this General Public License. Any attempt otherwise to copy, modify, sublicense, distribute or transfer the Program is void, and will automatically terminate your rights to use the Program under this License. However, parties who have received copies, or rights to use copies, from you under this General Public License will not have their licenses terminated so long as such parties remain in full compliance.

5. By copying, distributing or modifying the Program (or any work based on the Program) you indicate your acceptance of this license to do so, and all its terms and conditions.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these

terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein.

7. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of the license which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the license, you may choose any version ever published by the Free Software Foundation.

8. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

9. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

10. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

## Appendix: How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to humanity, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) 19yy <name of author>
```

```
This program is free software; you can redistribute it and/or modify  
it under the terms of the GNU General Public License as published by  
the Free Software Foundation; either version 1, or (at your option)  
any later version.
```

```
This program is distributed in the hope that it will be useful,  
but WITHOUT ANY WARRANTY; without even the implied warranty of  
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the  
GNU General Public License for more details.
```

```
You should have received a copy of the GNU General Public License  
along with this program; if not, write to the Free Software  
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston MA 02110-1301 USA
```

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) 19xx name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if

necessary. Here a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (a program to direct compilers to make passes at assemblers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989  
Ty Coon, President of Vice

That's all there is to it!

--- The Artistic License 1.0 ---

This software is Copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software, licensed under:

The Artistic License 1.0

The Artistic License

Preamble

The intent of this document is to state the conditions under which a Package may be copied, such that the Copyright Holder maintains some semblance of artistic control over the development of the package, while giving the users of the package the right to use and distribute the Package in a more-or-less customary fashion, plus the right to make reasonable modifications.

Definitions:

- "Package" refers to the collection of files distributed by the Copyright Holder, and derivatives of that collection of files created through textual modification.
- "Standard Version" refers to such a Package if it has not been modified, or has been modified in accordance with the wishes of the Copyright Holder.
- "Copyright Holder" is whoever is named in the copyright or copyrights for the package.
- "You" is you, if you're thinking about copying or distributing this Package.
- "Reasonable copying fee" is whatever you can justify on the basis of media cost, duplication charges, time of people involved, and so on. (You will not be required to justify it to the Copyright Holder, but only to the computing community at large as a market that must bear the fee.)
- "Freely Available" means that no fee is charged for the item itself, though there may be fees involved in handling the item. It also means that recipients of the item may redistribute it under the same conditions they

received it.

1. You may make and give away verbatim copies of the source form of the Standard Version of this Package without restriction, provided that you duplicate all of the original copyright notices and associated disclaimers.
2. You may apply bug fixes, portability fixes and other modifications derived from the Public Domain or from the Copyright Holder. A Package modified in such a way shall still be considered the Standard Version.
3. You may otherwise modify your copy of this Package in any way, provided that you insert a prominent notice in each changed file stating how and when you changed that file, and provided that you do at least ONE of the following:
  - a) place your modifications in the Public Domain or otherwise make them Freely Available, such as by posting said modifications to Usenet or an equivalent medium, or placing the modifications on a major archive site such as ftp.uu.net, or by allowing the Copyright Holder to include your modifications in the Standard Version of the Package.
  - b) use the modified Package only within your corporation or organization.
  - c) rename any non-standard executables so the names do not conflict with standard executables, which must also be provided, and provide a separate manual page for each non-standard executable that clearly documents how it differs from the Standard Version.
  - d) make other distribution arrangements with the Copyright Holder.
4. You may distribute the programs of this Package in object code or executable form, provided that you do at least ONE of the following:
  - a) distribute a Standard Version of the executables and library files, together with instructions (in the manual page or equivalent) on where to get the Standard Version.
  - b) accompany the distribution with the machine-readable source of the Package with your modifications.
  - c) accompany any non-standard executables with their corresponding Standard Version executables, giving the non-standard executables non-standard names, and clearly documenting the differences in manual pages (or equivalent), together with instructions on where to get the Standard Version.
  - d) make other distribution arrangements with the Copyright Holder.
5. You may charge a reasonable copying fee for any distribution of this

Package. You may charge any fee you choose for support of this Package. You may not charge a fee for this Package itself. However, you may distribute this Package in aggregate with other (possibly commercial) programs as part of a larger (possibly commercial) software distribution provided that you do not advertise this Package as a product of your own.

6. The scripts and library files supplied as input to or produced as output from the programs of this Package do not automatically fall under the copyright of this Package, but belong to whomever generated them, and may be sold commercially, and may be aggregated with this Package.

7. C or perl subroutines supplied by you and linked into this Package shall not be considered part of this Package.

8. The name of the Copyright Holder may not be used to endorse or promote products derived from this software without specific prior written permission.

9. THIS PACKAGE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

The End

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.



"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

## 1.143 content-type 2.2

### 1.143.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * oauth2-oidc-sdk
 *
 * Copyright 2020, Connect2id Ltd and contributors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use
 * this file except in compliance with the License. You may obtain a copy of the
 * License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed
 * under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR
 * CONDITIONS OF ANY KIND, either express or implied. See the License for the
 * specific language governing permissions and limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1446393953_1666186115.6012564/0/content-type-2-2-sources-1-
jar/com/nimbusds/common/contenttype/ContentType.java
```

## 1.144 log4j-api 2.17.1

### 1.144.1 Available under license :

Apache Log4j 1.x Compatibility API  
Copyright 1999-1969 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally

submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at



<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.145 aop-alliance 1.0

### 1.145.1 Available under license :

Public Domain

## 1.146 spring-web-mvc 6.0.7

### 1.146.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2013 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-

jar/org/springframework/web/servlet/tags/form/HiddenInputTag.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2010 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/handler/DispatcherServletWebRequest.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2012 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/mvc/support/RedirectAttributes.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/tags/form/RadioButtonTag.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/SmartView.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/mvc/AbstractUrlViewController.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/tags/form/TagIdGenerator.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/mvc/condition/MediaTypeExpression.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2019 the original author or authors.  
\*  
\*/

- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <https://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/config/annotation/DelegatingWebMvcConfiguration.java
- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/view/script/ScriptTemplateConfigurer.java
- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/resource/CachingResourceResolver.java
- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/handler/HandlerExceptionResolverComposite.java
- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/function/HandlerFunction.java
- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/mvc/method/annotation/StreamingResponseBodyReturnValueHandler.java
- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/function/ServerResponseExtensions.kt
- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/config/annotation/AsyncSupportConfigurer.java
- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/mvc/method/RequestMappingInfoHandlerMethodMappingNamingStrategy.java
- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/mvc/method/annotation/ViewNameMethodReturnValueHandler.java
- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/mvc/method/annotation/SessionAttributeMethodArgumentResolver.java
- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/config/annotation/DefaultServletHandlerConfigurer.java
- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/function/RouterFunction.java
- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/function/EntityResponse.java
- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/mvc/condition/AbstractRequestCondition.java
- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/function/ToStringVisitor.java
- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-

jar/org/springframework/web/servlet/function/ResourceHandlerFunction.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/function/ServerRequestExtensions.kt  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/view/script/ScriptTemplateConfig.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/resource/CachingResourceTransformer.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/mvc/ServletWrappingController.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/function/RenderingResponse.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2002-2017 the original author or authors.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

```
* /opt/cola/permits/1622818260_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/mvc/method/annotation/JsonViewRequestBodyAdvice.java  
* /opt/cola/permits/1622818260_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/mvc/method/annotation/UriComponentsBuilderMethodArgumentResolver.java  
a  
* /opt/cola/permits/1622818260_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/mvc/method/annotation/AsyncTaskMethodReturnValueHandler.java  
* /opt/cola/permits/1622818260_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/RequestToViewNameTranslator.java  
* /opt/cola/permits/1622818260_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/config/annotation/ViewControllerRegistration.java  
* /opt/cola/permits/1622818260_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/view/feed/AbstractRssFeedView.java  
* /opt/cola/permits/1622818260_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/mvc/method/annotation/RedirectAttributesMethodArgumentResolver.java  
* /opt/cola/permits/1622818260_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/mvc/condition/RequestConditionHolder.java  
* /opt/cola/permits/1622818260_1680247413.8088603/0/spring-webmvc-6-0-7-sources-
```

jar/org/springframework/web/servlet/mvc/method/annotation/RequestAttributeMethodArgumentResolver.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/mvc/ServletForwardingController.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/tags/Param.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/config/annotation/ResourceChainRegistration.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/mvc/method/annotation/CallableMethodReturnValueHandler.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/mvc/method/annotation/JsonViewResponseBodyAdvice.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/view/InternalResourceView.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/view/document/AbstractXlsView.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/AsyncHandlerInterceptor.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/resource/HttpResource.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/resource/AbstractResourceResolver.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/resource/ResourceResolver.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/view/JstlView.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/config/CorsBeanDefinitionParser.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/view/AbstractUrlBasedView.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/mvc/method/annotation/ServletRequestDataBinderFactory.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/mvc/method/annotation/ServletWebArgumentResolverAdapter.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/mvc/method/annotation/HttpHeadersReturnValueHandler.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/i18n/FixedLocaleResolver.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/mvc/support/RedirectAttributesModelMap.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2021 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

```

* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/**
* XSLT-driven View that allows for response context to be rendered as the
* result of an XSLT transformation.
*
* <p>The XSLT Source object is supplied as a parameter in the model and then
* { @link #locateSource detected} during response rendering. Users can either specify
* a specific entry in the model via the { @link #setSourceKey sourceKey} property or
* have Spring locate the Source object. This class also provides basic conversion
* of objects into Source implementations. See { @link #getSourceTypes() here}
* for more details.
*
* <p>All model parameters are passed to the XSLT Transformer as parameters.
* In addition the user can configure { @link #setOutputProperties output properties}
* to be passed to the Transformer.
*
* @author Rob Harrop
* @author Juergen Hoeller
* @since 2.0
*/

```

Found in path(s):

```

* /opt/cola/permits/1622818260_1680247413.8088603/0/spring-webmvc-6-0-7-sources-
jar/org/springframework/web/servlet/view/xslt/XsltView.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright 2002-2020 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

```

Found in path(s):

- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/view/script/ScriptTemplateViewResolver.java
- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/support/AbstractFlashMapManager.java
- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/mvc/method/annotation/ModelAndViewResolverMethodReturnValueHandler.java
- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/function/ServerRequest.java
- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/support/WebContentGenerator.java
- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/view/xslt/XsltViewResolver.java
- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/ViewResolver.java
- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/view/freemarker/FreeMarkerViewResolver.java
- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/support/ServletUriComponentsBuilder.java
- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/mvc/method/annotation/PrincipalMethodArgumentResolver.java
- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/HandlerMapping.java
- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/function/AsyncServerResponse.java
- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/function/DefaultServerResponseBuilder.java
- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/handler/ConversionServiceExposingInterceptor.java
- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/mvc/method/annotation/ServletModelAttributeMethodProcessor.java
- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/function/RouterFunctions.java
- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/config/annotation/ContentNegotiationConfigurer.java
- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/mvc/method/annotation/ServletCookieValueMethodArgumentResolver.java
- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/mvc/UrlFilenameViewController.java
- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/mvc/method/annotation/ServletRequestMethodArgumentResolver.java
- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/function/RouterFunctionBuilder.java
- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/view/AbstractTemplateViewResolver.java
- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-

jar/org/springframework/web/servlet/config/ResourcesBeanDefinitionParser.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/handler/UserRoleAuthorizationInterceptor.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/tags/form/ErrorsTag.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/view/XmlViewResolver.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/mvc/method/annotation/ContinuationHandlerMethodArgumentResolver.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/view/InternalResourceViewResolver.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/view/ResourceBundleViewResolver.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/function/AbstractServerResponse.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/resource/ResourceUrlProviderExposingInterceptor.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/config/annotation/CorsRegistry.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/config/annotation/InterceptorRegistration.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/view/BeanNameViewResolver.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2002-2021 the original author or authors.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/mvc/method/annotation/RequestBodyAdvice.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/view/DefaultRequestToViewNameTranslator.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/resource/ResourceUrlProvider.java



\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/FlashMap.java

\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/handler/AbstractHandlerExceptionResolver.java

\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/resource/CssLinkResourceTransformer.java

\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/HandlerAdapter.java

\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/config/ViewResolversBeanDefinitionParser.java

\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/handler/AbstractDetectingUrlHandlerMapping.java

\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/function/ChangePathPatternParserVisitor.java

\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/mvc/LastModified.java

\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/config/MvcNamespaceHandler.java

\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/mvc/method/annotation/SseEmitter.java

\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/view/freemarker/FreeMarkerConfig.java

\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/handler/MatchableHandlerMapping.java

\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/HandlerExecutionChain.java

\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/mvc/condition/HeadersRequestCondition.java

\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/tags/form/TagWriter.java

\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/mvc/WebContentInterceptor.java

\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/mvc/method/annotation/RequestResponseBodyAdviceChain.java

\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/config/annotation/CorsRegistration.java

\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/config/annotation/WebMvcConfigurer.java

\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/view/groovy/GroovyMarkupViewResolver.java

\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/i18n/LocaleChangeInterceptor.java

\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/mvc/method/annotation/RequestBodyAdviceAdapter.java

\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/support/JspAwareRequestContext.java

\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/config/annotation/EnableWebMvc.java

\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/config/annotation/ResourceHandlerRegistration.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/handler/SimpleServletHandlerAdapter.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/handler/WebRequestHandlerInterceptorAdapter.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/view/freemarker/FreeMarkerConfigurer.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/mvc/Controller.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/handler/MappedInterceptor.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/config/FreeMarkerConfigurerBeanDefinitionParser.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/handler/SimpleMappingExceptionResolver.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/mvc/method/annotation/MatrixVariableMethodArgumentResolver.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/config/annotation/ViewResolverRegistry.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/tags/form/SelectedValueComparator.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/config/annotation/ResourceHandlerRegistry.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/mvc/condition/ParamsRequestCondition.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/view/ContentNegotiatingViewResolver.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/HandlerInterceptor.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/function/RequestPredicate.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/config/annotation/ViewControllerRegistry.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2018 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/tags/form/TextareaTag.java
- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/tags/NestedPathTag.java
- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/tags/form/CheckboxesTag.java
- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/tags/RequestContextAwareTag.java
- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/config/GroovyMarkupConfigurerBeanDefinitionParser.java
- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/resource/ResourceResolverChain.java
- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/resource/ResourceTransformerSupport.java
- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/tags/EvalTag.java
- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/tags/ParamTag.java
- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/ModelAndViewDefiningException.java
- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/view/feed/AbstractFeedView.java
- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/mvc/method/annotation/ServletRequestMethodArgumentResolver.java
- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/resource/DefaultServletHttpRequestHandler.java
- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/resource/TransformedResource.java
- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/tags/form/OptionTag.java
- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/tags/form/AbstractFormTag.java
- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/view/document/AbstractPdfView.java
- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/tags/form/AbstractHtmlElementTag.java
- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/resource/ContentVersionStrategy.java
- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/View.java
- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/view/document/AbstractPdfStamperView.java
- \* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-

jar/org/springframework/web/servlet/tags/ArgumentTag.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/tags/form/LabelTag.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/view/script/RenderingContext.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/resource/DefaultResourceTransformerChain.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/tags/EditorAwareTag.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/mvc/method/annotation/ResponseBodyAdvice.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/tags/form/OptionsTag.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/tags/form/ValueFormatter.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/tags/form/AbstractHtmlInputElementTag.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/resource/DefaultResourceResolverChain.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/mvc/AbstractController.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/resource/FixedVersionStrategy.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/handler/HandlerMethodMappingNamingStrategy.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/tags/EscapeBodyTag.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/resource/ResourceTransformerChain.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/support/AbstractAnnotationConfigDispatcherServletInitializer.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/tags/form/InputTag.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/HttpServletBean.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/tags/form/AbstractCheckedElementTag.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/tags/form/ButtonTag.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/tags/BindErrorsTag.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/tags/form/RadioButtonTag.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/view/feed/AbstractAtomFeedView.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/tags/BindTag.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-

jar/org/springframework/web/servlet/tags/form/SelectTag.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/tags/form/AbstractSingleCheckedElementTag.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/tags/HtmlEscapeTag.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/mvc/condition/AbstractNameValueExpression.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/mvc/method/annotation/RequestResponseBodyMethodProcessor.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/tags/TransformTag.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/HandlerExceptionResolver.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/config/ScriptTemplateConfigurerBeanDefinitionParser.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/mvc/condition/NameValueExpression.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/mvc/method/annotation/MatrixVariableMapMethodArgumentResolver.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/resource/AbstractVersionStrategy.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2002-2015 the original author or authors.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/tags/HtmlEscapingAwareTag.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/tags/ArgumentAware.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/view/document/AbstractXlsxView.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/mvc/annotation/ModelAndViewResolver.java

\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/resource/VersionStrategy.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/view/groovy/GroovyMarkupConfig.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/view/document/AbstractXlsxStreamingView.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/resource/VersionPathStrategy.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2014 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/tags/form/PasswordInputTag.java

\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/config/annotation/UrlBasedViewResolverRegistration.java

\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/support/SessionFlashMapManager.java

\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/FlashMapManager.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2018 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/**
* A contract for inspecting and potentially modifying request data values such
* as URL query parameters or form field values before they are rendered by a
* view or before a redirect.
*
* <p>Implementations may use this contract for example as part of a solution
* to provide data integrity, confidentiality, protection against cross-site
* request forgery (CSRF), and others or for other tasks such as automatically
* adding a hidden field to all forms and URLs.
*
* <p>View technologies that support this contract can obtain an instance to
* delegate to via {@link RequestContext#getRequestDataValueProcessor()}.
*
* @author Rossen Stoyanchev
* @since 3.1
*/
```

Found in path(s):

```
* /opt/cola/permits/1622818260_1680247413.8088603/0/spring-webmvc-6-0-7-sources-
jar/org/springframework/web/servlet/support/RequestDataValueProcessor.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2002-2022 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1622818260_1680247413.8088603/0/spring-webmvc-6-0-7-sources-
jar/org/springframework/web/servlet/mvc/condition/ConsumesRequestCondition.java
```

```
* /opt/cola/permits/1622818260_1680247413.8088603/0/spring-webmvc-6-0-7-sources-
jar/org/springframework/web/servlet/theme/CookieThemeResolver.java
```

```
* /opt/cola/permits/1622818260_1680247413.8088603/0/spring-webmvc-6-0-7-sources-
```

jar/org/springframework/web/servlet/mvc/method/annotation/ExtendedServletRequestDataBinder.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/mvc/method/annotation/PathVariableMapMethodArgumentResolver.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/config/AnnotationDrivenBeanDefinitionParser.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/handler/BeanNameUrlHandlerMapping.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/mvc/method/annotation/RequestPartMethodArgumentResolver.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/i18n/AbstractLocaleResolver.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/tags/form/AbstractHtmlElementBodyTag.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/resource/ResourceHttpRequestHandler.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/mvc/method/annotation/StreamingResponseBody.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/LocaleResolver.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/mvc/method/annotation/ResponseEntityExceptionHandler.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/config/annotation/RedirectViewControllerRegistration.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/mvc/method/annotation/RequestMappingHandlerAdapter.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/resource/WebJarsResourceResolver.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/function/RequestPredicates.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/function/ServerResponse.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/LocaleContextResolver.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/handler/AbstractUrlHandlerMapping.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/view/ViewResolverComposite.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/view/groovy/GroovyMarkupConfigurer.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/support/AbstractDispatcherServletInitializer.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/NoHandlerFoundException.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/mvc/method/annotation/RequestMappingHandlerMapping.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/function/DefaultEntityResponseBuilder.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-



jar/org/springframework/web/servlet/config/annotation/WebMvcConfigurationSupport.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/theme/SessionThemeResolver.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/mvc/condition/AbstractMediaTypeExpression.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/config/ViewControllerBeanDefinitionParser.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/i18n/CookieLocaleResolver.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/function/DefaultServerRequest.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/i18n/SessionLocaleResolver.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/handler/RequestMatchResult.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/support/RequestContextUtils.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/config/annotation/PathMatchConfigurer.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/function/support/RouterFunctionMapping.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/tags/ParamAware.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/view/AbstractView.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/view/groovy/GroovyMarkupView.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/resource/PathResourceResolver.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/theme/FixedThemeResolver.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/mvc/method/annotation/HttpEntityMethodProcessor.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/view/json/MappingJackson2JsonView.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/mvc/condition/CompositeRequestCondition.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/view/json/AbstractJackson2View.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/ThemeResolver.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/handler/AbstractHandlerMethodMapping.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/view/xml/MappingJackson2XmlView.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/view/script/ScriptTemplateView.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-

jar/org/springframework/web/servlet/function/DefaultRenderingResponseBuilder.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/mvc/method/annotation/DeferredResultMethodReturnValueHandler.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/support/BindStatus.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/theme/ThemeChangeInterceptor.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/theme/AbstractThemeResolver.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/i18n/AbstractLocaleContextResolver.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/tags/ThemeTag.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/mvc/method/annotation/ResponseBodyEmitter.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2002-2023 the original author or authors.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/handler/AbstractHandlerMapping.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/function/PathResourceLookupFunction.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/ModelAndView.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/view/xml/MarshallingView.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/support/RequestContext.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/mvc/method/annotation/ServletInvocableHandlerMethod.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/resource/VersionResourceResolver.java

\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/function/support/HandlerFunctionAdapter.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/config/annotation/InterceptorRegistry.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/tags/MessageTag.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/mvc/annotation/ResponseStatusExceptionHandlerResolver.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/function/HandlerFilterFunction.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/function/DefaultServerRequestBuilder.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/mvc/method/RequestMappingInfoHandlerMapping.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/handler/HandlerMappingIntrospector.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/mvc/condition/PathPatternsRequestCondition.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/mvc/support/DefaultHandlerExceptionHandlerResolver.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/function/DefaultAsyncServerResponse.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/mvc/method/AbstractHandlerMethodAdapter.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/mvc/condition/RequestMethodRequestCondition.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/mvc/method/annotation/AbstractMessageConverterMethodArgumentResolver.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/handler/PathPatternMatchableHandlerMapping.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/resource/ResourceUrlEncodingFilter.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/view/AbstractTemplateView.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/view/RedirectView.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/view/freemarker/FreeMarkerView.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/config/MvcNamespaceUtils.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/mvc/condition/ProducesRequestCondition.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/tags/form/FormTag.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-jar/org/springframework/web/servlet/view/UrlBasedViewResolver.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-

jar/org/springframework/web/servlet/mvc/method/annotation/AbstractMappingJacksonResponseBodyAdvice.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/resource/EncodedResourceResolver.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/tags/form/AbstractDataBoundFormElementTag.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/function/SseServerResponse.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/mvc/method/annotation/PathVariableMethodArgumentResolver.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/DispatcherServlet.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/mvc/SimpleControllerHandlerAdapter.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/function/RouterFunctionDsl.kt  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/mvc/method/RequestMappingInfo.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/mvc/method/annotation/ReactiveTypeHandler.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/tags/UrlTag.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/function/ErrorHandlerlingServerResponse.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/view/AbstractCachingViewResolver.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/handler/SimpleUrlHandlerMapping.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/mvc/method/annotation/MvcUriComponentsBuilder.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/mvc/method/annotation/AbstractMessageConverterMethodProcessor.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/i18n/AcceptHeaderLocaleResolver.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/mvc/ParameterizableViewController.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/tags/form/AbstractMultiCheckedElementTag.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/support/JstlUtils.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/mvc/method/annotation/ResponseBodyEmitterReturnValueHandler.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/mvc/method/annotation/ViewMethodReturnValueHandler.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/FrameworkServlet.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-  
jar/org/springframework/web/servlet/mvc/condition/PatternsRequestCondition.java  
\* /opt/cola/permits/1622818260\_1680247413.8088603/0/spring-webmvc-6-0-7-sources-

```
jar/org/springframework/web/servlet/mvc/method/annotation/ExceptionHandlerExceptionResolver.java
* /opt/cola/permits/1622818260_1680247413.8088603/0/spring-webmvc-6-0-7-sources-
jar/org/springframework/web/servlet/handler/AbstractHandlerMethodExceptionResolver.java
* /opt/cola/permits/1622818260_1680247413.8088603/0/spring-webmvc-6-0-7-sources-
jar/org/springframework/web/servlet/mvc/method/annotation/ModelAndViewMethodReturnValueHandler.java
* /opt/cola/permits/1622818260_1680247413.8088603/0/spring-webmvc-6-0-7-sources-
jar/org/springframework/web/servlet/mvc/HttpRequestHandlerAdapter.java
* /opt/cola/permits/1622818260_1680247413.8088603/0/spring-webmvc-6-0-7-sources-
jar/org/springframework/web/servlet/tags/form/OptionWriter.java
* /opt/cola/permits/1622818260_1680247413.8088603/0/spring-webmvc-6-0-7-sources-
jar/org/springframework/web/servlet/tags/form/CheckboxTag.java
* /opt/cola/permits/1622818260_1680247413.8088603/0/spring-webmvc-6-0-7-sources-
jar/org/springframework/web/servlet/handler/SimpleServletPostProcessor.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2002-2016 the original author or authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1622818260_1680247413.8088603/0/spring-webmvc-6-0-7-sources-
jar/org/springframework/web/servlet/config/annotation/WebMvcConfigurerComposite.java
* /opt/cola/permits/1622818260_1680247413.8088603/0/spring-webmvc-6-0-7-sources-
jar/org/springframework/web/servlet/mvc/condition/RequestCondition.java
* /opt/cola/permits/1622818260_1680247413.8088603/0/spring-webmvc-6-0-7-sources-
jar/org/springframework/web/servlet/config/DefaultServletHandlerBeanDefinitionParser.java
* /opt/cola/permits/1622818260_1680247413.8088603/0/spring-webmvc-6-0-7-sources-
jar/org/springframework/web/servlet/config/InterceptorsBeanDefinitionParser.java
* /opt/cola/permits/1622818260_1680247413.8088603/0/spring-webmvc-6-0-7-sources-
jar/org/springframework/web/servlet/resource/ResourceTransformer.java
```

## 1.147 javassist 3.27.0-GA

## 1.147.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Javassist, a Java-bytecode translator toolkit.
 * Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.
 *
 * The contents of this file are subject to the Mozilla Public License Version
 * 1.1 (the "License"); you may not use this file except in compliance with
 * the License. Alternatively, the contents of this file may be used under
 * the terms of the GNU Lesser General Public License Version 2.1 or later,
 * or the Apache License Version 2.0.
 *
 * Software distributed under the License is distributed on an "AS IS" basis,
 * WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License
 * for the specific language governing rights and limitations under the
 * License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/rmi/Proxy.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/Visitor.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/Member.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/reflect/CannotInvokeException.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtNewWrappedConstructor.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/LoaderClassPath.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/rmi/AppletServer.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtConstructor.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/rmi/ObjectNotFoundException.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/ArrayInit.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/Mnemonic.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtNewClass.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/SignatureAttribute.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtArray.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/convert/TransformNewClass.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/Parser.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/proxy/DefineClassHelper.java
```

\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/analysis/SubroutineScanner.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtMember.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/ExceptionTable.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/expr/ConstructorCall.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/rmi/StubGenerator.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/FieldInfo.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/CodeGen.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/CodeAnalyzer.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/analysis/IntQueue.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/runtime/DotClass.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/URLClassPath.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/proxy/ProxyObjectInputStream.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/InstructionPrinter.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/NestMembersAttribute.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/reflect/CannotReflectException.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/scopedpool/ScopedClassPoolFactoryImpl.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/LocalVariableAttribute.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/CallExpr.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/AttributeInfo.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/KeywordTable.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/CodeIterator.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/SymbolTable.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/analysis/Subroutine.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/runtime/Inner.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/proxy/DefinePackageHelper.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/LineNumberAttribute.java

\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/scopedpool/ScopedClassPoolFactory.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/Modifier.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/annotation/AnnotationsWriter.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CannotCompileException.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/expr/Expr.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/convert/TransformFieldAccess.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtPrimitiveType.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/stackmap/BasicBlock.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/Callback.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/MethodInfo.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/JvstCodeGen.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/expr/NewExpr.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/stackmap/TypeData.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/ClassFile.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtMethod.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/CondExpr.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/scopedpool/ScopedClassPool.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/NewExpr.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/reflect/CannotCreateException.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/EnclosingMethodAttribute.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/BinExpr.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/SourceFileAttribute.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/proxy/SecurityActions.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/ClassMap.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/TypeChecker.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/FieldDecl.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CodeConverter.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/reflect/ClassMetaobject.java



\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/NestHostAttribute.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/AccessFlag.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/ASTree.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/StackMap.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/NotFoundException.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/reflect/Metalevel.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/Variable.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/reflect/Sample.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/expr/Instanceof.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/ClassFilePrinter.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/Stmnt.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/framedump.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/annotation/AnnotationImpl.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/AssignExpr.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/Bytecode.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/ConstantAttribute.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/runtime/Desc.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/proxy/ProxyFactory.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/proxy/FactoryHelper.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtNewMethod.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/rmi/RemoteException.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/InstanceOfExpr.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/Declarator.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtClassType.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/annotation/NoSuchClassError.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtBehavior.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/Expr.java

\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/ByteArray.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/rmi/RemoteRef.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/stackmap/TypedBlock.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/Keyword.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/MemberCodeGen.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/Descriptor.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/reflect/Reflection.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/ClassFileWriter.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/analysis/Frame.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/reflect/Compiler.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/analysis/FramePrinter.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/DoubleConst.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/stackmap/TypeTag.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/scopedpool/ScopedClassPoolRepositoryImpl.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/convert/TransformAfter.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/analysis/Analyzer.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/proxy/SerializedProxy.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/MemberResolver.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/StringL.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/analysis/Util.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/ParameterAnnotationsAttribute.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/web/BadHttpRequest.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/BadBytecode.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/ClassPool.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/proxy/Proxy.java

\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtNewWrappedMethod.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/analysis/Type.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/SyntheticAttribute.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/rmi/ObjectImporter.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/expr/ExprEditor.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ProceedHandler.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/ExceptionsAttribute.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/convert/TransformAccessArrayField.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/AnnotationDefaultAttribute.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/scopedpool/SoftValueHashMap.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/reflect/Loader.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtField.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/Dump.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/MethodDecl.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/CompileError.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/expr/Handler.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/ByteStream.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/stackmap/Tracer.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/HotSwapAgent.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/expr/FieldAccess.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/InnerClassesAttribute.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/web/Viewer.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/proxy/ProxyObject.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/convert/TransformCall.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/Symbol.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/ByteArrayClassPath.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-

jar/javassist/compiler/AccessorMaker.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/Lex.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/ASTList.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/expr/MethodCall.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/SerialVersionUID.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/convert/TransformBefore.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/runtime/Cflow.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/convert/Transformer.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/AnnotationsAttribute.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/LocalVariableTypeAttribute.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/DuplicateMemberException.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/proxy/MethodFilter.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/analysis/MultiArrayType.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/reflect/Metaobject.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/stackmap/MapMaker.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/JvstTypeChecker.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/convert/TransformReadField.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/Loader.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/StackMapTable.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/ClassPoolTail.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/ClassPath.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/HotSwapper.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/Javac.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/analysis/ControlFlow.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/Opcodes.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/analysis/Executor.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/web/Webserver.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/LongVector.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/proxy/ProxyObjectOutputStream.java

\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/CastExpr.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/DeprecatedAttribute.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtClass.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/Translator.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/rmi/Sample.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/CodeAttribute.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/expr/NewArray.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/ClassClassPath.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/IntConst.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/proxy/MethodHandler.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/convert/TransformNew.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/scopedpool/ScopedClassPoolRepository.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/expr/Cast.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/NoFieldException.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/SyntaxError.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/TokenId.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/proxy/RuntimeSupport.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/Pair.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/convert/TransformWriteField.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtNewConstructor.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/ConstPool.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/analysis/MultiType.java

No license file was found, but licenses were detected in source scan.

/\*

- \* Javassist, a Java-bytecode translator toolkit.
- \* Copyright (C) 2004 Bill Burke. All Rights Reserved.
- \*
- \* The contents of this file are subject to the Mozilla Public License Version
- \* 1.1 (the "License"); you may not use this file except in compliance with
- \* the License. Alternatively, the contents of this file may be used under
- \* the terms of the GNU Lesser General Public License Version 2.1 or later,
- \* or the Apache License Version 2.0.

\*  
\* Software distributed under the License is distributed on an "AS IS" basis,  
\* WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License  
\* for the specific language governing rights and limitations under the  
\* License.  
\*/

Found in path(s):

\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/annotation/MemberValue.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/annotation/EnumMemberValue.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/annotation/ByteMemberValue.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/annotation/ClassMemberValue.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/annotation/MemberValueVisitor.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/annotation/FloatMemberValue.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/annotation/IntegerMemberValue.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/annotation/StringMemberValue.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/annotation/ArrayMemberValue.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/annotation/BooleanMemberValue.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/annotation/LongMemberValue.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/annotation/CharMemberValue.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/annotation/Annotation.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/annotation/ShortMemberValue.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/annotation/AnnotationMemberValue.java  
\* /opt/cola/permits/1135872664\_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/annotation/DoubleMemberValue.java

# 1.148 opentelemetry-proto 0.11.0

## 1.148.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner

or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. **Grant of Copyright License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. **Grant of Patent License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. **Redistribution.** You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and



- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.149 perfmark-api 0.17.0

### 1.149.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2019 Carl Mastrangelo
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1013573494_1591905118.19/0/perfmark-api-0-17-0-sources-
jar/io/perfmark/Link.java
* /opt/ws_local/PERMITS_SQL/1013573494_1591905118.19/0/perfmark-api-0-17-0-sources-
jar/io/perfmark/PerfMark.java
* /opt/ws_local/PERMITS_SQL/1013573494_1591905118.19/0/perfmark-api-0-17-0-sources-
jar/io/perfmark/Tag.java
* /opt/ws_local/PERMITS_SQL/1013573494_1591905118.19/0/perfmark-api-0-17-0-sources-
jar/io/perfmark/Impl.java
* /opt/ws_local/PERMITS_SQL/1013573494_1591905118.19/0/perfmark-api-0-17-0-sources-
jar/io/perfmark/package-info.java
```

## 1.150 hibernate-validator 8.0.0.Final

### 1.150.1 Available under license :

Hibernate Validator, declare and validate application constraints

License: Apache License, Version 2.0

See the license.txt file in the root directory or <<http://www.apache.org/licenses/LICENSE-2.0>>.

Adam Stawicki  
Ahmed Al Hafoudh  
Alaa Nassef  
Andrey Derevyanko  
Andrey Rodionov  
Asutosh Pandya  
Benson Margulies  
Brent Douglas  
Carlos Vara  
Carlo de Wolf  
Chris Beckey  
Christian Ivan  
Dag Hovland  
Damir Alibegovic  
Dario Seidl  
Davide D'Alto  
Davide Marchignoli  
Denis Tiago  
Doug Lea  
Emmanuel Bernard  
Efthymis Sarbanis  
Federico  
Federico Mancini  
Gavin King  
George Gastaldi  
Gerhard Petracek  
Guillaume Husta  
Guillaume Smet  
Gunnar Morling  
Hardy Ferentschik  
Henno Vermeulen  
Hillmer Chona  
Jan-Willem Willebrands  
Jason T. Greene  
Jesper Preuss  
Jiri Bilek  
Julien Furgerot  
Julien May  
Juraci Krohling  
Justin Nauman  
Kathryn Killebrew  
Kazuki Shimizu  
Kevin Pollet  
Khalid Alqinyah  
Lee KyoungIl  
Leonardo Loch Zanivan  
Lucas Pouzac

Lukas Niemeier  
Mark Hobson  
Marko Bekhta  
Matthias Kurz  
Mert Caliskan  
Michal Fotyga  
Nicola Ferraro  
Nicolas Franois  
Paolo Perrotta  
Pete Muir  
Rob Dickinson  
Sanne Grinovero  
Sebastian Bayerl  
Shahram Goodarzi  
Shane Bryzak  
Shelly McGowan  
Sjaak Derksen  
Steve Ebersole  
Strong Liu  
Tadhg Pearson  
Takashi Aoe  
Tomaz Cerar  
Tommy Johansen  
Victor Rezende dos Santos  
Willi Schnborn  
Xavier Sosnovsky  
Yanming Zhou  
Yoann Rodire

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.



9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.151 utils 2.18.2

### 1.151.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works

that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A

PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Note: Other license terms may apply to certain, identified software files contained within or distributed with the accompanying software if such terms are included in the directory containing the accompanying software. Such other license terms will then apply in lieu of the terms of the software license above.

AWS SDK for Java 2.0

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

This product includes software developed by Amazon Technologies, Inc (<http://www.amazon.com/>).

\*\*\*\*\*

#### THIRD PARTY COMPONENTS

\*\*\*\*\*

This software includes third party software subject to the following copyrights:

- XML parsing and utility functions from JetS3t - Copyright 2006-2009 James Murty.
- PKCS#1 PEM encoded private key parsing and utility functions from [oauth.googlecode.com](http://oauth.googlecode.com) - Copyright 1998-2010 AOL Inc.
- Apache Commons Lang - <https://github.com/apache/commons-lang>
- Netty Reactive Streams - <https://github.com/playframework/netty-reactive-streams>
- Jackson-core - <https://github.com/FasterXML/jackson-core>
- Jackson-dataformat-cbor - <https://github.com/FasterXML/jackson-dataformats-binary>

The licenses for these third party components are included in LICENSE.txt

- For Apache Commons Lang see also this required NOTICE:  
Apache Commons Lang  
Copyright 2001-2020 The Apache Software Foundation

This product includes software developed at The Apache Software Foundation (<https://www.apache.org/>).

## 1.152 classmate 1.5.1

### 1.152.1 Available under license :

Java ClassMate library was originally written by Tatu Saloranta ([tatu.saloranta@iki.fi](mailto:tatu.saloranta@iki.fi))

Other developers who have contributed code are:

\* Brian Langel

This copy of Java ClassMate library is licensed under Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

# 1.153 gson 2.8.9

## 1.153.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2011 Google Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/internal/bind/TreeTypeAdapter.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/internal/bind/DateTypeAdapter.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/internal/ConstructorConstructor.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/internal/sql/SqlDateTypeAdapter.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/internal/UnsafeAllocator.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/internal/sql/SqlTimeTypeAdapter.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/internal/LazilyParsedNumber.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2018 The Gson authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
```

\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/GsonBuildConfig.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 Google Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/bind/ArrayAdapter.java

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/bind/JsonTreeReader.java

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/bind/TypeAdapterRuntimeTypeWrapper.java

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/bind/CollectionTypeAdapterFactory.java

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/bind/MapTypeAdapterFactory.java

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/TypeAdapterFactory.java

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/JsonReaderInternalAccess.java



```
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/internal/bind/ReflectiveTypeAdapterFactory.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/internal/bind/TypeAdapters.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/internal/bind/ObjectTypeAdapter.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/TypeAdapter.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/internal/bind/JsonTreeWriter.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2009 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/JsonStreamParser.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/LongSerializationPolicy.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/FieldAttributes.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonParser.java
No license file was found, but licenses were detected in source scan.
```

```
/**
* Copyright (C) 2008 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
```

\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/\$Gson\$Types.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2008 Google Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonElement.java

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonObject.java

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonArray.java

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/FieldNamingStrategy.java

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/annotations/SerializedName.java

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonDeserializationContext.java

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/Excluder.java

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/FieldNamingPolicy.java

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/\$Gson\$Preconditions.java

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/bind/DefaultDateTypeAdapter.java

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonSerializationContext.java

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonParseException.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/ObjectConstructor.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/Gson.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonIOException.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/reflect/TypeToken.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonDeserializer.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/annotations/Expose.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/Primitives.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/GsonBuilder.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonSerializer.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/annotations/Since.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonPrimitive.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/ExclusionStrategy.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/annotations/Until.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/InstanceCreator.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonNull.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2010 The Android Open Source Project  
* Copyright (C) 2012 Google Inc.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/LinkedHashMap.java

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/LinkedTreeMap.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2010 Google Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/stream/JsonReader.java

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/stream/MalformedJsonException.java

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/stream/JsonScope.java

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/stream/JsonToken.java

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/stream/JsonWriter.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2017 The Gson authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/reflect/PreJava9ReflectionAccessor.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/reflect/ReflectionAccessor.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/reflect/UnsafeReflectionAccessor.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/PreJava9DateFormatProvider.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/JavaVersion.java

No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright (C) 2021 Google Inc.
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/ToNumberPolicy.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/ToNumberStrategy.java

No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright (C) 2020 Google Inc.
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*

\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/bind/NumberTypeAdapter.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2010 Google Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonSyntaxException.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/Streams.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2014 Google Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,

- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/bind/JsonAdapterAnnotationTypeAdapterFactory.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/annotations/JsonAdapter.java

## 1.154 netty 4.1.86.Final

### 1.154.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Implementation-Title: Netty/Transport/Classes/Epoll

Bundle-Description: Netty is an asynchronous event-driven network application framework for rapid development of maintainable high performance protocol servers and clients.

Automatic-Module-Name: io.netty.transport.classes.epoll

Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0>

Bundle-SymbolicName: io.netty.transport-classes-epoll

Implementation-Version: 4.1.86.Final

Built-By: root

Bnd-LastModified: 1670851209269

Bundle-ManifestVersion: 2

Implementation-Vendor-Id: io.netty

Bundle-DocURL: <https://netty.io/>

Bundle-Vendor: The Netty Project

Import-Package: io.netty.buffer;version="[4.1,5)",io.netty.channel,io.netty.channel.socket;version="[4.1,5)",io.netty.channel.unix;version="[4.1,5)",io.netty.util;version="[4.1,5)",io.netty.util.collection;version="[4.1,5)",io.netty.util.concurrent;version="[4.1,5)",io.netty.util.internal;version="[4.1,5)",io.netty.util.internal.logging;version="[4.1,5)",sun.nio.ch;resolution:=optional,org.eclipse.jetty.npn;version="[1,2)";resolution:=optional,org.eclipse.jetty.alpn;version="[1,2)";resolution:=optional

Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.6))"

Tool: Bnd-2.4.1.201501161923

Implementation-Vendor: The Netty Project

Export-Package: io.netty.channel.epoll;uses:="io.netty.buffer,io.netty.channel,io.netty.channel.socket,io.netty.channel.unix,io.netty.util,io.netty.util.concurrent";version="4.1.86"

Bundle-Name: Netty/Transport/Classes/Epoll

Bundle-Version: 4.1.86.Final

Created-By: Apache Maven Bundle Plugin

Build-Jdk: 1.8.0\_352

Implementation-URL: <https://netty.io/netty-transport-classes-epoll/>

Found in path(s):

\* /opt/cola/permits/1509095589\_1671715267.5524309/0/netty-zip/netty/netty-transport-classes-epoll-4-1-86-final-jar/META-INF/MANIFEST.MF

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Implementation-Title: Netty/Transport/Native/Unix/Common

Bundle-Description: Static library which contains common unix utilities.

Automatic-Module-Name: io.netty.transport.unix.common

Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0>

Bundle-SymbolicName: io.netty.transport-native-unix-common

Implementation-Version: 4.1.86.Final

Built-By: norman

Bnd-LastModified: 1670855190526

Bundle-ManifestVersion: 2

Implementation-Vendor-Id: io.netty

Bundle-DocURL: <https://netty.io/>

Bundle-Vendor: The Netty Project

Import-Package: io.netty.buffer;version="[4.1,5)",io.netty.channel,io.

netty.channel.socket;version="[4.1,5)",io.netty.util;version="[4.1,5)

",io.netty.util.internal;version="[4.1,5)",sun.nio.ch;resolution:=opt

ional,org.eclipse.jetty.npn;version="[1,2)";resolution:=optional,org.

eclipse.jetty.alpn;version="[1,2)";resolution:=optional

Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.6))"

Tool: Bnd-2.4.1.201501161923

Implementation-Vendor: The Netty Project

Export-Package: io.netty.channel.unix;uses="io.netty.buffer,io.netty.

channel,io.netty.channel.socket,io.netty.util";version="4.1.86"

Bundle-Name: Netty/Transport/Native/Unix/Common

Bundle-Version: 4.1.86.Final

Created-By: Apache Maven Bundle Plugin

Build-Jdk: 1.8.0\_252

Implementation-URL: <https://netty.io/netty-transport-native-unix-common/>

Found in path(s):

\* /opt/cola/permits/1509095589\_1671715267.5524309/0/netty-zip/netty/netty-transport-native-unix-common-4-1-86-final-jar/META-INF/MANIFEST.MF

No license file was found, but licenses were detected in source scan.

<!--

~ Copyright 2021 The Netty Project

~



~ The Netty Project licenses this file to you under the Apache License,  
~ version 2.0 (the "License"); you may not use this file except in compliance  
~ with the License. You may obtain a copy of the License at:  
~  
~ <https://www.apache.org/licenses/LICENSE-2.0>  
~  
~ Unless required by applicable law or agreed to in writing, software  
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
~ License for the specific language governing permissions and limitations  
~ under the License.  
-->

Found in path(s):

\* /opt/cola/permits/1509095589\_1671715267.5524309/0/netty-zip/netty/netty-transport-classes-epoll-4-1-86-final-jar/META-INF/maven/io.netty/netty-transport-classes-epoll/pom.xml

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Implementation-Title: Netty/Handler/Proxy

Bundle-Description: Netty is an asynchronous event-driven network application framework for rapid development of maintainable high performance protocol servers and clients.

Automatic-Module-Name: io.netty.handler.proxy

Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0>

Bundle-SymbolicName: io.netty.handler-proxy

Implementation-Version: 4.1.86.Final

Built-By: root

Bnd-LastModified: 1670851161046

Bundle-ManifestVersion: 2

Implementation-Vendor-Id: io.netty

Bundle-DocURL: <https://netty.io/>

Bundle-Vendor: The Netty Project

Import-Package: io.netty.buffer;version="[4.1,5)",io.netty.channel;version="[4.1,5)",io.netty.handler.codec.base64;version="[4.1,5)",io.netty.handler.codec.http;version="[4.1,5)",io.netty.handler.codec.socksv4;version="[4.1,5)",io.netty.handler.codec.socksv5;version="[4.1,5)",io.netty.util;version="[4.1,5)",io.netty.util.concurrent;version="[4.1,5)",io.netty.util.internal;version="[4.1,5)",io.netty.util.internal.logging;version="[4.1,5)",sun.nio.ch;resolution:=optional,org.eclipse.jetty.npn;version="[1,2)";resolution:=optional,org.eclipse.jetty.alpn;version="[1,2)";resolution:=optional

Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.6))"

Tool: Bnd-2.4.1.201501161923

Implementation-Vendor: The Netty Project

Export-Package: io.netty.handler.proxy;uses:="io.netty.channel,io.netty.handler.codec.http,io.netty.util.concurrent";version="4.1.86"

Bundle-Name: Netty/Handler/Proxy

Bundle-Version: 4.1.86.Final  
Created-By: Apache Maven Bundle Plugin  
Build-Jdk: 1.8.0\_352  
Implementation-URL: <https://netty.io/netty-handler-proxy/>

Found in path(s):

\* /opt/cola/permits/1509095589\_1671715267.5524309/0/netty-zip/netty/netty-handler-proxy-4-1-86-final-jar/META-INF/MANIFEST.MF

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Implementation-Title: Netty/Common

Bundle-Description: Netty is an asynchronous event-driven network application framework for rapid development of maintainable high performance protocol servers and clients.

Automatic-Module-Name: io.netty.common

Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0>

Bundle-SymbolicName: io.netty.common

Implementation-Version: 4.1.86.Final

Built-By: norman

Bnd-LastModified: 1670855137664

Bundle-ManifestVersion: 2

Implementation-Vendor-Id: io.netty

Bundle-DocURL: <https://netty.io/>

Bundle-Vendor: The Netty Project

Import-Package: sun.misc;resolution:=optional,com.oracle.svm.core.annotate;resolution:=optional,javax.security.cert;resolution:=optional,org.apache.commons.logging;resolution:=optional;version="[1.2,2)",org.apache.log4j;resolution:=optional;version="[2.17,3)",org.apache.logging.log4j;resolution:=optional;version="[2.17,3)",org.apache.logging.log4j.message;resolution:=optional;version="[2.17,3)",org.apache.logging.log4j.spi;resolution:=optional;version="[2.17,3)",org.slf4j;resolution:=optional;version="[1.7,2)",org.slf4j.helpers;resolution:=optional;version="[1.7,2)",org.slf4j.spi;resolution:=optional;version="[1.7,2)",reactor.blockhound;resolution:=optional,reactor.blockhound.integration;resolution:=optional

Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.6))"

DynamicImport-Package: \*

Tool: Bnd-2.4.1.201501161923

Implementation-Vendor: The Netty Project

Export-Package: io.netty.util;uses:="io.netty.util.concurrent,io.netty.util.internal";version="4.1.86",io.netty.util.collection;version="4.1.86",io.netty.util.concurrent;uses:="io.netty.util.internal";version="4.1.86",io.netty.util.internal;uses:="io.netty.util,io.netty.util.concurrent,io.netty.util.internal.logging,javax.security.cert,reactor.blockhound,reactor.blockhound.integration";version="4.1.86",io.netty.util.internal.logging;version="4.1.86",io.netty.util.internal.svm;version="4.1.86"

Bundle-Name: Netty/Common  
Bundle-Version: 4.1.86.Final  
Created-By: Apache Maven Bundle Plugin  
Build-Jdk: 1.8.0\_252  
Implementation-URL: <https://netty.io/netty-common/>

Found in path(s):

\* /opt/cola/permits/1509095589\_1671715267.5524309/0/netty-zip/netty/netty-common-4-1-86-final-jar/META-INF/MANIFEST.MF

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0  
Implementation-Title: Netty/Resolver  
Bundle-Description: Netty is an asynchronous event-driven network application framework for rapid development of maintainable high performance protocol servers and clients.  
Automatic-Module-Name: io.netty.resolver  
Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0>  
Bundle-SymbolicName: io.netty.resolver  
Implementation-Version: 4.1.86.Final  
Built-By: norman  
Bnd-LastModified: 1670855159282  
Bundle-ManifestVersion: 2  
Implementation-Vendor-Id: io.netty  
Bundle-DocURL: <https://netty.io/>  
Bundle-Vendor: The Netty Project  
Import-Package: io.netty.util;version="[4.1,5)",io.netty.util.concurrent;version="[4.1,5)",io.netty.util.internal;version="[4.1,5)",io.netty.util.internal.logging;version="[4.1,5)",sun.nio.ch;resolution:=optional,org.eclipse.jetty.npn;version="[1,2)";resolution:=optional,org.eclipse.jetty.alpn;version="[1,2)";resolution:=optional  
Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.6))"  
Tool: Bnd-2.4.1.201501161923  
Implementation-Vendor: The Netty Project  
Export-Package: io.netty.resolver;uses:="io.netty.util.concurrent";version="4.1.86"  
Bundle-Name: Netty/Resolver  
Bundle-Version: 4.1.86.Final  
Created-By: Apache Maven Bundle Plugin  
Build-Jdk: 1.8.0\_252  
Implementation-URL: <https://netty.io/netty-resolver/>

Found in path(s):

\* /opt/cola/permits/1509095589\_1671715267.5524309/0/netty-zip/netty/netty-resolver-4-1-86-final-jar/META-INF/MANIFEST.MF

No license file was found, but licenses were detected in source scan.

# The Netty Project licenses this file to you under the Apache License,

# version 2.0 (the "License"); you may not use this file except in compliance  
# with the License. You may obtain a copy of the License at:  
# distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

Found in path(s):

\* /opt/cola/permits/1509095589\_1671715267.5524309/0/netty-zip/netty/netty-codec-http2-4-1-86-final-jar/META-INF/native-image/io.netty/netty-codec-http2/native-image.properties  
\* /opt/cola/permits/1509095589\_1671715267.5524309/0/netty-zip/netty/netty-transport-4-1-86-final-jar/META-INF/native-image/io.netty/netty-transport/native-image.properties  
\* /opt/cola/permits/1509095589\_1671715267.5524309/0/netty-zip/netty/netty-codec-http-4-1-86-final-jar/META-INF/native-image/io.netty/netty-codec-http/native-image.properties  
\* /opt/cola/permits/1509095589\_1671715267.5524309/0/netty-zip/netty/netty-buffer-4-1-86-final-jar/META-INF/native-image/io.netty/netty-buffer/native-image.properties  
\* /opt/cola/permits/1509095589\_1671715267.5524309/0/netty-zip/netty/netty-common-4-1-86-final-jar/META-INF/native-image/io.netty/netty-common/native-image.properties  
\* /opt/cola/permits/1509095589\_1671715267.5524309/0/netty-zip/netty/netty-codec-4-1-86-final-jar/META-INF/native-image/io.netty/netty-codec/native-image.properties  
\* /opt/cola/permits/1509095589\_1671715267.5524309/0/netty-zip/netty/netty-handler-4-1-86-final-jar/META-INF/native-image/io.netty/netty-handler/native-image.properties

No license file was found, but licenses were detected in source scan.

<!--

~ Copyright 2012 The Netty Project

~

~ The Netty Project licenses this file to you under the Apache License,  
~ version 2.0 (the "License"); you may not use this file except in compliance  
~ with the License. You may obtain a copy of the License at:

~

~ <https://www.apache.org/licenses/LICENSE-2.0>

~

~ Unless required by applicable law or agreed to in writing, software  
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
~ License for the specific language governing permissions and limitations  
~ under the License.

-->

Found in path(s):

\* /opt/cola/permits/1509095589\_1671715267.5524309/0/netty-zip/netty/netty-common-4-1-86-final-jar/META-INF/maven/io.netty/netty-common/pom.xml  
\* /opt/cola/permits/1509095589\_1671715267.5524309/0/netty-zip/netty/netty-buffer-4-1-86-final-jar/META-INF/maven/io.netty/netty-buffer/pom.xml  
\* /opt/cola/permits/1509095589\_1671715267.5524309/0/netty-zip/netty/netty-codec-4-1-86-final-jar/META-INF/maven/io.netty/netty-codec/pom.xml  
\* /opt/cola/permits/1509095589\_1671715267.5524309/0/netty-zip/netty/netty-transport-4-1-86-final-jar/META-INF/maven/io.netty/netty-transport/pom.xml  
\* /opt/cola/permits/1509095589\_1671715267.5524309/0/netty-zip/netty/netty-handler-4-1-86-final-jar/META-INF/maven/io.netty/netty-handler/pom.xml

\* /opt/cola/permits/1509095589\_1671715267.5524309/0/netty-zip/netty/netty-codec-http-4-1-86-final-jar/META-INF/maven/io.netty/netty-codec-http/pom.xml  
\* /opt/cola/permits/1509095589\_1671715267.5524309/0/netty-zip/netty/netty-codec-socks-4-1-86-final-jar/META-INF/maven/io.netty/netty-codec-socks/pom.xml  
No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0  
Implementation-Title: Netty/Transport/Native/Epoll  
Bundle-Description: Netty is an asynchronous event-driven network application framework for rapid development of maintainable high performance protocol servers and clients.  
Automatic-Module-Name: io.netty.transport.epoll.linux.x86\_64  
Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0>  
Bundle-SymbolicName: io.netty.transport-native-epoll  
Implementation-Version: 4.1.86.Final  
Built-By: root  
Bnd-LastModified: 1670851257748  
Bundle-ManifestVersion: 2  
Implementation-Vendor-Id: io.netty  
Bundle-DocURL: <https://netty.io/>  
Bundle-Vendor: The Netty Project  
Import-Package: sun.nio.ch;resolution:=optional,org.eclipse.jetty.npn;version="[1,2)";resolution:=optional,org.eclipse.jetty.alpn;version="[1,2)";resolution:=optional  
Tool: Bnd-2.4.1.201501161923  
Implementation-Vendor: The Netty Project  
Bundle-Name: Netty/Transport/Native/Epoll  
Bundle-Version: 4.1.86.Final  
Created-By: Apache Maven Bundle Plugin  
Build-Jdk: 1.8.0\_352  
Implementation-URL: <https://netty.io/netty-transport-native-epoll/>

Found in path(s):  
\* /opt/cola/permits/1509095589\_1671715267.5524309/0/netty-zip/netty/netty-transport-native-epoll-4-1-86-final-jar/META-INF/MANIFEST.MF  
No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0  
Implementation-Title: Netty/Handler  
Bundle-Description: Netty is an asynchronous event-driven network application framework for rapid development of maintainable high performance protocol servers and clients.  
Automatic-Module-Name: io.netty.handler  
Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0>  
Bundle-SymbolicName: io.netty.handler  
Implementation-Version: 4.1.86.Final  
Built-By: norman  
Bnd-LastModified: 1670855199960

Bundle-ManifestVersion: 2  
Implementation-Vendor-Id: io.netty  
Bundle-DocURL: https://netty.io/  
Bundle-Vendor: The Netty Project  
Import-Package: sun.security.x509;resolution:=optional,org.eclipse.jetty.npn;version="[1,2)";resolution:=optional,org.eclipse.jetty.alpn;version="[1,2)";resolution:=optional,io.netty.buffer;version="[4.1,5)",io.netty.channel;version="[4.1,5)",io.netty.channel.socket;version="[4.1,5)",io.netty.channel.unix;version="[4.1,5)",io.netty.handler.codec;version="[4.1,5)",io.netty.handler.codec.base64;version="[4.1,5)",io.netty.internal.tcnative;version="[2.0,3)";resolution:=optional,io.netty.resolver;version="[4.1,5)",io.netty.util;version="[4.1,5)",io.netty.util.concurrent;version="[4.1,5)",io.netty.util.internal;version="[4.1,5)",io.netty.util.internal.logging;version="[4.1,5)",javax.crypto,javax.crypto.spec,javax.net.ssl,javax.security.auth.x500,javax.security.cert,org.bouncycastle.asn1.pkcs;version="[1.69,2)";resolution:=optional,org.bouncycastle.asn1.x500;version="[1.69,2)";resolution:=optional,org.bouncycastle.cert;version="[1.69,2)";resolution:=optional,org.bouncycastle.cert.jcajce;version="[1.69,2)";resolution:=optional,org.bouncycastle.jce.provider;version="[1.69,2)";resolution:=optional,org.bouncycastle.openssl;version="[1.69,2)";resolution:=optional,org.bouncycastle.openssl.jcajce;version="[1.69,2)";resolution:=optional,org.bouncycastle.operator;version="[1.69,2)";resolution:=optional,org.bouncycastle.operator.jcajce;version="[1.69,2)";resolution:=optional,org.bouncycastle.pkcs;version="[1.69,2)";resolution:=optional,org.conscrypt;version="[2.5,3)";resolution:=optional,sun.nio.ch;resolution:=optional  
Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.6))"  
Tool: Bnd-2.4.1.201501161923  
Implementation-Vendor: The Netty Project  
Export-Package: io.netty.handler.address;uses:="io.netty.channel,io.netty.resolver";version="4.1.86",io.netty.handler.flow;uses:="io.netty.channel";version="4.1.86",io.netty.handler.flush;uses:="io.netty.channel";version="4.1.86",io.netty.handler.ipfilter;uses:="io.netty.channel";version="4.1.86",io.netty.handler.logging;uses:="io.netty.channel,io.netty.util.internal.logging";version="4.1.86",io.netty.handler.pcap;uses:="io.netty.channel";version="4.1.86",io.netty.handler.ssl;uses:="io.netty.buffer,io.netty.channel,io.netty.handler.codec,io.netty.util,io.netty.util.concurrent,javax.crypto,javax.net.ssl";version="4.1.86",io.netty.handler.ssl.ocsp;uses:="io.netty.channel,io.netty.handler.ssl";version="4.1.86",io.netty.handler.ssl.util;uses:="javax.net.ssl,javax.security.auth.x500,javax.security.cert";version="4.1.86",io.netty.handler.stream;uses:="io.netty.buffer,io.netty.channel";version="4.1.86",io.netty.handler.timeout;uses:="io.netty.channel";version="4.1.86",io.netty.handler.traffic;uses:="io.netty.channel,io.netty.util.concurrent";version="4.1.86"  
Bundle-Name: Netty/Handler  
Bundle-Version: 4.1.86.Final

Created-By: Apache Maven Bundle Plugin  
Build-Jdk: 1.8.0\_252  
Implementation-URL: <https://netty.io/netty-handler/>

Found in path(s):

\* /opt/cola/permits/1509095589\_1671715267.5524309/0/netty-zip/netty/netty-handler-4-1-86-final-jar/META-INF/MANIFEST.MF

No license file was found, but licenses were detected in source scan.

<!--

~ Copyright 2014 The Netty Project

~

~ The Netty Project licenses this file to you under the Apache License,  
~ version 2.0 (the "License"); you may not use this file except in compliance  
~ with the License. You may obtain a copy of the License at:

~

~ <https://www.apache.org/licenses/LICENSE-2.0>

~

~ Unless required by applicable law or agreed to in writing, software  
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
~ License for the specific language governing permissions and limitations  
~ under the License.

-->

Found in path(s):

\* /opt/cola/permits/1509095589\_1671715267.5524309/0/netty-zip/netty/netty-transport-native-epoll-4-1-86-final-jar/META-INF/maven/io.netty/netty-transport-native-epoll/pom.xml

\* /opt/cola/permits/1509095589\_1671715267.5524309/0/netty-zip/netty/netty-codec-http2-4-1-86-final-jar/META-INF/maven/io.netty/netty-codec-http2/pom.xml

\* /opt/cola/permits/1509095589\_1671715267.5524309/0/netty-zip/netty/netty-resolver-4-1-86-final-jar/META-INF/maven/io.netty/netty-resolver/pom.xml

\* /opt/cola/permits/1509095589\_1671715267.5524309/0/netty-zip/netty/netty-handler-proxy-4-1-86-final-jar/META-INF/maven/io.netty/netty-handler-proxy/pom.xml

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Implementation-Title: Netty/Codec/HTTP2

Bundle-Description: Netty is an asynchronous event-driven network application framework for rapid development of maintainable high performance protocol servers and clients.

Automatic-Module-Name: io.netty.codec.http2

Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0>

Bundle-SymbolicName: io.netty.codec-http2

Implementation-Version: 4.1.86.Final

Built-By: root

Bnd-LastModified: 1670851101053

Bundle-ManifestVersion: 2

Implementation-Vendor-Id: io.netty  
Bundle-DocURL: <https://netty.io/>  
Bundle-Vendor: The Netty Project  
Import-Package: com.aayushatharva.brotli4j.encoder;resolution:=optional,io.netty.buffer;version="[4.1,5)",io.netty.channel;version="[4.1,5)",io.netty.channel.embedded;version="[4.1,5)",io.netty.handler.codec,io.netty.handler.codec.base64;version="[4.1,5)",io.netty.handler.codec.compression;version="[4.1,5)",io.netty.handler.codec.http;version="[4.1,5)",io.netty.handler.logging;version="[4.1,5)",io.netty.handler.ssl;version="[4.1,5)",io.netty.handler.stream;version="[4.1,5)",io.netty.util;version="[4.1,5)",io.netty.util.collection;version="[4.1,5)",io.netty.util.concurrent;version="[4.1,5)",io.netty.util.internal;version="[4.1,5)",io.netty.util.internal.logging;version="[4.1,5)",javax.net.ssl,sun.nio.ch;resolution:=optional,org.eclipse.jetty.npn;version="[1,2)";resolution:=optional,org.eclipse.jetty.alpn;version="[1,2)";resolution:=optional  
Require-Capability: osgi.ee;filter:=(&(osgi.ee=JavaSE)(version=1.6))"  
Tool: Bnd-2.4.1.201501161923  
Implementation-Vendor: The Netty Project  
Export-Package: io.netty.handler.codec.http2;uses:="io.netty.buffer,io.netty.channel,io.netty.channel.embedded,io.netty.handler.codec,io.netty.handler.codec.compression,io.netty.handler.codec.http,io.netty.handler.logging,io.netty.handler.stream,io.netty.util,io.netty.util.collection,io.netty.util.concurrent";version="4.1.86"  
Bundle-Name: Netty/Codec/HTTP2  
Bundle-Version: 4.1.86.Final  
Created-By: Apache Maven Bundle Plugin  
Build-Jdk: 1.8.0\_352  
Implementation-URL: <https://netty.io/netty-codec-http2/>

Found in path(s):

\* /opt/cola/permits/1509095589\_1671715267.5524309/0/netty-zip/netty/netty-codec-http2-4-1-86-final-jar/META-INF/MANIFEST.MF

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Implementation-Title: Netty/Codec/Socks

Bundle-Description: Netty is an asynchronous event-driven network application framework for rapid development of maintainable high performance protocol servers and clients.

Automatic-Module-Name: io.netty.codec.socks

Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0>

Bundle-SymbolicName: io.netty.codec-socks

Implementation-Version: 4.1.86.Final

Built-By: root

Bnd-LastModified: 1670851140833

Bundle-ManifestVersion: 2

Implementation-Vendor-Id: io.netty



Bundle-DocURL: <https://netty.io/>  
Bundle-Vendor: The Netty Project  
Import-Package: io.netty.buffer;version="[4.1,5)",io.netty.channel;version="[4.1,5)",io.netty.handler.codec,io.netty.util;version="[4.1,5)",io.netty.util.internal;version="[4.1,5)",io.netty.util.internal.logging;version="[4.1,5)",sun.nio.ch;resolution:=optional,org.eclipse.jetty.npn;version="[1,2)";resolution:=optional,org.eclipse.jetty.alpn;version="[1,2)";resolution:=optional  
Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.6))"  
Tool: Bnd-2.4.1.201501161923  
Implementation-Vendor: The Netty Project  
Export-Package: io.netty.handler.codec.socks;uses:="io.netty.buffer,io.netty.channel,io.netty.handler.codec";version="4.1.86",io.netty.handler.codec.socksx;uses:="io.netty.buffer,io.netty.channel,io.netty.handler.codec,io.netty.handler.codec.socksx.v5";version="4.1.86",io.netty.handler.codec.socksx.v4;uses:="io.netty.buffer,io.netty.channel,io.netty.handler.codec,io.netty.handler.codec.socksx";version="4.1.86",io.netty.handler.codec.socksx.v5;uses:="io.netty.buffer,io.netty.channel,io.netty.handler.codec,io.netty.handler.codec.socksx";version="4.1.86"  
Bundle-Name: Netty/Codec/Socks  
Bundle-Version: 4.1.86.Final  
Created-By: Apache Maven Bundle Plugin  
Build-Jdk: 1.8.0\_352  
Implementation-URL: <https://netty.io/netty-codec-socks/>

Found in path(s):

\* /opt/cola/permits/1509095589\_1671715267.5524309/0/netty-zip/netty/netty-codec-socks-4-1-86-final-jar/META-INF/MANIFEST.MF

No license file was found, but licenses were detected in source scan.

```
# Copyright 2019 The Netty Project
#
# The Netty Project licenses this file to you under the Apache License,
# version 2.0 (the "License"); you may not use this file except in compliance
# with the License. You may obtain a copy of the License at:
#
# https://www.apache.org/licenses/LICENSE-2.0
#
# Unless required by applicable law or agreed to in writing, software
# distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
# WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
# License for the specific language governing permissions and limitations
# under the License.
io.netty.util.internal.Hidden$NettyBlockHoundIntegration
```

Found in path(s):

\* /opt/cola/permits/1509095589\_1671715267.5524309/0/netty-zip/netty/netty-common-4-1-86-final-jar/META-

INF/services/reactor.blockhound.integration.BlockHoundIntegration

No license file was found, but licenses were detected in source scan.

```
<project xmlns="http://maven.apache.org/POM/4.0.0" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 http://maven.apache.org/maven-v4_0_0.xsd">
```

```
<modelVersion>4.0.0</modelVersion>
```

```
<artifactId>jctools-core</artifactId>
```

```
<groupId>org.jctools</groupId>
```

```
<version>3.1.0</version>
```

```
<name>Java Concurrency Tools Core Library</name>
```

```
<description>Java Concurrency Tools Core Library</description>
```

```
<packaging>bundle</packaging>
```

```
<dependencies>
```

```
<dependency>
```

```
<groupId>org.hamcrest</groupId>
```

```
<artifactId>hamcrest-all</artifactId>
```

```
<version>${hamcrest.version}</version>
```

```
<scope>test</scope>
```

```
</dependency>
```

```
<dependency>
```

```
<groupId>junit</groupId>
```

```
<artifactId>junit</artifactId>
```

```
<version>${junit.version}</version>
```

```
<scope>test</scope>
```

```
</dependency>
```

```
<dependency>
```

```
<groupId>com.google.guava</groupId>
```

```
<artifactId>guava-testlib</artifactId>
```

```
<version>${guava-testlib.version}</version>
```

```
<scope>test</scope>
```

```
</dependency>
```

```
</dependencies>
```

```
<build>
```

```
<plugins>
```

```
<plugin>
```

```
<groupId>org.apache.maven.plugins</groupId>
```

```
<artifactId>maven-surefire-plugin</artifactId>
```

```
<version>3.0.0-M3</version>
```

```
<configuration>
```

```
<includes>
```

```
<include>*</include>
```

```
</includes>
```

```
</configuration>
```

```
</plugin>
```

```

<plugin>
  <groupId>org.apache.felix</groupId>
  <artifactId>maven-bundle-plugin</artifactId>
  <version>4.2.1</version>
  <extensions>>true</extensions>
  <configuration>
    <instructions>
      <Import-Package>sun.misc;resolution:=optional</Import-Package>
    </instructions>
  </configuration>
</plugin>
<plugin>
  <groupId>org.apache.maven.plugins</groupId>
  <artifactId>maven-source-plugin</artifactId>
  <version>3.2.0</version>
  <executions>
    <execution>
      <id>attach-sources</id>
      <phase>verify</phase>
      <goals>
        <goal>jar-no-fork</goal>
      </goals>
    </execution>
  </executions>
</plugin>
<plugin>
  <groupId>org.apache.maven.plugins</groupId>
  <artifactId>maven-javadoc-plugin</artifactId>
  <version>3.1.1</version>
  <configuration>
    <additionalOptions>
      <additionalOption>-Xdoclint:none</additionalOption>
    </additionalOptions>
    <source>8</source>
  </configuration>
  <executions>
    <execution>
      <id>attach-javadocs</id>
      <goals>
        <goal>jar</goal>
      </goals>
    </execution>
  </executions>
</plugin>
</plugins>
</build>

<distributionManagement>

```

```
<repository>
  <id>bintray-jctools-jctools</id>
  <name>jctools-jctools</name>
  <url>https://api.bintray.com/maven/jctools/jctools/jctools-core/;publish=1</url>
</repository>
</distributionManagement>
```

```
<url>https://github.com/JCTools</url>
<inceptionYear>2013</inceptionYear>
```

```
<licenses>
  <license>
    <name>Apache License, Version 2.0</name>
    <url>http://www.apache.org/licenses/LICENSE-2.0.txt</url>
    <distribution>repo</distribution>
  </license>
</licenses>
```

```
<scm>
  <url>https://github.com/JCTools/JCTools</url>
  <connection>scm:git:https://github.com/JCTools/JCTools</connection>
  <tag>HEAD</tag>
</scm>
```

```
<developers>
  <developer>
    <url>https://github.com/nitsanw</url>
  </developer>
  <developer>
    <url>https://github.com/mjpt777</url>
  </developer>
  <developer>
    <url>https://github.com/RichardWarburton</url>
  </developer>
  <developer>
    <url>https://github.com/kay</url>
  </developer>
  <developer>
    <url>https://github.com/franz1981</url>
  </developer>
</developers>
```

```
<prerequisites>
  <maven>3.5.0</maven>
</prerequisites>
```

```
<properties>
  <project.build.sourceEncoding>UTF-8</project.build.sourceEncoding>
```

```
<java.version>1.6</java.version>
<java.test.version>1.8</java.test.version>

<maven.compiler.source>${java.version}</maven.compiler.source>
<maven.compiler.target>${java.version}</maven.compiler.target>
<maven.compiler.testSource>${java.test.version}</maven.compiler.testSource>
<maven.compiler.testTarget>${java.test.version}</maven.compiler.testTarget>

<hamcrest.version>1.3</hamcrest.version>
<junit.version>4.12</junit.version>
<guava-testlib.version>21.0</guava-testlib.version>
</properties>
</project>
```

Found in path(s):

```
* /opt/cola/permits/1509095589_1671715267.5524309/0/netty-zip/netty/netty-common-4-1-86-final-jar/META-INF/maven/org.jctools/jctools-core/pom.xml
```

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Implementation-Title: Netty/Codec

Bundle-Description: Netty is an asynchronous event-driven network application framework for rapid development of maintainable high performance protocol servers and clients.

Automatic-Module-Name: io.netty.codec

Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0>

Bundle-SymbolicName: io.netty.codec

Implementation-Version: 4.1.86.Final

Built-By: norman

Bnd-LastModified: 1670855178734

Bundle-ManifestVersion: 2

Implementation-Vendor-Id: io.netty

Bundle-DocURL: <https://netty.io/>

Bundle-Vendor: The Netty Project

Import-Package: com.aayushatharva.brotli4j;resolution:=optional,com.aayushatharva.brotli4j.decoder;resolution:=optional,com.aayushatharva.brotli4j.encoder;resolution:=optional,com.github.luben.zstd;version="[1.5,2)";resolution:=optional,com.google.protobuf;version="[2.6,3)";resolution:=optional,com.google.protobuf.nano;resolution:=optional,com.jcraft.jzlib;resolution:=optional,com.ning.compress;version="[1.0,2)";resolution:=optional,com.ning.compress.lzf;version="[1.0,2)";resolution:=optional,com.ning.compress.lzf.util;version="[1.0,2)";resolution:=optional,io.netty.buffer;version="[4.1,5)",io.netty.channel;version="[4.1,5)",io.netty.channel.socket;version="[4.1,5)",io.netty.util;version="[4.1,5)",io.netty.util.concurrent;version="[4.1,5)",io.netty.util.internal;version="[4.1,5)",io.netty.util.internal.logging;version="[4.1,5)",lzma.sdk;resolution:=optional,lzma.sdk.lzma;resolution:=optional,net.jpountz.lz4;resolution:=optional,net.jpountz.xxhash;resolu

tion:=optional,org.jboss.marshalling;resolution:=optional,sun.nio.ch;  
resolution:=optional,org.eclipse.jetty.npn;version="[1,2]";resolution  
:=optional,org.eclipse.jetty.alpn;version="[1,2]";resolution:=optiona  
l  
Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.6))"  
Tool: Bnd-2.4.1.201501161923  
Implementation-Vendor: The Netty Project  
Export-Package: io.netty.handler.codec;uses:="io.netty.buffer,io.netty  
.channel,io.netty.channel.socket,io.netty.util";version="4.1.86",io.n  
etty.handler.codec.base64;uses:="io.netty.buffer,io.netty.channel,io.  
netty.handler.codec";version="4.1.86",io.netty.handler.codec.bytes;us  
es:="io.netty.buffer,io.netty.channel,io.netty.handler.codec";version  
="4.1.86",io.netty.handler.codec.compression;uses:="com.aayushatharva  
.brotli4j.encoder,io.netty.buffer,io.netty.channel,io.netty.handler.c  
odec,net.jpountz.lz4";version="4.1.86",io.netty.handler.codec.json;us  
es:="io.netty.buffer,io.netty.channel,io.netty.handler.codec";version  
="4.1.86",io.netty.handler.codec.marshalling;uses:="io.netty.buffer,i  
o.netty.channel,io.netty.handler.codec,org.jboss.marshalling";version  
="4.1.86",io.netty.handler.codec.protobuf;uses:="com.google.protobuf,  
com.google.protobuf.nano,io.netty.buffer,io.netty.channel,io.netty.ha  
ndler.codec";version="4.1.86",io.netty.handler.codec.serialization;us  
es:="io.netty.buffer,io.netty.channel,io.netty.handler.codec";version  
="4.1.86",io.netty.handler.codec.string;uses:="io.netty.buffer,io.net  
ty.channel,io.netty.handler.codec";version="4.1.86",io.netty.handler.  
codec.xml;uses:="io.netty.buffer,io.netty.channel,io.netty.handler.co  
dec";version="4.1.86"  
Bundle-Name: Netty/Codec  
Bundle-Version: 4.1.86.Final  
Created-By: Apache Maven Bundle Plugin  
Build-Jdk: 1.8.0\_252  
Implementation-URL: <https://netty.io/netty-codec/>

Found in path(s):

\* /opt/cola/permits/1509095589\_1671715267.5524309/0/netty-zip/netty/netty-codec-4-1-86-final-jar/META-INF/MANIFEST.MF

No license file was found, but licenses were detected in source scan.

<!--

~ Copyright 2016 The Netty Project

~

~ The Netty Project licenses this file to you under the Apache License,  
~ version 2.0 (the "License"); you may not use this file except in compliance  
~ with the License. You may obtain a copy of the License at:

~

~ <https://www.apache.org/licenses/LICENSE-2.0>

~

~ Unless required by applicable law or agreed to in writing, software  
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
~ License for the specific language governing permissions and limitations  
~ under the License.  
-->

Found in path(s):

\* /opt/cola/permits/1509095589\_1671715267.5524309/0/netty-zip/netty/netty-transport-native-unix-common-4-1-86-final-jar/META-INF/maven/io.netty/netty-transport-native-unix-common/pom.xml

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Implementation-Title: Netty/Codec/HTTP

Bundle-Description: Netty is an asynchronous event-driven network application framework for rapid development of maintainable high performance protocol servers and clients.

Automatic-Module-Name: io.netty.codec.http

Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0>

Bundle-SymbolicName: io.netty.codec-http

Implementation-Version: 4.1.86.Final

Built-By: norman

Bnd-LastModified: 1670855212920

Bundle-ManifestVersion: 2

Implementation-Vendor-Id: io.netty

Bundle-DocURL: <https://netty.io/>

Bundle-Vendor: The Netty Project

Import-Package: com.aayushatharva.brotli4j.encoder;resolution:=optional,com.jcraft.jzlib;resolution:=optional,io.netty.buffer;version="[4.1,5)",io.netty.channel;version="[4.1,5)",io.netty.channel.embedded;version="[4.1,5)",io.netty.handler.codec,io.netty.handler.codec.base64;version="[4.1,5)",io.netty.handler.codec.compression;version="[4.1,5)",io.netty.handler.ssl;version="[4.1,5)",io.netty.handler.stream;version="[4.1,5)",io.netty.util;version="[4.1,5)",io.netty.util.concurrent;version="[4.1,5)",io.netty.util.internal;version="[4.1,5)",io.netty.util.internal.logging;version="[4.1,5)",sun.nio.ch;resolution:=optional,org.eclipse.jetty.npn;version="[1,2)";resolution:=optional,org.eclipse.jetty.alpn;version="[1,2)";resolution:=optional

Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.6))"

Tool: Bnd-2.4.1.201501161923

Implementation-Vendor: The Netty Project

Export-Package: io.netty.handler.codec.http;uses="io.netty.buffer,io.netty.channel,io.netty.channel.embedded,io.netty.handler.codec,io.netty.handler.codec.compression,io.netty.handler.codec.http.cookie,io.netty.handler.stream,io.netty.util";version="4.1.86",io.netty.handler.codec.http.cookie;version="4.1.86",io.netty.handler.codec.http.cors;uses="io.netty.channel,io.netty.handler.codec.http";version="4.1.86",io.netty.handler.codec.http.multipart;uses="io.netty.buffer,io.netty.channel,io.netty.handler.codec,io.netty.handler.codec.http,io.netty.handler.stream,io.netty.util";version="4.1.86",io.netty.handler.codec.

http.websocketx;uses:="io.netty.buffer,io.netty.channel,io.netty.handler.codec,io.netty.handler.codec.http,io.netty.handler.stream,io.netty.util,io.netty.util.internal.logging";version="4.1.86",io.netty.handler.codec.http.websocketx.extensions;uses:="io.netty.channel,io.netty.handler.codec,io.netty.handler.codec.http.websocketx";version="4.1.86",io.netty.handler.codec.http.websocketx.extensions.compression;uses:="io.netty.channel,io.netty.handler.codec.http.websocketx.extensions";version="4.1.86",io.netty.handler.codec.rtsp;uses:="io.netty.buffer,io.netty.channel,io.netty.handler.codec.http,io.netty.util";version="4.1.86",io.netty.handler.codec.spdy;uses:="io.netty.buffer,io.netty.channel,io.netty.handler.codec,io.netty.handler.codec.http,io.netty.util";version="4.1.86"

Bundle-Name: Netty/Codec/HTTP

Bundle-Version: 4.1.86.Final

Created-By: Apache Maven Bundle Plugin

Build-Jdk: 1.8.0\_252

Implementation-URL: <https://netty.io/netty-codec-http/>

Found in path(s):

\* /opt/cola/permits/1509095589\_1671715267.5524309/0/netty-zip/netty/netty-codec-http-4-1-86-final-jar/META-INF/MANIFEST.MF

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Implementation-Title: Netty/Transport

Bundle-Description: Netty is an asynchronous event-driven network application framework for rapid development of maintainable high performance protocol servers and clients.

Automatic-Module-Name: io.netty.transport

Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0>

Bundle-SymbolicName: io.netty.transport

Implementation-Version: 4.1.86.Final

Built-By: norman

Bnd-LastModified: 1670855167311

Bundle-ManifestVersion: 2

Implementation-Vendor-Id: io.netty

Bundle-DocURL: <https://netty.io/>

Bundle-Vendor: The Netty Project

Import-Package: io.netty.buffer;version="[4.1,5)",io.netty.resolver;version="[4.1,5)",io.netty.util;version="[4.1,5)",io.netty.util.concurrent;version="[4.1,5)",io.netty.util.internal;version="[4.1,5)",io.netty.util.internal.logging;version="[4.1,5)",sun.nio.ch;resolution:=optional,org.eclipse.jetty.npn;version="[1,2)";resolution:=optional,org.eclipse.jetty.alpn;version="[1,2)";resolution:=optional

Require-Capability: osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.6))"

Tool: Bnd-2.4.1.201501161923

Implementation-Vendor: The Netty Project

Export-Package: io.netty.bootstrap;uses:="io.netty.channel,io.netty.re



solver,io.netty.util";version="4.1.86",io.netty.channel;uses="io.netty.bootstrap,io.netty.buffer,io.netty.util,io.netty.util.concurrent";version="4.1.86",io.netty.channel.embedded;uses="io.netty.channel";version="4.1.86",io.netty.channel.group;uses="io.netty.channel,io.netty.util.concurrent";version="4.1.86",io.netty.channel.internal;version="4.1.86",io.netty.channel.local;uses="io.netty.channel";version="4.1.86",io.netty.channel.nio;uses="io.netty.buffer,io.netty.channel,io.netty.util,io.netty.util.concurrent";version="4.1.86",io.netty.channel.oio;uses="io.netty.buffer,io.netty.channel";version="4.1.86",io.netty.channel.pool;uses="io.netty.bootstrap,io.netty.channel,io.netty.util.concurrent";version="4.1.86",io.netty.channel.socket;uses="io.netty.buffer,io.netty.channel,io.netty.util";version="4.1.86",io.netty.channel.socket.nio;uses="io.netty.buffer,io.netty.channel,io.netty.channel.nio,io.netty.channel.socket";version="4.1.86",io.netty.channel.socket.oio;uses="io.netty.buffer,io.netty.channel,io.netty.channel.oio,io.netty.channel.socket";version="4.1.86"

Bundle-Name: Netty/Transport

Bundle-Version: 4.1.86.Final

Created-By: Apache Maven Bundle Plugin

Build-Jdk: 1.8.0\_252

Implementation-URL: <https://netty.io/netty-transport/>

Found in path(s):

\* /opt/cola/permits/1509095589\_1671715267.5524309/0/netty-zip/netty/netty-transport-4-1-86-final-jar/META-INF/MANIFEST.MF

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Implementation-Title: Netty/Buffer

Bundle-Description: Netty is an asynchronous event-driven network application framework for rapid development of maintainable high performance protocol servers and clients.

Automatic-Module-Name: io.netty.buffer

Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0>

Bundle-SymbolicName: io.netty.buffer

Implementation-Version: 4.1.86.Final

Built-By: norman

Bnd-LastModified: 1670855150807

Bundle-ManifestVersion: 2

Implementation-Vendor-Id: io.netty

Bundle-DocURL: <https://netty.io/>

Bundle-Vendor: The Netty Project

Import-Package: io.netty.util;version="[4.1,5)",io.netty.util.concurrent;version="[4.1,5)",io.netty.util.internal;version="[4.1,5)",io.netty.util.internal.logging;version="[4.1,5)",sun.nio.ch;resolution:=optional,org.eclipse.jetty.npn;version="[1,2)";resolution:=optional,org.eclipse.jetty.alpn;version="[1,2)";resolution:=optional

Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.6))"

Tool: Bnd-2.4.1.201501161923  
Implementation-Vendor: The Netty Project  
Export-Package: io.netty.buffer;uses:="io.netty.util";version="4.1.86"  
,io.netty.buffer.search;uses:="io.netty.util";version="4.1.86"  
Bundle-Name: Netty/Buffer  
Bundle-Version: 4.1.86.Final  
Created-By: Apache Maven Bundle Plugin  
Build-Jdk: 1.8.0\_252  
Implementation-URL: <https://netty.io/netty-buffer/>

Found in path(s):

\* /opt/cola/permits/1509095589\_1671715267.5524309/0/netty-zip/netty/netty-buffer-4-1-86-final-jar/META-INF/MANIFEST.MF

# 1.155 aws-core 2.18.2

## 1.155.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or

for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason

of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Note: Other license terms may apply to certain, identified software files contained within or distributed with the accompanying software if such terms are included in the directory containing the accompanying software. Such other license terms will then apply in lieu of the terms of the software license above.

AWS SDK for Java 2.0

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

This product includes software developed by Amazon Technologies, Inc (<http://www.amazon.com/>).

\*\*\*\*\*

### THIRD PARTY COMPONENTS

\*\*\*\*\*

This software includes third party software subject to the following copyrights:

- XML parsing and utility functions from JetS3t - Copyright 2006-2009 James Murty.
- PKCS#1 PEM encoded private key parsing and utility functions from [oauth.googlecode.com](http://oauth.googlecode.com) - Copyright 1998-2010 AOL Inc.
- Apache Commons Lang - <https://github.com/apache/commons-lang>
- Netty Reactive Streams - <https://github.com/playframework/netty-reactive-streams>
- Jackson-core - <https://github.com/FasterXML/jackson-core>

- Jackson-dataformat-cbor - <https://github.com/FasterXML/jackson-dataformats-binary>

The licenses for these third party components are included in LICENSE.txt

- For Apache Commons Lang see also this required NOTICE:

Apache Commons Lang

Copyright 2001-2020 The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<https://www.apache.org/>).

# 1.156 httpcomponents-core 4.4.13

## 1.156.1 Available under license :

Apache HttpCore

Copyright 2005-2020 The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<http://www.apache.org/>).

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,

including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,



worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.157 netty-transport 4.1.86.Final

## 1.157.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/bootstrap/FailedChannel.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/socket/oio/DefaultOioDatagramChannelConfig.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/PendingBytesTracker.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/nio/SelectedSelectionKeySetSelector.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/socket/ChannelInputShutdownReadComplete.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/socket/oio/OioDatagramChannelConfig.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/internal/ChannelUtils.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/socket/ChannelOutputShutdownException.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/socket/ChannelOutputShutdownEvent.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/DelegatingChannelPromiseNotifier.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/internal/package-info.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2021 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/ServerChannelRecvByteBufAllocator.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2013 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/group/ChannelMatcher.java

\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/socket/oio/DefaultOioServerSocketChannelConfig.java

\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/bootstrap/ChannelFactory.java

\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/ChannelProgressivePromise.java

\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/ChannelProgressiveFuture.java

\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/nio/SelectedSelectionKeySet.java

\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/DefaultAddressedEnvelope.java

\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/DefaultMessageSizeEstimator.java

\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/ChannelId.java

\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/MessageSizeEstimator.java

\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/group/ChannelGroupException.java

\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/group/ChannelMatchers.java

\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/DefaultChannelProgressivePromise.java

\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-

jar/io/netty/channel/SimpleChannelInboundHandler.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/DefaultChannelId.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/AbstractEventLoopGroup.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/socket/oio/DefaultOioSocketChannelConfig.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/ChannelOutboundBuffer.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/ChannelProgressiveFutureListener.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/socket/oio/OioServerSocketChannelConfig.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/AddressedEnvelope.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/ChannelHandlerAdapter.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/group/DefaultChannelGroup.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/socket/oio/OioSocketChannelConfig.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/ConnectTimeoutException.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/group/ChannelGroup.java

No license file was found, but licenses were detected in source scan.

# The Netty Project licenses this file to you under the Apache License,  
# version 2.0 (the "License"); you may not use this file except in compliance  
# with the License. You may obtain a copy of the License at:  
# distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

Found in path(s):

\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/META-INF/native-image/io.netty.netty-transport/native-image.properties

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2013 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/oio/OioByteStreamChannel.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/socket/nio/NioSocketChannel.java

\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/AbstractServerChannel.java

\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/oio/AbstractOioMessageChannel.java

\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/socket/InternetProtocolFamily.java

\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/socket/SocketChannelConfig.java

\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/socket/DefaultServerSocketChannelConfig.java

\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/CombinedChannelDuplexHandler.java

\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/bootstrap/Bootstrap.java

\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/ChannelDuplexHandler.java

\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/FixedRecvByteBufAllocator.java

\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-

jar/io/netty/channel/AdaptiveRecvByteBufAllocator.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/ChannelPromise.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/nio/NioEventLoopGroup.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/oio/AbstractOioByteChannel.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/group/CombinedIterator.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/nio/AbstractNioChannel.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/package-info.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/socket/nio/NioDatagramChannelConfig.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/ChannelInboundHandler.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/DefaultEventLoop.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/socket/nio/ProtocolFamilyConverter.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/AbstractChannel.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/EventLoopGroup.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/ChannelFuture.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/RecvByteBufAllocator.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/ChannelPipeline.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/socket/oio/OioServerSocketChannel.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/ChannelMetadata.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/socket/ChannelInputShutdownEvent.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/bootstrap/ServerBootstrap.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/socket/ServerSocketChannel.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/local/LocalChannelRegistry.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/ChannelConfig.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/socket/package-info.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-



jar/io/netty/channel/local/LocalChannel.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/ThreadPerChannelEventLoop.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/oio/AbstractOioChannel.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/DefaultFileRegion.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/group/ChannelGroupFuture.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/socket/DatagramPacket.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/FileRegion.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/socket/nio/package-info.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/socket/oio/OioSocketChannel.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/local/LocalServerChannel.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/group/ChannelGroupFutureListener.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/SingleThreadEventLoop.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/local/package-info.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/EventLoopException.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/group/DefaultChannelGroupFuture.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/socket/ServerSocketChannelConfig.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/nio/package-info.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/ChannelOutboundHandlerAdapter.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/ChannelFlushPromiseNotifier.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/group/package-info.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/nio/NioEventLoop.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/ChannelHandlerContext.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/local/LocalAddress.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/socket/nio/NioDatagramChannel.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-

jar/io/netty/channel/nio/AbstractNioByteChannel.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/ChannelFutureListener.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/embedded/EmbeddedSocketAddress.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/socket/nio/NioServerSocketChannel.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/bootstrap/package-info.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/ChannelInboundHandlerAdapter.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/ChannelPromiseAggregator.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/VoidChannelPromise.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/socket/DatagramChannelConfig.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/socket/SocketChannel.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/bootstrap/AbstractBootstrap.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/FailedChannelFuture.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/ChannelException.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/socket/DefaultDatagramChannelConfig.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/AbstractChannelHandlerContext.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/ServerChannel.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/DefaultChannelPipeline.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/socket/oio/package-info.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/SucceededChannelFuture.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/ChannelPipelineException.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/MultithreadEventLoopGroup.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/socket/DatagramChannel.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/DefaultChannelPromise.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/ChannelOption.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-

jar/io/netty/channel/DefaultEventLoopGroup.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/EventLoop.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/embedded/package-info.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/ThreadPerChannelEventLoopGroup.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/local/LocalEventLoopGroup.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/ChannelInitializer.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/nio/AbstractNioMessageChannel.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/DefaultChannelConfig.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/socket/oio/OioDatagramChannel.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/ChannelOutboundHandler.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/oio/package-info.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/embedded/EmbeddedChannel.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/nio/NioTask.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/oio/OioEventLoopGroup.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/CompleteChannelFuture.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/socket/DefaultSocketChannelConfig.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/ChannelPromiseNotifier.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/embedded/EmbeddedEventLoop.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/Channel.java

No license file was found, but licenses were detected in source scan.

```
<!--  
~ Copyright 2012 The Netty Project  
~  
~ The Netty Project licenses this file to you under the Apache License,  
~ version 2.0 (the "License"); you may not use this file except in compliance  
~ with the License. You may obtain a copy of the License at:  
~  
~ https://www.apache.org/licenses/LICENSE-2.0  
~
```

~ Unless required by applicable law or agreed to in writing, software  
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
~ License for the specific language governing permissions and limitations  
~ under the License.  
-->

Found in path(s):

\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/META-INF/maven/io.netty/netty-transport/pom.xml

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2020 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io.netty/channel/socket/DuplexChannelConfig.java

\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io.netty/channel/StacklessClosedChannelException.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/DefaultMaxMessagesRecvByteBufAllocator.java

\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/pool/ChannelHealthChecker.java

\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/pool/package-info.java

\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/pool/AbstractChannelPoolMap.java

\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/pool/AbstractChannelPoolHandler.java

\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/MaxBytesRecvByteBufAllocator.java

\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/DefaultMaxBytesRecvByteBufAllocator.java

\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/pool/SimpleChannelPool.java

\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/pool/FixedChannelPool.java

\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/pool/ChannelPool.java

\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/MaxMessagesRecvByteBufAllocator.java

\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/pool/ChannelPoolMap.java

\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/pool/ChannelPoolHandler.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/AbstractEventLoop.java
- \* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/embedded/EmbeddedChannelId.java
- \* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/PendingWriteQueue.java
- \* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/ChannelFactory.java
- \* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/ReflectiveChannelFactory.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2018 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/SimpleUserEventChannelHandler.java
- \* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/socket/nio/NioChannelOption.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2022 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/socket/nio/SelectorProviderUtil.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/DefaultChannelHandlerContext.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-

jar/io/netty/channel/ChannelOutboundInvoker.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/socket/DuplexChannel.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/ChannelInboundInvoker.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/SelectStrategy.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/bootstrap/ServerBootstrapConfig.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/PreferHeapByteBufAllocator.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/bootstrap/AbstractBootstrapConfig.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/DefaultSelectStrategy.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/SelectStrategyFactory.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/DefaultSelectStrategyFactory.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/WriteBufferWaterMark.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/group/VoidChannelGroupFuture.java  
\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/bootstrap/BootstrapConfig.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License, version 2.0 (the

\* "License"); you may not use this file except in compliance with the License. You may obtain a

\* copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-  
jar/io/netty/channel/AbstractCoalescingBufferQueue.java

No license file was found, but licenses were detected in source scan.



```
/*
 * Copyright 2019 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
*/opt/cola/permits/1509095609_1671044607.123572/0/netty-transport-4-1-86-final-sources-
jar/io/netty/channel/EventLoopTaskQueueFactory.java
*/opt/cola/permits/1509095609_1671044607.123572/0/netty-transport-4-1-86-final-sources-
jar/io/netty/channel/ExtendedClosedChannelException.java
*/opt/cola/permits/1509095609_1671044607.123572/0/netty-transport-4-1-86-final-sources-
jar/io/netty/channel/ChannelHandlerMask.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2012 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
/**
 * Handles an I/O event or intercepts an I/O operation, and forwards it to its next handler in
 * its { @link ChannelPipeline}.
 *
 * <h3>Sub-types</h3>
 *
 * <p>
 * { @link ChannelHandler} itself does not provide many methods, but you usually have to implement one of its
 * subtypes:
 */
```

```

* <ul>
* <li>{ @link ChannelInboundHandler } to handle inbound I/O events, and</li>
* <li>{ @link ChannelOutboundHandler } to handle outbound I/O operations.</li>
* </ul>
* </p>
* <p>
* Alternatively, the following adapter classes are provided for your convenience:
* <ul>
* <li>{ @link ChannelInboundHandlerAdapter } to handle inbound I/O events,</li>
* <li>{ @link ChannelOutboundHandlerAdapter } to handle outbound I/O operations, and</li>
* <li>{ @link ChannelDuplexHandler } to handle both inbound and outbound events</li>
* </ul>
* </p>
* <p>
* For more information, please refer to the documentation of each subtype.
* </p>
*
* <h3>The context object</h3>
* <p>
* A { @link ChannelHandler } is provided with a { @link ChannelHandlerContext }
* object. A { @link ChannelHandler } is supposed to interact with the
* { @link ChannelPipeline } it belongs to via a context object. Using the
* context object, the { @link ChannelHandler } can pass events upstream or
* downstream, modify the pipeline dynamically, or store the information
* (using { @link AttributeKey }s) which is specific to the handler.
*
* <h3>State management</h3>
*
* A { @link ChannelHandler } often needs to store some stateful information.
* The simplest and recommended approach is to use member variables:
* <pre>
* public interface Message {
*     // your methods here
* }
*
* public class DataServerHandler extends { @link SimpleChannelInboundHandler } &lt;Message &gt; {
*
*     <b>private boolean loggedIn;</b>
*
*     { @code @Override }
*     public void channelRead0({ @link ChannelHandlerContext } ctx, Message message) {
*         if (message instanceof LoginMessage) {
*             authenticate((LoginMessage) message);
*             <b>loggedIn = true;</b>
*         } else (message instanceof GetDataMessage) {
*             if (<b>loggedIn</b>) {
*                 ctx.writeAndFlush(fetchSecret((GetDataMessage) message));
*             } else {

```

```

*         fail();
*     }
* }
* }
* ...
* }

```

\* </pre>

\* Because the handler instance has a state variable which is dedicated to  
\* one connection, you have to create a new handler instance for each new  
\* channel to avoid a race condition where a unauthenticated client can get  
\* the confidential information:

\* <pre>

```

* // Create a new handler instance per channel.
* // See {@link ChannelInitializer#initChannel(Channel)}.
* public class DataServerInitializer extends {@link ChannelInitializer}&lt;{@link Channel}&gt; {
*     {@code @Override}
*     public void initChannel({@link Channel} channel) {
*         channel.pipeline().addLast("handler", <b>new DataServerHandler()</b>);
*     }
* }

```

\* }

\* </pre>

\*

\* <h4>Using {@link AttributeKey}s</h4>

\*

\* Although it's recommended to use member variables to store the state of a  
\* handler, for some reason you might not want to create many handler instances.  
\* In such a case, you can use {@link AttributeKey}s which is provided by  
\* {@link ChannelHandlerContext}:

\* <pre>

```

* public interface Message {
*     // your methods here
* }
*
* {@code @Sharable}
* public class DataServerHandler extends {@link SimpleChannelInboundHandler}&lt;Message&gt; {
*     private final {@link AttributeKey}&lt;{@link Boolean}&gt; auth =
*         {@link AttributeKey#valueOf(String) AttributeKey.valueOf("auth")};
*
*     {@code @Override}
*     public void channelRead({@link ChannelHandlerContext} ctx, Message message) {
*         {@link Attribute}&lt;{@link Boolean}&gt; attr = ctx.attr(auth);
*         if (message instanceof LoginMessage) {
*             authenticate((LoginMessage) o);
*             <b>attr.set(true)</b>;
*         } else (message instanceof GetDataMessage) {
*             if (<b>Boolean.TRUE.equals(attr.get())</b>) {
*                 ctx.writeAndFlush(fetchSecret((GetDataMessage) o));

```

```

*     } else {
*         fail();
*     }
* }
* }
* ...
* }
* </pre>

```

\* Now that the state of the handler is attached to the { @link ChannelHandlerContext}, you can add the same handler instance to different pipelines:

```

* <pre>
* public class DataServerInitializer extends { @link ChannelInitializer}&lt;&{ @link Channel}&gt; {
*
*     private static final DataServerHandler <b>SHARED</b> = new DataServerHandler();
*
*     { @code @Override}
*     public void initChannel({ @link Channel} channel) {
*         channel.pipeline().addLast("handler", <b>SHARED</b>);
*     }
* }
* </pre>

```

\*

\*

\* <h4>The { @code @Sharable} annotation</h4>

\* <p>

\* In the example above which used an { @link AttributeKey}, you might have noticed the { @code @Sharable} annotation.

\* <p>

\* If a { @link ChannelHandler} is annotated with the { @code @Sharable} annotation, it means you can create an instance of the handler just once and add it to one or more { @link ChannelPipeline}s multiple times without a race condition.

\* <p>

\* If this annotation is not specified, you have to create a new handler instance every time you add it to a pipeline because it has unshared state such as member variables.

\* <p>

\* This annotation is provided for documentation purpose, just like <a href="http://www.javaconcurrencyinpractice.com/annotations/doc/">the JCIP annotations</a>.

\*

\* <h3>Additional resources worth reading</h3>

\* <p>

\* Please refer to the { @link ChannelHandler}, and { @link ChannelPipeline} to find out more about inbound and outbound operations, what fundamental differences they have, how they flow in a pipeline, and how to handle the operation in your application.

\*/

Found in path(s):

\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/ChannelHandler.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License, version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

\* or implied. See the License for the specific language governing permissions and limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1509095609\_1671044607.123572/0/netty-transport-4-1-86-final-sources-jar/io/netty/channel/CoalescingBufferQueue.java

# 1.158 httpcore-nio 4.4.13

## 1.158.1 Available under license :

Apache HttpCore NIO

Copyright 2005-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by

the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained

within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be



liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.159 jackson-datatype-jsr310 2.14.2

## 1.159.1 Available under license :

This copy of Jackson JSON processor streaming parser/generator is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

# 1.160 jackson-annotations 2.14.2

## 1.160.1 Available under license :

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.

It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers.

## Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0

To find the details that apply to this artifact see the accompanying LICENSE file.

## Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

Maven Wrapper Jar

Copyright 2016-2021 The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<http://www.apache.org/>).

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of

the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

#### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

# 1.161 jctools-core 3.3.0

## 1.161.1 Available under license :

No license file was found, but licenses were detected in source scan.

<name>Apache License, Version 2.0</name>

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/META-INF/maven/org.jctools/jctools-core/pom.xml

No license file was found, but licenses were detected in source scan.

/\*

- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/atomic/AtomicQueueFactory.java
- \* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/ConcurrentCircularArrayQueue.java
- \* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/atomic/SequencedAtomicReferenceArrayQueue.java
- \* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/spec/Preference.java
- \* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/package-info.java
- \* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/spec/Ordering.java
- \* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/IndexedQueueSizeUtil.java
- \* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/atomic/SpSCChunkedAtomicArrayQueue.java

\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/MpmcUnboundedXaddChunk.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/atomic/SpScAtomicArrayQueue.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/util/RangeUtil.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/util/PaddedAtomicLong.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/atomic/BaseLinkedAtomicQueue.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/QueueFactory.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/LinkedQueueNode.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/atomic/MpscAtomicArrayQueue.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/MpscUnboundedXaddArrayQueue.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/MessagePassingQueue.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/MpscBlockingConsumerArrayQueue.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/atomic/MpmcAtomicArrayQueue.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/MpscLinkedQueue.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/MpscChunkedArrayQueue.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/SpScArrayQueue.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/util/UnsafeRefArrayAccess.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/maps/AbstractEntry.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/maps/NonBlockingSetInt.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/ConcurrentSequencedCircularArrayQueue.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/atomic/SpScUnboundedAtomicArrayQueue.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/atomic/MpscUnboundedAtomicArrayQueue.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/SpmcArrayQueue.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/BaseSpScLinkedArrayQueue.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/BaseLinkedQueue.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-



jar/org/jctools/maps/NonBlockingHashSet.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/util/UnsafeJvmInfo.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/atomic/BaseMpscLinkedAtomicArrayQueue.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/MessagePassingQueueUtil.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/MpscCompoundQueue.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/maps/NonBlockingIdentityHashMap.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/atomic/AtomicReferenceArrayQueue.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/MpscUnboundedXaddChunk.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/maps/ConcurrentAutoTable.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/atomic/LinkedQueueAtomicNode.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/atomic/SpSCLinkedAtomicQueue.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/atomic/MpscLinkedAtomicQueue.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/SpSCLinkedQueue.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/MpscGrowableArrayQueue.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/spec/ConcurrentQueueSpec.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/util/UnsafeAccess.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/MpscUnboundedArrayQueue.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/MPMCArrayQueue.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/SupportsIterator.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/MpscArrayQueue.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/MPMCUnboundedXaddArrayQueue.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/SpSCChunkedArrayQueue.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/util/UnsafeLongArrayAccess.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/atomic/BaseSpSCLinkedAtomicArrayQueue.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/atomic/MpscChunkedAtomicArrayQueue.java

\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/SpSCUnboundedArrayQueue.java

\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/util/InternalAPI.java

\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/maps/NonBlockingHashMap.java

\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/atomic/MpscGrowableAtomicArrayQueue.java

\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/SpSCGrowableArrayQueue.java

\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/atomic/SpSCGrowableAtomicArrayQueue.java

\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/util/PortableJvmInfo.java

\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/BaseMpscLinkedListArrayQueue.java

\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/atomic/SpmcAtomicArrayQueue.java

\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/maps/NonBlockingHashMapLong.java

\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/util/Pow2.java

# 1.162 busybox-binsh 1.35.0-r29

## 1.162.1 Available under license :

bzip2 applet in busybox is based on lightly-modified source of bzip2 version 1.0.4. bzip2 source is distributed under the following conditions (copied verbatim from LICENSE file)

=====

This program, "bzip2", the associated library "libbzip2", and all documentation, are copyright (C) 1996-2006 Julian R Seward. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
3. Altered source versions must be plainly marked as such, and must

not be misrepresented as being the original software.

4. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Julian Seward, Cambridge, UK.

jseward@bzip.org

bzip2/libbzip2 version 1.0.4 of 20 December 2006

--- A note on GPL versions

BusyBox is distributed under version 2 of the General Public License (included in its entirety, below). Version 2 is the only version of this license which this version of BusyBox (or modified versions derived from this one) may be distributed under.

-----  
GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it,

either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program,

and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component

itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to

apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY



11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

```
This program is free software; you can redistribute it and/or modify  
it under the terms of the GNU General Public License as published by  
the Free Software Foundation; either version 2 of the License, or  
(at your option) any later version.
```

```
This program is distributed in the hope that it will be useful,  
but WITHOUT ANY WARRANTY; without even the implied warranty of  
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the  
GNU General Public License for more details.
```

```
You should have received a copy of the GNU General Public License  
along with this program; if not, write to the Free Software
```

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

## 1.163 okta-spring-security-oauth2 3.0.3

### 1.163.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002-2018 the original author or authors.
 * Modifications Copyright 2019 Okta, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
```

\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1652154210\_1682349407.1419802/0/okta-spring-security-oauth2-3-0-3-sources-jar/com/okta/spring/boot/oauth/BrowserFriendlyBearerTokenServerAuthenticationEntryPoint.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2020-Present Okta, Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1652154210\_1682349407.1419802/0/okta-spring-security-oauth2-3-0-3-sources-jar/com/okta/spring/boot/oauth/OktaOpaqueTokenIntrospectConditional.java  
\* /opt/cola/permits/1652154210\_1682349407.1419802/0/okta-spring-security-oauth2-3-0-3-sources-jar/com/okta/spring/boot/oauth/env/OktaEnvironmentPostProcessorApplicationListener.java  
No license file was found, but licenses were detected in source scan.

<!--

~ Copyright 2017 Okta, Inc.  
~  
~ Licensed under the Apache License, Version 2.0 (the "License");  
~ you may not use this file except in compliance with the License.  
~ You may obtain a copy of the License at  
~  
~ <http://www.apache.org/licenses/LICENSE-2.0>  
~  
~ Unless required by applicable law or agreed to in writing, software  
~ distributed under the License is distributed on an "AS IS" BASIS,

~ WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
~ See the License for the specific language governing permissions and  
~ limitations under the License.  
-->

Found in path(s):

\* /opt/cola/permits/1652154210\_1682349407.1419802/0/okta-spring-security-oauth2-3-0-3-sources-jar/META-INF/maven/com.okta.spring/okta-spring-security-oauth2/pom.xml

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012-2018 the original author or authors.

\* Modifications Copyright 2019-Present Okta, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1652154210\_1682349407.1419802/0/okta-spring-security-oauth2-3-0-3-sources-jar/com/okta/spring/boot/oauth/ReactiveOktaOAuth2ServerHttpServerAutoConfig.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2019-Present Okta, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1652154210\_1682349407.1419802/0/okta-spring-security-oauth2-3-0-3-sources-jar/com/okta/spring/boot/oauth/ReactiveOktaOAuth2UserService.java
- \* /opt/cola/permits/1652154210\_1682349407.1419802/0/okta-spring-security-oauth2-3-0-3-sources-jar/com/okta/spring/boot/oauth/AuthorityProvidersConfig.java
- \* /opt/cola/permits/1652154210\_1682349407.1419802/0/okta-spring-security-oauth2-3-0-3-sources-jar/com/okta/spring/boot/oauth/ReactiveOktaOAuth2AutoConfig.java
- \* /opt/cola/permits/1652154210\_1682349407.1419802/0/okta-spring-security-oauth2-3-0-3-sources-jar/com/okta/spring/boot/oauth/AuthoritiesProvider.java
- \* /opt/cola/permits/1652154210\_1682349407.1419802/0/okta-spring-security-oauth2-3-0-3-sources-jar/com/okta/spring/boot/oauth/ReactiveOktaOidcUserService.java
- \* /opt/cola/permits/1652154210\_1682349407.1419802/0/okta-spring-security-oauth2-3-0-3-sources-jar/com/okta/spring/boot/oauth/WebClientUtil.java
- \* /opt/cola/permits/1652154210\_1682349407.1419802/0/okta-spring-security-oauth2-3-0-3-sources-jar/com/okta/spring/boot/oauth/UserUtil.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2018-Present Okta, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

/\*\*

\* Configures the {@code http} with an OAuth2 Login, that supports PKCE. The default Spring Security implementation

\* only enables PKCE for public clients.

\* <p>

\* <b>NOTE:</b> Enabling PKCE will be required for all clients (public and confidential) in the future OAuth 2.1 spec.

\*

\* @param http the ServerHttpSecurity to configure

\* @param clientRegistrationRepository the repository bean, this should be injected into the calling method.

\* @return the {@code http} to allow method chaining

\*/

Found in path(s):

- \* /opt/cola/permits/1652154210\_1682349407.1419802/0/okta-spring-security-oauth2-3-0-3-sources-jar/com/okta/spring/boot/oauth/Okta.java

No license file was found, but licenses were detected in source scan.

```
# Licensed under the Apache License, Version 2.0 (the "License");
# you may not use this file except in compliance with the License.
# You may obtain a copy of the License at
# http://www.apache.org/licenses/LICENSE-2.0
# distributed under the License is distributed on an "AS IS" BASIS,
```

Found in path(s):

```
* /opt/cola/permits/1652154210_1682349407.1419802/0/okta-spring-security-oauth2-3-0-3-sources-jar/META-INF/okta/version.properties
```

```
* /opt/cola/permits/1652154210_1682349407.1419802/0/okta-spring-security-oauth2-3-0-3-sources-jar/com/okta/spring/oauth/version.properties
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2019-Present Okta, Inc.
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
* See the License for the specific language governing permissions and
```

```
* limitations under the License.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1652154210_1682349407.1419802/0/okta-spring-security-oauth2-3-0-3-sources-jar/com/okta/spring/boot/oauth/ReactiveOktaOAuth2ResourceServerAutoConfig.java
```

```
* /opt/cola/permits/1652154210_1682349407.1419802/0/okta-spring-security-oauth2-3-0-3-sources-jar/com/okta/spring/boot/oauth/ReactiveOktaOAuth2ResourceServerHttpServerAutoConfig.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2023-Present Okta, Inc.
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

\* /opt/cola/permits/1652154210\_1682349407.1419802/0/okta-spring-security-oauth2-3-0-3-sources-jar/com/okta/spring/boot/oauth/env/OIDCMetadata.java

No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright 2018-Present Okta, Inc.
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

\* /opt/cola/permits/1652154210\_1682349407.1419802/0/okta-spring-security-oauth2-3-0-3-sources-jar/com/okta/spring/boot/oauth/OktaOAuth2AutoConfig.java

\* /opt/cola/permits/1652154210\_1682349407.1419802/0/okta-spring-security-oauth2-3-0-3-sources-jar/com/okta/spring/boot/oauth/http/UserAgentRequestInterceptor.java

\* /opt/cola/permits/1652154210\_1682349407.1419802/0/okta-spring-security-oauth2-3-0-3-sources-jar/com/okta/spring/boot/oauth/OktaOAuth2Configurer.java

\* /opt/cola/permits/1652154210\_1682349407.1419802/0/okta-spring-security-oauth2-3-0-3-sources-jar/com/okta/spring/boot/oauth/OktaOAuth2ResourceServerAutoConfig.java

\* /opt/cola/permits/1652154210\_1682349407.1419802/0/okta-spring-security-oauth2-3-0-3-sources-jar/com/okta/spring/boot/oauth/OktaOAuth2UserService.java

\* /opt/cola/permits/1652154210\_1682349407.1419802/0/okta-spring-security-oauth2-3-0-3-sources-jar/com/okta/spring/boot/oauth/ConditionalOnOktaResourceServerProperties.java

\* /opt/cola/permits/1652154210\_1682349407.1419802/0/okta-spring-security-oauth2-3-0-3-sources-jar/com/okta/spring/boot/oauth/ConditionalOnOktaClientProperties.java

\* /opt/cola/permits/1652154210\_1682349407.1419802/0/okta-spring-security-oauth2-3-0-3-sources-jar/com/okta/spring/boot/oauth/OktaJwtAuthenticationConverter.java

\* /opt/cola/permits/1652154210\_1682349407.1419802/0/okta-spring-security-oauth2-3-0-3-sources-jar/com/okta/spring/boot/oauth/OktaOidcUserService.java

\* /opt/cola/permits/1652154210\_1682349407.1419802/0/okta-spring-security-oauth2-3-0-3-sources-jar/com/okta/spring/boot/oauth/TokenUtil.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2017 Okta, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1652154210_1682349407.1419802/0/okta-spring-security-oauth2-3-0-3-sources-
jar/com/okta/spring/boot/oauth/env/RemappedPropertySource.java
* /opt/cola/permits/1652154210_1682349407.1419802/0/okta-spring-security-oauth2-3-0-3-sources-
jar/com/okta/spring/boot/oauth/env/OktaOAuth2PropertiesMappingEnvironmentPostProcessor.java
* /opt/cola/permits/1652154210_1682349407.1419802/0/okta-spring-security-oauth2-3-0-3-sources-
jar/com/okta/spring/boot/oauth/config/OktaOAuth2Properties.java
```

## 1.164 listenablefuture 9999.0-empty-to-avoid-conflict-with-guava

### 1.165 busybox 1.35.0

#### 1.165.1 Available under license :

bzip2 applet in busybox is based on lightly-modified source of bzip2 version 1.0.4. bzip2 source is distributed under the following conditions (copied verbatim from LICENSE file)

=====

This program, "bzip2", the associated library "libbzip2", and all documentation, are copyright (C) 1996-2006 Julian R Seward. All rights reserved.

Redistribution and use in source and binary forms, with or without



modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
3. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
4. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Julian Seward, Cambridge, UK.

[jseward@bzip.org](mailto:jseward@bzip.org)

bzip2/libbzip2 version 1.0.4 of 20 December 2006

--- A note on GPL versions

BusyBox is distributed under version 2 of the General Public License (included in its entirety, below). Version 2 is the only version of this license which this version of BusyBox (or modified versions derived from this one) may be distributed under.

-----  
GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

## Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE  
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively

when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you

received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or

otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software

Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.



# 1.166 commons-logging 1.2

## 1.166.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2001-2006 The Apache Software Foundation.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-
jar/org/apache/commons/logging/LogFactory.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2001-2004,2006 The Apache Software Foundation.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-
jar/org/apache/commons/logging/impl/AvalonLogger.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2004 The Apache Software Foundation.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
*/opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-
jar/org/apache/commons/logging/impl/WeakHashtable.java
```

No license file was found, but licenses were detected in source scan.

2004 The Apache Software Foundation.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

Found in path(s):

```
*/opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-
jar/org/apache/commons/logging/package.html
```

```
*/opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-
jar/org/apache/commons/logging/impl/package.html
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2001-2004 The Apache Software Foundation.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
```

\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1135840457\_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/LogConfigurationException.java  
\* /opt/cola/permits/1135840457\_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/Log4JLogger.java  
\* /opt/cola/permits/1135840457\_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/LogFactoryImpl.java  
\* /opt/cola/permits/1135840457\_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/Jdk13LumberjackLogger.java  
\* /opt/cola/permits/1135840457\_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/SimpleLog.java  
\* /opt/cola/permits/1135840457\_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/Jdk14Logger.java  
\* /opt/cola/permits/1135840457\_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/LogSource.java  
\* /opt/cola/permits/1135840457\_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/NoOpLog.java  
\* /opt/cola/permits/1135840457\_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/LogKitLogger.java  
\* /opt/cola/permits/1135840457\_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/Log.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2005 The Apache Software Foundation.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1135840457\_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/ServletContextCleaner.java

## 1.167 annotations 4.1.1.4

### 1.167.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2012 The Android Open Source Project

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1258811491\_1643111603.33/0/annotations-4-1-1-4-sources-jar/android/annotation/SuppressWarnings.java

\* /opt/cola/permits/1258811491\_1643111603.33/0/annotations-4-1-1-4-sources-jar/android/annotation/TargetApi.java

## 1.168 protocol-core 2.18.2

### 1.168.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,

and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the

Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.



Note: Other license terms may apply to certain, identified software files contained within or distributed with the accompanying software if such terms are included in the directory containing the accompanying software. Such other license terms will then apply in lieu of the terms of the software license above.

AWS SDK for Java 2.0

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

This product includes software developed by Amazon Technologies, Inc (<http://www.amazon.com/>).

\*\*\*\*\*

#### THIRD PARTY COMPONENTS

\*\*\*\*\*

This software includes third party software subject to the following copyrights:

- XML parsing and utility functions from JetS3t - Copyright 2006-2009 James Murty.
- PKCS#1 PEM encoded private key parsing and utility functions from [oauth.googlecode.com](http://oauth.googlecode.com) - Copyright 1998-2010 AOL Inc.
- Apache Commons Lang - <https://github.com/apache/commons-lang>
- Netty Reactive Streams - <https://github.com/playframework/netty-reactive-streams>
- Jackson-core - <https://github.com/FasterXML/jackson-core>
- Jackson-dataformat-cbor - <https://github.com/FasterXML/jackson-dataformats-binary>

The licenses for these third party components are included in LICENSE.txt

- For Apache Commons Lang see also this required NOTICE:  
Apache Commons Lang  
Copyright 2001-2020 The Apache Software Foundation

This product includes software developed at The Apache Software Foundation (<https://www.apache.org/>).

# 1.169 servlet-api 6.0

## 1.169.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by

the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained

within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be

liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## APACHE TOMCAT SUBCOMPONENTS:

Apache Tomcat includes a number of subcomponents with separate copyright notices and license terms. Your use of these subcomponents is subject to the terms and conditions of the following licenses.

For the following XML Schemas for Java EE Deployment Descriptors:

- javaee\_5.xsd
- javaee\_web\_services\_1\_2.xsd
- javaee\_web\_services\_client\_1\_2.xsd

## COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

### 1. Definitions.

- 1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.
- 1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.
- 1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.
- 1.4. Executable. means the Covered Software in any form other than Source Code.
- 1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.
- 1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.
- 1.7. License. means this document.
- 1.8. Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.
- 1.9. Modifications. means the Source Code and Executable form of any of the following:
  - A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the

Original Software available to a third party under the terms of this License.

- (d) Notwithstanding Section 2.1(b) above, no patent license is granted:
- (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and
- (b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).
- (c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.
- (d) Notwithstanding Section 2.2(b) above, no patent license is granted:
  - (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

## 3. Distribution Obligations.

### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in



Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

## 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED

HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 6. TERMINATION.

- 6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.
- 6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.
- 6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

## 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys. fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

## 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State

of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

Apache Tomcat

Copyright 1999-2017 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

The original XML Schemas for Java EE Deployment Descriptors:

- javaee\_5.xsd

- javaee\_web\_services\_1\_2.xsd

- javaee\_web\_services\_client\_1\_2.xsd

may be obtained from <http://java.sun.com/xml/ns/javaee/>

## 1.170 commons-fileupload 1.4

### 1.170.1 Available under license :

Apache Commons FileUpload

Copyright 2002-2018 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
  
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside

or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer,



and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.171 jackson-databind 2.13.2.2

### 1.171.1 Available under license :

```
# Jackson JSON processor
```

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers.

```
## Licensing
```

Jackson 2.x core and extension components are licensed under Apache License 2.0  
To find the details that apply to this artifact see the accompanying LICENSE file.

## ## Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate

as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify

the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.172 spring-aop 6.0.7

### 1.172.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2002-2008 the original author or authors.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

```
* /opt/cola/permits/1622818308_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/ThrowsAdvice.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

\* Copyright 2002-2014 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/support/NameMatchMethodPointcutAdvisor.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/target/PrototypeTargetSource.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2023 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/aspectj/annotation/AbstractAspectJAdvisorFactory.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/aspectj/annotation/ReflectiveAspectJAdvisorFactory.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/interceptor/AsyncExecutionInterceptor.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/framework/ReflectiveMethodInvocation.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-

jar/org/springframework/aop/aspectj/annotation/MetadataAwareAspectInstanceFactory.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/aspectj/AspectJAdviceParameterNameDiscoverer.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/target/SingletonTargetSource.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/target/HotSwappableTargetSource.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/target/LazyInitTargetSource.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/aspectj/AbstractAspectJAdvice.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/aspectj/annotation/InstantiationModelAwarePointcutAdvisorImpl.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/config/ConfigBeanDefinitionParser.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/framework/autoproxy/BeanFactoryAdvisorRetrievalHelper.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/framework/CglibAopProxy.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/target/EmptyTargetSource.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/framework/AopProxyUtils.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/target/CommonsPool2TargetSource.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/target/AbstractBeanFactoryBasedTargetSource.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/framework/autoproxy/target/AbstractBeanFactoryBasedTargetSourceCreator.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/support/RootClassFilter.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/scope/ScopedProxyBeanRegistrationAotProcessor.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/framework/DefaultAdvisorChainFactory.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/aspectj/AspectJExpressionPointcut.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/framework/InterceptorAndDynamicMethodMatcher.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/framework/AbstractAdvisingBeanPostProcessor.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/support/annotation/AnnotationMatchingPointcut.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/aspectj/TypePatternClassFilter.java  
No license file was found, but licenses were detected in source scan.

/\*



- \* Copyright 2002-2018 the original author or authors.
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <https://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/TargetSource.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/support/RegexMethodPointcutAdvisor.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/IntroductionAwareMethodMatcher.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/framework/autoproxy/AutoProxyUtils.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/support/DynamicMethodMatcher.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/aopalliance/intercept/ConstructorInvocation.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/aopalliance/aop/AspectException.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/framework/autoproxy/target/QuickTargetSourceCreator.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/target/dynamic/AbstractRefreshableTargetSource.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/TruePointcut.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/framework/AdvisorChainFactory.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/config/AopConfigUtils.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/config/AdvisorComponentDefinition.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/aspectj/SimpleAspectInstanceFactory.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/support/IntroductionInfoSupport.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/aspectj/AspectJPrecedenceInformation.java

\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/MethodBeforeAdvice.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/interceptor/SimpleAsyncUncaughtExceptionHandler.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/framework/ProxyProcessorSupport.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/support/StaticMethodMatcherPointcutAdvisor.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/TrueMethodMatcher.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/framework/autoproxy/ProxyCreationContext.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/framework/autoproxy/DefaultAdvisorAutoProxyCreator.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/aspectj/annotation/NotAnAtAspectException.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/config/AopNamespaceUtils.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/aopalliance/intercept/MethodInterceptor.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/framework/adaptor/AdvisorAdapterRegistry.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/aspectj/DeclareParentsAdvisor.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/framework/adaptor/GlobalAdvisorAdapterRegistry.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/target/AbstractLazyCreationTargetSource.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/support/StaticMethodMatcher.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/TrueClassFilter.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2021 the original author or authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/aspectj/AspectJAroundAdvice.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/aopalliance/intercept/Joinpoint.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/interceptor/CustomizableTraceInterceptor.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/config/AspectJAutoProxyBeanDefinitionParser.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/interceptor/ExposeBeanNameAdvisors.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/interceptor/PerformanceMonitorInterceptor.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/support/AbstractRegexpMethodPointcut.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/framework/adapter/ThrowsAdviceAdapter.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/framework/ProxyConfig.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/support/ControlFlowPointcut.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/aspectj/AspectJPointcutAdvisor.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/target/AbstractPoolingTargetSource.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/DynamicIntroductionAdvice.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/config/ScopedProxyBeanDefinitionDecorator.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/aspectj/MethodInvocationProceedingJoinPoint.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/scope/ScopedProxyFactoryBean.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2015 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,

- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/TargetClassAware.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/aspectj/annotation/AspectJAdvisorFactory.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/aspectj/annotation/PrototypeAspectInstanceFactory.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/ProxyMethodInvocation.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/aspectj/AspectJMethodBeforeAdvice.java

No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright 2002-2016 the original author or authors.
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <https://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/aopalliance/intercept/Invocation.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/framework/autoproxy/TargetSourceCreator.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/aspectj/annotation/SingletonMetadataAwareAspectInstanceFactory.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/aopalliance/intercept/MethodInvocation.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/aspectj/annotation/SimpleMetadataAwareAspectInstanceFactory.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/aopalliance/aop/Advice.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-

jar/org/springframework/aop/aspectj/AspectJAfterReturningAdvice.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/target/ThreadLocalTargetSource.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/aopalliance/intercept/ConstructorInterceptor.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2002-2006 the original author or authors.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/aspectj/InstantiationModelAwarePointcutAdvisor.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2002-2022 the original author or authors.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/aspectj/annotation/AspectMetadata.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-

jar/org/springframework/aop/support/ComposablePointcut.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/aspectj/annotation/AspectJProxyFactory.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/framework/AopProxy.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/support/DelegatingIntroductionInterceptor.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/interceptor/AsyncExecutionAspectSupport.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/aspectj/SingletonAspectInstanceFactory.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/framework/autoproxy/AbstractAdvisorAutoProxyCreator.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/support/NameMatchMethodPointcut.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/framework/autoproxy/AbstractAutoProxyCreator.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/framework/ObjenesisCglibAopProxy.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/support/AopUtils.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/support/DefaultIntroductionAdvisor.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/config/AbstractInterceptorDrivenBeanDefinitionDecorator.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/scope/ScopedProxyUtils.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/framework/ProxyFactory.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/framework/JdkDynamicAopProxy.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/support/ClassFilters.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/target/AbstractPrototypeBasedTargetSource.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/support/DelegatePerTargetObjectIntroductionInterceptor.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/support/AbstractBeanFactoryPointcutAdvisor.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/aspectj/RuntimeTestWalker.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/framework/AdvisedSupport.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/support/annotation/AnnotationClassFilter.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/framework/AbstractSingletonProxyFactoryBean.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-

jar/org/springframework/aop/aspectj/autoproxy/AspectJAwareAdvisorAutoProxyCreator.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/support/MethodMatchers.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/aspectj/AspectJAopUtils.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/framework/autoproxy/target/LazyInitTargetSourceCreator.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/support/AbstractPointcutAdvisor.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/framework/ProxyCreatorSupport.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/support/annotation/AnnotationMethodMatcher.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/framework/adapter/AdvisorAdapterRegistrationManager.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/aspectj/AspectJProxyUtils.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/framework/autoproxy/AbstractBeanFactoryAwareAdvisingPostProcessor.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/target/dynamic/BeanFactoryRefreshableTargetSource.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/aspectj/annotation/BeanFactoryAspectInstanceFactory.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/framework/DefaultAopProxyFactory.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/config/SimpleBeanFactoryAwareAspectInstanceFactory.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/framework/ProxyFactoryBean.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/framework/adapter/DefaultAdvisorAdapterRegistry.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2017 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/aspectj/AspectInstanceFactory.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/config/AspectComponentDefinition.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/config/MethodLocatingFactoryBean.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/support/DefaultPointcutAdvisor.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/Advisor.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/aspectj/annotation/AnnotationAwareAspectJAutoProxyCreator.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/framework/autoproxy/InfrastructureAdvisorAutoProxyCreator.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/support/DefaultBeanFactoryPointcutAdvisor.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/aspectj/annotation/LazySingletonAspectInstanceFactoryDecorator.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/aspectj/AspectJExpressionPointcutAdvisor.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/support/AbstractGenericPointcutAdvisor.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/support/ExpressionPointcut.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/support/AbstractExpressionPointcut.java

No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright 2002-2012 the original author or authors.
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <https://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-



jar/org/springframework/aop/target/dynamic/Refreshable.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/framework/adapter/UnknownAdviceTypeException.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/support/StaticMethodMatcherPointcut.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/framework/adapter/AdvisorAdapter.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/config/PointcutComponentDefinition.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/config/SpringConfiguredBeanDefinitionParser.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/Pointcut.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/target/ThreadLocalTargetSourceStats.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/framework/adapter/MethodBeforeAdviceAdapter.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/support/JdkRegexpMethodPointcut.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/IntroductionAdvisor.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/framework/AopConfigException.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/support/DynamicMethodMatcherPointcut.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/framework/AopProxyFactory.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/PointcutAdvisor.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/IntroductionInfo.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/target/PoolingConfig.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/AfterReturningAdvice.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/target/SimpleBeanTargetSource.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/framework/adapter/AfterReturningAdviceAdapter.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/scope/ScopedObject.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/AopInvocationException.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/scope/DefaultScopedObject.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2002-2007 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/framework/AdvisedSupportListener.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/AfterAdvice.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/SpringProxy.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/IntroductionInterceptor.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/framework/AopInfrastructureBean.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/RawTargetAccess.java  
\* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-  
jar/org/springframework/aop/BeforeAdvice.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2002-2019 the original author or authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/aopalliance/intercept/Interceptor.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/ClassFilter.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/interceptor/AsyncUncaughtExceptionHandler.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/MethodMatcher.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/support/Pointcuts.java

No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright 2002-2013 the original author or authors.
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <https://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/aspectj/AspectJWeaverMessageHandler.java

No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright 2002-2020 the original author or authors.
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <https://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/config/AdviceEntry.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/interceptor/SimpleTraceInterceptor.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/interceptor/ConcurrencyThrottleInterceptor.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/aspectj/AspectJAfterAdvice.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/config/AspectEntry.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/framework/autoproxy/BeanNameAutoProxyCreator.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/config/PointcutEntry.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/interceptor/DebugInterceptor.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/interceptor/ExposeInvocationInterceptor.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/framework/adapter/MethodBeforeAdviceInterceptor.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/interceptor/AbstractTraceInterceptor.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/aspectj/AspectJAfterThrowingAdvice.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/interceptor/AbstractMonitoringInterceptor.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/framework/adapter/ThrowsAdviceInterceptor.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/aspectj/autoproxy/AspectJPrecedenceComparator.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/framework/adapter/AfterReturningAdviceInterceptor.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/framework/AopContext.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/config/AopNamespaceHandler.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/aspectj/annotation/BeanFactoryAspectJAdvisorsBuilder.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/config/AdvisorEntry.java
- \* /opt/cola/permits/1622818308\_1680247407.8239405/0/spring-aop-6-0-7-sources-jar/org/springframework/aop/framework/Advised.java

# 1.173 httpcomponents-mime 4.5.12

## 1.173.1 Available under license :

Apache HttpClient Mime  
Copyright 1999-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work

(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]"



replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.174 netty-transport-native-epoll 4.1.86.Final

## 1.174.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2013 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1534815977\_1673960720.7817981/0/netty-transport-native-epoll-4-1-86-final-sources-1-jar/netty\_epoll\_native.c

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2016 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1534815977_1673960720.7817981/0/netty-transport-native-epoll-4-1-86-final-sources-1-
jar/netty_epoll_linuxsocket.c
* /opt/cola/permits/1534815977_1673960720.7817981/0/netty-transport-native-epoll-4-1-86-final-sources-1-
jar/netty_epoll_linuxsocket.h
```

No license file was found, but licenses were detected in source scan.

```
<!--
 ~ Copyright 2014 The Netty Project
 ~
 ~ The Netty Project licenses this file to you under the Apache License,
 ~ version 2.0 (the "License"); you may not use this file except in compliance
 ~ with the License. You may obtain a copy of the License at:
 ~
 ~ https://www.apache.org/licenses/LICENSE-2.0
 ~
 ~ Unless required by applicable law or agreed to in writing, software
 ~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 ~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 ~ License for the specific language governing permissions and limitations
 ~ under the License.
-->
```

Found in path(s):

```
* /opt/cola/permits/1534815977_1673960720.7817981/0/netty-transport-native-epoll-4-1-86-final-sources-1-
jar/META-INF/maven/io.netty/netty-transport-native-epoll/pom.xml
```

# 1.175 openjdk-jre 17.0.4u1

## 1.175.1 Available under license :

## Harfbuzz v2.7.2

### Harfbuzz License

<https://github.com/harfbuzz/harfbuzz/blob/master/COPYING>

<pre>

HarfBuzz is licensed under the so-called "Old MIT" license. Details follow.  
For parts of HarfBuzz that are licensed under different licenses see individual files names COPYING in subdirectories where applicable.

Copyright 2010,2011,2012,2013,2014,2015,2016,2017,2018,2019,2020 Google, Inc.

Copyright 2018,2019,2020 Ebrahim Byagowi

Copyright 2019,2020 Facebook, Inc.

Copyright 2012 Mozilla Foundation

Copyright 2011 Codethink Limited

Copyright 2008,2010 Nokia Corporation and/or its subsidiary(-ies)

Copyright 2009 Keith Stribley

Copyright 2009 Martin Hosken and SIL International

Copyright 2007 Chris Wilson

Copyright 2006 Behdad Esfahbod

Copyright 2005 David Turner

Copyright 2004,2007,2008,2009,2010 Red Hat, Inc.

Copyright 1998-2004 David Turner and Werner Lemberg

For full copyright notices consult the individual files in the package.

Permission is hereby granted, without written agreement and without license or royalty fees, to use, copy, modify, and distribute this software and its documentation for any purpose, provided that the above copyright notice and the following two paragraphs appear in all copies of this software.

IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE TO ANY PARTY FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OF THIS SOFTWARE AND ITS DOCUMENTATION, EVEN IF THE COPYRIGHT HOLDER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

THE COPYRIGHT HOLDER SPECIFICALLY DISCLAIMS ANY WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE SOFTWARE PROVIDED HEREUNDER IS ON AN "AS IS" BASIS, AND THE COPYRIGHT HOLDER HAS NO OBLIGATION TO PROVIDE MAINTENANCE, SUPPORT, UPDATES, ENHANCEMENTS, OR MODIFICATIONS.

All source code, except for one section, is licensed as above. The one exception is licensed with a slightly different MIT variant:

The contents of this directory are licensed under the following terms:

Copyright (C) 2012 Grigori Goronzy <greg@kinoho.net>

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

</pre>

Copyright (c) 1999-2003 David Corcoran <corcoran@musclecard.com>

Copyright (c) 2001-2011 Ludovic Rousseau <ludovic.rousseau@free.fr>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Some files are under GNU GPL v3 or any later version

- doc/example/pcsc\_demo.c
- the files in src/spy/
- the files in UnitaryTests/

Copyright (C) 2003-2014 Ludovic Rousseau

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <<http://www.gnu.org/licenses/>>.

Files src/auth.c and src/auth.h are:

- \* Copyright (C) 2013 Red Hat
- \*
- \* All rights reserved.
- \* Redistribution and use in source and binary forms, with or without
- \* modification, are permitted provided that the following conditions
- \* are met:
- \*
- \* 1. Redistributions of source code must retain the above copyright
- \* notice, this list of conditions and the following disclaimer.
- \*
- \* 2. Redistributions in binary form must reproduce the above copyright
- \* notice, this list of conditions and the following disclaimer in the
- \* documentation and/or other materials provided with the distribution.
- \*
- \* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
- \* "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
- \* LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
- \* FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
- \* COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
- \* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING,
- \* BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS
- \* OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED
- \* AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
- \* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF
- \* THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH
- \* DAMAGE.
- \*

\* Author: Nikos Mavrogiannopoulos <nmav@redhat.com>

Files src/simclist.c and src/simclist.h are:

\* Copyright (c) 2007,2008,2009,2010,2011 Mij <mij@bitchx.it>

\*

\* Permission to use, copy, modify, and distribute this software for any  
\* purpose with or without fee is hereby granted, provided that the above  
\* copyright notice and this permission notice appear in all copies.

\*

\* THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES  
\* WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF  
\* MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR  
\* ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES  
\* WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN  
\* ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF  
\* OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## c-libutl 20160225

### c-libutl License

^^^

This software is distributed under the terms of the BSD license.

== BSD LICENSE =====

(C) 2009 by Remo Dentato (rdentato@gmail.com)

Redistribution and use in source and binary forms, with or without modification,  
are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice,  
this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice,  
this list of conditions and the following disclaimer in the documentation  
and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND  
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED  
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE  
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR  
ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;  
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND  
ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT  
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

<http://opensource.org/licenses/bsd-license.php>

...

## xwd v1.0.7

### xwd utility

<pre>

This is the copyright for the files in src/java.desktop/unix/native/libawt\_xawt:  
list.h, multiVis.h, wsutils.h, list.c, multiVis.c

Copyright 1994 Hewlett-Packard Co.

Copyright 1996, 1998 The Open Group

Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation.

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE OPEN GROUP BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of The Open Group shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from The Open Group.

</pre>

The GIFLIB distribution is Copyright (c) 1997 Eric S. Raymond

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in

all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## IAIK (Institute for Applied Information Processing and Communication) PKCS#11 wrapper files v1

### IAIK License

<pre>

Copyright (c) 2002 Graz University of Technology. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:

"This product includes software developed by IAIK of Graz University of Technology."

Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

4. The names "Graz University of Technology" and "IAIK of Graz University of Technology" must not be used to endorse or promote products derived from this software without prior written permission.
5. Products derived from this software may not be called "IAIK PKCS Wrapper", nor may "IAIK" appear in their name, without prior written permission of Graz University of Technology.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE LICENSOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF



SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
</pre>  
## zlib v1.2.11
```

```
### zlib License  
<pre>
```

Copyright (C) 1995-2017 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly      Mark Adler  
jloup@gzip.org      madler@alumni.caltech.edu

```
</pre>  
## The FreeType Project: Freetype v2.10.2
```

```
### FreeType Notice
```

```
...
```

FreeType comes with two licenses from which you can choose the one which fits your needs best.

The FreeType License (FTL) is the most commonly used one. It is a BSD-style license with a credit clause and thus compatible with the GNU Public License (GPL) version 3, but not with the GPL version 2.

The GNU General Public License (GPL), version 2. Use it for all projects which use the GPLv2 also, or which need a license compatible to the GPLv2.

...

### FreeType License

...

The FreeType Project LICENSE

-----

2006-Jan-27

Copyright 1996-2002, 2006 by  
David Turner, Robert Wilhelm, and Werner Lemberg

## Introduction

=====

The FreeType Project is distributed in several archive packages; some of them may contain, in addition to the FreeType font engine, various tools and contributions which rely on, or relate to, the FreeType Project.

This license applies to all files found in such packages, and which do not fall under their own explicit license. The license affects thus the FreeType font engine, the test programs, documentation and makefiles, at the very least.

This license was inspired by the BSD, Artistic, and IJG (Independent JPEG Group) licenses, which all encourage inclusion and use of free software in commercial and freeware products alike. As a consequence, its main points are that:

- o We don't promise that this software works. However, we will be interested in any kind of bug reports. (^ as is' distribution)
- o You can use this software for whatever you want, in parts or full form, without having to pay us. (^ royalty-free' usage)
- o You may not pretend that you wrote this software. If you use it, or only parts of it, in a program, you must acknowledge somewhere in your documentation that you have used the FreeType code. (^ credits')

We specifically permit and encourage the inclusion of this

software, with or without modifications, in commercial products. We disclaim all warranties covering The FreeType Project and assume no liability related to The FreeType Project.

Finally, many people asked us for a preferred form for a credit/disclaimer to use in compliance with this license. We thus encourage you to use the following text:

```
""  
Portions of this software are copyright <year> The FreeType  
Project (www.freetype.org). All rights reserved.  
""
```

Please replace <year> with the value from the FreeType version you actually use.

## Legal Terms

=====

### 0. Definitions

-----

Throughout this license, the terms `package', `FreeType Project', and `FreeType archive' refer to the set of files originally distributed by the authors (David Turner, Robert Wilhelm, and Werner Lemberg) as the `FreeType Project', be they named as alpha, beta or final release.

`You' refers to the licensee, or person using the project, where `using' is a generic term including compiling the project's source code as well as linking it to form a `program' or `executable'. This program is referred to as `a program using the FreeType engine'.

This license applies to all files distributed in the original FreeType Project, including all source code, binaries and documentation, unless otherwise stated in the file in its original, unmodified form as distributed in the original archive. If you are unsure whether or not a particular file is covered by this license, you must contact us to verify this.

The FreeType Project is copyright (C) 1996-2000 by David Turner, Robert Wilhelm, and Werner Lemberg. All rights reserved except as specified below.

### 1. No Warranty

-----  
THE FREETYPE PROJECT IS PROVIDED `AS IS' WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT WILL ANY OF THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY DAMAGES CAUSED BY THE USE OR THE INABILITY TO USE, OF THE FREETYPE PROJECT.

## 2. Redistribution

-----

This license grants a worldwide, royalty-free, perpetual and irrevocable right and license to use, execute, perform, compile, display, copy, create derivative works of, distribute and sublicense the FreeType Project (in both source and object code forms) and derivative works thereof for any purpose; and to authorize others to exercise some or all of the rights granted herein, subject to the following conditions:

- o Redistribution of source code must retain this license file ('FTL.TXT') unaltered; any additions, deletions or changes to the original files must be clearly indicated in accompanying documentation. The copyright notices of the unaltered, original files must be preserved in all copies of source files.
  
- o Redistribution in binary form must provide a disclaimer that states that the software is based in part of the work of the FreeType Team, in the distribution documentation. We also encourage you to put an URL to the FreeType web page in your documentation, though this isn't mandatory.

These conditions apply to any software derived from or based on the FreeType Project, not just the unmodified files. If you use our work, you must acknowledge us. However, no fee need be paid to us.

## 3. Advertising

-----

Neither the FreeType authors and contributors nor you shall use the name of the other for commercial, advertising, or promotional purposes without specific prior written permission.

We suggest, but do not require, that you use one or more of the following phrases to refer to this software in your documentation or advertising materials: `FreeType Project', `FreeType Engine',

`FreeType library', or `FreeType Distribution'.

As you have not signed this license, you are not required to accept it. However, as the FreeType Project is copyrighted material, only this license, or another one contracted with the authors, grants you the right to use, distribute, and modify it. Therefore, by using, distributing, or modifying the FreeType Project, you indicate that you understand and accept all the terms of this license.

#### 4. Contacts

-----

There are two mailing lists related to FreeType:

o freetype@nongnu.org

Discusses general use and applications of FreeType, as well as future and wanted additions to the library and distribution.

If you are looking for support, start in this list if you haven't found anything to help you in the documentation.

o freetype-devel@nongnu.org

Discusses bugs, as well as engine internals, design issues, specific licenses, porting, etc.

Our home page can be found at

<http://www.freetype.org>

...

### GPL v2

...

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public

License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE  
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under

these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source



code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent

license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free

Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

##### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful,  
but WITHOUT ANY WARRANTY; without even the implied warranty of  
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the  
GNU General Public License for more details.

You should have received a copy of the GNU General Public License  
along with this program; if not, write to the Free Software  
Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this  
when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate  
parts of the General Public License. Of course, the commands you use may  
be called something other than `show w' and `show c'; they could even be  
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your  
school, if any, to sign a "copyright disclaimer" for the program, if  
necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program  
'Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989  
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into  
proprietary programs. If your program is a subroutine library, you may  
consider it more useful to permit linking proprietary applications with the  
library. If this is what you want to do, use the GNU Library General  
Public License instead of this License.

```
#####
```

--- fthash.c and fthash.h are covered by the following notices ---

```
/*  
* Copyright 2000 Computing Research Labs, New Mexico State University  
* Copyright 2001-2015
```

\* Francesco Zappa Nardelli  
 \*  
 \* Permission is hereby granted, free of charge, to any person obtaining a  
 \* copy of this software and associated documentation files (the "Software"),  
 \* to deal in the Software without restriction, including without limitation  
 \* the rights to use, copy, modify, merge, publish, distribute, sublicense,  
 \* and/or sell copies of the Software, and to permit persons to whom the  
 \* Software is furnished to do so, subject to the following conditions:  
 \*  
 \* The above copyright notice and this permission notice shall be included in  
 \* all copies or substantial portions of the Software.  
 \*  
 \* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR  
 \* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,  
 \* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL  
 \* THE COMPUTING RESEARCH LAB OR NEW MEXICO STATE UNIVERSITY BE LIABLE FOR ANY  
 \* CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT  
 \* OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR  
 \* THE USE OR OTHER DEALINGS IN THE SOFTWARE.  
 \*/

/\*  
 \*  
 \* This file is based on code from bdf.c,v 1.22 2000/03/16 20:08:50  
 \*  
 \* taken from Mark Leisher's xmbdfed package  
 \*  
 \*/

#####

--- FreeType 2 PSaux module is covered by the following notices ---

Copyright 2006-2014 Adobe Systems Incorporated.

This software, and all works of authorship, whether in source or object code form as indicated by the copyright notice(s) included herein (collectively, the "Work") is made available, and may only be used, modified, and distributed under the FreeType Project License, LICENSE.TXT. Additionally, subject to the terms and conditions of the FreeType Project License, each contributor to the Work hereby grants to any individual or legal entity exercising permissions granted by the FreeType Project License and this section (hereafter, "You" or "Your") a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those

patent claims licensable by such contributor that are necessarily infringed by their contribution(s) alone or by combination of their contribution(s) with the Work to which such contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

By using, modifying, or distributing the Work you indicate that you have read and understood the terms and conditions of the FreeType Project License as well as those provided in this section, and you accept them fully.

```
#####
```

```
...
```

```
## CUP Parser Generator for Java v 0.11b
```

```
### CUP Parser Generator License
```

```
<pre>
```

Copyright 1996-2015 by Scott Hudson, Frank Flannery, C. Scott Ananian, Michael Petter

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both the copyright notice and this permission notice and warranty disclaimer appear in supporting documentation, and that the names of the authors or their employers not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

The authors and their employers disclaim all warranties with regard to this software, including all implied warranties of merchantability and fitness. In no event shall the authors or their employers be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of this software.

```
</pre>
```

```
This is the copyright file
```

```
## The Unicode Standard, Unicode Character Database, Version 13.0.0
```

```
### Unicode Character Database
```

```
...
```

## UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

See Terms of Use for definitions of Unicode Inc.'s Data Files and Software.

NOTICE TO USER: Carefully read the following legal agreement.  
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),  
YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT.  
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

### COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2020 Unicode, Inc. All rights reserved.  
Distributed under the Terms of Use in <https://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either  
(a) this copyright and permission notice appear with all copies of the Data Files or Software, or  
(b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.  
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

...

## UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

See Terms of Use for definitions of Unicode Inc.'s Data Files and Software.

NOTICE TO USER: Carefully read the following legal agreement.  
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),  
YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT.  
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

### COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2020 Unicode, Inc. All rights reserved.  
Distributed under the Terms of Use in <https://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either  
(a) this copyright and permission notice appear with all copies of the Data Files or Software, or  
(b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.  
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.  
jpackage test license file (just some sample text).



All images in this directory are copyright 1995 by Jeff Dinkins.  
Unauthorized reproduction is prohibited.

For more information about Jeff's photographs, please see:

<http://www.theFixx.org/Jeff>

## Thai Dictionary

### Thai Dictionary License

<pre>

Copyright (C) 1982 The Royal Institute, Thai Royal Government.

Copyright (C) 1998 National Electronics and Computer Technology Center,  
National Science and Technology Development Agency,  
Ministry of Science Technology and Environment,  
Thai Royal Government.

Permission is hereby granted, free of charge, to any person obtaining a copy  
of this software and associated documentation files (the "Software"), to deal  
in the Software without restriction, including without limitation the rights  
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell  
copies of the Software, and to permit persons to whom the Software is  
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all  
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR  
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,  
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE  
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER  
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,  
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
SOFTWARE.

</pre>

## Apache Xerces v2.12.1

### Apache Xerces Notice

<pre>

```
=====
== NOTICE file corresponding to section 4(d) of the Apache License, ==
== Version 2.0, in this case for the Apache Xerces Java distribution. ==
=====
```

Apache Xerces Java

Copyright 1999-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:

- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.
- voluntary contributions made by Paul Eng on behalf of the Apache Software Foundation that were originally developed at iClick, Inc., software copyright (c) 1999.

</pre>

### Apache 2.0 License

<pre>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.  
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

## APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

</pre>

```
## Eastman Kodak Company: Portions of color management and imaging software
```

```
### Eastman Kodak Notice
```

```
<pre>
```

```
Portions Copyright Eastman Kodak Company 1991-2003
```

```
</pre>
```

```
## Little Color Management System (LCMS) v2.11
```

```
### LCMS License
```

```
<pre>
```

Little Color Management System

Copyright (c) 1998-2020 Marti Maria Saguer

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in

all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

Format: <https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Files: \*

Copyright: APPLICATION\_COPYRIGHT

License: APPLICATION\_LICENSE\_TEXT

#### ADDITIONAL INFORMATION ABOUT LICENSING

Certain files distributed by Oracle America, Inc. and/or its affiliates are subject to the following clarification and special exception to the GPLv2, based on the GNU Project exception for its Classpath libraries, known as the GNU Classpath Exception.

Note that Oracle includes multiple, independent programs in this software package. Some of those programs are provided under licenses deemed incompatible with the GPLv2 by the Free Software Foundation and others. For example, the package includes programs licensed under the Apache License, Version 2.0 and may include FreeType. Such programs are licensed to you under their original licenses.

Oracle facilitates your further distribution of this package by adding the Classpath Exception to the necessary parts of its GPLv2 code, which permits you to use that code in combination with other independent modules not licensed under the GPLv2. However, note that this would not permit you to commingle code under an incompatible license with Oracle's GPLv2 licensed code by, for example, cutting and pasting such code into a file also containing Oracle's GPLv2 licensed code and then distributing the result.

Additionally, if you were to remove the Classpath Exception from any of the files to which it applies and distribute the result, you would likely be required to license some or all of the other code in that distribution under the GPLv2 as well, and since the GPLv2 is incompatible with the license terms of some items included in the distribution by Oracle, removing the Classpath Exception could therefore effectively compromise your ability to further distribute the package.

Failing to distribute notices associated with some files may also create unexpected legal consequences.

Proceed with caution and we recommend that you obtain the advice of a lawyer skilled in open source matters before removing the Classpath Exception or making modifications to this package which may subsequently be redistributed and/or involve the use of third party software.

## OASIS PKCS #11 Cryptographic Token Interface v3.0

### OASIS PKCS #11 Cryptographic Token Interface License

<pre>

Copyright OASIS Open 2020. All Rights Reserved.

All capitalized terms in the following text have the meanings assigned to them in the OASIS Intellectual Property Rights Policy (the "OASIS IPR Policy"). The full Policy may be found at the OASIS website: [<http://www.oasis-open.org/policies-guidelines/ipr>]

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to OASIS, except as needed for the purpose of developing any document or deliverable produced by an OASIS Technical Committee (in which case the rules applicable to copyrights, as set forth in the OASIS IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. OASIS AND ITS MEMBERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THIS DOCUMENT OR ANY PART THEREOF.

[OASIS requests that any OASIS Party or any other party that believes it has patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable, to notify OASIS TC Administrator and provide an indication of its willingness to grant patent licenses to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this



deliverable.]

[OASIS invites any party to contact the OASIS TC Administrator if it is aware of a claim of ownership of any patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable by a patent holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this OASIS Standards Final Deliverable. OASIS may include such claims on its website, but disclaims any obligation to do so.]

[OASIS takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this OASIS Standards Final Deliverable or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on OASIS' procedures with respect to rights in any document or deliverable produced by an OASIS Technical Committee can be found on the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this OASIS Standards Final Deliverable, can be obtained from the OASIS TC Administrator. OASIS makes no representation that any information or list of intellectual property rights will at any time be complete, or that any claims in such list are, in fact, Essential Claims.]

</pre>

Copyright (c) %YEARS% Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

## Apache Xalan v2.7.2

### Apache Xalan Notice

<pre>

====

== NOTICE file corresponding to the section 4d of the Apache License, Version 2.0, ==  
== in this case for the Apache Xalan distribution. ==

====

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

Specifically, we only include the XSLTC portion of the source from the Xalan distribution.  
The Xalan project has two processors: an interpretive one (Xalan Interpretive) and a  
compiled one (The XSLT Compiler (XSLTC)). We \*only\* use the XSLTC part of Xalan; We use  
the source from the packages that are part of the XSLTC sources.

Portions of this software was originally based on the following:

- software copyright (c) 1999-2002, Lotus Development Corporation., <http://www.lotus.com>.
- software copyright (c) 2001-2002, Sun Microsystems., <http://www.sun.com>.
- software copyright (c) 2003, IBM Corporation., <http://www.ibm.com>.
- voluntary contributions made by Ovidiu Predescu ([ovidiu@cup.hp.com](mailto:ovidiu@cup.hp.com)) on behalf of the  
Apache Software Foundation and was originally developed at Hewlett Packard Company.

</pre>

### Apache 2.0 License

<pre>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by

the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained

within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be

liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

JLEX COPYRIGHT NOTICE, LICENSE AND DISCLAIMER.

Copyright 1996-2003 by Elliot Joel Berk and C. Scott Ananian  
Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both the copyright notice and this permission notice and warranty disclaimer appear in supporting documentation, and that the name of the authors or their employers not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

The authors and their employers disclaim all warranties with regard to this software, including all implied warranties of merchantability and fitness. In no event shall the authors or their employers be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of this software. The portions of JLex output which are hard-coded into the JLex source code are (naturally) covered by this same license.

```
</pre>  
## Mesa 3-D Graphics Library v19.2.1
```

```
### Mesa License
```

```
...
```

Copyright (C) 1999-2007 Brian Paul All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Attention, Contributors

When contributing to the Mesa project you must agree to the licensing terms

of the component to which you're contributing.

The following section lists the primary components of the Mesa distribution and their respective licenses.

#### Mesa Component Licenses

| Component      | Location           | License        |
|----------------|--------------------|----------------|
| -----          |                    |                |
| Main Mesa code | src/mesa/          | MIT            |
| Device drivers | src/mesa/drivers/* | MIT, generally |
| Gallium code   | src/gallium/       | MIT            |
| Ext headers    | GL/gltext.h        | Khronos        |
|                | GL/gltext.h        | Khronos        |
|                | GL/wgltext.h       | Khronos        |
|                | KHR/khrplatform.h  | Khronos        |

\*\*\*\*\*

----

include/GL/gl.h :

#### Mesa 3-D graphics library

Copyright (C) 1999-2006 Brian Paul All Rights Reserved.

Copyright (C) 2009 VMware, Inc. All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.



\*\*\*\*\*

----

include/GL/glext.h  
include/GL/glxext.h  
include/GL/wglxext.h :

Copyright (c) 2013 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and/or associated documentation files (the "Materials"), to deal in the Materials without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Materials, and to permit persons to whom the Materials are furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

\*\*\*\*\*

----

include/KHR/khrplatform.h :

Copyright (c) 2008 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and/or associated documentation files (the "Materials"), to deal in the Materials without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Materials, and to permit persons to whom the Materials are furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,

EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

\*\*\*\*\*

...

## PC/SC Lite v1.8.26

### PC/SC Lite License

<pre>

Copyright (c) 1999-2003 David Corcoran <corcoran@linuxnet.com>

Copyright (c) 2001-2011 Ludovic Rousseau <ludovic.rousseau@free.fr>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

Changes to this license can be made only by the copyright author with explicit written consent.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

## jopt-simple v5.0.4

### MIT License

<pre>

Copyright (c) 2004-2015 Paul R. Holser, Jr.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

## Cryptix AES v3.2.0

### Cryptix General License

<pre>

Cryptix General License

Copyright (c) 1995-2005 The Cryptix Foundation Limited.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE CRYPTIX FOUNDATION LIMITED AND

CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE CRYPTIX FOUNDATION LIMITED OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

## JLine v3.14.0

### JLine License

<pre>

Copyright (c) 2002-2018, the original author or authors.

All rights reserved.

<https://opensource.org/licenses/BSD-3-Clause>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of JLine nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED

AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

## Apache Santuario v2.1.4

### Apache Santuario Notice

<pre>

Apache Santuario - XML Security for Java  
Copyright 1999-2019 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

It was originally based on software copyright (c) 2001, Institute for  
Data Communications Systems, <<http://www.nue.et-inf.uni-siegen.de/>>.

The development of this software was partly funded by the European  
Commission in the <WebSig> project in the ISIS Programme.

</pre>

### Apache 2.0 License

<pre>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the  
direction or management of such entity, whether by contract or  
otherwise, or (ii) ownership of fifty percent (50%) or more of the

outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable

copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and

do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.



9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```
</pre>
```

```
## jQuery v3.5.1
```

```
### jQuery License
```

```
``
```

```
jQuery v 3.5.1
```

```
Copyright JS Foundation and other contributors, https://js.foundation/
```

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the

"Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

\*\*\*\*\*

The jQuery JavaScript Library v3.5.1 also includes Sizzle.js

Sizzle.js includes the following license:

Copyright JS Foundation and other contributors, <https://js.foundation/>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/jquery/sizzle>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND

NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

All files located in the node\_modules and external directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

\*\*\*\*\*

...

## DOM Level 3 Core Specification v1.0

### W3C License

<pre>

#### W3C SOFTWARE NOTICE AND LICENSE

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

- 1.The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
- 2.Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.
- 3.Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS,COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION. The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

---

This formulation of W3C's notice and license became active on December 31 2002. This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to [site-policy@w3.org](mailto:site-policy@w3.org).

</pre>

COPYRIGHT NOTICE, DISCLAIMER, and LICENSE

=====

PNG Reference Library License version 2

-----

- \* Copyright (c) 1995-2019 The PNG Reference Library Authors.
- \* Copyright (c) 2018-2019 Cosmin Truta.
- \* Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson.
- \* Copyright (c) 1996-1997 Andreas Dilger.
- \* Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

The software is supplied "as is", without warranty of any kind, express or implied, including, without limitation, the warranties of merchantability, fitness for a particular purpose, title, and non-infringement. In no event shall the Copyright owners, or anyone distributing the software, be liable for any damages or other liability, whether in contract, tort or otherwise, arising from, out of, or in connection with the software, or the use or

other dealings in the software, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this software, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated, but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

PNG Reference Library License version 1 (for libpng 0.5 through 1.6.35)

-----  
libpng versions 1.0.7, July 1, 2000, through 1.6.35, July 15, 2018 are Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson, are derived from libpng-1.0.6, and are distributed according to the same disclaimer and license as libpng-1.0.6 with the following individuals added to the list of Contributing Authors:

Simon-Pierre Cadieux  
Eric S. Raymond  
Mans Rullgard  
Cosmin Truta  
Gilles Vollant  
James Yu  
Mandar Sahastrabudhe  
Google Inc.  
Vadim Barkov

and with the following additions to the disclaimer:

There is no warranty against interference with your enjoyment of the library or against infringement. There is no warranty that our efforts or the library will fulfill any of your particular purposes or needs. This library is provided with all faults, and the entire risk of satisfactory quality, performance, accuracy, and effort is with the user.

Some files in the "contrib" directory and some configure-generated

files that are distributed with libpng have other copyright owners, and are released under other open source licenses.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are Copyright (c) 1998-2000 Glenn Randers-Pehrson, are derived from libpng-0.96, and are distributed according to the same disclaimer and license as libpng-0.96, with the following individuals added to the list of Contributing Authors:

Tom Lane  
Glenn Randers-Pehrson  
Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are Copyright (c) 1996-1997 Andreas Dilger, are derived from libpng-0.88, and are distributed according to the same disclaimer and license as libpng-0.88, with the following individuals added to the list of Contributing Authors:

John Bowler  
Kevin Bracey  
Sam Bushell  
Magnus Holmgren  
Greg Roelofs  
Tom Tanner

Some files in the "scripts" directory have other copyright owners, but are released under this license.

libpng versions 0.5, May 1995, through 0.88, January 1996, are Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors" is defined as the following set of individuals:

Andreas Dilger  
Dave Martindale  
Guy Eric Schalnat  
Paul Schmidt  
Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing Authors and Group 42, Inc. disclaim all warranties, expressed or implied, including, without limitation, the warranties of merchantability and of fitness for any purpose. The Contributing Authors and Group 42, Inc. assume no liability for direct, indirect, incidental, special, exemplary, or consequential damages, which may result from the use of the PNG Reference Library, even if advised of

the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this source code, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this source code must not be misrepresented.
2. Altered versions must be plainly marked as such and must not be misrepresented as being the original source.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit, without fee, and encourage the use of this source code as a component to supporting the PNG file format in commercial products. If you use this source code in a product, acknowledgment is not required but would be appreciated.

All images in this directory are copyright 1995 by Jeff Dinkins.  
## Unicode Common Local Data Repository (CLDR) v38

### CLDR License

...

#### UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

See Terms of Use for definitions of Unicode Inc.'s Data Files and Software.

NOTICE TO USER: Carefully read the following legal agreement.  
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),  
YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT.  
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

#### COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2020 Unicode, Inc. All rights reserved.  
Distributed under the Terms of Use in <https://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation

(the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either (a) this copyright and permission notice appear with all copies of the Data Files or Software, or (b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

----- Terms of Use -----

-

Unicode Copyright and Terms of Use

For the general privacy policy governing access to this site, see the [Unicode Privacy Policy](#).

Unicode Copyright

Copyright 1991-2020 Unicode, Inc. All rights reserved.

Definitions

Unicode Data Files ("DATA FILES") include all data files under the directories:

<https://www.unicode.org/Public/>

<https://www.unicode.org/reports/>

<https://www.unicode.org/ivd/data/>

Unicode Data Files do not include PDF online code charts under the directory:

<https://www.unicode.org/Public/>

Unicode Software ("SOFTWARE") includes any source code published in the Unicode Standard or any source code or compiled code under the directories:

<https://www.unicode.org/Public/PROGRAMS/>

<https://www.unicode.org/Public/cldr/>



<http://site.icu-project.org/download/>

#### Terms of Use

Certain documents and files on this website contain a legend indicating that "Modification is permitted." Any person is hereby authorized, without fee, to modify such documents and files to create derivative works conforming to the Unicode Standard, subject to Terms and Conditions herein.

Any person is hereby authorized, without fee, to view, use, reproduce, and distribute all documents and files, subject to the Terms and Conditions herein.

Further specifications of rights and restrictions pertaining to the use of the Unicode DATA FILES and SOFTWARE can be found in the Unicode Data Files and Software License.

Each version of the Unicode Standard has further specifications of rights and restrictions of use. For the book editions (Unicode 5.0 and earlier), these are found on the back of the title page.

The Unicode PDF online code charts carry specific restrictions. Those restrictions are incorporated as the first page of each PDF code chart.

All other files, including online documentation of the core specification for Unicode 6.0 and later, are covered under these general Terms of Use.

No license is granted to "mirror" the Unicode website where a fee is charged for access to the "mirror" site.

Modification is not permitted with respect to this document. All copies of this document must be verbatim.

#### Restricted Rights Legend

Any technical data or software which is licensed to the United States of America, its agencies and/or instrumentalities under this Agreement is commercial technical data or commercial computer software developed exclusively at private expense as defined in FAR 2.101, or DFARS 252.227-7014 (June 1995), as applicable. For technical data, use, duplication, or disclosure by the Government is subject to restrictions as set forth in DFARS 202.227-7015 Technical Data, Commercial and Items (Nov 1995) and this Agreement. For Software, in accordance with FAR 12-212 or DFARS 227-7202, as applicable, use, duplication or disclosure by the Government is subject to the restrictions set forth in this Agreement.

#### Warranties and Disclaimers

This publication and/or website may include technical or typographical errors or other inaccuracies. Changes are periodically added to the information herein; these changes will be incorporated in new editions of the publication and/or website. Unicode, Inc. may make improvements and/or changes in the product(s) and/or program(s) described in this publication and/or website at any time.

If this file has been purchased on magnetic or optical media from Unicode, Inc. the sole and exclusive remedy for any claim will be exchange of the defective media within ninety (90) days of original purchase.

EXCEPT AS PROVIDED IN SECTION E.2, THIS PUBLICATION AND/OR SOFTWARE IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND EITHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. UNICODE, INC. AND ITS LICENSORS ASSUME NO RESPONSIBILITY FOR ERRORS OR OMISSIONS IN THIS PUBLICATION AND/OR SOFTWARE OR OTHER DOCUMENTS WHICH ARE REFERENCED BY OR LINKED TO THIS PUBLICATION OR THE UNICODE WEBSITE.

#### Waiver of Damages

In no event shall Unicode, Inc. or its licensors be liable for any special, incidental, indirect or consequential damages of any kind, or any damages whatsoever, whether or not Unicode, Inc. was advised of the possibility of the damage, including, without limitation, those resulting from the following: loss of use, data or profits, in connection with the use, modification or distribution of this information or its derivatives.

#### Trademarks & Logos

The Unicode Word Mark and the Unicode Logo are trademarks of Unicode, Inc. The Unicode Consortium and Unicode, Inc. are trade names of Unicode, Inc. Use of the information and materials found on this website indicates your acknowledgement of Unicode, Inc.'s exclusive worldwide rights in the Unicode Word Mark, the Unicode Logo,

and the Unicode trade names.

The Unicode Consortium Name and Trademark Usage Policy (Trademark Policy) are incorporated herein by reference and you agree to abide by the provisions of the Trademark Policy, which may be changed from time to time in the sole discretion of Unicode, Inc.

All third party trademarks referenced herein are the property of their respective owners.

#### Miscellaneous

**Jurisdiction and Venue.** This website is operated from a location in the State of California, United States of America. Unicode, Inc. makes no representation that the materials are appropriate for use in other locations. If you access this website from other locations, you are responsible for compliance with local laws. This Agreement, all use of this website and any claims and damages resulting from use of this website are governed solely by the laws of the State of California without regard to any principles which would apply the laws of a different jurisdiction. The user agrees that any disputes regarding this website shall be resolved solely in the courts located in Santa Clara County, California. The user agrees said courts have personal jurisdiction and agree to waive any right to transfer the dispute to any other forum.

**Modification by Unicode, Inc.** Unicode, Inc. shall have the right to modify this Agreement at any time by posting it to this website. The user may not assign any part of this Agreement without Unicode, Inc.'s prior written consent.

**Taxes.** The user agrees to pay any taxes arising from access to this website or use of the information herein, except for those based on Unicode's net income.

**Severability.** If any provision of this Agreement is declared invalid or unenforceable, the remaining provisions of this Agreement shall remain in effect.

**Entire Agreement.** This Agreement constitutes the entire agreement between the parties.

...

## GIFLIB v5.2.1

### GIFLIB License

...

The GIFLIB distribution is Copyright (c) 1997 Eric S. Raymond

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

<https://sourceforge.net/p/giflib/code/ci/master/tree/openbsd-reallocarray.c>

Copyright (c) 2008 Otto Moerbeek <otto@drijf.net>

SPDX-License-Identifier: MIT

## libpng v1.6.37

### libpng License

<pre>

#### COPYRIGHT NOTICE, DISCLAIMER, and LICENSE

=====

#### PNG Reference Library License version 2

-----

- \* Copyright (c) 1995-2019 The PNG Reference Library Authors.
- \* Copyright (c) 2018-2019 Cosmin Truta.
- \* Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson.
- \* Copyright (c) 1996-1997 Andreas Dilger.
- \* Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

The software is supplied "as is", without warranty of any kind, express or implied, including, without limitation, the warranties of merchantability, fitness for a particular purpose, title, and non-infringement. In no event shall the Copyright owners, or anyone distributing the software, be liable for any damages or other liability, whether in contract, tort or otherwise, arising from, out of, or in connection with the software, or the use or other dealings in the software, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this software, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated, but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

libpng versions 1.0.7, July 1, 2000, through 1.6.35, July 15, 2018 are Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson, are derived from libpng-1.0.6, and are distributed according to the same disclaimer and license as libpng-1.0.6 with the following individuals added to the list of Contributing Authors:

Simon-Pierre Cadieux  
Eric S. Raymond  
Mans Rullgard  
Cosmin Truta  
Gilles Vollant  
James Yu  
Mandar Sahastrabudde  
Google Inc.  
Vadim Barkov

and with the following additions to the disclaimer:

There is no warranty against interference with your enjoyment of the library or against infringement. There is no warranty that our efforts or the library will fulfill any of your particular purposes or needs. This library is provided with all faults, and the entire risk of satisfactory quality, performance, accuracy, and effort is with the user.

Some files in the "contrib" directory and some configure-generated files that are distributed with libpng have other copyright owners, and are released under other open source licenses.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are Copyright (c) 1998-2000 Glenn Randers-Pehrson, are derived from libpng-0.96, and are distributed according to the same disclaimer and license as libpng-0.96, with the following individuals added to the list of Contributing Authors:

Tom Lane  
Glenn Randers-Pehrson  
Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are Copyright (c) 1996-1997 Andreas Dilger, are derived from libpng-0.88, and are distributed according to the same disclaimer and license as libpng-0.88, with the following individuals added to the list of Contributing Authors:

John Bowler  
Kevin Bracey  
Sam Bushell  
Magnus Holmgren  
Greg Roelofs  
Tom Tanner

Some files in the "scripts" directory have other copyright owners, but are released under this license.

libpng versions 0.5, May 1995, through 0.88, January 1996, are  
Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors" is defined as the following set of individuals:

Andreas Dilger  
Dave Martindale  
Guy Eric Schalnat  
Paul Schmidt  
Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing Authors and Group 42, Inc. disclaim all warranties, expressed or implied, including, without limitation, the warranties of merchantability and of fitness for any purpose. The Contributing Authors and Group 42, Inc. assume no liability for direct, indirect, incidental, special, exemplary, or consequential damages, which may result from the use of the PNG Reference Library, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this source code, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this source code must not be misrepresented.
2. Altered versions must be plainly marked as such and must not be misrepresented as being the original source.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit, without fee, and encourage the use of this source code as a component to supporting the PNG file format in commercial products. If you use this source code in a product, acknowledgment is not required but would

be appreciated.

</pre>

The GNU General Public License (GPL)

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to

know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,



c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy

simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this.

Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

## NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT

ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author Gnomovision comes
with ABSOLUTELY NO WARRANTY; for details type 'show w'. This is free
software, and you are welcome to redistribute it under certain conditions;
type 'show c' for details.
```

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than 'show w' and 'show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
'Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
signature of Ty Coon, 1 April 1989
```

```
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

#### "CLASSPATH" EXCEPTION TO THE GPL

Certain source files distributed by Oracle America and/or its affiliates are subject to the following clarification and special exception to the GPL, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

```
## Dynalink v.5
```

```
### Dynalink License
```

```
<pre>
```

Copyright (c) 2009-2013, Attila Szegedi

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the copyright holder nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL COPYRIGHT HOLDER BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
</pre>
```

## ASM Bytecode Manipulation Framework v8.0.1

### ASM License

<pre>

Copyright (c) 2000-2011 France Tlcom

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

Copyright (c) %YEARS% Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- Neither the name of Oracle nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) %YEARS% Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

## jQuery UI v1.12.1

### jQuery UI License

---

Copyright jQuery Foundation and other contributors, <https://jquery.org/>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/jquery/jquery-ui>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

Copyright and related rights for sample code are waived via CC0. Sample code is defined as all source code contained within the demos directory.

CC0: <http://creativecommons.org/publicdomain/zero/1.0/>

====

All files located in the node\_modules and external directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

...

## Independent JPEG Group: JPEG release 6b

### JPEG License

...

\*\*\*\*\*

Copyright (C) 1991-1998, Thomas G. Lane.

This software is the work of Tom Lane, Philip Gladstone, Jim Boucher, Lee Crocker, Julian Minguillon, Luis Ortiz, George Phillips, Davide Rossi,



Guido Vollbeding, Ge' Weijers, and other members of the Independent JPEG Group.

IJG is not affiliated with the official ISO JPEG standards committee.

The authors make NO WARRANTY or representation, either express or implied, with respect to this software, its quality, accuracy, merchantability, or fitness for a particular purpose. This software is provided "AS IS", and you, its user, assume the entire risk as to its quality and accuracy.

This software is copyright (C) 1991-1998, Thomas G. Lane.  
All Rights Reserved except as specified below.

Permission is hereby granted to use, copy, modify, and distribute this software (or portions thereof) for any purpose, without fee, subject to these conditions:

- (1) If any part of the source code for this software is distributed, then this README file must be included, with this copyright and no-warranty notice unaltered; and any additions, deletions, or changes to the original files must be clearly indicated in accompanying documentation.
- (2) If only executable code is distributed, then the accompanying documentation must state that "this software is based in part on the work of the Independent JPEG Group".
- (3) Permission for use of this software is granted only if the user accepts full responsibility for any undesirable consequences; the authors accept NO LIABILITY for damages of any kind.

These conditions apply to any software derived from or based on the IJG code, not just to the unmodified library. If you use our work, you ought to acknowledge us.

Permission is NOT granted for the use of any IJG author's name or company name in advertising or publicity relating to this software or products derived from it. This software may be referred to only as "the Independent JPEG Group's software".

We specifically permit and encourage the use of this software as the basis of commercial products, provided that all warranty or liability claims are assumed by the product vendor.

It appears that the arithmetic coding option of the JPEG spec is covered by patents owned by IBM, AT&T, and Mitsubishi. Hence arithmetic coding cannot legally be used without obtaining one or more licenses. For this reason, support for arithmetic coding has been removed from the free JPEG software. (Since arithmetic coding provides only a marginal gain

over the unpatented Huffman mode, it is unlikely that very many implementations will support it.) So far as we are aware, there are no patent restrictions on the remaining code.

The IJG distribution formerly included code to read and write GIF files. To avoid entanglement with the Unisys LZW patent, GIF reading support has been removed altogether, and the GIF writer has been simplified to produce "uncompressed GIFs". This technique does not use the LZW algorithm; the resulting GIF files are larger than usual, but are readable by all standard GIF decoders.

We are required to state that "The Graphics Interchange Format(c) is the Copyright property of CompuServe Incorporated. GIF(sm) is a Service Mark property of CompuServe Incorporated."

\*\*\*\*\*

\*\*\*

## International Components for Unicode (ICU4J) v67.1

### ICU4J License

\*\*\*

COPYRIGHT AND PERMISSION NOTICE (ICU 58 and later)

Copyright 1991-2020 Unicode, Inc. All rights reserved.

Distributed under the Terms of Use in <https://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either

- (a) this copyright and permission notice appear with all copies of the Data Files or Software, or
- (b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER

TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

-----

#### Third-Party Software Licenses

This section contains third-party software notices and/or additional terms for licensed third-party software components included within ICU libraries.

1. ICU License - ICU 1.8.1 to ICU 57.1

#### COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1995-2016 International Business Machines Corporation and others  
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, provided that the above copyright notice(s) and this permission notice appear in all copies of the Software and that both the above copyright notice(s) and this permission notice appear in supporting documentation.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

All trademarks and registered trademarks mentioned herein are the property of their respective owners.

From: <https://www.unicode.org/copyright.html>:

#### Unicode Copyright and Terms of Use

For the general privacy policy governing access to this site, see the [Unicode Privacy Policy](#).

#### Unicode Copyright

Copyright 1991-2020 Unicode, Inc. All rights reserved.

#### Definitions

Unicode Data Files ("DATA FILES") include all data files under the directories:

<https://www.unicode.org/Public/>

<https://www.unicode.org/reports/>

<https://www.unicode.org/ivd/data/>

Unicode Data Files do not include PDF online code charts under the directory:

<https://www.unicode.org/Public/>

Unicode Software ("SOFTWARE") includes any source code published in the Unicode Standard or any source code or compiled code under the directories:

<https://www.unicode.org/Public/PROGRAMS/>

<https://www.unicode.org/Public/cldr/>

<http://site.icu-project.org/download/>

#### Terms of Use

Certain documents and files on this website contain a legend indicating that "Modification is permitted." Any person is hereby authorized, without fee, to modify such documents and files to create derivative works conforming to the Unicode Standard, subject to Terms and Conditions herein.

Any person is hereby authorized, without fee, to view, use, reproduce, and distribute all documents and files, subject to the Terms and Conditions herein.

Further specifications of rights and restrictions pertaining to the use of the Unicode DATA FILES and SOFTWARE can be found in the Unicode Data Files and Software License.

Each version of the Unicode Standard has further specifications of rights and restrictions of use. For the book editions (Unicode 5.0 and earlier), these are found on the back of the title page.

The Unicode PDF online code charts carry specific restrictions. Those restrictions are incorporated as the first page of each PDF code chart.

All other files, including online documentation of the core specification for Unicode 6.0 and later, are covered under these general Terms of Use.

No license is granted to "mirror" the Unicode website where a fee is charged for access to the "mirror" site.

Modification is not permitted with respect to this document. All copies of this document must be verbatim.

#### Restricted Rights Legend

Any technical data or software which is licensed to the United States of America, its agencies and/or instrumentalities under this Agreement is commercial technical data or commercial computer software developed exclusively at private expense as defined in FAR 2.101, or DFARS 252.227-7014 (June 1995), as applicable. For technical data, use, duplication, or disclosure by the Government is subject to restrictions as set forth in DFARS 202.227-7015 Technical Data, Commercial and Items (Nov 1995) and this Agreement. For Software, in accordance with FAR 12-212 or DFARS 227-7202, as applicable, use, duplication or disclosure by the Government is subject to the restrictions set forth in this Agreement.

#### Warranties and Disclaimers

This publication and/or website may include technical or typographical errors or other inaccuracies. Changes are periodically added to the information herein; these changes will be incorporated in new editions of the publication and/or website. Unicode, Inc. may make improvements and/or changes in the product(s) and/or program(s) described in this publication and/or website at any time.

If this file has been purchased on magnetic or optical media from Unicode, Inc. the sole and exclusive remedy for any claim will be exchange of the defective media within ninety (90) days of original purchase.

EXCEPT AS PROVIDED IN SECTION E.2, THIS PUBLICATION AND/OR SOFTWARE IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND EITHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. UNICODE, INC. AND ITS LICENSORS ASSUME NO RESPONSIBILITY FOR ERRORS OR OMISSIONS IN THIS PUBLICATION AND/OR SOFTWARE OR OTHER DOCUMENTS WHICH ARE REFERENCED BY OR LINKED TO THIS PUBLICATION OR THE UNICODE WEBSITE.

#### Waiver of Damages

In no event shall Unicode, Inc. or its licensors be liable for any special, incidental, indirect or consequential damages of any kind, or any damages whatsoever, whether or not Unicode, Inc. was advised of the possibility of the damage, including, without limitation, those resulting from the following: loss of use, data or profits, in connection with the use, modification or distribution of this information or its derivatives.

#### Trademarks & Logos

The Unicode Word Mark and the Unicode Logo are trademarks of Unicode, Inc. The Unicode Consortium and Unicode, Inc. are trade names of Unicode, Inc. Use of the information and materials found on this website indicates your acknowledgement of Unicode, Inc.'s exclusive worldwide rights in the Unicode Word Mark, the Unicode Logo, and the Unicode trade names.

The Unicode Consortium Name and Trademark Usage Policy (Trademark Policy) are incorporated herein by reference and you agree to abide by the provisions of the Trademark Policy, which may be changed from time to time in the sole discretion of Unicode, Inc.

All third party trademarks referenced herein are the property of their respective owners.

#### Miscellaneous

**Jurisdiction and Venue.** This website is operated from a location in the State of California, United States of America. Unicode, Inc. makes no representation that the materials are appropriate for use in other locations. If you access this website from other locations, you are responsible for compliance with local laws. This Agreement, all use of this website and any claims and damages resulting from use of this website are governed solely by the laws of the State of California without regard to any principles which would apply the laws of a different jurisdiction. The user agrees that any disputes regarding this website shall be resolved solely in the courts located in Santa Clara County, California. The user agrees said courts have personal jurisdiction and agree to waive any right to transfer the dispute to any other forum.

**Modification by Unicode, Inc.** Unicode, Inc. shall have the right to modify this Agreement at any time by posting it to this website. The user may not assign any part of this Agreement without Unicode, Inc.'s prior written consent.

**Taxes.** The user agrees to pay any taxes arising from access to this website or use of the information herein,

except for those based on Unicodes net income.

Severability. If any provision of this Agreement is declared invalid or unenforceable, the remaining provisions of this Agreement shall remain in effect.

Entire Agreement. This Agreement constitutes the entire agreement between the parties.

...

## Mozilla Public Suffix List

### Public Suffix Notice

...

You are receiving a copy of the Mozilla Public Suffix List in the following file: <java-home>/lib/security/public\_suffix\_list.dat. The terms of the Oracle license do NOT apply to this file; it is licensed under the Mozilla Public License 2.0, separately from the Oracle programs you receive. If you do not wish to use the Public Suffix List, you may remove the <java-home>/lib/security/public\_suffix\_list.dat file.

The Source Code of this file is available under the Mozilla Public License, v. 2.0 and is located at [https://raw.githubusercontent.com/publicsuffix/list/cbbba1d234670453df9c930dfbf510c0474d4301/public\\_suffix\\_list.dat](https://raw.githubusercontent.com/publicsuffix/list/cbbba1d234670453df9c930dfbf510c0474d4301/public_suffix_list.dat).

If a copy of the MPL was not distributed with this file, you can obtain one at <https://mozilla.org/MPL/2.0/>.

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations under the License.

...

### MPL v2.0

...

Mozilla Public License Version 2.0

=====

## 1. Definitions

-----

### 1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

### 1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

### 1.3. "Contribution"

means Covered Software of a particular Contributor.

1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. "Incompatible With Secondary Licenses"

means

(a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

(b) that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

-----

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- (b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the



distribution or licensing of Covered Software under this License.  
Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- (a) for any code that a Contributor has removed from Covered Software;  
or
- (b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- (c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

#### 2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

#### 2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

#### 2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

#### 2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

### 3. Responsibilities

-----

#### 3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

### 3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- (a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and
- (b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

### 3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

### 3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

### 3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered

Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

#### 4. Inability to Comply Due to Statute or Regulation

-----

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

#### 5. Termination

-----

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which

have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

\*\*\*\*\*

\* \*  
\* 6. Disclaimer of Warranty \*  
\* ----- \*  
\* \*  
\* Covered Software is provided under this License on an "as is" \*  
\* basis, without warranty of any kind, either expressed, implied, or \*  
\* statutory, including, without limitation, warranties that the \*  
\* Covered Software is free of defects, merchantable, fit for a \*  
\* particular purpose or non-infringing. The entire risk as to the \*  
\* quality and performance of the Covered Software is with You. \*  
\* Should any Covered Software prove defective in any respect, You \*  
\* (not any Contributor) assume the cost of any necessary servicing, \*  
\* repair, or correction. This disclaimer of warranty constitutes an \*  
\* essential part of this License. No use of any Covered Software is \*  
\* authorized under this License except under this disclaimer. \*  
\* \*

\*\*\*\*\*

\*\*\*\*\*

\* \*  
\* 7. Limitation of Liability \*  
\* ----- \*  
\* \*  
\* Under no circumstances and under no legal theory, whether tort \*  
\* (including negligence), contract, or otherwise, shall any \*  
\* Contributor, or anyone who distributes Covered Software as \*  
\* permitted above, be liable to You for any direct, indirect, \*  
\* special, incidental, or consequential damages of any character \*  
\* including, without limitation, damages for lost profits, loss of \*  
\* goodwill, work stoppage, computer failure or malfunction, or any \*  
\* and all other commercial damages or losses, even if such party \*  
\* shall have been informed of the possibility of such damages. This \*  
\* limitation of liability shall not apply to liability for death or \*  
\* personal injury resulting from such party's negligence to the \*  
\* extent applicable law prohibits such limitation. Some \*  
\* jurisdictions do not allow the exclusion or limitation of \*  
\* incidental or consequential damages, so this exclusion and \*  
\* limitation may not apply to You. \*  
\* \*

\*\*\*\*\*

## 8. Litigation

-----

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

## 9. Miscellaneous

-----

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

## 10. Versions of the License

-----

### 10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

### 10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

### 10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

### 10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

-----

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <https://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

-----

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

---

## Apache Commons Byte Code Engineering Library (BCEL) Version 6.4.1

### Apache Commons BCEL Notice

<pre>

```
=====
== NOTICE file corresponding to the section 4 d of      ==
== the Apache License, Version 2.0,                    ==
== in this case for the Apache Commons BCEL distribution. ==
=====
```

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

</pre>

### Apache 2.0 License

<pre>

```
    Apache License
    Version 2.0, January 2004
    http://www.apache.org/licenses/
```

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of



the Derivative Works; and

- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

</pre>

# 1.176 regions 2.18.2

## 1.176.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate

as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify

the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Note: Other license terms may apply to certain, identified software files contained within or distributed with the accompanying software if such terms are included in the directory containing the accompanying software. Such other license terms will then apply in lieu of the terms of the software license above.

AWS SDK for Java 2.0

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

This product includes software developed by Amazon Technologies, Inc (<http://www.amazon.com/>).

\*\*\*\*\*

#### THIRD PARTY COMPONENTS

\*\*\*\*\*

This software includes third party software subject to the following copyrights:

- XML parsing and utility functions from JetS3t - Copyright 2006-2009 James Murty.
- PKCS#1 PEM encoded private key parsing and utility functions from [oauth.googlecode.com](http://oauth.googlecode.com) - Copyright 1998-2010 AOL Inc.
- Apache Commons Lang - <https://github.com/apache/commons-lang>
- Netty Reactive Streams - <https://github.com/playframework/netty-reactive-streams>
- Jackson-core - <https://github.com/FasterXML/jackson-core>
- Jackson-dataformat-cbor - <https://github.com/FasterXML/jackson-dataformats-binary>

The licenses for these third party components are included in LICENSE.txt

- For Apache Commons Lang see also this required NOTICE:  
Apache Commons Lang  
Copyright 2001-2020 The Apache Software Foundation

This product includes software developed at

## 1.177 giflib 5.2.1

### 1.177.1 Available under license :

The GIFLIB distribution is Copyright (c) 1997 Eric S. Raymond

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.178 jackson 2.14.2

### 1.178.1 Available under license :

FasterXML, LLC

Software Grant and Corporate Contributor License Agreement ("Agreement")

<https://github.com/FasterXML/jackson/blob/master/contributor-agreement-corporate.txt>

(v1)

Thank you for your interest in FasterXML, LLC ("FasterXML"). In order to clarify the intellectual property license granted with Contributions from any person or entity, FasterXML must have a Contributor License Agreement (CLA) on file that has been signed by each Contributor, indicating agreement to the license terms below. This license is for your protection as a Contributor as well as the protection of FasterXML and its users; it does not change your rights to use your own Contributions for any other purpose.

This version of the Agreement allows an entity (the "Corporation")



to submit Contributions to the FasterXML, to authorize Contributions submitted by its designated employees to FasterXML, and to grant copyright and patent licenses thereto.

If you have not already done so, please complete and sign, then scan and email a pdf file of this Agreement to [clas@fasterxml.com](mailto:clas@fasterxml.com). If necessary, send an original signed Agreement to FasterXML, LLC, 600 N 36th Ave, Suite 409, Seattle, WA 98103.

Please read this document carefully before signing and keep a copy for your records.

Corporation name: \_\_\_\_\_

Corporation address: \_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_

Point of Contact: \_\_\_\_\_

E-Mail: \_\_\_\_\_

Telephone: \_\_\_\_\_ Fax: \_\_\_\_\_

You accept and agree to the following terms and conditions for Your present and future Contributions submitted to FasterXML. Except for the license granted herein to FasterXML and recipients of software distributed by FasterXML, You reserve all right, title, and interest in and to Your Contributions.

#### 1. Definitions.

"You" (or "Your") shall mean the copyright owner or legal entity authorized by the copyright owner that is making this Agreement with FasterXML. For legal entities, the entity making a Contribution and all other entities that control, are controlled by, or are under common control with that entity are considered to be a single Contributor. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"Contribution" shall mean the code, documentation or other

original works of authorship expressly identified in Schedule B, as well as any original work of authorship, including any modifications or additions to an existing work, that is intentionally submitted by You to FasterXML for inclusion in, or documentation of, any of the products owned or managed by FasterXML (the "Work"). For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to FasterXML or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, FasterXML for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by You as "Not a Contribution."

2. Grant of Copyright License. Subject to the terms and conditions of this Agreement, You hereby grant to FasterXML and to recipients of software distributed by FasterXML a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, sublicense, and distribute Your Contributions and such derivative works.
3. Grant of Patent License. Subject to the terms and conditions of this Agreement, You hereby grant to FasterXML and to recipients of software distributed by FasterXML a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by You that are necessarily infringed by Your Contribution(s) alone or by combination of Your Contribution(s) with the Work to which such Contribution(s) were submitted. If any entity institutes patent litigation against You or any other entity (including a cross-claim or counterclaim in a lawsuit) alleging that your Contribution, or the Work to which you have contributed, constitutes direct or contributory patent infringement, then any patent licenses granted to that entity under this Agreement for that Contribution or Work shall terminate as of the date such litigation is filed.
4. You represent that You are legally entitled to grant the above license. You represent further that each employee of the Corporation designated on Schedule A below (or in a subsequent written modification to that Schedule) is authorized to submit Contributions on behalf of the Corporation.
5. You represent that each of Your Contributions is Your original creation (see section 7 for submissions on behalf of others).

6. You are not expected to provide support for Your Contributions, except to the extent You desire to provide support. You may provide support for free, for a fee, or not at all. Unless required by applicable law or agreed to in writing, You provide Your Contributions on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE.
7. Should You wish to submit work that is not Your original creation, You may submit it to FasterXML separately from any Contribution, identifying the complete details of its source and of any license or other restriction (including, but not limited to, related patents, trademarks, and license agreements) of which you are personally aware, and conspicuously marking the work as "Submitted on behalf of a third-party: [named here]".
8. It is your responsibility to notify FasterXML when any change is required to the list of designated employees authorized to submit Contributions on behalf of the Corporation, or to the Corporation's Point of Contact with FasterXML.

Please sign: \_\_\_\_\_ Date: \_\_\_\_\_

Title: \_\_\_\_\_

Corporation: \_\_\_\_\_

#### Schedule A

[Initial list of designated employees. NB: authorization is not tied to particular Contributions.]

#### Schedule B

[Identification of optional concurrent software grant. Would be left blank or omitted if there is no concurrent software grant.]

# 1.179 opentelemetry-semconv 1.13.0-alpha

## 1.179.1 Available under license :

Apache-2.0

# 1.180 guava 30.1-jre

## 1.180.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2010 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ContiguousSet.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/Monitor.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/net/package-info.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/SortedLists.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingBlockingQueue.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Ascii.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Strings.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/annotations/package-info.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/package-info.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/Atomics.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Equivalence.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/annotations/Beta.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ThreadFactoryBuilder.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ListeningExecutorService.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/UncaughtExceptionHandler.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2016 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/PatternCompiler.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/CommonMatcher.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/CommonPattern.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/JdkPattern.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/GwtTransient.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AtomicLongMap.java

No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright (C) 2016 The Guava Authors
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/MutableValueGraph.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/AbstractGraph.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/AbstractUndirectedNetworkConnections.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/MoreCollectors.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/ImmutableValueGraph.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/ElementOrder.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/ValueGraphBuilder.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/HashMultimapGwtSerializationDependencies.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/NetworkConnections.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Comparators.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/GraphConstants.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/ForwardingGraph.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/AbstractNetwork.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/EdgesConnecting.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/GraphBuilder.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/UndirectedMultiNetworkConnections.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/EndpointPairIterator.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/ForwardingValueGraph.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/AbstractValueGraph.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/EndpointPair.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/DirectedNetworkConnections.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableMultisetGwtSerializationDependencies.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/StandardMutableNetwork.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/UndirectedNetworkConnections.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/ValueGraph.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/StandardMutableValueGraph.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/UndirectedGraphConnections.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/ForwardingNetwork.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/MultiEdgesConnecting.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/RangeGwtSerializationDependencies.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/LinkedHashMultimapGwtSerializationDependencies.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ArrayListMultimapGwtSerializationDependencies.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/StandardValueGraph.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/DirectedGraphConnections.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/StandardNetwork.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/CollectCollectors.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/MapRetrievalCache.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/DirectedMultiNetworkConnections.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/GraphConnections.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/AbstractGraphBuilder.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/NetworkBuilder.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/MapIteratorCache.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/AbstractDirectedNetworkConnections.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/StandardMutableGraph.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

/\*\*

\* Holder for web specializations of methods of { @code Doubles }. Intended to be empty for regular  
\* version.

\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/DoublesMethodsForWeb.java

No license file was found, but licenses were detected in source scan.



/\*

\* Copyright (C) 2020 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

/\*\*

\* Holder for web specializations of methods of { @code Ints }. Intended to be empty for regular  
\* version.

\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/primitives/IntsMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2009 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the  
\* License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND,  
either

\* express or implied. See the License for the specific language governing permissions and  
\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/ImmutableSortedAsList.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2015 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/CollectSpliterators.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableBiMapFauxverideShim.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/package-info.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2007 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableSet.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractMultiset.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingMapEntry.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractIterator.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Sets.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingMultiset.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Multimaps.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/BiMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Multisets.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingQueue.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingConcurrentMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ReverseNaturalOrdering.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/SortedSetMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/NullsFirstOrdering.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/SingletonImmutableSet.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/EnumHashBiMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Multiset.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingListIterator.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Ordering.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/TreeMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/LinkedListMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractSortedSetMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ConcurrentHashMultiset.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/HashMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractSetMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableList.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/NullsLastOrdering.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractBiMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractListMultimap.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Multimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Iterators.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Interner.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Synchronized.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ComparatorOrdering.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/CompoundOrdering.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingSet.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractMapBasedMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingIterator.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingSortedMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/package-info.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/MutableClassToInstanceMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractMapBasedMultiset.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/UsingToStringOrdering.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Iterables.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/TreeMultiset.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/NaturalOrdering.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Lists.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ExplicitOrdering.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableSet.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/LinkedHashMultiset.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ArrayListMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingList.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ByFunctionOrdering.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ListMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ReverseOrdering.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/SetMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractMapEntry.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/LexicographicalOrdering.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/LinkedHashMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/HashMultiset.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingCollection.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ClassToInstanceMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Maps.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingSortedSet.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingObject.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/MapDifference.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/EnumBiMap.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2007 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/Resources.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Predicates.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Function.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Throwables.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/eventbus/AsyncEventBus.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/Primitives.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/FinalizableWeakReference.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ExecutionList.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/eventbus/DeadEvent.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/Files.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/eventbus/package-info.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/package-info.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/LineReader.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractFuture.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Predicate.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/package-info.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Preconditions.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/FinalizableSoftReference.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/FinalizableReferenceQueue.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Objects.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Charsets.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/eventbus/Subscribe.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/MultiInputStream.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/common/io/Flushables.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/Supplier.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/FinalizableReference.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/Interners.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/io/Closeables.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/eventbus/EventBus.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/FinalizablePhantomReference.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/io/LineBuffer.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/Suppliers.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/package-  
info.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/DirectExecutor.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/EnumMultiset.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/HashBiMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/eventbus/AllowConcurrentEvents.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/io/LittleEndianDataInputStream.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/Defaults.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/io/CountingOutputStream.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/ListenableFuture.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/AbstractIterator.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/Functions.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/io/CountingInputStream.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/io/LittleEndianDataOutputStream.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/io/CharStreams.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/io/ByteStreams.java

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2017 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
* in compliance with the License. You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software distributed under the License  
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
* or implied. See the License for the specific language governing permissions and limitations under  
* the License.  
*/
```

Found in path(s):

```
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/primitives/ImmutableDoubleArray.java  
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/primitives/ImmutableIntArray.java  
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/ForwardingLock.java  
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/hash/AbstractHashFunction.java  
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/primitives/ImmutableLongArray.java  
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/ForwardingCondition.java  
No license file was found, but licenses were detected in source scan.
```

```
/*  
* Copyright (C) 2020 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
* in compliance with the License. You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software distributed under the License  
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
* or implied. See the License for the specific language governing permissions and limitations under  
* the License.  
*/
```

Found in path(s):



\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/Java8Compatibility.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/OverflowAvoidingLockSupport.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/math/ToDoubleRounder.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/math/BigDecimalMath.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/Java8Compatibility.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2015 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License"); you  
* may not use this file except in compliance with the License. You may  
* obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or  
* implied. See the License for the specific language governing  
* permissions and limitations under the License.  
*/
```

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Streams.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2019 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
* in compliance with the License. You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software distributed under the License  
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
* or implied. See the License for the specific language governing permissions and limitations under  
* the License.  
*/
```

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/Platform.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/Internal.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2015 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/LittleEndianByteArray.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AsyncCallable.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/FarmHashFingerprint64.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/ReaderInputStream.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/MacHashFunction.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ConsumingQueueIterator.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/CombinedFuture.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/Platform.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/InterruptibleTask.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AggregateFutureState.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2018 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/JdkBackedImmutableMultiset.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/JdkBackedImmutableSet.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/hash/ImmutableSupplier.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/ExecutionSequencer.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2019 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/IgnoreJRERequirement.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

```
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/*
* This method was written by Doug Lea with assistance from members of JCP JSR-166 Expert Group
* and released to the public domain, as explained at
* http://creativecommons.org/licenses/publicdomain
*
* As of 2010/06/11, this method is identical to the (package private) hash method in OpenJDK 7's
* java.util.HashMap class.
*/
```

Found in path(s):

```
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/util/concurrent/Striped.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2011 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/primitives/UnsignedInts.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/util/concurrent/WrappingExecutorService.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/util/concurrent/AbstractScheduledService.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/util/concurrent/UncheckedExecutionException.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
```

jar/com/google/common/cache/Weigher.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/cache/CacheStats.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/hash/AbstractCompositeHashFunction.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/hash/Hashing.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/cache/AbstractLoadingCache.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/cache/package-info.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/cache/ForwardingLoadingCache.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/cache/CacheBuilderSpec.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/Optional.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/DescendingImmutableSortedMultiset.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/Ticker.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/Present.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/primitives/UnsignedInteger.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/hash/Murmur3\_32HashFunction.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/hash/PrimitiveSink.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/BoundType.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/hash/AbstractHasher.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/cache/RemovalListeners.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/primitives/UnsignedLong.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/reflect/Types.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/reflect/TypeParameter.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/RegularImmutableMultiset.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/ForwardingExecutorService.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/PairwiseEquivalence.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/common/util/concurrent/CycleDetectingLockFactory.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/TreeRangeSet.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/RegularContiguousSet.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/Absent.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/cache/RemovalNotification.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/AbstractListeningExecutorService.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/hash/Hasher.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/ForwardingListeningExecutorService.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/hash/HashCode.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/net/MediaType.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/hash/AbstractStreamingHasher.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/hash/Crc32cHashFunction.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/Uninterruptibles.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/net/HostAndPort.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/hash/Murmur3\_128HashFunction.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/Enums.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/math/MathPreconditions.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/hash/MessageDigestHashFunction.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/primitives/UnsignedLongs.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/cache/RemovalListener.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/ListeningScheduledExecutorService.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/net/HttpHeaders.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/cache/RemovalCause.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/math/package-info.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/common/base/FunctionalEquivalence.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/AsyncFunction.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/cache/Cache.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/hash/BloomFilterStrategies.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/math/BigIntegerMath.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/cache/AbstractCache.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/ExecutionError.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/math/IntMath.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/hash/HashingOutputStream.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/EmptyContiguousSet.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/math/DoubleMath.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/hash/Funnels.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/cache/CacheLoader.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/hash/AbstractNonStreamingHashFunction.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/hash/Funnel.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/cache/ForwardingCache.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/Queues.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/math/LongMath.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/math/DoubleUtils.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/AbstractSortedMultiset.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/cache/LoadingCache.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/primitives/ParseRequest.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/FutureCallback.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/hash/BloomFilter.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/common/hash/HashFunction.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the

\* License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND,  
either

\* express or implied. See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/common/collect/RegularImmutableSortedMultiset.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/common/collect/ImmutableSortedMultisetFauxverideShim.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/common/collect/GeneralRange.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/common/collect/ForwardingSortedMultiset.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/common/collect/SortedIterable.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/common/collect/RangeSet.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/common/collect/AbstractRangeSet.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/common/collect/Count.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/common/collect/SortedIterables.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/common/collect/ImmutableSortedMultiset.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2007 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*



```
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
```

```
*/
```

```
/**
```

```
* Returns an array containing all of the elements in the specified collection. This method
* returns the elements in the order they are returned by the collection's iterator. The returned
* array is "safe" in that no references to it are maintained by the collection. The caller is
* thus free to modify the returned array.
*
* <p>This method assumes that the collection size doesn't change while the method is running.
*
* <p>TODO(kevinb): support concurrently modified collections?
*
* @param c the collection for which to return an array of elements
*/
```

Found in path(s):

```
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ObjectArrays.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright (C) 2012 The Guava Authors
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
```

```
*/
```

```
/*
```

```
* This method was rewritten in Java from an intermediate step of the Murmur hash function in
* http://code.google.com/p/smhasher/source/browse/trunk/MurmurHash3.cpp, which contained the
* following header:
```

```
*
```

```
* MurmurHash3 was written by Austin Appleby, and is placed in the public domain. The author
* hereby disclaims copyright to this source code.
```

```
*/
```

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/SmallCharMatcher.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2014 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

\* or implied. See the License for the specific language governing permissions and limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/eventbus/SubscriberRegistry.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/eventbus/Dispatcher.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/MoreObjects.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ListenerCallQueue.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/math/Quantiles.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/eventbus/Subscriber.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/TrustedListenableFutureTask.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ServiceManagerBridge.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Java8Usage.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2006 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/AppendableWriter.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/reflect/TypeToken.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/FluentFuture.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AggregateFuture.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/TimeLimiter.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractCatchingFuture.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractTransformFuture.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/UncheckedTimeoutException.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/FakeTimeLimiter.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/common/util/concurrent/FuturesGetChecked.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/GwtFluentFutureCatchingSpecialization.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/Futures.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/CollectionFuture.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/CaseFormat.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/escape/CharEscaper.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/io/PatternFilenameFilter.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/GwtFuturesCatchingSpecialization.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/escape/CharEscaperBuilder.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/TimeoutFuture.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/ImmediateFuture.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/SimpleTimeLimiter.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/annotations/VisibleForTesting.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2013 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/reflect/TypeVisitor.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/thirdparty/publicsuffix/PublicSuffixType.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/common/hash/HashingInputStream.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/VerifyException.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/eventbus/SubscriberExceptionHandler.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/AbstractTable.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/Runnables.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/Verify.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/eventbus/SubscriberExceptionContext.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/FilteredMultimapValues.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/io/CharSequenceReader.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/Utf8.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/WrappingScheduledExecutorService.java  
No license file was found, but licenses were detected in source scan.

```
/*  
 * Copyright (C) 2018 The Guava Authors  
 *  
 * Licensed under the Apache License, Version 2.0 (the "License");  
 * you may not use this file except in compliance with the License.  
 * You may obtain a copy of the License at  
 *  
 * http://www.apache.org/licenses/LICENSE-2.0  
 *  
 * Unless required by applicable law or agreed to in writing, software  
 * distributed under the License is distributed on an "AS IS" BASIS,  
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
 * See the License for the specific language governing permissions and  
 * limitations under the License.  
 */
```

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/JdkBackedImmutableMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/BaseImmutableMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/JdkBackedImmutableBiMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/IndexedImmutableSet.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2012 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/FilteredKeySetMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/FilteredKeyListMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/AllEqualOrdering.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/TransformedListIterator.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/FilteredMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/FilteredEntrySetMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/SortedMultisetBridge.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/CompactLinkedHashSet.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/CompactLinkedHashMap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/FilteredSetMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/CompactHashMap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/AbstractSortedKeySortedSetMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ImmutableEnumMap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/UnmodifiableSortedMultiset.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
```

jar/com/google/common/util/concurrent/ForwardingBlockingDeque.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/ForwardingImmutableList.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/ForwardingBlockingDeque.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/ForwardingDeque.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/TransformedIterator.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/ForwardingImmutableMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/TreeTraverser.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/CompactHashSet.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/DescendingMultiset.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/FilteredEntryMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/RangeMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/ForwardingNavigableSet.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/TreeRangeMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/DescendingImmutableSortedSet.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/AbstractMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/RegularImmutableAsList.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/EvictingQueue.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/ForwardingNavigableMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/ForwardingImmutableSet.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/AbstractNavigableMap.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Guava Authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/hash/package-info.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2016 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

/\*\*

\* Holder for extra methods of {@code Objects} only in web. Intended to be empty for regular  
\* version.

\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/ExtraObjectsMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2007 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express



\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/  
/\*  
\* This following method is a modified version of one found in  
\* <http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/src/test/tck/AbstractExecutorServiceTest.java?revision=1.30>  
\* which contained the following notice:  
\*  
\* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to  
\* the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>  
\*  
\* Other contributors include Andrew Wright, Jeffrey Hayes, Pat Fisher, Mike Judd.  
\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/MoreExecutors.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2013 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/ImmutableMapEntry.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/MultimapBuilder.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/io/MoreFiles.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2008 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");

- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableEntry.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Tables.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/thirdparty/publicsuffix/PublicSuffixPatterns.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Serialization.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/StandardTable.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableListMultimap.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/PeekingIterator.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableMap.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableMultiset.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/SingletonImmutableBiMap.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableBiMap.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableBiMap.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableSortedSet.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableMapValues.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Collections2.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableMapEntrySet.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableCollection.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-

```
jar/com/google/common/collect/Table.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/EmptyImmutableListMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/CollectPreconditions.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/HashBasedTable.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ImmutableMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/Platform.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/TreeBasedTable.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/StandardRowSortedTable.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ImmutableMap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/Range.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/UnmodifiableIterator.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ImmutableMapKeySet.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2020 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/**
* Holder for web specializations of methods of { @code Shorts}. Intended to be empty for regular
* version.
*/
```

Found in path(s):

```
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/primitives/ShortsMethodsForWeb.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2012 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ImmutableRangeSet.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/math/LinearTransformation.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/io/CharSink.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/hash/LongAddable.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/util/concurrent/SmoothRateLimiter.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/FilteredKeyMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/reflect/Parameter.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/io/ByteSink.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/Closer.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/math/Stats.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/html/package-info.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/math/PairedStatsAccumulator.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/reflect/Element.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/io/CharSource.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/reflect/package-info.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
```

jar/com/google/common/reflect/ImmutableTypeToInstanceMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/math/StatsAccumulator.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/escape/package-info.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/reflect/MutableTypeToInstanceMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/hash/SipHashFunction.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/reflect/TypeCapture.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/cache/LongAddable.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/io/ByteSource.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/hash/ChecksumHashFunction.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/reflect/Invokable.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/RateLimiter.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/StandardSystemProperty.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/hash/AbstractByteHasher.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/reflect/AbstractInvocationHandler.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/io/BaseEncoding.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/reflect/TypeToInstanceMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/math/PairedStats.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/cache/LongAddables.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/ListenableScheduledFuture.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/hash/LongAddables.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/CartesianList.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/io/FileWriteMode.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/reflect/ClassPath.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/xml/package-  
info.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/common/collect/ImmutableRangeMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/ServiceManager.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2017 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/graph/AbstractBaseGraph.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/graph/BaseGraph.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/graph/Traverser.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/ClosingFuture.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2019 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

```
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/graph/IncidentEdgeSet.java  
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/CompactHashing.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright (C) 2008 The Guava Authors
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
* See the License for the specific language governing permissions and
```

```
* limitations under the License.
```

```
*/
```

```
/*
```

```
* This method was rewritten in Java from an intermediate step of the Murmur hash function in
```

```
* http://code.google.com/p/smhasher/source/browse/trunk/MurmurHash3.cpp, which contained the
```

```
* following header:
```

```
*
```

```
* MurmurHash3 was written by Austin Appleby, and is placed in the public domain. The author
```

```
* hereby disclaims copyright to this source code.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/Hashing.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright (C) 2005 The Guava Authors
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
```

```
* in compliance with the License. You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software distributed under the License
```

```
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express
```

```
* or implied. See the License for the specific language governing permissions and limitations under
```

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/reflect/Reflection.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2009 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

/\*\*

\* Outer class that exists solely to let us write { @code Partially.GwtIncompatible } instead of plain  
\* { @code GwtIncompatible }. This is more accurate for { @link Futures#catching }, which is available  
\* under GWT but with a slightly different signature.

\*

\* <p>We can't use { @code PartiallyGwtIncompatible } because then the GWT compiler wouldn't recognize  
\* it as a { @code GwtIncompatible } annotation. And for { @code Futures.catching }, we need the GWT  
\* compiler to autostrip the normal server method in order to expose the special, inherited GWT  
\* version.

\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/Partially.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2014 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software



- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/TopKSelector.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/ImmutableGraph.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/SuccessorsFunction.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/MutableNetwork.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/ImmutableNetwork.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/Graphs.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/InsecureRecursiveDeleteException.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/Graph.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/RecursiveDeleteOption.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/PredecessorsFunction.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/MutableGraph.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/Network.java

No license file was found, but licenses were detected in source scan.

/\*

- \* Written by Doug Lea with assistance from members of JCP JSR-166
- \* Expert Group and released to the public domain, as explained at
- \* <http://creativecommons.org/publicdomain/zero/1.0/>

\*/

Found in path(s):

- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AtomicDoubleArray.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/LongAdder.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/LongAdder.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/Striped64.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/Striped64.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2008 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/FileBackedOutputStream.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/Shorts.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/Doubles.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/SequentialExecutor.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/CharMatcher.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/FluentIterable.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/Booleans.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/Chars.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/net/PercentEscaper.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Joiner.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/Floats.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ListenableFutureTask.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/escape/UnicodeEscaper.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/Bytes.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/MultiReader.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Stopwatch.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Converter.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/Longs.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/Ints.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/internal/Finalizer.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/net/InetAddresses.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/escape/Escaper.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/thirdparty/publicsuffix/TrieParser.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2010 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingSetMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/MinMaxPriorityQueue.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractSequentialIterator.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingListMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/RowSortedTable.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/common/collect/ForwardingSortedSetMultimap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/ForwardingImmutableCollection.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/UnmodifiableListIterator.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/SortedMapDifference.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2011 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License"); you may not  
* use this file except in compliance with the License. You may obtain a copy of  
* the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
* License for the specific language governing permissions and limitations under  
* the License.  
*/
```

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/SortedMultiset.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/collect/SortedMultisets.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2009 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
* in compliance with the License. You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software distributed under the License  
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
* or implied. See the License for the specific language governing permissions and limitations under  
* the License.  
*/
```

Found in path(s):

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/DenseImmutableTable.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingFuture.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/UnsignedBytes.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/net/HostSpecifier.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractExecutionThreadService.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/JdkFutureAdapters.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/SignedBytes.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/annotations/GwtIncompatible.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/SparseImmutableTable.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/net/UrlEscapers.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/ReferenceEntry.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/MapMakerInternalMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/reflect/TypeResolver.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/escape/Platform.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/MapMaker.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/escape/ArrayBasedUnicodeEscaper.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/CacheBuilder.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Cut.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/ByteArrayDataInput.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/SettableFuture.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/Callables.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/Service.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractIdleService.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingFluentFuture.java

\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Platform.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/ByteArrayDataOutput.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/html/HtmlEscapers.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/escape/ArrayBasedEscaperMap.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/LineProcessor.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/xml/XmlEscapers.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableTable.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingListenableFuture.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/annotations/GwtCompatible.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/ByteProcessor.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/escape/ArrayBasedCharEscaper.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/net/InternetDomainName.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractService.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Splitter.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/LocalCache.java  
\* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/escape/Escapers.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2009 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

```
*/
/**
 * Not supported. <b>You are attempting to create a map that may contain a non-{@code Comparable}
 * key.</b> Proper calls will resolve to the version in {@code ImmutableSortedMap}, not this dummy
 * version.
 *
 * @throws UnsupportedOperationException always
 * @deprecated <b>Pass a key of type {@code Comparable} to use {@link
 *   ImmutableSortedMap#of(Comparable, Object)}.</b>
 */
```

Found in path(s):

```
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ImmutableSortedMapFauxverideShim.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright (C) 2020 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
/**
 * Holder for web specializations of methods of {@code Floats}. Intended to be empty for regular
 * version.
 */
```

Found in path(s):

```
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/primitives/FloatsMethodsForWeb.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright (C) 2009 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
```

- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ComputationException.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/DiscreteDomain.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableClassToInstanceMap.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableSortedSetFauxverideShim.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableTable.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableAsList.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ArrayTable.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingTable.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/TableCollectors.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableEnumSet.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableSortedSet.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableSortedMap.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/SingletonImmutableList.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/SingletonImmutableTable.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableSetMultimap.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ComparisonChain.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableList.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractIndexedListAdapter.java
- \* /opt/cola/permits/1119092615\_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/EmptyImmutableSetMultimap.java



# 1.181 guava 30.1.1-android

## 1.181.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2015 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/graph/package-info.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2007 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
/*
 * This following method is a modified version of one found in
 * http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/src/test/tck/AbstractExecutorServiceTest.java?revision=1.30
 * which contained the following notice:
 *
 * Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to
```

\* the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>  
\*  
\* Other contributors include Andrew Wright, Jeffrey Hayes, Pat Fisher, Mike Judd.  
\*/

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/MoreExecutors.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2010 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/net/package-info.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/Atomics.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/base/Strings.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/ThreadFactoryBuilder.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/base/Ascii.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ContiguousSet.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/Monitor.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/ForwardingBlockingQueue.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/base/Equivalence.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/SortedLists.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/UncaughtExceptionHandler.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/primitives/package-info.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/annotations/Beta.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/ListeningExecutorService.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/annotations/package-info.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2019 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/IncidentEdgeSet.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/CompactHashing.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2014 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/eventbus/SubscriberRegistry.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/base/MoreObjects.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/math/Quantiles.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/eventbus/Subscriber.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/eventbus/Dispatcher.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/TrustedListenableFutureTask.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/ListenerCallQueue.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2009 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/AbstractExecutionThreadService.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/ForwardingFuture.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/base/Splitter.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/io/ByteArrayDataInput.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/annotations/GwtIncompatible.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/ForwardingListenableFuture.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/MapMakerInternalMap.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-

jar/com/google/common/util/concurrent/Service.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/annotations/GwtCompatible.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/escape/ArrayBasedUnicodeEscaper.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/Cut.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/escape/Escapers.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/net/HostSpecifier.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/cache/LocalCache.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/io/LineProcessor.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/JdkFutureAdapters.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/AbstractIdleService.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/io/ByteArrayDataOutput.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/cache/CacheBuilder.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/AbstractService.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/SparseImmutableTable.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/RegularImmutableTable.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/reflect/TypeResolver.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/MapMaker.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/cache/ReferenceEntry.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/net/InternetDomainName.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/html/HtmlEscapers.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/DenseImmutableTable.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/net/UrlEscapers.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/Callables.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/escape/ArrayBasedEscaperMap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-

jar/com/google/common/util/concurrent/SettableFuture.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/primitives/SignedBytes.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/ForwardingFluentFuture.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/escape/ArrayBasedCharEscaper.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/io/ByteProcessor.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/xml/XmlEscapers.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/primitives/UnsignedBytes.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/escape/Platform.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/base/Platform.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2008 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/  
  
* This method was rewritten in Java from an intermediate step of the Murmur hash function in  
* http://code.google.com/p/smhasher/source/browse/trunk/MurmurHash3.cpp, which contained the  
* following header:  
*  
* MurmurHash3 was written by Austin Appleby, and is placed in the public domain. The author  
* hereby disclaims copyright to this source code.  
*/
```

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/Hashing.java  
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2020 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
/**
 * Holder for web specializations of methods of { @code Floats }. Intended to be empty for regular
 * version.
 */
```

Found in path(s):

```
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/primitives/FloatsMethodsForWeb.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2011 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
/*
 * This method was written by Doug Lea with assistance from members of JCP JSR-166 Expert Group
 * and released to the public domain, as explained at
 * http://creativecommons.org/licenses/publicdomain
 *
 * As of 2010/06/11, this method is identical to the (package private) hash method in OpenJDK 7's
 * java.util.HashMap class.
 */
```

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/Striped.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Guava Authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

\* or implied. See the License for the specific language governing permissions and limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/hash/package-info.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2013 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

\* or implied. See the License for the specific language governing permissions and limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/AbstractTable.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/reflect/TypeVisitor.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/base/VerifyException.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/Runnables.java



\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/base/Verify.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/hash/HashingInputStream.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/WrappingScheduledExecutorService.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/eventbus/SubscriberExceptionContext.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/thirdparty/publicsuffix/PublicSuffixType.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/base/Utf8.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/FilteredMultimapValues.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/io/CharSequenceReader.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/eventbus/SubscriberExceptionHandler.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2013 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/MultimapBuilder.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2007 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/base/Preconditions.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/io/Resources.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/io/package-info.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/base/FinalizablePhantomReference.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/base/Suppliers.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/base/Charsets.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/io/LineReader.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/base/FinalizableSoftReference.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/io/CharStreams.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/base/Predicate.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/io/ByteStreams.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/primitives/Primitives.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/io/LineBuffer.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/base/FinalizableWeakReference.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/base/Predicates.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/base/Functions.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/base/AbstractIterator.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/base/package-info.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/HashBiMap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-

jar/com/google/common/eventbus/DeadEvent.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/base/FinalizableReference.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/eventbus/Subscribe.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/base/Objects.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/base/Supplier.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/io/MultiInputStream.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/Interners.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/EnumMultiset.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/ExecutionList.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/package-info.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/base/Defaults.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/base/Function.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/base/FinalizableReferenceQueue.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/AbstractFuture.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/io/Closeables.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/eventbus/AllowConcurrentEvents.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/io/Files.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/eventbus/AsyncEventBus.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/io/LittleEndianDataOutputStream.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/eventbus/EventBus.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/io/CountingOutputStream.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/base/Throwables.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/ListenableFuture.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/DirectExecutor.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-

jar/com/google/common/io/CountingInputStream.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/io/LittleEndianDataInputStream.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/io/Flushables.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/eventbus/package-info.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2008 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
* in compliance with the License. You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software distributed under the License  
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
* or implied. See the License for the specific language governing permissions and limitations under  
* the License.  
*/
```

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/base/Converter.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/net/PercentEscaper.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/thirdparty/publicsuffix/TrieParser.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/primitives/Booleans.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/base/internal/Finalizer.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/primitives/Doubles.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/base/CharMatcher.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/primitives/Floats.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/SequentialExecutor.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/primitives/Bytes.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/ListenableFutureTask.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-

jar/com/google/common/collect/FluentIterable.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/base/Stopwatch.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/io/FileBackedOutputStream.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/primitives/Shorts.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/primitives/Ints.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/primitives/Chars.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/io/MultiReader.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/base/Joiner.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/escape/UnicodeEscaper.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/primitives/Longs.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/net/InetAddresses.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/escape/Escaper.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the

\* License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND,  
either

\* express or implied. See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/ImmutableSortedMultisetFauxverideShim.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/RangeSet.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/SortedIterable.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-

jar/com/google/common/collect/SortedIterables.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/AbstractRangeSet.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/ImmutableSortedMultiset.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/GeneralRange.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/RegularImmutableSortedMultiset.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/ForwardingSortedMultiset.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/Count.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Written by Doug Lea with assistance from members of JCP JSR-166  
\* Expert Group and released to the public domain, as explained at  
\* <http://creativecommons.org/publicdomain/zero/1.0/>  
\*/

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/hash/LongAdder.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/cache/Striped64.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/cache/LongAdder.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/hash/Striped64.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/AtomicDoubleArray.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2020 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

/\*\*

\* Holder for web specializations of methods of { @code Doubles }. Intended to be empty for regular  
\* version.  
\*/

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/primitives/DoublesMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2009 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

/\*\*

\* Not supported. <b>You are attempting to create a map that may contain a non-{@code Comparable}

\* key.</b> Proper calls will resolve to the version in { @code ImmutableSortedMap }, not this dummy

\* version.

\*

\* @throws UnsupportedOperationException always

\* @deprecated <b>Pass a key of type { @code Comparable } to use { @link

\* `ImmutableSortedMap#of(Comparable, Object)`.</b>

\*/

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/ImmutableSortedMapFauxverideShim.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2005 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/reflect/Reflection.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/GwtTransient.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2019 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/



Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/IgnoreJRERRequirement.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2016 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

\* or implied. See the License for the specific language governing permissions and limitations under the License.

\*/

/\*\*

\* Holder for extra methods of { @code Objects } only in web. Intended to be empty for regular version.

\*/

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/base/ExtraObjectsMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2007 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

\*/

/\*\*

\* Returns an array containing all of the elements in the specified collection. This method returns the elements in the order they are returned by the collection's iterator. The returned array is "safe" in that no references to it are maintained by the collection. The caller is

```
* thus free to modify the returned array.
*
* <p>This method assumes that the collection size doesn't change while the method is running.
*
* <p>TODO(kevinb): support concurrently modified collections?
*
* @param c the collection for which to return an array of elements
*/
```

Found in path(s):

```
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/collect/ObjectArrays.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright (C) 2014 The Guava Authors
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
* See the License for the specific language governing permissions and
```

```
* limitations under the License.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/collect/TopKSelector.java
```

```
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/graph/SuccessorsFunction.java
```

```
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/graph/Graph.java
```

```
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/graph/PredecessorsFunction.java
```

```
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/graph/ImmutableGraph.java
```

```
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/graph/Graphs.java
```

```
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/graph/MutableGraph.java
```

```
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/graph/Network.java
```

```
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
```

jar/com/google/common/graph/MutableNetwork.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/graph/ImmutableNetwork.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2012 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

```
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/FilteredEntrySetMultimap.java  
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/ForwardingImmutableSet.java  
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/SortedMultisetBridge.java  
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/DescendingImmutableSortedSet.java  
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/FilteredKeySetMultimap.java  
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/ImmutableEnumMap.java  
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/FilteredEntryMultimap.java  
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/DescendingMultiset.java  
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/TreeRangeMap.java  
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/ForwardingNavigableSet.java  
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/AllEqualOrdering.java  
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/TreeTraverser.java  
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/RegularImmutableAsList.java
```

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/CompactHashMap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/TransformedIterator.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/ForwardingBlockingDeque.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ForwardingDeque.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/AbstractSortedKeySortedSetMultimap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ForwardingNavigableMap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/TransformedListIterator.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ForwardingBlockingDeque.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ForwardingImmutableList.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/AbstractMultimap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/CompactHashSet.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/EvictingQueue.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/FilteredSetMultimap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/CompactLinkedHashMap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/CompactLinkedHashSet.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/AbstractNavigableMap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ForwardingImmutableMap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/FilteredKeyListMultimap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/UnmodifiableSortedMultiset.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/RangeMap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/FilteredMultimap.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2016 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/base/JdkPattern.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/base/PatternCompiler.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/base/CommonPattern.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/base/CommonMatcher.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2015 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/hash/LittleEndianByteArray.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/InterruptibleTask.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/hash/MacHashFunction.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/io/ReaderInputStream.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/AggregateFutureState.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/Platform.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ConsumingQueueIterator.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/AsyncCallable.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/hash/FarmHashFingerprint64.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/CombinedFuture.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2018 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/hash/ImmutableSupplier.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/ExecutionSequencer.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/math/BigDecimalMath.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/io/Java8Compatibility.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/OverflowAvoidingLockSupport.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/hash/Java8Compatibility.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/math/ToDoubleRounder.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2009 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

/\*\*

\* Outer class that exists solely to let us write { @code Partially.GwtIncompatible } instead of plain  
\* { @code GwtIncompatible }. This is more accurate for { @link Futures#catching }, which is available  
\* under GWT but with a slightly different signature.

\*

\* <p>We can't use { @code PartiallyGwtIncompatible } because then the GWT compiler wouldn't recognize  
\* it as a { @code GwtIncompatible } annotation. And for { @code Futures.catching }, we need the GWT  
\* compiler to autostrip the normal server method in order to expose the special, inherited GWT  
\* version.

\*/

Found in path(s):

- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/Partially.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/ServiceManagerBridge.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/base/Java8Usage.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2012 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/reflect/ImmutableTypeToInstanceMap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/reflect/MutableTypeToInstanceMap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/io/CharSource.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/CartesianList.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/ImmutableRangeMap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/escape/package-info.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-



jar/com/google/common/hash/LongAddable.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/io/BaseEncoding.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/io/ByteSource.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/math/PairedStatsAccumulator.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/reflect/AbstractInvocationHandler.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/reflect/ClassPath.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/math/StatsAccumulator.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/io/Closer.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/xml/package-info.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/SmoothRateLimiter.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/ListenableScheduledFuture.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/math/PairedStats.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/reflect/Invokable.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/reflect/TypeCapture.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/math/Stats.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/RateLimiter.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/reflect/Parameter.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/reflect/TypeToInstanceMap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/reflect/Element.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/cache/LongAddables.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/io/FileWriteMode.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/hash/LongAddables.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/io/ByteSink.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/ServiceManager.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-

jar/com/google/common/base/StandardSystemProperty.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/io/CharSink.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/hash/AbstractByteHasher.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/math/LinearTransformation.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/html/package-info.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/hash/SipHashFunction.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/reflect/package-info.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/hash/ChecksumHashFunction.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/ImmutableRangeSet.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/FilteredKeyMultimap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/cache/LongAddable.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2017 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/hash/AbstractHashFunction.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/ForwardingLock.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/ForwardingCondition.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/primitives/ImmutableDoubleArray.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-

jar/com/google/common/primitives/ImmutableIntArray.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-

jar/com/google/common/primitives/ImmutableLongArray.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2017 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-

jar/com/google/common/collect/ObjectCountLinkedHashMap.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-

jar/com/google/common/graph/Traverser.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-

jar/com/google/common/graph/AbstractBaseGraph.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-

jar/com/google/common/graph/BaseGraph.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-

jar/com/google/common/collect/ObjectCountHashMap.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-

jar/com/google/common/util/concurrent/ClosingFuture.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/cache/package-info.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/hash/AbstractHasher.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/AbstractListeningExecutorService.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/primitives/UnsignedInts.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/primitives/UnsignedLongs.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/ListeningScheduledExecutorService.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/hash/Crc32cHashFunction.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/cache/CacheLoader.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/cache/AbstractCache.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/math/package-info.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/AsyncFunction.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/hash/AbstractNonStreamingHashFunction.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/primitives/ParseRequest.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/hash/Funnel.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/cache/RemovalNotification.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/TreeRangeSet.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/cache/Weigher.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/Uninterruptibles.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/net/HostAndPort.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/hash/AbstractCompositeHashFunction.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/hash/BloomFilterStrategies.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/hash/HashCode.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/ExecutionError.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/hash/MessageDigestHashFunction.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/hash/Murmur3\_128HashFunction.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/math/IntMath.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/hash/Hashing.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/base/Optional.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/UncheckedExecutionException.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/math/LongMath.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/BoundType.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/primitives/UnsignedLong.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/hash/BloomFilter.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/CycleDetectingLockFactory.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/cache/RemovalListeners.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/Queues.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/math/BigIntegerMath.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/cache/CacheBuilderSpec.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/net/HttpHeaders.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/ForwardingExecutorService.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/DescendingImmutableSortedMultiset.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/base/Ticker.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/hash/HashingOutputStream.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/reflect/Types.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/hash/Funnels.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/FutureCallback.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/cache/ForwardingLoadingCache.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/hash/PrimitiveSink.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/hash/HashFunction.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/math/DoubleMath.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/cache/RemovalListener.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/hash/Hasher.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/base/Enums.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/cache/LoadingCache.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/base/Present.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/math/MathPreconditions.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/AbstractSortedMultiset.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/AbstractScheduledService.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/RegularContiguousSet.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/cache/CacheStats.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/hash/AbstractStreamingHasher.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/cache/Cache.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/AtomicLongMap.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/cache/RemovalCause.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/WrappingExecutorService.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/base/PairwiseEquivalence.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/ForwardingListeningExecutorService.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/cache/AbstractLoadingCache.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/base/Absent.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/cache/ForwardingCache.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/base/FunctionalEquivalence.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/hash/Murmur3\_32HashFunction.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/math/DoubleUtils.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/EmptyContiguousSet.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/reflect/TypeParameter.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/RegularImmutableMultiset.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/primitives/UnsignedInteger.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/net/MediaType.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not  
\* use this file except in compliance with the License. You may obtain a copy of  
\* the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/SortedMultiset.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/SortedMultisets.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2016 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at

\*

- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/AbstractNetwork.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/UndirectedMultiNetworkConnections.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/LinkedHashMultimapGwtSerializationDependencies.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/UndirectedNetworkConnections.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/DirectedMultiNetworkConnections.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/MapIteratorCache.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/ForwardingNetwork.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/DirectedGraphConnections.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/StandardValueGraph.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/HashMultimapGwtSerializationDependencies.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/NetworkBuilder.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/EdgesConnecting.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ImmutableMultisetGwtSerializationDependencies.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/ElementOrder.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/StandardMutableGraph.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/GraphConstants.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/ImmutableValueGraph.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/AbstractGraphBuilder.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/NetworkConnections.java



\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/MutableValueGraph.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/StandardMutableValueGraph.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/AbstractGraph.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/StandardNetwork.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/MapRetrievalCache.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/AbstractDirectedNetworkConnections.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/UndirectedGraphConnections.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/ValueGraph.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/GraphBuilder.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/EndpointPairIterator.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/Comparators.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/DirectedNetworkConnections.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/ForwardingGraph.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/StandardMutableNetwork.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/GraphConnections.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/EndpointPair.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/RangeGwtSerializationDependencies.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ArrayListMultimapGwtSerializationDependencies.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/MultiEdgesConnecting.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/AbstractUndirectedNetworkConnections.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/ForwardingValueGraph.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/AbstractValueGraph.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/graph/ValueGraphBuilder.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2010 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/collect/ForwardingSetMultimap.java
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/collect/ForwardingSortedSetMultimap.java
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/collect/RowSortedTable.java
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/collect/ForwardingImmutableCollection.java
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/collect/AbstractSequentialIterator.java
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/collect/UnmodifiableListIterator.java
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/collect/ForwardingListMultimap.java
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/collect/MinMaxPriorityQueue.java
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/collect/SortedMapDifference.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2019 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
```

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/primitives/Platform.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2009 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/ImmutableClassToInstanceMap.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/RegularImmutableSortedSet.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/ArrayTable.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/ImmutableSortedMap.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/ForwardingTable.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/DiscreteDomain.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/RegularImmutableList.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/ImmutableSetMultimap.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/ImmutableAsList.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/SingletonImmutableTable.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/EmptyImmutableSetMultimap.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ImmutableSortedSetFauxverideShim.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ComputationException.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ComparisonChain.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/AbstractIndexedListIterator.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ImmutableEnumSet.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ImmutableTable.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

/\*\*

\* Holder for web specializations of methods of { @code Ints }. Intended to be empty for regular  
\* version.

\*/

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/primitives/IntsMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2012 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either

express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

/\*

\* This method was rewritten in Java from an intermediate step of the Murmur hash function in  
\* <http://code.google.com/p/smhasher/source/browse/trunk/MurmurHash3.cpp>, which contained the  
\* following header:

\*

\* MurmurHash3 was written by Austin Appleby, and is placed in the public domain. The author  
\* hereby disclaims copyright to this source code.

\*/

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/base/SmallCharMatcher.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2006 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either

express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/TimeoutFuture.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/GwtFuturesCatchingSpecialization.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/annotations/VisibleForTesting.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/GwtFluentFutureCatchingSpecialization.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/FuturesGetChecked.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/SimpleTimeLimiter.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/util/concurrent/FakeTimeLimiter.java

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/io/AppendableWriter.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/Futures.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/reflect/TypeToken.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/escape/CharEscaperBuilder.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/FluentFuture.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/AbstractTransformFuture.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/AbstractCatchingFuture.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/AggregateFuture.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/escape/CharEscaper.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/CollectionFuture.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/ImmediateFuture.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/io/PatternFilenameFilter.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/TimeLimiter.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/util/concurrent/UncheckedTimeoutException.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/base/CaseFormat.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2008 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ImmutableEntry.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/thirdparty/publicsuffix/PublicSuffixPatterns.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/CollectPreconditions.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ImmutableMapEntrySet.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ImmutableMapKeySet.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ImmutableCollection.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/Table.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ImmutableSortedSet.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/UnmodifiableIterator.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ImmutableMap.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ImmutableBiMap.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/TreeBasedTable.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/RegularImmutableBiMap.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/Platform.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ImmutableListMultimap.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/Tables.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/Range.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/HashBasedTable.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ImmutableMultimap.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/RegularImmutableMap.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/Collections2.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ImmutableMultiset.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/StandardTable.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-

jar/com/google/common/collect/Serialization.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/StandardRowSortedTable.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/PeekingIterator.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/EmptyImmutableListMultimap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/ImmutableMapValues.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2018 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/IndexedImmutableSet.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/BaseImmutableMultimap.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2007 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.
```



\*/

Found in path(s):

- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/EnumBiMap.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ForwardingSet.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ForwardingSortedSet.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ImmutableList.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ForwardingCollection.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/AbstractSetMultimap.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/Multisets.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/Ordering.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/NullsLastOrdering.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ImmutableSet.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ForwardingMapEntry.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ClassToInstanceMap.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/AbstractMapEntry.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/SingletonImmutableSet.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/ListMultimap.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/SortedSetMultimap.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/TreeMultiset.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/LinkedListMultimap.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/Interner.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/UsingToStringOrdering.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/AbstractIterator.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-jar/com/google/common/collect/Maps.java
- \* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-

jar/com/google/common/collect/ForwardingIterator.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/ComparatorOrdering.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/ForwardingMap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/ForwardingSortedMap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/SetMultimap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/Lists.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/ForwardingMultiset.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/ForwardingMultimap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/Multiset.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/MutableClassToInstanceMap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/RegularImmutableSet.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/package-info.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/ForwardingQueue.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/AbstractBiMap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/AbstractMapBasedMultiset.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/ExplicitOrdering.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/Iterators.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/LinkedHashMultimap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/ConcurrentHashMultiset.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/Multimap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/LexicographicalOrdering.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/ForwardingConcurrentMap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/ForwardingObject.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/BiMap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-

jar/com/google/common/collect/Iterables.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/AbstractSortedSetMultimap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/MapDifference.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/AbstractListMultimap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/HashMultimap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/Multimaps.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/ReverseNaturalOrdering.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/AbstractMultiset.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/Sets.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/ForwardingListIterator.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/Synchronized.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/CompoundOrdering.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/NaturalOrdering.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/ReverseOrdering.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/ArrayListMultimap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/ByFunctionOrdering.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/NullsFirstOrdering.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/ForwardingList.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/TreeMultimap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/HashMultiset.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/AbstractMapBasedMultimap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/EnumHashBiMap.java  
\* /opt/cola/permits/1148655839\_1618904031.03/0/guava-30-1-1-android-sources-  
jar/com/google/common/collect/LinkedHashMultiset.java

No license file was found, but licenses were detected in source scan.

/\*

```
* Copyright (C) 2020 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/**
* Holder for web specializations of methods of { @code Shorts}. Intended to be empty for regular
* version.
*/
```

Found in path(s):

```
* /opt/cola/permits/1148655839_1618904031.03/0/guava-30-1-1-android-sources-
jar/com/google/common/primitives/ShortsMethodsForWeb.java
```

# 1.182 sdk-core 2.18.2

## 1.182.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of,

publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution

notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing

the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Note: Other license terms may apply to certain, identified software files contained within or distributed with the accompanying software if such terms are included in the directory containing the accompanying software. Such other license terms will then apply in lieu of the terms of the software license above.

AWS SDK for Java 2.0

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

This product includes software developed by Amazon Technologies, Inc (<http://www.amazon.com/>).

\*\*\*\*\*

THIRD PARTY COMPONENTS



\*\*\*\*\*

This software includes third party software subject to the following copyrights:

- XML parsing and utility functions from JetS3t - Copyright 2006-2009 James Murty.
- PKCS#1 PEM encoded private key parsing and utility functions from oauth.googlecode.com - Copyright 1998-2010 AOL Inc.
- Apache Commons Lang - <https://github.com/apache/commons-lang>
- Netty Reactive Streams - <https://github.com/playframework/netty-reactive-streams>
- Jackson-core - <https://github.com/FasterXML/jackson-core>
- Jackson-dataformat-cbor - <https://github.com/FasterXML/jackson-dataformats-binary>

The licenses for these third party components are included in LICENSE.txt

- For Apache Commons Lang see also this required NOTICE:  
Apache Commons Lang  
Copyright 2001-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

# 1.183 annotations 2.18.2

## 1.183.1 Available under license :

Camel :: SPI Annotations  
Copyright 2007-2017 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the

direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and

wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor

has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.184 jctools-core 3.1.0

## 1.184.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed under the Apache License, Version 2.0 (the "License");

- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/spec/Ordering.java
- \* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/SpSCUnboundedAtomicArrayQueue.java
- \* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/SpMCAtomicArrayQueue.java
- \* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/MessagePassingQueueUtil.java
- \* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/MpMCAtomicArrayQueue.java
- \* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/util/UnsafeJvmInfo.java
- \* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/LinkedListQueueAtomicNode.java
- \* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/SpSCLinkedListQueue.java
- \* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/MpSCUnboundedXaddArrayQueue.java
- \* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/spec/Preference.java
- \* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/MpSCAtomicArrayQueue.java
- \* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/MessagePassingQueue.java
- \* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/SupportsIterator.java
- \* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/MpMCUnboundedXaddArrayQueue.java
- \* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/MpSCGrowArrayQueue.java
- \* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/BaseSpSCLinkedListAtomicArrayQueue.java
- \* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/AtomicQueueFactory.java
- \* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-

jar/org/jctools/queues/MpmcArrayQueue.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/atomic/SpScAtomicArrayQueue.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/atomic/SpScLinkedAtomicQueue.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/SpMpcArrayQueue.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/maps/AbstractEntry.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/MpmcUnboundedXaddChunk.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/MpscChunkedArrayQueue.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/maps/NonBlockingHashMapLong.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/atomic/MpscChunkedAtomicArrayQueue.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/ConcurrentSequencedCircularArrayQueue.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/util/UnsafeLongArrayAccess.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/MpscBlockingConsumerArrayQueue.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/atomic/BaseMpscLinkedAtomicArrayQueue.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/maps/NonBlockingHashMap.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/BaseMpscLinkedArrayQueue.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/atomic/MpscGrowableAtomicArrayQueue.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/maps/NonBlockingIdentityHashMap.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/BaseLinkedQueue.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/util/InternalAPI.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/maps/NonBlockingHashSet.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/util/Pow2.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/spec/ConcurrentQueueSpec.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/atomic/SpScChunkedAtomicArrayQueue.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/maps/ConcurrentAutoTable.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-

jar/org/jctools/queues/MpscUnboundedXaddChunk.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/atomic/MpscUnboundedAtomicArrayQueue.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/LinkedQueueNode.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/SpSCUnboundedArrayQueue.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/util/PortableJvmInfo.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/ConcurrentCircularArrayQueue.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/maps/NonBlockingSetInt.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/atomic/BaseLinkedAtomicQueue.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/atomic/SequencedAtomicReferenceArrayQueue.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/MpscLinkedQueue.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/util/UnsafeRefArrayAccess.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/MpscCompoundQueue.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/SpSCChunkedArrayQueue.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/SpSCArrayQueue.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/atomic/AtomicReferenceArrayQueue.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/QueueFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/MpscArrayQueue.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/util/UnsafeAccess.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/MpscUnboundedArrayQueue.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/atomic/SpSCGrowableAtomicArrayQueue.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/IndexedQueueSizeUtil.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/atomic/MpscLinkedAtomicQueue.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/queues/SpSCGrowableArrayQueue.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
jar/org/jctools/util/RangeUtil.java  
\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-



jar/org/jctools/queues/package-info.java

\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-

jar/org/jctools/queues/BaseSpSCLinkedListArrayQueue.java

No license file was found, but licenses were detected in source scan.

```
<project xmlns="http://maven.apache.org/POM/4.0.0" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 http://maven.apache.org/maven-v4_0_0.xsd">
```

```
<modelVersion>4.0.0</modelVersion>
```

```
<artifactId>jctools-core</artifactId>
```

```
<groupId>org.jctools</groupId>
```

```
<version>3.1.0</version>
```

```
<name>Java Concurrency Tools Core Library</name>
```

```
<description>Java Concurrency Tools Core Library</description>
```

```
<packaging>bundle</packaging>
```

```
<dependencies>
```

```
<dependency>
```

```
<groupId>org.hamcrest</groupId>
```

```
<artifactId>hamcrest-all</artifactId>
```

```
<version>${hamcrest.version}</version>
```

```
<scope>test</scope>
```

```
</dependency>
```

```
<dependency>
```

```
<groupId>junit</groupId>
```

```
<artifactId>junit</artifactId>
```

```
<version>${junit.version}</version>
```

```
<scope>test</scope>
```

```
</dependency>
```

```
<dependency>
```

```
<groupId>com.google.guava</groupId>
```

```
<artifactId>guava-testlib</artifactId>
```

```
<version>${guava-testlib.version}</version>
```

```
<scope>test</scope>
```

```
</dependency>
```

```
</dependencies>
```

```
<build>
```

```
<plugins>
```

```
<plugin>
```

```
<groupId>org.apache.maven.plugins</groupId>
```

```
<artifactId>maven-surefire-plugin</artifactId>
```

```
<version>3.0.0-M3</version>
```

```
<configuration>
```

```
<includes>
```

```
<include>*</include>
```

```
</includes>
```

```

</configuration>
</plugin>
<plugin>
  <groupId>org.apache.felix</groupId>
  <artifactId>maven-bundle-plugin</artifactId>
  <version>4.2.1</version>
  <extensions>>true</extensions>
  <configuration>
    <instructions>
      <Import-Package>sun.misc;resolution:=optional</Import-Package>
    </instructions>
  </configuration>
</plugin>
<plugin>
  <groupId>org.apache.maven.plugins</groupId>
  <artifactId>maven-source-plugin</artifactId>
  <version>3.2.0</version>
  <executions>
    <execution>
      <id>attach-sources</id>
      <phase>verify</phase>
      <goals>
        <goal>jar-no-fork</goal>
      </goals>
    </execution>
  </executions>
</plugin>
<plugin>
  <groupId>org.apache.maven.plugins</groupId>
  <artifactId>maven-javadoc-plugin</artifactId>
  <version>3.1.1</version>
  <configuration>
    <additionalOptions>
      <additionalOption>-Xdoclint:none</additionalOption>
    </additionalOptions>
    <source>8</source>
  </configuration>
  <executions>
    <execution>
      <id>attach-javadocs</id>
      <goals>
        <goal>jar</goal>
      </goals>
    </execution>
  </executions>
</plugin>
</plugins>
</build>

```

```
<distributionManagement>
  <repository>
    <id>bintray-jctools-jctools</id>
    <name>jctools-jctools</name>
    <url>https://api.bintray.com/maven/jctools/jctools/jctools-core/?publish=1</url>
  </repository>
</distributionManagement>
```

```
<url>https://github.com/JCTools</url>
<inceptionYear>2013</inceptionYear>
```

```
<licenses>
  <license>
    <name>Apache License, Version 2.0</name>
    <url>http://www.apache.org/licenses/LICENSE-2.0.txt</url>
    <distribution>repo</distribution>
  </license>
</licenses>
```

```
<scm>
  <url>https://github.com/JCTools/JCTools</url>
  <connection>scm:git:https://github.com/JCTools/JCTools</connection>
  <tag>HEAD</tag>
</scm>
```

```
<developers>
  <developer>
    <url>https://github.com/nitsanw</url>
  </developer>
  <developer>
    <url>https://github.com/mjpt777</url>
  </developer>
  <developer>
    <url>https://github.com/RichardWarburton</url>
  </developer>
  <developer>
    <url>https://github.com/kay</url>
  </developer>
  <developer>
    <url>https://github.com/franz1981</url>
  </developer>
</developers>
```

```
<prerequisites>
  <maven>3.5.0</maven>
</prerequisites>
```

```
<properties>
<project.build.sourceEncoding>UTF-8</project.build.sourceEncoding>
<java.version>1.6</java.version>
<java.test.version>1.8</java.test.version>

<maven.compiler.source>${java.version}</maven.compiler.source>
<maven.compiler.target>${java.version}</maven.compiler.target>
<maven.compiler.testSource>${java.test.version}</maven.compiler.testSource>
<maven.compiler.testTarget>${java.test.version}</maven.compiler.testTarget>

<hamcrest.version>1.3</hamcrest.version>
<junit.version>4.12</junit.version>
<guava-testlib.version>21.0</guava-testlib.version>
</properties>
</project>
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/META-
INF/maven/org.jctools/jctools-core/pom.xml
```

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: [www.cisco.com/go/trademarks](http://www.cisco.com/go/trademarks). Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)

©2023 Cisco Systems, Inc. All rights reserved.